This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`

J.P

Sv 3.


HARVARD UNIVERSITY
ARNOLD ARBORETUM
PRESENTED ~ BY ~
CHARLES ~ SPRAGUE ~ SARGENT
1892

SWEET'S HORTUS BRITANNICUS;

OR,

A CATALOGUE

OF ALL THE

PLANTS INDIGENOUS OR CULTIVATED

IN THE GARDENS OF

GREAT BRITAIN,

ARRANGED ACCORDING TO THE NATURAL SYSTEM,

WITH THE GENERIC AND SPECIFIC NAMES, ENGLISH NAMES, ACCENTUATION, DERIVATION OF GENERIC NAMES, NATIVE COUNTRY, YEAR OF INTRODUCTION, TIME OF FLOWERING, COLOUR OF FLOWERS, MODE OF GROWTH, DURATION, REFERENCES TO THE BEST FIGURES, THE MOST USEFUL SYNONYMES, THE LINNEAN CLASS AND ORDER TO WHICH EACH GENUS BELONGS, &c.

BY ROBERT SWEET, F.L.S.

Author of Hortus Suburbanus Londinensis, Botanical Cultivator, Geraniaceæ, Cistineæ, British Flower Garden, Flora Australasica, Florist's Guide, the British Warblers, &c.

THIRD EDITION.

GREATLY ENLARGED AND IMPROVED.

EDITED BY GEORGE DON, F.L.S.

LONDON:
JAMES RIDGWAY, 169, PICCADILLY.

M.DCCC.XXXIX.

Rc
42
Sw3
1839

LONDON

PRINTED BY BLATCH AND LAMPERT, GROVE PLACE, BROMPTON.

PREFACE.

The sale of two impressions of this Catalogue affords at once a convincing proof of its utility, and of the favour with which it has been received by the Public.

The present will be found to possess many advantages over the preceding editions. A great number of new plants have been introduced to the gardens since the last edition appeared: these have been added; but by employing a neater type, and a better mode of arrangement, the bulk of the volume has not been thereby so materially increased as might have been expected.

The latest improvements in arrangement and nomenclature have been adopted; an explanation of the generic names has been given; the accentuation has been carefully corrected upon the best authorities; and the larger genera have been divided into natural sections, which are severally characterised, and which will greatly facilitate the search after particular species.

It has been the anxious wish of the Editor to make the Catalogue as complete as possible; and he trusts that the alterations and amendments which he has introduced, will add to the value of the work, and render it worthy of the advanced state of botanical science, and an useful guide to the practical botanist and horticulturist.

For practical purposes, and especially with a view to cultivation, the natural arrangement possesses, undoubtedly, many advantages over the Linnean artificial system; as it unites together plants according to their degrees of relationship, and consequently such as often require the same treatment, and which, by cross-fecundation, will produce varieties, or may be increased by the processes of grafting and budding.

REFERENCE TO THE BOOKS,

IN WHICH THE FIGURES REFERRED TO ARE PUBLISHED.

Abb. ins. The Natural History of the rarer Lepidopterous Insects of Georgia, collected from the observations of J. Abbott, by J. E. Smith, 1797. 4to.

Abhand. acad. wiss. Abhanlungen der chürfürstlick Baierischen Academie der Wissenschaften. 4to. Munich. 1763. continued.

Act. hafn. Acta Medica et Philosophica Hafnientia. 5 vols. 4to. Copenhagen. 1673—1680.

Act. helv. Acta Helvetica Physico-Mathematico-Botanico-Medica. 8 vols. 4to. Basil. 1751—1777.

Act. pet. Acta Academiæ Scientiarum imperialis Petropolitanæ. 4to. Petersburgh.

Act. Stock. Kongl. Vetenskaps Academiens Handlingar. Stockholm. 1739. 8vo.

Act. ups. Acta Literaria et Scientarum Upsaliæ aut ab Academiæ Upsaliensi publicata. 2 vols. Upsal. 1720—1816.

A.DC. Decandolle (Alphonse) Monographie des Campanulees. Paris. 1830.

All. auct. Allioni (Carolus.) Auctuarium ad floram Pedemontanum. 4to. Taurini. 1789.

All. m. taur. (Ibid.) Miscellanea Philosophico-mathematica Societatis privatæ Taurinensis.

All. ped. / *Allion. ped.* (Ibid.) Flora Pedemontana.

Alp. Ægypt. Alpinus (Prosper.) De Plantis Ægypti liber. 1 vol. 4to.

Alp. ex. Ibid. De Plantis Exoticis, libri duo. 4to. 1629.

Alph. DC. camp. De Candolle fils (Alphonse.) Monographie des Campanulees. 4to. Paris. 1830.

Amm. ruth. Amman (Johan.) Stirpium rariorum in imperio Rutheno sponte provenientium Icones et Descriptiones. 4to. Petropoli. 1739.

Amoen. ac. Caroli Linnæi Amoenitates academicæ. 8vo.

And. bot. rep. Andrews (Henry.) The Botanist's repository for new and rare plants. 4to. 1797. et seq.

And. geran. Ibid. Geraniums, or a monograph of the genus Geranium. 1805. seq. 4to.

And. heaths. Ibid. Coloured engravings of Heaths, with botanical descriptions. fol. and 8vo. 1802, 1809, et seq.

Ann. bot. Annals of Botany, by C. Konig and J. Sims. 1805. 8vo.

Ann. mus. Annales du Museum d'Histoire naturelle, par les professeurs de cet etablissement. 1802. seq. 4to.

Ap. to B. Field's trav. Appendix to Baron Field's Travels. 4to.

Arb. brit. Arboretum et Fruticetum Britannicum, by J. C. Loudon. 8 vols. 8vo. London. 1835—1838.

Ard. mem. Memorie di osservazioni, e di sperienze sopra la coltura, e gli usi di varie piante, da P. Arduino. Padova. 1766. 4to.

Ard. sag. pad. Arduino (Pietro.) Saggi di Padova.

Ard. spec. / *Arduin. spec.* Ibid. Animadversionum botanicarum Specimen. 4to. Patavii. 1759.

Asiat. res. Asiatic Researches, or the Transactions of the Society instituted in Bengal. Many vols. 4to. Calcutta. 1788. continued.

Asso. arrag. De Asso (Ignatius.) Synopsis Stirpium indigenarum Arragoniæ. 4to. Marsiliæ. 1779.

Aub. Thou. obs. Aubert Du Petit Thouars. Plantes des iles de l'Afrique australe. 4to. 1804.

Aub. gui. / *Aubl. guian.* Histoire des plantes de la Guiane Françoise, par M. Fusée Aublet 1775. 4to.

Balb. act. taur. / *Balb. misc. taur.* / *Balb. misc.* Balbis (J. B.) Miscellanea Botanica. 4to. ex Actis Academiæ Taurinensis exserta. 1804.

Balb. h. taur. Ibid. Horti Academici Taurinensis stirpium minus cognitarum aut forte novarum icones et descriptiones. Taurini. 1811.

Banks ic. Kæmp. Banks (Josephus) icones selectæ Plantarum quas in Japonia collegit et delineavit E. Kæmpfer. fol. 1791.

Banks rel. Hous. Reliquia Houstounianæ. 4to. 1781.

Barr. ic. / *Barr. rar.* / *Barrel. ic.* Plantæ per Galliam, Hispaniam et Italiam, observatæ, Iconibus æneis exhibitæ a Jac. Barreliero. 1714. fol.

Bart. med. bot. Barton (Benj. Smith.) Collections for an essay towards a materia medica of the United States. 1 fasc. in 8vo. Philadelphia. 1798.

Bart. fl. amer. Ibid. Flora Boreali Americana. 2 vol. 4to.

Bartr. it. / *Bartr. trav.* Bartram (William.) Travels through North and South Carolina, Georgia, and Florida. 8vo. Philadelphia. 1791.

Bate. or Batem. orch. Bateman (James.) The Orchidaceæ of Mexico and Guatemala. fol. London. 1833.

Bauer n. hol. Bauer (Ferdinand.) Illustrationes floræ novæ Hollandiæ. fol. 1813.

Bauer pl. Kew. Ibid. See *Icon. hort. Kew.*

Bauh. hist. Bauhin (Johannes.) Historia Plantarum universalis. fol. 1651.

Bauh. prodr. Casper Bauhini προδρομος Theatri Botanici. Basileæ. 1671. 4to.

Beauv. fl. ow. Palisot de Beauvois flore des royaumes d'Oware et de Benin. fol. 1805.

Bell. act. taur. Bellardi (Ludovico.) Memoires de l'Academie Royale des Sciences de Turin. 4to. 1782.

Bell. append. Ibid. Appendix ad Floram Pedemontanam. 8vo.

Berg. act. holm. Bergius (Pehr. Jonas.) Kongl Vetanskaps Academiens Handlingar. 8vo. 1739.

Berg. cap. Ibid. Descriptiones Plantarum ex Capite bonæ spei. 1769. 8vo.

Berg. phyt. Bergeret Phytonomatotechnie universelle. fol.

Berl. mag. Berliniches Magazin oder-gesammlete schriften. 8vo. Berlin. 1765, and following years.

Berr. in. As. res. Berry in Asiatic Researches, or Transactions of the Society instituted in Bengal. 4to. 1788.

Besl. eyst. / *Besl. h. eyst.* Besler (Basilius.) Hortus Eystettensis. fol. 1612.

Bieb. cent / *Bieb. pl. rar. ruth.* Bieberstein (Marshall von.) Centuriæ plantarum rariorum Rossiæ meridionalis. Charkoviæ.

Big. med. bot. Bigelow (Jac.) American Medical Botany. 4to. 1817.

Birm. bot. gard. The Birmingham Botanic Garden, conducted by J. B. Knowles and F. Westcott. 1. vol. 4to. 1837.

Biv. Bern. st. rar. / *Biv. man.* Bivona Bernardi (Ant) Stirpium rariorum minusque cognitarum in Sicilia provenientium Descriptiones. 4to. 1813.

Biv. cent. pl. Ibid. Sicularum Plantarum Centuria prima. 8vo. 1806.

Blackw. / *Black. herb.* Blackwell (Elizabeth. A curious Herbal, containing 500 Cuts of the useful Plants, fol. 1737.

Blum. fl. jav. Blume (C. L.) Flora Java, &c. fol. 1829.

Boc. Mus. Boccone (Paolo.) Museo di Piante rare della Sicilia, Malta, Corsica, Italia, Piemonte, e Germania, 4to. 1697.

Boc. sic. rar. Ibid. Icones et Descriptiones rariorum Plantarum Siciliæ, Melitæ, Galiæ et Italiæ. 4to. 1674.

Boer. lugd. Boerhaave (Herm.) Index alter Plantarum quæ in horto Academiæ Lugduno Batavæ aluntur. 4to. 1720.

Boiss. fl. eur. De Boissieu (C. V.) Flore d'Europe. 8vo. 1805.

Bolt. fil. Bolton (James.) Filices Britanniæ. 4to. 1785.

Bonp. mon. / *Bonpl. Mex.* / *Bonpl. mel.* Bonpland (Aimé.) Monographie des Melastomes et autres Plantes de cet ordre. fol. 1809.

Bonpl. nav. Ibid. Description des Plantes rares cultivés à Malmaison et à Navarre. fol. 1813.

Bory. it. / *Bory voy.* Bory de St. Vincent (J. B. M.) Voyage en Espagne à travers les royaumes de Galice, Leon, etc. 8vo.

Bot. gard. The Botanic Garden, by B. Maund, monthly numbers.

Bot. mag. Curtis's Botanical Magazine, continued by J. Sims, J. Bellenden Ker, and W. J. Hooker. 8vo.

Bot. reg. Edwards (Sydenham.) The Botanical Register. descr. by J. Bellenden Ker. 8vo. 1815. continued by J. Lindley.

Bot. reg. n. s. / *Bot. reg. s.* 2. Ibid. New Series for 1838.

Bot. reg. s. 3. Ibid. New Series for 1839.

Bot. rep. Andrews (Henry.) The Botanist's Repository for new and rare Plants. 4to. 1797.

Botan. The Botanist, conducted by B. Maund. 8vo. in monthly numbers.

Braam ic. chin. Braam's Icones Chinensis.

Bradl. Suc. Bradley (Richard.) Historia Plantarum succulentarum. 4to. 1716.

Braun. Salz. De Braune (Franz. Ant.) Salzburgische flora. 8vo. 1791.

Breyn. cent. Breynius (Jacobus.) Exoticarum Plantarum centuria. fol. 1678.

Breyn. ic. Ibid. Icones rariorum et exoticarum Plantarum. 4to. 1739.

Brong. rham. Brongniart (Adolph.) Dissertatione des Rhamnees. 4to. Paris.

Brogn. brun. Ibid. Memoire sur le famille des Bruniacees, from Ann. sc. nat.

Brot. phyt. Brotero (Felix Avellar.) Phytographia Lusitaniæ selectior. fol. 1801.

Brown. gen. rem. Brown (Robert.) General Remarks, Geographical and Systematical, on the Botany of Terra Australis, 4to. 1814.

Br. Jam. / *Brown. Jam.* Browne (Patrick.) The Civil and Natural History of Jamaica. 1756.

Bruces. tr. Bruce (James.) Travels to discover the source of the Nile. 4to. 1790.

Buchoz. ic. col. Buchoz (Pierre Joseph.) Collection des fleures qui se cultivent tant dans les Jardins de la Chine que dans ceux d'Europe. fol.

Bull. herb. Bulliard. Herbier de la France. fol. 1780.

Bull. phil. Bulletin des Sciences par la Société philomatique de Paris. 8vo. 1791-1832.

Burm. afr. / *Burm. dec.* Burmann (Johannes.) Rariorum Africanarum Plantarum. 4to. 1738.

Burm. Ind. Burmann (Nic. Laur.) Flora Indica. 4to. 1768.

Burm. zeyl. Burmann (Johannes.) Thesaurus Zeylanicus. 4to. 1737.

Buxb. cent. Buxbaum (Joh. Christ.) Plantarum minus cognitarum Centuriæ quinque. 4to. 1728.

Camer. hort. Camerarius (Alexander.) Hortus Medicus et Philosophicus. 4to. 1588.

Cam. epit. Ibid. De Plantis Epitome utilissima. 1 vol. 4to. Frankfort. 1586.

Catesb. car. Catesby (Mark.) The Natural History of Carolina and Florida. fol. 1741.

Cav. diss. Cavanilles (Ant. Jos.) Monadelphiæ classis Dissertationes decem. 4to. 1785.

Cav. ic. / *Cav. icon.* / *Cavan. ic.* Ibid. Icones et Descriptiones Plantarum quæ aut sponte in Hispania crescunt aut in hortis hospitantur. fol. 1791.

Chabr. sci. / *Chabr. sciag.* Chabrey (Dominicus.) Omnium Stirpium Sciagraphia. fol. 1677.

Chav. ant. Chavannes. Monographie des Antirrhinees. 4to. Geneva.

Chois. p. hyp. / *Chois. m. h.* Choisy (J. D.) Prodromus d' une monographie de la famille des Hypericinees. 4to. 1821.

Chois. selag. Ibid. Memoire sur la famille des Selaginees. 4to. Geneva. 1823.

Choisy mem. gen. See *Mem. gen.*

Clus. hist. Clusius seu l'Ecluse (Charles de.) Rariorum Plantarum Historia. fol. 1601.

Col. ecphr. / *Column. ecphr.* Columna (Fabius.) Minus cognitarum stirpium Ecphrasis. 4to. 1616.

Col. phyt. Ibid, Phytobasanos. 4to. 1592.

Coll. h. rip. / *Coll. hort. rip.* / *Colla hort. rip.* Colla (Aloys.) Hortus Ripulensis. 4to.

Colla mem. tur. Ibid. See *Mem. tur.*

Coll. mon. Colladon (Fred.) Histoire Naturelle et Medicale des Casses. 1 vol. Montpelier. 1816.

Com. hort. Commelyn (Casp.) Horti Medici Amstelodamensis rariorum Plantarum descriptio et icones. fol. 1703.

Comm. prael. Ibid. Præludia Botanica ad publicas Plantarum demonstrationes. 4to. 1703.

Comm. rar. / *Comm. hort.* Ibid. Horti Medici Amstelodamensis Plantæ rariores et exoticæ. 4to. 1706.

Comm. petrop. Commentarii Academiæ Scientarium imperialis Petropolitanæ. 4to. 1728.

Cook. it. Cook (J.) Voyages, 2 vols. 4to. 1777.

Cor. ann. mus. Correa de Serra. See *Ann. mus.*

Cord. hist. Cordus (Valerius.) Adnotationes in Pedacio Dioscoridis de Materia Medica. Lib. V. 1 vol. fol. Strasburgh. 1561.

Corn. can. / *Corn. canad.* Cornuti (Jacob.) Canadensium Plantarum aliarumque nondum editarum historia. 4to. 1635.

Crantz. Aust. Crantz (Hen. Joh. Nepom.) Stirpium austriacarum. 8vo. 1762.

Crus. rub. cap. Cruse Rubiaceis capensibus præsertim de genere Anthospermis. 8vo. Berlin. 1825.

Cup. pan. / *Cup. panph.* Cupani (Franciscus.) Catalogus plantarum Sicularum noviter detectarum. Panormi. 1652.

Curt. lond. Curtis (William.) A catalogue of the plants growing wild in the environs of London. fol. 1774. et seq.

Cyril. ic. fasc. / *Cyr. neap.* / *Cyr. pl. rar.* / *Cyr. pl. rar. nap.* Cyrilli (Dom.) Plantarum rariorum regni Neapolitani fasciculus. 1778. fol.

Dalech. lug. Dalechamps (Jacques.) Historia generalis plantarum. fol. 1586.

Dard. trait. ren. D'ardenne (Jean Paul Rome.) Traite des Renoncules. 8vo. 1746.

DC. an. mus. De Candolle (August. Pyram.) Annales du Museum d'histoire naturelle. 4to. 1802.

DC. coll. mem. Ibid. Recueil de Memoires sur la Botanique. 1 vol. 4to. Paris. 1813.

DC. ann. mus. Ibid. See *ann. mus.*

DC. astr. Ibid. Astragalogia. 4to. et fol. 1802.

D.C. comp. Ibid. Memoire sur la compositées. 4to. Paris. 1838.

DC. dis. cact. / *DC. diss.* Ibid. Revue de la famille des Cactees. 4to. Paris. 1829.

DC. fl. fr. Ibid. Flore Française. 5 vols. 8vo. Paris. 1805-1815.

DC. h. mons. Ibid. Catalogus plantarum horti botanici Monspeliensis addito observationum circa species novas aut non satis cognitas fasciculo. 8vo. 1813.

DC. ic. gall. rar. / *DC. icon.* Ibid. Icones plantarum Galliæ rariorum. 4to. 1808.

DC. leg. mem. Ibid. Memoires sur la famille des Legumineusis. 4to. 1826.

DC. mem. mus. Ibid. Memoires du Museum d' histoire naturelle. 4to. 1815.

DC. reg. veg. syst. nat. Ibid. Regni Vegetabilis systema Naturæ. 2 vol. 8vo. Paris. 1818-1821.

DC. prodr. Ibid. Prodromus Systematis naturalis. 7 vol. 8vo. 1823-1839.

DC. mem. umb. / *DC. omb.* Ibid. Memoire sur la famille des Ombelliferes. 4to. Paris. 1829.

DC. pl. rar. gen. / *DC. hort. gen.* Ibid. Plantes rares du jardin de Genève. 4 Fasc. fol. Geneva. 1825.

DC. plant. grass. Ibid. Plantarum historia succulentarum. Fasc. 28. 1799.

Debr. flor. nov. De Bry (Joannes Theodor.) Florilegium novum. fol. 1612.

Del. egypt. / *Delil. ægypt.* / *Del. fl. æg.* Delile (Alire Rafeneau.) Memoires botaniques extraits de la Description de l'Egypte. fol. 1813.

Del. fl. ægyp. ill. Ibid. Floræ Æyptiacæ illustratio. 1 vol. fol. Paris. 1813.

De la Roch. dis. De La Roche (Daniel.) Specimens botanicum inaugurale sistens descriptiones plantarum aliquot novarum. 4to. 1766.

Deless. ic. sel. Delessert (Benj.) Icones selectæ plantarum in system. univers. descriptarum. 4to. 1820.

Descrip. de Egyp. Description de l'Egypt ou Recueil des observationes et des recherches faites pendant l'expedition de l'armée Française. 4to. et fol. 1810.

Desf. act. par. Desfontaines (Rene Louiche.) Mémoires de l'Académie Royale des Sciences. 4to. 1666.

Desf. ann. mus. Ibid. See *Ann. mus.*

Desf. atl. Ibid. Flora atlantica. 4to. 1798.

Desf. m. mus. Ibid. See *Mem. mus.*

Desf. cor. Tourn. Ibid. Choix de plantes du Corollaire des instituts de Tournefort. 1 vol. 4to. Paris. 1808.

Desv. j. bot. / *Desv. journ.* Desvaux (N. A.) Journal de Botanique. 8vo. 1808.

D. et H. Dreves et Hayne. Choix de Plantes de l'Europe. fasc. 4 1802.

Dill. elth. Dillenius (Joh. Jac.) Hortus elthamensis. fol. 1732.

Dill. musc. Ibid. Historia muscorum. 4to. 1741.

Dodart. mem. Dodart (Denys.) Mémoires pour servir a l'Histoire des Plantes. fol. 1676.

Dod. pemp. Ibid. Stirpium historiæ pemptades. fol. 1583.

Donn. cant. / *Donn. hort. cant.* Donn (James.) Hortus Cantabrigiensis. 1 vol. 8vo. Cambridge.

Du Fresn. Val. / *Duf. or Dufresn. Val.* Dufresne (Pierre.) Histoire naturelle et medicale de la famiille des Valerianees. 4to. 1811.

Drev. et Heyn. bild. Dreves et Heyne Abbildungen und Zergliederungen deutscher Gewächse. 4to. Berlin. 1798.

Duh. arb. Duhamel du Monceau (Henry Louis.) Traite des arbres et arbustes qui cultivent qui cultivent en France en pleine terre. 4to. 1755.

Duham. ed. nov. / *Duh. ed. nov.* Ibid. Traites des arbres et arbustes qui se cultivent en pleine terre en France. fol. 1801.

Dun. mon. / *Dunal. mon.* Dunal (Michel Felix.) Monographie de la Famille des Anonacees. 4to. 1817.

Dunal. solan. Ibid. Histoire naturelle medicale et economique des Solanum et des genres qui ont été confondus avec eux. 4to. 1813.

Ehret. pict. Ehret (Georg. Dion.) Planta et Papiliones rariores. fol. 1748.

Elm. mon. Elmiger (Joseph.) Histoire Naturelle et Medicale des Digitales. 4to. Montpelier. 1812.

Eng. bot. English Botany. By J. E. Smith; the Figures by J. Sowerby. 8vo.

Exot. bot. Exotic Botany. By J. E. Smith; the figures by J. Sowerby. 8vo.

Ferr. hesp. Ferrari (Joh. Bapt.) Hesperides, sive de malorum aureorum cultura et usu. fol. 1646.

Feuil. obs. / *Feuill. per.* Feuillee (Louis.) Journal des observationes Physiques, Mathématiques et Botaniques faites dans l'Amerique meridionale. 4to. 1814.

Fl. dan. / *Flor. dan.* Icones plantarum sponte nascentium in regnis Daniæ et Norvegiæ, etc. fol. 1761.

Fl. lap. Linnæus s. von Linne (Carolus.) Flora Laponica. 8vo. 1737.

Flor. græc. / *Fl. græc.* Flora Græca, J. E. Smith. fol. 1552.

Flor. cab. The Floral Cabinet, by G. B. Knowles, and F. Westcott. London. 1837. continued.

Flor. mex. ic. ined. Sesse et Mocinno. Flora Mexicana Icones ineditæ.

Fl. per. / *Flor. peruv.* Ruiz (Hippol.) et Pavon (Jos.) Flora Peruviana et Chilensis. 5 vol. fol.

Flugg. ann. mus. Flugge (Johan.) Annales du Museum d'Histoire naturelle. 4to.

Fraser mon. Fraser (John.) A short history of the Agrostis cornucopiæ. fol. 1784.

Forsk. egyp. / *Forsk. dis.* Forskal (Petrus.) Flora Ægyptiaco arabica. 4to. 1775.

Forsk. ill. Ibid. Icones rerum naturalium. 4to. Copenhagen. 1775-1776.

Forst. gen. Forster (George.) Characteres generum Plantarum quas in itinere ad insulas maris australis, etc. 4to. 1776.

Fourc. j. bot. Fourcroy (Ant. Franc.) La Médécine eclairée par les Sciences physiques, ou Journal des Decouvertes, etc. 8vo. 1791.

Froel. gent. Froelich (Jos. Aloys.) De Gentiana libellus. 8vo. 1796.

Fuchs. hist. Fuchs (Leonhard.) De historia Stirpium commentarii insignes. fol. 1542.

Gaert. carp. Gaertner (Car. Frid.) Supplementum Carpologiæ. 4to. 1805.

Gaert. fr. / *Gaert. sem.* Gaertner (Josephus.) De fructibus et seminibus plantarum. 4to. 1788.

Garid. aix. / *Garid. prov.* Garidel (Pierre Joseph.) Histoire des Plantes qui naissent en Province et principalement aux Environs d'Aix. fol. 1715.

Gay. dis. las. Gay (John.) Monographie des Lascopetalees. 4to. Paris. 1821.

Gerard. gal. / *Ger. prov.* / *Ger. galloprov.* Gerard (John.) Flora Gallo-provincialis. 8vo. 1761.

Ger. emac. Ibid. The Herbal, enlarged by Th. Johnson. fol. 1633.

Ger. herb. Ibid. The Herbal, or general history of Plants. fol. 1797.

Gilib. h. pl. / *Gilib. b. prat.* Gilibert (Joh. Em.) Histoire des plantes d'Europe, ou elemens de botanique pratique. 3 vol. in 8vo. Lyon. 1806.

Giorn. pis. Giornale Pisano. 8qo. 1801.

Giseck. ic. Giseke (Paul Dieter.) et Schulze (J. Dom.) Icones plantarum. 1777.

Gmel. itin. Gmelin (John Fred.) Reise durch Siberien. 4 vol. 8vo. Gottingen. 1751-1753.

Gmel. fl. bad. Gmelin (Carol. Christ.) Flora Badensis-Alsatica. 8vo. 1808.

Gmel. sib. / *Gmel. fl. sib.* Gmelin (Joh. Georg.) Flora sibirica. 4to. 1747.

Gou. fl. mons. Gouan (Anton.) Flora Monspeliaca. 8vo. 1765.

Gouan. ill. Ibid. Illustrationes botanicæ. fol. 1773.

Grev. crypt. Greville (R. K.) The Scottish Cryptogamic Flora 4to. 8vo. Edinburgh.

Guimp. ab. holt. Guimpel (F.) Abbildung der freinden in Deutschland aus dauerden Hutgarten. etc. 4to. Berlin.

Guss. pl. rar. Gussone (John) Plantæ rariores. 1 vol. 4to. Naples. 1826.

Hacq. pl. alp. car. Hacquet (Balth.) Plantæ alpinæ Carniolicæ. 4to. 1782.

Hall. all. Haller (Albert.) Allii genus naturale constitutum. 4to. 1745.

Hall. helv. / *Hall. hist.* Ibid. Historia Stirpium indigenarum Helvetiæ. fol. 1768.

Hayn. term. bot. Hayne (Fried. Gottl.) et Willdenow (Carl. Ludv.) Termini botanici iconibus illustrati. 4to. 1799.

Hayne in ust. an. Hayne (Fried. Gottl.) in Usteri Annalen der Botanik. 8vo. 1791.

H. et B. n. gen. / *H. B. et Kth. n. g.* / *H. et B.* — Humboldt, Bonpland, et Kunth Nova Plantarum genera et species, etc. 4to. 1815.

H. et B. pl. æq. Von Humboldt (Alexand. Fr. Henr.) et Bonpland (Amie) Plantes equinoxiales. fol. 1808.

Herb. amat. Herbier de l'amateur. 1 vol. fol. Paris. 1804—1815. By Mordant de Launy and others.

Herbert. append. Herbert (William). A Botanical arrangement of bulbous roots. 8vo. 1821.

Herm. lugd. Hermann (Paulus.) Floræ-Lugduno-Batavæ flores. 8vo. 1690.

Herm. parad. / *Herm. par.* — Ibid. Paradisi Batavi prodromus. 12mo. 1689.

Herm. zeyl. Ibid. Musæum Zeylanicum seu catalogus Plantarum Zeylaneæ. 1 vol. 8vo. Leyden. 1714.

Hills veg. syst. Hill (Jonn.) Outlines of a system of vegetable generation. 8vo. 1758.

Hoff. c. gott. Hoffmann (Georg. Franz.) Programma Hortus Goettingensis. fol. 1793.

Hoff. deut. fl. Ibid. Deutschlands flora, ou Flore de l'Allemagne. 12mo. 1791.

Hoff. phyt. / *Hoffm. phyt. blat.* — Ibid. Phytographische Blætter. 8vo.

Hoffm. salic. Ibid. Historia salicum iconibus illustro. fol. 1785.

Hoff. umb. Ibid. Plantarum umbelliferarum genera. 8vo. 1816.

Hoff. et Lk. fl. lus. / *Hoff. f. port.* / *H. et Lk. fl. port.* — Hoffmansegg et Link. Flore portugaise. fol. 1806.

Hook. bot. misc. Hooker (Sir W. J.) Botanical miscellany. 3 vols. 8vo. London. 1830.

Hook. ex flor. Ibid. Exotic flora. 8vo.

Hook. fl. bor. amer. Ibid. Flora Boreale Americana. 1 vol. 4to. London. 1829.

Hook et Arn. chil. Ibid. et Arnott (J. W.) Botany of Capt. Beechey's Voyage to the Pacific. 4to. London. 1825—1828.

H. et G. fil. Ibid. and Greville (W. K.) Icones Filicum. fol. London. 1827. et seq.

Hop. in Sturm. fl. fas. Hoppe in Sturm Deutschland flora. 4to. 1798.

Hor. phys. berl. Horæ physicæ Berolinensis collectæ et symbolis virorum doctorum, by Carol. Gothof. Nees ab Esenbeck.

Horn. fl. dan. Hornemann (J. W.) Icones Plantarum sponte nascentium in regnis Daniæ et Norvegiæ, etc. fol. 1761.

Hort. Kew. Aiton (William.) Hortus Kewensis, editio prima. 8vo. 1789.

Hort. trans. Transactions of the Horticultural Society of London. 4to.

Host. gram. Host (Nicol. Thomas.) Icones et descriptiones Graminum austriacorum. fol. 1801.

Hout. pflanz. / *Hout. pflanz. syst.* — Houttuyn (Mart.) Des ritters von Linné Pflanzen system nach der anleitung des Houttuynschen werks. 8vo. 1777.

Hout. syst. Ibid. Des ritters von Linné Pflanzen system nach der anleitung des Houttuynschen werks. 14 vol. 8vo. 1777—1788.

Icon. Kæmpf. / *Kæmpf. Icon.* — Kæmpfer (Engelbert) Icones selectæ plantarum. fol. 1791.

Icon. Hort. Kew. Delineations of exotic Plants cultivated in the Royal Garden at Kew. Published by W. T. Aiton.

Isn. act. par. Isnard. Histoire de l'Acadamie Royale des Sciences, avec les Mémoires de Mathematique et de Physique.

Jacq. amer. Von Jacquin (Nic. Jos.) selectarum Stirpium Americanarum Historia. fol. 1763.

Jacq. am. pict. Ibid. Stirpium Americanarum Historia.

Jacq. aust. / *Jacq. fl. aust.* — Ibid. Floræ Austriacæ Icones. fol. 1763.

Jacq. coll. Ibid. Collectanea ad Botanicam, etc. Spectantia. 4to. 1786.

Jacq. frag. Ibid. Fragmenta Botanica. fol. 1809.

Jacq. h. vind. Ibid. Hortus Botannicus vindobonensis. fol. 1770.

Jacq. ic. / *Jacq. ic. rar.* — Ibid. Icones Plantarum rariorum. fol. 1781.

Jacq. misc. Ibid. Miscellanea Austriaca ad Botanicam, etc. Spectantia. 4to, 1779.

Jacq. obs. Ibid. Observationes botanicæ. fol. 1764.

Jacq. ox. Ibid. Oxalis monographia iconibus illustrata. 4to. 1792.

Jacq. schoenb. Ibid. Plantarum rariorum horti cæsari Schœnbrunensis. fol. 1797.

Jacq. stap. Ibip. Stapeliæ cultæ. fol. 1806.

Jacq. f. ecl. Von Jacquin (Jos. Franc.) Eclogæ Botanicæ. fol. 1811.

J. mem. ac. sci. par. Jussieu Mémoires de la Société d'Histoire Naturelle de Paris. 4to. 1799.

Journ. acad. phil. Journal of the Academy of Natural Sciences of Philadelphia. 8vo. 1817. Continued.

Journ. hist. nat. Journal d'Histoire Naturelle, par M.M. Lamarck, Bruguiere, Olivier, Hauy et Pelletier. 2 vol. 4to. Paris. 1792.

Journ. sc. Ker (J. B.) Journal of Science and the Arts. 8vo.

Jung. ic. rar. Junghans (Phil. Casp.) Icones Plantarum ad vitam impressæ. fol. 1787.

Juss. an. Jussieu, Annales du Museum d'Histoire Naturelle. 4to. 1802.

Juss. ann. mus. Ibid. See *Ann. mus.*

Juss. rut. Jussieu (Adrien.) Mémoires sur les Rutacées. Paris. 1825. 4to.

Kæmp. am. Kæmpfer (Englebert.) Amænitates exoticæ. 4to. 1712.

Kæmpf. ic. Banks. See *Banks ic. Kæmp.*

Kalm. it. Kalm (Pehr.) Resatil norra America. 8vo. 1753.

Ker's rev. Ker (J. B.) Review of the Genera Amaryllis, Crinum, and Pancratium, in the Journal of Science and the Arts. 8vo.

Ker's strelitz. Ker (H. B.) Coloured Figures of the Genus Strelitzia. fol.

Knight's prot. Knight (Joseph.) Horticultural Essays on the natural order of Proteeæ. 4to. 1809.

Knor. del. Knorr (Georg. Wolfgang.) Deliciæ naturæ selectæ oder auserlesene. fol. 1766.

Knorr. thes. Ibid. Thesaurus rei herbariæ hortensisque universalis. fol. 1770.

Know. Birm. b. g. Birmingham Botanic Garden, by G. B. Knowles, and Frederic Westcott. London. 1836. 4to.

Kon. an. bot. Annals of Botany, by C. Konig and J. Sims. 2 vol. 8vo. I. 1805. II. 1806.

Krock. siles. Krocker (Ant. Joh.) Flora Silesiaca renovata. 2. vol. 8vo.

Kth. mim. Kunth (Car. Sig.) Mimoses et autres plantes legumineuses du nouveau continent. fol. 1819.

Kth. synops. Ibid. Synopsis plantarum æquinoxialium orbis novi. 4 vol. 8vo. Paris. 1822—1825.

Kth. nov. gen. See *H. et B. n. gen.*

Kunth. amer. See *H. et B. n. gen.*

Lab. nov. hol. / *Labill. nov. holl.* Labillardiere (Jac. Jul.) Novæ Hollandiæ plantarum specimen. fol. 1804.

Lab. ic. pl. Syr. / *Labil. Syr.* Ibid. Icones plantarum Syriæ rariorum. 4to. 1791.

Lab. voy. / *Labill. voy.* Ibid. Relation du Voyage à la recherche de la Peyrouse. 4to. 1798.

Lamb. cinch. Lambert (Aylm. Bourk.) Description of the Cinchona. 4to. 1797.

Lamb. pin. Ibid. A Description of the genus Pinus. fol. 1803.

Lam. ill. Monet De La Mark (Jean Bapt.) Illustrations des Genres. 1791.

Lam. j. h. nat. Ibid. See *Journ. hist. nat.*

Lap. pyr. ic. ined. / *Lap. pyr. sax.* Picot De La Peyrouse (Philippe.) Figures de la Flore des Pyrenees. fol. 1795.

Lap. mem. mus. Ibid. See *Mem. mus.*

Laroch. eryng. De La Roche (Francois.) Eryngiorum nec non generis novi alepideæ historia. fol. 1808.

Ledeb. fl. alt. Ledebour (Carl. Fred.) Flora Altaica. 4 vol. 8vo. Berlin. 1829—1839.

Led. ill. Ibid. Icones plantarum novarum vel imperfecte cognitarum floram Rossicam imprimis Altaicum illustrantes. 5 vol. fol. Riga. 1829—1834.

Leers. fl. herb. Leers (Joh. Dan.) Flora Herbornensis. 8vo. 1789.

Lehm. nicot. Lehmann (Joh. Georg. Chr.) Generis Nicotianarum historia. 4to. 1818.

Lehm. prim. / *Lehm. mon. prim.* Ibid. Monographia generis Primularum. 1 vol. 4to. Leipsic. 1817.

Lehm. pot. Ibid. Monographia generis Potentillarum. 1 vol. 4to. Leipzic. 1820.

Lehm. m. berl. Ibid. See *Berl. mag.*

L. Herit. ger. L'Heritier (Charles Louis.) Geraniologia sive Erodii, etc. historia. fol. 1787.

L. Her. sert. ang. Ibid. Sertum anglicum seu Plantæ rariores, etc. fol. 1788.

L. Her. stirp. Ibid. Stirpes novæ aut minus cognitæ. fol. 1784.

Lind. als. Von Lindern (Fr. Balth.) Hortus Alsaticus Plantas in Alsatia, nobili designans. 12mo. 1747.

Lindl. coll. Lindley (John.) Collectanea Botanica. fol.

Lind. digit. Ibid. Digitalium Monographia. fol.

Lindl. orch. Ibid. The genera and species of Orchideous plants. 1 vol. 8vo. London. 1830—1839.

Lindl. ros. Ibid. Rosarum Monographia, or a Botanical History of Roses. 8vo. 1820.

Lindl. sert. Ibid. Sertum Orchidaceum. fol. London. 1838.

Lin. amœn. ac. Linnæus s. Von Linne (Carolus.) Amœnitates academicæ seu diss. antehæ seorsim editæ. 8vo. 1749.

Lin. eric. Ibid. Ericæ.

Lin. fl. lap. Ibid. Flora Lapponica. 1 vol. 8vo. 1737.

Linn. hort. clif. Ibid. Hortus Cliffortianus. 1 vol. fol. 1737.

Lin. f. dec. Linnæus Filius (Carolus.) Plantarum rariorum horti Upsaliensis decas 1. 1762. fol. 1763.

Linn. fil. fasc. / *Linn. fasc.* Ibid. Plantarum rariorum horti Upsaliensis. fasc. 1. fol. 1767.

Linn. sup. Ibid. Supplementum Plantarum. 1 vol. 8vo. 1781.

Linn. trans. Transactions of the Linnean Society of London. 4to.

Lk. et Ott. abb. / *L. et O. abbild.* Link (H. F.) et Otto (Fred.) Abbildungen und Beschreibungen seltener Pflanzen im Berl. Garten. Berlin. 1821 et seq.

Lk. et Ott. disc. cac. / *Lk. et Ot. diss.* Ibid. Cacti et Echinocacti icones.

Lk. fl. port. See *Hoff. et Lk. fl. lus.*

Link. et Ot. h. ber. Ibid. Hortus Berolinensis. fol.

Lk. et Ot. pl. rar. Ibid. Icones plantarum rariorum horti regni Berolinensis, cum descriptionibus et calendi ratione. 4to. Berlin. 1830.

Lobel. adv. / *Lob. advers.* De Lobel seu Lobelius (Mathias.) Adversariorum altera pars. 1 vol. fol. 1605.

Lob. ic. Ibid. Stirpium Icones. 1 vol. 4to. 1591.

Lodd. bot. cab. Botanical Cabinet, by Messrs. Loddiges'. 4to.

Loef. it. rar. / *Loef. hisp.* Loefling (Petr.) Iter Hispanicum, eller Resa til spanska, etc. 1 vol. 8vo. 1758.

Loes. prus. Loeselius (Joh.) Flora Prussica. 1 vol. 4to. 1703.

Loisel. gal. / *Lois. fl. gall.* Loiseleur-Deslonchamps (J. L. A.) Flora Gallica. 2 vol. 12mo. I. 1806, II. 1807.

Lois. herb. amat. See *Herb. amat.*

Loisel. not. Ibid. Notice sur les plantes à ajouter à la Flore de France. 8vo. Paris. 1810.

Loud. gard. mag. Loudon. (J. C.) Gardener's Magazine.

Magn. b. mons. Magnol (Petrus.) Botanicon Monspeliense. 1. vol. 12mo. 1686.

Magn. h. Monsp. Ibid. Hortus regius Monspeliensis. 1 vol. 8vo. Montpelier. 1689.

Marcg. bras. Marcgravius (Georg.) Historia rerum naturalium Brasiliæ. 1 vol. fol. 1648.

Mart. cent. / *Mart. dec.* Martyn (John.) Historia Plantarum rariorum centuriæ 1 decas 1-5. fol. 1728.

Mart. fl. rust. Martyn (Thomas.) Flora rustica. 4 vol. 8vo. 1792-4.

Mart. n. pl. bras. *Mart. bras.* *Mart. nov. gen.* Martius (C. F. P.) Nova Genera et Species Plantarum quas in itinere, per Brasiliam collegit. ann. 1817—1820. 4to.

Mart. acad. mun. *Mart. mon.* Ibid. See *Abhand. acad. wiss.*

Mart. palm. ic. Ibid. Genera et Species palmarum quas in itinere per Brasiliam collegit. fol. Munich. 1824.

Mass. Stap. Masson (Francis.) Stapeliæ novæ fasc. fol. 1796.

Math. com. Mathiolus (P. Andr.) Commentarii in libros Dioscoridis de Medica Materia.

Math. oper. Ibid. Opera omnia. 1 vol. fol.

Maund. bot. gard. See *Bot. gard.*

M. B. cent. pl. rar. or *M. B. cent. ros.* See *Bieb. cent.*

Meerb. ic. Meerburg (Nicol.) Plantarum selectarum Icones pictæ. fol. 1798.

Mem. mus. Memoires des Museum d'Histoire naturelle. 4to. Paris. 1815, and following years.

Mem. gen. Memoires de la Société de Physique et d'Histoire naturelle de Geneva. 7 vol. 4to. 1821. Continued.

Mem. tur. Memoires de l'Academie royale des Sciences de Turin. 4to. 1782—1816.

Mem. soc. ital. Memoirie di matematica e fisica della Italiana. 4to. Verona. 1782.

Mem. acad. petersb. Memoires de l'Academie imperiale des Sciences de St. Petersburgh. 4to. Petersburgh. 1831. Continued.

Mentz. pug. Mentzel (Christ.) Pugillus Plantarum rariorum. fol. 1682.

Merian. surin. Merian (Maria Sibylla.) De metamorphosibus insectorum Surinamensium. 1 vol. fol. 1726.

Mich. amer. Michaux (André.) Flora Boreali Americana. 2 vol. 8vo. 1803.

Mich. querc. Ibid. Histoire des chênes de l'Amérique septentrionale. 1 vol. fol. 1801.

Mich. sylv. Ibid. The American Sylva. 3 vol. 8vo. Paris. 1819.

Mic. arb. *Mich. f. arb.* Michaux fils (André Franc.) Histoire des arbres forestiers de l'Amérique septentrionale. 3 vol. 4to. 1810—1813.

Mich. gen. Micheli (Petr. Anto.) Nova Plantarum genera. 1 vol. fol. 1729.

Mill. ic. *Mill. fig.* Figures of Plants described in the Gardener's Dictionary, by Philip Miller. 2 vol. fol. 1760.

J. Mill. ic. Seven coloured Plates of Plants, by John Miller.

J. F. Mill. ic. Sixty coloured Plates of Plants and Animals, by Joh. Fred. Miller. fol.

Miss Laur. ros. *M.L.R.* A Collection of Roses from Nature, by Miss Lawrance (*now Mrs. Kearse.*) 90 plates.

Moret. fl. vicent. Moretti (Gius.) Notizia supra diverse piante da aggiungiarsi alla flora Vicentina. 4to. 1813.

Moris. hist. *Mor. hist.* *Moris. s.* *Moris. ox.* *Mor. ox.* Morison (Robert J.) Plantarum historia universalis Oxoniensis. 2 vol. fol. 1680.

Moris. umb. (Ibid.) Planatarum umbelliferarum distributio nova. 1 vol. fol. 1672.

Munt. phyt. cur. Munting (Abrah.) Phytographia curiosa. 1. vol. fol. 1702, 1713, 1727.

Murr. com. *Mur. c. got.* *Murr. com. goett.* Murray (Joh. Andr.) Commentarii Societatis regiæ Scientiarum Gœttingensis. 4to.

Nectoux voy. Nectoux (H.) Voyage dans la haute Egypte, avec des observations sur les diverses espèces de sené. fol. 1808.

N. et Mart. ac. b. Nees et Martius, in Mémoires de l'Academie royale des Sciences de Berlin. 4to. ab ann. 1770. ad 1816.

Nees. hor. ber. *Nees. hor. phys.* Nees von Esenbeck (G.G.) Horæ physicæ Berolinensis collectæ ex symbolis virorum doctorum Link, Rudulphi, etc. 1. vol. fol. 1820.

Nees. in. Wall. pl. rar. asiat. Ibid. See *Wall. pl. rar. as.*

Nest. pot. Nestler (C.G.) Monographia de Potentilla. 4to. Paris. 1816.

Niss. act. par. Nissole in Histoire de l'Académie Royale des Sciences, avec les Mémoires de Mathématique et de Physique. 4to.

Noc. et. Balb. fl. tic. Nocca (Dom.) et Balbis (J. B.) Flora Ticinensis. 2 vol. 4to. Ticin. 1816-1821.

Nocc. hort. tic. Ibid. Historia atque ichnographia horti Ticinensis. 4to. Pavia 1818.

Nois. jard. fr. Noisette (Louis) Le Jardin fruitier. 2 fasc. in 4to. Paris. 1813.

Nouv. ann. muse. Nouvelles Annales du Museum d'histoire naturelle. 4. vol. 4to. Paris. 1832.

Nutt. journ. acad. phil. Nuttall (Thomas.) See *Journ. acad. phil.*

Nov. act. pet. Nova Acta Academiæ Scientiarum Petropolitanæ.

Nov. com. pet. Novi Commentarii Academiæ Scientiarum Imperialis Petropolitanæ.

Oed. fl. dan. Van Oeder (Georg. Christ.) Icones plantarum sponte nascentium in regnis Daniæ et Norvegiæ, etc. fol.

Ort. dec. De Ortega (Cas Gomez.) Novarum aut rariorum Plantarum Horti Reg. Botan. Matrit. Descriptionum Decades 4to.

Osb. it. Osbeck (Pehr.) Dagbock œf'er en ostendyck resa. 1 vol. 8vo.

Palisot d'owar. *Pal. fl. d'ow.* Palisot de Beauvois. Flore des royaumes d'Oware et de Benin. fol. 1805. et seq.

P. Beauv. agrost. *Pal. de Beauv. ag.* Ibid. Essai d'une Nouvelle Agrostographie 1 vol. 8vo. Paris. 1812.

Pall. act. pet. Pallas (Peter Simon.) In Acta Academiæ scientiarum imperialis Petropolitanæ. 4to.

Pall. it. ed. gal. Ibid. Voyage dans l' Empire Russe. 8. vol. 8vo.

Pall it. ed. germ. Ibid. Reise durch verschiedene provinzen des Russischen Reichs. 3 vol. 4to. 1771—1776.

Pall. ross. Ibid. Flora Rossica. fol. 2 vol. 1784—1788.

Par. lond. *Sal. par. lond.* Salisbury (Rich. Anth.) Paradisus Londinensis. 2 vol. 4to.

Park. par. / *Park. parad.* Parkinson (John) Paradisi in sole paradisus terrestris, or a garden of flowers. 1 vol. fol. 1629.

Park. theat. Ibid. Theatrum botanicum. 1. vol. fol. 1640.

Parry voy. Parry (Edward.) A voyage to discover the North-west Passage. Appendix. 4to. London.

Patters. iter. A Narrative of four Journeys into the Country of the Hottentots and Caffraria. By William Patterson. 4to. 1789.

Paxt. mag. bot. / *Paxt. mag.* Paxton (Joseph) Magazine of Botany and Register of Flowering plants. 1834. Monthly nos. continued.

Pet. eng. herb. / *Pet. h. brit.* Petiver (James.) Herbarii Britannici Catalogus. fol.

Pet gaz. / *Petiv. gaz.* Ibid. Gazophylacium naturæ et artis. fol. 1702—1704.

Pet. Th. veg. afr. Aubert du Petit Thouars. Plantes des iles de l'Afrique australe. 3 fasc. in 4to. Paris. 1804—6.

Phil. trans. Philosophical transactions of the Royal Society of London. 4to. London. 1665. continued.

Pio viol. Pio (Joh. Bapt.) De Violâ specimen. 4to. 1813.

Pis. bras. Piso (Guil.) Historia naturalis Brasiliæ. 1 vol. fol. 1648.

Piso. lib. Ibid. De Indiæ utriusque re naturali et medica libri 14. fol. 1658.

Plenck. ic. / *Plenck. ic. off.* Plenck (Jos. Jac.) Icones plantarum medicinialium. 1803 et seq.

Pl. sel. hort. berl. See *Lk. et Ot. pl. rar.*

Pl. rar. hung. / *W. et. K. hung.* Waldstein (Franc.) et Kitaibel (Paul.) Descriptiones et Icones plantarum rariorum Hungariæ. 3 vol. fol.

Pluk. alm. Plukenett (Leonard) Almagestum botanicum sive phyt. onomasticum. 1 vol. 4to 1796.

Pluk. am. Ibid. Amaltheum botanicum. 1 vol. 4to. 1705.

Pluk. mant. Ibid. Almagesti botanici Mantissa. 1 vol. 4to. 1700.

Pluk. phyt. Ibid. Phytographia sive Stirpium illustriorium, etc. 4. vol. 4to. 1691.

Plum. amer. Plumier (Charles) Description des Plantes de l'Amerique. 1 vol. fol. 1693. et 1713.

Plum. ed. B. / *Pl. ed. Burm.* / *Plum. ed. Burm.* Ibid. Plantæ Americanæ à C. Plumier detectæ et à J. Burmanno editæ. 5 fasc. fol. 1755.

Plum. fil. Ibid. Nova plantarum Americanarum genera. 1 vol. 4to. 1703.

Plum. ic. Ibid. Plantarum Americanarum fasc. 10, continentes plantes quas olim C. Plumierius detexit et depinxit. Edidit Jo. Burmannus.

Pock. tr. Pococke (R.) A description of the East and some other countries. 2. vol. fol. London. 1743—1745.

Pohl. pl. bras. Pohl (John Imman) Plantæ Brasiliæ. 4to. 1830.

Pohl. tent. fl. b. Pohl (Imman.) Versuch einer flore Böhmens. 2 vol. 8vo. Prague 1810—1814.

Poll. fl. ver. Pollini (Ciro.) Flora Veronensis. 3 vol. 8vo. Verona. 1816.

Pollich Palat. Pollich (Joh. Adam.) Historia plantarum in Palatinatu spontè nascentium. 3 vol. 8vo. 1776.

Poit. et. T. fl. / *Poit. et. Turp. par.* Poiteau et Turpin. Flore Parisienne. 6. liv. fol. 1808.

Poit. a. m. / *Poit. ann. mus.* Ibid. See *Ann. Mus.*

Pursh. amer. / *Pur. fl. amer. sept.* Flora Americæ Septentrionalis; or a systematic arrangement and description of the plants of North America. By Frederick Pursh. 2 vol. 8vo.

Quer. hisp. Query Martiner (Joseph) Flora Espanola. 4. vol. 4to. 1762—1764.

Rad. mem. Raddi (Joseph.) Memoire Flore Brasil in Memoirie di Modena. vol. 18.

Rad. fil. Ibid. Filices. fol. Florence. 1825.

Ram. bull. phil. Ramond (L. F.) See *Bull. phil.*

R. et P. syst. Ruis (H.) Pavou (Jos.) Systema vegetabilium Floræ Peruviana et Chiliensis. 1 vol. Madrid. 1798.

R et P. fl. per. See *Flor. per.*

R. et P. fl. per. prod. See *Ruiz. et P. prod.*

Raii syn. / *Ray. syn.* Ray (Joh.) Synopsis Stirpium Britannicarum. 1 vol. 8vo.

Rauw. it. Rauwolf (Leonh.) Etlicher Schoner Ausslandicher Kreuter, deren in Seiner Rayss, in die Morgenlander Gethon, Gedacht wirt, lebendige Contrafactur.

Red. lil. / *Redoute lil.* Redoute (P.J.) Les Liliacées. 8 vol. fol. 1802—1816.

Redout. ros. Ibid. Les Roses. 4to. et fol. 1817 et seq.

Reich. ac. / *Rchb. ac.* Reichenbach (Ludov.) Monographia generis Aconiti et Delphinii. Lipsiæ. 1820. fol.

Rchb. ill. Ibid. Monographia Aconiti iconibus omnium specierum coloratis illustrata. 1 vol. fol. Liepsic. 1820.

Rchb. exot. / *Rchb. ic. exot.* Ibid. Iconographia Botanica Exotica. 4to. Liepsic. 1827.

Rchb. icon. eur. / *Rchb. bot. eur.* Ibid. Icones et Descriptiones plantarum rariorum et minus cognitarum Floræ Europæ. 1 vol. 4to. Leipsic. 1824.

Rchb. icon. crit. / *Rchb. pl. crit.* Ibid. Iconographia Botanica, seu Plantæ Criticæ. 4to. Leipsic. 1823.

Reich hort. bot. Ibid. Hortus Botanicus. 4to. Leipsic. 1824.

Reich. ic. Ibid. Icones et descriptiones plantarum. 4to. Lipsiæ. 1822. et seq.

Reliq. Houst. Reliquiæ Houstounianæ, in Bibliotheca Jos. Banks asservatis. 4to. 1781.

Renealm spec. Pauli Renealmi Specimen Historiæ Plantarum. 1 vol. 4to. 1611.

Retz. obs. Retzius (And. Joh.) Observationes Botanicæ. 6 fasc. fol. 1774—1791.

Rheed. mal. / *Rhe. hort. mal.* Van Rheede (Henricus.) Hortus Indicus Malabaricus. 12 vol. fol.

Rich. hydr. Richard (Ach.) Monographie du genre Hydrocotyle. 8vo. Bruxelles. 1820.

Rich. conif. Richard (L.C.) Mémoires sur les conifères. 4to. Stuttgard.

Ris. ann. mus. Risso (A.) See *Ann. mus.*

Rivin. monop. Rivinus (Aug. Quirinus.) Ordo Plantarum flore irregulari monopetalo. 1 vol. fol. 1690.

Riv. tetr. Ibid. Ordo Plantarum flore irregulari tetrapetalo. 1 vol. fol. 1691.

Riv. pent. / *Riv. pentap.* Ibid. Ordo Plantarum flore irregulari pentapetalo. 1 vol. fol. 1699.

Rob. ic. Three hundred and nineteen plates of plants; engraved by Nic. Robert. A. Bosse, and Lud. de Chatillon. fol.

Roch. ban. / *Roch. pl. ban.* Rochel (Ant.) Pflanzen umrisse aus dem Sudlichen Karpath des Bannats. 1820.

Rost. junc. Rostkow. (F.G.T.) Monographia generis Junci. 8vo. Berlin. 1801.

Rod. Scub. cer. Scubler (Gust.) Diss. sistens descriptiones cerealium cultorum. Tubing. 1818. 4to.

Rœm. arch. Roemer (Joh. Jac.) Archiv für die Botanik. 3 vol. 4to. 1796, 1799, 1805.

Rœm. script. Ibid. Scriptores de Plantis Hispanicis, Lusitanicis, et Braziliensis. 1 vol. 8vo. 1796.

Rœm. et Ust. mag. Ibid. et Usteri (Paul.) Magazin fur die Botanik. 4to. 1789—1790. Zurich.

Rosc. scitam. Roscoe's Figures of the Order of Scitamineæ. fol.

Rosc. fl. ill. sea. Roscoe (Mrs. M.) Floral Illustrations of the Seasons. Liverpool. Royal 4to. 1829 et seq.

Roth. abh. Roth (Alb. Wilh.) Botanische abhandlungen und beobachtungen 4to. 1787.

Rottb. act. hafn. Rottboell (Christ. Fred.) See *Act. hafn.*

Rottb. gram. / *Rottb. desc. rar.* Ibid. Descriptiones et Icones Plantarum rariorum, etc. 1 vol. fol. 1773.

Roxb. corom. / *Roxb. cor.* Roxburgh (William) Plants of the Coast of Coromandel, published under the direction of Sir Joseph Banks. fol.

Royle ill. Royle (J. F.) Illustrations of the Botany, &c., of the Himalayan mountains. 4to. London. 1833—1838.

Rudg. guian. / *Rudge guian.* Rudge (Edward.) Plantarum Guianæ rariorum Icones et desc. fol. 1805.

Rudb. elys. Rudbeck, (Olaus) Campe Elysii libri duo. 4to. Upsal. 1701.

Ruiz. et B. prod. Ruiz (Hippol.) et Pavon (Jos.) Floræ Peruvianæ et Chilensis prodromus. fol.

Rumph. amb. Rumphius (Georg. Everh.) Herbarium Amboinense. 6 vol. fol. 1750—1755.

Russ. alep. Russell (Alex.) Natural History of Aleppo. 1. vol. 4to. 1756. ed. 2. 1794.

S. et Wend. sert. See *Wend. s. han.*

Sabb. hort. / *Sabb. h. rom.* / *Sabb. hort. rom.* Sabbati (Liberatus.) Hortus Romanus. fol. vol. 3. 8vo. 1772, 1774, 1805.

Sal. stirp. rar. Salisbury (R.A.) Icones stirpium rariorum. 1. fasc. fol. 1791.

Salic. woburn. Salictum woburnense. 8vo. London. 1829.

San. viag. Santi (Georg.) Viaggi al mont Amiata. 1 vol. 8vo. 1795. ii. 1798. iii. 1806.

Savi fl. pis. Savi (Gaetano.) Flora Pisana. 2 vol. 8vo. 1798.

Savi. bi. ital. Ibid. See *Mem. soc. ital.*

Savi. obs. trif. / *Savi. trif.* Ibid. Observationes in variis Trifoliorum species. 1 vol. 8vo. Florence. 1810.

Scheuch. gram. / *Scheuch. agrost.* Scheuchzer (Johan.) Agrostographia, sive Graminum, Juncorum, Cyperorum, iisque affinium historia.

Scheuch. it. Scheuchzer (Joh. Jac.) Itinera Alpina. 4to. ed. 1. 1702—1708. Ed. 2; 1 vol. 4to. 1723.

Schk. caric. Schkuhr (Christ.) Histoire des Carex ou Laiches. 1 vol. 8vo. 1802.

Schlech. anim. ran. Schlechtendal (Dietr.) Animadversiones in Ranunculeis Candollei. 3 fasc. 8vo. Berlin. 1825.

Schott. meletom. / *Schott. et Endl. meletom.* Schott (H.) et Enlicher (S.) Meletomata Botanica. fol. Berlin. 1826.

Schkuhr. crypt. Ibid. Vier und zwanzigste klass des Linneschen pflanzensystems. 4to. Wittenberg. 1809.

Sch. act. hafn. Ibid. See *Act. hafn.*

Schkuhr. filic. Ibid. Abbildungen der Farrnkräuter. 4to.

Schk. hand. / *Schkuhr. hand.* Ibid. Botanisches handbuch. 3 vol. 8vo.

Schm. arb. / *Schmid. arb.* Schmidt (Franz.) Œsterreichs allegemeine Baumzucht. 2 Band. fol. 1792—1794.

Schm. ic. / *Schmidel ic.* Schmeidel (Cas. Christ.) Icones Plantarum. 1 vol. fol. 1762.

Schousb. maroc. Schousboe (P, K. A.) Iagttagelser over voextriget i Marocco. 1 vol. 4to. 1800.

Schrad. d. hal. Schrader (Henr. Adolph.) De Halophytis Pallasii. 4to. 1810.

Shrad. diss. Blum. Ibid. Blumenbachia novum e familia Loasearum genus. 4to. Gottingen. 1827.

Schrad. gen. nov. Ibid. Nova Plantarum genera. 1 fasc. fol. 1797.

Schrad. fl. germ. / *Schrad. germ.* Ibid. Flora Germanica. 8vo. 1806.

Schr. s. han. Ibid. Sertum Hannoverianum. 4 fasc. fol. 1795, 1796.

Schrad. hort. goett. / *Schrad. h. goett.* Ibid. Hortus Gottingensis. fol. 1809—1813.

Schrad. journ. Ibid. Journal für die Botanik. 8vo. Gottingen. 1799—1803.

Schrad. verb. Ibid. Monographia generis verbasci. 4to. 1813.

Schrad. ver. Ibid. Commentatis de Veronicis spicatis. 8vo. 1803.

Schrank h. mon. / *Schrank pl. rar.* / *Schrank hort. mon.* / *Schr. rar. h. mon.* Schrank (Fr. von Paula.) Plantæ rariores horti Monacensis. 1817, 1818, 1819.

Schrank bav. Ibid. Baieerche Flora. 2 band. 8vo. Munich. 1789.

Schreb. a. ups. Von Schreber (Joh. Christ. Dan.) Acta litteraria et scientarum Upsaliæ aut ab academia Upsaliensi publicata. 2 vol. 1720, 1816.

Schreb. gram. Ibid. Beschreibung der Grœser. fol. 1769—1779.

Scop. carn. Scopoli (Joh. Ant.) Flora Carniolica. 8vo. 1750. ed. 2. 2 vol. 8vo. 1772.

Scop. del. / *Scop. ins.* Ibid. Deliciæ floræ Insubricæ. 3 vol. fol. 1786—1788.

Seb. mus. / *Seb. thes.* / *Seba. thes.* Seba (Alb.) Locupletissimi Rerum naturalium Thesauri Descriptio. 4 vol. fol. 1734—1765.

Seb. pl. rom. Sebastiani (Ant.) Romanarum plantarum. 4to. Rome. 1813—1815.

Seb. et Maur. pl. rom. Ibid. et Mauri (Ern.) Floræ Romanæ Prodromus. 1 vol. 8vo. Rome. 1818.

Second. d. chen. De Secondat (M.) Mémoires sur l'Historie naturelle du Chêne. 1785. fol.

Seguier ver. / *Segu. ver.* Seguier (Joh. Franc.) Plantæ Veronenses. 3 vol. 8vo. 1745.

Ser. m. helv. / *Ser. mus. helv.* Seringe (N. C.) Musée Helvétique d'histoire naturelle. 4to. 1818, 1820.

Sert. orch. See *Lindl. sert.*

Shaw. afric. / *Shaw. barb.* Shaw (Thomas.) Travels in Barbary and the Levant. 1 vol. fol. 1738. —— Supplement. 1746.

Sinc. gr. wob. Sinclair (George.) Hortus gramineus Woburnensis. 1 vol. 8vo. 1825.

Slo. hist. / *Sloan. j.* Sloane (Hans) A Voyage to the Islands Madeira, Barbadoes, Nieves, St. Christopher's and Jamaica; with the Natural History of the last of those Islands. 2. vol. fol. 1707.

Sm. exot. bot. Smith (J. Edward.) Exotic Botany. 8vo. 1804—1808.

Sm. ic. ined. / *Smith. ic. ined.* Ibid. Plantarum Icones hactenus ineditæ. fasc. 1-3. 1789, 1791. fol

Smith ic. pict. Ibid. Icones pictæ Plantarum rariorum. 3. fasc. fol. 1790—1793.

Sm. nov. hol. / *Sm. new. holl.* Ibid. A specimen of the Botany of New Holland. 1 vol. 4to. 1793.

Smith spic. Ibid. Spicelegium Botanicum. 2 fasc. fol. 1791, 1792.

Smith. tracts. Ibid. Tracts relating to Natural History. 1 vol. 8vo. 1798.

Sole's mints. Sole (William.) Menthæ Britannicæ; being a new botanical arrangement of all the British Mints hitherto discovered. 1 vol. fol. 1798.

Sonner. it. / *Sonn. voy.* / *Sonnerat voy.* Sonnerat (P.) Voyage aux Indes orientales et à la Chine. 2 vol. 4to.

Sonner. n. guin. Ibid. Voyage à la nouvelle Guinée. 1 vol. 4to. 1776.

Sparm. a. st. Sparmann (Andr.) Kongl. Vetenskaps Academiens Handlingar. Stockholm. 1739. seq. 8vo.

Spr. anl. Sprengel (Kurt.) Anleitung zur Kentmiss der Gewachse. 2 theil. 8vo. 1817, 1818.

Spr. berl. mag. Ibid. See *Berl. mag.*

Spr. act. pet. Ibid. See *Act. pet.*

Spreng. crypt. Ibid. Introduction to the study of Cryptogamous Plants, translated from the German. 8vo. 1813.

Spr. fl. hall. Ibid. Floræ halensis Tentamen novum. 1 vol. 8vo. 1806.

Spreng. umb. Ibid. Species umbelliferarum minus cognitarum illustratæ. 1 vol. 4to. 1818.

Sternb. saxif. Sternberg (Graf. Casp.) Revisio Saxifragarum Iconibus illustrata. 1 vol. fol. 1810.

Stev. m. a. p. Steven (C.) See *Mem. acad. petersb.*

Stœr. lib. de stram. Stœrk. (Ant.) Libellus de Stramonio, Hyosciamo. Aconito. 8vo. 1763.

Sturm. deut. fl. / ——— *fl. germ.* Sturm. (Jacob.) Deutschland flora. 4to.

Swartz ic. Swartz (Olof.) Icones Plantarum Indiæ occidentalis. 1 fasc. fol. 1794.

Sw. fl. ind. oc. Ibid. Flora Indiæ occidentalis, 3 vol. 8vo. Erlang. 1797-1806.

Swartz. obs. Ibid. Observationes botanicæ. 1 vol. 8vo. Erlang. 1791.

Sw. syn. fil. Ibid. Synopsis filicum earum genera et species compl. 1 vol. 8vo. 1806.

Swt. br. fl. gar. Sweet (Robert.) The British Flower Garden, published in monthly numbers, containing full and accurate coloured figures and descriptions, with the best mode of cultivation, of the most choice and curious plants, that may be cultivated in the open air of Great Britain. 3 vol. royal 8vo.

Swt. br. fl. gar. s. 2. Ibid. British Flower Garden. 4 vol. 8vo.

Swt. cist. Ibid. Cistineæ. The natural Order of Cistus, or Rock-Rose, complete in one volume, containing 112 beautifully coloured figures of the different species and varieties of this handsome family of plants.

Swt. flor. aust. Ibid. Flora Australasica, or a selection of the most beautiful and interesting plants, natives of New Holland, and the South Sea Islands, containing 56 beautifully coloured figures from the living plants. 1 vol. royal 8vo. London, 1827-1828.

Swt. flor. guid. Ibid. The Florist's Guide, or Cultivator's Directory, containing elegantly coloured figures of the choicest flowers cultivated by Florists, including Tulips, Hyacinths, Ranunculus, Carnations, Polyanthus, Georgianas, and Roses. 1827 et seq. royal 8vo. London.

Sweet ger. / *Swt. ger.* Ibid. Geraniaceæ, or the natural Order of Geraniums, published in monthly parts, with accurate coloured figures and descriptions of the different kinds, and their mode of culture. royal 8vo. Five volumes complete.

Swert. flor. Swertius (Eman.) Florilegium tractans de variis floribus. 1 vol. fol. 1612.

Tab. ic. Tabernæmontanus (Jac. Theod.) Eicones Plantarum cur N. Bassæo. 4to. 1590.

Tabern. kraut. Ibid. Kræuterbuch. fol. 1588.

Tauch. h. can. Tausch (Ign. F.) Hortus Canalius. 1 vol. fol. Prague, 1823.

Ten. flor. med. Tenore (Michel.) Saggio sulle qualita medicinali delle piante Napolitanæ. 8vo. Napoli. 1808.

Tenor fl. nap. / *Ten. fl. neap.* Ibid. Flora Napolitana. fol. 1811.

Ten. mem. croc. Ibid. Memoires sui Crochi. Naples.

Thunb. eric. Thunberg (Car. Petr.) de Erica. 4to.
Thunb. gard. Ibid. Dissertatio de Gardenia. Upsal. 1780.
Thunb. ir. Ibid. Dissertatio de Iris. 4to. 1782.
Thunb. fl. jap. Ibid. Flora Japonica. 8vo. 1784.
Thunb. voy. Ibid. Voyage au Japon, etc. 8vo. 1796.
Th. act. hol. / *Thunb. act. holm.* } Ibid. See *Act. holm.*
Thunb. lin. tr. Ibid. See *Lin. trans.*
Th. act. acad. ups. Ibid. See *Act. acad. ups.*
Th. act. hafn. Ibid. See *Act. hafn.*
Thunb. diss. Ibid. Dissertatio de Protea. 4to. Upsal. 1781.
Thunb. fic. Ibid. Diss. de Fici. 4to. Upsal.
Till. pis. Tilli (Mich. Ang.) Catalogus horti Pisani. fol. 1723.
Tourn voy. / *Tour. it.* } Pitton de Tournefort (Joseph.) Relation d'un voyage du Levant. 4to. 1717.
Tourn. ann. mus. Ibid. See *Ann. mus.*
Trag. stirp. Tragus (H.) De stirpium maxime eorum latine versa.
Trat. arch. Trattinick (Leop.) Archiv. der Gewæchskunde 4to. 1811.
Trattin. fl. aust. Ibid. Flora Austriaca sicca. fol. 1792.
Tratt. tab. Ibid. Observationes botanicæ Tabularium rei herbariæ illustrates. 4to. 1811.
Tratt. thes. bot. Ibid. Thesaurus Botanicus. fol. 1819.
Trautv. diss. Trautvetter (E. R.) Dissertatio Botanica Echinope genere. 4to. Mittau. 1833.
Trev. delph. Treviranus (Lud. Christ.) De Delphinio et Aquilegia observationes. 4to. 1817.
Trev. ber. mag. Ibid. See *Berl. mag.*
Trew. ehret. / *Tr. eh.* } Trew (Christ. Jac.) Plantæ selectæ ab Ehret pictæ. fol. 1750.
Trew. pl. rar. / —— *pl. sel.* } Ibid. Plantæ rariores, ed. J. C. Keller. fol. 1763.
Trin. ic. gram. Trinius (Car. Bern.) Icones Graminiæ.
Trin. act. pet. Ibid. See *Act. pet.*
Triumf. obs. Triumfetti (Joh. Bapt.) Observationes de ortu et vegetatione Plantarum. 4to. 1635.
Turp. ann. mus. Turpin (P. H.) See *Ann. mus.*
Tuss. ant. Tussac (F. R. de) Flore des Antilles. 3 vol. fol. 1808—1826.
Ust. N. ann. Usteri (Paul.) Neue annalen der Botanik. 8vo. 1794.
Vahl. ecl. Vahl. (Martinus.) Eclogæ Americanæ. fol. 1796.
Vahl. ic. rar. / —— *icon.* { Ibid. Icones Plantarum in eclogis descriptarum. fol. 1798.
Vahl. symb. Ibid. Symbolæ botanicæ. fol. 1790.
Vail. par. / *Vaill. bot. par.* } Vaillant (Sebastien.) Botanicon Parisiense. fol. 1727.
Venten. cels. / *Venten. hort. cels.* / *Vent. cels.* { Ventenat (Etienne Pierre.) Description des plantes nouvelles ou peu connues du jardin de J. M. Cels. fol. 1800.
Vent. choix. Ibid. Choix des plantes. fol. 1803.
Vent. dec. pl. nov. Ibid. Decas generum plantarum novorum. 4to. Paris. 1808.
Vent. malm. Ibid. Jardin de la Malmaison. fol. 1803.
Vent. diss. Ibid. Monographie du genre Tilleul. 4to. Paris. 1802.
Viborg. cereal. Viborg on Cerealæ.
Vill. c. stras. Villars (D.) Catalogue Methodique du jardin de Strasbourg. 8vo. 1807.
Vill dauph. / *Vill. delph.* } Ibid. Histoire des Plantes du Dauphine. 8vo. 1786.
Vill. voy. Ibid. Précis d'un Voyage Botanique. 8vo. Strasburg. 1812.
Viv. frag. / *Viv. fl. it. fr.* / *Vivian. fr. fl. it.* } Viviani (Dom.) Floræ Italicæ fragmenta. 4to. 1808.
Viv. fl. lib. / *Viv. lyb.* } Ibid. Floræ Libicæ Specimen. 1 vol. fol. Genoa. 1824.
Volck. norib. Volkamer (Jo. Georg.) Flora Noribergensis. 4to. 1700.
W. amar. Willdenow (C.L.) Historia Amaranthorum. 1 vol. fol. 1790.
W. et K. pl. rar. hung. / *W. et K. hung.* } See *Pl. rar. hung.*
Wahl. helv. Wahlenberg (Georg.) De vegetatione et clymate Helvetiæ septentrionalis specimen. 8vo. 1813.
Wahl. fl. lap. Ibid. Flora Lapponica. 8vo. 1812.
Wal. as. res. Wallich in Asiatic Researches, or Transactions of the Society instituted in Bengal. 4to. 1788.
Wall. pl. as. / *Wall. ind. pl.* / *Wall. pl. as. rar.* / *Wall. pl. rar.* } Wallich (Nathanael.) Plantæ asiaticæ rariores. 3 vol fol. London. 1830—1832.
Walth. hort. Walther (Aug. Frid.) Designatio plantarum horti ejus. 8vo. 1735.
Wang. amer. Von Wangenheim (Fried. Ad. Jul.) Anpflanzung Nord Amerikanischer Holzarten.
Wats. dend. brit. Watson (W.) Dendrologia Britannica. 2 vol. 8vo.
Weig. obs. Weigel (Christ. Ehret.) Observationes Botanicæ. 4to. 1772.
Wei. et N. rub. Weihe (Aug.) et Nees (C. G.) Rubi germanici.
Weinm. phyt. / *Wein. phyt.* } Weinmann (Joh. Guil.) Phytanthoza Iconographica. fol. 1737.
Wend. ac. Wendland (H. Lud.) Commentatis de Acaciis aphyllis. 4to. 1820.
Wendl. col. Ibid. Collectio Plantarum tum exoticarum quam indigenarum. 4to. 1805.
Wendl. er. Wendland (Joh. Christ.) Ericarum Icones et descriptiones. 4to. 1798.
Wend. h. herr. Ibid. Hortus Herrenhusanus. fol. 1798.
Wend. obs. Ibid. Botanische Beobachlungen. 1 vol. 4to. Hanover. 1798.
Wend. s. han. / *Wend. sert. han.* } Ibid. Sertum Hannoveranum. 4 fasc. fol.
White. voy. White (John.) Journal of a voyage to New South Wales. 4to. London. 1790.
Willd. arb. / *Willd. baumz.* { Willdenow (Car. Lud.) Berlinische Baumzucht. 8vo. 1797.
Willd. phyt. Ibid. Phytographia. 1 fasc. fol. Erlang. 1794.

Willd. ach. Ibid. Tractatus de Aschilleis et Tanaceto. 1 vol. 8vo. Halle. 1789.

W. ber. mag. Ibid. Berlinischer magazin oder gesammlete schriften, etc. 4to. 1765.

Willd. hort. ber. } Ibid. Hortus Berolinensis
W. hort. ber. } fol. 1806.

With. brit. Withering (W.) Botanical arrangement of the vegetables of Great Britain. 2 vol. 8vo. Birmingham. 1776.

Woodv. med. bot. Woodville (William.) Medical Botany. 3 vol. 4to. 1790.

Zænic. ist. Zannichelli (J. H.) Istoria delle piante che Nascona ne' lidi intorno a Venezia. 1 vol. fol. Venice. 1785.

Zanon. hist. Zanoni (Jacobus.) Rariorum stirpium historia. Ed. C. Monti. 1 vol. fol. 1742.

Zorn. ic. Zorn (Joh.) Icones Plantarum medicinalium. 8vo. 1779.

ABBREVIATIONS.

A. B. Arboretum et Fruticetum Britannicum, by J. C. Loudon, or Annals of Botany.
A. DC. Alphonse De Candolle, Professor of Botany, Geneva.
Afz. Afzelius (Adam.) A celebrated Swedish Botanist.
Ag. Agardht. Professor of Botany, Upsal.
A. G. Andrews's Geraniums.
A. H. Andrews's Heaths.
Ait. Aiton (W. T.) of Kew Gardens.
All. Allioni (C.) A Piedmontese Botanist.
And. Anderson (W.) of the Botanic Garden, Chelsea.
Andr. Andrezejouski, a Russian Botanist.
A. R. Andrews's Botanical Repository.
Arn. or Arnott. Arnott (G. W.) A celebrated Scotch Botanist.
Aub. Aublet (F.) A French Traveller in Guiana.
B. or Br. See R. Br.
B A. Barton (B. S.) Flora Boreali Americana.
Bal. or Balb. Balbis (J. B.) A French Botanist.
Bate. Batemann, (J.) A celebrated English Botanist.
Bau or Baum. Baumgarten. A Hungarian Botanist.
B. C. Loddiges's Botanical Cabinet.
B. D. Bartling (F. T.) Diosmeæ descriptæ et illustratæ.
Be. or Bertol. Bertoloni, Professor of Botany at Bologna.
Bell. Bellardi (L.) An Italian Botanist.
Bern. Bivona Bernhardi, a Sicilian Botanist.
Benth. Bentham (G.) Secretary Horticultural Society, London.
Bert. Bertero (C. J.) A celebrated Traveller and Botanist.
Berg. Bergius (P. J.) A writer on Cape Plants.
Bess. or Bes. Besser (W. J.) A Russian Botanist.
B. F. Bancroft (Dr.)
B. F. G. Sweet's British Flower Garden.
Bhi. See Bern.
Bichen. Bicheno (J. E.) An English Botanist.
Bieb. See M. B.
Biv. See Bern.
Bl. Blume (C. L.) A celebrated Dutch Botanist.
B. M. Curtis's Botanical Magazine..
B. O. Beauvois (Palisot de.) Flore d'Oware et de Benin.
Boj. Bojer. Professor of Botany in the Isle of France.
Bong. Bongard. A German Botanist.
Bor. Borrer (W.) A celebrated English Botanist.
Bosc. Bosc. (L.) A French writer on trees.
Bove. Bove. A traveller in the East.
B. P. Brown's Prodromus Floræ Novæ Hollandiæ.
B. R. Edwards's Botanical Register.
Briga. Brignoli (John.) An Italian Botanist.
Bro. Brogniart (Ad.) A French Botanist.
Brot. Brotero (F. A.) Professor of Botany at Coimbra.
B. T. Burchell's Travels in Africa.
Bunge or Bng. Bunge, Professor of Botany at Dorpat.
C. or Cav. Cavanille's (A. J.) A celebrated Spanish Botanist.
Cas. Cassini (H.) A celebrated French Botanist.
C. C. Colvill's Catalogue.
C. I. See Cav. icon. in List of Works.
C. L. T. Colbrook (H. I.) in Linnean Transactions.
C. S. Choisy (J. D.) Memoire sur la Famille des Selaginees.
Cand. De Candolle (A. P.) A celebrated French Botanist.
Cham. Chamisso (Adelb.) A celebrated German Botanist.
Cun. Cunningham (A.) A celebrated Botanist and Traveller in New South Wales.
Cyr. Cyrilli. A celebrated Neapolitan Botanist.
D. or Doug. Douglas (D.) A Traveller and collector of objects in Natural History.
D. C. De Candolle (A. P.) A celebrated French Botanist.
D. D. Don (D.) Professor of Botany, King's College, London.
Del. Delile (A. R.) A Traveller in Egypt.
Desf. or Df. Desfontaines (L. R.) Author of Flora Atlantica.
Desv. or Dv. Desvaux (N. A.) A French Botanist.
D. F. Dufresne (P.) See Duf. Val. in List of Works.
D. L. Lockhart (D.) Director of the Botanic Garden in Trinidad.
Dod. Dodonæeus (R.) An ancient Dutch Botanist.
D. P. Don (D.) Prodromus Floræ Nepalensis.
D. S. Don (G.) General System of Gardening and Botany.
Dun. Dunal (M. F.) A French Botanist.
E. or Ehrenb. Ehrenberg (C. G.) A celebrated Microscopic observer, and Traveller in Egypt.
E. B. English Botany.
E. C. Elliot (S.) Flora of Carolina.
E. F. Smith (Sir J. E.) English Flora.
Ex. B. Ibid. Exotic Botany.
Ehr. or Ehrh. Ehrart (F.) A German Botanist.
Ell. Elliott (S.) An American Botanist.
E. W. Ericeæ Woburnensis.
F. Fischer (F.) Director of the Botanic Garden, St. Petersburgh.
F. D. Flora Danica.
F. E. Forskaol (P.) Flora Ægyptiaco-Arabica.
F. G. Flora Græca.
F. M. Fischer (F.) and Meyer (C. A.) of the Botanic Garden, St. Petersburgh.

F. I. Flora Indica.
F. T. Field (B.) Geographical Memoirs of New South Wales.
Forb. Forbes (James.) Gardener at Woburn Abbey.
G. Gærtner (Jos.) A celebrated German Carpologist.
G. B. Gray (S. F.) Natural Arrangement of British Plants.
G. D. Don (G.)
Gill. Gillies (Dr.) Who collected a large Herbarium in Chili.
Gm. or Gmel. Gmelin (J. G.) A celebrated Russian Botanist and Traveller.
Gr. or Grah. Graham (R.) Regius Professor of Botany, University of Edinburgh.
G. R. Georgi Geographische, &c. Bechriebung des Russichen Reichs.
Guss. Gussone (J.) A celebrated Sicilian Botanist.
Güld. Güldenstadt (J. A.) A Russian Botanist and traveller.
H. Hornemann (J. W.) A Danish Botanist.
H. A. Hooker (Sir W. J.) Flora Borealæ Americanæ, or Herbert's Amaryllidaceæ.
H. B. Hortus Bengalensis.
H. Berl. Hortus Berolinensis.
H. E. Hortus Epsomensis.
H. E. F. Hooker (Sir W. J.) Exotic Flora.
H. F. Hooker and Greville (R. K.) Filices.
H. G. Hoare's Geraniaceæ.
H. H. Hornemann (J. W.) Hortus Hafniensis.
H. G. W. Hortus Gramineus Woburnensis, by George Sinclair.
H. K. Hortus Kewensis.
H. M. Hooker (Sir W. J.) Botanical Miscellany.
H. M. N. Haworth (A. H.) Miscellanea Naturalia.
H. N. Ibid. Monographia Narcissearum.
H. P. Ibid. in Philosophical Magazine.
H. R. Ibid. Revisionis Plantarum Succulentarum.
H. S. Ibid. Synopsis Plantarum Succulentarum.
H. S. S. Ibid. Supplementum Plantarum Succulentarum.
H. S. L. Hortus Suburbanus Londinensis.
H. T. Transactions of the Horticultural Society of London.
H. U. Hoffmann (G. F.) Plantarum Umbelliferarum.
Haw. Haworth (A. H.) A celebrated English Naturalist.
Hayn. Hayne (F. G.) A German Botanist.
Hitch. Hitchens. A cultivator of Succulent Plants.
Hook. Hooker (Sir W. J.) Regius Professor of Botany in the University of Glasgow.
Horn. Hornemann (J. W.) A Danish Botanist.
Hort. Of Gardeners or of Gardens.
Hug. Baron Hugel, who has introduced many Plants from Swan River.
J. Jussieu (A. L.). Celebrated French Botanist.
Jac. or Jacq. Jacquin (N. J. Von.) A celebrated Austrian Botanist.
J. E. or J. F. Jacquin (J. F. Von). Eclogæ Botanicæ.
J. I. Ibid. Icones Plantarum Rariorum.
J. S. Ibid. Stapeliæ cultæ.
J. R. Jussieu (Adrian.) Memoire sur le Groupe Rutacees.
Juss. Ibid.
K. R. Ker (J. B.) Review.
K. F. Kaulfuss (G. F.) Enumeratio Filicum.
Kaulf. Ibid. A celebrated Cryptogamic Botanist.
K. I. Ker (J. B.) Irideæ.
K. S. Kunth (C. S.) Synopsis Plantarum Æquinoxialium.
K. G. Ibid. Agrostographia Orbis Novi.
Kth. Ibid. A celebrated German botanist.
Karw. Baron Karwinski, who has introduced many plants from Mexico.
Kit. Kitaibel (P.) A Hungarian Botanist.
K. W. Knowles and Westcott, Editors of the Floral Cabinet.
L. Linnæus. The celebrated Swedish Naturalist.
L. A. Lehmann (J. G. C.) Plantæ et familia Asperifoliarum nuciferæ.
L. A. Ledebour (C. F.) Flora Altaica.
Lab. or Labill. Labillardiere (J. J.) A celebrated French Botanist.
Lam. Monet de La Marck (J. B.) A celebrated French Naturalist.
Lap. Lapeyrouse (Picot). A French Botanist.
L. C. Loddiges, Catalogue.
L. Col. Lindley (J.) Collectanea Botanica.
Led. Ledebour. (C. F.) A celebrated Russian Botanist.
Leh. or Lehm. Lehmann (G. C.) Professor of Botany, Hamburgh.
L. en. Link (H. F.) Enumeratio Plantarum.
Lk. Ibid. Professor of Botany, Berlin.
L. G. or Lag. Lagasca (Mariano.) Professor of Botany, Madrid.
L. H. or L'her. L'Heritier de Brutelle. (C. L.) A celebrated French Botanist.
L. H. Loudon's Hortus Britannicus. Supplement. 1839.
L. O. Link (H. F.) Otto (Fred.) Abbildungen et Beschreibungen seltener Pflanzen in Berlin Garten.
L. O. or Ld. O. Lindley (John.) Genera, and species of Orchideous plants.
Lour. Loureiro (J.) A Portuguese Botanist.
L. P. Lambert (A. B.) Description of the Genus Pinus.
L. R. Lindley (J.) Rosarum Monographia.
L. T. Transactions of the Linnean Society.
Ly. Lindley (John.) Professor of Botany, University College, London.
M. or Mx. Michaux (A.) A celebrated French Botanist.
M. B. Marshall de Bieberstein (L. B. F.) Flora Taurico-Caucasica.
M. and D. Morren (Professor.) et Decaisne. Belgian Botanists.
M. C. Mackay's Catalogue.
M. N. Martius and Nees ab Essenbeck.
Mart. Martius (C. Von.) A celebrated Botanist and Traveller in Brazil.
Med. Medicus (F. C.) A German Botanist of the last century.
Mey. Meyer (C. A.) Of the Botanic Garden, St. Petersburgh.
Mh. Mœnch (Conrad.) A celebrated German Botanist.

Moris. Moris (J.) Traveller in Sardinia.
Mill. Miller, an English Gardener and Botanist.
M. N. Martius. Flora of Brazil.
M. P. Martius. Genera et Species Palmarum.
Muhl. Muhlenberg (O. F.) an American Botanist.
M. P. Martius's Palms.
Mx. Michaux (Andre.) a celebrated French Botanist.
N. Nuttall's Genera of North American Plants.
N. A. Nee's Asters.
N. L. F. News of Literature and Fashion.
N. P. Nestler's Potentillæ.
Nees. Nees ab Esenbeck, Professor of Botany, Breslaw.
Nutt. or Nut. Nuttall (Th.) celebrated English Botanist.
Ort. Ortega (C. J.) a celebrated Spanish Botanist.
Ot. Otto, Curator of the Botanic Garden at Berlin.
P. B. Pohl's Flora Brasiliana.
Ph. Pursh. Flora Americana Septentrionalis.
P. L. Salisbury in Paradisus Londinensis.
Poir. Poiret, a French Botanist.
Pr. Presl, a Sicilian Botanist.
P. S. Persoon's Synopsis Plantarum.
Pall. Pallas (P. S.) a celebrated Russian Traveller and Botanist.
Parm. Parmentier (M.) a French Nurseryman.
Plin. Pliny.
Presl. Presl (C. B.) a Sicilian Botanist.
Purt. Purton, an English Botanist.
R. Rox. Roxb. Roxburgh.
R. A. Reichenbach. Monographie Generis Aconiti et Delphinii.
Raf. Rafinesque Schmalz.
R. B. Roth's neue Beitrage zur Botanik.
R. C. Roxburgh's Plants of the Coast of Coromandel.
R. O. Richard's Orchideæ.
R. P. Ruiz et Pavon. Flora Peruviana.
R. S. Rœmer et Schultes Systema Vegetabilium.
R. U. (Rch.) Reichenbach Ubersicht der gattung Aconitum.
Rad. Raddi (Jos.) a Traveller in Brazil.
Ram. Rsmond, a French Botanist and Traveller in the Pyrenees.
Rchb. Reichenbach (H. G. L.) a German Botanist.
Regn. Regnault (S. A. de) a French Botanist.
Reinw. Reinwardt (G. C.) a celebrated Dutch botanist.
Rich. Richard (L. C.) a celebrated French Botanist.
Rœm. Rœmer (J. J.) a celebrated German Botanist.
Roxb. Roxburgh (W.) Superintendent of Botanic Garden, Calcutta.
R. S. Roscoe (W.) Scitamineæ.
R. Br. Brown (R.) a celebrated Botanist.
R. Cun. Cunningham (R.) Colonial Botanist, New South Wales.
R. L. Redoute's Liliacees.
S. Schulte's Systema Vegetabilium.
S. C. Sweet's Cistineæ.
S. F. A. Sweet's Flora Australasica.
S. F. G. Sweet's Florist's Guide.
S. G. Sweet's Geraniaceæ.
S. M. Sole's Mints.
S. O. Seidl et Opiz.
S. P. Salisbury's Prodromus.
S. S. Sprengel's Systema Vegetabilium.
S. T. Savi. Observationes in varias Trifoliorum Species.
Salm. Prince de Salm-dyck, of Holland.
Salzm. Salzmann (P.) a German Botanist.
Sal. Salisbury (R. A.) Salisbury.
Sbld. Siebold, a celebrated Dutch Botanist and Traveller.
Schk. Schkuhr (C.) a Cryptogamic Botanist.
Schleich. Schleicher, a Swiss Botanist.
Schied. Schiede, a Botanical Collector.
Sch. Schl. Schleicher, a Swiss Collector.
Sck. Schrank, a Bavarian Botanist.
Scop. Scopoli, an Italian Botanist.
Scr. Schrader, a German Botanist.
Sct. Schott, a Traveller in Brazil.
Sie. or Sieb. Sieber, a Botanical Collector.
S. G. Sinclair (G.) Hortus Gramineus Woburnensis.
Ser. Seringe (N. C.) a Swiss Botanist.
S. M. Schott's Meletomata Botanica.
S. O. Sertum Orchidaceum.
Sm. Smith (Sir J. E.) a celebrated English Botanist.
Sp. or Spach. Spach, a German Botanist.
St. Hil. Saint Hilaire (Aug.) a celebrated French Botanist.
Sut. Suter (J. R.) a Swiss Botanist.
Steph. Stephan (Fred.) a Russian Botanist.
Stev. Steven (C.) a Russian Batanist.
Swt. Sweet (R.)
Swz. Swartz (Olof.) a celebrated Swedish Botanist.
Sw. Swartz, a Swedish Botanist.
T. C. Tenore. Catalogus Plantarum Horti Regii Neapolitani.
T. N. Idem, Flora Neapolitana.
T. P. Idem, Floræ Neapolitanæ Prodromi.
T. S. Idem Synopsis Floræ Neapolitanæ.
Th. Thunberg, a Swedish Botanical Traveller.
Tv. Treviranus, a German Botanist.
T. P. Tenore (M.) Prodromus.
Ten. Tenore (M.) a Neapolitan Botanist.
Tr. Trin. Trinius, a German Botanist.
Trautv. Trautvetter (E.R.) a Russian Botanist.
Tratt. Trattinick (L.) a German Botanist.
Trev. Treveranus (L.C.) Professor of Botany, at Boun.
Turcz. Turzaninow, a Russian Botanist and Traveller.
Tw. Tweedie, a Botanical Collector at Buenos Ayres.
V. Ventenat, a French Botanist.
V. M. Ventenat's Jardin de Malmaison.
Viv. Viviani, an Italian Botanist.
Vill. Villars (D.) a French Botanist.
W. Willdenow. Species Plantarum.
W. A. Idem, Historia Amaranthorum.
W.en. Idem, Enumeratio Plantarum Horti Bot. Berolinensis.
Wall. Wallich, Curator of the Botanic Garden at Calcutta.
W. C. Wendland. Collectio Plantarum.
W. D. Watson's Dendrologia Britannica.

W. H. William Herbert. Observations on the Amaryllideæ, &c.
W. K. Waldstein and Kitaibel. Descriptiones et icones plantarum rariorum Hungariæ.
Wallr. Wallroth (T. W.) a German Botanist.
Walt. Walter (Th.) an American Botanist.
Webb. Webb (P. B.) Author of a Flora Canariensis.
Wormsk. Wormskiold (M.) a Danish Botanist.
Zea. Zea, a Portuguese Botanist.
Zeych. Zeycher, a German Botanist.
Zucc. Zuccarini (J. G.) a German Botanist.
1. 2. Flowering the first and second month of of the year.
3. 6. Flowering from the third to the sixth month, and so on according to the different figures.
1.12. Flowering all the year round, or at various seasons of the year, not having any settled period.
—— Denotes the same as the line above it.
.... Uncertain, or not properly known.
D S ♄ Dry Stove Shrub, a plant requiring very little water.
D G ♄ Dry Greenhouse Shrub, or a plant that requires but little water in winter; many of which will succeed well in a good frame or pit, with the covering of a mat or two on the lights in severe frost, but to be continually exposed to the air in mild weather.
♄ Shrub or tree.
♄ Hardy evergreen shrub or tree.
5 Hardy tree.
♄ Suffruticose, a dwarf Shrub, a soft wooded Shrub.
♃ Herbaceous, perennial, dying down in Winter, and shooting up afresh the following Spring.
♄ ◡ Climbing Shrub, a Shrub that requires support, either with a trellis, stick, or line, or any other convenient support.
♃ ◡ Climbing, perennial, herbaceous plant, requiring the same sort of support as the last.
w ♄ Water Shrub, or one that prefers growing in water, or in moist situations.
w ♃ Perennial herbaceous plant, requiring to be grown in water, or in a moist situation.
♂ Biennial, seldom surviving more than two years.
⊙ Annual requiring to be sown yearly.
b Bulbous-rooted.
H Hardy, surviving through the winter without protection.
F Frame, not quite hardy, but requiring the protection of a frame or mats in severe weather.
G Greenhouse, requiring the protection of a Greenhouse in winter, but to be well supplied with air in mild weather.
I Intermediate between Stove and Greenhouse.
S Stove, those require the protection of a Stove or Hothouse; in Winter; the temperature should never be allowed to get below 60 degrees of Fahrenheit's Thermometer.
C. B. S. Cape of Good Hope.
N. S. W. New South Wales.
N. Holl. New Holland.
V. Diem. Isl. / V. D. L. } Van Diemen's Land.

COLOURS.

bk. black.
bh. blush.
bl. blue.
bf. buff.
br. brown.
cop. or *co.* coppery.
cr. crimson.
dk. or *d.* dark.
fl. flesh-coloured.
ful. or *fu.* fulvous.
go. golden yellow.
gr. or *g.* green.
gsh. greyish.
li. lilac.
ld. livid
or. orange.
pa. pale.
pi. pink.
pk. pink.
re. or *r.* red.
ro. rose-coloured.
ru. rufous, or rusty-coloured
sc. scarlet.
sn. snuff-coloured
sp. or *spot.* spotted.
st. straw-coloured.
std. striped.
ve. vermilion.
vi. violet.
sul. sulphur-coloured.
wh. or *w.* white.
ye. or *y.* yellow.
va. or *var.* variegated.

CLASS I.

DICOTYLEDONEÆ SEU EXOGENÆ.

* SUBCLASS 1. *THALAMIFLORÆ.*

ORDER I.

RANUNCULA'CEÆ. *DC. syst. nat.* 127.

Tribe 1. *CLEMATI'DEÆ.* DC.

Syst. Name.	*Color.*	*Eng. Name.*	*Native.*	*Intro.*	*Flower.*	*Habit.*	*Ref. to Figures.*
CLE'MATIS. W.		VIRGIN'S BOWER, (κλημα, a vine branch; habit) Polyandria Polygynia.					
Sect. 1. FLA'MMULA; *involucrum, none; tails of carpels, long and feathery.*							
1 erécta DC.	(*wh*)	upright	Austria	1597.	6. 8.	H ♃	Jacq. aust. 3. t. 291.
γ *hispànica*	(*wh*)	*Spanish*					
2 flámmula DC.	(*wh*)	sweet-scented	S. Europe	1596.	7. 10.	H ♄ ◡	Lob. ic. 627. f. 1.
α *rotundifòlia*	(*wh*)	*round-leaved*	———	——	——	H ♄ ◡	Ten. fl. neap. v. 1. t. 48.
β *vulgàris*	(*wh*)	*oblong-leaved*	———	——	——	H ♄ ◡	
γ *marìtima*	(*wh*)	*narrow-leaved*	———	——	——	H ♄ ◡	Zanic. ist. 69. t. 129.
3 Massoniàna DC.	(*wh*)	Masson's	C. B. S.	....	....	G ♄ ◡	
4 orientàlis DC.	(*ye*)	oriental	Levant	1731.	7. 10.	H ♄ ◡	Dill. elt. t. 119. f. 145.
5 glaúca W.	(*ye*)	glaucous	Siberia	....	7. 8.	H ♄ ◡	Willd. arb. 65. t. 4. f. 1.
6 paniculàta DC.	(*wh*)	panicled	Japan	1789.	6. 8.	H ♄ ◡	Houtt. pflanz. 7. f. 2.
7 chinénsis DC.	(*wh*)	Chinese	China	1820.	....	H ♄ ◡	Retz. obs. 2. n. 53. t. 2.
8 ternifiòra DC.	(*wh*)	three-flowered	———	1826.	....	H ♄ ◡	
9 Vitálba DC.	(*wh*)	Traveller's Joy	England	....	7. 9.	H ♄ ◡	Eng. bot. 612.
10 odoràta Wal.	(*wh*)	fragrant-leaved	E. Indies	1831.	....	H ♄ ◡	Wall. pl. rar. asiat. 3. t.
11 virginiàna DC.	(*wh*)	Virginian	N. America	1767.	6. 8.	H ♄ ◡	Wats. dend. brit. t. 74.
12 brasiliàna DC.	(*wh*)	Brazilian	Brazil	1820.	....	S ♄ ◡	Deless. ic. sel. 1. t. 1.
13 dioíca DC.	(*wh*)	Jamaica	Jamaica	1733.	5. 6.	S ♄ ◡	Slo. hist. 1. t. 128. f. 1.
14 americàna DC.	(*wh*)	West-Indian	W. Indies	....	....	S ♄ ◡	
15 coriàcea DC.	(*wh*)	leathery-leaved	N. S. W.	1821.	....	G ♄ ◡	
16 stenosépala DC.	(*wh*)	narrow-sepaled	———	1826.	5. 8.	G ♄ ◡	
17 aristàta DC.	(*wh*)	awned-anther'd	———	1812.	5. 8.	G ♄ ◡	Bot. reg. 238.
18 hedysarifòliaDC.	(*wh*)	Hedysarum-ld.	Nepaul	1819.	7. 2.	G ♄ ◡	Bot. reg. 599.
19 biternàta DC.	(*wh*)	biternate	Japan	1825.	7. 9.	H ♄ ◡	
20 triternàta DC.	(*wh*)	triternate-lvd.	.....	1806.	....	H ♄ ◡	
21 domínica DC.	(*wh*)	St. Domingo	St. Domingo	....	....	S ♄ ◡	Jac. am. p. 2. t. 261. f. 244
22 brachiàta DC.	(*wh*)	armed	C. B. S.	1804.	10. 12.	G ♄ ◡	Bot. reg. 97.
23 grandifiòra DC.	(*gr*)	great-flowered	SierraLeone	1822.	7. 9.	S ♄ ◡	— — t. 1234
chlorántha B. R.							
24 dahùrica DC.	(*pu*)	Dahurian	Dahuria	1822.	6. 8.	H ♄ ◡	
25 zanzibàrica	(*wh*)	Zanzibar	Africa	1826.	....	S ♄ ◡	
26 angustifòlia DC.	(*wh*)	narrow-leaved	Siberia	1787.	5. 9.	H ♃	Jacq. ic. 1. t. 104.
27 linearíloba DC.	(*wh*)	linearlobus	Carolina	1823.	5. 7.	H ♃	Deless. ic. sel. 1. t. 3.
28 diversifòlia DC.	(*pu*)	various-leaved	.....	....	9. 10.	H ♄ ◡	Deless. ic. sel. 1. t. 4.
29 Viórna DC.	(*pu*)	leathery-flow'd	N. America	1730.	6. 9.	H ♄	Jacq. ecl. 1. t. 32.
30 Douglàsii Hook	(*pu*)	Douglas's	N. America	....	5. 7.	H ♃ ◡	Hook. flo. bor. amer. 1. t. 1
31 cylíndrica DC.	(*bl*)	long-flowered	———	1802.	7. 9.	H ♃ ◡	Bot. mag. 1160.
Viórna A. R. 71. *nec aliorum*							
32 Símsii	(*pu*)	Sims's	———	1812.	6. 9.	H ♄ ◡	Bot. mag. 1816.
cordàta B. M. *nec aliorum*							

33	reticulàta DC.	(*pu*) netted	N. Americ	——	——	H	♄	◡	Wats. dend. brit. t. 72.
34	japónica DC.	(*pu*) Japan	Japan	1826.	....	H	♄	◡	
35	clitorioìdes DC.	(*pu*) clitoria-like	N. S. W.	1824.	7.	G	♄	◡	
36	integrifòlia DC.	(*bl*) entire-leaved	Hungary	1596.	6. 8.	H	♃	◡	Bot. mag. 65.
	β ? angustifòlia	(*bl*) *narrow entire ld.*	Siberia	....	——	H	♃		
	γ ? elongàta DC.	(*bl*) *long-leaved*	——	1823.	——	H	♃		Tratt. tab. 4. t. 178.
37	ochroleùca DC.	(*st*) silky	N. America	1767.	6. 7.	H	♃		Bot. mag. 1175.
38	gentianoìdes DC.	(*wh*) gentian-like	V.Diem.Is.	1825.	....	G	♃		Deless. ic. sel. 1. t. 5.
39	smilacifòliaWall	(*wh*) smilax-leaved	Nepal	1823.	6.	S	♄	◡	Bot. mag. t. 25.

Sect. 2. VITICE'LLA; *involucrum wanting; tails of carpels short, beardless.*

40	flòrida DC.	(*wh*) large-flowered	Japan	1776.	4. 9.	H	♄	◡	Bot. mag. 834.
	β flòre pléno	(*wh*) *double-flower'd*	——	——	——	H	♄		
	Siebóldii D.D.	(*wh*) *Siebold's*	——	1836.	5. 9.	H	♄	◡	Sw. br. fl. gar. ser. 2. t. 396
	bicolor BM.								
41	cœrùlea B.R.	(*bl*) blue	——	1836.	8. 10.	H	♄	◡	Bot. reg. t. 1955.
	cœrùlea grandiflòra Hort.								
42	Viticélla DC.	(*pu*) smooth-seeded	Spain	1569.	6. 9.	H	♄	◡	Bot. mag. 565.
	α purpùrea	(*pu*) *purple-flower'd*							
	β cœrùlea	(*bl*) *blue-flowered*							
	γ pulchella PS.	(*bl*) *double-flower'd*	——	——	——	H	♄	◡	Chabr. sc. p. 117. f. 5.
43	campaniflora DC.	(*pu*) bell-flowered	Portugal	1810.	6. 7.	H	♄	◡	Swt. br. fl. gar. s. 2. t. 217.
	viornoìdes Hort.								
44	crispa BM.	(*pu*) curled-flower'd	N. America	1726.	7. 9.	H	♄	◡	Bot. mag. 1892.
45	parviflòra DC.	(*wh*) small-flowered	.....	1822.	6. 8.	H	♄	◡	Dc. pl. rar. gen. t. 12.
	campaniflòra Lodd. bot. cab. 987 *non* DC.								

Sect. 3. CHEIRO'PSIS; *involucrum, small; tails of carpels bearded.*

46	cirrhòsa DC.	(*pu*) tendrilled	S. Europe	1596.	3. 4.	H	♄	◡	Flor. græc. t. 517.
47	pedicellàta	(*st*) pedicled	Majorca	....	——	H	♄	◡	Bot. mag. 1070.
	cirrhòsa BM. nec aliorum. *cirrhòsa β pedicellàta* DC.								
48	semitríloba DC.	(*st*) three-lobed	Spain	....	9. 11.	H	♄	◡	
49	calycìna HK.	(*st*) evergreen	Minorca	1783.	4. 6.	H	♄	◡	Swt. fl. gar. s. 2. t. 335.
	baleárica DC.								
50	montàna DC.	(*wh*) Mountain		1830.	4. 5.	H	♄	◡	Swt. br. fl. gar. s. 2. t. 253.
	anemoniflòra DC.								

ATRAGE'NE W. ATRAGE'NE. (ατραγηνη, a name given by Theophr. to C. vitalba.) Polyan. Poly.

1	austriaca BM.	(*bl*) Austrian	Austria	1792.	5. 7.	H	♄	◡	Bot. rep. 180.
	alpìna SS. *Clematis alpìna* DC.								
2	sibírica BM.	(*wh*) Siberian	Siberia	1753.	3. 5.	H	♄	◡	Bot. mag. 1951.
	Clématis sibírica DC.								
3	ochoténsis SS.	(*wh*) linear-petaled	——	1822.	——	H	♄	◡	
	Clématis ochotensis DC.								
4	americàna BM.	(*pu*) American	N.America.	1797.	5. 6.	H	♄	◡	Bot. mag. 887.
	Clématis verticillàris DC.								
5	occidentàlis SS.	shining-leaved	.....	1824.	....	H	♄	◡	

NARAVE'LIA DC. NARAVE'LIA. (*Naraweel*, its Indian name;) Polyandria Polygynia.

	zeylánica DC.....	(*ye*) Ceylon	Ceylon	1796.	....	S	♄	◡	
	β Roxbrghii DC.	(*ye*) *Roxburgh's*	Coromandel	——	....	S	♄	◡	Roxb. cor. 2. t. 188.

Tribe II. *ANEMO'NEÆ*. DC.

THALI'CTRUM DC. MEADOW-RUE (θαλλω, to grow green; quick growth) Polyand. Polygyn.

Sect. 1. TRIPTE'RIUM; *carpels triquetrous, rather stipitate, with winged angles.*

1	contórtum DC.	(*wh*) crook-seeded	Siberia	1796.	6. 7.	H	♃		
2	aquilegifòliumDC.	.. Columbine-ld.	Europe	1731.	5. 7.	H	♃		
	α álbum	(*wh*) *white-stamen'd*	——	——	——	H	♃		Jacq. aust. t. 318.
	β atropurpùreum	(*pu*) *purple*	——	——	——	H	♃		Bot. mag. 1818.
	γ formòsum BM.	(*pu*) *Sabine's*	——	——	——	H	♃		Bot. mag. 2025.
3	chelidònii DC.	swallow-wort	Nepal	1823.	5. 7.	H	♃		

Sect. 2. PHYSOCA'RPUM; *carpels inflated, stipitate.*

4	clavàtum DC.	(*wh*) club-stamened	N. America	1812.	6. 8.	H	♃		
5	mexicànum DC.	(*gr*) Mexican	Mexico	1826.	7. 9.	H	♃		Hern. mex. 236. ic.

Sect. 3. EUTHALI'CTRUM; *carpels striped, sessile, ovate-oblong.*

6	corynéllum DC.	(*wh*) purple-stem'd.	N. America	....	——	H	♃		
7	poly'gamum SS.	(*ye*) polygamous	——	....	5. 7.	H	♃		
8	revolùtum DC.	(*ye*) revolute	——	1806.	6. 7.	H	♃		
	pubéscens Ph. *non* DC.								
9	dioícum DC.	(*ye*) diœcious	——	1759.	——	H	♃		Deles. ic. sel. 1. t. 8.

10	carolinianum DC.	(ye)	Carolina	N. America	....	6. 7.	H ♃	
11	purpuráscens DC.	(pu)	dwarf purple	———	1699.	——	H ♃	
12	petaloídeum DC.	(wh)	Dahurian	Dahuria	1799.	——	H ♃	Deles. ic. sel. 1. t. 9.
13	alpinum DC.	(gr)	Alpine	Britain	....	5. 7.	H ♃	Eng. bot. 262.
14	fœ'tidum DC.	(wh)	fœtid	Europe	1640.	——	H ♃	W. et K. hung. 2. t. 174.
15	pubéscens DC.	(ye)	pubescent	———	——	——	H ♃	
16	acutílobum DC.	(ye)	acute-lobed	Siberia	....	——	H ♃	Deles. ic. sel. 1. t. 10.
17	divérgens SS.	(gr)	divergent	———	1820.	6. 7.	H ♃	
18	Schweiggèri SS.	(ye)	Schweigger's	.....	1826.	——	H ♃	
19	calàbricum SS.	(ye)	Calabrian	Sicily	1802.	6. 8.	H ♃	Moris. 1. s. 9. t. 20. f. 16.
20	squarrôsum DC.	(ye)	squarrose	Siberia	1806.	——	H ♃	
21	sibíricum DC.	(ye)	Siberian	———	1775.	——	H ♃	Gært. fruct. 1. t. 74.
22	minus DC.	(ye)	lesser	Britain	....	6. 7.	H ♃	Eng. bot. t. 11.
23	collinum DC.	(ye)	hill	Germany	1823.	——	H ♃	
24	saxátile DC.	(ye)	rock	Europe	....	5. 7.	H ♃	
25	ambíguum SS.	(ye)	ambiguous	Switzerland	1820.	——	H ♃	
26	elàtum DC.	(ye)	tall	Hungary	1794.	6. 8.	H ♃	Jacq. vind. 3. t. 95.
27	exaltàtum Mey.	(ye)	exalted	Altaia	1837.	——	H ♃	Led. ill. t. 158.
28	majus DC.	(ye)	greater	England	....	——	H ♃	Eng. bot. 611.
29	nùtans DC.	(ye)	nodding	Italy	....	——	H ♃	
30	mèdium DC.	(ye)	middle	Hungary	1789.	——	H ♃	Jacq. vind. 3. t. 96.
31	sparsiflòrum Turc.	(ye)	scatter'd-flow.	Siberia	1838.	——	H ♃	
32	concínnum DC.	(wh)	neat	.....	....	6.	H ♃	
33	flexuòsum Jac.	(ye)	flexuose	.....	....	6. 8.	H ♃	
34	trígynum DC.	(ye)	three-styled	Dahuria	1823.	——	H ♃	
35	glauscéscens DC.	(pu)	loose-flowered	Russia	——	6.	H ♃	
36	galioìdes DC.	(ye)	Galium-leaved	Europe	1816.	5. 7.	H ♃	Deles. ic. sel. 1. t. 11.
37	angustifòlium DC.	(ye)	narrow-leaved	Germany	1739.	6. 7.	H ♃	Jacq. vind. 3. t. 43.
38	divaricàtum SS.	(ye)	spreading	.....	——	——	H ♃	
39	cynapiifòlium F.	(ye)	Fool's-parsleyld.	Siberia	1821.	——	H ♃	
40	oligospérmum F.	(ye)	few-seeded	———	——	——	H ♃	
41	diffùsum Sch.	(ye)	diffuse	.....	——	——	H ♃	
42	lùcidum DC.	(ye)	shining	Spain	1739.	5. 7.	H ♃	Pluk. alm. t. 65. f. 5.
43	rosmarinifòlium SS.	(ye)	Rosemary-ld.	Italy	1826.	6. 7.	H ♃	
44	laserpitiifòlium Horn.	(ye)	Laserwort-ld	Europe	1810.	6. 7.	H ♃	
45	nígricans DC.	(ye)	black	Austria	1798.	5. 7.	H ♃	Jacq. aust. 5. t. 421.
46	flàvum DC.	(ye)	common	Britain	....	——	H ♃	Eng. Bot. 367.
47	vaginàtum Desf.	(ye)	sheathed	Europe	....	——	H ♃	
48	simplex DC.	(ye)	simple-stalked	Sweden	1778.	5. 6.	H ♃	Flor. dan. t. 244.
49	cinèreum DC.	(ye)	ash-coloured	.....	....	——	H ♃	
50	glaúcum DC.	(ye)	glaucous	S. Europe	1798.	6. 7.	H ♃	
51	rugòsum DC.	(ye)	rugged	N. America	1774.	7.	H ♃	
	β *díscolor* DC.	(ye)	*two-coloured*	———	——	——	H ♃	
52	ranunculìnum DC.	(ye)	Ranunculus-ld.	———	1806.	6. 7.	H ♃	
53	tuberòsum DC.	(wh)	tuberous-rooted	Spain	1713.	6.	H ♃	Mill. ic. 265. f. 2.
54	anemonoìdes DC.	(wh)	Anemone-like	N. America	1768.	4. 5.	H ♃	Swt. br. fl. gar. s. 2. t. 150.
	Anemòne thalactroìdes W.							
	β *flòre plèno*		*double-flowered*	———	1822.	——	H ♃	

PULSATI'LLA W. en. PASQUE-FLOWER (*pulso*, to beat; habitats) Polyandria Polygynia.

1	vernàlis SS.	(pu)	spring	N. Europe	1752.	4.	H ♃	Swt. br. fl. gar. 205.
	Anemòne vernàlis DC.							
2	Hallèri SS.	(bl)	Haller's	Switzerland	1816.	4. 5.	H ♃	All. ped. t. 80. f. 2.
3	cérnua SS.	(bl)	drooping	Japan	1806.	4. 6.	H ♃	
4	pàtens SS.	(va)	spreading	Siberia	1752.	6. 7.	H ♃	Breyn. ic. t. 61.
	β *ochrolèuca*	(st)	*straw-coloured*	———	——	5. 7.	H ♃	Bot, mag. 1994.
5	vulgàris SS.	(bl)	common	England	....	——	H ♃	Eng. bot. 51.
	Anemòne pulsatílla DC.							
	β *rùbra* DC.	(re)	red-flowered	Europe	....	——	H ♃	Lob. ic. 282. f. 1.
6	intermèdia	(bl)	long-petaled	Switzerland	1820.	——	H ♃	
	Anemòne intermèdia Schult. *longipétala* Schleich.							
7	praténsis SS.	(pu)	meadow	Germany	1731.	5.	H ♃	Flor. dan. t. 611.
8	obsolèta	(bl)	pale-flowered	———	——	——	H ♃	Bot. mag. 1863.
9	albàna SS.	(wh)	white-flowered	Caucasus	1827.	——	H ♃	
10	dahùrica DC.	(fl)	Dahurian	Dahuria	1823.	——	H ♃	
11	Nuttalliàna DC.	(pu)	Nuttall's	N. America	1826.	6. 7.	H ♃	Nutt. jou. acad. phi. 5. t. 8.
	Anemòne pàtens Hook.							
12	alpìna SS.	(wh)	Alpine	Europe	1658.	7.	H ♃	Bot. mag. 2007.
13	micrántha	(wh)	small-flowered	———	1827.	——	H ♃	Jacq. aust. t. 85.
	Anemòne alpìna Jacq. *alpìna* β *micrántha* DC.							

14	apiifòlia	(*ye*) Parsley-leaved	Europe	....	7.	H	♃	Jacq. misc. 2. t. 4.
	Anemòne alpìna δ flavéscens DC.							
15	sulphùrea	(*st*) sulphur-color'd	———	....	——	H	♃	Cam. epit. 393. ic.
	Anemòne sulphùrea L. *apiifòlia* W.							

ANEMO'NE W. en. ANEMO'NE (ανεμος, the wind; habitats.) Polyandria Polygynia.

Sect. 1. PULSATILLOI'DES; *carpels very hairy; leaves of involucrum sessile, cut at their apices.*

1	capénsis DC.	(*pu*) Cape	C. B. S.	1795.	3. 7.	G	♄	Bot. mag. 716.
	Atragéne capénsis W.							

Sect. 2. ANEMONA'NTHEA; *carpels tailless, ovate; leaflets of involucrum sessile or stalked; pedicels solitary or in pairs.*

2	coronària DC.	(*va*) Poppy	Levant	1596.	1. 12.	H	♃	Bot. mag. 841.
	β *flòre-plèno*	(*va*) *double-flower'd*						
3	pavonìna DC.	(*re*) acute-petaled	———	....	4. 5.	H	♃	
	α *coccínea*	(*sc*) *scarlet*	———	....	——	H	♃	
	β *lilácina*	(*li*) *lilac*	———	....	——	H	♃	
	γ *flòre-plèno*	(*sc*) *double scarlet*	———	....	——	H	♃	Clus. hist. 1. p. 261. ic.
4	stellàta DC.	(*pu*) star	Italy	1597.	——	H	♃	Chabr. sciagr. 461. f. 3.
	horténsis BM. 123.							
	α *versícolor*	(*v*) *various-color'd*	———	——	——	H	♃	Bot. mag. 123.
	β *purpùrea*	(*pu*) *purple*	———	——	——	H	♃	Swt. br. fl. gar. 112.
5	palmàta DC.	(*ye*) palmated	Portugal	1597.	5. 6.	H	♃	Bot. reg. 200.
	β *flòre-plèno*	(*ye*) *double-flower'd*	———	——	——	H	♃	Chabr. sciagr. 461. f. 2.
6	parvifòra DC.	(*wh*) small-flowered	Labrador	1823.	3. 5.	H	♃	Juss. ann. mus. 3. t. 21. f. 1.
	cuneifòlia Ph.							
7	caroliniàna DC.	(*pu*) slender	Carolina	——	5.	H	♃	
	tenella Ph.							
8	apennìna DC.	(*bl*) blue mountain	England	....	3. 4.	H	♃	Eng. bot. 1062.
9	cœrùlea DC.	(*bl*) blue	Siberia	1827.	——	H	♃	Deless. ic. sel. 1. t. 14.
10	uralénsis DC.	(*bl*) Uralian	———	——	——	H	♃	
11	baldénsis DC.	(*wh*) strawberry-like	Switzerland	1792.	5.	H	♃	Jacq. ic. 1. t. 103.
	fragífera Jacq.							
12	nemoròsa DC.	(*wh*) wood	Britain	....	3. 5.	H	♃	Eug. bot. 355.
	β *flòre-plèno*	(*wh*) *double-flowered*	———	....	——	H	♃	Debr. fl. nov. t. 29 et 56.
	γ *quinquefòlia* DC.	(*w*) *five-leaved*	N. America	1812.	——	H	♃	
13	Fischeriàna DC.	(*wh*) Fischer's	Siberia	1827.	4. 5.	H	♃	[f.A.
14	deltoìdea HA.	(*wh*) deltoid	Columbia	1827.	4. 7.	H	♃	Hook. fl. b. amer. 1. t. 3.
15	lancifòlia DC.	(*wh*) lance-leaved	N. America	1823.	5. 7.	H	♃	
16	trifòlia DC.	(*wh*) three-leaved	France	1597.	4. 5.	H	♃	Lob. ic. 281. f. 1.
17	ranunculoìdes DC.	(*ye*) yellow wood	England	....	3. 4.	H	♃	Eng. bot. 1484.
18	refléxa DC.	(*wh*) reflex-flowered	Siberia	1824.	4. 5.	H	♃	Deless. ic. sel. 1. t. 15.
19	Richardsònii HA.	(*ye*) Richardson's	N. America	1827.	4. 7.	H	♃	Hook. fl. b. amer. 1. t. 4. A.
20	sylvéstris DC.	(*wh*) snowdrop	Europe	1596.	4. 5.	H	♃	Bot. mag. 54.
21	álba DC.	(*we*) five-sepaled	Dahuria	1818.	4. 5.	H	♃	———2167.
	ochoténsis F.							

Sect. 3. ANEMONOSPE'RMOS; *carpels compressed, tailless; pedicels numerous from the involucrum.*

22	virginiàna DC.	(*wh*) Virginian	N. America	1722.	5. 6.	H	♃	Herm. par. t. 18.
23	Hudsoniàna Rich.	(*wh*) Richardson's	N. America	1826.	6. 7.	H	♃	Deless. ic. sel. 1. t. 17.
	multífida HA. *multífida var. Hudsoniàna* DC.							
24	pensylvánica DC.	(*wh*) Pensylvanian	———	1766.	——	H	♃	
25	dichótoma DC.	(*wh*) forked	———	1768.	——	H	♃	Lin. f. dec. 29. t. 15.
26	vitifòlia DC.	(*wh*) vine-leaved	Nepaul	1829.	6. 8.	H	♃	Bot. reg. t. 1385.

Sect. 4. OMALOCA'RPUS; *carpels compressed, smooth, tailless; pedicels numerous from the involucrum.*

27	narcissiflòra DC.	(*wh*) Narcissus-fl'd.	Europe	1773.	5.	H	♃	Bot. mag. 1120.
28	umbellàta DC.	(*wh*) umbel flower'd.	Levant	1824.	——	H	♃	Deless. ic. sel. 1. t. 18.
29	sibírica DC.	(*wh*) Siberian	Siberia	1804.	6.	H	♃	

HEPA'TICA DC. HEPA'TICA (ηπατικος, of the liver; the lobed leaves.) Polyandria Polygynia

1	acutíloba DC.	(*bl*) acute-lobed	N. America	1826.	3. 4.	H	♃	
2	americàna DC.	(*bl*) American	———	1819.	3. 4.	H	♃	Bot. reg. 387.
3	tríloba DC.	(*va*) three-lobed	Europe.	1573.	2. 4.	H	♃	Eng. bot. t. 51.
	α *cœrùlea*	(*bl*) *blue*						
	β *cœrùleo-plèna*	(*bl*) *double-blue*						
	γ *rùbra*	(*re*) *red*	———	——	——	H	♃	Bot. mag. 10.
	δ *rùbro-plèna*	(*re*) *double-red*						
	ε *álba*	(*wh*) *red-anther'd white*						
	ζ *nívea*	(*wh*) *snowy-white*						

HYDRA'STIS DC. YELLOW-ROOT (υδωρ, water; humid places of growth.) Polyand. Polyg.

	canadénsis DC.	(*wh*) Canadian	Canada	1759.	5. 6.	H	♃	Bot. mag. t. 3232.

KNOWLTO'NIA. DC. KNOWLTO'NIA (T. Knowlton; cur. bot. gard. Eltham.) Polyand. Polyg.

1 rígida DC.	(gr) thick-leaved	C. B. S.	1780.	3. 5.	G	♃		Vent. malm. p. 22. t. 22.
2 vesicatòria DC.	(gr) blistering	———	1691.	2. 4.	G	♃		Bot. mag. 775.
3 grácilis DC.	(gr) slender	———	1820.	——	G	♃		Deless. ic. sel. 1. t. 19.
4 hirsùta DC.	(gr) hairy-leaved	———	——	——	G	♃		Burm. afr. t. 51.
5 dauciflòla	(gr) Carrot-leaved	———	1822.	....	G	♃		

ADO'NIS. DC. ADO'NIS (sprung from the blood of Adonis; colour of flowers.) Polyand. Polyg.

Sect. 1. ADO'NIA; *carpels ending in straight styles; petals* 5-10; *stamens* 18-20.

1 autumnàlis DC.	(sc) Pheasant's-eye	Britain	....	5.10.	H	⊙		Eng. bot. 308.
2 flàva DC.	(ye) yellow	France	....	6. 7.	H	⊙		Tab. ic. 790. f. 1.
3 parviflòra DC.	(sc) small-flowered	Russia	....	6. 7.	H	⊙		
4 microcárpa DC.	(ye) small-flowered	France	1824.	6. 7.	H	⊙		
5 micrántha DC.	(ye) small-flowered	S. France	1826.	5. 6.	H	⊙		
6 cítrina DC.	(st) Citron-coloured	———	1822.	5. 6.	H	⊙		
7 flámmea DC.	(fl) flame-coloured	Austria	1800.	6. 7.	H	⊙		Jac. aust. 4. t. 355.
8 æstivàlis DC.	(sc) tall	S. Europe	1629.	——	H	⊙		Weinm. phyt. t. 27.
miniàta Jac. aust. t. 354.								
9 dentàta DC.	(ye) toothed-fruited	Egypt	....	6. 7.	H	⊙		

Sect. 2. CONSOLI'GO; *carpels ending in recurved styles; petals* 8-15; *stamens* 25-30.

10 vernàlis DC.	(ye) vernal	Europe	1629.	3. 4.	H	♃		Bot. mag. 134.
11 apennìna W. en.	(ye) Apennine	———	....	——	H	♃		Mentz. pug. t. 3. f. 1.
vernàlis β Mentzèlii DC.								
12 Pyrenàica DC.	(ye) Pyrenean	Pyrenees	1820.	6. 7.	H	♃		Deless. ic. sel. i. t. 21.
13 sibírica SS.	(ye) Siberian	Siberia	1827.	4. 5.	H	♃		
14 davùrica SS.	(ye) Davurian	———	——	——	H	♃		Reich. ic. t. 321.
15 distórta TP.	(ye) distorted	Naples	——	——	H	♃		Ten. fl. med. p. 448. t. 1.
16 Volgénsis DC.	(ye) Volga	Volga	1818.	——	H	♃		Deless. ic. sel. 1. t. 20.
cheroph'lla Fisch.								

Tribe III. *RANUNCU'LEÆ.* DC.

MYOSU'RUS. DC. MOUSE-TAIL (μυς, a mouse; and ουρα, a tail; form of torus.) Pentan. Polyg.

mínimus DC.	(gr) small	Britain	....	4. 5.	H	⊙		Eng. bot. 435.

CERATOCE'PHALUS. CERATOCE'PHALUS (κερας, a horn; κεφαλη, a head; *carpels.*) Pen. Pol.

1 falcàtus DC.	(ye) sickle-seeded	S. Europe	1739.	5.	H	⊙		Jac. aust. t. 48.
2 orthóceras DC.	(ye) straight-seeded	Siberia	1823.	——	H	⊙		Deles. ic. sel. 1. t. 23.

RANU'NCULUS. DC. CROW-FOOT (rana, a frog; inhabiting moist places.) Polyand. Polygyn.

Sect. 1. BATRA'CHIUM; *carpels wrinkled transversely; petals white, each marked by a yellow hollow nectariferous claw.*

1 hederàceus DC.	(wh) Ivy-leaved	Britain	....	5. 8.	H	w	♃	Eng. bot. 2003.
2 tripartìtus DC.	(wh) three-parted	———	....	——	H	w	♃	DC. ic. g. rar. 1. t. 49.
β *obtusiflòrus* DC.	(w) *blunt-flowered*	———	....	——	H	w	♃	Pet. eng. herb. t. 39. f. 1.
3 aquátilis DC.	(wh) water	———	....	4. 8.	H	w	♃	Eng. bot. 101.
α *heterophy'llus* DC.	(w) *various-leaved*	———	....	——	H	w	♃	Tab. ic. 54. f. 2.
β *peltàtus* DC.	(wh) *peltate-leaved*	———	....	——	H	w	♃	Lob. ic. 2. p. 35. f. 2.
4 pántothrix DC.	(wh) divided-leaved	Britain	....	4. 8.	H	w	♃	Lob. ic 791. f. 1.
α *capillàceus* DC.	(wh) *fine-leaved*	———	....	——	H	w	♃	Pet. eng. herb. t. 39. f. 4.
β *cæspitòsus* DC.	(wh) *tufted*	———	....	——	H	w	♃	——— t. 39. f. 3.
γ *peucedanifòlius* DC.	(wh) *Fennel-ld.*	———	....	——	H	w	♃	——— t. 39. f. 2.
fluviàtilis W.								

Sect. 2. HECATO'NIA; *carpels smooth, disposed in roundish heads, root fibrous.*

5 rutæfòlius DC.	(wh) Rue-leaved	Austria	1759.	5. 7.	H	♃		Jac. coll. 1. t. 6 et 7.
6 isopyroìdes DC.	(ye) Isopyrum-like	Siberia	1818.	5. 6.	H	♃		
fumariifòlius Fisch.								
7 glaciàlis DC.	(wh) two-flowered	Lapland	1775.	6. 8.	H	♃		Flor. dan. t. 19.
8 Seguìeri DC.	(wh) Seguier's	Switzerland	1820.	——	H	♃		Vill. dauph. 4. t. 49.
9 alpéstris DC.	(wh) Alpine	Scotland	....	——	H	♃		Eng. bot. 2390.
10 crenàtus DC.	(wh) crenate-leaved	Hungary	1822.	——	H	♃		W. et K. hung. 1. t. 10.
11 aconitifòlius DC.	(wh) Aconite-leaved	Europe	1596.	5. 6.	H	♃		J. Ger. hist. 951. f. 4.
α *hùmilis* DC.	(wh) *dwarf*	———	....	——	H	♃		Lob. adv. 300. f. 2.
β *crassicaùlis* DC.	(w) *thick-stalked*	———	....	——	H	♃		
12 platanifòlius W.	(wh) Plane-tree-ld.	Germany	1769.	6. 7.	H	♃		Flor. dan. t. 111.
β *flòre-plèno* DC.	(wh) *double-flowered*	———	....	——	H	♃		Bot. mag. 204.
aconitifòlius BM. 204								
13 lácerus DC.	(wh) torn-leaved	Piedmont	....	——	H	♃		Bell. act. taur. 5. t. 8.
14 pàllidus DC.	(st) pale-yellow	Hybrid	....	——	H	♃		Schrank. hort. mon. t. 75.

15	pyrenæ'us DC.	(*wh*)	Pyrenean	Pyrenees	....	4. 6.	H	♃	Deles.ic.sel.1.t.27.f.B.
	β bupleurifòlius DC.	(*w*)	*one-flowered*	———	....	——	H	♃	Jac. misc. 1. t. 18. f. 1.
	γ plantagìneus DC.	(*wh*)	*many-flowered*	———	....	——	H	♃	All ped. n. 1445. t. 76. f. 1.
16	angustifòlius DC.	(*wh*)	narrow-leaved	———	1822.	——	H	♃	Deles. ic. sel. 1. t. 27. f. C.
17	amplexicaùlis DC.	(*w*)	Plantain-leaved	———	1633.	4. 5.	H	♃	Bot. mag. 266.
18	parnassifòlius DC.	(*w*)	Parnassia-leaved	———	1769.	6. 7.	H	♃	——— 386.
19	gramìneus DC.	(*wh*)	grass-leaved	Wales	....	4. 6.	H	♃	Eng. Bot. 2306.
	β flòre-pléno	(*ye*)	*double-flowered*	———	....	——	H	♃	Lob. ic. 671. f. 2.
20	bupleuroìdes DC.	(*ye*)	Hare's-ear-ld.	Portugal	1826.	——	H	♃	
21	Lìngua DC.	(*ye*)	great spear-wort	Britain	....	6. 8.	H *w*	♃	Eng. bot. 100.
22	Flámmula DC.	(*ye*)	less. spear-wort	———	....	6. 9.	H *w*	♃	——— 387.
	β serràta DC.	(*ye*)	*saw-leaved*	———	....	——	H *w*	♃	Lob. ic. 670. f. 2.
	γ ovàta DC.	(*ye*)	*oval-leaved*	———	....	——	H *w*	♃	
23	réptans DC.	(*ye*)	least spear-wort	———	....	——	H *w*	♃	Flor. dan. t. 108.
24	filifórmis M.	(*ye*)	filiform	N. America	1816.	——	H *w*	♃	
25	polyphy'llus	(*ye*)	many-leaved	Hungary	....	5. 6.	H *w*	♃	W. et K. pl. hung. 1. t. 45.
26	salsuginòsus DC.	(*ye*)	Russian	Russia	1821.	——	H *w*	♃	Jac. vind. 3. t. 31.
	ruthénicus Jac. vind. 3 t. 31								
27	Cymbalàriæ Ph.	(*ye*)	Ivy-like	N. America	1823.	——	H *w*	♃	
28	aurícomus DC.	(*ye*)	Goldilocks	Britain	....	3. 5.	H	♃	Eng. bot. 624.
29	cassùbicus DC.	(*ye*)	Cassubian	Siberia	1794.	6. 7.	H	♃	Bot. mag. 2267.
30	abortìvus DC.	(*ye*)	three-flowered	N. America	1713.	5. 8.	H	♃	
31	rhomboìdes DC.	(*ye*)	rhomboid-ld.	N. America	1825.	5. 6.	H	♃	
32	glabérrimus DC.	(*ye*)	quite smooth	———	1827.	——	H	♃	Edinb. phil. jour. 6. t. 11. f1
33	cardiophy'llus DC.	(*ye*)	heart-leaved	———	....	——	H	♃	Hook fl. amer. t. 5. f. A.
34	angulàtus DC.	(*ye*)	angular-leaved	Sicily	1837.	6. 7.	H	♃	Bot. mag. 2999.
35	sceleràtus DC.	(*ye*)	Celery-leaved	Britain	....	——	H *w*	⊙	Eng. bot. 681.
36	ovàlis DC.	(*ye*)	oval-leaved	N. America	....	5. 6.	H	♃	Hook fl. bor. am. 1 t. 6 B
37	lappónicus DC.	(*ye*)	Lapland	Lapland	1827.	4. 6.	H	♃	Sm. fl. lapp. ed. 2 t. 3. f. 5.
38	hyperbòreus DC.	(*ye*)	northern	Siberia	1822.	6. 8.	H	♃	Flor. dan. t. 31
39	frígidus DC.	(*ye*)	frigid	———	1826.	——	H	♃	Lax. n. c. ac. pet. v. 18. t. 8.
40	pygmæ'us DC.	(*ye*)	pygmy	N. America	1827.	5. 6.	H	♃	Wahl. lap. t. 8. f. 1.
41	Eschscholtzii DS.	(*ye*)	Eschscholtz's	———	——	——	H	♃	
42	pedatífidus DC.	(*ye*)	pedalified	———	——	——	H	♃	Hook fl. bor. amer. 1 t. 8 f. B
43	geranioìdes DS.	(*ye*)	geranium-like	Mexico	1836.	——	F	♃	
44	Caleyànus DS.	(*ye*)	Caley's	England	....	——	H	♃	
45	nivàlis DC.	(*ye*)	snowy	Lapland	1775.	——	H	♃	Fl. lap. ed. 1. t. 3. f. 2.
46	Sabìni S.S.	(*ye*)	Sabine's	N. America	1827.	——	H	♃	
47	árcticus S.S.	(*ye*)	arctic	———	——	——	H	♃	
48	Púrshii S.S.	(*ye*)	Pursh's	———	——	——	H	♃	
49	affi'nis S.S.	(*ye*)	likened	———	——	——	H	♃	
50	montànus DC.	(*ye*)	mountain	Austria	——	——	H	♃	Jacq. aust. t. 325 et. 6.
51	Villársii DC.	(*ye*)	Villars's	France	....	5. 7.	H	♃	Crantz. aust. 2. t. 4. f. 2.
52	Gouàni DC.	(*ye*)	Gouan's	Pyrenees	1818.	——	H	♃	Gouan ill. t. 17. f. 1. 2.
53	àcris DC.	(*ye*)	upright	Britain	....	6. 7.	H	♃	Eng. bot. 652.
	β flòre-pleno	(*ye*)	*double-flowered*	———	....	——	H	♃	Bot. mag. 215.
	γ sylvàticus DC.	(*ye*)	*wood*	———	....	——	H	♃	
	δ multifidus DC.	(*ye*)	*multifid.*	———	....	——	H	♃	
54	Brùtius DC.	(*ye*)	Neapolitan	Naples	1828.	——	H	♃	Ten. fl. nap. 1. t. 50.
55	Stevèni DC.	(*ye*)	Steven's	Poland	1825.	——	H	♃	
56	caucàsicus DC.	(*ye*)	Caucasian	Causacus	....	6. 8.	H	♃	
57	rùfulus DC.	(*ye*)	rufous-haired	Portugal	....	——	H	♃	
58	polyánthemos DC.	(*ye*)	many-flowered	N. Europe	1596.	5. 6.	H	♃	Cran. aus. 2. t. 4. f. 1.
59	nemoròsus DC.	(*ye*)	wood	Switzerland	1818.	5. 7.	H	♃	
60	Breyniànus S.S.	(*ye*)	Breynius's	———	....	——	H	♃	
	áureus Schl. *villòsus* St. Am. fl. ag. 227. bon. t. 5.								
61	lanuginòsus DC.	(*ye*)	woolly-leaved	S. Europe	1683.	6. 7.	H	♃	Flor. dan. t. 397.
62	obtusifòlius DC.	(*ye*)	blunt-leaved	Spain	1825.	——	H	♃	
63	tuberòsus DC.	(*ye*)	tuberous	Pyrenees	1824.	5. 7.	H	♃	
64	napellifòlius DC.	(*ye*)	Napellus-leaved	Greece	1825.	——	H	♃	
65	platyspérmus DC.	(*ye*)	flat-seeded	Siberia	1827.	——	H	♃	
66	disséctus DC.	(*ye*)	cut-leaved	———	1823.	——	H	♃	
67	rèpens DC.	(*ye*)	creeping	Britain	....	5. 9.	H	♃	Eng. bot. 516.
	β flòre-plèno	(*ye*)	*double-flowered*	———	....	——	H	♃	Tab. ic. 53. f. 1
	γ glábratus DC.	(*ye*)	*shining-leaved*	———	....	——	H	♃	
68	híspidus DC.	(*ye*)	hispid	N. America	1827.	5. 6.	H	♃	
69	recurvàtus DC.	(*ye*)	recurved	———	——	——	H	♃	Deless. ic. sel. 1. t. 41.
70	lappàceus DC.	(*ye*)	New Holland	N.S.W.	1822.	——	G	♃	
71	plebeìus DC.	(*ye*)	plebeian	———	1823.	5. 7.	G	♃	

72	hírtus DC.	(ye) hairy	N. Zealand	....	5. 7.	H	♃	
73	Schlechtendàlii DS.	(ye) Schlechtendahs	N. America	1827.	5. 6.	H	♃	Schlecht amer. ran. 2. t. 2.
	fasciculàris Schlech. not. DC.							
74	pensylvánicus DC.	(ye) Pensylvanian	N. America	1785.	6. 7.	H	♃	Jac. ic. 1. t. 105.
	canadénsis Jac.							
75	fasciculàris DC.	(ye) fascicled	———	1823.	4. 5.	H	♃	
76	marylándicus DC.	(ye) Maryland	———	1811.	5. 7.	H	♃	
77	carolinianus DC.	(ye) Carolina	———	1826.	5. 7.	H	♃	
78	tomentòsus DC.	(ye) tomentose	———	1820.	——	H	♃	
79	bulbòsus DC.	(ye) bulbous	Britain	....	4. 6.	H	♃	Eng. bot. 515.
	β *flore-pléno*	(ye) *double-flowered*	———	....	——	H	♃	Lob. ic. 666. f. 2.
80	bracteàtus Sch.	(ye) bracted	Switzerland	1817.	——	H	♃	
	Sect. 3. RANUNCULA'STRUM; *carpels smooth, compressed, disposed in spikes; roots grumose.*							
81	bullàtus DC.	(ye) blistered	S. Europe	1640.	5. 8.	H	♃	
	α *parviflórus* DC.	(ye) *small-flowered*	———	....	——	H	♃	Clus. hist. 1. f. 2.
	β *grandiflórus* DC.	(ye) *large-flowered*	———	....	——	H	♃	——— 1. f. 1.
	γ *flore-plèno*	(ye) *double-flowered*	———	....	——	H	♃	Corn. can. 95. ic.
82	chærophy'llos DC.	(ye) Chervil-leaved	———	....	4. 6.	H	♃	Barr. ic. t. 31.
	α *vulgàris* DC.	(ye) *common*	———	....	——	H	♃	
	β *gregàrius* DC.	(ye) *villous*	———	....	——	H	♃	
83	adscéndens DC.	(ye) ascending	Portugal	1826.	4. 6.	H	♃	
84	millefoliatus DC.	(ye) numerous-ld.	Sicily	1824.	4. 7.	H	♃	Flor. græc. t. 521.
85	gargánicus ten.	(ye) garganian	Naples	1830.	6. 7.	H	♃	Swt. br. fl. gar. s. 2. t. 248.
	millefoliàtus va. *grandiflorus*, D Don							
86	fumariæfòlius DC.	(ye) Fumitory-ld.	Sicily	1824.	4. 7.	H	♃	Desf. ic. pict. h. par. t. 74.
87	oxyspérmus DC.	(ye) awned-seeded	Tauris	1822.	5. 6.	H	♃	
88	pedàtus DC.	(ye) pedate	Hungary	1806.	——	H	♃	Bot. mag. 2229.
89	illy'ricus DC.	(ye) Illyrian	Europe	1596.	——	H	♃	Jacq. aust. t. 222.
90	monspeliacus DC.	(ye) Montpelier	Montpelier	1816.	——	H	♃	Swt. br. fl. gar. 94.
	α *angustílobus* DC.	(y) *narrow-lobed*	———	....	——	H	♃	Besl. eyst. 1. t. 13. f. 1.
	β *cuneàtus* DC.	(ye) *wedge-lobed*	———	....	——	H	♃	DC. ic. gall. rar. t. 50.
	γ *rotundifòlius* DC.	(y.) *round-leaved*	———	....	——	H	♃	
91	asiáticus DC.	(va) garden	Levant	1596.	——	H	♃	Dard. trait. ren. 1. t. 6.
	A *vulgàris* DC.	(va) *common*	———	....	——	H	♃	Mill. ic. t. 216.
	α *píctus* S.F.G.	(r w) *Quillafila*	———	....	——	H	♃	Swt. flor. guid. 61.
	β *incomparábilis*	(r w) *Rose incomparable*	———	....	——	H	♃	——— 54.
	γ *Victoriànus*	(bh.) *Princess Alexandrina Victoria*	..		——	H	♃	——— 12.
	δ *mixtus*	(r y) *Melange des beautes*	———	....	——	H	♃	——— 28.
	ε *Juliusiànus*	(p y) *Julius*	———	....	——	H	♃	——— 68.
	ζ *Galitzini*	(p y) *Prince Galtzin*	———	....	——	H	♃	——— 6.
	η *Douglàsi*	(p y) *Gadwin Douglas*	———	....	——	H	♃	——— 34.
	θ *áureus*	(ye) *Beroth*	———	....	——	H	♃	——— 37.
	ι *Búrnsii*	(p w) *Burns the Poet*	———	....	——	H	♃	——— 18.
	κ *àter*	(d p) *Vereatre*	———	....	——	H	♃	——— 43.
	λ *hæmánthus*	(cr.) *Xanthus*	———	....	——	H	♃	——— 78.
	μ *Agrícoli*	(s p.) *Agricola*	———	....	——	H	♃	——— 73.
	ν *Clarenceànus*	(s p) *Duke of Clarence*	———	....	——	H	♃	——— 83.
	ξ *Carlosiànus*	(s p) *Carlos*	———	....	——	H	♃	——— 90.
	B *sanguineus* DC.	(va) *Turban*	Levant	1596.	——	H	♃	Lob. ic. 672. f. 3.
	C *tenuílobus* DC.	(va) *slender-lobed*	———	....	——	H	♃	Debr. flor. nov. t. 31.
	α *alérrimus*	(da) *Viola le vrai noir*	———	....	——	H	♃	Swt. flor. guid. 60.
	β *Nomiàsi*	(pu.) *Nomias*	———	....	——	H	♃	——— 24.
	γ *variegàtus.*	(w r) *Oillet parfait*	———	....	——	H	♃	——— 40.
	δ *càrus*	(w r) *Cara*	———	....	——	H	♃	——— 86.
92	créticus DC.	(ye) Cretan	Candia	1659.	4. 5.	H	♃	Clus. hist. 1. p. 239. f. 1.
	β *mocrophy'llus* DC.	(ye) *long-leaved*	Teneriffe	1658.	——	H	♃	Bot. reg. t. 1432
93	brevicaúlis DC.	(ye) short-stemmed	N. America	1827.	5. 6.	H	♃	Hook. fl. b. amer. 1. t. 7. f. A
94	cortussæfòlius DC.	(ye) Cortusa-leaved	Canaries	1826.	——	H	♃	Deliss. ic. sel. 1. t. 36.
	Sect. 4. THO'RA; *Carpels smooth, almost globose, roots grumose.*							
95	Thòra DC.	(ye) kidney-leaved	Alps Europe	1710.	5. 6.	H	♃	Jacq. aust. 5. t. 442.
96	scutàtus DC.	(ye) shield-leaved	Hungary	1822.	4. 5.	H	♃	Pl. rar. hung. 2. t. 187.
97	brevifòlius DC.	(ye) short-leaved	Naples	1826.	——	H	♃	
98	hy'bridus DC.	(ye) hybrid	Austria	1822.	6. 7.	H	♃	Sturm. deutsch. fl. ic.
	Sect. 5. ECHINE'LLA; *carpels scabrous from tubercles or prickles.*							
99	Philonòtis DC.	(ye) pale hairy	Britain	....	6. 10.	H	⊙	Curt. lond. 2. t. 40.
	α *hirsùtus* E.B.	(ye) *hairy upright*	———	....	——	H	⊙	Eng. bot. t. 1504.
	β *intermèdius* DC.	(ye) *intermediate*	France	....	——	H	⊙	
	γ *párvulus* DC.	(ye) *little upright*	England	....	——	H	⊙	Col. ecphr. t. 316.
100	tuberculàtus DC.	(ye) tubercled	———	1821.	5. 6.	H	⊙	

101 trachycárpus F M. (*ye*) rough-fruited Caucasus .... 6. 7. H ⊙
102 lomatocárpus F M. (*ye*) fringe fruited ——— .... —— H ⊙
103 Hornemánni DC. (*ye*) Hornemann's N. America 1820. 5. 7. H ♃
tuberòsus Horn. non Lapeyr.
104 arvénsis DC. (*ye*) corn. Britain .... —— H ⊙ Eng. bot. 135.
105 chìus DC. (*ye*) Chio Chio 1827. 6. 7. H ⊙
106 muricàtus DC. (*ye*) prickly-seeded S. Europe 1683. 7. 8. H ⊙ Lam. ill. t. 498.
107 echinàtus V. (*ye*) American N. America .... 6. 7. H ⊙ Vent. cels. t. 73.
108 parviflòrus DC. (*ye*) small-flowered England .... 5. 6. H ⊙ Eng. bot. 120.
109 trílobus DC. (*ye*) three-lobed S. Europe 1824. 5. 7. H ⊙ Desf. atl. 1. t. 113.
110 Schraderiànus F M. (*ye*) Schraders Europe 1828. —— H ⊙
111 sessiliflòrus DC. (*ye*) sessile-flowered N. S. W. 1822. —— H ⊙
112 laciniàtus DC. (*ye*) jagged Transylvan. 1826. 6. 7. H ⊙
113 ophioglossifòlius DC. (*ye*) ophioglossum S. Europe 1822. 6. 0. H *w* ⊙ Vill. dauph. 4. t. 49.
114 uliginòsus DC. (*ye*) marsh Teneriffe 1829. 6. 7. H *w* ⊙
115 nodiflòrus DC. (*ye*) knot-flowered S. Europe 1714. 5. 6. H *w* ⊙
β dentàtus DC. toothed Hungary .... —1. H *w* ⊙ Bot. mag. 2171.
Species not sufficiently known.
116 coronàtus Ehrub. (*ye*) crowned Sinai 1827. —— H ♃
117 heterophy'llus Hoffm. (*ye*) variable-ld Germany .... —— H ♃

FICA'RIA. DC. PILEWORT. (ficus, a fig. resemblance in roots.) Polyandra Polygynia.
ranunculoìdes DC. (*ye*) vernal Britain .... 3. 5. H ♃ Eng. bot. 584.
vérna P. S. *Ranúnculus Ficària.* W.
β flòre-plèno (*ye*) *double-flowered* ——— .... —— H ♃

CASA'LEA. DS. CASA'LEA. (Abbate Man. Ayres de Casal) Polyandria Polygynia.
1 phyteumæfòlia D.S. (*ye*) phyteuma-ld. Buen. Ayres 1827. 6. 7. H ⊙
Ranúnculus Bonariénsis Pers. R. phyteumæfòlius Pr. R. heterophy'llus Smith.
2 ficariæfolia D.S. (*ye*) ficaria-leaved ——— 1819. 6. 7. H ⊙ Deless. ic. sel. 1. t. 29.
Ran. cochleariæfòlius. Horn. *R. Bonariénses.* DC.
3 flagellifórmis D.S. (*ye*) whip-formed Brasil 1830. 6. 7. H ⊙
Ran. flagellifórmis. Smith.

Tribe IV. *HELLEBO'REÆ.* DC.

CA'LTHA DC. MARSH-MARYGOLD. (καλαθος, a goblet, form of corolla.) Pol. Polyg.
1 palústris. DC (*ye*) common Britain .... 3. 5. H *w* ♃ Eng. bot. 506.
β flore-pleno (*ye*) *double-flowered* ——— .... —— H *w* ♃ Tab. ic. 751. f. 1.
2 ripària D.S. (*ye*) river-side ——— .... —— H *w* ♃
3 minor. Mill. (*ye*) small ——— .... —— H *w* ♃ ——— 750. f. 2.
4 radìcans DC. (*ye*) creeping Scotland .... —— H *w* ♃ Linn. trans. 8. t. 17.
5 integérrima DC. (*ye*) entire-leaved N. America 1827. 5. 7. H *w* ♃
6 parnassifòlia DC. (*ye*) Parnassia-leaved ——— 1825. —— H *w* ♃
ficariòides. Ph.
7 biflòra H.A. (*wh*) two-flowered ——— 1827. 5. 7. H *w* ♃
8 leptosépala H.A. (*wh*) slender-sepaled ——— —— —— H *w* ♃ Hook. fl. b. am. t. 10.
9 árctica S.S. (*ye*) northern ——— 1827. —— H *w* ♃
10 flabellifòlia DC. (*ye*) fan-leaved ——— 1818. 7. 8. H *w* ♃ Pur. fl. am. sept. 2. t. 17.
11 nàtans DC. (*wh*) floating Siberia 1823. 4. 5. H *w* ♃ Gmel. sib. 4. t. 82.

TRO'LLIUS DC. GLOBE-FLOWER. (trol. round in Germ; form of flowers.) Polyand. Polygn.
1 europæ'us DC. (*ye*) European Britain .... 5. 6. H ♃ Eng. bot. t. 28.
α altìssimus DC (*ye*) *tall* ——— .... —— H ♃
β hùmilis DC. (*ye*) *dwarf* ——— .... —— H ♃
2 emarginàtus D.S. (*ye*) emarginate-petalled ——— .... 5. 6. H ♃
3 napellifòlius DC. (*ye*) intermediate ——— .... —— H ♃
4 caucásicus DC. (*ye*) Caucasean Caucasus .... —— H ♃
5 pátulus DC. (*ye*) spreading Siberia .... 5. 7. H ♃
6 Lodeboùrii D.S. (*ye*) Ledebour's ——— 1827. —— H ♃ Reich. ic. t. 272.
7 Riederiànus F.M. (*ye*) Rieder's Kamtschat. 1838. —— H ♃ Deless. ic. sel. 1. t. 44.
T. pátulus α DC. not of Sal
8 altàicus Mey. (*ye*) Altaian Altaia 1836. —— H ♃
9 asiáticus DC. (*ye*) Asiatic ——— 1759. —— H ♃ Bot. mag. 235.
10 americànus. DC. (*ye*) American N. America 1805. 5. 7. H ♃ ———1988.
láxus. Ph. *Gaissènia vérna.* Raf.

ERA'NTHIS. DC. WINTER-ACONITE. (εραω to love: ανθος, a flower.) Polyand. Polygynia.
1 hyemàlis DC (*ye*) common Europe 1596. 1. 3. H ♃
2 sibírica DC. (*ye*) Siberian Siberia 1824. 2. 4. H ♃

HELLE'BORUS. DC. HELLEBORE. (ελεω to cause death, and βορα, food, poisonous.) Poly. Poly.

1 niger DC.	(wh)	Christmas-Rose	Europe	1596.	1. 3.	H ♃		
α *latifòlius*	(wh)	*broad-leaved*	———	——	——	H ♃		Bot. mag. 8.
β *angustifòlius*	(wh)	*narrow-leaved*	———	——	——	H ♃		
γ *vernàlis*	(wh)	*spring*	———	....	4. 6.	H ♃		Swt.br.fl.gar.ser.2.t.186
2 purpurascens	(pu)	purplish	Hungary	1817.	3. 4.	H ♃		Swt.br.fl.gar.ser.2.t.142
3 Boccòni T.P.	(gr)	Boccone's	Sicily	1826.	——	H ♃		Bocc. mus. 2. t. 11. f. 2.
4 odòrus DC.	(gr)	sweet-swented	Hungary	——	——	H ♃		Bot. reg. t. 1643.
5 viridis DC.	(gr)	green-flowered	Britain	....	4. 6.	H ♃		Eng. bot. 200.
6 atrorùbens DC.	(pu)	dark-red	Hungary	1822.	1. 3.	H ♃		Pl. rar. hung. 3. t. 271.
7 dumetòrum DC.	(gr)	bush	———	1817.	3. 4.	H ♃		Swt. br. fl. gar. 109.
8 fœ'tidus DC.	(gr)	Bear's-foot	England	....	2. 4.	H ♃		Eng. bot. 613.
9 lividus DC.	(br)	three-leaved	Corsica	1710.	1. 5.	H ♃		Swt.br.fl.gar.ser.2.t.190
β *integrílobus*.DC.	(br)	*entire-lobed*	———	——	——	H ♃		

CO'PTIS. CO'PTIS. (κοπτω to cut; leaves.) Polyandria Polygnia.

1 trifòlia DC.	(wh)	three-leaved	N. America	1782.	6. 7.	H ♃		Lodd. bot. cab. t. 173.
2 aspleniifòliah.A.	(wh)	fern-leaved	———	1827.	6. 7.	H ♃		Hook. fl. b. am. t. 11.

ISOPY'RUM. DC. ISOPY'RUM. (ισος, equal, and πυρος, wheat; seeds) Polyandria Polygynia.

1 thalictròum DC.	(wh)	Meadow-Rueld.	Italy	1759.	3. 4.	H ♃		Jac. aust. 2. t. 105.
2 fumarioìdes DC.	(wh)	Fumitory-ld.	Siberia	1741.	6. 7.	H ⊙		Schkuhr haud. 2. t. 153.
3 grandiflòrum DC.	(wh)	large-flowered	Altay	1804.	——	H ♃		

GARIDE'LLA DC. GARIDE'LLA (P. Garidel MD. bot. auth.) Polyandria Pentagynia.

Nigellástrum DC.	(wh)	Nigella-leaved	S. Europe	1736.	6. 7.	H ⊙		Bot. mag. 1266.

NIGE'LLA DC. FENNEL-FLOWER. (*niger*, black; seeds.) Polyandria Pentagnia.

Sect. 1. NIGELLA'STRUM · *Stamens in one series; carpels connected at their bases; seeds flat, orbicular.*

1 corniculàta DC.	(st)	horned	———	1822.	6. 9.	H ⊙		
2 orientalis DC.	(ye)	yellow	Syria	1699.	——	H ⊙		Bot. mag. 1264.

Sect. 2. NIGELLA'RIA; *Stamens in many series, collected into* 8-10 *bundles; seeds ovate, angular.*

3 hispánica DC.	(bl)	Spanish	Spain	1629.	——	H ⊙		Bot. mag. 1265.
4 arvénsis DC.	(wh)	field	Europe	1683.	——	H ⊙		Bull. herb. t. 126.
5 satìva DC.	(bl)	small	Egypt	1548.	——	H ⊙		Flor. græc. t. 511.
β *crética* DC.	(wh)	*Cretan*	Crete	——	——	H ⊙		Math. com. 581. f. IV.
γ *cítrina* DC.	(wh)	*yellow-seeded*	.....	——	——	H ⊙		Lob. ic. 741. f. 1.

Sect. 3. EROBA'TOS; *Stamens in many rows; carpels connected into a* 10 *celled fruit.*

6 damascèna DC.	(wh)	common	S. Europe	1570.	——	H ⊙		Bot. mag. 22.
β *flòre-plèno*	(wh)	*double-flowered*	———	——	——	H ⊙		Clus. hist. I. p. 208. f. 1.
7 coarctàta DC.	(wh)	dwarf	———	1793.	——	H ⊙		

AQUILE'GIA. DC. COLUMBINE. (*aquila*, an eagle, form of flowers.) Polyand. Pentagyn.

1 vulgàris DC.	(va)	common	Britain	....	5. 7.	H ♃		Eng. bot. 207.
β *corniculàta* DC.	(va)	*downward-spur*	———	....	——	H ♃		Barr.ic.614.615.616.&c.
γ *invérsa* DC.	(va)	*upward-spurred*	———	....	——	H ♃		———613.
δ *stellàta* DC.	(va)	*starry*	———	....	——	H ♃		———619. 620. &c.
ε *degèner* DC.	(gr)	*green-flowered*	———	....	——	H ♃		———608.
2 Garneriàna Swt.	(pu.str)	Miss Garnier's	Hybrid.	1829.	5. 7.	H ♃		Swt.br. fl. gar. s.2.t.103.
3 viscòsa DC.	(bl)	clammy	S. Europe	1752.	5. 6.	H ♃		Gouan. iii. t. 19.
4 sibírica DC.	(bl)	Siberian	Siberia	....	——	H ♃		Deles. ic. sel. 1. t. 47.
5 glandulòsa F.	(bl)	glandulous	Atlay.	1818.	——	H ♃		
α *discolor* DC.	(b w)	*two-coloured*	———	——	——	H ♃		
β *cóncolor* DC.	(bl)	*one-coloured*	———	——	——	H ♃		
6 alpìna DC.	(bl)	Alpine	Switzerland	1731.	——	H ♃		Swt. br. fl. gar. 3. t. 218.
7 pyrenàica DC.	(bl)	Pyrenean	Pyrenees	1821.	——	H ♃		Trev. delph. 23. t. 2.
8 canadénsis DC.	(re)	Canadian	N. America	1640.	4. 5.	H ♃		Bot. mag. 246.
9 formòsa F.	(re)	handsome	Kamtschat.	1824.	——	H ♃		
10 viridiflòra DC.	(gr)	green-flowered	Siberia	1780.	5. 6.	H ♃		Jac. ic. 1. t. 102.
11 dahùrica DC.	(pu)	Dahurian	Dahuria	1821.	——	H ♃		Deless. ic. sel. 1. t. 49.
12 Fischeriàna DC.	(pu)	Fischer's	———	——	——	H ♃		
13 atropurpùrea DC.	(pu)	dark-purple	Siberia	....	5. 6.	H ♃		Botan. regist. 922.
14 parviflòra Led.	(bl)	small-flowered	———	1819.	5. 7.	H ♃		Gmel. nb. 4. t. 47.
15 anemonòides W.	(bl)	anemone-like	———	1827.	5. 7.	H ♃		Willd. nat. berol. 1811.
16 leptóceras FM.	(bl)	slender-horned	———	1838.	——	H ♃		[t. 9. f. 6.
17 hy'brida DC.	(p. y)	hybrid	———	....	——	H ♃		Bot. mag. 1221.

DELPHI'NIUM. DC. LARKSPUR. (δελφιν, a dolphin; resembl. in nect.) Polyandria Trigynia.

Sect. 1. CONSO'LIDA; *ovarium solitary; petals four, connected; spur containing only the appendage of one of the petals.*

1 Ajàcis DC.	(va)	Rocket	Tauria	1735.	6. 9.	H ⊙		Spreng.geh.1.t.24.f.1.5.
β *flòre-plèno*	(va)	*double-flowered*	———	——	——	H ⊙		Clus. hist. 2. f. 2.
2 Oliveriànum DC.	(bl)	Olivier's	S. Europe	1825.	6. 7.	H ⊙		

3	Consólida DC.	(va) field	England	....	6. 7.	H ⊙		Eng. bot. 1839.
	β flòre-plèno	(va) *double-flowered*	———	....	——	H ⊙		Besl. eyest. 2. t. 14. f. 1.
4	pubéscens DC.	(bl) pubescent	S. France	....	——	H ⊙		Flor. græc. t. 504.
5	divaricàtum Led.	(pu) black-branched	Persia	1836.	7. 9.	H ⊙		Swt. br. fl. gar. s. 2. t. 366.
	tenuissimum D. Don. not Smith							
6	Aconìti DC.	(pu) Aconite-like	Levant	1801.	——	H ⊙		Vahl. symb. t. 40. t. 13.
Sect. 2.	DELPHINE'LLUM; *Ovaria* 3 · *petals free; spur usually containing the appendage of a single petal only.*							
7	ambíguum DC.	(bl) doubtful	Barbary	1759.	7. 9.	H ⊙		
8	júnceum DC.	(bl) Rush-like	Italy	1629.	——	H ⊙		Flor. græc. t. 506.
	peregrìnum Lin. *non* Lam.							
9	grácile DC.	(re) slender	Spain	1826.	——	H ⊙		
10	cardiopétalum DC.	(bl) heart-petaled	Pyrenees	1822-	——	H ⊙		Math. com. 557. ic.
	peregrìnum Lam. *non* Lin.							
11	virgàtum DC.	(bl) twiggy	Syria	1824.	6. 9.	H ⊙		Deless. ic. sel. 1. t. 55.
Sect. 3.	DELPHINA'STRUM; *Ovaria* 3 or 5; *petals free, lower ones generally bearded on their disk spur containing the appendages of two petals.*							
12	grandiflòrum DC.	(bl) great-flowered	Siberia	1741.	6. 9.	H ♃		Bot. mag. 1686.
	β *chinénse* F.	(bl) *Chinese*	China	1816.	——	H ♃		Bot. reg. 472.
	γ *álbum*	(wh) *white-flowered*	———	——	——	H ♃		
	δ *flòre-plèno*	(bl) *double-flowered*	———	——	——	H ♃		
13	cheilánthum DC.	(bl) hairy-leaved	Dahuria	1818.	——	H ♃		Bot. reg. 473.
	β *multiplex*	(bl) *double-seeding*	———	....	——	H ♃		Swt. br. fl. gar. s. 2. t. 309.
14	virescens N	(wh) greenish	N. America	1827.	——	H ♃		
15	puníceum DC.	(pu) dark-purple	Tartary	1785.	7. 9.	H ♃		
16	albiflòrum DC.	(wh) white-flowered	Armenia	1823.	——	H ♃		Deless. ic. sel. 1. t. 58.
17	ochroleùcum DC.	(st) sulphur coloured	Iberia	1817.	——	H ♃		
18	hybridum DC.	(bl) hairy	Siberia	1794.	6. 9.	H ♃		
19	fissum P. S.	(bl) cloven	Hungary	1816.	——	H ♃		Pl. rar. hung. 1. t. 81.
20	velutìnum DC.	(bl) velvetty	Italy	1824.	——	H ♃		
21	pentágynum DC.	(bl) five-styled	Portugal	1820.	——	H ♃		Pic. hort. par. t. 30.
22	Menziìsii DC.	(bl) Menzies	N. America	1826.	6. 8.	H ♃		Bot. reg. 1192.
23	élegans DC.	(bl) elegant	———	1741.	——	H ♃		
	β *multiplex*	(bl) *common-double*	———	——	——	H ♃		Bot. reg. t. 1944.
	Barlòwii BR.							
24	tricórne DC.	(bl) three-horned	———	1806.	4. 6.	H ♃		Lodd. bot. cab. 306.
25	símplex DS.	(bl) simple	Columbia	1826.	5. 7.	H ♃		
26	vimíneum D Don.	(pu) twiggy	Louisiana	1836.	8.	H ♃		Swt. br. fl. gar. s. 2. t. 374.
27	amœ'num DC.	(bl) pretty	Siberia	....	——	H ♃		Gmel. sib. 4. t. 77.
28	azùreum DC.	(bl) azure	Carolina	1805.	5. 7.	H ♃		Bot. reg. t. 1999.
29	exaltàtum DC.	(bl) tall	N. America	1798.	7. 8.	H ♃		Mill. ic. t. 250. f. 2?
30	urceolàtum DC.	(bl) hollow-leaved	———	1806.	6. 7.	H ♃		Jac. ic. 1. t. 101.
31	revolùtum DC.	(bl) revolute	———	....	7. 9.	H ♃		
32	mesoleùcum DC.	(bl) white-lipped	———	1824.	——	H ♃		Sw. br. fl. gar. ic.
33	palmatífidum DC.	(bl) palmate	Siberia	....	6. 9.	H ♃		Bot. reg. n. s. t. 38.
	intermèdium var. palmatífidum B R.							
	α *hispidum* DC.	(bl) *hispid*	———	....	——	H ♃		Gmel. sib. 4. t. 75?
	β *glabellum* DC.	(bl) *smooth*	———	....	——	H ♃		
34	intermèdium DC.	(bl) intermediate	Europe	1710.	7. 8.	H ♃		Bot. reg. t. 1963.
	α *pilosissimum*. DC.	(bl) *villous*	———	....	——	H ♃		Gmel. sib. 4. t. 80?
	β *alpìnum* DC	(bl) *Alpine*	———	1819.	——	H ♃		Pl. rar. hung. 3. t. 246.
	γ *leptostàchyum* DC.	(bl) *slender-spiked*	———	....	——	H ♃		
	δ *ranunculifòlium* DC.	(bl) *Ranunculus-ld.*	———	....	——	H ♃		
	ε *láxum*	(bl) *loose-flowered*	———	....	——	H ♃		Mill. ic. t. 119?
	η *pállidum* BR.	(bl) *pale*	———	....	——	H ♃		Bot. reg. t. 1969.
	ι *cœruléscens* BR	(bl) *bluish*	———	....	——	H ♃		——— t. 1984.
	κ *sapphirìnum*	(bl) *sapphire*	———	....	——	H ♃		——— n. s. t. 52.
35	cuneàtum DC.	(bl) wedge-leaved	Siberia	1815.	——	H ♃		Bot, reg. 327,
36	villòsum DC.	(bl) villous	———	1819.	——	H ♃		
37	decòrum Fish.	(bl) neat	———	1837.	——	H ♃		
38	dyctiocárpum DC.	(bl) netted-capsuled	———	1819.	——	H ♃		
39	laxiflòrum DC.	(bl) loose-flowered	———	——	6. 8.	H ♃		Bot. reg. n. s. t. 30.
40	montànum DC;	(bl) mountain	Pyrenees	——	——	H ♃		Bot. reg. t. 1936.
	β *bracteòsum* DC.	(bl) *large bracted*	Switzerland	——	——	H ♃		
41	dasycárpum DC.	(bl) thick-capsuled	Caucasus	1824.	——	H ♃		
42	speciòsum DC.	(bl) large-flowered	———	1817.	8. 10.	H ♃		Bot. reg. t. 1503.
43	spùrium F.	(bl) spurious	Siberia	1817.	6. 9.	H ♃		
44	ucrànicum Bes.	(bl) Ucranian	———	1818.	——	H ♃		

45	pseudoperegrìnum F.	(bl) Fischer's	Siberia	1818.	6. 9.	H ♃	
46	crassicaúle Gm.	(bl) thick-stemmed	———	1822.	——	H ♃	
47	pállidum F.	(pa) pale-flowered	———	1818.	——	H ♃	
48	flexuòsum DC.	(bl) flexuose	Caucasus	1817.	7. 9.	H ♃	Trev. delph. t. 1. et 2.
49	discolor F.	(v) two-coloured	Siberia	1819.	6. 8.	H ♃	
50	tríste DC.	(da) dark-flowered	———	1822.	——	H ♃	

Sect. 4. STAPHISGA'RIA; *Ovaria* 3-5; *petals free; spur short, containing the appendages of two of the petals; carpels ventricose.*

51	Requèinii DC	(pa) Requien's	S. Europe	1819.	——	F ♂	Deles. ic. sel. 1. t. 63.
52	píctum DC.	(pa) painted	———	1816.	——	H ♂	Swt. br. fl. gar. 2. 123.
53	Stasphysàgria DC.	(bl) Stavesacre	———	1596.	5. 6.	F ♂	Flor. græc. t. 508.

ACONITUM DC. MONKSHOOD. (Ancona, a town in Bithynia; plentiful there.) Polyan. Trigyn.

Sect. 1. ANTHORO'IDEA; *carpels* 5, *erect: helmet arched; calyx persistent; petals hooked, the lip obcordate.*

1	A'nthora L.	(st) wholesome	Pyrenees	1596.	6. 8.	H ♃	Rch. ac. p. 61. t. 1. f. A.
	β *grandiflòrum* R.U.	(st) *large-flowered*	———	....	——	H ♃	—— p. 63. t. 1. f. B.
	γ *glabriflòrum* R.U.	(st) smooth flowd.	———	....	——	H ♃	
2	eùlophum R.U.	(st) eatable	Switzerland	1824.	——	H ♃	Rch. ac. p. 59. t. 5.
	anthoroìdeum DC. non R.U.						
3	nemoròsum R.U.	(ye) wood	Caucasus	1822.	——	H ♃	——p. 71. t. 6.
4	Decandòllii R.U.	(ye) Decandolle's	Pyrenees	——	——	H ♃	——p. 67. t. 3.
5	Jacquìni R.U.	(ye) Jacquin's	Austria	....	——	H ♃	——p. 65. t. 2.
	A'nthora Jacq. aust. t. 382.						
6	Pallàsii R.U.	(st) Pallas's	Siberia	1824.	——	H ♃	——p. 72. t. 6. f. A. B.
7	inclinàtum	(st) inclined	———	....	——	H ♃	Ser. m. helv. 1. t. 15. f. 2.
	anthoroìdeum Rch. ac. 68. t. 4. non DC.						

Sect. 2. NAPELDOI'DEA; *Calyx deciduous; petals obtuse, or capitate, with a bifid lip; ovaria generally* 3, *diverging while young.*

8	Kœlleànum R. U.	(bl) Koelle's	Germany	....	5. 7.	H ♃	Rich. ac. t. 11. f. 1.
9	taúricum R. U.	(bl) Taurian	Tauria	1752.	6. 8.	H ♃	———t. 12. f. 2—3.
10	fírmum R.U.	(bl) firm	Germany	1822.	——	H ♃	———t. 14. f. 2.
11	acùtum R.U.	(bl) acute	———	——	——	H ♃	———t. 14. f. 1.
12	læ'tum R.U.	(bl) great-flowered	Sweden	1823.	——	H ♃	———t. 13. f. 2.
13	Clùsii R.U.	(bl) Clusius's	Austria	....	——	H ♃	Mor. his. 3. s. 12. t. 3. f. 17.
14	amœ'num R.U.	(bl) delightful	Sweden	1824.	6. 8.	H ♃	Rch. ac. 93. t. 14. f. 1.
15	Hóppii R.U.	(bl) Hoppe's	Carinthia	——	——	H ♃	Rch. ill. t. 65.
16	oligocárpum R.U.	(bl) two-podded	Styria	1824.	——	H ♃	
17	callíbotrys R.U.	(bl) long-spiked	Moravia	1824.	6. 7.	H ♃	Rch. ac. 98. t. 16. f. 1.
18	tenuifòlium R.U.	(bl) slender-leaved	Styria	——	——	H ♃	
19	angustifòlium R.U.	(bl) narrow-leaved	Siberia	——	——	H ♃	Rch. ac. 95. t. 15. f. 2.
20	eustàchyum R.U.	(bl) loose-spiked	M. Baldo	——	——	H ♃	———t. 15. f. 3.
21	Napéllus R.U.	(bl) common	Europe	——	5. 7.	H ♃	Lob. ic. 679. f. 1.
22	compáctum R.U.	(bl) compact	Switzerland	1823.	——	H ♃	
	β *rubéllum* R.U.	(re) *red-flowered*	———	——	——	H ♃	
23	Hallèri R.U.	(bl) Haller's	———	1824.	6. 7.	H ♃	Chabr. sci. p. 531. f. 2.
	β *hùmile* R.U.	(bl) *dwarf*	———	——	——	H ♃	
	γ *ramòsum* R.U.	(bl) *branching*	———	1822.	——	H ♃	
	δ *bicolor* R.U.	(wb) *two-coloured*	———	——	——	H ♃	
24	virgàtum R.U.	(bl) slender-branched	———	1824.	——	H ♃	
25	venústum R.U.	(bl) beautiful	———	1823.	6. 8.	H ♃	
26	laxiflòrum R.U.	(bl) loose-flowered	———	1824.	——	H ♃	
27	Fúnckii R.U.	(bl) Funck's	Germany	——	——	H ♃	Rch. ill. t. 66.
28	Braúnii R.U.	(bl) Braune's	———	——	6. 7.	H ♃	Rch. ill. t. 69.
29	trichocárpum R.U.	(bl) three-podded	———	——	——	H ♃	
30	pubéscens R.U.	(bl) pubescent	Switzerland	....	5. 7.	H ♃	
31	Mielichóferi R.U.	(bl) Mielichofer's	Germany	1823.	6. 8.	H ♃	
32	plicàtum R.U.	(bl) plaited	Sweden	1824.	——	H ♃	
33	Kœhlèri R.U.	(bl) Koehler's	———	1823.	——	H ♃	
34	elàtum, R.U.	(bl) tall	Germany	....	——	H ♃	
35	álbidum, R.U.	(wh) whitish	.....	1824.	——	H ♃	
36	neubergénse R.U.	(bl) Styrian	Styria	....	——	H ♃	Clus. hist. 2. p 96. f. 1.
	Napéllus. Jacq. aust. 4. t. 381.						
37	Meyèri R.U.	(bl)	Germany	1824.	——	H ♃	
38	Bernhardiànum	(bl) Bernhardi's	.....	1823.	——	H ♃	
39	stríctum R.U.	(bl) straight	Siberia	....	——	H ♃	Rch. ac. t. 17. f. 1.
	spicàtum Donn. h. cant. ed. 10. p. 209.						
40	Sprengèlii R.U.	(bl) Sprengel's	.....	1823.	6. 8.	H ♃	
41	Wildenòwii R.U.	(bl) Wildenow's	Carniola	——	——	H ♃	

42	éminens R.U.	(*bl*) eminent	.....	1822.	6. 8.	H	♃	
43	Schleichèri R.U.	(*bl*) Schleicher's	Switzerland	....	5. 6.	H	♃	
	β comòsum R.U.	(*bl*) *tufted*	———	....	——	H	♃	Mor. his. 3. s. 12. t. 3. f. 19
44	microstàchyum R.U.	(*b*) small-spiked	Hungary	1822.	6. 8.	H	♃	
45	formòsum R.U.	(*bl*) handsome	Germany	1824.	——	H	♃	Rch. ac. t. 18. f. 2.
46	rígidum R.U.	(*bl*) rigid	Sweden	——	——	H	♃	
47	commutàtum R.U.	(*bl*) changed	Switzerland	——	——	H	♃	Ric. ac. t. 18. f. 3.
48	láxum R.A.	(*bl*) loose	Germany	1823.	6. 8.	H	♃	Rch. ac. 97. t. 15. f. 4.
49	autumnàle R.A.	(*bl*) autumnal	———	——	——	H	♃	——— t. 17. f. 2.
50	amplifiòrum R.U.	(*bl*) large-flowered	Austria	1823.	——	H	♃	

Sect. 3. CALLIPA'RIA; *calyx deciduous; petals truncate, or a little hooked, having the lip hardly emarginate; carpels* 3-8, *erect.*

51	biflòrum DC.	(*va*) two-flowered	Ahay	1826.	6. 8.	H	♂	——— 1. t. 15. f. 45. 46.
	α lutèo-cærùleum	(*y b.*) *blue and yellow*	———	——	——	H	♂	
	β cærùleum	(*bl*) *blue-flowered*	———	——	——	H	♂	Rch. ac. 74. t. 7. f. 1. 2.
52	fèrox DC.	(*pu*) poison-rooted	Nepaul	1820.	——	H	♃	Ser. mus. 1. t. 15. f. 43. 44.
	viròsum D. P.							
53	semigaleàtum R.U.	(*bl*) half-helmeted	Kamtschat.	——	——	H	♃	Rch. ac. 75. t. 7. 3.

Sect. 4. EUCHYLO'DEA; *calyx deciduous; petals inflated, rather hooked gibbous; carpels* 3-5, *converging while young.*

54	villòsum R.U.	(*bl*) villous	Siberia	1825.	——	H	♃	
55	máximum DC.	(*bl*) large	Kamtschat.	——	7. 8.	H	♃	Ser. mus. 1. t. 15. f. 31. 32.
56	flàccidum R.U.	(*bl*) flaccid	Siberia	1825.	——	H	♃	Deles. ic. sel. 1. t. 65.
	ciliàre β polytrìchum. DC.							
57	volùbile R.U.	(*bl*) twining	———	1799.	——	H	♃	
58	tortuòsum DC.	(*bl*) twisting	.....	1812.	——	H	♃	Ser. mus. 1. t. 15. f. 28. 29.
59	eriostèmum DC	(*bl*) woolly-stamened	Siberia	1824.	6. 8.	H	♃	
60	recognìtum R.U.	(*bl*) recognised	.....	——	——	H	♃	
61	ambíguum R.U.	(*bl*) ambiguous	Siberia	1826.	——	H	♃	Rch. ill. t. 23.

Sect. 6. TOXOCOI'DEA; *calyx deciduous; petals capitate, or a little hooked: carpels* 3-5, *erect.*

62	tóxicum R.U.	(*bl*) poisonous	Germany	——	——	H	♃	
63	refléxum R.U.	(*bl*) reflexed	Carniola	1826.	6. 8.	H	♃	
64	cérnuum R.U.	(*bl*) drooping-flowd.	Germany	1824.	6. 7.	H	♃	Chabr. sci. 531. f. 6.
65	acuminàtum R.U.	(*bl*) acuminate	M. Baldo	1824.	——	H	♃	
66	parviflòrum R.U.	(*bl*) small-flowered	Switzerland	——	——	H	♃	
67	hebégynum DC.	(*bl*) downy-podded	———	——	——	H	♃	
68	paniculàtum R.U.	(*bl*) panicled	———	....	5. 7.	H	♃	Chabr. sci. 531. f. 3.
69	laciniòsum Sch.	(*bl*) jagged	———	1822.	——	H	♃	
70	mólle R.U.	(*bl*) soft	———	1824.	——	H	♃	Ser. m. 1. t. 15. f. 35. 36.
71	gibbòsum DC.	(*bl*) gibbous	Caucasus	1823.	——	H	♃	—— 1. t. 15. f. 14. 15.

Sec. 5. CORYTHÆ'OLA; *calyx deciduous; petals rather hooked; stamens pilose; carpels* 3-5, *converging; helmet variegated.*

72	hamàtum R.U.	(*bl*) hooked	Sweden	1804.	6. 8.	H	♃	
73	palmatífidum R.U.	(*bl*) palmatifid	M Carpathi.	1819.	——	H	♃	
74	pyramidàle R.U.	(*bl*) piramidal	Bohemia	1596.	——	H	♃	Rch. ill. t. 68.
	α densiflòrum R.U.	(*bl*) *close-flowered*	———	——	——	H	♃	
	β elongàtum R.U.	(*bl*) *elongated*	———	....	——	H	♃	
	γ bícolor R.U.	(*w b*) *two-coloured*	———	....	——	H	♃	
75	Stœrkiànum R.U.	(*bl*) Stœrk's	S. Europe	1824.	——	H	♃	Stor. lib. ac. 69. ic.
	β laxiflòrum R.U.	(*bl*) *loose-flowred*	.....	——	——	H	♃	Blackw. ic. 561.
	γ bícolor R.U.	(*w b*) *variegated*	.....	——	——	H	♃	
76	versícolor R.U.	(*va*) various-coloured	Switzerland	....	——	H	♃	
	β bícolor R.U.	(*w b*) *white and blue*	———	....	——	H	♃	Lodd. bot. cab. 794.
77	decòrum R.U.	(*bl*) neat	Pyrenees	1824.	——	H	♃	

Sect. 7. CAMMAROI'DEA; *calyx deciduous; petals erect; carpels generally* 5, *erect, fringed at the sutures.*

78	exaltàtum R. U.	(*bl*) lofty	.....	——	——	H	♃	Ser. m. 1. t. 15. f. 37. 38.
79	macránthum R.U.	(*bl*) large-blossomed	Germany	1826.	——	H	♃	
80	Cámmarum R.U.	(*pu*) purple	Europe	1752.	——	H	♃	Jacq. aust. 5. t. 424.
81	illinìtum R.U.	(*bl*) besmeared	Switzerland	1822.	——	H	♃	
82	Breiteriànum R.U.	(*bl*) Breiter's	.....	1821.	——	H	♃	
83	productum R.U.	(*bl*) long-lipped	Siberia	1824.	7. 8.	H	♃	Rch. ac. 75. t. 7. f. 3.
84	uncinàtum DC.	(*pu*) American	N. America	1768.	——	H	♃	
	β Michauxiànum	(*pu*) Michaux's	———	——	——	H	♃	Bot. mag. 1119.
85	Ottoniànum R.U.	(*bl*) Otto's	.....	1823.	6. 8.	H	♃	
86	speciòsum R.U.	(*bl*) specious	.....	1804.	7. 8.	H	♃	Ser. m. 1. t. 15. f. 26. 27.
87	bulbíferum R.U.	(*bl*) bulb-bearing	.....	1824.	6. 8.	H	♃	
88	leucánthum R.U.	(*w*) white-flowered	.....	....	——	H	♃	
89	lasiocárpum R.U.	(*bl*) woolly-podded	Hungary	1822.	——	H	♃	

90	*grácile* R.U.	(*bl*) slender	Germany	1824.	6. 7.	H	♃	
91	rhynchánthum R.U.	(*w*) beaked	Hungary	1804.	6. 8.	H	♃	
	β bícolor R.U.	(*w b.*) *two-colored*	.....	——	——	H	♃	
92	nasùtum R.U.	(*bl*) large-nosed	Caucasus	1823.	——	H	♃	
93	rostràtum R.U.	(*bl*) beaked	Switzerland	....	——	H	♃	Lodd. bot. cab. 203.
94	variegàtum DC.	(*p w*) variegated	S. Europe	1597.	——	H	♃	Clus. hist. 2. p. 98. f. 1.
95	míxtum R.U.	(*p w*) mixed	.....	....	——	H	♃	Rivin. pentap. ic.
96	álbum R.U.	(*wh*) white	Levant	1752.	7. 8.	H	♃	
97	japónicum DC.	(*va*) Japan	Japan	1790.	6. 9.	H	♃	Ser. m. 1. t. 15. f. 22. 23.
	α cárneum	(*fl*) *flesh-coloured*	———	——	——	H	♃	
	β cærùleum	(*bl*) *blue-flowered*	———	——	——	H	♃	
98	boreale R.U.	(*st*) Siberian	Siberia	....	6. 8.	H	♃	

Sect. 8. LYCOCTONOI'DEA; *calyx deciduous: petals oblique: spurs clavate, straight, arched, hooked, or spiral; carpels* 3.

99	barbàtum DC.	(*st*) bearded	———	1807.	——	H	♃	Swt. br. fl. gar. v. 2. 164.
100	híspidum DC.	(*st*) hispid	———	1826.	——	H	♃	Gmel. sib. 4. t. 81.
	Gmelìni R.U.							
101	squarròsum DC.	(*st*) squarrose	———	1823.	——	H	♃	
102	pállidum R.U.	(*st*) pale-flowered	.....	1823.	——	H	♃	
103	zoóctonum R.U.	(*st*) beast-bane	Germany	1824.	——	H	♃	
104	melóctonum R.U.	(*st*) Badger-bane	Piedmont	1823.	——	H	♃	Chabr. sci. p. 531. f. 1.
105	pyrenàicum DC.	(*st*) Pyrenean	Pyrenees	1739.	——	H	♃	Cam. epit. 831. ic.
106	galéctonum R.U.	(*st*) Weasel-bane	Hungary	1823.	——	H	♃	
107	moldávicum R.U.	(*pu*) Moldavian	Moldavia	——	——	H	♃	
108	ochroleùcum R.U.	(*st*) pale-white	Caucasus	1794.	——	H	♃	
109	ægóphonum R.U.	(*st*) Goat-poison	.....	1822.	——	H	♃	
110	perniciòsum R.U.	(*st*) pernicious	France	——	——	H	♃	Bois. fl. eur. 2. t. 369.
111	myóctonum R.U.	(*st*) Mouse-bane	Thuringia	——	——	H	♃	
112	strictíssimum R.U.	(*st*) straight	Baruth	....	——	H	♃	
113	altíssimum R.U.	(*st*) tallest	Germany	....	——	H	♃	Tabern. ic. 583. f. 1.
114	réctum R.U.	(*st*) upright	Italy	....	——	H	♃	Barrel. ic. 599.
115	vulpària R.U.	(*st*) Fox-bane	Germany	1824.	——	H	♃	
	β latifòlium R.U.	(*st*) *broad-leaved.*	Bavaria	——	——	H	♃	
116	tragóctonum R.U.	(st) Goat-bane	Carinthia	....	——	H	♃	
117	lupícida R.U.	(*st*) Wolf-bane	Switzerland	1824.	——	H	♃	
118	arctóphonum R.U.	(*st*) Bear-bane	Styria	1826.	——	H	♃	
119	lagóctonum R.U.	(*st*) Hare-bane	Bavaria	——	——	H	♃	
120	Phthòra R.U.	(*st*) destructive	Hungary	——	——	H	♃	
121	austràle R.U.	(*pu*) Carpathian	M.Carpathi.	1815.	——	H	♃	Bot. mag. 2196.
	septentrionàle β carpáthicum B.M.							
122	rubicùndum F.	(*pu*) rubicund	Russia	1822.	——	H	♃	
123	cynóctonum R.U.	(*st*) Dogbane	Germany	1824.	——	H	♃	Blackw. ic. 563.
124	thely'phonum R.U.	(*st*) Elwert's	Switzerland	——	——	H	♃	
125	theriophonum R.U.	(*st*) park-bane	Italy	....	6. 7.	H	♃	Barrel. ic. 600.
126	lycóctonum R.U.	(*st*) great-yellow	Germany	1596.	7. 8.	H	♃	Clus. hist. 5. p. 94. ic.
127	lupária R.U.	(*st*) Wolf-wort	———	....	——	H	♃	Trag. stirp. 247. ic.
128	septentrionàle R.U.	(*bl*) northern	N. Europe	1800.	——	H	♃	Flor. dan. t. 123.
129	Nuttállii D.S.	(*pa*) Nuttall's	N. America	1828.	——	H	♃	
	pállidum Nutt. not Rch.							
130	glàbrum DC.	(*pa*) glabrous	Europe	1829.	——	H	♃	

Tribe V. *PÆONIA'CEÆ.* *DC. prodr.* 1 64.

CIMICI'FUGA. L. BUG-WORT (*cimex* a bug, and *fugo* to drive away; smell) Polyan. Pentag.

1	fœ'tida W.	(*wh*) stinking	Siberia	1777.	6. 7.	H	♃	Linn. amœn. ac. 8. t. 4.
2	podocárpa	(*wh*) American	Carolina	1822.	8. 9.	H	♃	Deless. ic. sel. 1. t. 66.
	americàna, M. *Actæ'a podocàrpa* DC.							
3	palmàta Ph.	(*wh*) palmated	———	1812.	7. 8.	H	♃	Bot. mag. 1630.
4	cordifòlia Ph.	(*wh*) heart-leaved	———	——	6. 7.	H	♃	——— 2069.

MACRO'TYS Raf. SNAKEFOOT (*μακρος*, long and *ους*, an ear.) Polyan. Monog.

racemòsa	(*wh*) black-rooted	N. America	1732.	6. 7.	H	♃	Dill. elth. 79. t. 67. f. 78.
Actæ'a racemòsa W *Cimicifuga serpentària* Ph.							

ACTÆ'A. Ph. BANE-BERRIES. (*ακτη*, name of elder; leaves resembling) Poly. Mono.

1	spicàta DC.	(*wh*) common	Britain	....	4. 6.	H	♃	Eng. Bot. 918.
2	rùbra W en.	(*wh*) red-berried	N. America	....	——	H	♃	
	brachypétala β rùbra DC.							
3	álba Mill.	(*wh*) white-berried	N. America	....	4. 6.	H	♃	Corn. canad. t. 77.
	brachypétala α alba. DC.							

ZANTHORHI'ZA DC. YELLOW-ROOT (ξανθος yellow, and ριζα a root; colour.) Pen. Polyg.

apiifòlia DC	(pu)	Parsley-leaved	N. America	1766.	2. 4.	H	♄	Bot. mag.

PÆO'NIA DC. PÆONY. (Pœon first used it in medicine.) Polyandria Digynia.

Sect. 1. MOU'TAN. *Disk expanding into a membranous urceolus, which involves the carpels more or less.*

1 Moútan H K.....		Chinese tree.	China	1789.	4. 6.	H	♄	
α *papaveràcea* L T.	(w.)	*Poppy-flowered*	———	1806.	——	H	♄	Bot. rep. 463.
β *Bánksii* L T.	(bl)	*common*	———	1789.	——	H	♄	——— 448.
γ *ròsea* L T.	(ro)	*rose-coloured*	———	1794.	——	H	♄	——— 373.
δ *Hùmei* B R.	(bl)	*Hume's*	———	1817.	——	H	♄	Bot. reg. 379.
ε *ròseaplèna* HT.	(re)	*double-red*	———	1794.	——	H	♄	Bonpl. nav. t. 23.
ξ *Rawèsii* HT.	(re)	*Rawes's*	———	1820.	——	H	♄	
η *cárnea-plena*	(pk)	*double-flesh-col.*	———	....	——	H	♄	
ν *albida-plena* H T.	(wh)	*double-white*	———	....	——	H	♄	Bot. reg. 1678.
ι *Anneslei* H T.	(pk)	*Annesley's*	———	....	——	H	♄	Hort. trans. 6 t. 7.
κ *variegàta* H T.	(wh.re)	*variegated-seedling*	———	....	——	H	♄	Swt. br. fl. gar. ser. t. 238
λ *punícea* D DON.	(cr)	*crimson*	———	....	——	H	♄	———————ser. 2 t. 297.
μ *làcera* B R.	(re)	*jagged*	———	....	——	H	♄	Bot. reg. t. 1771.
ν *Reevesiana* Pax T	(cr)	*Reeve's*	China	....	——	H	♄	Paxt. mag. t. 197

Sect. 2. PÆ'ON; *Disk hardly, or not at all expanded, therefore only surrounding so much of the base of the carpels.*

2 edùlis P L.	(va)	eatable-rooted	.....	....	5. 6.	H	♃	
albiflòra L T.								
α *vestàlis* LT.	(wh)	*virgin*	Siberia	1784.	——	H	♃	Andr. rep. 64.
β *cándida* L T.	(wh)	*pale-flowered*	———	....	——	H	♃	
γ *tatárica* L T.	(bh)	*Tartarian*	Tartary	....	——	H	♃	Bot. reg. 42.
δ *sibírica* L T.	(wh)	*Siberian*	Siberia	....	——	H	♃	
ε *rubéscens* L T.	(bh)	*pale-red*	———	....	——	H	♃	
ζ *uniflòra* L T.	(wh)	*one-flowerered*	———	....	——	H	♃	Bot. mag. 1756.
η *Whitlèji* L T.	(wh)	*double-white*	China	1808.	6. 7.	H	♃	Bot. reg. 630.
θ *Hùmei* L T.	(re)	*double-crimson*	———	1810.	——	H	♃	Bot mag. 1768.
ι *frùgrans* L T.	(re)	*Rose scented*	———	1805.	——	H	♃	Bot. reg. 485.
κ *Potsii* Sab.	(cr)	*Pott's*	China	1822.	6.	H	♃	Swt. fl. gar. ser. 2 t. 351.
3 Brownii D S.	(re)	Brown's	N. America	1826.	6. 7.	H	♃	
4 anómala L T.	(re)	jagged leaved	Siberia	1788.	5. 6.	H	♃	Bot. mag. 1754.
laciniàta Pall. ross. 2 t. 85								
5 hy'brida DC.	(re)	intermediate	Caucasus	1822.	....	H	♃	
6 tenuifòlia L T.	(cr)	slender-leaved	Siberia	1765.	5. 6.	H	♃	Bot. mag. 926.
β *fl. pleno*	(cr)	*double-flower*	———	1824.	——	H	♃	Swt. br. fl. gar. s. 2 t. 345.
7 hy'brida D S.	(re)	hybrid	———	....	——	H	♃	Bot reg. 1208.
8 officinàlis L T.	(va)	officinal	Europe	1548.	——	H	♃	
α *Sabìni* L T.	(sc)	*Sabine's*	———	....	——	H	♃	Bot. mag. 1754.
β *ròsea* L T.	(ro)	*rose-coloured*	———	....	——	H	♃	Lob. ic. 697.
γ *blánda* L T.	(bh)	*blush-flowered*	———	....	——	H	♃	
δ *rùbra* L T.	(cr)	*double-red*	———	....	——	H	♃	Lob. ic. 684.
ε *carnéscens* L T.	(fl)	*flesh-coloured*	———	....	——	H	♃	
η *álbicans* L T.	(bh)	*double-blush*	———	....	——	H	♃	Park. par. f. 4.
ξ *anemoniflòra* BM.	(re)	*Anemone-flowd.*	———	....	——	H	♃	Bot. mag. t. 3175.
9 corállina L T.	(cr)	English	England	....	——	H	♃	Eng. bot. 1513.
10 daúrica L T.	(fl)	Daurian	Dauria	1790.	——	H	♃	Bot. mag. 1441.
triternàta DC. prodr.								
11 lobàta DC.	(sc)	lobed-leaved	Portugal	1821.	——	H	♃	Swt. br. fl. gar. 70.
12 Rússi DC.	(cr)	crimson	Sicily	....	——	H	♃	——— v. 2 t. 122.
13 pùbens B M.	(re)	pubescent	———	....	——	H	♃	Bot. mag. 2264.
14 hùmilis L T.	(re)	dwarf	Spain	1633.	5.	H	♃	——— 1422.
15 decòra L T.	(re)	comely	Turkey	....	——	H	♃	
16 α *Pallàsii* L T.	(re)	*Pallas's*	.....	....	——	H	♃	
β *elàtior* L T.	(re)	*tall*	.....	....	——	H	♃	
arietìna L T.	(re)	ram's-horned	.....	....	——	H	♃	
17 crética B R.	(bh)	Cretan	Crete	....	——	H	♃	Bot. reg. 819.
18 peregrìna L T.	(re)	Turkish	Levant	1588.	——	H	♃	
α *byzantìna*	(re)	*Levant*	———	....	——	H	♃	Bot. mag. 1050.
β *compácta* L T.	(re)	*compact*	France?	....	——	H	♃	
γ *Grevíllii* L T.	(re)	*Greville's*	.....	....	——	H	♃	
19 paradóxa L T.	(re)	paradoxical	Levant	....	——	H	♃	
α *simpliciflòra*	(re)	*single-flowered*	———	....	——	H	♃	
β *fimbriàta* L T.	(cr)	*double-flowered*	———	....	——	H	♃	Swt. br. fl. gar. 19.
20 móllis L T.	(re)	soft-leaved	Siberia?	....	——	H	♃	Bot. reg. 474.
21 villòsa B F G.	(wh)	villous	.....	1822.	——	H	♃	Swt. br. fl. gar. 113.
sessiliflòra BM. 2648.								

ORDER II.

DILLENIA'CEÆ. *DC. syst. nat.* 1. *p.* 395.

Tribe I. *DELIMA'CEÆ. DC.*

TETRA'CERA DC. TETRA'CERA. (τετρα, four a κερας, and horn; carpels) Polygamia Diœcia.

1 volùbilis DC.	(*ye*) climbing	Barbadoes	....	....	S	♄	◡	Pluk. alm. 48. t. 146. f. 1
2 jamaicénsis DC.	(*ye*) Jamaica	Jamaica	1826.	....	S	♄	◡	
3 obovàta DC.	(*ye*) obovate-leaved	Senegal	1822.	....	S	♄	◡	
4 alnifòlia DC.	(*ye*) Alder-leaved	Sierra Leone	——	....	S	♄	◡	
5 potatòria Afz.	(*ye*) water-bearing	——	——	....	S	♄	◡	

DOLIOCA'RPUS DC. DOLIOCA'PUS. (δολιος deceitful, and καρπος a fruit;) Polyandria Monogynia.

1 Calínea DC.	(*wh*) climbing	Guiana.	1822.	....	S	♄	◡	Aub. Guian. 1. t. 221.
Tetrácera calínea. W *Calínea scandens.* Aub.								

TRACHYTE'LLA. DC. TRACAYTE'LLA. (τραχυτης roughness; leaves;) Polyandria Monogymia.

Actæ'a DC.	(*wh*) spear-leaved	China	1826.	6. 8.	H	♄	◡	

DELI'MA DC. DELI'MA. (*delimo*, to fill; leaves in polish) Polyandria Monogynia.

1 sarmentòsa DC.	(*ye*) sarmentose	Ceylon	1822.	....	S	♄	◡	Bot. mag. t. 3058.
Tetrácera sarmentòsa W.								
2 nítida DC.	(*ye*) shining-leaved	Trinidad	1830.	....	S	♄	◡	

CURATE'LLA DC. CURATE'LLA. (curatus, worked; leaves used in polish.) Polyandria Digynia.

1 americàna DC.	(*wh*) American	Guiana	....	....	S	♄	◡	Aub. guian. 1. t. 232.
2? alàta. DC.....	wing-petioled	——	....	....	S	♄	◡	Venten. choix. t. 49.

Tribe II. *DILLE'NEÆ* DC.

PLEURA'NDRA DC. PLEURA'NDRA. (πλευρον a side, and ανηρ a male; stam.) Polyan Monog.

1 bracteàta DC.	(*ye*) elegant	N. S. W.	1822.	4. 8.	G	♄		Deles. ic. sel. 1. t. 78.
2 nítida DC.	(*ye*) shining	——	——	——	G	♄		
3 cneòrum, DC.	(*ye*) blunt-leaved	——	1824.	5. 7.	G	♄		
4 scàbra. DC.	(*ye*) rough-leaved	——	——	——	G	♄		
5 ericæfòlia DC.	(*ye*) heath-leaved	——	1824.	5.	S	♄		
6 aciculàris DC.	(*ye*) needle-leaved	——	——	4. 7.	G	♄		Labill. nov. holl. 2 t. 144.
7 stricta DC	(*ye*) upright	——	1822.	——	G	♄		
8 calycìna DC.	(*ye*) linear-leaved	——	——	——	G	♄		

CANDO'LLEA. CANDO'LLEA. (celebr. bot. A. P. de Candolle;) Polydelphia Polyandria.

cuniefórmis DC.	(*ye*) wedge-leaved	N. Holland	1823.	5. 8.	G	♄		Bot. mag. 2711.

HIBBE'RTIA DC. HIBBE'RTIA. (G. Hibbert, F.R.S. bot. amateur) Polyan. Mono-Pentagynia.

1 grossulariæfòlia DC.	(*y*) Gooseberry-ld	N. Holland	1803.	3. 8.	G	♄	◡	Bot. mag. 1218.
crenàta A. R. *t.* 472.								
2 volùbilis DC.	(*ye*) twining	N. S. W.	1796.	5.10.	G	♄	◡	Andr. rep. t. 126.
3 dentàta DC.	(*ye*) tooth-leaved	N. Holland	1814.	1. 8.	G	♄	◡	Bot. reg. 282.
4 salígna DC.	(*ye*) Willow-leaved	N. S. W.	1824.	5. 8.	G	♄		
5 virgàta DC.	(*ye*) twiggy	——	1822.	....	G	♄		
6 flexuòsa Cun.	(*ye*) zig-zag	N. Holland	1823.	5. 8.	G	♄		
7 fasciculàta DC.	(*ye*) bushy	N.S.W.	1826.	5. 8.	G	♄		
8 lineàris DC.	(*ye*) linear-leaved	——	——	....	G	♄		
9 monógyna DC.	(*ye*) one-styled	——	——	5. 8.	G	♄		
10 pedunculàta DC.	(*ye*) long-pedicled	——	——	4. 9.	G	♄		Bot. reg. 1001.
corifòlia Bot. mag. 2672.								
11 cistifòlia DC.	(*ye*) Cistus-leaved	N. Holland	1826	5. 8.	G	♄		

WO'RMIA DC. WO'RMIA. (Olaus Wormius, M.D., Danish natur.) Polyandria Pentagynia.

dentàta DC.	(*ye*) tooth-leaved	Ceylon	1821.	....	S	♄		Thunb. linn. tr. 1. t. 18.
Dillènia dentàta W								

COLBE'RTIA DC. COLBE'RTIA; (J. B. Colbert, a French nobleman;) Polyandria Pentagynia

1 coromadeliàna DC.	(*y*) Coromandel	E. Indies	1803.	....	S	♄		Roxb. cor. 1 t. 20.
Dillènia pentágynia Roxb.								

2 scabrélla.....	rough	Nepaul	1826.	....	S	♄	
DILLE'NIA DC.	DILLE'NIA; (J. J. Dillenius, the celebr. bot.)						Polyandria Monogynia.
1 speciòsa DC. (*wh*)	large-flowered	E. Indies	1800.	....	S	♄	Exot. Bot. t. 2. 3.
2 intègra DC.....	entire-leaved	Ceylon	1826.	....	S	♄	Thunb. linn. tr. 1. t. 18.

ORDER III.

WINTE'REÆ. *Brown in DC. syst.* 1. *add. p.* 548.

ILLI'CIUM DC.	ANNISEED-TREE; (*illicio*, to allure; smell;)						Polyandria Polygynia.
1 floridànum DC. (*cr*)	red-flowered	Florida	1766.	4. 6.	F	♄	Bot. mag. 493.
2 anisàtum DC. (*ye*)	Chinese	China	....	——	F	♄	Lam. ill. t. 439. f. 2.
3 parviflòrum DC. (*ye*)	small-flowered	Florida	1790.	——	F	♄	Vent. cels. t. 22.
DRI'MYS DC.	DRI'MYS; (*δρυμυς* acrid, taste of bark;)						Polyandria Tetra-Octogynia.
1 Wintèri DC.....	Winter-bark	Magellan	1825.	....	G	♄	Forst. gen. p. 84. t. 42.
Wintèra aromática W. *Winteràna aromàtica* Sol. med. obs. 5. p. 46. t. 1.							
2 chilénsis DC. (*wh*)	Chilian	Chili	1829.	....	G	♄	Deless. ic. sel. 1 t. 83.
TASMA'NNIA DC.	TASMA'NNIA; (C. Tasmann, disc. of Van Diem. Land;)						Dioec. Polyan.
1 dipétala B.....	two-petaled	N. Holland	1824.	5. 8.	G	♄	
2 aromática B. (*wh*)	aromatic	V. D. Land	1820.	....	G	♄	Deless. ic. sel. 1 t. 84.

ORDER IV.

MAGNOLIA'CEÆ. *DC. syst. nat. v.* 1. *p.* 439.

MICHE'LIA DC.	MICHE'LIA; (P. A. Micheli, a celebr. Florentine bot.)						Polyan. Polygy.
Champàca DC. (*ye*)	sweet-scented	E. Indies	1779.	——	S	♄	Lam. ill. t. 493.
MAGNO'LIA. DC.	MAGNO'LIA. (C. Magnol; bot. author.)						Polyandria Polygynia.
Sect. 1. MAGNOLIA'STRUM, *spath-like bractea one, inclosing the flower bud; anthers bursting outwardly.*							
1 grandiflòra DC. (*wh*)	Laurel-leaved.	Carolina	1734.	6. 10.	H	♄	Sup. arb. 2. t. 65.
α rotundifòlia (*wh*)	*round-leaved*	———	....	——	H	♄	
β obovàta HK. (*wh*)	*obovate-leaved*	———	....	——	H	♄	
γ elliptica HK. (*wh*)	*elliptic-leaved*	———	....	——	H	♄	Mill. ic. v. 2. t. 172.
δ ferruginea BM. (*w*)	*ferruginous*	———	....	——	H	♄	Tr. Eh. p. 8. t. 33-35.
ε lanceolàta HK. (*wh*)	*Exmouth*	———	....	——	H	♄	Bot. mag. 1952.
2 glaúca DC. (*wh*)	glaucous-leaved	N. America	1683.	6. 9.	H	♄	Bot. mag. 2164.
3 longifòlia (*wh*)	narrow-leaved	———	....	——	H	♄	
glaúca β longifòlia. Ph.							
4 Thompsoniàna (*wh*)	hybrid	Hybrid.	1818.	——	H	♄	
5 umbrélla DC. (*wh*)	Umbrella	N. America	1752.	5. 6.	H	♄	Mich. arb. t. 5.
tripètala W.							
6 acuminàta DC. (*pa*)	bluish-flowered	———	1736.	5. 7.	H	♄	Bot. mag. 2427.
β Candòlii (*st*)	*De Candolle's*	———	....	——	H	♄	Sav. bi. ital. 1819. n. 47. ic.
7 auriculàta DC. (*wh*)	ear-leaved	———	1786.	4. 5.	H	♄	Bot. mag. 1206.
8 pyramidàta DC. (*wh*)	small ear-leaved	———	1811.	——	H	♄	Bot. reg. 407.
9 macrophy'lla DC. (*wh*)	large-leaved	———	1800.	6. 7.	H	♄	Bot. mag. 2189.
10 cordàta DC. (*st*)	heart-leaved	———	1801.	——	H	♄	Bot. reg. 325.
Sect. 2. GWILLI'MIA; *Spath-like bracteas* 2, *opposite, inclosing the buds; anthers bursting inwardly.*							
11 conspícua PL. (*wh*)	Youlan	China	1789.	2. 5.	H	♄	Bot. mag. 1621.
Yulan DC. Bonpl. nav. t. 20.							
12 Soulangeàna (*p w*)	Soulange's	Hybrid.	1826.	——	H	♄	Swt. br. fl. gar. 260.
13 Kòbus DC. (*p w*)	slender	China	1804.	3. 4.	H	♄	Par. lond. 87.
tomentòsa W. *grácilis* PL.							
14 obovàta DC. (*p w*)	obovate-leaved	———	1790.	4. 6.	H	♄	Bot. mag. 390.
purpùrea BM. *discolor* V.							
15 fuscàta DC. (*br*)	brown-stalked	———	1789.	——	G	♄	——— 1008.
16 annonæfòlia PL. (*br*)	small-flowered	———	1804.	——	G	♄	Par. lond. 5.
LIRIODE'NDRON. W.	TULIP-TREE. (*λειριον*, a lily; or *δενδρον*, a tree.)						Polyan. Polyg.

tulipifera W.	(ye) common	N. America	1663.	6. 7.	H	5.	Bot. mag. 275.
α *acutiloba* M.	(ye) *acute-lobed*	———	——	——	H	5.	
β *obtusiloba* M.	(ye) *blunt-lobed*	———	....	——	H	5.	

TALAU'MA. D.C. TALAU'MA. (name of *T. Plumieri*, in Mexico.) Polyandria Monogynia.

1 Candóllii BC.	(ye) De Candolle's	Java	1827.	4. 6.	S	♄	Bot. reg. 1709.
Magnòlia odoratissima. Reindort.							
2 Plumièri DC.	(wh) Plumier's	Antilles	1829.	....	S	♄	
3 pùmila DS.	(wh) dwarf	China	1786.	1. 12.	S	♄	Bot. mag. 977.
Magnòlia pùmila DC.							

ORDER V.

ANONACEÆ. *DC. syst. nat.* 1. *p.* 463.

ANO'NA. DC. CUSTARD-APPLE. (name of the species in St. Domingo.) Polyand. Polygynia.

1 muricàta DC.	(st) Soursop	W. Indies	1656.	5. 8.	S	♄	Jacq. obs. 1. t. 5.
2 purpùrea DC.	(pu) purple	Mexico	1826.	....	S	♄	Dunal. mon. p. 64. t. 2.
3 Humbóldtii DC.	(ye) Humboldt's	Cumana	——	....	S	♄	——— p. 64. t. 3.
4 laurifòlia DC.	(wh) laurel-leaved	W. Indies	1824.	6. 8.	S	♄	Catesb. car. 2. t. 67.
5 palústris DC.	(ye) shining-leaved	———	1731.	——	S	♄	Sloan. hist. 2. t. 228. f. 1.
6 longifòlia DC.	(pu) long-leaved	Guiana	1820.	——	S	♄	Aub. gui. 1. t. 248.
7 punctàta DC.	(st) spotted-fruited	Cayenne	1822.	——	S	♄	——— 1. t. 247.
8 paludòsa DC.	(gr) marsh	Guiana	1803.	6. 8.	S	♄	——— 1. t. 246.
9 squamòsa DC.	(st) Sweetsop	S. America	1739.	——	S	♄	Bot. mag. t. 3095.
10 cinèrea DC.	(st) cinereous	St. Thomas	1823.	....	S	♄	
11 Cherimòlia DC.	(wh) Cherimolli	S. America	1739.	7. 8.	S	♄	Bot. mag. 2011.
tripétala W. BM.							
12 reticulàta DC.	(st) netted	———	1690.	5. 7.	S	♄	Catesb. car. 2. t. 86.
13 mucòsa DC.	(st) narrow-leaved	Guiana	....	....	S	♄	Rumph. amb. 1. t. 45.
14 glàbra DC.	(st) smooth-fruited	Carolina	1774.	7. 8.	S	♄	Catesb. car. 2. t. 64.
15 grandifòra DC.	(wh) great-flowered	Mauritius	1825.	....	S	♄	Dunal. mon. p. 75. t. 6.
16 amplexicaúlis DC.	(pu) stem-clasping	———	1824.	....	S	♄	——— p. 76. t. 7.
17 asiática DC.	Ceylon	Ceylon	....	....	S	♄	
18 senegalénsis DC.	(st) Senegal	Senegal	1822.	....	S	♄	Deles. ic. sel. 1. t. 86.

MONODO'RA. DC. MONODO'RA. (μονος, one; and δωρον, a fruit; one-celled.) Poly. Mon.

myrística DC.	(wh) Nutmeg	Jamaica	....	....	S	♄	Bot. mag. t. 3059.

ASI'MINA. DC. ASI'MINA. (a name of Canadian origin.) Polyandria Polygynia.

1 parvifòra DC.	(pu) small-flowered	N. America	1806.	4. 6.	H	♄	Dun. mon. t. 9.
2 tríloba DC.	(pu) trifid-fruited.	———	1736.	——	H	♄	Duh. arb. ed. 2. v. 2. t. 25.
Asàna tríloba. W. *Porcèlia tríloba.* Ph.							
3 pygmæ'a DC.	(wh) dwarf	———	1812.	——	H	♄	Dun. mon. t. 10.
Orchidocárpum pygmæ'um. M.							
4 grandifòra DC.	(wh) large-flowered	Florida	1820.	——	H	♄	Dun. mon. t. 11.
Porcèlia grandifòra PS.							

UVA'RIA. DC. UVA'RIA (*uva*, a cluster of grapes; fruit-like.) Polyandria Polygynia.

1 zeylánica DC.	(pu) Ceylon	E. Indies	1794.	....	S	♄	Lam. ill. t. 495. f. 2.
2 Gærtnèri DC.....	Gærtner's	———	....	....	S	♄	——— t. 495. f. 3.
3 lùtea DC.	(st) yellow-fruited	———	1822.	....	S	♄	Roxb. cor. 1. t. 36.
4 tomentòsa DC.	(br) woolly	———	——	....	S	♄	——— 1. t. 35.
5 velutìna DC.	(br) velvetty	E. Indies	1825.	....	S	♄	
6 lùcida Boj.....	shining	E. Africa	——	....	S	♄	
7 villòsa HC.	villose	E. Indies	1831.	....	S	♄	
8 longifòra Wall.....	long-flowered	E. Indies	1823.	....	S	♄	
9 fasciculàta Wall....	bundled	———	——	....	S	♄	

UNO'NA DC. UNO'NA (*uno*, to unite; stamens with ovaries.) Polyandria Polygynia.

Sect. 1. UNONA'RIA; *flowers spreading; carpels smoothish or torulose.*

1 Nàrum DC.	(re) Rheede's	E. Indies	....	....	S	♄	Rheed. mal. 2. t. 9.
2 fuscàta DC.	(br) brown-flower'd	Guiana	1820.	....	S	♄	
3 acuminàta DC.	(br) taper-pointed	———	——	....	S	♄	
4 odoràta DC.	(st) sweet-scented	Java	1804.	5. 7.	S	♄	Lam. ill. t. 495. f. 1.
5 longifòlia DC.	(ye) long-leaved	E. Indies	1820.	....	S	♄	Sonn. voy. 4. t. 131.
6 esculénta DC.....	edible	E. Indies	1818.	....	S	♄	

Sect. 2. DE'SMOS; *carpels baccate, torulose, many-celled, more or less moniliform.*

7 aromática DC.	(pu) aromatic	Guiana	——	....	S	♄	Aub. gui. 2. t. 143.

8 æthiòpica DC. (*wh*) Ethiopian Sierra Leone 1822. .... S ♄ Math. com. 1. p. 434. ic.
9 oxypétala DC. (*br*) sharp-petaled ——— —— .... S ♄ ◡

ARTA'BOTRYS. BR. ARTA'BOTRYS. Polyandria Polygynia. L.
odoratíssimus BR. (*b*) sweet-scented China 1758. 6. 7. S ♄ ◡ Bot. reg. 423.
Annòna hexapétala W. *Uvària odoratíssima* HB.

XYLO'PIA. DC. BITTER-WOOD. (ξυλον wood, and πικρος, bitter.) Polyandria Polygynia.
1 muricàta DC. (*br*) rough-fruited W. Indies 1793. .... S ♄ Brown.jam.250.t.5.f.2.
2 frutéscens DC. (*br*) shrubby Guiana 1823. .... S ♄ Aub. gui. 1. t. 292.
3 glàbra DC. (*br*) smooth-fruited W. Indies .... S ♄ Dun. mon. t. 19.

GUATTE'RIA. DC. GUATTE'RIA. (J. B. Guatteri, an Ital. bot.) Polyandria Polygynia.
1 cerasoìdes DC. (*br*) Cherry-fruited E. Indies 1820. .... S ♄ Roxb. cor. 1. t. 33.
2 suberòsa DC. (*wh*) cork-barked ——— —— .... S ♄ ——— 1. t. 34.
3 rùfa DC. (*br*) rufous India —— 4. 8. S ♄ Bot. reg. 836.
4 virgàta DC. (*wh*) Lance-wood Jamaica 1793. —— S ♄ Dun. mon. t. 31.
Uvària lanceolàta W.
5 laurifòlia DC. (*wh*) Laurel-leaved ——— 1820. .... S ♄ ——— t. 32.
Uvària laurifòlia Sw.

ORDER VI.

MENISPERMA'CEÆ. *DC. prodr.* 4. *p.* 95.

Tribe II. *MENISPE'RMEÆ.*

CO'CCULUS DC. CO'CCULUS. Dicœcia Hexandria.
1 rotundifòlius DC. (*gr*) round-leaved ..... 1820. .... S ♄ ◡
2 cordifòlius DC. (*gr*) heart-leaved E. Indies 1822. .... S ♄ ◡ Rheed. mal. 7. t. 21.
3 suberòsus DC. (*gr*) cork-barked ——— 1790. .... S ♄ ◡ Gært fr. 1. t. 70. f. 7.
4 Plunkenètti DC. (*gr*) Plunkenet's ——— —— .... S ♄ ◡ Pluk. man. 52. t. 345. f. 2.
5 incànus LT. (*gr*) hoary ——— 1820. .... S ♄ ◡ Lin trans 13. t. 17. f. 1.
6 sèpium LT. (*gr*) hedge ——— —— .... S ♄ ◡ ——— 13. t. 17. f. 2.
7 tomentòsus LT. (*gr*) woolly-leaved ——— —— .... S ♄ ◡
8 críspus LT. (*gr*) curled ——— 1822. .... S ♄ ◡ Rumph. amb. 5. t. 44. f. 1.
9 palmàtus DC. (*gr*) palmated ——— .... S ♄ ◡ Berr. in As. res. 10. t. 5.
10 orbiculàtus DC. (*gr*) orbicular-leaved ——— 1790. .... S ♄ ◡ Rheed. mal. 11. t. 62.
11 laurifòlius DC. (*gr*) laurel-leaved ——— 1820. .... S ♄ ◡ Deless. ic. sel. 1. t. 97.

COSCI'NIUM. C.L.T. COSCI'NIUM. (κοσκινιον, a little sieve; seeds pierced.) Dicœcia Hexandria.
fenestràtum LT. (*gr*) knotted Ceylon 1820. .... S ♄ ◡ Gært. fr. 1. t. 46. f. 5.

TILIACO'RA. C. L. T. TILIACO'RA. (the Bengalese name of the plant.) Dicœcia Hexandria.
racemòsa LT. (*gr*) racemed E. Indies 1820. .... S ♄ ◡

WENDLA'NDIA. W. WENDLA'NDIA. (J. Wendland, a German bot.) Heptandria Polygynia.
populifòlia W. (*wh*) Poplar-leaved Carolina 1759. 6. 7. H ♄ ◡ Wend. h. herr. 3. t. 16.
Menispérmum Carolinum L. *Cócculus Carolinus* DC.

CISSA'MPELOS. DC. CISSA'MPELOS. (κισσος, ivy, and αμπελος, a vine.) Dicœcia Monadelphia. L.
1 Parèira DC. (*gr*) velvet-leaf S. America 1733. 7. 8. S ♄ ◡ Lam. ill. t. 830.
2 microcárpa DC. (*gr*) small-fruited W. Indies 1823. .... S ♄ ◡
3 hirsùta DC. (*gr*) hairy Nepaul 1820. .... G ♄ ◡
4 Mauritiàna DC. (*gr*) hispid-branched Mauritius —— .... S ♄ ◡
5 Caapèba DC. (*gr*) nerved-leaved S. America 1733. 7. 8. S ♄ ◡ Plum. ic. 67. f. 2.
6 ? capénsis DC. (*gr*) Cape C. B. S. 1775; .... G ♄ ◡

MENISPE'RMUM. DC. (μηνη, the moon, and σπερμα, a seed; form.) Dicœcia Dodecandria.
1 canadénse EC. (*st*) Canadian N. America 1691. 6. 7. H ♄ ◡ Bot. mag. 1910.
2 daúricum DC. (*st*) Daurian Dahuria. 1823. .... H ♄ ◡ Deless. ic. sel. 1. t. 100.
3 smilácinum DC. (*st*) Smilax-leaved Carolina 1776. .... G ♄ ◡ Jacq. ic. 3. t. 629.
Cissámpelos smilácina W.
4 Lyòni Ph. (*st*) Lyon's N. America 1812. 6. 7. H ♃ ◡

ABU'TA. DC. ABU'TA. (name of the shrub in Guiana.) *Menispermi sp.* W.
ruféscens DC. (*pu*) brown-leaved Guiana 1822. .... S ♄ ◡ Aub. gui. 1. t. 250.

Tribe III. *SCHIZA'NDREÆ.* *DC. prodr.* 1. *p.* 104.

SCHIZA'NDRA. D.C. SCHIZA'NDRA. (σχιζω, to cut, and ανηρ, a male; cleft stamens.) Monœ. Pent.
coccínea DC. (*sc*) scarlet-flowered Carolina 1806. 6. 7. G ♄ ◡ Bot. mag. 1413.

SPHÆROSTE'MMA. DS. SPHÆROSTE'MMA. (σφαιρα, a sphere, and στεμμα, a crown ;) Pol. Pol.
1 propínquum DS. (*ye*) allied Nepaul. .... 6. 7. S ♄ ◡ Bot. reg. 1688.
Kadsùra propinqua Wall.

ORDER VII.

BERBERI'DEÆ. *DC. syst. nat. v. 2. p.* 1.

BE'RBERIS. W. BARBERRY. (Arabic name of the fruit.) Hexandria Monogynia.
Sect. 1. VERÆ; *leaves purple.*

1 vulgàris DC.	(*ye*) common	England	....	4. 5.	H	♄	Eng. bot. 49.
α *rùbra*	(*ye*) *red-fruited*	———	....	——	H	♄	
β *lùtea* DC.	(*ye*) *yellow-fruited*	.....	....	——	H	♄	
γ *violàcea* DC.	(*ye*) *violet-fruited*	.....	....	——	H	♄	
δ *purpùrea* DC.	(*ye*) *purple-fruited*	.....	....	——	H	♄	
ε *nigra* DC.	(*ye*) *black-fruited*	Levant	....	——	H	♄	
ζ *álba* DC.	(*ye*) *white-fruited*	.....	....	——	H	♄	
θ *aspérma* DC.	(*ye*) *stoneless*	.....	....	——	H	♄	
2 ibérica	(*ye*) Iberian	Iberia	1790.	——	H	♄	
vulgàris β *ibérica* DC.							
3 emarginàta DC.	(*ye*) emarginate	Siberia	1820.	——	H	♄	
4 canadénsis DC.	(*ye*) Canadian	Canada	1759.	4. 6.	H	♄	
5 sinénsis DC.	(*ye*) China	China	1800.	——	H	♄	Wats. dend. brit. t. 26.
6 carolinìana N.	(*ye*) Carolina	Carolina	1828.	5. 7.	H	♄	
7 aristàta DC.	(*ye*) awned	Nepaul	1820.	6. 8.	H	♄	Bot. mag. 2549.
Chítria. Bot. reg. 729.							
8 crética 43.	(*ye*) Cretan	Crete	1759.	5. 6.	H	♄	Flor. græc. t. 342.
9 cratægina DC.	(*ye*) Hawthorn-like	Levant	1829.	....	H	♄	
10 ilicifòlia DC.	(*ye*) Holly-leaved	Ter.delFue.	1791.	7. 8.	H	♄	
11 asiática DC.	(*ye*) Asiatic	Nepaul	1820.	6. 8.	H	♄	Deles. ic. sel. 2. t. 1.
12 Wallichiàna DC.	(*ye*) Wallich's	———	——	6. 7.	H	♄	
13 buxifòlia DC.	(*ye*) Box-leaved	Magellan	1830.	....	H	♄	Bot. reg. t. 1426.
dúlcis Swt. fl. gar. ser. 2. t. 100.							
14 empetrifòlia DC.	(*ye*) Empetrum-ld.	———	1829.	4. 5.	H	♄	Swt. fl. gar. ser. 2. t. 350.
15 heterophy'lla DC.	(*ye*) various-leaved	———	....	5. 6.	H	♄	Hook. exot. fl. t. 14.
16 dealbàta BR.	(*ye*) whitened	Mexico	....	....	H	♄	Bot. reg. 1750.
17 sibírica DC.	(*ye*) Siberian	Siberia	1790.	6. 7.	H	♄	Bot. reg. 487.
18 inérmis DC.	(*ye*) spineless	Magellan	1827.	....	G	♄	
Sect. 2. MAHO'NIA. (*Leaves pinnate.*)							
19 pinnàta BR.	(*ye*) pinnate-leaved	America	1820.	3. 5.	G	♄	Bot. reg. 702.
Mahònia fasciculàris. DC.							
20 rèpens BR.	(*ye*) creeping-rooted	N. America	1822.	4. 6.	H	♄	Bot. reg. 1176.
21 nervòsa P.	(*ye*) nerved-leaved	———	1826.	....	H	♄	Swt. br. fl. gar. s. 2. t. 171
Mahònia glumàcea.							
22 tenuifòlia BR.	(*ye*) fine-leaved	Mexico	1835.	4.	F	♄	
23 diversifòlia Swt.	(*ye*) different-leaved	M. Video	....	3. 4.	H	♄	Swt. br. fl. gar. s. 2. t. 94.
NANDI'NA. DC. NANDI'NA. (Nandin is the Japanese name of the shrub.) Hexand. Monogyn.							
doméstica DC.	(*wh*) garden	China	1804.	6. 7.	G	♄	Bot. mag. 1109.
A'CHLYS. DC. A'CHLYS. (dimness; plant obscure.) Polyandria Monogynia.							
triphy'lla DC.	(*wh*) three-leaved	N. America	1827.	4. 6.	H	♃	Hook. fl. b. am. t. 12.
LEO'NTICE. DC. LEO'NTICE. (abridged from Leontopetalum.) Hexandria Monogynia.							
1 Leontopétalum DC.	(*y*) Lion's leaf	Levant	1597.	4. 5.	H	♃	Lam. ill. t. 254. f. 1.
2 vesicària DC.	(*ye*) bladder-capsul'd	Siberia	1822.	——	H	♃	Pal. a. p; 1779. 2. t. 9. f. 4.
3 altàica DC.	(*ye*) Altay	———	——	——	H	♃	Bot. mag. t. 3245.
4 thalictroìdes DC.	(*gr*) Columbine-ld.	N. America	1755.	5.	H	♃	Lod. bot. cab. t. 1473.
Caulophy'llum thalictroìdes. Mich. Amer. 1. t. 21.							
BONGA'RDIA Meyer. BONGA'RDIA. (J. B. Bongard, Germ. bot.) Hexandria Monogynia.							
1 Rauwólfii Meyer	(*ye*) Rauwolf's	Levant	1740.	3. 6.	H	♃	Barrel. icon. 1113.
Leóntice Chrysógonum DC.							
EPIMEDIUM. DC. BARRENWORT. (επι, upon, and Media; habitat.) Tetrandria Monogyn.							
1 alpinum DC.	(*pu*) Alpine	England	....	4. 5.	H	♃	Eng. bot. 438.
2 diphy'llum BM.	(*pu*) two-leaved	N. America	1812.	5. 6.	H	♃	Bot. mag. 3448.
3 macránthum M&D.	(*wh*) large-flowered	Japan	1834.	4. 5.	H	♃	Bot. reg. t. 1906.

4 hexándrum HA.	(li) hexandrous	N. America	1827.	4. 5.	H ♃		Hook. fl. b. amer. t. 1 &c.
5 violàceum M & D.	(vi) violaceous	Japan	....	....	H ♃		
6 Musschiànum M&D.	Mussch's	———	....	....	H ♃		

DIPHYLLE'IA. DC. (δις, two, and φυλλον, a leaf; two-leaved stems.) Hexandria Monogynia.

cymòsa DC.	(wh) blue-berried	N. America	1812.	5. 6.	H ♃		Bot. mag. 1666.

ORDER VIII.

PODOPHY'LLEÆ. *DC. syst. nat.* 2. *p.* 31.

Tribe I. *PODOPHY'LLEÆ.* DC.

PODOPHY'LLUM. DC. Duck's-foot. (πους, a foot, and φυλλον, a leaf; resem.) Polyand. Monog.

peltàtum DC.	(wh) May-apple	N. America	1664.	5.	H ♃		Bot. mag. 1819.

JEFFERSO'NIA. DC. Jefferso'nia. (dedicated to Jefferson, Pres. Uni. Sta.) Octand. Monogyn.

diphy'lla DC.	(wh) two-leaved	N. America	1792.	5.	H ♃		Bot. mag. 1513.

Podophy'llum diphy'llum W.

Tribe II. *HYDROPELTI'DEÆ.* DC.

CABO'MBA. DC. Cabo'mba. (native name of plant.) Hexandria Digynia.

aquática DC.	(ye) water	Carolina	1823.	5. 7.	Sw ♃		Aubl. gui. 1. t. 124.

Néctris peltàta Ph.

HYDROPE'LTIS. DC. Hydrope'ltis. (υδωρ, water, and πελτη, a buckler; lvs.) Polyand. Polyg.

purpùrea DC.	(pu) purple	N. America	1798.	7. 8.	Fw ♃		Bot. mag. 1147.

Brasènia peltàta Ph.

ORDER IX.

NYMPHÆA'CEÆ. *DC. syst. nat.* 2. *p.* 34.

Tribe I. *NELUMBO'NEÆ.* DC.

NELU'MBIUM. DC. Sacred-bean. (Nelumbo, name in Ceylon.) Polyandria Polygynia.

1 speciòsum DC.	(bh) Indian	India	1787.	6. 8.	Sw ♃		Bot. mag. 903.

Cyámus Nelúmbo Sm. Exot. bot. 1. t. 31. 32.

2 Támara	(ro) Rheede's	———	....	——	Sw ♃		Rheed. mal. XI. t. 30.
3 cáspicum F.	(ro) Fischer's	Volga	1821.	....	Sw ♃		
4 lùteum DC.	(ye) yellow	N. America	1810.	....	Fw ♃		Poit. a. m. 13. t. 29. f. 42.
5 jamaicénse DC.	(re) Jamaica	W. Indies	1823.	....	Sw ♃		

Tribe II. *NYMPHÆ'EÆ.*

EURY'ALE. DC. Eury'ale, (one of the Gorgons; thorny habit.) Polyandria Monogynia.

férox DC.	(re) prickly	India	1809.	7. 9.	Sw ♃		Bot. mag. 1447.

Anneslèa spinòsa. And. bot. rep. 618.

NYMPHÆ'A. DC. WATER-LILY. (νυμφη, a water nymph; habitat.) Polyandria Monogynia.

Sect. 1. CYANÆ'A; *anthers drawn out at tops; flowers blue; leaves peltate, entire, or sinuated.*

1 scutifòlia DC.	(*bl*) Cape blue	C. B. S.	1792. 6. 9.	S*w* ♃	Bot. mag. 552.
cærùlea Bot. rep. 197.					
2 cœrùlea DC.	(*bl*) Egyptian blue	Egypt	1812. ——	S*w* ♃	Vent. malm. t. 6.
stellàta. var. Bot. mag. 2058.					
3 cyànea HB.	(*bl*) Indian blue	E. Indies	1809. ——	S*w* ♃	
Cahlàra. Donn. cant. ed. 7.					
4 stellàta DC.	(*bl*) star-flowered	———	1803. ——	S*w* ♃	Andr. rep. 330.

Sect. 2. LO'TOS; *anth. not drawn out at tops; flow. white and red; lvs. peltate, usually toothed.*

5 edùlis DC.	(*wh*) eatable	———	.... ——	S*w* ♃	
esculénta HB.					
6 rùbra DC.	(*re*) red-flowered	———	1803. 7. 8.	S*w* ♃	Bot. mag. 1280.
7 ròsea	(*ro*) rose-coloured	———	—— ——	S*w* ♃	——— 1364.
rùbra β ròsea DC.					
8 pubéscens DC.	(*wh*) Indian Lotus	———	—— 5. 8.	S*w* ♃	Rheed. h. mal. XI. t. 26.
9 Lòtus DC.	(*wh*) Egyptian	Egypt	1802. 6. 9.	S*w* ♃	Del. fl. egyp. ill. t. 60. f. 1.
10 thermàlis DC.	(*wh*) Hungarian	Hungary	—— ——	S*w* ♃	Bot. mag. 797.
Lòtus. And. bot. rep. 391.					
11 ámpla DC.	(*wh*) West Indian	W. Indies	.... 6. 9	S*w* ♃	Plum. mss. 123. t. 4.
12 versícolor DC.	(*wh*) changeable	E. Indies	1807. ——	S*w* ♃	Bot. mag. 1189.

Sect. 3. CASTA'LIA; *anth. not drawn out at tops; flow. white; leaves cordate, glabrous, quite entire.*

13 renifórmis DC.	(*wh*) kidney-leaved	Carolina	1823. 7.	G*w* ♃	Deles. ic. sel. 2. t. 5.
14 álba DC.	(*wh*) white	Britain	.... 6. 7.	H*w* ♃	Eng. bot. 160.
15 odoràta DC.	(*wh*) sweet-scented	Georgia	1786. 7.	H*w* ♃	Bot. mag. 819.
β máxima N.	(*wh*) *largest*	———	1828. 7. 8.	H*w* ♃	
16 mìnor DC.	(*wh*) smaller	———	1812. ——	H*w* ♃	——— 1652.
odoràta β mìnor BM.					
17 nítida DC.	(*wh*) cup-flowered	Siberia	1809. 7. 8.	H*w* ♃	Bot. mag. 1359.
18 pygmæ'a DC.	(*wh*) pigmy	China	1805. 5. 9.	H*w* ♃	——— 1525.
Castàlia pygmæ'a. Sal. par. long. 68.					
19 blánda DC.	(*wh*) handsome	W. Indies	1827.	S*w* ♃	
20 sanguínea H.	(*re*) bloody	Georgia	1828. 7. 8.	H*w* ♃	

NU'PHAR. DC. NU'PHAR. (*naufar* is the Arabic name of Nymphæa.) Polyandria Monogynia.

1 lùtea DC.	(*ye*) common	Britain	.... 6. 7.	H*w* ♃	Eng. bot. 159.
Nymphæ'a lùtea W.					
2 pùmila DC.	(*ye*) small-yellow	Scotland	.... ——	H*w* ♃	——— 2292.
mínima EB.					
3 Kalmiàna DC.	(*ye*) Canadian	N. America	1807. 7. 8.	H*w* ♃	Bot. mag. 1243.
4 ádvena DC.	(*ye*) striped-flowered	———	1772. ——	H*w* ♃	Bot. mag. 684.
Nymphæ'a ádvena W.					
β lùtea N.	(*ye*) yellow-flowered				
5 sagittæfòlia DC.	(*ye*) arrow-leaved	Georgia	1820. 7. 8.	H*w* ♃	

ORDER X.

SARRACENIE'Æ. *DS.* 1. *p.* 127.

SARRACE'NIA. W. SIDE-SADDLE-FLOWER. (Dr. Sarrazin, a French phys.) Polyand. Monog.

1 purpùrea W.	(*pu*) purple	N. America	1640. 6. 7.	H ♃	Bot. mag. 849.
2 rùbra W.	(*re*) red-flowered	———	1786. ——	H ♃	——— t. 3515.
psittácina M?					
3 variolàris W.	(*st*) hook-leaved	———	1803. ——	H ♃	——— 1710.
adúnca Ex. bot t. 53. *mìnor* W.					
4 flàva W.	(*ye*) yellow	———	1752. ——	H ♃	——— 780.
5 mìnor N.	(*pu*) small	Carolina	1829. ——	H ♃	Swt. br. fl. gar. s. 2. t. 138.
6 Drummóndi Hook.	Drummond's	N. America	1829. ——	H ♃	

ORDER XI.

PAPAVERA'CEÆ. *DC. syst. nat.* 2. *p.* 67.

PAPA'VER. DC. Poppy. (*papa*, pap; used in children's food.) Polyandria Monogynia.

Sect. 1. *Capsule hispid; scapes radical.*

1	nudicaúle DC.	(*ye*)	naked-stalked	Siberia	1730.	6. 8.	H	♃	Bot. mag. 1633.
	β *glabràtum* DC.	(*ye*)	*smooth-stalked*	———	....	——	H	♃	
	γ *radicàtum* DC.	(*ye*)	*small hairy*	Norway	....	——	H	♃	Fl. dan. t. 41.
2	cròceum BM.	(*sn*)	saffron-coloured	Altay	1830.	6. 8.	H	♃	Bot. mag. t. 3035.
	alpìnum Siev.								
3	rùbro-aurantìacum F.		red orange	Dahuria	1822.	——	H	♃	Bot. mag. t. 2344.
4	microcárpum DC.	(*br*)	small-capsuled	Kamtschatka	——	——	H	♃	
5	pyrenàicum DC.	(*ye*)	Pyrenean	Pyrenees	....	——	H	♃	Seg. ver. 1. t. 4. f. 4.
	aurantìacum Lois.								
	α *lùteum* DC.	(*ye*)	*yellow-flowered*	———	....	——	H	♃	Barr. ic. t. 764.
	β *puníceum* DC.	(*re*)	*red-flowered*	———	....	——	H	♃	
6	alpìnum DC.	(*wh*)	Alpine	Austria	1759.	——	H	♃	Swt. br. fl. gar. 247.
	Bursèri Crantz.								

Sect. 2. *Capsule hispid; stems leafy.*

7	hy'bridum DC.	(*re*)	mongrel	England	....	6. 7.	H	⊙	Eng. bot. 43.
8	Argemòne DC.	(*re*)	rough	Britain	....	——	H	⊙	——— 643.
	β *marítimum* With.		*one-flowered*	———	....	——	H	⊙	

Sect. 3. *Capsules smooth or only a little hairy at tops.*

9	dùbium DC.	(*re*)	smooth	Britain	....	——	H	⊙	Eng. bot. 644.
10	obtusifloìrum DC.	(*re*)	blunt-flowered	Africa	1828.	6.	H	⊙	
11	Rhœ'as DC.	(*re*)	common-corn	Britain	....	——	H	⊙	Eng. bot. 645.
	α *maculàtum*	(*re*)	*spot-petaled*	———	....	——	H	⊙	Curt. lond. t. 32.
	β *coccíneum*	(*sc*)	*scarlet-flowered*	———	....	——	H	⊙	Tab. ic. f. 1.
	γ *cárneum*	(*fl*)	*flesh-coloured*	———	....	——	H	⊙	Barr. obs. ic. t. 763.
	δ *álbum*	(*wh*)	*white-flowered*	———	....	——	H	⊙	Wein. phyt. t. 788. f. d.
	ε *álbo-marginàtum*		*white-edged*	———	....	——	H	⊙	——— t. 790. f. a.
	ζ *coccíneo-marginàtum*		*scarlet-edged*	———	....	——	H	⊙	——— t. 790. f. b.
12	commutàtum FM.	(*sc*)	changed	Siberia	1838.	——	H	⊙	
	Rhœ'as Meyer								
13	lævigàtum DC.	(*re*)	slender	Caucasus	1823.	6. 7.	H	⊙	
14	arenàrium DC.	(*re*)	sand	Siberia	1825.	6. 8.	H	⊙	
15	Roubiæ'i DC.	(*re*)	Roubieu's	Montpelier	1823.	——	H	⊙	Vig. diss. 39. n. 4. t. 1. f. 1.
16	pérsicum BR.		Persian	Persia	1834.	6. 7.	H	⊙	Bot. reg. 1570.
17	floribúndum DC.	(*re*)	many-flowered	Levant	1815.	——	H	♂	Bot. reg. 134.
18	hórridum DC.	(*co*)	prickly-stalked	N. S. W.	1825.	6. 8.	H	⊙	Swt. br. fl. gar. 173.
19	gariepìnum DS.	(*wh*)	Gariep	C. B. S.	1835.	5. 7.	H	⊙	Bot. mag. t. 3623.
20	orientàle DC.	(*re*)	oriental	Levant	1714.	5. 6.	H	♃	Bot. mag. 57.
21	bracteàtum DC.	(*re*)	bracted	Caucasus	1821.	5. 8.	H	♃	Lind. coll. t. 23.
22	setígerum DC.	(*wh*)	bristle-pointed	Italy	1824.	——	H	⊙	Swt. br. fl. gar. 172.
23	somníferum DC.	(*va*)	garden	England	....	7. 8.	H	⊙	Lam. ill. t. 451.
	* *nìgrum* DC.	(*va*)	*black-seeded*	.....	....	——	H	⊙	Lob. ic. t. 274. f. 1.
	β *flòre-plèno*	(*re*)	*double-red*	.....	....	——	H	⊙	Swert. flor. 2. t. 22. f. 1.
	γ *fimbriàtum*	(*va*)	*fringed-flower'd.*	.....	....	——	H	⊙	Wein. phyt. t. 795. f. c.
	** *álbum* DC.	(*wh*)	*white-seeded*	England	....	——	H	⊙	Eng. bot. 2145.
	β *flòre-plèno*	(*wh*)	*double-white*	———	....	——	H	⊙	Swert. flor. 2. t. 22. f. 2.
	γ *variegàtum*	(*v*)	*variegated*	———	....	——	H	⊙	
24	caucásicum DC.	(*re*)	Caucasean	Caucasus	1813.	6. 7.	H	⊙	Bot. mag. 1675.
25	armenìacum DC.	(*re*)	Armenian	Armenia	1815.	——	H	⊙	
26	fùgax DC.	(*cr*)	fugacious	Persia	1827.	6. 7.	H	⊙	
	Argemòne armeniaca W								

ARGEMO'NE. DC. Argemo'ne. (αργεμωνη, the name of a plant.) Polyandria Monogynia.

1	mexicàna DC.	(*ye*)	Mexican	Mexico	1592.	7. 8.	H	⊙	Bot. mag. 243.
2	ochroleùca BFG.	(*st*)	straw-coloured	———	1827.	7. 10.	H	⊙	Swt. br. fl. gar. 242.
3	intermèdia	(*wh*)	intermediate	———	1828.	7. 10.	H	♃	
4	albifloìra BM.	(*wh*)	white-flowered	Louisiana	1820.	——	H	♃	Bot. mag. 2342.
5	grandifloìra BFG.	(*w*)	large-flowered	Mexico	1827.	7. 10.	H	♃	Swt. br. fl. gar. 226.

MECONO'PSIS. DC. Mecono'psis. (μηκων, a poppy; and οψις, resemblance.) Polyand. Monog.

1	cámbrica DC.	(*st*)	Welsh	Wales	....	5. 8.	H	♃	Eng. bot. 66.
	Papàver cámbricum W.								

2 heterophy'lla Bth. (*or*) variable-lvd. California 1833. 5. 8. H ♃ Hort. trans. 1. 408.
3 crassifòlia Bth. (*or.ye*) thick-leaved ——— —— —— H ♃ ——— 1. 408.

SANGUINA'RIA. DC. PUCCOON. (sanguis, blood; red juice.) Polyandria Monogynia.
1 canadénsis DC. (*wh*) Bloodwort N. America 1680. 3. 4. H ♃ Bot. mag. 162.
β *grandiflòra* Ros. (*wh*) *large-flowered* ——— 1812. 3. 5. H ♃ Rosc. flor. ill. t. 8.

MACLEA'YA. B. MACLEA'YA. (A. Macleay, F.R.S., Entomologist.) Polyandria Monogynia.
cordàta B. (*bh*) heart-leaved China 1795. 5. 8. H ♃ Bot. mag. 1905.
Bocconia cordàta DC

BOCCO'NIA. DC. BOCCO'NIA. (C. Bocconi, M.D., Italian bot.) Dodecandria Monogynia.
1 frutéscens DC. (*gr*) Tree Celandine W. Indies 1739. 1. 4. S ♄ Lodd. bot. cab. t. 83.
2 integrifòlia DC. (*gr*) entire-leaved Peru 1822. .... S ♄ H. et B. nov. pl. 1. t. 35.

ESCHSCHO'LTZIA. DC. ESCHSCHO'LTZIA. (F. Eschscholtz, M.D., celeb. nat.) Poly. Mon.
1 califórnica DC. (*ye*) Menzies's California 1826. 7. 10. H ♃ Swt. br. fl. gar. 265.
2 cròcea Benth. (*or*) copper colour ——— 1833. —— H ♃ Swt. br. fl. gar. s. 2. t. 299.
3 compácta BR. (*ye*) compact ——— 1833. —— H ♃ Bot. reg. 1948.
Chry'seis compácta BR.

HUNNEMA'NNIA. B.F.G. HUNNEMA'NNIA. (J. Hunnemann, a zealous bot.) Poly. Mon.
fumariæfòlia BFG. (*y*) Fumitory-leaved Mexico 1827. 7. 10. H ♄? Swt. br. fl. gar. 276.

RŒME'RIA. DC. RŒME'RIA. (J. Rœmer, M.D., bot. author.) Polyandria Monogynia.
1 hy'brida DC. (*re*) violet-flowered England .... 5. 7. H ⊙ Eng. bot. 201.
Glaucium violàceum HK.
2 refrácta DC. (*re*) pendulous-fruit Tauria 1823. —— H ⊙ Deles. ic. sel. 2. t. 8.
3 vermiculàta Lehm. (*re*) red-flowered Persia 1829. 6. 9. H ♂

GLAU'CIUM. DC. HORN-POPPY. (γλαυκος, sea-green; colour and habitat.) Polyand. Monog.
1 flàvum DC. (*ye*) yellow Britain .... 6. 10. H ♂ Eng. bot. t. 8.
luteum HK. *Chelidònium glaucium* L.
2 fúlvum DC. (*or*) orange S. Europe 1802. 8. 9. H ♃ Swt. br. fl. gar. 35.
3 trícolor. SS. (*v*) three-coloured Poland 1828. 6. 9. H ⊙
4 corniculàtum DC. (*re*) various-coloured Europe .... 6. 7. H ⊙
α *phœniceum* DC. (*re*) *red-flowered* England .... —— H ⊙ Eng. bot. 1433.
β *flaviflòrum* DC (*ye*) *yellow-flowered* Tauria 1823. —— H ⊙
5 rùbrum DC. (*re*) red-flowered Levant 1829. 6. 9. H ♂ Flor. græc. t. 488.
6 arábicum Fres. (*re*) Arabian Arabia 1837. —— H ⊙
7 pérsicum DC. (*re.ve*) red and velvet Persia —— —— H ⊙

CHELIDO'NIUM. DC. CELANDINE. (χελιδων, a swallow; flower. at arrival.) Polyand. Monogy.
1 màjus DC. (*ye*) common Britain .... 4. 10. H ♃ Eng. bot. 1581.
2 grandiflòrum DC. (*ye*) large-flowered Dahuria 1823. —— H ♃
3 laciniàtum DC. (*ye*) jagged S. Europe .... —— H ♃ Mill. ic. 1. t. 92. f. 2.

HYPE'COUM. DC. HYPE'COUM. (ὑπηχεω, to rattle; noise of seed in pods.) Tetrand. Digyn.
1 procúmbens DC. (*ye*) procumbent S. Europe 1596. 6. 7. H ⊙ Swt. br. fl. gar. 3. t. 217.
2 péndulum DC. (*ye*) pendulous S. France 1640. —— H ⊙ Mill. ic. t. 250. f. 1
3 eréctum DC. (*ye*) erect Siberia 1759. 5. 6. H ♂ Amm. ruth. 58. t. 9.
4 imbérbe DC. (*ye*) beardless Cyprus 1833. 5. 6. H ⊙ Flor. græc. t. 156.

PLATYSTE'MON. H. T. PLATYSTE'MON. (πλατυς, broad; and στημον, a stamen.) Poly. Mon.
1 leiocárpum FM. (*ye*) smooth-fruited California 1838. 6. 7. H ⊙ Fl. cab. t. 116.
2 califórnicum Benth. (*ye*) Californian ——— 1834. —— H ⊙ Swt. br. fl. gar. s. 2. t. 394.

PLATYSTI'GMA. Benth. PLATYSTI'GMA. (πλατυς, broad; and στιγμα, a stigma.) Poly. Pol.
lineàre Benth. (*ye*) linear-leaved California 1833. 6. 7. H ⊙ Bot. reg. t. 1954.

ORDER XII.

FUMARIA'CEÆ. *DC. syst. nat.* 2. *p.* 105.

DIELY'TRA. DC. DIELY'TRA. (δις, two; ελυτρον, a sheath; spurs of flower.) Diadel. Hex. L.
1 cucullària DC. (*wh*) naked-stalked N. America 1731. 6. 7. H ♃ Bot. mag. 1127.
Fumaria cucullaria BM.
β *divaricàta* DC. (*wh*) *spreading-spur'd* N. America —— —— H ♃
2 bracteòsa DC. (*wh*) leafy-bracted ——— 1823. —— H ♃
3 formòsa DC. (*re*) blush ——— 1796. —— H ♃ Bot. mag. 1335.
4 exímia DC. (*re*) choice ——— 1812. —— H ♃ Bot. reg. 51.
Fumaria eximia BR.
5 spectábilis DC. (*ye*) remarkable Siberia 1816. 5. 7. H ♃
6 tenuifòlia DC. (*bh*) slender-leav'd Kamtschat. 1824. 5. 7. H ♃ Deles. ic. sel. 2. t. 9. f. B.
7 canadénsis DC. (*pu*) Canadian Canada 1823. —— H ♃
8 scándens DP. (*ye.pu*) climbing Nepaul 1830. 8. 10. H ⊙ ◡

9 lachenaliæflòra DC. (*p*) Lachenalia-fld. Siberia 1824. .... H ♃ Rudol. m. sc. pet. 1. t. 19.

DACTYLICA'PNOS. Wal. DACTYLICA'PNOS. (δακτυλος, a finger; καπνος, fum.) Diad. Hex.

thalictrifòlia Wal. (*ye.br*) Meadow-rue-lvd. Nepaul. 1831. 8. 10. S ♃ ◡ Swt. br. fl. gar. s. 2. t. 127.

ADLU'MIA. DC. ADLU'MIA. (Major Adlum, an Amer. writer on vines.) Diadelph. Hexand.

cirrhòsa DC. (*bh*) tendrilled N. America 1778. 6. 9. H ♂ Vent. choix. t. 19.

Fumària fungòsa W.

CYSTICA'PNOS. DC. CYSTICA'PNOS. (κυστις, a bladder; καπνος, fum.; pods.) Diadelph. Hexand.

1 africàna DC. (*bh*) African C. B. S. 1696. 6. 8. H ⊙ Wein. phyt. t. 521. f. c.

Fumària vesicària W.

2 alexandrìna L. K. (*wh*) Alexandrian Egypt 1827. 5. 8. H ⊙

CORYDA'LIS. DC. CORYDA'LIS. (κορυδαλις, Greek name for fumitory.) Diadelph. Hexand.

Sect. 1. CAPNI'TIS. *Roots fibrous; stems simple, bearing a few alternate leaves.*

1 pauciflòra DC. (*pu*) few-flowered Siberia 1823. .... H ♃

2 Marschalliàna DC. (*st*) Marschall's Tauria —— 4. 5. H ♃

3 longiflòra PS. (*ro*) long-flowered Altai 1832. 12. 1. H ♃ Bot. mag. t. 3230.

4 tuberòsa DC. (*pu*) hollow-rooted Europe 1596. 2. 4. H ♃ Bot. mag. 232.

β albiflòra (*wh*) *white-flowered* ——— —— —— H ♃ ——— 2340.

Fumària càva. albiflòra BM.

5 fabàcea DC. (*pu*) Bean-leaved Germany 1815. —— H ♃ Horn. fl. dan. t. 1394.

6 caucásica DC. (*pu*) Caucasean Caucasus 1823. —— H ♃

7 bulbòsa DC. (*pu*) solid-rooted Britain .... —— H ♃ Eng. bot. 1471.

Fumària sólida EB. *Coryda'lis Hallèri.* W. en.

8 bicalcaràta Haw. (*pk*) two-spurred .... 2. 5. H ♃

9 angustifòlia DC. (*pu*) narrow-leaved Iberia 1823. —— H ♃

10 bracteàta DC. (*st*) large-bracted Siberia 1822. —— H ♃ Bot. mag. t. 3242.

11 nóbilis DC. (*st*) great-flowered ——— 1783. 5. H ♃ Bot. reg. 395.

12 pæoniæfòlia DC. (*pu*) Pæony-leaved Siberia 1823. —— H ♃ Gmel. sib. 4. t. 34.

Sect. 2. CAPNOI'DES. *Roots fibrous; stems branched, bearing many alternate leaves.*

13 glaúca DC. (*bh*) glaucous N. America 1683. 7. 8. H ⊙ Bot. mag. 179.

Fumària sempervìrens W.

14 strícta DC. (*pu*) upright Siberia 1825. 5. 7. H ♃

15 sibírica DC. (*ye*) Siberian ——— —— —— H ♃ Amm. ruth. n. 173. t. 20.

16 impàtiens DC. (*ye*) impatient Dahuria 1823. —— H ⊙

17 aúrea DC. (*ye*) golden N. America 1812. 5. 7. H ♂ Bot. reg. 66.

Fumària aúrea BR.

18 lùtea PS. (*ye*) yellow England .... 4. 10. H ♃ Eng. bot. 588.

19 Geblèri Led. (*ye*) Altay Altay 1827. 5. 6. H ♂ Led. ill. t. 49.

20 capnoides PS. (*wh*) white-flowered S. Europe 1596. 5. 10. H ♂ Pluk. alm. t. 90. f. 2.

21 acaúlis DC. (*st*) stalkless Germany 1825. 7. 9. H ⊙ Jacq. ic. 3. t. 554.

22 uralénsis DC. (*ye*) Fischer's Siberia 1823. .... H ♃

23 breviflòra DC. (*ye*) short-flowered Kamtschat. —— 5. 10. H ⊙

24 claviculàta DC. (*wh*) climbing Britain .... —— H ⊙ Eng. bot. 103.

SARCOCA'PNOS. DC. SARCOCA'PNOS. (σαρκος, of flesh; and καπνος, fum. leaves.) Diad. Hex.

enneaphy'lla DC. (*bh*) nine-leaved Spain 1714. 5. 7. H ♃ Barr. ic. t. 42.

Fumària enneaphy'lla. W.

FUMA'RIA. DC. FUMITORY. (*Fumus*, smoke; smell.) Diadelphia Hexandria.

Sect. 1. PLATYCA'PNOS; *pods compressed.*

spicàta DC. (*re*) narrow-leaved S. Europe 1714. 4. 6. H ⊙ Lob. ic. t. 757. f. 2.

Sect. 2. SPHÆROCA'PNOS; *pods globose.*

1 capreolàta DC. (*wh*) climbing Europe .... 5. 9. H ⊙ DC. ic. rar. 1. t. 34.

β? Burchéllii DC. (*wh*) *Burchell's* C. B. S. 1812. —— H ⊙

2 mèdia DC. (*pu*) intermediate Britain .... —— H ⊙ Eng. bot. 943.

capreolàta EB.

3 prehénsibilis K. (*pu*) short-leaved Hungary 1821. 6 9. H ⊙

4 alexandrìna E. .... Egyptian Egypt 1826. —— H ⊙

5 officinàlis DC. (*re*) common ——— .... —— H ⊙ Eng. bot. 589.

β grandiflòra DC. (*re*) *large-flowered.* C. B. S. 1818. —— H ⊙

6 micrántha DC. (*wh*) small-blossom'd Spain 1824. 4. 8. H ⊙

7 parviflòra DC. (*wh*) small-flowered England .... 8. 9. H ⊙ Eng. bot. 590.

8 Vaillántii DC. (*pu*) Vaillant's France .... 5. 6. H ⊙ Vail. bot. par. t. 10. f. 6.

9 densiflòra DC. (*pu*) close-flowered Montpelier 1823. —— H ⊙

β álbida DC. (*wh*) *white-flowered* ——— —— —— H ⊙

10 leucántha Viv. (*wh*) white-flowered Corsica 1836. 8. 10. H ⊙

ORDER XIII.

CRUCI'FERÆ. *DC. syst. nat.* 2. *p.* 139.

SUBORDO I. PLEUROR HI'ZEÆ. DC.

Tribe I. *ARABI'DEÆ* seu Pleurorhìzeæ Siliquòsæ. DC.

MATHI'OLA. DC. STOCK. (P. A. Mathioli, author of Comm. on Dioscoridis.) Tetradyn. Siliq.

Sect. 1. PACHYNO'TUM. *Petals obovate; stigmas thick, not horned on the back.*

1 simplicicaúlis	(*sc*)	Brompton	.....	....	5. 8.	H	♂	
α *coccínea*	(*sc*)	*scarlet*	.....	....	——	H	♂	Besl. eyst. 2. t. 3. f. 3.
β *álba*	(*wh*)	*white*	.....	....	——	H	♂	——— 2. t. 3. f. 2.
2 incàna DC.	(*vd*)	queen	England	....	5. 11.	H	♄	Eng. bot. 1935.
α *coccínea*	(*sc*)	*scarlet*	———	....	——	H	♄	
β *purpùrea*	(*pu*)	*purple*	———	....	——	H	♄	Wein. phyt. t. 642. f. 9.
γ *álba*	(*wh*)	*white*	———	....	——	H	♄	Besl. eyst. 2. t. 3. f. 1.
δ *multipléx*	(*va*)	*double-flowered*	———	....	——	H	♄	——— 2. t. 3. f. 1.
3 ánnua DC.	(*va*)	ten-week	S. Europe	1731.	5. 11.	H	☉	
α *coccínea*	(*sc*)	*scarlet*	———	——	——	H	☉	
β *purpùrea*	(*pu*)	*purple*	———	——	——	H	☉	J. Bauh. hist. 2. f. 1.
δ *rùbra*	(*re*)	*red*	———	——	——	H	☉	
ε *rùsea*	(*ro*)	*rose-coloured*	———	——	——	H	☉	
ζ *cárnea*	(*fl*)	*flesh-coloured*	———	——	——	H	☉	
η *fuscàta*	(*br*)	*brown*	———	——	——	H	☉	
θ *fúlva*	(*br*)	*tawny*	———	——	——	H	☉	
ι *lilácina*	(*li*)	*lilac*	———	——	——	H	☉	
κ *álba*	(*wh*)	*white*	———	——	——	H	☉	Dalech. lug. 802. f. 1.
λ *variegàta*	(*v*)	*variegated*	———	——	——	H	☉	
μ *flòre plèno*	(*va*)	*double-flowered*	———	——	——	H	☉	
4 glabràta DC.	(*va*)	Wall-flower-ld.	.....	....	——	H	♄	Wein. phyt. t. 642. f. 2.
α *álba*	(*wh*)	*white-flowered*	.....	....	——	H	♄	Moris. ox. s. 3. t. 8. f. 2.
β *purpùrea*	(*pu*)	*purple*	.....	....	——	H	♄	
γ *coccínea*	(*sc*)	*scarlet*	.....	....	——	H	♄	
δ *flòre plèno*	(*va*)	*double-flowered*	.....	....	——	H	♄	
5 græ'ca DC.	(*wh*)	smooth-leaved	Greece	....	——	H	☉	
6 fenestràlis DC.	(*re*)	window	Crete	1759.	7. 8.	F	♄	Jacq. vind. 2. t. 179.
7 sinuàta DC.	(*pu*)	great sea	England	....	5. 8.	H	♂	Eng. bot. 462.
8 acaúlis DC.	(*pu*)	stalkless	Egypt	1823.	——	H	☉	

Sect. 2. LUPE'RIA. *Petals oblong, from dirty yellow to livid purple, sweet-scented only in the evenings, stigmas thick on their backs, not horned.*

9 torulòsa DC.	(*pu*)	twisted-podded	C. B. S.	1816.	——	G	♄	
10 tenélla DC.	(*br*)	slender	Cyprus	....	5. 6.	H	☉	
11 tatárica DC.	(*br*)	Tartarian	Tartary	1826.	——	H	♃	Pall. it. 1. app. 117. t. O.
12 odoratíssima DC.	(*br*)	sweet-scented	Tauria	1797.	6. 7.	G	♄	Bot. mag. 1711.
β *tanaicénsis* DC.	(*br*)	*fragrant*	Tanaim	1822.	——	G	♄	
13 vària DC.	(*br*)	entire-leaved	Greece	....	5. 7.	G	♄	Fl. græc. t. 636.
14 tristis DC.	(*br*)	various-leaved	S. Europe	1768.	——	G	♄	Barr. ic. t. 803.

Sect. 3. PINA'RIA. *Petals oblong, from dirty yellow to purplish; backs of stigmas drawn out into three horns.*

15 coronopifòlia DC.	(*pu*)	Buckshorn-ld.	———	1825.	——	H	☉	Flor. græc. t. 637.
16 oxy'ceras DC.	(*pu*)	sharp-horned	Levant	1820.	6. 8.	H	☉	Deless. ic. sel. 1. t. 11.
17 lívida DC.	(*br*)	livid	Egypt	1828.	——	H	☉	Deles. ic. sel. 2. t. 12.
18 longipétala DC.	(*br*)	long-petaled	Bagdad	1819.	——	H	☉	Vent. cels. t. 93.

Sect. 4. ACINO'TON. *Petals obovate; pods tricuspidate at top; seeds not margined.*

19 tricuspidàta DC.	(*pu*)	three-forked	Barbary	1739.	7. 10.	H	☉	Swt. br. fl. gar. 46.
20 parviflòra DC.	(*pu*)	small-flowered	Morocco	1799.	——	H	☉	
21 lunàta DC.	(*pu*)	lunate-horned	Spain	1821.	6. 7.	H	☉	

CHEIRA'NTHUS. DC. WALL-FLOWER. (χειρ, the hand, ανθος, a flower;) Tetrad. Siliq.

Sect. 1. CHEIRI. *Style almost absent. Seeds not margined.*

1 Cheiri DC.	(*ye*)	garden	S. Europe	1573.	4. 7.	H	♄	Schkuhrhand. 2. t. 184.
α *vulgàris*	(*ye*)	*common*	———	——	——	H	♄	Besl. eyst. 2. t. 5. f. 3.

	β *flòre plèno*	(*ye*) *double-yellow*	S. Europe	1573.	4. 7.	H	♄	Besl. eyst. 2. t. 4. f. 2.
	γ *grandiflòrus*	(*ye*) *large-flowered*	———	——	——	H	♄	——— 2. t. 5. f. 2.
	δ *máximus*	(*ye*) *largest*	———	——	——	H	♄	——— 2. t. 5. f. 1.
	ε *serràtus*	(*ye*) *saw-leaved*	———	——	——	H	♄	
	ζ *pátulus*	(*ye*) *double-spreading*	———	——	——	H	♄	
	ι *ferrugíneus*	(*py*) *rusty-flowered*	———	——	——	H	♄	
	κ *vàrius*	(*py*) *various-coloured*	———	——	——	H	♄	
	λ *sanguíneus*	(*py*) *bloody*	———	——	——	H	♄	
	μ *hæmánthus*	(*py*) *double-bloody*	———	——	——	H	♄	
	ν *flavéscens*	(*ye*) *pale-yellow*	———	——	——	H	♄	
	ξ *thyrsoìdeus*	(*ye*) *bunch-flowered*	———	——	——	H	♄	
2	fruticulòsus EB.	(*ye*) common	England	....	4. 7.	H	♄	Eng. bot. 1934.
3	alpìnus DC.	(*ye*) Alpine	Norway	1823.	——	H	♃	Wahl. fl. lap. t. 12. f. 1
4	capitàtus DS.	(*ye*) headed	Columbia	1826.	6. 7.	H	☉	
5	ochroleùcus DC.	(*st*) pale-yellow	Switzerland	1820.	6. 8.	H	♃	Hall. hist. t. 14.
	decúmbens W. en.							

Sect. 2. CHEIROI'DES. *Style filiform; seeds margined; pods* 4—*angled.*

6	tenuifòlius DC.	(*ye*) fine-leaved	Madeira	1777.	5. 6.	F	♄	
7	mutábilis DC.	(*li*) changeable	———	——	3. 5.	F	♄	Bot. mag. 195.
8	longifòlius V.	(*li*) long-leaved	———	1815.	9. 12.	F	♄	Vent. malm. t. 83.
9	scopàrius DC.	(*va*) rock	Teneriffe	——	3. 8.	F	♄	
	α *purpuráscens* DC.	(*p*) *purplish*	———	——	——	F	♄	
	β *æruginòsus* DC.	(*br*) *rusty*	———	——	——	F	♄	
	γ *chamæ'leo* DC.	(*py*) *Chameleon*	———	——	——	F	♄	Bot. reg. 219.
	Cheìri, var. *Chamæ'leon* BB.							
10	semperflòrens DC.	(*w*) ever-blowing	Barbary	——	1. 12.	F	♄	
11	frutéscens PS.	(*wh*) frutescent	———	——	3. 7.	F	♄	
12	lineàris DC.	(*wh*) linear-leaved	Teneriffe	1815.	3. 8.	F	♄	
13	linifòlius DC.	(*pu*) flax-leaved	Spain	——	3. 8.	F	♄	
14	arboréscens Sie.	(*pu*) arborescent	Levant	1827.	4. 8.	G	♄	

NASTU'RTIUM. DC. NASTU'RTIUM. (*nasus*, the nose; and *tortus*, torm.) Tetrad. Siliq.

Sect. 1. CARDA'MINUM. *Flowers white; pods almost cylindrical; glands* 4, *at the base of the stamens; seed wrinkled.*

1	officinàle DC.	(*wh*) Water Cress	Britain	....	5. 7.	H	*w* ♃	Eng. bot. 855.
	Sisy'mbrium Nastúrtium W.							
	β *præcòcius* DC.	(*wh*) *early*	———	——	——	H	*w* ♃	Pet. h. brit. t. 47. f. 3.

Sect. 2. BRACHY'LOBUS. *Flow. yellow; pods elliptic or cylindrical; glands on the recept. small.*

2	sylvéstre DC.	(*ye*) creeping	———	....	6. 9.	H	*w* ♃	Eng. bot. 2324.
3	ánceps DC.	(*ye*) flat-edged	N. Europe	1826.	——	H	*w* ♃	Flor. dan. t. 984.
4	palústre DC.	(*ye*) marsh	Britain	....	——	H	*w* ☉	Eng. bot. 1747.
	Sisy'mbrium terréstre EB.							
5	ceratophy'llum DC.	(*ye*) horn-leaved	N. Africa	1820.	6. 7.	H	☉	Desf. atl. 2. t. 153.
6	coronopifòlium DC.	(*ye*) Buckhorn-ld.	———	1820.	7. 9.	H	☉	——— 2. t. 154.
7	sagittàtum DC.	(*ye*) arrow-leaved	Siberia	1780.	5. 6.	H	♃	Jacq. ic. 1. t. 122.
8	lippizénse DC.	(*ye*) Carinthian	Carinthia	1823.	——	H	♃	——— 3. t. 505.
9	pyrenàicum DC.	(*ye*) Pyrenean	Pyrenees	1775.	——	H	♃	All. fl. ped. t. 18. f. 1.
10	atrovìrens H.	(*ye*) dark green	China	1826.	——	H	☉	
11	amphíbium DC.	(*ye*) amphibious	Britain	....	6. 8.	H	*w* ♃	Eng. bot. 1840.
	α *indivìsum* DC.	(*ye*) *brd. wat. radish.*	———	....	——	H	*w* ♃	Pet. h. brit. t. 49. f. 8.
	β *variifòlium* DC.	(*ye*) *jag. wat. radish.*	———	....	——	H	*w* ♃	——— t. 49. f. 10.
12	nàtans DC.	(*st*) floating	N. America	1827.	5. 9.	H	*w* ♃	Deless. ic. sel. 2. t. 15.

Sect. 3. CLANDESTINA'RIA. *Petals wanting, or very small; pods nearly cylindrical.*

13	benghalénse DC.	(*wh*) Bengal	Bengal	....	6. 10.	H	☉	
14	clandestìnum DC.	(*wh*) small-flowered	Brazil	1821.	——	H	☉	
15	índicum DC.	(*gr*) Indian	E. Indies	——	——	H	☉	
16	Camelìnæ FM.	(*ye*) Camelina-like	.....	1837.	——	H	☉	
17	micropétalum FM.	(*ye*) small-petalled	.....	——	——	H	☉	
18	microspérmum DC.	(*ye*) small-seeded	China	——	——	H	☉	
19	globòsum Turcz.	(*ye*) globose	Siberia	——	——	H	☉	
20	eréctum Trev.	(*ye*) erect	———	——	——	H	☉	

LEPTOCARPÆ'A. DC. LEPTOCARPÆ'A. (λεπτος, slender; and καρπος, a fruit; pods.) Tetra. Siliq.

	Lœsèlii DC.	(*ye*) Loeselius's	Germany	1683.	5. 8.	H	☉	Jacq. aust. t. 324.
	Sisy'mbrium Lœsèlii. W. *Turrìtis Lœsèlii* HK.							

NOTO'CERAS. DC. NOTO'CERAS. (νωτος, the back; and κερας, a horn;) Tetrad. Siliq.

1	canariénse DC.	(*ye*) Canary	Canaries	1779.	8. 9.	H	☉	Jacq. fil. eclog. t. 111.
	Ery'simum bicórne W.							
2	hispánicum DC.	(*ye*) Spanish	Spain	1822.	3. 10.	H	☉	Deles. ic. sel. 2. t. 17.
3	quadricórne DC.	(*ye*) four-horned	Siberia	1824.	5. 10.	H	☉	——— 2. t. 16.

BARBA'REA. DC. WINTER-CRESS. (anciently called herb H. Barbara.) Tetradynam. Siliquos.

1	vulgàris DC.	(*ye*) common	Britain	....	5. 8.	H	♃	Eng. bot. 443.
	Ery'simum Barbàrea W.							
2	præ'cox DC.	(*ye*) early	England	....	4. 10.	H	♃	——— 1129.
3	taúrica DC.	(*ye*) Taurian	Tauria	1825.	7. 9.	H	♃	
4	ibérica DC.	(*ye*) Iberian	Iberia	1816.	5. 8.	H	♃	
	Cheiránthus ibéricus. W. en.							
5	plantagínea DC.	Plantain-leaved	Levant	1823.	——	H	♃	Deles. ic. sel. 2. t. 20.
6	orthóceras Led.	(*ye*) straight	Altaia	1837.	——	H	♃	

STEVE'NIA. DC. STEVE'NIA. (C. Steven, bot. author.) Tetradynamia Siliquosa.

1	alyssoìdes DC.	(*wh*) Alyssum-like	Siberia	1823.	6. 8.	H	⊙	Deles. ic. sel. 2. t. 20.
2	cheiranthoìdes DC.	(*pu*) Wall-flow.-like	———	——	——	H	♃	——— 2. t. 21.

BRA'YA. DC. BRA'YA. (Gab. Count Bray, a Bavar. nobleman.) Tetradynamia Siliquosa.

1	alpìna DC.	(*pu*) Alpine	Carinthia	1821.	4. 5.	H	♃	Deles. ic. sel. 2. t. 22.
2	glabélla DC.	(*pu*) smooth	Arctic R.	1827.	——	H	♃	
3	pilòsa HA.	(*pu*) hairy	N. America	1827.	4. 6.	H	♃	Hook.fl.b.am.t. 17. f. A.

TURRI'TIS. DC. TOWER-MUSTARD. (*turris*, a tower; disposition of leaves.) Tetrady. Siliq.

1	glàbra DC.	(*wh*) long-podded	England	....	5. 6.	H	⊙	Eng. bot. 777.
	β *ramòsa* DC.	(*wh*) branching	.....	....	——	H	⊙	Clus. hist. 2. p. 126. f. 2.
2	salsuginòsa DC.	(*wh*) shorter-podded	Siberia	1822.	——	H	⊙	Pal.it.2.app.n.114.t.A.
3	mòllis DS.	(*wh*) soft	N. America	1826.	5. 7.	H	⊙	
4	stricta DS.	(*wh*) straight	———	1826.	6. 7.	H	⊙	
5	pátula DS.	(*re*) spreading	———	1826.	6. 7.	H	⊙	
6	retrofrácta DS.	(*wh*) retrofracted	———	1826.	6. 7.	H	⊙	

A'RABIS. DC. WALL-CRESS. (originally from Arabia.) Tetradynamia Siliquosa.

Sect. 1. ALOMA'TIUM. *Seeds not margined, or girded by a very narrow wing.*

1	vérna DC.	(*pu*) vernal	S. Europe	1710.	4. 5.	H	⊙	Bot. mag. t. 3331.
	Hésperis vérna W.							
2	lilácina Schr.	(*li*) lilac	Europe	1836.	——	H	⊙	
3	ròsea DC.	(*ro*) rose-coloured	Calabria	1827.	——	H	♂	Bot. mag. t. 3246.
4	alpìna DC.	(*wh*) Alpine	Pyrenees	1596.	3. 5.	H	♃	Bot. mag. 225.
	β *Clusiàna* DC.	(*wh*) *Clusius's*	———	——	——	H	♃	Clus. hist. 2. p. 125. f. 2
	γ *nàna* DC.	(*wh*) *dwarf*	Hungary	....	——	H	♃	
5	álbida DC.	(*wh*) early-flowered	Tauria	1798.	1. 5.	H	♃	Jacq. f. ecl. 1. t. 71.
	caucásica BM	2046.						
6	undulàta L. en	(*wh*) wave-leaved	S. Europe	1823.	5. 8.	H	⊙	
7	thyrsòidea DC.	(*wh*) bunch-flowered	Levant	1826.	——	H	♃	Flor. græc. t. 642.
8	longifòlia DC.	(*wh*) long-leaved	Persia	1820.	——	H	♃	Deles. ic. sel. 2. t. 25.
9	móllis DC.	(*wh*) soft	Causacus	1825.	5. 7.	H	♂	
10	pátula W K.	(*wh*) spreading	Hungary	——	——	H	♃	W. and K. hung. 1 t. 59.
11	toxophy'lla DC.	(*wh*) bow-leaved	Volga	1828.	....	H	♂	
12	auriculàta DC.	(*wh*) ear-leaved	S. Europe	1805.	5. 6.	H	⊙	
	áspera All. ped.	t. 2. f. 2.						
13	saxátilis DC.	(*wh*) rock	———	——	——	H	♂	Vill. dauph. 3. t. 37.
14	crispàta DC.	(*wh*) curled-leaved	Carniola	1816.	3. 4.	H	♃	
15	sagittàta DC.	(*wh*) arrow-leaved	Europe	——	5. 7.	H	♂	
16	hirsùta DC.	(*wh*) hairy	Britain	....	——	H	♂	Eng. bot. 587.
17	stenopètala W en.	(*w*) narrow-petaled	.....	1822	6. 8.	H	⊙	
18	curtisíliqua DC.	(*wh*) short-podded	Scania	1825.	5. 7.	H	♂	
19	Alliònii DC.	(*wh*) Allioni's	Italy	....	5. 7.	H	♃	
20	muràlis DC.	(*wh*) dwarf	Switzerland	1824.	5. 6.	H	♃	
21	stricta DC.	(*wh*) Bristol	England	....	——	H	♃	Eng. bot. 614.
22	ciliàta DC.	(*wh*) ciliated	Ireland	....	6. 7.	H	♂	——— 1746
	Turrìtis alpìna EB.							
23	incàna DC.	(*wh*) hoary	Switzerland	1816.	5. 6.	H	♂	
24	Thaliàna DC.	(*wh*) common	Britain	....	4. 6.	H	⊙	Eng bot. 901.
	Siry'mbrium Thaliànum Say.							
25	serpyllifòlia DC.	(*wh*) Thyme-leaved	Pyrenees	1824.	6. 7.	H	♂	
26	procúrrens DC.	(*wh*) procurrent	Hungary	....	5. 6.	H	♃	W. et. Kit. hun. 2. t. 141.
27	præ'cox DC.	(*wh*) early-flowering	———	1822.	4. 6.	H	♃	
28	Schivereckiàna DC.	(*w*) Schivereck's	Austria	1827.	——	H	♃	
29	petræ'a DC.	(*wh*) short-podded	Europe	....	5. 7.	H	♃	
	α *Crantziàna* DC.	(*w*) *Crantz's*	Germany	....	——	H	♃	Crantz. aust. t. 3. f. 2.
	β *hispida* DC.	(*wh*) *hispid*	Wales	....	——	H	♃	Flor. dan. t 386.
	γ *hastulàta* DC.	(*wh*) *hastulate*	Britain	....	——	H	♃	Eng. bot. 409.
30	ambígua DC.	(*wh*) ambiguous	Siberia	1824.	5. 7.	H	♃	
31	lyràta DC.	(*wh*) lyre-leaved	N. America	1823.	5. 6.	H	♃	
32	arenòsa DC.	(*ro*) purple	Europe	1798.	6. 7.	H	♃	Hook exot. fl. t. 221.

33	Hallèri DC.	(*wh*)	Haller's	Europe	1820.	5.	H	♂	W. et. Kit. hun. 2. t. 129.
34	stolonífera DC.	(*wh*)	stoloniferous	Carniola	1824.	——	H	♃	Scop. carn. ed. 2. t. 39.
35	ovirénsis DC.	(*ro*)	reddish	Carinthia	——	5. 6.	H	♃	Jacq. ic. 1. t. 125.
36	cebennénsis DC.	(*re*)	pale-violet	S. France	1824.	5. 7.	H	♂	Deles. ic. sel. 2. t. 26.
37	lassióloba DC.	(*wh*)	woolly-podded	Mexico	——	——	H	♂	
Sect. 2. LOMA'SPORA; *Seeds marginate, or girded by a broad membranous wing.*									
38	Turrìta DC.	(*wh*)	tower	England	....	4. 5.	H	♂	Eng. Bot. 178.
39	péndula DC.	(*wh*)	pendulous	Siberia	1752.	5. 6.	H	⊙	Jacq. vind. 3. t. 27.
40	Patriniàna DC.	(*wh*)	Patrin's	———	1826.	——	H	♂	Deles. ic. sel. 2. t. 27.
41	oxyòta DC.	(*wh*)	sharp-eared	———	——	——	H	♂	
42	lævigàta DC.	(*wh*)	smooth	N. America	1821.	5. 7.	H	♂	
43	lùcida DC.	(*wh*)	shining-leaved	Hungary	1790.	6. 7.	H	♃	
44	canadénsis DC.	(*wh*)	sickle-podded	N. America	1768.	5. 7.	H	♃	Deles. ic. sel. 2. t. 28.
45	pùmila DC.	(*wh*)	nodding	Switzerland	1658.	4. 7.	H	♃	Jacq. fl. aust. t. 281.
	nùtans BM. 2219. *ciliàris* W. en.								
46	bellidifòlia DC.	(*wh*)	Daisy-leaved	Pyrenees	1773.	5. 6.	H	♃	——— 3. t. 280.
47	cœrùlea DC.	(*bl*)	blue	———	1793.	6. 7.	H	♃	Sturm. deut. fl. ic.
48	Vochinénsis DC.	(*wh*)	Vochin	Carinthia	1826.	——	H	♃	Scop. carn. t. 34.
	Dràba móllis Scop.								
49	collìna DC.	(*wh*)	hill	Naples	1823.	——	H	♃	
50	dasycárpa DC.	(*wh*)	thick-podded	Poland	1826.	5. 7.	H	♃	
	Species not sufficiently known.								
51	Holleboéllii Horn	(*wh*)	Hollebell's	Europe	1837.	——	H	♃	
52	heteromálla Sch.	(*wh*)	heteromallous	———	....	——	H	♃	
53	declinàta Schr.	(*wh*)	declinate	———	....	——	H	♃	
STREPTA'NTHUS Nutt. STREPTA'NTHUS; (στρεπτος, twisted, and ανθος, a flower;) Tetrad. Siliq.									
	obtusifòlius BM.	(*re*)	blunt-leaved	Arkansas	1833.	....	G	⊙	Bot. mag. 3317.
MACROPO'DIUM DC. MACROPO'DIUM; (μακρος, long, and πους, a foot; pedicels;) Tetrady. Siliq.									
1	nivàle DC.	(*wh*)	Siberian	Siberia	1796.	6. 9.	H	♃	Pall. it. 2. ap. n. 113. t. v.
	Cardámine nivàlis Pall.								
2	liciniàtum DS.	(*wh*)	cut-leaved	N. America	1827.	6. 9.	H	⊙	Hook. bot. mis. p. 3 ic.
CARDA'MINE DC. LADY'S SMOCK; (καρδια, the heart, δαμαω, to subdue;) Tetrady. Siliq.									
	§. 1. *Leaves almost all undivided.*								
1	rhomboídea DC.	(*wh*)	rhomboid	———	1825.	5. 7.	H w	♃	Pluk. amal. t. 435. t. 6.
2	rotundifòlia DC.	(*wh*)	round-leaved	———	1823.	5. 6.	H w	♃	
3	asarifòlia DC.	(*wh*)	kidney-leaved	Italy	1710.	6. 7.	H w	♃	Bot. mag. 1735.
4	bellidifòlia DC.	(*wh*)	Daisy-leaved	Scotland	....	4. 6.	H	♃	
	α petioláris DC.	(*wh*)	*long-petioled*	Lapland	....	——	H	♃	Œd. fl. Dan. t. 20.
	β alpìna DC.	(*wh*)	*Alpine*	Scotland	....	——	H	♃	Eng. Bot. 2355.
	§ 2. *Leaves generally* 3 *lobed.*								
5	resedifòlia DC.	(*wh*)	Rocket-leaved	Germany	1658.	——	H	⊙	Sturm fl. germ. ic.
6	microphy'lla DC.	(*wh*)	small-leaved	Siberia	1828.	5. 7.	H	♃	
7	africàna DC.	(*wh*)	African	C. B. S.	1691.	5. 6.	G	♃	Pluk. alm. t. 101. f. 5.
8	trifòlia DC.	(*wh*)	three-leaved	Europe	1629.	3. 6.	H w	♃	Bot. mag. 452.
	§ 3. *Leaves usually primate-parted.*								
9	amàra DC.	(*wh*)	bitter	Britain	....	4. 5.	H w	♃	Eng. Bot. 1000.
10	prorèpens DC.	(*wh*)	creeping	Siberia	1825.	4. 6.	H w	♃	
11	granulòsa DC.	(*wh*)	granular-rooted	Piedmont	1820.	4. 5.	H	♃	
12	ulignòsa DC.	(*wh*)	vof	Caucasus	1824.	4. 5.	H	♃	
	amàra Bieb.								
13	praténsis DC.	(*li*)	Cuckoo-flower	Britain	....	——	H w	♃	Eng. Bot. 776.
	β flòre-plèno	(*li*)	*double-flowered*	———	....	——	H w	♃	Clus. hist. 2. p. 129. f. 1.
14	dentàta DC.	(*wh*)	toothed	Poland	1823.	——	H w	♃	
15	pennsylvánica DC.	(*wh*)	Pennsylvanian	N. America	1818.	——	H	♃	
16	hirsùta DC.	(*wh*)	hairy	Britain	....	1. 12.	H	⊙	Eng. bot. 592.
17	sylvática DC.	(*wh*)	wood	Europe	....	5. 6.	H	⊙	Flor. dan. t. 735.
18	umbròsa DC.	(*wh*)	smooth	Europe	....	4. 6.	H	⊙	
19	parviflòra DC	(*wh*)	small-flowered	———	1822.	4. 5.	H	⊙	Gmel. fl. sib. 3. t. 64.
20	impàtiens DC.	(*wh*)	impatient	Britain	....	4. 6.	H	⊙	Eng. bot. 80.
21	latifòlia DC.	(*pu*)	broad-leaved	Spain	1710.	6. 8.	H w	♃	Herm. par. p. 203. t. 69.
22	macrophy'lla DC.	(*li*)	large-leaved	Siberia	1824.	——	H	♃	Gmel. fl sib. 3 t. 52.
23	chelidònia DC.	(*pu*)	Celandine-ld.	Italy	1739.	3. 5.	H	♃	W. et Kit. hung. 2. t. 140.
24	thalictróides DC.	(*wh*)	Thalictrum-ld.	Switzerland	1824.	6. 7.	H	♂	All. ped. n. 951. t. 57. f. 1.
25	glaúca DC.	(*wh*)	glauceous	Calabria	....	5. 7.	H	♃	Deles. ic. sel. 2. t. 31.
26	occúlta DC.	(*gr*)	hidden-flowered	China	——	5. 9.	H	⊙	
PTERONEU'RUM DC. PTERONEU'RUM; (πτερον, a wing, and νευρον, a nerve; placenta;) Tetr. Siliq.									
1	carnòsum DC.	(*wh*)	fleshy	Dalmatia	1824.	6. 8.	H	♃	W. et Kit. hung. 2. t. 129.

2 græ'cum DC. (*wh*) Grecian S. Europe 1710. —— H ⊙ Flor. græc. t. 631.
Cardámine græ'ca W.

DENTA'RIA DC. TOOTH-WORT; (*dens*, a tooth, structure of roots;) Tetradynamia Siliquosa.
§ 1. VESTICILLA'TÆ; *Cauline leaves in whorls.*
1 polyphy'lla DC. (*st*) many-leaved Hungary 1817. 5. 6. H ♃ W.et Kit.hung 2. t. 160.
2 enneaphy'lla DC. (*wh*) nine-leaved Austria 1656. —— H ♃ Jacq. fl. aust. t. 316.
3 glandulòsa DC. (*pu*) glandular Hungary 1815. —— H ♃ W. et Kit. hung. 3. t. 272.
4 laciniàta DC. (*wh*) laciniate N. America 1823. 4. 6. H ♃
§ 2. PALMATIFO'LIA; *Cauline leaves alternate, cut into three or five sections.*
5 diphy'lla DC. (*wh*) two-leaved ——— 1810. 5. 6. H ♃ Bot. mag. 1465.
6 máxima DC. (*pu*) largest N. America 1823. 5. 6. H ♃
7 trifòlia DC. (*wh*) three-leaved Hungary 1824. —— H ♃ W. et K. hung. 2. t. 139.
8 digitàta DC. (*w.p*) fingered Switzerland 1656. —— H ♃ Bot. mag. 2202.
pentaphy'lla BM. *Cardámine pentaphy'lla* H K ed. 2.
§ 3. PINNATIFO'LIA; *Cauline leaves pinnate, alternate.*
9 pinnàta DC. (*wh*) seven-leaved ——— 1683. —— H ♃ Boiss. fl. eur. t. 449.
10 quinquefòlia DC. (*wh*) five-leaved Caucasus 1823. 4. 5. H ♃ Deles. ic. sel. 2. t. 33.
11 bulbífera DC. (*bh*) bulbiferous England .... —— H ♃ Eng. bot. 309.
Cardámine bulbífera H K. ed. 2.
12 tenuifòlia DC. (*pu*) slender-leaved Siberia 1825. 5.6. H ♃ Gmel. sib. 3. n. 41. t. 65.
trífida Lam. ill. t. 562. f. 2.

PA'RRYA B. PA'RRYA. (Capt. Edw. Parry, R.N.) Tetradynamia Siliquosa.
1 árctica B. (*pu*) arctic Melvil Isl. 1827. 5. 6. H ♃ Pary. voy. append. t B
2 macrocárpa DC. (*pu*) Arabis-flowered Siberia 1798. —— H ♃ Hook. fl. b. amer. t. 15.
A'rabis grandiflòra L. *Neurolòma arabidiflòrum* DC.

PLATYPE'TALUM. B. PLATYPE'TALUM; (πλατυς, broad, and πεταλον, a petal;) Tetrady. Siliq.
purpuráscens B. (*pu*) purplish Melvil Isl. 1827. 5. 6. H ♃

Tribe II. *ALYSSI'NEÆ* seu Pleurorhizeæ Latiséptæ. DC.

LUNA'RIA DC. HONESTY; (*luna*, the moon: dissepiment;) Tetradynamia Siliculosa.
1 redivìva DC. (*li*) perennial Germany 1596. 4. 6. H ♃ Hill veg. syst. t. 38 f. 1.
2 biénnis DC. (*w.p*) biennial ——— 1570. —— H ♂ ——— t. 38. f. 2.
ánnua W.
α *violàcea* (*pu*) *violet-flowered* ——— —— —— H ♂
β *albiflòra* (*wh*) *white-flowered* ——— —— —— H ♂

RICO'TIA DC. RICO'TIA; (M. Ricot, a German bot.) Tetradynamia Siliculosa.
Lunária DC. (*pu*) Syrian Syria 1757. 6. 7. H ⊙ Swt.br.fl. gar.ser.2.t.114.
ægyptiaca Bot. reg. 49.

FARSE'TIA DC. FARSE'TIA; (C. Farseti, a noble Venetian bot.) Tetradynamia Siliculosa.
1 ægyptìaca DC (*br*) Stock-like Levant 1788. 6. 7. G ♄ Desf. atl. 2. t. 160.
cheiranthoìdes H K. *Cheiránthus Farsètia* L.

FIBI'GIA Med. FIBI'GIA; (of unknown derivation;) Tetradynamia Siliculosa.
1 suffruticòsa Br. (*pu*) suffrutescent Persia 1820. 4. 5. G ♄ Vent. cels. t. 19.
Lunária suffruticòsa Vent. *Farsètia suffruticòsa* DC.
2 lunaroìdes Br. (*ye*) oriental Greece 1731. 6. 7. H ♃ Bot. mag. t. 3087.
3 clypeàta Med. (*ye*) buckler-podded S. Europe 1596. —— H ♂ Schkuhr. han. 2. t. 181.
Aly'ssum clypeàtum L. *Farsètia clypeàta* DC.

BERTERO'A DC. BERTERO'A; (Ch. Jas. Bertero, pupil of Balbis;) Tetrady. Siliculosa.
1 incàna DC. (*wh*) hoary Europe 1640. 7. 9. H ♂ Horn. fl. dan. 1461.
Aly'ssum incànum W.
2 mutàbilis DC. (*bh*) changeable Levant 1802. 7. 8. H ♃ Vent. cels. t. 85.
3 obliqua DC. (*wh*) oblique-podded Naples 1824. —— H ♄ Flor. græc t. 623.

AUBRIE'TIA DC. AUBRIE'TIA; (M. Aubriet, a famous bot. draughtsman;) Tetrady. Silic.
1 deltoídea DC. (*pu*) spreading Levant 1710. 3. 5. H ♃ Bot. mag. 126.
Farsètia deltoídea H K. *Aly'ssum deltoídeum.* L
2 purpùrea DC. (*pu*) tufted ——— 1821. —— H ♃ Swt. br. fl. gar. 207.

VESICA'RIA VESICA'RIA; (*Vesica*, a bladder; pod;) Tetradynamia Siliculosa.
Sect. 1. VESICARIA'RIA; *pods globose, with inflated membranous valves.*
1 utriculàta DC. (*ye*) smooth Levant 1739. 4. 6. H ♃ Bot. mag. 130.
Aly'ssum utriculàtum B M.
2 reticulàta DC. (*ye*) veined-podded ——— .... 6. H ♃ Tour. voy. 2. p. 252 ic.
3 grandiflòra Hook (*ye*) great-flower Texas 1835. 6.10. H ⊙ Swt. br. fl. gar. s. 2. t. 404
4 gràcilis BM. (*ye*) slender ——— —— —— H ⊙ Bot. mag. t. 3533.

5	Ludoviciàna DC.	(*ye*)	Missouri	Missouri	1825.	5. 6.	H	♃	
6	sinuàta DC.		sinuate-leaved	Spain	1596.	4. 6.	H	♂	Schkuhr. han. 2. t. 181.
7	árctica DC.	(*ye*)	arctic	Greenland	1826.	5. 6.	H	♃	Horn. fl. dan. t. 1520.
8	arenòsa DC.	(*ye*)	sand	Arctic Reg.	——	6. 8.	H	♃	

Sect 2. ALYSSOI'DES; *pods ovate, with concave stiffish valves.*

9	crética DC.		Cretan	Crete	1739.	5. 8.	H	♃	Alp. ex. p. 117 et 118 ic.

Aly'ssum créticum W.

SCHIVERE'CKIA DC. SCHIVERE'CKIA; (A. Schivereck, a Polish botanist.) Tetradyn. Silic.

	podólica DC.	(*wh*)	canescent	Podolia	1821.	5. 7.	H	♃	Swt. br. fl. gar. t. 77.

KO'NIGA B. KO'NIGA; (C. Konig, F.R.S. British Museum;) Tetradynamia Siliculosa.

1	marítima DC	(*wh*)	sweet-scented	S. Europe	....	5.10.	H	♃	Eng. bot. 1729.

Aly'ssum marítimum E B. *halimifòlium* B M. 101.

2	canariénsis	(*wh*)	Canary	Canaries	1812.	——	G	♄	

Aly'ssum marítimum. β canariensis DC.

	β variegàta	(*wh*)	*striped-leaved*	————	....	——	G	♄	

ADYSE'TON Scop. ADYSE'TON; (derivation unknown;) Tetradynamia Siliculosa.

1	saxátile	(*ye*)	rock	Russia	1710.	4. 5.	H	♄	Bot mag. 159.

Aly'ssum saxátile D. *Aurínia saxátilis* Dv.

2	gemonénse	(*ye*)	canescent	Germany	——	——	H	♄	Jacq. ic. 3. t. 503.
3	orientàle	(*ye*)	oriental	Crete	....	——	H	♄	Flor. græc. t. 625.
4	spathulàtum	(*ye*)	spathulate	Siberia	1821.	4. 6.	H	♄	Delles. ic. sel. 2. t. 37.
5	argénteum	(*ye*)	silvery	Switzerland	——	5. 6.	H	♄	All. ped. t. 54. f. 3.
6	Bertolònii	(*ye*)	Bertoloni's	Italy	1825.	——	H	♄	
7	muràle	(*ye*)	wall	Europe	1801.	6. 8.	H	♄	W. et Kit. hung. 1. t. 6.
8	atlánticum DS.	(*ye*)	Atlantic	Candia	1820.	6. 7.	H	♄	
9	serpyllifòlium	(*ye*)	Thyme-leaved	S. Europe	1823.	5. 7.	H	♄	
10	rèpens	(*ye*)	creeping	Transylvania	1827.	——	H	♃	
11	vernàle	(*ye*)	vernal	.....	1823.	4. 5.	H	♃	Schrank hort. mon. t. 96.
12	alpéstre	(*ye*)	Italian	Italy	1777.	6.10.	H	♄	Flor. græc. t. 624.
13	nebrodénse	(*ye*)	Sicilian	Sicily	1827.	5. 6.	H	♄	
14	montànum SC.	(*ye*)	mountain	Germany	1713.	5. 8.	H	♃	Bot. mag. 419.

Aly'ssum montànum B M

15	Altàicum	(*ye*)	Altaian	Altaia	1837.	——	H	♄	Led. ill. t. 225.

Aly'ssum Altàicum Mey.

16	cuneifòlium	(*ye*)	wedge-leaved	Naples	1825.	5. 8.	H	♃	
17	diffùsum	(*ye*)	spreading	————	——	——	H	♃	
18	Wulfeniànum	(*ye*)	Wulfen's	Carinthia	1821.	——	H	♃	
19	Fischeriànum	(*ye*)	Fischer's	Siberia	1828.	——	H	♃	

Aly'ssum Fischeràinum DC.

ALY'SSUM B. MADWORT; (*a* prio and λυσσα, rage; allaying anger;) Tetradyn. Silicul.

1	umbellàtum DC	(*ye*)	umbelled	Tauria	1828.	5. 8.	H	⊙	
2	rostràtum DC.	(*ye*)	beaked	————	1824.	6. 9.	H	⊙	Stev.m.ac.P.3.t.15.f.1.
3	micropétalum DC.	(*ye*)	small-petaled	Iberia	——	5. 8.	H	⊙	Deles. ic. sel. 2. t. 39.
4	hirsùtum DC.	(*ye*)	hairy	————	——	——	H	⊙	———— 2. t. 40.
5	campéstre DC.	(*ye*)	field	Europe	1768.	6. 8.	H	⊙	Flor. græc. t. 626.
6	calycìnum DC	(*ye*)	persistent-cald.	————	1740.	——	H	⊙	Jacq. aust. t. 338.
7	conféstum H.B.	(*ye*)	crowded	.....	1837.	——	H	⊙	
8	minùtum DC.	(*ye*)	minute	Siberia	1827.	5. 7.	H	⊙	
9	micranthum DC.	(*ye*)	small-flowered	Caucasus	1837.	——	H	⊙	
10	mínimum DC.	(*ye*)	small	Europe	1791.	——	H	⊙	Tratt. thes. bot. t. 35.
11	Szovitsiànum F M.	(*ye*)	Szovits's	Caucasus	1838.	——	H	⊙	

stríctum Meyer.

ANODO'NTEA DC. ANODO'NTEA; (αν prio, and οδους, a tooth; filament.) Tetradyn. Silicul.

Sect. 1. VESICA'RIA; *pods inflated.*

1	edéntula.	(*ye*)	toothless	Hungary	1821.	5. 6.	H	♂	W.et K. hung. 1. t. 92.

Aly'ssum endéntulum DC. *Adysèton edéntulum* L. enum.

Sect. 2. LOBULA'RIA; *Seeds solitary in the cells.*

2	rupéstris	(*wh*)	silvery-rock	Italy	1824.	5.10.	H	♃	Tenor. fl. nap. t. 60.
	halimifòlia	(*wh*)	Halimus-leaved	————	——	——	H	♄	All. ped. n. 900. t. 54. f. 1.
3	*Aly'ssum halimifòlium* DC.								
4	spinòsa	(*wh*)	thorny	S. Europe	1683.	6. 8.	H	♄	Barrel. ic. t. 808.
5	macrocárpa	(*wh*)	large podded	————	1825.	——	H	♄	Deles ic. sel. 2. t. 40.

ODONTARRHE'NA Meyer. ODONTARRHE'NA; (οδους a tooth, and ἄρρεν a male;) Tetrad. Silic.

1	tortuòsa Mey.	(*ye*)	twisted	Hungary	1804.	6. 7.	H	♃	W. & Kit. hung. 1. t. 9 1.

Aly'ssum tortuòsum. DC. *Adysètum tortuòsum* DS

2	obováta Mey	(*ye*)	obovate-leaved	Altaia	1830.	——	H	♃	Led. ill. t. 277.
3	obtusifòlia Mey.	(*ye*)	blunt-leaved	Siberia	1812.	——	H	♄	Deless. ic. sel. 1. t. 38.
4	Marschalliàna Mey.	(*ye*)	Marschall's	Caucasus	1827.	5. 6.	H	♄	

PSILONE'MA Mey. PSILONE'MA; (ψιλος, naked, and νημα, a filament;) Tetradyn. Siliculosa.

dasycárpum Mey.	(*ye*) thick-fruited	Siberia	1827.	6.10.	H	⊙	Trev. ber. mag. 1816. t. 2
Aly'ssum dasycárpum. DC.							

PTILO'TRICHUM Mey. PTILO'TRICUM; (πτιλον, a feather, and θριξ, a hair; filam.) Tetrad. Silic.

1 canéscens Mey.	(*wh*) canescent	Siberia	1828.	4. 9.	H	♄	
Aly'ssum canéscens DC. *abbreviàtum* DC.							
2 elongàtum Mey.	(*wh*) elongated	Altaia	1836.	——	H	♄	Led. ill. t. 275.
Aly'ssum enlongàtum DC.							

MENI'OCUS DC. MENI'OCUS; (μηνη, the moon, and οκκος, an eye; pods;) Tetrad. Silic.

linifòlius DC.	(*ye*) Flax-leaved	Levant	1822.	5. 6.	H	⊙	Deles. ic. sel. 2. t. 42.
Aly'ssum linifòlium W.							

CLYPE'OLA DC. TREACLE-MUSTARD; (*clypeus*, a buckler; form of pods;) Tetrad. Silic.

1 Jonthláspi DC.	(*ye*) common	S. Europe	1710.	5. 7.	H	⊙	Desv. j. bot. 3. t. 25. f. 7.
2 eriophora DC.	(*wh*) woolly-podded	Spain	1820.	——	H	⊙	——— 3. t. 25. f. 10.
3 cylcodóntea Del.	(*ye*) circle-toothed	Egypt	1837.	——	H	⊙	

PELTA'RIA DC. PELTA'RIA; (πελτη, a small buckler; form of pods;) Tetrad. Silic.

1 alliàcea DC.	(*wh*) garlic-scented	Austria	1601.	5. 7.	H	♃	Jacq. aust. 2. t. 123.
2 glastifòlia DC.	(*wh*) broad-leaved	Syria	1823.	6. 7.	H	⊙	

PETROCA'LLIS DC. PETROCA'LLIS; (πετρον, a rock, and καλος, beautiful;) Tetrad. Silic.

pyrenàicea DC.	(*ro*) Pyrenean	Pyrenees	1759.	5. 6.	H	♃	Lod. bot. cab. 635.
Dràba pyrenàica BM. 713.							

DRA'BA DC. WHITLOW-GRASS; (δραβη, acrid; taste of leaves;) Tetrad. Silicul.

Sect 1. AIZO'PSIS; *Scape naked leaves ciliated; style filiform; small evergreen tufted plants.*

1 aizoìdes DC	(*ye*) sea-green	Wales	....	2. 4.	H	♃	Eng. bot. 1927.
2 brachystèmon DC.	(*ye*) short-stamened	.....	1731.	2. 4.	H	♃	Bot. mag. 170.
aizoìdes BM. *ciliàris* H K.							
3 aizòon DC.	(*ye*) hairy podded	Hungary	1821.	——	H	♃	
4 cuspidàta DC.	(*ye*) sharp-pointed	Tauria	——	4. 5.	H	♃	
5 bryoìdes DC.	(*ye*) Bryum-like	Caucasus	——	3. 4.	H	♃	
6 bruniæfòlia DC.	(*ye*) Brunia-leaved	———	1826.	5. 6.	H	♃	
7 ericæfòlia DC.	(*ye*) Heath-leaved.	———	1823.	——	H	♃	
8 pilòsa DC.	(*ye*) pilose	Siberia	1825.	——	H	♃	
9 crassifòlia Gr.	(*ye*) thick-leaved	N. America	1827.	4. 5.	H	♃	
10 áspera DC.	(*ye*) rough	Siberia	....	6. 7.	H	♃	
11 alpìna	(*ye*) Alpine	Norway	1823.	4. 5.	H	♃	Flor. dan. t. 56.
12 glacìalis DC.	(*ye*) starry-haired	Siberia	1825.	5. 6.	H	♃	
13 rèpens DC.	(*ye*) creeping	Caucasus	1823.	——	H	♃	
14 Gmelìni DC.	(*ye*) Gmelin's	Siberia	——	——	H	♃	Gmel. sib. 3. t. 56. f. 2.
15 tridentàta DC.	(*ye*) three-toothed	Caucasus	1828.	——	H	♃	
16 incómpta DC.	(*ye*) straggling	———	——	6.	H	♃	Deles. ic. sel. 2. t. 44.

Sect. 2. CHRYSODRA'BA; *tufted plants with naked scapes; styles very short; leaves neither stiff nor keeled.*

17 muricélla DC.	(*ye*) tufted	Norway	——	——	H	♃	Wahl. fl. lap. t. 11. f. 2.
18 oblongàta DC.	(*wh*) oblong-leaved	Baffin's-bay	1820.	5. 6.	H	♃	
19 corymbòsa DC.	(*wh*) corymbose	———	——	——	H	♃	
20 hírta DC.	(*wh*) hairy	Lapland	....	5. 7.	H	♃	Wahl. f. lap. t. 81. f. 3.
21 rupéstris DC.	(*wh*) rock	Scotland	....	——	H	♃	Eng. bot. 1388.
hírta E B. non Linn.							
22 nivàlis DC.	(*wh*) snowy	Norway	1824.	5. 6.	H	♃	Flor dan. t. 142.
stellàta F D. nec aliorum.							
23 lappónica DC.	(*wh*) Lapland	Lapland	——	——	H	♃	Wahl. fl. lap. t. 11. f. 3.
24 helvética DC.	(*wh*) Swiss	Switzerland	1824.	——	H	♃	
25 fladnizénsis DC.	(*wh*) fringed-leaved	———	——	6. 8.	H	♃	Jacq. misc. 1. t. 17. f. 1

Sect. 3. LEUCODRA'BA; *tufted plants, with naked scapes; leaves flat.*

26 tomentòsa DC.	(*wh*) woolly-leaved	———	——	5. 7.	H	♃	Wahl. helv. p. 123. t. 3.
27 stellàta DC.	(*wh*) starry	———	1820.	——	H	♃	Jacq. obs. t. 4. f. 3.
hírta Jacq. aust. t. 432.							
28 grandifiòra Mey.	(*wh*) great-flower	Altaia	1837.	——	H	♃	Led. ill. t. 267.
29 dasycárpa Mey.	(*wh*) thick-fruited	Altaia	——	——	H	♃	Led. ill. t. 264.

Sect. 4. HOLA'RGES; *Annual or biennial plants; styles short.*

30 contórta DC.	(*wh*) twisted-podded	Britain	....	5. 6.	H	♂	Eng. bot. t. 388.
incàna EB.							
31 confùsa DC.	(*wh*) confused	N. Europe	....	——	H	♂	Flor. dan. t. 130.
incàna FD.							
32 cinèrea DC.	(*wh*) grey	Siberia	1820.	6. 7.	H	♂	
33 arabìsans DC	(*wh*) Arabis-like	N. America	827.	——	H	♂	
34 daúrica DC.	(*wh*) Daurian	Dahuria	1824.	——	H	♂	
35 aúrea DC.	(*ye*) golden	Greenland	——	——	H	♂	Flor. dan. t. 1460.

Sect. 5. DRABE'LLA; *Annual or biennial plants; styles wanting.*

36	lùtea DC.	(*ye*) yellow	Caucasus	1823.	5. 8.	H ⊙	Ann. mus. 11. t. 30.
37	grácilis GR.	(*ye*) slender	N. America	1827.	——	H ⊙	
38	nemoràlis DC.	(*ye*) wood	Europe,&c.	1759.	——	H ⊙	Houtt. syst. 4. t. 60. f.
39	muràlis DC.	(*wh*) wall	England	....	4. 5.	H ⊙	Eng. bot. 912.

ERO'PHILA DC. ERO'PHILA; (ερ, the spring, and φιλεω, to love;) Tetradyn. Silic.

1	americàna DC.	(*wh*) American	N. America	1823.	3. 4.	H ⊙	
2	vulgàris DC.	(*wh*) common	Britain	....	——	H ⊙	Flor. dan. t. 983.
	Dràba vérna. Eng. bot. 586.						
3	præ'cox DC.	(*wh*) round-podded	Caucasus	1824.	2. 4.	H ⊙	
4	mínima Mey.	(*wh*) least	———	1837.	——	H ⊙	

KE'RNERA Med. KE'RNERA; (κερνος an earthern vessel; shape of leaves;) Tetrad. Silic.

1	saxátilis	(*wh*) rock	Europe	1775.	5. 7.	H ♃	Jacq. aust. 2. t. 128.
	myagroìdes Med.	*Cochleària saxátilis* DC. *Myàgrum saxátile L.*					
	β incìsa	(*wh*) *cut-leaved*	———	——	——	H ♃	Mori.ox.2.s.3.t.17.f.ult
2	auriculàta	(*wh*) eared	Pyrenees	1824..	——	H ♃	Berg. phyt. 3. p. 140 ic
	Cochleària auriculàta. DC.						

ARMORA'CEA Plin. HORSE-RADISH; (celtic *ar*, near, *mor*, the sea, *rich*, against;) Tetrad. Silic

1	rusticàna Bau.	(*wh*) common	England	....	5. 6.	H ♃	Eng. bot. 2223.
	Cochleària Armoràcea E B.						
2	macrocárpa Bau.	(*wh.*) large-fruited	Hungary	1806.	6. 8.	H ♃	W. et. K. hung. 2 t. 184

COCHLEA'RIA DC. SCURVY-GRASS; (*Cochlear*, a spoon; shape of leaves;) Tetra. Silic.

Sect. 1. COCHLEAR; *the pods never emarginate; styles short or wanting; leaves concave above.*

1	glastifólia DC.	(*wh*) Woad-leaved	S. Europe	1648.	5. 7.	H ♂	Schuhr. hand. 2. t. 181.
2	ánglica DC.	(*wh*) English	England	....	5.	H ⊙	Eng. bot. 552.
3	officinàlis DC.	(*wh*) common	Britain	....	4. 5.	H ⊙	——— 551.
	β minor DC.	*lesser*	———	....	——	H ⊙	
	γ rotundifòlia DC.	*round-leaved*	———	....	——	H ⊙	
	grœnlándica With. brit. 573. non. Lin.						
4	pyrenàica DC.	(*wh*) Pyrenean	Pyrenees	....	6. 8.	H ♂	Deles. ic. sel. 2. 48.
5	grœnlándica DC.	(*wh*) Greenland	Scotland	....	5. 6.	H ♃	Eng. bot. 2403.
6	dánica DC.	(*wh*) Danish	Britain	....	——	H ⊙	——— 696.
7	alpìna	(*wh*) Alpine	Ireland	....	5. 6.	H ♃	
8	fenestràta DC.	(*wh*) fenestrate	Baffin's Bay	1820.	4. 5.	H ♃	
9	grandiflòra DC.	(*wh*) large-flowered	Siberia	1826.	5. 6.	H ♃	

Sect. 2. JONOPSI'DIUM; *pods compressed, emarginate, roundish.*

10	acaúlis DC.	(*li*) stalkless	Portugal	1823.	3. 4.	H ♃	Jacq. ecl. t. 132.

SMELO'WSKIA Andr. SMELO'WSKIA; (Smelowski, a Russian bot;) Tetradynamia Siliculosa.

1	integrifòlia Meyer.	(*wh*) entire-leaved	Altaia	1827.	4. 5.	H ♃	Led. ill. t. 283.
	Cochleàna integrifòlia DC.						
2	calycìna Mey.	(*wh*) large-calyxed	Siberia	1827.	——	H ♃	Hook.fl.br.am.1.t.17.63.
	Hutchínsia calycìna DC.						

TETRAPO'MIA Turcz. TETRAPO'MIA; (τετρα, four, and πομα, a lid; capsule;) Tetrad. Silic.

	barbariæfòlia Turcz.	(*ye*) barbaria-leaved	Siberia	1835.	6. 7.	H ♂	

Tribe III. *THLASPI'DEÆ* seu Pleurorhìzeæ Angustiséptæ. DC.

THLA'SPI. DC. BASTARD-CRESS. (θλαω, to compress; seeds flat) Tetradynamia Siliculosa.

Sect. 1. PACHYPHRA'GMA; *pods broad, emarginate; style none; seed* 4, *not striated.*

1	latifòlium DC.	(*wh*) broad-leaved	Caucasus	1828.	4. 5.	H ♃	Deless. ic. sel. 2. t. 51.

Sect. 2. CARPO'CERAS; *valves expand. each into a wing at end resemb. a horn; seeds* 4, *striated.*

2	ceratocárpon DC.	(*wh*) horn-podded	Siberia	1779.	7.	H ⊙	Scop. Insub. 1. t. 4.

Sect. 3. NOMI'SIMA; *valves furn. with a wing along the whole back; seeds numerous, striated.*

3	arvénse DC.	(*wh*) Penny-cress.	Britain	....	6. 7.	H ⊙	Eng. bot. 1659.
4	collìnum DC.	(*wh*) hill	Iberia	1824.	4. 9.	H ⊙	

Sect. 4. NEURO'PTERIS; *pods orbicular, emarginate; backs of valves expanded into a broad wing each; seeds numerous, not striated.*

5	umbellàtum DC.	(*wh*) umbellate	Persia	1837.	——	H ⊙	
6	orbiculàtum DC.	(*wh*) orbicular-ld.	Persia	1820.	5. 9.	H ⊙	

Sect. 5. PTERO'TROPUS; *pods emarginate or truncate; valves each furnished with a wing, the whole length of the back; seeds not striated.*

7 allàceum DC.	(*wh*)	Garlic-scented	S. Europe	1714.	5. 7.	H	⊙	Jacq. ic. 1. t. 121.
8 strictum	(*wh*)	upright	Persia	1827.	4. 9.	H	⊙	
9 perfoliàtum DC.	(*wh*)	perfoliate	England	....	4. 7.	H	⊙	Eng. bot. 2354.
10 montànum DC.	(*wh*)	mountain	Europe	....	5. 6.	H	♃	Jacq. aust. 3. t. 237.
11 alpèstre DC.	(*wh*)	Alpine	England	....	5. 7.	H	♃	Eng. bot. t. 81.
12 cochleariformeDC.	(*w*)	Scurvy-grass	Dahuria	1827.	6. 7.	H	♃	

CAPSE'LLA. DC. SHEPHERD'S-PURSE. (a dim. of *capsula*, a capsule) Tetradynamia Siliculosa.

1 Búrsa-pastòris DC	(*wh*)	common	Britain	....	1. 12.	H	⊙	Eng. bot. 1485.
Thlaspi Búrsa-pastòris. L.								
β *minor* DC.	(*wh*)	*small*	———	....	——	H	⊙	Tabern. ic. 199.
γ *integrifòlia* DC.	(*wh*)	*entire-leaved.*	———	....	——	H	⊙	Moris. ox. 2. t. 20. f. 1.
δ *coronopifòlia* DC.	(*w*)	*Buck's-horn-ld.*	———	....	——	H	⊙	
2 procúmbens. B.	(*wh*)	procumbent	Europe	1823.	3. 5.	H	⊙	Hill. veg. sys. 11. t. 42. f. 1.

Lepidium procúmbens. L. *Hutchinsia procúmbens.* DC. C. *elliptica, Meyer.*

HUTCHI'NSIA. DC. HUTCHI'NSIA. (Miss Hutchins of Belfast. Celebr. Crypt.) Tetrad. Silic.

Sect. 1. IBERIDE'LLA; *style filiform, leaves entire or toothed.*

1 rotundifòlia DC.	(*bh*)	round-leaved	Switzerland	1752.	5. 7.	H	♃	Scop. carn. n. 805. t. 37.
Ibèris rotundifòlia. L.								
2 cepæefòlia DC.	(*pu*)	tooth-leaved	Carinthia	1824.	4. 5.	H	♃	Jacq. misc. 2. p. 28. t. 1.
3 stylòsa DC.	(*ro*)	long-styled	Naples	1826.	3. 5.	H	♃	Bot. mag. 2772.
4 hastulàta DC.	(*bh*)	halbert-leaved	Siberia	1826.	——	H	♃	Gmel. sib. 3. t. 5.

Sect. 2. NASTURTI'OLUM; *leaves pinnate-lobed; flowers white.*

5 alpìna DC.	(*wh*)	Alpine	Pyrenees	1775.	5. 6.	H	♃	Jacq. aust. 2. t. 137
Lepidium alpìnum. L.								
6 petræ'a DC.		rock	England	....	3. 5.	H	♂	Eng. bot. 111.
Lepidium petræ'um. L.								

DIA'STROPHIS F. et M. DIA'STROPHIS (διαστροφος, contorted.) Tetradynamia Siliculosa.

cristàta F. & M.		crested	Armenia	1836.	4. 6.	F	♄	

TEESDA'LIA. DC. TEESDA'LIA. (M. Teesdale; Eng. bot.) Tetradynamia Siliculosa.

1 Ibèris DC.		Shepherd's-cress	England	....	5. 7.	H	⊙	Eng. bot. 327.
nudicaúlis. H. K. *Ibèris nudicaúlis.* L. *Guepínia Ibèris.* DC.								
2 Lepídium	(*wh*)	equal-petal'd	S. Europe	....	6. 8.	H	⊙	Magn. ic. n. car. 247.
Lepidium nudicaúle. L. *Teesdàlia regulàris.* L. T. *Guepínia Lepidium.* Dv.								

IBE'RIS. DC. CANDY-TUFT. Tetradynamia Siliculosa.

Sect. 1. IBERIDA'STRUM; *radicle horizontal, seeds margined.*

1 semperflòrens DC.	(*w*)	broad-leaved	Sicily	1679.	1. 12.	G	♄	Moris. ox. 2. t. 25. f. 5.

Sect. 2. IBERI'DIUM; *radicle descending; seeds not margined.*

2 gibraltàrica DC.	(*bh*)	Gibraltar	Gibraltar	1732.	5. 6.	G	♄	Bot. mag. 124.
3 saxátalis DC.	(*wh*)	rock	S. Europe	1739.	4. 6.	H	♄	Gou. fl. mons. 177. t. 1.
4 corifòlia	(*wh*)	Coris-leaved	———	——	——	H	♄	Clus. hist. 2. p. 132. ic.
saxátalis β *corifòlia.* Bot. mag. 1642.								
5 pubéscens DC.	(*wh*)	pubescent	.....	1821.	——	H	♄	
6 subvelutìna DC.	(*wh*)	velvetty	Spain	1824.	——	H	♄	
7 sempervìrens DC.	(*wh*)	evergreen	Crete	1731.	——	H	♄	Flor. græc. t. 620.
8 Garrexiàna DC.	(*wh*)	Allioni's	Pyrenees	....	6. 8.	H	♄	All. ped. n. 920. t. 40. f. 3.
9 conférta DC.	(*wh*)	crowded-leaved	Spain	1824.	——	H	♄	Deless. ic. sel. 2. t. 84.
10 carnòsa W.K.	(*wh*)	fleshy-leaved	Hungary	....	5. 7.	H	♄	Swt. br. fl. gar. s. 2. t. 6.
11 amàra DC.	(*wh*)	bitter	England	....	——	H	⊙	Eng. bot. 52.
12 intermèdia D.S.	(*wh*)	intermediate	France	1823.	6. 7.	H	⊙	Bull. phil. no. 82. t. 21.
13 virgínica T.M.	(*wh*)	virginean	N. America	1837.	——	H	⊙	
14 pinnàta DC	(*wh*)	wing-leaved	S. Europe	1596.	——	H	⊙	Lob. ic. t. 217. f. 2.
15 odoràta DC.	(*wh*)	sweet-scented	Crete	1806.	——	H	⊙	Swt. br. fl. gar. 50.
16 Lagascàna DC.	(*wh*)	Lagasca's	Spain	1824.	——	H	⊙	
17 umbellàta DC.	(*pu*)	purple	S. Europe	1596.	——	H	⊙	Bot. mag. 106.
18 linifòlia DC.	(*pu*)	Flax-leaved	———	1759.	——	H	♂	Garid. aix. t. 105.
19 ciliàta DC.	(*wh*)	fringed	———	....	6. 7.	H	♂	
20 coronària DDon.	(*wh*)	Garland	.....	....	6. 7.	H	⊙	Swt. fl. gar. ser. 2. t. 359.
21 taúrica DC.	(*wh*)	Taurian	Tauria	1802.	5. 7.	H	♂	
22 violàcea DC.	(*pu*)	blunt-leaved	.....	1782.	6. 7.	H	⊙	
23 nàna DC.	(*pu*)	dwarf	S. Europe	1822.	5. 7.	H	♂	All. auct. p. 15. t. 2. f. 1.
24 spathulàta DC.	(*pu*)	spathulate	Pyrenees	1826.	6. 8.	H	⊙	Berg. phyt. ic.
25 Tenoreàna DC.	(*wh*)	Tenore's	Naples	——	5. 7.	H	♄	Swt. br. fl. gar. 88.
26 Pruìti DC. DC.	(*wh*)	Sicilian	Sicily	1828.	——	H	♄	
27 contrácta DC.	(*wh*)	contracted	Spain	1824.	4. 6.	H	♄	

BISCUTE'LLA. DC. BUCKLER-MUSTARD (*bis*, double, and *scutella*, a saucer;) Tetrad. Silic.

Sect. 1. IONDRA'BA; *calyx bicalcarate at the base; glands on the torus prominent.*

1 auriculàta DC.	(*ye*)	ear-podded	S. Europe	1683.	6. 7.	H	⊙	DC. diss. n. 1. t. 1. f. 2.

2 erigerifòlia DC.	(*ye*) Erigeron-leavd.	Spain'	1824.	6. 7.	H	⊙		Deless. ic. sel. 2. t. 55.
3 híspida DC.	(*ye*) hispid	S. France	1822.	——	H	⊙		Bot. mag. 2444.
4 cichoriifòlia DC.	(*ye*) Succory-leaved	Pyrenees	——	——	H	♃		DC. diss. n. 4. t. 2.

Sect. 2. THLASPI'DIUM; *Calyx equal at the base; glands on receptacle hardly elevated.*.

5 lyràta DC.	(*ye*) lyre-leaved	Spain	1790.	6. 7.	H	⊙		Bocc. sic. 45. t. 23.
6 raphanifòlia DC.	(*ye*) Radish-leaved	Sicily	1824.	——	H	⊙		
7 marginàta Ten.	(*ye*) marginate	Naples	1819.	5. 7.	H	⊙		
8 marítima DC.	(*ye*) sea	———	——	——	H	⊙		Tenor. fl. nap. t. 61.
9 ciliàta DC.	(*ye*) fringe-podded	Italy	1790.	——	H	⊙		DC. ic. gal. rar. 1. t. 39.
coronopifòlia. W. non Lin.								
10 deprèssa DC.	(*ye*) dwarf	Egypt	1823.	——	H	⊙		
11 microcárpa DC.	(*ye*) small-podded	Gibraltar	——	5. 6.	H	⊙		
12 eriocárpa DC.	(*ye*) woolly-podded	Spain	1826.	5. 7.	H	⊙		DC. diss. n. 12. t. 9. f. 2.
13 Colúmnæ DC.	(*ye*) Columna's	Apulia	1824.	6. 7.	H	⊙		Col. ecphr. 1. t. 284. f. 1.
14 ápula DC.	(*ye*) spear-leaved	Italy	1710.	——	H	⊙		Fl. græc. t. 269.
15 leiocárpa DC.	(*ye*) smooth-capsul'd	Levant	1824.	——	H	⊙		Gært. fruct. 2. t. 141.
16 obovàta DC.	(*ye*) obovate leaved	.....	....	——	H	⊙		
17 montàna DC.	(*ye*) mountain	Spain	1824.	3. 4.	H	♃		Cavan. ic. 2. t. 177.
18 lævigàta DC.	(*ye*) smooth podded	Europe	1777.	——	H	♃		DC. ic. rar. 11. t. 38.
19 β *alpéstris* W. en.	(*ye*) *Hungarian*	Hungary	1816.	——	H	♃		W. et Kit. hung. 3. t. 38.
20 lúcida DC.	(*ye*) glossy	Italy	1827.	4. 6.	H	♃		DC. diss. n. 20. t. 7.
21 coronopifòlia DC.	(*ye*) Buck's-horn ld.	S. Europe	1790.	——	H	♃		DC. diss. n. 22. t. 18.
22 ambígua DC.	(*ye*) ambiguous	———	....	——	H	♃		——— n. 23. t. 11. f. 1.
23 saxátilis DC.	(*ye*) rock	———	1824.	——	H	♃		——— n. 24. t. 10.
24 sempervìrens DC.	(*ye*) downy-leaved.	Spain	1784.	——	F	♄		Bar. ic. t. 841.
25 stenophy'lla DC.	(*ye*) narrow-leaved	Spain	1821.	6. 7.	H	♃		

THYSANOCA'RPUS DS. THYSANOCA'RPUS (θυσανον, a fringe, and καρπος, a fruit) Tetrad. Silic.

1 curvìpes Hook	curve-pedicelled	N. America	1836.	6. 7.	H	⊙		Hook fl. amer. 1. t. 18. A.
2 pulchéllus F.M.	neat	N. California	——	——	H	⊙		
3 élegans F.M.	elegant	———	——	——	H	⊙		

MENONVI'LLEA DC. MENONVI'LLEA (N. C. Thiery de Menonville.) Tetradynamia Siliculosa.

1 filifòlia F.M.	(*wh*) thread-leaved	Chili	1836.	8.	H	⊙		Swt. br. fl. gar. s. 2. t. 371.
2 lineàris DC.	(*wh*) linear-leaved	———	——	——	H	⊙		

MEGACARPÆ'A. DC. MEGACARPÆ'A. (μεγας, great, and καρπος, a fruit.) Tetradyn. Siliculosa.

1 laciniàta DC.	(*ve*) jagged leaved	Volga	1821.	6. 7.	H	♃		DC. Diss. bisc. n. 5. t. 3.
Biscutella megalocárpa. F.								

CREMO'LOBUS DC. CREMO'LOBUS (κρεμάω, to suspend, λωβος, a pod.) Tetradyn. Siloculosa

chilénsis DC.	(*ye*) Chili	Chili	1820.	6. 7.	H	⊙		DC. diss. no. 8. t. 5.
Biscutélla chilénsis. Lag.								

Tribe IV. *EUCLIDIE'Æ* seu Pleurorhìzeæ Nucamentàceæ. DC.

EUCLI'DIUM. DC. EUCLI'DIUM. (ευ, well, κλειδοω, to shut up: pods.) Tetradyn. Siliculosa.

1 syrìacum DC.	(*wh*) Syrian	Levant	1778.	7. 8.	H	⊙		Jacq. aust. 1. t. 6.
Bùnias syrìaca W. *Anastática syrìaca.* Jacq.								
2 tatáricum DC.	(*wh*) Tartarian	Tartary	1823.	4. 5.	H	⊙		Pall. it. 3. ap. t. U. f. 2
Bùnias tatárica. W.								

OCHTHO'DIUM DC. OCHTHO'DIUM. (οχθωδης, wasted; pods.) Tetradynamia Siliculosa.

ægyptìacum DC.	(*ye*) Egyptian	Egypt	1787.	8.	H	⊙		Jacq. vind. t. 145.
Rapistrum ægyptìacum. H. K. *Bùnias ægyptìaca.* L.								

Tribe V. *ANASTATI'CEÆ* seu Pleurorhìzeæ Septulàtæ. DC.

ANASTA'TICA DC. ROSE OF JERICHO (αναστασις, resurrection; plant however dry.) Tetrad. Silic.

Hierochúntina DC.	(*w*) common	Levant.	1597.	5. 8.	H	⊙		Jacq. vind. 1. t. 58.

Tribe VI. *CAKILI'NEÆ* seu Pleurorhìzeæ Lomentàceæ. DC.

CAKI'LE DC. Caki'le (Arabic name of the genus.) Tetradynamia Siliculosa.

1 tenélla DC.	(*pu*) Sea-Rocket	Britain	....	6.	9.	H	⊙	Eng. bot. 231.
β *sinuatifòlia* DC.	(*p*) *sinuate-leaved*	———	....	——		H	⊙	Horn. fl. dan. t. 1583.
2 americàna DC.	(*li*) American	America	....	——		H	⊙	Tussac. fl. ant. 1. f. 17.

CHORI'SPORA DC. Chori'spora (χωρις, separately, σπορα, a seed.) Tetradynamia Siliquosa.

1 tenélla DC.	(*pu*) purple	Tauria	1780.	6.	7.	H	⊙	Pall. it. 3. ap. t. L. f. 3.
2 strícta DC.	(*pu*) upright	Siberia	1825.	5.	7.	H	⊙	
3 sibírica DC.	(*ye*) Siberian	———	1822.	——		H	⊙	Murr. com. goett. t. 11.
4 ibérica DC.	(*ye*) strong-scented	Iberia	——	——		H	⊙	Deless. ic. sel. 2. t. 582.

Suborder II. NOTORHI'ZEÆ. *DC. syst.* 2. *p.* 438.

Tribe VII. *SISY'MBREÆ* seu Notorhìzeæ Siliquòsæ. DC.

MALCO'MIA DC. Malco'mia (W. Malcolm, mentioned in Hort. Kew.) Tetradyn. Siliquosa.

1 africàna DC.	(*pu*) African	Africa	1747.	6.	7.	H	⊙	Buxb. cent. 4. t. 44.
2 taraxacifòlia DC.	(*pu*) Dandelion-ld.	.....	1795.	——		H	⊙	
3 láxa DC.	(*pu*) loose-branched	Siberia	1811.	——		H	⊙	
4 intermèdia Mey.	(*pu*) intermediate	Carcacas	1837.	——		H	⊙	
5 runcinàta Mey.	(*pu*) runcinate	———	——	——		H	⊙	
6 Chìa DC.	(*pu*) dwf.-branching	Chio	1732.	5.	6.	H	⊙	Sw. br. fl. gar. t. 40.
7 marítima DC.	(*p.w*) dwarf annual	S. Europe	1713.	——		H	⊙	Bot. mag. t. 166.
Cheiránthus marítimus BM.								
8 incrasàta DC.	(*pu*) thickened	Greece	1820.	6.	7.	H	⊙	Deless. ic. sel. 2. t. 59.
9 arenària DC.	(*pu*) sand	Barbary	1804.	——		H	⊙	Desf. fl. atl. 2. t. 162.
Hésperis arenària. Desf.								
10 parviflòra DC.	(*pu*) small-flowered	S. Europe	1822.	6.	8.	H	⊙	DC. ic. gall. rar. t. 35.
11 lyràta DC.	(*pu*) rigid	Levant	1824.	5.	8.	H	⊙	Flor. græc. t. 635.
12 littòrea DC.	(*li*) sea	S. Europe	1683.	6.	11.	H	♂	Sw. br. fl. gar. t. 54.
13 pátula DC.	(*pu*) spreading	Spain	1825.	5.	7.	H	♃	
14 lácera DC.	(*pu*) cut-leaved	S. Europe	——	——		H	⊙	Desf. ann. mus. 11. t. 34.
Hésperis pinnatifida. Desf.								

HE'SPERIS. DC. Rocket. (ἑσπερος the evening; smelling.) Tetradynamia Siliquosa.

Sect. 1. Hesperi'dium; *petals linear; pods two-edged; dissepiment spongy.*

1 trístis DC.	(*br*) night-smelling	Europe	1622.	4.	6.	H	♂	Bot. mag. t. 730.
β *major*	(*st*) *larger*	———	1827.	4.	7.	H	♂	
2 frágrans F.	(*pu*) evening-scented	Siberia	1821.	——		H	♂	Swt. br. fl. gar. t. 61.

Sect. 2. Deilo'sma; *petals obovate; pods roundish or somewhat 4-edged; dissepiment membranous.*

3 laciniàta DC.	(*pu*) laciniated	Italy	1820.	5.	6.	H	♂	All. ped. n. 985. t. 82. f. 1.
4 villòsa DC.	(*pu*) villous	———	1827.	——		H	♂	
5 grandiflòra B M.	(*pu*) large-flowered	.....	1818.	5.	8.	H	♂	Bot. mag. t. 2683.
6 elàta H.	(*pu*) tall	.....	1825.	——		H	♂	
7 runcinàta DC.	(*bh*) runcinate	Hungary	1804.	5.	7.	H	♂	W. et Kit. hung. 2. t. 200
8 bitumìnosa W. en.	(*bh*) clammy	.....	1816.	——		H	♂	
9 matronàlis L.	(*va*) common	Europe	1597.	5.	8.	H	♃	Lob. ic. t. 323. f. 2.
α *albiflòra* DC.	(*wh*) *single-white*	———	——	——		H	♃	Tabern. kraut. 692. f. 1.
β *álbo-plèna*	(*wh*) *double-white*	———	——	——		H	♃	
γ *purpùrea* DC.	(*pu*) *single-purple*	———	——	——		H	♃	Tabern. kraut. 692. f. 2
δ *purpùreo-plèna*	(*pu*) *double-purple*	———	——	——		H	♃	Wein. phyt. t. 572. f. c.
ε *variegàta* DC.	(*v*) *dble.-variegated*	———	——	——		H	♃	Munt. phyt. cur. t. 186.
ζ *foliiflòra*	(*gr*) *green-flowered*	———	——	——		H	♃	Wein. phyt. t. 572. f. a.
10 inodòra L.	(*pu*) scentless	Britain	....	——		H	♃	Eng. bot. 731.
11 sibírica L.	(*pu*) Siberian	Siberia	....	——		H	♃	Led. ill. t. 394.
12 heterophy'lla DC.	(*pu*) various-leaved	Naples	1825.	5.	7.	H	♃	
13 speciòsa Swt.	(*ro. pu*) showy	Siberia	1829.	——		H	♃	Swt. br. fl. g. s. 2. t. 135.
14 ramosíssima DC.	(*pu*) branched	Barbary	1827.	——		H	⊙	Desf. atl. 2. t. 161.
15 pygmæ'a DC.	(*pu*) pygmy	Syria	1828.	4.	6.	H	⊙	
16 repánda DC.	(*pu*) repand	Spain	1820.	5.	6.	H	⊙	

ANDREO'SKIA. DC. Andreo'skia. (Ant. Andrzejowski, Russian bot.) Tetradyn. Siliquosa.

1 integrifòlia DC.	(*wh*) entire-leaved	Siberia	1824.	6.	7.	H	⊙	
Sisy'mbrium integrifòlium W. *Hésperis glándulòsa*, P. S.								
2 pectinàta DC.	(*wh*) pectinated	Dahuria	1827.	5.	6.	H	♂	

SISY'MBRIUM. DC. Sisy'mbrium. (σισυμβριον, a Greek water plant.) Tetradynamia Siliquosa.
Sect. 1. Vela'rium; *pods awl-shaped, on very short pedicels, adpressed to the axis, each ending in short style.*

1	officinàle DC.	(*ye*) Hedge-mustard	Britain	....	5.	7.	H	⊙	Eng. bot. 725.
	Ery'simum officinàle. E.B.								
2	corniculàtum DC.	(*ye*) horned	Spain	1818.	6.	7.	H	⊙	

Sect. 2. No'rta; *pods terete; calyx spreading; seeds oblong.*

3	strictíssimum DC.	(*ye*) spear-leaved	Europe	1658.	6.	8.	H	♃	Jacq. aust. 2. t. 194.
	Cheirínia strictíssima. L. en.								
4	júnceum DC.	(*ye*) rushy	Hungary	1834.	7.		H	♃	W. et Kit. hung. 3. t. 234.
	Ery'simum júnceum. W. *Cheirínia júncea.* L. en.								

Sect. 3. Iri'o; *pods terete; seeds ovate, rather triquetrous.*

5	hispánicum DC.	(*ye*) Spanish	Spain	1820.	5.	6.	H	♂	Jacq. ic. rar. 1. t. 124.
6	pùmilum DC.	(*ye*) dwarf	Caucasus	——	4.	5.	H	⊙	
7	obtusángulum DC.	(*pe*) blunt-angled	Switzerland	....	5.	8.	H	⊙	Moris. ox. 2. s. 3. t. 5. f. 10
8	acutángulum DC.	(*ye*) acute-angled	Pyrenees	1791·	6.	7.	H	♂	Jacq. vind. 3. t. 97.
	sinapioìdes H.K. *Sinàpis pyrenàica.*		Jacq.						
9	taraxacifòlium DC.	(*y*) Dandelion-ld.	France	1823.	5.	6.	H	♂	DC. ic. rar. p. 11. t. 37.
10	contórtum W. en.	(*ye*) twisted	Spain	1824.	——		H	♂	
11	affìne W. en	(*ye*) related	.....	1823.	5.	8.	H	♂	
12	austrìacum DC.	(*ye*) Austrian	Austria	1794.	6.	8.	H	⊙	Jacq. aust. 3. t. 262.
13	eckartsbergénse W.	(*y*) bending-podded	——	——	——		H	♂	
14	Tillièri W.	(*ye*) Tillier's	Switzerland	1824.	6.	8.	H	⊙	
15	I'rio DC.	(*ye*) London Rocket	England	....	5.	8.	H	⊙	Eng. bot. t. 1631.
16	Commingiànum F.M.	(*ye*) Cumming's	Chili	1832.	——		H	⊙	
17	Zèæ S.S.	(*ye*) Zea's	Spain	——	——		H	⊙	
18	villòsum Lag.	(*ye*) villous	——	——	——		H	⊙	
19	incànum Bernh.	(*ye*) hoary	S. Europe	——	——		H	⊙	
20	polystàchyum Lk.	(*ye*) many-spiked	——	——	——		H	⊙	
21	glàbrum W. en.	(*ye*) smooth	England	1823.	——		H	⊙	
22	gállicum W. en.	(*ye*) French	France	——	——		H	⊙	
23	nitidum DC.	(*ye*) glossy	.....	....	6.	8.	H	⊙	
24	subhastàtum DC.	(*ye*) halbert-leaved	Archipelago	1822.	4.	5.	H	⊙	
25	Colúmnæ W.	(*ye*) Columna's	Italy	1796.	6.	7.	H	⊙	Jacq. aust. t. 323.
26	altíssimum L.	(*ye*) tall	Siberia	1759.	8.		H	⊙	Walth. hort. t. 122.
27	orientàle L.	(*ye*) oriental	Levant	1739.	7.	8.	H	⊙	
28	pannónicum DC.	(*st*) Hungarian	Hungary	1787.	——		H	⊙	Jacq. ic. rar. 1. t. 123.
29	lyràtum DC.	(*ye*) lyrate	C. B. S.	....	5.	8.	G	♃	Deles. ic. sel. 2. t. 64.
30	ásperum DC.	(*ye*) rough-podded	S. Europe	1778.	5.	6.	H	⊙	J. Bauh. hist. 2. f. 3.
31	fùgax DC	(*ye*) fugacious	Spain	1820.	7.	8.	H	♃	
32	Sophìa DC.	(*ye*) Flix-weed	Britain	....	——		H	⊙	Eng. bot. 963.
33	pérsicum DC.	(*ye*) Persian	Persia	1823.	——		H	⊙	
34	Richardsòni	(*ye*) Richardson's	N. America	1828.	6.	7.	H	⊙	
	canéscens Richardson. *non* Nutt.								
35	brachycárpum DC.	short-podded	——	——	——		H	⊙	
36	tripinnàtum DC.	(*ye*) tripinnate	C. B. S.	1817.	——		H	⊙	
37	millefòlium DC.	(*ye*) Milfoil-leaved	Canaries	1779.	5.	9.	G	♄	Jacq. ic. rar. 1. t. 127.
38	tanacetifòlium DC.	(*ye*) Tansy-leaved	Italy	1731.	6.	7.	H	♃	Mor. his. 2. s. 3. t. 6. f. 19.

Sect. 4. Kibe'ra; *pedicels bracteate; style short, thick, retuse.*

39	supìnum DC.	(*wh*) trailing	S. Europe	1778.	——		H	⊙	Ism. act. Par. 1724. t. 18.
	Ery'simum supìnum. L. en.								
40	hirsùtum DC.	(*ye*) hairy-podded	——	1822.	——		H	⊙	
	Ery'simum hirsùtum. L. en.								
41	polyceràtium DC.	(*ye*) sinuate-leaved	——	1633.	6.	8.	H	⊙	Jacq. vind. t. 79.
	Erysìmum polyceràtium. L. en.								
42	rígidum DC.	(*wh*) rigid	Tauria	1824.	6.	8.	H	⊙	Pall. it. 3. ap. t. Mm. f. 1.

Sect. 5. Arabido'psis; *pods linear, compressed; stigma sessile, truncate.*

43	bursifòlium DC.	(*wh*) various-leaved	——	1732.	——		H	⊙	Dill. elt. t. 148. f. 177.
44	pinnatífidum DC.	(*wh*) pinnatifid	——	1822.	5.	8.	H	♃	All. ped. t. 57. f. 3.
45	erysimoìdes DC.	(*wh*) Erysimum-like	Spain	1827.	10.	12.	H	♃	Desf. atl. 2. t. 158.
46	torulòsum DC.	(*wh*) torulose	Cyprus	1824.	4.	5.	H	⊙	Fl. græc. t. 632.
47	contortuplicàtum	(*bh*) twisted-podded	Cumana	1827.	6.	8.	H	⊙	Deles. ic. sel. 2. t. 63. B.
	Hésperis contortuplicàtus. Bieb. *Cheiránthus contortuplicàtus.* W.								
48	fùgax DC.	(*wh*) fugacious	Spain	1820.	2.	3.	H	♃	

ALLIA'RIA DC. Allia'ria. (*allium*, garlic; scent similar.) Tetradynamia Siliquosa.

1	officinàlis DC.	(*wh*) garlick-scented	Britain	....	5.	6.	H	⊙	Eng. bot. 796.
	Ery'simum Alliària. E.B. *Hésperis Alliària.* Lam.								
2	brachycárpa DC.	(*wh*) short-podded	Iberia	1827.	5.	7.	H	⊙	

ERY'SIMUM DC. ERY'SIMUM. (ἐρύω, to draw; blisters.) Tetradynamia Siliquosa.

Sect. 1. STYLONE'MA; *style long, filiform; stigmas* 2 *spreading; calyx almost persistent; flowers nearly sessile.*

1 siliculòsum DC.	(*ye*) siliculose	Tauria	1824.	5.	6.	H	♂	Deles. ic. sel. 2. t. 65.
Syrènia siliculòsa. Andrz.								
2 sículum DC.	(*ye*) Sicilian	Sicily	1824.	6.	7.	H	♂	
3 sessiliflòrum DC.	(*ye*) sessile-flower'd	Siberia	1794.	——		H	♃	L. Her. strirp. 1. t. 44.
Cheiránthus quadrángulus. W. *Cheirìnia sessiliflòra.* L. en. *Syrènia Lamárkii.* Andrz.								
4 angustifòlium DC.	narrow-leaved	Hungary	1800.	7.	8.	H	♂	W. et Kit. hung. 1. t. 98.
Cheirínia angustifòlia. L. en. *Syrènia Ehrárti.* Andrz.								

Sect. 2. CUSPIDA'RIA; *style short, filiform; siliquæ tetragonal, 2-edged; calyx deciduous; flowers on short pedicels.*

5 cuspidàtum DC.	(*ye*) sharp-pointed	Caucasus	1800.	5.	6.	H	♂	Buxb. cent. 2. t. 33. f. 1.
Syrènia Bieberstèinii. Andrz. *Cheiránthus cuspidàtus.* W.								

Sect. 3. ERYSIMA'STRUM; *style very short; siliquæ* 4-*sided; calyx deciduous; flowers pedicellate.*

6 leptóstylum DC.	(*ye*) slender-styled	Caucasus	1825.	——		H	♂	
7 exaltàtum DC.	(*ye*) tall	Poland	——	——		H	♂	
8 suffruticòsum DC.	(*st*) suffruticose	.....	1822.	4.	5.	H	♄	
9 stríctum DC.	(*ye*) upright	Austria	1795.	6.	8.	H	♂	Jacq. aust. 1. t. 73.
odoràtum. W. *hieracifòlium.* Jacq. *Cheirínia stricta.* L. en.								
10 odoràtum DC.	(*ye*) sweet-scented	Hungary	1795.		7.	H	♂	
11 virgàtum DC.	(*ye*) twiggy	Portugal	1807.	6.	7.	H	♂	Fl. Dan. t. 923.
12 longisiliquòsum DC.	(*ye*) long-podded	Switzerland	1823.	——		H	♂	DC. ic. gal. rar. t. 36.
13 cæspitòsum DC.	(*ye*) tufted	Persia	1828.	7.	8.	H	♃	
14 hieracifòlium DC.	(*ye*) Hawkweed-ld.	Europe	1823.	5.	6.	H	♂	J. Bauh. his. 2. t. 2.
15 crepidifòlium S.S.	(*ye*) crepis-leaved	Germany	1829.	5.	6.	H	♂	
16 Marschallianum	(*ye*) Marschall's	Poland	1827.	——		H	♂	
17 pátulum H.	(*ye*) spreading	.....	1822.	——		H	♂	
18 pùmilum H.	(*ye*) dwarf	Switzerland	——	——		H	♂	
19 aúreum DC.	(*ye*) golden	Caucasus	1824.	——		H	♂	Deles. ic. sel. 2. t. 66.
20 ibéricum DC.	(*ye*) Iberian	Iberia	1803.	5.	8.	H	♂	Bot. mag. 835.
Cheiránthus armeniacus. B.M. *Cheiránthus ibéricus.* Bieb.								
21 cheiranthoìdes DC.	(*y*) treacle	Britain	....	6.	8.	H	⊙	Eng. bot. 942.
22 repándum DC.	(*ye*) small-flowered	S. Europe	1772.	5.	6.	H	⊙	Jacq. aust. 1. t. 22.
23 helvéticum DC.	(*ye*) Swiss	Switzerland	1793.	——		H	♂	Jacq. vind. t. 9.
Cheiránthus helvéticus. Jacq. *Cheirínia helvética.* L. en.								
24 canéscens DC.	(*ye*) canescent	S. Europe	1731.	5.	7.	H	♂	Jacq. aust. t. 75.
diffusum. W. *Cheiránthus alpinus.* Jacq. aust. 1. t. 75.								
25 Andrzejowskianum	(*y*) Andrzejowski's	Tauria	1828.	——		H	♂	
26 Perofskianum F.M.	Perofski's	Cabul	1838.	——		H	♂	
27 collinum DC.	(*ye*) hill	Caucasus	——	——		H	♂	
28 leptophy'llum DC.	(*ye*) slender-leaved	Iberia	1827.	——		H	♂	
29 versícolor DC.	(*va*) various-color'd	Persia	1823.	5.	7.	H	♂	
Cheiránthus versícolor. M. B.								
30 lanceolàtum DC.	(*ye*) spear-leaved	———	1597.	——		H	♂	Jacq. aust. t. 74.
Cheiránthus erysimoìdes. Jacq.								
31 firmum	(*ye*) hoary-podded	Switzerland	1824.	——		H	♂	
Cheirínia fírma. L. en. *Cheiránthus fírmus.* W. en.								
32 rhæ'ticum DC.	(*ye*) Rhætian	Rhætia	——	——		H	♂	
33 dùbium DC.	(*ye*) doubtful	.....	——	——		H	♂	
34 longifòlium DC.	(*ye*) long-leaved	Algiers	1822.	——		H	♃	
35 grácile DC.	(*ye*) slender	Caucasus	1824.	6.	8.	H	♂	
36 ásperum DC.	(*ye*) rough	Missouri	——	——		H	♂	
37 strigòsum DC.	(*ye*) strigose	Siberia	1828.	——		H	♂	
38 Redówskii DC.	(*ye*) Redowski's	———	1825.	——		H	♂	
39 altissimum DC.	(*ye*) tallest	Limbourg	1822.	6.	7.	H	♂	
Cheirínia altíssima. L. en.								
40 sabulòsum P.	(*ye*) gravel	Siberia	1823.	——		H	♂	
41 bícolor D.C.	(*v*) two-coloured	Switzerland	1827.	——		H	♂	

CONRI'NGIA. L. en. CONRI'NGIA. (*Cor*, the heart; shape of leaves.) Tetradyn. Siliq.

1 alpina L. en.	(*wh*) Alpine	Europe	1793.	5.	6.	H	♃	Vill. dauph. 3. t. 36.
Brássica alpìna. L. *Ery'simum alpìnum* DC.								
2 perfoliata L. en.	(*wh*) perfoliate	England	....	——		H	⊙	Eng. bot. 1804.
Brássica orientàlis EB. *Ery'simum perfoliàtum* DC.								
3 austrìaca	(*st*) Austrian	Austria	....	——		H	⊙	Jacq. aust. t. 283.
Brássica austrìaca Jacq. *Ery'simum austrìacum* DC.								
4 planisiliqua Meyer	(*wh*) flat-podded	Caucasus?	1837.	——		H	⊙	

STANLE'YA. DC. STANLE'YA. (Ed. Lord Stanley, F.R.S., now Earl of Derby.) Tetr. Siliquosa.
pinnatìfida DC. pinnatifid Missouri 1812. 5. 6. H ♃
Cleòme pinnàta. Ph.

LEPTA'LIUM. DC. LEPTA'LIUM. (λεπταλεος, slender; leaves.) Tetradynamia Siliquosa.
1 filifòlium DC. (*wh*) thread-leaved Siberia 1820. 6. 7. H ⊙ Deless. ic. sel. 2. t. 68.
Sisy'mbrium filifòlium Willd.
2 pygmæ'um DC. (*pu*) pygmy Persia 1836. 6. 7. H ⊙ ——— 2. t. 69.

Tribe VIII. *CAMELI'NEÆ* seu Notorhìzeæ Latiséptæ. DC.

CAMELI'NA. DC. CAMELI'NA. (χαμαι, on the ground; and λινον, flax; dwarf-flax.) Tet. Sil.
Sect. 1. CHAMÆLI'NUM. *Pod obovate; margined; style conical; stigma simple.*
1 satìva DC. (*ye*) Gold of pleasure Britain .... 5. 7. H ⊙ Eng. bot. 1254.
Aly'ssum satìvum EB. *My'agrum satìvum* L.
α *pilòsa* DC. (*ye*) *hairy* ——— .... —— H ⊙ Moris. ox. 2. s. 3. t. 21. f. 2.
β *glábrata* DC. (*ye*) *smooth* .... —— H ⊙ Lind. als. 94. t. 1.
2 dentàta DC (*ye*) tooth-leaved Europe 1806. 6. 7. H ⊙ J. Bauh. hist. 2. p. 893. ic.
3 pinnatìfida H. (*ye*) pinnatifid Spain —— —— H ⊙
4 microcárpa DC. (*ye*) small-podded Poland 1827. —— H ⊙ Deles. ic. sel. 2. t. 69.
5 láxa Meyer (*ye*) loose Caucasus 1837. —— H ⊙
Sect. 2. PSEUDOLI'NUM. *Pods globose; not margined; style filiform; stigma capitate.*
6 barbareæfòlia DC. (*ye*) Barbarea ld. Siberia 1824. 5. 7. H ♃ ——— 2. t. 70.
7 austrìaca DC. (*ye*) Austrian Austria 1795. 6. 7. H ♃ Jacq. aust. 2. t. 111.

NE'SLIA DC. NE'SLIA. (derivation unknown.) Tetradynamia Siliculosa.
paniculàta DC. (*ye*) panicled Europe 1683. 6. 8. H ⊙ Flor. dan. t. 204.
Rapistrum paniculàtum Gært. *My'agrum paniculàtum* L.

Tribe IX. *LEPIDI'NEÆ* seu Notorhìzeæ Angustiséptæ. DC.

SENEBIE'RA DC. SENEBIE'RA. (John de Senebier, a French bot.) Tetradynamia Siliculosa.
Sect. 1. NASTURTI'OLUM. *Pods emarginate at apex.*
1 pinnatífida DC. (*wh*) pinnatifid England .... 7. 8. H ⊙ Eng. bot. 248.
Corónopus didyma EB. *Lepídium didymum* L.
β *incisa* W.en. (*wh*) *cut-leaved* America 1817. —— H ⊙
2 linoìdes DC. (*wh*) flax-like C. B. 1837. —— H ⊙
Lépidum linoìdes Thunb.
Sect. 2. CARA'RA. *Pods not emarginate.*
3 Corónopus DC. (*wh*) common Britain .... 6. 10. H ⊙ Eng. bot. 1660.
Corónopus Ruellii EB. *Cochleària Corónopus* L.

LEPI'DIUM DC. PEPPERWORT. (λεπις, a scale; form of pods.) Tetradynamia Siliculosa.
Sect. 1. CARDA'RIA. *Pods ovate-cordate; valves turged, wingless; style long, filiform.*
1 Dràba DC. (*wh*) Whitlow-grass Europe 1596. 5. 6. H ♃ Jacq. fl. aust. 4. t. 315.
Cochleària Dràba Jacq.
Sect. 2. ELLIPSA'RIA. *Pods elliptic; valves keeled, wingless; style long, filiform.*
2 chalepénse DC. (*wh*) Aleppo Aleppo 1798. 5. 7. H ⊙ Moris. ox. 2. s. 3. t. 25.
Sect. 3. BRADYPI'PTUM. *Pods elliptic; valves keeled; style short; calyx persistent.*
3 coronopifòlium DC. (*w*) Buckshorn-ld. Volga 1823. —— H ♃
Sect. 4. CA'RDAMUM. *Pods nearly orbicular, emarginate; valves navicular, winged on their backs.*
4 satìvum DC. (*wh*) common Cress Persia 1548. 5. 10. H ⊙ Fl. græc. t. 616.
β *crispum* DC. (*wh*) *curled Cress* ——— .... —— H ⊙ Chabr. sci. 289. f. 2.
γ *latifòlium* DC. (*wh*) *broad-leaved* ——— .... —— H ⊙ Moris. ox. 2. s. 3. t. 19. f. 2.
5 spinéscens DC. (*wh*) spinescent Syria 1820. 6. 7. H ⊙ Deless. ic. sel. 2. t. 72.
Sect. 5. LE'PIA. *Pods orbicular, emarginate; valves navicular, wings adhering to the style, which is very short.*
6 campéstre DC. (*wh*) hoary field Britain .... 6. 7. H ⊙ Eng. bot. 1385.
Thláspi campéstre EB.
7 hírtum DC. (*wh*) hairy ——— .... 6. 7. H ♂ ——— 1803.
Thláspi hírtum EB.
8 Gussòni Schrad. (*wh*) Gussone's Calabria 1836. 5. 8. H ⊙
Thláspi pubéscens Guss.
9 spinòsum DC. (*wh*) prickly Levant 1787. 4. 9. H ⊙ Ard. spec. 2. t. 16.

Sect. 6. DILE'TIUM. *Pods nearly elliptic, somewhat emarginated at their apices; valves keeled, wingless; style very short.*

10	virgínicum DC.	(*wh*)	Virginian	America	1713.	6. 7.	H	⊙	Schkuhr. hand. 2. t. 180.
11	Menziésii DC.	(*wh*)	Menzies's	N. America	1837.	6. 7.	H	♃	
12	subulàtum DC.	(*wh*)	awl-leaved	Spain	1739.	7. 8.	F	♄	Asso. syn. arr. t. 6. f. 3.
13	raderàle DC.	(*wh*)	narrow-leaved	Britain	....	6. 7.	H	⊙	Eng. bot. 1595.
14	micránthum Led.	(*wh*)	small-flowered	Tauria	1824.	5. 6.	H	⊙	Led. ill. t. 92.
	iscìum DC.								
15	vesicàrium DC.	(*wh*)	bladdered	Iberia	1821.	4. 8.	H	⊙	Hil. veg. syst. 11. t. 41. f. 3.
16	angulòsum DC.	(*wh*)	angular-stalk'd	Hungary	1825.	——	H	⊙	
17	perfoliàtum DC.	(*wh*)	various-leaved	Austria	1640.	4. 6.	H	⊙	Jacq. aust. 4. t. 346.
18	Cardámines DC.	(*wh*)	Spanish Cress	Spain	1789.	6. 7.	F	♂	Ard. spec. 1. t. 19.
19	divaricàtum DC.	(*wh*)	close-spiked	C. B. S.	1774.	5. 8.	G	♄	
20	bonariénse DC.	(*wh*)	Buenos Ayres	S. America	1732.	5. 6.	H	⊙	Dill. elt. t. 286. f. 370.
21	pubéscens DC.	(*wh*)	pubescent	Para	1820.	5. 8.	H	⊙	
22	cuneifòlium DC.	(*wh*)	wedge-leaved	N. S. W.	1820.	6. 8.	H	⊙	
23	hyssopifòlium DC.	(*wh*)	hyssop-leaved	N. Holland	1820.	6. 7.	H	⊙	
24	piscídium DC.	(*wh*)	South Sea	Society Isles	1779.	9.	H	⊙	Mont. n. a. n. c. 6. t. 5. a.
25	Nòvæ Hollándiæ DC.	(*wh*)	N. Holland	N. Holland	1819.	6. 7.	G	♄	
26	desertòrum Led.	(*wh*)	desert	Siberia	1827.	——	H	⊙	
27	decúmbens DC.	(*wh*)	decumbent	———	1820.	5. 8.	H	⊙	

Sect. 7. LEPIDIA'STRUM. *Pods nearly elliptic; entire; valves keeled, wingless; style very short.*

28	oleràceum DC.	(*wh*)	eatable	N. Zealand	....	——	H	⊙	
29	lyràtum DC.	(*wh*)	lyre-leaved	Levant	1759.	6. 7.	H	⊙	Tourn. it. 2. t. 389.
30	latifòlium DC.	(*wh*)	broad-leaved	Britain	....	——	H	♃	Eng. bot. 182.
31	affi'ne DC.	(*wh*)	saw-leaved	Siberia	1823.	7. 8.	H	♃	
32	crassifòlium DC.	(*wh*)	thick-leaved	Hungary	——	5. 6.	H	♃	W. et Kit. hung. 1. t. 4.
33	suffruticòsum DC.	(*w*)	shrubby	Spain	1790.	7. 8.	F	♄	Cav. ic. 2. t. 161. f. 2.
	graminifòlium Cav.								
34	lineare DC.	(*wh*)	linear-leaved	Spain	....	——	F	♄	
35	Ibèris DC.	(*wh*)	grass-leaved	S. Europe	1683.	6. 9.	H	♃	Moris. his. 2. s. 3. t. 21. f. 1.
	graminifòlium HK.								
36	Ecklòni Schrad.	(*wh*)	Ecklon's	C. B. S.	1837.	——	F	♃	
37	capénse DC.	(*wh*)	Cape	———	1818.	6. 7.	G	♃	

Species not sufficiently known:—

38	cordàtum Schr.	(*wh*)	cordate-leaved	Siberia	1832.	5. 8.	H	⊙	
39	densiflòrum Sch.	(*wh*)	dense-flowered	Siberia	1835.	——	H	⊙	
40	Cummingiànum TM.	(*wh*)	Cumming's	Chili	1836.	——	H	⊙	

BIVONÆ'A. DC. BIVONÆ'A. (Ant. Bivona Bernardi; Sicilian bot.) Tetradynamia Siliculosa.

	lùtea DC.	(*ye*)	yellow	Sicily	1823.	4. 5.	H	⊙	Cup. pan. sic. 2. t. 256.
	Thlaspi lùteum Biv.								

EUNO'MIA. DC. EUNO'MIA. (εὐ, well; and νομος, order; leaves and seeds.) Tetrady. Siliculosa.

	oppositifòlia DC.	(*wh*)	opposite-leaved	Syria	1827.	6. 7.	H	♃	Lab. syr. dec. 5. t. 9. f. 2.
	Lepidium oppositifòlium Lab.								

ÆTHIONE'MIA. DC. ÆTHIONE'MIA. (αἴθω, to scorch; and νημα, a filament.) Tetrady. Silicul.

1	saxátile DC.	(*w.p*)	rock	S. Europe	1759.	6. 7.	H	⊙	Jacq. aust. 3. t. 236.
2	grácile DC.	(*wh*)	slender	Carniola	1822.	——	H	♄	Boc. mus. p. 79. t. 70.
3	Buxbaúmii DC.	(*pu*)	Buxbaum's	Iberia	1820.	——	H	⊙	Buxb. cent. 1. t. 5. f. 1.
4	membranàceum DC.	(*li*)	membran.-pod.	Persia	1829.	6. 8.	H	♃	Swt. br. fl. gar. s. 2. t. 69.
5	monospérmum DC.	(*p*)	one-seeded	Spain	1778.	7. 8.	H	♂	
6	parviflòrum Swt.	(*li*)	small-flowered	Persia	1830.	——	H	♃	
7	heterocárpum Gay.	(*li*)	variable-podded	Armenia	1837.	——	H	♃	

Tribe X. *ISATI'DEÆ* seu Notorhìzeæ Nucamentàceæ. DC.

TAUSCHE'RIA. DC. TAUSCHE'RIA. (Jgn. F. Tauscher; prof. bot. Prague.) Tetrad. Silicul.

1	lasiocárpa DC.	(*wh*)	villous-podded	Siberia	1824.	6. 7.	H	⊙	
2	gymnocárpa DC.	(*wh*)	smooth-podded	———	——	5. 6.	H	⊙	

ISA'TIS. DC. WOAD. (ἰσάζω, to make equal; skin.) Tetradynamia Siliculosa.

Sect. 1. SAMERA'RIA. *Pods oval, or orbicular, indehiscent, girded by a broad foliaceous membrane.*

1	armèna DC.	(*ye*)	Armenian	Armenia	1824.	6. 7.	H	⊙	Desv. j. 3. t. 25. f. 6.
2	latisilíqua DC.	(*ye*)	broad-podded	Iberia	1827.	5. 7.	H	♂	
3	lusitánica DC.	(*ye*)	Portugal	Portugal	1739.	——	H	⊙	

Sect. 2. GLA'STUM; *pods oval-oblong, or nearly linear, hardly dehiscent, with corky margins.*

4	alpìna DC.	(*ye*)	Alpine	Italy	1800.	——	H	♃	All. ped. t. 86. f. 2.

5	præ'cox DC.	(*ye*) early-flowering	Hungary	1820.	4. 6.	H	♂		Trat. arch. 2. t. 68.
6	littoràlis DC.	(*ye*) sea-side	Tauria	——	6. 7.	H	⊙		Deles. ic. sel. 2. t. 78.
7	hebecárpa DC.	(*ye*) pubescent-pod.	Tauria	1827.	——	H	⊙		——— 2. t. 79.
8	dasycárpa Led.	(*ye*) thick-podded	Siberia	——	5. 7.	H	♂		
9	heterocárpa And.	(*ye*) variable-fruited	Siberia	1837.	——	H	♂		
10	microcárpa Gay.	(*ye*) small-fruited	Armenia	——	——	H	♂		
11	tinctòria DC.	(*ye*) common	England	....	——	H	♂		Eng. bot. 97.
	β *satìva* DC.	(*ye*) *smooth-leaved*	.....	....	——	H	♂		Blackw. herb. t. 246.
	γ *hirsùta* DC.	(*ye*) *hairy-leaved*	.....	....	——	H	♂		
	δ *microcárpa* DC.	(*ye*) *small-podded*	.....	....	——	H	♂		
12	campéstris DC.	(*ye*) field	Podolia	1823.	——	H	⊙		
13	bannática DC.	(*ye*) Bannatic	Hungary	——	——	H	⊙		
14	mæótica DC.	(*ye*) Mæotic	Siberia	1828.	——	H	♂		
15	taúrica DC.	(*ye*) Taurian	Tauria	1827.	——	H	♂		
16	oblongàta DC.	(*ye*) oblong-podded	Siberia	——	——	H	♂		
17	orientàlis DC.	(*ye*) oriental	Levant	....	——	H	⊙		
18	canéscens DC.	(*ye*) canescent	S. Europe	1825.	——	H	♂		Buxb. cent. 1. p. 4. t. 5.
19	aléppica DC.	(*ye*) Aleppo	Levant	1739.	6. 7.	H	⊙		Scop. d. ins. 2. t. 16.
20	variegàta Led.	(*ye*) variegated	Siberia	1827.	——	H	♂		

MY'AGRUM. DC. MYA'GRUM. (*μυια*, a fly; and *αγρα*, capture.) Tetradynamia Siliculosa.

	perfoliàtum DC.	(*ye*) perfoliate	Europe	1648.	6. 7.	H	⊙		Schkuhr. han. 2. t. 178.

SOBOLE'WSKIA DC. SOBOLE'WSKIA. (Gregor. Sobolewski, a Russian bot.) Tetrad. Silicul.

	lithóphila DC.	(*wh*) large-fruited	Iberia	1823.	5. 8.	H	♂		Deles. ic. sel. 2. t. 80.

Tribe XI. *ANCHONIE'Æ* seu Notorhìzeæ Lomentàceæ. DC.

GOLDBA'CHIA DC. GOLDBA'CHIA. (S. C. Goldbach, a Russian bot.) Tetradynamia Siliquosa.

1	lævigàta DC.	(*li*) smooth	Astracan	1823.	5. 6.	H	⊙		Deles. ic. sel. 2. t. 81.
2	torulòsa DC.	(*li*) twisted-podded	Levant	....	——	H	⊙		
3	tretragòna. Led.	(*li*) four-sided	———	1825.	——	H	⊙		

STERI'GMA DC. STERI'GMA. (*στηριγμα*, forked; longer stamens.) Tetradynamia Siliquosa.

1	tomentòsum DC.	(*ye*) tomentose	Caspia	1823.	4. 5.	H	♂		Pall. it. 2. ap. t. K. f. 2.
	Cheiránthus tomentòsus, W.								
2	torulòsum DC.	(*ye*) twisted-podded	Iberia	——	——	H	♂		Buxb. cent. 5. t. 52. f. 2.
3	acanthocárpum F.M.	spiny-podded	———	1837.	——	H	♂		

Suborder III. ORTHOPLO'CEÆ. *DC. syst.* 2. *p.* 581.

Tribe XII. *BRASSI'CEÆ* seu Orthoplòceæ Siliquòsæ. DC.

BRA'SSICA DC. CABBAGE (*bresic*, Celt. Cabbage.) Tetradynamia Siliquosa.

Sect. 1. BRA'SSICA; *pods sessile, usually ending in a conical seedless beak.*

1	oleràcea DC.	(*va*) common	England	....	4. 6.	H	♂		
	A. SYLVE'STRIS DC.	(*st*) WILD	———	....	——	H	♂		Eng. bot. t. 637.
	B. ACE'PHALA DC.	(*st*) CAVALIER	.....	....	——	H	♂		
	α *ramòsa* DC.	(*st*) *thousand-headd.*	.....	....	——	H	♂		
	β *vulgàris* DC.	(*st*) *upright*	.....	....	——	H	♂		Moris. ox. s. 3. t. 1. f. 6.
	* *víridis* DC.	(*st*) *green*	.....	....	——	H	♂		Lob. ic. 243. f. 1.
	** *purpuráscens* DC.	(*st*) *purple*	.....	....	——	H	♂		Chabr. sciag. 270. f. 6.
	γ *quercifòlia* DC.	(*st*) oak-leaved	.....	....	——	H	♂		——— 270. f. 1.
	δ *sabéllica* DC.	(*st*) BORECOLE	.....	....	——	H	♂		——— 271. f. 1.
	* *pinnàta* DC.	(*st*) *winged-leaved*	.....	....	——	H	♂		Lob. ic. 246. f. 2.
	** *purpuráscens* DC.	(*st*) *purple*	.....	....	——	H	♂		
	*** *versícolor* DC.	(*st*) *variegated*	.....	....	——	H	♂		
	ε *palmifòlia* DC.	(*st*) *palm-leaved*	.....	....	——	H	♂		
	arboréscens Cow.cab. or Cesarean Kale		.....	....	——	H	♂		Loud. gard. mag. 5. f. 14.
	ζ *costàta* DC.	(*wh*) *thick-ribbed*	.....	....	——	H	♂		
	* *nepenthifórmis* DC.	(*wh*) *tubular-ld.*	.....	....	——	H	♂		Hort. trans. 5. p. 13. t. 1.
	C. BULLA'TA DC.	(*st*) SAVOY	.....	....	——	H	♂		Weinm. phyt. t. 261.
	α *vulgàris* DC.	(*st*) *common*	.....	....	——	H	♂		Lob. ic. t. 244. f. 1.
	* *pr'æcox* DC.	(*st*) *early*	.....	....	——	H	♂		
	** *humilis* DC.	(*st*) *dwarf*	.....	....	——	H	♂		
	*** *turionénsis* DC.	(*st*) *Tourraine*	.....	....	——	H	♂		

	**** *auràta* DC.	(*st*) *yellow*	.....	....	4. 6.	H	♂	
	β *oblónga* DC.	(*st*) *winter*	.....	....	——	H	♂	Lob. ic. t. 244. f. 2.
	γ *major* DC.	(*st*) *large*	.....	....	——	H	♂	
	δ *gemmífera* DC.	(*st*) *Brussel's-sprouts*	.....	....	——	H	♂	
	D. Capita'ta DC.	(*st*) HEADED	.....	....	——	H	♂	Lob. ic. 243. f. 2.
	α *deprésse* DC.	(*st*) *drum-head*	.....	....	——	H	♂	
	β *sphæ'rica* DC.	(*st*) *common*	.....	....	——	H	♂	
	* *álba* DC.	(*st*) *white*	.....	....	——	H	♂	
	** *ràbra* DC.	(*st*) *red*	.....	....	——	H	♂	Dod. pempt. 621. f. 2.
	γ *obovàta* DC.	(*st*) *Sugar-loaf*	.....	....	——	H	♂	
	δ *ellíptica* DC.	(*st*) *early York*	.....	....	——	H	♂	
	ε *subacùta*	(*st*) *Battersea*	.....	....	——	H	♂	
	ζ *cónica* DC.	(*st*) *heart*	.....	....	——	H	♂	
	E. Cau'lo-ra'pa. DC.	Turnep-cab.	.....	....	——	H	♂	Dalech. ludg. 522. f. 3.
	α *commùnis* DC.	(*st*) *flat-leaved*	.....	....	——	H	♂	Lob. ic. 246. f. 1.
	* *álba* DC.	(*st*) *white-stemmed*	.....	....	——	H	♂	
	** *purpuráscens* DC.	(*st*) *violet-stemd.*	.....	....	——	H	♂	Weinm. phyt. t. 264.
	β? *crispa* DC.	(*st*) *curl-leaved*	.....	....	——	H	♂	
	F. Bo'trytis. DC.	(*st*) Broccoli.	.....	....	——	H	♂	Lob ic. 245. f. 1.
	α *cauliflòra* DC.	(*st*) *Cauliflower.*	.....	....	——	H	♂	Weinm. phyt. t. 256.
	β *asparagoìdes* DC.	(*st*) *Broccoli*	.....	....	——	H	♂	Dalech. lugd. 522. f. 1.
	* *commùnis* DC.	(*st*) *white*	.....	....	——	H	♂	Chabr. sciagr. 269. f. 3.
	** *violàcea* DC.	(*w s*) *violet*	.....	....	——	H	♂	
	*** *viridis*	(*w s*) *green*	.....	....	——	H	♂	
	**** *ramòsa*	(*w s*) *branching*	.....	....	——	H	♂	
	***** *autumnàlis*	(*st*) *Cape*	.....	....	——	H	♂	
2	campéstris DC.	(*ye*) field	England	....	6.	H	♂	Eng. bot. 2224.
	A Olei'fera DC.	(*ye*) Cole-seed	———	....	——	H	♂	Dod. pempt. 623. f. 1.
	* *autumnàlis* DC.	(*ye*) *autumnal*	———	....	——	H	♂	
	** *præ'cox* DC.	(*ye*) *early*	———	....	——	H	♂	
	B. Pabula'ria. DC.	(*ye*) Sheep's	.....	....	——	H	♂	
	C. Na'po-Bra'ssica.	Navew	.....	....	——	H	♂	
	α *commùnis* DC.	(*ye*) *common*	.....	....	——	H	♂	
	* *álba* DC.	(*ye*) *white-rooted*	.....	....	——	H	♂	
	** *purpuráscens* DC.	(*ye*) *purple-rooted*	.....	....	——	H	♂	
	β *Rutabàga* DC.	(*st*) *Swedish Turnep*	.....	....	——	H	♂	
3	Ràpa DC.	(*ye*) Turnep	Britain	....	4. 6.	H	♂	Eng. bot. 2176.
	A. Depre'ssa. DC.	flat-rooted.	———	....	——	H	♂	Mart. fl. rust. t. 49. 50.
	* *álba* DC.	(*ye*) *white-round*	———	....	——	H	♂	
	** *flavéscens* DC.	(*ye*) *yellow-round*	———	....	——	H	♂	
	*** *nígricans* DC.	(*ye*) *dark-round*	———	....	——	H	♂	
	**** *punícea* DC.	(*ye*) *red-round*	———	....	——	H	♂	
	***** *víridis* DC.	(*ye*) *green-round*	———	....	——	H	♂	
	****** *præ'cox*	(*ye*) *early Dutch*	———	....	——	H	♂	
	B. Oblo'nga. DC.	(*ye*) oblong-rooted	Britain	....	4. 6.	H	♂	Lob. ic. t. 197. f. 2.
	C. Olei'fera DC.	(*y*) Oil-bearing	Dauphiny	....	——	H	♂	———— t. 298. f. 1.
4	Nàpus DC.	(*ye*) Rape	Britain	....	5.	H	♂	Eng. bot. 2146.
	A. Olei'fera DC.	(*ye*) wild	———	....	——	H	♂	Lob. ic. t. 200. f. 2.
	B. Esculè'nta DC.	(*ye*) esculent	———	....	——	H	♂	———— 200. f. 1.
	α *álba* DC.	(*ye*) *white rooted*	———	....	——	H	♂	Blackw. herb. t. 410.
	β *flàva* DC.	(*ye*) *yellow-rooted*	———	....	——	H	♂	
	γ *nígricans* DC.	(*ye*) *black-rooted*	———	....	——	H	♂	
5	præ'cox DC.	(*st*) early	S. Europe	....	5. 6.	H	☉	
6	chinénsis DC.	(*ye*) Chinese	China	1770.	7.	H	♂	
7	violàcea DC.	(*li*) violet-flowered	———	....	——	H	♂	
8	incàna DC.	(*st*) hoary	Naples	1824.	4. 5.	H	♄	Cuph. panph. 1. t. 132.
9	baleàrica DC.	(*st*) oak-leaved	Minorca	——	5. 7.	H	♄	Deles. ic. sel. 2. t. 86.
10	hy'brida T.C.	(*st*) hybrid	Naples	——	——	H	♂	
11	Gravìnæ DC.	(*ye*) pubescent	Aprutia	——	5. 6.	H	♃	Ten. fl. nap. t. 62.
12	pinnatífida DC.	(*st*) pinnatifid	Spain	——	9. 10.	H	♃	Desf. fl. atl. 2. t. 165.
13	hùmilis DC.	(*ye*) dwarf	S. France	——	4. 5.	H	♃	
14	repánda DC.	(*ye*) wavy	S. Europe	1818.	6. 8.	H	♃	Vill. dauph. 3. t. 39.

Sect. 2. Eruca'strum: *pods sessile, ending each in a conical beak, which contains one or two seeds at its base.*

15	Richèrii DC.	(*ye*) alpine	———	1825.	5. 8.	H	♃	Vill. dauph. 3. t. 36.
16	monénsis DC.	(*st*) Isle of Man	Britain	....	——	H	☉	Eng. bot. 962.
17	Erucástrum DC.	(*ye*) runcinate	S. Europe	1790.	——	H	☉	Bull. herb. t. 331.
18	cheiránthos DC.	(*ye*) Stock-like	Jersey	....	——	H	♃	Eng. bot. suppl. t. 2822.
19	cheiranthifòra DC.	(*y*) Wall-flowered	S. Europe	1820.	——	H	☉	Willd. hort. ber. t. 19.

20 Tournefórtii DC. (*st*) Tournefort's Spain 1820. 6. 7. H ☉ Gou. ill. p. 44. t. 20. f. A.
21 lævigàta DC. (*wh*) smooth ——— 1825. —— H ♂
22 valentìna DC. (*wh*) Spanish ——— —— 4. 5. H ☉ Barr. ic. t. 195. f. 1.
23 odoràta Sck. (*ye*) sweet-scented ..... 1826. —— H ☉
24 fruticulòsa DC. (*st*) frutescent S. Europe 1820. 2. 4. H ♄ Cyr. pl. rar. 2. t. 1.

Sect. 3. MICROPO'DIUM; *pods elevated above the receptacles, ending each in a short style, which is tipped by a capitate stigma.*

25 elongàta DC. (*ye*) stalk-leaved Hungary 1801. 5. 10. H ♂ W. et. K. hung. 1. t. 28.
26 sabulària DC. (*ye*) gravel Portugal 1818. —— H ☉ Brot. phyt. p. 97. t. 43.

SINA'PIS. DC. MUSTARD. (σναπι, from nap, celt.) Tetradynamia Siliquosa.

Sect. 1. MELANOSINA'PIS; *silique terete, rather tetragonal; style small, short, not beakformed.*

1 nìgra DC. (*ye*) common Britain .... 4. 8. H ☉ Eng. bot. 969.
β *torulòsa* DC. (*ye*) *twisted-podded* ——— .... —— H ☉
γ *túrgida* DC. (*ye*) *turgid-podded* ——— .... —— H ☉
δ *villòsa* DC. (*ye*) *villous-podded* ——— .... —— H ☉
2 geniculàta DC. (*ye*) jointed Barbary 1824. —— H ☉
3 amplexicaúlis DC. (*ye*) stem-clasping Algiers 1829. 6. 9. H ☉ Desf. atl. 2. t. 153.

Sect. 2. CERATOSINA'PIS; *silique crowned by a seedless conical beak.*

4 lævigàta DC. (*ye*) smooth Spain 1769. 6. 7. H ♂
5 auriculàta DC. (*ye*) eared .... —— H ☉
6 integrifòlia DC. (*ye*) entire-leaved E. Indies 1804. 7. 8. H ☉ W. hort. ber. t. 14.
7 júncea DC. (*ye*) fine-leaved China 1710. 6. 7. H ☉ Jacq. h. vind. t. 171.
8 chinénsis DC. (*ye*) Chinese ——— 1782. —— H ☉ Ard. spec. 1. t. 10.
9 brassicàta DC. (*ye*) Cabbage-leaved ——— 1801. —— H ☉
10 cérnua DC. (*ye*) drooping ——— 1824. 7. 9. H ☉
11 pubéscens DC. (*ye*) downy Sicily 1789. —— H ♃ Ard. spec. 1. t. 9.
12 arvénsis DC. (*ye*) Charlock Britain .... 4. 8. H ☉ Eng. bot. 1748.
β *incìsa* (*ye*) *cut-leaved* Europe .... —— H ☉ Lob. ic. 198. f. 2.
13 orientàlis DC. (*ye*) oriental Levant 1778. 6. 7. H ☉ Schk. hand. 1. t. 186.
14 táurica DC. (*ye*) Taurian Tauria 1823. 4. 8. H ☉
15 subbipinnatífida DC. (*ye*) subbipinnatifid Spain —— 6. 7. H ☉
16 Kàber DC. (*ye*) Persian Persia —— —— H ☉
17 bracteolàta (*ye*) bracteolate Egypt 1836. —— H ☉
Brássica bracteolàta. F. M.
18 Alliònii DC. (*ye*) Allioni's ——— 1789. —— H ☉ Jacq. h. vind. 2. t. 168.
19 túrgida DC. (*ye*) turgid-podded ——— .... —— H ☉

Sect. 3. HIRSCHFE'LDIA; *silique terete, 2-celled, terminated by an ovate 1-seeded indehiscent beak; cells 4-seeded.*

20 incàna DC. (*ye*) hoary-jointed S. Europe 1771. 7. H ♂ Jacq. h. vind. 2. t. 169.
21 heterophy'lla. DC. (*ye*) various-leaved Spain 1820. 5. 6. H ♂

Sect. 4. LEUCOSINA'PIS; *silique hispid or smooth, terminated by an ensiform beak; valves rather torulose.*

22 álba DC. (*ye*) white-seeded Britain .... 4. 10. H ☉ Eng. bot. 1677.
23 híspida DC. (*ye*) hispid Spain 1804. 6. 7. H ☉
24 dissécta DC. (*ye*) cut-leaved ——— —— 4. 6. H ☉
25 hastàta DC. (*ye*) hastate-leaved N. Holland 1824. 7. 9. H ☉
26 foliòsa DC. (*ye*) leafy Levant 1804. 5. 6. H ☉
27 ápula DC. (*ye*) Apulian Italy 1824. 6. 8. H ☉
28 ramòsa H.B. (*ye*) branching E. Indies 1804. 7. 9. H ☉
29 virgàta H. (*ye*) twiggy ..... 1827. 6. 8. H ☉
30 nudicaúlis DC. (*ye*) naked-stemmed Spain 1818. 6. 7. H ♃
31 subulària (*ye*) awl-shaped ..... —— —— H ☉

Sect. 5. DISA'CCIUM; *calyx half spreading, bisaccate at the base; stigma capitate.*

32 frutéscens DC. (*st*) frutescent Madeira 1777. 12. 6. G ♄

MORICA'NDIA. DC. MORICA'NDIA. (Stephan Moricand, an Italian bot.) Tetradyn. Siliquosa.

1 arvénsis DC. (*pu*) field S. Europe 1739. 6. H ♃ Swt. br. fl. gar. t. 278.
Brássica arvénsis L. *Túrritis arvénsis* H.K.
2 hesperidifòlia DC. (*pu*) rocket-leaved Egypt 1837. —— H ☉ Del. egypt. t. 35.

DIPLOTA'XIS. DC. DIPLOTA'XIS. (διπλοος, double, and ταξις, a series: seed.) Tetradyn. Siliq.

Sect 1. CATOCA'RPUM; *pods pendulous, sessile, or stalked; style almost none; stigma 2 lobed.*

1 crassifòlia DC. (*ye*) thick-leaved Sicily 1824. 5. 8. H ♃
2 péndula DC. (*ye*) pendulous Africa 1823. 4. 6. H ☉ Desf. atl. 2. t. 156.
3 híspida DC. (*ye*) hispid Egypt 1819. 5. 7. H ☉ Deless. ic. sel. 2. t. 89.

Sect. 1. ANOCA'RPUM; *siliques erect, usually sessile; style conical compressed; containing 1 to 3 seeds, seldom empty; stigma 2-lobed.*

4 erucoìdes DC. (*ye*) dwarf S. Europe 1736. 6. 7. H ☉ Jacq. vind. 2. t. 170.
Sinàpis erucoìdes L.
5 virgàta DC. (*ye*) slender Spain 1820. —— H ☉

6 cathólica DC. (*ye*) Spanish Spain 1820. 4. 5. H ⊙
Sisy'mbrium cathólicum L.
7 tenuifòlia DC. (*ye*) Wall-rocket England .... 7.10. H ⊙ Eng. bot. 525.
Sisy'mbrium tenuifòlium E B. *Sinàpis tenuifòlium* H K.
8 muràlis DC. (*ye*) sand England .... 7. 9. H ⊙ Eng. bot. 1090.
Sisy'mbrium muràle L. *Sinàpis muràlis* H K.
9 Barrelièri DC. (*ye*) Barrelier's Spain 1770. 6. 7. H ⊙ Barrel. obs. t. 1016.
Sisy'mbrium Barrelièri L.
10 ápula Ten. Apulian Naples 1836. —— H ⊙
11 vimínea DC. (*ye*) twiggy S. Europe .... 5. 6. H ⊙ Mor. his. ox. 2. t. 5. f. 8.
12 saxátilis DC. (*ye*) rock ———— .... —— H ♃
13 ramosíssima DC. (*ye*) branching ..... 1822. —— H ♃
ERU'CA DC. ERU'CA; (*uro*, to burn; taste of seeds;) Tetradynamia Siliculosa.
1 sativa DC. (*wh*) stripe-flowered S. Europe 1573. 7. H ⊙ Fl. græc. t. 646. et 647.
Brássica eruca L. *Euzòmum sativum* L. en.
2 híspida DC. (*wh*) hispid Naples 1824. —— H ⊙
3 vesicària DC. (*wh*) bladdered Spain 1820. —— H ⊙ Asso. syn. arrag. 88. t. 4.
β flaviflòra DC. (*ye*) *yellow* ———— —— —— H ⊙

Tribe XIII. *VE'LLEÆ* seu Orthoplòceæ Latiséptæ. DC.

VE'LLA DC. CRESS-ROCKET; (latinised from *velar*, celtic name of cress;) Tetra. Silic.
pseudocy'tisus DC. (*y*) shrubby Spain 1759. 4. 5. H ♄ Bot. reg. 293.
CARRICHTE'RA DC. CARRICHTE'RA; (derivation unknown;) Tetradynamia Siliculosa.
Véllæ DC. (*st*) annual England .... 6. 7. H ⊙ Eng. bot. 1441.
Vèlla ánnua EB.
SUCCO'WIA DC. SUCCO'WIA; (Prof. Succow, Heidelburg;) Tetradynamia Siliculosa.
baleárica DC. (*ye*) Minorca Minorca 1781. 6. 7. H ⊙ Jacq. vind. 2. t. 144.
Bùnias baleárica L.

Tribe XIV. *PSYCHI'NEÆ* seu Orthoplòceæ Angustiséptæ. DC.

PSYCHI'NE DC. PSYCHI'NE; (ψυχη, a butterfly; winged pods;) Tetradynamia Siliculosa.
stylòsa DC. (*wh*) striped-flowered Barbary 1822. 4. 5. H ⊙ Desf. fl. atl. 2. t. 144.
SCHO'WIA DC. SCHO'WIA; (J. F. Schow, Danish bot.) Tetradynamia Siliculosa.
Arábica DC. (*pu*) Arabian Arabia 1837. 6. 7. H ⊙

Tribe XV. *ZI'LLEÆ* seu Orthoplòceæ Nucamentàceæ. DC.

ZI'LLA DC. ZI'LLA; (Arabic name of plant;) Tetradynamia Siliculosa.
myagroìdes DC. (*li*) spiny Egypt .... 4. 5. H ⊙ Vent. malm. t. 16.
Bùnias spinòsa Vent.
MURICA'RIA DC. MURICA'RIA; (*muricatus*, full of prickles; pods;) Tetradynamia Siliculosa.
prostràta DC. (*wh*) prostrate Africa 1821. 6. 7. H ⊙ Desf. atl. 2. t. 150.
Bùnias prostràta Desf.
CALEPI'NA DC. CALEPI'NA; (derivation unknown;) Tetradynamia Siliculosa.
Corvìni DC. (*wh*) annual S. Europe 1820. 4. 6. H ⊙ W.et Kit. hung. 2. t. 107.
Bùnias cochlearoìdes W.

Tribe XVI. *RAPHA'NEÆ* seu Orthoplòceæ Lomentàceæ. DC.

CRA'MBE DC. COLEWORT; (κραμβη, Greek name for sea-kale;) Tetradyn. Silicul.
Sect. 1. SARCOCRA'MBE; *lower joint of pod depressed; stigma sessile; larger filaments, furnished each with a tooth at top*

1 marítima DC.	(wh) Sea-Kale	Britain	....	5. 6.	H	♃	Eng. bot. t. 924.
2 pinnatífida DC.	(wh) smooth-winged	Siberia	1759.	6. 7.	H	♃	Jacq. ic. 1. t. 128.
3 orientàlis DC.	(wh) oriental	Levant	1752.	6. 7.	H	♃	
4 tatárica DC.	(wh) Tartarian	Hungary	1739.	——	H	♃	Jacq. ic. 1. t. 129.
5 áspera DC.	(wh) rough	Tauria	1823.	5. 6.	H	♃	Deles. ic. sel. 2. t. 91.
6 júncea DC.	(wh) rushy	Iberia	1828.	——	H	♃	
7 cordifòlia DC.	(wh) heart-leaved	Caucasus	——	6. 7.	H	♃	

Sect. 2. LEPTOCRA'MBE; *lower joint of selicle cylindrical elongated; stigma sessile; filaments toothed or toothless.*

8 hispánica DC.	(wh) Spanish	Spain	1683.	——	H	⊙	Jacq. obs. 2. t. 41.
9 filifórmis DC.	(wh) Patagonian	Patagonia	1796.	7. 8.	H	⊙	Jacq. ic. 3. t. 504.

Sect. 3. DENDROCRA'MBE; *lower joint of pod short, filiform; stigma seated upon a short style.*

10 fruticòsa DC.	(wh) Madeira	Madeira	1777.	5.11.	G	♄	
11 strigòsa DC.	(wh) strigose-shrub	Canaries	1779.	5. 6.	G	♄	L'. her. strip. 1. t. 72.

RAPI'STRUM DC. RAPI'STRUM; (*rapa*, rape; resemblance;) Tetradynamia Siliculosa.

1 perénne DC.	(ye) perennial	Europe	1789.	7.	H	♃	Jacq. aust. 5. t. 414.
My'agrum perénne L. *Cakìle perénnis.* H. K.							
2 rugòsum DC.	(ye) wrinkled	———	1739.	6. 7.	H	⊙	All. ped. 1. t. 78.
My'agrum rugòsum L. *Cakìle rugòsa* H K.							
3 orientàle DC.	(ye) oriental	Levant	1795.	——	H	⊙	Flor. græc. t. 612.

DIDE'SMUS DC. DIDE'SMUS; (δις, twice, and δεσμος, a bond; pod. of 2 jnt.) Tetrad. Silic.

1 Ægy'ptus DC.	(ye) Egyptian	Egypt	1827.	6. 7.	H	⊙	Deless. ic. sel. 2. t. 92.
My'agrum Ægy'ptum L.							
2 bipinnátus DC.	(wh) bipinnate	Mauritania	1818.	6. 7.	H	⊙	
Sinàpis bipinnàta Desf.							

ENARTHROCA'RPUS ENARTHROCA'RPUS; (εννεα, nine, αρθρον, a joint, and καρπος, a fruit;) Te. Si.

1 lyràtus DC.	(ye) yellow-striped	Egypt	1826.	6. 8.	H	⊙	Delil. fl. æg. 105. t. 36. f. 1.
2 pterocárpus DC.....	wing-podded	———	1828.	....	H	⊙	Deles. ic. sel. 2. t. 39.

RA'PHANUS DC. RADISH; (ραφανις, from ρα, quickly, and φαινω, to appear;) Tetra. Silic.

Sect. 1. RA'PHANUS; *silique spongy, 2-celled.*

1 satìvus Mil.	(li) common	China	1548.	5. 6.	H	⊙	Fuchs. hist. 659. ic.
α præ'cox	(li) *early Salmon*	———	——	——	H	⊙	
β macrorhìzus	(li) *long Salmon*	———	——	——	H	⊙	
γ purpùreus	(li) *purple-rooted*	———	——	——	H	⊙	
2 rotúndus Mil.	(li) Turnep-rooted	———	——	——	H	⊙	Lob. ic. t. 201. f. 1.
3 chinénsis Mil.	(li) oil-seeded	———	——	——	H	⊙	
4 nìger DC.	(li) black Spanish	———	——	——	H	⊙	Lob. ic. 202. f. 1.
α vulgàris DC.	(li) *long-rooted*	———	——	——	H	⊙	Wein. phyt. t. 860. f. c.
β rotùndis DC.	(li) *round-rooted*	———	——	——	H	⊙	——— t. 860. f. b.
γ gríseus DC.	(li) *grey*	———	——	——	H	⊙	
5 orbiculàris Mil.	(li) white Spanish	———	——	——	H	⊙	
6 caudàtus DC.	(pu) long-podded	Java	1815.	5. 8.	H	⊙	Lin. f. dec. 1. t. 10.

Sect. 2. RAPHANI'STRUM; *silique moniliform, acuminated; joints one-seeded.*

7 Raphanístrum DC.	(va) wild	Britain	....	4. 8.	H	⊙	Eng. bot. 856.
α àlbum	(wh) *white-flowered*	———	....	——	H	⊙	Wein. phyt. t. 862. f. a.
β purpuráscens	(pu) *purple-flowered*	———	....	——	H	⊙	——— t. 862. f. b.
ζ flàvum	(ye) *yellow-flowered*	———	....	——	H	⊙	J. Bauh. h. 2. p. 844. ic.
8 rostràtus DC.	(pu) beaked	Persia	1828.	6. 7.	H	⊙	
9 Lándra DC.	(ye) Italian	Italy	1827.	4. 6.	H	♂	Deles. ic. sel. 2. t. 94.
10 marítimus DC.	(ye) sea-side	Britain	....	5. 7.	H	♂	Eng. bot. t. 1643.
11 Gayànus F.M.	(ye) Gay's	Siberia	1838.	——	H	♂	

Suborder IV. SPIROLO'BEÆ. *DC. syst.* 2. *p.* 670.

Tribe XVII. *BUNIA'DEÆ* seu Spirolòbeæ Nucamentàceæ. DC.

BU'NIAS DC. BU'NIAS; (βουνος a hill; habitat;) Tetradynamia Siliculosa.

Sect. 1. ERUCA'GO; *petals obcordate; selicle 4-seeded, 4-celled; angles winged.*

1 Erucàgo DC.	(ye) prickly-podded	S. Europe	1640.	6. 7.	H	⊙	Jacq. aust. 4. t. 340.
2 áspera DC.	(ye) rough	Portugal	1823.	6. 7.	H	⊙	

Sect. 2. LÆ'LIA; *selicle ovate, 2-celled.*

3 orientàlis DC.	(ye) oriental	Levant	1795.	5. 7.	H	♃	Schk. han. 2. t. 189.

Tribe XVIII. *ERUCARIE'Æ* seu Spirolòbeæ Lomentàceæ DC.

ERUCA'RIA DC. ERUCA'RIA; (*eruca*, rocket; analogy;) Tetradynamia Siliquosa.
1 aléppica DC. (*pu*) Aleppo Levant 1680. 7. 8. H ⊙ Vent. h. cels. t. 64.
Cordylocárpus lævigàtus W.
2 crassifòlia DC. (*pu*) thick-leaved Egypt 1828. 7. 9. H ⊙ Delil. pl. bot. t. 34. f. 1.
MORI'SIA Gay. MORI'SIA; (M. Moris, prof. Bot., Ticin.) Tetradynamia Siliquosa.
hypogæ'a Gay. (*ye*) under-ground Sardinia 1830. 4. H ♃ Swt.br.fl.gar.s.2.t.290.
Erucària hypogæ'a Viv. *Sisy'mbrium Monánthes* Viv.

Suborder V. DIPLECOLO'BEÆ. *DC. syst.* 2. *p.* 676.

Tribe XIX. *HELIOPHI'LEÆ* seu Diplecolòbeæ Siliquòsa. DC.

HELIO'PHILA DC. HELIO'PHILA; (ἡ'λιος, the sun, and φιλεω to love;) Tetradyn. Siliquo.
Sect. 1. CARPONE'MA; *silique sessile, terete, acuminated, hardly dehiscent.*
1 filifórmis DC. (*pu*) awl-podded C. B. S. 1786. 7. 9. H ⊙ Lam. ill. t. 563. f. 3. ?.
Sect. 2. LEPTO'EMIS; *silique sessile, compressed, moniliform; smaller stamens furnished each with a tooth.*
2 dissécta DC. (*bl*) cut-leaved ——— 1792. 6. 8. H ⊙
3 tenuisíliqua DC. (*wh*) slender-podded ——— —— —— H ⊙ Deles. ic. sel. 2. t. 96.
Sect. 3. ORMI'SCUS; *silique sessile, compressed, moniliform, stamens toothless.*
4 amplexicaúlis DC. (*bh*) stem-clasping ——— 1774. 6. 9. H ⊙ Jacq. frag. t. 64. f. 2.
5 rivàlis DC. (*wh*) rivulet ——— 1819. —— H ⊙ Lam. ill. t. 563. f. 2.
6 péndula DC. (*wh*) pendulous ——— 1792. —— H ⊙ Lam. ill. t. 562. f. 2.
pinnàta Vent. malm. t. 113. non. L.
7 trífida DC. (*pu*) trifid-leaved ——— 1819. 6. 9. H ⊙
pinnàta L. non. Vent.
8 pulsílla DC. (*wh*) small ——— 1824. —— H ⊙ Pluk. mant. t. 432. f. 2.
9 lepidioìdes L.en. (*wh*) Cress-like ——— —— —— H ⊙
Sect. 4. SELENOCARPÆ'A; *silicle sessile, compressed, oval or orbicular, few-seeded; seed compressed, orbicular.*
10 diffùsa DC. (*wh*) spreading ——— 1820. —— H ⊙
11 latisíliqua F.M. (*wh*) broad-podded ——— 1836. —— H ⊙
12 Peltària DC. (*wh*) small-white ——— 1820. —— H ⊙
Sect. 5. ORTHOSE'LIS; *silique sessile, compressed, linear, with straight margins, apiculated by the style.*
13 pilòsa DC. (*bl*) hairy ——— 1768. —— H ⊙
α *integrifòlia* DC. (*bl*) *entire-leaved* ——— —— —— H ⊙ Jacq. ic. 3. t. 506.
β *incisa* DC. (*bl*) *cut-leaved* ——— —— —— H ⊙ Bot. mag. 496.
arabioìdes B M.
14 stricta B M. (*bl*) upright ——— 1824. —— H ⊙ Bot. mag. 2526.
15 digitàta DC. (*bl*) fingered ——— 1819. —— H ⊙ Bot. reg. 838.
16 coronopifòlia DC. (*bl*) Buck's-horn-ld. ——— 1778. 6. 7. H ⊙ Herm. lugd. t. 367.
17 pectinàta DC. (*wh*) pectinated ——— 1819. —— H ⊙
18 feniculàcea DC. (*pu*) Fennel-leaved ——— 1774. 6. 9. H ⊙
19 crithmifòlia DC. (*bh*) Samphire-ld. ——— 1816. —— H ⊙ Deles. ic. sel. 2. t. 97.
20 platysíliqua DC. (*bh*) flat-podded ——— 1774. 7. 8. G ♄
21 linearifòlia DC. (*bl*) linear-leaved ——— 1819. —— G ♄
22 scopària DC. (*bh*) Broom-like ——— 1802. —— G ♄ Deles. ic. sel. 2. t. 98.
Sect. 6. PACHY'STYLUM; *silique sessile, compressed, linear, velvetty, terminated by a short, thick conical style.*
23 incàna DC. (*pu*) hoary ——— 1774. 5. 8. G ♄
Sect 7. CARPOPO'DIUM; *silique compressed, linear, pedicellate, terminated by a short style.*
24 cleomoìdes DC. (*wh*) Cleome-like ——— 1832. 1.12. G ♄ Deles. ic. sel. 2. t. 99.
Cheiránthus stríctus W.
CHAMI'RA DC. CHAMI'RA; (χαμαι, on the ground; procumbent;) Tetraydnamia Siliquosa.
cornùta DC. (*wh*) horned ——— 1828. 6. 7. H ⊙
Heliòphila circeoìdes L.

Tribe XX. *SUBULARIE'Æ* seu Diplocolòbeæ Latiséptæ. DC.

SUBULA'RIA DC. AWLWORT; (*subula*, an awl; form of leaves;) Tetradynamia Siliculosa.
aquática DC. (*wh*) water Britain .... 7. H *w* ⊙ Eng. bot. 732.

Suborder VI. SCHIZOPETA'LEÆ.

SCHIZOPE'TALUM B.M. SCHIZOPE'TALUM; (σχιζω, to cut, and, πεταλον, a petal;) Tetr. Siliq.
Walkèri B.M. (*wh*) Walker's Chili 1822. 7. 9. H ⊙ Swt.br.fl. gar. s. 2. t. 367

ORDER XIV.

CAPPARI'DEÆ. *DC. prodr.* 1. *p.* 237.

Tribe 1. *CLEO'MEÆ.* DC.

PERI'TOMA DC. PERI'TOMA; (περιτομη, a cutting round; calyx;) Monadelphia Hexandria.
serrulàtum DC. (*pu*) saw-leaved Missouri 1823. 6. 8. H ⊙
Cleòme serrulàta Ph.

GYNANDRO'PSIS DC. GYNANDRO'PSIS (γυνη, a female, ανηρ, a male, οψις, resemblan.;) M.H.
1 sessifòlia DC. (*wh*) sessile-leaved W. Indies 1820. 6. 8. H ⊙
2 triphy'lla DC. (*wh*) three-leaved ——— —— —— H ⊙ Herm. lugd. 565. ic.
Cleòme triphy'lla L.?
3 pentaphy'lla DC. (*wh*) five-leaved India 1640. —— H ⊙ Jacq. vind. 1. t. 21.
Cleòme pentaphy'lla B M. 1681.
4 candelàbrum (*wh*) chandelier W. Indies 1824. 7. 9. H ⊙ Bot. mag. 2656.
Cleòme candelàbrum B M.
5 speciòsa DC. (*vi*) showy Mexico 1818. 6. 8. S ♄
6 pulchélla H T. (*wh*) neat Maranham 1825. 6. 7. H ⊙
7 muricàta Scr. (*wh*) bristly ..... 1828. —— S ⊙
8 hetorótricha DC. (*wh*) various-haired C. B. S. 1822. —— H ⊙

CLEO'ME DC. CLEO'ME; (κλειω, to shut, a name adopted from Theophr.) Tetr. Siliq.
Sect. 1. PEDICELLA'RIA; *torus fleshy, rather globose: stipe of ovarium elongated.*
1 gigantèa DC. (*gr*) gigantic S. America 1774. 6. 8. S ♄ Jacq. obs. 4. t. 76.
2 heptaphy'lla DC. (*wh*) seven-leaved W. Indies 1820. —— H ⊙
3 spinòsa DC. (*wh*) white-flowered ——— 1731. 5.10. S ♄ Marc. bras. t. 34.
4 púngens DC. (*wh*) pink-flowered S. America 1812. 7. 8. S ⊙ W. hort. ber. 1. t. 18.
spinòsa B M. 1640. nec aliorum.
5 pubéscens B M. (*wh*) pubescent ..... 1815. 7. 8. H ⊙ Bot. mag. 1857.
6 speciosíssima DC. (*pu*) pretty Mexico 1827. 8.11. H ⊙ Bot. reg. t. 1312.
7 ròsea DC. (*ro*) rose-coloured Brazil 1825. 5. 8. S ⊙ Bot. reg. 960.
8 dendroìdes DS. (*pu*) tree-like Brazil 1828. —— S ♃ Bot. mag. t. 3296.
arbòrea DC.
Sect. 2. SILIQUA'RIA; *torus small: stipe of ovarium short or wanting.*
9 monophy'lla DC. (*ye*) simple-leaved E. Indies 1759. —— H ⊙ Rheed. mal. 9. t. 34.
β *zeylánica* DC. (*ye*) *Celyon* ——— —— —— H ⊙ Burm. zeyl. t. 100. f. 2.
10 droserifòlia DS. (*ye.vi*) drosera-leaved Egypt 1837. —— G ♄
11 trinérvia Fres. three-nerved Arabia —— —— H ⊙
12 procúmbens DC. (*wh*) procumbent W. Indies 1798. —— S ♃ Jacq. amer. t. 120.
13 violàcea DC. (*vi*) violet-coloured Portugal 1776. 6. 7. H ⊙ Schk. han. 2. t. 189. f. 1.
14 Dillenìana DC. (*ye*) Dillenius's Levant 1732. —— H ⊙ Dill. elt. t. 226. f. 345.
onithopodioìdes W.
15 ibérica DC. (*ye*) Iberian Iberia 1820. —— H ⊙

16 virgàta DC.	(*ye*)	twiggy	Persia	....	4. 7.	H ⊙		Bnxb. cent. 1. t. 9. f. 2.
17 arábica DC.	(*ye*)	Arabian	Arabia	1794.	——	H ⊙		Lin. f. dec. t. 8.
18 flàva DC.	(*ye*)	yellow	N. Holland	1825.	7.10.	H ⊙		
19 poly'gama DC.	(*wh*)	polygamous	W. Indies	1822.	6. 7.	H ⊙		Slo. jam. t. 124. f. 1.
20 aculeàta DC.	(*wh*)	prickly	S. America	——	——	H ⊙		
21 Houstòni DC.	(*ft*)	Houston's	W. Indies	1730.	——	S ⊙		Mart. dec. t. 45.
22 diffùsa DC.	(*wh*)	spreading	Brazil	1823.	——	H ⊙		
23 micrántha	(*wh*)	small-flowered	.....	1824.	6.10.	S ♄		

POLANI'SIA DC. POLANI'SIA; (πολυ, many, and ανισος, unequal;) Dodecandria Monogynia.

Sect. 1. BRACHY'STYLA; *style shorter than the ovarium.*

1 Chelidònii DC.	(*ro*)	Celandine-fl.	E. Indies	1790.	7.10.	S ⊙		
Cleòme Chelidònii L.								
2 gravèolens DC.	(*pu*)	strong-scented	N. America		——	H ⊙		Corn. can. 131. ic.
3 viscòsa DC.	(*ye*)	viscid	Ceylon	1730.	——	S ⊙		Rheed. mal. 9. t. 23.
4 dodecándra DC.	(*pu*)	three leaved	————	1795.	——	S ⊙		Burm. zeyl. t. 100. f. 1.
Cleòme dodecándra L.								

Sect. 2. STYLA'RIA; *the style much longer than the ovarium.*

5 uniglandulòsa DC.	(*w*)	one-glanded	S. America	1823.	——	H ⊙		Cav. ic. 4. t. 306.

Tribe II. *CAPPA'REÆ.* DC.

CRATÆ'VA DC. CRATÆ'VA; (*Cratævus*, an ancient Greek bot.;) Dodecandria Monogynia.

1 gynándra DC	(*wh*)	thin-leaved	Jamaica	1789.	....	S ♄		Pluk. alm. t. 147. f. 6.
2 Tàpia DC.	(*wh*)	Garlick Pear	S. America	1752.	....	S ♄		Plum. gen. t. 21.
3 Roxbúrghii B.	(*wh*)	Roxburgh's	E. Indies	1822.	....	S ♄		
Cápparis trifoliàta H B.								
RITCHI'EA B.	RITCHI'EA; (Mr. Richie, a traveller in Africa;) Dodecandria Monogynia.							
fràgrans	(*wh*)	fragrant	Sierra Leon	1795.	6. 7.	S ♄	◡	Bot. mag. 596.
Cratæ'va frágrans B M. *capparoìdes* A B. t. 176.								
NIEBU'HRIA DC.	NEIBU'HRIA; (Carsten Niebuhr, a traveller in Arabia;) Polyand. Monog.							

Sect. 1. CRATAVIFO'RMES; *petals wanting, leaves trifoliate.*

1 càffra DC.	(*wh*)	Caffrarian	C. B. S.	1820.	....	G ♄		
2 madagascariénsis DC.	(*w*)	Madagascar	Madagascar	1822.	....	S ♄		

Sect. 2. CAPPAROI'DEÆ; *petals small, leaves simple.*

3 oblongifòlia DC.	(*wh*)	oblong-leaved	E. Indies	1823.	....	S ♄	◡	
Cápparis heteróclita H B.								
BO'SCIA DC.	BO'SCIA; (Louis Bosc, prof. agric. Paris;) Dodecandria Monogynia.							
senegalénsis DC.	(*wh*)	Senegal	Senegal	1822.	....	S ♄		Lam. ill. t. 395. f. 2.
CA'PPARIS DC.	CAPER-TREE; (καππαρις, from *kabir*, its Arabic name;) Polyan. Monog.							

Sect 1. EUCA'PPARIS; *flower-bud globose, sepals imbricate, conc., blunt, unequal; stalk of fruit long.*

1 mariàna DC.	(*wh*)	heart-leaved	America	1822.	....	S ♄		Jacq. Schœnb. t. 109.
2 chinénsis G.Don.		Chinese	Timor	1827.	6. 8.	S ♄		Bot. reg. t. 1320.
acumináta BR.								
3 rupéstris DC.	(*wh*)	rock	Crete	....	7.10.	F ♄	◡	Flor. græc. t. 487.
spinòsa B M. 291. nec aliorum.								
4 spinòsa DC.	(*wh*)	common	S. Europe	1596.	5. 8.	G ♄	◡	Flor. græc. t. 486.
5 ovàta W.	(*wh*)	oval-leaved	Mauritania	....	——	G ♄	◡	Boc. sic. t. 42. f. 3.
Fontanèsii DC.								
6 herbàcea DC.	(*wh*)	herbaceous	Tauria	1819.	——	H ♃		
7 ægy'ptia DC.	(*wh*)	Egyptian	Egypt	1822.	....	G ♄		Delil. fl. eg. t. 31. f. 3.
8 aphy'lla DC.	(*wh*)	leafless	E. Indies	——	....	S ♄		
9 zeylánica DC.	(*wh*)	Ceylon	Ceylon	——	....	S ♄	◡	
10 acumináta DC.	(*wh*)	acuminate	E. Indies	1821.	....	S ♄	◡	Braam ic. chin. t. 29.?
11 sepiària DC.	(*wh*)	hedge	E. Indies	1823.	....	S ♄		Pluk. phyt. t. 338.
12 frondòsa DC.	(*g.p.*)	large-leaved	Carthagena	1800.	....	S ♄		Jacq. amer. t. 104.
13 Brássii DC.	(*wh*)	Brass's	Guinea	1793.	....	S ♄		
14 triflòra DC.	(*wh*)	three-flowered	S. America	....	....	S ♄		

Sect. 2. CYNOPHALLO'PHORA; *flower-bud globose, the sepals imbricate before expansion, and each furnished with a hollow or gland, at the base: siliques long, terete; stalk of fruit long.*

15 cynophallóphora DC.	(*wh*)	Bay-leaved.	W. Indies	1752.	....	S ♄		Jacq. amer. t. 98.
16 eustachiàna DC.	(*pu*)	purple-flowered	————	1822.	....	S ♄		———ed. pict. t. 146.
17 salígna DC.	....	Willow-leaved	S. Cruz	1807.	....	S ♄		
18 linèaris DC.	(*wh*)	linear-leaved	W. Indies	1793.	....	S ♄		Jacq. amer. t. 102.
19 verrucòsa DC.	(*wh*)	wart-podded	Carthagena	1823.	....	S ♄		———— t. 99.

Sect. 3. CALA'NTHEA; *sepals linear, acute reflexed, distant: fruit roundish.*

20 pulchérrima DC. (*st.*) handsome Carthagena .... S ♄ Jacq. amer. t. 106.
arboréscens. Mil.

Sect. 4. BREYNIA'STRUM; *sepals smaller than the petals, triangular, acute; berry oblong; stalk of fruit shortish.*

21 amygdálina DC. (*wh*) Almond-leaved S. America 1819. .... G ♄ Plum. gen. 40. t. 16.
22 odoratíssima DC. (*pu*) sweet-scented Caracas 1814. .... S ♄ Jacq. schœn. t. 110.
23 tenuissíliqua DC. (*wh*) slender-podded Carthagena 1822. .... S ♄ Jacq. amer. t. 105.
24 ferrugínea DC. (*wh*) ferruginous Jamaica .... S ♄ ——— t. 100.
octándra. Jacq.

Sect. 5. QUADRE'LLA; *flower bud somewhat quadrate; sepals valvate in the bud; siliques dehiscent: fruit stalk elongated.*

25 Bréynia DC. (*wh*) Oleaster-leaved W. Indies 1752. .... G ♄ ◡ Jacq. amer. t. 103.?
26 jamaicénsis DC. (*wh*) Jamaica ——— 1793. .... S ♄ ◡ ——— t. 101.
27 torulòsa DC. (*wh*) twisting ——— 1819. .... S ♄ ◡
28 peltàta D.S. (*wh*) peltate-leaved Trinidad 1824. .... S ♄

STEPHA'NIA DC. STEPHA'NIA. (Fr. Stephan, prof. bot. Moscow.) Hexandria Monogynia.
cleomoìdes DC. (*o. y*) Cleome-like Caracas 1823. .... S ♄ Jacq. schœn. t. 111.
Cápparis paradóxa Jacq. *Steríphoma clemoìdes.* S.S.

MORISO'NIA DC. MORISO'NIA. (Robert Morison, prof. bot. Oxford.) Monadelphia Polyandria.
americàna DC. (*wh*) American Caribees 1824. .... S ♄ Jacq. amer. t. 97.

ORDER XV.

RESEDA'CEÆ. *DC. theor. ed.* 1. *p.* 214.

RESE'DA DS. RESE'DA. (*resedo*, to calm: supposed use in bruises.) Dodecandria Trigynia.

Sect. 1. SESAME'LLA; *petals trifid or quinquefid; torus much dilated on one side; leaves simple entire.*

1 Lutèola DS. (*st*) Dyer's weed Britain ..... 6. 7. H ⊙ Eng. bot. 320.
2 críspata DS. (*st*) curled-leaved S. Europe 1820. —— H ⊙
3 viréscens DS. (*st*) greenish Spain —— —— H ⊙
4 canéscens DS. (*wh*) hoary Egypt 1597. 5. 7. H ⊙ Clus. hist. 1. t. 295.
5 glaúca DS. (*wh*) glaucous S. Europe 1700. —— F ♃ Pluk. alm. t. 107. f. 2.
6 scopària DS. (*wh*) Broom-like Teneriffe 1815. 8. 9. G ♄
7 dipétala DS. (*wh*) two-petaled C. B. S. 1774. 8. G ♂
8 linifòlia DS. (*wh*) flax-leaved S. Europe 1820. 7. 8. F ♂
9 subulàta DS. (*wh*) awl-leaved Egypt 1827. 6. 8. H ♂
10 chinénsis DS. (*wh*) Chinese China 1824. —— H ♂
11 purpurúscens DS. (*gr. pu*) purplish S. France 1787. 6. 7. H ⊙
12 sesamoìdes DS. (*wh*) spear-leaved France 1786. —— H ⊙ All. ped. 2. t. 88. f. 3.

Sect. 2. PHYTEU'MA: *segments of petals inserted on the back of the claws; torus much dilated on one side; leaves entire or trifid on the same plant.*

13 mediterrànea DS. (*w*) Mediterranean Palestine 1791. 6. 9. H ⊙ Jacq. ic. 3. t. 475.
14 odoràta S S. (*st*) Mignonette Egypt 1752. 6. 10. H ⊙ Bot. mag. 29.
β frutéscens B R. (*st*) *tree mainonette* ..... —— —— G ♄ Bot. reg. 227.
15 Phyteùma DS. (*wh*) trifid S. Europe —— 6. 9. H ⊙ Jacq. aust. 2. t. 132.
16 macrospérmaRchb. (*ye*) large-seeded Italy 1834. 6. 9. H ⊙
17 ramosíssima DS. (*wh*) branching Spain 1816. —— H ♂

Sect. 3. XANTHORE'SEDA; *petals, bifid or trifid: when the latter is the case, the middle segment is very narrow, and the lateral ones always falcate; torus much dilated on one side; lvs. all trifid.*

18 saxátilis DS. (*wh*) rock ——— —— —— H ♃
stricta P.S.
19 globulòsa F M. (*wh*) globulose Persia 1838. —— H ♂
20 truncàta F M. (*ye*) truncate Natolia —— —— H ♂
21 pruinòsa DS. (*wh*) papillose-ld. Egypt 1823. —— H ♃
22 crystálina Webb (*ye*) chrystaline Canaries 1837. —— H ♂
23 lùtea DS. (*st*) Base-rocket Britain .... 7. 8. H ♂ Eng. bot. 321.

Sect. 4. LEUCORE'SEDA; *petals 3-parted or 3-lobed; leaves all pinnate or pinnatifid.*

24 undàta DS. (*wh*) wave-leaved Spain 1739. 6. 8. H ♃ Barrel. rar. t. 587.
25 álba DS. (*wh*) upright-white S. Europe 1596. 5. 10. H ♂ Lobel. ic. 222.
26 fruticulòsa D S. (*wh*) frutescent Spain 1794. 9. G ♄ Jacq. ic. 3. t. 474.
27 bipinnàta D S. (*wh*) bipinnate ——— 1816. 6. 8. G ♄
28 myriophy'llad. S. (*st.*) numerous leaved Italy 1825. —— H ♃

29 incìsa D.S. (*wh*) cut-leaved Italy 1825. 6. 9. H ⊙
OCHRADE'NUS. D.S. OCHRADE'NUS. (*οχρος*, pale, *αδην*, a gland.) Polyan. Trygyn.
bacciàtus D.S. (*ye*) berried Egypt 1837. .... F ♄

ORDER XVI.

DATI'SCEÆ. *Brown in app. to Denham and Clap. trav. p.* 25.

DATI'SCA. L. DATI'SCA. (derivation unknown.) Diœcia Dodecandria.
1 cannábina L. (*ye*) Hemp-like Levant 1640. 7. 9. H ♃ Schkuhr. han. 3. t. 336.
2 hírta W. (*ye*) hairy Pensylvania 1826. 9. 10. H ♃

ORDER XVII.

FLACOURTIA'NEÆ. *DC. prodr.* 1. *p.* 255.

Tribe I. *PATRISIE'Æ.* DC.

RYANÆ'A DC. RYANÆ'A. (John Ryan, collector of plants, Guiana.) Polyandria Monogynia.
speciòsa DC. (*re*) beautiful Trinidad 1822. .... S ♄ Vahl. ecl. 1. p. 51. t. 9.
Patrísia pyrífera. P.S.

Tribe II. *FLACOURTIE'Æ.* DC.

FLACOU'RTIA DC. FLACOU'RTIA. (Etienne de Flacourt, a French Traveller.) Diœcia Polyandria.
1 Ramóntchi DC. (*wh*) shining-leaved Madagascar 1775. 6. 7. S ♄ L. Her. strip. 59. t. 30.
2 sápida DC. (*wh*) esculent E. Indies 1800. .... S ♄ Roxb. cor. 1. t. 69.
3 inérmis DC. (*wh*) unarmed Moluccas 1814. 10. 2. S ♄ Roxb. cor. 3. t. 222.
4 sepiària DC. (*wh*) obovate-leaved Coromandel 1820. .... S ♄ Roxb. cor. 1. t. 68.
5 cataphrácta DC. (*wh*) many-spined E. Indies 1804. .... S ♄
6 rotundifòlia H.B. (*wh*) round-leaved ——— 1823. .... S ♄
7 flavéscens DC. (*st*) yellow-flowered Guinea 1780. .... S ♄
8 rhamnoìdes DC. (*wh*) Rhamnus-like C. B. S. 1819. .... G ♄

Tribe III. *KIGGELARIE'Æ.* DC.

KIGGELA'RIA DC. KIGGELLA'RIA. (Francis Kiggelar, Dutch bot.) Diœcia Decandria.
1 africàna DC. (*wh*) African C. B. S. 1683. 5. 6. G ♄ Lam. ill. t. 821.
2 integrifòlia DC. (*wh*) entire-leaved ——— 1819. —— G ♄ Jacq. ic. rar. t. 628.
MELI'CYTUS DC. MELI'CYTUS. (*μελι*, honey, and *κυτος*, a cavity; filaments.) Diœc. Pentan.
ramiflòrus DC. .. branch-flowered N. Zealand 1822. .... G ♄ Lam. ill. t. 812. f. 1.

ORDER XVIII.

BIXI'NEÆ. *DC. prodr.* 1. *p.* 259.

BIXA DC. ANOTTA. (American name of Anotta.) Polyandria Monogynia.
1 purpùrea (*pu*) purple E. Indies 1820. .... S ♄
2 Orellàna DC. (*ro*) heart-leaved S. America 1690. 5. 8. S ♄ Bot. mag. 1456.
3 Urucuràna W. (*ro*) white-leaved Brazil 1823. .... S ♄
LÆ'TIA DC. LÆ'TIA. (Jean de Laet, of Antwerp.) Polyandria Monogynia.
Thámnia DC. .. shining-leaved Jamaica .... S ♄ Browne jam. t. 25. f. 2.

PRO'CKIA. DC. PRO'CKIA. (meaning unknown.) Polyandria Monygynia.
Sect. 1. PROCKIA'RIA; *style filiform; stigma blunt or acute.*

1	Crùcis DC.	(*gr*) oval-leaved	Santa Cruz	....	....	S	♄	Vahl. symb. 3. t. 64.

Sect. 2. APHLOI'A; *style wanting; stigma broad, rather orbicular, flattish.*

2	serràta DC.	(*gr*) saw-leaved	Montserrat	1822.	....	S	♄	
3	theæfórmis DC.	(*gr*) Tea-leaved	Bourbon	——	....	S	♄	Bory. voy. 2. t. 24.

Lùdia heterophy'lla. Bory. non. Lam.

LU'DIA. DC. LUDIA. (*ludo*, to sport, ; leaves into forms.) Polyandria Monogynia.

1	heterophy'lla DC.	(*gr*) various-leaved	Mauritius	1822.	....	S	♄	Lam. ill. t. 466. f. 1.
2	sessiliflòra DC.	(*bl.*) sessile-flowered	———	——	....	S	♄	Jacq. schœnb. 1. t. 11

tuberculàta. Jacq.

ORDER XIX.

CISTI'NEÆ *DC. prodr.* 1. *p.* 263.

CIS'TUS DC. ROCK-ROSE. (κιστος, from κιστη, a box; shape of capsules.) Polyand. Monogy.
Sect. 1. ERYTHRO'CISTUS; *outer sepals narrower and smaller, inner ones concave, with scarious margins; petals red or purple, each with a yellow spot on the claw; capsule* 5-*celled.*

1	candidíssimus DC.	(*ro*) Canary Island	Canaries	1817.	6. 9.	F	♄	Swt. Cist. t. 3.
2	vaginàtus DC.	(*ro*) oblong-leaved	Teneriffe	1779.	4. 8.	F	♄	——— t. 9.
3	seríceus DC.	(*pu*) silky	Spain	1826.	6. 7.	F	♄	
4	álbidus DC.	(*ro*) white-leaved	S. Europe	1640.	5. 9.	H	♄	Swt. cist. t. 31.
5	incànus DC.	(*li*) hoary-leaved	———	1596.	5. 8.	F	♄	——— t. 44.
6	canéscens S.C.	(*pu*) narrow hoary	———	....	——	F	♄	——— t. 45.
7	villòsus DC.	(*pu*) villous	———	1640.	——	F	♄	——— t. 35.
8	rotundifòlius. SC.	(*pu*) round-leaved	———	....	——	F	♄	——— t. 75.
9	undulàtus DC.	(*pu*) wave-leaved	———	....	——	H	♄	——— t. 63.
10	heterophy'llus DC.	(*p*) various-leaved	Algiers	....	——	F	♄	——— t. 6.
11	críspus DC.	(*pu*) curled leaved	S. Europe	1656.	——	F	♄	——— t. 22.
12	créticus DC.	(*pu*) Cretan	Levant	1731.	——	F	♄	Flor. græc t. 495.
13	purpùreus DC.	(*pu*) purple	———	....	6. 8.	F	♄	Swt. cist. t. 17.
14	cymòsus DC.	(*li*) cyme-flowered	———	....	——	F	♄	——— t. 90.

incànus Flor. græc. t. 494. *nec aliorum.*

15	parviflòrus DC.	(*li*) small-flowered	———	1821.	——	F	♄	Swt. cist. t. 14.

Sect. 2. LEDO'NIA; *two outer sepals largest, acuminated, or wanting; petals white, with a yellow or purple mark at the base of each stigma nearly sessile; capsule* 5 *to* 10-*celled.*

16	Cupaniànus S.S.	(*wh*) heart-leaved	Sicily	....	6.10.	H	♄	——— t. 70.
17	asperifòlius S.C.	(*wh*) rough-leaved	.....	....	——	H	♄	——— t. 87.
18	acutifòlius S.C.	(*wh*) acute-leaved	S. Europe	....	5. 8.	H	♄	——— t. 78.
19	salvifòlius DC.	(*wh*) Sage-leaved	Europe	1548.	5. 9.	H	♄	——— t. 54.
20	obtusifòlius S.C.	(*wh*) blunt-leaved	Levant	....	——	F	♄	——— t. 42.
21	oblongifòlius. S.C.	(*wh*) oblong-leaved	.....	....	6.10.	H	♄	——— t. 67.
22	corbariénsis DC.	(*wh*) mountain	S. France	....	5. 6.	H	♄	——— t. 8.
23	parvifòlius S.C.	(*wh*) small-leaved	.....	....	6. 8.	F	♄	
24	platysépalus. S.C.	(*wh*) broad-sepaled	Levant	....	——	F	♄	——— t. 47.
25	florentìnus DC.	(*wh*) Florentine	Italy	....	6. 7.	H	♄	——— t. 59.
26	monspeliénsis DC.	(*w*) Montpelier	S. Europe	1656.	——	F	♄	——— t. 27.
27	Lèdon DC.	(*wh*) many-fld. gum.	S. France	1730.	6. 8.	H	♄	Duham. arb. 1. t. 66.
28	hirsùtus DC.	(*wh*) hairy	Spain	1656.	——	H	♄	Swt. cist. t. 19.
29	psilosépalus S.C.	(*wh*) smooth-calyxed	.....	....	——	H	♄	——— t. 33.
30	láxus DC.	(*wh*) waved-leaved	Spain	1656.	——	H	♄	——— t. 12.
31	populifòlius S.C.	(*wh*) Poplar-leaved	———	——	5. 6.	H	♄	——— t. 23.
32	latifòlius S.C.	(*wh*) broad-leaved	Barbary	....	——	F	♄	——— t. 15.
33	laurifòlius DC.	(*wh*) Laurel-leaved	S. Europe	1731.	6. 8.	H	♄	——— t. 52.
34	cy'prius DC.	(*wh*) common-gum	Cyprus	....	——	H	♄	——— t. 39.

ladaníferus Bot. mag. 112. *nec aliorum.* C. *undulatus* L. en?

35	ladaníferus DC.	(*wh*) flat-leaved gum	Spain	1629.	——	F	♄	
	α albiflòrus DC.	(*wh*) *white-flowered*	———	——	——	F	♄	Swt. cist. t. 84.
	β maculàtus DC.	(*w.p.*) *spot-flowered*	———	——	——	F	♄	——— t. 1.
36	Clùsii DC.	(*wh*) Clusius's	Spain	....	——	H	♄	——— t. 32.

HELIA'NTHEMUM DC. SUN-ROSE; (ἡλιος, the sun, and ανθος, a flow.; fall. sun-set;) Pol. Mon.
Sect. 1. HA'LIMUM; *sepals* 3 *or* 5; *petals yellow, rarely white, usually marked by a dark spot at the base of each; style straight, short; stigma capitate,* 3-*lobed; Seed few, rather angular, muricated; erect shrubs.*

1 Libanòtis DC. (wh) Rosemary-like Spain 1752. 6. F ♄ Barr. ic. 294.
2 umbellàtum DC. (wh) umbel-flowered S. Europe 1731. 6. 8. F ♄ Swt. cist. t. 5.
3 ocymoìdes DC. (ye) Basil-like ——— .... —— F ♄ ——— t. 13.
Cistus sampsucifòlius. Cav. ic. 1. t. 96.
4 alyssoìdes DC. (ye) Alyssum-like ——— .... —— F ♄ Vent. choix. t. 20.
5 rugòsum DC. (ye) rugose Portugal .... —— F ♄ Swt. cist. t. 65.
6 scabròsum DC. (ye) rough Italy 1775. —— F ♄ ——— t. 81.
7 algarvénse DC. (ye) Algarvian Portugal 1800. 7. 8. F ♄ ——— t. 40.
Cistus algarvénsis B.M. 267.
8 formòsum DC. (ye) beautiful ——— 1780. 5. 7. F ♄ Swt. cist. t. 50.
Cistus formòsus B.M. 264.
9 stripliciföium DC.(y) Orach-leaved Spain 1656. 6. 7. F ♄ Barr. ic. t. 292.
10 microphy'llum S.C.(y) small-leaved S. Europe .... 6.10. F ♄ Swt. cist. t. 96.
11 lasiánthum DC. (ye) downy Portugal 1822. 7. 9. F ♄
12 involucràtum DC.(ye) short-pedicled S. Europe 1826. 6. 8. F ♄
13 cándidum S C. (ye) white-leaved Spain 1822. —— F ♄ Swt. cist. t. 25.
14 cheiranthoìdesDC. (y) Stock-like ——— 1800. 7. 8. F ♄ ——— t. 107.
15 halimifòlium S.C.(ye) Sea-Purslane-ld. ——— 1656. —— F ♄ ——— t. 4.
Sect. 2. Lecheroi'des; *sepals* 5, *outer ones linear; petals yellow; style very short or wanting; stigma large, capitate; ovarium triangular; capsule smooth,* 1-*celled,* 3-*valved; seeds small, rufescent; under shrubs, or herbs, with ascending or erect branches.*
16 rosmarinifòliumDC.(y)Rosemary-ld. N. America 1823. 7. 8. H ♃
17 glomeràtum DC. (ye) cluster-flowered New Spain —— 6. 9. F ♄ Swt. cist. t. 110.
18 ramuliflòrum DC.(ye) branch-flowerg. Carolina 1823. —— H ♃
19 canadénse DC. (ye) Canadian Canada 1799. —— H ♃ Swt. cist. t. 21.
20 caroliniànum DC.(ye) Carolina Carolina 1823. —— F ♃ ——— t. 99.
21 brasiliénse DC. (ye) Brazilian Brazil —— 6. 8. F ♄ ——— t. 43.
22 polygalæfòlium.SC.(ye)Milkwort-ld. ——— —— F ♄ ——— t. 11.
Sect. 3. Tuberar'ria; *sepals* 5; *petals yellow; style almost wanting; stigma capitate; capsule* 3-*valved; seeds minute, yellowish. Annual or biennial plants.*
23 lignòsum S.C. (ye) woody-stemmed S. Europe 1810. 6. 8. F ♄ ——— t. 46.
24 Tuberària DC. (ye) Plantain-leav'd ——— 1752. —— F ♃ ——— t. 18.
25 plantagíneum DC.(ye) Plantain-like ——— 1823. —— H ☉
26 guttàtum DC. (ye) spotted-flowrd. England .... —— H ☉ Eng. bot. 544..
27 eriocaúlon DC. (ye) woolly-stalked Spain 1823. —— H ☉ Swt. cist. t. 30.
28 punctàtum DC. (ye) punctated France 1816. —— H ☉ ——— t. 61.
Sect. 4. Macula'ria; *sepals* 5; *petals yellow; style straight; stigma small, somewhat* 3-*lobed; capsule smooth; under shrubs or herbs.*
29 lunulàtum DC. (ye) lunulate-markd. Piedmont .... 6. 8. H ♄ All. auct. p. 30. t. 2. f. 3.
Sect. 5. Brachype'talum; *sepals* 5, *outer ones minute; inner ones* 3-*nerved; petals yellow; style straight, thickened at top; stigma simple, ovarium triquetrous, the angles generally hairy; capsule shining, seeds numerous, minute, angular. Annual herbs, leaves stipulate.*
30 villòsum DC. (st) villous Spain 1823. 6. 8. H ☉
31 niloticum DC. (st) Nile Egypt .... —— H ☉
32 ledifòlium DC. (st) Ledum-leaved England .... —— H ☉ Swt. cist. t. 41.
33 intermèdium DC.(ye) intermediate Spain 1759. —— H ☉ Cav. ic. t. 144.
salicifòlium Cav.
34 denticulàtum DC.(ye) toothed-leaved S. France 1828. —— H ☉
35 salicifòlium DC. (ye) Willow-leaved ——— —— —— H ☉ Swt. cist. t. 71.
36 sanguíneum DC. (ye) bloody-stalked ——— 1823. —— H ☉
retrofráctum P.S.
37 ægyptìacum DC. (ye) Egyptian Egypt 1764. —— H ☉ Jacq. obs. 3. t. 68.
Sect. 6. Erioca'rpum; *sepals* 5, *hairy outside, outer two minute; style erectish, bent at the base; ovarium hairy; capsule hairy; seeds small, rufescent; under shrubs.*
38 Líppii DC (ye) small-petaled Egypt 1820. 6. 8. F ♄
39 ellípticum DC. (st) elliptic-leaved Levant 1827. —— F ♄ Swt. cist. t. 108.
40 confértum DC. (ye) close-flowered Teneriffe .... 6. 7. F ♄
41 canariénse DC. (ye) Canary Canaries 1790. —— F ♄ Jacq. ic. 1. t. 97.
Sect. 7. Fuma'na; *sepals* 5, *twisted at apex,* 2 *outer ones narrow; petals yellow; stamens few, style straight; stigma capitate, fringed, subtrilobed; capsule* 3-*valved, open; seeds few, dark, angular; under shrubs, with linear leaves.*
42 erocoìdes DC. (ye) Heath-leaved S. Europe .... 6. 8. F ♄ Cav. ic. 2. t. 172.
43 Fumàna DC. (ye) Heath-like ——— 1752. —— F ♄ Swt. cist. t. 16.
44 procúmbens DC. (ye) procumbent ——— .... —— F ♄ ——— t. 68.
45 arábicum DC. (ye) Arabian Levant 1826. —— F ♄ ——— t. 97.
46 ledvipes DC. (ye) cluster-leaved ——— 1690. —— G ♄ ——— t. 24.
47 víride DC. (ye) green-leaved Sicily 1828. —— F ♄
48 juniperínum DC. (ye) Juniper-leaved ——— .... —— G ♄ Bar. ic. t. 443.
49 Barrelièri DC. (ye) Barrelier's Italy 1822. —— F ♄ ——— t. 416.

50	thymifòlium DC.	(*ye*)	Thyme-leaved	Spain	1658.	6. 8.	F	♄	Swt. cist. t. 102.
51	glutinòsum DC.	(*ye*)	clammy	———	1790.	——	F	♄	——— t. 83.

Sect. 8. PSEUDOCI'STUS; *sepals* 5; *2 outer ones narrow, minute; petals yellow; style twisted at the base; stigma capitate, 3-lobed; capsule small; seeds few, rufescent; under shrubs or herbs.*

52	mólle DC.	(*ye*)	soft	Spain	....	6. 8.	F	♄	Cav. ic. 3. t. 262. f. 2.
53	origanifòlium DC.	(*ye*)	Marjoram-leaved	———	1795.	——	F	♄	——— 3. t. 262. f. 1.
54	dichótomum DC.	(*ye*)	forked	———	....	——	F	♄	——— 3. t. 263. f. 1.
55	œlándicum DC.	(*ye*)	smooth-leaved	Europe	1816.	——	H	♄	Swt. cist. t. 85.
56	alpéstre DC.	(*ye*)	alpine	———	——	——	H	♄	——— t. 2.
57	penicillàtum DC.	(*ye*)	pencilled	S. Europe	....	——	H	♄	
58	obovàtum DC.	(*ye*)	obovate-leaved	Spain	1826.	——	F	♄	
59	itálicum DC.	(*ye*)	Italian	Italy	1779.	7. 9.	H	♄	Bar. rar. t. 366.
60	vineàle DC.	(*ye*)	slender-trailing	Europe	1823.	——	H	♄	Swt. cist. t. 77.
61	cànum DC.	(*ye*)	hoary	———	1772.	6. 7.	F	♄	——— t. 56.
62	marifòlium DC.	(*ye*)	Marum-leaved	———	....	——	F	♄	Barr. rar. t. 441.
63	pulchéllum	(*ye*)	neat	S. Europe	....	——	H	♄	Swt. cist. t. 71.
64	rotundifòlium DC.	(*ye*)	round-leaved	Spain	1826.	——	F	♄	Cav. ic. 2. t. 142.
	Cistus nummulàrius Cav. *non* L.								
65	crassifòlium DC.	(*ye*)	thick-leaved	———	——	——	F	♄	
66	paniculàtum DC.	(*ye*)	panicled	———	——	6. 8.	H	♄	
67	cinèreum DC.	(*ye*)	gray	———	....	6. 7.	F	♄	Cav. ic. 2. t. 141.
68	squammàtum DC.	(*ye*)	scaly	———	1815.	——	F	♄	——— 2. t. 139.

Sect. 9. EUHELIA'NTHEMUM; *sepals* 5, *twisted at top before expansion, outer 2 smaller; stamens numerous; style bent at the base, rather club-shaped at apex; stigma simple; capsule 1-celled, 3-valved, covered by the calyx; seeds few, convex outside, and angular inside; under shrubs.*

69	lavandulæfòlium DC.	(*ye*)	Lavender-ld.	Levant	1739.	6. 7.	F	♄	Bar. ic. t. 288.
	β *syriacum* DC.	(*ye*)	*Syrian*	Syria	——	——	F	♄	Jacq. ic. 1. t. 96.
70	stœchadifòlium DC.	(*y*)	woolly-leaved	Portugal	1819.	——	F	♄	
71	cròceum DC.	(*ye*)	Saffron-colourd.	Spain	....	——	F	♄	Swt. cist. t. 53.
72	nudicaúle DC.	(*ye*)	naked-stalked	———	1826.	——	F	♄	
73	glaúcum DC.	(*ye*)	glaucous-leaved	———	1815.	6. 8.	F	♄	Cav. ic. 3. t. 261.
74	leptophy'llum DC.	(*ye*)	narrow-leaved	———	....	7. 8.	F	♄	Swt. cist. t. 20.
75	serpyllifòlium DC.	(*ye*)	Serpyllum-ld.	England	....	5. 9.	H	♄	——— t. 60.
76	vulgàre DC.	(*ye*)	common	Britain	....	——	H	♄	——— t. 34.
	β *flòre plèno*	(*ye*)	*double-flowered*	———	....	——	H	♄	——— t. 64.
77	surrejànum DC.	(*ye*)	dotted-leaved	England	....	7. 10.	H	♄	——— t. 28.
	β *tomentòsum*	(*ye*)	*woolly-leaved*	———	....	——	H	♄	——— t. 34. f. 3.
78	ovàtum DC.	(*ye*)	ovate-leaved	Geneva	....	6. 8.	H	♄	Viv. frag. 1. t. 8. f. 2.
79	lùcidum H.	(*ye*)	glossy-leaved	.....	1827.	——	H	♄	
80	taúricum S.C.	(*p.y.*)	Taurian	Tauria	1824.	——	H	♄	Swt. cist. t. 105.
81	Andersòni S.C.	(*ye*)	Anderson's	Hybrid	1827.	5. 10.	H	♄	——— t. 89.
82	grandiflòrum DC.	(*ye*)	large-flowered	Pyrenees	1800.	——	H	♄	——— t. 69.
83	sampsucifòlium	(*p.y.*)	rough-dwarf	Montpelier	....	——	H	♄	Bot. mag. 1803.
	Cistus sampsucifòlius B.M. *non* Cav.								
84	nummulàrium DC.	(*ye*)	Money-wort	———	1752.	——	H	♄	Swt. cist. t. 80.
85	angustifòlium DC.	(*ye*)	distinct-petaled	.....	1800.	——	H	♄	Jacq. vind. 3. t. 53.
86	hírtum DC.	(*ye*)	bristly-calyxed	Spain	1759.	——	F	♄	Swt. cist. t. 109.
87	barbàtum P.S.	(*ye*)	bearded	S. Europe	1820.	——	H	♄	——— t. 73.
88	eriosépalon S.C.	(*p.y.*)	woolly-sepaled	———	....	——	H	♄	——— t. 76.
89	rotàtum.....		rotate	.....	1828.	....	F	♄	
90	racemòsum DC.	(*wh*)	long-racemed	S. Europe	....	——	F	♄	——— t. 82.
91	pilòsum DC.	(*wh*)	hairy	———	1731.	——	F	♄	——— t. 49.
92	lineàre DC.	(*wh*)	linear-leaved	———	1824.	6. 8.	F	♄	——— t. 48.
93	virgàtum DC.	(*p.r.*)	slender	Barbary	——	——	F	♄	——— t. 79.
94	apennìnum DC.	(*wh*)	Apennine	Europe	——	——	H	♄	——— t. 62.
95	híspidum DC.	(*wh*)	hispid	S. France	——	——	H	♄	
96	pulverulèntum DC.	(*w*)	powdered	———	....	——	H	♄	——— t. 29.
97	canéscens SC.	(*cr*)	canescent	.....	....	——	H	♄	——— t. 51.
98	rhodánthum DC.	(*ro*)	rose-flowered	Spain	....	——	H	♄	——— t. 7.
99	diversifòlium SC.	(*re*)	various-leaved	.....	....	5. 9.	F	♄	——— t. 95.
	β *múltiplex* SC.	(*re*)	*full-flowered*	.....	....	——	F	♄	——— t. 98.
100	cùpreum SC.	(*co*)	copper-colour'd	Hybrid	....	——	F	♄	——— t. 69.
101	versícolor SC.	(*p.r.*)	various-colour'd	———	....	——	H	♄	——— t. 26.
102	venústum SC.	(*sc*)	charming	.....	....	——	H	♄	——— t. 10.
	β *flòre plèno*	(*sc*)	*double-flowered*	.....	....	——	H	♄	
103	variegàtum SC.	(*r.w.*)	striped-flower'd	Hybrid	....	——	F	♄	Swt. cist. t. 38.
104	lanceolàtum SC.	(*w*)	spear-leaved	.....	....	——	H	♄	——— t. 100.
105	polifòlium DC.	(*wh*)	white-mountain	England	....	5. 7.	H	♄	——— t. 88.

106 confùsum SC. (*wh*) confused Europe .... 5. 7. H ♄ Swt. cist. t. 91.
107 macránthon SC. (*w*) great-flowered ——— .... —— H ♄ ——— t. 103.
β múltiplex SC. (*wh*) *full-flowered* ——— .... —— H ♄ ——— t. 104.
108 mutábile DC. (*p.r.*) changeable Spain 1795. 6. 7. H ♄ ——— t. 106.
109 ròseum DC. (*ro*) rosy S. Europe .... —— H ♄ ——— t. 55.
β múltiplex SC. (*ro*) *double-rose* ——— .... —— H ♄ ——— t. 86.
110 Millèri SC. (*sa*) Miller's .... —— H ♄ ——— t. 101.
111 marjoranæfòlium DC. (*wh*) marjoram-ld. ——— 1818. 5. 6. H ♄
112 hyssopifòlium DC. (*v*) Hyssop-leaved Italy .... 6. 7. F ♄
α crocàtum SC. (*sa*) *saffron-coloured* ——— .... —— F ♄ Swt. cist. t. 92.
β cùpreum SC. (*co*) *copper-coloured* ——— .... —— F ♄ ——— t. 58.
γ múltiplex SC. (*co*) *full-flowered* .... —— F ♄ ——— t. 72.
113 fœ'tidum DC. (*wh*) Bryony-scented .... —— H ♄ Jacq. ic. 1. t. 98.
114 sulphùreum DC. (*st*) sulphur-color'd Spain 1815. —— H ♄ Swt. cist. t. 37.
115 stramínium SC. (*st*) straw-coloured .... —— H ♄ ——— t. 93.
β múltiplex SC. (*st*) *full-flowered* .... —— H ♄ ——— t. 94.

HUDSO'NIA. DC. HUDSO'NIA. (Wm. Hudson, author of Flora Anglica) Dodecand. Monog.
1 ericoìdes DC. (*ye*) Heath-like N. America 1805. 5. 7. F ♄ Swt. cist. t. 36.
2 tomentòsa N. (*ye*) tomentose ——— 1826. 6. 8. F ♄ ——— t. 57.

LECHE'A. DC. LECHE'A. (J. Leche, prof. nat. hist. Abo.) Tri-Dodecandria Trigynia.
1 villòsa DC. (*ye*) villous Canada 1780. 7. 8. H ♃ Lam. ill. t. 52. f. 2.
màjor Ph. *non* Lin. *minor* L. *non* Ph.
2 minor DC. (*ye*) lesser ——— 1802. —— H ♃ Lam. ill. t. 52. f. 1.
3 thymifòlia DC. (*ye*) Thyme-leaved N. America 1823. —— H ♃
4 tenuifòlia DC. (*ye*) fine-leaved ——— —— —— H ♃

ORDER XX.

VIOLARIE'Æ. *DC. prodr.* 1. *p.* 287.

Tribe 1. *VIO'LEÆ.* DC.

CALY'PTRION. DC. CALY'PTRION. (καλυπτρα, a hood, and ιον, a violet; hood-like spur) Pent. Mono.
Aublètii DC. (*wh*) Aublet's S. America 1820. .... S ♄ ◡ Aub. gui. 2. t. 319.
Viola Hybánthus. Aub. *Jonídium Aublétii.* R.S.

NOISE'TTIA. DC. NOISE'TTIA. (Louis Noisette, writer on fruit-trees) Pentandria Monogynia.
longifòlia DC. (*wh*) long-leaved Cayenne 1822. .... S ♄ Nov. g. am. t. 409. b. f. 2.
Jonídium longifòlium. R.S.

ANCHIE'TIA. Hib. ANCHI'ETIA. (J. Anchietia, Brazilian jesuit, a bot.) Pentandria Monogynia.
pyrifòlia Hil. (*wh*) pear-leaved Brazil 1822. .... S. ♄ ◡ Mart. bras. t. 16.
Noisèttia pyrifòlia. Martius.

VI'OLA. DC. VIOLET. (ιον, a violet; from Io; first food) Pentandria Monogynia.
Sect. 1. NOMI'NIUM; *stigma beaked, with a little hole at top of beak; style tapering from top to the base; stamens oblong, approximate; torus flattish; capsule generally three-sided; seminal leaves obovate or oblong.*
§ 1 *Stemless herbs; roots toothed, fleshy; leaves pedate or lobed.*
1 pedàta DC. (*bl*) cut-leaved N. America 1759. 5. 8. H ♃ Swt. br. fl. gar. t. 69.
2 pedatífida DS. (*pur*) pedatifid ——— .... 5. 6. H ♃
3 flabellifòlia BC. (*b.p.*) fan-leaved ——— 1822. —— H ♃ Lod. bot. cab. 777.
pedàta β atropurpùrea DC. *pedàta* var. *bicolor.* Ph. *pedàta var. flabellàta* Swt. br. fl. gr. s. 2. t. 247
4 digitàta Ph. (*bl*) finger-leaved Virginia 1824. —— H ♃
5 palmàta DC. (*bl*) palmated ——— 1752. 5. 6. H ♃ Bot. mag. t. 535.
§ 2. *Stemless herbs; roots toothed, fleshy; leaves cordate, entire.*
6 asarifòlia DC. (*bl*) Asarum-leaved N. America 1823. —— H ♃
7 papilionàcea DC. (*bl*) variegated ——— 1800. —— H ♃
8 obliqua Ph. (*bl*) oblique-flowered ——— 1762. —— H ♃
9 cucullàta Ph. (*bl*) hollow-leaved ——— 1772. 5. 7. H ♃ Swt. br. fl. gar. s. 2. t. 29.
§ 3. *Stemless herbs; roots fleshy, toothed; leaves pinnate or lobed.*
10 pinnàta RS. (*pu*) winged-leaved Europe 1752. 5. 6. H ♃ All. m. taur. 3. t. 5. f. 2.
11 multífida RS. (*pu*) multifid Siberia —— —— H ♃ Gmel. sib. 4. t. 48. f. 4.
12 dactyloìdes DS. (*bl*) finger-leaved ——— 1820. 4. 6. H ♃ Gmel. sib. 4. t. 49. f. 3.
palmàta. Tahin.
§ 4. *Stemless herbs; roots fleshy, toothed; leaves ovate, cordate, or larceolate.*
13 variegàta DC. (*pu*) variegated-ld. Dahuria 1818. 5. 6. H ♃

14	primulæfòlia DC.	(*bl*)	Primrose-ld.	N. America	1783.	4. 6.	H	♃	
15	lanceolàta DC.	(*wh*)	spear-leaved	———	1759.	6. 7.	F	♃	Swt. br. fl. gar. 2. t. 17
16	attenuàta B.F.G.	(*wh*)	attenuated	———	1812.	4. 8.	H	♃	
	lanceolàta Pursh. et Nuttall. *non* Lin.								
17	Patrínii DC.	(*bl*)	Siberian	Siberia	....	——	H	♃	
18	cæspitòsa DP.	(*pu*)	tufted	Nepaul	1825.	5. 8.	F	♃	
	Patrínii γ napaulénsis. DC. *primulæfòlia.* Buch. non L.								
19	ovàta DC.	(*bl*)	oval-leaved	N. America	1822.	——	H	♃	
20	sagittàta DC.	(*b.w.*)	arrow-leaved	———	1775.	——	H	♃	
21	dentàta Ph.	(*bl*)	large-toothed	Pensylvania	1828.	——	H	♃	Lodd. bot. cab. t. 148
22	betonicæfòlia. DC.	(*pu*)	Betony-leaved	N. S. W.	1823.	——	F	♃	
	§ 5. *Stemless herbs; roots rather fusiform; leaves obovate or lanceolate.*								
23	Gmeliniàna DS.	(*bl*)	Gmelin's	Dahuria	1820.	6. 7.	H	♃	Gmel. sib. 4. t. 49. f. 2
	§ 6. *Stemless herbs; roots jointed; leaves cordate.*								
24	Fischèri	(*pu*)	Fischer's	Siberia	1823.	5. 7.	H	♃	
	suàvis. F. *non.* M.B.								
25	palústris DC.	(*pa*)	marsh	Britain	....	5. 6.	H	♃	Eng. bot. 444.
26	blánda DC.	(*wh*)	white-flowered	N. America	1802.	5. 7.	H	♃	W. hort. ber. 1. t. 24.
27	rotundifòlia DC.	(*ye*)	round-leaved	———	1800.	——	H	♃	
28	clandestìna DS.	(*br*)	clandestine	———	——	6. 9.	H	♃	
29	soròria W.	(*pu*)	white-rooted	———	1802.	4. 6.	H	♃	W. hort. ber. 1. t. 72.
30	áspera DC.	(*wh*)	rough	Nepaul	1825.	5. 8.	F	♃	
31	hírta EB.	(*bl*)	hairy	England	....	——	H	♃	Eng. bot. 894.
32	ambígua RS.	(*pu*)	ambiguous	Danube	1822.	——	H	♃	W. et K. hung. t. 190.
33	campéstris MB.	(*pu*)	field	Tauria	1824.	——	H	♃	
34	Pyrenàica DS.	(*bl*)	Pyrenean	Pyrenees	1817.	4. 6.	H	♃	
35	hùmilis DS.	(*wh*)	humble	Mexico	1824.	4. 7.	F	♃	Kunth amer. 5. t. 492. f. 1
36	hirsùta RS.	(*bl*)	hairy-stalked	Russia	1824.	1. 12.	H	♃	
37	collìna RS.	(*li*)	hill	Volhynia	——	5. 8.	H	♃	
38	cordàta SS.	(*bl*)	heart-leaved	N. America	——	5. 7.	H	♃	
39	suàvis MB.	(*p.b.*)	fragrant	Siberia	1823.	3. 5.	H	♃	Swt. br. fl. gar. s. 2. t. 126.
40	odoràta DC.	(*vi*)	sweet-scented	Britain	....	3. 10.	H	♃	Eng. bot. t. 619.
	α violàcea	(*vi*)	*violet-coloured*	———	....	——	H	♃	
	β ròsea	(*ro*)	*rose-coloured*	———	....	——	H	♃	
	γ álba	(*wh*)	*white-flowered*	———	....	——	H	♃	
	δ cærùlea	(*bl*)	*blue flowered*	———	....	——	H	♃	
	ε purpùreo-plèna	(*pu*)	*double-purple*	———	....	——	H	♃	
	ζ álbo-plèna	(*wh*)	*double-white*	———	....	——	H	♃	
	η cærùleo-plèna	(*bl*)	*double-blue*	———	....	——	H	♃	
	θ pállido-plèna	(*p.b.*)	*Neapolitan*	Naples	....	——	H	♃	
	§ 7. *Caulescent herbs; leaves cordate.*								
41	uliginòsa DC.	(*pu*)	fen	Carniola	1822.	4. 5.	H	♃	
42	Krokèri DS.	(*pu*)	Kroker's	Bohemia	1820.	5. 6.	H	♃	Schm. boh. 3. t. 311.
43	Langsdorfiàna DS.	(*bl*)	Langsdorf's	Unalaschka	1823.	6. 7.	H	♃	
44	mirábilis DC.	(*w.l.*)	broad-leaved	Europe	1732.	6. 8.	H	♃	Jacq. fl. aust. t. 19.
45	striàta DC.	(*st*)	streaked	N. America	1772.	——	H	♃	
46	ochroleùca DC.	(*st*)	sulphur-colour'd	———	....	——	H	♃	
47	canìna DC.	(*bl*)	dog's	Britain	....	4. 6.	H	♃	Eng. bot. 620.
48	sylvéstris RS.	(*p.b.*)	wood	Hungary	1823.	——	H	♃	
49	Riviniàna SS.	(*bl*)	Rivini's	Europe	....	4. 6.	H	♃	
50	ericetòrum L. en.	(*bl*)	heath	Germany	1826.	——	H	♃	
51	neglécta RS.	(*p.b.*)	neglected	Bohemia	1824.	——	H	♃	
52	débilis DC.	(*p.b.*)	weak	N. America	1820.	——	H	♃	
53	arenària DC.	(*bl*)	sand	Europe	——	——	H	♃	Pio viol. p. 20. t. 1. f. 2.
	Alliònii. RS. *nummularifòlia.* Schl.								
54	glaúca MB.	(*pu*)	glaucous	Russia	1820.	——	H	♃	
55	pùmila DC.	(*p.b.*)	small	Europe	——	——	H	♃	Vill. c. stras. t. 5.
56	flavicórnis EF.	(*bl*)	yellow-spurred	Britain	....	5. 7.	H	♃	Raii synops. t. 24. f. 1.
57	montàna SS.	(*bl*)	mountain	Europe	1683.	5. 6.	H	♃	Bot. mag. 1595.
58	strícta H.	(*p.b.*)	upright	———	1822.	——	H	♃	
	Hornemanniàna. RS.								
59	persicifòlia SS.	(*bl*)	Peach-leaved	S. Europe	1818.	——	H	♃	Schkuhr hand. 3. t. 269.
60	palmàris DC.	(*ye*)	long-petioled	Nepaul	1825.	5. 8.	F	♃	
61	láctea RS.	(*pa*)	cream-coloured	England	....	——	H	♃	Eng. bot. 445.
62	epípsila SS.	(*p.b.*)	creeping	Siberia	1821.	4. 6.	H	♃	
63	fénnica F.	(*bl*)	Siberian	———	1827.	——	H	♃	
64	Selkírkii DC.	(*ye*)	Selkirk's	Montreal	1823.	——	H	♃	
65	Rúppii SS.	(*pa*)	Piedmont	Piedmont	1820.	——	H	♃	Lodd. bot. cab. 686.
	§ 8. *Shrubby plants.*								

66 Broussonetiàna RS. Broussonet's Teneriffe 1825. 5. 6. G ♄
67 arborèscens DC. (*pa*) shrubby S. Europe 1779. 4. 5. G ♄ Barr. ic. 568.

Sect. 2. DISCHI'DIUM; *stigma without a beak; two-lobed, having a little hole between the lobes; style tapering from the top; torus flattish; capsule trigonal; few-seeded; seminal leaves roundish; stemless plants; petals all smooth.*

68 pygmæ'a DC. (*p.b.*) pigmy Andes 1822. 7.11. H ♃
69 biflòra DC. (*ye*) two-flowered Europe 1752. —— H ♃ Flor. dan. 46.

Sect. 3. CHAMÆMELA'NIUM; *stigma round, capitate, having a fascicle of hairs on both sides below, with a minute sublateral hole at the tip; stamens oblong, approximate; torus flattish; capsule trigonal; seminal leaves roundish; two lateral petals bearded.*

70 Nuttàllii DC. (*ye*) Nuttall's N. America 1812. 5. 6. H ♃
71 hastàta DC. (*ye*) hastate ——— 1823. 5. 7. H ♃
72 tripartìta DS. (*ye*) tripartite Georgia 1823. —— H ♃
73 albiflòra L. en. (*wh*) white-flowered N. America .... —— H ♃
74 canadénsis DC. (*w.r.*) Canadian ——— 1783. —— H ♃ Swt. br. fl. gar. s. 2. t. 62.
75 pubéscens DC. (*ye*) downy ——— 1772. 6. 7. H ♃ Swt. br. fl. gar. 223.
76 eriocárpa DC. (*ye*) woolly-capsuled ——— 1820. —— H ♃ ——— 102.
77 præmórsa RR. (*ye*) bitten-rooted ——— —— 4. 6. H ♃ Bot. reg. 1254.
78 Pensylvánica DC. (*ye*) Pensylvanian ——— —— —— H ♃
79 uniflòra DC. (*ye*) Siberian Siberia 1774. —— H ♃ Gmel. sib. 4. t. 48. f. 5.

Sect. 4. MELA'NUM; *stigma urceolate, a having fascicle of hair on each side below, and furnished with an aperture having a lip at bottom; style tapering from the top: stamens triangular, connected; torus concave; capsule obsoletely 6-sided: seeds numerous; seminal leaves ovate; three lower petals bearded; stipulas toothed or bristly serrated.*

80 chrysántha. Scr. (*ye*) golden-flowered ..... 1823. 5. 8. H ♃
81 nummularifòlia DC. (*b*) money-wort Piedmont —— —— H ♃ All. ped. n. 1640. t. 9. f. 4.
82 alpina DC. (*pu*) alpine Austria 1826. —— H ♃ Jacq. obs. 1. t. 11.
83 cornùta DC. (*bl*) horned Pyrenees 1776. 5. 6. H ♃ Bot. mag. 791.
84 cenísia DC. (*bl*) Mount-Cenis Switzerland 1759. 6. 7. H ♃ All. ped. 2. t. 22. f. 6.
85 valdèria RS. (*pu*) fringed-leaved ——— 1805. 5. 6. H ♃ ——— 2. t. 24. f. 3.
86 calcaràta RS. (*bl*) spurred Europe 1752. 3. 6. H ♃
87 Villarsiàna RS. (*bl*) Villars's S. France .... —— H ♃ Vill. cat. arg. t. 5.
88 Zóysii RS. (*ye*) crenated Europe .... 7. 9. H ♃ Jacq. coll. 4. t. 11. f. 1.
89 oreades DS. (*ye*) oreades Tauria 1818. 5. 7. H ♃
90 amœ'na DC. (*pu*) purple Scotland .... 5. 8. H ♃
91 altàica DC. (*ye*) Tartarian Altay 1805. 3. 6. H ♃ Bot. reg. 54.
grandiflòra L. *non* DC.
β *purpùrea* DC. (*pu*) *purple-flowered* Altay .... —— H ♃ Sw. br. fl. gar. ic.
92 prostràta RS. (*st*) prostrate Teneriffe 1824. —— H ⊙
93 sudética. W. en. (*ye*) large-flowered Europe .... 5. 8. H ♃
grandiflòra DC. fl. fr. 5. p. 620.
94 lùtea R.B. (*ye*) large-yellow Britain .... —— H ♃ Eng. bot. 721. ‖
95 saxátalis RS. (*st*) rock Bohemia 1824. —— H ♃ Swt. br. fl. gar. t.
96 rothomagénsis DC. (*b*) Rouen France 1783. —— H ♃ Bot. mag. 1498.
97 tricolor RS. (*b.y*) Heart's-ease Britain .... 4. 11. H ♂ Œd. fl. dan. t. 623.
98 bannática RS. (*st*) intermediate Hungary .... 5. 8. H ⊙
99 arvénsis RS. (*st*) corn Britain .... —— H ⊙
100 declinàta RS. (*bl*) declined Hungary 1820. —— H ♂ W. et. K. hung. 3. t. 223.
101 Kitaibelìana RS. (*st*) Kitaibel's Switzerland 1824. 4. 6. H ⊙

ERPETION B.F.G. SPURLESS VIOLET. (ερπητος, creeping, and ιον, a violet.) Pentan. Monogy.

1 hederàceum (*b.w*) Ivy-leaved V. Diem. Isl. 1825. 5. 9. F ♃ Lab. nov. holl. 1. t. 91.
Viola hederàcea. Lab.
2 renifórme B.F.G. (*b.w*) kidney-leaved N. S. W. 1823. —— F ♃ Swt. br. fl. gar. 170.
Viola renifórmis. B.

SO'LEA DC. SO'LEA. (Will. Sole; Eng. bot.) Pentandria Monogynia.

concolor DC. (*gr*) green-flowered N. America 1788. 6. 7. H ♃ Linn. trans. 6. t. 28.

POMBA'LIA DC. POMBA'LIA. (Seb. Jos. de Carvalho, Marquis de Pombal.) Pentan. Monogy.

Itùbu DC. (*wh*) white Ipecacuanha Brazil 1822. 7. 8. S ♃ H. et B. 5. t. 496. f. 2.
β *calceolària* (*wh*) *villous-stemmed* ——— —— —— S ♃ Bot. mag. 2453.
Jonídium Ipecacuánha. B.M. 2453.

JONI'DIUM DC. JONI'DIUM. (ιον, a violet, and ειδος, similar; resemblance.) Pentan. Monogy.

1 stríctum DC. (*wh*) upright St. Domingo 1820. .... S ♃
2 polygalæfòlium DC. (*st*) Wilkwort-ld. S. America 1797. 4. 8. G ♃ Vent. malm. 27.
3 verbenàceum DC. (*p.b*) Vervain-like ——— 1822. 6. 8. H ⊙ H. et B. V. 379. t. 497.

Tribe II. *ALSODI'NEÆ.* DC.

ALSODE'IA DC. ALSODE'IA. (*αλσωδης*, leafy.) Pentandria Monogynia.
1 arbòrea DC. (*wh*) tree Madagascar 1823. .... S ♄
2 latifòlia DC. (*wh*) broad-leaved ——— —— .... S ♄ Pet. Th. veg. af. t. 18. f. 2.
CERANTHE'RA DC. CERANTHE'RA. (*κερας*, a horn, and *ανθηρα*, an anther.) Pentan. Monogy.
dentàta DC. (*wh*) toothed Sierra Leone 1822. .... S ♄ Beauv. fl. d'ow. 2. t. 65.
HYMENANTHE'RA DC. HYMENANTHE'RA. (*ὑμην*, a membrane, and *ανθηρα*, an anther.) Mo. Pe.
dentàta DC. (*ye*) toothed N. S. W. 1822. 3. 5. G ♄

Tribe III. *SAUVA'GEÆ.* DC.

SAUVAGE'SIA DC. SAUVAGE'SIA. (Fr. B. Sauvages, phys. Montpelier.) Petandria Monogynia.
1 erécta DC. (*wh*) upright S. America 1823. 7. 9. S ⊙ Jacq. am. pict. t. 77.
2 nùtans DC. (*wh*) nodding Madagascar —— —— S ⊙

ORDER XXI.

DROSERA'CEÆ. *DC. prodr.* 1. *p.* 317.

DRO'SERA DC. SUNDEW. (*δροσερος*, dewy; appearance.) Pentandria Pentagynia.
Sect. 1. RORE'LLA; *style simple or 2-3-parted; the lobes entire, or somewhat capitate at their apices*
1 acaúlis DC. (*wh*) stalkless C. B. S. 1821. 7. 9. G *w* ♃
2 pauciflòra DC. (*wh*) few-flowered ——— —— —— G *w* ♃
3 cuneifòlia DC. (*w.r*) wedge-leaved ———1824. 6. 8. G *w* ♃
α álba (*wh*) *white-flowered* ——— —— —— G *w* ♃
β rùbra (*re*) *red-flowered* ——— —— —— G *w* ♃
4 capillàris DC. (*wh*) capillary N. America.... —— H *w* ♃
5 rotundifòlia DC. (*wh*) round-leaved Britain .... 7. 8. H *w* ♃ Eng. bot. 867.
6 longifòlia L. (*wh*) intermediate England .... —— H *w* ♃ ——— 868.
intermèdia DC.
7 americàna W. en. (*wh*) American N. America 1824. —— H *w* ♃
8 ánglica DC. (*wh*) great England .... —— H *w* ♃ Eng. bot. 869.
longifòlia D. et. H. 3. t. 75. A.
9 lineàris DC. (*wh*) linear-leaved N. America 1822. 5. 6. H *w* ♃
10 filifórmis Ph. (*pu*) thready-leaved ——— 1811. —— H *w* ♃ Bot. mag. t. 3540.
Sect. 2. ERGA'LIUM; *styles capillaceously multifid, similar to a hair pencil.*
11 binàta DC. (*wh*) forked-leaved N. Holland 1823. —— G *w* ♃ Bot. mag. t. 3082.
ALDROVA'NDA DC. ALDROVA'NDA. (Ulysses Aldrovandus; Italian naturalist.) Pentan. Pentag.
vesiculòsa DC. (*wh*) whorl-leaved S. Europe 1826. 6. 8. H *w* ⊙ Lam. ill. t. 220.
BY'BLIS DC. BY'BLIS. (Mythological name; daughter of Miletus.) Pentandria Monogynia.
liniflòra DC. (*bl*) blue-flowered N. S. W. 1803. 5. 6. G *w* ♃.? Salisb. par. 95.
DIONÆ'A DC. DIONÆ'A. (one of the names of Venus.) Decandria Monogynia.
Muscípula DC. (*wh*) Venus Flytrap Carolina 1768. 7. 8. G ♃ Bot. mag. 785.
PARNA'SSIA DC. PARNA'SSIA. (Mount Parnassus; beauty.) Pentandria Tetragynia.
1 palústris DC. (*wh*) marsh Britain .... 7. 8. H *w* ♃ Eng. bot. 82.
2 parviflòra DC. (*wh*) small-flowered N. America .... 5. 6. H *w* ♃
3 caroliniàna DC. (*wh*) Carolina Carolina 1802. 5. 8. H *w* ♃ Bot. mag. 1459.
4 asarifòlia DC. (*wh*) Asarum-leaved N. America 1812. 7. 8. H *w* ♃ Vent. malm. t. 32.

ORDER XXII.

POLYGA'LEÆ. *DC. prodr.* 1. *p.* 231.

POLY'GALA DC. MILKWORT. (*πολυ*, much, and *γαλα*, milk; effects on cattle.) Diadelp. Octan.
Sect. 1. PSYCHA'NTHUS; *keel crested; capsule smooth: bracteas* 3, *persistent.*

1	oppositifòlia DC.	(*pu*)	opposite-leaved	C. B. S.	1790.	1. 12.	G	♄	Bot. reg. 636.
2	cordifòlia DC.	(*pu*)	heart-leaved	———	1791.	——	G	♄	
3	tetragòna DC.	(*pu*)	square-stalked	———	1820.	——	G	♄	
	attenuàta. Lod. bot. cab. 1000. *oppositifòlia β màjor*. B.R. 1146.								
4	nummulària DC.	(*pu*)	moneywort-ld.	———	1812.	——	G	♄	
5	latifòlia B.R.	(*pu*)	broad-leaved	———	1820.	——	G	♄	Bot. reg. 645.
	cordifòlia B.M. *non* DC.								
6	borboniæfòlia DC.	(*p*)	Borbonia-leaved	———	1790.	——	G	♄	
	oppositifòlia. B.M. *non* DC.								
7	grandiflòra B.C.	(*pu*)	large-flowered	———	1825.	4. 9.	G	♄	Lodd. bot. cab. 1227.
	myrtifòlia var. grandiflòra. B.M. t. 3616.								
8	myrtifòlia DC.	(*pu*)	Myrtle-leaved	———	1707.	5. 8.	G	♄	Bot. reg. 669.
9	ligulàris DC.	(*pu*)	ligulate-leaved	———	1820.	——	G	♄	———637.
10	intermèdia DC.	(*pu*)	intermediate	———	....	5. 10.	G	♄	
11	bracteolàta DC.	(*pu*)	spear-leaved	———	1713.	——	G	♃	Bot. mag. 345.
12	Linkiàna	(*pa*)	slender-leaved	———	1820.	——	G	♄	
	tenuifòlia L. en. *non* W.								
13	umbellàta DC.	(*pu*)	hispid-stalked	———	——	——	G	♃	Burm. afr. t. 73. f. 5.
14	Burmánni DC.	(*pu*)	Burman's	———	....	——	G	♄	——t. 73. f. 4.
15	simplex DC.	(*pu*)	simple-stalked	———	1820.	——	G	♄	
16	affìnis DC.	(*pu*)	blunt-leaved	———	1825.	6. 9.	G	♃	
17	speciòsa DC.	(*pu*)	showy	———	1814.	——	G	♄	Bot. reg. 150.
18	teretifòlia DC.	(*pu*)	columnar-ld.	———	1791.	5. 8.	G	♄	Andr. rep. 270.
19	pinifòlia DC.	(*pu*)	pine-leaved	———	1823.	——	G	♄	Lam. ill. t. 598. f. 2.
20	genistoìdes DC.	(*pu*)	broom-like	———	——	——	G	♄	
21	Garcìni DC.	(*pu*)	slender-branched	———	....	5. 10.	G	♄	Burm. afr. t. 73. f. 3.
Sect. 2. POLY'GALON; *keel crested; capsule smooth; bracteas* 3, *deciduous.*									
22	màjor DC.	(*pu*)	large Austrian	Austria	1739.	7. 8.	H	♃	Jacq. aust. 5. t. 413.
23	vulgàris DC.	(*va*)	common	Britain	....	5. 7.	H	♃	Eng. bot. 76.
	α vèra DC.	(*r.b*)	*true*	———	....	——	H	♃	Flor. dan. t. 516.
	β pubéscens DC.	(*r.b*)	*pubescent*	———	....	——	H	♃	
	γ elàta DC.	(*r.b*)	*tall*	———	....	——	H	♃	Schk. handb. t. 194.
	δ Verviàna DC.	(*wh*)	*white-flowered*	———	....	——	H	♃	
	ε acutifòlia DC.	(*bl*)	*blue-flowered*	———	....	——	H	♃	
	ζ angustifòlia DC.	(*ro*)	*rose-coloured*	———	....	——	H	♃	
	η grandiflora. DC.	(*re*)	*red-flowered*	———	....	——	H	♃	
24	austriàca DC.	(*bl*)	Austrian	Austria	....	6. 7.	H	♃	Crantz. aust. 2. f. 4.
25	alpéstris DC.	(*bl*)	Alp	Switzerland	....	——	H	♃	Jacq. aust. t. 412.
26	amàra DC.	(*bl*)	bitter	Europe	1775.	——	H	♃	Bot. mag. 2437.
27	monspeliàca DC.	(*fl*)	Montpelier	Montpelier	1823.	6. 9.	H	⊙	DC. ic. rar. 1. t. 9.
Sect. 3. CLINCLI'NIA; *keel crested; capsule glabrous, marginated, and emarginate at apex.*									
28	thesioìdes DC.	(*bl*)	thesium-like	Chili	1832.	7.	F	♄	Swt. br. fl. gar. s. 2. t. 215.
	Gnidioìdes W.								
Sect. 4. TIMU'TEA; *keel crested; capsule smooth.*									
29	incarnàta DC.	(*fl*)	flesh-coloured	N. America	1812.	6. 7.	H	⊙	
30	cruciàta DC.	(*ro*)	four-leaved	———	1739.	——	H	⊙	
31	brevifòlia DC.	(*re*)	short-leaved	———	1824.	——	H	⊙	
32	fastigiàta DC.	(*re*)	close-branched	———	——	——	H	⊙	
33	lùtea DC.	(*ye*)	golden	———	1739.	6. 7.	H	⊙	Pluk. am. t. 438. f. 6.
34	nàna DC.	(*gr*)	dwarf	———	1815.	7. 8.	H	⊙	
35	purpùrea DC.	(*ro*)	purple	———	1739.	7. 9.	H	⊙	
	sanguínea. Mich.								
36	sanguínea DC.	(*cr*)	bloody	———	——	——	H	⊙	
37	ambígua DC.	(*pu*)	ambiguous	———	1824.	6. 7.	H	⊙	
38	verticillàta DC.	(*w.r.*)	whorl-leaved	———	1739.	——	H	⊙	Pluk. am. t. 438. f. 4.
39	paniculàta DC.	(*pu*)	panicled	S. America	1822.	7. 10.	S	⊙	Bot. reg. 761.
40	graminifòlia DC.	(*st*)	grass-leaved	N. America	——	6. 7.	F	♃	
41	àlba N.	(*wh*)	white-flowered	Louisiana	1827.	6. 7.	H	♃	
42	rubélla DC.	(*re*)	reddish	N. America	1828.	——	H	♃	
Sect. 5. SE'NEGA; *keel beardless; three outer sepals nearly equal.*									
43	Sénega DC.	(*bh*)	Rattlesnake-rt.	N. America	1739.	——	H	♃	Bot. mag. 1051.
Sect. 6. CHAMÆBU'XUS; *keel slightly crested; lower sepal concave, embracing a gland inside at the base.*									
44	paucifòlia DC.	(*pu*)	naked-stalked	———	1791.	5. 6.	H	♃	Bot. mag. 2852.
	commutàta	(*pu*)	frutescent	———	——	——	H	♄	
45	*purpùrea*. R.K. nec aliorum.								
46	Chamæbúxus DC.	(*w*)	Box-leaved	Europe	1658.	——	H	♄	Bot. mag. 316.
SOLOMO'NIA DC. SOLOMO'NIA. (Solomon, the first of botanists.) Monadelphia Tetandria.									
	cantoniénsis DC.	(*wh*)	Canton	China	1824.	6. 8.	H	⊙	

COMESPE'RMA DC. Comespe'rma. (κομε, the hair of the head, and σπερμα, a seed.) Mon. Oct.

1	erícina DC.	(pu)	Heath-like	N. S. W.	1822. 5. 8.	G	♄	
2	virgàta DC.	(pu)	twiggy	———	1826. ——	G	♄	Lab. nov. holl. 2. t. 15
3	grácilis Paxt.	(pu)	slender	N. Holland	1837. ——	S	♄	Paxt. mag. bot. 5. t. 14
4	coridifòlia F.T.	(pu)	Coris-leaved	N. S. W.	1822. ——	G	♄	

MURA'LTIA DC. Mura'ltia. (John Von Muralt, a Swiss bot.) Diadelphia Octandria.

1	Heistèria DC.	(pu)	Furze-leaved	C. B. S.	1787. 1.12.	G	♄	Bot. mag. 340.
	Poly'gala Heistèria. B.M.							
2	alopecuroìdes DC.	(p)	Fox-tail	———	1800. 5. 8.	G	♄	Bot. mag. 1006.
	Poly'gala alopecuroìdes. BM.							
3	squarròsa DC.	(li)	squarrose	———	1821. ——	G	♄	
4	stipulàcea DC.	(pu)	stipuled	———	1801. 4. 9.	G	♄	Bot. mag. 1715.
5	juniperifòlia DC.	(re)	Juniper-leaved	———	.... ——	G	♄	
6	diffùsa DC.	(li)	diffuse	———	1800. 1.12.	G	♄	
7	virgàta DC.	(pu)	twiggy	———	—— ——	G	♄	
8	linophy'lla DC.	(pu)	Flax-leaved	———	1812. 5. 8.	G	♄	
9	macróceras DC.	(pu)	long-horned	———	—— ——	G	♄	
10	míxta DC.	(li)	Heath-leaved	———	1791. 1.12.	G	♄	Bot. mag. 1714.
	Poly'gala míxta. B.M.							
	α *rùbra*	(li)	*pale red*	———	—— ——	G	♄	
	β *álba*	(wh)	*white-flowered*	———	—— ——	G	♄	
11	ciliàris DC.	(li)	ciliated	———	1822. 5. 7.	G	♄	
12	hùmilis DC.	(pu)	humble	———	1817. 5. 8.	G	♄	Lodd. bot. cab. 420.
	Poly'gala hùmilis. BC.							
13	pubéscens DC.	(li)	pubescent	———	1823. ——	G	♄	

MU'NDIA DC. Mu'ndia. (*mundus*, neat; appearance.) Diadelphia Octandria.

	spinòsa DC.	(li)	spiny	C. B. S.	1780. 1. 5.	G	♄	
	α *latifòlia* DC.	(li)	*broad-leaved*	———	—— ——	G	♄	
	β *angustifòlia* DC.	(li)	*narrow-leaved*	———	—— ——	G	♄	

MONNI'NA R. and P. Monni'na. Diadelphia Octandria.

	obtusifòlia DS.	(re.pu.)	obtuse-leaved	Peru	1830. 6.	G	♄	Bot. mag. t. 3122.

SECURIDA'CA DC. Securida'ca. (*securis*, a hatchet; wing at end of seed.) Diadelph. Octand.

1	virgàta DC.	(v)	slender	Jamaica	1822.	S	♄	◡	Plum. ed. Bur. t. 248. f. 1.
2	volùbilis DC.	(re)	climbing	W. Indies	1739.	S	♄	◡	Jacq. amer. t. 183. f. 38.
3	erécta DC.	(pu)	upright	———	1824.	S	♄	◡	——— t. 183. f. 39.
4	paniculàta DC.	(st)	panicled	Cayenne	1820.	S	♄		Lam. ill. t. 599. f. 2.

ORDER XXIII.

TREMA'NDREÆ. *DC. prodr.* 1. *p.* 343.

TETRATHE'CA DC. Tetrathe'ca. (τετρα, four, and θηκη, a cell; anthers four-celled.) Oct. Mon.

1	júncea DC.	(w.p.)	rushy	N. S. W.	1803. 7. 8.	G	♄	Sm. nov. hol. 1. t. 2.
2	glandulòsa DC.	(re)	glandular	V. Diemen.	1822. ——	G	♄	Lab. nov. hol. l. t. 123.
3	pilòsa DC.	(re)	hairy	———	—— ——	G	♄	——— 1. t. 122.
	glandulòsa. Ex. bot. 21.							
4	ericifòlia DC.	(r.w.)	Heath-leaved	N. S. W.	—— ——	G	♄	Sm. exot. bot. t. 20.
5	thymifòlia DC.	(pu)	thyme-leaved	N. Holland	—— ——	G	♄	——— 22.
6	rubiæoìdes F.T.	(ro)	Rubia-like	N. S. W.	1823. 6. 8.	G	♄	

ORDER XXIV.

PITTOSPO'REÆ. *DC. prodr.* 1. *p.* 345.

SO'LLYA B.R. So'llya. (R. H. Solly, of Hort. Soc.) Pentandria Monogynia.

	heterophy'lla BR.	(bl)	various-leaved	V. D. L.	1830. 7.	G	♄	◡ Swt. fl. gar. ser. 2. t. 232.
	Billardièra fusifòrmis. DC.							

BILLARDIE'RA DC. Apple-Berry. (J. J. Labillardière, a cel. French bot.) Pentand. Monog.

1	scándens DC.	(st)	downy-fruited	N. S. W.	1790. 6. 8.	G	♄	◡ Swt. fl. aust. t. 54.
2	mutábilis DC.	(p.s.)	changeable	———	1795. 5. 9.	G	♄	◡ Bot. mag. 1313.

3 longifòra DC.	(st) blue-fruited	V. Diemen	1810.	5. 9.	G	♄	◡	Bot. mag. 1507.
4 ovàlis BR.	(gr.ye.) oval	———	1830.	....	F	♄	◡	Bot. reg. 1719.
5 angustifòlia DC.	(st) narrow-leaved	N. S. W.	1822.	——	G	♄	◡	
6 parvifòra DC.	(bl) small-flowered	N. Holland	——	5. 8.	G	♄	◡	

PITTO'SPORUM DC. PITTO'SPORUM. (πιττη, resin, and σπορος, a seed; covered with.) Pent. Mon.

1 coriàceum DC.	(wh) thick-leaved	Madeira	1787.	5. 6.	G	♄		Andr. rep. 151.
2 viridiflòrum DC.	(gr) green-flowered	C. B. S.	1806.	——	G	♄		Bot. mag. 1684.
3 Tobìra DC.	(wh) glossy-leaved	China	1804.	3. 8.	G	♄		——— 1396.
4 undulàtum DC.	(wh) wave-leaved	N. S. W.	1789.	2. 6.	G	♄		Bot. reg. 16
5 revolùtum DC.	(st) revolute-leaved	———	1795.	6. 7.	G	♄		——— 186.
6 ligustrifòlium Cun.	(br) privet-leaved	N. Holland	1823.	9.	G	♄		
7 tomentòsum DC.	(st) woolly-leaved	———	1825.	6. 7.	G	♄		Swt. fl. aust. t. 33.
8 fúlvum DC.	(st) tawny	N. S. W.	1824.	1. 5.	G	♄		——— t. 25.
9 cornifòlium Cun.	(br) cornel-leaved	N. Zealand	1827.	5.	G	♄		Bot. mag. t. 3161.
10 tenuifòlium G.	(st) Willow-leaved	N. S. W.	1818.	1. 5.	G	♄		Gært. fr. 1. t. 59.
11 ferrugíneum DC.	(st) rusty-leaved	Guinea	1787.	2. 5.	S	♄		Bot. mag. 2075.
12 hírtum DC.	(wh) hairy	Canary Isl.	1822.	6. 7.	G	♄		

hirsùtum Link.

BURSA'RIA DC. BURSA'RIA. (*bursa*, a pouch; form of capsules.) Pentandria Monogynia.

spinòsa DC.	(wh) thorny	N. S. W.	1793.	8.12.	G	♄		Bot. mag. 1767.

Ítea spinòsa. And. rep. t. 314.

SENA'CIA DC. SENA'CIA. (John Senac, a French bot.) Pentandria Monogynia.

1 undulàta DC.	(wh) wave-leaved	Mauritius	1785.	....	S	♄		
2 nepalénsis DC.	(wh) flat-leaved	Nepaul	1826.	....	G	♄		

ORDER XXV.

BREXIA'CEÆ. *DS.* 2. *p.* 14.

BRE'XIA. DS. BRE'XIA. (βρεξις, rain; leaves afford prot.) Pentandria Monogynia.

1 Madagascariénsis DS.	(wh) Madagascar	Madagascar	1812.	6.	S	♄		Bot. reg. t. 730.
2 spinòsa DS.	(wh) thorny	———	——	——	S	♄		——— t. 872.
3 chrysophy'lla DS.	(wh) yellow-leaved	———	1820.	——	S	♄		

ORDER XXVI.

TAMARISCI'NEÆ. *Desvaux.*

TA'MARIX RS. TA'MARISK. (growing on the banks of the Tamar.) Tetr-Pent-Decandria Trigynia.

1 gállica RS.	(fl) red-wooded	England	....	7. 8.	H	♄		Eng. bot. 1318.
2 I'ndica RS.	(bh.) Indian	E. Indies	....	——	S	♄		
3 articulàta RS.	(pk) jointed	———	1816.	——	S	♄		Vahl. symb. 2. t. 32.
4 dioíca HB.	(wh) diœcious	———	1812.	——	S	♄		
5 Pallásii DC.	(fl) Pallas's	Caucasus	1827.	——	H	♄		Pall. fl. ross. t. 77.

pentándra Pall. *gállica.* MB.

6 tetrándra DC.	(wh) tetrandrous	Tauria	1821.	——	H	♄		

MYRICA'RIA DC. MYRICA'RIA. (Greek name of Tamarix.) Monadelphia Octandria.

1 germánica DC.	(pk.) German	Germany	1582.	6. 9.	H	♄		Fl. dan. t. 234.

Támarix germánica. L.

2 Dahùrica DC.	(pk) Dahurian	Dahuria	1827.	....	H	♄		

ORDER XXVII.

FRANKENIA'CEÆ. *DC. prodr.* 1. *p.* 349.

FRANKE'NIA. DC. SEA HEATH. (John Frankenius, prof. bot. Upsal.) Hexandria Monogynia.

1 pulverulénta DC.	(re) powdery	England	....	7.	H	♃		Eng. bot. 2222.

2	nodiflòra DC.	(*re*) knotted-flower'd	C. B. S.	1818.	6. 8.	G	♃	Lam. ill. t. 262. f. 4.
3	Nóthria DC.	(*re*) Cape	———	1816.	——	G	♃	Berg. cap. 171. t. 1.f.2.
	Nóthria rèpens. Berg.							
4	læ'vis DC.	(*re*) smooth	England	....	7. 8.	H	♃	Eng. bot. 205.
5	intermèdia DC.	(*re*) sea-side	S. Europe	1820.	6. 8.	H	♃	Mich. gen. t. 22. f. 2.
	hirsùta. var. *calábrica.* L.							
6	híspida DC.	(*re*) hairy	Siberia	1789.	——	H	♃	Flor. græc. t. 313.
	hirsùta. var. *crética.* L.							
7	corymbòsa DC.	(*ro*) corymb-flower'd	Barbary	1829.	——	F	♄	Desf. atl. 1. t. 93.
8	ericifòlia DC.	(*re*) Heath-leaved	Canaries	1815.	——	G	♄	
9	móllis DC.	(*re*) soft	Caucasus	1824.	——	H	♄	
10	pauciflòra DC.	(*ro*) few-flowered	N. Holland	1825.	8.10.	G	♄	Bot. mag. t. 2896.

ORDER XXVIII.

CARYOPHY'LLEÆ. *DC. prodr.* 1. *p.* 351.

Tribe I. *SILE'NEÆ.* DC.

TU'NICA Koch. TU'NICA. (*tunica*, a coat; seeds.) Decandria Digynia.

§ 1. *Flowers involucrated by scales.*

1	dianthoìdes F. M.	pink-like	Candia	1838.	....	H	♃	Fl. græc. t. 383.
	Gypsòphila dianthoìdes. Smith.							
2	saxífraga F.M.	(*bl*) small	Germany	1774.	7. 8.	H	♃	Exot. bot. 2. t. 90.
	Gypsòphila saxífraga. DC.							

§ 2. *Flowers naked.*

3	illy'rica F.M.	(*re*) Illyrian	Sicily	1838.	——	H	♃	Fl. græc. t. 386.
	Saponària illy'rica. DC.							
4	pachynòta F.M.	(*wh*) thick-backed	Natolia	1838.	——	H	♃	
5	stricta F.M.	(*pk*) strict	Altaia	1834.	——	H	♂	Led. ill. t. 5.
	Gypsòphila stricta. Bunge.							

GYPSO'PHILA DC. GYPSOPHILA. (γυψος, lime, and φιλεω, to love; soil.) Decandria Digynia.

Sect. 1. STRU'THIUM. *Calyx destitute of scales at base.*

1	Strùthium DC.	(*wh*) fleshy-leaved	Spain	1729.	7. 8.	H	♃	Bar. ic. 64. t. 119.
2	fastigiàta DC.	(*wh*) angular-leaved	Europe	1759.	6. 7.	H	♃	Gmel. sib. 4. t. 61. f. 1.
3	dichótoma DC.	(*wh*) forked	Galicia	1826.	6. 8.	H	♃	
4	collìna DC.	(*pk*) hill	Odessa	1821.	7. 8.	H	♃	
5	arenària DC.	(*wh*) sand	Hungary	1801.	7. 8.	H	♃	W. et. K. hung. t. 41.
6	viscòsa DC.	(*bh*) clammy	Levant	1773.	6. 8.	H	☉	Mur. c. got. 1783. t. 3.
7	altísima DC.	(*wh*) upright	Siberia	1759.	7. 8.	H	♃	Gmel. sib. 4. t 60.
8	latifòlia F.	(*wh*) broad-leaved	———	1824.	6. 9.	H	♃	
9	Arróstii Guss.	Arrosti's	Calabra	1835.	——	H	♃	Guss. pl. rar. t. 32.
10	salígna Schr.	(*pk*) willowy	Europe	1837.	——	H	♃	
11	perfoliàta DC.	(*wh*) perfoliate	Spain	1732.	——	H	♃	Dill. elt. t. 276.
	β *tomentòsa* DC.	(*wh*) *woolly*	Tauria	——	——	H	♃	Barr. ic. t. 1002.
12	scorzonerifòlia DC.	(*w*) Scorzonera-ld.	———	1823.	——	H	♃	
13	acutifòlia DC.	(*wh*) sharp-leaved	Caucasus	1821.	——	H	♃	
14	paniculàta DC.	(*wh*) panicled	Siberia	1759.	6. 7.	H	♃	Jacq. aust. 5. t. app. 1.
15	adscéndens DC.	(*wh*) ascending	Levant	1819.	——	H	♃	Jacq. h. vind. 2. t. 138.
16	glaúca DC.	(*wh*) glaucous	Caucasus	1822.	7. 8.	H	♃	
17	élegans DC.	(*bh*) elegant	Tauria	1820.	6. 8.	H	☉	
18	Stevèni DC.	(*wh*) Steven's	Iberia	1817.	——	H	♃	
19	gramínea DC.	(*re*) grass	Morea	1810.	7. 8.	H	♃	
20	tenuifòlia DC.	(*ro*) slender-leaved	Caucasus	1824.	——	H	♃	
21	rèpens DC.	(*wh*) creeping	Pyrenees	1774.	7. 9.	H	♃	Bot. mag. 1448.
22	Gmelìni Bunge	(*pk*) Gmelin's	Altaia	1837.	——	H	♃	Led. ill. t. 402.
23	dùbia DC.	(*wh*) doubtful	.....	1815.	5. 9.	H	♃	
24	prostràta DC.	(*bh*) trailing	Siberia	1759.	7. 9.	H	♃	Bot. mag. 1281.
25	Rokéjeka DC.	(*wh*) Rokejeka	Egypt	1837.	6. 8.	H	♃	Del. ægyp. t. 29. f. 1.
26	muràlis DC.	(*li*) wall	Europe	1739.	6.10.	H	☉	Flor. græc. t. 381.
27	serótina W. en	(*wh*) late-flowering	Magdeburg	1816.	——	H	☉	
28	ocellàta DC.	(*wh*) ocellated	Greece	1838.	6. 8.	H	♃	Flor. græc. t. 387.

Sect. 2. PETRORHA'GIA. *Calyx furnished with bracteas or scales at the base.*

29	spinòsa DC.	(*pk*) spiny	Persia	1837.	6. 7.	H	♃	Desf. ann. mus. 1. t. 16. f. 1.

30	glomeràta DC.	(wh)	round-headed	Tauria	1804.	6. 7.	H	♃	
31	rigida L.	(li)	rigid	France	1769.	6. 8.	H	♃	Flor. græc. t. 382.

DIA'NTHUS DC. PINK. (διος, divine, and ανθος, a flower.) Decandria Digynia.

Sect. 1. ARMERIA'STRUM. *Flowers capitate or corymbose, sessile, or stalked.*

1	velutìnus Guss.	(re)	velvetty	Calabria	1837.	4. 6.	H	☉	Guss. pl. rar. t. 32.
2	prólifer DC.	(ro)	proliferous	England	....	7. 8.	H	☉	Eng. bot. 956.
3	diminùtus W.	(ro)	small-flowered	S. Europe	1771.	——	H	☉	
4	Armèria DC.	(re)	Deptford	England	....	7. 9.	H	☉	Eng. bot. 317.
5	pseùdo-armèria	(re)	canescent	Tauria	1820.	——	H	♃	Bot. mag. 2288.
6	pubéscens DC.	(ro)	pubescent	Greece	1828.	6. 9.	H	☉	Swt. br. fl. gar. s. 2. t. 27.
7	armerioìdes DC.	(re)	Thrift-like	New Jersey	1820.	——	H	☉	
8	barbàtus DC.	(va)	Sweet-William	Germany	1573.	6. 7.	H	♃	Bot. mag. t. 207.
	β flòre plèno.	(va)	*double*	———	——	——	H	♃	
9	latifòlius DC.	(cr)	broad-leaved	.....	....	5.11.	H	♃	Swt. br. fl. gar. t. 2.
10	aggregàtus DC.	(re)	clustered	.....	1820.	6. 8.	H	♃	Swt. br. fl. gar. s. 2. t. 166.
11	japónicus DC.	(re)	Japanese	China	1804.	6.10.	F	♃	Thunb. jap. t. 23.
12	cephalòtes DC.	(re)	close-headed	.....	....	6. 9.	H	♃	
13	capitàtus DC.	(re)	headed	Tauria	1794.	6. 7.	H	♃	
14	polymórphus DC.	(re)	variable	———	1820.	6. 8.	H	♃	
15	diùtinus L. en.	(re)	pedicled	Hungary	——	——	H	♃	
16	Balbísii DC.	(re)	Balbis's	Genoa	1827.	7.10.	H	♃	Swt. br. fl. gar. ser. 2. t. 23.
	glaucophy'llus. H.								
17	gigantèus DC.	(re)	gigantic	Bulgaria	——	6.10.	H	♃	Swt. br. fl. gar. 288.
18	ferrugìneus DC.	(st)	rusty	Pyrenees	1756.	7. 9.	H	♃	Barr. ic. t. 497.
19	Carthusianòrum DC.	(pu)	Carthusian	Europe	1573.	——	H	♃	Swt. br. fl. gar. s. 2. t. 282
20	atrorùbens All.	(re)	dark-red	Italy	1802.	——	H	♃	Jacq. ic. 3. t. 467.
21	nànus	(cr)	dwarf	Switzerland	1820.	——	H	♃	
	Carthusianòrum γ nànus. DC.								
22	arbòreus DC.	(re)	arborescent	Crete	——	——	F	♄	Flor. græc. t. 406.
23	juniperìnus DC.	(re)	Juniper-leaved	Greece	1825.	——	F	♄	
24	fruticòsus DC.	(re)	frutescent	Crete	1815.	6. 9.	F	♄	Flor. græc. t. 407.
25	suffruticòsus DC.	(re)	shrubby	.....	1804.	6. 7.	F	♄	
26	rupícola DC.	(ro)	Sicilian	Sicily	1825.	6.10.	H	♃	Ten. fl. napol. t. 39.
	Bisignìani. T. Bot. reg. n. s. t. 29.								
27	caroliniànus DC.	(re)	Carolina	N. America	1811.	6. 9.	F	♃	
28	caryophylloìdes DC.	(re)	Clove-like	.....	1827.	——	H	♃	
29	ásper W. en.	(re)	rough-stalked	Switzerland	1802.	7. 8.	H	♃	
30	collìnus W. en.	(re)	hill	Hungary	1800.	7. 9.	H	♃	Parad. lond. 62.
31	umbellàtus DC.	(re)	umbelled	.....	1825.	——	H	♃	

Sect. 2. CARYOPHY'LLUM. *Flowers either panicled or solitary.*

32	campéstris DC.	(re)	field	Tauria	1815.	7. 8.	H	♃	Bot. mag. 1876.
33	alpéstris DC.	(re)	pasture	———	1820.	——	H	♃	Balb. act. taur. 7. t. 1.
34	nítidus DC.	(re)	glossy	Hungary	1821.	6. 8.	H	♃	W. et K. hung. 2. t. 191.
35	diffùsus DC.	(re)	diffuse	Cyprus	1820.	——	H	♃	Flor. græc. t. 396.
36	attenuàtus DC.	(re)	attenuated	France	1822.	7.	H	♃	
	longiflòrus. Lam.								
37	hírtus DC.	(re)	hairy	Dauphiny	1821.	6. 8.	H	♃	Vill. delph. 3. t. 46.
38	guttàtus DC.	(pu)	spotted	Caucasus	1816.	7. 9.	H	♃	
39	pallidiflòrus DC.	(re)	pale-flowered	Siberia	1817.	6. 8.	H	♃	
	pállens. M.B.								
40	versícolor DC.	(s.r.)	various-colour'd	Russia	1821.	——	H	♃	
41	praténsis DC.	(st)	meadow	Tauria	——	——	H	♃	
	ochroleùcus. L. en. *non* P. S. *tatáricus.* F.								
42	chinénsis DC.	(va)	China	China	1713.	7. 9.	H	♂	Bot. mag. 28.
	β flòre-plèno	(va)	*double-flowered*	———	....	——	H	♂	
43	montànus DC.	(pu)	mountain	Caucasus	1803.	6. 9.	H	♃	Bot. mag. t. 1162.
	discolor. B.M.								
44	ochroleùcus DC.	(st)	straw-coloured	Levant	1821.	——	H	♃	
45	Caryophy'llus DC.	(va)	Clove	England	....	6. 8.	H	♃	Eng. bot. 214.
	β múltiplex	(cr)	*double Clove*	.....	....	——	H	♃	
	γ rùbro-cinctus	(wh)	*Hogg's Beauty of Middlesex Picotee*			——	H	♃	Swt. flor. guid. 70.
	δ inimitábilis	(w.c.)	*Hird's Inimitable Picotee*		....	——	H	♃	——— t. 80.
	ε stríátulus	(y.r.)	*Rosalie de Rohan Picotee*		....	——	H	♃	——— t. 25.
	ζ purpùreo-cinctus	(y.p.)	*Erasmus Picotee*		....	——	H	♃	——— t. 59.
	η Clintòniæ	(r.w.)	*Hufton's Duchess of Newcastle Carnation*				H	♃	——— t. 14.
	θ triúmphans	(p.w.)	*Pardoe's Ace of Trumps Carnation*			——	H	♃	——— t. 36.
	ι cærùleo-purpùreus	(p.w.)	*Cordon Blue Carnation*			——	H	♃	——— t. 64.
	κ Franklini	(r.p.w.)	*Franklin's Queen of Hearts Carnation*				H	♃	——— t. 20.
	λ puéllulus	(c.r.w.)	*Pucelle de Gand Carnation*		....	——	H	♃	——— t. 67.
	μ Leopóldi	(c.p.w.)	*Ives's Prince Leopold Carnation*			——	H	♃	——— t. 31.

	ν irícolor	(*c.p.w.*)	*Cartwright's Rainbow Carnation*		6. 8.	H	♃	Swt. flor. guid. t. 9.
	ξ Bácchus	(*s.p.w.*)	*Davey's Bacchus Carnation*		——	H	♃	——— t. 44.
	ο Tarràra	(*s.p.w.*)	*Hall's Tarrara Carnation*		——	H	♃	——— t. 21.
	π pulchélla	(*s.p.w.*)	*Franklin's Tartar Carnation* ..		——	H	♃	Bot. mag. 39.
	ρ fructicòsus	(*va*)	*tree-Carnation*	....	——	H	♄	
	s imbricàtus	(*d.r.*)	*Wheat-ear*	....	——	H	♃	Bot. mag. 1622.
45	sylvéstris	(*re*)	short-scaled	Jurassa	....	6. 7.	H	♃ Jacq. ic. rar. t. 82.
	virgíneus. B.M. 1740. *non* L.							
46	longicaúlis DC.	(*re*)	long-stalked	Naples	1824.	——	H	♃
47	monadélphus DC.	(*wh*)	procumbent	Levant	....	——	H	♃ Vent. h. cels. t. 39.
	procúmbens. P.S.							
48	suavèolens DC.	(*sp*)	sweet-scented	.....	1823.	——	H	♃
49	sículus DS.	(*pu*)	Sicilian	Sicily	1829.	6. 8.	H	♃
50	Poiretiànus DC.	(*pu*)	Poiret's	.....	....	——	H	♃
	β flòre-plèno	(*pu*)	*double-flowering*	.....	....	——	H	♃
51	Liboschitziànus DC.		Armenian	Armenia	1823.	——	H	♃
	petræ'us. MB. *non* DC.							
52	sylváticus DC.	(*cr*)	wood	Ratisbon	1815.	——	H	♃
53	arbúscula B.R.	(*re*)	China tree	China	1824.	7.10.	H	♄
54	pomeridiànus DC.	(*st*)	afternoon	Palestine	1804.	——	H	♃ Parad. lond. 57.
55	leptopétalus DC.	(*wh*)	narrow-petaled	Caucasus	1814.	——	H	♃ Bot. mag. 1739.
56	púngens DC.	(*wh*)	pungent	Spain	1781.	8.10.	H	♃
57	bícolor DC.	(*w.p.*)	two-coloured	Tauria	1818.	6. 8.	H	♃
58	furcàtus DC.	(*fl*)	forked	Piedmont	1820.	——	H	♃ Balb. act. taur. 7. f. 2.
59	virgíneus DC.	(*re*)	virgin	Montpelier	1732.	——	H	♃ Dill. elt. 401. t. 385 ?
60	ciliàtus DS.	(*re*)	ciliated	Abbruzo	1829.	——	H	♃ Guss. pl. rar. t. 33.
61	deltoìdes DC.	(*re*)	maiden	Britain	....	6.10.	H	♃ Eng. bot. 61.
62	glaúcus L.	(*wh*)	glaucous	———	....	——	H	♃
63	crenàtus B.R.	(*wh*)	long-cupped	C. B. S.	1817.	8.	G	♃ Bot. reg. 256.
64	rígidus DC.	(*pa*)	rigid	Tauria	1802.	6.10.	H	♃
65	clavàtus DC.	(*fl*)	clubbed	.....	1824.	6. 8.	H	♃
66	suàvis DC.	(*fl*)	sweet	.....	1820.	6. 7.	H	♃
67	tèner DC.	(*re*)	tender	Europe	1817.	——	H	♃ Balb. act. taur. 7. t. 3.
68	rèpens DC.	(*re*)	creeping	Siberia	1825.	——	H	♃
69	cæ'sius DC.	(*fl*)	tufted	Britain	....	——	H	♃ Eng. bot. 62.
70	alpìnus DC.	(*re*)	Alpine	Austria	1759.	——	H	♃ Swt.br.fl. gar. s. 2. t. 466
71	glaciàlis DC.	(*re*)	acute-leaved	France	1820.	——	H	♃
72	élegans DC.	(*re*)	elegant	Levant	1825.	——	F	♃
73	multipunctàtus DC.	(*sp*)	spotted	———	——	6. 9.	F	♃
74	Cy'ri F.M.	(*re*)	Cyrus's	Natolia	1838.	——	H	♃
75	Hornemánni DC.	(*fl*)	Horneman's	Italy	1822.	6. 7.	H	♃
76	Sternbérgii DC.	(*re*)	Sternberg's	.....	1825.	——	F	♃
77	biflòrus DC.	(*re*)	two-flowered	Greece	....	——	H	♃ Flor. græc. t. 393.
78	petræ'us DC.	(*wh*)	rock	Hungary	1804.	7. 8.	H	♃ W. et K. hung. 3. t. 222.
	β Símsii	(*wh*)	*Sims's*	———	——	——	H	♃ Bot. mag. 1204.
79	ibéricus DC.	(*pu*)	Iberian	Iberia	1820.	6. 8.	H	♃
	Willdenòwii. L. en.							
80	ruthénicus DC.	(*re*)	Russian	Russia	——	——	H	♃
81	dentòsus F.	(*re*)	toothed	Siberia	1826.	——	H	♃
82	Buchtorménsis F.	(*re*)	Buchtormian	Russia	——	——	H	♃
83	gállicus DC.	(*wh*)	French	France	....	——	H	♃ DC. ic. gall. rar. t. 41.
84	álbens DC.	(*wh*)	white Cape	C. B. S.	1787.	8.	G	♃
85	serrulàtus DC.	(*ro*)	serrulate	Tunis	1826.	——	H	♃
86	pulchéllus P.S.	(*re*)	pretty	.....	....	——	H	♃
87	dùbius H.	(*w.p.*)	doubtful	.....	....	5. 6.	H	♃
	præ'cox. W. en.							
88	plumàrius DC.	(*wh*)	common	Europe	1629.	6. 8.	H	♃
	β heròicus	(*w.p.*)	*Styles's Hero Pink*		....	——	H	♃ Swt. flor. guid. 17.
	γ Cheeseànus	(*w.p.*)	*Cheese's Miss Cheese* ..		....	——	H	♃ ——— t. 13.
	δ Houseànus	(*w.p.*)	*House's Woodland Beauty*		....	——	H	♃ ——— t. 47.
	ε Uxbridgeànus	(*w.r.*)	*Dry's Earl of Uxbridge*		....	——	H	♃ ——— t. 55.
	ζ Aclándæ	(*w.p.*)	*Knight's Lady Acland*		....	——	H	♃ ——— t. 40.
	η incly'tus	(*w.p.*)	*Smith's Champion*		....	——	H	♃ ——— t. 27.
	θ Barrátti	(*w.p.*)	*Barratt's Conqueror*		....	——	H	♃ ——— t. 32.
	ι regàlis	(*w.p.*)	*Davey's Roy de pourpre*		....	——	H	♃ ——— t. 33.
89	adulterìnus	(*f.p.*)	hybrid	Hybrid	....	——	H	♃
	β Juliéti	(*f.p.*)	*Davey's Juliet*		....	——	H	♃ Swt. flor. guid. 8.
90	Penry'næ	(*pu*)	Lady Penryn's	Hybrid	....	——	H	♃
	β purpùreus	(*pu*)	*Davey's Lady Penryn*		....	——	H	♃ Swt. flor. guid. 41.

91	hortènsis W. en.	(wh) garden	Europe	1805.	6. 8.	H	♃		
92	caucàsus DC.	(re) Caucasean	Caucasus	1803.	6. 9.	H	♃		Bot. mag. 795.
93	saxátilis DC.	(wh) rock	France	....	——	H	♃		
94	squarròsus DC.	(wh) squarrose	Tauria	1823.	6. 8.	H	♃		Bieb. cent. 1. t. 33.
95	Mussìni DC.	(wh) Mussin's	Caucasus	1825.	——	H	♃		
96	frágrans RM.	(wh) fragrant	——	1804.	6. 7.	H	♃		Bot. mag. 2067.
97	punctàtus DC.	(sp) spot-flowered	.....	1825.	——	H	♃		Lodd. bot. cab. 896.
98	serótinus DC.	(wh) late-flowering	Hungary	1804.	7. 8.	H	♃		W. et. K. hung. 2. t. 172.
99	arenàrius DC.	(wh) sand	N. Europe	....	8.	H	♃		Bot. mag. 2038.
100	crinìtus DC.	(wh) hair	Levant	....	7. 8.	H	♃		Fl. græc. t. 401.
101	prostràtus DC.	(re) prostrate	C. B. S.	....	8. 9.	H	♃		Jacq. schœnb. 3. t. 271.
102	fimbriàtus DC.	(re) fringed	Iberia	1802.	6. 8.	H	♄		Bot. mag. 1069.
103	monspessulànus DC.	(re) Montpelier	Pyrenees	1764.	7. 8.	H	♃		
104	erubéscens Tr.	(bh) blush-flowered	——	1825.	——	H	♃		
105	supérbus DC.	(re) superb	Europe	1596.	7. 9.	H	♃		Bot. mag. 297.
106	Fischèri DC.	(re) Fischer's	Russia	1826.	6. 8.	H	♃		Swt. br. fl. gar. 245.
107	Líbanòtis DC.	(wh) Lebanon	Lebanon	1831.	——	H	♃		Swt. br. fl. gar. s. 2. t. 231.

VACCA'RIA. Dod. VACCA'RIA. (*vaccarius*, a cow herb; useful to.) Decandria Digynia.

1	sessilifòlia	(re) sessile-leaved	Europe	1596.	7. 8.	H	⊙		Flor. græc. t. 380.
	Saponària Vaccària. B.M. 2290. *Gypsóphila Vaccària.* F.G.								
2	perfoliàta	(re) perfoliate	E. Indies	1820.	——	H	⊙		
	Saponària perfoliàta. DC.								

SAPONA'RIA DC. SOAPWORT. (*sapo*, soap; formerly used as.) Decandria Digynia.

Sect. 1. BOO'TIA; *calyx terete; petals crowned; flowers in panicled bundles.*

1	officinàlis DC.	(bh) common	England	....	7. 10.	H	♃		Eng. bot. t. 1060.
	β flòre plèno	(bh) *double-flowered*	.....	....	——	H	♃		
2	ocymoìdes DC.	(ro) Basil-leaved	Europe	1768.	5. 7.	H	♂	?	Swt. br. fl. gar. s. 2. t. 79.
3	calábrica Gus.	(ro) Calabrian	Calabria	1830.	2. 11.	H	♂		Swt. br. fl. gar. s. 2. t. 79.
4	glutinòsa DC.	(re) small-flowered	Tauria	1823.	——	H	♂		Bot mag. 2855.

Sect. 2. PROTEI'NIA; *petals 2 parted, usually naked; calyx hairy; flowers axillary or terminal.*

5	pórrigens DC.	(bh) hairy	Levant	1680.	7. 8.	H	⊙		Jacq. vind. 2. t. 109.
6	orientàlis DC.	(re) small annual	——	1732.	6. 8.	H	⊙		Dill. elt. t. 197. f. 204.
7	viscòsa Mey.	(re) clammy	Caucasus	1836.	——	H	⊙		
8	cerastoìdes Fish.	(re) chickweed-like	——	——	——	H	⊙		
9	deprèssa DC.	(ro) depressed	Sicily	1828.	——	H	♃		Biv. Bon. t. 163. f. 1.
10	cæspitòsa DC.	(ro) tufted	Pyrenees	1827.	——	H	♃		
11	Smíthii DC.	(re) Smith's	Levant	1828.	——	F	♃		Flor. græc. t. 389.
	cæspitòsa. F.G. non DC.								

Sect. 3. BOLA'NTHUS; *calyx terete, villous: stems tufted; flowers aggregate.*

12	lùtea DC.	(ye) yellow	Switzerland	1804.	6. 8.	H	♃		All. ped. t. 23. f. 1.
13	bellidifòlia DC.	(ye) Daisy-leaved	Italy	....	——	H	♃		Smith spic. t. 5.
14	élegans DC.	(re) elegant	Galatia	....	5. 8.	H	♃		
15	prostràta DC.	(ro) prostrate	Pyrenees	1824	7. 8.	H	♃		

CUCU'BALUS DC. CAMPION (κακος, bad ànd βολη, a shoot; bad for soil). Decandria Trigynia.

	baccíferus. DC.	(gr) berry-bearing	England	....	6. 7.	H	♃		Eng. bot. 1577.

SILE'NE DC. CATCHFLY (σιαλον, saliva; viscid moisture of stalls). Decandria Trigynia.

Sect. 1. NANOSILE'NE: *tufted: stems almost wanting: scapes or peduncles 1-flowered; calyx inflated.*

1	acaúlis DC.	(re) stemless	Britain	....	6. 8.	H	♃		Eng. bot. 1081.
	β álba DC.	(wh) *white-flowered*	——	....	——	H	♃		
2	pumílio DC.	(pu) dense	Germany	1823.	——	H	♃		Stur. deut. 1. fas. 22. t. 11.

Sect. 2. BEHENA'NTHA; *Caulescent: calyx inflated; flowers solitary or panicled.*

3	fimbriàta DC.	(wh) fringe-flower'd	Crete	1803.	5. 8.	H	♃		Bot. mag. 908.
4	lácera DC.	(wh) jagged-flowered	Caucasus	1818.	——	H	♃		—— 2255.
5	stellàta DC.	(wh) four-leaved	N. America	1696.	6. 8.	H	♃		—— 1107.
6	inflàta DC.	(wh) blàdder	Britain	....	5. 9.	H	♃		Eng. bot. 164.
	Cucùbalus Bèhen. E.B.								
7	lineàris	(wh) linear-leaved.	Naples	1820.	——	H	♃		Ten. flor. nap. t. 37.
	Cucùbalus angustifòlius T.N.								
8	Wildenòwii	(wh) Wildenow's	S. Europe	——	——	H	♃		
	Cucùbalus glaúcus. W. en supp.								
9	marítima E.B.	(wh) sea	Britain	....	8. 9.	H	♃		Eng. bot. 957.
10	fabària H.K.	(wh) thick-leaved.	Sicily	1731.	6. 8.	F	♃		Flor. græc. t. 415.
11	Bèhen DC	(bh) Cretan	Crete	1713.	6. 7.	H	⊙		——t. 416
12	índica DC.	(pu) Indian	Nepaul	1824.	——	F	♃		
13	graminifòlia DC.	(wh) grass-leaved	Altaia	1819.	——	H	♃		
14	viscaginoìdes DC.	(w) Viscago-like	Dahuria	1826.	——	H	♃		
15	procúmbens DC.	(wh) procumbent	Siberia	1820.	——	H	♃		Murr. c. gœt. p. 83. t. 2.
16	rubélla DC.	(re) small red	Portugal	1732.	8. 6.	H	⊙		Flor. græc. t. 426.
17	apétala DC.	(gr) petalless	Spain	1801.	6. 7.	H	⊙		

18	spergulifòlia DC.	(*wh*)	Spurry-like	Armenia	1824.	6. 7.	F	♃	Desf. cor. Tourn. t. 57.
19	hispánica DC.	(*w*)	Spanish	Spain	1819.	——	H	♃	
	parviflòra Zea.								
20	Gypsóphila DC.	(*wh*)	Gypsophila-like	.....	....	——	H	♃	
21	angustifòlia DC.	(*wh*)	narrow-leaved	Caucasus	1824.	——	H	♃	
Sect. 3. Oti'tes; *Caulescent; flowers disposed in verticillate spikes, panicles, or racemes.*									
22	Otìtes DC.	(*st*)	Spanish	England	....	7. 8.	H	♃	Eng. bot. 85.
	Cucùbalus Otìtes. E.B.								
23	wolgénsis DC.	(*wh*)	Wolga	Wolga	1821.	6. 8.	H	♃	
24	parviflòra DC.	(*st*)	small-flowered	Hungary	1796.	——	H	♃	
25	effùsa DC.	(*st*)	spreading	Wolga	1821.	——	H	♃	
26	sibírica DC.	(*wh*)	Siberian	Siberia	1773.	——	H	♃	Hall. g. 1. p. 150. ic.
27	multiflòra D.C.	(*wh*)	many-flowered	Hungary	1794.	——	H	♂	W. et K. hung. 1. t. 56.
28	elàta DC.	(*ye*)	tall	Tauria	1819.	7. 8.	H	♃	
	clorántha Stev.								
29	ruthénica DC.	(*wh*)	Russian	Russia	1827.	——	H	♃	
30	staticifòlia DC.	(*wh*)	Statice-leaved	Levant	1828.	6. 8.	H	♃	Flor. græc. t. 434.
31	tatárica DC.	(*wh*)	Tartarian	Tartary	1769.	——	H	♃	
32	gigantèa	(*wh*)	gigantic	Africa	1738.	——	G	♃	Flor. græc. t. 432.
33	viscòsa DC.	(*wh*)	clammy	Levant	1739.	7.	H	♂	Tourn. it. 2. p. 361. ic.
Sect. 4. Conoimo'rpha. *Caulescent; calyx cone-shaped, with very long teeth.*									
34	cónica DC.	(*fl*)	corn	England	....	6. 7.	H	⊙	Eng. bot. 922.
35	conoídea DC.	(*pu*)	conoid	S. Europe	1683.	——	H	⊙	Clus. his. 1. p. 288. f. 2.
36	cylindriciflòra DC.	(*re*)	cylindrical. flor.	Levant	1824.	——	H	⊙	
37	undulàta DC.	(*re*)	wave-leaved	C. B. S.	1775.	8.	G	♂	
Sect. 5. Stachymo'rpha; *Caulescent; calyx with ten stripes: flowers spiked, on short pedicels.*									
38	ánglica DC	(*wh*)	English	England	....	6. 7.	H	⊙	Eng. bot. 1178.
39	lusitánica DC.	(*fl*)	Portugal	Portugal	1732.	——	H	⊙	Dill. elt. t. 311. f. 401.
40	tridendàta DC.	(*ro*)	three-toothed	Spain	1824.	——	H	⊙	
41	gállica DC.	(*fl*)	French	France	1683.	5. 6.	H	⊙	Vail. par. t. 16. f. 12.
42	coarctàta DC.	(*re*)	coarctate	Spain	1825.	6. 7.	H	⊙	
43	ocymoìdes DC.	(*pu*)	Basil-like	.....	1819.	——	H	⊙	
44	dísticha DC.	(*ro*)	two-ranked	.....	1817.	——	H	⊙	Schrank. pl. rar. t. 39.
45	cerastoìdes DC.	(*re*)	Cerastium-like	S. Europe	1732.	7. 8.	H	⊙	Flor. græc. t. 412.
46	quinquevúlnera DC.	(*p.w*)	variegated	England	....	6. 8.	H	⊙	Eng. bot. 86.
47	noctúrna DC.	(*w.re*)	spiked	S. Europe	1683.	——	H	⊙	Flor. græc. t. 408.
48	cinèrea DC.	(*wh*)	grey	Algiers	1818.	——	H	⊙	
49	reflèxa H.K.	(*wh*)	reflexed	S. Europe	1726.	——	H	⊙	Magn. h. mons. 171. ic.
50	mutábilis H.K.	(*bh*)	changeable	————	1688.	——	H	⊙	
51	micropétala DC.	(*re*)	small-petaled	Chili	1822.	——	H	⊙	
52	micrántha DC.	(*re*)	small-blossomed	Portugal	1825.	——	H	⊙	
53	hirsùta Lag.	(*re*)	hairy	————	1824.	——	H	⊙	
	sabuletòrum. Lk. *hirsutíssimum.* DC.								
54	inclùsa DC.	(*wh*)	inclosed	Europe	1817.	——	H	⊙	
55	canéscens DC.	(*re*)	canescent	Naples	1823.	——	H	♃	Ten. fl. nap. 1. t. 39.
56	decúmbens DC.	(*wh*)	decumbent	S. Europe	1828.	——	H	⊙	
57	diffùsa DC.	(*fl*)	diffuse	Italy	1825.	——	H	♃	
58	divaricàta F.G.	(*wh*)	divaricate	Levant.	1827.	——	H	♂	Flor. græc. t. 414.
	racemòsa. DC.								
59	dichótoma DC.	(*wh*)	dichotomous	Hungary	1791.	——	H	⊙	Flor. græc. t. 413.
60	nyctántha DC.	(*st*)	various-leaved	.....	1815.	——	H	⊙	
61	trinérvia DC	(*re*)	three-nerved	Rome	1821.	——	H	⊙	
62	híspida DC.	(*re*)	hispid	Barbary	1817.	——	H	⊙	
63	laxiflora DC.	(*re*)	loose-flowered	Portugal	1820.	——	H	⊙	
64	bellidifòlia DC.	(*re*)	Daisy-leaved	.....	1794.	——	H	⊙	Jacq. vind. 3 t. 81.
65	sabuletòrum DC.	(*re*)	sand	.....	1818.	——	H	⊙	
66	vespertìna DC.	(*re*)	evening	Barbary	1796.	7. 8.	H	⊙	Swt. br. fl. gar. 58.
	bipartìta. Desf. atl. 1. t. 100.								
67	pínguis DC.	(*re*)	fat	Denmark	1816.	6. 8.	H	⊙	
68	obtusifòlia DC.	(*re*)	blunt-leaved	Barbary	1823.	——	H	⊙	
69	coloràta DC.	(*fl*)	coloured	————	1804.	——	H	⊙	
70	crassifòlia DC.	(*br*)	thick-leaved	C. B. S.	1774.	7. 8.	G	♂	
71	grácilis DC.	(*wh*)	slender	.....	1823.	6. 8.	H	⊙	
72	distàchya DC.	(*pu*)	two-ranked	Portugal	1817.	——	H	⊙	
73	jeniseénsis DC.	(*st*)	two-coloured	Siberia	1817.	6. 7.	H	♃	
74	ciliàta DC.	(*pu*)	ciliated	Crete	1804.	——	H	⊙	
75	péndula DC.	(*re*)	pendulous	Sicily	1731.	5. 7.	H	⊙	Bot. mag. 114.
76	longicaúlis DC.	(*wh*)	long-stalked	Spain.	1818.	6. 7.	H	⊙	
77	secundiflòra DC.	(*wh*)	side-flowered	.....	——	——	H	⊙	
78	viscossíssima DC.	(*wh*)	viscous	Naples	1822.	——	H	⊙	

79	distàchya DC.	(*pu*) two-ranked	Portugal	1817.	6.	8.	H	⊙	
80	imbricàta DC.	(*wh*) imbricated	N. Africa	1818.	6.	8.	H	⊙	
Sect. 6. RUPI'FRAGA; *caulescent: peduncles filiform: calyx campanulate, cylindrical, or clavate.*									
81	quadridentàta DC.	(*w*) four-toothed	Italy	1783.	5.	6.	H	⊙	Jacq. aust. 2. t. 120.
Lychnis quadridentáta. W.									
82	pusílla W. en.	(*wh*) dwarf	Hungary	1804.	6.	7.	H	♃	Swt.br.fl.gar.s.2.t.40.
83	alpéstris D.C.	(*wh*) Austrian	Austria	1774.	5.	7.	H	♃	Jacq. aust. 1. t. 96.
84	rupéstris DC.	(*re*) rock	Switzerland	——	——		H	♃	Flor. dan. 4.
85	glaucifòlia DC.	(*bh*) glaucous-leav'd	Spain	1823.	——		H	♃	
86	inapérta DC.	(*st*) unopen-flow'r'd	S. Europe	1732.	6.	7.	H	♃	Flor. græc. t. 420.
87	clandestìna DC.	(*w.p*) hidden-flower'd	C. B. S.	1801.	——		H	⊙	Jacq. col. sup. t. 3. f. 3.
88	porténsis W	(*pu*) Oporto	Portugal	1759.	7.	8.	H	⊙	
89	antirrhìna DC.	(*wh*) Snap-dragon	Virginia	1732.	6.	7.	H	⊙	Dill. elt. t. 313. f. 403.
90	geminiflòra DC.	(*pu*) twin-flowered	.....	1816.	....		H	⊙	
91	flavéscens DC.	(*st*) yellowish	Hungary	1804.	——		H	♃	W. et K. hung. 2. t. 175.
92	linoìdes	(*st*) Flax-like	.....	1817.	7.	8.	H	⊙	
linifòlia. DC. *non* Flor. græc.									
93	linifòlia F.G.	(*fl*) Flax-leaved	Levant	1828.	6.	8.	H	♃	Flor. græc. t. 433.
94	crética DC.	(*re*) Candian	Candia	1732.	5.	8.	H	⊙	———— t. 422.
95	sedoìdes DC.	(*re*) Sedum-like	Crete	1804.	6.	8.	H	⊙	———— t. 425.
96	sícula Cyr.	(*ro*) Sicilian	S. Europe	1825.	——		H	⊙	
divaricàta DC. *non* Flor. græc.									
97	Saxífraga DC.	(*w.br.*) Saxifrage	S. Europe	1640.	——		H	♃	Lodd. bot. cab. 454.
98	petræ'a DC.	(*wh*) fine-toothed	Hungary	1806.	——		H	♃	W. et K. hung. 2. t. 164.
99	fontàna DC.	(*wh*) fountain	Naples	1830.	——		H	♃	
100	pymæ'a LK.	(*wh*) pygmy	Europe	1837.	——		H	⊙	
101	campánula DC.	(*wh*) bell-flowered	Piedmont	1822.	——		H	♃	All. auct. p. 28. t. 1. f. 3.
102	víscida DC.	(*wh*) viscid	Carniola	1820.	——		H	♃	
Sect. 7. SIPHONOMO'RPHA; *caulescent: flowers erect or drooping, panicled, opposite; calyx tubular or clavate at apex.*									
103	longipétala DC.	(*g.st*) long-petaled	Aleppo	1822.	6.	8.	H	⊙	Flor. græc. t. 419.
104	nùtans R.B.	(*wh*) Nottingham	England	....	6.	7.	H	♃	Eng. bot. 465.
105	viscòsa DC.	(*wh*) clammy	————	....	——		H	♃	
106	infrácta W.K.	(*wh*) smooth	Hungary	1816.	——		H	♃	W. et K. hung. 3. t. 213.
107	latifòlia H.	(*wh*) broad-leaved	Europe	1825.	——		H	♃	
108	saxátilis B.M.	(*st*) stone	Siberia	1800.	——		H	♃	Bot. mag. 689.
109	lívida W. en.	(*w.br*) livid	Carniola	1816.	——		H	♃	
110	ténuis DC.	(*st*) slender	Siberia	——	——		H	♃	
111	quadrífida DC.	(*wh*) four-cleft	Italy	1820.	——		H	♃	
112	viridiflòra DC.	(*gr*) green-flowered	Portugal	1739.	——		H	♂	Herm. parad. t. 199.
113	chlorántha DC.	(*st*) pale-flowered	Germany	1732.	6.	8.	H	♃	Dill. elt. t. 316. f. 408.
114	psammìtis DC.	(*st*) sulphur-colour'd	.....	1820.	——		H	♃	
115	nicæénsis DC.	(*w.p*) villous-clammy	S. Europe	——	——		H	⊙	All. ped. t. 44. f. 2.
116	cathólica DC.	(*wh*) panicled	Italy	1711.	7.	9.	H	♃	Jacq. vind. 1. t. 59.
117	ramòsa DS.	(*wh*) branched	Barbary	1820.	6.	8.	H	⊙	
ramosissima. Desf.									
118	Mussìni H.	(*wh*) Mussin's	Russia	1824.	7.	9.	H	♃	
119	diversifòlia DC.	(*wh*) various-leaved	.....	1820.	——		H	⊙	
120	élegans DC.	(*wh*) elegant	Portugal	1819.	6.	8.	H	⊙	
121	spatulàta DC.	(*pu*) spatulate	Caucasus	1822.	6.	7.	H	♃	
122	rèpens DC.	(*wh*) creeping	Siberia	1806.	7.	8.	H	♃	
123	glaúca DC.	(*pu*) glaucous-leav'd	.....	1824.	——		H	⊙	
124	tenuifòlia DC.	(*pu*) slender-leaved	Dahuria	1820.	——		H	⊙	
125	undulæfòlia D.S.	(*re*) wave-leaved	Sardinia	1829.	6.	7.	H	⊙	
126	virgínica DC.	(*sc*) Virginian	Virginia	1783.	5.	8.	H	♃	Bot. mag. t. 3342.
127	Catesbæ'i DC.	(*cr*) Catesby's	Carolina	....	——		H	♃	Catesb. car. 54. ic.
128	stricta DC.	(*re*) upright	Spain	1802.	6.	7.	H	⊙	
129	pubéscens DC.	(*re*) pubescent	Corsica	1818.	——		H	⊙	
hirta Willd. hort. ber. t. 23.									
130	muscípula	(*re*) Spanish	Spain	1596.	7.	8.	H	⊙	Clus. hist. 1. p. 289. f. 1.
131	noctiflòra DC.	(*fl*) night-flowering	England	....	7.		H	⊙	Eng. bot. 291.
132	ornàta DC.	(*cr*) dark-coloured	C. B. S.	1775.	5.	9.	G	♂	Bot. mag. 382.
133	córsica DC.	(*st*) Corsican	Corsica	1825.	6.	8.	H	♃	Bocc. mus. t. 54.
134	ægyptìaca DC.	(*fl*) Egyptian	Egypt	1800.	7.	8.	G	♂	
135	sericea DC.	(*fl*) silky	Corsica	1801.	6.	8.	H	⊙	All. ped. t. 79. f. 3.
136	pícta DC.	(*w.p.*) painted	Mt. Carmel	1818.	7.	9.	H	⊙	Swt. br. fl. bar. 92.
137	bícolor DC.	(*w.p.*) two-coloured	France	——	6.	8.	H	⊙	DC. ic. gall. rar. t. 42.
138	lævigàta F.G.	(*re*) smooth	Greece	1828.	7.	9.	H	⊙	Flor. græc. t. 418.
139	reticulàta DC.	(*re*) netted-flower'd	Barbary	1804.	7.	8.	H	⊙	Desf. atl. 1. t. 99.

140	pensylvánica. DC.	(*re*)	Pensylvanian	N.America	1806.	6. 9.	H	♃	Bot. reg. 247.
	incarnàta. Bot. cab. 41.								
141	vallèsia DC.	(*pu*)	hard-rooted	Switzerland	1765.	6. 8.	H	♃	All. ped. t. 23. f. 2.
142	fruticòsa DC.	(*fl*)	shrubby	Sicily	1629.	6. 7.	F	♄	Flor. græc. t. 428.
143	cáspica DC.	(*st*)	Caspian	Caucasus	1823.	——	H	♄	
144	amœ'na DC.	(*wh*)	Tartarian	Tartary	1779.	7.	H	♃	
145	supìna DC.	(*wh*)	trailing	Caucasus	1804.	6. 8.	H	♃	Bot. mag. 1997.
146	depréssa DC.	(*wh*)	depressed	Iberia	1823.	——	H	♃	
147	paradóxa DC.	(*wh*)	Dover	England	....	7.	H	♃	Jacq. vind. 3. t. 84.
148	chloræfòlia DC.	(*wh*)	Armenian	Armenia	1796.	6. 7.	H	♃	Swt.br.fl.gar.s.2.t.263.
149	itálica DC.	(*wh*)	Italian	Italy	1759.	5. 6.	H	♂	Jacq. obs. 4. t. 79.
	Cucùbalus itálicus. L.								
150	polyphy'lla DC.	(*w.p*)	many-leaved	Austria	....	6. 7.	H	♃	Clus. hist. 1. t. 290.
151	nemoràlis DC.	(*wh*)	wood	Hungary	1823.	——	H	♃	W. et K. hung.3.t.249.
152	longiflòra DC.	(*wh*)	long-flowered	———	1793.	7. 9.	H	♃	———1.p.7.t.8.
153	bupleuroìdes DC.	(*fl*)	spear-leaved	Persia	1801.	6. 7.	H	♃	Tourn. it. t. 154.
154	pilòsa S.S.	(*wh*)	pilose	Hungary	1825.	6. 9.	H	♃	W. et.K.hung.3.t. 248.
	mollíssima. W.K								
155	mollíssima S S.	(*wh*)	velvet	Italy	1739.	7. 9.	H	♃	
	Cucùbalus mollíssimus. L.								
156	càna DC.	(*wh*)	hoary	.....	1824.	6. 7.	H	♃	
157	taúrica F.	(*wh*)	Taurian	Tauria	1828.	7. 9.	H	♃	
158	dahùrica F.	(*wh*)	Dahurian	Dahuria	1827.	——	H	♃	
159	scàbra F.	(*wh*)	rough	Siberia	——	——	H	♃	
160	marginàta Sct.	(*wh*)	margined	.....	1825.	——	H	♃	
161	stenopétala Led	(*re*)	narrow-petaled	Siberia	1827.	——	H	⊙	
162	saponariæfòlia Sct.	(*re*)	Soapwort-ld	.....	1822.	——	H	⊙	
163	Persoònii Sct.	(*wh*)	Persoon's	Europe	——	——	H	♃	
164	vesicària	(*pu*)	bladdered	Siberia	1822.	6. 9.	H	⊙	
165	laciniàta DC.	(*sc*)	jagged	Mexico	1823.	7.	F	♃	Bot. reg. 1444.
166	Mociniàna DC.	(*sc*)	Mocino's	———	1827.	——	F	♃	
167	règia DC.	(*cr*)	splendid	N. America	1811.	5. 8.	G	♂	Swt.br.fl.gar.s.2.t.313.
Sect. 8.	Ato'cion; *caulescent: flowers corymbose; calyx clavate, with ten stripes.*								
168	cordifòlia DC.	(*pk*)	heart-leaved	Piedmont	1819.	6. 7.	H	⊙	All. ped. t. 23. f. 3.
169	cæspitòsa DC.	(*pk*)	tufted	Caucasus	1824.	5. 6.	H	♃	
170	orchídea DC.	(*re*)	orchideous-fld.	Greece	1781.	6. 7.	H	⊙	Flor. græc. t. 427.
171	Atòcion DC.	(*pu*)	Orchis-flow'r'd	Levant	1781.	5. 7.	H	⊙	Jacq. vind. 3. t. 32.
	orchídea. H.K.								
172	pseùdo-Atòcion DC.	(*pu*)	Atlantic	Atlantic	1818.	——	H	⊙	
173	Armèria DC.	(*re*)	Lobel's	England	....	7. 9.	H	⊙	Eng. bot. 1398.
	α rùbra	(*re*)	*red-flowered*	———	....	——	H	⊙	
	β álba	(*wh*)	*white-flowered*	———	....	——	H	⊙	
174	congésta DC.	(*re*)	close-flowered	Greece	1816.	——	H	⊙	
175	compácta DC.	(*re*)	compact	Russia	1816.	——	H	♂	Swt.br fl.gar.s.2.t.64.
			Species not sufficiently known:—						
176	aprìca Turcz.	(*re*)	exposed	Siberia	1837.	7. 9.	H	⊙	
177	juvenàlis Del.	(*re*)	juvenal	Egypt	——	——	H	⊙	
178	suàvis Schra.	(*re*)	sweet	Europe	——	——	H	⊙	
VISCA'RIA. Rœhl.			Visca'ria. (*Viscus*, bird-lime; plants clammy)						Decandria Pentagynia.
1	vulgàris Rhl.	(*re*)	common	Britain	....	5. 7.	H	♃	Eng. bot. 788.
	Ly'chnis viscària. L.								
	β flòre-plèno	(*re*)	*double-red*	———	....	——	H	♃	
2	albiflòra	(*wh*)	white-flowered	.....	....	5. 7.	H	♃	
	neglécta DS.								
3	alpìna DS.	(*re*)	alpine	Scotland	....	4. 5.	H	♃	Eng. bot. t. 2254.
4	helvética. DS.	(*re*)	Swiss	Switzerland	1810.	6. 7.	H	♃	Hall. hist. 1. t. 17.
	alpìna. B.M. 394.								
5	suécica L.C.		Swedish	Sweden	....	6. 9.	H	♃	Lodd. cab. t. 881.
	Agrostémma suécica. Swt. Maund; bot. gard. t. 144.								
LY'CHNIS. DC.			Ly'chnis. (λυχνος, a link; brilliancy of flowers)						Decandria Pentagynia.
1	chalcedónica DC.	(*sc*)	scarlet	Japan	1596.	6. 7.	H	♃	Bot. mag. 257.
	β albiflòra	(*wh*)	*white-flowered*	———	....	——	H	♃	
	γ flòre plèno	(*sc*)	*double-flowered*	———	....	——	H	♃	
2	Flós-jòvis DC.	(*re*)	umbelled	Piedmont	1726.	7.	H	♃	Bot. mag. 398.
	Agrostémma Flós-jòvis. B.M.								
3	coronàta W.	(*sc*)	Chinese	China	1774.	6. 9.	H	♃	Bot. mag. 223.
	grandiflòra Jacq. ic. rar. t. 84.								
4	fúlgens DC.	(*sc*)	brilliant	Siberia	1819.	7. 9.	H	♃	Bot. mag. 2104.

5 Cœ'li-ròsa DC.	(*fl*) smooth-leaved	Levant	1713.	7. 8.	H	⊙	Bot. mag. 295.
Agrostémma Cœ'li-ròsa. L.							
AGROSTE'MMA. Agroste'mma. (*αγρος*, a field and *στεμμα*, a crown; flowers.) Dec. Pent.							
1 apétala DC.	(*wh*) petalless	Lapland	1819.	6. 8.	H	♃	Lin. fl. lap. t. 12. f. 1.
Ly'chnis apétala. L.							
2 brachypétala L. en.	(*wh*) short-petal'd	.....	——	——	H	♃	
3 sylvéstris DC.	(*re*) red-flowered	Britain	....	6. 9.	H	♃	Eng. bot. 1579.
Ly'chnis dioica rùbra. E.B.							
β *flòre-plèno*	*double-flowered*	.....	....	——	H	♃	
4 dioica DC.	(*wh*) white-flowered	Britain	....	——	H	♃	Eng. bot. 1580.
Ly'chnis dioica álba. E.B *vespertìna.*		Sibthorp.					
β *flòre-plèno*	(*wh*) *double-white*	.....	....	——	H	♃	
γ *viridiflòra*	(*gr*) *double-green*	.....	....	——	H	♃	
5 dicfinis DC.	(*ro*) long-pedicled	Spain	1824.	——	H	♃	
6 Bungeàna Hort.	(*sc*) Bunge's	Armenia	1835.	7. 8.	H	♃	Swt.br.fl gar. s. 2. t 322.
7 læ'ta DC.	(*re*) small	Portugal	1778.	7.	H	⊙	
8 córsica D.C.	(*re*) Corsican	Corsica	1824.	6. 8.	H	⊙	
9 sibírica D.S.	(*pk*) Siberian	Siberia	1817.	6. 7.	H	♃	
10 saxátilis Turcz.	(*pk*) rock	———	1837.	——	H	♃	
11 pyrenàica DC.	(*re*) Pyrenean	Pyrenees	1820.	4. 6.	H	♃	Swt.br.fl.gar. s. 2. t. 202.
12 Flóscùculi DC.	(*re*) Ragged Robin	Britain	....	6. 9.	H	♃	Eng. bot. 573.
Ly'chnis Flóscùculi. L.							
β *flòre-plèno.*	(*re*) *double*	.....	....	——	H	♃	
13 coronària DC.	(*ro*) Rose Campion	Italy	1596.	——	H	♃	
α *rùbra*	(*ro*) *red-flowered*	———	——	——	H	♃	Bot. mag. 24.
β *álba*	(*wh*) *white-flowered*	.....	——	——	H	♃	
γ *plèna*	(*ro*) *double-flowered*	.....	....	——	H	♃	
GITHA'GO. Desf. Corn-Cockle (*gith*, seed of *Nigella*, and *ago*, resemblance.) Dec. Pent.							
1 ségetum Desf.	(*re*) common	Britain	....	6. 8.	H	⊙	Eng. bot. 741.
Agrostémma Githàgo. L.							
2 niceénsis	(*wh*) long-calyxed	Italy	1794.	——	H	⊙	
VELE'ZIA. DC. Vele'zia. (Fr. Veles, author of a work on Cubebes.) Pentandria Digynia.							
1 rígida DC.	(*re*) rigid	Spain	1683.	7.	H	⊙	Flor. græc. t. 390.
2 quadridentàta F.G.	(*r*) four-toothed	Levant	1826.	——	F	♃	——— t. 391.
DRY'PIS. DC. Dry'pis. (*δρυπτω*, to tear; prickly leaves.) Pentandria Trygynia.							
spinòsa DC.	(*bk*) prickly	Italy	1775.	6. 7.	H	♄	Swt.br.fl gar.s.2.t.170.
VIVIA'NIA. DS. Vivia'nia. (D. Viviani, MD. prof. bot. Genoa.) Decandria Trigynia.							
1 grandifòlia DS.	(*re*) great-leaved	Chili	1832.	7.10.	S	♄	
Macræ'a grandifòlia Lindl.							
2 parvifòlia DS.	(*wh*) small-leaved	———	——	——	S	♄	
3 marifòlia DS.	(*re*) Marum-leaved	———	——	——	S	♄	Hook. bot. misc. t. 50.
Macræ'a ròsea. Lindl.							

Tribe II. *ALSI'NEÆ.* DC.

ORTE'GIA. DC. Orte'gia. (C. G. Ortega; prof. bot. Madrid.) Triandria Monogynia.							
1 hispánica DC.	(*gr*) Spanish	Spain	1768.	6. 7.	H	♃	
2 dichótoma DC.	(*gr*) forked	Italy	1781.	8. 9.	H	♃	All ped. t. 4. f. 1.
hispánica. Cav. ic. 1. t. 47.							
GOUFFE'IA. DC. Gouffe'ia. (Gouffé de la Cour; French bot.) Decandria Digynia.							
1 arenarioìdes DC.	(*wh*) arenaria-like	France	1830.	——	H	⊙	
2 holosteoìdes F.M.	(*wh*) stitchwort-like	Caucasus	1836.	6.10.	H	⊙	
BUFFO'NIA. DC. Buffo'nia. (Count de Buffon, cel. French nat.) Tetrandria Tetragynia.							
1 ánnua DC.	(*wh*) annual	England	....	6.	H	⊙	Eng. bot. 1313.
tenuifòlia. E.B.							
2 perénnis DC.	(*wh*) perennial	France	1820.	6. 7.	H	♃	Lam. ill. t. 87. f. 2.
SAGI'NA. DC. Pearl-wort. (*Sagina*, fatness; qualities.) Tetrandria Tetragynia.							
1 procúmbens DC.	(*gr*) procumbent	Britain	....	5. 9.	H	⊙	Eng. bot. 880.
β *múltiplex*	(*wh*) *double-flowered*	———	....	——	H	♃	
2 cerastoìdes DC.	(*wh*) Cerastium-like	———	....	6. 7.	H	⊙	Eng. bot. 166.
Cerástium tetrándrum. H.K.							
3 filifórmis DC.	(*wh*) filiform	Pyrenees	1824.	——	H	⊙	
4 marítima E.B.	(*wh*) sea-side	Ireland.	....	5. 8.	H	⊙	Eng. bot. 2195.
5 stricta DC.	(*wh*) straight	N. Europe	1828.	——	H	⊙	
6 subulàta Presl.	(*wh*) subulate-leav'd	Sicily	1837.	——	H	⊙	
7 apétala DC.	(*wh*) small-flowered	Britain	....	5. 6.	H	⊙	Eng. bot. 881.

MŒ'NCHIA P. S. Mœ'nchia. (Conrad Mœnch, prof. bot. Marburgh.) Tetrandria Tetragynia.
glaúca P.S. (*wh*) glaucous Britain .... 4. 5. H ⊙ Eng. bot. 609.
quaternélla L. en. *Sagìna erécta.* E.B.

MŒHRI'NGIA DC. Mœhri'ngia. (P. H. G. Mœrhring, author of Hortus proprius.) Oct. Digy.
1 muscòsa DC. (*wh*) mossy S. Europe 1775. 6. 7. H ♃ Lam. ill. t. 314.
2 sedifòlia DC. (*wh*) Stonecrop-ld. ——— 1823. —— H ♃ W. ber. m. 1818. t. 3. f. 23.

MOLLU'GO W. Mollu'go. (name of *Galium Mollugo*; habit.) Triandria Trigynia.
1 verticillàta DC. (*wh*) whorled Virginia 1748. 6. 8. H ⊙ Ehret pict. t. 6.
2 Schránkii DC. (*wh*) Schrank's Brazil 1821. 7. 9. H ⊙ Schrank pl. rar. 64. ic.
dichótoma. Schk.
3 Línkii DC. (*wh*) Link's ——— —— —— H ⊙
triphy'lla. L. en. *non* Lour.

PHARNA'CEUM W. Pharna'ceum. (Pharnaces, king of Pontus; first used it in med.) Pen. Tri.
1 Mollùgo R.S. (*wh*) Ladies' bedstraw E. Indies 1752. 7. 8. S ⊙ Burm. ind. t. 5. f. 4.
Mollùgo Spérgula. DC.
2 cordifòlium R.S. (*wh*) heart-leaved C. B. S. 1820. —— H ⊙ Jacq. h. schœn. t. 349.
3 dichótomum R.S. (*wh*) forked ——— 1783. —— H ⊙
4 glomeràtum DC. (*wh*) glomerate ——— 1817. 6. 8. F ⊙ Pluk. phyt. t. 331. f. 4.
5 Cerviàna R.S. (*wh*) umbelled Russia 1771. 6. 7. H ⊙ Lam. ill. t. 214. f. 1.
6 sperguloìdes. D.S. (*wh*) spurry-like India 1819. —— S ⊙ Lam. ill. t. 214. f. 2.
7 lineàre D.S. (*wh*) linear C. B. S. 1795. 4. 6. G ⊙ Bot. rep. 326.
8 bellidifòlium R.S. (*w*) Daisy-leaved W. Indies 1826. 6. 7. H ⊙ Plum. amer. t. 21. f. 1.
9 umbellàtum D.S. (*wh*) umbellate Egypt 1820. 6. 8. H ⊙
10 incànum D.S. (*wh*) hoary C. B. S. 1782. 4. 10. G ♄
11 pruinòsum D.S. (*br*) pruinose ——— 1819. 6. 8. G ♄

HOLO'STEUM DC. Holo'steum. (ολος, all; οστεον, a bone.) Triandria Trigynia.
1 umbellàtum DC. (*wh*) umbelled England .... 7. 8. H ⊙ Flor. dan. t. 1204.
β ròseum (*ro*) *rose-coloured* ——— .... —— H ⊙ Eng. bot. 27.
2 diándrum DC. (*wh*) diandrous Jamaica 1822. 6. 8. S ⊙ Swartz ic. t. 7.

SPE'RGULA DC. Spurrey. (*spargo*, to scatter; seed.) Decandria Pentagynia.
1 nodòsa DC. (*wh*) knotted Britain .... 7. 8. H ♃ Eng. bot. 694.
2 larícina DC. (*wh*) Larch-leaved Siberia 1823. 6. 8. H ♃ Sm. ic. ined. 1. t. 18.
3 saginoìdes DC. (*wh*) Sagina-like Scotland .... —— H ♃ Eng. bot. 2105.
4 subulàta DC. (*wh*) awl-leaved Britain .... 6. 7. H ♃ ——— 1082.
5 pilífera D.S. (*wh*) piliferous Corsica 1829. 6. 8. H ♃
6 glàbra DC. (*wh*) smooth Europe 1824. —— H ♃ All. ped. t. 64. f. 1.

LARBRE'A DC. Larbre'a. (Abbé Larbré; French bot.) Decandria Trigynia.
aquática DC. (*wh*) water Britain .... 7. 8. H*w* ♃ Eng. bot. t. 1074.
Stellària aquática. Poll. pal. n. 422. *uliginòsa.* E.B. *alsìne* Hoff. germ. 1. t. 5.

DRYMA'RIA DC. Dryma'ria. (δρυμος, a forest; loving.) Pentandria Trigynia.
1 cordàta DC. (*wh*) heart-leaved W. Indies 1814. 7. 9. H ⊙ Lam. ill. t. 51. f. 2.
Holósteum cordàtum. L.
2 grácilis D.S. (*wh*) slender Mexico 1828. 6. 9. H ⊙
3 divaricàta DC. (*wh*) divaricate Lima 1823. —— H ⊙
4 palústris D.S. (*wh*) marsh Mexico 1830. —— F ♃
5 villòsa D.S. (*wh*) villous ——— 1837. —— F ♃

STELLA'RIA DC. Stichwort. (*stella*, a star; flowers like.) Decandria Trigynia.
1 némorum DC. (*wh*) wood Britain .... 4. 6. H ♃ Eng. bot. 92.
2 latifòlia DC. (*wh*) broad-leaved Germany 1816. 6. 8. H ⊙
3 mèdia DC. (*wh*) Chickweed Britain .... 1. 12. H ⊙ Eng. bot. 537.
Alsìne mèdia. L.
4 dichótoma DC. (*wh*) forked Siberia 1774. 6. 8. H ♃ Smith ic. ined. 1. t. 14
5 bulbòsa DC. (*wh*) bulbiferous Carinthia 1820. —— H ♃ Jacq. ic. rar. 3. t. 468.
6 víscida DC. (*wh*) viscous Tauria 1804. —— H ⊙ W. et K. hung. 1. t. 22
Cerástium anómalum. W.
7 sabulòsa DC. (*wh*) gravel Persia 1828. —— H ⊙
8 Holóstea DC. (*wh*) greater Britain .... 4. 6. H ♃ Eng. bot. 511.
9 Laxmánni DC. (*wh*) Laxmann's Siberia 1827. —— H ♃
10 velutìna DC. (*wh*) velvetty Siberia 1824. 6. 8. H ♃
11 gramínea DC. (*wh*) grass-leaved Britain .... 5. 8. H ♃ Eng. bot. 803.
12 glaúca DC. (*wh*) glaucous marsh ——— .... —— H ♃ ——— 825.
13 pedunculàris Led. (*wh*) long-peduncled Altaia 1832. —— H ♃ Led. ill. t. 421.
14 cerastoìdes DC. (*wh*) Alpine Scotland .... —— H ♃ Eng. bot. 911.
15 multicaúlis W. (*wh*) many-stalked Carinthia 1815. 6. 8. H ♃ Jacq. coll. 1. t. 19.
cerastoìdes. Jacq. coll.
16 arenària DC. (*wh*) sand Spain 1799. 6. 8. H ⊙
17 scapígera DC. (*wh*) naked-stalked Scotland .... 6. 7. H ♃ Eng. bot. 1269.
18 Fischeriàna DC. (*wh*) Fischer's Siberia 1825. —— H ♃
19 dahùrica DC. (*wh*) Dahurian Dahuria 1818. 6. 7. H ♃

20	Edwárdsii B. *sítida.* Hook.	(*wh*) Edwards's	N. America	1827.	6. 7.	H	♃	
21	humifùsa DC.	(*wh*) trailing	N. Europe	1825.	——	H	⊙	Flor. dan. t. 978.
22	hètta S.S.	(*wh*) short-petaled	N. America	1827.	——	H	⊙	
23	grácilis S.S.	(*wh*) slender	———	1827.	——	H	⊙	
24	muràlis DC.	(*wh*) wall	Crete	1821.	——	H	⊙	
25	élegans DC.	(*wh*) elegant	Siberia	1823.	——	H	♃	
26	lóngipes DC.	(*wh*) long-pedicled	N. America	1821.	——	H	♃	
27	mollugínea	(*wh*) Mollugo-like	New Spain	1825.	7. 9.	H	⊙	

Alsìne mollugínea. Lag. *Arenària? mollugínea.* DC.

SPERGULA'RIA DS. SPURRY. (altered from *Spergula.*) Decandria Pentagynia.

1	arvénsis D.S.	(*wh*) corn	Britain	....	7. 8.	H	⊙	Eng. bot. t. 1535.
	Spérgula arvénsis. L. *vulgàris* Bunge.							
2	pentándra D.S.	(*wh*) pentandrous	Britain	....	6. 7.	H	⊙	Eng. bot. t. 1536.
3	pállida DS.	(*re*) pale	C. B. S.	1810.	7. 9.	G	♃	
4	máxima	(*wh*) largest	Germany	1837.	6. 7.	H	⊙	
	Spérgula máxima. Weih.							

LEPIGO'NUM Fries. LEPIGO'NUM. (λεπις, a scale; and γωνια, an angle.) Decandria Trigynia.

1	rùbrum Fr.	(*re*) red-flowered	Britain	....	6. 8.	H	⊙	Eng. bot. t. 852.
	Arenària rùbra. DC. *spergulària rùbra.* DS.							
2	marìnum Fr.	(*re*) sea-side	———	....	——	H	♃	
3	mèdium Fr.	(*re*) intermediate	———	....	——	H	♃	Eng. bot. t. 958.
	Arenària marìna. Eng. bot. not L. *Spergulària mèdia.* D.S.							
4	salìnum	(*re*) salt marsh	Bohemia	1820.	——	H	⊙	
	Arenària salìna. DC. *Spergulària salìna.* D.S.							
5	glutinòsum	(*re*) clammy	Astracan	1828.	——	H	⊙	
	Arenària glutinòsa. DC. *Spergulària glutinòsa.* D.S.							
6	glandulòsum F.M.	(*wh*) glandular	Europe	1820.	——	H	⊙	Jacq. schœnbr. 3. t. 355.
	Arenària glandulòsa. DC. *Spergulària glandulòsa.* D.S.							
7	canadénse F.M.	(*re*) Canadian	N. America	1812.	——	H	⊙	
8	capénse F.M.	(*re*) Cape	C. B. S.	1837.	——	H	⊙	
9	salsugìneum F.M	(*re*) salt marsh	Siberia	1837.	——	H	⊙	
10	macrothècum F.M.	(*re*) long-sheathed	California	1836.	——	H	⊙	
11	villòsum F.M.	(*re*) villous	Siberia	1837.	——	H	⊙	
12	sperguloìdes Fisch.	(*re*) spurry-like	Siberia	1837.	——	H	⊙	
13	segetàle	(*wh*) hedge	France	1805.	6.10.	H	⊙	Vaill. par. t. 3. f. 3.
	Alsìne segetàlis. Lin. *Arenària segetàlis.* DC.							

ARENA'RIA DC. SANDWORT. (*Arena*, sand; habitat.) Decandria Trigynia.

§ 1. *Leaves grassy.*

1	graminifòlia DC.	(*wh*) grass-leaved	Caucasus	1815.	6. 7.	H	♃	Schrad. h. gœt. t. 5.
	β *glabérrima* DC.	(*w*) *smooth*	———	——	——	H	♃	
2	longifòlia DC.	(*wh*) long-leaved	Volga	1820.	——	H	♃	Gmel. sib. 4. t. 63. f. 2.
3	dahùrica DC.	(*wh*) Dahurian	Dahuria	1824.	——	H	♃	
4	nardifòlia F.	(*wh*) Nardus-leaved	Siberia	1827.	——	H	♃	
5	otitoìdes DC.	(*wh*) dense-flowered	———	——	——	H	♃	
6	rígida DC.	(*wh*) rigid	———	——	——	H	♃	
7	formòsa DC.	(*wh*) handsome	Dahuria	——	——	H	♃	
8	Gmelìni DC.	(*wh*) Gmelin's	———	1827.	——	H	♃	Gmel. sib. 4. t. 61. f. 1.
9	capillàris DC.	(*wh*) capillary	Siberia	1820.	——	H	♃	
10	pinifòlia DC.	(*wh*) pine-leaved	Caucasus	1823.	——	H	♃	
11	subulàta DC.	(*wh*) subulate-leaved	Siberia	1822.	——	H	♃	
12	cephalòtes DC.	(*wh*) close-headed	Tauria	1820.	——	H	♃	
	§ 2. *Leaves subulate or linear.*							
13	imbricàta DC.	(*wh*) imbricate	Caucasus	1821.	——	H	♃	
14	junipérina DC.	(*wh*) Juniper-leaved	Armenia	1800.	——	H	♃	Sm. ic. ined. t. 35.
15	stricta DC.	(*wh*) upright	N. America	1812.	5. 6.	H	♃	
16	prócera DC.	(*wh*) tall	.....	1827.	——	H	♃	
17	laricifòlia L.	(*wh*) Larch-leaved	Switzerland	....	8.	H	♃	Jacq. aust. 3. t. 272.
18	rostràta W. en.	(*wh*) beaked	Hungary	1816.	6. 7.	H	♃	
19	striàta W.	(*wh*) striated	Switzerland	1683.	——	H	♃	Vill. dauph. 4. t. 47. f. 6.
20	árctica DC.	(*wh*) small	Siberia	1807.	——	H	♃	
21	austriaca DC.	(*wh*) Austrian	Austria	1793.	6. 9.	H	♃	Jacq. aust. 3. t. 270.
22	capillàcea DC.	(*wh*) capillary	Piedmont	1819.	6. 7.	H	⊙	
23	Villársii P.S.	(*wh*) Villars's	Dauphiny	1826.	6. 9.	H	♃	Vill. de ph. 3. t. 47.
24	grandiflòra DC.	(*wh*) great-flowered	Switzerland	1783.	——	H	♃	All. ped. n. 1711. t. 10. f. 1.
25	triflòra L.	(*wh*) three-flowered	———	1816.	——	H	♃	Cav. ic. 3. t. 249. f. 2.
26	Hélmii DC.	(*wh*) long-peduncled	Siberia	1824.	——	H	♃	
27	macrocárpa DC.	(*wh*) large-capsuled	N. America	1828.	——	H	♃	
28	hírta DC.	(*re*) hairy	Greenland	1827.	——	H	♃	Flor. dan. t. 1646.

29	rubélla Wahl.	(*re*)	red-flowered	Scotland	....	6. 8.	H	♃	Eng. bot. t. 2638.
30	vérna DC.	(*wh*)	vernal	Britain	....	5. 8.	H	♃	Eng. bot. 512.
31	Gerárdi DC.	(*wh*)	Gerard's	Austria	1822.	4. 8.	H	♃	
	liniflòra. Jacq. aust. t. 445.								
32	cæspitòsa DC.	(*wh*)	tufted	S. Europe	1824.	——	H	♃	
33	ramosíssima DC.	(*wh*)	branching	Hungary	1820.	——	H	♃	
34	saxátilis DC.	(*wh*)	rock	Germany	1732.	7. 8.	H	♃	Bar. ic. t 580.
35	péndula DC.	(*wh*)	pendulous	Hungary	1816.	6. 7.	H	♃	W. et K. hung. 1. t. 87.
36	tenuifòlia DC.	(*wh*)	fine-leaved	England	....	——	H	⊙	Eng. bot. 219.
37	villòsa DC.	(*wh*)	villous	Siberia	1828.	——	H	♃	
38	calycìna DC.	(*wh*)	large-calyxed	Barbary	1824.	——	H	⊙	
39	triándra DC.	(*wh*)	triandrous	.....	——	——	H	⊙	Schrank. h. mon. t. 30.
40	mediterrànea DC.	(*w*)	Mediterranean	S. Europe	1821.	——	H	⊙	
41	recúrva DC.	(*wh*)	recurved-leaved	——	——	——	H	♃	Jacq. coll. 2. t. 16. f 1.
42	hirsùta DC.	(*wh*)	hairy	Tauria	1824.	——	H	♃	
43	calyculàta DC.	(*wh*)	calyculated	Hungary	1820.	——	H	♃	
44	setàcea DC.	(*wh*)	bristly	France	——	——	H	♃	
45	fasciculàta DC.	(*wh*)	dense-flowered	S. Europe	1815.	——	H	⊙	Flor. græc. t. 442.
46	glomeràta DC.	(*wh*)	close-headed	Tauria	1829.	7. 9.	H	⊙	
47	fastigiàta E.B.	(*wh*)	fastigiate	Scotland	....	6. 7.	H	⊙	Eng. bot. 1744.
48	filifòlia DC.	(*wh*)	thread-leaved	Arabia	....	——	H	♃	Vahl. symb. 1. t. 12.
49	mucronàta DC.	(*wh*)	mucronate	——	1777.	——	H	⊙	
50	uliginòsa DC.	(*wh*)	marsh	Switzerland	1824.	——	H	♃	DC. ic. gall. t. 46.
51	polygonoìdes DC.	(*wh*)	procumbent	——	——	——	H	♃	Jacq. coll. 1. t. 15.
52	marginàta DC.	(*wh*)	margined	Siberia	1824.	——	H	♃	
53	canéscens DC.	(*wh*)	canescent	.....	1828.	——	H	♃	
	macrocárpa. H. non Ph.								
	§ 3. *Leaves broadish.*								
54	tetraquètra DC.	(*wh*)	square-stalked	S. France	1731.	8.	H	♃	All. ped. 2. t. 89. f. 1.
55	Giesèkii DC.	(*wh*)	Gieseke's	Greenland	1827.	——	H	♃	Horn. fl. dan. t. 1518.
56	lanceolàta DC.	(*wh*)	lanceolate	Piedmont	1820.	——	H	♃	All. fl. ped. t. 26. f. 5.
57	dénsa DC.	(*wh*)	dense	Croatia	1824.	6. 7.	H	♃	
58	cherlerioìdes P.S.	(*wh*)	cherleria-leav'd	S. France	....	7. 8.	H	♃	Vill. delph. 4. t. 47. f. 1.
59	montàna DC.	(*wh*)	mountain	Spain	1800.	4. 7.	H	♃	Bot. mag. 1118.
60	serpyllifòlia DC.	(*wh*)	Thyme-leaved	Britain	....	6. 7.	H	⊙	Eng. bot. 923.
61	coimbricénsis DC.	(*wh*)	Coimbra	Portugal	1819.	——	H	⊙	
62	pubéscens DC.	(*wh*)	pubescent	Cos	1820.	4. 7.	H	⊙	
63	sphærocárpa Ten.	(*wh*)	round-fruited	Naples	1837.	——	H	⊙	
64	muràlis Sieb.	(*wh*)	wall	Candia	——	——	H	⊙	
65	ciliàta DC.	(*wh*)	fringed	Ireland	....	3. 8.	H	♃	Eng. bot. 1745.
66	multicaúlis W.	(*wh*)	many-stalked	Europe	1794.	7. 8.	H	♃	Jacq. coll. 1. t. 17. f. 1.
67	trinérvia DC.	(*wh*)	three-nerved	Britain	....	5. 7.	H	⊙	Eng. bot. 1483.
68	norvégica DC.	(*wh*)	Norway	Norway	1828.	6. 7.	H	♃	Flor. dan. t. 1269.
69	baleárica DC.	(*wh*)	Majorca	Majorca	1787.	3. 8.	H	♃	L. Her. stirp. 1. t. 15.
70	biflòra DC.	(*wh*)	two-flowered	S. Europe	1823.	——	H	♃	All. ped. t. 64. f. 3.
71	procúmbens DC.	(*re*)	procumbent	Egypt	1801.	6. 8.	F	♃	Vahl. symb. 1. t. 33.

ADENA'RIUM DC. SEA CHICKWEED. (ἀδήν, a gland.) Decandria Tri-Pentagynia.

	peploìdes DC.	(*wh*)	common	Britain	....	6. 7.	H	♃	Eng. bot. 189.
	Arenària peploìdes. E.B. *Merckia peploìdes*. D.S.								

CERA'STIUM DC. MOUSE-EAR CHICKWEED. (κέρας, a horn; form of capsules.) Decand. Pent.

Sect. 1. STRE'PHODON; *capsule cylindrical, with circinate or revolute teeth.*

1	nemoràle DC.	(*wh*)	wood	Caucasus	1823.	5. 6.	H	⊙	
2	pauciflòrum DC.	(*wh*)	few-flowered	Siberia	1816.	6. 7.	H	⊙	
3	chloræfòlium F.M.	(*wh*)	chlora-leaved	Natolia	1838.	——	H	♂	
4	microspérmum Mey.	(*wh*)	small-seeded	Caucasus	1837.	——	H	⊙	
5	multiflòrum Mey.	(*wh*)	many-flower'd	——	——	——	H	⊙	
6	perfoliàtum DC.	(*wh*)	perfoliate	Greece	1725.	——	H	⊙	Dill. elt. t. 217. f. 284.
7	caucásicum DC.	(*wh*)	Caucasean	Caucasus	1825.	——	H	⊙	
8	dahùricum DC.	(*wh*)	glaucous	Dahuria	1815.	5. 9.	H	♃	Schrank. h. mon. t. 75.
	amplexicaúle. B.M. 1789.								
9	máximum DC.	(*wh*)	greatest	Siberia	1792.	6. 7.	H	⊙	Gmel. sib. 4. t. 62. f. 2.

Sect. 2. O'RTHODON; *capsules cylindrical or ovate, having the margins of the teeth revolute.*

10	dichótomum DC.	(*wh*)	forked	Spain	1725.	6. 7.	H	⊙	
11	ruderàle DC.	(*wh*)	pendulous-fruit	Caucasus	1824.	——	H	⊙	
12	taúricum DC.	(*wh*)	Taurian	Tauria	——	——	H	⊙	
13	vulgàtum DC.	(*wh*)	common	Britain	....	4. 6.	H	⊙	Eng. bot. 789.
14	viscòsum DC.	(*wh*)	clammy	——	....	4. 9.	H	♃	—— 790.
15	barbulàtum L. en	(*wh*)	bearded	S. Europe	1821.	——	H	⊙	
16	holosteoìdes DC.	(*wh*)	Holosteum-like	Sweden	——	——	H	♃	

17	pentándrum DC. (wh) five-stamened	Spain	1820.	4.	9.	H	⊙	
18	semidecándrum DC. (wh) least	Britain	....	3.	4.	H	⊙	Eng. bot. 1630.
19	purpuráscens Adam (wh) purplish *frigidum.* M.B.	Caucasus	1836.	——		H	♃	
20	brachypétalum DC. (wh) small-flower'd	France	1816.	4.	5.	H	♃	DC. ic. gall. t 44.
21	diffùsum DC. (wh) spreading	.....	....	4.	9.	H	♃	
22	serpyllifòlium W. en. (wh) Thyme-ld.	S. Europe	1824.	5.	6.	H	♃	
23	mánticum DC. (wh) long-peduncled	Hungary	1801.	6.	7.	H	⊙	W. et K. hung. 1. t. 96.
24	rupéstre DC. (wh) rock	Siberia	1820.	4.	7.	H	♃	
25	campanulàtum DC. (wh) early-flowered *præcox.* T.N.	Italy	1826.	5.	6.	H	⊙	Viv. ann. bot. 1. p. 2. t. 1.
26	ciliàtum DC. (wh) ciliated *matrénse.* Kit.	Croatia	1817.	3.	4.	H	♃	
27	glomeràtum Thuil. (wh) glomerated	France	1830.	4.	5.	H	⊙	
28	grandiflòrum DC. (wh) large-flowered	Italy	1820.	6.	7.	H	♃	W. et K. hung. 2. t. 168.
29	argénteum M.B. (wh) silvery-leaved	Iberia	1821.	——		H	♃	
30	tomentòsum DC (wh) white-leaved	S. Europe	1648.	——		H	♃	Col. phyt. ed. 1744. t. 31.
31	Bieberstemii DC. (wh) Bieberstein's	Tauria	1820.	——		H	♃	DC. pl. rar. gen. t. 11.
32	lanàtum DC. (wh) woolly	Pyrenees	——	——		H	♃	
33	alpinum DC. (wh) Alpine	Britain	....	——		H	♃	Eng. bot. 472.
34	ovàtum DC. (wh) oval-leaved	Carinthia	1816.	——		H	♃	
35	latifòlium DC. (wh) broad-leaved	Britain	....	——		H	♃	Eng. bot. 473.
36	glaciàle DC. (wh) icy	Switzerland	1819.	——		H	♃	
37	aquáticum E.B. (wh) water	Britain	....	——		Hw	♃	Eng. bot. 538.
38	sylváticum DC. (wh) wood	Hungary	1826.	——		H	♃	W. et. K. hung. 1. t. 97.
39	arvénse DC. (wh) field	———	....	5.	8.	H	♃	Eng. bot. 93.
40	rèpens W. (wh) creeping	S. Europe	1759.	5.	7.	H	♃	Lam. ill. t. 392. f. 2.
41	stríctum W. (wh) upright	Austria	1793.	——		H	♃	Scop. carn. t. 19. f. 1.
42	suffruticòsum W. (wh) suffruticose	S. Europe	1796.	——		H	♃	
43	pensylvánicum DC. (wh) Pensylvanian	N. America	1823.	——		H	♃	
44	pubéscens DC. (wh) pubescent	———	1822.	——		H	♃	
45	Colsmánni D.S. (wh) Colsmann's	Magellan	1827.	6.	7.	H	♃	
46	dioícum H.K. (wh) Spanish	Spain	1766.	——		H	♃	
47	pilòsum Led. (wh) hairy-leaved	.....	1823.	——		H	♃	
48	Sprengèlii DC. (wh) Sprengel's	.....	——	——		H	♂	
49	Tenoreànum DC. (wh) Tenore's	Italy	1825.	——		H	⊙	
50	Samniànum DC. (wh) Samnian	———	——	——		H	♃	
51	hirsùtum DC. (wh) hairy	———	——	——		H	♃	
52	glandulòsum Lk. (wh) glandular	.....	1827.	——		H	♃	
53	inflàtum Lk. (wh) inflated	.....	——	——		H	⊙	

CHERLE'RIA DC. CHERLE'RIA. (J. H. Cherler, ass. of J. Bauhin, in Hist. pl.) Decand. Trig

	sedoìdes DC. (wh) dwarf	Scotland	....	7.	8.	H	♃	Eng. bot. 1212.

SPERGULA'STRUM DC. SPERGULA'STRUM. (same derivation as Spergula.) Decand. Tri-Tetrag

	lanuginòsum DC. (wh) woolly	N. America	1821.	6.	7.	H	♃	

ORDER XXIX.

ELATI'NEÆ. *DS.* 1. *p.*

ELA'TINE DC. WATERWORT. (ἐλάτη, a fir; leaves.) Octandria Tetragynia.

1	hydrópiper DC. (wh) octandrous *tripétala.* Smith.	Britain	....	7.	8.	H	w ♃	Eng. bot. t. 955.
2	hexándra DC. (wh) hexandrous	———	....	——		H	w ♃	DC. ic. rar. 1. t. 43. f. 1.

BE'RGIA DC. BE'RGIA. (P. J. Bergius; prof. nat. hist. Stockholm.) Decandria Pentagynia.

	verticillàta DC. (wh) verticillate	E. Indies	1826.	7.	10.	H	⊙	Del. egyp. t. 26. f. 1

ORDER XXX.

LI'NEÆ. *DC. prodr.* 1. *p.* 423.

LI'NUM DC. FLAX. (*Llin*, in Celtic a thread; hence λινον in Gr.) Pentandria Pentagynia.

1	gállicum DC.	(*ye*) annual yellow	France	1777.	7. 8.	H	☉	Flor. græc. t. 303.
2	aúreum DC.	(*ye*) golden	Hungary	1823.	——	H	☉	W. et K. hung. 2. t. 177.
3	tènue DC.	(*ye*) slender	Barbary	1826.	——	H	☉	Desf. atl. 1. t. 81.
4	lutèolum DC.	(*ye*) yellowish	Tauria	——	——	H	☉	Buxb. cent. 5. t. 59.
5	Berendièri B.M.	(*ye*) Berendier's	Texas	1835.	8.	H	☉	Bot. mag. t. 3480.
6	nodiflòrum DC.	(*ye*) knotted	Italy	1759.	7. 8.	H	♃	Flor. græc. t. 307.
7	stríctum DC.	(*ye*) upright	S. Europe	——	5. 7.	H	♂	——— t. 304.
8	rígidum DC.	(*st*) stiff-leaved	Missouri	1807.	7.	H	☉	
9	virginiànum DC.	(*ye*) Virginian	N. America	——	——	H	♂	
10	mexicànum DC.	(*ye*) Mexican	Mexico	1827.	8.11.	F	♃	Bot. reg. 1326.
11	dahùricum DC.	(*ye*) Dahurian	Dahuria	1822.	6. 8.	H	♃	
12	marítimum DC.	(*ye*) sea	S. Europe	1596.	7. 8.	H	♃	Jacq. vind. 2. t. 154.
13	arbòreum R.S.	(*ye*) shrubby	Candia	1788.	5. 8.	G	♄	Flor. græc. t. 305.
14	campanulàtum D.S.	(*ye*) glaucous-ld.	S. Europe	1795.	——	H	♄	Lob. ic. 414.
15	taúricum DS.	(*ye*) Taurian	Tauria	1818.	6. 8.	H	♄	
	campanulàtum. Bieb.							
16	capitàtum R.S.	(*ye*) headed	Hungary	1826.	6.10.	H	♃	
17	flàvum W.	(*ye*) yellow	S. Europe	1793.	——	H	♄	Swt.br.fl.gar.s.2.t.303.
18	trígynum DC.	(*ye*) three-styled	E. Indies	1799.	10.3.	G	♄	Bot. mag. 1100.
19	monógynum D.S.	(*wh*) monogynous	N. Zealand	....	6.	F	♃	Swt.br.fl.gar.s. 2. t.270.
20	africànum DC.	(*ye*) African	C. B. S.	1771.	6. 7.	G	♄	Bot. mag. 403.
21	quadrifòlium DC.	(*ye*) four-leaved	———	1787.	5. 6.	G	♄	——— 431.
22	viscòsum DC.	(*pi*) viscous	S. Europe	1821.	6. 8.	H	♃	Scop. carn. n. 383. t. 11.
23	striàtum D.S.	(*bl*) striated	N. America	1817.	6. 7.	H	♃	
24	Cummíngii Lodd.	(*ye*) Cumming's	Chili	1830.	——	F	♄	Lod. bot. cab. t. 1996.
25	hypericifòlium P.L.	(*pi*) Mallow-fld.	Caucasus	1807.	——	H	♃	Bot. mag. 1048.
	venústum. A.R. 477.							
26	hirsùtum W.	(*bl*) hairy	Austria	1759.	7. 8.	H	♃	Jacq. aust. 1. t. 31.
27	ascyrifòlium B.M.	(*w.b.*) blue & white	Portugal	1800.	——	H	♃	Bot. mag. 1087.
28	nervòsum DC.	(*bl*) nervose	Hungary	1820.	——	H	♃	W. et K. hung. 2. t. 105.
29	narbonénse DC.	(*bl*) Narbonne	S. France	1759.	5. 7.	F	♃	Barr. ic. t. 1007.
30	usitatíssimum DC.	(*bl*) common	Britain	....	6. 7.	H	☉	Eng. bot. 1357.
31	marginàtum DC.	(*bl*) white-margined	.....	1823.	——	H	♃	
	angustifòlium. W. en. *non* E.B.							
32	reflèxum DC.	(*bl*) reflexed-leaved	S. Europe	1777.	7.	H	♃	
33	squamulòsum DC.	(*bl*) scaly	Tauria	1821.	6. 8.	H	♃	
34	diffùsum DC.	(*bl*) spreading	.....	1823.	——	H	♃	
35	angustifòlium DC.	(*bl*) narrow-leaved	England	....	7.	H	♃	Eng. bot. 381.
36	agréste D.S.	(*wh*) field	Portugal	1836.	6. 7.	H	☉	
37	sibíricum DC.	(*bl*) Siberian	Siberia	1775.	6. 7.	H	♃	Mill. ic. t. 166. f. 2.
	austrìacum. B. M. 1806.							
38	Lewísii Ph.	(*bl*) Lewis's	N. America	1824.	——	H	♃	Bot. reg. 1163.
39	ánglicum DC.	(*bl*) English	England	....	6. 8.	H	♃	Eng. bot. 40.
	perénne. E.B.							
	β procúmbens DC.	(*bl*) *procumbent*	———	....	——	H	♃	
40	austrìacum DC.	(*bl*) Austrian	Austria	1775.	6. 7.	H	♃	Jacq. aust. t. 418.
41	montànum DC.	(*bl*) mountain	Switzerland	....	7. 8.	H	♃	Scop. carn. ed. 2. t. 11.
42	alpìnum DC.	(*bl*) Alpine	Austria	1739.	——	H	♃	Swt. br. fl. gar. t. 17.
43	decúmbens D.S.	(*re*) decumbent	N. Africa	1817.	6. 7.	H	♃	Desf. atl. 1. t. 79.
44	grandiflòrum DS.	(*re*) great-flowered	———	1820.	6. 7.	F	♃	——— 1. t. 78.
45	tenuifòlium DC.	(*li*) slender-leaved	Europe	1759.	6. 7.	H	♃	Jacq. aust. 3. t. 215.
46	salsoloìdes DC.	(*fl*) Salt-wort-like	S. France	1823.	7. 8.	H	♄	
47	suffruticòsum DC.	(*fl*) Spanish	Spain	1759.	8.	F	♄	Cav. ic. 2. t. 108.
48	cathárticum DC.	(*wh*) purging	Britain	....	6. 8.	H	☉	Eng. bot. 382.

RADI'OLA DC. RADI'OLA. (*radiolus*, a little ray; capsules.) Tetrandria Tetragynia.

	linoìdes DC.	(*wh*) All-seed	Britain	....	7. 8.	H	☉	Eng. bot. 893.
	millegràna. E.B. *Linum Radìola*. L.							

ORDER XXXI.

MALVA'CEÆ. *DC. prodr.* 1. *p.* 429.

MA'LOPE DC.		MA'LOPE. (*μαλος*, tender; leaves soft.)							Monadelphia Polyandria.
1	malacoìdes DC.	(*pu*)	Barbary	Barbary	1710.	6. 7.	G	♂	Cav. diss. 2. t. 27. f. 1.
2	trífida DC.	(*pu*)	trifid	———	1808.	7. 8.	H	⊙	Swt. br. fl. gar. t. 153.
MA'LVA DC.		MALLOW. (*μαλαχη*, soft; qualities.)							Monodelphia Polyandria.
1	tricúspidàta DC.	(*ye*)	Jamaica	W. Indies	1726.	7. 8.	S	♂	Cav. diss. 2. t. 22. f. 2.
	coromandeliàna W. *americàna*. Cav.								
2	americàna DC.	(*ye*)	American	———	1756.	6. 7.	H	⊙	
3	scàbra DC.	(*ye*)	rough-stemmed	Peru	1798.	——	G	♄	Cav. diss. 5. t. 138. f. 1.
	scopària. Jacq. ic. 139.								
4	scopària DC	(*ye*)	Birch-leaved	———	1782.	8. 9.	G	♄	L. her. stirp. t. 27.
5	borbónica DC.	(*ye*)	Bourbon	Mauritius	1816.	7. 8.	S	♄	
6	polystàchya DC.	(*ye*)	many-spiked	Peru	1798.	——	G	♄	Cav. dis. 5. t. 138. f. 3.
7	spicàta DC.	(*ye*)	simple-spiked	Jamaica	1726.	9.10.	S	♄	——— 2. t. 20. f. 4.
8	ovàta L. en.	(*ye*)	oval-leaved	Brazil	....	——	S	♄	——— 2. t. 20. f. 2.
9	subhastàta DC	(*ye*)	subhastate	S. America	1821.	7.10.	S	♄	——— 2. t. 21. f. 3.
10	tomentòsa DC.	(*ye*)	tomentose	India	1820.	——	S	♄	Pluk. alm. t. 355. f. 1.?
11	waltherifòlia DC.	(*ye*)	Waltheria-ld.'	Java	1824.	....	S	♃	
12	trachelifòlia DC.	(*ye*)	Trachelium-ld	.....	——	7. 8.	H	⊙	
13	gangética DC.	(*ye*)	Indian	E. Indies	——	——	H	⊙	Pluk. t. 74. f. 6.
14	lepròsa DC.	(*pu*)	leprous	Cuba	1815.	5. 7.	S	♃	
15	Sherardiàna DC.	(*re*)	Sherard's	Bithynia	....	——	S	♃	Cav. dis. 2. t. 26. f. 4.
16	crética	(*fl*)	Cretan	Crete	1828.	——	H	⊙	——— 5. t. 138. f. 2.
17	hispánica DC.	(*ro*)	Spanish	Spain	1710.	7.	H	⊙	Desf. atl. 2. t. 170.
18	stipulàcea DC.	(*pu*)	long-stipuled	———	1815.	6. 8.	H	⊙	Cav. dis. 2. t. 15. f. 2.
19	ægy'ptia DC.	(*bh*)	Egyptian	Egypt	1739.	6. 7.	H	⊙	——— 2. t. 17. f. 1.
20	trífida. DC.	(*bl*)	large-flowered	Spain	1815.	——	H	⊙	——— 5. t. 137. f. 2.
21	Tournefortiàna. DC.	(*r*)	Tournefort's	———	1759.	7. 8.	H	⊙	——— 2. t. 17. f. 3.
22	Alcèa DC.	(*pi*)	Vervain	Europe	1597.	7.10.	H	♃	Bot. mag. 2297.
23	Morènii S.S.	(*pi*)	Moreni's	Italy	1824.	——	H	♃	——— 2793.
	alceoìdes. Ten. fl. nap. t. 64.								
24	purpuràta B.R.	(*pu*)	purple	Chili	1825.	6.10.	H	♃	Bot. reg. t. 1362.
25	moschàta DC	(*pi*)	musk	Britain	....	7. 8.	H	♃	Eng. bot. 754.
	β *laciniàta* DC.	(*wh*)	*white-flowered*	.....	....	——	H	♃	Bot. mag. 2298.
26	hirsùta T.	(*pi*)	hairy	Sicily	1822.	——	H	⊙	
27	fastigiàta DC.	(*re*)	fastigiate	Spain	1828.	6. 8.	H	♂	Cav. dis. 2. t. 23. f. 2.
28	mauritiàna DC.	(*pu*)	Ivy-leaved	S. Europe	1768.	6. 7.	H	⊙	Swt. br. fl. gar. 81.
29	excélsa Pr.	(*pu*)	tall	Sicily	1828.	——	H	♃	
30	sylvéstris DC.	(*pu*)	common	Britain	....	5.10.	H	♃	Eng. bot. 671.
31	boreàlis Wallr.	(*pu*)	Northern	N. Europe	1836.	——	H	♂	
32	vulgàris T.	(*pu*)	prostrate	Italy	1827.	——	H	♂	
33	Henníngii DC.	(*pu*)	Henning's	Moscow	1823.	6. 8.	H	♃	
34	rotundifòlia DC.	(*wh*)	round-leaved	Britain	....	6. 9.	H	⊙	Eng. bot. 1092.
	β *pusilla* B.R.	(*wh*)	*dwarf*	———	....	——	H	⊙	——— 241.
35	brasiliénsis DC.	....	Brazilian	Brazil	1820.	——	S	♃	
36	nicænsis DC.	(*w.p.*)	Italian	Italy	1823.	——	H	⊙	Cav. dis. 2. t. 25. f. 1.
37	microcárpa DC.	(*fl*)	small-fruited	Egypt	——	——	H	⊙	
38	parviflòra DC.	(*ro*)	small-flowered	Barbary	1799.	6. 7.	H	⊙	Cav. dis. 2. t. 25. f. 1.
39	verticillàta DC.	(*w.p.*)	whorl-flowered	China	1683.	——	H	⊙	Jacq. vind. 1. t. 40.
40	mareótica DC.	(*fl*)	headed	Egypt	1828.	6.10.	H	⊙	
41	crispa DC.	(*bh*)	curled	Syria	1573.	6. 8.	H	⊙	Cav. dis. 2. t. 23. f. 1.
42	bonariénsis DC.	(*re*)	Buenos-Ayrean	Buen. Ayres	1820.	7. 8.	H	⊙	
43	flexuòsa DC.	(*re*)	flexuose	.....	1823.	6. 8.	H	⊙	
44	amœ'na DC.	(*pi*)	lobe-leaved	C. B. S.	1796.	4. 8.	G	♄	Bot. mag. 1998.
	calycina B.R. 297.								
45	calycìna DC.	(*pi*)	large-calyxèd	———	1812.	——	G	♄	Cav. dis. 2. t. 23. f. 4.
46	virgàta DC.	(*fl*)	twiggy	———	1727.	5. 7.	G	♄	——— 2. t. 18. f. 2.
47	capénsis DC.	(*w.r.*)	Cape	———	1713.	1.12.	G	♄	Bot. reg. 295.
48	balsámica DC.	(*re*)	balsalmic	———	1800.	5. 9.	G	♄	Jacq. ic. 1. t. 140.
49	oxyacanthoìdes. DC.	(*w.r.*)	Hawthorn-ld.	———	1825.	——	G	♄	

50	trydactylìtes DC.	(*wh*)	reflex-flowered	C. B. S.	1791.	6. 8.	G	♄	Cav. dis. 2. t. 21. f. 2.
	reflèxa A.R. t. 135.								
51	divaricàta DC.	(*wh*)	straddling	———	1792.	6. 9.	G	♄	And. bot. rep. 182.
52	retùsa DC.	(*y.bh*)	blunt-leaved	———	1803.	3. 5.	G	♄	Cav. dis. 2. t. 21. f. 1.
53	frà̀grans DC.	(*pu*)	fragrant	———	1759.	5. 7.	G	♄	Bot. reg. 296.
54	strìcta DC.	(*w.r*)	upright	———	1805.	5. 8.	G	♄	Jacq. schœnb. 3. t. 294
55	bryonifòlia DC.	(*re*)	Bryony-leaved	———	1731.	7. 8.	G	♄	Wend. h. her. 1. t. 4.
56	grossulariæfòlia DC.	(*r*)	Gooseberry-ld.	———	1732.	5. 9.	G	♄	Bot. reg. 561.
57	aspérrima DC.	(*wh*)	roughest	———	1796.	——	G	♄	Jacq. schœnb. 2. t. 139
58	láctea DC.	(*wh*)	panicled-white	Mexico	1780.	1. 2.	G	♄	Cav. ic. 1. t. 30.
	vitifòlia Cav.								
59	concínna K.W.	(*bl*)	neat	S. America	1835.	4. 6.	S	♄	Flor. cab. t. 38.
60	capitàta DC.	(*pu*)	various leaved	Peru	1798.	11.12.	G	♄	Cav. dis. 5. t. 137. f. 1.
61	miniàta DC.	(*re*)	painted	S. America	——	4. 5.	G	♄	Swt.br.fl.gar.s.2.t.120.
62	Munroàna B.R.	(*sc*)	Munro's	N. America	1827.	5.10.	F	♃	Bot. reg. t. 1306.
63	campanulàta B.C.	(*re*)	campanulate	———	1825.	10.	F	♃	Bot. cab. 1670.
64	operculàta DC.	(*pu*)	lid-capsuled	Peru	1795.	7. 8.	G	♄	Cav. dis. 2. t. 35. f. 1.
65	peruviàna DC.	(*pu*)	Peruvian	———	1759.	6. 8.	H	⊙	Jacq. vind. 2, t. 156.
66	liménsis DC.	(*bl*)	blue-flowered	———	1768.	——	H	⊙	——— 2. t. 140.
67	itálica DC.	(*re*)	Italian	Italy	1826.	——	H	♃	
68	anómala L en	(*re*)	anomalous	C. B. S.	——	——	G	♃	Pl. sel. hort. ber. t. 22.

SPHÆRA'LCEA DS. SPHÆRA'LCEA. (σφαιρα, a sphere; and αλκεα, mallow.) Monadel. Polyan.

1	umbellàta DC.	(*cr.*)	umbelled	S America.	1814.	1. 3.	G	♄	Bot. reg. t. 1608.
	Málva umbellàta Cav.								
2	ròsea DC.	(*ro*)	rose-coloured	Mexico	1828.	——	F	♄	Flor. mex. ic. ined.
3	abutiloìdes DC.	(*pu*)	Bahama	Bahama Isl.	1725.	6. 9.	G	♄	Jacq. schœnb. 3. t. 293.
4	obtusíloba B.M.	(*pu*)	blunt-lobed	Chili	1824.	7. 8.	F	♄	Bot. mag. 2787.
5	élegans DC.	(*y.re*)	elegant	C. B. S.	1791.	5. 8.	G	♄	Cav. dis. 2. t. 16. f. 1.
6	angustifòlia DC.	(*li*)	narrow-leaved	Mexico	1780.	8.	G	♄	Bot. mag. 2839.

MODI'OLA D.S. MODI'OLA. (*modiolus*, the nathe of a wheel.) Monadelphia Polyandria.

1	caroliniàna DC.	(*re*)	Carolina	Carolina	1723.	6. 7.	H	⊙	Cav. dis. 2. t. 15. f. 1.
	Málva Caroliniàna L.								
2	prostràta DC.	(*sc*)	trailing	Brazil	1806.	5. 7.	G	♃	Bot. mag. 2515.
3	decúmbens DC.	(*re*)	decumbent	S. America	1815.	6. 8.	G	♃	

KITAIBE'LIA DC. KITAIBE'LIA. (Paul Kitaibel, prof. bot. Pest.) Monadelphia Polyandria.

	vitifòlia DC.	(*wh*)	vine-leaved	Hungary	1801.	7. 9.	H	♃	Bot. mag. 821.

ALTHÆ'A DC. ALTHÆ'A. (αλθω, to cure; effects.) Monadelphia Polyandria.

Sect. 1. ALTHÆA'STRUM; *carpels emarginate, without membranous wings; involucel usually* 8 *or* 9-*cleft.*

1	officinàlis DC.	(*fl*)	Marah-Mallow	Britain	....	7. 9.	H	♃	Eng. bot. 147.
2	taurinénsis DC.	(*pu*)	intermediate	S. Europe	1823.	——	H	♃	
3	narbonénsis DC.	(*pu*)	Narbonne	———	1780.	8. 9.	H	♃	Jacq. ic. 1. t. 138.
4	cannábina DC.	(*ro*)	Hemp-leaved	———	1597.	6. 7.	H	♃	Jacq. aust. 2. t. 101.
5	hirsùta DC.	(*bh*)	hairy	England	1683.	——	H	⊙	Eng. bot. t. 2674.
6	Ludwígii DC.	(*wh*)	Ludwig's	Sicily	1791.	——	H	⊙	Cav. ic. 5. t. 423.
7	leucántha Fisch.	(*wh*)	white-flowered	M. Sinai	1826.	6.10.	H	♂	
	nudiflòra F.								

Sect. 2. ALCE'A; *carpels surrounded by membranous furrowed margins; involucels* 6-7-*cleft.*

8	Froloviàna F	(*ye*)	Siberian	Siberia	1826.	6. 8.	H	♂	
9	glabrifòlia Led.	(*pu*)	smooth-leaved	———	1827.	——	H	♂	
10	acaúlis DC.	(*p.ye*)	stemless	Aleppo	1680.	——	H	⊙	Cav. dis. 2. t. 27. f. 3.
11	carribæ'a DC	(*ro*)	West Indian	W. Indies	1816.	3. 4.	S	♂	Bot. mag. 1916.
12	striàta DC.	(*li*)	streaked	.....	1820.	6. 8.	H	♂	
13	pállida DC.	(*li*)	pale-flowered	Hungary	1805.	——	H	♂	
14	ròsea DC.	(*va*)	Hollyhock	China	1573.	7. 9.	H	♂	Cav. dis. 2. t. 28. f. 1.
	β bíloba DC.	(*va*)	*two-lobed*	.....	....	——	H	♂	
15	sinénsis DC.	(*v*)	China	———	....	——	H	⊙	Cav. dis. 2. t. 29. f. 3.
16	flexuòsa DC.	(*pu*)	flexuose	E. Indies	1803.	6. 8.	S	♃	Bot. mag. 892.
17	ficifòlia DC.	(*ye*)	Fig-leaved	Levant	1597.	6. 9.	H	♂	Cav. dis. 2. t. 28. f. 2.

LAVATE'RA DC. LAVATE'RA. (Two Lavaters, physicians of Zurich.) Monadelphia Polyan.

Sect. 1. STE'GIA; *axis of fruit expanded at top into a disk which conceals the ovaria.*

1	triméstris DC.	(*li.w*)	common annual	S. Europe	1633.	7. 9.	H	⊙	Bot. mag. 109.
2	pseùdo-ólbia DC.	(*pu*)	false olbia	.....	1817.	6. 7.	F	♄	

Sect. 2. O'LBIA; *axis of fruit conical, central, protruding.*

3	phœnícea DC.	(*cr*)	scarlet	Madeira	1823.	6. 9.	G	♄	Vent. malm. t. 120.
4	acerifòlia DC.	(*li*)	Maple-leaved	Teneriffe	——	——	G	♄	Lois. h. amat. t. 322.
5	híspida DC.	(*ro*)	hispid	Algiers	1804.	6. 7.	G	♄	Desf. atl. 2. t. 171.
6	O'lbia DC.	(*pu*)	downy-leaved	France	1570.	6.10.	G	♄	Cav. dis. 2. t. 32. f. 2.
7	unguiculàta DC.	(*pu*)	clawed	Greece	1807.	7. 9.	G	♄	

8 mìcans DC.	(*pu*) glittering	Spain	1796.	6. 7.	G	♄	Moris. ox. t. 17. f. 9.
9 lusitánica DC.	(*pu*) Portugal	Portugal	1731.	8. 9.	G	♄	
10 flàva DC.	(*ye*) yellow	Sicily	1823.	6. 8.	H	♃	Desf. atl. 2. t. 172.
11 plebèia B.M.	(*li*) vulgar	N. S. W.	1820.	——	G	♃	Bot. mag. 2269.
Weinmannièna Bes.							
12 thuringiaca DC.	(*pu*) large-flowered	Germany	1731.	7. 9.	H	♃	Bot. mag. 517.
13 biénnis DC	(*pu*) biennial	Caucasus	1823.	5. 8.	H	♂	
14 lanceolàta DC.	(*pu*) lanceolate	.....	1817.	7. 9.	H	⊙	
15 punctàta DC.	(*bh*) spotted-stalked	Italy	1800.	——	H	⊙	

Sect. 3. Axo'lopha; *axis of fruit truncate at top, and expanded into a crest.*

16 marìtima DC.	(*wh*) sea side	S. Europe	1597.	4. 6.	G	♄	Bot. reg. t. 1597.
17 tríloba DC.	(*li*) three lobed	Spain	1759.	6. 7.	G	♄	Bot. mag. 2226.

Sect. 4. Anthe'ma; *axis of fruit small, foveolate, not protruding in any way.*

18 arbòrea DC.	(*li*) Tree Mallow	Britain	....	7.10.	H	♂	Eng. bot. 1841.
19 neapolitàna DC.	(*pu*) Neapolitan	Naples	1823.	——	H	♃	
20 crética DC.	(*pu*) Cretan	Crete	1723.	7. 9.	H	⊙	Cav. dis. 2. t. 32. f. 1.
21 lanceolàta W.en.	(*pu*) spear-leaved	.....	1823.	——	H	⊙	
22 sylvéstris DC.	(*pu*) wood	Portugal	——	——	H	⊙	
23 ambigua DC.	(*pu*) ambiguous	Naples	1824.	——	H	⊙	
24 móllis Ehr.	(*pu*) soft	Egypt	1825.	7.10.	H	⊙	

MA'LACHRA DC. Ma'lachra. (Name given to a Persian tree by Pliny.) Monadel. Polyandria.

1 rotundifòlia DC.	(*ro*) round-leaved	Brazil	1823.	6. 9.	S	⊙	Schrank. h. mon. t. 56.
2 capitàta DC.	(*ye*) headed	W. Indies	1759.	8. 9.	S	⊙	Cav. dis. 2. t. 33. f. 1. 2.
3 fasciàta DC.	(*ro*) fasciate	Caracas	1820.	——	S	⊙	Jacq. ic. 3. t. 548.
4 tríloba DC.	(*wh*) three-lobed	.....	——	——	S	⊙	
5 radiàta DC.	(*pu*) rayed	S. Domingo	1794.	7. 9.	S	♂	Cav. dis. 2. t. 33. f. 3.
6 alcæfòlia DC.	(*ye*) Hollyhock-ld	Caracas	1805.	8. 9.	S	⊙	Jacq. ic. 3. t. 549.
7 heptaphy'lla DC.	(*ye*) many-flowered	Brazil	1820.	6.10.	S	♃	
fasciàta B. reg. 467. *non* DC.							
8 palmàta DC.	(*ye*) palmate	.....	1825.	——	S	⊙	

URE'NA DC. Ure'na. (*Uren*, Malabar name of one species.) Monadelphia Polyandria.

1 lobàta DC.	(*ro*) angular-leaved	China	1731.	6. 7.	S	♄	Bot. mag. t. 3043.
2 speciòsa Wal.	(*pk*) showy	Ava	1828.	11.	S	♄	Wal. pl. as. rar. t. 26.
3 scabriúscula DC.	(*ro*) roughish	India	1820.	6. 7.	S	♄	Cav. dis. 6. t. 185. f. 1.
4 repánda DC.	(*ro*) netted-leaved	———	——	——	S	♄	
5 multífida DC.	(*ye*) multifid	Mauritius	1817.	10.1.	S	♄	Cav. dis. 6. t. 184. f. 2.
6 Siebèri D.S.	(*re*) Sieber's	I. of France	....	6. 7.	S	♄	Coll. hort. rip. t. 39.
7 tricúspis DC.	(*ye*) three-pointed	———	1820.	6. 9.	S	♄	Cav. diss. 6. t. 183. f. 1.
8 reticulàta DC.	(*ye*) netted	S. Domingo	1816.	——	S	♃	———6. t. 183. f. 2.
americàna L. *non* Sm.							
9 subtríloba DC.	(*re*) various-leaved	Brazil	1823.	——	S	⊙	Schrank. h. mon. t. 79.
10 Swártzii DC.	(*re*) Swartz's	Surinam	....	——	S	♄	
sinuàta Sw. *americàna*. Sm.							
11 sinuàta DC.	(*re*) cut-leaved	E. Indies	1759.	7. 8.	S	♄	Cav. dis. 6. t. 185. f. 2.
12 muricàta.	(*re*) muricate-fruit'd	———	1823.	——	S	♄	
13 heterophy'lla DC.	(*re*) variable-leaved	———	1818.	6. 7.	S	♄	Burm. zeyl. t. 59. f. 2.

PAVO'NIA DC. Pavo'nia. (Joseph Pavon, M.D. of Madrid.) Monadelphia Polyandria.

Sect. 1. Typha'lea; *carpels echinated, each usually furnished with three awns, which are covered with retrogade bristles.*

1 spìnifex DC.	(*ye*) prickly-seeded	W. Indies	1778.	7. 8.	S	♄	Bot. reg. 399.
2 Typhàlea DC.	(*wh*) globular-headed	———	1823.	——	S	♄	Cav. dis. 2. t. 197.
3 typhalæòides DC	(*re*) typhalea-like	Trinidad	1824.	6. 8.	S	♄	
4 ùrens DC.	(*ro*) stinging	Mauritius	1801.	7. 8.	S	♄	Jacq. ic. 3. t. 522.

Sect. 2. Ma'lache; *carpels unarmed, sometimes tubercled; involucel of* 5-15 *leaves, shorter than the calyx.*

5 coccínea DC.	(*sc*) scarlet	S. Domingo	1816.	7. 8.	S	♄	Cav. dis. 3. t. 47. f. 1.
6 Columélla DC.	(*pu*) angular-leaved	Bourbon	1807.	——	S	♄	——— 3. t. 48. f. 3.
7 parviflòra DC.	(*st*) small-flowered	.....	1820.	——	S	♄	
8 racemòsa DC.	(*ye*) naked-racemed	Jamaica	——	——	S	♄	Cav. dis. 3. t. 46. f. 1.
spicàta. Cav.							
9 præmórsa DC.	(*ye*) bitten-leaved	C. B. S.	1774.	6. 8.	G	♄	Bot. mag. 436.

Sect. 3. Cancella'ria; *carpels unarmed: involucel of* 5-15 *leaves, longer than the calyx.*

10 paniculàta DC.	(*ye*) panicled	Caracas	1823.	6. 8.	S	♄	Cav. dis. 3. t. 46. f. 2.
11 odoràta DC.	(*re*) fragrant	E. Indies	1807.	——	S	♄	
12 corymbòsa DC.	(*ye*) corymbose	Jamaica	1818.	7. 8.	S	♄	
13 sidoìdes DC.	(*re*) Sida-like	E. Indies	1820.	6. 8.	S	♂	
14 zeylánica DC.	(*bh*) Ceylon	———	1790.	7. 9.	S	⊙	Burm. ind. t.48. f. 2.
15 cancellàta DC.	(*st*) arrow-leaved	Surinam	1823.	——	S	⊙	Lin. sup. t. 311.

MALVAVI'SCUS. DC. Acha'nia (*Malva* and *viscus*, glue; clammy.) Monadelphia Polyandria.

1 arbòreus DC.	(*sc*)	smooth-leaved	Jamaica	1714.	1.12.	S	♄	Cav. dis. 3. t. 48. f. 1
Achània malvaviscus. W.								
2 mòllis DC.	(*sc*)	soft-leaved	Mexico	1780.	——	S	♄	Bot. reg. 11.
Achània mòllis. B.R.								
3 pilòsus DC.	(*sc*)	hairy	Jamaica	1780.	10.11.	S	♄	Lodd. bot. cab. 829.

LEBRETO'NIA. DC. LEBRETO'NIA. (Manuel Le Breton, a French Bot.) Monadelphia Polyandr

coccìnea DC.	(*sc*)	scarlet	Brazil	1823.	6. 8.	S	♄	Schrank. h. mon. t. 9

HIBI'SCUS. DC. HIBI'SCUS. (*ἰβισκος*, Greek name for the Mallow.) Monadelphia Polyandria.

Sect. 1. CREMO'NTIA; *corolla convolute, cylindrical; stigmas* 5; *cells of capsule many-seeded.*

1 liliiflòrus DC.	(*va*)	Lily-flowered	Bourbon	1822.	8.12.	S	♄	Cav. dis. 3. t. 57. f. 1
2 Boryànus DC.	(*wh*)	BorySt.Vincent's	——	1826.	6.10.	S	♄	
3 pedunculàtus DC.	(*pi*)	long-peduncled	C. B. S.	1812.	5.12.	S	♄	Bot. reg. 231.
4 Lámpas DC	(*st*)	three-pointed	E. Indies	1806.	10.2.	S	♄	Cav. dis. 3. t. 56. f. 2
5 membranàceus DC.	(*y*)	leafy-calyxed	.....	1816.	....	S	♄	—— 3. t. 57. f. 2.
6 spiràlis DC.	(*y.fl*)	spiral	Mexico	1826.	6. 9.	G	♄	Cavun. ic. 2. t. 162.
7 senegalénsis DC.	(*y.p*)	Senegal	Senegal	1826.	6. 7.	S	♄	Cav. dis. 3. t. 68. f. 1
8 tubulòsus DC.	(*y.p*)	tubular	E. Indies	1796.	7.10.	S	♂	Cav. dis. 3. t. 68. f. 2

Sect. 2. PENTASPE'RMUS; *corollas expanded: valves of capsule bearing each a dissepiment in t middles; cells one-seeded.*

9 pentacárpos DC.	(*bh*)	angular-fruited	Venice	1752.	7.10.	G	♃	Jacq. ic. 1. t. 143.
10 virgínicus DC.	(*ro*)	Virginian	Virginia	1798.	——	H	♃	—— 1. t. 142.
11 pentaspérmus DC.	(*ye*)	five-seeded	Jamaica	1825.	——	S	♄	

Sect. 3. MA'NIHOT; *cells of capsule many-seeded; seeds smooth; involucel* 4-6-*leaved; caly spathaceous,* 5-*toothed, ruptured, at the side.*

12 Mánihot DC.	(*y.p*)	palmated	E. Indies	1715.	7. 9.	S	♄	Bot. mag. 1702.
13 palmàtus C.	(*ye.p*)	palmate-leaved	S. America	....	——	S	♄	Cav. dis. 3. t. 63. f. 1;
14 ficúlneus DC.	(*y.p*)	Fig-leaved	Ceylon	1732.	6. 7.	S	♄	—— 3. t. 52. f. 2.
sinuàtus C.								
15 ficulneoìdes B.R.	(*st*)	Fig-like	S. America	1824.	6. 8.	S	♄	Bot. reg. 938
16 tetraphy'llus DC.	(*ye*)	four-leaved	E. Indies	1807.	7.10.	S	⊙	

Sect. 4. KE'TMIA; *cells of capsule many-seeded: seeds smooth; involucel* 5-7-*cleft; calyx* 5-*lobed, not ruptured.*

17 platanifòlius	(*ye*)	Plane-leaved	W. Indies	1820.	——	S	♄	Pl. sel. h. ber. t. 1.
acerifòlius DC. *non.* P.L. *Pavònia platinifòlia.* L. en.								
18 Ròsa-sinénsis DC.	(*sc*)	China Rose	E. Indies	1731.	1.12.	S	♄	Bot. reg. t. 1826.
β *rùbro-plènus*	(*sc*)	*double-red*	——	——	——	S	♄	Lod. bot. cab. 995.
γ *cárneo-plènus*	(*sa*)	*double-salmon*	——	——	——	S	♄	
δ *variegàtus*	(*sc.w*)	*double-striped*	——	——	——	S	♄	Lod. bot. cab. 963.
ε *flàvo-plènus*	(*co*)	*double-buff*	——	——	——	S	♄	—— 513.
ξ *lùteo-plènus*	(*ye*)	*double-yellow*	——	1822.	——	S	♄	—— 932.
19 acerifòlius P.L.	(*va*)	Maple-leaved	China	1798.	3. 6.	G	♄	Sal. par. lond. 22.
20 syrìacus DC.	(*va*)	Althæa frutex	Syria	1596.	8. 9.	H	♄	Bot. mag. 83.
α *purpùreus*	(*pu*)	*purple-flowered*	——	——	——	H	♄	
β *rùber*	(*re*)	*red-flowered*	——	——	——	H	♄	
γ *álbus*	(*wh*)	*white-flowered*	——	——	——	H	♄	
δ *variegàtus*	(*w.p*)	*striped-flowered*	——	——	——	H	♄	
ε *marginàtus*	(*pu*)	*variegated*	——	——	——	H	♄	
ξ *álbo-plènus*	(*wh*)	*double-white*	——	——	——	H	♄	
η *purpùreo-plènus*	(*p*)	*double-purple*	——	——	——	H	♄	
21 prùriens DC.	(*y.pu*)	stinging	E. Indies	1804.	7. 9.	S	♂	Andr. reposit. 498.
22 Genèvii Boj.	(*ro*)	Geneve's	Mauritius	——	6. 7.	S	♄	Bot. mag. t. 3144.
23 Telfairiæ	(*va*)	Mrs. Telfair's	Hybrid.	1825.	1.12.	S	♄	
α *ròseus*	(*ro*)	*rose-coloured*	——	——	——	S	♄	Bot. mag. t. 2891.
β *lilácinus*	(*li*)	*pink*	——	——	——	S	♄	
γ *cárneus*	(*fl*)	*flesh-coloured*	——	——	——	S	♄	
δ *fulvéscens*	(*bf*)	*buff-coloured*	——	——	——	S	♄	
ε *ochroleùcus*	(*st*)	*straw-coloured*	——	——	——	S	♄	

Sect. 5. FURCA'RIA; *cells of capsule many-seeded; seeds smooth; leaves or involucel forked, or furnished with a tooth; calyx glandular.*

24 suratténsis DC.	(*y.p*)	prickly-stalk'd	E. Indies.	1731.	7. 9.	S	⊙	Bot. mag. 1356.
25 radiàtus DC	(*st.p*)	rayed	——	1790.	6. 8.	S	⊙	—— 1911.
26 Líndlei Wal.	(*pu*)	Lindley's	——	1828.	12.	S	♃	Bot. reg. t. 1395.
27 furcàtus DC.	(*ye.p*)	forked	——	1816.	7. 9.	S	⊙	
28 ùnidens B.R.	(*y.p*)	one-toothed	Brazil	1824.	11.4.	S	♄	Bot. reg. 878.
29 scàber DC.	(*st*)	scabrous	Carolina	1810.	7. 9.	G	*w*♃	
30 strigòsus BR.	(*ro*)	strigose	S. America	1822.	1.12.	S	♄	Bot. reg. 860.
31 bifurcàtus DC.	(*pu*)	two-forked	Brazil	1826.	——	S	♄	Cav. dis. 3. t. 51. f. 1.

Sect. 6. ABELMO'SCHUS; *cells of capsule many-seeded; involucels of* 8-15 *entire narrow leaves; stigmas* 5.

32 trilobus DC.	(*co*)	three-lobed	W. Indies	1824.	1.12.	S	♄	Cav. dis. 3. t. 53. f. 2.

33	diversifòlius DC.	(y.p)	different-leaved	E. Indies	1798.	6. 7.	S ♄	Jacq. ic. 3. t. 551.
34	spléndens BM.	(ro)	splendid	N. Holland	1828.	4. 8.	S ♄	Bot. reg. 917.
35	heterophy'llus DC.	(w.p.)	various-leaved	N.S.W.	1808.	8. 9.	G ♄	Bot. reg. 29.
36	cannàbinus DC.	(y.p)	hemp-leaved	E. Indies	1759.	6. 7.	S ♂	Roxb. cor. 2. t. 190.
37	vitifòlius DC.	(y.p)	Vine-leaved	———	1690.	7.10.	S ♂	
38	divaricàtus DS.	(y.p)	divaricate	N. Holland	1829.	——	S ♄	
39	obtusifòlius DC.	(y.p)	blunt-leaved	E. Indies	1820.	——	S ♂	Bot. mag. t. 3025.
40	cancellàtus DS.	(y.p)	latticed	Nepaul	1824.	7. 8.	S ♄	
41	crinìtus D.S.	(ye.p)	hairy	Prome	1828.	9.10.	S ♄	Wall. pl. as. rar. t. 44.
42	Bámmia L. EN.	(y.p)	Egyptian	Egypt	....	6. 7.	S ☉	Tozz. mus. d. fir. 2. t. 7.
43	esculéntus L. EN.	(y.p)	eatable	India	1692.	——	S ☉	Cav. diss. 3. t. 61. f. 2.
44	longifòlius DC.	(ye)	long-leaved	E. Indies	1820.	7. 9.	S ♂	
45	moscheùtos DC.	(w.p)	swamp	N. America	....	8.10.	H w ♃	Swt. br. fl. gar. 286.
46	palústris DC.	(pu)	marsh	———	1759.	7. 9.	H w ♃	Cav. dis. 3. t. 65. f. 2.
47	ròseus DC.	(ro)	rose-coloured	S. Europe	1824.	8.10.	H w ♃	Swt. br. fl. gar. 277.
48	aquáticus DC.	(wh)	water	Etruria	1820.	7. 9.	H w ♃	
49	incànus DC.	(st)	hoary	Carolina	1806.	9.	G w ♃	Wend. h. her. 4. t. 24.
50	militàris DC.	(pu)	smooth	Louisiana	1804.	8. 9.	G w ♃	Bot. mag. 2385.
51	speciòsus DC	(cr)	superb	Carolina	1778.	6. 9.	G w ♃	——— 360.
52	grandiflòrus DC.	(fl)	great-flowered	Georgia	1823.	——	G w ♃	
53	ferrugíneus DC.	(re)	rusty	Madagascar	1820.	——	S ♄	Cav. dis. 3. t. 60. f. 1.
54	lunarifòlius DC	(st.p)	Lunaria-leav'd	E. Indies	.....	——	S ♄	
55	æthiópicus DC	(ye)	dwf-wedge-ld	C. B. S.	1774.	8.	G ♃	Cav. dis. 3. t. 61. f. 1.
56	mutábilis DC.	(va)	changeable	E. Indies	1690.	10.12.	S ♄	Bot. reg. 589.
	β *flòre-plèno*	(va)	*double-flowered*	———	....	——	S ♄	
57	clypeàtus DC.	(r.y)	shield-capsuled	Jamaica	1759.	7. 8.	S ♄	Cav. dis. 3. t. 58. f. 1.
58	Abelmóschus DC.	(ye)	Musk Okro	India	1640.	7. 9.	S ♄	——— 3. t. 62. f. 2.
59	eriocárpus DC.	(ye)	woolly-capsul'd	E. Indies	1820.	——	S ♄	

Sect. 7. BOMBICE'LLA; *cells of capsule many seeded; seeds woolly or cottony; involucels of* 5 *to* 12 *leaves.*

60	phoeníceus BR.	(cr)	crimson-flowd.	S. America	1796.	7. 9.	S ♄	Bot. reg. 230.
61	hírtus L.	(sc)	hairy	E. Indies	....	2.10.	S ♄	Cav. dis. 3. t. 67. f. 3.
62	Ròsa malabárica	(sc)	Malabar Rose	———	1818.	8.10.	S ♄	Bot. reg. 337.
63	rhombifòlius DC.	(wh)	rhomb-leaved	———	1823.	——	S ♄	Cav. dis. 3. t. 69. f. 3.
64	gossy'pinus DC.	(re)	cotton	C. B. S.	1818.	——	G ♄	
65	micránthus DC.	(ye)	small-flowered	E. Indies	1794.	——	S ♄	Cav. dis. 3. t. 69. f. 1.

Sect. 8. TRIO'NUM; *cells of capsule many seeded; seeds smooth; involucel many-leaved; calyx inflated, full of nerves.*

66	Triònum DC.	(st.p)	Bladder Ketmia	Italy	1596.	6. 9.	H ☉	Bot. mag. 209.
67	hispidus BR.	(y.p)	hispid	C. B. S.	....	——	G ♄	Bot. reg. 806.
68	africànus R.B.	(st.p)	African	Africa	1826.	6.10.	H ☉	
69	Richardsòni	(st)	Richardson's	N. S. W.	1822.	——	G ♄	Bot. reg. 875.
70	vesicàrius DC.	(st.p)	African	Africa	1713.	7. 8.	H ☉	Cav. dis. 3. t. 62. f. 2.

Sect. 9. SABDARI'FFA; *cells of capsule many-seeded; seeds smooth; involucel one-leaved, many toothed.*

71	Sabdaríffa DC.	(y.ro)	Indian	E. Indies	1596.	6. 9.	S ♂	Bonp. nav. t. 29.
72	digitàtus DC.	(y.r)	fingered	Brazil	1818.	——	S ☉	Cav. dis. 3. t. 70. f. 2.
	β *Kerriànus* DC.	(w.r)	*Ker's*	Rio Janeiro	——	——	S ☉	Bot. reg. 608.

Species not sufficiently known:—

73	flavéscens	(ye)	flavescent	Brazil	1822.	6. 9.	S ♄	Cav. dis. 3. t. 70. f. 3.
74	borbónicus DC.	(ye)	Bourbon	I. Bourbon	1826.	——	S ♄	
75	Macleayànus. BR.	(ye)	Macleay's	W. Indies	1827.	8. 9.	S ♄	
76	collinus H.B.	(ye)	hill	E. Indies	1822.	....	S ♄	
77	truncàtus HB.	(ye)	truncate	———	——	8.10.	S ☉	
78	scándens H.B.	(ye)	climbing	———	——	....	S ♄	
79	stríctus H.B.	(ye)	upright	———	1809.	8.10.	S ☉	
80	setòsus H.B.	(ye)	bristly	———	1820.	....	S ♄	
81	tortuòsus H.B.	(ye)	twisted	———	1808.	6. 9.	S ♄	
82	pentaphy'llus H.B.	(y)	five-leaved	China	1825.	7. 9.	S ♂	
83	púngens H.B.	(ye)	pungent	Nepaul	——	....	G ♃	
84	frágrans H.B.	(ye)	fragrant	E. Indies	1826.	....	S ♄	

LAGUNA'RIA DS. LAGUNA'RIA (similarity to *Lagunea*). Monadelphia Polyandria.

1	Patersònii DS.	(fl)	Paterson's	Norfolk I.	1792.	6. 8.	S ♄	Andr. rep. 286.
	Hibiscus Patersònii DC.							
2	cuneifórmis DS.		cuneiform	N. Holland	....	——	S ♄	
3	lilácinus SD.	(li)	lilac-flowered	Swan River	1832.	——	S ♄	Bot. reg. t. 2009.
	Hibiscus lilácinus BR.							

PARITIUM DS. PARI'TIUM (*Pariti*, Malabar name of one species). Monadelphia Polyandria.

1	tricúspis DS.	(y.p.)	three-pointed	Society I.	1820.	6. 9.	S ♄	Cav. diss. 3. t. 55. f. 2.
	Hibiscus tricúspis DC.							

2	circinàtum DS.	(*y.p*) circinnate	Caracas	1820.	S	♄	
3	tiliàceum DS.	(*y.p*) lime-tree-like	E. Indies	1739.	S	♄	Bot. reg. t. 232.
	Hibiscus tiliàceus DC.						
4	elàtum DS.	(*y.p*) tall	Jamaica	1790.	S	♄	
5	guineénse DS.	(*y.p*) Guinea	Guinea	1822.	S	♄	
6	gangéticum DS.	(*y.p*) Gangetic	E. Indies	1800.	S	♄	Wall. pl. as. rar. t. 51.
7	macrophy'llum D.T.	(*g.p*) large-leaved	East Indies	1810.	S	♄	
8	abutilòides DS.	(*y.p*) mulberry-like	S. America	1820.	S	♄	Sloan. jam. t. 134. 4.

THESPE'SIA DC. THESPE'SIA. (*θεσπεσιος*, divine; planted about churches.) Monad. Polyand.

	populnea DC.	(*y.p*) Poplar-leaved	E. Indies	1770.	S	♄	Cav. dis. 3. t. 56. f. 1.
	Hibiscus populneus. W.						

GOSSY'PIUM DC. COTTON-TREE. (*gothn*, Arabic, signifying a soft substance.) Monad. Polyan.

1	herbàceum DC.	(*y.p*) common	E. Indies	1594. 7.	S	♂	Roxb. corom. t. 269.
2	índicum DC.	(*y.p*) Indian	———	.... ——	S	♂	Cav. dis. 6. t. 169.
3	arbòreum DC.	(*y.p*) tree	———	1694. 7. 8.	S	♄	———6. t. 195.
4	vitifòlium DC.	(*y.p*) Vine-leaved	———	1805. ——	S	♄	———6. t. 166.
5	hirsùtum DC.	(*ye*) hairy	S. America	1731. ——	S	♂	———6. t. 167.
6	eglandulòsum DC.	(*ye*) glandless	.....	.... ——	S	♂	
7	religiòsum DC.	(*bh*) spotted-bark'd	E. Indies	1777. ——	S	♄	Cav. dis. 6. t. 164. f. 1.
8	latifòlium DC.	(*ye.p*) broad-leaved	.....	.... ——	S	♄	Murr. c. gœt. p. 32. t. 1.
9	barbadénse DC.	(*y.p*) Barbadoes	Barbadoes	1759. 8.10.	S	♂	Bot. reg. 84.
10	obtusifòlium HB.	(*y.p*) blunt-leaved	E. Indies	1822. 7. 8.	S	♄	
11	acuminàtum DC.	(*y.p*) acuminated	———	—— ——	S	♄	

REDOUTE'A DC. REDOUTE'A. (P. J. Redoute, celebrated bot. artist.) Monadelphia Polyandria.

	heterophy'lla DC.	(*st.p*) various-leaved	St. Thomas	1824. 7. 9.	S	⊙	Vent. cels. t. 11.

LOPI'MIA DC. LOPI'MIA. (*λοπιμος*, easy of decoration; bark.) Monadelphia Polyandria.

	malacophy'lla DC.	(*sc*) Mallow-leaved	Brazil	1824.	S	♄	Pl. sel. h. ber. t. 30.
	Sida malacophy'lla. L. en.						

PALA'VIA DC. PALA'VIA. (Ant. Palavy Verdera, M.D. prof. bot. Madrid.) Monad. Polyand.

1	malvæfòlia DC.	(*pu*) Mallow-leaved	Lima	1794. 6. 8.	H	⊙	Cav. dis. 1. t. 11. f. 4.
2	moschàta DC.	(*pu*) musk-scented	———	1822. ——	H	⊙	———1. t. 11. f. 5.
3	rhombifòlia B.R.	(*pu*) rhomb-leaved	Peru	1828. 8. 9.	H	⊙	Bot. reg. t. 1375.

CRISTA'RIA Ph. CRISTA'RIA. (*crista*, a crest; carpels crested.) Monadelphia Polyandria.

	? coccínea Ph.	(*sc*) scarlet	Missouri	1811. 7. 9.	H	♃	Bot. mag. 1673.
	Málva coccínea. Nut. *Sida ? coccínea*. DC.						

A'NODA DC. A'NODA. (*a*, priv., and *nodus*, a knot; pedicels not jointed.) Monad. Polyand.

1	hastàta DC.	(*bl.wh*) halberd-leaved	Mexico	1799. 6. 7.	S	⊙	Bot. rep. 588.
2	trìloba DC.	(*pu*) three-lobed	———	1720. 7. 9.	G	⊙	Cav. dis. 1. t. 10. f. 3.
	Sida cristàta. W. *non* B.M.						
3	Dillenièna DC.	(*ro*) Dillenius's	———	1725. 6.11.	G	⊙	Cav. dis. 1. t. 11. f. 1.
	Sida cristàta. B.M. 330. *non* W.						
4	triangulàris DC.	(*pu*) triangular-ld.	———	1824. 7. 9.	G	⊙	
5	incarnàta DC.	(*fl*) flesh-coloured	———	1825. ——	G	♂	
6	acerifòlia DC.	(*bl*) Maple-leaved	———	1809. 1.12.	S	♂	Bot. mag. 1541.
	Sida hastàta. B.M. *non* W. *centròta*. S.S.						
7	parviflòra DC.	(*st*) small-flowered	New Spain	1823. 6.10.	G	⊙	Cav. ic. 5. t. 431.

PERI'PTERA DC. PERI'PTERA. (*περιπτερα*, a shuttlecock; resemblance in flower.) Monad. Poly.

	punícea DC.	(*cr*) crimson	New Spain	1813. 6. 9.	S	♄	Bot. mag. 1644.
	Sida períptera. B.M. *A'noda punícea*. Lag.						

NUTTA'LLIA. B.A. NUTTA'LLIA. (Thomas Nuttall, bot. author.) Monadelphia Polyandria.

1	digitàta B.A.	(*d.p*) digitate-leaved	N. America	1824. 7.10.	H	♃	Swt. br. fl. gar. 129.
2	pedàta B.A.	(*d.pu*) pedate-leaved	———	—— ——	H	♃	Hook. ex. flor. 172.
3	papàver B.M.	(*pu*) poppy-like	Louisiana	1833. ——	H	♂	Swt. br. fl. gar. s. 2. t. 279.
4	grandiflòra Paxt.	(*pu*) great-flowered	N. America	1837. ——	H	♃	Paxt. m. b. t. 217.
5	cordàta B.M.	(*pk*) cordate-leaved	———	1835. ——	H	♃	Bot. reg. t. 1938.

SI'DA Kth. SI'DA. (A name given by Theophrastus to an aquatic plant.) Mona. Polyand.

1	linifòlia DC.	(*wh*) Flax-leaved	S. America	1822. 6. 9.	S	♄	Cav. dis. 1. t. 2. f. 1.
2	angustifòlia DC.	(*ye*) narrow-leaved	Bourbon	1726. 7. 9.	S	♄	———1. t. 2. f. 2.
3	lineàris DC.	(*ye*) linear-leaved	New Spain	1820. 6.10.	G	♄	Cav. ic. 4. t. 312. f. 1.
4	vimínea L. en.	(*ye*) slender	Brazil	1823. ——	S	♄	
5	spinòsa DC.	(*ye*) prickly	E. Indies	1680. ——	S	♂	Cav. dis. 1. t. 1. f. 9.
6	acùta DC.	(*ye*) acute-leaved	———	1827. ——	S	♄	———1. t. 2. f. 3.
7	álba DC.	(*wh*) white-lowered	———	1732. 6. 7.	S	⊙	Dill. elt. 2. t. 171. f. 210.
8	stipulàta DC.	(*ye*) large-stipuled	Mauritius	1820.	S	♄	Cav. dis. 1. t. 3. f. 10.
9	jamaicénsis DC.	(*ye*) Jamaica	Jamaica	1818. 6. 9.	S	♄	———1. t. 2. f. 5.
10	repánda DC.	(*st*) repanded	.....	1829. 6. 8.	S	♄	
11	bracteolàta DC.	(*ye*) bracteolate	S. America	1818. ——	S	♄	
12	carpinifòlia DC.	(*ye*) Hornbeam-ld.	Canaries	1774. 7. 9.	G	♄	Cav. dis. 5. t. 134. f. 1.

13	carpinoìdes DC.	(ye)	Hornbeam-like	.....	....	7. 9.	S	♄	
14	semicrenàta L. en.	(y)	semicrenate	Manila	1826.	——	S	♃	
15	acántha L. en.	(ye)	close-flowered	Brazil	——	——	S	♄	
16	spiraeifòlia L. en.	(ye)	Spiræa-leaved	.....	....	——	S	♄	
17	Schránkii DC. *brasìla.* L. en.	(ye)	Schrank's	Brazil	1824.	——	S	♃	
18	betulina H.	(ye)	Birch-leaved	S. America	1823.	——	S	♄	
19	eròsa DC.	(ye)	jagged	Brazil	——	——	S	♃	
10	ciliàris DC.	(cr)	ciliated	St. Domingo	1798.	——	S	♄	Cav. dis. 1. t. 3. f. 9.
11	alnifòlia DC.	(ye)	Alder-leaved	E. Indies	1732.	——	S	♂	Dill. elt. t. 172. f. 211.
12	sessiliflòra B.M.	(ye)	sessile-flowered	S. America	1826.	11.2.	S	♄	Bot. mag. 2857.
13	frutéscens DC.	(ye)	frutescent	Mauritius	1824.	6. 9.	S	♄	Cav. dis. 1. t. 10. f. 1.
14	bìcolor DC.	(r.y)	two-coloured	New Spain	1826.	——	S	♄	Cav. ic. 4. t. 311.
15	canariénsis DC. *álba* Cav. *non* L.	(wh)	Canary Tea	Canaries	....	——	S	♄	Cav. dis. 1. t. 3. f. 8.
16	rhombifòlia DC.	(ye)	rhomboid-ld.	Brazil	1732.	6. 8.	S	♄	Cav. dis. 1. t. 3. f. 12.
17	rhomboìdea DC.	(ye)	rhomboid	E. Indies	1818.	——	S	♄	
18	mìcans DC.	(ye)	shining	———	1820.	——	S	♃	Cav. dis. 1. t. 3. f. 1.
19	retùsa DC.	(ye)	retuse-leaved	———	1818.	——	S	♄	———1. t. 3. f. 4.
10	recìsa DC.	(ye)	notched	Brazil	1823.	——	S	♃	
11	calyxhymènia DC.	(st)	New Holland	N. Holland	1820.	——	G	♄	
12	globiflòra B.M.	(st)	globe-flowered	Mauritius	1825.	10.12.	S	♄	Bot. mag. 2821.
13	supìna DC.	(ye)	trailing	Hispaniola	1821.	7. 8.	S	♃	L. her. stirp. 1. t. 52.
14	maculàta DC. *suberòsa* L. her. stirp. t. 54.	(ye.r)	corky	St. Domingo	1798.	....	S	♄	Cav. dis. 1. t. 3. f. 7.
15	acuminàta DC.	(ye)	acuminate	———	1805.	7. 9.	S	♄	
16	pilòsa DC.	(ye)	pilose	W. Indies	1793.	——	S	♂	Cav. dis. 1. p. 9. t. 8.
17	hùmilis DC. *unilocularis* L'Herit. stirp. 1. t. 53. bis.	(ye)	dwarf	E. Indies	1800.	7. 8.	S	♂	———5. t. 134. f. 2.
38	sessiliflòra D.S.	(ye)	sessile-flowered	Chili	1827.	8.10.	S	♄	Bot. mag. 2857.
39	rotundifòlia DC.	(pu)	round-leaved	Bourbon	1826.	7. 8.	S	☉	Cav. dis. 1. t. 3. f. 6.
40	cordifòlia DC.	(ye)	heart-leaved	E. Indies	1732.	6. 9.	S	☉	———1. t. 3. f. 2.
41	dumòsa DC.	(ye)	bushy	Jamaica	1818.	7. 9.	S	♄	
42	multiflòra DC.	(ye)	many-flowered	Brazil	1825.	6. 9.	S	♄	Cav. dis. 1. t. 3. f. 3.
43	argùta DC.	(ye)	sharp-leaved	W. Indies	1732.	7. 8.	S	♄	
44	althæifòlia DC.	(co)	Althæa-leaved	———	1818.	——	S	♄	Sloan. his. 1. t. 136. f. 2.
45	ùrens DC.	(ye)	stinging	———	1781.	——	S	♄	Cav. dis. 1. t. 2. f. 7.
46	verticillàta DC.	(ye)	whorl-flowered	Brazil	1823.	——	S	♄	———1. t. 1. f. 12.
47	paniculàta DC. *atrosanguínea* Jacq. ic. 1. t. 136.	(d.pu)	dark purple	S. America	1795.	7. 9.	S	♄	———1. t. 12. f. 5.
48	fruticòsa DC.	(wh)	shrubby	Jamaica	....	6.10.	S	♄	
49	villòsa DC.	(ye)	villous	S. America	....	——	S	♄	
50	verruculàta DC. *argùta* F. in L. en. *non* Swartz.	(ye)	wart-stem'd	Brazil	1827.	5. 9.	S	♄	
51	gravèolens DC.	(ye)	strong-scented	E. Indies	1820.	6. 9.	S	♃	
52	purpurascens. DC.	(pu)	purplish	Brazil	——	7. 9.	S	♄	
53	inæquàlis B.M.	(cr)	unequal-leaved	———	1829.	——	S	♄	Bot. mag. t. 3436.
54	pàtens DC.	(pu)	spreading	Abyssinia	1806.	——	S	♂	Andr. rep. 571.
55	conférta DC.	(st)	close-flowered	Brazil	1826.	——	S	♄	
56	hirsùta DC.	(wh)	hairy	.....	....	——	S	♄	
57	lanostèga DC.	(ye)	woolly	Brazil	1823.	——	S	♄	
58	pentacárpos DC.	(ye)	five-capsuled	E. Indies	——	8.10.	S	☉	
59	tríloba DC.	(wh)	three-lobed	C. B. S.	1794.	——	G	♂	Jacq. schœn. 2. t. 142.
60	ricinoìdes DC. *palmàta* Cav. dis. 1. t. 3. f. 3.	(bh)	Ricinus-like	Peru	1826.	7.10.	H	☉	L'Her. stirp. 1. t. 56.
61	jatrophoìdes DC. *palmàta* Jacq. ic. rar. 3. t. 547.	(vi)	Jatropha-like	Peru	1787.	8.	S	♂	L. Her stirp. 1. t. 56.
62	malvæflòra B.B.	(bh)	Mallow-flow'd.	Columbia	1826.	9.11.	H	♃	Bot. reg. 1036.
63	Napæ'a DC. *Napæ'a læ'vis* L.	(wh)	smooth	Virginia	1748.	8. 9.	H	♃	Bot. mag. 2193.
64	dìoica DC.	(wh)	rough	Virginia	1759.	——	H	♃	Cav. dis. 5. t. 132. f. 2.

BASTA'RDIA Kth. BASTA'RDIA. (M. Bastard, a French bot.) Monadelphia Polyandria.

1	viscòsa K.S. *Sida viscòsa* DC.	(ye)	viscous	S. America	1822.	7. 8.	S	♄	Sloan. his. 1. t. 139. f. 4.
2	fœ'tida *Sida fœ'tida* DC. *Sida viscòsa* L.H.	(ye)	stinking	Peru	1795.	——	S	☉	L. Her. stirp. 1. t. 53.

GA'YA Kth. GA'YA. (M. Gay Lussac, a French naturalist.) Monadelphia Polyandria.

1	occidentàlis H.S. *Sida occidentàlis* DC.	(vi)	downy	America	1732.	7. 8.	S	☉	Cav. dis. 1. t. 4. f. 3.

2	hermannioìdes. K.S.	(*y*) Hermannia-like	Mexico	1826.	4. 9.	G	♄	H. et B. n. gen. 5. t. 47.
3	dísticha	(*ye*) two-ranked	New Spain	1820.	6. 9.	G	♄	Cav. ic. 5. t. 432.
	Sìda dísticha Cav.							
4	nùtans	(*ye*) nodding	Peru	1825.	——	G	♄	L. Her. stirp. 1. t. 57.
	Sìda nùtans DC. *calyptràta* Cav.							

ABU'TILON Kth. ABU'TILON. (αβυτιλον, mulberry-tree; leaves.) Monadelphia Polyandria.

§ 1. OLIGOCA'RPÆ; *carpels or cells* 5 *to* 8.

1	periplocifòlium	(*st*) Periploca-ld.	India	1691.	7. 8.	S	♂	Cav. dis. 1. t. 5. f. 2.
	Sìda periplocifòlia DC.							
2	ferrugineum K.S.	(*ye*) ferruginous	Peru	1822.	——	S	♄	
3	hernandioìdes	(*ye*) Hernandia-ld.	Hispaniola	1798.	....	S	♄	L. Her. stirp. 1. t. 58.
4	luciànum	(*wh*) St. Lucian	St. Lucia	1822.	....	S	♄	
	Sìda luciàna DC.							
5	Lechenaultiànum	(*ye*) Lechenault's	E. Indies	1820.	....	S	♄	
	Sìda Lechenaultiàna DC.							
6	nudiflòrum	(*ye*) naked-flowered	Peru	1731.	5. 6.	S	♄	L. Her. stirp. 1. t. 59.
7	polyánthon	(*ye*) many-flowered	.....	1822.	——	S	♄	
	Sìda polyántha DC.							
8	contráctum	(*ye*) contracted	Madagascar	1826.	5. 7.	S	♄	
	Sìda contrácta L. en.							
9	aúritum	(*co*) eared-stipuled	Java	1820.	12.3.	S	♄	Bot. mag. 2495.
	Sìda aúrita B.M.							
10	triquètrum	(*ye*) triangular	W. Indies	1775.	7. 8.	S	♄	Jacq. vind. 2. t. 118.
11	incànum	(*ye*) hoary	Sandwich I.	1821.	——	S	♄	
	Sìda incàna L. en.							
12	pulchéllum	(*wh*) neat	N. Holland	——	——	H	♄	Swt. br. fl. gar. s. 2. t. 287.
13	umbellàtum	(*ye*) umbelled	Jamaica	1788.	7. 9.	S	♂	Jacq. vind. t. 56.
14	gigantèum	(*ye*) gigantic	Caracas	1823.	....	S	♄	Jacq. schœnb. 2. t. 141.

§ 2 POLYCA'RPÆ; *carpels or cells*, 9 *or more*.

15	refléxum	(*re*) reflex-flowered	Peru	1799.	7. 8.	S	♄	Cav. dis. 1. t. 7.
16	críspum	(*wh*) curled	America	1726.	——	H	⊙	——— 1. t. 7. f. 1.
17	virgàtum	(*ye*) twiggy	Peru	1820.	——	S	♄	Cav. ic. 1. t. 73.
18	arbòreum	(*pu*) great-flowered	———	1772.	——	S	♄	L. her. stirp. 1. t. 63.
19	Mauritiànum	(*ye*) hairy-capsuled	Mauritius	1789.	7. 9.	S	♄	Jacq. ic. 1. t. 137.
	Sìda planiflòra Cav. dis. 1. t. 7. f. 4.							
20	tiliæfòlium	(*ye*) Lime-tree-ld	China	1820.	——	S	⊙	Jacq. f. ecl. 1. t. 35.
21	mùticum	awnless	Egypt	1825.	8.10.	H	⊙	
	Sìda mùtica DC.							
22	speciòsum DC.	(*ro*) showy	Brazil	1820.	10.	S	♄	
	Sìda ròsea Bot. mag. 3150.							
23	Avicénnæ G.	(*ye*) broad-leaved	S. France	1596.	6. 8.	H	⊙	Houtt. syst. 8. t. 61.
	Sìda Abùtilon DC.							
24	americànum	(*ye*) American	Jamaica	1730.	6. 8.	S	⊙	
	Sìda americàna DC.							
25	asiáticum	(*ye*) small-flowered	E. Indies	1768.	7. 8.	S	⊙	Cav. dis. 1. t. 7. f. 2.
26	populifòlium	(*ye*) Poplar-leaved	———	1796.	——	S	⊙	——— 1. t. 7. f. 9.
27	hírtum	(*ye*) hairy	———	1820.	——	S	⊙	Rumph. amb. 4. t. 106.
	Sìda hírta DC.							
28	mólle	(*ye*) large-leaved	Peru	1817.	10.12.	S	♄	Bot. mag. 2759.
	Sìda móllis DC. *grandifòlia* Bot. reg. 360.							
29	mollíssimum	(*st*) soft-leaved	Peru	1789.	6. 7.	S	♂	Cav. dis. 2. t. 14. f. 1.
30	púlchrum DS.	(*y.p*) fair	St. Martha	1826.	7. 8.	S	♄	
	Sìda púlchra Col. hort. rip. t. 34.							
31	permólle	(*ye*) woolly-leaved	Peru	1818.	6. 7.	S	♄	
	Sìda permóllis DC.							
32	cornùtum	(*ye*) horned	S. America	1827.	——	S	♄	
	Sìda cornùta W. enum.							
33	índicum	(*ye*) Indian	E. Indies	1731.	7. 8.	S	⊙	Cav. dis. 1. t. 7. f. 10.
34	vesicàrium	(*st*) bladdered	Mexico	1796.	——	S	♄	——— 2. t. 14. f. 3.
35	glaúcum	(*ye*) glaucous	Senegal	1822.	——	S	♄	Cav. ic. 1. t. 11.
36	álbidum	(*ye*) white-leaved	Canaries	——	——	G	♄	
	Sìda álbida DC.							
37	mollícomum	(*ye*) soft	.....	1804.	7. 9.	S	♄	
	Sìda seríceа Cav ? *Sìda mollícoma* DC.							
38	acerifòlium DS.	(*ye*) maple-leaved	Mexico	1820.	7. 8.	S	♄	
39	aúreum DS.	(*ye*) golden-flowered	India	1830.	5. 7.	S	♄	Lodd. bot. cab. t. 1842.
	Sìda aúrea Lodd.							
40	Sonneratiànum	(*ye*) Sonnerat's	C. B. S.	1806.	6. 7.	G	♂	Cav. dis. 1. t. 6. f. 4.

LAGUNE'A DC. LAGUNE'A. (Andreas Laguna, M.D., Spanish bot.) Monadel. Polyandria.

1 lobàta DC.	(wh) maple-leaved	Bourbon	1787.	7. 8.	S	⊙	Cav. dis. 5. t. 136. f. 1.
2 sinuàta DC.	(wh) sinuate	.....	....	——	S	⊙	

ORDER XXXII.

BOMBA'CEÆ. DC. *prodr.* 1. *p.* 475.

HELI'CTERES DC. SCREW-TREE. (ἕλιξ, a screw; twisted carpels.) Monadelphia Dodecandria.

Sect. 1. SPIROCARPÆ'A; *carpels twisted.*

1 Isòra DC.	(re) great-fruited	E. Indies	1733.	6. 7.	S	♄	Bot. mag. 2061.
2 baruénsis DC.	(wh) small-fruited	W. Indies	1739.	9.10.	S	♄	Jacq. amer. t. 149.
3 jamaicénsis DC.	(wh) broad-leaved	———	——	6. 7.	S	♄	Jacq. vind. 2. t. 143.
4 guazumæfòlia DC.	(pu) Guazuma-leaved	S. America	1820.	6. 8.	S	♄	
5 verbascifòlia DC.	(ye) Verbascum-ld.	Brazil	——	——	S	♄	Lodd. bot. cab. 504.
6 ferruginàta DC.	(ye) yellow-flowered	———	——	——	S	♄	

Sect. 2. ORTHOCARPÆ'A; *carpels straight.*

7 lanceolàta DC.	(pu) spear-leaved	E. Indies	1823.	....	S	♄	
8 spicàta H.B.	(pu) spike-flowered	———	——	....	S	♄	
9 virgàta Wal.	(re) twiggy	———	1831.	....	S	♄	
10 elongàta H.C.	(re) lengthened	———	——	....	S	♄	

MYRO'DIA DC. MYRO'DIA. (μυρον, myrrh, and οδμη, smell; perfume.) Monadel. Dodecan.

turbinàta DC.	(wh) short-flowered	W. Indies	1793.	....	S	♄	Fl. mex. ic. ined.

PLAGIA'NTHUS DC. PLAGIA'NTHUS. (πλαγιος, transversed, ανθος, a flower.) Monadel. Dodecan.

1 divaricàtus DC.	.... small-leaved	NewZealand	1821.	....	H	♄	Bot. mag. t. 3271.
2 sidioìdes B.M.	(wh) sida-like	N. Holland	1830.	7. 9.	S	♄	Bot. mag. t. 3396.
3 Lampènii B.R.	(wh) Lampeni's	V. D. Land	1821.	——	S	♄	

ADANSO'NIA DC. SOUR-GOURD. (Michel Adanson, French bot.) Monadelphia Polyandria.

digitàta DC.	(wh) Baobab	Senegal	1724.	....	S	5	Bot. mag. 2791-2792.

CAROLI'NEA DC. CAROLI'NEA (Sophia Carolina, Marchioness of Baden) Monadel. Polyan.

1 prínceps DC.	(re) digitated	W. Indies	1787.	....	S	♄	Aub. gui. 2. t. 291-2.
Páchira aquática A.							
2 insígnis DC.	(sc) great-flowered	———	1796.	....	S	♄	Lodd. bot. cab. 1004.
3 robústa L.C.	(re) robust	S. America	1825.	....	S	♄	
4 fastuòsa DC.	(cr) crimson	New Spain	——	....	S	♄	Hern. mex. 68. ic.
5 mìnor DC.	(re) lesser	Guiana	1798.	7. 8.	S	♄	Bot. mag. 1412.
6 álba BC.	(wh) white-flowered	Brazil	....	——	S	♄	Lod. bot. cab. 752.

BO'MBAX DC. SILK-COTTON-TREE. (βομβυξ, Greek name for cotton.) Monadel. Polyand.

1 Ceíba DC.	(ro) five-leaved	S. America	1692.	....	S	♄	Jacq. am. t. 176. f. 1.
quinàtum Jacq.							
2 septenàtum DC.	.... seven-leaved	———	1699.	....	S	♄	
heptaphy'llum L. *non* Cav.							
3 malabáricum DC.	(sc) Malabar	E. Indies	....	....	S	♄	Roxb. cor. 3. t. 247.
heptaphy'llum Roxb. *non* L.							
4 globòsum DC.	(pa) globe-fruited	Guiana	1824.	....	S	♄	Aubl. guian. 2. t. 281.
5 buonopozénse DC.	(cr) African	Africa	1822.	....	S	♄	Beauv. fl. ow. 2. t. 83.

ERIODE'NDRON. DC. ERIODE'NDRON. (εριον, wool, and δενδρον, a tree.) Monadel. Dodecand.

1. leianthèrum DC.	(wh) Brazilian	Brazil	1822.	....	S	♄	Cav. dis. 5. t. 152. f. 1.
Bómbax eriánthos Cav.							
2 anfractuòsum DC.	(st) twisted-anther'd	.....	1739.	....	S	♄	Cav. dis. 5. t. 151.
Bómbax penténdrum L.							
α *indicum* DC.	(ye) *East Indian*	E. Indies	——	....	S	♄	Rheed. mal. 3. t. 49. 51.
β *caribæ'um* DC.	(ro.wh) *West Indian*	W. Indies	——	....	S	♄	Bot. mag. t. 3360.
γ *africànum* DC.	(cr) *African*	Africa	1823.	....	S	♄	

DU'RIO DC. DU'RION. (*Duryon*, Malay name of the fruit.) Polyadelphia Polyandria.

zibethìnus DC.	civet	E. Indies	1825.	....	S	♄	Rumph. amb. 1. t. 20.

OCHRO'MA DC. OCHRO'MA. (ωχρος, yellow; wool in pods.) Monadelphia Pentandria.

1 lagòpus DC.	(wh) downy-leaved	Jamaica	1802.	....	S	♄	Sw. fl. 2. t. 23.
2 tomentòsa DC.	(wh) woolly-leaved	S. America	1816.	....	S	♄	

CHEIROSTE'MON DC. CHEIROSTE'MON. (χειρ, the hand, στημων, a stamen.) Monad. Decand.

platanoìdes DC.	(wh) plane-leaved	New Spain	1820.	11.1.	S	♄	H. et B. pl. æq. 1. t. 24.
Chiranthodéndron Larr. dis. ic.							

ORDER XXXIII.

BUTTNERIA'CEÆ. *Kunth Synops.* 3. *p.* 266.

Tribe I. *STERCULIE'Æ.* DC. *prodr.* 1. *p.* 481.

STERCU'LIA DC. STERCU'LIA. (*stercus;* some species fetid.) Monœcia Monadelphia.

1	lanceolàta B.R.	(*br.*) spear-leaved	China	1822. 5. 6.	G	♄	Bot. reg. t. 1256.
2	Balánghas DC.	(*st*) many-seeded	E. Indies	1787. 6. 9.	S	♄	Rheed. mal. 1. t. 49.
3	nóbilis DC.	(*st*) few-seeded	China	—— ——	S	♄	Bot. reg. 185.
	Balánghas B.R. *Southwéllia nòbilis.* Par. Lond. 69.						
4	Tragacántha B.R.	(*st*) tragacanth-tree	Sier.-Leone	1793. 5. 6.	S	♄	Bot. reg. t. 1353.
	pubéscens D.S.						
5	acuminàta B.C.	(*ye*) taper-pointed	Africa	1822.	S	♄	Beau. fl. ow. 1. t. 24.
6	grandifòra DC.	(*ye*) large-flowered	E. Indies	1820.	S	♄	
7	coccínea DC.	(*re*) scarlet-fruited	——	——	S	♄	
8	angustifòlia DC.	(*ye*) narrow-leaved	Nepaul	1823.	S	♄	
9	guttàta DC.	(*fl*) spotted	E. Indies	1819.	S	♄	Rheed. mal. 4. t. 61.
10	heterophy'lla DC.	(*ye*) various-leaved	Africa	1824.	S	♄	Beauv. fl. ow. 1. t. 40.
11	diversifòlia D.S.	diverse-leaved	N. Holland	1824.	S	♄	
	heterophy'lla Cunningh.						
12	Ivìra DC.	(*fl*) hairy capsuled	W. Indies	1723.	S	♄	Aub. gui. 2. t. 279.
	crinìta Cav. dis. 5. t. 162.						
13	macrophy'lla DC.	(*ye*) large-leaved	E. Indies	1822.	S	♄	
14	platanifòlia DC.	(*gr*) Plane-leaved	China	1757. 7.	G	♄	Cav. dis. 5. t. 145.
15	coloràta DC.	(*re*) scarlet	E. Indies	1818.	S	♄	Rexb. cor. 1. t. 25.
16	ùrens DC.	(*gr*) stinging	———	1793. 6. 9.	S	♄	——— 1. t. 24.
17	villòsa DC.	villous-leaved	———	1818.	S	♄	
18	acerifòlia D.S.	maple-leaved	N. Holland	1824.	S	♄	
19	fœ'tida DC.	(*fl*) fetid	E. Indies	1690.	S	♄	Cav. dis. 5. t. 145.

REEVE'SIA B.R. REEVE'SIA. (John Reeves, long resident at Canton.) Polyadelphia Polyandria.

thyrsoídea B.R.	(*wh*) thyrse-flowd.	China	1818. 1. 7.	G	♄	Bot. reg. t. 1236.

HERITIE'RA DC. LOOKING-GLASS PLANT. (C. L. L'Heretier de Brutelle; cel. Fr. bot.) Diœ. Mon.

1	littorràlis DC.	(*re*) large-leaved.	E. Indies	1780.	S	♄	Rheed. mal. 6. t. 21.
2	mìnor DC.	small-leaved	———	1816.	S	♄	Gært. fr. 2. t. 98. f. 2.

Tribe II. *BUTTNERIE'Æ.*

THEOBRO'MA DC. CHOCOLATE-NUT. (θεος, god, and βρωμα, food; fit for.) Polyadel. Decand.

1	Cacào DC.	(*ye*) smooth-leaved	S. America	1739. 6. 9.	S	♄	Lodd. bot. cab. 545.
2	guianénsis DC.	(*ye*) woolly-leaved	Guiana	1803.	S	♄	Aub. gui. 2. t. 275.
3	caribæ'a	(*ye*) Caribean	W. Indies	1821.	S	♄	
4	bícolor DC.	(*re*) two-coloured	S. America	1820.	S	♄	H. et B. pl. eq. 1. t. 30.

ABRO'MA DC. ABRO'MA. (*a* priv. βρωμα, food; not fit for.) Polyadelphia Dodecandria.

1	augústa DC.	(*d.pu*) smooth-stalked	E. Indies	1770. 6. 9.	S	♄	Bot. reg. 518.
2	fastuòsa DC.	(*d.pu*) rough-stalked	N. Holland	1800. ——	S	♄	Sal. par. lond. 102.
3	móllis DC.	(*d.pu*) soft	Moluccas	.... ——	S	♄	

GUAZU'MA DC. BASTARD CEDAR. (a name of Mexican origin.) Polyadelphia Dodecandria.

1	ulmifòlia DC.	(*ye*) Elm-leaved	W. Indies	1739. 8. 9.	S	♄	Trew. ehret. t. 76.
	Bubròma Guazùma W.						
2	tomentòsa DC.	(*ye*) tomentose	S. America	.... ——	S	♄	
3	polybótrya DC.	(*ye*) velvetty	W. Indies	.... ——	S	♄	Cav. ic. 3. t. 299.

COMMERSO'NIA DC. COMMERSO'NIA. (Philibert Commerson, M.D. French bot.) Pent. Pentag.

1	echinàta DC.	(*wh*) oval-leaved	Moluccas	1806. 6. 7.	S	♄	Rumph. amb. 3. t. 119.
2	platyphy'lla DC.	(*wh*) broad-leaved	———	—— ——	S	♄	And. bot. rep. 519.

RULI'NGIA Br. RULI'NGIA. (derivation uncertain.) Pentandria Pentagynia.

1	dasyphy'lla	(*wh*) hairy-leaved	N. Holland	1808. 4. 7.	G	♄	Bot. rep. 603.
	Commersònia dasyphy'lla A.R. *Byttnèria dasyphy'lla* DC.						
2	pannòsa B.M.	(*wh*) cloth-leaved	N. Holland	1819. ——	G	♄	Bot. mag. 2191.
3	hermanniæfòlia. DC.	(*w*) hermannia-ld.	———	—— ——	G	♄	

BUTTNE'RIA L. BUTTNE'RIA. (D. S. A. Byttner, prof. bot. Gottingen.) Pentand. Monog.

1	herbàcea DC.	(*wh*) herbaceous	E. Indies	1820. 4. 7.	S	♃	Roxb. cor. 1. t. 29.

2 grandifòlia DC. (wh) large-leaved E. Indies 1820. 4. 7. S ♄
3 catalpæfòlia DC. (wh) Catalpa-leaved Caracas 1823. .... S ♄ Jacq. schœnb. 1. t. 46.
4 cordàta DC. (wh) heart-leaved Peru —— .... S ♄ Cav. dis. 5. t. 150.
5 microphy'lla DC. (va) small-leaved S. America 1816. .... S ♄ ——5. t. 148. f. 2.
6 scàbra DC. (wh) rough —— 1793. 7. 8. S ♄ ——5. t. 148. f. 1.

AYE'NIA DC. AYE'NIA. (Duke D'Ayen, amat. bot.) Pentandria Monogynia.
1 pusílla DC. (pu) small Jamaica 1756. 7. 9. S ♂ Mill. ic. t. 118.
2 lævigàta DC. (cr) smooth —— .... —— S ♄

KLEINHO'VIA DC. KLEINHO'VIA. (M. Kleinhoff, director bot. gard. Batavia.) Monad. Dodec,
Hóspita DC. (pu) purple-flowered Moluccas 1800. 7. 9. S ♄ Cav. dis. 5. t. 146.

Tribe III. *LASIOPETA'LEÆ.* DC.

SERI'NGIA DC. SERI'NGIA. (N. C. Seringe, bot. author.) Pentandria Monogynia.
platyphy'lla DC. (wh) broad-leaved N. Holland 1802. 4. 7. G ♄ Gay dis. p. 13. t. 1. 2.
Lasiopétalum arboréscens H.K.

LASIOPE'TALUM DC. LASIOPE'TALUM. (λασιος, woolly, and πεταλον, a petal.) Pent. Monog.
1 ferrugíneum DC. (wh) rusty N. Holland 1791. 4. 7. G ♄ Bot. mag. 1766.
2 parvifòrum DC. (wh) small-flowered —— 1810. —— G ♄ Linn. trans. 10. t. 19. f. 2.

THOMA'SIA DC. THOMA'SIA. (P. and A. Thomas, collectors of Swiss plants.) Pent. Monog.
1 purpùrea DC. (pu) purple N. Holland 1803. 4. 7. G ♄ Bot. mag. 1755.
Lasiopétalum purpùreum H.K. *coccíneum* Donn. cant.
2 foliòsa DC. (wh) leafy N. Holland 1822. —— G ♄ Gay dis. p. 24. t. 7.
3 solanàcea DC. (wh) Solanum-like —— 1803. —— G ♄ —— p. 26. t. 6.
Lasiopetalum solanàceum B.M. 1486.
4 quercifòlia DC. (pu) Oak-leaved —— —— —— G ♄ Bot. mag. 1485.
5 diffùsa D.S. (wh) diffuse —— 1825. —— G ♄

Tribe IV. *HERMANNIE'Æ.* DC.

MELO'CHIA DC. MELO'CHIA. (altered from the Arabic name of *Corchorus*.) Monadelph. Pentand.
1 pyramidàta DC. (vi) pyramidal Brazil 1768. 7. 8. S ♄ Jacq. vind. 1. t. 30.
2 tomentòsa DC. (vi) downy W. Indies —— 5. 6. S ♄ Cav. dis. 6. t. 172. f. 2.
3 parvifòlia DC. (wh) small-leaved Caracas 1823. .... S ♄

RIEDLE'IA DC. RIEDLE'IA. (M. Riedle, a French naturalist.) Monadelphia Pentandria. [& b.
1 polystàchya DC. (ye) many-spiked S. America 1827. 7. 8. S ♂ H.et K. nov. g. 5. t. 483. f. a.
2 velutina DC. soft-leaved E. Indies 1820. 6. 8. S ♄
3 truncàta DC. (wh) truncated —— 1817. 6. 7. S ♄
Melòchia truncàta Willd.
4 depréssa DC. (st) depressed Havannah 1820. 6. 8. S ♄
5 supìna DC. procumbent E. Indies 1823. —— S ♂ Pluk. alm. t. 232. f. 4.
6 corchorifòlia. DC. (bh) Corchorus-ld. —— 1732. 7. 8. S ⊙ Dill. elt. t. 176. f. 217.
Melòchia corchorifòlia L.
7 nodiflòra DC. (wh) knot-flowered S. America 1823. —— S ♄ Sloan. his. t. 135. f. 2.
Mougeòtia nodiflòra Kth. *Melòchia nodiflòra* Sw.
8 concatenàta DC. (ye) concatenated —— 1810. 6. 7. S ♃ Cav. diss. 6. t. 175. f. 2.
9 caracasàna DC. (wh) Caracas Caracas 1823. —— S ♄ Jacq. ic. 3. t. 507.
Mougeòtia caracasàna Kth. *Melòchia caracasàna* Jacq.
10 serràta DC. (pu) saw-leaved St. Domingo 1827. 6. 8. S ♃ Vent. choix. t. 37.

WALTHE'RIA DC. WALTHE'RIA. (Aug. Fred. Walther, prof. med. Leipsic.) Monad. Pentand.
1 americàna DC. (ye) American S. America 1691. 5. 10. S ♄ Jacq. ic. 1. t. 130.
2 glàbra DC. (ye) smooth W. Indies 1823. —— S ♃ Schrank. h. mon. t. 55.
le'vis L. en.
3 índica DC. (ye) Indian E. Indies 1759. 6. 8. S ♄ Burm. zeyl. t. 68.
4 ellíptica DC. (ye) woolly-leaved —— 1812. —— S ♄ Cav. dis. 6. t. 171. f. 2.
5 microphy'lla DC. (ye) small-leaved —— 1823. —— S ♄ ——6. t. 170. f. 2.

HERMA'NNIA DC. HERMA'NNIA. (Paul Hermann, prof. bot. Leyden.) Monadelphia Pentand.
Sect. 1. TRIONE'LLA; *calyx inflated; filaments much dilated.*
1 multífida DC. (ye) multifid-leaved C. B. S. 1825. 5. 8. G ♄
2 halicácaba DC. (ye) bladder-calyx'd —— 1820. —— G ♄

3	comòsa DC.	(*ye*)	tufted	C. B. S.	1820. 1.12.	G	♄	
4	althæifòlia DC.	(*ye*)	Althæa-leaved	———	1728. 3. 7.	G	♄	Bot. mag. 307.
5	althæoìdes L. en.	(*ye*)	Althæa-like	———	.... ——	G	♄	
6	plicàta DC.	(*ye*)	plaited-leaved	———	1774.11.12.	G	♄	Jacq. schœnb. 2. t. 213
7	cándicans DC.	(*ye*)	white-leaved	———	—— 4. 6.	G	♄	——— 1. t. 117.
8	móllis DC.	(*ye*)	soft-leaved	———	1818. ——	G	♄	
9	decúmbens DC.	(*ye*)	decumbent	———	—— ——	G	♄	
10	hyssopifòlia DC.	(*ye*)	Hyssop-leaved	———	1725. ——	G	♄	Cav. dis. 6. t. 181. f. 3.
11	trifoliàta DC.	(*ye*)	three-leaved	———	1752. 5. 8.	G	♄	———6. t. 182. f. 2.
12	triphy'lla DC.	(*st*)	three-parted	———	1820. ——	G	♄	———6. t. 178. f. 3.
13	glandulòsa DC.	(*ye*)	glandular	———	—— ——	G	♄	
14	fràgrans DC.	(*ye*)	fragrant	———	—— ——	G	♄	

Sect. 2. HERMANE'LLA; *calyx hardly inflated; filaments gradually dilated.*

15	disermæfòlia DC.	(*ye*)	simple-flowered	———	1795. 3. 4.	G	♄	Jacq. schœnb. 1. t. 121.
16	dísticha DC.	(*ye*)	round-leaved	———	1789. 5. 8.	G	♄	S. et Wend. sert. h. t. 10.
	rotundifòlia Jacq. schœn. 3. t. 121.							
17	melochioìdes DC.	(*ye*)	Melochia-like	———	1818. ——	G	♄	
18	bryonifòlia DC.	(*ye*)	Bryony-leaved	———	—— ——	G	♄	
19	salvifòlia DC.	(*ye*)	Sage-leaved	———	1795. 4. 6.	G	♄	Cav. dis. 6. t. 180. f. 2.
20	mìcans DC.	(*y.or*)	glittering	———	1790. 5. 8.	G	♄	S. et Wend. s. han. t. 5.
	latifòlia Jacq. schœn. 3. t. 119.							
21	involucràta DC.	(*st*)	involucred	———	1794. 5. 6.	G	♄	Cav. dis. 6. t. 177. f. 1.
22	scordifòlia DC.	(*or.y*)	Germander-ld.	———	—— 4.11.	G	♄	Jacq. schœn. 1. t. 120.
23	denudàta DC.	(*ye*)	smooth	———	1774. 5. 7.	G	♄	——— 1. t. 122.
24	alnifòlia DC.	(*ye*)	Alder-leaved	———	1728. 2. 5.	G	♄	Bot. mag. 299.
25	cuneifòlia DC.	(*ye*)	wedge-leaved	———	1791. 8. 9.	G	♄	Jacq. schœn. 1. t. 124.
26	holoserícea DC.	(*ye*)	velvet-leaved	———	1792. 5. 6.	G	♄	——— 3. t. 292.
27	hirsùta DC.	(*ye*)	hairy-branched	———	1790. ——	G	♄	S. et Wend. s. h. 1. t. 4.
28	scàbra DC.	(*ye*)	rough-leaved	———	1789. 3. 4.	G	♄	Jacq. schœn. 1. t. 127.
29	multiflòra DC.	(*ye*)	many-flowered	———	1791. 3. 5.	G	♄	——— 1. t. 128.
30	flámmea DC.	(*re*)	flame-flowered	———	1794. 1.12.	G	♄	Bot. mag. 1349.
31	angulàris DC.	(*or*)	angular-calyx'd	———	1791. 4. 5.	G	♄	Jacq. schœn. 1. t. 126.
32	trifurcàta DC.	(*re*)	three-forked	———	1789. 4. 7.	G	♄	——— 1. t. 125.
33	odoràta DC.	(*re*)	sweet-scented	———	1780. 2.10.	G	♄	
34	lavandulæfòlia. DC.	(*y*)	Lavender-ld.	———	1732. 5. 9.	G	♄	Bot. mag. 304.
35	velutìna DC.	(*ye*)	mucronate	———	1818. ——	G	♄	
36	filifòlia DC.	(*or*)	thread-leaved	———	1816. 5. 8.	G	♄	Jacq. schœn. 1. t. 123.
37	procúmbens DC.	(*st*)	procumbent	———	1792. 5. 6.	G	♄	Cav. dis. 6. t. 177. f. 2.
38	tenuifòlia DC.	(*ye*)	slender-leaved	———	.... 6. 7.	G	♄	Bot. mag. 1348.
39	incìsa DC.	(*ye*)	cut-leaved	———	1806. ——	G	♄	
40	pulveràta DC.	(*or*)	powdered	———	1800. 5. 8.	G	♄	And. bot. rep. 164.
41	argéntea DC.	(*or*)	silvery-leaved	———	1818. ——	G	♄	
42	coronopifòlia. DC.	(*ye*)	Buckshorn-ld.	———	—— 6. 8.	G	♄	
43	hispidùla S.S.	(*ye*)	bristly	———	1823. 3. 8.	G	♄	

MAHE'RNIA DC. MAHE'RNIA. (Anagram of *Hermannia*.) Monadelphia Pentandria.

1	verticillàta DC.	(*ye*)	whorl-leaved	C. B. S.	1820. 6. 8.	G	♃	Cav. dis. 6. t. 176. f. 1.
2	resedæfòlia DC.	(*re*)	Reseda-leaved	———	1818. ——	G	♃	
3	bipinnàta DC.	(*re*)	winged-leaved	———	1752. ——	G	♃	Bot. mag. 277.
	pinnàta B.M.							
4	incìsa DC.	(*st*)	cut-leaved	———	1792. 7. 9.	G	♃	Bott. mag. 353.
5	diffùsa DC.	(*ye*)	diffuse	———	1774. 6. 8.	G	♃	Lodd. bot. cab. 187.
6	heterophy'lla DC.	(*ye*)	various-leaved	———	1731. 4. 5.	G	♃	Cav. dis. 6. t. 178. f. 1.
	Hermánnia grossulariæfòlia L.							
7	seselifòlia DC.	(*ye*)	Seseli-leaved	———	1818. 6. 8.	G	♃	
8	pulchélla DC.	(*re*)	neat	———	1792. 7. 9.	G	♃	Cav. dis. 6. t. 177. f. 3.
9	glabràta DC.	(*ye*)	sweet-scented	———	1789. 4. 5.	G	♃	Jacq. schœnb. 1. t. 53.
	odoràta A.R. 85.							
10	oxalidiflòra DC.	(*re*)	oxalis-flowered	———	1817. ——	G	♃	
11	vesicària DC.	(*ye*)	inflated	———	1818. ——	G	♃	Cav. dis. 6. t. 181. f. 2.
12	grandiflòra	(*sc*)	great-flowered	———	1791. 5. 8.	G	♃	
	Hermànnia grandiflòra H.K.							
13	Burchéllii	(*sc*)	Burchell's	———	1818. ——	G	♃	Bot. reg. 224.
	grandiflòra B.R. *non* H.K.							
14	biserràta DC.	(*ye*)	double-tooth'd	———	1825. ——	G	♃	Cav. dis. 6. t. 200. f. 2.

Tribe V. *DOMBEYACEÆ.* DC.

RUI'ZIA DC. Rui'zia. (Hippolito Ruiz; author of Fl. Peruviana.) Monadel. Polyandria.
1 lobàta DC. (*re*) lobed-leaved Bourbon 1820. .... S ♄ Cav. dis. 3. t. 36. f. 1.
2 variábilis DC. (*bh*) various-leaved ——— 1792. 5. S ♄ Jacq. schœn. 3. t. 295.

PENTA'PETES DC. Penta'petes. (name given by the Greeks to cinquefoil.) Monadel. Dodec.
1 phœnícea DC. (*cr.*) scarlet-flower'd India 1690. 7. 8. S ♂ Bot. reg. 575.
2 ovàta DC. (*sn*) oval-leaved New Spain 1805. 6. 9. S ♂ Cav. ic. 5. t. 433.
Brotèra ovàta Cav.

ASSO'NIA DC. Asso'nia. (Jgn. de Asso; Spanish bot.) Monadelphia Dodecandria.
1 popúlnea DC. (*wh*) Poplar-leaved. Bourbon. 1822. .... S ♄ Cav. dis. 3. t. 42. f. 3.
2 viburnoìdes DC. (*wh*) Viburnum-leavd——— —— .... S ♄

DOMBE'YA DC. Dombe'ya. (Joseph Dombey; French bot.) Monadelphia Dodecandria.
1 cordifòlia DC. (*wh*) heart-leaved E. Indies 1820. .... S ♄
2 ferrugínea DC. (*wh*) rusty Mauritius 1815. .... S ♄ Cav. dis. 3. t. 42. f. 2.
3 ovàta DC. (*wh*) oval-leaved Bourbon 1822. .... S ♄ ——— 3. t. 41. f. 2.
4 angulàta DC. (*ro*) angle-leaved Mauritius 1826. 4. 8. S ♄ Bot. mag. t. 3905.
5 cannábina B.M. (*wh.re*) Hemp ——— 1823. 3. 4. S ♄ ——— t. 3619.
Astrapæ'a viscòsa Swt.

MELHA'NIA DC. Melha'nia. (Mount Melhan in Arabia Felix.) Monadelphia Pentandria.
1 Erythróxylon DC. (*wh*) red-wood St. Helena 1722. 5. 8. S ♄ Bot. mag. 1000.
2 Melanóxylon DC. (*wh*) black-wood ——— 1800. 7. 8. S ♄ Pluk. mant. 6. t. 333. f. 5.
3 Burchéllii DC. (*wh*) Burchell's C. B. S. 1818. —— S ♄

PTEROSPE'RMUM DC. Pterospe'rmum. (πτερον, a wing, and σπερμα, a seed.) Monadel. Dod.
Sect. 1. Vela'ga; *involucel wanting.*
1 acerifòlium DC. (*wh*) Maple-leaved E. Indies 1790. 7. 9. S ♄ Bot. mag. 620.
2 suberifòlium DC. (*wh*) various-leaved ——— 1783. 9.10. S ♄ ——— 1526.
3 lanceæfòlium DC. (*w*) lance-leaved ——— 1818. —— S ♄
4 canéscens H.B. (*wh*) canescent Ceylon —— —— S ♄
Sect. 2. Pterolæ'na; *involucel three-leaved.*
5 semisagittàtum DC. (*w*) fringe-bracted E. Indies —— —— S ♄

ASTRAPÆ'A DC. Astrapæ'a. (αστραπη, lightning; colour of flowers.) Monadel. Dodecan.
1 Wallíchii DC. (*se*) Wallich's Mauritius 1820. 12.1. S ♄ Bot. reg. 691.
2 tiliæfòlia Swt. (*wh*) Lime-leaved Bourbon 1824. .... S ♄

KY'DIA DC. Ky'dia. (Col. R. Kidd, founder of bot. gar. Calcutta.) Monadel. Dodecan.
1 calycìna DC. (*wh*) calycine E. Indies 1818. .... S ♄ Roxb. cor. 3. t. 215.
2 fratérna DC. (*wh*) long stamen'd ——— 1823. .... S ♄ ——— 3. t. 216.

Tribe VI. *WALLICHIEÆ.* DC.

ERIOLÆ'NA DC. Eriolæ'na. (εριον, wool; and χλαινα, a cloak; calyx and involucel.) Mon. Poly.
1 Wallíchii DC. Wallich's E. Indies 1823. .... S ♄ DC. m. mus. 10. p. 102. ic.
2 Candóllii Wal. (*ye*) De Candolle's Prome 1828. 12. S ♄ Wal. pl. as. rar. t. 64.

ORDER XXXIV.

TILIA'CEÆ. *DC. prodr.* 1. *p.* 503.

ENTELE'A B.M. Cork-tree. (εντελης, perfect; stamens all fertile.) Polyandria Monogynia.
1 arboréscens B.M. (*wh*) New Zealand N. Zealand 1821. 5. 6. G ♄ Bot. mag. 2480.
2 pubéscens B.R. (*wh*) pubescent ——— 1836. —— S ♄

SPARRMA'NNIA DC. Sparrma'nnia. (Andrew Sparmann, M.D. Swedish bot.) Polyand. Monogy.
1 africàna DC. (*wh*) African C. B. S. 1790. 3. 7. G ♄ Bot. mag. 516.
2 rugòsa Bhi. (*wh*) rugged-leaved ——— 1825. 3. 6. G ♄

HELIOCA'RPUS DC. Helioca'rpus. (ἡλιος, the sun, and καρπος, a fruit; ciliated.) Dod. Mon.
americàna DC. (*wh*) American Vera Cruz. 1733. .... S ♄ Trew ehret. t. 45.

CO'RCHORUS DC. Co'rchorus. (Greek name for a pot-herb.) Polyandria Monogynia.
Sect. 1. Core'ta; *capsule silique formed, 2-valved, 2-celled.*
1 siliquòsus DC. (*wh*) Germander-lvd. S. America 1732. 6. 8. S ♃ Jacq. vind. 3. t. 59.
2 foliòsus S.S (*ye*) leafy Cuba 1827. —— S ♃

3	hírtus DC.	(*ye*) hairy	S. America	1820.	6. 8.	S	♃	Plum. ed. B. t. 103. f. 2.
4	pilólobus DC.	(*ye*) hairy-podded	———	——	——	S	♃	
5	americànus Sck.	(*ye*) American	———	1825.	——	S	♄	

Sect. 2. CORETIOI'DES; *capsule silique-formed, 3-6-valved, and 3-6-celled.*

6	triloculàris DC.	(*ye*) three-celled	Arabia	1790.	7. 8.	S	⊙	Jacq. vind. 2. t. 173.
7	olitòrius DC.	(*ye*) bristly-leaved	India	1640.	6. 8.	S	⊙	Bot. mag. 2810.
8	æ'stuans DC.	(*ye*) Hornbeam-ld	S. America	1731.	6. 7.	S	⊙	Jacq. vind. 1. t. 85.

Sect. 3. CERATOCORE'TA; *capsules elongated, angular, ending at their apices in 3 or 5 diverging horns.*

9	acutángulus DC.	(*ye*) acute-angled	India	1816.	6. 7.	S	♄	Pluk. phyt. t. 44. f. 1.
10	trìdens DC.	(*ye*) trident-fruited	Senegal	1824.	6. 8.	S	♄	Burm. ind. t. 37. f. 2.
11	pàtens D.S.	(*ye*) spreading	Egypt	——	6. 7.	S	⊙	

Sect. 4. GA'NJA; *capsule nearly globose, depressed, wrinkled and muricated.*

12	capsulàris DC.	(*ye*) heart-leaved	E. Indies	1725.	6. 7.	S	⊙	Jacq. f. eclog. 2. t. 120.

Sect. 5. GUAZUMOI'DES; *capsule ovate, velvetty, or echinated by soft prickles.*

13	hirsùtus DC.	(*ye*) woolly-capsul'd	S. America	1752.	6. 7.	S	♄	Jacq. vind. 3. t. 59.

TRIUMFE'TTA DC. TRIUMFE'TTA. (John Bapt. Triumfetti, Italian bot.) Dodecan. Monogynia.

Sect. 1. LA'PPULA; *flowers apetalous; carpels combined into an undivisible fruit, having a solitary seed in each cell.*

1	Láppula DC.	(*ye*) prickly-seeded	W. Indies	1739.	7. 8.	S	♄	Plum. ic. t. 255.
2	heterophy'lla DC.	(*ye*) various-leaved	———	1823.	——	S	♄	Pluk. t. 425. f. 3.

Sect. 2. BARTRA'MIA; *carpels not closely connected, therefore separable; seed usually 2 in each cell or carpel.*

3	rubricaúlis DC.	(*ye*) red-stem'd	Caracas	1826.	7. 8.	S	♄	
4	suborbiculàta DC.	(*ye*) subrotund	E. Indies	....	——	S	♄	
5	glandulòsa DC.	(*ye*) gland-toothed	Mauritius	....	——	S	♄	Lam. ill. t. 400. f. 1.
6	trichóclada DC.	(*ye*) oval-leaved	Nepaul	1823.	——	S	♂	
7	oblongàta DC.	(*ye*) oblong-leaved	———	——	——	S	♂	
8	ánnua DC.	(*ye*) annual	Java	1760.	8. 9.	S	⊙	Bot. mag. 2296.
9	angulàta DC.	(*ye*) angular-leaved	E. Indies	1739.	6. 7.	S	♄	Lam. ill. t. 400. f. 2.
10	semitríloba DC.	(*ye*) Mallow-leaved	W. Indies	1773.	——	S	♄	Jacq. vind. 3. t. 76.
11	havanénsis DC.	(*ye*) Havannah	Cuba	1825.	——	S	♄	
12	micropétala B.R.	(*ye*) small-petal'd	E. Indies	——	4. 8.	S	♄	Bot. reg. 1058.
13	petiolàris B.R.	(*ye*) petiolate	Peru	1819.	5. 6.	S	♄	Lindl. collect. t. 20.
	rhomboídea L. col. non. Jacq.							
14	rhomboídea DC.	(*ye*) rhomboid	S. America	——	——	S	♄	Jacq. amer. t. 90.
15	althæoìdes DC.	(*ye*) Althæa-leaved	Cayenne	——	——	S	♄	
	macrophy'lla Vahl. ecl. 2. p. 34.							
16	grandiflòra DC.	(*ye*) large flowered	W. Indies	1810.	——	S	♄	
17	triloculàris DC.	(*ye*) three-celled	E. Indies	1817.	10.4.	S	♄	

GRE'WIA DC. GRE'WIA. (Nehemiah Grew, M.D. vegetab. physiologist.) Polyand. Monogy.

§ 1. *petals short, or wanting; sepals 1-nerved; leaves 3, rarely 5-nerved.*

1	tomentòsa DC.	.... tomentose	Java	1818.	....	S	♄	Juss. an. 2. t. 49. f. 1.
2	hirsùta DC.	..... hairy	———	1816.	7. 9.	S	♄	
3	bracteàta DC.	(*gr*) bracted	E. Indies	1818.	——	S	♄	

§ 2. *Petals oblong; sepals 3-nerved; leaves 3-nerved at the base, and feather nerved in the middle.*

4	Mallocócca DC.	.... rough-fruited	Tongatabu	1792.	8. 9.	S	♄	Forst. gen. t. 39.
	Mallocócca crenàta Forst.							
5	oppositifòlia DC.	... sharp-leaved	Nepaul	1818.	....	S	♄	
	umbellàta DC.	..... umbel-flowered	E. Indies	——	....	S	♄	

§ 3. *Petals oblong; sepals 1-nerved or nerveless; leaves 3-nerved at the base, and feather nerved in the centre.*

7	bícolor DC.	..... two-coloured	Senegal	1822.	....	S	♄	Juss. ann. t. 50. f. 2.
8	Róthii DC.	..... Roth's	E. Indies	1819.	....	S	♄	
9	salvifòlia DC.	(*ye*) Sage-leaved	———	——	....	S	♄	
10	flàva DC.	(*ye*) yellow	C. B. S.	1818.	——	G	♄	
11	ovalifòlia DC.	..... oval-leaved	E. Indies	——	....	S	♄	
12	Mícrocos DC.	(*st*) panicled	———	1779.	——	S	♄	Rheed. mal. 1. t. 56.
	Mícrocos paniculàta L.							
13	paniculàta DC.	..... villous-leaved	———	1820.	....	S	♄	
14	orientàlis DC.	(*wh*) oriental	———	1767.	7. 8.	S	♄	Rheed. mal. 5. t. 46.
15	pilòsa DC.	(*wh*) pilose	———	1804.	——	S	♄	
16	glandulòsa DC.	.... glandular	Mauritius	1827.	....	S	♄	Juss. an. 2. t. 48. f. 1.
17	serrulàta DC.	..... serrulate	E. Indies	1818.	....	S	♄	
18	occidentàlis DC.	(*pu*) Elm-leaved	C. B. S.	1690.	7. 9.	G	♄	Bot. mag. 442.
19	asiática	(*li*) Asiatic	E. Indies	1792.	7. 8.	S	♄	Sonn. voy. 2. t. 138.
20	ulmifòlia H.B.	Chinese	China	1818.	....	G	♄	
21	carpinifòlia DC	(*pu*) Hornbeam-ld	Africa	1822.	....	S	♄	Beauv. fl. ow. 1. t. 30.
22	megalocárpa B.O.	(*re*) black-fruited	———	....	——	S	♄	——— 2. t. 102.

§ 4. *Petals oblong; leaves 5-7-nerved.*

23 subinæquàlis DC. .. oblique-leaved E. Indies 1816. .... S ♄
24 villífera .... wool-bearing ——— 1826. .... S ♄
villòsa. Roth. *nec aliorum.*
25 áspera DC. .... rough-leaved ——— 1818. .... S ♄
26 tiliæfòlia DC. .... Lime-leaved ——— 1812. .... S ♄
27 villòsa DC. .... villous ——— 1816. .... S ♄
28 therebinthinàcea DC. strong-scented ..... —— .... S ♄
29 obtusifòlia D.C. blunt-leaved C. B. S. 1818. .... G ♄

BROWNLO'WIA. R. BROWNLO'WIA (late Lady Brownlow; admirer of Botany). Polyan. Mon.
elàta R. (*ye*) tall E. Indies 1812. 9.10. S ♄ Bot. reg. t. 1472.

TI'LIA DC. LIME-TREE (Etymology unknown). Polyandria Monogynia.

§ 1. *Petals destitute of scales; natives of Europe.*

1 microphy'lla DC. (*wh*) small-leaved Britain .... 8. 9. S 5 Eng. bot. 1705.
parvifòlia EB.
2 intermèdia DC. (*wh*) intermediate ——— .... —— H 5 Hayn. et. Sv. bot. t. 40.
europæ'a. Eng. bot. 610.
β *laciniàta* (*wh*) jagged-leaved ——— .... 6. 8. H 5
3 corállina E.F. (*wh*) coral-twigged Britain .... 7. H 5
4 rùbra DC. (*wh*) red-twigged Europe .... 6. 8. H 5
5 platyphy'lla DC (*wh*) broad-leav'd Britain .... —— H 5 Vent. dis. p. 6. t. 1. f. 2.
grandifòlia E.F.

§ 2. *Petals furnished each with a scale inside at the base. Natives of America.*

6 glàbra DC. (*wh*) broad-leaved N. America 1752. 6. 7. H 5 Vent. dis. p. 9. t. 2.
americàna L.
7 laxiflòra DC. (*wh*) loose-flowered ——— 1820. —— H 5
8 pubéscens DC. (*wh*) pubescent ——— 1726. 7. 8. H 5 Vent. dis. p. 10. t. 3.
β *leptophy'lla* DC. (*w*) *narrow-leaved* ——— —— —— H 5
9 heterophy'lla DC. (*wh*) white-leaved ——— .... 6. 8. H 5 Vent. dis. p. 16. t. 5.
álba. Mich. arb. 3. t. 2.
10 argéntea DC. (*wh*) silver-leaved Hungary 1767. —— H 5 Vent. dis. p. 13. t. 4.
álba. W. et. K. hung. 1. t. 3. *rotundifòlia.* Vent.
11 petiolàris DC. (*wh*) long-petioled ..... 1824. .... H 5

MUNTI'NGIA. DC. MUNTI'NGIA. (Abraham Munting, prof. bot. Groningen). Polyand. Monog.
Calabùra DC. (*wh*) Jamaica Jamaica 1690. 6. 7. S ♄ Jacq. amer. t. 107.

APEI'BA DC. APEI'BA. (Brazilian name of one of the species.) Polyandria Monogynia.
1 Tibóurbou DC (*ye*) hairy S. America 1756. .... S ♄ Aub. gui. 1. t. 213.
Aublètia Tiboúrbou. W.
2 Petoúmo DC. (*ye*) hoary ——— 1817. .... S ♄ Aub. gui. 1. t. 215.
3 áspera DC. (*ye*) prickly-capsul'd Cayenne 1792. .... S ♄ ——— 1. t. 216.
Aublètia áspera W.
4 glàbra DC. (*gr*) smooth ——— 1817. .... S ♄ Aub. gui. 1. t. 214.
Aublètia læ'vis. W.

SLOA'NEA DC. SLOA'NEA. (Celebrated Sir Hans Sloane). Polyandria Monogynia.
1 dentàta DC. (*ye*) Chestnut-leav'd S. America 1752. .... S ♄ Plum. ic. 244.
2 sinemariénsis DC. (*ye*) round-leaved W. Indies 1820. .... S ♄ Aub. gui. 1. t. 212.

GYROSTE'MON DC. GYROSTE'MON. (γυρος, a circle, and στημων, a stamen). Diœcia Polyandria.
2 attenuàtum Hook. attenuated MoretonBay 1830. .... G ♄ Bot. misc. t. 53.
Codonocárpus austràlis. Cun.
1 ramulòsum DC. .... branching N. Holland 1820. .... G ♄ Desf. m. mus. 6. t. 6.

BE'RRYA. RC. BE'RRYA. (Dr. Berry, a friend of Roxburgh.) Polyandria Monogynia.
ammonílla. RC. (*st*) Ceylon Ceylon 1818. .... S ♄ Roxb. corom. 3. t. 264.

LUHE'A DS. LUHE'A. (Charles van der Luhe; German bot.) Polyadelphia Polyandria.
paniculàta DS. (*ro*) panicled Brazil 1828. .... S ♄ Mart. bras. t. 62.

ORDER XXXV.

ELÆOCA'RPEÆ. DC. *prodr.* 1. *p.* 519.

ELÆOCA'RPUS DC. ELÆOCA'RPUS. (ελαια, an olive, and καρπος, a fruit; similarity.) Dod. Mon.
1 serràtus. DC. (*pu*) saw-leaved E. Indies 1774. .... S ♄ Burm. zeyl. t. 40.
2 cyàneus DC. (*wh*) blue-fruited N. Holland 1803. 6. 8. G ♄ Bot. mag. 1737.
reticulàtus B.R. 657.

ACERA'TIUM DC. ACERA'TIUM. (*a*, priv., and *κερας*, a horn; stamens without bristles.) D. M.
oppositifòlium DC. opposite-leaved Amboyna 1818. .... S ♄

DI'CERA DC. DI'CERA. (*δις*, double, and *κερας*, a horn; anthers). Dodecandria Monogynia.
dentàta DC. (*wh*) tooth-leaved N. Zealand 1820. 6. 8. G ♄ Forst. gen. t. 40.

FRIE'SIA DC. FRIE'SIA. (Elias. Fries, M.D. prof. bot. Lund.) Dodecandria Monogynia.
pedunculàris DC. (*wh*) peduncled Van Diem. 1818. .... G ♄ Lab. n. holl. 2. t. 155.
Elæocárpus pedunculàris. Lab.

ORDER XXXVI.

HUGONIA'CEÆ. *Arnott.*

HUGO'NIA DC. HUGO'NIA. (John Hugo, Eng. bot.) Monadelphia Decandria.
1 My'stax DC. (*ye*) entire-leaved E. Indies 1818. 6. 9. S ♄ Rheed. mal. 2. t. 29.
2 serràta DC. (*ye*) saw-leaved Mauritius 1820. —— S ♄ Cav. dis. 3. t. 73. f. 1.

ORDER XXXVII.

TERNSTRŒMIA'CEÆ. DC. *prodr.* 1. *p.* 523.

Tribe I. *TERNSTRŒMIE'Æ.* DC.

TERNSTRŒ'MIA DC. TERNSTRŒ'MIA. (Ternstroem, a Swedish Naturalist.) Polyand. Monog.
1 pedunculàris DC. (*w*) long-peduncled W. Indies 1818. 6. 8. S ♄
2 punctàta DC. (*wh*) spotted-leaved Guiana 1824. .... S ♄ Aubl. gui. 1. t. 228.
3 dentàta DC. (*ye*) toothed ——— 1826. .... S ♄ ——— 1. t. 227.
4 venòsa DC (*wh*) veined-leaved Brazil 1820. 6. 8. S ♄
5 serràta H.B. (*wh*) saw-leaved Silhet —— .... S ♄

Tribe II. *FREZIE'REÆ.* DC.

CLEYE'RA DC. CLEYE'RA. (Andrew Cleyer, MD.) Polyandria Monogynia.
japónica DC. (*wh*) Japan Japan 1822. .... S ♄ Kæmp. am. 5. p. 774. ic.

FREZIE'RA DC. FREZIE'RA. (A. F. Frezier, a French Engineer.). Polyandria Monogynia.
thæoìdes DC. (*wh*) Tea-like Jamaica 1818. .... S ♄

EU'RYA. DC. EU'RYA. (*ευρυς*, large; flowers). Polygamia Monœcia.
1 chinénsis DC (*wh*) China China 1818. 1. 3. G ♄ Lodd. bot. cab. 1213.
2 multifiòra DC. (*wh*) many-flowered Nepaul 1823. .... S ♄

LETTSO'MIA DC. LETTSO'MIA. (J. C. Lettsom, M.D., Eng. nat.). Polyandria Monogynia.
tomentòsa DC. .... tomentose Peru 1823. .... S ♄ Ruiz et P. prod. t. 14.

Tribe III. *SAURAU'JEÆ.* DC.

SAURAU'JA DC. SAURAU'JA. (Sauraujo; Portuguese bot.) Polyandria Pentagynia.
1 excélsa DC. (*wh*) tall Caracas 1824. .... S ♄ Willd. n. act. ber. 3. t. 4.
2 napaulénsis DC. (*wh*) Nepaul Nepaul —— .... S ♄

Tribe IV. *LAPLA'CEÆ.* DC.

WITTELSBA'CHIA M.N. WITTELSBA'CHIA. (M. Wittelsbach; German bot.) Polyandria Monog.
1 Gossy'pium M.N. (*ye*) large-flowered E. Indies 1822. .... S ♄ Sonn. voy. 2. t. 133.
Cochlospérmum Gossy'pium DC. *Bómbax Gossy'pium.* Cav. dis. 5. t. 157.
2 vitifòlia M.N. (*ye*) Vine-leaved S. America 1820. .... S ♄ Fl. mex. ic. ined.
Cochlospérmum serratifòlium DC. *hibiscoìdes* K.S. *Bombax vitifòlium.* W. en.
3 insígnis M.N. (*ye*) spot-flowered Brazil 1821. .... S ♄ Mart.nov. gen. 1. t. 35.
MAHU'REA D.S. MAHU'REA. (Mahuri is the name of the tree in Guiana.) Monadel. Polyan.
palústris DS. (*pu*) Marsh Trinidad 1820. .... S ♄ Aubl. gui. 1. t. 222.
MARI'LA DS. MARI'LA. (*μαριλη*, sparks; fringe of seed.) Polyandria Monogynia.
racemòsa DS. (*ye.gr*) racemose W. Indies 1827. .... S ♄
KIELMEYE'RA DS. KIELMEYE'RA. (C. F. D. Kielmeyer, patron of bot.) Polyand. Monogy.
excélsa DS. (*wh*) tall Brasil 1833. .... S ♄
GODO'YA DS. GODO'YA. (Emman. Godoy; patron of bot.) Polyandria Monogynia.
geminiflòra DC. (*ye*) twin-flowered Brasil 1829. .... S ♄ Mart. nov. gen. 1. t. 74.
LAPLA'CEA DS. LAPLA'CEA. (Marquis La Place; cel. French mathem.) Polyand. Monog.
hæmatóxylon DS. (*wh*) red-wooded Jamaica 1820. .... S ♄
Gordònia hæmatóxylon DC.

Tribe V. *GORDONIE Æ.* DC.

MALACHODE'NDRON DC. MALACHODE'NDRON. (*μαλαχος*, soft, and *δενδρον*, a tree.) Mon. Pol.
ovàtum DC. (*wh*) oval-leaved N. America 1785. 8. 9. H ♄ Bot. reg. 1104.
Stuártia pentagy'nia Ex. bot. t. 101.
STUA'RTIA W. STUA'RTIA. (John Stuart, Marquis of Bute, patron of bot.) Monad. Poly.
virgínica DC. (*wh*) Virginian N. America 1742. 5. 8. H ♄ Cav. dis. 5. t. 159. f. 2.
Malachodéndron D. *marylándica.* A.R. t. 73.
GORDO'NIA DC. GORDO'NIA. (Alex. Gordon; celebrated nurseryman.) Monadel. Polyand.
Sect. 1. LASIA'NTHUS; *petals somewhat connected at their bases; stamens disposed in something like* 5-*bundles.*
1 Lasiánthus DC. (*wh*) smooth N. America 1739. 8.11. F ♄ Bot. mag. 668.
Sect. 2. LACATHE'A; *petals connected at their bases; stamens free.*
2 pubéscens DC. (*wh*) pubescent N. America 1774. 8.11. F ♄ Vent. malm. t. 1.
3 Frankfìni L'Her. (*w*) Franklin's ——— —— —— F ♄
POLY'SPORA DS. POLY'SPORA. (*πολυς*, many, and *σπορα*, a seed.) Monadelphia Polyandria.
axillàris DS. (*wh*) axillary-flower'd E. Indies 1816. 11.3. S ♄ Bot. reg. 349.
Camèllia axillàris B.R. *et* B.M. 2047.

ORDER XXXVIII.

CAMELLIE'Æ. DC. *prodr.* 1. *p.* 529.

CAME'LLIA Ker. CAME'LLIA. (Camellus, or Kamel; Moravian Missionary.) Monad. Poly.
1 caryoìdes B.R. (*wh*) small-flowered China 1824. 1. 5. G ♄ Bot. reg. 983.
2 oleífera B. R. (*wh*) oleiferous ——— 1819. 1. 3. G ♄ ——— 942.
3 Sasánqua DC. (*wh*) Lady Banks's ——— 1811. 11.1. G ♄ Thunb. fl. jap. t. 30.
β *semidùplex* (*wh*) *semidouble* ——— —— —— G ♄ Bot. reg. 12.
γ *flòre-plèno* (*wh*) *double-flowered* ——— 1823. —— G ♄ ——— 1091.
4 maliflòra B.R. (*ro*) pink-flowered ——— 1819. 1. 4. G ♄
Sasánqua β *ròsea.* Bot. reg. 547.
5 Kissi DC. (*wh*) Nepaul Nepaul 1823. .... G ♄
6 reticulàta B.R. (*sc*) Captain Rawes' China 1824. 2. 4. G ♄ Bot. reg. 1078.
7 japónica DC. (*va*) common ——— 1739. 12.5. G ♄ Cav. dis. 6. t. 160.
8 *ròsa* (*sc*) *single-red* ——— —— —— G ♄ Bot. mag. 42.
9 *álba* (*wh*) *single-white* ——— .... —— G ♄ Bot. reg. 353.
10 *álba semidùplex* (*wh*) *semidouble white* ——— .... —— S ♄

11	*semidùplex*	(*re*)	*semidouble red*	China	1808.	12.5.	G	h	Andr. rep. 559.
12	*rùbro-plena*	(*re*)	*double-red*	———	1794.	——	G	h	——— 199.
13	*cárnea*	(*pi*)	*Middlemist's rd*	———	1808.	——	G	h	Lod. bot. cab. 455.
14	*myrtifòlia*	(*pi*)	*Myrtle-leaved*	———	——	——	G	h	Bot. mag. 1670.
15	*incarnàta*	(*bh*)	*Lady Hume's blush*	——	1806.	——	G	h	Bot. reg. t. 112.
16	*involùta*	(*pk*)	*Lady Long's*	———	1820.	——	G	h	——— t. 633.
17	*hexangulàris*	(*re*)	*six-sided*	———	....	——	G	h	
18	*atrorùbens*	(*sc*)	*Loddiges' red*	———	1809.	——	G	h	Lod. bot. cab. 170.
19	*anemoniflòra*	(*cr*)	*red Waratah*	———	1739.	——	G	h	Bot. mag. 1654.
20	*dianthiflòra*	(*v*)	*Carnation War.*	Knights	....	——	G	h	——— 2577.
21	*blánda*	(*bh*)	*blush Waratah*	China	....	——	G	h	
22	*pompònia*	(*bh*)	*Kew blush*	———	1810.	——	G	h	Bot. reg. 22.
23	*Reevesiàna* B.R.	(*sc*)	*Reeves'*	———	....	——	S	h	Bot. reg. t. 1501.
24	*pæoniflòra rosea*	(*pi*)	*Pæony-flowered*	———	1811.	12.5.	G	h	Lod. bot. cab. 238.
25	*pæoniflòra pállida*	(*bh*)	*blush pæony-fl*	———	1820.	——	G	h	
26	*pæoniflòra álba*	(*wh*)	*white pæony-fl.*	———	——	——	G	h	
27	*Welbánkii*	(*wh*)	*Welbank's wh.*	———	——	——	G	h	Lod. bot. cab. 1198.
28	*ròsea*	(*re*)	*Le Blanc's red*	———	1821.	——	G	h	
29	*lùteo-álba*	(*st*)	*pale-yellow*	———	....	——	G	h	Bot. reg. 708.
30	*álbo-plèna*	(*wh*)	*double white*	———	1792.	——	G	h	Lodd. bot. cab. 269.
31	*fimbriàta*	(*wh*)	*fringed white*	———	1816.	1. 4.	G	h	——— 1103.
32	*speciòsa*	(*var*)	*Rawes's variegated Waratah*		1824.	——	G	h	
33	*imbricàta*	(*re*)	*crimson shell*	———	1827.	——	G	h	
34	*Párksii*	(*var*)	*Parks's striped rose*	——	1824.	——	G	h	
35	*variegàta*	(*v*)	*double striped*	———	1792.	——	G	h	Andr. rep. 91.
36	*Sabiniàna*	(*wh*)	*Sabine's white*	———	1824.	——	G	h	
37	*Donckelæ'ri* B.R.	(*re.wh*)	*Donckelær's*	———	....	——	G	h	Bot. reg. t. 1854.
38	*crassinérvis*	(*re*)	*Mr. Kent's*	———	1820.	——	G	h	Lodd. bot. cab. 1475.
39	*conchiflòra*	(*re*)	*shell-flowered*	———	....	——	G	h	
40	*rubricaúlis*	(*sc*)	*Lady Ad'l. Campbell's*	—	....	——	G	h	
41	*longifòlia*	(*re*)	*long-leaved*	Malcolm's	....	——	G	h	
42	*punctàta*	(*re.wh*)	*spotted*	———	....	——	G	h	
43	*ròsa-múndi*	(*wh.cr*)	*rose of the world*.....		....	——	G	h	
44	*Préssii*	(*re*)	*Press's red*	.....	....	——	G	h	
45	*Eclípsis*	(*wh.re*)	*Press's eclipse*	.....	....	——	G	h	
46	*rùbra punctàta*	(*wh.re*)	*single red-spotted*	....	....	——	G	h	
47	*Chandlèri* versícolor *Bot. reg.* 887.	(*v*)	*striped Waratah*	Chandler's	1822.	12.5.	G	h	Chandl. camel. t. 1. 2.
48	*Aitòni*	(*sc*)	*large single-red*	———	——	——	G	h	——— t. 3.
49	*althæiflòra*	(*re*)	*Hollyhock-fld*	———	——	——	G	h	——— t. 4.
50	*coràllina*	(*re*)	*coral-flowered*	———	——	——	G	h	——— t. 5.
51	*insígnis*	(*re*)	*splendid*	———	——	——	G	h	——— t. 6.
52	*flórida*	(*re*)	*cluster-flowered*	———	——	——	G	h	——— t. 7.
53	*anemonæflòra álba*	(*w*)	*white Anemone fld*	——	——	——	G	h	——— t. 8.
54	*Sweetiàna*	(*ro*)	*Sweet's half-bred*	———	——	——	G	h	Swt. br. fl. gar. s. 2. t. 133.
55	*Róssii*	(*re*)	*Ross's*	Ross's	——	——	G	h	
56	*Wiltòniæ*	(*va*)	*Mrs. Wilton's*	Knight's	——	——	G	h	
57	*Elphinstoniàna*	(*re*)	*Miss Elphinstone's*	———	——	——	G	h	
58	*rosæflòra*	(*re*)	*Rose-flowered*	———	——	——	G	h	
59	*Cliveàna*	(*re*)	*Lady H. Clive's*	———	——	——	G	h	
60	*heterophy'lla*	(*re*)	*various-leaved*	———	——	——	G	h	
61	*Egertòniæ*	(*re*)	*Mrs. Egerton's*	———	——	——	G	h	
62	*Goussòniæ*	(*ro*)	*Mrs. Goussone's*	———	——	——	G	h	
63	*Barnabìæ*	(*pi*)	*Mrs. Barnaby's*	———	——	——	G	h	
64	*radiàta*	(*re*)	*rayed single*	———	——	——	G	h	
65	*supìna*	(*re*)	*supine*	———	——	——	G	h	
66	*Hibbértii*	(*re*)	*Mr. Hibbert's*	———	——	——	G	h	
67	*Perc'yæ*	(*re*)	*D's. of Northumberland's*		——	——	G	h	
68	*Woódsii*	(*ro*)	*Mr. Wood's*	Chandler's	——	——	G	h	
69	*argéntea*	(*re.w*)	*silvery-cup'd*	———	——	——	G	h	
70	*basílica*	(*re*)	*princely*	———	——	——	G	h	
71	*príncepsi*	(*sc*)	*double-carmine*	———	——	——	G	h	
72	*sanguínea*	(*cr*)	*single-crimson*	———	——	——	G	h	
73	*sericea*	(*ro*)	*double-silky*	———	——	——	G	h	
74	*Byrònii*	(*ro*)	*Lord Byron's*	———	——	——	G	h	
75	*carnéscens*	(*fl*)	*single pale-red*	———	——	——	G	h	
76	*exímia*	(*re*)	*fine double-red*	———	——	——	G	h	
77	*bícolor*	(*ro.w*)	*single rosy & white*	——	——	——	G	h	
78	*purpurascens*	(*re*)	*single dark-red*	———	——	——	G	h	

79 *gigantèa*	(*ro*) *large double*	China	1822.	12.5.	G	♄		
80 *lacida*	(*re*) *double bright-red*	——	——	——	G	♄		
81 *ornàta*	(*pi*) *pink Waratah*	——	——	——	G	♄		
82 *papaveràcea*	(*re*) *Poppy-flower'd*	Loddiges	——	——	G	♄		
83 *rotundifòlia*	(*re*) *round-leaved*	——	——	——	G	♄		
84 *Spofforthiàna*	(*wh*) *red-lined-white*	Spofforth	——	——	G	♄		
85 *Herbérti*	(*ro*) *Mr. Herbert's*	——	——	——	G	♄		
Spofforthiàna ròsea	*Herbert Mss*	——	——	——	G	♄		
86 *Haylóckii*	(*wh*) *Haylock's*	——	——	——	G	♄		
87 *reflèxa*	(*cr*) *single reflex-petaled*	——	——	——	G	♄		
88 *Colvillii*	(*va*) *Colville's*	Colville	——	——	G	♄	Sweet br. fl. gar. s. 2.	
89 *Ròsa-sinénsis*	(*re*) *China rose*	——	——	——	G	♄	Lodd. bot. cab. 1455.	
THE'A DC.	TEA. (*tcha*, Chinese name.) Monadelphia Polyandria.							
1 víridis DS.	(*wh*) Green	China	1768.	9.11.	F	♄	Lodd. bot. cab. 227.	
Camèllia víridis, L.K.								
2 bohèa BS.	(*wh*) Bohea	——	1780.	10.12.	F	♄	Lodd. bot. cab. 226.	
3 latifòlia Lodd.	broad-leaved	——	1825?	——	H	♄	——	t. 1828.

ORDER XXXIX.

OLACI'NEÆ. *DC. prodr.* 1. *p.* 531.

O'LAX DC.	O'LAX. (ολαξ, a furrow.) Triandria Monogynia.							
1 scándens DC.	(*wh*) climbing	E. Indies	1820.	1.12.	S	♄	◡	Roxb. cor. 2. t. 102.
2 imbricàta DC.	(*wh*) imbricate	——	——	....	S	♄	◡	
SPERMA'XYRUM DC.	SPERMA'XYRUM. (σπερμα, a seed, and αξυρα, an anchor.) Triand. Monog.							
stríctum DC.	(*wh*) upright	N. S. W.	1820.	....	G	♄		
XIME'NIA DC.	XIME'NIA. (Francis Ximenes, Spanish monk.) Octandria Monogynia.							
1 americàna DC.	(*y*) spring	W. Indies	1759.	6. 9.	S	♄		Jacq. am. pict. t. 107.
2 inérmis DC.	(*y*) unarmed	——	1820.	....	S	♄		
GE'LA Lour.	GE'LA. (γελα, the light of the sun; leaves.) Octandria Monogynia.							
1 lanceolàta B.C.	(*st*) spear-leaved	China	1820.	4. 8.	G	♄		Lod. bot. cab. t. 938.
Ximènia ? lanceolàta DC. *Sèlas lanceolàta* S.S.								
2 oblongifòlia Cun.	(*wh.gr*) oblong-ld.	N. Holland	1823.	6.	G	♄		

ORDER XL.

AURANTIA'CEÆ. *DC. prodr.* 1. *p.* 535.

ATALA'NTIA DC.	ATALA'NTIA. (A name in mythology.) Monadelphia Octandria.							
monophy'lla DC.	(*wh*) simple-leaved	E. Indies	1777.	6. 8.	S	♄		Roxb. cor. 2. t. 83.
Limònia monophy'lla R.								
TRIPHA'SIA DC.	TRIPHA'SIA. (τριφασιος, triple; calyx 3-toothed; petals 3.) Hexand. Monog.							
trifoliàta DC.	(*wh*) three-leaved	China	1787.	7. 8.	S	♄		Jacq. ic. rar. t. 463.
Limònia trifoliàta And. rep. 143.								
LIMO'NIA DC.	LIMO'NIA. (*Limoun*, Arabic name of the citron.) Decandria Monogynia.							
1 acidíssima DC.	(*wh*) sour-fruited	E. Indies	1824.	4. 8.	S	♄		Rumph. amb. 2. t. 43.
2 crenulàta DC.	(*wh*) crenulate	——	1808.	5. 7.	S	♄		Roxb. cor. 1. t. 86.
3 ambígua DC.	(*wh*) ambiguous	.....	....	——	S	♄		
4 scándens H.B.	(*wh*) climbing	E. Indies	1820.	....	S	♄	◡	
5 austràlis Cun.	(*wh*) southern	N. Holland	1830.	....	G	♄		
COO'KIA DC.	COO'KIA. (celebrated Capt. James Cook.) Decandria Monogynia.							
punctàta DC.	(*wh*) Wampee tree	China	1795.	5. 7.	S	♄		Jacq. schœnb. 1. t. 101.
MURRA'YA DC.	MURRA'YA. (J. A. Murray, prof. med. Gottingen.) Decandria Monogynia.							
1 exótica DC.	(*wh*) Ash-leaved	E. Indies	1771.	8. 9.	S	♄		Bot. reg. 434.
2 paniculàta DC.	(*wh*) panicled	——	1821.	4. 5.	S	♄		Hook. ex. flor. 134.
AGLA'IA DC.	AGLA'IA. (αγλαια, one of the Graces; beauty.) Pentandria Monogynia.							

odoràta DC.	(*st*)	sweet-scented	China	1810.	2. 5.	S	♄	Rhumb. amb. 5. t. [illegible]
BERGE'RA DC.	(*y*)	BERGE'RA. (C. J. Berger, prof. bot. Kiel.) Decandria Monogynia.						
1 Kœnígii DC.	(*gr*)	Kœnig's	E. Indies	1818.	3. 6.	S	♄	Lodd. bot. cab. 1019.
2 integérrima DC.	(*y.gr*)	entire-leaved	———	1820.	....	S	♄	
CLAUSE'NIA DC.		CLAUSE'NIA. (étymology unknown.) Octandria Monogynia.						
pentaphy'lla DC.	(*wh*)	five-leaved	E. Indies	1823.	....	S	♄	
GLYCO'SMIS DC.		GLYCO'SMIS. (γλυκος, sweet, and οσμη, smell; flowers.) Decand. Mona.						
1 arbòrea DC.	(*wh*)	tree	E. Indies	1796.	5. 8.	S	♄	Roxb. cor. 1. t. 85.
Limònia arbòrea R.C.								
2 citrifòlia H.T.	(*wh*)	Citron-leaved	China	1820.	2. 6.	G	♄	Bot. mag. 2416.
Limònia citrifòlia DC. *parviflòra* B.M.								
3 pentaphy'lla DC.	(*wh*)	five-leaved	E. Indies.	1790.	6. 7.	S	♄	Roxb. cor. 1. t. 84.
Limònia pentaphy'lla R.C.								
FERO'NIA DC.		ELEPHANT APPLE. (Goddess of the forests.) Decandria Monogynia.						
elephántum DC.	(*bh*)	Indian	E. Indies	1804.	....	S	♄	Roxb. cor. 2. t. 141.
Æ'GLE DC.		BENGAL QUINCE. (One of the Hesperides.) Polyandria Monogynia.						
Mármelos DC.	(*wh*)	thorny	E. Indies	1759.	....	S	♄	Roxb. cor. 2. t. 143.
CITRUS DC.		ORANGE-TREE. (Citron, a town in Judea.) Polyadelphia Polyandria.						
1 Médica DC.	(*wh*)	Citron	Asia	1648.	5. 7.	G	♄	Ris. an. mus. 20. t. 2. f. 1
2 Limétta DC	(*wh*)	Bergamotte	———	....	——	G	♄	———20. t. 2. f. 1.
3 Limònum DC.	(*wh*)	Lemon	———	....	——	G	♄	Ferr. hesp. t. 247. &c.
4 ácida H.B.	(*wh*)	Lime	———	....	——	G	♄	
5 Paradìsi DS.	(*wh*)	forbidden fruit	———	....	——	G	♄	
6 Aurántium DC.	(*wh*)	common	———	1595.	——	G	♄	Ris. an. mus. 20. t. 1. f. 1. 2
7 vulgàris DC.	(*wh*)	Seville	———	....	——	G	♄	Bot. reg. t. 346.
8 decumàna DC.	(*wh*)	Shaddock	India	1724.	——	G	♄	Rumph. am. t. 24. f. 1. 2
9 hy'strix DC.	(*wh*)	very spiny	———	....	——	G	♄	——— 2. t. 28?
10 japónica DC.	(*wh*)	small-fruited	Japan	1815.	——	G	♄	Th. ic. jap. t. 15.
11 nóbilis DC.	(*wh*)	Mandarin	China	1805.	——	G	♄	Andr. rep. 608.
β mìnor	(*wh*)	Tangerine	———	——	——	G	♄	Bot. reg. 211.
12 Margarìta DC.	(*wh*)	sweet Lemon	———	1820.	——	G	♄	
13 madurénsis DC.	(*wh*)	spineless	———	1816.	——	G	♄	Rumph. amb. 2. t. 31.
14 angulàta DC.	(*wh*)	angular-fruited	E. Indies	....	——	G	♄	——— 2. t. 32.
15 buxifòlia DC.	(*wh*)	retuse-leaved	China	....	——	G	♄	

ORDER XLI.

HYPERICI'NEÆ. *DC. prodr.* 1. *p.* 541.

Subordo I. HYPERICI'NEÆ VE'RÆ. DC.

Tribe I. *VISMIE'Æ.* DC.

HARO'NGA DC.		HARO'NGA. (name in Madagascar.) Polyadelphia Dodecandria.						
1 madagascariénsis DC.	(*y*)	Madagascar	Madagascar	1824.	....	S	♄	Lam. ill. t. 645.
Arungàna paniculàta P.S.								
VI'SMIA DC.		VI'SMIA. (M. de Visme; Lisbon merchant.) Polyadelphia Polyandria.						
1 sessilifòlia DC.	(*ye*)	sessile-leaved	Guiana	1826.	....	S	♄	Aubl. guian. 2. t. 312. f. 2.
2 guianénsis DC.	(*ye*)	Guiana	———	1828.	....	S	♄	——— 2. t. 311.
3 brasiliénsis DC.	(*ye*)	Brasilian	Brazil	1822.	5. 6.	S	♄	Chois. p. hyp. 35. t. 2.
4 guineénsis DC.	(*ye*)	African	Sierra Leon.	1823.	——	S	♄	Lin. amœn. 8. t. 8. f. 1.
5 glàbra R.P.	(*re*)	smooth	S. America	1824.	7. 8.	S	♄	Bot. cab. t. 1752.

Tribe II. *HYPERI'CEÆ.* DC.

ANDROSÆ'MUM DC.		TUTSAN. (ανηρ, a male, and αιμα, blood; colour of juice.) Monad. Poly.						
officinàle DC.	(*ye*)	common	Britain	....	7. 9.	H	♄	Eng. bot. 1225.
HYPE'RICUM DC		ST. JOHN'S-WORT. (υπερ, under, εικων, an image.) Polyadelph. Polyand.						

Sect. 1. ASCYRE'IA; *sepals unequal, connected at the base; stamens numerous; styles* 3-5; *flowers large, terminal.*

§ 1. *styles commonly* 3.

1	elàtum DC.	(*ye*) tall	N. America	1762.	7. 8.	H	♄	Wats. dend. brit. t. 85.
2	frondòsum DC.	(*ye*) green	———	1806.	——	H	♄	
3	amœ'num DC.	(*ye*) pretty	Carolina	1812.	——	H	♄	
4	grandifòlium DC.	(*ye*) great-leaved	Teneriffe	1818.	——	G	♄	Chois. pr. hyp. t. 3.
5	hircinum DC.	(*ye*) stinking	S. Europe	1640.	7. 9.	H	♄	Wats. dend. brit. t. 86.
	β minus. W.D.	(*ye*) *smaller*	———	——	——	H	♄	——— t. 87.
6	fobòsum DC.	(*ye*) shining	Azores	1778.	8.	G	♄	
7	floribúndum DC.	(*ye*) many-flowered	Madeira	1779.	——	G	♄	Com. hort. 2. t. 68.
8	oly'mpicum DC.	(*ye*) Olympic	Levant	1706.	7. 9.	H	♄	Exot. bot. 2. t. 96.
9	canariénse DC.	(*ye*) Canary	Canaries	1699.	——	G	♄	

§ 2. *styles commonly* 5.

10	chinénse DC.	(*ye*) Chinese	China	1753.	3. 9.	G	♄	Bot. mag. 334.
	monógynum BM.							
11	cordifòlium DC.	(*ye*) heart-leaved	Nepaul	1822.	6. 9.	G	♄	
12	pyramidàtum DC.	(*ye*) pyramidal	Canada	1759.	7. 8.	H	♃	Vent. malm. t. 118.
13	A'scyron DC.	(*ye*) Siberian	Siberia	1774.	6. 9.	H	♃	Gmel. sib. 4. t. 69.
14	Geblèri Led.	(*ye*) Gebler's	Altaia	1829.	7. 8.	H	♃	Led. ill t. 487.
15	ascyroìdes DC.	(*ye*) large-capsuled	N. America	1812.	6. 7.	H	♃	
16	macrocárpum Ait.	(*ye*) large capsuled	———	1828.	7. 8.	H	♃	
17	pátulum DC.	(*ye*) spreading	Japan	1820.	7. 9.	G	♄	Thunb. jap. ic. 17.
18	Uràlum D.P.	(*ye*) Nepaul	Nepaul	——	——	F	♄	Bot. mag. 2375.
19	Kalmiànum DC.	(*ye*) Kalmia-leaved	Virginia	1759.	6. 7.	H	♄	
20	calcycìnum DC.	(*ye*) large-flowered	Ireland	....	6. 9.	H	♄	Eng. bot. 2017.
21	baleáricum DC.	(*ye*) warted	Majorca	1714.	3. 9.	G	♄	Bot. mag. 137.

Sect. 2. PERFORA'RIA; *sepals* 5, *equal, connected at their bases; stamens numerous, free or disposed in* 3 *or* 5 *sets; styles usually* 3; *flowers axillary or terminal.*

§ 1. *Sepals entire.*

22	angulòsum DC.	(*ye*) tooth'd-flow'r'd	N. America	1812.	6. 7.	H	♃	
23	punctàtum DC.	(*ye*) spotted	———	1789.	7. 9.	F	♃	
	carymbòsum W. *maculàtum.*	Walt.						
24	dolabrifórme DC.	(*ye*) hatchet-like	———	1818.	6. 8.	H	♃	
25	densiflòrum DC.	(*ye*) dense-flowered	Virginia	1812.	——	F	♄	
26	procúmbens DC.	(*ye*) procumbent	N. America	1822.	7. 8.	H	♃	
27	rosmarinifòlium DC.	(*y*) Rosemary-ld.	Carolina	1812.	——	F	♄	
28	virgàtum DC.	(*ye*) twiggy	N. America	1823.	6. 8.	H	♃	
29	prolificum. DC.	(*ye*) prolific	———	1758.	——	H	♄	Wats. dend. brit. t. 88.
	Kalmiànum Maund. bot. gard. 194. t. 49. *nec aliorum. foliosum.* Jacq. schœnb. 3. t. 299. *non* Ait.							
30	glaúcum DC.	(*ye*) glaucous	N. America	1812.	7. 8.	H	♃	
31	lævigàtum H.K.	(*ye*) smooth	———	1772.	——	H	♃	
32	nudiflòrum DC.	(*ye*) naked-panicled	———	1811.	8.10.	H	♄	
33	sphærocárpon DC.	(*y*) round-capsuled	———	1827.	6. 8.	H	♃	
34	quadrángulum W.	(*ye*) square-stalked	Britain	....	7. 8.	H	♃	Eng. bot. 370.
35	dùbium E.B.	(*ye*) imperforate	———	....	——	H	♃	——— 296.
36	maculàtum All.	(*ye*) spot-flowered	Europe	....	——	H	♃	All. ped. t. 83. f. 1.
37	undulàtum. W.	en. (*y*) wave-leaved	Barbary	1802.	——	F	♃	
38	attenuàtum DC.	(*ye*) attenuated	Dahuria	1828.	——	H	♃	Chois. pr. hyp. p. 47. t. 6.
39	rèpens DC.	(*ye*) creeping	S. Europe	1827.	——	H	♃	
40	japónicum DC.	(*ye*) Japan	Japan	1820.	——	G	♃	Thunb. jap. t. 31.
41	crispum DC.	(*ye*) curl-leaved	Greece	1688.	——	F	♃	Bocc. mus. 2. t. 12.
42	pilòsum DC.	(*ye*) pilose	N. America	1818.	——	H	♄	Pluk. alm. t. 245. f. 6.
	setòsum. H.K.							
43	símplex DC.	(*ye*) simple-stalked	———	——	——	H	⊙	Pluk. alm. t. 421. f. 3.
44	heterophy'llum DC.	(*y*) various-leaved	Persia	1812.	——	G	♄	Vent. cels. t. 68.
45	ægyptiacum DC.	(*ye*) Egyptian	Egypt	1787.	6. 7.	G	♄	Bot. reg. 196.
46	humifùsum DC.	(*ye*) trailing	Britain	....	7. 8.	H	♃	Eng. bot. 1226.
47	Liottárdi DS.	(*ye*) Liottard's	Dauphiny	1819.	7.	H	♂	Vill. dauph. t. 44.
48	pusillum DC.	(*ye*) small	N. S. W.	1818.	7. 8.	G	♃	Lab. nov. holl. 2. t. 175.
49	involùtum DC.	(*ye*) involute-fld.	———	1822.	——	G	♃	——— 2. t. 174.
50	perforàtum DC.	(*ye*) perforate	Britain	....	——	H	♃	Eng. bot. 295.
51	veronénse Sck.	(*ye*) Verona	Italy	1820.	——	H	♃	
52	quinquenérvium DC.	(*ye*) small-fld	N. America	1759.	6. 9.	F	♃	
	mùtilum W.							
53	canadénse DC.	(*wh*) Canadian	Canada	1770.	7. 9.	H	♃	
54	perfoliàtum W.	(*wh*) perfoliate	Italy	1785.	5. 6.	F	♃	
55	axillàre DC.	(*ye*) clustered	N. America	1806.	7.	F	♄	
	fasciculàtum. W.							

§ 2. *Sepals toothed; teeth usually glandular.*

56	Elòdes DC.	(*ye*) marsh	Britain	....	7. 8.	H	♃	Eng. Bot. 109.
57	tomentòsum DC.	(*ye*) woolly	S. Europe	1648.	7. 9.	F	♃	Moris.his.2.s.5.t.6.f.1
58	lanuginòsum DC.	(*ye*) downy	Levant	1822.	——	F	♃	
59	hirsùtum DC.	(*ye*) hairy	Britain	....	6. 7.	H	♃	Eng. bot. 1156.
60	perfoliàtum DC.	(*ye*) perfoliate	Italy	1785.	4. 7.	H	♃	
61	dentàtum DC.	(*ye*) toothed	France	1820.	7. 8.	H	♃	Lois. fl. gall. t. 17.
62	nummulàrium DC.	(*ye*) Money-wort	S. Europe	1818.	6. 7.	H	♃	Lam. ill. t. 643.
63	élegans DC.	(*ye*) elegant	Siberia	——	7. 9.	H	♃	Spr. fl. hal. n. 864. t.
	Kohlianum Spr.							
64	glandulòsum DC.	(*ye*) glandular	Madeira	1777.	5. 8.	G	♄	
65	reflexum DC.	(*ye*) reflex-leaved	Teneriffe	1778.	6. 9.	G	♄	
66	púlchrum DC	(*ye*) small upright	Britain	....	7. 8.	H	♃	Eng. bot. 1227.
67	elodioìdes DC.	(*ye*) close-panicled	Nepaul	1823.	....	G	♃	
	nervòsum DP.							
68	barbàtum DC.	(*ye*) bearded	Scotland	....	6.10.	H	♃	Eng. bot. 1985.
69	asperum Led.	(*ye*) rough	Altaia	1835.	——	H	♃	Led. ill. t. 17.
70	montànum DC.	(*ye*) mountain	Britain	....	7. 8.	H	♃	Eng. bot. 371.
71	fimbriàtum DC.	(*ye*) fimbriate	Pyrenees	1818.	——	H	♃	Vill. delph. 3. t. 44.
	Richèri Vill.							
72	æthiópicum DC.	(*ye*) Ethiopian	C. B. S.	1817.	——	G	♄	
73	ciliàtum DC.	(*ye*) fringed	S. Europe	1739.		F	♃	Boc. mus. 2. t. 127.
74	serpyllifòlium DC.	(*ye*) Thyme-leaved	Levant	1688.	7. 8.	F	♄	Mor.his.2.s.5.t.6.f.2.
75	triplinérve DC.	(*ye*) triply-nerved	N. America	1823.	7. 9.	H	♃	Vent. cels. t. 58.
76	elongàtum Led.	(*ye*) elongated	Altaia	1835.	——	H	♃	Led. ill. t. 486.
77	hyssopifòlium DC.	(*ye*) hyssop-leaved	Tauria	1832.	6. 7.	H	♃	Bot. mag. t. 3277.
78	empetrifòlium DC.	(*y*) Crowberry-ld.	S. Europe	....	6. 8.	H	♄	Watts. dend. brit. 141.
79	Còris DC.	(*ye*) Coris-leaved	Levant	1640.	5. 9.	G	♄	Bot. mag. 178.
80	ericoìdes DC.	(*ye*) Heath-leaved	S. Europe	1818.	——	G	♄	Cav. ic. 2. t. 122.

Sect. 3. BRA'THYS; *sepals* 5 *entire; stamens in bundles; styles* 3-4.

81	mexicànum DC	(*ye*) Mexican	Mexico	1826.	....	G	♄	Linn. amœn. 8. t. 8. f. 2
82	fasciculàtum DC.	(*ye*) Aspalathus-like	N. America	1811.	6. 8.	F	♄	
	aspalathoìdes. W.							
			Doubtful species;					
83	verticillàtum DC.	(*ye*) whorl-leaved	C. B. S.	1784.	6. 8.	G	♃	Maund. bot. gard. t. 630.
84	cochinchinénse DC.	(*sc*) Cochinchina	Cochinchina	1822.	——	G	♄	

ELO'DEA DS. ELO'DEA. (ἑλος, a marsh; habitat.) Polyadelphia Polyandria.

1	petiolàta DC.	(*ye*) petiolate	N. America	1821.	7. 8.	H	♃	
	Hypéricum petiolàtum Walt. *axillàre* MX. *paludòsum* chois.							
2	campanulàta	(*ye*) campanulate	N. America	1800.	7. 9.	H	♃	Andr. bot. rep. t. 552.
	Hypéricum virgínicum. L.							
3	pulchélla Roxb.	(*re*) neat	E. Indies	1834.	....	F	♃	

A'SCYRUM DC. A'SCYRUM. (*a*, priv. and σκυρος, hard; soft to touch.) Monadelphia Polyandria.

1	pùmilum DC.	(*ye*) dwarf	Georgia	1806.	6. 8.	G	♃	
2	Crúx A'ndreæ DC.	(*y*) St. Andrew's-cr.	N. America	1759.	7.	G	♄	Burm. am. 146. t. 152.
3	hypericoìdes DC.	(*ye*) Hypericum-like	———	——	7. 9.	G	♄	——— t. 152. f. 1.
4	stáns DC.	(*ye*) large-flowered	———	1806.	——	G	♄	
5	amplexicaúle DC.	(*ye*) stem-clasping	———	——	——	G	♄	

SARO'THRA W. SARO'THRA. (σαρωθρον, a besom; appearance.) Pentandria Trigynia.

	gentianoìdes W.	(*ye*) Gentian-like	N. America	1768.	6.10.	H	⊙	Pluk. mant. t. 342. f. 2.
	hypericoìdes. N. *Hypéricum Saròthra.* M.							

Subordo II. *EUCRYPHIE'Æ.*

CARPODO'NTOS. DC. CARPODO'NTOS. (καρπος, a fruit, and οδους, a tooth.) Polyand. Pentagyn.

	lùcida DC.	(*wh*) shining	V. Diem. Is.	1820.	....	G	♄	Lab. voy. 2. t. 18.

OCHRA'NTHE BR. OCHRA'NTHE. (ωχρος, pale, ανθος, a flower.) Pentandria Trigynia.

	argùta BR.	(*st*) sharp-toothed	China	1820.	3. 5.	G	♄	Bot. reg. t. 1825.

ORDER XLII.

REAUMURIE'Æ. *Ehrenberg.*

REAUMU'RIA DC. REAUMU'RIA. (J. Reaumur, German bot.) Icosandria Pentagynia.
1 vermiculàta DC. (*wh*) white-flowered Persia 1829. 7.10. G ♄ Lob. icon. t. 380.
2 hypericoìdes DC. (*pu*) purple-flowered Syria 1800. —— G ♄ Bot. mag. t. 2057.
Linifòlia. Sal. par. lond. t. 18.

ORDER XLIII.

GUTTI'FERÆ. *DC. prodr.* 1. *p.* 557.

Tribe I. *CLUSIE'Æ.* DC.

CLU'SIA. DC. BALSAM-TREE. (Charl de Le Cluse; an ancient bot.) Polygamia Monœcia.
1 ròsea DC. (*ro*) rose-coloured America 1692. 7. 8. S ♄ Cates. car. 2. t. 99.
2 álba DC. (*wh*) white-flowered S. America 1752. —— S ♄ Jacq. amer. t. 166.
3 flàva (*ye*) yellow-flowered Jamaica 1759. 9. S ♄ Bot. rep. 223.
4 venòsa DC. (*wh*) veiny-leaved S. America 1733. .... S ♄ Plum. ic. 87. f. 2.
5 nemoròsa DC. (*w.pu*) wood W. Indies 1826. .... S ♄
HAVE'TIA. Kth. HAVE'TIA. (M. Havet, bot. collector in Madagascar). Diœcia Tetrandria.
lauriflòlia Kth. (*wh*) Laurel-leaved S. America 1820. .... S ♄ H.et.B.n.g.am.5.t.462.
Clùsia tetrándra W.
TOVOMI'TA DS. TOVOMI'TA. (Caribbean name.) Polyandria Tetra-Pentagynia.
1 guianénsis. DS. (*gr*) Guiana Guiana 1827. .... S ♄ Aubl. guian. 2. t. 364.
Mariálva guianénsis. DC.
2 clusiæfòlia DS. .... Clusia-leaved Cayenne 1823. .... S ♄ Chois.m.h.P.1.t.11.12.
Micrànthèra clusiæfòlia. DC.

Tribe II. *CHRYSOPIE'Æ.* D.S.

MORONO'BEA DC. MORONO'BEA. (Moronobo, Caribbean name.) Polyadelphia Polyandria.
coccínea. DC. (*sc*) scarlet Guiana 1825. .... S ♄ Aubl. guian. 2. t. 313.
Symphòria globulifòra.

Tribe III. *GARCINIE'Æ.* DC.

GARCI'NIA. DC. GARCI'NIA. (Laurent Garcia, M.D., French bot.) Polyandria Monogynia.
1 Mangostàna. DC. (*ro*) Mangosteen Java 1789. .... S ♄ Lod. bot. cab. 845.
2 córnea DC. (*ye*) nodding-flowd. E. Indies 1817. .... S ♄ Rumph. amb. 3. t. 30.
3 Cambògia DC. (*ye*) yellow-flower'd ——— 1822. .... S ♄ Rheed. mal. 1. t. 24.
4 Còwa DC. (*ye*) polygamous ——— —— .... S ♄
5 purpùrea H.B. (*pu*) purple ——— 1828. .... S ♄
Stalagmìtes Còwa DS.
MAMME'A. DC. MAMMEE-TREE. (Mamey, vernacular name). Polyandria Monogynia.
1 americàna DC. (*wh*) American S. America 1737. .... S ♄ Jacq. amer. t. 182. f. 32.
2 africàna G.D. (*wh*) African Sierra Leon 1823. .... S ♄
PENTADE'SMA HT. BUTTER-TREE. (πεντε, five, and δεσμη, a bundle; stamens.) Poly. Mong.
butyràcea HT. (*ye*) African Sierra Leon 1821. .... S ♄
XANTHOCHY'MUS DC. XANTHOCHY'MUS. (ξανθος, yellow, and χυμος, juice.) Polyad. Polyan.
1 pictòrius HB. (*wh*) painters E. Indies 1796. .... S ♄ Roxb. cor. 2. t. 196.
2 dúlcis H.B. (*st*) sweet ——— 1820. .... S ♄ Bot. mag. t. 3088.
3 ovalifòlius HB. .... oval-leaved ——— —— .... S ♄

4 lùteus L.C	(*ye*) yellow	E. Indies	1823.	S	♄	
5 macrophy'llus LC. ..	large-leaved	———	——	S	♄	
6 guineénsis D.S.	(*ye*) Guinea	Guinea	1824.	S	♄	
7 purpùreus L.C.	(*pu*) purple	E. Indies	1823.	S	♄	

Tribe IV. *CALOPHY'LLEÆ.*

CALOPHY'LLUM. DC. CALOPHY'LLUM. (*καλος*, beautiful, and *θυλλον*, a leaf.) Polyand. Mon

1 Inophy'llum DC.	(*wh*) sweet-scented	E. Indies	1793.	S	♄	Rheed. mal. 4. t. 38.
2 Tacamahàca DC.	(*wh*) acute-leavèd	Bourbon	1822.	S	♄	Pluk. alm. t. 147. f. 3.
3 spectábile DC.	(*wh*) showy	E. Indies	1820.	S	♄	
4 Cálaba DC.	(*wh*) calaba-tree	W. Indies	1780.	S	♄	Jacq. amer. t. 165.
5 spùrium DC.	(*wh*) spurious	E. Indies	——	S	♄	Rheed. mal. 4. t. 39.
Cálaba. L.						

Tribe V. *SYMPHONIE'Æ.* DC.

SINGA'NA DC. SINGA'NA. (*Singan—Singa*, Guiana name.) Polyandria Monogynia.

guianénsis DC.	(*wh*) Guiana	Guiana	1827.	S	♄	◡ Aubl.guian. sup.2. t.238.
Sternbéckia lateriflòria W.						

ORDER XLIV.

MARCGRAVIA'CEÆ. *DC. prodr.* 1. *p.* 565.

Suborder I. *MARCGRAVIE'Æ.* DC.

ANTHOLO'MA DC. ANTHOLO'MA. (*ανθος*, a flower, and *λωμα*, a fringe.) Polyand. Monog.

montàna DC.	(*ye*) mountain	N.Caledonia	1820.	S	♄	Labill. voy. t. 41.

MARCGRA'VIA DC. MARCGRA'VIA. (George Marcgrave; author of nat. hist. Brazil.) Pol. Mon.

1 umbellàta DC.	(*gr*) umbelled	W. Indies	1792. 6. 8.	S	♄	Hook. exot. flor. 160.
2 coriàcea DC.	(*gr*) leathery-leav'd	Guiana	1820. ——	S	♄	
3 pícta DC.	(*gr*) painted-leav'd	.....	1827.	S	♄	

Suborder II. *NORA'NTEÆ.* DC.

NORA'NTEA DC. NORA'NTEA. (altered from *Gonora-antegri*, Guiana name.) Polyan. Mon.

1 guianénsis DC.	(*pu*) Guiana	Guiana	1827.	S	♄	Aubl. guian. 1. t. 220.
2 brasiliénsis DC.	Brasilian	Brazil	1820.	S	♄	
3 índica.....	Indian	Mauritius	1822.	S	♄	

RU'YSCHIA DC. RU'YSCHIA. (Fred. Ruysh, M.D. bot. author.) Pentandria Monogynia.

1 Souroubèa DC.	(*st*) Guiana	Guiana	1826.	S	♄	Aubl. guian. 1. t. 97.
2 clusiæfòlia DC.	(*pu*) Clusia-leaved	W. Indies.	1823.	S	♄	Jacq. amer. t. 51. f. 2.

ORDER XLV.

HIPPOCRATEA'CEÆ. *DC. prodr.* 1. *p.* 567.

HIPPOCRA'TEA DC. HIPPOCRA'TEA. (Hippocrates, father of bot.) Triandria Monogynia.
1 obcordàta DC. (*st*) obcordate W. Indies 1819. .... S ♄ ◡ Lam. ill. 1. t. 28. f. 1.
scándens Jacq. amer. t. 9.
2 ovàta DC. (*ye*) oval-leaved S. America 1739. .... S ♄ ◡ Lam. ill. 1. t. 28. f. 2.
volùbilis L.
3 indica DC. (*ye*) Indian E. Indies 1818. .... S ♄ ◡ Roxb. cor. 2. t. 130.
4 obtusifòlia DC. (*st*) blunt-leaved ——— 1820. .... S ♄ ◡
5 arbòrea DC. (*st*) tree ——— 1822. .... S ♄ ◡ Roxb. cor. 3. t. 205.

A'NTHODON DC. A'NTHODON. (*ανθος*, a flower; and *οδους*, a tooth.) Triandria Monogynia.
1 paniculàtum DC.... panicled Rio Janeiro 1818. .... S ♄ ◡
2 ellípticum DC..... elliptic-leaved ——— —— .... S ♄ ◡

TONSE'LLA DC. TONSE'LLA. (Guiana name.) Triandria Monogynia.
1 pyrifórmis H.T. (*gr*) pear-fruited Sierra Leon. 1822. .... S ♄
Caly'psa pyrifórmis DS.
2 scàbra R.S. (*gr*) rough Trinidad 1824. .... S ♄ ◡ Aubl. guian. 1. t. 10.
Tonsèlea scándens. Aub.

JO'HNIA F.I. JO'HNIA. (Rev. Dr. John, resident Tranquebar.) Triandria Monogynia.
1 salacioìdes F.I. (*or*) entire-leaved E. Indies 1822. .... S ♄ ◡
2 coromandelièna F.I. saw-leaved ——— —— .... S ♄ ◡

TRIGO'NIA DC. TRIGO'NIA. (*τρεις*, three, and *γωνια*, an angle; fruit.) Monadelph. Pent-Dec.
1 villòsa DC. (*y.re*) villous Cayenne 1820. .... S ♄ Aub. gui. 1. t. 149.
2 móllis DC. ..... soft-leaved Brazil 1823. .... S ♄
3 lævis DC. (*wh*) smooth Guiana 1826. .... S ♄ Aub. gui. 1. t. 150.

ORDER XLVI.

ERYTHROXY'LEÆ. *DC. prodr.* 1. *p.* 573.

ERYTHRO'XYLUM DC. ERYTHRO'XYLUM. (*ερυθρος*, red, and *ξυλον*, wood.) Decandria Trigynia.
1 hypericifòliumDC. (*w*) Hypericum-ld Mauritius 1818. .... S ♄ Cav. dis. 8. t. 230.
2 havanénse DC. (*wh*) Havannah W. Indies 1822. .... S ♄ Jacq. amer. t. 87. f. 1.
3 laurifòlium DC. (*wh*) Laurel-leaved Mauritius —— .... S ♄ Cav. dis. 8. t. 226.
4 areolàtum DC. (*wh*) Carthagena Carthagena 1826. .... S ♄ Jacq. amer. t. 187. f. 1.
carthagenénse Jacq.

SETHIA Kth. SE'THIA. (S. Sethi, author of a work on culin. veget.) Decand. Monog.
índica DC. (*ye*) Indian E. Indies 1823. .... S ♄ Roxb. cor. 1. t. 88.
Erythróxylon monógynum R.C.

ORDER XLVII.

MALPIGHIA'CEÆ. *DC. prodr.* 1. *p.* 577.

Tribe I. *MALPIGHIE'Æ.* DC.

MALPI'GHIA DC. MALPI'GHIA. (Marcello Malpighi, prof. med. Pisa.) Decandria Trigynia.
Sect. 1. URE'NTES; *bristles fixed by their centres, horizontal, pungent at both ends, and adhering to the hands.*
1 facàta DC. (*li*) painted W. Indies 1814. 1.12. S ♄ Bot. reg. 189.
macrophy'lla Colla hort. ripul. t. 11. *non* Juss.

2 ùrens DC.	(*li*) stinging	S. America.	1737. 7.10.	S	♄			Bot. reg. 96.
3 cubénsis DC.	(*st*) Cuba	Cuba	1824. 7. 8.	S	♄			
4 angustifòlia DC.	(*li*) narrow-leaved	W. Indies	1737. 7. 8.	S	♄			Lod. bot. cab. 321.
5 aquifòlia DC.	(*li*) Holly-leaved	S. America	1759. 8. 9.	S	♄			——— 1079.
6 macrophy'lla DS.	(*pk*) large-leaved	Brasil	1820. 7. 8.	S	♄			Coll. hort. rep. t. 11.

Sect. 2. APY'RÆ; *leaves smooth or downy, the hairs not pungent, nor fixed by their centres.*

7 coccífera DC.	(*li*) kermes-oak-ld	S. America	1733. 8. 9.	S	♄			Bot. reg. 568.
8 glàbra DC.	(*pu*) smooth-leaved	———	1757. 3. 7.	S	♄			Bot. mag. 813.
9 biflòra DC.	(*ye*) two-flowered	———	.... ——	S	♄			Cav. dis. 8. t. 234. f. 2.
punicifòlia Cav.								
10 punicifòlia DC.	(*pu*) Punica-leaved	———	1690. ——	S	♄			Plum. ic. t. 166. f. 2.
11 nítida DC.	(*pu*) glossy-leaved	———	1733. 3. 8.	S	♄			
12 incàna DC.	(*ro*) hoary	Campeachy	—— ——	S	♄			
13 ? fagínea DC.	(*ye*) Beech-leaved	S. America	1822.	S	♄			
14 ? dùbia DC.	(*ye*) doubtful	W. Indies	1824.	S	♄			Cav. dis. 8. t. 242.

BYRSO'NIMA DC. BYRSO'NIMA. (*byrsa*, a hide, and *nimius*, much; used in tanning.) Dec. Trig.

§ 1. *Leaves clothed with velvetty down beneath.*

1 verbascifòlia DC.	(*ye*) Mullein-leaved	Guiana	1818. 3. 8.	S	♄			Aub. gui. 1. t. 184.
2 nervòsa DC.	(*ye*) prominent-nd.	Brazil	—— ——	S	♄			
3 altíssima DC.	(*wh*) tall	Guiana	1820.	S	♄			Aub. gui. 1. t. 181.
4 crassifòlia DC.	(*ye*) thick-leaved	———	1793. 8.	S	♄			——— 1. t. 182.
Malpíghia crassifòlia W.								
5 crysophy'lla DC.	(*ye*) golden-leaved	S. America	1822.	S	♄			

§ 2. *Leaves glabrous on both surfaces in the adult state.*

6 spicàta DC.	(*ye*) spiked	Brazil	1818. 5. 8.	S	♄			Cav. dis. 8. t. 237.
7 lùcida DC.	(*re*) wedge-leaved	W. Indies	1759. ——	S	♄			Bot. mag. 2462.
Malpíghia lùcida W.								
8 lævigàta DC.	(*st*) smooth	Cayenne	1826.	S	♄			
9 élegans DC.	(*li*) elegant	Guiana	1827.	S	♄			
10 dénsa DC.	(*re*) dense-flower'd	———	1825.	S	♄			
11 coriàcea DC.	(*wh*) leathery-leaved	Jamaica	1814. 5. 8.	S	♄			Sloan. his. 2. t. 163. f. 1.
12 pállida DC.	(*ye*) pale-leaved	W. Indies	1820. ——	S	♄			
13 ? volùbilis DC.	(*ye*) twining	———	1793. 8. 9.	S	♄	◡		Bot. mag. 809.
Malpíghia volùbilis B.M.								

BUNCHO'SIA DC. BUNCHO'SIA. (*bunchos*, Arabic name of coffee; seed like.) Decan. Monog.

1 glandulòsa DC.	(*ye*) 2-glanded	Antilles	1804. 3. 5.	S	♄			Cav. dis. 8. t. 239. f. 2.
Malpíghia glandulòsa Cav.								
2 glandulífera DC.	(*ye*) 4-glanded	Caracas	1806. ——	S	♄			Jacq. coll. 5. f. 3.
Malpíghia glandulòsa Jacq. ic. 3. t. 469.								
3 cornifòlia DC.	(*wh*) Cornus-leaved	S. America	1824.	S	♄			
4 polystàchya DC.	(*ye*) many-spiked	W. Indies	1806. 3. 5.	S	♄			And. bot. rep. 604.
5 mèdia DC.	(*ye*) intermediate	———	1790. ——	S	♄			
Malpíghia mèdia H. K.								
6 tuberculàta DC.	(*ye*) tuberculate	Caracas	1823.	S	♄			Jacq. schœn. 1. t. 104.
7 argéntea DC.	(*ye*) silvery	———	1820.	S	♄			Jacq. frag. t. 83.
8 nítida DC.	(*ye*) glossy-leaved	W. Indies	1733. 3. 8.	S	♄			Cav. dis. 8. t. 239. f. 1.
9 canéscens DC.....	downy-leaved	———	1742.	S	♄			
10 ? paniculàta DC.	(*pu*) panicled	———	1733.	S	♄			

GALPHI'MIA DC. GALPHI'MIA. (An anagram of *Malpighia*.) Decandria Trigynia.

1 hirsùta DC.	(*ye*) hairy	Mexico	1824. 3. 6.	S	♄			
2 glaúca DC.	(*ye*) glaucous-leaved	———	1826.	S	♄			Cav. ic. 5. t. 489.
3 glandulòsa DC.	(*ye*) glandular	———	1824. 4. 6.	S	♄			——— 6. t. 563.

THRYA'LLIS L. THRYA'LLIS. (A Greek name for *verbascum*.) Decandria Trigynia.

? brachy'stachys. B.R.	(*y*) short-spiked	Brazil	1823. 9.11.	S	♄	◡		Bot. reg. 1162.

Tribe II. *HYPTA'GEÆ.*

HI'PTAGE DC. HI'PTAGE. (Etymology unknown.) Decandria Monogynia.

1 Madablòta DC.	(*wh*) clustered	E. Indies	1796. 3. 4.	S	♄	◡		Roxb. cor. 1. t. 18.
Gærtnèra racemòsa A.R. 600.								
2 obtusifòlia DC.	(*wh*) blunt-leaved	China	1822.	S	♄	◡		
Gærtnèra obtusifòlia H.B.								

GAUDICHAU'DIA DC. GAUDICHAU'DIA. (M. Gaudichaud, accomp. Freycenet.) Pent. Mon.
cynanchoìdes DC. (*ye*) Cynanchum-likeMexico 1824. .... S ♄ ◡ H.et.B.n.g.am.5.t.445.
ASPICA'RPA DC. ASPICA'RPA. (*ασπις*, a shield, and *καρπος*, a fruit; form.) Monan. Monog.
àrens DC. (*gr*) stinging N. Spain 1821. 6. 7. S ♄ ◡ Mem. mus. 2. t. 12.

Tribe III. *BANISTERIEÆ*. DC.

HIRÆ'A DC. HIRÆ'A. (J. N. de la Hire, a French physician.) Decandria Trigynia.
1 odoràta DC..... sweet-scented Guinea 1822. .... S ♄ ◡ Cav. diss. 9. t. 264.
2 glaucéscens L.C..... glaucescent .... S ♄ ◡
3 nùtans DC..... nodding E. Indies 1818. 5. 8. S ♄ ◡
4 índica DC. (*wh*) Indian ——— —— —— S ♄ ◡ Roxb. cor. 2. t. 160.
5 reclinàta DC. (*ye*) reclinate N. Spain .... 7. 8. S ♄ ◡ Jacq. amer. t. 176. f. 42.
TRIO'PTERIS DC. TRIO'PTERIS. (*τρεις*, three, and *πτερον*, a wing; fruit.) Decand. Trigyn.
1 seríceа L.C..... silky S. America 1820. .... S ♄ ◡
2 jamaicénsis DC. (*ye*) Jamaica Jamaica 1818. 5. 9. S ♄ ◡
3 lùcida K.S. (*pi*) glossy Cuba 1822. .... S ♄ ◡ H.et.B.n.g.am.5.t.451.
TETRA'PTERIS DC. TETRA'PTERIS. (*τετρα*, four, and *πτερον*, a wing; fruit.) Decand. Trigy.
1 buxifòlia DC. (*ye*) Box-leaved St.Domingo.... 5. 8. S ♄ ◡ Cav. dis. 9. t. 262. f. 1.
2 acapulcénsis K.S. (*ye*) Acapulco. Mexico 1824. .... S ♄ ◡
3 acutifòlia DC. (*ye*) acute-leaved Cayenne 1826. .... S ♄ ◡ Cav. dis. 9. t. 261.
4 citrifòlia DC. (*ye*) Citron-leaved Jamaica 1819. 5. 8. S ♄ ——— 9. t. 260.
5 díscolor DC. (*ye*) two-coloured Guiana 1827. .... S ♄ ◡
STIGMATOPHY'LLUM St.Hil. STIGMATOHY'LLUM. (*στιγμα*, a stigma, & *φυλλον*, a leaf.) De. Tr.
1 auriculàtumSt.Hil.(*ye*) eared Brazil 1818. .... S ♄ ◡ Cav. dis. 9. t. 255.
Banistèria auriculàta DC.
2 ciliàtum St. Hil. (*ye*) ciliated ——— 1796. .... S ♄ ◡ ——— 9. t. 254.
3 aristàtum B.R. (*ye*) awned ——— .... 6. 7. S ♄ ◡ Bot. reg. t. 1659.
BANISTE'RIA DC. BANISTE'RIA. (J. B. Banister, traveller in Virginia.) Decand. Trigyn.
§ 1. *Leaves cordate, entire.*
1 spléndens DC. (*ye*) shining S. America 1812. .... S ♄ ◡ Cav. dis. 9. t. 253.
hetorophy'lla W. *fúlgens* Cav.
2 dichótoma DC. (*ye*) forked ——— .... S ♄ ◡ ——— 9. t. 256.
3 emarginàta DC. (*ye*) emarginate W. Indies 1826. .... S ♄ ◡ ——— 9. t. 249.
§ 2. *Leaves ovate or oblong.*
4 seríceа DC. (*ye*) silky Brazil 1810. .... S ♄ ◡ ——— 9. t. 258.
5 tomentòsa DC. (*ye*) woolly-leaved Antilles 1818. 5. 8. S ♄ ◡
6 tiliaefòlia DC. (*pu*) Lime-leaved Java 1820. .... S ♄ ◡ Vent. choix. t. 50.
7 sinemariénsis DC.(*ye*) prickly-leaved Guiana 1824. .... S ♄ ◡ Aubl. guian. 1. t. 185.
8 ferrugínea (*bh*) ferruginous Brazil 1818. .... S ♄ ◡ Cav. dis. 9. t. 248.
9 periplocaefòlia DC.(*y*) Periploca-ld. Porto Rico —— .... S ♄ ◡
10 laurifòlia DC. (*ye*) Laurel-leaved Jamaica 1703. 7. 8. S ♄ ◡ Bot. reg. 937.
11 fúlgens DC. (*ye*) fulgent W. Indies 1759. .... S ♄ ◡
12 ténuis B.R. (*ye*) slender Buen.Ayres .... 10.11. S ♄ ◡
13 ovàta DC. (*bh*) oval-leaved St.Domingo1819. 7. 8. S ♄ ◡ Vent. choix. t. 51. A.
HETERO'PTERIS DC. HETERO'PTERIS. (*ἑτερος*, variable, and *πτερον*, a wing.) Decan. Trigy.
1 purpùrea DC. (*pu*) purple W. Indies 1759. .... S ♄ ◡ Cav. dis. 9. t. 246. f. 1.
2 parvifòlia DC (*ye*) small-leaved St. Thomas 1822. .... S ♄ ◡ Vent. choix. t. 51.
3 brachiàta DC..... cross branched S. America 1759. .... S ♄ ◡
4 chrysophy'lla DC.(*or*) Star-apple-ld. Brazil 1793. .... S ♄ ◡ Bot. mag. 3237.
5 cœrùlea DC. (*bl*) blue-flowered W. Indies 1822. .... S ♄ ◡ Cav. dis. 9. t. 243.
6 floribúnda DC. (*bl*) many-flowered Mexico 1826. .... S ♄ ◡
7 nítida DC. ..... glossy Brazil 1809. .... S ♄ ◡ Cav. dis. 9. t. 244.
8 appendiculàta DC. .. long-pointed W. Indies 1823. .... S ♄ ◡

ORDER XLVIII.

ACERI'NEÆ. *DC. prodr.* 1. *p.* 593.

A'CER DC. MAPLE. (*acer*, sharp; wood fit for making pikes & lances.) Polyg. Monœ.

§ 1 *Flowers disposed in racemes.*

* *Leaves simple.*

1	oblóngum	(*gr*) oblong-leaved	Nepaul	1820.	....	H	5	
2	tatáricum DC.	(*gr*) Tartarian	Tartary	1759.	5. 6.	H	5	Pall. fl. ros. t. 3.

* * *Leaves 3-lobed, or trifid; rarely 5-lobed.*

3	striàtum DC. *pensylvánicum* L.	(*st*) striped-barked	N. America	1755.	5. 6.	H	5	Mich. f. arb. 2. t. 17.
4	spicàtum DC. *montànum* H.K.	(*st*) mountain	———	1750.	——	H	5	Schm. arb. 1. t. 11.
5	hybridum DC.	(*gr*) hybrid	Hybrid	1790.	——	H	5	Lodd. bot. cab. 1221.

* * * *Leaves 5-lobed, rarely 7-lobed.*

6	Pseùdo-Plátanus	(*st*) Sycamore	Britain	....	4. 5.	H	5	Eng. bot. 303.
	β *variegàtum*	(*st*) *variegated*	———	....	——	H	5	Duham. arb. 1. t. 36.
	γ *subobtùsum* DC.	(*st*) *blunt-leaved*	———	....	——	H	5	
7	macrophy'llum DC.	(*st*) large-leaved	Columbia	1812.	....	H	5	
8	campéstre DC.	(*gr*) common	Britain	....	5. 6.	H	5	Eng. bot. 304.
9	hyrcànum F.M.	(*gr*) Hyrcanian	Caucasus	1838.	....	H	5	
10	austrìacum L.en.	(*gr*) Austrian	Austria	....	5. 6.	H	5	Tratt. arch. 1. n. 6. ic.

§ 2. *Flowers disposed in corymbs, or fascicles.*

* *Leaves 3-lobed.*

11	neapolitànum T.S.	(*st*) Neapolitan	Naples	1820.	5. 6.	H	5	Ten.at.ac.neap.1819.ic.
12	créticum DC.	(*gr*) Cretan	Levant	1752.	——	H	5	Tratt. arch. 1. n. 19. ic.
13	monspessulànum DC.	(*gr*) Montpelier	France	1739.	5.	H	5	——— 1. n. 20. ic.
14	ibéricum DC.	(*gr*) Iberian	Iberia	1826.	....	H	5	
15	heterophy'llum DC. *sempervirens* L.	(*gr*) evergreen	Levant	1759.	5. 6.	H	5	Willd. arb. 10. t. 1. f. 1.
16	barbàtum DC.	(*gr*) bearded	N. America	1812.	4. 5.	H	5	

* * *Leaves 5, rarely 7-lobed.*

17	Lobèlii T.S.	(*st*) Lobel's	Italy	1826.	....	H	5	
18	O'palus W.	(*st*) Italian	———	1752.	5. 6.	H	5	
19	opalifòlium L.en.	(*st*) Opalus-leaved	S. Europe	....	——	H	5	Tratt. arch. 1. n. 13. ic.
20	obtusàtum DC.	(*st*) Hungarian	Hungary	1818.	——	H	5	——— 1. n. 14. ic.
21	platanoìdes DC.	(*st*) Norway	Europe	1683.	5. 7.	H	5	Schm. arb. 1. t. 3. 4.
	β *laciniàtum*	(*st*) *cut-leaved*	———	——	——	H	5	——— 1. t. 5.
22	saccharìnum DC.	(*st*) Sugar	N. America	1735.	4. 5.	H	5	Mich. f. arb. 2. t. 13.
23	nìgrum DC.	(*st*) black-sugar	———	1812.	——	H	5	——— 2. t. 16.
24	circinnàtum DC.....	round-leaved	Columbia	1827.	——	H	5	
25	eriocárpum DC. *dasycárpum* W.	(*st*) Sir C. Wager's	N. America	1725.	——	H	5	Mich. f. arb. 2. t. 13.
26	rùbrum DC.	(*re*) red-flowered	———	1656.	——	H	♄	Mich. f. arb. 2. t. 14.

§ 3. *Umbels stalked.*

27	palmàtum DC.	(*st*) palmate	China	1820.	....	H	♄	Tratt. arch. 1. n. 17. ic.

NEGU'NDO DC. NEGU'NDO. (etymology unknown.) Diœcia Pentandria.

	fraxinifòlium DC. *A'cer Negúndo* L.	(*st*) Ash-leaved	N. America	1688.	4.	H	5	Mich. f. arb. 2. t. 16.

ORDER XLIX.

HIPPOCASTA'NEÆ. *DC. prodr.* 1. *p.* 597.

Æ'SCULUS. DC. HORSE-CHESTNUT. (a name given by Pliny to a kind of oak.) Hept. Mono.

1	Hippocástanum DC.	(*wh*) common	Asia	1629.	4. 5.	H	5	Schm. arb. 1. t. 38.
	β *variegàta*	(*wh*) *striped-leaved*	———	....	——	H	5	

	γ *flòre plèno*	(*wh*) double-flowered	.....	....	4. 5.	H	5	
2	rubicúnda DC.	(*re*) red-flowered	.....	....	5. 6.	H	5	Lod. bot. cab. 1242.
	cárnea. WD. 121 *non* B. reg.							
3	cárnea B.R.	(*fl*) flesh-coloured	.....	....	5. 6.	H	5	Swt.br.fl.gar.s.2.t.301.
4	glàbra DC.	(*st*) smooth-leaved	N. America	1812.	——	H	5	
5	ohioénsis DC.	(*wh.pk*) Ohio	———	1818.	——	H	5	Bot. reg. n. s. t. 51.
6	pállida DC.	(*st*) pale-flowered	———	1812.	6.	H	5	

PA'VIA. BUCK'S-EYE-TREE. (Peter Paw, prof. bot. Leyden). Heptandria Monogynia.

1	macrostàchya DC.	(*w*) long-spiked	N. America	1786.	7. 8.	H	♄	Jacq. ecl. 1. t. 9.
	Æ'sculus parviflòra. H.K.							
2	rùbra DC.	(*re*) red-flowered	N. America	1711.	5. 6.	H	5	Duham. arb. 2. t. 19.
	Æ'sculus Pàvia. Lod. bot. cab. 1257.							
	β *argùta* B.R.	(*fl*) *sharp-toothed*	———	....	——	H	5	Bot. reg. 993.
	γ *sublaciniàta* W.D.	(*re*) *deep-toothed*	———	....	——	H	5	Wats. dend. brit. 120.
3	hy'brida DC.	(*fl*) variegated-fld.	———	1812.	——	H	5	
4	díscolor	(*fl*) two-coloured	———	——	——	H	♄	Bot. reg. 310.
	Æ'sculus díscolor. Ph. *non hy'brida.* DC.							
5	hùmilis BR.	(*re*) dwarf	———	....	——	H	♄	Bot. reg. 1018.
6	neglécta B.R.	(*st*) neglected	———	....	——	H	5	——— 1009.
7	flàva DC.	(*st*) yellow-flowered	———	1764.	——	H	5	Lod. bot. cab. 1280.

ORDER L.

RHIZOBO'LEÆ. *DC. prodr.* 1. *p.* 599.

CARYO'CAR DC. BUTTER-NUT. (καρυον, a nut; bearing.) Polyandria Tetragynia.

1	nucíferum DC.	(*re*) nut-bearing	S. America	1826.	....	S	♄	Bot. mag. 2728.
2	glàbrum DC.	.... smooth-leaved	Guiana	1820.	....	S	♄	Aub. gui. 2. t. 240.
3	tomentòsum DC.	(*wh*) woolly-leaved	———	——	....	S	♄	——— 1. t. 239.

ORDER LI.

SAPINDA'CEÆ. *DC. prodr.* 1. *p.* 599.

Tribe I. *PAULLINIE'Æ.* DC.

CARDIOSPE'RMUM. L. HEART-SEED. (καρδια, the heart, and σπερμα, a seed; shape.) Oct. Trig.

1	Halicácabum DC.	(*w*) smooth-leaved	India	1594.	6. 8.	S	⊙ ◡	Bot. mag. 1049.
2	canéscens Wall.	(*gr*) hoary	E.Indies	1828.	1.12.	G	⊙ ◡	Wal. pl. as. rar. t. 14.
3	grandiflòrum DC.	(*wh*) large-flowered	Jamaica	1823.	....	S	♄ ◡	
4	coluteòides DC.	(*wh*) Colutea-like	Caracas	——	....	S	♃ ◡	
5	coríndum L.	(*wh*) Parsley-leaved	Brazil	1750.	7. 8.	S	⊙ ◡	
6	hirsùtum DC.	(*wh*) hairy	Guinea	1822.	——	S	⊙ ◡	
7	pubéscens DC.	(*wh*) pubescent	N. Spain	1820.	——	S	♄ ◡	

URVILLÆ'A. Kth. URVILLÆ'A. (Capt. Dumont D'Urville, French navy.) Octandria Monogynia.

1	ulmàcea Kth.	(*wh*) Elm-leaved	Caraças	1823.	....	S	♄ ◡	H.et.B.n.gen.5.t.440.
2	ferrugínea B.R.	(*wh*) rusty	Brazil	——	4.	S	♄ ◡	Bot. reg. 1077.

SERIA'NA Kth. SERIA'NA. (Philip Sergeant, a French friar, and bot.) Octandria Trigynia.

	§ 1. *Leaves ternate.*							
1	sinuàta DC.	(*wh*) sinuate-leaved	S. America	....	7. 9.	S	♄ ◡	Sch.ac.hafn.3.t.12.f.1.
	§ 2. *Leaves biternate.*							
2	divaricàta DC.	(*wh*) divaricate	W. Indies	1823.	....	S	♄ ◡	——— 3.t.12.f.2.
3	caracasàna DC.	(*wh*) tooth-leaved	Caracas	1816.	7. 9.	S	♄ ◡	Jacq. schœn. 1. t. 99.
4	mexicàna DC.	(*wh*) Mexican	Mexico	1825.	....	S	♄ ◡	Sch.ac hafn.3.t.11.f.3.
	§ 3 *Leaves triternate.*							
5	triternàta DC.	(*wh*) Supple-Jack	W. Indies	1739.	....	S	♄	Pum. ed. Burm. t. 112,
	Paullínia polyphy'lla. L.							

PAULLI'NIA. DC. PAULLI'NIA. (Simon Paulli, Danish nat.) Octandria Trigynia.

§ 1 *Leaves pinnate.*

1 pinnàta DC. (*wh*) winged-leaved S. America 1752. 7. 9. S ♄ ◡ Jacq. obs. 3. t. 62. f. 12.
2 Vespertílio DC. (*wh*) Bat-winged W. Indies 1823. —— S ♄ ◡ Sch.act.hafn.3.t.11.f.1.
3 cauliflòra DC. (*wh*) stem-flowering Caracas 1821. 6. 8. S ♄ ◡ Jacq. ic. rar. 3. t. 450.
4 meliæfòlia DC. (*wh*) Melia-leaved Brazil 1818. 7. 9. S ♄ ◡ Hook. ex. flor. 110.
5 Cupàna DC. (*wh*) Cupana's Trinidad 1818. .... S ♄ ◡

§ 2 *Leaves biternate.*

6 curassávica DC. (*wh*) shining-leaved S. America 1739. 6. 8. S ♄ ◡ Jacq. obs. 3. t. 61. f. 1.
7 barbadénsis DC. (*wh*) Barbadoes W. Indies 1786. .... S ♄ ◡ ——— 3. t. 61. f. 9.
8 carthagenénsis DC. (*wh*) biternate Trinidad 1821. 6. 8. S ♄ ◡ ——— 3. t. 61. f. 6.
9 caribæ'a DC (*wh*) Caribean Caribees .... S ♄ ◡ ——— 3. t. 62. f. 7.

§ 3 *Leaves bipinnate or supra-decompound.*

10 híspida DC. (*wh*) hispid Caracas 1823. .... S ♄ ◡ Jacq. schœn. 3. t. 268.
11 polyphy'lla DC. (*wh*) many-leaved S. America 1739. 6. 8. S ♄ ◡ Pluk. alm. t. 168. f. 5?

Tribe II. *SAPI'NDEÆ.* DC.

PIERA'RDIA DS. PIERA'RDIA. (Mr. Pierard of Kew.) Octandria Monogynia.

dúlcis DC. (*ye*) sweet-fruited Chittagong 1820. .... S ♄
sápida. Roxb.

SAPI'NDUS. DC. SOAP-BERRY. (a syncope of Sapo-Indicus; Indian soap; use.) Octand. Trig.

§ 1. *Petioles winged.*

1 Saponária DC. (*wh*) common W. Indies 1697. 7. 9. S ♄ Comm. hort. 1. t. 94.
2 marginàtus DC. (*wh*) margined Carolina .... —— G ♄

§ 2. *Petioles not winged.*

3 rígidus DC. (*wh*) Ash-leaved S. America 1759. —— S ♄ Pluk. alm. t. 217. f. 7.
4 arboréscens DC. (*wh*) arborescent Guiana 1824. .... S ♄ Aubl. Guian. 1. t. 139.
5 frutéscens DC. (*wh*) frutescent ——— —— .... S ♄ ——— 1. t. 138.
6 senegalénsis DC. (*wh*) Senegal Senegal 1823. .... S ♄
7 laurifòlius DC. (*wh*) Laurel-leaved E. Indies 1818. .... S ♄ Rheed. mal. 4. t. 19.
8 longifòlius DC. (*wh*) long-leaved ——— —— .... S ♄
9 emarginàtus DC. (*wh*) emarginate ——— 1820. .... S ♄
10? índicus DC. (*wh*) various-leaved ——— —— .... S ♄

MOULI'NSIA DS. MOULI'NSIA. (Ch. des Moulins, author of Mem. nat. hist.) Octand. Monog.

rubiginòsa DS. (*wh*) rusty E. Indies 1821. .... S ♄ Roxb. cor. 1. t. 62.
Sapindus rubiginòsus DC.

BLI'GHIA DC. AKEE-TREE. (Capt. W. Bligh, R.N.) Octandria Monogynia.

sápida DC. (*gr*) Ash-leaved Africa 1723. .... S ♄ Kon. an. bot. 2.t.16.17.

TALI'SIA DS. TALI'SIA. (Toulichi, Guiana name.) Octandria Monogynia.

móllis DS. (*wh*) soft S. America 1824. .... S ♄
Guianénsis DC.

MATA'YBA DC. MATA'YBA. (Guiana name of the tree.) Octandria Monogynia.

guianénsis DC. (*wh*) Ash-leaved Guiana 1803. 7. 9. S ♄ Aub. gui. 1. t. 128.
Ephièlis fraxínea W.

SCHMIDE'LIA DC. SCHMIDE'LIA. (Casimer C. Schmiedel, prof. bot. Erlange.) Octand. Monog.

1 serràta DC. (*wh*) saw-leaved E. Indies 1804. 6. 8. S ♄ Roxb. cor. 1. t. 61.
Ornítrophe serràta. W.
2 racemòsa DC. (*wh*) clustered ——— 1818. .... S ♄ Burm. ind. t. 32. f. 1.
3 Comínia DC. (*wh*) yellow-berried Jamaica 1759. 6. 9. S ♄ Sloan. h. 2. t. 208. f. 1.
Ornítrophe Comínia. W. *Rhús Comínia.* L.

NEPHE'LIUM DS. NEPHE'LIUM. (One of the ancient names of Burdock, fruit-like.) Oct. Mon.

1 Lítchi DS. (*wh*) Lee-Chee China 1786. 5. 6. S ♄ Lam. ill. t. 306.
Dimocárpus Lítchi W. *Scytàlia chinénsis* G. fr. t. 42. f. 3. *Euphòria Lítchi* DC.
2 Longànum DS. (*wh*) loose-panicled China —— —— S ♄ Buchoz. ic. col. t. 99.
3 verticillàtum DS. (*bh*) whorl-flowered Moluccas 1822. 2. 3. S ♄ Bot. reg. 1059.
4 Lappàceum DS. (*wh*) Rambootan E. Indies 1809. .... S ♄ Lam. ill. t. 764.
Scytàlia Ramboòtan H.B. *Euphòria Nephèlium* DC.

CUPA'NIA DC. CUPA'NIA. (Father Francis Cupani, bot. author.) Octandria Monogynia.

1 tomentòsa DC. (*wh*) woolly-leaved W. Indies 1818. 5. 7. S ♄
Trigònis tomentòsa. Jacq. am. 102.
2 excélsa DC. (*wh*) tall Mexico 1824. .... S ♄
3 glàbra DC. (*wh*) smooth-leaved W. Indies 1818. 5. 7. S ♄
4 Saponária DC. (*wh*) Soap-wort-ld. ——— 1820. .... S ♄

5 setígera Cun. .... bristle-bearing MoretonBay 1830.11.12. G ♄
MOLINÆ'A. J. MOLINÆ'A. (John des Moulins, French physician.) Octandria Monogynia.
canéscens H B. (wh) canescent E. Indies. 1817. 5. 6. S ♄
STADMA'NNIA. DC. STADMA'NNIA. (Staddmann, a German bot.) Octandria Monogynia.
austràlis DS. .... Southern N. Holland 1820. .... G ♄
THOUI'NIA DC. THOUI'NIA. (André Thouin, prof. agric., Paris). Octo-Decand. Monog.
pinnàta DC. (wh) pinnate S.Domingo 1823. .... G ♄ Ann. mus. 5. t. 26.
HYPELA'TE DC. HYPELA'TE. (υπο, under, ελατη, a fir-tree; habitat.) Octo.-Decand. Monog.
paniculàta DS. (wh) panicled S.Domingo 1820. .... G ♄ Mem. mus. 3. t. 5.
Meliccócca paniculàta. Juss.
MELICO'CCA. DC. HONEY-BERRY. (μελι, honey, and κοκκος, a berry; taste.) Octand. Monog.
1 bijuga DC. (wh) winged-leaved Jamaica 1778. .... S ♄ Jacq. amer. 103. t. 72.
2 olivæfórmis DC. (wh) large-leaved. S. America 1818. .... S ♄

Tribe III. *DODONÆA'CEÆ*. DC.

KOELREUTE'RIA DC. KOELREUTE'RIA. (J. T. Koelreuter, prof. nat. hist. Carlsrhue.) Oct. Mo.
paniculàta DC. (ye) panicled China. 1763. 7. 8. H ♄ Bot. reg. 320.
COSSI'GNIA DC. COSSI'GNIA. (M. Cossigny; French nat.) Penta-Hexand. Monogyn.
borbónica DC. Bourbon Bourbon 1811. .... S ♄ Lam. ill. t. 256.
pinnàta Lam. *Ruizia aúrea*. Hort.
DODONÆ'A DC. DODONÆ'A. (Rambert Dodoens, ancient bot. auth.) Octandria Monogynia.
§1. *Leaves lanceolate, or spatulate.*
1 viscòsa DC. (gr) clammy S. America 1690. 6. 7. S ♄ Plum. ic. t. 247. f. 2.
2 jamaicénsis DC. (gr) Jamaica Jamaica —— —— S ♄ Cav. ic. t. 327.
viscòsa Cav. *angustifòlia* Sw.
3 Burmanniàna DC. (gr) Burman's E. Indies 1758. 5. 8. S ♄ Burm. zeyl. t. 23.
angustifòlia H.B.
4 microcárpa DC. (gr) small-fruited Bourbon 1818. —— S ♄ Lam. ill. t. 304. f. 2.
5 attenuàta F.T. (gr) attenuated N. S. W. 1824. 2. 6. G ♄ Bot. mag. 2860.
6 salicifòlia DC. (gr) Willow-leaved C. B. S. 1758. —— G ♄
angustifòlia Lam.
7 dioíca DC. (gr) diœcious E. Indies .... —— S ♄
8 tríquetra DC. (gr) three-sided N. S. W. 1790. 6. 8. G ♄ Andr. rep. 230.
9 oblongifòlia Lam. (gr) oblong-leaved ——— 1816. —— G ♄ Bot. reg. 1051.
10 cuneàta DC. (gr) wedge-leaved ——— —— —— G ♄ Linn. trans. 11. t. 19.
11 elæagnoìdes DC. (gr) scaly-leaved W. Indies 1819. .... S ♄
12 asplenifòlia DC. (gr) Asplenium-ld N. S. W. 1816. 6. 8. G ♄ Linn. trans. 11. t. 20.
§ 2. *Leaves filiform.*
13 filifórmis Lk. (gr) slender-leaved ——— 1820. —— G ♄
angustíssima DC.
§ 3. *Leaves pinnate.*
14 pinnàta DC. (gr) winged-leaved ——— 1810. .... G ♄
DIPLOPE'LTIS Endl. DIPLOPE'LTIS (διπλοος, double, and πελτη, a buckler; disk.) Oct. Mon.
Hugèlii Endl. (wh) Hugel's N. Holland 1838. .... G ♄

ORDER LII.

MELIA'CEÆ. *DC. prodr.* 1. *p.* 619.

Tribe I. *MELIE'Æ*. DC.

TURRÆ'A DC. TURRÆ'A. (George Turra, prof. bot. Padua.) Decandria Monogynia.
1 virens DC. (gr) green E. Indies 1822. .... S ♄ Sm. ic. ined. 1. t. 10.
2 rígida DC. (li) rigid Mauritius 1820. .... S ♄ Vent. choix. t. 48.
3 pinnàta B.R. (ro) pinnated Silhet 1828. 3. 6. S ♄ Bot. reg. t. 1413.

QUIVI'SIA DC. QUIVI'SIA. (called Bois de Quivi, in the Isle of France.) Oct. Monog.
heterophy'lla DC. (*bh*) various-leaved Mauritius 1821. .... S ♄ Cav. dis. 7. t. 213.
CANE'LLA DS. CANE'LLA. (*Canna*, a reed; rolled bark.) Monodelphia Deca-Icosandria.
1 álba DS. (*wh*) white W. Indies 1735. .... S ♄ Linn. trans. 1. t. 8.
2 laurifòlia L.C. (*wh*) laurel-leaved ——— 1817. .... S ♄
SANDO'RICUM DC. SANDO'RICUM. (*Santoor*, Malay name.) Decandria Monogynia.
índicum DC. (*st*) Indian E. Indies 1818. .... S ♄ Roxb. corom. 3. t. 2[illegible]
ME'LIA DC. BEAD-TREE. Decandria Monogynia.
1 Azedarách DC. (*li*) common Syria 1656. 6. 8. F ♄ Bot. mag. 1066.
2 supérba H.B. (*li*) superb E. Indies 1821. 1. 2. S ♄
3 robústa H.B. (*li*) robust ——— —— .... S ♄
4 sempervìrens DC. (*li*) evergreen Jamaica 1656. 6. 9. S ♄ Bot. reg. 343.
5 compósita DC. (*li*) compound-ld. E. Indies 1818. 1. 3. S ♄
6 Azadiráchta DC. (*li*) Ash-leaved ——— 1759. 6. 8. S ♄ Cav. dis. 7. t. 208.
7 austràlis Swt. (*li*) New Holland N. S. W. 1810. .... G ♄
8 excélsa DC. (*pk*) tall Sumatra 1819. 6. S ♄
9 guineénsis DS. (*pk*) Guinea Guinea 1824. 6. 8. S ♄

Tribe II. *TRICHILIE'Æ.* DC.

TRICHI'LIA DC. TRICHI'LIA. (τριχα, by threes; stigmas and capsule.) Decand. Monog.
1 hírta DC. (*wh*) hairy Jamaica 1820. 6. 7. S ♄ Sloan. h. 2. t. 220. f. 2.
2 spondioìdes DC. (*st*) Spondias-like ——— —— —— S ♄ Jacq. schœn. 1. t. 102.
3 havanénsis DC. (*st*) smooth W. Indies 1794. —— S ♄ Jacq. amer. t. 175 f. 38.
glàbra L.
4 odoràta A.R. (*gr*) sweet-scented ——— 1801. —— S ♄ Andr. rep. 639.
5 terminàlis DC. (*wh*) terminal Jamaica 1825. .... S ♄
6 glandulòsa DC. (*gr*) glandular N. S. W. 1821. .... G ♄
7 trifoliàta DC. (*wh*) three-leaved S. America 1828. .... S ♄ Jacq. amer. 129. t. 82.
EKEBE'RGIA DC. EKEBE'RGIA. (C. G. Ekeberg, a Swed. bot.) Decandria Monogynia.
1 capénsis DC. (*wh*) Cape C. B. S. 1789. 7. 8. G ♄ Lam. ill. t. 358.
2 índica H.B. (*wh*) Indian E. Indies 1826. .... S ♄
GUA'REA DC. GUA'REA. (Name of one species in Cuba.) Octandria Monogynia.
1 trichilioìdes L. (*wh*) Ash-leaved S. America 1752. 5. 6. S ♄ Jacq. am. t. 176. f. 37.
grandifòlia DC. *Mèlia Guàra* Jacq.
2 Swártzii (*wh*) Swartz's W. Indies 1822. .... S ♄ Sloan. h. 2. t. 170. f. 1.
trichilioìdes Sw.
3 ramifiòra DC. (*li*) branch-flowd. Porto Rico —— .... S ♄ Vent. choix. t. 41.
WALSU'RA H.B. WALSU'RA. (Indian name.) Monadelphia Octandria.
1 robústa H.B. (*wh*) robust E. Indies 1830. .... S ♄
2 ternàta H.B. (*wh*) ternate-leaved ——— —— .... S ♄
HE'YNEA DC. HE'YNEA. (B. Heyne, M.D. German bot.) Decandria Monogynia.
1 trijuga DC. (*wh*) Walnut-like Nepaul 1812. 9.10. S ♄ Bot. mag. 1738.
2 quinquéjuga H.B. (*wh*) five-paired Moluccas 1821. .... S ♄
AMOO'RA R.C. AMOO'RA. (Indian name.) Hexandria Monogynia.
cucullàta R.C. (*ye*) hooded E. Indies 1824. .... S ♄ Roxb. corom. 3. t. 258.
CARA'PA DC. CARA'PA. (Guiana name of one species.) Decandria Monogynia.
1 prócera DC. (*st*) tall W. Indies .... S ♄
2 guineénsis (*st*) glossy-leaved Sierra Leon 1793. .... S ♄
Afzèlia spléndens Hort.
3 guianénsis DC. (*st*) Guiana Guiana 1820. .... S ♄ Aubl. guain. 2. s. t. 387

ORDER LIII.

CEDRE'LEÆ. *Brown gen. rem.* 64.

CEDRE'LA DC. BASTARD-CEDAR. (*Cedrus*, cedar-tree; wood swt.-scent.) Penta. Mono.
1 odoràta DC. (*st*) fragrant W. Indies 1739. 7. 9. S ♄ Lam. ill. t. 137.

2 Tòona DC.	(st)	Toon	Nepaul	1821.	....	S	♄	Roxb. cor. 3. t. 238.
3 velutìna DC.	.....	velvetty	E. Indies	1793.	....	S	♄	
SWIETE'NIA DC.		MAHOGANY-TREE. (G. Van. Sweiten, a Dutch bot.) Decand. Monogyn.						
1 Mahógoni DC.	(wh)	common	W. Indies	1734.	....	S	♄	Cav. dis. 7. t. 209.
2 febrífuga DC.	(wh)	Febrifuge	E. Indies	1796.	....	S	♄	Roxb. cor. 1. t. 17.
CHLORO'XYLON DC.		CHLORO'XYLON. (χλωρος, yellow, and ξυλον, wood.) Decand. Monog.						
Swietènia DC.	(ye)	Satin-wood	E. Indies	1822.	....	S	♄	Roxb. cor. 1. t. 64.
Swietènia chloróxylon R.C.								
FLINDE'RSIA DC.		FLINDE'RSIA. (Capt. M. Flinder, R.N. explor. N. Hol.) Decand. Mono.						
austràlis DC.	(wh)	New Holland	N. Holland	1821.	....	G	♄	Brown gen. rem. t. 1.
OXLE'YA DS.		OXLE'YA. (Mr. Oxley, New South Wales.) Decandria Monogynia.						
xanthóxyla DS.	....	yellow-wooded	N. Holland	1829.	....	G	♄	Hook bot. misc. 1. t. 54.

ORDER LIV.

AMPELI'DEÆ. *DC. prodr.* 1. *p.* 627.

Tribe I. *VINI'FERÆ* seu *SARMENTA'CEÆ.* DC.

CI'SSUS DC. CI'SSUS. (κισσος, ivy; habit.) Tetrandria Monogynia.

§ 1. *Leaves simple, cordate, entire, toothed or lobed.*

1 vitigínea DC.	(re)	vine-leaved	India	1772.	7. 8.	S	♄	◡ Pluk. mant. t. 337. f. 4.
2 adnàta DC.	(gr)	pointed-leaved	E. Indies	1818.	——	S	♄	◡
3 glaúca DC.	(gr)	glaucous	———	——	——	S	♄	◡
4 cæ'sia DC.	(gr)	grey	Guinea	1822.	5. 6.	S	♄	◡
5 rèpens DC.	(pu)	creeping	E. Indies	1821.	——	S	♄	◡ Rheed. mal. 7. t. 48.
6 puncticulòsa DC.	(gr)	strumous	Cayenne	1818.	....	S	♄	◡
7 uvífera DC.	(gr)	berry-bearing	Guinea	1822.	5. 6.	S	♄	◡
8 tiliàcea DC.	(gr)	Lime-leaved	Mexico	1825.	....	G	♄	◡
9 quadrangulàris DC.	(w)	square-stalked	E. Indies	1790.	....	S	♄	◡ Rumph. amb. 5. t. 44. f. 2
10 capénsis DC.	(gr)	Cape	C. B. S.	1792.	6. 7.	G	♄	◡
11 sicyoìdes DC.	(gr)	naked-leaved	Jamaica	1768.	7. 8.	S	♄	◡ Jacq. amer. 22. t. 15.
12 antárctica DC.	(gr)	Kanguru-vine	N. S. W.	1790.	6. 8.	G	♄	◡ Bot. mag. 2488.

§ 2 *Leaves simple, not cordate, entire, toothed, or lobed.*

13 smilácina DC.	(gr)	Smilax-like	S. America	1826.	....	S	♄	◡
14 ovàta DC.	(gr)	oval-leaved	———	1822.	....	S	♄	◡ Brown. jam. t. 4. f. 1. 2.
15 glandulòsa DC.	(gr)	glandular	Arabia	1824.	6. 7.	G	♃	◡

§ 3. *Leaves trifoliate.*

16 ácida DC.	(gr)	acid	Jamaica	1692.	——	S	♄	◡ Jacq. schœn. 1. t. 33.
17 carnòsa DC.	(wh)	flat-stemmed	E. Indies	1818.	....	S	♄	◡ Rheed. mal. 7. t. 9.
18 trifoliàta DC.	(re)	three-leaved	Jamaica	1739.	6. 8.	S	♄	◡ Sloan. jam. t. 142. f. 5. 6 ?
19 pauciflòra DC.	(gr)	few-flowered	C. B. S.	1818.	5. 6.	S	♄	◡
20 alàta DC.	(re)	winged-stalked	Jamaica	——	——	S	♄	◡ Sloan jam. 1. t. 144.
21 angustifòlia DC.	(st)	narrow-leaved	E. Indies	——	....	S	♄	◡
22 cirrhòsa DC.	(gr)	tendrilled	C. B. S.	1822.	5. 6.	G	♄	◡

§ 4. *Leaves palmate, of 5-leaflets.*

23 quinàta DC.	(gr)	wedge-leaved	———	1790.	7.	G	♄	◡
24 pentaphy'lla DC.	(gr)	Japan	Japan	——	4. 9.	G	♄	◡
25 quinquefòlia B.M.	(gr)	five-leaved	Brazil	——	8. 9.	S	♄	◡ Bot. mag. 2443.
26 diversifòlia DC.	(gr)	various-leaved	.....	——	....	S	♄	◡
heterophy'lla L. en. *non* DC.								
27 elongàta DC.	(gr)	long-branched	E. Indies	1818.	....	S	♄	◡
28 auriculàta DC.	(gr)	ear-stipuled	———	——	....	S	♄	◡

§ 5. *Leaves bipinnate.*

29 orientàlis DC.	(gr)	oriental	Levant	——	6. 8.	G	♄	◡ Lam. ill. t. 84. f. 2.

AMPELO'PSIS DC. AMPELO'PSIS. (αμπελος, a vine, and οψις, resemblance.) Pentan. Monog.

§ 1. *Leaves simple.*

1 cordàta DC.	(gr)	heart-leaved	N. America	1803.	6. 8.	H	♄	◡

Cissus Ampelópsis P.S.

§ 2. *Leaves palmate.*

2	hederàcea DC.	(*gr*)	Virginian creeper	N. Amer.	1629.	6. 8.	H	♄	◡	Corn. canad. t. 100.
	Hèdera quinquefòlia L. *Cissus hederàcea* P.S.									
3	hirsùta DC.	(*gr*)	hairy	———	1806.	——	H	♄	◡	

§ 3. *Leaves bipinnate.*

4	bipinnàta DC.	(*gr*)	Pepper Vine	———	1700.	7. 9.	H	♄	◡	Pluk. mant. t. 412. f.
	Vitis arbòrea W. *Cissus stáns.* P.S.									

VITIS DC. VINE. (from Celtic *guid*, the vine, or *givin*, wine.) Pentandria Monogy

§ 1. *Flowers hermaphrodite.*

1	vinífera DC.	(*gr*)	common Grape	Asia	....	6. 7.	H	♄	◡	Jacq. ic. 1. t. 50.
2	laciniòsa DC.	(*gr*)	Parsley-leaved	.....	1648.	——	H	♄	◡	Schm. ic. 34. t. 8.
3	dentàta DC.	(*gr*)	toothed	.....	1818.	....	H	♄	◡	
4	Wallíchii DC.	(*gr*)	Wallich's	Nepaul	——	....	H	♄	◡	
5	índica DC.	(*g.pu*)	Indian	E. Indies	1692.	....	S	♄	◡	Rheed. mal. 7. t. 6.
6	lanàta F.I.	(*gr*)	woolly	———	1824.	....	S	♄	◡	
7	cæ'sia DS.	(*gr*)	grey	Sier.-Leone	1822.	2. 3.	S	♄	◡	
8	latifòlia F.I.	(*br*)	broad-leaved	E. Indies	1824.	....	S	♄	◡	Rheed. mal. 7. t. 7.

§ 2. *Flowers dioecious or polygamous.*

9	caribæ'a DC.	(*st*)	West Indian	West Indies	....	....	S	♄	◡	Sloan. his. 2. t. 210. f.
10	Labrúsca DC.	(*gr*)	downy-leaved	N. America	1656.	5. 6.	H	♄	◡	Jacq. schœn. t. 426.
11	blánda	(*gr*)	white-berried	———	——	——	H	♄	◡	
12	æstivàlis DC.	(*gr*)	Fox Grape	———	——	——	H	♄	◡	Jacq. schœn. t. 425.
	vulpìna W.									
13	cordifòlia DC.	(*gr*)	Winter Grape	———	1806.	....	H	♄	◡	
14	ripària DC.	(*gr*)	sweet-scented	———	——	5. 6.	H	♄	◡	Bot. mag. 2429.
15	rotundifòlia DC.	(*gr*)	Bullet Grape	———	——	——	H	♄	◡	
16	palmàta DC.	(*gr*)	palmate-leaved	———	1820.	——	H	♄	◡	

Tribe II. *LEEACEÆ.* DC.

LEE'A DC. LEE'A. (James Lee, founder of nursery at Hammersmith.) Pentan. Mon

1	sambúcina DC.	(*st*)	Elder-leaved	E. Indies	1790.	....	S	♄	Cav. dis. 7. t. 218.
2	críspa DC.	(*wh*)	fringe-stalked	C. B. S.	1676.	8.10.	S	♃	Bot. rep. t. 355.
	pinnàta A.R.								
3	æquàta DC.	(*gr*)	round-stalked	E. Indies	1777.	....	S	♄	
4	hírta DC.	(*gr*)	hairy	———	1816.	....	S	♄	
5	robústa F.I.	(*gr*)	robust	———	1820.	....	S	♄	
6	macrophy'lla DC.	(*wh*)	simple-leaved	———	1806.	....	S	♃	

ORDER LV.

GERANIA'CEÆ. *DC. prodr.* 1. *p.* 637.

Tribe I. *GERANIE'Æ.* S.G. 1. p. VII.

SARCOCAU'LON DC. SARCOCAU'LON. (σαρξ, flesh, and καυλον, a stem.) Monadelphia Dodecandria

1	L'Heritiéri	(*ye*)	L. Heritier's	C. B. S.	1790.	5. 6.	G	♄	L. Herit. ger. t. 42.
	Monsònia L'Heritièri DC. *Monsònia spinòsa.* L. Her.								
2	Burmánni DC.	(*ye*)	Burman's	C. B. S.	1790.	7.	G	♄	Burm. afr. t. 31.
	Geràniuni spinòsum Cav. dis. 4. t. 75. f. 2.								

MONSO'NIA S.G. MONSO'NIA. (Lady Ann Monson, bot. amateur.) Monadelphia Dodecandria.

Sect. 1. OLOPE'TALUM; *petals entire.*

1	ovàta DC.	(*st*)	oval-leaved	C. B. S.	1774.	8.	G	♂	Cav. dis. 4. t. 113. f. 1.

Sect. 2. ODONTOPE'TALUM; *petals coarsely toothed.*

2	lobàta DC.	(*st.bh*)	broad-leaved	C. B. S.	1774.	4. 5.	G	♃	Sweet ger. 3. t. 273.
3	pilòsa W. en.	(*bh*)	hairy	———	1778.	7. 8.	G	♃	——— 2. t. 199.
	filia A.R. 276. *nec aliorum.*								
4.	speciòsa L.	(*va*)	large-flowered	———	1774.	4. 5.	G	♃	
	α rùbra	(*ro*)	*red-flowered*	———	——	12.2.	G	♃	Bot. mag. 73.
	β pállida	(*st*)	*pale-flowered*	———	——	4. 5.	G	♃	Sweet ger. 1. t. 77.

GERANIUM DC. CRANES-BILL. (γεραυος, a crane; fruit resemb. head and bill.) Mon. Dec.

§ 1. *Perennial; peduncles 1-flowered.*

	sibiricum DC.	(*wh*) Siberian	Siberia	1758.	6. 7.	H	♃	Jacq. vind. 1. t. 19.
	sanguineum DC.	(*cr*) bloody	Britain	....	6. 9.	H	♃	Eng. bot. 272.
	prostratum L.en.	(*std*) Lancashire	———	....	——	H	♃	Cav. dis. 4. t. 76. f. 3.
	multifidum S.G.	(*li*) multifid	C. B. S.	1817.	——	G	♃	Sweet ger. 3. t. 245.
	Donianum Swt.	(*pu*) Don's	Nepaul	1817.	6.10.	H	♃	Sweet ger. t. 338.
	multifidum DP.							

§ 2. *Perennial plants; peduncels 2-flowered.*

	incanum DC.	(*li*) hoary	C. B. S.	1701.	5. 7.	G	♃	Cav. dis. 4. t. 82. f. 2.
	canescens DC.	(*li*) silky-leaved	———	1787.	——	G	♃	L. Herit. ger. t. 38.
	argenteum DC.	(*bh*) silvery-leaved	S. Europe	1699.	6. 7.	H	♃	Sweet ger. 1. t. 59.
	cinereum DC.	(*vi*) grey	Pyrenees	....	6. 8.	H	♃	Cav. dis. 4. t. 89. f. 1.
	virium L'Her. ger. t. 37.							
	anemonefolium DC.	(*p*) Anemone-ld	Canaries	1778.	5. 8.	G	♄	Sweet ger. 3. t. 244.
	macrorhizon DC.	(*re*) long-rooted	Italy	1576.	5. 6.	H	♄	——— 3. t. 271.
	tuberosum DC.	(*re*) tuberous-rooted	———	1596.	5. 8.	H	♃	——— 2. t. 155.
	gymnocaulon DC.	(*bl*) naked stemmed	Iberia	1814.	——	H	♃	
	asphodeloides DC.	(*pu*) asphodel-like	Levant	1832.	5. 7.	H	♃	Fl. græc. t. 661.
	ibericum DC.	(*bl*) Iberian	Iberia	1802.	6. 9.	H	♃	Sweet ger. 1. t. 84.
	nodosum DC.	(*std*) knotted	England	....	5.10.	H	♃	Eng. bot. 1091.
	mexicanum DC.	(*re*) Mexican	Mexico	1832.	6. 7.	F	♃	
	angulatum DC.	(*std*) angular stalk'd	.....	1789.	5. 6.	H	♃	Bot. mag. 203.
	Lambérti S.G.	(*li*) Mr. Lambert's	Nepaul	1825.	8.10.	H	♃	Sweet ger. 4. t. 338.
	Wallichianum S.G.	(*p*) Wallich's	———	1820.	6.10.	H	♃	——— 1. t. 90.
	Vlassovianum DC.	(*st*) Vlassof's	Siberia	——	5. 8.	H	♃	——— 3. t. 228.
	striatum DC.	(*std*) streaked	Italy	1629.	5.10.	H	♃	Bot. mag. 55.
	reflexum DC.	(*re*) reflex-flowered	———	1758.	5. 6.	H	♃	Cav. dis. 4. t. 81. f. 1.
	phæum DC.	(*br*) dusky	England	....	4. 6.	H	♃	Eng. bot. 322.
	fuscum W.	(*da*) brown	S. Europe	1759.	7.	H	♃	
	lividum W.	(*li*) wrinkle-leaved	Switzerland	1775.	6. 7.	H	♃	Sweet ger. 3. t. 268.
	eriostemon DC.	(*bl*) woolly-stamen'd	Dahuria	1822.	7. 9.	H	♃	——— 2. t. 197.
	α *cæruleum* S.G.	(*bl*) *bright blue*	———	——	——	H	♃	——— 2. t. 197. f. a.
	β *pallidum* S.G.	(*pa*) *pale blue*	Nepaul	——	——	H	♃	——— 2. t. 197. f. b.
	erianthum DC.	(*wh*) hairy-flowered	N. America	1827.	5.10.	H	♃	Bot. mag. 3124.
	albiflorum Graham, not of Bunge, *Richardsonii* F.M.							
	sylvaticum DC.	(*pu*) wood	Britain	....	5. 6.	H	♃	Eng. bot. 121.
	batrachioides L.en.	(*b*) hairy	Europe	....	——	H	♃	Cav. dis. 4. t. 85. f. 1.
	affine Led.	(*bl*) allied	Altaia	1837.	6. 7.	H	♃	Led. ill. t. 371.
	pratense DC.	(*bl*) Crowfoot-leav'd	Britain	....	5. 7.	H	♃	Eng. bot. 404.
	α *cæruleum*	(*bl*) *blue-flowered*	———	....	——	H	♃	
	β *variegatum*	(*v*) *variegated*	———	....	——	H	♃	
	γ *album*	(*wh*) *white-flowered*	———	....	——	H	♃	
	δ *flore pleno*	(*bl*) *double blue*	———	....	——	H	♃	
	longipes DC.	(*li*) long-peduncled	.....	1824.	——	H	♃	
	Londesii L. en.							
	albiflorum Led.	(*wh*) white-flowered.	Altaia	1836.	——	H	♃	Led. ill. t. 18.
	maculatum DC.	(*bh*) spotted	N. America	1732.	5. 8.	H	♃	Sweet ger. 4. t. 332.
	collinum DC.	(*re*) hill	Tauria	1815.	——	H	♃	
	palustre DC.	(*re*) marsh	Europe	1732.	——	H	♃	Sweet ger. 1. t. 3.
	dahuricum DC.	(*bl*) Dahurian	Dahuria	1820.	6. 7.	H	♃	
	aconitifolium DC.	(*wh*) Aconite-leaved	Switzerland	1775.	5. 6.	H	♃	L. Herit. ger. t. 40.
	coeruleum DC.	(*bl*) blue	Dahuria	1820.	5. 7.	H	♃	
	pilosum DC.	(*li*) pointed anther'd	N. Zealand	1821.	5. 8.	F	♃	Sweet. ger. 2. t. 119.
	parviflorum DC.	(*li*) small-flowered	Van Diem.	1816.	——	G	♃	
	nepalense S.G.	(*li*) Nepaul	Nepaul	1819.	——	H	♃	Sweet ger. 1. t. 12.
	cristatum DC.	(*li*) crested	Iberia	1823.	——	H	♃	Stev. m. mosc. 4. t. 5.
	albanum M.B.							
	pyrenaicum DC.	(*li*) mountain	Britain	....	——	H	♃	Eng. bot. 405.
	umbrosum F.S.	(*li*) naked-stalked	Hungary	1804.	6. 9.	H	♃	W. et. Kit. hung. 2. t. 124.

§ 3. *annual plants; peduncles 2-flowered.*

	molle DC.	(*li*) Dove's-foot	Britain	....	4. 8.	H	⊙	Eng. bot. 778.
	pusillum DC.	(*li*) small-flowered	England	....	6. 7.	H	⊙	——— 385.
	rotundifolium DC.	(*li*) round-leaved	———	....	6. 9.	H	⊙	——— 157.
	pallens DC.	(*re*) pale	Iberia	1827.	6. 8.	H	⊙	
	columbinum DC.	(*li*) long-stalked	Britain	....	6. 7.	H	⊙	Eng. bot. 259.
	dissectum DC.	(*li*) jagged-leaved	———	....	5. 7.	H	⊙	——— 753.
	carolinianum DC.	(*st*) veined-petaled	N. America	1725.	7. 8.	H	⊙	Cav. dis. 4. t. 84. f. 1.
	lanuginosum W.en.	(*p*) woolly	———	....	——	H	⊙	Jacq. schœn. 2. t. 140.

55	villòsum DC.	(li)	villous	Naples	1824.	7. 8.	H ⊙	
56	bohémicum DC.	(bl)	Bohemian	Bohemia	1683.	6. 8.	H ⊙	
57	divaricàtum DC.	(li)	straddling	Hungary	1799.	7. 8.	H ⊙	W. et Kit. hung. 2. t. [illegible]
58	lùcidum DC.	(li)	shining	Britain	....	5. 8.	H ⊙	Eng. bot. 75.
59	Briceànum	(wh)	Miss Brice's	Bristol	....	4.10.	H ⊙	
60	Robertiànum DC.	(pu)	Herb-Robert	Britain	....	——	H ⊙	Eng. bot. 1486.
61	inodòrum DS.	(re)	scentless	N. America	1800.	6.10.	H ⊙	
	Robertiànum Pursh.							
62	purpùreum W.	(pu)	purple	Britain	....	4.10.	H ⊙	Vill. dauph. 3. t. 4[illegible]

ERO'DIUM DC. HERON'S-BILL. (ερωδιος, a heron; fruit resemb. head & beak.) Mon. Pe[illegible]

§ 1. *Leaves pinnate, or pinnatifid.*

1	petræ'um DC.	(pu)	rock	S. Europe	1640.	6. 7.	H ♃	Gouan. ill. t. 21. f. 1
2	glandulòsum DC.	(pu)	glandulous	Spain	1798.	——	H ♃	Cav. dis. 5. t. 125. f. [illegible]
3	Stephaniànum DC.	(bl)	multifid	Dahuria	1820.	——	H ♃	
4	stylàtum DC.	(pu)	styled	.....	1826.	——	H ♃	
5	alpìnum DC.	(bl)	Alpine	Italy	1814.	5. 8.	H ♃	L'Herit. ger. t. 3.
6	anthemidifòlium DC.	(bl)	anthemis-ld.	.....	1820.	6. 7.	H ♃	
7	crassifòlium DC.	(li)	thick-leaved	Cyprus	1788.	3. 8.	G ♄	Swt. ger. 2. t. 111.
8	laciniàtum DC.	(li)	laciniated	Crete	1794.	5. 8.	G ♃	Cav. dis. 4. t. 113. f. [illegible]
9	hírtum DC.	(li)	hairy	Egypt	1823.	——	G ♃	Jacq. f. ecl. 1. t. 58.
10	Cicònium DC.	(li)	long-beaked	S. Europe	1711.	6. 7.	H ⊙	Jacq. vind. 1. t. 18.
11	cicutàrium E.B.	(pi)	Hemlock-leav'd	Britain	....	4. 9.	H ⊙	Eng. bot. 1768.
12	pimpinellæfòlium	(pi)	Pimpinella ld.	Europe	1823.	——	H ⊙	Cav. dis. 4. t. 95. f. 2.
13	bipinnàtum W.	(pi)	Numidian	Numidia	1803.	5. 6.	H ♂	——— 5. t. 126. f. 3.
14	romànum W.	(pi)	Roman	Rome	1724.	——	H ♃	Bot. mag. 377.
15	caucalifòlium S.G.	(pi)	Caucalis-leaved	S. Europe	1816.	6. 8.	H ♃	Swt. ger. t. 6.
16	moschàtum DC.	(li)	musky	England	....	5. 7.	H ⊙	Eng. bot. 902.
17	bòtrys DC.	(bl)	large-blue	Italy	1819.	——	H ⊙	Cav. dis. 4. t. 90. f. 2.

§ 2. *Leaves somewhat 3-lobed, or undivided.*

18	murcìcum DC.	(bl)	small-blue	Murcia	——	——	H ⊙	——— 5. t. 126. f. 1.
19	grùinum DC.	(bl)	broad-leaved	Crete	1596.	6. 7.	H ⊙	——— 4. t. 88. f. 2.
20	serótinum DC.	(bl)	late-flowering	Siberia	1816.	6. 9.	H ♃	Swt. br. fl. gar. s. 2. t. 3[illegible]
	multicaúle S.G. t. 137.							
21	chìum DC.	(bl)	Levant	Levant	1724.	6. 7.	H ⊙	Cav. dis. 4. t. 92. f. 1.
22	hymenòdes DC.	(li)	three-leaved	Barbary	1789.	1.12.	H ♃	Swt. ger. 1. t. 23.
23	Gussònii S.G.	(li)	Gussone's	Naples	1822.	5. 8.	H ♃	——— 2. t. 200.
24	malachoìdes DC.	(pu)	Mallow-leaved	S. Europe	1596.	5. 7.	H ⊙	Cav. dis. 4. t. 91. f. 1.
25	ribifòlium W.	(pu)	Currant-leaved	C. B. S.	....	6. 8.	H ⊙	Jacq. ic. rar. 3. t. 50[illegible]
26	incarnàtum DC.	(fl)	flesh-coloured	———	1787.	5. 7.	G ♄	Swt. ger. 1. t. 94.
27	glaucophy'llum DC.	(li)	glaucous-leav'd	Egypt	1732.	7. 8.	H ♃	——— 3. t. 283.
28	malopoìdes DC.	(li)	velvetty-leaved	Sicily	1818.	5. 8.	H ♃	Cav. dis. 4. t. 90. f. 1.
29	littòreum DC.	(li)	smooth	Narbonne	——	——	H ♃	
30	marítimum DC.	(li)	sea-side	England	....	5. 9.	H ♃	Eng. bot. 646.
31	Reichárdi DC.	(wh)	dwarf	Minorca	1783.	4. 9.	H ♃	Bot. mag. 18.
	chamædryoìdes W. *Geràn*ium *Reichárdi* B.M.							

Tribe II. *PELARGONIE'Æ.* S.G. p. VIII.

PHYMATA'NTHUS S.G. WART-FLOWER. (φυμα, a wart, and ανθος, a flower.) Monad. Pentan.

1	trícolor S.G.	(w.pu)	three-coloured	C. B. S.	1791.	6.10.	G ♄	Sweet. ger. 1. t. 43.
	Pelargònium trícolor B.M. 240.							
2	elàtus S.G.	(w.pu)	tall	———	1795.	——	G ♄	Sweet ger. 1. t. 96.
3	villòsus	(w.pu)	villous	Hybrid	1823.	——	G ♄	
4	grandiflòrus	(w.pu)	large-flowered	———	——	——	G ♄	
5	intertínctus	(r.w.v)	stained	———	1827.	2.10.	G ♄	Swt. ger. ser. 2. t. 54.
6	latifòlius C.C.	(w.pu)	broad-leaved	———	1823.	6.10.	G ♄	

CAMPY'LIA S.G. CAMPY'LIA. (καμπυλος, a curve; upper filament.) Monadelph. Pentand.

1	carinàta S.G.	(w.pu)	keeled-stipuled	C. B. S.	1810.	4. 9.	G ♄	Sweet ger. 1. t. 21.
2	variegàta S.G.	(v)	variegated-fld.	Hybrid	1823.	——	G ♄	——— 3. t. 266.
3	holoserícea S.G.	(da)	silky-leaved	———	1820.	——	G ♄	——— 1. t. 75.
4	blattária S.G.	(li)	downy-leaved	C. B. S.	1790.	6. 9.	G ♄	——— 1. t. 88.
5	élegans S.G.	(bh)	elegant	Hybrid	1822.	——	G ♄	——— 3. t. 222.
6	verbasciflòra S.G.	(li)	Mullien-fld.	C. B. S.	1811.	——	G ♄	——— 2. t. 157.
7	càna S.G.	(li)	hoary-leaved	———	1794.	7.12.	G ♄	——— 2. t. 114.
8	eriostèmon S.G.	(wh)	velvet-leaved	———	——	3. 6.	G ♄	Jacq. schœn. 2. t. 132.
	Pelargònium eriostèmon Jacq.							

9	laciniàta s.G.	(*d.re*)	jagged-leaved	Hybrid	1827. 4.10.	G	♄	Swt. ger. ser. 2. t. 1.
10	coronopifòlia	(*li*)	Buck's-horn-ld.	C. B. S.	1791. 6.10.	G	♄	Jacq. ic. rar. 3. t. 526.
11 ?	œnothèra	(*li*)	œnothera-like	———	1812. 4. 8.	G	♃	——— 3. t. 525.
	Pelargònium œnothèræ Jacq.							
OTI'DIA S.G.			OTI'DIA. (*ovs*, an ear; petals eared at base.)					Monodelphia Petrandria.
1	carnòsa s.G.	(*wh*)	fleshy-stalked	C.B. S.	1724. 6. 8.	G	♄	Swt. ger. 1. t. 98.
2	ceratophy'lla s.G.	(*wh*)	horn-leaved	Africa	1786. 5. 7.	G	♄	Bot. mag. 315.
	Pelargònium ceratophy'llum B.M.							
3	dasycaúlon s.G.	(*wh*)	thick-stemmed	———	1795. 7.12.	G	♄	Bot. mag. 2029.
4	láxa s.G.	(*wh*)	loose-panicled	C. B. S.	1821. 6. 9.	G	♄	Sweet ger. 2. t. 196.
5	crithmifòlia s.G.	(*wh*)	Samphire-ld.	———	1790. 4. 9.	G	♄	——— 4. t. 354.
6	altérnans s.G.	(*wh*)	Parsley-leaved	———	1791. 5. 8.	G	♄	——— 3. t. 286.
GRENVI'LLEA S.G.			GRENVI'LLEA. (Lady Grenville, lover of bot.)					Monadélphia Tetrandria.
	conspícua s.c.		conspicuous	Africa	1810. 7.11.	G	♃	Sweet ger. 3. t. 262. f. 2.
	Geràniun Grenvílliæ A. G. c. ic.							
HOA'REA S.G.			HOA'REA. (Sir Richard Hoare.)					Monadelphia Pentandria.
1	violæflòra s.G.	(*wh*)	white-violet-fld.	C. B. S.	1821. 5. 8.	G	♃	Sweet ger. 2. t. 123.
2	nívea s.G.	(*wh*)	snowy white	———	—— ——	G	♃	——— 2. t. 182.
3	bubònifòlia †	(*wh*)	Bubon-leaved	———	1800. 3. 7.	G	♃	And. bot. rep. 328.
4	Leeàna s.G.	(*wh*)	Mr. Lee's	———	1823. 6. 8.	G	♃	Sweet ger. 3. t. 323.
5	laciniàta †	(*v*)	jag-leaved	———	1800. 5. 6.	G	♃	And. bot. rep. 131.
6	pennifórmis†	(*ye*)	winged	———	—— ——	G	♃	——— 269.
7	purpurascens†	(*pu*)	purplish	———	—— ——	G	♃	——— 204.
8	incrassàta†	(*std*)	fleshy-leaved	———	1801. 6. 7.	G	♃	Bot. mag. 761.
9	carinàta s.G.	(*ye*)	boat-flowered	———	1812. 5. 8.	G	♃	Sweet ger. 2. t. 135.
10	corydalifòra s.G.	(*ye*)	Fumitory-fld.	———	—— ——	G	♃	——— 1. t. 18.
11	rapàcea	(*pi*)	Turnep-rooted	———	1788. 4. 6.	G	♃	And. rep. 239.
	Geràniun Selinum A.R.							
12	setòsa s.G.	(*bh*)	bristle-pointed	———	1818. 4. 8.	G	♃	Sweet ger. 1. t. 38.
13	pilòsa	(*pu*)	hairy	———	1801. 5. 7.	G	♃	And. bot. rep. t. 259.
	Geràniun pilòsum var. 1. A.G. ic.							
14	bícolor	(*wh.re*)	two-coloured	———	—— 3. 8.	G	♃	Andr. geran. c. ic.
	Geràniun pilòsum var. 2. A.G. ic.							
15	blánda	(*bh*)	blush-flowered	———	—— ——	G	♃	Andr. geran. c. ic.
	Geràniun pilòsum var. 3. A.G. ic.							
16	congésta s.G.	(*sp*)	crowded-fld.	———	1820. 5.10.	G	♃	Sweet ger. 3. t. 202.
17	retùsa s.G.	(*da*)	notched-petal'd	Hybrid	1824. ——	G	♃	——— 4. t. 307.
18	selinifòlia s.G.	(*d.pu*)	Milk-parsley-ld.	———	1821. 3. 8.	G	♃	——— 2. t. 159.
19	radicàta s.G.	(*ye*)	fleshy-fringed-ld.	C. B. S.	1802. 5. 8.	G	♃	——— 1. t. 174.
20	ciliàta	(*wh*)	ciliated	———	1795. 4. 6.	G	♃	L'Herit. ger. t. 7.
21	ovalifòlia s.G.	(*wh*)	oval-leaved	———	1820. 4. 8.	G	♃	Sweet ger. 2. t. 106.
22	reticulàta s.G.	(*wh*)	netted-petaled	———	—— ——	G	♃	——— 1. t. 91.
23	nervifòlia	(*wh*)	nerved leaved	———	—— 5. 8.	G	♃	Jacq. ic. rar. 3. t. 517.
24	tríphylla	(*fl.cr*)	three-leaved	———	—— ——	G	♃	——— 3. t. 515.
25	lùtea†	(*ye*)	small-yellow	———	1800. ——	G	♃	
26	nummularifòlia	(*ye*)	money-wort-ld.	———	1801. ——	G	♃	Sal. par. lond. t. 23.
27	integrifòlia c.c.	(*w.r*)	entire-leaved	Hybrid	1821. 4. 8.	G	♃	And. bot. rep. t. 123.
28	fuscàta c.c.	(*br*)	brown-flowered	———	—— ——	G	♃	
29	nígricans c.c.	(*bl*)	blackish	———	1822. ——	G	♃	
30	mágica c.c.	(*bl*)	dark-flowered	———	—— ——	G	♃	
31	àtra s.G.	(*da*)	dark-brown	C. B. S.	1793. ——	G	♃	Sweet ger. 1. t. 72.
32	dioíca c.c.	(*bl*)	diœcious	———	1795. 6. 8.	G	♃	And. bot. rep. 209.
	Geràniun melanánthum A.R.							
33	undulæflòra s.G.	(*da*)	waved-petaled	———	1821. 4. 8.	G	♃	Swt. ger. 3. t. 263.
34	melanántha s.G.	(*bl*)	black-flowered	———	1790. ——	G	♃	——— 1. t. 73.
35	vària s.G.	(*da*)	various-leaved	Hybrid.	1821. ——	G	♃	——— 2. t. 166.
36	Colvíllii s.G.	(*cr*)	Colvill's	———	1823. ——	G	♃	——— 3. t. 260.
37	Jenkinsòni c.c.	(*sc*)	Jenkinson's	———	—— ——	G	♃	
38	dilùta	(*bh*)	diluted	———	1821. ——	G	♃	
39	replicàta	(*re*)	replicate	———	—— ——	G	♃	
40	rubéscens	(*re*)	reddish	———	—— ——	G	♃	
41	intermíxta	(*re*)	intermixed	———	1822. ——	G	♃	
42	capitàta	(*bh*)	headed	———	—— ——	G	♃	
43	supérba	(*sc*)	superb	———	—— ——	G	♃	
44	villòsa	(*sc*)	villous	———	1821. ——	G	♃	
45	unguiculàta	(*re*)	clawed	———	—— 5. 8.	G	♃	

Those marked thus (†) are only known to us by Andrews's Figures.

46	tenuifòlia	(*bh*) slender-leaved	Hybrid.	1821.	5.	8.	G	♃	
47	marginàta	(*bh*) margined	———	1823.	——		G	♃	
48	atrosanguínea s.G.	(*cr*) dark-crimson	———	1822.	4.	8.	G	♃	Swt. ger. 2. t. 151.
49	élegans s.G.	(*cr*) elegant	———	——	——		G	♃	——— 2. t. 132.
	Pelargònium Sweetiànum DC.								
50	coluteæfòlia s.G.	(*cr*) Bladder Senna-ld.	———	1823.	——		H	♃	Swt. ger. 4. t. 311.
51	orobifòlia s.G.	(*st.pu*) Orobus-leaved	———	——	——		G	♃	——— 4. t. 304.
52	coccínea s.G.	(*sc*) scarlet	———	——	——		G	♃	——— 4. t. 398.
53	recurviflòra	(*sc*) recurv'd-petal'd	———	1821.	——		G	♃	
54	sanguinoléntа	(*cr*) bloody-flower'd	———	1823.	——		G	♃	
55	pulchélla	(*re*) neat	———	——	——		G	♃	
56	amœ'na	(*re*) delightful	———	——	——		G	♃	
57	pàtens	(*re*) spreading	———	1822.	——		G	♃	
58	lilácina	(*li*) Lilac-coloured	———	——	——		G	♃	
59	venòsa s.G.	(*std*) veined-petaled	———	1823.	——		G	♃	Swt. ger. 3. t. 209.
60	literàta	(*std*) lettered	———	——	——		G	♃	
61	labyrínthica s.G.	(*std*) labyrinth-fld.	———	——	——		G	♃	Swt. ger. 3. t. 276.
62	ròsea s.G.	(*ro*) rose-coloured	C. B. S.	1792.	——		G	♃	——— 3. t. 262. f.
	Geràniu̇m ròseum A.R. 173. *Pelargònium condensàtum* P.S.								
63	hedysarifòlia s.G.	(*cr*) Hedysarum-ld.	Hybrid.	1823.	——		G	♃	Swt. ger. 4. t. 355.
64	galegifòlia	(*cr*) Galega-leaved	———	——	——		G	♃	
65	sisymbriifòlia s.G.	(*cr*) Water-rocket-ld.	———	——	——		G	♃	Swt. ger. 3. t. 292.
66	hirsùta	(*bh*) various-ld. hairy	C. B. S.	1788.	3.	5.	G	♃	Cav. dis. 4. t. 101. f. 1.
67	orobifòlia	(*pu*) vetch-leaved	Hybrid.	1823.	——		G	♃	Swt. ger. 4. t. 304.
68	retùsa	(*dk*) retuse	———	——	——		G	♃	——— 307.
69	coluteæfòlia	(*cr*) colutea-leaved	———	....	——		G	♃	——— 311.

DIMA'CRIA. S.G. DIMA'CRIA. (From δις, two, and μακρος, long; two lower stamens.) Mon. Pent.

1	pinnàta s.G.	(*bh*) wing-leaved	C. B. S.	1779.	4.	6.	G	♃	Swt. ger. 1. t. 46.
	Pelargònium viciæfòlium DC.								
2	bipartìta s.G.	(*st*) forked-leaved	Hybrid.	1821.	4.	8.	G	♃	Swt. ger. 2. t. 142.
3	foliolòsa s.G.	(*st*) leafy	C. B. S.	1800.	——		G	♃	And. bot. rep. 311.
	Geràniu̇m pinnàtum A.R.								
4	astragalifòlia s.G.	(*st*) Astragalus-ld.	———	1788.	6.	8.	G	♃	Swt. ger. 2. t. 103.
5	Smithiàna s.G.	(*re*) Mr. E. D. Smith's	Hybrid.	1823.	4.	8.	G	♃	——— 4. t. 358.
6	tenélla†	(*bh*) tender	———	1802.	——		G	♃	Andr. geran. c. ic.
	Geràniu̇m tenéllum A.G.								
7	imbùta	(*bh*) stained-petaled	———	1822.	4.	8.	G	♃	
8	fúlgens c.c.	(*cr*) shining-scarlet	———	1821.	——		G	♃	
9	Andrèwsii†	(*bh.p*) Andrews's	C. B. S.	1802.	——		G	♃	Andr. geran. c. ic.
	Geràniu̇m heterophy'llum A.G. *non* Jacq.								
10	élegans s.G.	(*sc*) elegant	Hybrid.	1822.	——		G	♃	Swt. ger. 3. t. 202.
11	coronillæfòlia†	(*co*) Coronilla-leav'd	C. B. S.	1795.	6.	7.	G	♃	And bot. rep. 305.
12	heracleifòlia	(*br.y*) cowparsnip-ld.	———	1818.	——		G	♃	
	Pelargònium heracleifòlium. Lodd. bot. cab. 437.								
13	apiifòlia†	(*bh*) Parsley-leaved	———	1802.	4.	8.	G	♃	Andr. geran. c. ic.
	Geràniu̇m apiifòlium A.G. *non*. Jacq.								
14	auriculàta s.G.	(*w.pu*) eared-leaved	———	....	5.	8.	G	♃	Swt. ger. 4. t. 395.
	Pelargònium ciliàtum. Jacq. ic. 3. t. 519.								
15	sulphùrea s.G.	(*st.*) sulphur-color'd	Hybrid.	1821.	——		G	♃	Swt. ger. 2. t. 163.
16	cárnea	(*fl*) flesh-coloured	C. B. S.	1812.	4.	6.	G	♃	Janq. ic. rar. 3. t. 512.
17	floribúnda†	(*v*) many-flowered	———	1795.	3.	5.	G	♃	And. bot. rep. 420.
18	fissifòlia†	(*bh*) cloven-leaved	———	——	4.	8.	G	♃	——— 378.
19	barbàta s.G.	(*fl*) bearded	———	1790.	5.	8.	G	♃	Swt. ger. 4. t. 391.
20	recurvàta s.G.	(*wh*) recurved.	———	——	——		G	♃	And. rep. 325.
	Geràniu̇m barbàtum v. minor A.R.								
21	aristàta s.G.	(*wh*) awned	———	——	——		G	♃	Andr. rep. 366.
	Geràniu̇m barbàtum v. undulàtum A.R.								
22	setígera s.G.	(*wh*) bristle-bearing	———	——	——		G	♃	Andr. bot. rep. 303.
	Geràniu̇m barbàtum A.R. *nec aliorum*.								
23	revolùta†	(*pu*) revolute	———	1800.	7.	8.	G	♃	Andr. rep. 354.
24	oxalidifòlia†	(*st*) Oxalis-leaved	———	1801.	5.	8.	G	♃	——— 300.
25	refléxa†	(*wh*) reflex-leaved	———	1800.	6.	7.	G	♃	——— 224.
26	rumicifòlia s.G.	(*ye*) Dock-leaved	———	1825.	5.	8.	G	♃	Swt. ger. 4. t. 318.
27	depréssa s.G.	(*st*) depressed	———	1812.	——		G	♃	——— 3. t. 290.
28	longiflòra s.G.	(*st*) long-flowered	———	——	——		G	♃	Jacq. ic. rar. 3. t. 521.
29	longifòlia s.G.	(*ro*) long-leaved	———	——	——		G	♃	——— 3. t. 518.
30	lanceolàta s.G.	(*bh*) spear-leaved	———	1826.	——		G	♃	Swt. ger. 4. t. 387.
31	undulàta†	(*wh*) wave-flowered	———	1795.	5.	7.	G	♃	Andr. rep. 292.
32	spathulàta†	(*wh*) spatula-leaved	———	——	4.	6.	G	♃	——— 152.

13 affinis†	(wh)	fring'd-spat.-ld.	C. B. S.	1795.	4. 6.	G	♃	And. rep.	282.
14 virginea†	(wh)	virgin	———	——	5. 7.	G	♃	———	317.
15 radiàta†	(ye)	ray-leaved	———	1801.	6. 8.	G	♃	———	222.
16 lineàris†	(st)	linear-petaled	———	1800.	——	G	♃	———	193.
17 punctàta†	(st)	dotted-flowered	———	1794.	4. 6.	G	♃	———	60.

SEYMOU'RIA. S.G. SEYMOU'RIA. (Hon. Emily Seymour, lover of geraniums.) Mon. Pent.

1 asarifòlia s.G.	(da)	Asarum-leaved	C. B. S.	1821.	11.2.	G	♃	Swt. ger.	3. t. 206.
2 L'Heritièri s.G.	(pu)	L'Heritier's	———	1795.	4. 5.	G	♃	L. Herit. ger.	t. 43.

Pelargònium dipétalum. L'Her.

PELARGO'NIUM. S.G. STORK'S-BILL. (πελαργος, a stork; fruit, like head and beak.) Mon. Hep.

1 amœ'num s.G.	(sa)	delightful	Hybrid.	1821.	4. 8.	G	♃	Swt. ger.	2. t. 121.
2 dimacriæflòrum s.G.	(sc)	Dimacria-ld.	———	1822.	——	G	♃	———	3. t. 220.
3 múndulum s.G.	(sc)	spruce	———	1823.	3.10.	G	♃	———	3. t. 288.
4 ríngens s.G.	(sc)	ringent-flow'rd	———	——	——	G	♃	———	3. t. 256.
5 concàvum s.G.	(re)	concave-petaled	———	——	——	G	♃	———	3. t. 237.
6 conclaúsum s.G.	(d.re)	shut-petaled	———	——	4.10.	G	♄	———	4. t. 305.
7 hoareæflòrum s.G.	(sa)	Hoarea-flow'rd	———	1821.	——	G	♃	———	2. t. 133.
8 claúsum c.c.	(re)	closed-petaled	———	1822.	——	G	♃		
9 pàtens s.G.	(sc)	spreading-fld.	———	1820.	——	G	♄	Swt. ger.	2. t. 125.
0 cruéntum s.G.	(cr)	blood-red	———	1822.	——	G	♃	———	2. t. 170.
1 aúlicum	(cr)	courtly	———	1823.	5.10.	G	♃		
2 Avroniànum s.G.	(sc)	Avron's	———	——	——	G	♃	Swt. ger.	3. t. 394.
3 ligulàtum s.G.	(sc)	ligulate-petaled	———	——	4. 9.	G	♄	———	4. t. 301.
4 puníceum c.c.	(cr)	puniceous	———	——	——	G	♃		
5 pusíllum c.c.	(sc)	dwarf	———	——	——	G	♃		
6 pygmæ'um c.c.	(sc)	small	———	——	5. 8.	G	♃		
7 venulòsum	(sc)	veined-petaled	———	1821.	——	G	♃		
8 intertéxtum s.G.	(sc)	interwoven	———	1822.	4. 8.	G	♃	Swt. ger.	2. t. 185.
9 ácidum s.G.	(cr)	sour-leaved	———	1823.	5. 9.	G	♃	———	3. t. 261.
0 péllens s.G.	(st)	cream-coloured	C. B. S.	1800.	——	G	♄	———	2. t. 148.
1 caryophyllàceum	(bh)	Clove-scented	Hybrid.	1822.	——	G	♄	———	4. t. 347.
2 paradóxum	(wh)	paradoxical	———	——	——	G	♄		
3 multiradiàtum s.G.	(da)	many-rayed	C. B. S.	1818.	6.10.	G	♄	Swt. ger.	2. t. 145.
4 rutàceum s.G.	(da)	Rue-like	Hybrid.	1823.	5.10.	G	♄	———	3. t. 279.
5 pedunculatùm s.G.	(da)	long-peduncled	———	——	——	G	♄	———	4. t. 346.
6 œnanthifòlium s.G.	(d.cr)	Dropwort-ld.	———	——	6.10.	G	♄	———	ser. 2. t. 13.
7 sphondyliifòlium	(d.cr)	Sphondylium-ld.	———	1822.	4. 8.	G	♃	———	3. t. 246.
8 chærophy'llum s.G.	(cr)	Cow-Parsley-ld.	———	——	——	G	♄	———	3. t. 257.
9 nítidum s.G.	(sc)	glossy	———	——	——	G	♄	———	3. t. 298.
0 sanguíneum s.o.	(cr)	crimson	C. B. S.?	1819.	——	G	♄	———	1. t. 76.
1 árdens s.G.	(sc)	glowing	Hybrid.	1810.	3. 8.	G	♄	———	1. t. 45.
2 confertifòlium	(sc)	close-leaved	———	——	——	G	♄	———	3. t. 297.

Gerànium árdens minor A.G.

3 pulchéllum B.M.	(v)	nonesuch	C. B. S.	1795.	3. 5.	G	♄	Swt. ger.	1. t. 31.
4 jonquíllinum s.G.	(pi)	Jonquil-scent'd	Hybrid.	1822.	5.10.	G	♄	———	3. t. 241.
5 seléctum s.G.	(d.pu)	select	———	——	——	G	♃	———	2. t. 190.
6 imbricàtum s.G.	(v)	imbricate-pet'd.	C. B. S?	1800.	5. 8.	G	♄	———	1. t. 65.
7 bícolor s.G.	(da)	two-coloured	.....	1778.	7. 8.	G	♄	Bot. mag.	201.
α *àtrum* s.G.	(da)	*dark-edged*	.....	——	——	G	♄	Swt. ger.	1. t. 97. f. 1.
β *pállidum* s.G.	(pu)	*pale-edged*	.....	——	——	G	♄	———	1. t. 97. f. 2.
8 quinquevúlnerum	(da)	dark-flowered	Hybrid.	1796.	5.10.	G	♄	———	2. t. 161.
9 Blandfordiànum	(bh)	hoary-leaved	———	1812.	1.12.	G	♄	———	2. t. 101.
0 millefoliàtum s.G.	(v)	Milfoil-leaved	C. B. S.	1819.	6.10.	G	♃	———	3. t. 230.
1 flàvum DC.	(st)	pale-yellow	———	1724.	7. 9.	G	♃	———	3. t. 254.
2 scábridum c.c.	(br)	rough-edged	———	1822.	——	G	♃		
3 tríste DC.	(da)	night-smelling	———	1632.	5.10.	G	♃	Delaun. h. am.	t. 27.
4 filipendulifòlium	(br)	Dropwort-ld.	———	1812.	——	G	♃	Swt. ger.	1. t. 85.
5 pentastíctum	(bh)	five-marked	Hybrid.	1824.	——	G	♃	———	ser. 2. t. 25.
6 heracleifòlium s.G.	(br)	Heracleum-ld.	C. B. S.	1820.	——	G	♃	———	3. t. 211.
7 lobàtum DC.	(da)	Cow-parsnep-ld.	———	1710.	——	G	♃	———	1. t. 51.
8 salebròsum s.G.	(d.pu)	rugged-leaved	Hybrid.	1824.	——	G	♃	———	4. t. 309.
9 Lawranceànum s.G.	(d.pu)	Mrs. Kearse's	———	1824.	5.10.	G	♃	Swt. ger.	ser. 2. t. 23.
0 orbiculàtum	(da)	orbicular-ld.	———	1823.	——	G	♃		
1 pulveruléntum s.G.	(sp)	powdered-ld.	C. B. S.	1822.	——	G	♃	———	3. t. 218.
2 pedicellàtum s.G.	(v)	long-pedicled	———	——	——	G	♃	———	3. t. 250.
3 lùridum s.G.	(co)	lurid	———	1811.	7.12.	G	♃	———	3. t. 281.

Geràniùm lùridum A.G. ic.

4 rapæfòlium	(da)	Turnep-leaved	Hybrid	1821.	5.10.	G	♃		
5 glauciifòlium s.G.	(da)	Glaucium-ld.	———	——	——	G	♄	Sweet. ger.	2. t. 179.

56	gibbòsum DC.	(*st*) knotted-stalk'd	C. B. S.	1712.	5.10.	G	♄	Sweet ger. 2. t. 61.
57	mutábile S.G.	(*bh*) changeable-cold.	Hybrid	1822.	7.10.	G	♄	——— 3. t. 213.
58	vespertìnum S.G.	(*pu*) evening-scent'd	———	——	8.12.	G	♄	——— 3. t. 239.
59	sinapifòlium	(*pi*) Mustard-leav'd	———	——	6.10.	G	♄	
60	brassicàtum	(*st*) Cabbage-leav'd	———	——	——	G	♄	
61	adscéndens	(*pa*) ascending	———	——	——	G	♄	
62	circumfléxum	(*pa*) bending	———	——	——	G	♄	
63	campyliæflòrum S.G.	(*li*) Campylia-fld.	———	1823.	——	G	♄	Sweet. ger. 3. t. 251
64	renifórme DC.	(*pu*) kidney-leaved	C. B. S.	1791.	1.12.	G	♄	——— 1. t. 48.
65	flexuòsum S.G.	(*sc*) bent-stalked	Hybrid.	1821.	3.10.	G	♄	——— 2. t. 180.
66	sæpeflòrens S.G.	(*pi*) frequent-flow'rs	———	1801.	——	G	♄	——— 1. t. 58.
67	cómptum S.G.	(*pi*) decked	———	1821.	——	G	♄	——— 3. t. 255.
68	echinàtum DC.	(*wh*) prickly-stalked	C. B. S.	1789.	6.10.	G	♄	——— 1. t. 54.
69	armàtum S.G.	(*d.pu*) long-spined	———	——	3. 6.	G	♄	——— 3. t. 214.
70	intermèdium C.C.	(*li*) intermediate	Hybrid	1821.	6.10.	G	♄	
71	párticeps S.G	(*li*) participant	———	1806.	5.10.	G	♄	Sweet ger. 1. t. 49.
72	cortusæfòlium DC.	(*wh*) Cortusa-leavd.	Africa	1786.	6.10.	G	♄	——— 1. t. 14.
73	eréctum S.G.	(*pu*) upright	Hybrid	1822.	——	G	♄	——— 2. t. 187.
74	Stapletòni S.G.	(*pu*) Miss Stapleton's	———	——	——	G	♄	——— 2. t. 212.
75	crassicaúle S.G.	(*wh*) Cowslip-scent'd	Africa	1786.	——	G	♄	L'Herit. ger. t. 26.
	α *álbum* S.G.	(*wh*) *white-flowered*	———	——	——	G	♄	Sweet. ger. 2. t. 192.
	β *maculàtum* S.G.	(*sp.*) *spotted-flowd.*	———	——	——	G	♄	——— 2. t. 192.
76	Victoriànum S.G.	(*sc*) Princess Victoria's	Hybrid	1826.	——	G	♄	——— ser. 2. t. 7.
77	anómalum S.G.	(*pi*) anomalous	———	1822.	4. 8.	G	♄	——— 4. t. 315.
78	tenuifòlium DC.	(*pi*) slender-leaved	C. B. S.	1768.	5. 7.	G	♄	L'Herit. ger. t. 12.
79	hírtum DC.	(*pi*) hairy	———	——	3. 9.	G	♄	Sweet. ger. 2. t. 113.
80	anthriscifòlium S.G.	(*sc*) Anthriscus-ld.	Hybrid	1823.	7. 9.	G	♄	—— 3. t. 233.
81	magnistipulàtum	(*sc*) large-stipuled	———	1825.	5.10.	G	♄	——— 4. t. 313.
82	fúlgidum DC.	(*sc*) Celandine-ld	C. B. S.	1723.	3.10.	G	♄	——— 1. t. 69.
83	aurantìacum S.G.	(*or*) orange-colour'd	Hybrid	1821.	4. 8.	G	♄	——— 2. t. 198.
	α *undulàtum* SG.	(*or*) *wave-leaved*	———	——	——	G	♄	——— 2. t. 198. f.
	β *planifòlium* S.G.	(*or*) *flat-leaved*	———	——	——	G	♄	——— 2. t. 198. f.
84	ardéscens S.G.	(*cr*) burnished	———	1822.	——	G	♄	——— 3. t. 231.
85	torrefáctum S.G.	(*da*) burnt-petaled	———	——	——	G	♄	——— 3. t. 243.
86	Pótteri S.G.	(*st*) Potter's	———	——	6. 9.	G	♄	——— 2. t. 147.
87	luculéntum	(*sc*) bright-flowered	———	——	——	G	♄	
88	diléctum	(*sc.da*) chosen	———	——	4. 9.	G	♄	
89	Loudoniànum S.G.	(*d.sc*) Mr. Loudon's	———	1827.	5. 9.	G	♄	Sweet ger. ser. 2. t. 1
90	eratìnum S.G.	(*sc*) lovely	———	——	——	G	♄	——— ser. 2. t. 30.
91	nànum S.G.	(*sc*) pigmy	———	1820.	——	G	♄	——— 2. t. 102.
92	incúrvum S.G.	(*sc*) incurved-petal'd	———	1821.	——	G	♄	——— 3. t. 249.
93	ignéscens S.G.	(*sc*) fiery-flowered	———	1812.	——	G	♄	——— 1. t. 2. & 55.
	α *majòr*	(*sc*) *large-flowered*	———	1818.	——	G	♄	——— 1. t. 2.
	β *coccíneum*	(*sc*) *scarlet-flowered*	———	1822.	——	G	♄	
	γ *splendens*	(*sc*) *splendid*	———	——	——	G	♄	
	δ *supérbum*	(*sc*) *superb*	———	——	——	G	♄	
	ε *stérile* S.G.	(*sc*) *barren-anthered*	———	1812.	——	G	♄	Sweet ger. 1. t. 55.
94	laxiflòrum S.G.	(*sc*) spreading-umbd.	———	1822.	——	G	♄	——— 3. t. 216.
95	concrètum S.G.	(*sc*) compounded	———	1827.	4. 9.	G	♄	——— ser. 2. t. 24.
96	Leghkéckæ S.G.	(*sc*) Mrs. Legh Keck's	———	1826.	——	G	♄	——— 4. t. 377.
97	Charlwoòdii S.G.	(*d.sc*) Charlwood's	———	——	——	G	♄	——— 4. t. 380.
98	incomparábile	(*d.sc*) incomparable	———	1822.	——	G	♄	
99	eriocaúlon S.G.	(*sc*) woolly-stalked	———	1824.	——	G	♄	Sweet. ger. 4. t. 357.
100	quadriflòrum S.G.	(*or*) four-flowered	———	——	——	G	♄	——— 4. t. 321.
101	chelidoniifòlium S.G.	(*or*) Chelidonium-ld.	———	1825.	——	G	♄	——— 4. t. 341.
102	chenopodiifòlium S.G.	(*sc*) Goosefoot-ld.	———	——	——	G	♄	——— 4. t. 328.
103	latidentàtum S.G.	(*sc*) broad-toothed	———	1827.	——	G	♄	——— ser. 2. t. 28.
104	variifòlium S.G.	(*sc*) various-leaved	———	1823.	——	G	♄	——— 3. t. 280.
105	diversílobum S.G.	(*re*) various-lobed	———	1825.	——	G	♄	——— 4. t. 361.
106	Southcoteànum S.G.	(*sc*) Miss Southcote's	———	1826.	——	G	♄	——— 4. t. 348.
107	insignìtum S.G.	(*d.sc*) marked-flower'd	———	1823.	——	G	♄	——— 3. t. 300.
108	nodòsum S.G.	(*cr.v*) knotted-stalked	———	1824.	4.11.	G	♄	——— ser. 2. t. 68.
109	bipinnatífidum S.G.	(*pu*) bipinnatifid	———	1827.	——	G	♄	——— ser. 2. t. 62.
110	Darnleyànum S.G.	(*cr*) Earl of Darnley's	———	1826.	——	G	♄	——— ser. 2. t. 53.
111	pullàceum S.G.	(*sc.v*) dark-brown	———	1827.	5.10.	G	♄	——— ser. 2. t. 76.
112	contíguum S.G.	(*sc*) contiguous	———	1828.	——	G	♄	——— ser. 2. t. 73.
113	icònicum S.G.	(*sc.bk*) figured	———	——	——	G	♄	——— ser. 2. t. 88.
114	Bluntiànum S.G.	(*sc.v*) Miss Blunt's	———	——	——	G	♄	——— ser. 2. t. 7
115	eriophoron S.G.	(*sc.v*) wool-bearing	———	——	——	G	♄	——— ser. 2. t. 9

116	obtusidentàtum s.G.(*sc*)blunt-toothedHybrid	1828.	4.11.	G	h	Sweet ger. ser. 2. t. 92.
117	melanchólicum s.G.(*sc.ve*)dark-edged	1827.	——	G	h	——— ser. 2. t. 53.
118	spéculum s.G.(*re.ve*)looking-glass	——	——	G	h	——— ser. 2. t. 79.
119	anacámpton s.G.(*re.ve*)recurve-calyxed	——	——	G	h	——— ser. 2. t. 64.
120	Peytòniæ s.G.(*re.ve*) Lady Peyton's	——	——	G	h	——— ser. 2. t. 46.
121	ursinum s.G. (*re*) shaggy-calyxed	1828.	——	G	h	——— ser. 2. t. 94.
122	suffùsum s.G.(*pi.re*)suffused	1827.	——	G	h	——— ser. 2. t. 47.
123	umbellatum s.G. (*ro.ve*) loose-umbelled	1828.	——	G	h	——— ser. 2. t. 75.
124	conchyllàtum s.G.(*vi.ve*)violet-purple	——	——	G	h	——— ser. 2. t. 95.
125	porphyreon s.G.(*pu*)bright-purple	——	——	G	h	——— ser. 2. t. 89.
126	mollifòlium s.G.(*pi.ve*)soft-leaved	1827.	——	G	h	——— ser. 2. t. 77.
127	Colleyànum s.G. (*pu*)Colley's	1828.	——	G	h	——— ser. 2. t. 83.
128	Littleànum s.G.(*pu*) Little's	1827.	——	G	h	——— ser. 2. t. 72.
129	dædàleum s.G.(*pi.re*)variable col'rd.	——	——	G	h	——— ser. 2. t. 100.
130	Veitchiànum s.G (*pu*)Veitch's	——	——	G	h	——— ser. 2. t. 81.
131	implicàtum s.G.(*pu*) implicated	1827.	5.10.	G	h	——— ser. 2. t. 86.
132	inscúlptum s.G. (*li*).*pu*)engraved-petaled	1828.	——	G	h	——— ser 2. t. 65.
133	lanòsum s.G. (*li.ve*) wool-bearing	——	——	G	h	——— ser. 2. t. 84.
134	flabellifòlium s.G. (*st.d*) fan-leaved	——	——	G	h	——— ser. 2. t. 48.
135	cordifórme s.G. (*bh.pu*) heart-shaped	1827.	——	G	h	——— ser. 2. t. 49.
136	præclàrum s.G. (*wh.pu*) clear-coloured	——	——	G	h	——— ser. 2. t. 67.
137	clathràtum s.G. (*pi.ve*) barred-petaled	——	——	G	h	——— ser. 2. t. 85.
138	instràtum s.G. (*wh.ve*) spreading-spotted	1828.	——	G	h	——— ser. 2. t. 78.
139	Yeatmaniànum s.G. (*pu.ve*) Miss Yeatman's	1827.	——	G	h	——— ser. 2. t. 59.
140	mirábile s.G. (*li.ve*) admirable	——	——	G	h	——— ser. 2. t. 57.
141	laútum s.G.(*pi.pu*) genteel	——	——	G	h	——— ser. 2. t. 91.
142	commíxtum s.G.(*re.ve*) mingled	——	——	G	h	——— ser. 2. t. 71.
143	compáctum s.G. (*bh.re*) compact	1828.	——	G	h	——— ser. 2. t. 70.
144	exquisìtum s.G. (*w.pu*) dainty-flowered	1824.	——	G	h	——— ser. 2. t. 55.
145	polìtum s.G. (*bh.re*)polished	1827.	——	G	h	——— ser. 2. t. 87.
146	Atkinsiànum s.G. (*bh.pu*) Mrs. Atkins	1828.	——	G	h	——— ser. 2. t. 99.
147	atrovìrens s.G. (*bh.pu*) dark green-leaved	1827.	——	G	h	——— ser. 2. t. 74.
148	adventítium s.G. (*pu.ve*)adventitious	1826.	——	G	h	——— ser. 2. t. 80.
149	perámplum s.G. (*li*) very large-flowered	——	——	G	h	——— ser. 2. t. 61.
150	glabréscens s.G. (*w.pu*) smoothish-leaved	1824.	——	G	h	——— ser. 2. t. 45.
151	Hillìànum s.G. (*w.pu*) Hill's	——	——	G	h	——— ser. 2. t. 51.
152	pallídulum s.G.(*pi*) pale pink	——	——	G	h	——— ser. 2. t. 97.
153	urbànum s.G. (*pi*) home-bred	——	——	G	h	——— ser. 2. t. 50.
154	dissímile s.G. (*re.l.v*) dissimilar	——	——	G	h	——— ser. 2. t. 60.
155	fastuòsum s.G. (*re.ve*) fastuous	1828.	——	G	h	——— ser. 2. t. 93
156	succuléntum s.G.(*sc.ve*) succulent-ld	1827.	——	G	h	——— ser. 2. t. 169.
157	Dràkeæ s.G.(*cr.ve*) Mrs. Drake's	1828.	——	G	h	——— ser. 2. t. 96.
158	Annesleyànum s.G. (*re.ve*) Miss Annesley's	——	——	G	h	——— ser. 2. t. 56.
159	gloriànum s.G. (*cr.ve*) Queen of Portugal's	——	——	G	h	——— ser. 2. t. 82.
160	Kenrickæ s.G. (*re.ve*) Mrs. Kenrick's	——	——	G	h	——— ser. 2. t. 58.
161	nùtans s.G. (*sc.ve*) nodding-flowered	1827.	——	G	h	——— ser. 2. t. 66.
162	Sweetiànum s.M. (*cr.ve*) Sweet's	1829.	——	G	h	
163	staphysagroìdes s.G. (*pu*) Stavesacre-ld C.B.S.	1827.	——	G	h	Sweet ger. ser. 2. t. 98.
164	plectophyllum s.G.(*d.sc*) plaited-leaved Hybrid	1826.	4. 9.	G	h	——— ser. 2. t. 41.
165	floccòsum s.G. (*cr*) nappy	1821.	——	G	h	——— 2. t. 129.
166	rubicúndum (*re*) rubicund	1822.	——	G	h	
167	hæmánthon (*cr*) blood-coloured	1823.	——	G	h	
168	multiflòrum (*sc*) many-flowered	——	——	G	h	Sweet ger. ser. 4. t. 396.
169	exile (*sc*) thin-branched	1822.	——	G	h	
170	graciléscens (*sc*) slender-stalked	——	——	G	h	
171	spléndidum (*cr*) splendid	——	——	G	h	
172	consímile (*sc*) likened	——	——	G	h	
173	Broughtòniæ s.G.(*sc*) LadyBroughton's	——	——	G	h	Sweet ger. 2. t. 181.
174	Bakeriànum s.G.(*sc*) Mrs. Jenkinson's	——	——	G	h	——— 3. t. 240.
175	altum s.G. (*re*) tall upright	1827.	——	G	h	——— ser. 2. t. 26.
176	Debúrghiæ s.G. (*sc*) Mrs. de Burgh's	——	——	G	h	——— ser. 2. t. 21.
177	Cumminghiæ s.G.(*re*)Ly.GordonCumming's	——	——	G	h	——— ser. 2. t. 35.
178	rubéscens s.G. (*re*) LadyLiverpool's	1819.	——	G	h	——— 1. t. 30.
179	Boscawèniæ. cc. (*re*) Mrs. Boscawen's	——	——	G	h	
180	pavoninum s.G.(*re*) peacock-spott'd	——	——	G	h	Sweet ger. 1. t. 40.
181	carnéscens s.G. (*sa*) pale red	1822.	——	G	h	——— 4. t. 388.
182	ramigerum s.G.(*sc*)branching-veined	1826.	1.12.	G	h	——— 4. t. 352.
183	flaccidum s.G.(*d.re*)flaccid-petal'd	——	4. 9.	G	h	——— 4. t. 337.
184	Smithii s.G. (*re*) Smith's	1819.	——	G	h	——— 2. t. 110.

185	spectábile s.G. (*sc*) showy	Hybrid	1821.	4. 9.	G	♄	Sweet ger. 2. t. 136.
	α *maculàtum* s.G. (*sc*) *spot-flowered*	——	——	——	G	♄	—— 2. t. 136. f
	β *atrorùbens* s.G.(*d.re*) *dark-red*	——	——	——	G	♄	
	γ *striàtum* s.G. (*sc*) *streak-flowered*	——	——	——	G	♄	Sweet ger. 2. t. 136. f
	δ *recúrvum* s.G.(*sc*)*recurved-petaled*	——	——	——	G	♄	—— 2. t. 136. f
	ε *purpuráscens* (*pu*) *purplish*	——	——	——	G	♄	
186	Tibbitsiànum s.G. (*sc*) Mr. Tibbits'	——	——	——	G	♄	Sweet ger. 2. t. 158.
187	flàgrans s.G. (*sc*) burning	——	1827.	——	G	♄	—— ser. 2. t. 1
188	malachræfòlium s.G.(*re*)Malachra-ld	——	——	——	G	♄	—— ser. 2. t. 2.
189	magnifòlium s.G.(*re*) very large-ld	——	——	——	G	♄	—— ser. 2. t. 1
190	Lacòniæ s.G. (*d.sc*) Lady Lacon's	——	1826.	——	G	♄	—— 4. t. 374.
191	Francísii s.G. (*re*) Mr. Francis's	——	1824.	5.10.	G	♄	—— 4. t. 349.
192	cartilagíneum s.G.(*re*)horny-toothed	——	——	——	G	♄	—— 4. t. 382.
193	dilùtum s.G. (*re*) stained-petal'd	——	1823.	5. 9.	G	♄	—— 3. t. 293.
194	basílicum s.G. (*sc*) princely	——	1824.	——	G	♄	—— 4. t. 360.
195	Hùmei (*d.re*) Sir A. Hume's	——	——	4.10	G	♄	—— 4. t. 324.
196	erióphorum (*sc*) wool-bearing	——	1823.	——	G	♄	
197	irregulàre (*sc*) irregular-ld.	——	——	——	G	♄	
198	flámmeum cc. (*sc*) flame-coloured	——	1822.	——	G	♄	
199	affi'ne s.G. (*sc*) related	——	——	——	G	♄	Sweet ger. 3. t. 277.
200	Colvíllii s.G. (*sc*) Colvill's	——	1820.	——	G	♄	—— 1. t. 86.
201	Vallèti cc. (*sc*) Vallet's	——	1822.	——	G	♄	
202	heteromállum s.G. (*re*) soft-leaved	——	1823.	——	G	♄	Sweet. ger. ser. 2. t. 3
203	hibiscifòlium (*re*) Hibiscus-ld.	——	——	——	G	♄	
204	atrorùbens cc. (*re*) dark-red	——	1822.	——	G	♄	
205	Allènii s.G. s.G. (*d.re*) Allen's	——	1823.	——	G	♄	Sweet. ger. 3. t. 229.
206	melanchòlicum (*d.re*) melancholy	——	1827.	——	G	♄	
207	Daveyànum s.G. (*d.re*) Davey's	——	1819.	——	G	♄	Sweet. ger. 1. t. 32.
208	phœníceum s.G. (*d.re*) reddish purple	——	1824.	4.12.	G	♄	—— 3. t. 207.
209	heterótrichum s.G.(*d.re*) various-haired	——	1823.	4.10.	G	♄	—— 4. t. 303.
210	Burnettiànum s.G. (*d.re*)Miss Burnett's	——	1826.	——	G	♄	—— 4. t. 369.
211	imperiàle s.G. (*d.re*) imperial	——	——	——	G	♄	—— 4. t. 365.
212	saturàtum s.G. (*d.re*) saturated	——	1827.	——	G	♄	—— ser. 2. t. 37.
213	règium s.G. (*sc*) kingly	——	1826.	——	G	♄	—— 4. t. 368.
214	Hesilrígeæ s.G. (*pu*) Lady Hesilrige's	——	1824.	——	G	♄	—— 4. t. 319.
215	acetabulòsum s.G. (*sa*) saucer-leaved	——	1827.	——	G	♄	—— ser. 2. t. 44.
216	Knìpeæ s.G. (*li*) Mrs. Knipe's	——	1826.	——	G	♄	—— 4. t. 372.
217	calycìnum s.G. (*li*) large-calyxed	——	1815.	——	G	♄	—— 1. t. 81.
	α *vèrum* s.G. (*li*) *true*	——	——	——	G	♄	—— 1. t. 81. f. a.
	maculàtum s.G. (*li*) *large-spotted*	——	1820.	——	G	♄	—— 1. t. 81. f. b.
	γ *angulàtum* s.G.(*li*) *angular-leaved*	——	——	——	G	♄	—— 1. t. 81. f. c.
218	planiflòrum cc. (*li*) flat-flowered	——	——	——	G	♄	
219	Dennisiànum s.G. (*pu*) Dennis's	——	1819.	——	G	♄	Sweet. ger. 1. t. 20.
220	Barringtònii DC. (*pu*) Barrington's	C. B. S.	....	——	G	♄	
221	elàtum cc. (*pu*) tall purple	Hybrid	1812.	——	G	♄	
222	Tormánni L. en. (*pu*) Torman's	——	1821.	——	G	♄	
223	Chandlèri cc. (*pu*) Chandler's	——	1814.	——	G	♄	
224	crenulàtum s.G. (*pu*) crenulate-leav'd	——	1821.	——	G	♄	Sweet. ger. 2. t. 162.
225	megalostíctum s.G. (*d.pu*) large-mark'd	——	1824.	——	G	♄	—— ser. 2. t. 8.
226	poculifòlium s.G. (*pu*) cup-leaved	——	1826.	——	G	♄	—— ser. 2. t. 31.
227	Foljámbeæ s.G. (*r.pu*) Mrs. Foljambe's	——	1825.	——	G	♄	—— 4. t. 312.
228	Robinsòni s.G. (*bh*) Robinson's	——	1822.	——	G	♄	—— 2. t. 150.
229	Mosty'næ s.G. (*pu*) Mrs. Mostyn's	——	1816.	——	G	♄	—— 1. t. 10.
230	cucullàtum DC.(*pu*) hooded-leaved	C. B. S.	1690.	——	G	♄	Cav. dis. 4. t. 106. f. 1.
	β *striatiflòrum* (*pu*) *Prince Regent*	——	1810.	——	G	♄	
	γ *màjor* c.c. (*pu*) *Royal George*	——	1812.	——	G	♄	
	δ *grandiflòrum* c.c. (*pu*) *great-flowered*	——	1818.	——	G	♄	
	ε *parvifòlium* c.c. (*pu*) *smaller-leaved*	——	——	——	G	♄	
231	cochleàtum W. en. (*wh*) concave-leaved	——	....	——	G	♄	Wendl. col. 2. t. 64.
	concavifòlium Wendl.						
232	rùbens W. en. (*re*) red-flowered	——	....	——	G	♄	Wendl. col. 2. t. 54.
233	robústum c.c. (*pu*) robust	Hybrid	1821.	——	G	♄	
234	incarnàtum s.G. (*fl*) pale flesh-col'd.	——	——	——	G	♄	Sweet ger. 4. t. 308.
235	lasiocaúlon s.G. (*bh*) villous-stalked	——	1826.	——	G	♄	—— 4. t. 364.
236	veníferum s.G. (*std*) veined-petalled	——	1825.	——	G	♄	—— 4. t. 322.
237	foliòsum s.G.(*r.pu*) leafy	——	1826.	——	G	♄	—— 4. t. 340.
238	anisodónton s.G.(*pu*) unequal-toothed	——	1825.	——	G	♄	—— 4. t. 399.
239	malacophy'llum s.G. (*pu*) soft-leaved	——	——	——	G	♄	—— 4. t. 397.
240	angulòsum DC. (*pu*) Marshmallow-ld	C. B. S.	1724.	7. 9.	G	♄	Cav. dis. 4. t. 112.

261	cardiifòlium s.G. (*pu*) Cockle-shell-ld	C. B. S.	1816. 4. 9.	G	h	Sweet ger. 1. t. 15.
262	fasciculàtum c.c. (*pu*) Banbury	Hybrid	1803. 5.10.	G	h	Andr. geran. c. ic.
	Gerànium speciòsum var. flòre purpùreo A.G.					
263	regòsum c.c. (*fl*) wrinkle-leaved	C. B. S.	.... ——	G	h	Andr. geran. c. ic.
264	speciòsum DC. (*wh*) specious	——	1794. ——	G	h	
265	formòsum s.G. (*li*) variegated-flow'd	Hybrid	.... ——	G	h	Sweet ger. 2. t. 120.
266	solùbile s.G. (*pu*) dissolvible-col'd	——	1818. ——	G	h	—— 1. t. 24.
267	multinérve s.G. (*pu*) many-nerved	——	—— ——	G	h	—— 1. t. 17.
268	tyrianthinum s.G. (*pu*) royal-purple	——	1820. ——	G	h	—— 2. t. 183.
269	albinotàtum s.G. (*pu*) white-marked	——	1824. ——	G	h	—— 4. t. 359.
270	æ'mulum s.G. (*pu*) rival	——	—— ——	G	h	—— 2. t. 160.
271	accèdens c.c. (*pu*) approached	——	—— ——	G	h	
272	villòsum s.G. (*pu*) villous	——	—— ——	G	h	Sweet ger. 1. t. 100.
273	flòridum s.G. (*li*) abundant-flowd.	——	1816. 6.10.	G	h	—— 1. t. 41.
274	pùlchrum s.G. (*pu*) gay	——	1820. 5.10.	G	h	—— 2. t. 107.
275	Watsòni s.G. (*pu*) Watson's	——	1812. 7.11.	G	h	—— 2. t. 130.
276	fusciflòrum s.G. (*pu*) brown-marked	——	1822. 4.10.	G	h	—— 3. t. 210.
	fuscàtum s.G. *errata.*					
277	coarctàtum s.G. (*pu*) close-leaved	——	1814. 6.10.	G	h	Sweet ger. 1. t. 70.
278	pancidentàtum s.G. (*pu*) distant-toothed	——	1821. 5.10.	G	h	—— 2. t. 186.
279	nervòsum s.G. (*pu*) prominent-nerv'd	——	1818. ——	G	h	—— 1. t. 47.
280	exornàtum (*pu*) adorned	——	1823. ——	G	h	—— 4. t. 381.
281	Youngii s.G. (*wh*) Young's	——	1820. ——	G	h	—— 2. t. 131.
282	Jenkinsònii s.G. (*d.bh*) Mr. Jenkinson's	——	—— ——	G	h	—— 2. t. 154.
283	nùbilum s.G. (*d.bh*) clouded	——	1827. ——	G	h	—— ser. 2. t. 20.
284	Brównii s.G. (*d.bh*) Brown's	——	—— ——	G	h	—— 2. t. 146.
285	diffórme s.G. (*bh*) various-leaved	——	—— ——	G	h	—— 2. t. 105.
286	Obrieniànum s.G. (*bh*) Miss O'Brien's	——	—— ——	G	h	—— ser. 2. t. 11.
287	melanostíctum s.G. (*li*) dark-spotted	——	—— ——	G	h	—— ser. 2. t. 6.
288	vestifìuum s.G. (*wh*) clothed	——	—— ——	G	h	—— ser. 2. t. 27.
289	pùrum s.G. (*wh*) pure white	——	1824. ——	G	h	—— 4. t. 334.
290	scítulum s.G. (*wh*) neat white	——	1826. ——	G	h	—— 4. t. 390.
291	involucràtum s.G. (*va*) large-bracted	——	.... ——	G	h	
	α *máximum* s.G. (*w*) *largest-flowered*	——	1818. ——	G	h	Sweet ger. 1. t. 33.
	β *álbidum* s.G. (*wh*) *white-flowered*	——	1817. ——	G	h	
	γ *incarnàtum* s.G. (*fl*) *commander-in-chief*	——	1815. ——	G	h	
	δ *intermèdium* s.G. (*bh*) *high-admiral*	——	1817. ——	G	h	
	ε *lilácinum* s.G. (*li*) *Lilac-coloured*	——	—— ——	G	h	
	ζ *ròseum* s.G. (*ro*) *rosy-coloured*	——	—— ——	G	h	
	η *coriàceum* c.c. (*w*) *leathery*	——	1820. ——	G	h	
	θ *maculàtum* c.c. (*wh*) *coronation*	——	—— ——	G	h	
292	poly'trichum s. G. (*w*) many-haired	——	1823. ——	G	h	Sweet ger. 3. t. 274.
293	Baileyànum s.G. (*w*) Bailey's	——	1819. ——	G	h	—— 1. t. 87.
294	Josephìnæ Lee (*wh*) Josephine's	——	1822. ——	G	h	
295	formosissimum s.G. (*w*) superb-white	C. B. S.	1794. ——	G	h	Sweet ger. 3. t. 215.
	α *álbum* s.G. (*wh*) *white-flowered*	——	—— ——	G	h	—— 3. t. 215. f. a.
	β *lineàtum* s.G. (*wh*) *lined-flowered*	——	—— ——	G	h	—— 3. t. 215. f. b.
296	Bóyleæ s.G. (*wh*) Countess of Cork's	Hybrid	1818. ——	G	h	—— 1. t. 50.
297	pannifòlium s.G. (*w*) cloth-leaved	——	—— 5.10.	G	h	—— 1. t. 9.
298	biflòrum s.G. (*wh*) two-flowered	——	1822. ——	G	h	—— 3. t. 287.
299	cándidum s.G. (*wh*) fair-flowered	——	1818. 4. 9.	G	h	—— 2. t. 128.
300	blándum s.G. (*bh*) blush-flowered	——	1816. ——	G	h	—— 1. t. 4.
301	acerònides s.G. (*fl*) Acer-leaved	——	1822. ——	G	h	—— 3. t. 242.
302	Gardnèriæ c.c. (*wh*) Lady Gardner's	——	1817. ——	G	h	
303	ramulòsum s.G. (*d.w*) small-branched	——	1820. ——	G	h	Sweet ger. 2. t. 177.
304	maculàtum (*d.bh*) spot-flowered	C. B. S.	1805. ——	G	h	Andr. ger. c. ic.
305	Hammersièæ s.G. (*b*) Mrs. Hammersley's	Hybrid	1822. ——	G	h	Sweet ger. 3. t. 225.
306	pulchérrimum s.G. (*pu*) beautiful	——	1819. 5.10.	G	h	—— 2. t. 134.
307	Rollisòni s.G. (*d.ro*) Rollison's	——	1826. ——	G	h	—— 4. t. 371.
308	eriosépalon s.G. (*bh*) woolly-calyxed	——	—— ——	G	h	—— 4. t. 375.
309	venifìorum s.G. (*std*) veined-flowered	——	1822. ——	G	h	—— 3. t. 258.
310	sidæfòlium W. en. (*li*) Sida-leaved	——	.... 4. 8.	G	h	
311	acerifòlium DC. (*li*) Maple-leaved	C. B. S.	1784. 4. 6.	G	h	L'Herit. ger. t. 21.
312	cuneàtum DC. (*pu*) wedge-leaved	Hybrid	.... 5. 8.	G	h	
313	Balbisiànum DC. (*pu*) Balbis's	——	.... ——	G	h	
314	gloriòsum L. en. (*pu*) renowned	——	.... ——	G	h	
315	Beaufortiànum s.G. (*li*) Beaufort's	C. B. S.?	.... ——	G	h	Sweet ger. 2. t. 138.
316	principissæ s.G. (*pu*) P's. Charlotte's	——	1810. 5.10.	G	h	—— 2. t. 139.
317	purpùreum (*pu*) purple-flowered	——	1800. ——	G	h	Andr. geran. c. ic.

298	versícolor s.G. (*pu*) various-colour'd	Hybrid	1819.	5.10.	G	h	Sweet ger. 1. t. 78.
299	pectinifòlium s.G. (*li*) Scallop-shell-ld	——	1820.	——	G	h	—— 1. t. 66.
300	Thy'nneæ s.G. (*pu*) Lady Bath's	——	1815.	——	G	h	—— 1. t. 74.
301	obtusifòlium s.G. (*li*) blunt-leaved	——	——	——	G	h	—— 1. t. 25.
302	Beadòniæ s.G. (*pu*) Mrs. Beadon's	——	——	——	G	h	—— 2. t. 191.
303	adulterìnum DC. (*pu*) hoary-trifid-ld	——	1785.	4. 6.	G	h	—— 1. t. 22.
304	dilatílobum s.G. (*bh*) dilated-lobed	——	1826.	——	G	h	—— 4. t. 378.
305	gráphicum s.G. (*pu*) written-petal'd	——	——	——	G	h	—— ser. 2. t. 12
306	obtusílobum s.G. (*pu*) blunt-lobed	——	1806.	5.10.	G	h	—— 1. t. 8.
307	Comptòniæ s.G. (*li*) Ly.Northampton's	——	1818.	——	G	h	—— 2. t. 122.
308	áffluens s.G. (*li*) numerous fld.	——	1821.	——	G	h	—— 2. t. 194.
309	Saundérsii s.G. (*pu*) Saunders's	——	——	——	G	h	—— 3. t. 205.
310	atropurpùreum s.G. (*pu*) dark purple	——	1822.	——	G	h	—— 2. t. 152.
311	corúscans s.G. (*d.re*) glittering	——	1821.	——	G	h	—— 2. t. 173.
312	concínnum s.G. (*re*) comely	——	1819.	——	G	h	—— 2. t. 108.
313	Seymoúriæ s.G. (*pu*) Mrs. Seymour's	——	——	——	G	h	—— 1. t. 37.
314	Lousadiànum s.G. (*bh*) Miss Lousada's	——	——	——	G	h	—— 1. t. 44.
315	lépidum s.G. (*li*) pretty	——	1822.	——	G	h	—— 2. t. 156.
316	inscríptum s.G. (*std.*) scribbled	——	——	——	G	h	—— 2. t. 193.
317	labyrínthicum s.G. (*std*) labyrinth mark'd	——	——	——	G	h	
318	planifòlium s.G. (*li.d.*) flat-leaved	——	1823.	——	G	h	Sweet ger. 3. t. 219.
319	incanéscens s.G. (*pu*) whitish-leaved	——	——	6.12.	G	h	—— 3. t. 203.
320	notàtum s.G. (*pu*) marked-petal'd	——	1821.	5.10.	G	h	—— 3. t. 208.
321	undulæflòrum s.G. (*bh*) waved-flower'd	——	1824.	——	G	h	—— 4. t. 329.
322	lineàtum s.G. (*std*) striped-flower'd	——	1810.	——	G	h	—— 1. t. 16.
323	dumòsum s.G. (*pu*) bushy	——	1816.	——	G	h	—— 1. t. 19.
324	Scarboròviæ s.G. (*d.li*) L.Scarborough's	——	1817.	——	G	h	—— 2. t. 117.
325	pustulòsum s.G. (*bh*) blistered-leav'd	——	1816.	5.10.	G	h	—— 1. t. 11.
326	béllulum s.G. (*pu*) neat	——	——	——	G	h	—— 1. t. 60.
	moschàtum A.G. c. ic.						
327	Fairlièæ s.G. (*ro*) Mrs. Fairlie's	——	1821.	——	G	h	Sweet ger. 2. t. 178.
328	scintíllans s.G. (*sa*) sparkling	——	1812.	——	G	h	—— 1. t. 28.
329	platypétalon s.G. (*w*) broad-petaled	——	——	——	G	h	—— 2. t. 116.
	α rígidum s.G. (*wh*) *rigid*	——	——	——	G	h	—— 2. t. 116. f. a
	β hirsùtum s.G. (*w*) *hairy*	——	——	——	G	h	—— 2. t. 116. f. b
330	optábile s.G. (*wh*) desirable	——	——	——	G	h	—— 1. t. 62.
331	ornàtum s.G. (*wh*) ornate	——	1817.	——	G	h	—— 1. t. 39.
332	modéstum s.G. (*bh*) modest	——	1822.	——	G	h	—— 3. t. 204.
333	rhodoléntum s.G. (*bh*) rose-smelling	——	1824.	——	G	h	—— 3. t. 291.
334	picturàtum s.G. (*d.bh*) pictured	——	1827.	——	G	h	—— ser. 2. t. 34.
335	papyràceum s.G. (*w*) paper-white	——	——	——	G	h	—— ser. 2. t. 22.
336	Newshamiànum s.G. (*bh*) Miss Newsham's	——	1821.	——	G	h	—— 2. t. 144.
337	Cosmiànum s.G. (*w*) perfumed	——	——	——	G	h	—— 2. t. 189.
338	Brightiànum s.G. (*w*) Miss Bright's	——	1823.	——	G	h	—— 3. t. 227.
339	depéndens s.G. (*wh*) pendent-petal'd	——	——	——	G	h	—— 3. t. 195.
340	Mattocksiànum s.G. (*wh*) Mrs. Sweet's	——	——	——	G	h	—— 3. t. 234.
341	venústum s.G. (*bh*) comely-flowered	——	1822.	——	G	h	—— 2. t. 167.
342	tínctum s.G. (*w.pu*) stained	——	1826.	——	G	h	—— ser. 2. t. 29.
343	obscùrum s.G. (*wh.d*) dark-petalled	——	1818.	——	G	h	—— 1. t. 89.
344	atrofúscum s.G. (*d.pu*) dark-brown	——	——	——	G	h	—— 1. t. 82.
345	acutílobum s.G. (*wh*) acute-lobed	——	1822.	——	G	h	—— 2. t. 184.
346	compár C.C. (*wh.p*) partner	——	1818.	——	G	h	
347	Hoareànum s.G. (*bh.p*) fair Rosamond	——	——	——	G	h	Sweet ger. 1. t. 80.
348	Lambérti s.G. (*pu*) Lambert's	——	——	——	G	h	—— 2. t. 104.
349	recurvàtum s.G. (*li*) recurved-petld.	——	——	——	G	h	—— 3. t. 223.
350	divérgens s.G. (*li*) spreading-petld.	——	1826.	——	G	h	—— ser. 2. t. 39.
351	penicillàtum W.en. (*wh*) pencilled	——	1794.	——	G	h	Willd. h. ber. 1. t. 37.
352	dentàtum A.G. (*re*) toothed	——	....	——	G	h	Andr. geran. c. ic.
353	floréscens H.G. (*wh*) triangular-ld.	——	1818.	——	G	h	
354	Sabìni H.S. (*pu*) Sabine's	——	1821.	——	G	h	
355	betúlinum DC. (*pu*) Birch-leaved	C. B. S.	1759.	——	G	h	Bot. mag. 148.
356	alnifòlium W.en. (*fl*) Alder-leaved	Hybrid	....	——	G	h	
357	betulæfòlium Sch. (*bh*) Birch-leaved	——	....	——	G	h	
358	Willdenòwii S. (*bh*) Willdenow's	——	....	——	G	h	
359	hermannifòlium DC. (*bh*) Hermannia-ld.	C. B. S.	....	4. 6.	G	h	Jacq. ic. rar. 3. t. 545.
360	rígidum DC. (*wh*) rigid	——	1790.	5. 8.	G	h	
361	ribifòlium DC. (*wh*) Currant-leaved	——	1798.	——	G	h	Jacq. ic. rar. 3. t. 538.
362	odoríferum (*wh*) odoriferous	——	....	——	G	h	Andr. geran. c. ic.

Geràniumscàbrum A.G. *nec aliorum.*

93	joeúndum H G. (*li*) pleasant	Hybrid	1818.	5. 8.	G	h	
94	Broadlèiæ C.C. (*li*) Mrs. Broadley	———	——	——	G	h	Andr. geran. c. ic.
95	propínquum C.C. (*li*) neighbouring	———	——	——	G	h	
96	decórum S.G. (*li*) neat-flowered	———	——	——	G	h	Sweet ger. ser. 2. t. 15.
97	delicàtum H.G. (*li*) delicate	———	——	——	G	h	——— 3. t. 267.
98	semitrílobum DC. (*fl*) three-lobed	C. B. S.	1800.	4. 7.	G	h	Jacq. schœn. 2. t. 139.
99	Irbyànum C.C. (*ro*) Irby's	Hybrid	....	——	G	h	Andr. geran. c. ic.
100	zingibérinum S.G. (*bh*) Ginger-scent'd	———	1826.	——	G	h	Sweet. ger. ser. 2. t. 42.
101	míxtum S.G. (*bh*) mixed	———	1819.	5. 8.	G	h	——— 1. t. 71.
102	myrtíllum H.S (*pu*) Myrtle-scented	———	1820.	——	G	h	
103	rùbidum (*pu*) red-purple	C. B. S.	1805.	——	G	h	Andr. geran. c. ic.
	Gerànium rùbens A.G. *non* Wendl.						
104	spùrium W.en. (*pu*) spurious	Hybrid	....	——	G	h	
105	nóthum W.en. (*pu*) mongrel	———	....	——	G	h	
106	críspum DC. (*li*) curl-leaved	C. B. S.	1774.	6.11.	G	h	Sweet ger. 4. t. 383.
107	gràtum W.en. (*bh*) grateful-scented	Hybrid	....	4. 8.	G	h	
108	consanguíneum W.en. (*pu*) kindred	———	....	——	G	h	
109	pállidum W.en. (*pa*) pale-flowered	———	....	——	G	h	
110	citriodòrum (*wh*) Citron-scented	C. B. S.	....	——	G	h	Andr. geran. c. ic.
111	unifiòrum DC. (*fl*) one-flowered	———	....	——	G	h	
112	limònium S.G. (*pu*) Lemon-scented	Hybrid	1823.	——	G	h	Sweet ger. 3. t. 278.
113	notábile H.G. (*li*) Hoare's Harlequin	——	1822.	——	G	h	
114	scàbrum DC. (*li*) rough-wedge-ld.	C. B. S.	1775.	——	G	h	L'Herit. ger. t. 31.
115	tricuspidàtum DC. (*wh*) three-point'd	———	1780.	——	G	h	——— t. 30.
116	Perryànum C.C. (*wh*) Perry's	Hybrid	1816.	——	G	h	
117	glaucoìdes W.C. (*wh*) glaucium-like	———	——	——	G	h	Wendl. coll. ic.
118	glaúcum DC. (*wh*) glaucous-leaved	C. B. S.	1775.	6. 8.	G	h	Sweet ger. 1. t. 57.
119	lanceolàtum (*wh*) lance-leaved	———	——	——	G	h	Andr. geran. c. ic.
120	diversifòlium W.C. (*wh*) different-ld.	———	1794.	——	G	h	Wendl. coll. ic.
121	cuspidàtum DC. (*wh*) sharp-pointed	———	....	——	G	h	
122	sorórium DC. (*wh*) sister	Hybrid	....	——	G	h	
123	Tankervillíæ H.G. (*wh*) Lady Tankerville's	——	....	——	G	h	
124	acutifòlium (*wh*) acute-leaved	———	1821.	——	G	h	
125	trifurcàtum C.C. (*wh*) three-forked	———	....	——	G	h	
126	lævigàtum DC. (*wh*) glaucous-trifid-ld.	C. B. S.	....	——	G	h	Cav. dis. 4. t. 121. f. 1.
127	trifoliàtum S.G. (*wh*) trifoliate-leaved	———	1799.	——	G	h	Sweet ger. 3. t. 294.
	oxyphy'llum DC. *Geràniu trifoliàtum* A.G. ic.						
128	pátulum DC. (*ro*) spreading	———	1812.	4. 7.	G	h	Jacq. ic. rar. 3. t. 541.
129	hepaticifòlium DC. (*li*) Hepatica-ld.	———	1791.	5. 8.	G	h	
130	mitellæfòlium (*wh*) Mitella-leaved	———	——	5.10.	G	h	Andr. geran. c. ic.
	Geràniu hepaticifòlium A.G. *nec aliorum.*						
131	fuscàtum DC. (*ro*) dark-marked	———	1812.	——	G	h	Jacq. ic. rar. 3. t. 540.
132	saniculæfòlium DC. (*pu*) Sanicle-ld.	———	1806.	6. 9.	G	h	——— 3. t. 539.
	cortusæfòlium Jacq. *non* L. Her.						
133	crenæfiòrum C.C. (*w*) notched-petaled	Hybrid	1817.	——	G	h	
134	sceleràtum C.C. (*wh*) Celery-leaved	———	1819.	——	G	h	
135	viridifòlium S.G. (*sa*) bright-green-ld.	———	1825.	5. 9.	G	h	Sweet ger. 4. t. 331
136	expánsum (*re*) expanded	———	1823.	5.10.	G	h	
137	multidentàtum (*re*) many-toothed	———	1823.	——	G	h	
138	grandidentàtum S.G. large-toothed	———	——	——	G	h	Sweet ger. 3. t. 217.
139	Belladónna S.G. (*bh*) painted lady	———	——	——	G	h	——— 3. t. 270.
140	triúmphans C.C. (*bh*) triumphant	———	1818.	——	G	h	
141	serratifòlium S.G. (*bh*) saw-leaved	———	1822.	——	G	h	Sweet ger. 3. t. 221.
142	variegàtum DC. (*wh*) variegated-fld.	C. B. S.	1812.	——	G	h	Cav. dis. 4. t. 118. f. 3.
143	amplissimum W.C. (*wh*) stately	Hybrid	1796.	——	G	h	Wendl. coll. ic.
	Geràniu grandiflòrum var. A.G. c. ic. *Formánni* Hort.						
144	grandiflòrum DC. (*wh*) great-flowered	C. B. S.	1794.	——	G	h	Sweet ger. 1. t. 29.
145	Parmentièri C.C. (*wh*) Parmentier's	Hybrid	1822.	——	G	h	
146	delphinifòlium DC. (*vi*) Larkspur-ld.	———	....	——	G	h	
147	gossypiifòlium (*li*) Cotton-tree-ld.	———	1805.	——	G	h	Andr. ger. c. ic.
	Geràniu grandiflòrum var. *cárnea* A.G.						
148	eléctum S.G. (*wh*) elect	———	1804.	——	G	h	Sweet ger. 3. t. 238.
149	asperifòlium S.G. (*re*) rough-leaved	———	1807.	——	G	h	——— 2. t. 169.
150	Curtisiànum DC. (*wh*) Curtis's	———	....	——	G	h	
151	nóbile DC. (*li*) noble	———	1822.	——	G	h	
152	opulifòlium S.G. (*sa*) Guelder-rose-ld.	———	1819.	——	G	h	Sweet ger. 1. t. 53.
153	malvàceum (*bh*) Mallow-like	———	....	——	G	h	
154	hæmastòtum S.G. (*bh*) blood-spotted	———	1827.	——	G	h	Sweet ger. ser. 2. t. 18.
155	psilophy'llum S.G. (*re*) smooth-ld.	———	1825.	——	G	h	——— 4. t. 356.

426	lùcidum s.G.	(*bh*) glossy-leaved	Hybrid	1826.	5.10.	G	♄	Sweet ger. 4. t. 373.
427	Princeànum s.G.	(*wh*)Prince's	——	1827.	——	G	♄	—— 4. t. 386.
428	clàrum s.G.	(*wh*) clear white	——	1826.	——	G	♄	—— 4. t. 366.
429	recurvifòlium s.G.	(*wh*)recurve-ld.	——	1825.	——	G	♄	—— 4. t. 343.
430	bryonæfòlium s.G.	(*bh*)bryony-ld.	——	1824.	——	G	♄	—— 4. t. 320.
431	Richiànum s.G.	(*bh*) Miss Rich's	——	1826.	——	G	♄	—— 4. t. 370.
432	platanifòlium s.G.	(*li*) Plane-leaved	——	1824.	——	G	♄	—— 4. t. 326.
433	verecúndum s.G.	(*pi*)blushing	——	——	——	G	♄	—— 4. t. 316.
434	macránthon s.G.	(*wh*)large-flowered	——	1821.	——	G	♄	—— 1. t. 83.
435	Coúttsiæ s.G.	(*sa*) Mrs. Coutts's	——	1822.	——	G	♄	—— 3. t. 269.
436	rùtilum c.c.	(*sa*) light red	——	1821.	——	G	♄	
437	schizophy'llum s.G.	(*sa*)jagged	——	1822.	——	G	♄	Sweet ger. 3. t. 289.
438	Barnardiànum s.G.	(*sa*)Mr. Barnard's	——	1820.	——	G	♄	—— 2. t. 127.
439	mucronàtum s.G.	(*d.re*)mucronate	——	1823.	——	G	♄	—— 3. t. 275.
440	Gurneyànum s.G.	(*d.re*)Mr. Gurney's	——	1826.	——	G	♄	—— 4. t. 393.
441	argùtum s.G.	(*sc*) sharp-toothed	——	1824.	——	G	♄	—— 4. t. 344.
442	latifòlium s.G.	(*re*) broad-leaved	——	——	——	G	♄	—— 4. t. 335.
443	megalánthum s.G.	(*re*)grand-flowered	——	1826.	——	G	♄	—— ser. 2. t. 4.
444	megalèion s.G.	(*sc*) magnificent	——	——	——	G	♄	—— ser. 2. t. 5
445	cratægifòlium s.G.	(*re*)Hawthorn-ld.	——	1824.	——	G	♄	—— ser. 2. t. 19.
446	coilophy'llum	(*re*) hollow-leaved	——	1827.	——	G	♄	—— ser. 2. t. 34.
447	Clintòniæ s.G.	(*re*) Ds. of Newcastle's	——	——	——	G	♄	—— 4. t. 392.
448	campylosépalon s.G.	(*sa*)reflex-calyxed	——	1826.	——	G	♄	—— 4. t. 379.
449	Naírnii s.G.	(*d.re*) Nairn's	——	1825.	——	G	♄	—— 4. t. 376.
450	rhodánthum	(*ro*) rose-coloured	——	1824.	——	G	♄	—— 2. t. 282.
451	rhodopétalon s.G.	(*ro*)rosy-petaled	——	1826.	——	G	♄	—— ser. 2. t. 14.
452	acutidentàtum s.G.	(*sa*)acute-toothed	——	1827.	——	G	♄	—— ser. 2. t. 40.
453	Millèri	(*re*) Mr. Miller's	——	1824.	——	G	♄	
454	conchiifòlium	(*li*) shell-leaved	——	1820.	——	G	♄	
455	striàtum s.G.	(*bh*) streak-flowered	——	1818.	3. 8.	G	♄	Sweet ger. 1. t. 1.
456	rigéscens s.G.	(*bh*) stiff-leaved	——	——	4. 9.	G	♄	—— 2. t. 112.
457	eriophy'llum s.G.	(*pu*)woolly-round-ld.	——	——	5.10.	G	♄	—— 2. t. 141.
458	intermixtum	(*li*) intermixed	——	——	4. 8.	G	♄	
459	abutiloìdes s.G.	(*pu*) Abutilon-like	——	1820.	4. 9.	G	♄	Sweet. ger. ser. 2. t. 3.
460	cordàtum DC.	(*pu*) heart-leaved	C. B. S.	1774.	3. 8.	G	♄	—— 1. t. 67.
461	conduplicàtum DC.	(*pu*)curl'd-heart-ld.	Hybrid	....	——	G	♄	
462	rùbro-cínctum DC.	(*pu*)red-edged	——	....	——	G	♄	
463	Gowèri s.G.	(*pi*) Mr. Leveson Gower's	—	1825.	5. 8.	G	♄	Sweet ger. 4. t. 333.
464	papilionàceum DC.	(*pu*)Butterfly	C. B. S.	1724.	4. 7.	G	♄	—— 1. t. 27.
465	tomentòsum DC.	(*wh*)Pennyroyal	——	1790.	——	G	♄	—— 2. t. 168.
466	vitifòlium DC.	(*li*) Vine-leaved	——	1724.	4. 8.	G	♄	Cav. dis. 4. t. 111. f. 2.
467	capitàtum DC.	(*li*) Rose-scented	——	1690.	——	G	♄	—— 4. t. 105. f. 1.
468	cóncolor s.G.	(*re*) self-colored	Hybrid	1820.	——	G	♄	Sweet. ger. 2. t. 140.
	β *màjor* s.G.	(*cr*) *larger*	——	——	——	G	♄	—— 2. t. 140. f. 6.
469	congéstum s.G.	(*pu*) close headed	——	1825.	——	G	♄	—— 4. t. 325.
470	calamistràtum s.G.	(*pu*)curled-lobed	——	1828.	——	G	♄	—— ser. 2. t. 36.
471	gravèolens DC.	(*li*) Odour of Rose	C. B. S.	1774.	3. 7.	G	♄	L'Herit. ger. t. 17.
	β *variegàtum*	(*li*) *striped-leaved*	——	....	——	G	♄	Andr. geran. c. ic.
	Geràniu̇m capitàtum var. A.G.							
472	ásperum DC.	(*fl*) rough multifid.	——	1795.	5. 9.	G	♄	Roth. abh. p. 51. t. 10.
473	Rádula DC.	(*li*) rasp-leaved	——	1774.	3. 7.	G	♄	L'Herit. ger. t. 16.
474	balsàmeum DC.	(*fl*) balsamic	——	1790.	5. 9.	G	♄	Jacq. ic. rar. 3. t. 53.
475	Vandèsiæ s.G.	(*bh*) Comtesse de Vandes'.	Hybrid	1818.	——	G	♄	Sweet ger. 1. t. 7.
476	híspidum DC.	(*wh*) hispid	C. B. S.	1790.	——	G	♄	Cav. dis. 4. t. 110. f. 1.
477	callíston s.G.	(*sa*) graceful	——	1827.	——	G	♄	Sweet ger. ser. 2. t. 9.
478	anthemifòlium	(*re*) Anthemis-ld.	Hybrid.	1822.	——	G	♄	
479	pyrethriifòlium s.G.	(*sc*)Feverfew-ld.	——	1821.	——	G	♄	Sweet ger. 2. t. 153.
480	tanacetifòlium s.G.	(*re*)Tansy-leaved	——	1824.	——	G	♄	—— 4. t. 336.
481	sphærocéphalon s.G.	(*sc*)round-head'd	——	——	——	G	♄	—— 4. t. 317.
482	Moreànum s.G.	(*sc*) More's victory	——	1823.	——	G	♄	—— 3. t. 285.
483	obcordàtum s.G.	(*sc*) obcordate-petl'd	——	——	——	G	♄	—— 4. t. 310.
484	cuneiflòrum s.G.	(*sc*) wedge-petaled	——	1825.	——	G	♄	—— 4. t. 330.
485	chrysanthemifòlium	(*sc*)Chrysanthm.-ld.	——	1821.	4.10.	G	♄	—— 2. t. 124.
486	Dobreeànum s.G.	(*sc*)Mrs. Dobree's	——	1818.	——	G	♄	—— 3. t. 253.
487	Bisshóppæ s.G.	(*sc*) Mrs. Bishopp's	——	1822.	——	G	♄	—— 3. t. 272.
488	signàtum s.G.	(*re*) marked-leaved	——	——	——	G	♄	—— 3. t. 265.
489	Spìnii c.R.	(*bh.d*) Spini's	——	....	——	G	♄	—— 4. t. 362.
490	quercifòlium DC.	(*bh*)Oak-leaved	C. B. S.	1774.	3. 8.	G	♄	L'Herit. ger. t. 14.
	bipinnatifidum	(*bh*) *bipinnatifid*	——	——	——	G	♄	—— t. 15.

491	tortuòsum s.G.	(li) twisted-petaled	C. B. S.	1826.	3. 8.	G	♄	Sweet ger. ser. 2. t. 43.
492	exímium s.G.	(pi) select	Hybrid.	1818.	4. 8.	G	♄	——— 1. t. 26.
493	Essèxiæ c.c.	(pi) Lady Essex's	———	——	——	G	♄	
494	oblàtum s.G.	(pi) oblate-leaved	———	——	——	G	♄	Sweet. ger. 1. t. 35.
495	Murryànum s.G.	(bh) Ld. J. Murray's	———	——	——	G	♄	——— 2. t. 164.
496	calocéphalon s.G.	(bh) pretty-headed	———	1820.	——	G	♄	——— 3. t. 201.
497	obovàtum s.G.	(li) obovate-petaled	———	1825.	——	G	♄	——— 4. t. 367.
498	dilatàtum s.G.	(li) dilated-leaved	———	1824.	——	G	♄	——— 4. t. 314.
499	augústum DC.	(bh) august	———	1809.	——	G	♄	Andr. geran. c. ic.
	β *Brùcei* c.c.	(bh) *Bruce's*	———	....	——	G	♄	
500	Breesiànum s.G.	(pi) Breese's	———	1818.	——	G	♄	Sweet ger. 1. t. 64.
501	Husseyànum s.G.	(pu) Lady Hussey's	———	——	——	G	♄	——— 1. t. 92.
502	Wellsiànum s.G.	(sc) Mr. Wells's	———	1822.	3. 8.	G	♄	——— 1. t. 175.
503	Kíngii s.G.	(sc) Mr. King's	———	——	3.12.	G	♄	——— 3. t. 248.
504	Scóttii s.G.	(sc) Sir C. Scott's	———	——	3. 9.	G	♄	——— 3. t. 264.
505	Pálkii s.G.	(cr) Mr. Palk's	———	——	1.12.	G	♄	——— 3. t. 224.
506	rotundílobum s.G.	(sc) round-lobed	———	1823.	3. 9.	G	♄	——— 3. t. 252.
507	latílobum s.G.	(sc) broad-lobed	———	——	——	G	♄	——— 3. t. 236.
508	Russelliànum s.G.	(sc) Russell's	———	1826.	4. 9.	G	♄	——— 4. t. 385.
509	translùcens s.G.	(sc) transparent	———	1824.	——	G	♄	——— 4. t. 400.
510	Barclayànum s.G.	(sc) Mr. Barclay's	———	——	——	G	♄	——— 4. t. 384.
511	Harewoòdiæ s.G.	(d.re) Lady Harewood's	———	1826.	——	G	♄	——— 4. t. 389.
512	Stewártii s.G.	(da.sc) Mr. Stewart's	———	1825.	——	G	♄	——— 4. t. 353.
513	lasiophy'llum s.G.	(sa) woolly-divided-ld.	———	——	——	G	♄	——— 3. t. 296.
514	Lechiànum DC.	(bh) acute-notched	———	1820.	——	G	♄	
515	jatrophæfòlium DC.	(ft) Jatropha-ld.	———	——	——	G	♄	
516	denticulàtum DC.	(li) tooth-leaved	C. B. S.	1789.	5. 8.	G	♄	Sweet ger. 2. t. 109.
517	viscosíssimum s.G.	(bh) viscous	———	1820.	3. 8.	G	♄	——— 2. t. 118.
	α *álbum*	(wh) *white-flowered*	———	——	——	G	♄	
	β *cárneum*	(ft) *flesh-coloured*	———	——	——	G	♄	
518	carbásinum s.G.	(sa) linen-flowered	Hybrid.	1827.	——	G	♄	Sweet ger. ser. 2. t. 38.
519	glutinòsum DC.	(ft) clammy	C. B. S.	1777.	5. 6.	G	♄	L'Hert. ger. t. 20.
	β *nigréscens*	(ft) *black-marked*	———	——	——	G	♄	Bot. mag. 143.
520	cynosbatifòlium DC.	(li) Cynosbati-ld.	Hybrid.	....	4. 8.	G	♄	Sweet ger. 3. t. 259.
	Gerànium oxoniénse A.G. ic.							
521	verbenæfòlium s.G.	(li) Vervain-ld.	———	1818.	——	G	♄	Sweet ger. 2. t. 149.
	piperàtum DC?							
522	melíssinum s.G.	(da) Balm-scented	———	——	——	G	♄	Sweet ger. 1. t. 5.
523	volatiflòrum s.G.	(sc) flying-flowered	———	1823.	——	G	♄	——— 3. t. 284.
524	brévipes	(sc) short-peduncl'd	———	1824.	——	G	♄	
525	ternàtum DC.	(li) ternate-leaved	C. B. S.	1789.	5. 8.	G	♄	Sweet ger. 2. t. 165.
526	patentíssimum W.C.	(li) most-spreading	———	1822.	——	G	♄	Wendl. coll. ic.
527	spinòsum DC.	(st) thorny	———	1795.	5. 6.	G	♄	Paters. it. t. ad. p. 67.
528	tripartìtum s.G	(st) brittle-stalked	———	1789.	5. 8.	G	♄	Sweet ger. 2. t. 115.
	Gerànium frágile A.R. 37.							
529	incìsum DC.	(st) cut-leaved	———	1791.	——	G	♄	Sweet ger. 1. t. 93.
530	canéscens s.G.	(bh) canescent	———	....	——	G	♄	
531	abrotanifòlium DC.	(bh) Southernwood-ld.	———	1791.	——	G	♄	Jacq. schœn. 2. t. 136.
532	artemisiæfòlium DC.	Wormwood-ld.	———	1817.	——	G	♄	
533	frágrans DC.	(wh) Nutmeg-scent'd	Hybrid.	....	5.10.	G	♄	Sweet ger. 2. t. 172.
534	odoratíssimum DC.	(wh) sweet-scent'd	C. B. S.	1724.	——	G	♄	——— 3. t. 299.
535	exstipulàtum DC.	(bh) soft trifid-ld.	———	1779.	——	G	♄	L'Herit. ger. t. 35.
	Gerànium suavèolens A.G. ic.							
536	dissèctum s.G.	(wh) dissected-ld.	Hybrid.	1822.	5.11.	G	♄	Sweet ger. 3. t. 247.
537	glomeràtum DC.	(w) close-headed	N. S. W.	1792.	5. 8.	G	♄	Jacq. fil. ecl. 1. t. 98.
	austràle s.G. 68. *non* DC.							
538	austràle DC.	(wh) New Holland	———	——	——	G	♃	Jacq. fil. ecl. 1. t. 100.
539	inodòrum DC.	(w.pu) scentless	———	1796.	3. 8.	G	♃	Sweet ger. 1. t. 56.
540	columbìnum DC.	(pu) Dove's-foot	C. B. S.	1795.	6.10.	G	♃	Jacq. schœn. 2. t. 133.
541	procúmbens DC.	(bh) procumbent	———	1801.	4. 5.	G	♃	Andr. bot. rep. 234.
542	hùmifùsum DC.	(bh) trailing	Canaries	——	4.10.	H	☉	Sweet ger. 1. t. 42.
543	chamædryfòlium DC.	(wh) Chamædrys-ld.	C. B. S.	1812.	5. 6.	G	♃	Jacq. ic. rar. 3. t. 523.
544	althæòides DC.	(wh) Althæa-leaved	———	1724.	4. 6.	G	♂	L'Herit. ger. t. 10.
545	grossularioìdes DC.	(ft) gooseberry-ld.	———	1731.	4. 8.	G	♃	Cav. dis. 4. t. 119. f. 2.
546	ínceps DC.	(pu) flat-stalked	———	1788.	5. 7.	G	♃	Jacq. col. 4. t. 22. f. 3.
547	parviflòrum A.G.	(pu) small-flowered	———	1800.	——	G	♃	Andr. geran. c. ic.
548	acugnáticum L.T.	(re) Tristan d'Acuna.	T. d'Acunna	1818.	——	G	♃	
549	senecioìdes DC.	(wh) groundsel-ld.	C. B. S.	1775.	6. 7.	G	☉	Sweet ger. 4. t. 327.
550	alchimilloìdes DC.	(wh) mantle-leaved	———	1693.	5.10.	G	♃	Cav. dis. 4. t. 98. f. 1.

550	Heritièri.Jacq.	(*wh*)	L'Heritier's	C. B. S.	1820.	5.10.	G ♃	
551	tabulàre DC.	(*wh*)	rough-stalked	———	1775.	5. 8.	G ♄	L'Herit. ger. t. 9.
552	ovàle DC.	(*ro*)	oval-leaved	———	1774.	——	G ♄	Sweet ger. 3. t. 235.
553	élegans DC.	(*wh.pu*)	elegant	———	1795.	——	G ♄	And. repos. 98.
	α màjor S.G.	(*wh*)	*smaller-flower'd*	———	——	——	G ♄	Sweet ger. 1. t. 36. f.
	β minor S.G.	(*v*)	*larger-flowered*	———	——	——	G ♄	——— 1 t. 36. f.
554	schizopétalum S.G.	(*y.br*)	divided-petal'd	———	1821.	6.10.	G ♄	——— 3. t. 232.
555	pinguifòlium S.G.	(*bh*)	greasy-leaved	Hybrid. ?	....	5.10.	G ♄	——— 1. t. 52.
556	latéripes DC.	(*va*)	Ivy-leaved	C. B. S.	1787.	——	G ♄ ◡	L'Herit. ger. t. 24.
	α viridifòlium	(*li*)	*green-leaved*	———	——	——	G ♄ ◡	Andr. geran. c. ic.
	β zonàtum	(*li*)	*Horseshoe-mark'd*	———	——	——	G ♄ ◡	
	γ ròseum	(*ro*)	*rose-coloured*	———	——	——	G ♄ ◡	
	δ albomarginàtum DC.		*white-margined*	———	——	——	G ♄ ◡	Andr. geran. c. ic.
557	peltàtum DC.	(*li*)	peltate-leaved	———	1701.	——	G ♄ ◡	Bot. mag. 20.
	β variegàtum A.G.	(*li*)	*variegated-ld.*	———	——	——	G ♄ ◡	Andr. geran. c. ic.
558	scutàtum S.G.	(*wh*)	shield-leaved	———	1819.	——	G ♄ ◡	Sweet ger. 1. t. 95.

JENKINSO'NIA. S.G. JENKINSO'NIA. (Mr. Jenkinson, a cult. of Geraniums.) Monad. Hept.

1	tetragòna S.G.	(*li*)	square-stalked	C. B. S.	1774.	5. 8.	G ♄ ◡	Sweet ger. 1. t. 99.
	β variegàta	(*li*)	*variegated*	———	——	——	G ♄ ◡	——— 1. t. 99.
2	quinàta S.G.	(*st*)	quinate-leaved	———	1793.	——	G ♄	——— 1. t. 79.
	Pelargònium quinàtum B.M. 547. *Geràniumprœmórsum* A.R. 150.							
3	péndula S.G.	(*pu*)	pendulous-branch'd	———	....	5. 8.	G ♄ ◡	Sweet ger. 2. t. 188.
4	longicaúlis S.G.	(*bh*)	long-stalked	———	....	——	G ♄ ◡	Jacq. ic. rar. 3. t. 533.
	Pelargònium longicaúle Jacq.							
5	anemonefòlia S.G.	(*re*)	Anemone-ld.	———	....	——	G ♄ ◡	Jacq. ic. rar. 3. t. 535.
6	caucalifòlia S.G.	(*bh*)	Caucalis-leav'd	———	1812.	3. 9.	G ♃	——— 3. t. 529.
7	multicaúlis S.G.	(*vi*)	many-stalked	———	1802.	6. 8.	G ♃	——— 3. t. 534.
8	lácera S.G.	(*bh*)	torn-leaved	———	1731.	——	G ♃	——— 3. t. 532.
9	Synnòti S.G.	(*pu*)	Synnot's	———	1825.	——	G ♃	Sweet ger. 4. t. 342.
10	coriandrifòlia S.G.	(*bh*)	Coriander-ld.	———	1724.	3. 9.	G ♃	——— 1. t. 34.
	Pelargònium coriandrifòlium S.G.							
11	myrrhifòlia S.G.	(*li*)	Myrrh-leaved	———	1696.	5. 8.	G ♄	Jacq. ic. rar. 3. t. 531.
	Pelargònium betónicum Jacq.							
12	bullàta S.G.	(*wh*)	blistered	———	....	——	G ♄	Jacq. ic. rar. 3. t. 530.
13	canariénsis	(*wh*)	Canary	Canaries	1802.	5. 9.	G ♂	Wild. hort. ber. t. 17.
	Pelargònium canariénse W.							

CICO'NIUM S.G. CICO'NIUM. (*Ciconia*, a stork; same as *Pelargònium*.) Monadelph. Hept.

1	acetòsum S.G.	(*sa*)	Sorrel-leaved	C. B. S.	1710.	5. 9.	G ♄	Andr. geran. c. ic.
2	scándens S.G.	(*ro*)	climbing	———	1800.	——	G ♄	
3	stenopétalum S.G.	(*sc*)	narrow-petal'd	———	——	——	G ♄	
4	leptopétalum	(*sc*)	slender-petal'd	———	——	——	G ♄ ◡	Andr. geran. c. ic.
	Geràniumstenopétalum A.G. *nec aliorum.*							
5	pùmilum S.G.	(*sc*)	dwarf	———	——	——	G ♄	Andr. geran. c. ic.
	Geràniumzonàle minima A.G.							
6	lateritium S.G.	(*sc*)	brick-coloured	———	——	——	G ♄	Jacq. ecl. 1. t. 97. f. ult.
7	malvæfòlium	(*li*)	mallow-leaved	———	1812.	——	G ♄	——— 1. t. 97.
	Pelargònium malvæfòlium Jacq.							
8	heterógamum S.G.	(*li*)	six-stamened	Hybrid.	1786.	——	G ♄	L'Herit. geran. t. 18.
9	álbidum C.C.	(*wh*)	white-flowered	C. B. S.	....	——	G ♄	
10	zonàle S.G.	(*va*)	horse-shoe	———	1710.	4.12.	G ♄	Cav. dis. 4. t. 98. f. 2.
	α lilácinum	(*li*)	*lilac-coloured*	———	——	——	G ♄	
	β coccíneum	(*sc*)	*scarlet*	———	——	——	G ♄	
	γ crystállinum	(*sc*)	*coral-stalked*	———	——	——	G ♄	
	δ marginàtum	(*sc*)	*white-edged*	———	——	——	G ♄	
11	reticulàtum S.G.	(*sc*)	netted-veined	Hybrid	1810.	5.10.	G ♄	Sweet ger. 2. t. 143.
12	Fothergíllii S.G.	(*sc*)	Fothergill's	C. B. S.	....	——	G ♄	——— 3. t. 226.
	α coccíneum	(*sc*)	*scarlet*	———	——	——	G ♄	——— 3. t 226. a.
	β purpùreum	(*pu*)	*purple*	———	——	——	G ♄	——— 3. t. 226. b.
13	mónstrum S.G.	(*pu*)	cluster-leaved	Hybrid	1784.	7. 8.	G ♄	——— 1. t. 13.
14	æqualiflòrum G.C.	(*sc*)	victory	———	1819.	5.10.	G ♄	
15	hy'bridum S.G.	(*sc*)	hybrid	C. B. S.	1732.	——	G ♄	Sweet ger. 1. t. 63.
16	oxyphy'llum C.C.	(*wh*)	sour-leaved	Hybrid	....	——	G ♄	Andr. geran. c. ic.
	Geràniumminiàtum v. album A.G.							
17	hùmile	(*sc*)	low-spreading	C. B. S.	....	——	G ♄	
18	crenàtum S.G.	(*sc*)	scolloped-ld	———	....	——	G ♄	Sweet ger. 4. t. 345.
19	bracteòsum	(*sc*)	large-bracted	Hybrid	....	——	G ♄	
	Pelargònium bracteòsum DC.							
20	Bentinckiànum	(*sc*)	Bentinck's	C. B. S.	....	——	G ♄	Sweet ger. 4. t. 350.
	Pelargònium Bentinckiànum DC. *Geràniumcrenàtum; var. mollifoliàta* A.G. c. ic.							

fulgens S.G.	(sc) Basilisk	Hybrid	1823.	5.10.	G	♄		Sweet ger. 4. t. 339.
glabrifolium SG.	(sc) smooth-leaved	———	1825.	——	G	♄		——— 4. t. 363.
cérinum S.G.	(pi) wax-flowered	Hybrid?	....	——	G	♄		——— 2. t. 176.
inquinans S.G.	(sc) staining-gland'd	C. B. S.	1714.	5. 9.	G	♄		Andr. geran. c. ic.
micránthum S.G.	(sc) small-flowered	———	....	——	G	♄		Sweet ger. 3. t. 295.
PETALUM S.G. Isope'talum. (ισος, equal, and πεταλον, a petal.) Monadelphia Pentandria.								
Cotylédonis SG..	(wh) Hollyhock-ld	St. Helena	1765.	5. 8.	G	♄		Sweet ger. 2. t. 126.
Pelargònium Cotylédonis W.								
2 díscipes C.C.....	central-stalked	———	1808.	....	G	♄		

ORDER LVI.

LIMNA'NTHEÆ. *R. Brown in Phil. Mag.* 1833.

LIMNA'NTHES R.Br. Limna'nthes. (λιμνος, a lake, and ανθος, a flower.) Decand. Monogy.

Douglàsii R.B.	(ye) Douglas's	California	1833.	7. 8.	H	⊙		Swt. br. fl. gar. s. 2. t. 378.

ORDER LVII.

TROPÆO'LEÆ. *DC. prodr.* 1. *p.* 683.

TROPÆ'OLUM DC. Indian-cress. (τροπαιον, a trophy; leaf, a buckler, and fl. an helmet.) Oct. Mon.

1 minus DC.	(ye) small	Peru	1596.	6.10.	H	⊙	◡	Bot. mag. 97.
β *flore plèno*	(ye) *double-flowered*	———	——	——	G	♃	◡	
γ *atrosanguíneum* D. Don.	(dk.re) *seedling*....		——	——	G	♃	◡	Swt. br. fl. gar. sicon. 2.
2 majus DC.	(ye) great	———	1686.	——	H	⊙	◡	Bot. mag. 23.
β *flore plèno*	(ye) *double-flowered*	———	——	——	G	♃	◡	
3 hy'bridum DC.	(ye) hybrid	Hybrid	....	——	G	♃	◡	Berg. act. holm. 32. t. 1.
4 peregrinum L. *adúncum* S.M.	(ye) fringe-flowered	Peru	1775.	——	G	⊙	◡	Swt. br. fl. gar. s. 2. t. 134.
5 tuberòsum DC.	(ye) tuberous-rooted	———	1828.	——	H	♃	◡	
6 brachy'ceras *tenéllum* D.S.	(ye) short-horned	Chili	——	....	G	♃	◡	Swt. br. fl. gar. s. 2. t. 370.
7 Jarrèttii Paxt.	(ye) Jarratt's	Santiago	——	——	S	♃	◡	Paxt. mag. bot. 5. t. 29.
8 pinnàtum DC.	(ye) pinnate-flower'd	Peru	1775.	——	G	♃	◡	Andr. reposit. t. 535.
9 tricólorum B.F.G.	(or) three-coloured	Chili	1828.	——	H	♃	◡	Sweet. br. fl. gar. 3. t. 270.
10 polyphy'llum DC.	(ye) many-leaved	———	1827.	——	S	♃	◡	Cav. icon. 4. t. 395.

CHYMOCA'RPUS D.D. Chymoca'rpus. (χυμος, juice, and καρπος, a fruit, fleshy.) Oct. Monog.

1 pentaphy'llus B.F.G.	(or.gr) five-leaved	B. Ayres	1830.	6.10.	H	♃		Swt. br. fl. gar. ser. 2. t. 245.
Trope'olum pentaphy'llum Lam.								

ORDER LVIII.

BALSAMI'NEÆ. *DC. prodr.* 1. *p.* 685.

BALSAMI'NA DC. Balsam. (*balsamum*, balsam.) Pentandria Pentagynia.

1 hortènsis DC.	(v) garden	E. Indies	1596.	7.10.	S	⊙		Blackw. t. 583.
Impàtiens balsamìna L.								
2 coccínea DC.	(sc) glandular-ld	———	1808.	6. 9.	S	⊙		Bot. mag. 1256.
3 mysorénsis DC.	(re) Mysore	———	1823.	——	S	⊙		
4 minor DC.	(wh) smaller	———	1817.	——	F	⊙		Rheed. mal. 9. t. 50. 51.
5 bífida DC.	(re) bifid-spurred	C. B. S.	1818.	7.10.	H	⊙		
6 latifólia DC.	(re) broad-leaved	E. Indies	——	6. 9.	F	⊙		Rheed. mal. 9. t. 48.

7	capénsis DC.	(*re*) Cape	C. B. S.	1818.	7.10.	H	⊙	
8	cochleàta DC.	(*sc*) shell-spurred	China	1826.	——	H	⊙	
9	chinénsis DC.	(*pu*) Chinese	————	1823.	——	H	⊙	

IMPA'TIENS DC. TOUCH-ME-NOT. (Elastic pods.) Pentandria Monogynia.

1	biflòra W. *fúlva* DC.	(*or*) two-flowered	N. America	....	7.10.	H	⊙	Sweet br. fl. gar. t.
2	pállida Natt. *nòli-tángere* E.B. *nec aliorum.*	pale-flowered	————	1812.	6.10.	H	⊙	Eng. bot. v. 14. t.
3	boreàlis *nòli-tángere* F.D. *non* L.	(*ye*) Northern	Denmark	....	——	H	⊙	Flor. dan. t. 582.
4	nòli-tángere L.	(*y.re*) English	England	....	——	H	⊙	
5	parviflòra DC.	(*ye*) small-flowered	Russia	1828.	——	H	⊙	
6	tripétala DC.	(*ye*) three-petaled	E. Indies	1823.	——	S	⊙	
7	triflòra DC.	(*re*) three-flowered	Ceylon	1818.	——	S	⊙	Burm. zeyl. t. 16. f.
8	díscolor DC.	(*ye*) two-coloured	Nepaul	1820.	——	S	⊙	
9	cristàta Wall.	(*ye*) crested	N. India	1827.	——	S	⊙	
10	scapiflòra B.M. *acaúlis* Arnott.	(*pk*) scape-flowered	E. Indies	1835.	8.	S	♃	Bot. mag. t. 3587.

ORDER LIX.

HYDROCE'REÆ.

HYDRO'CERA HYDRO'CERA. (ὕδωρ, water, and κέρας, a horn.) Pentandria Monogynia.

nàtans Bl. *Impàtiens nàtans* L. *Tylònia nàtans* DS.	(*re.wh*) floating	E. Indies	1823.	6.10.	S	*w*	⊙	

ORDER LX.

OXALI'DEÆ. *DC. prodr.* 1. *p.* 689.

AVERRHO'A DC. AVERRHO'A. (Averrhoes of Corduba; cel. Arab. phys.) Pent-Decan. Pent.

1	Carambòla DC.	(*st*) Carambola-tree	E. Indies	1793.	....	S	♄	Rumph. amb. 1. t. 35.
2	Bilímbi DC.	(*st*) Bilimbi-tree	————	1791.	5. 7.	S	♄	———— 1. t. 36.

BIO'PHYTUM DC. BIO'PHYTUM. (βίος, life, and φυτον, a plant; leaves sensitive.) Dec. Pen.

sensitìvum DC. *O'xalis sensitiva* L.	(*ye*) sensitive	E. Indies	1824.	5. 7.	S	♃		Jacq.ox. n.21. t. 78.f. 4.

O'XALIS DC. WOOD-SORREL. (ὀξυς, acid; taste of leaves.) Decandria Pentagynia.

§ 1. HEDYSAROI'DEA; *peduncles bifid, 3 or many-flowered; flowers secund, mixed with bracteas; stems leafy, generally suffruticose; leaves bifoliate, middle leaflet on a long stalk.*

1	Plumièri DC.	(*ye*) Plumier's	S. America	1822.	4. 6.	S	♄	Bot. reg. 810.
2	Barrelièri DC.	(*bh*) Barrelier's	————	——	——	S	♄	Jacq. ox. n. 3. t. 3.
3	fruticòsa DC.	(*ye*) frutescent	Rio Janeiro	——	——	S	♄	
4	tortuòsa B.R.	(*ye*) twisted	Chili	1825.	6. 8.	G	♄	Bot. reg. t. 1249.

§ 2. CORNICULA'TÆ; *roots not bulbous; stems leafy; peduncles 2 or many-flowered, rarely 1-flowered; leaves trifoliate; leaflets sessile, or nearly so, usually obcordate.*

5	perénnans DC.	(*br.y*) perennial	N. S. W.	....	5. 9.	G	♃	
6	Dillènii DC.	(*ye*) Dillenius's	America	1798.	——	H	⊙	Dill. elth. 2. t. 221.
7	flòrida S.P.	(*ye*) prostrate	————	....	——	H	⊙	
8	strícta DC.	(*ye*) upright	N. America	1658.	6.10.	H	♃	Jacq. ox. n. 9. t. 4.
9	chinénsis Hw.	(*ye*) Chinese	China	....	5.10.	G	♃	
10	corniculàta DC.	(*ye*) procumbent	Britain	....	——	H	♃	Eng. bot. 1726.
11	Lyòni DC.	(*ye*) Lyon's	N. America	1812.	——	H	♃	
12	microphy'lla DC. *rùbens* H.M.	(*ye*) small-leaved	N. Holland	....	——	H	⊙	
13	rèpens DC.	(*ye*) creeping-stalk'd	C. B. S.	1793.	3. 4.	G	♃	Jacq. ox. n. 11. t. 78. f. 1.
14	ròsea DC. *floribúnda* B.R. 1123. non Lehman.	(*ro*) rose-coloured	Chili	1823.	3. 6.	G	♃	Bot. mag. 2830.

15	Símsii	(*cr*) Sims's	Chili	1822.	4. 6.	G	♃	Bot. mag. 2415.
	rósea. Sims Bot. mag. *nec aliorum.*							
16	lateriflòra DC.	(*pu*) side-flowering	C. B. S	1826.	3. 6.	G	♃	Jacq.schœnb. 2. t. 204.

§ 3. SESSILIFO'LIA; *roots bulbous; stems leafy, villous, as well as the leaves, which are trifoliate and sessile, without glands; peduncles axillary, 1-flowered.*

17	macróstylis DC.	(*pu*) long-styled	C. B. S.	1793.	10.11.	G	b	Jacq. ox. n. 22. t. 9.
18	tubiflòra DC.	(*vi*) tube-flowered	———	1790.	——	G	b	——— n. 23. t. 10.
19	canéscens DC.	(*li*) canescent	———	1822.	——	G	b	——— n. 24. t. 11.
20	secánda DC.	(*li*) secund	———	1790.	——	G	b	——— n. 68. t. 12.
21	hírta DC.	(*vi*) hairy-stalked	———	1787.	1. 3.	G	b	——— n. 26. t. 13.
22	hirtélla DC.	(*li*) tooth-stamen'd	———	1820.	——	G	b	——— n. 27. t. 14.
23	multiflòra DC.	(*vi*) many-flowered	———	1789.	2. 3.	G	b	——— n. 28. t. 15.
24	fúlgida B.R.	(*cr*) crimson	———	....	——	G	b	Bot. reg. 1073.
25	rubélla DC.	(*vi*) branching red	———	1791.	9.11.	G	b	Bot. mag. 1031.
26	rosàcea DC.	(*vi*) rose-coloured	———	1793.	10.2.	G	b	——— 1698.

§ 4. CAULIFLO'RA; *stems elongated, leafy; leaves of 3 or 5-leaflets; peduncles axillary, 1-flowered; roots bulbous.*

27	virgínea DC.	(*wh*) virgin	C. B. S.	1822.	11.12.	G	b	Jacq. schœnb. 3. t.275.
28	reptàtrix DC.	(*li*) creeping-rooted	———	1795.	——	G	♃	Jacq. ox. n. 33. t. 20.
29	incarnàta DC.	(*bh*) flesh-coloured	———	1739.	4. 6.	G	b	Jacq. vind. t. 71.
30	dísticha DC.	(*ye*) distichous	———	1822.	——	G	b	Jacq. ox. n. 31. t. 18.
31	venòsa DC.	(*vi*) veined-flowered	———	1821.	——	G	b	

§ 5. CAPRI'NÆ; *stemless; scapes many-flowered, rarely 1-2-flowered, leaves radical, variable in number, but usually 3; leaflets sessile, or nearly so, obcordate; roots bulbous.*

32	cùprea B.C.	(*co*) copper-coloured	C. B. S.	1822.	4. 6.	G	b	Lodd. bot. cab. 824.
33	tetraphy'lla DC.	(*pu*) four-leaved	Mexico	——	——	H	b	——— t. 790.
34	Déppei DS.	(*li*) Deppe's	———	1827.	5. 8.	H	b	Swt. br. fl. gar. s. 2. t. 96.
35	sericea DC.	(*ye*) silky-leaved	C. B. S.	1794.	4. 6.	G	b	Jacq. ox. n. 13. t. 77. f. 1.
36	carnòsa B.R.	(*ye*) fleshy	Chile	1825.	4. 9.	H	♃	Bot. reg. 1063.
37	floribúnnda Leh.	(*ro*) ever-flowering	Brazil	1829.	4.12.	H	b	Swt. br. fl. gar. s. 2. t. 54.
	Mártii Lod. bot. cab. *non* Zuc.							
38	bipunctàta DS.	(*li*) two-spotted	Brazil	1825.	4. 6.	G	♃	Bot. mag. 2781.
39	violàcea DC.	(*vi*) violet-coloured	N. America	1772.	5. 6.	H	b	Jacq. vind. t. 180.
40	divérgens B.R.	(*wh*) diverging	Mexico	....	6. 9.	F	♃	Bot. reg. 1620.
41	Martiàna Zuc.	(*li*) Martius's	Brazil	1828.	5. 9.	F	b	
	urbica DS.							
42	palústris DS.	(*li*) marsh	———	——	5.12.	S	♃	Lodd. bot. cab. t. 1551.
	papilionàcea Zuc.							
43	caprìna DC.	(*vi*) goat's-foot	C. B. S.	1757.	3. 6.	G	b	Jacq. ox. t. 76. f. 1.
44	cérnua DC.	(*ye*) drooping-yellow	———	——	2. 5.	G	b	——— n. 16. t. 6.
	caprina B.M. 237. *nec aliorum*							
	β *flòre plèno*	(*ye*) *double-flowered*	———	——	——	G	b	
45	compréssa DC.	(*ye*) compressed	———	1794.	12.1.	G	b	Jacq. ox. n. 19. t. 78. f. 3.
46	dentàta DC.	(*li*) toothed	———	1793.	11.12.	G	b	——— n. 17. t. 7.
47	lívida DC.	(*fl*) livid	———	——	10.11.	G	b	——— n. 18. t. 8.
48	Bòwii D.S.	(*sc*) Bowie's	———	1824.	4. 8.	G	b	Bot. reg. 1585.
49	purpuràta DC.	(*bh*) purplish-leav'd	———	1820.	10.11.	G	b	Jacq. schœnb. t. 356.
50	macrophy'lla DC.	(*vi*) large-leaved	———	——	——	G	b	
51	lobàta DC.	(*ye*) lobed	Chili	1821.	4. 6.	H	b	Bot. mag. 2386.
52	crenàta Jac.	(*ye*) notched-petaled	Peru	1829.	9.11.	H	b	Swt. br. fl. gar. s. 2. t. 125.
	Arracàcha G. Don syst.							
53	ténera B.R.	(*li*) tender	Brazil	1826.	5. 6.	S	♃	Bot. reg. 1046.

§ 6. SIMPLICIFO'LIA; *plants stemless; leaves simple, pubescent: petioles naked; scapes or peduncles 1 or many-flowered.*

54	monophy'lla DC	(*bh*) simple-leaved	C. B. S.	1774.	10.11.	G	b	Jacq. ox. n. 35. t. 79. f. 3.
55	lépida DC.	(*wh*) pretty	———	1822.	10.2.	G	b	——— n. 34. t. 21.
56	rostràta DC.	(*wh*) beaked	———	1795.	——	G	b	——— n. 36. t. 22.

§ 7. PTERO'PODA; *stemless; leaves of 2 or 3 leaflets; petioles winged; scapes 1-flowered.*

57	crispa DC.	(*wh*) curled	C. B. S.	1793.	10.2.	G	b	Jacq. ox. n. 37. t. 23.
58	leporìna DC.	(*std*) Hare's-eared	———	1795.	10.11.	G	b	——— n. 30. t. 25.
59	asinìna DC.	(*ye*) asses'-eared	———	1792.	11.12.	G	b	——— n. 38. t. 24.
60	lanceæfòlia DC.	(*ye*) spear-leaved	———	1795.	10.11.	G	b	——— n. 40. t. 26.
61	fabæfòlia DC.	(*ye*) Bean-leaved	———	1794.	——	G	b	——— n. 41. t. 27.

§ 8. ACETOSE'LLÆ; *stemless; leaves trifoliate, stalked; petioles naked · leaflets without glands; scapes one-flowered; roots bulbous.*

62	laburnifòlia DC.	(*ye*) Laburnum-ld.	C. B. S.	1793.	9.10.	G	b	Jacq. ox. n. 42. t. 28.
63	sanguínea DC.	(*ye*) bloody-leaved	———	1795.	10.12.	G	b	——— n. 43. t. 29.
64	rùbro-flàva	(*re.ye*) red and yellow	———	1824.	1.12.	G	b	——— n. 67. t. 50.
65	tricolor	(*ye*) three-coloured	———	1794.	10.12.	G	b	——— n. 63. t. 47.

66	ciliàris DC.	(*pu*)	ciliated	C. B. S.	1793.	10.12.	G	b	Jacq. ox. n. 45. t. 3[illegible]
67	arcuàta DC.	(*vi*)	gland-covered	———	1795.	——	G	b	——— n. 46. t. [illegible]
68	fláccida DC.	(*re.wh*)	flaccid	———	1812.	——	G	b	——— n. 66. t. [illegible]
69	ferruginàta DC.	(*wh*)	rust-spotted	———	1822.	——	G	b	Jacq. schoenb. 3. t. [illegible]
70	ambígua DC.	(*v*)	ambiguous	———	1790.	9.12.	G	b	Jacq. ox. n. 59. t. [illegible]
71	undulàta DC.	(*wh*)	wave-leaved.	———	1795.	10.11.	G	b	——— n. 60. t. [illegible]
72	glandulòsa DC.	(*wh*)	glandulous	———	1822.	——	G	b	——— n. 62. t. [illegible]
73	fuscàta DC.	(*wh*)	brown spotted	———	1795.	5. 6.	G	b	——— n. 61. t. [illegible]
74	sulphùrea DC.	(*st*)	sulphur-color'd	———	——	10.11.	G	b	——— n. 77. t. 63.
75	brevíscapa DC.	(*wh*)	short-stalked	———	1823.	9. 2.	G	b	——— n. 72. t. 58.
76	speciòsa DC.	(*pu*)	specious	———	1690.	9.11.	G	b	——— n. 74. t. 60.
77	rigídula Jac.	(*wh*)	rigid	———	1822.	——	G	b	——— n. 73. t. 59.
78	variábilis DC.	(*v*)	variable	———	1795.	10.12.	G	b	——— n. 67.
	α longíscapa DC.	(*wh*)	*white-flowered*	———	——	——	G	b	Bot. reg. t. 1505.
	β rùbra DC.	(*re*)	*red-flowered*	———	——	——	G	b	——— t. 1505.
79	grandiflòra W.	(*wh*)	great-flowered	———	1810.	——	G	b	Jacq. ox. n. 68. t. 54.
	β Símsii DC.	(*wh*)	*Sims's*	———	——	——	G	b	Bot. mag. 1683.
80	láxula Jac.	(*wh*)	loose	———	1820.	——	G	b	Jacq. ox. n. 71. t. 57.
81	purpùrea DC.	(*pu*)	purple	———	1812.	——	G	b	——— n. 70. t. 56.
82	convéxula DC.	(*or*)	convex-leaved	———	1789.	11.1.	G	b	——— n. 69. t. 55.
83	lævigàta DC.	(*pu*)	smooth	.....	1818.	6. 8.	H	⊙	
84	punctàta DC.	(*bh*)	spot-leaved	C. B. S.	1823.	10.2.	G	b	Jacq. ox. n. 82. t. 66.
85	strumòsa DC.	(*wh*)	swollen-styled	———	1821.	——	G	b	——— n. 79. t. 64.
86	marginàta DC.	(*wh*)	green margined	———	1812.	9.12.	G	b	——— n. 85. t. 68.
87	pulchélla DC.	(*bh*)	beautiful	———	1795.	10.11.	G	b	——— n. 86. t. 69.
88	obtùsa DC.	(*re*)	blunt-leaved	———	1812.	——	G	b	——— n. 83. t. 79. f. [illegible]
89	lanàta DC.	(*wh*)	woolly-leaved	———	1791.	——	G	b	——— n. 81. t. 77. f. 2.
90	lutèola DC.	(*ye*)	yellowish	———	1822.	——	G	b	——— n. 80. t. 65.
91	fállax DC.	(*ye*)	deceptive	———	1825.	——	G	b	——— n. 84. t. 67.
92	Pióttæ DS.	(*ro*)	Piotta's	———	1816.	1. 9.	G	b	Bot. reg. t. 1817.
93	Acetoséllа DC.	(*wh*)	common	Britain	....	4. 6.	H	b	Eng. bot. 762.
94	americàna DC	(*wh*)	American	N. America	....	——	H	b	
95	álba D.Don.	(*wh*)	white-flowered	America	....	4. 5.	H	b	Swt. br. fl. gar. s. 2. t. 398.
96	tenélla DC.	(*vi*)	slender	C. B. S.	1793.	——	G	b	Jacq. ox. n. 32. t. 19.
97	nàtans DC.	(*wh*)	floating	———	1795.	9.12.	G	*w* b	——— n. 78. t. 79. f. 2.
98	cruentàta DC.	(*pu*)	bloody	———	1826.	——	G	b	Jacq. f. ecl. 1. t. 45.
99	filicaúlis DC.	(*vi*)	bilobed-leaved	———	1815.	9.10.	G	b	Jacq. shoenb. 2. t. 205.
100	bífida DC.	(*vi*)	cloven-leaved	———	1791.	——	G	b	Jacq. ox. n. 89. t. 79. f. 4.
101	bifúrca B.C.	(*re*)	forked-leaved	———	1825.	6. 9.	G	b	Lodd. bot. cab. 1056.
102	cuneàta DC.	(*wh*)	wedge-leaved	———	1818.	——	G	b	Jacq. ox. n. 55. t. 40.
103	cuneifòlia DC.	(*wh*)	wedge-shaped	———	1793.	4. 5.	G	b	——— n. 56. t. 41.
104	pusílla DC.	(*bh*)	small	———	1826.	——	G	b	——— n. 57. t. 42.
105	lineàris DC.	(*vi*)	linear-leaved	———	1795.	9.11.	G	b	——— n. 47. t. 32.
106	reclinàta DC.	(*sc*)	reclining	———	——	——	G	b	——— n. 49. t. 34.
107	grácilis DC.	(*re*)	slender-stalked	———	....	——	G	b	——— n. 48. t. 33.
108	miniàta DC.	(*re*)	miniated	———	1818.	——	G	b	——— n. 50. t. 35.

§ 9. ADENOPHY'LLÆ; *caulescent, or nearly stemless, leafy; leaves stalked, of 3 or 5-linear leaflets, bearing red callous glands at the top, on the under surface; peduncles 1-flowered.*

109	glábra DC.	(*pu*)	smooth	C. B. S.	1795.	5. 6.	G	b	Jacq. ox. n. 58. t. 76. f. 3.
110	versícolor DC.	(*std*)	striped-flowerd.	———	1774.	1. 3.	G	b	Bot. mag. 1685.
111	elongàta DC.	(*std*)	elongated	———	1791.	9.10.	G	b	Jacq. ox. n. 52. t. 37.
112	sylvéstris DC.	(*std*)	wild	———	....	——	G	b	——— t. 77. f. 4.
113	amœ'na L.en.	(*ro*)	handsome	———	1791.	——	G	b	Jacq. shoenb. t. 206.
114	tenuifòlia DC.	(*std*)	fine-leaved	———	1790.	10.11.	G	b	Lodd. bot. cab. t. 712.
115	polyphy'lla DC.	(*ro*)	many-leaved	———	1791.	9. 1.	G	b	Jacq. ox. n. 59. t. 39.
116	filifòlia DC.	(*ro*)	slender-leaved	———	1818.	——	G	b	Jacq. shoen. 3. t. 273.
117	pentaphy'lla DC.	(*li*)	five-leaved	———	1800.	11.2.	G	b	Bot. mag. 1549.

§ 10. PALMATIFO'LIA; *stemless; leaves stalked, palmately or peltately divided into 5-15 leaflets, which are without glands; scapes 1-flowered.*

118	lupinifòlia DC.	(*ye*)	Lupine-leaved	C. B. S.	1791.	10.11.	G	b	Jacq. ox. n. 92. t. 72.
119	flàva DC.	(*ye*)	narrow-leaved	———	1775.	3. 4.	G	b	Bot. reg. 117.
120	pectinàta DC.	(*ye*)	pectinated	———	1790.	9.11.	G	b	Jacq. ox. n. 95. t. 75.
121	flabellifòlia DC.	(*ye*)	fan-leaved	———	1789.	——	G	b	——— n. 94. t. 74.
122	tomentòsa DC.	(*wh*)	downy-leaved	———	1791.	4. 5.	G	b	——— n. 96. t. 81.

ORDER LXI.

ZYGOPHY'LLEÆ. *DC. prodr.* 1. *p.* 703.

TRI'BULUS DC.	CALTROPS.	(τρεις, three, and βολος, a point; fruit.) Decand. Monog.					
1 cistoìdes DC.	(*ye*) Cistus-like	S. America	1752.	7.	S	♃	Bot. reg. 791.
2 terréstris DC.	(*ye*) small	S. Europe	1596.	6. 7.	H	☉	Lam. ill. t. 346. f. 1.
3 subinérmis F.	(*ye*) hairy	Thibet	1824.	6. 9.	H	☉	
4 álbus DS.	(*wh*) white-flower'd	Guinea	1826.	6. 8.	S	☉	
5 maximus DC.	(*st*) great	Jamiaca	1728.	6. 7.	S	☉	Jacq. ic. rar. t. 462.
6 lanuginòsus DC.	(*ye*) woolly	Ceylon	1822.	——	S	☉	Burm. zeyl. t. 106. f. 1.
7 trijugàtus DC.	(*ye*) Nuttall's	America	1823.	——	H	☉	
FAGO'NIA DC.	FAGO'NIA.	(M. Fagon, bot. patron.) Decandria Monogynia.					
1 crética DC.	(*pu*) Cretan	Candia	1739.	6. 8.	H	☉	Bot. mag. 241.
2 glutinòsa DC.	(*pu*) clammy	Egypt	1820.	5. 8.	G	♄	Del. ægypt. t. 28. f. 2.
3 arábica DC.	(*pu*) Arabian	Arabia	1759.	6. 8	G	♄	
4 Hispánica DC.	(*pu*) Spanish	Spain	....	——	G	♄	
LA'RREA DC.	LA'RREA.	(J. de Larrea, promot. of Sciences.) Decandria Monogynia.					
1 nítida DC.	(*ye*) glossy-leaved	Buen.Ayres	1823.	6. 8.	G	♄	Cav. ic. 6. t. 559.
2 divaricàta DC.	(*ye*) spreading	———	1829.	6. 9.	F	♄	——— 5. t. 560. f. 1.
ROEPE'RIA J.R.	ROEPE'RIA.	(J. Roeper, M.D. bot. author.) Decandria Monogynia.					
1 fabagifòlia J.R.	(*ye*) Fabago-leaved	N. Holland	1822.	6. 8.	G	♄	Juss. rut. t. 2. f. 3.
2 fruticulòsa DS.	(*ye*) shrubby	———	1820.	——	G	♄	
Zygophy'llum fruticulòsum DC.							
3 aurantìaca B.R.	(*or.ye*) orange colour	———	....	7.	G	♄	
ZYGOPHY'LLUM DC.	BEAN-CAPER.	(ζυγος, a yoke, and ψυλλον, a leaf.) Decand. Monogy.					
§ 1. *Leaves simple.*							
1 cordifòlium DC.	(*ye*) heart-leaved	C. B. S.	1774.	10.	G	♄	
2 simplex DC.	(*ye*) simple-leaved	Egypt	1825.	7. 8.	F	☉	Forsk. ill. t. 12.
§ 2. *Leaves bifoliate.*							
3 macrópterum Mey.	(*ye*) large-winged	Siberia	1827.	7. 9.	H	♃	Led. ill. t. 506.
4 atriplicoìdes F.M.	(*ye*) Atriplex-like	America	1837.	....	H	♃	
5 Fabàgo DC.	(*saf*) common	Syria	1596.	——	H	♃	Swt.br.fl.gar. s. 2. t. 226.
Fabàgo màjor D. Don.							
6 fœ'tidum DC.	(*ye*) fœtid	C. B. S.	1790.	6. 8.	G	♄	Schr. s. han. p. 17. t. 9.
β *insuàve* B.M.	(*ye*) *unpleasant*	———	——	——	G	♄	Bot. mag. 372.
7 maculàtum DC.	(*ye*) spotted	———	1782.	10.11.	G	♄	
8 microphy'llum DC.	(*ye*) small-leaved	———	1820.	——	G	♄	
9 Morgsàna DC.	(*ye*) four-leaved	———	1732.	5. 9.	G	♄	Dill. elth. t. 116. f. 141.
10 sessilifòlium DC.	(*ye*) sessile-leaved	———	1713.	7. 8.	G	♄	——— t. 116. f. 142.
11 spinòsum DC.	(*ye*) spiny	———	1818.	——	G	♄	
12 coccíneum DC.	(*sc*) scarlet	Egypt	——	——	G	♄	Forsk. des. 87. ic. t. 11.
13 álbum DC.	(*wh*) white	———	1770.	10.11.	G	♄	DC. pl. gras. t. 154.
14 prostràtum DC.	(*ye*) hairy-jointed	C. B. S.	1818.	——	G	♃	
15 tridentàtum DC.	(*ye*) three-toothed	Mexico	1827.	9.11.	G	♄	Flor. mex. ic. ined.
GAUIA'CUM DC.	LIGNUM-VITÆ.	(*Guaiac* is the American name.) Decandria Monogynia.					
1 officinàle DC.	(*bl*) common	W. Indies	1694.	7. 9.	S	♄	Bot. reg. s. 3. t. 9.
2 verticàle DC.	(*bl*) vertical-petaled	New Spain	1823.	....	S	♄	
3 arbòreum DC.	(*ye*) tree	S. America	——	....	S	♄	Jacq. amer. 130. t. 83.
Zygophy'llum arbòreum. Jac.							
PORLIE'RA DS.	PORLIE'RA.	(A. de Porlier, promoter of botany.) Octandria Monogynia.					
hygrométrica DC.	(*st*) pinnate-leaved	Peru	1820.	....	G	♄	Fl. per. v. 4. ined. t. 343.
BIEBERSTEI'NIA DS.	BIEBERSTEI'NIA.	(F. M. Beiberstein, a Russ. bot.) Decand. Pentagy.					
odòra DS.	(*ye*) sweet-scented	Altaia	1837.	....	F	♃	Led. ill. t.

§ 2. *ZYGOPHY'LLEÆ SPU'RIÆ ALTERNIFO'LIÆ.* DC.

MELIA'NTHUS DC. HONEY-FLOWER. (*μελι*, honey, *ανθος*, a flower.) Didynam. Angiosp.

1	màjor DC.	(*br*) great	C. B. S.	1688. 5. 7.	G	♄	Bot reg. 45.
2	mìnor DC.	(*br*) small	———	1696. 8.	G	♄	Bot. mag. 301.
3	comòsus DC.	(*br*) tufted	———	1818. ——	G	♄	Comm. rar. t. 4.

BALANI'TES DC. BALANI'TES. (meaning unknown.) Decandria Monogynia.

	ægyptìaca DC.	(*wh*) Egyptian	Africa	1822.	S	♄	Del. fl. eg. t. 28. f. 1.
	Ximènia ægyptìaca L.						

ORDER LXII.

RUTA'CEÆ. *DC. prodr.* 1. *p.* 709.

Tribe 1. *RU'TEÆ.* DC.

RU'TA DC. RUE. (*ρυτη*, said to be from *ρυω*, to flow.) Decandria Monogynia.

§ 1. *Leaves pinnate; fruit fleshy.*

1	pinnàta DC.	(*ye*) winged-leaved	Canaries.	1780. 3. 8.	G	♄	Bot. reg. 307.

§ 2. *Leaves decomposed and variously cut; capsules dehiscent.*

2	montàna DC.	(*ye*) mountain	S. Europe	1596. 8. 9.	H	♃	Jacq. ic. rar. 1. t. 76.
3	gravèolens DC.	(*ye*) common	———	1562. 6. 9.	H	♄	Duham. arb. 2. t. 61.
4	bracteòsa DC.	(*ye*) large-bracted	Sicily	1823. ——	H	♄	
5	divaricàta DC.	(*ye*) spreading	Italy	—— ——	H	♄	Ten. fl. nap. 1. t. 36.
6	angustifòlia DC.	(*ye*) narrow-leaved	S. France	1722. ——	G	♄	Bot. mag. 2311.
7	macrophy'lla DC.	(*ye*) long-leaved	Africa	—— ——	G	♄	——— 2018.
8	albiflòra D.P.	(*wh*) white-flowered	Nepaul	1820. 9.10.	G	♄	Hook. ex. fl. t. 79.

APLOPHY'LLUM J.R. APLOPHY'LLUM. (*απλοος*, simple, and *φυλλον*, a leaf.) Decand. Mon.

1	patavìnum J.R.	(*ye*) Italian	Italy	1820. 6. 9.	H	♃	Mich. gen. t. 19.
2	pubéscens J.R.	(*ye*) pubescent	Spain	1816. 5. 8.	H	♃	
3	tuberculàtum J.R.	(*ye*) tubercled	Egypt	1824. 6. 8.	H	♃	
4	villòsum J.R.	(*ye*) villous	Caucasus	1828.	H	♃	Buxb. cent. 2. t. 28. f. 2.
5	linifòlium J.R.	(*ye*) Flax-leaved	Spain	1752. 6. 9.	H	♄	Andr. rep. 565.
6	suavèolens J.R.	(*ye*) Primrose-scentd.	Tauria	.... ——	H	♄	Bot. mag. 2254.
7	Buxbaúmii J.R.	(*ye*) Buxbaum's	Levant	1828. 6. 8.	H	♃	Buxb. cent. 2. t. 28. f. 2.
	Rùta Buxbaúmii DC.						
8	thesioìdes F.	(*ye*) Thesium-like	Caspia	——	H	♃	
9	dahùricum J.R.	(*st*) Milk-wort-ld.	Dahuria	1816. 7. 8.	H	♃	Gmel. sib. 4. t. 68. f. 2.
	Péganum dahùricum. β. L. *Rùta dahùrica* DC.						

PE'GANUM DC. SYRIAN-RUE. (*πηγανον*, Greek name for rue.) Dodecandria Monogynia.

	Hármala DC.	(*wh*) common	Levant	1570. 7. 8.	H	♃	Lam. ill. t. 401.

Tribe II. *DIO'SMEÆ EUROPÆÁNÆ.* *Adr. Juss.*

DICTA'MNUS DC. FRAXINE'LLA. Decandria Monogynia.

1	Fraxinélla L.en.	(*re*) red-flowered	S. Europe	1596. 5. 7.	H	♃	
2	álbus L.en.	(*wh*) white-flowered	———	—— ——	H	♃	Jacq. aust. 5. t. 428.
3	angustifòlius S.F.G.	(*pu*) narrow-leaved	Siberia	1829. 5. 7.	H	♃	Swt. br. fl. gar. s. 2. t. 93.

Tribe III. *DIO'SMEÆ CAPE'NSES.* *Adr. Juss.*

CALODE'NDRON DC. CALODE'NDRON. (*καλος*, beautiful, and *δενδρον*, a tree.) Pent. Monogyn.

	capénse DC.	(*bh*) Cape	C. B. S.	1789.	G	♄	Lam. j. h. nat. 56. t. 3.

ADENA'NDRA W.en. ADENA'NDRA. (αδην, a gland, and ανηρ, a male.) Pentandria Monogynia.
1 unifòra W.en. (wh) one-flowered C. B. S. 1775. 4. 7. G ♄ Bot. mag. 273.
2 acuminàta (wh) acute-leaved ——— 1812. —— G ♄ Lodd. bot. cab. 493.
Diósma acuminàta B.C. *non* DC.
3 amœ'na (bh) charming ——— 1798. —— G ♄ Bot. reg. 553.
Diósma amœ'na B.C. 161.
4 speciòsa Link. (wh) umbel-flowered ——— 1790. —— G ♄ Bot. mag. 1271.
umbellàta W. en. *Diósma speciòsa* B.M.
5 frágrans R.S. (re) red-flowered ——— 1812. 5. 7. G ♄ Bot. mag. 1519.
6 villòsa R.S. (bh) villous ——— —— —— G ♄
Diósma villòsa DC. *non* Hort. *tomentòsa* Hort.
7 marginàta R.S. (bh) marginate ——— 1806. 4. 6. G ♄
8 linèaris B.D. (wh) linear-leaved ——— 1800. 3. 7. G ♄
BARO'SMA W. en. BARO'SMA. (βαρυς, heavy, and οσμη, a smell.) Pentandria Monogynia.
§ 1. *Leaves glandularly serrulated.*
1 serratifòlia W.en. (wh) saw-leaved C. B. S. 1789. 3. 6. G ♄ Bot. mag. 456.
2 odoràta R.S. (wh) odoriferous ——— 1790. 3. 5. G ♄ Wend. coll. 1. t. 15.
Diósma latifòlia B.C. 290.
3 latifòlia R.S. (wh) broad-leaved ——— —— —— G ♄ Andr. rep. t. 33 ?
4 crenulàta W.R.S. (pu) crenulated ——— .... —— G ♄ Bot. mag. t. 3413.
Diósma latifòlia. Lodd. bot. cab. t. 298.
5 crenàta B.D. (wh) crenated ——— 1774. 1. 5. G ♄ Lodd. bot. cab. t. 404.
6 betùlina B.D. (wh) wedge-leaved ——— 1790. 5. 7. G ♄
orbiculàris Hort. *Diósma betulìna* DC.
7 pulchélla B.D. (pu) blunt-leaved ——— 1787. 2. 9. G ♄ Bot. mag. 1357.
Diósma pulchélla B.M. *Búcco pulchélla* R.S.
§ 2. *Leaves entire or revolute.*
8 ovàta B.D. (wh) oval-leaved ——— —— —— G ♄ Bot. mag. 1616.
Diósma ovàta B.M.
9 oblónga B.D. (wh) oblong-leaved ——— 1821. 4. 8. G ♄
10 dioíca B.D. (pi) dioecious ——— 1816. —— G ♄ Bot. reg. 502.
Diósma dioíca B.R. *linifòlia* B.C. 400.
11 angustifòlia B.D. (bh) narrow-leaved ——— 1820. —— G ♄
12 fœtidíssima B.D. (bh) strong-scented ——— 1818. —— G ♄
MACRO'STYLIS B.D. MACRO'STYLIS. (μακρος, long, and στυλος, a style.) Pentand. Monogyn.
1 lanceolàta B.D. (li) spear-leaved C. B. S. 1824. 4. 6. G ♄ Juss. rut. pl. 20. f. 20.
Diósma barbàta S.S.
2 barbígera B.D. (li) beard-bearing ——— 1826. —— G ♄
3 obtùsa B.D (li) blunt-leaved ——— 1824. —— G ♄
4 cordàta D.S. (li) cordate-leaved ——— 1823. —— G ♄
5 squarròsa B.D. (li) squarrose ——— 1821. —— G ♄
EUCHÆ'TIS B.D. EUCHÆ'TIS. (ευ, well, and χαιτη, a head of hair.) Pentandria Monogynia.
glomeràta B.D. (wh) close-flowered C. B. S. 1821. 4. 6. G ♄ B. et Wend. dios.t.A.f.1.
ACMADE'NIA B.D. ACMADE'NIA. (ακμη, a point, and αδην, a gland.) Pentandria Monogynia.
1 junipérina B.D. (wh) Juniper-leaved C. B. S. 1818. 4. 6. G ♄
2 obtusàta B.D. (re) blunt-leaved ——— —— —— G ♄
Diósma obtusàta R.S.
3 lævigàta B.D. (wh) smooth ——— .... —— G ♄ Thunb. voy. 4. t. 5.
Diósma tetràgona Th. non L.
4 púngens B.D. (wh) pungent ——— 1823. —— G ♄
5 tetragòna B.D. (bh) four-sided ——— 1720. 6. 8. G ♄
COLEONE'MA B.D. COLEONE'MA. (κολεος, a sheath, and νημα, a filament.) Pentand. Monog.
1 álbum B.D. (wh) white-flowered C. B. S. 1800. 3. 6. G ♄ Juss. rut. pl. 19. f. 17.
Diósma álba DC. *Adenándra álba* R.S.
2 púlchrum B.M. (re) beautiful ——— .... 4. 5. G ♄ Bot. mag. t. 3340.
DIO'SMA W. en. DIO'SMA. (διος, divine, and οσμη, a smell.) Pentandria Monogynia.
§ 1. *Flowers subcorymbose; leaves opposite.*
1 oppositifòlia DC. (wh) opposite-leaved C. B. S. 1752. 3. 7. G ♄
2 succulénta DC. (wh) succulent leav'd ——— .... 4. 6. G ♄ Wendl. coll. 1. t. 1.
§ 2. *Flowers sessile; leaves crowded or opposite.*
3 cuprèssina DC. (wh) Cypress-like C. B. S. 1790. 6. 7. G ♄ Lodd. bot. cab. t. 303.
4 ramosíssima B.D. (wh) branching ——— .... 4. 8. G ♄
cuprèssina Lam.
5 Meyeriàna D.S. (wh) Meyer's ——— 1826. —— G ♄
§ 3. *Flowers subcorymbose; leaves scattered.*
6 teretifòlia L.en. (wh) round-leaved C. B. S. 1818. —— G ♄
7 pectinàta DC. (wh) pectinated ——— 1812. 4. 6. G ♄
subulàta DC. (wh) awl-leaved ——— —— 3. 6. G ♄ Wendl. coll. 1. t. 8.
ríora DC. (bh) Heath-leaved ——— 1752. 2. 5. G ♄ Bot. reg. 563.
ericifòlia Andr. rep. t. 451.

10 hirsùta DC.	(*wh*) hairy-leaved	C. B. S.	1731.	2. 5.	G	♄		Wendl. coll. 1. t. 27.
11 ambígua B.D.	(*wh*) ambiguous	———	1824.	——	G	♄		
12 ericoìdes DC.	(*wh*) Heath-like	———	1756.	3. 7.	G	♄		Mill. ic. t. 124. f. 2.
13 longifòlia DC.	(*wh*) long-leaved	———	....	——	G	♄		Wendl. coll. 1. t. 19.

AGATHO'SMA W. en. AGATHO'SMA. (*ἀγαθος*, good, and *οσμη*, a smell.) Pentandria Monogynia.

§ 1. *Flowers terminal; subumbellate.*

1 híspida DS.	(*wh*) rough-leaved	C. B. S.	1786.	6. 8.	G	♄		
2 pátula D.S.	(*li*) spreading	———	1821.	——	G	♄		
3 brevifòlia D.S.	(*li*) short-leaved	———	1816.	——	G	♄		
4 tenuíssima D.S.	(*li*) slender-leaved	———	....	2. 5.	G	♄		Lod. bot. cab. t. 1624.
5 virgàta D.S.	(*wh*) twiggy	———	1816.	4. 6.	G	♄		
6 erécta B.D.	(*wh*) upright	———	——	——	G	♄		Wendl. coll. p. 17. t. 11
7 bruniàdes D.S.	(*li*) Brunia-like	———	——	6. 8.	G	♄		
8 Thunbergiàna DS.	(*li*) Thunberg's	———	....	4. 6.	G	♄		
Diósma ciliàta Th. *non* L.								
9 bífida D.S.	(*wh*) bifid-petalled	———	1823.	——	G	♄		
Diósma bífida Jacq. coll. 3. t. 20. f. 1.								
10 linifòlia D.S.	(*li*) Flax-leaved	———	1821.	——	G	♄		
11 prolífera D.S.	(*wh*) proliferous	———	....	4. 8.	G	♄		Wendl. coll. 3. t. 77.
12 ciliàta D.S.	(*bh*) ciliated	———	1774.	——	G	♄		Bot. reg. 366.
13 Cerefòlium D.S.	(*wh*) Chervil-scented	———	1790.	——	G	♄		Vent. malm. t. 93.
14 refléxa L. en.	(*li*) reflexed	———	1816.	6. 8.	G	♄		
15 hírta B.R.	(*pu*) hairy	———	1794.	5. 7.	G	♄		Bot. reg. 369.
Diósma Ventenatiàna S.S. *Búcco Ventenatiàna* R.S.								
16 láxa D.S.	(*li*) loose-branched	———	1816.	——	G	♄		
17 villòsa W. en.	(*li*) villous	———	1786.	6. 8.	G	♄		Wendl. coll. 1. t. 2.
Búcco viliòsa R.S. *Diósma Wendlandiàna* DC. *A. lasiophy'lla* D.S.								
18 glabràta B.D.	(*li*) smooth	———	1821.	——	G	♄		
19 hy'brida D.S.	(*li*) hybrid	———	——	——	G	♄		
20 rugòsa L. en.	(*wh*) rugged-leaved	———	1790.	4. 8.	G	♄		
21 móllis B.D.	(*wh*) soft	———	1824.	——	G	♄		
22 obtùsa DC.	(*li*) blunt-leaved	———	1774.	——	G	♄		Lodd. bot. cab. 210.
Diósma ciliàta B.C. *non* L.								
α *ovàta*	(*li*) *oval-leaved*	———	——	——	G	♄		Wendl. coll. 1. t. 13.
β *oblónga*	(*li*) *oblong-leaved*	———	——	——	G	♄		——— 1. t. 14.
23 lanceolàta	(*li*) lance-leaved	———	——	——	G	♄		Bot. reg. 366.
24 orbiculàris DS.	(*wh*) round-leaved	———	1790.	——	G	♄		
25 ambígua DC.	(*wh*) doubtful	———	....	——	G	♄		Lodd. bot. cab. 461.

§ 2. *Flowers terminal, subcapitate.*

26 imbricàta W. en.	(*li*) imbricated	———	1774.	——	G	♄		Wendl. coll. 1. t. 9.
27 acuminàta W. en.	(*pa*) taper-pointed	———	1812.	——	G	♄		——— 1 t. 28.
Diósma cordàta Hort.								
28 squammòsa D.S.	(*wh*) scaly-leaved	———	1818.	——	G	♄		
29 obtusàta R.S.	(*li*) obtuse-leaved	———	1816.	——	G	♄		Wendl. coll. 3. p. 7. t. 75.

AITO'NIA W. AITO'NIA. (William Aiton, of Kew Gardens.) Monadelphia Octandria.

capénsis W.	(*pk*) cape	C. B. S.	1774.	5. 9.	G	♄		Bot. mag. 173.

EMPLEU'RUM DC. EMPLEU'RUM. (*εν*, in, *πλευρον*, a side; seeds attached to.) Monœ. Tetrand.

serrulàtum DC.	(*st*) saw-leaved	C. B. S.	1774.	6. 7.	G	♄		Sm. exot. bot. 2. t. 63.

Tribe IV. *DIO'SMEÆ-AUSTRALA'SICÆ.*

CORRE'A DC. CORRE'A. (Joseph Correa de Serra, Port. bot.) Octandria Monogynia.

§ 1. BREVIFLO'RÆ; *petals more or less distinct, short.*

1 álba DC.	(*wh*) white	N. S. W.	1793.	4. 7.	G	♄		Andr. bot. rep. 18.
2 rùfa DC.	(*wh*) rusty-leaved	———	1819.	——	G	♄		Labill. voy. 2 t. 17.

§ 2. LONGIFLO'RÆ; *petals cohering into a long cylindrical corolla.*

3 pulchélla DS.	(*pi*) pretty	N. Holland	1824.	11.5.	G	♄		Sweet fl. aust. t. 1.
4 speciòsa DC.	(*rc*) red-flowered	N. S. W.	1806.	——	G	♄		Bot. reg. 26.
5 vírens DC.	(*gr*) green-flowered	———	1800.	——	G	♄		Sm. exot. bot. 2. t. 72.

PHEBA'LIUM DC. PHEBA'LIUM. (*φιβαλη*, a myrtle; habit.) Decandria Monogynia.

1 squammulòsum DC.	(*wh*) scaly	N. S. W.	1820.	4. 6.	G	♄		Vent. malm. t. 102.
2 Billardièrii DS.	(*sc*) Billardier's	N. Holland	1822.	4. 8.	G	♄		Lab. nov. holl. 1. t. 141.
Eriostèmon squámmeum DC.								

elàtum F.T.	(wh)	tall	N. S. W.	1823.	4. 8.	G	♄	
áureum F.T.	(ye)	golden	———	——	——	G	♄	
lachnoìdes F.T.	(wh)	Lachnæa-like	———	——	——	G	♄	
linearè ♄	(wh)	linear-leaved	N. Holland	1825.	....	G	♄	
salicifòlium DS.	(wh)	Willow-leaved	———	——	....	G	♄	
O'WEA DC.		CRO'WEA. (James Crow, British bot.) Decandria Monogynia.						
aulígna DC.	(pi)	Willow-leaved	N. S. W.	1790.	7.12.	G	♄	Bot mag. 989.
IOSTE'MON DC.		ERIOSTE'MON. (εριον, woolly, and στημων, a stamen.) Decand. Monog.						
buxifòlium DC.	(li)	Box-leaved	N. S. W.	1822.	4. 6.	G	♄	
salicifòlium DC.	(re)	Willow-leaved	———	——	——	G	♄	Bot. mag. 2354.
myoporoìdes DC.	(wh)	Myoporum-like	N. Holland	1823.	3. 4.	G	♄	Bot. mag. t. 3180.
mucronàtum DS.	(wh)	sharp-pointed	N. S. W.	——	4. 8.	G	♄	Lodd. bot. cab. 1247.
obovàle DS.	(li)	oboval-leaved	———	——	——	G	♄	
lanceolàtum DS.	(li)	spear-leaved	———	——	——	G	♄	
linearifòlium DC.	(wh)	linear-leaved	———	——	——	G	♄	
oblongifòlium B.M.	(wh)	oblong-leaved	———	1824.	....	G	♄	Bot. mag. t. 3322.
ericæfòlium M.C.	(li)	Heath-leaved	N. Holland	1825.	——	G	♄	
ILOTHE'CA L.T.		PHILOTHE'CA. (ψιλος, smooth, and θηκη, a sheath.) Monad. Decand.						
austràlis L.T	(bh)	Salsola-leaved	N. S. W.	1822.	——	G	♄	Linn. trans. 11. t. 21.
RO'NIA DC.		BORO'NIA. (Francis Borone, serv. to Dr. Sibthorp.) Octand. Monogyn.						
§ 1. *Leaves pinnate.*								
pinnàta DC.	(re)	Hawthorn-scentd.	N. S. W.	1794.	2. 5.	G	♄	Bot. mag. 1763.
tetrándra DC.	(re)	tetrandrous	N. Holland	1824.	....	G	♄	Lab. nov. hol. 1. t. 125.
alàta DC.	(re)	winged-leaved	———	——	4. 8.	G	♄	Sweet fl. aust. t. 48.
§ 2. *Leaves trifid.*								
anemonæfòlia F.T.	(re)	Anemone-leaved	N. S. W.	——	5. 8.	G	♄	
§ 3. *Leaves simple.*								
serrulàta DC.	(ro)	Rose-scented	———	1816.	2. 5.	G	♄	Bot. reg. 842.
crenulàta DC.	(re)	crenulated	———	....	....	G	♄	——— n. s. t. 12.
denticulàta DC.	(re)	tooth-leaved	N. Holland	1823.	4. 8.	G	♄	——— 1000.
parviflòra DC.	(re)	small-flowered	N. S. W.	1826.	——	G	♄	Smith's tracts t. 6.
polygalæfòlia DC.	(re)	Polygala-ld.	———	1824.	....	G	♄	——— t. 7.
ledifòlia DC.	(re)	Ledum-leaved	———	——	....	G	♄	
MINO'SMA DC		CYMINO'SMA. (κυμιν, seed, and, οσμη, smell.) Octandria Monogynia.						
pedunculàta DC.	(wh)	peduncled	E. Indies	1800.	....	G	♄	Vahl. symb. 3. t. 61.
Jambolifera pedunculàta W.								
odoràta DC.	(wh)	sweet-scented	China	1818.	....	G	♄	
IER'IA DC.		ZIE'RIA. (John Zier, Polish botanist.) Tetrandria Monogynia.						
lanceolàta DC.	(wh)	spear-leaved	N. S. W.	1808.	4. 7.	G	♄	Bot. mag. 1395.
Smithii Bot rep. 606.								
macrophy'lla DC.	(wh)	large-leaved	———	1820.	——	G	♄	
lævigàta DC.	(wh)	smooth-leaved	———	1822.	——	G	♄	
arborèscens B.M.	(wh)	arborescent	———	——	....	G	♄	Bot. mag. 1398.
pauciflòra DC.	(wh)	few-flowered	———	——	4. 6.	G	♄	
octándra D.S.	(gr)	octandrous	———	1825.	——	G	♄	
obcordàta DS.	(wh)	obcordate	———	1824.	——	G	♄	
revolùta DS.	(wh)	revolute	———	——	3. 5.	G	♄	
microphy'lla DC.	(wh)	small-leaved	———	——	——	G	♄	
pilòsa DC.	(wh)	hairy	———	——	——	G	♄	Linn. trans. 10. t. 17. f. 2
hirsùta DC.	(wh)	hirsute	———	——	——	G	♄	
MELI'COPE DC.		MELI'COPE. (μελι, honey, and κοπη, a division.) Octandria Monogynia.						
ternàta DC.		ternate-leaved	N. Zealand	1822.	....	G	♄	Lam. ill. t. 294.

Tribe V. *DIOS'MEÆ-AMERICA'NÆ.*

CHOI'SYA DS.		CHOI'SYA. (M. Choisy, a Genevese bot.) Decandria Monogynia.						
ternàta DC.	(wh)	ternate-leeved	Mexico	1825.	....	S	♄	H. B. et. Kth. n. g. 6. t. 513.

Tribe VI. *ZANTHOXY'LEÆ.* DS. 1. p. 800.

ZANTHO'XYLUM DC. ZANTHO'XYLUM. (ξανθος, yellow, and ξυλον, wood,) Diœcia Pentandria.

Sect. 1. FAGA'RA; *calyx* 4-*parted; petals and stamens* 4; *ovarium* 2-*parted, or of* 2 *ovaria; stigmas* 2-*lobed.*

1 affìne K.S.	(*wh*) related	Mexico	1826.	G	♄		
2 Pteròta DC.	(*wh*) Lentiscus-ld.	W. Indies	1768. ——	S	♄	Br. jam. 146. t. 5. f.	
Fagàra lentiscifòlia W. en.							
3 piperìtum DC.	(*wh*) Ash-leaved	Japan	1773. 9.	G	♄	Kæmpf. am. t. 893.	
4 Avicénnæ DC.	(*wh*) short-panicled	China	1823.	G	♄	Lob. ic. 2. t. 133. f.	
5 Budrúnga DS.	(*wh*) Bud-rung	E. Indies	1825. 4.	S	♄		
6 nìtidum DS.	(*wh*) shining	China	1823. 2. 3.	G	♄	Bot. mag. 2558.	

Sect. 2. LANGSDO'RFIA; *calyx* 5-*parted; petals* 5; *stamens* 5; *ovarium solitary; style* 1.

7 heterophy'llum DC.	(*wh*) various-leaved	Bourbon	1823.	S	♄	

Sect. 3. FAGARA'STRUM; *petals* 3; *stamens* 3; *ovaria* 3; *styles* 3.

8 emarginàtum DC.	(*wh*) notch-leaved	Jamaica	1739.	S	♄	Sloan. j. 2. t. 168. f. 4
9 acuminàtum DC.	(*wh*) taper-pointed	———	1818.	S	♄	
10 sapindoìdes DC.	(*wh*) Licca-tree	Jamaica	....	S	♄	Br. jam. 207. t. 20. f. 1
Sapíndus spinòsus L.						
11 spinòsum DC.	(*wh*) spiny	———	1824.	S	♄	

Sect. 4. OCHRO'XYLUM; *calyx* 5-*parted; petals* 5; *stamens* 5; *ovaria* 3 *or* 1 *to* 5; *styles distinct.*

12 tragòdes DC.	(*wh*) goats	S.Domingo	1759. 8. 9.	S	♄	Jacq. amer. 21. t. 14.
Fagària tragòdes W.						
13 tricárpum DC.	(*gr*) Ash-leaved	N.America	1806.	H	♄	Cat. car. 1. t. 26.
14 hermaphrodìtum DC.	(*wh*) hermaphrodite	Guiana	1823.	S	♄	Aubl. gui. 1. t. 30.

Sect. 5. AMPA'CUS; *calyx* 4-5-*toothed; petals* 4-5, *glands* 4-5; *ovaria* 4-5, *connected.*

15 triphy'lla DC.	(*wh*) three-leaved	Penang	1820.	S	♄	
16 *Evòdia triphy'lla* L.						

Sect. 6. XANTHO'XYLUM; *calyx of* 5-*petal-like sepals, which are bearded at their apex; petals wanting; stamens* 5; *ovaria* 5.

17 fraxíneum DC.	(*gr*) common	N.America	1759. 3. 4.	H	♄	Duham. arb. 1. t. 97.
18 mìte DC.	(*gr*) soft-leaved	———	1712. ——	H	♄	
§ 1, *Flowers unknown.*						
19 juglandifòlium DC.	(*wh*) Walnut-leaved	W. Indies	1822.	S	♄	Pluk. t. 239. f. 6.
20 Clàva Hérculis DC.	(*wh*) clubbed	———	1739. 4. 5.	S	♄	—— t. 239. f. 4.
21 aromáticum DC.	(*wh*) aromatic	S. Domingo	1823.	S	♄	Jacq. f. ecl. 1. t. 70.
22 armatum DC.	(*wh*) armed	E. Indies	1816.	S	♄	

TODDA'LIA J.R. TODDA'LIA. (*Koda-Toddali*, Malabar name.) Monœcia Pentandria.

1 aculeàta DC.	(*wh*) prickly	E. Indies	1790. 6. 8.	S	♄	Rheed. mal. 5. t. 41.
asiática R.S. *Scopòlia aculeàta* Smith ic. ined. 2. p. 34.						
2 angustifòlia DS.	(*wh*) narrow-leaved	Mauritius	1824.	S	♄	
Rubéntia angustifòlia Bojer.						

VE'PRIS J.R. VE'PRIS. (*vepres*, a bramble; prickly.) Monœcia Octandria.

1 obovàta DC.	(*wh*) obovate leaved	Mauritius	1830.	S	♄	Lam. ill. t. 139. f. 2.
2 lanceolàta DS.	(*wh*) lance-leaved	———	1824.	S	♄	Juss. rut. pl. 26. n. 4

PTE'LEA J.R. SHRUBBY-TREFOIL. (πτελεα, a Greek name for elm.) Mon. Tetra-Pent.

trifolìàta DC.	(*wh*) three-leaved	N. America	1704. 6. 7.	H	♄	Schmidt. arb. 2. t. 76.

BLACKBU'RNIA DC. BLACKBU'RNIA. (John Blackburn, English naturalist.) Tetrand. Monogyn.

pinnàta DC.	(*wh*) pinnate	I. of Norfolk	1829.	G	♄	Forst. gen. t. 6.
Ptèlea pinnàta. L.						

AILA'NTUS DS. AILA'NTUS. (*Ailanto*, Molucca name.) Polygamia Monœcia.

1 glandulòsa DS.	(*wh*) glandular	China	1751. 8.	H	♄	Lher. stirp. t. 84.
2 excélsa DS.	(*wh*) tall	E. Indies	1800.	S	♄	Roxb. cor. 1. t. 23.

BRU'CEA DS. BRU'CEA. (James Bruce, celebr. traveller.) Diœcia Tetrandria.

1 antidysentérica DS.	(*pu*) antidysenteric	Abyssinia	1775. 5. 6.	S	♄	Lher. stirp. t. 10.
ferrugínea DC.						
2 sumatràna DS.	(*pu*) Sumatra	Sumatra	1822.	S	♄	Rumph. amb. 7. t. 15.

TETRA'DIUM DS. TETRA'DIUM. (τετραδιον, quatenary; parts of fl. and fr.) Tetr. Tetrag.

trichótomum DS.	(*wh*) trichotomous	China	1822. 4. 5.	S	♄	

Tribe VII. *CUSPARIEÆ*. DC.

IRANTHE'RA DC.	Spiranthe'ra. (σπειρα, a spire, and ανθηρα, an anther.) Pent. Monog.						
odoratissima DC.	(*bh*) Jasmine-scent'd	Brazil	1823.	....	S	♄	N.et.Mart.ac.b.xi.t.31.
Serpanthus jasminiodorus Nees.							
NNIE'RA DC.	Monnie'ra. (W. Le Monnier, prof. bot. Paris.) Monadelphia Diandria.						
trifolia DC.	(*wh*) three-leaved	Guiana	1792.	7. 8.	S	⊙	Aub. gui. 2. t. 293.
CO'REA DC.	Tico'rea. (meaning unknown.) Pentandria Monogynia.						
fœ'tida DC.	(*wh*) strong-scented	Guiana	1825.	....	S	♄	Aubl. gui. 2. t. 277.
jasminifòra DC.	(*wh*) Jasmine-flowd.	Brazil	1827.	....	S	♄	N.etMa.n.ac.b.11.t.18.
LIPE'A DC.	Galipe'a. (name of one species in Guiana.) Diandria Monogynia.						
trifoliàta DC.	(*gr*) three-leaved	Guiana	1803.	....	S	♄	Aub. gui. 2. t. 269.
odoratissima B.R.	(*wh*) most-fragrant	Rio Janeiro	....	5.	S	♄	Bot. reg. t. 1420.

ORDER LXIII.

SIMARU'BEÆ. *DC. prodr.* 1. *p.* 733.

UA'SSIA DC.	Qua'ssia. (properties first disc. by Quassi, a Negro slave.) Decand. Mon.						
amàra DC.	(*re*) bitter	Guiana	1790.	6. 7.	S	♄	Bot. mag. 497.
MARU'BA DC.	Simaru'ba. (Carribbean name of S. *officinalis*.) Monœcia Decandria.						
officinàlis DC.	(*wh*) officinal	Guiana	1787.	....	S	♄	Aubl. guian. 2. t. 331. f. 2.
Quassia Simarùba L. *Simarùba amàra* Aub.							
glaùca DC.	(*wh*) glaucous-leaved	Cuba	1824.	....	S	♄	
excélsa DC.	(*wh*) tall	Jamaica	1822.	....	S	♄	Sw. act. holm. 1788. t. 8.
Quassia excélsa Sw.							
IMA'BA DC.	Sima'ba. (name in Guiana.) Decandria Monogynia.						
guianénsis DC.	(*wh*) Guiana	Guiana	1822.	....	S	♄	Aub. gui. 1. t. 153. [f.a.&b.
Zwingèra amàra W.							
orinocénsis DC.	(*wh*) Orinoco	S. America	1818.	....	S	♄	H.B.et.Kth.n.g.6.t.114.

ORDER LXIV.

OCHNA'CEÆ. *DC. prodr.* 1. *p.* 735.

O'CHNA DC.	O'chna. (οχνη, Greek name of the wild pear.) Polyandria Monogynia.						
1 squarròsa RC.	(*ye*) blunt-leaved	E. Indies	1790.	7. 8.	S	♄	Roxb. cor. 1. t. 89.
obtusàta DC.							
2 lùcida DC.	(*pu*) acute-leaved	———	1818.	——	S	♄	Lam. ill. t. 472. f. 1.
3 nítida DC.	(*wh*) shining	C. B. S.	1816.	....	S	♄	DC. ann. m. 17. n. 3. t. 2.
4 multiflòra DC.	(*ye*) many-flowered	Sierra Leon	1822.	....	S	♄	——— n. 4. t. 3.
5 mauritiàna DC.	(*ye*) Mauritius	Mauritius	——	....	S	♄	——— n. 8. t. 5.
6 atropurpùrea DC.	(*ye*) purple-calyxed	C. B. S.	1816.	....	S	♄	Pluk. alm. t. 263. f. 1. 2
GO'MPHIA DC.	Go'mphia. (γομφος, a club; fruit). Decandria Monogynia.						
1 obtusifòlia DC.	(*ye*) blunt-leaved	Madagascar	1803.	....	S	♄	DC. ann. mus. n. 4. t. 8.
Ochna levigàta Vahl.							
2 guianénsis DC.	(*ye*) Guiana	Guiana	1825.	....	S	♄	DC. ann. mus. n. 7. t. 9.
3 Jabotápita DC.	(*ye*) spear-leaved	W. Indies	1818.	....	S	♄	Lam. ill. 472. f. 2.
4 nítida DC.	(*ye*) glossy-leaved	———	1803.	....	S	♄	DC. an. mus. n. 13. t. 13.
5 laurifòlia DC.	(*ye*) laurel-leaved	———	1822.	....	S	♄	——— n. 15. t. 15.
6 mexicàna DC.	(*ye*) Mexican	Mexico	1825.	....	G	♄	H. et B. pl. æq. 2. t. 74.

WALKE'RA DC. WALKE'RA. (Richard Walker, DD., founder bot. gard. Cambridge.) Pent. Mon.
serràta DC. (*ye*) saw-leaved E. Indies 1824. .... S ♄ Rheed. mal. 5. t. 48.
CASTE'LA DS. CASTE'LA. (M. Castel, author of a poem on plants.) Diœcia Octandria.
Nicholsònii DS. (*cop*) Nicholson's Antigua 1830. .... S ♄ Hook. bot. misc. 1. t. 8.

ORDER LXV.

CORIARIE'Æ. *DC. prodr.* 1. *p.* 739.

CORIA'RIA DC. CORIA'RIA. (*corium*, a hide, used in tanning.) Mono-Diœcia Decandria.
1 myrtifòlia DC. (*gr*) Myrtle-leaved S. Europe 1629. 5. 8. H ♄ Duham. arb. 1. t. 73.
2 sarmentòsa DC. (*gr*) sarmentose N. Zealand 1820. 7. 9. G ♃ Bot. mag. 2470.
3 nepalénsis Hort. (*gr*) Nepaul Nepaul 1837. .... G ♄

**SUBCLASS II. *CALYCIFLO'RÆ.*

ORDER LXVI.

CELASTRI'NEÆ. *Brown gen. rem. p.* 22.

Tribe I. *STAPHYLEA'CEÆ.* DC. *prodr.* 2. *p.* 2.

STAPHYLE'A DC. BLADDER-NUT. (σταφυλη, a bunch; flowers.) Pentandria Trigynia.
1 trifòlia DC. (*wh*) three-leaved N. America 1640. 5. 6. H ♄ Schmidt. arb. t. 80.
2 Bumálda DC. (*wh*) Japan Japan 1804. 6. 9. G ♄
Bumálda trifòlia
3 pinnàta DC. (*wh*) five-leaved England .... 4. 6. H ♄ Eng. bot. 1560.
TURPI'NIA DC. TURPI'NIA. (M. Turpin, a French bot. artist.) Polygamia Diœcia.
1 paniculàta DC. (*wh*) panicled W. Indies 1826. .... S ♄ Vent. choix. t. 31.
Dalry'mplea domingénsis S.S.
2 occidentàlis DC. (*wh*) Western Jamaica 1824. .... S ♄
Staphylèa occidentàlis Swartz.
DALRY'MPLEA. R.C. DALRY'MPLEA. (Col. Dalrymple, promoter of bot.) Pent. Mon.
pomífera R.C. (*wh*) Apple-bearing E. Indies 1823. .... S ♄ Roxb. corom. 3. t. 279.
Turpínia pomífera DC.

Tribe II. *EUONY'MEÆ.* DC.

EUO'NYMUS DC. SPINDLE-TREE. (*eus*, good, and *ονομα*, a name.) Pentandria Monogynia.
1 japónicus DC. (*wh*) Japan Japan 1804. 6. 8. G ♄ Kæmpf. ic. t. 8.
2 europæ'us DC. (*wh*) common Britain .... 5. 7. H ♄ Eng. bot. 362.
3 verrucòsus DC. (*pu*) warted Austria 1763. 5. 6. H ♄ Schmidt arb. t. 72.
4 velutinus F.M. (*wh*) velvetty Caucasus 1838. —— H ♄
europæ'us β *velutinus* Meyer.
5 latifòlius DC. (*gr*) broad-leaved S. Europe 1730. 5. 7. H ♄ Schmidt. arb. t. 74.
6 atropurpùreus DC. (*d.pu*) dark-purple N. America 1756. —— H ♄ Jacq. vind. 2. t. 120.
7 americànus DC. (*st*) evergreen ——— 1683. 6. 7. H ♄ Schmidt. arb. t. 75.
8 sarmentòsus N. (*st*) sarmentose ——— 1823. —— H ♄
9 obovàtus N. (*gr*) obovate-leaved ——— —— —— H ♄
10 angustifòlius DC. (*st*) narrow-leaved Georgia 1806. —— H ♄

11 nànus DC.	(st) dwarf	Caucasus	1829.	5.	7.	H	♄		
12 lùcidus D.P.	(wh) shining-leaved	Nepaul	1820.	6.	7.	H	♄		
13 grèsus F.I.	(wh) large	———	1828.	6.	8.	F	♄		
14 micránthus D.P.	(wh) small-flowered	———	1820.	....		H	♄		
15 bullàtus B.C.	(pi) bullate	———	1828.	5.	6.	F	♄		
16 chinénsis DC.	(wh) Chinese	China	1822.	——		H	♄	◡	
17 grandifiòrus F.I.	(wh) large-flowered	———	1823.	6.	7.	H	♄		
18 Hamiltoniànus DS.	(wh) Hamilton's	———	1825.	5.	7.	H	♄		
19 echinàtus F.I.	(st) spinous-fruited	———	1823.	4.	5.	H	♄	◡	Bot. mag. 2767.
20 garcinifòlius DS.	(ye) Garcinia-leaved	———	1820.	6.	7.	H	♄		

làcerus Hamilt.

CELA'STRUS DC. Staff-tree. (κελας, the latter season; fruit remaining.) Pentand. Mono.

§ 1. *Leaves quite entire.*

1 oleòides DC.	(wh) Olive-leaved	C. B. S.	1823.	5.	6.	G	♄		
2 pterocárpus DC.	(wh) wing-capsuled	———	1816.	5.	8.	G	♄		Burm. afr. t. 97. f. 1.
3 rostràtus DC.	(wh) beaked	———	1821.	——		G	♄		
4 tricuspidàtus DC.	(wh) three-pointed	———	1816.	5.	6.	G	♄		Buchoz. dec. 6. t. 3.

Cassine lævigàta Lam. *Olea capénsis* Buchoz.

5 lùcidus DC.	(wh) shining	C. B. S.	1722.	4.	9.	G	♄		L'Her. stirp. 1. t. 25.
6 macrocárpus DC.	(wh) large-capsuled	Peru	1826.	....		G	♄		Flor. per. 3. t. 230. f. 16.
7 bullàtus DC.	(wh) scarlet-fruited	Virginia	1759.	7.		H	♄	◡	Fluk. alm. t. 28. f. 5.

§ 2. *Leaves toothed, serrated or crenated.*

8 scándens DC.	(wh) climbing	N. America	1736.	5.	6.	H	♄	◡	Duham. arb. 1. t. 95.
9 punctàtus DC.	(wh) spotted-stalked	Japan	1816.	....		G	♄	◡	
10 nùtans F.I.	(wh) drooping-fld.	E. Indies	1824.	....		S	♄	◡	
11 obtusifòlius DS.	(wh) blunt-leaved	Mauritius	——	5.	6.	S	♄	◡	

trigynus Lam.

12 cassinoìdes DC.	(wh) crenated	Canaries	1779.	8.	9.	G	♄		L'Her. sert. ang. t. 10.
13 lycioìdes DC.	(wh) Box-thorn-like	———	1821.	——		G	♄		
14 cérnuus DC.	(wh) drooping	C. B. S.	1815.	5.	6.	G	♄		
15 myrtifòlius DC.	(wh) Myrtle-leaved	Jamaica	....	6.	8.	S	♄		Sloan. jam. 2. t. 193. f. 1.
16 tetragònus DC.	(wh) four-sided	C. B. S.	1816.	——		G	♄		
17 ilicifòlius DC.	(wh) Holly-leaved	Brazil	1824.	....		S	♄		
18 ilícinus DC.	(wh) Ilex-like	C. B. S.	1816.	5.	8.	G	♄		
19 retùsus DC.	(wh) notched	Peru	1823.	——		G	♄		Flor. per. 3. t. 229. f. a.

emarginàtus F.P. *non* W.

20 linearis DC.	(wh) linear-leaved	C. B. S.	1823.	5.	8.	G	♄		
21 emarginàtus DC.	(st) emarginate	E. Indies	1820.	....		S	♄		
22 buxifòlius DC.	(wh) Box-leaved	C. B. S.	1752.	5.	8.	G	♄		Bot. mag. 2114.
23 cymòsus B.M.	(wh) cyme-flowered	———	1815.	6.	8.	G	♄		——— t. 2070.
24 multiflòrus DC.	(wh) many-flowered	———	1816.	5.	8.	G	♄		
25 pyracánthus DC.	(wh) red-fruited	———	1752.	——		G	♄		Bot. mag. 1167.
26 flexuòsus DC.	(wh) flexuose	———	1816.	——		G	♄		
27 montànus. DC.	(wh) mountain	E. Indies	1824.	....		S	♄		

GEBLE'RIA. F.M. Geble'ria. (Gebler, a Russian bot.) Pentandria Monogynia.

suffruticòsa. F.M.	suffruticose	Altaia	1837.	....		H	♄		

MAYTE'NUS. Mayte'nus. (*Maiten*, name of one species in Chili.) Pentandria Monogynia.

1 octogònus DC.	(gr) angular-leaved	Peru	1786.	10.	11.	G	♄		

Celástrus octogònus W. *Senàcia octogòna* Lam.

2 chilénsis DC.	(gr) Chili	Chili	1824.	5.	6.	F	♄		Bot. reg. 1702.
3 verticillàtus DC.	(gr) whorled	Peru	1823.	9.	11.	G	♄		Flor. per. 3. t. 229. B.
4 Boària DC.	(gr) Boaria	Chili	1822.	....		G	♄		

ELÆODE'NDRON. DC. Olive-wood. (ελαια, an olive, and δενδρον, a tree; fruit like.) Pent. Mon.

1 orientàle DC.	(wh) taper-leaved	Madagascar	1771.	....		S	♄		Jacq. ic. 1. t. 48.

indicum Gært. fruct. 1. t. 57. *Rubéntia olivìna* J.

2 glaúcum DC.	(st) glaucous	Ceylon	1823.	....		S	♄		Rottb. n.a.hav.2.t.4.f.1.
3 xylocárpum DC.	(wh) leathery-leaved	Antilles	1816.	7.	8.	S	♄		Vent. choix. 23.

Cassine xylocárpa Vent.

4 austràle DC.	(wh) thick-leaved	N. S. W.	1796.	6.	8.	G	♄		Vent. malm. t. 117.

Portenschlágia austràlis Tratt. arch. t. 260. *Lamárckia dentàta* Hort.

5 integrifòlium.	(wh) entire-leaved	N. S. W.	——	——		G	♄		Tratt. arch. t. 284.

Portenschlágia integrifòlia Tratt.

6? cróceum DC.	(wh) Cape Holly	C. B. S.	1794.	5.	6.	G	♄		

Ilex crócea W.

PTELI'DIUM DC. Pteli'dium. (from its similarity to *Ptèlea*) Tetrandria Monogynia.

ovàtum DC.	(gr) oval-leaved	Madagascar	1825.	....		S	♄		Pet. Th. veg. afr. 1. t. 2.

Tribe III. *CASSINIE'Æ.* DC. *prod.* 2. *p.* 11.

CASSI'NE. DC. CASSI'NE. (A name of American origin.) Pentandria Trigynia.

1	Maurocènia DC.	(*wh*) Hottentot-cherry	C. B. S.	1690.	7. 8.	G	♄	Dill. elt. t. 121. f. 1[illegible]
2	capénsis DC.	(*wh*) Cape Phillyrea	———	1629.	——	G	♄	——— t. 236. f. [illegible]
3	Colpoòn W.	(*wh*) Colpoon-tree	———	1791.	——	G	♄	Burm. afr. t. 86.
4	bárbara R.S.	(*wh*) quadrangular	———	1816.	——	G	♄	
5	æthiópica R.S.	(*wh*) Ethiopian	———	....	——	G	♄	
6	oppositifòlia DC.	(*wh*) opposite-leaved	.....	....	....	S	♄	
7	excélsa F.I.	(*wh*) tall	Nepaul	1823.	....	G	♄	

HARTO'GIA DC. HARTO'GIA. (J. Hartog, a Dutch naturalist.) Tetrandria Monogynia.

	capénsis DC.	(*wh*) Cape	C. B. S.	1816.	....	G	♄	Thunb. n. gen. 5. p. 53.

Schrèbera schinoìdes. Th. prodr. t. 2. *Elæodéndron schinoìdes* S.S.

CURTI'SIA DC. CURTI'SIA. (Wm. Curtis, English bot.) Tetrandria Monogynia.

	fagínea DC.	(*wh*) Hassagay-tree	C. B. S.	1775.	....	G	♄	Burm. afr. 235. t. [illegible]

NEMOPA'NTHES DC. NEMOPA'NTHES. (*νεμος*, a grove, and *ανθος*, a flower.) Polygamia Dio[illegible]

	canadénsis DC.	(*wh*) Canadian	N. America	1812.	6. 7.	H	♄	DC. pl. rar. gen. t. 3.

Ilex canadénsis Mich. fl. amer. 2. t. 49.

ORDER LXVII.

ILICI'NEÆ. *Brogn. mem. rhamn. p.* 16.

MYGI'NDA DC. MYGI'NDA. (Fr. Von Mygind, German bot.) Tetrandria Tetragynia.

1	Uragòga DC.	(*pu*) saw-leaved	S. America	1790.	8. 9.	S	♄	Jacq. amer. 24. t. 16.
2	myrtifòlia DC.	(*wh*) Myrtle-leaved	N. America	1818.	5. 8.	H	♄	

Ilex myrsinìtes Ph.

3	Rhacòma DC.	(*re*) blunt-leaved	Jamaica	1798.	....	S	♄	Jacq. ic. 2. t. 311.
4	latifòlia DC.	(*wh*) broad-leaved	W. Indies	1795.	4. 5.	S	♄	

ILEX DC. HOLLY. (*ac*, a point in Celtic.) Tetrandria Tetragynia.

§ 1. *Leaves spiny-toothed.*

1	Aquifòlium DC.	(*wh*) common	Britain	....	4. 6.	H	♄	Eng. bot. 496.
	β *heterophy'lla*	(*wh*) *various-leaved*	———	....	——	H	♄	
	γ *crassifòlia*	(*wh*) *thick-leaved*	———	....	——	H	♄	
	δ *fèrox*	(*wh*) *hedgehog*	———	....	——	H	♄	
	ε *echinàta*	(*wh*) *striped-hedgehog*	———	....	——	H	♄	
	ζ *flàva*	(*wh*) *yellow-berried*	———	....	——	H	♄	
	η *senéscens*	(*wh*) *spineless*	———	....	——	H	♄	
	θ *álbo-marginàta*	(*w*) *white-edged*	———	....	——	H	♄	
	ι *aúreo-marginàta*	(*w*) *gold-edged*	———	....	——	H	♄	
	κ *picta*	(*wh*) *painted*	———	....	——	H	♄	
2	recúrva L. em. *ciliàta* Booth.	(*wh*) recurved-spined	.....	....	——	H	♄	
3	baleárica DC.	(*wh*) Minorca	Minorca	1815.	5. 6.	H	♄	
4	laxiflòra DC.	(*wh*) loose-flowered	Carolina	1811.	——	F	♄	

§ 2. *Leaves toothed or serrated, but not spiny.*

5	Peràdo DC.	(*bh*) thick-leaved	Madeira	1760.	4. 5.	F	♄	Lodd. bot. cab. 549.
	β *obtùsa* DC.	(*bh*) *blunt-leaved*	———	....	——	F	♄	Duham. ed. nov. 1. t. 2.
6	opàca DC.	(*wh*) Carolina	Carolina	1744.	——	F	♄	Wats. dend. brit. t. 3.
7	chinénsis DC.	(*wh*) Chinese	China	1810.	4. 5.	F	♄	Bot. mag. 2043.
8	Cassìne DC.	(*wh*) Cassine-like	Carolina	1726.	8.	F	♄	Catesb. car. 1. t. 31.
9	angustifòlia DC.	(*wh*) narrow-leaved	N. America	1806.	5. 6.	F	♄	Wats. dend. brit. t. 4.
10	vomitòria DC.	(*wh*) South-sea Tea	Florida	1700.	6. 7.	F	♄	Jacq. ic. 2. t. 310.
11	latifòlia DC.	(*wh*) broad-leaved	Japan	1824.	....	F	♄	
12	canariénsis DC.	(*wh*) Canary	Canaries	1818.	5. 6.	F	♄	
13	myrtifòlia DC.	(*wh*) Myrtle-leaved	W. Indies	1806.	7. 8.	S	♄	
14	serràta DC.	(*wh*) saw-leaved	Japan	1824.	....	F	♄	

§ 3. *Leaves quite entire, or nearly so.*

15	salicifòlia DC.	(*wh*) Willow-leaved	Mauritius	1818.	4. 5.	S	♄	Jacq. col. 5. t. 2. f. 2

Burglària lùcida. Wendl.

Macoucoùa DC.	(wh)	acuminate	Trinidad	1826.	....	S	♄	Aubl. gui. 1. t. 34.
paraguaénsis DC.	(w)	Paraguay Tea	Brazil	1823.	....	S	♄	Lamb. pin. ic.
Dahoòn DC.	(wh)	Dahoon	Carolina	1726.	5. 6.	F	♄	Willd. hort. ber. 1. t. 31.
β laurifòlia DC.	(wh)	*large-leaved*	———	....	——	F	♄	Wats. dend. brit. t. 114.
NOS DC.		WINTER BERRY. (πρινος, Greek name for Holly.) Hexandria Monogynia.						
§ 1. PRINOI'DES ; *flowers 4-5 cleft ; leaves deciduous.*								
ciduus DC.	(wh)	deciduous	N.America	1760.	6. 7.	H	♄	Wats. dend. brit. 115.
Ilex prinoìdes R.S.								
ambiguus DC.	(wh)	Carolina	———	1812.	7. 8.	H	♄	Wats. dend. t. 29.
§ 2. AGE'RIA ; *flowers usually 6-cleft ; leaves deciduous.*								
verticillàtus DC.	(wh)	whorled	N. America	1736.	7. 8.	H	♄	Wats. dend. t. 30.
padifòlius W. en.								
levigàtus DC.	(wh)	smooth	———	1812.	——	H	♄	Wats. dend. t. 28.
laceolàtus DC.	(wh)	scarlet-berried	———	1811.	6. 7.	H	♄	
prunifòlius DF.	(wh)	Plum-leaved	———	1820.	——	H	♄	
§ 3. WINTE'RLIA ; *flowers usually 6-cleft ; leaves persistent.*								
glàber DC.	(wh)	ever-green	N. America	1759.	7. 8.	H	♄	Wats. dend. brit. t. 27.
atomàrius DC	(wh)	atomiferous	Georgia	1820.	6. 7.	H	♄	
coriàceus DC.	(wh)	leathery-leaved	———	——	——	H	♄	
lucidus DC.	(wh)	shining-leaved	.....	1778.	——	F	♄	

ORDER LXVIII.

RHA'MNEÆ. *DC. prodr.* 2. *p.* 19.

ZYPHUS RS.		ZI'ZYPHUS. (*Zizouf* is the Arabic name of the *Lotos.*) Petand. Monogyn.						
1 Lòtus R.S.	(st)	Barbary	Africa	1731.	....	G	♄	Desf. act. ac. 1788. t. 21.
2 mucronàta W. en.	(st)	mucronate	C. B. S.	1820.	....	G	♄	
bubalìna R.S.								
3 sinénsis R.S.	(wh)	Chinese	China	1818.	5. 6.	H	♄	
4 Oenóplia R.S.	(st)	oblique-leaved	Ceylon	....	....	S	♄	Burm. zeyl. 131. t. 61.
5 Jújuba R.S.	(st)	blunt-leaved	E. Indies	1759.	4. 5.	S	♄	Rheed. mal. 4. t. 41.
6 soròria R.S.	(ye)	sister	———	1823.	....	S	♄	
Trinérvia Roxb.								
7 álbens F.I.	(wh)	white-fruited	China	1822.	....	G	♄	
8 Spina Christi R.S.	(st)	Christ's-thorn	Egypt	....	4. 5.	G	♄	Pluk. alm. t. 197. f. 3.
9 Napèca R.S.	(wh)	spotted-fruited	Ceylon	1816.	....	S	♄	——— t. 216. f. 6.
10 vulgàris R.S.	(ye)	common	S. Europe	1640.	8. 9.	H	♄	Pall. ross. 2. t. 59.
11 nítida F. I.	(ye)	shining	China	1822.	....	G	♄	
12 Xylópy'rus R.S.	(ye)	cork-barked	E. Indies	——	....	S	♄	
13 Caracútta F.I.	(ye)	villous-branch'd	———	1820.	....	S	♄	
14 microphy'lla F.I.	(ye)	small-leaved	———	1824.	....	S	♄	Pluk. alm. t. 197. f. 2.
15 incúrva F.I.	(gr)	incurved	Nepaul.	1820.	5. 7.	F	♄	
16 flexuòsa F.I.	(ye)	flexuose	———	——	....	F	♄	
PALIU'RUS DC.		CHRIST'S THORN. (name of a town in Africa.) Pentandria Trigynia.						
1 aculèatus DC.	(ye)	common	S. Europe	1596.	6. 7.	H	♄	Bot. mag. 1893.
australis R.S. *vulgàris* D.P. *Zizyphus Paliùrus* B.M.								
2 virgàtus DC.	(ye)	twiggy	Nepaul.	1819.	8. 9.	H	♄	Bot. mag. t. 2535.
CONDA'LIA		CONDA'LIA. (Anth. Condal, M.D., comp. of Loefling.) Pentand. Monogyn.						
microphy'lla DC.	(gr)	small-leaved	Chili	1824.	....	G	♄	Cav. ic. 6. t. 525.
BERCHE'MIA DC.		BERCHE'MIA. (etymology unknown.) Pentandria Monogynia.						
1 volùbilis DC.	(gr)	climbing	Carolina	1714.	6. 7.	H	♄ ◡	Jacq. ic. 2. t. 336.
Rhámnus volùbilis L. *Zizyphus volùbilis* W. *Oenóplia volùbilis* R.S.								
2 lineàta DC.	(wh)	lined	China	1804.	....	G	♄	Osb. it. 219. t. 7.
3 floribúnda Bro.	(wh)	many-flowered	Nepaul	1827.	....	G	♄ ◡	Brong. m. ram. pl. 2. f. 1.
SAGERETIA Bro.		SAGERE'TIA. (M. Sageret, a vegetable physiologist.) Pentand. Monogyn.						
1 theèzans Bro.	(gr)	Tea-like	China	....	9.12.	G	♄	
Rhámnus theèzans L.								
2 hamòsa Bro.	(gr)	hook-thorned	Nepaul.	1826.	....	G	♄ ◡	
Zizyphus hamòsa F.I.								

RHA'MNUS DC. BUCKTHORN. (ραμνος, a branch, from *ram*, in Celtic.) Pentand. Monog.

Sect. 1. MARCORE'LLA; *flowers* 4-5-*cleft, usually dioecious; seed furrowed, having the raphe at the bottom of the furrow.*

§ 1. ALATE'RNUS; *flowers racemose*, 5-*cleft; leaves persistent.*

1	Alatérnus DC.	(*ye*)	Alaternus	S. Europe	1629.	4. 6.	H	♄	Duham. ed. nov. 3. t.
	α *latifòlius*	(*ye*)	*broad-leaved*	———	....	——	H	♄	
	β *baleáricus* DC.	(*ye*)	*round-leaved*	———	....	——	H	♄	
	γ *hispánicus* DC.	(*ye*)	*Spanish*	———	....	——	H	♄	
	δ *vulgàris* DC.	(*ye*)	*oval saw-leaved*	———	....	——	H	♄	
	ε *glàber*	(*ye*)	*smooth-leaved*	———	....	——	H	♄	
	ζ *integrifòlius*	(*ye*)	*entire-leaved*	———	....	——	H	♄	
	η *maculàtus*	(*ye*)	*spot-leaved*	———	....	——	H	♄	
	θ *aúreus*	(*ye*)	*gold-striped*	———	....	——	H	♄	
	ι *argénteus*	(*ye*)	*silver-striped*	———	....	——	H	♄	
2	Clùsii W. en.	(*gr*)	narrow-leaved	———	1629.	——	H	♄	Clus. hist. 1. p. 50.
3	hy'bridus DC.	(*gr*)	hybrid.	Hybrid.	....	5. 6.	H	♄	L'Her. sert. t. 5.
4	glandulòsus DC.	(*gr*)	Madeira	Canaries	1785.	6. 7.	G	♄	Vent. malm. t. 34.
5	integrifòlius DC.	(*gr*)	Teneriffe	———	1820.	——	G	♄	Nees hor. phys. t. 22.
	coriàceus Nees.								

§ 2. RHA'MNUS; *flowers* 5-*cleft in fascicles.*

6	longifòlius DC.	(*gr*)	long-leaved	N.America?	1822.	5. 6.	H	♄	
7	prinoìdes DC.	(*gr*)	Prinos-leaved	C. B. S.	1778.	8. 9.	G	♄	L'Her. sert. ang. t. 9.
8	celtidifòlius DC.	(*gr*)	Celtis-leaved	———	....	——	G	♄	Burm. afr. 242. t. 88.

§ 3. *Flowers* 4-*cleft, in fascicles.*

* *Branchlets terminated by a thorn each.*

9	cathárticus DC.	(*gr*)	purging	England	....	5. 6.	H	♄	Eng. bot. 1629.
10	virgàtus DC.	(*ye*)	slender	Nepaul.	1819.	4. 5.	H	♄	
11	tinctòrius DC	(*st*)	dying	Hungary	1823.	5. 6.	H	♄	Pl. rar. hung. 3. t. 255.
12	infectòrius DC.	(*ye*)	yellow-berried	S. Europe	1683.	6. 7.	H	♄	Clus. hist. 1. p. 111. i
13	saxátilis DC.	(*gr*)	rock	———	1752.	5. 6.	H	♄	Jacq. aust. 1. t. 53.
14	oleoìdes DC.	(*gr*)	Olive-leaved	Spain	——	6. 7.	H	♄	
15	buxifòlius DC.	(*gr*)	Box-leaved	S. Europe	1820.	——	H	♄	
16	pubéscens DC.	(*gr*)	pubescent	S. France	——	——	H	♄	
17	amygdáliuus DC.	(*ye*)	Almond-like	N. Africa	....	——	H	♄	
18	crenulàtus DC.	(*gr*)	crenulate	Teneriffe	1778.	3. 4.	G	♄	
19	lycioìdes DC.	(*gr*)	Box-thorn-like	Spain	1752.	9.12.	H	♄	Cavan. ic. 2. t. 182.
	β *latifòlius*	(*gr*)	*broader-leaved*	———	——	——	H	♄	
20	Pallàsii F.M.	(*gr*)	Pallas's	Iberia	1838.	——	H	♄	
	lycioìdes Pall. ross. 2. t. 83. *erythróxylon* M.B.								
21	spatulæfòlius F.M.	(*ye*)	spatula-leaved	Iberia	1838.	——	H	♄	
22	erythróxylon DC.	(*ye*)	red-wooded	Siberia	1822.	4. 5.	H	♄	Pall. ross. 2. t. 62.
23	microphy'llus DC.	(*ye*)	small-leaved	Mexico	——	——	G	♄	H. et B. n. gen. a. 7. t. 616

** *Branchlets not terminated by thorns.*

24	pùmilus L.	(*bh*)	dwarf	Europe	1752.	7.	H	♄	Scop. carn. ed. 2. t. 5.
	β *rupéstris* Vill.	(*bh*)	*small*	Dauphiny	——	——	H	♄	
25	pusíllus T.P.	(*gr*)	little	Naples	1825.	——	H	♄	
26	valentìnus W.	(*ye*)	Spanish	Spain	——	6. 7.	H	♄	Cavan ic. 2. t. 181.
	pùmilus C. *non* W.								
27	Wulfènii S.S.	(*ye*)	Wulfen's	Tergestum	——	——	H	♄	Jacq. coll. 2. t. 11.
	pùmilus Wulf. *non* L.								
28	dahùricus DC.	(*gr*)	Dahurian	Dahuria	1826.	....	H	♄	Pall ross. 2. t. 61.
29	alnifòlius DC.	(*gr*)	Alder-leaved	N. America	1778.	5. 6.	H	♄	
30	franguloìdes R.S.	(*gr*)	Frangula-like	———	——	——	H	♄	
31	Purshiànus DC.	(*gr*)	Pursh's	———	1826.	——	H	♄	
	alnifòlius Ph. *nec aliorum.*								
32	alpìnus DC.	(*ye.pu*)	Alpine	Switzerland	1752.	——	H	♄	Lodd. bot. cab. 1077.
33	caroliniànus DC.	(*gr*)	Carolina	N. America	1824.	5. 7.	H	♄	

Sect. 2. FRA'NGULA; *flowers* 4-*cleft, usually hermaphrodite; seed smooth, compressed, with the raphe on the surface.*

34	Frángula DC.	(*gr*)	berry-bearing	Alder. Britain	....	4. 5.	H	♄	Eng. bot. 250.
35	latifòlius DC.	(*ye*)	broad-leaved	Azores	1778.	6. 7.	H	♄	Wats. dend. brit. t. 11.
36	lanceolàtus Ph.	(*gr*)	spear-leaved	N. America	1812.	4. 5.	H	♄	

† *Doubtful species.*

37 ?	mystacìnus R.S.	(*gr*)	wiry	Abyssinia	1775.	11.	S	♄	
38 ?	tetragònus DC.	(*gr*)	square-branch'd	C. B. S.	1816.	6. 8.	G	♄	Th. act. gor. 1812. c. ic.

SCUTIA Bro. SCU'TIA. (*scutum*, a shield, form of disk.) Pentandria Monogynia.

1	índica Bro.	(*wh*)	Indian	E. Indies	1824.	....	S	♄	Gært. fruct. 2. t. 106.

Rhámnus circumscissus L. *Ceanòthus circumscissus* DC.

2 capénsis DC (wh) Cape C. B. S. 1823. 5. 7. G ♄
Ceanòthus capénsis DC.
3 sphærospérma DC (ye) round-seeded Jamaica 1824. .... S ♄
RETANI'LLA Bro. RETANI'LLA. (Peruvian name of *R. obcordàta*.) Pentandria Monogynia.
1 obcordàta Bro. (ye) obcordate-ld Peru 1822. 5. 7. G ♄ Vent. hort. cels. t. 92.
Collètia obcordàta V.
TREVO'A H.M. TREVO'A. (M. Trevo, a Spanish bot.) Pentandria Monogynia.
quinquenérvia H.M. (wh) five-nerved Chili .... 5. 7. G ♄ Hook. bot. misc. t. 45.B
COLLE'TIA Bro. COLLE'TIA. (M. Collet, a friend of Commerson.) Pentandria Monogynia.
1 spinòsa DC. (ye) spiny Peru 1823. .... G ♄ Lam. ill. 2. t. 129.
2 serratifòlia DC. (ye) saw-leaved ——— —— 5. 8. G ♄ Vent. choix. t. 15.
3 ulícina DC. (st) furze-leaved Chili .... 5. 7. G ♄ Hook bot. misc. t. 43.
4 hórrida B.R. (gr.wh) very spiny ——— 1823. 5. 7. G ♄ Bot. reg. t. 1776.
férox DC.
5 eraciàta DC. (st) broad-leaved ——— 1824. .... G ♄
6 infésta DC. (wh) troublesome Mexico —— .... S ♄ H.B.et.Kth.n.g.7.t.614.
Ceanòthus infésius Kunth.
DISCA'RIA DC. DISCA'RIA. (δισκος, a disk; broad.) Tetra-Pentandria Monogynia.
austràlis DC. (ye) Southern N. Holland 1824. .... G ♄ Hook.bot. misc. 1. t. 45.
HOVE'NIA DC. HOVE'NIA. (David Hoven, senator of Amsterdam.) Pentandria Monogynia.
1 dúlcis DC. (gr) smooth-leaved China 1812. 4. 6. G ♄ Lam. ill. t. 131.
acérba Bot. reg. 501.
2 inæquàlis DC. (gr) pubescent-ld Nepaul 1823. .... G ♄
dúlcis D.P. *et* F.I. *nec aliòrum.*
COLUBRI'NA Bro. COLUBRI'NA. (*coluber*, a snake; twisted stems.) Pentandria Monogynia.
1 ferruginòsa Bro. (st) Bahama red-wood Bahama 1726. 6. S ♄ Jacq. vind. 3. t. 50.
Rhámnus colubrìnus L. *Ceanòthus colubrìnus* DC.
2 reclinàta Bro. (wh) oval-leaved Jamaica 1758. 8. S ♄ Brown jam. t. 20. f. 2.
Ceanòthus reclinàtus DC. *Rhámnus ellípticus* H.K.
3 triflòra Bro. (st) three-flowered Mexico 1826. .... G ♄
4 cubénsis Bro. (st) Cuba Cuba 1824. .... S ♄ Jacq. vind. 3. t. 49.
5 asiática Bro. (st) Asiatic Asia 1691. 7. 8. S ♄ Cavan. ic. 5. t. 440. f.1.
Ceanòthus asiáticus DC.
6 nepaulénsis DC. (ye) Nepaulese Nepaul 1820. 5. 7. G ♄
Ceanòthus nepaulénsis Wall.
CEANO'THUS Bro. CEANO'THUS. (κεανωθος, a name employed by Theophastes.) Pent. Mon.
1 azùreus DC. (bl) blue New Spain 1818. 4. 5. G ♄ Bot. reg. 291.
cærùleus Lod. bot. cab. 110. *bícolor* R.S.
2 tardiflòrus DC. (wh) late-flowering N. America 1812. 9.10. H ♄
3 americànus DC. (wh) New Jersey Tea ——— 1713. 7. 8. H ♄ Bot. mag. 1479.
4 ovàtus DC. (wh) smooth-leaved ——— .... —— H ♄
5 perénnis DC. (wh) perennial ——— 1822. 6. 7. H ♃
6 intermèdius DC. (wh) intermediate ——— 1812. —— H ♄
7 collínus D. (wh) hill ——— 1827. —— H ♄ Know. hirm. b. g. icon.
8 sanguíneus DC. (wh) bloody-twigged ——— 1812. 5. 7. H ♄
9 microphy'llus DC. (wh) small-leaved ——— 1806. 6. 7. H ♄
10 buxifòlius DC. (wh) Box-leaved Mexico 1824. 4. 6. G ♄ H. et.B.n.gen.a. 7.t.615.
11 macrocárpus DC. (st) large-fruited New Spain 1823. 6. 7. G ♄ Cavan. ic. 3. t. 276.
WILLEME'TIA Bro. WILLEME'TIA. (L. Willemet, bot. author.) Pentandria Monogynia.
africàna Bro. (st) African C. B. S. 1712. 3. 4. G ♄ Pluk. phyt. 126. f. 1.
Ceanòthus africànus DC.
TRYMA'LIUM Hug. TRYMA'LIUM. (τρυμαλια, a hole.) Pentandria Monogynia.
1 globulòsum Hug. (str) globular-headed N.Holland 1803. 3. 4. G ♄ Lab. nov. hol. 1. t. 85.
Pomadérris globulòsa Brogn. *Ceanòthus globulòsus* Lab.
2 spatulàtum Hug. (str) spatulate-leavd. N.Holland —— —— G ♄ ——— t. 84.
Pomadérris spatulàtus Lab. *Ceanòthus spatulàtus* Lab.
3 odoratìssimum B.R. (ye) sweetest-scntd N.Holland 1834. 2. 5. G ♄
4 Wendlandiànum G.D. (ye) Wendland ——— 1810. 3. 5. G ♄
Pomadérris Wendlandiàna G.D. *Ceanòthus Wendlandiànus* Schult.
5 capsulàre G.D. (ye) capsular-fruited S.S. Islands 1820. 3. 5. G ♄
Ceanòthus capsulàris Forst.
POMADE'RRIS DC. POMADE'RRIS. (πωμα, a lid, and δερρις, a skin; cover of capsule.) Pent.Mon.
§ 1. *Flowers with petals.*
1 dìscolor DC. (ye) two-coloured N. Holland 1803. 4. 5. G ♄ Swt. fl. aust. t. 41.
Ceanòthus dìscolor Vent. malm. t. 58.
2 intermèdia DC. (st) intermediate N. S. W. 1818. 4. 6. G ♄
3 acuminàta L.en. (wh) loose-flowered N. Holland 1816. 4. 7. G ♄
4 ellíptica DC. (ye) elliptic-leaved ——— 1805. —— G ♄ Lab. nov. holl. 1. t. 86.
5 lanígera (ye) ferruginous ——— 1806. —— G ♄ Andr. rep. 569.
Ceanòthus lániger A.R.

6	Símsii	(*st*) Sims's	N. S. W.	1821.	4.	7.	G	♄	Bot mag. 1823.
	lanígera Sims bot. mag. *non* Andr.								
7	viridiùfa Sieb.	(*st*) brown green	———	——	——		G	♄	
8	ledifòlia F.T.	(*ye*) Ledum-leaved	———	1824.	——		G	♄	
9	betùlina B.M.	(*ye*) birch-leaved	———	1823.	5.	7.	G	♄	Bot. mag. t. 3212.
10	andromedæfòlia F.T.	(*ye*) Andromeda-ld	——	1824.	4.	7.	G	♄	——— 3219.
11	phylliræoìdes DC.	(*ye*) Phillyrea-leaved	———	1803.	——		G	♄	
	§ 2. *Flowers without petals.*								
12	apétala DC.	(*br*) petalless	N. Holland	1803.	5.	6.	G	♄	Lab. nov. holl. 1. t. 87.
13	áspera DC.	(*br*) rough	N. S. W.	1818.	6.	7.	G	♄	
14	ligustrìna DC.	(*wh*) Privet-like	———	1826.	——		G	♄	
15	phylicifòlia DC.	(*wh*) Phylica-leaved	N. Holland	1810.	3.	5.	G	♄	Lodd. bot. cab. 120.

CRYPTA'NDRA DC. CRYPTA'NDRA. (*κρυπτος*, hidden, and *ανηρ*, a male; stamens.) Pen. Mon.

1	ericifòlia DC.	(*pa*) Heath-leaved	N. S. W.	1823.	5.	7.	G	♄	Linn. trans. 10. t. 18. f. 1.
2	amàra DC.	(*pa*) bitter	———	——	4.	6.	G	♄	——— 10. t. 18. f. 2.
3	spinéscens DC.	(*pa*) spiny	———	1834.	——		G	♄	

BARTLI'NGIA DS. BARTLI'NGIA. (C. Bartling, bot. author.) Pentandria Monogynia.

	obovàta DS.	(*wh*) obovate-leaved	N. Holland	1825.	5.	6.	G	♄	
	Cryptándra obovàta Sieb.								

SOLENA'NTHA DS. SOLENA'NTHA. (*σωλην*, a tube, *ανθος*, a fl.; petals converging into.) Pent. Mon.

	spinòsa DS.	(*wh*) spiny	N. Holland	1826.	4.	6.	G	♄	
	Cryptándria spinòsa F.T.								

VENTILA'GO DC. VENTILA'GO. (*ventilo*, to be exposed to wind, *ago*, to drive away.) Pent. Mon.

	maderaspatàna DC.	(*gr*) Madras	E. Indies	1822.	....		S	♄ ◡	Roxb. corom. 1. t. 76.

GOUA'NIA DC. GOUA'NIA. (Anth. Gouan, prof. bot. Montpelier.) Polygamia Monœcia.

1	integrifòlia DC.	.... entire-leaved	S.America?	1824.	....		S	♄ ◡	
2	domingénsis DC.	(*gr*) Chaw-stick	W. Indies	1739.	....		S	♄ ◡	Jacq. amer. t. 179. f. 49.
3	cordifòlia DC.	(*ye*) heart-leaved	Brazil	1822.	....		S	♄ ◡	
4	tomentòsa DC.	(*ye*) woolly-leaved	W. Indies	1823.	....		S	♄ ◡	Gært. f.carp.3.t.183.f.1.
5	mauritiàna DC.	(*br*) rusty	Mauritius	——	....		S	♄ ◡	
6	tiliæfòlia DC.	(*gr*) Lime-leaved	Bourbon	1810.	4.	6.	S	♄ ◡	
7	leptostàchya DC.	(*gr*) slender-spiked	E. Indies	——	——		S	♄ ◡	Roxb. corom. 1. t. 98.
	tiliæfòlia R.C. *non* Lam.								
8	Retinària DC.	(*gr*) oval-leaved	Mauritius	1824.	....		S	♄ ◡	Gært. fruct. 2. t. 120. f. 4.

TRICHOCE'PHALUS Bro. TRICHOCE'PHALUS. (*θριξ*, a hair, and *κεφαλη*, a head; fl.) Pent. Mon.

1	stipulàris Bro.	(*wh*) stipuled	C. B. S.	1786.	5.	9.	G	♄	Wendl. coll. t. 32.
	Phy'lica stipulàris. DC.								
2	spicàtus Bro.	(*wh*) spiked	———	1774.	11.	12.	G	♄	Lam. ill. t. 127. f. 3.
	Phy'lica spicàta L. *non* B.M.								

PHY'LICA Bro. PHY'LICA. (*φυλλικος*, leafy.) Pentandria Monogynia.

Sect. 1. ERICOI'DES; *anthers kidney-shaped, with confluent cells; flowers in heads.*

1	parvifòra R.S.	(*wh*) small-flowered	C. B. S.	1790.	4.	7.	G	♄	
2	ericoìdes R.S.	(*wh*) Heath-leaved	———	——	9.	4.	G	♄	Bot. mag. 224.
3	glabràta R.S.	(*wh*) smooth-leaved	———	1820.	3.	5.	G	♄	
4	aceròsa R.S.	(*wh*) needle-leaved	———	1819.	4.	7.	G	♄	Spr. ber. mag. 8. t. 8. f. 2.
5	erióphora R.S.	(*wh*) pale-flowered	———	1774.	11.	3.	G	♄	
6	excélsa R.S.	(*wh*) tall	———	1820.	3.	5.	G	♄	Wendl. coll. 3. t. 4.
7	callòsa R.S.	(*wh*) callous-leaved	———	1774.	3.	4.	G	♄	
8	imbérbis R.S.	(*wh*) beardless	———	1823.	5.	9.	G	♄	Breyn. cent. 18. t. 7.
9	secúnda R.S.	(*wh*) secund	———	1812.	——		G	♄	
10?	austràlis L. en.	(*wh*) southern	———	——	3.	5.	G	♄	
11	pùmila DC.	(*wh*) dwarf	———	1820.	4.	6.	G	♄	

Sect. 2. STRIGO'SA; *anthers oblong, with parallel cells; flowers in spikes or heads.*

12	bícolor R.S.	(*wh*) two-coloured	C. B. S.	1823.	4.	5.	G	♄	
13	spicàta B.M.	(*wh*) close-spiked	———	——	8.	12.	G	♄	Bot. mag. 2704.
14	hirsùta B.S.	(*wh*) hairy	———	1820.	5.	9.	G	♄	
15	pìnea R.S.	(*wh*) Pine-like	———	1824.	——		G	♄	
16	villòsa R.S.	(*wh*) villous	———	1790.	——		G	♄	
17	papillòsa R.S.	(*wh*) papillose	———	1820.	3.	5.	G	♄	
18	rosmarinifòlia R.S.	(*w*) Rosemary-ld.	———	1815.	5.	8.	G	♄	Lod. bot. cab. 849.
19	cylíndrica R.S.	(*wh*) cylindrical	———	....	4.	8.	G	♄	Wendl. coll. 1. t. 7.
20	horizontàlis DC.	(*wh*) spreading	———	1800.	6.	8.	G	♄	Spr. ber. mag. 8. f. 7.
	plumòsa Spr. *non* L.								
21	lanceolàta R.S.	(*wh*) spear-leaved	———	1790.	4.	5.	G	♄	
22	squarròsa DC.	(*wh*) squarrose	———	1820.	3.	5.	G	♄	Lodd. bot. cab. 36.
23	Commelìni R.S.	(*wh*) Commelin's	———	1800.	5.	8.	G	♄	Comm. præl. 63. t. 1.
24	plumòsa R.S.	(*wh*) feathered	———	1752.	3.	5.	G	♄	Lam. ill. t. 127. f. 4.
25	capitàta R.S.	(*wh*) headed	———	1774.	——		G	♄	Bot. reg. 711.

16 reclinàta R.S.	(wh) reclined	C. B. S.	1820.	3. 5.	G	♄	Wendl. coll. 2. t. 56.
17 pedicellàta DC.	(wh) pedicled	———	——	——	G	♄	
18 strìta R.S.	(wh) dark-haired	———	——	——	G	♄	

OULA'NGIA. Bro. SOULA'NGIA. (Soulange-Bodin, nurseryman near Paris.) Pentand. Monog.

1 axillàris Bro.	(wh) axillary-flower'd	C. B. S.	1812.	5. 6.	G	♄	Spr.ber.mag.8.t.8.f.4.
2 thymifòlia Bro.	(wh) Thyme-leaved	Antarctic	1824.	——	G	♄	Vent. malm. t. 57.
3 oleæfòlia Bro.	(wh) Olive-leaved	C. B. S.	....	1. 4.	G	♄	Lodd. bot. cab. t. 323.

Phylica spicàta. Lod. bot. cab. *nec aliorum.*

4 paniculàta Bro.	(wh) panicled	———	1812.	4. 6.	G	♄	

Phylica paniculàta DC. *myrtifòlia* Poir.

5 buxifòlia Bro.	(wh) Box-leaved	———	1759.	5. 9.	G	♄	Lodd. bot. cab. 848.

Phylica buxifòlia Wend. coll. 1. t. 26.

6 cordàta Bro.	(wh) heart-leaved	———	1789.	5. 6.	G	♄	Comm. præl. 62. t. 12.
7 orientàlis	(wh) oriental	———	1820.	——	G	♄	Herb. amat. t. 283.

Phylica orientàlis Herb. amat. t. 283.

8 dioìca DS.	(wh) dioecious	———	1817.	——	G	♄	
9 rùbra R.R.	(re) red	———	....	——	G	♄	Bot. reg. t. 1498.

---

† *Genera ad Rhamneas accedentia.*

SCHÆFFE'RIA. DC. SCHÆFFE'RIA. (J. C. Schæffer, a German bot.) Diœcia Tetrandria.

frutéscens DC.	(wh) white-flowered	W. Indies	1793.	....	S	♄	Swartz. fl. ind. 1. t.7.f.A.
β *buxifòlia* DC.	(wh) *Box-leaved*	———	——	....	S	♄	Sloan. hist. 2. t. 209.f.1.

OLI'NIA DC. OLI'NIA. (Name of a town in Spain.) Pentandria Monogynia.

cymòsa DC.	(wh) sweet-scented	C. B. S.	1812.	4. 6.	G	♄	

Siderówylum cymòsum L.

ORDER LXIX.

BRUNIA'CEÆ. *DC. prodr.* 2. *p.* 43.

BERZE'LIA. Bro. BERZE'LIA. (M. Berzelius, celebrated chemist.) Pentandria Monogynia.

1 abrotanoìdes Bro.	(w.) Southernwood-li.	C.B.S.	1787.	5. 7.	G	♄	Wendl. coll. t. 45.

Brùnia abrotanoìdes Lodd. bot. cab. 355.

2 lanuginòsa Bro.	(wh) woolly	———	1774.	6. 8.	G	♄	Wendl. coll. 1. t. 11.

Brùnia lanuginòsa DC.

3 globòsa DS.	(wh) globose	———	1816.	——	G	♄	

Brùnia globòsa DC.

BRU'NIA RS. BRU'NIA. (Corneille de Bruin or le Brun, a Dutch traveller.) Pentand. Monog.

1 lævis R.S.	(wh) smooth	C. B. S.	1823.	5. 7.	G	♄	
2 nodifòra RS.	(wh) imbricated	———	1786.	7. 8.	G	♄	Breyn. cent. 22. t. 10.
3 deústa R.S.	(wh) black-tipped	———	1804.	6. 8.	G	♄	
4 comòsa R.S.	(wh) tufted	———	1823.	——	G	♄	
5 verticillàta RS.	(wh) whorled	———	1794.	——	G	♄	
6 virgàta Bro.	(wh) twiggy	———	....	——	G	♄	
7 squarròsa R.S.	(wh) squarrose	———	1818.	——	G	♄	
8 alopecuroìdes R.S.	(w) fox-tail	———	1816.	5. 7.	G	♄	
9 làxa R.S.	(wh) loose-branched	———	——	——	G	♄	
10 plumòsa R.S.	(wh) feathered	———	1822.	——	G	♄	
11 supérba R.S.	(wh) superb	———	1791.	——	G	♄	
12 fragarioìdes R.S.	(wh) Strawberry-like	———	1794.	5. 7.	G	♄	
13 ciliàta R.S.	(wh) fringed	———	1812.	——	G	♄	
14 ericoìdes R.S.	(wh) Heath-leaved	———	——	——	G	♄	Wendl. coll. II. t. 57.
15 arachnoìdea R.S.	(wh) cobweb	———	1810.	——	G	♄	——— t. 62.
16 formòsa R.S.	(wh) handsome	———	1812.	——	G	♄	
17 macrocéphala S.S.	(w) large-headed	———	——	——	G	♄	
18 racemòsa Bro.	(wh) clustered	———	1790.	5. 9.	G	♄	

Phylica racemòsa L.

19	pinifòlia Bro. *Phy'lica pinifòlia* L.	(*wh*) Pine-leaved	C. B. S.	1789.	5. 6.	G	♄	Brong. brun. t. 1. f. 2
2	imbricàta *Phy'lica imbricàta* Th.	(*wh*) imbricated	———	1801.	8.11.	G	♄	

RASPA'LIA Bro. RASPA'LIA. (M. Raspal, writer on the formation of fecula.) Pentand. Digy

	microphy'lla Bro. *Brùnia microphy'lla* Th.	(*w*) small-leaved	C. B. S.	1804.	6. 8.	G	♄	Brong. brun. t. 3. f.

STAA'VIA DC. STAA'VIA. (Martin Staaff, a correspondent of Linnæus.) Pentandria Monogy

1	radiàta DC.	(*wh*) rayed	C. B. S.	1787.	5. 6.	G	♄	Brong. brun. t. 2. f. 2
2	glutinòsa DC.	(*wh*) clammy	———	1793.	4. 5.	G	♄	Lodd. bot. cab. 852.
3	nùda Bro.	(*wh*) naked	———	1821.	——	G	♄	
4	ciliàta Bro.	(*wh*) fringed	———	1812.	5. 7.	G	♄	

NEBE'LIA Neck. NEBE'LIA. (etymology unknown.) Pentandria Digynia.

1	paleàcea *Berárdia* Bro. *non* P.S. *Brùnia paleàcea* R.S.	(*wh*) chaffy	C. B. S.	1791.	6. 8.	G	♄	Wendl. coll. t. 21.
2	affi'nis *Berárdia affi'nis* Bro.	(*wh*) related	———	1816.	——	G	♄	
3	phylicoìdes *Berárdia phylicoìdes* Bro. *Brùnia phylicoìdes* Th.	(*wh*) Phylica-leaved	———	1822.	——	G	♄	

LINCO'NIA L. LINCO'NIA. (Evidently the name of some botanist.) Pentandria Digynia.

1	alopecuroídea L.	(*wh*) Fox-tail	C. B. S.	1824.	6. 8.	G	♄	Swz. in ber.m.1810.t.
2	thymifòlia DC.	(*wh*) Thyme-leaved	———	1825.	——	G	♄	——— p. 86. t. 4.
3	cuspidàta DC.	(*wh*) cuspidate	———	——	——	G	♄	——1811.p.284.t.7.f.

AUDOUI'NIA. Bro. AUDOUI'NIA. (Vict. Audouin, profound entymologist.) Pentand. Monogy

	capitàta Bro. *Diósma capitàta* DC.	(*wh*) headed	C. B. S.	1790.	4. 6.	G	♄	

TITTMA'NNIA Bro. TITTMA'NNIA. (A. Tittmann, writer on the embryo of plants.) Pent. Mo

	lateriflòra Bro.	(*wh*) side-flowering	C. B. S.	1812.	4. 6.	G	♄	Brong. brun. t. 4. f. 2.

THA'MNEA. Bro. THA'MNEA. (θαμνος, a shrub.) Pentandria Monogynia.

	uniflòra Bro.	(*wh*) one-flowered	C. B. S.	1810.	4. 6.	G	♄	Brong. brun. t. 4. f. 3

ORDER LXX.

SAMY'DEÆ. *DC. prodr.* 2. *p.* 47.

SAMY'DA. DC. SAMY'DA. (σαμυδα, a Greek name for Birch.) Decandria Monogynia.
Sect. 1. EUSAMY'DA; *calyx cleft to the middle*; *stamens* 10-12; *flowers large.*

1	glàbrata DC	(*wh*) smooth	Jamaica	1818.	5. 8.	S	♄	
2	villòsa DC.	(*wh*) villous	———	——	——	S	♄	
3	decúrrens S.S.	(*wh*) decurrent	Brazil	1822.	——	S	♄	
4	pubéscens S.S.	(*wh*) pubescent	W. Indies	1793.	——	S	♄	
5	serrulàta DC.	(*wh*) saw-leaved	———	1723.	7. 8.	S	♄	Jacq. col. 2. t. 17. f. 1.
6	spinulòsa DC.	(*wh*) spiny	St. Thomas	1826.	....	S	♄	Vent. choix. t. 43.
7	macrocárpa DC.	(*wh*) large-fruited	Mexico	——	....	S	♄	
8	ròsea B.M. *serrulàta* A.R. 202. *nec aliorum.*	(*ro*) rose-coloured	W. Indies	1793.	6. 7.	S	♄	Bot. mag. 550.

Sect. 2. GUIDO'NIA; *calyx divided almost to the base*; *stamens* 8-10; *flowers small.*

9	nítida DC.	(*wh*) glossy-leaved	Jamaica	1793.	6. 7.	S	♄	Br. jam. 217. t. 23. f. 3.
10	macrophy'lla DC.	(*gr*) large-leaved	E. Indies	1823.	——	S	♄	

CASEA'RIA. DC. CASEA'RIA. (J. Casearius, assisted Rheede in Hort. Mal.) DecandriaMonogynia.
§ 1. OCTANTHE'RA; *fertile stamens* 8; *sterile* 8; *leaves quite entire or nearly so.*

1	glomeràta DC.	(*wh*) cluster-flower'd	E. Indies	1824.	5. 7.	S	♄	
2	ovàta DC.	(*gr*) oval-leaved	———	——	——	S	♄	Rheed. mal. 4. t. 49.
3	argùta K.S.	sharp-toothed	Mexico	——	....	S	♄	
4	ramiflòra DC.	(*wh*) branch-flower'd	Guiana	——	5. 7.	S	♄	Aubl. guian. 1. t. 127.
5	nítida DC.	(*wh*) shining	Carthagena	——	——	S	♄	Act. helv. 8. p. 58. ic.

§ 2. DECANTHE'RA; *fertile stamens* 10; *sterile* 10; *leaves entire or serrated.*

6	sylvéstris DC.	(*wh*) wood	Jamaica	1823.	....	S	♄	
7	parviflòra DC.	(*wh*) small-flowered	W. Indies	1818.	5. 7.	S	♄	Sloan. hist. 2. t. 211.f.2.
8	serrulàta DC.	(*wh*) serrulate	———	——	——	S	♄	
9	glàbra H.B.	(*wh*) smooth	E. Indies	1820.	——	S	♄	
10	hirsùta DC.	(*wh*) hairy	W. Indies	——	....	S	♄	
11	zizyphoìdes K.S.	(*wh*) Zizyphus-like	Caracas	1824.	....	S	♄	

ORDER LXXI.

HOMALI'NEÆ. DC. *prodr.* 2. *p.* 53.

HOMA'LIUM DC.	HOMA'LIUM. (*ὁμαλος*, equal; stamens.) Polyadelphia Polyandria.						
racemòsum DC.	(*wh*) racemed	W. Indies	1818.	5. 7.	S	♄	Bot. reg. 519.
BLACKWE'LLIA DC.	BLACKWE'LLIA. (Elizabeth Blackwell, author cur. herb.) Dodec. Pent.						
1 paniculàta DC.	(*wh*) panicled	Bourbon	1818.	5. 7.	S	♄	
2 glaùca DC.	(*wh*) glaucous	Mauritius	1823.	....	S	♄	Vent. choix. t. 55.
3 nepalénsis DC.	(*wh*) Nepaul	Nepaul	1824.	....	S	♄	
4 axillàris DC.	(*wh*) axillary-flower'd	Madagascar	1823.	....	S	♄	Lam. ill. t. 412. f. 1.
5 spiràlis DC.	(*wh*) spiral	Pegu	1820.	....	S	♄	
6 padifòra B.R.	(*wh*) Bird-cherry-fl'd	China	1824.	8. 9.	G	♄	Bot. reg. t. 1308.
fagifòlia Hort.							
ASTRA'NTHUS DC.	STAR-FLOWER. (*αστρον*, a star, and *ανθος*, a flower; form.) Heptan. Tetrag.						
cochinchinénsis	(*wh*) Chinese	China	1821.	6. 7.	S	♄	Bot. mag. 2659.
ARISTOTE'LIA DC.	ARISTOTE'LIA. (Aristotle, the celebrated philosopher.) Dodecand. Tetragy.						
Mácqui DC.	(*wh*) shining-leaved	Chili	1773.	4. 5.	H	♄	Wats. dend. brit. t. 44.
AZA'RA D.S.	AZA'RA. (J. N. Azara, a Spanish prom. of bot.) Polyandria Monogynia.						
1 dentàta D.S.	(*ye*) toothed	Chili	1832.	6. 9.	H	♄	Bot. reg. t. 1788.
2 serràta D.S.	(*ye*) serrated-leaved	———	——	——	H	♄	R. et. P. syst. t. 36.
3 integrifòlia D.S.	(*ye*) entire-leaved	———	——	——	H	♄	

ORDER LXXII.

CHAILLETIA'CEÆ. *DC. prodr.* 2. *p.* 57.

CHAILLETIA DC.	CHAILLE'TIA. (M. Chaillet, a Swiss bot.) Pentandria Di-Trigynia.						
1 toxicària D.S.	(*wh*) poisonous	Sierra Leone	1822.	....	S	♄	
2 erécta D.S.	(*wh*) upright	———	——	....	S	♄	

ORDER LXXIII.

AQUILARI'NEÆ. *DC. prodr.* 2. *p.* 59.

AQUILA'RIA DC.	AQUILA'RIA. (*aquila*, an eagle; called eagle wood.) Decandria Monogynia.						
1 Agallòcha H.B.	Aloe-wood	E. Indies	1824.	....	S	♄	
2 Malaccénsis DS.	Malacca	Malacca	1823.	....	S	♄	Cav. diss. 7. t. 224.

ORDER LXXIV.

TEREBINTHA'CEÆ. *D.S.* 2. *p.* 60.

Tribe I. *CASSUVIE'Æ. R. Brown cong. p.* 12.

ANACA'RDIUM DC.	CASHEW-NUT. (*ανα*, without, and *καρδια*, a heart; fruit.) Enneand. Monog.						
1 occidentàle DC.	(*y.gr*) common	India	1599.	....	S	♄	Catesb. car. 3. t. 9.
Cassùvium *pomiferum* Lam. ill. 3. t. 322.							

2 dùbium H.B.	(*gr*) doubtful	E. Indies	1824.	....	S	♄	
SEMECA'RPUS DC.	SEMECA'RPUS. (*σημειον*, a mark, and *καρπος*, a fruit.) Pentandria Trigynia.						
Anacárdium DC. (*y.gr*)	common	E. Indies	1820.	....	S	♄	
α *angustifòlium* DC. (*y.gr*)	*long-leaved*	———	——	....	S	♄	Rumph. amb. 1. t. 70.
β *cuneifòlium* DC. (*y.gr*)	*wedge-leaved*	———	——	....	S	♄	
γ *obtusiúsculum* DC. (*y.gr*)	*broad-leav'd*	———	——	....	S	♄	Roxb. corom. 1. t. 12.
MANGI'FERA DC.	MANGO-TREE. (*Mango*, and *fero*, to bear.) Pentandria Monogynia.						
1 índica DC.	(*ye*) common	E. Indies	1690.	6. 9.	S	♄	Andr. rep. 425.
2 oppositifòlia F.I.	(*ye*) opposite-leaved	———	1823.	....	S	♄	
3 foe'tida DC.	(*re*) fetid	Moluccas	1824.	....	S	♄	Rumph. amb. 1. t. 28.
BUCHANA'NIA R.C.	BUCHANA'NIA. (Fr. Hamilton, M.D., formerly Buchanan.) Decand. Mon.						
1 latifòlia DC.	(*wh*) broad-leaved	E. Indies	1820.	....	S	♄	
2 angustifòlia DC.	(*wh*) narrow-leaved	———	——	....	S	♄	Roxb. corom. 3. t. 262.
Mangífera axillàris Lam. *Cambessèdea* K.S.							
HOLIGA'RNA DC.	HOLIGA'RNA. (Name in Karnata language.) Polygamia Monœcia.						
longifòlia DC.	(*wh*) long-leaved	E. Indies	1828.	....	S	♄	Roxb. corom. 3. t. 282.
PISTA'CIA DC.	PISTA'CHIA-TREE. (altered from the Arabic word foustaq.) Dicœcia Pent.						
§ 1. *Leaves impari-pinnate, deciduous.*							
1 vèra DC.	(*st*) true	Levant	1570.	4. 5.	H	♄	Duham. ed. nov. 4. t. 17.
Mas. P. *trifòlia* W.	(*st*) *male-flowered*	———	——	——	H	♄	Bocc. mus. t. 93.
Fem. P. *vèra* W.	(*gr*) *female*	———	——	——	H	♄	Rauw. it. 72. t. 9.
2 reticulàta W.	(*st*) netted-leaved	———	1752.	——	H	♄	
3 Terebínthus DC.	(*st*) turpentine-tree	S. Europe	1656.	6. 7.	H	♄	Duham. arb. v. 2. t. 87.
β *sphærocárpa* DC.	(*st*) *round-fruited*	Levant	——	——	H	♄	J. Bauh. hist. 1. p. 278.
4 atlántica DC.	(*st*) Atlantic	Barbary	1790.	....	G	♄	
5 mexicàna DC.	(*st*) Mexican	Mexico	1825.	....	G	♄	H. et B. n. ge. am. 7. t. 608.
6 fagaroìdes DC.	(*st*) Fagara-like	.....	——	....	G	♄	
§ 2. *Leaves abruptly pinnate, persistent.*							
7 Lentíscus DC.	(*st*) Mastick-tree	S. Europe	1654.	5. 6.	H	♄	Bot. mag. 1967.
β *massiliénsis* Mill.	(*st*) *narrow-leaved*	———	——	——	H	♄	
MELANORRHŒ'A W.	MELANORRHŒ'A. (*μελας*, black, and *ρεω*, to flow.) Polygamia Diœcia.						
usitàta W.I.	(*re*) useful	E. Indies	1828.	....	S	♄	Wall. pl. rar. as. t. 11. 12.
COMOCLA'DIA DC.	MAIDEN-PLUM. (*κομη*, a tuft, and *κλαδος*, a branch.) Triand. Monogyn.						
1 ilicifòlia DC.	(*pu*) Holly-leaved	Caribees	1789.	7. 9.	S	♄	Lam. ill. t. 27. f. 2.
2 dentàta DC.	(*pu*) tooth-leaved	W. Indies	1790.	——	S	♄	Jacq. amer. t. 173. f. 4.
3 propínqua DC.	(*pu*) related	Cuba	1826.	——	S	♄	
4 integrifòlia DC.	(*pu*) entire-leaved	Jamaica	1778.	——	S	♄	Sloan. his. 2. t. 222. f. 1.
ASTRO'NIUM DC.	ASTRO'NIUM. (*αστρον*, a star; calyx.) Dicœcia Pentandria.						
gravèolens DC.	(*re*) strong-scented	S. America	1826.	....	S	♄	Jacq. amer. t. 181. f. 96.
PICRA'MNIA DC.	PICRA'MNIA. (*πικρος*, bitter; taste.) Dicœcia Pentandria.						
1 Antidésma DC.	(*st*) Ash-leaved	Jamaica	1793.	6. 8.	S	♄	Sloan. his. 2. t. 208. f. 2.
2 pentándra DC.	(*st*) pentandrous	W. Indies	1822.	——	S	♄	
SPATHE'LIA DC.	SPATHE'LIA. (*σπαθη*, a palm-tree; simple stem.) Pentandria Trigynia.						
símplex DC.	(*re*) Sumach-leaved	Jamaica	1778.	4. 6.	S	♄	Bot. reg. 670.

Tribe II. *SUMACHI'NEÆ.* D.C. *prod.* 2. *p.* 66.

RHU'S R.S. SU'MACH. (*ρους*, red; colour of leaves and fruit.) Pentandria Trigynia.

Sect. 1. SU'MACH; *flowers one or bisexual; drupe usually villous, containing a smooth or striped nut; flowers panicled.*

1 Coriària R.S.	(*gr*) Elm-leaved	S. Europe	1596.	7.	H	♄	Flor. græc. t. 290.
2 typhìna R.S.	(*pu*) Virginian	N. America	1629.	7. 8.	H	♄	Wats. dend. t. 17. mas.
α *arboréscens* R.S.	(*pu*) *arborescent*	———	——	——	H	♄	——— t. 18. fem.
β *frutéscens* R.S.	(*pu*) *frutescent*	———	——	——	H	♄	
3 javánica R.S.	(*wh*) Java	Java	1799.	7. 9.	S	♄	
4 semialàta R.S.	(*wh*) Service-leaved	Macao	1780.	——	G	♄	Murr. com. got. VI. t. 3.
5 paniculàta Wal.	(*gr*) panicled	Nepaul	1823.	6.	G	♄	
6 viridiflòra R.S.	(*gr*) green-flowered	N. America	....	7.	H	♄	
7 glàbra R.S.	(*gr*) smooth	———	1726.	7. 9.	H	♄	Wats. dend. t. 15.
α *hermaphrodìta* DC.	(*gr*) *hermaphrodite*	———	——	——	H	♄	Dill. elt. t. 243.
β *dioíca* DC.	(*gr*) *dioecious*	———	——	——	H	♄	Lam. ill. t. 207. f. 1.
8 élegans R.S.	(*sc*) scarlet-flowered	———	——	——	H	♄	Wats. dend. t. 16.
9 vérnix R.S.	(*gr*) varnish	———	1713.	——	H	♄	——— t. 19.
venenàta DC.							
10 vernicífera DC.	(*gr*) Chinese varnish	China	....	——	G	♄	Kæmp. amœn. t. 792.
Rhús vérnix Th. *non* Ph.							

11	Amèla D.P.	(gr)	large-leaved	Nepaul	1823.	....	G	♄	
12	Wallíchii	(gr)	Wallich's	———	——	....	G	♄	
	juglandifòlia D.P. *non* Kth.								
13	fraxinifòlia D.P.	(gr)	Ash-leaved	———	——	7. 9.	G	♄	
14	acuminàta DC.	(gr)	pointed-leaved	———	——	....	G	♄	
15	succedànea R.S.	(gr)	red Lac	China	1768.	6.	G	♄	Kæmp. amœn. t. 795.
16	juglandifòlia K.S.	(gr)	Walnut-leaved	S. America	1826.	....	G	♄	H.et B.n.ge.a.7.t.603-4.
17	copallína R.S.	(gr)	Lentiscus-leav'd	N. America	1688.	8. 9.	H	♄	Jacq. schœn. 3. t. 341.
18	alàta R.S.	(gr)	winged-leaved	C. B. S.	1818.	....	G	♄	
19	pauciflòra R.S.	(gr)	few-flowered	———	——	....	G	♄	
20	pùmila R.S.	(gr)	dwarf poisonous	N. America	1806.	7.	H	♄	
21	digitàta R.S.	(gr)	fingered	C. B. S.	1818.	....	G	♄	◡
22	obliqua R.S.	(gr)	oblique-leaved	———	——	....	G	♄	
23	schinoìdes R.S.	(gr)	Schinus-like	Brazil	1825.	....	S	♄	
24	chinénsis Mill.	(gr)	Chinese	China	1740.	....	G	♄	
25	radicans DC.	(wh)	rooting poison-oak	N. America	1724.	6. 7.	H	♄	◡ Bot. mag. 1806.
26	Toxicodéndron DC.	(w)	poison-oak	———	1640.	——	H	♄	◡ Schkuhr. hand. 1. t. 82.
27	cirrhifòra R.S.	(gr)	tendril-flowered	C. B. S.	1825.	....	G	♄	◡
28	Thunbergiàna R.S.	(gr)	Thunberg's	———	1697.	7. 8.	G	♄	
29	glaúca R.S.	(gr)	glaucous	———	1818.	——	G	♄	
30	tridentàta R.S.	(gr)	three-toothed	———	——	....	G	♄	◡
31	crenàta R.S.	(gr)	crenated	———	....	6. 7.	G	♄	
32	dentàta R.S.	(gr)	rough-stalked	———	1798.	——	G	♄	
33	sinuàta R.S.	(gr)	sinuated	———	1818.	——	G	♄	
34	cuneifòlia R.S.	(gr)	wedge-leaved	———	1816.	——	G	♄	
35	dimidiàta R.S.	(gr)	variable-leaved	———	——	——	G	♄	
36	dissécta R. S.	(gr)	dissected-leaved	———	——	——	G	♄	
37	incìsa R.S.	(gr)	cut-leaved	———	1789.	——	G	♄	
38	tomentòsa R.S.	(gr)	woolly-leaved	———	1691.	——	G	♄	Comm. hort. ams. 1. t. 92.
39	álbida R.S.	(gr)	white-barked	Barbary	1824.	....	F	♄	
40	villòsa R.S.	(gr)	villous-leaved	C. B. S.	1714.	7.	G	♄	Pluk. alm. t. 219. f. 8.
41	spicàta R.S.	(gr)	spiked	———	1816.	——	G	♄	
42	pubéscens R.S.	(gr)	pubescent	———	——	——	G	♄	
43	atomària DC.	(gr)	velvetty	———	1820.	6. 8.	G	♄	Jacq. schœnb. 3. t. 343.
44	parviflòra DC.	(gr)	small-flowered	Nepaul	1824.	....	G	♄	
45	mucronàta R.S.	(gr)	mucronate	C. B. S.	1825.	....	G	♄	
46	viminàlis R.S.	(gr)	Willow-leaved	———	1774.	6. 7.	G	♄	Jacq. schœn. 3. t. 344.
47	eròsa R.S.	(gr)	erose-leaved	———	1816.	——	G	♄	
48	lancea R.S.	(gr)	lance-leaved	———	——	——	G	♄	
49	angustifòlia R.S.	(wh)	narrow-leaved	———	1714.	——	G	♄	Pluk. alm. t. 219. f. 6.
50	rosmarinifòlia R.S.	(gr)	Rosemary-leaved	———	1800.	——	G	♄	Burm. afr. t. 91. f. 1.
51	undulàta R.S.	(gr)	wave-leaved	———	1818.	——	G	♄	Jacq. schœn. 3. t. 346.
52	lævigàta R.S.	(gr)	polished-leaved	———	1758.	——	G	♄	——— 3. t. 345.
	elongàta Jacq.								
53	ellíptica R.S.	(gr)	elliptic-leaved	———	1816.	——	G	♄	
54	pendulìna R.S.	(gr)	pendulous	———	——	——	G	♄	
55	lùcida DC.	(gr)	shining-leaved	———	1697.	7. 8.	G	♄	Comm. hort. 1. t. 93.
56	Cavanillèsii DC.	(wh)	Cavanilles'	Mexico	....	——	G	♄	Cavan. ic. 2. t. 132.
	lùcidum C.I. *non* DC.								
57	Burmánni DC.	(gr)	Burman's	C. B. S.	1697.	7. 8.	G	♄	Burm. afr. t. 91. f. 2.
	lùcidum α. H.K.								
58	concínna R.T.	(gr)	pretty	———	1816.	——	G	♄	
59	nervòsa R.S.	(gr)	nerved-leaved	———	....	——	G	♄	
60	pyroìdes R.T.	(gr)	Pyrus-like	———	1816.	——	G	♄	
61	rigida DC.	(gr)	rigid	———	....	——	G	♄	
62	tridáctylis R.T.	(gr)	three-fingered	———	1816.	....	G	♄	
63	serræfòlia R.T.	(gr)	saw-leaved	———	——	——	G	♄	
64	dioíca DC.	(ye)	dioecious	Mogador	1823.	——	F	♄	
	oxyacanthoìdes P.S.								
65	oxyacántha DC.	(ye)	Hawthorn-like	———	——	....	F	♄	
66	lobàta DC.	(gr)	lobed-leaved	Teneriffe	1824.	....	F	♄	
67	heterophy'lla DC.	(gr)	various-leaved	.....	1816.	6. 8.	F	♄	

Sect. 2. THEZE'RA; *flowers dioecious; styles three, distinct; drupe roundish, marked by tubercles at apex, containing a compressed nut; leaves palmate.*

68	pentaphy'lla DC.	(ye)	five-leaved	Sicily	1816.	....	G	♄	Desf. atl. 1. t. 77.
69	ziziphina R.S.	(gr)	Zizyphus-like	———	——	....	G	♄	

Sect. 3. CO'TINUS; *flowers hermaphrodite; drupe semicordate, smooth, containing a triangular nut; leaves simple; flowers panicled.*

70	Cótinus R.S.	(gr)	Venice	S. Europe	1656.	6. 7.	H	♄	Jacq. aust. 3. t. 210.

Sect. 4. METO'PIUM; *flowers hermaphrodite; drupe dry, containing a large membranous seed arillate; leaves pinnate.*

71 Metòpium DC. (*ye*) Hog-gum-tree Jamaica 1823. .... S ♄ Sloan. jam. 2. t. 199. f.

LOBA'DIUM. Raf. LOBA'DIUM. (*Loba*, a stalk of wheat; aments of flowers.) Pentand. Trig.

1 aromáticum (*gr*) aromatic N. America 1772. 5. H ♄ Turp. ann. mus. 5. t. 3
Rhús aromática R.S. *Schmáltzia aromática* Desv.

2 suavèolens (*gr*) sweet N. America 1759. —— H ♄
Schmáltzia suavèolens Desv. *Rhús suavèolens* R.S.

LI'TRIA Hook. LI'TRIA. (Called *litri* in Chili.) Dicœcia Decandria.

caústica Hook. caustic Chili 1832. .... F ♄ Hook bot. Beech t. 7.
Rhús caústica DS.

CNEO'RUM DC. WIDOW-WAIL. (γνεωρον, a name for a shrub resembling the olive.) Tri. Mon.

1 tricóccum DC. (*ye*) smooth S. Europe 1793. 4. 9. F ♄ Lam. ill. t. 27.

2 pulveruléntum DC. (*y*) powdered Teneriffe 1820. —— F ♄ Vent. cels. t. 77.

SCHI'NUS DC. SCHI'NUS. (σκινος, the Greek for mastich; similarity.) Dicœcia Decandria.

1 Múlli DC. (*wh*) Mastick-tree Peru 1597. 7. 8. G ♄ Bot. mag. t. 3339.

2 terebinthifòlius DC. (*w*) Terebinthus-ld. Brazil 1822. .... S ♄

DUVAU'A. DC. DUVAU'A. (M. Duvau, a French bot.) Monœcia Octandria.

1 depéndens DC. (*ye*) simple-leaved Chili 1790. 6. 7. H ♄ Bot. reg. 1573.
Amy'ris poly'gama S.S. *Schìnus depéndens* A.K.

2 dentàta DC. (*wh*) tooth-leaved Owhyhee 1795. 5. 7. H ♄ Andr. rep. 620.
Schìnus dentàta A.R.

3 ovàta B.R. (*ye*) ovate-leaved Chili 1822. 7. H ♄ Bot. reg. 1568.

4 latifòlia BR. (*ye*) broad-leaved ——— —— —— H ♄ Bot. reg. t. 1580.

MAU'RIA. K.S. MAU'RIA. (Ant. Mauri, an Italian bot.) Octo-Decandria Monogynia.

1 simplicifòlia K.S. (*bh*) simple-leaved Peru 1822. .... G ♄ H. et B. n. gen. a. 7. t. 608.

2 heterophy'lla K.S. (*bh*) various-leaved ——— —— .... G ♄ ——— 7. t. 606.

ORDER LXXV.

AMYRI'DEÆ. *Kth. gen. tereb. p.* 21.

AMY'RIS W. AMY'RIS. (*a*, intensive, and μυρον, balm: scent.) Octandria Monogynia.

1 marítima DC. (*wh*) sea-side Jamaica 1824. 6. 7. S ♄

2 floridàna DC. (*wh*) Florida Florida 1826. —— G ♄

3 brasiliénsis S.S. (*wh*) Brazilian Brazil 1822. —— S ♄

4 sylvática DC. (*wh*) wood Carthagena 1793. —— S ♄ Jacq. amer. pict. t. 186.

5 Plumièri DC. (*wh*) Plumier's Antilles .... —— S ♄ Plum. ed. Burm. t. 100.

6 toxífera DC. (*wh*) poisonous W. Indies 1800. —— S ♄ Catesb. car. 1. t. 40.
balsamífera. L.

7 pinnàta DC. (*wh*) pinnate S. America 1824. —— S ♄ H. et. B. n. gen. 7. t. 610.

8 Agallócha H. B. (*wh*) hill E. Indies 1820. .... S ♄

9 acuminàta H.B. (*wh*) acuminate ——— 1822. .... S ♄

10 heptaphy'lla H.B. (*wh*) seven-leaved ——— —— .... S ♄

11 nàna H.B (*wh*) dwarf ——— 1824. .... S ♄

12 punctàta H.B. (*wh*) dotted ——— 1818. .... S ♄

ORDER LXXVI.

SPONDIA'CEÆ. *Kth. gen. tereb. p.* 14.

SPO'NDIAS. DC. HOG-PLUM. (σπονδιας, Greek for the plum; similarity of fruit.) Decand. Pentagyn.

1 Mómbin L. (*re*) purple-fruited W. Indies 1817. 6. 8. S ♄ Jacq. amer. t. 88.
purpùrea DC. *Myrobálanus.* Jacq *non* L.

2 Myrobálanus L. (*wh*) yellow-fruited W. Indies 1739. —— S ♄ Sloan. hist. t. 219. f. 1. 2.
lùtea DC. *Mómbin* Jacq. *non* L.

3 axillàris H.B. ..... axillary Nepaul 1824. .... S ♄

acuminàta H.B. .... taper-pointed Malabar 1824. .... S ♄
UPA'RTIA DC. POUPA'RTIA. (Called *Bois de Poupart* in Bourbon.) Decandria Pentagynia.
borbónica DC. (*pu*) Bourbon Bourbon 1824. .... S ♄
mangífera DS. .... Mango-bearing E. Indies 1818. .... S ♄
Mangífera pinnàta L. *Spóndias mangífera* DC.
dúlcis DS. ..... Otaheite-apple Society Isles 1793. 6. 8. S ♄ Sonn. it. 2. t. 123.

ORDER LXXVII.

BURSERA'CEÆ. *Ktl. gen. tereb. p.* 14.

BOSWE'LLIA DC. BOSWE'LLIA. (Dr. John Boswell, Edinburgh.) Decandria Monogynia.
glàbra DC. (*wh*) smooth Coromandel 1824. .... S ♄ Roxb. corom. 3. t. 207.
hirsùta DC. (*wh*) hairy Amboyna —— .... S ♄ Rumph. amb. 2. t. 51.
serràta DC. (*wh*) Olibanum-tree E. Indies 1816. .... S ♄ Asiat. res. 9. p. 377. ic.
ELA'PHRIUM K.S. ELA'PHRIUM. (ελαφρος, contemptible; without beauty or value.) Oct. Mon.
glàbrum DC. (*st*) smooth Carthagena 1818. .... S ♄ Jacq. amer. t. 71. f. 4.
Fagàra elàphrium W.
copallíferum DC. (*st*) tall Mexico 1824. .... S ♄
excélsum DS.
tomentòsum DC. (*st*) tomentose S. America .... S ♄
Fagàra octéndra L.
BALSAMODE'NDRON DC. BALSAM-TREE. (βαλσαμον, balsam, and δενδρον, a tree.) Oct. Mon.
gileadénse DC. (*gr*) blunt-leaved Arabia 1827. .... S ♄ Vahl. symb. 1. t. 11.
CICA DC. I'CICA. (Guiana name.) Octo-Decandria Monogynia.
1 enneándra DC. (*wh*) nine-stamened Guiana 1825. .... S ♄ Aubl. guian. 1. t. 134.
2 decándra DC. (*wh*) ten-stamened ——— —— .... S ♄
3 altíssima DC. (*wh*) tallest ——— 1822. .... S ♄ Aubl. guian. 1. t. 132.
4 guianénsis DC. (*wh*) Guiana ——— 1833. .... S ♄ ——— 1. t. 131.
5 heptophy'lla DC. (*wh*) seven-leaved ——— 1826. ... S ♄ ——— 1. t. 130.
6 Tacamahàca DC. (*wh*) Tacamahac ——— 1819. .... S ♄
BURSE'RA DC. BURSE'RA. (Joachim Burser, a disciple of C. Bauhin.) Polygamia Dicœcia.
1 gummífera DC. (*wh*) Jamaica Birch W. Indies 1690. .... S ♄ Jacq. amer. t. 65.
2 serràta ROX. (*wh*) saw-leaved E. Indies 1818. .... S ♄
3 simplicifòlia DC. (*wh*) simple-leaved Jamaica 1824. .... S ♄
COLOPHO'NIA DC. COLOPHO'NIA. (called in Mauritius *bois de colophone.*) Hexand. Mon.
mauritiàna DC. (*pu*) panicled Mauritius 1826. .... S ♄
CANA'RIUM DC. CANA'RIUM. (*canari*, name in Malay language.) Dicœcia Hexandria.
1 commùne DC. (*wh*) common Moluccas 1821. .... S ♄ Rumph. amb. 2. t. 47.
2 microcárpum DC. (*w*) small-fruited ——— 1826. .... S ♄ ——— 2. t. 54.
3 Pimèla DC. (*wh*) Chinese China 1823. .... S ♄ Ann. bot. 1. t. 7. f. 2.
SORINDE'IA DC. SORINDE'IA. (etymology unknown.) Polygamia Dicœcia.
Madagascariénsis DC. (*pu*) Madagascar Madagascar 1828. .... S ♄
GARU'GA DC. GARU'GA. (Telinga name of one species.) Decandria Monogynia.
1 pinnàta DC. (*ye*) winged-leaved E. Indies 1808. .... S ♄ Roxb. cor. 3. t. 208.
2 madagascariénsis DC. (*ye*) Madagascar Madagascar 1824. .... S ♄

ORDER LXXVIII.

CONNARA'CEÆ. *R. Brown cong. p.* 12.

CONNA'RUS L. CONNA'RUS. (κονναρος, a tree described by Athenæus.) Monadelphia Decandria
1 paniculàtus H.B. (*wh*) panicled Chittagong 1824. .... S ♄
2 nítidus H.B. (*wh*) glossy Silhet —— .... S ♄
3 monocárpus DC. (*ye*) one-fruited Ceylon 1768. .... S ♄
ROU'REA Aub. ROU'REA. (Guiana name of the tree.) Monadelphia Decandria.
frutéscens Aub. (*wh*) pubescent Guiana 1820. .... S ♄ Aub. gui. 1. 187.
OMPHALO'BIUM. DC. OMPHALO'BIUM. (ομφαλος, a navel, and λοβος, a pod.) Mon. Decand.
1 índicum DC. (*wh*) Indian E. Indies .... S ♄ Gært.. fruct. 1. t. 46.

2 africànum DC. (*wh*) African Sierra Leon 1822. .... S ♄ Cav. dis. 7. t. 221.

EURY'COMA. DC. EURY'COMA. (*ευρυς*, wide, and *κομη*, hair; leaves.) Pentandria Monogynia.
longifòlia DC. (*pu*) long-leaved E. Indies 1826. .... S ♄

CNE'STIS DC. CNE'STIS. (*κνεω*, to scratch; stinging hairs on capsules.) Decandria Monogynia.
1 glàbra DC. (*pu*) smooth Mauritius 1824. .... S ♄ Lam. ill. t. 387. f. 1.
2 polyphy'lla DC. (*pu*) many-leaved Madagascar —— .... S ♄ ———— t. 387. f. 2.
3 monadélpha DC. .. monadelphous E. Indies 1826. .... S ♄

ORDER LXXIX.

LEGUMINO'SÆ. *DC. prodr.* 2. *p.* 93.

Suborder I. *PAPILIONA'CEÆ.* DC. 1. c. p. 94.

Tribe I. *SOPHO'REÆ.* DC. 1. c. p. 94.

MYROSPE'RMUM. K.S. BALSAM-SEED. (*μυρον*, myrrh, and *σπερμα*, a seed.) Decand. Monogynia.
frutéscens KS. (*bh*) shrubby Caracas 1824. .... S ♄ H.et.B.n.g.6. t. 570-71.

MYROXY'LUM. K.S. BALSAM-WOOD. (*μυρον*, myrrh, and *ξυλον*, wood; smell of.) Dec. Mon.
1 pubéscens K.S. (*wh*) pubescent Carthagena 1820. .... S ♄ Lamb. cinch. 92. t. 1.
2 peruíferum K.S. (*wh*) Balsam of Peru Peru 1824. .... S ♄ Lam. ill. t. 341. f. 1.
3 toluíferum K.S. (*wh*) Balsam of Tolu S. America .... S ♄ Woodv. m. bot. 3. t. 193.

SOPHO'RA DC. SOPHO'RA. (An Arabic name of pea-flowered-tree.) Decandria Monogynia.
Sect. 1. EUSOPHO'RA; *stamens* 10, *free.*
1 japónica DC. (*wh*) Japanese Japan 1753. 8. 9. H 5 Andr. reposit. 585.
β *péndula* L.C. (*wh*) *pendulous* ———— .... —— H 5
γ *variegàta* LC. (*wh*) *striped-leaved* ———— .... —— H 5
2 chinénsis LC. (*wh*) Chinese China .... —— H 5
3 glaúca DC. (*pu*) glaucous E. Indies 1818. .... S ♄
4 tomentòsa DC. (*ye*) downy ———— 1690. .... S ♄ Bot. mag. t. 3390.
5 occidentàlis W. (*ye*) West Indian W. Indies .... S ♄ Trew. ehr. t. 59.
6 crassifòlia DC. (*ye*) thick-leaved Senegal 1824. .... S ♄
7 secundiflòra DC. (*bl*) side-flowering New Spain 1818. .... G ♄ Cavan. ic. 5. t. 401.
Virgília secundiflòra C.I. *Broussonètia secundiflòra* Ort. dec. 5. t. 7.
8 littoràlis DC (*ye*) sea-side Brazil 1824. .... S ♄ Pluk. alm. t. 104. f. 3.
9 galegioìdes DC. (*vi*) Galega-like Siberia 1817. 6. 7. H ♃ Pall. astr. t. 88.
10 flavéscens DC. (*ye*) pale-yellow ———— 1785. 5. 7. H ♃
11 robústa H.B. .... robust Silhet 1820. .... S ♄
Sect. 2. DISEMŒ'A; *stamens irregularly monadelphous at base.*
12 velutìna B.R. (*pu*) velvetty China 1826. 6. 7. G ♄ Bot. reg. 1185.

PSEUDOSOPHO'RA. PSEUDOSOPHO'RA. (False Sophora.) Diadelphia Decandria.
1 alopecuroìdes DC. (*wh*) Fox-tail Levant 1731. 7. 8. H ♃ Dill. elth. f. 136.
2 sericea N. (*wh*) silky Missouri 1811. 6. 7. H ♃
Astrágalus carnòsus Ph.

EDWA'RDSIA. DC. EDWA'RDSIA. (S. Edwards, a cel. bot. artist.) Decandria Monogynia.
1 chilénsis DS. (*ye*) Chili Chili 1822. 4. 5. F ♄ Bot. reg. 1798.
Sophòra macrocárpa DC. Lodd. bot. cab. t. 1125.
2 grandiflòra DC. (*ye*) large-flowered N. Zealand 1772. 3. 6. F ♄ Bot. mag. 167.
Sophòra tetráptera B.M.
3 chrysophy'lla. DC. (*ye*) golden-leaved ———— .... —— F ♄ Bot. reg. 738.
4 myriophy'lla DS. (*ye*) many-leaved ———— .... 5. 6. F ♄
5 microphy'lla DC. (*ye*) small-leaved ———— 1772. 3. 6. F ♄ Bot. mag. 1442.
6 mínima LC. (*ye*) smallest ———— 1816. —— F ♄
7 nítida DC. (*ye*) shining Bourbon 1820. .... S ♄

ORMO'SIA DC. ORMO'SIA. (*ορμος*, a necklace; seeds used as.) Decandria Monogynia.
1 dasycárpa DC. (*pu*) smooth-leaved W. Indies 1793. 6. 7. S ♄ Linn. trans. 10. t. 26.
Sophòra monospérma Swartz.
2 coccínea DC. (*pu*) scarlet-seeded Guiana 1826. .... S ♄ Linn. trans. 10. t. 25.

CALPU'RNIA Meyer. CALPU'RNIA. (etymology unknown.) Decandria Monogynia.
1 capénsis Benth. (*bh*) Cape C. B. S. 1767. 7. 8. G ♄ Bot. mag. 1590.
Virgília capénsis DC.

2 intrùsa Benth. (*ye*) small-flowered C. B. S. 1790. 5. 8. G ♄ Bot. mag. t. 2617.
Sophòra sylvática Burchell. *Virgília intrùsa* Ait.
3 robinioìdes DC. (*vi*) robinia-like ——— —— 6. 8. G ♄
4 aúrea Benth. (*ye*) golden Abyssinia 1777. 7 G ♄ L'Herit. st. nov. 1. t. 75.
Virgília aúrea DC.

VIRGI'LIA DC. VIRGI'LIA. (Virgil the poet.) Decandria Monogynia.
lùtea DC. (*ye*) American N. America 1812. 6. 7. G ♄ Mich. fil. arb. 3. t. 3.

MACRO'TROPIS DC. MACRO'TROPIS. (*μακρος*, long, and *τροπις*, a keel; keel long.) Decand. Mon.
1 fœ'tida DC. (*wh*) strong-scented China 1822. 4. 5. F ♄
2 inodòra DC. (*wh*) scentless ——— 1824. —— F ♄

ANAGY'RIS. DC. BEAN TREFOIL. (*ανα*, backwards, and *γυρος*, a circle.) Decandria Monogynia.
1 fœ'tida DC. (*ye*) strong-scented Spain 1570. 4. 5. F ♄ Lodd. bot. cab. t. 740.
β glaúca DC. (*ye*) *glaucous-leaved* S. Europe 1824. —— F ♄
2 latifòlia DC. (*ye*) broad-leaved Teneriffe 1815. —— F ♄

PIPTA'NTHUS. B.F.G. PIPTA'NTHUS. (*πιπτω*, to fall, and *ανθος*, a flower.) Decandria Monogynia.
nepalénsis B.F.G. (*ye*) Laburnum-ld. Nepaul 1819. 5. 6. H ♄ Sweet br. fl. gar. 264.
Thermópsis napaulénsis DC. *laburnifòlia* D.P. *Baptísia nepalénsis* Hook. ex. flor. 131.

THERMO'PSIS DC. THERMO'PSIS. (*θερμος*, a lupine, and *οψις*, resemblance.) Decand. Mon.
1 rhombifòlia DC. (*ye*) rhomb-leaved Louisiana 1811. 6. 7. H ♃
Cytísus rhombifòlius Ph.
2 fabàcea DC. (*ye*) Bean-leaved Kamschatka 1824. —— H ♃ Bot. mag. t. 3611.
rhombifòlia Richards.
3 lanceolàta DC. (*ye*) spear-leaved Siberia 1776. —— H ♃ Bot. mag. 1389.
Sophòra lupinoìdes Pall. astr. t. 89. *Podaly'ria lupinoìdes* B.M.
4 corgonénsis DC. (*ye*) alpine Altay 1824. —— H ♃ Pall. astr. t. 90. f. 1.
Sophòra alpìna Pall. *Podaly'ria alpìna* W. enum.

BAPTI'STA DC. BAPTI'STA. (*βαπτω*, to dye; used as.) Decandria Monogynia.
§ 1. *Leaves simple.*
1 perfòliata DC. (*ye*) perfoliate Carolina 1732. 8. F ♃ Bot. mag. t. 3121.
Crotalària perfoliàta L. *Ráfnia perfoliàta* W.
§ 2. *Leaves trifoliate.*
2 exaltàta B.F.G. (*bl*) tall upright N. America 1812. 6. 7. H ♃ Sweet br. fl. gar. 97.
3 auriculàta (*bl*) eared ——— —— —— H ♃
4 austràlis DC. (*bl*) common ——— 1758. —— H ♃ Bot. mag. 509.
Sophòra austràlis B.M. *Podaly'ria austràlis* Vent. cels. t. 56.
5 confusa (*bl*) persistent-bract'd N. America 1812. 6. 7. H ♃
6 mìnor Lehm. (*bl*) lesser ——— .... —— H ♃
7 villòsa DC. (*st*) villous ——— 1811. —— H ♃
8 móllis DC. (*bl*) soft Carolina 1824. —— H ♃
9 versícolor B.C. (*va*) various-coloured N. America —— 6. 8. H ♃ Lodd. bot. cab. 1144.
10 álba DC. (*wh*) white-flowered ——— 1724. 6. 7. H ♃ Bot. mag. 1177.
11 tinctòria DC. (*ye*) dyer's ——— 1759. 7. 8. H ♃ ——— t. 1099.
Sophòra tinctòria L. *Podaly'ria tinctòria* B.M.

CYCLO'PIA DC. CYCLO'PIA. (*κυκλος*, a circle, and *πους*, a foot; base of pet.) Dec. Mon.
1 genistoìdes DC. (*ye*) Genista-like C. B. S. 1787. 7. 8. G ♄ Bot. mag. 1259.
Ibbetsònia genistoìdes B.M. *Gompholòbium maculàtum* A.R. 427.
2 galioìdes DC. DC. (*ye*) Galium-like C. B. S. 1818. 7. 8. G ♄ Pluk. alm. t. 413. f. 4.
3 tenuifòlia DS. (*ye*) fine-leaved ——— 1826. —— G ♄
4 latifòlia DC. (*ye*) broad-leaved ——— 1818. —— G ♄

PODALY'RIA DC. PODALY'RIA. (Podalyrius, son of Æsculapius.) Decandria Monogynia.
§ 1. *Peduncles 1-flowered.*
1 Burchéllii DC. (*pu*) Burchell's C. B. S. 1818. 5. 7. G ♄
2 hirsùta DC. (*pu*) hairy ——— 1774. 7. 8. G ♄
3 cuneifòlia DC. (*wh*) wedge-leaved ——— 1804. 5. 8. G ♄ Vent. cels. t. 99.
4 oleæfòlia P.L. (*pu*) Olive-leaved ——— —— —— G ♄ Sal. par. lond. 114.
5 seríceа DC. (*pu*) silky ——— 1778. 10. 1. G ♄ Bot. mag. 1923.
6 myrtillifòlia DC. (*pu*) Myrtle-leaved ——— 1795. 4. 7. G ♄
7 buxifòlia DC. (*pu*) Box-leaved ——— 1790. 5. 10. G ♄ Bot. reg. 869.
8 styracifòlia DC. (*pu*) Storax-leaved ——— 1792. 5. 7. G ♄ Bot. mag. 1580.
9 calyptràta W. (*pu*) one-flowered ——— —— 4. 5. G ♄
10 corúscans Rch. (*pu*) glittering ——— 1822. —— G ♄
11 glaúca DC. (*pu*) glaucous-leaved ——— —— —— G ♄ Lam. ill. t. 327. f. 4.
§ 2. *Peduncles 2-flowered.*
12 argéntea DC. (*li*) silvery-leaved ——— 1780. 2. 6. G ♄ Sal. par. lond. t. 7.
bifòra Bot. mag. t. 753.
13 liparioìdes DC. (*li*) Liparia-like ——— 1824. 4. 6. G ♄
14 subbifòra DC. (*li*) netted-leaved ——— —— —— G ♄
15 cordàta DC. (*pu*) heart-leaved ——— 1794. 5. 7. G ♄

CHORIZE'MA DC. CHORIZE'MA. (χορις, a danse, and ξεμα, a drink.) Decandria Monogynia

1	ilicifòlia DC.	(sc) Holly-leaved	N. Holland	1803.	3.10.	G	♄	Labill. voy. 1. t. 21.
2	nàna DC.	(sc) dwarf-prickly	———	——	——	G	♄	Bot. mag. 1032.
3	rhómbea DC.	(sc) various-leaved	———	——	4. 6.	G	♄	Sweet flor. aust. t. 40
4	Dicksònii Benth.	(sc ye) Dickson's	SwanRiver	1836.	3. 8.	G	♄	Bot. an. t. 106.
5	scándens Benth.	(ye) climbing	N. Holland	1824.	——	G	♄	Bot. reg. t. 1434.

Mirbèlia Baxtèri B.R. *Chorizèma scándens*, Graham. *C. Baxtèri* DS.

6	ovàta B.R.	(sc) ovate leaved	———	1830.	——	G	♄	Bot. reg. t. 1528.
7	triangulàris B.R.	(sc) triangular-leaved	———	——	——	G	♄	——— t. 1513.
8	cordàta BR.	(sc.pu) cordate-leaved	SwanRiver	1836.	——	G	♄	——— n. s. t. 10
9	angustifòlia Hug.	(ye.re) narrow-leavd.	N. S. W.	1830.	3. 8.	G	♄	——— t. 1541.

Dillwy'nia glycinifòlia DC.

10	Henchmánni B.R.	(sc) Henchmann's	N. Holland	1825.	5. 9.	G	♄	Bot. reg. 986.
11	platylobioìdes DC.	(ye) Platylobium-like	———	——	——	G	♄	

PODOLO'BIUM DC. PODOLO'BIUM. (πους, a foot, and λοβος, a pod; stalked.) Decan. Mon

1	trìlobatum DC.	(ye) three-lobed	N. S. W.	1791.	4. 7.	G	♄	Bot. mag. 1477.

Chorozèma trilobatum L.T. *Pultenæ'a ilicifòlia* A.R. 320.

2	staurophy'llum DC.	(ye) spiny-leaved	N. S. W.	1821.	3. 5.	G	♄	Bot. reg. 959.
3	scándens DC.	(ye) climbing	———	1825.	4. 6.	G	♄ ◡	

Chorozèma scándens L.T.

4	humifùsum DS.	(ye) trailing	———	1824.	——	G	♄	

Davièsia humifùsa Sieb.

OXYLO'BIUM DC. OXYLO'BIUM. (οξυς, sharp, and λοβος, a pod; pointed.) Decan. Mon

1	obtusifòlium S.F.A.	(sc) blunt-leaved	N. Holland	1825.	4. 6.	G	♄	Sweet flor. aust. t. 5.
2	arboréscens DC.	(ye) arborescent	V. Diem. I.	1805.	5. 9.	G	♄	Bot reg. 392.
3	retùsum B.R.	(or) retuse-leaved	N. Holland	1822.	4. 6.	G	♄	——— t. 913.
4	ellípticum DC.	(ye) elliptic-leaved	V. Diem. I.	1805.	5. 9.	G	♄	Bot. mag. t. 3249.
5	cordifòlium DC.	(sc) heart-leaved	N. S. W.	1807.	4. 9.	G	♄	And. rep. 492.
6	spinòsum DC.	(ye) spiny	N. Holland	1823.	5. 8.	G	♄	
7	Pultene'æ DC.	(ye) wood	N. S. W.	——	4. 6.	G	♄	

CALLI'STACHYS DC. CALLI'STACHYS. (καλλος, beauty, and σταχυς, a spike.) Decan. Mon

1	lanceolàta DC.	(ye) spear-leaved	N. Holland	1815.	5. 8.	G	♄	Bot. reg. 216.
2	ovàta DC.	(ye) oval-leaved	———	——	——	G	♄	Bot. mag. 1925.
3	linearifòlia DS.	(ye) linear-leaved	———	1824.	——	G	♄	

BRACHYSE'MA DC. BRACHYSE'MA. (βραχυς, short, and σημα, a standard.) Decand. Mon

1	latifòlium DC.	(sc) broad-leaved	N. Holland	1803.	4. 7.	G	♄ ◡	Bot. reg. 118.
2	undulàtum DC.	(ye) wave-leaved	———	1820.	2. 7.	G	♄ ◡	——— t. 642.

GOMPHOLO'BIUM DC. GOMPHOLO'BIUM. (γομφος, a club, and λοβος, a pod.) Decan. Mon

§ 1. *Leaves ternate.*

1	barbígerum DC.	(ye) bearded-flowerd.	N. S. W.	1824.	5. 8.	G	♄	
2	grandiflòrum DC.	(ye) large-flowered	———	1803.	3. 9.	G	♄	Bot. reg. 484.
3	virgàtum DC.	(ye) twiggy	———	1824.	5. 8.	G	♄	
4	tènue B.R.	(ye) slender	N. Holland	....	8.	G	♄	Bot. reg. 1615.
5	latifòlium DC.	(ye) broad-leaved	N. S. W.	1803.	3. 9.	G	♄	Labill. nov. hol. t. 133.

fimbriàtum Sm. ex. bot. t. 58. *psoraleæfòlium* Sal. par. lond. t. 6.

6	glaucéscens F.T.	(ye) glaucescent	N. S. W.	1821.	4. 6.	G	♄	
7	marginàtum DC.	(ye) small-flowered	N. Holland	1803.	3. 9.	G	♄	Bot. reg. t. 1490.
8	pedunculàre DC.	(ye) long-stalked	N. S. W.	1825.	4. 7.	G	♄	
9	angustifòlium Ait.	(ye) narrow-leaved	N. Holland	....	....	G	♄	
10	aristàtum Benth.	(ye) awned	———	....	....	G	♄	
11	adúncum Cun.	(ye) hooked	N. S. W.	....	....	G	♄	
12	tetrathecoìdes DC.	(ye) Tetratheca-like	———	1825.	4. 7.	G	♄	
13	venulòsum B.R.	(ye) veined	N. Holland	1830.	7. 8.	G	♄	Bot. reg. 1574.
14	polymórphum DC.	(sc) variable	———	1803.	3. 8.	G	♄ ◡	Bot. mag. 1533.

§ 2. *Leaves impari-pinnate.*

15	lanàtum DS.	(cop.ye) woolly	———	1824.	3. 6.	G	♄	
16	Knightiànum B.R.	(ro) Knight's	———	1830.	8. 9.	G	♄	Bot. reg. t. 1469.
17	capitàtum B.R.	(ye) capitate	———	....	7. 8.	G	♄	——— t. 1563.
18	tomentòsum DC.	(ye) tomentose	———	1803.	4. 7.	G	♄	——— 1474.
19	glabràtum DC.	(ye) smooth	———	1824.	——	G	♄	
20	heterophy'llum DS.	(re) various-ld.	———	1823.	3. 6.	G	♄	
21	venústum DC.	(ye) purple-flowered	———	1803.	——	G	♄	
22	pinnàtum DC.	(ye) wing-leaved	N. S. W.	1822.	5. 6.	G	♂	

BURTO'NIA DC. BURTO'NIA. (David Burton, a bot. collector.) Decandria Monogynia.

1	scàbra DC.	(pu) rough-leaved	N. Holland	1803.	5. 7.	G	♄	
2	mìnor DC.	(ye) hairy-stalked	N. S. W.	1812.	3. 8.	G	♄	
3	sessilifòlia DC.	(ye) sessile-leaved	———	1825.	——	G	♄	
4	conférta DC.	(vi) crowded	N. Holland	....	6. 7.	G	♄	Bot. reg. t. 1600.

JACKSO'NIA DC. JACKSO'NIA. (Geo. Jackson, an acute bot.) Decandria Monogynia.

1	scopària DC.	(ye) Broom-like	N. S. W.	1803.	6. 8.	G	♄	Lodd. bot. cab.

2 spinòsa DC.	(ye) spiny	N. Holland	1803.	4. 9.	G	♄		Labill. nov. hol. 1. t. 136
3 hórrida DC.	(ye) horrid	———	1825.	——	G	♄		
4 furcellàta DC.	(ye) forked	N. S. W.	1822.	4. 6.	G	♄		Bonpl. nav. t. 11.
5 Sternbergiàna Ait	(ye) Sternberg's	N. Holland	1837.	....	G	♄		
6 thesioìdes Ait.	(ye) thesium-like	———	1820.	....	G	♄		
7 reticulàta DC.	(ye) netted	N. S. W.	1822.	4. 6.	G	♄		
Devèsia reticulàta LT.								
VIMINA'RIA DC.	VIMINA'RIA. (*vimen*, a twig; appearance.) Decandria Monogynia.							
1 denudàta DC.	(ye) half-naked	N. S. W.	1789.	6. 9.	G	♄		Bot. mag. 1190.
2 lateriflòra L.K.	(ye) side-flowered	———	1824.	——	G	♄		
PHÆROLO'BIUM DC.	SPHÆROLO'BIUM. (*σφαιρα*, a sphere, and *λοβος*, a pod.) Dec. Mon.							
1 vimíneum DC.	(ye) yellow-flowered	N. S. W.	1802.	5. 8.	G	♄		Bot. mag. 969.
2 mèdium DC.	(re) red-flowered	N. Holland	1803.	6. 8.	G	♄		
OTUS DC.	AO'TUS. (*α*, priv. and *ωτα*, ears; calyx.) Decandria Monogynia.							
1 villòsa DC.	(ye) villous	V. Diem. I.	1790.	4. 6.	G	♄		Bot. mag. 949.
2 ferrugínea DS.	(ye) rusty	———	1820.	——	G	♄		
3 virgàta DC.	(ye) slender	N.Holland	——	4. 8.	G	♄		
DILLWY'NIA DC.	DILLWY'NIA. (L. W. Dillwyn, F.R.S. Brit. bot.) Decand. Monogyn.							
Sect. 1. DILLWYNIA'STRUM; *petals and stamens deciduous.*								
1 floribúnda DC.	(ye) close-flowered	N. S. W.	1794.	4. 7.	G	♄		Sm. exot. bot. t. 26.
ericifòlia Bot. mag. 1545. *nec aliorum.*								
2 ericifòlia DC.	(ye) Heath-leaved	———	——	3. 7.	G	♄		——— t. 25.
3 juniperína B.C.	(ye) Juniper-leaved	———	1818.	6. 7.	G	♄		Lodd. bot. cab. 401.
4 glabérrima DC.	(ye) smooth	———	1800.	3. 7.	G	♄		Bot. mag. 944.
5 parvifòlia DC.	(ye) small-leaved	———	——	——	G	♄		——— t. 1527.
6 aciculàris DC.	(ye) needle-leaved	———	1822.	5. 7.	G	♄		
7 ràdis DC.	(ye) villous-branch'd	———	1812.	——	G	♄		
8 teretifòlia Sie.	(ye) round-leaved	———	1825.	——	G	♄		
9 hispídula Sie.	(ye) hispid	———	——	——	G	♄		
10 tenuifòlia DC.	(ye) slender-leaved	———	1820.	——	G	♄		
11 púngens Cunn.	(ye) pungent-leaved	N. Holland	1825.	6. 8.	G	♄		Swt. flor. aust. t. 28.
Eutáxia púngens Swt.								
12 phylicoìdes F.T.	(ye) Phylica-leaved	N. S. W.	1824.	5. 8.	G	♄		
13 seríceа F.T.	(ye) silky	———	——	——	G	♄		
Sect. 2. XEROPE'TATUM; *petals and stamens persistent.*								
14 cineráscens DC.	(ye) ash-coloured	V. Diem. I.	1818.	6. 7.	G	♄		Bot. mag. 2247.
EUTA'XIA DC.	EUTA'XIA. (*ευταξια*, modesty; appearance.) Decandria Monogynia.							
1 myrtifòlia DC.	(ye) Myrtle-leaved	N. Holland	1803.	3. 6.	G	♄		Bot. mag. 1274.
Dilwy'nia obovàta B.M.								
2 Baxtèri K.W.	(ye) Baxter's	———	1830.	——	G	♄		Flor. cab. t. 43.
SCLEROTHA'MNUS DC.	SCLEROTHA'MNUS. (*σκληρος*, hard, and, *θαμνος*, a shrub.) Dec.Mo.							
microphy'llus DC.	(ye) small leaved	N. Holland	1803.	5. 6.	G	♄		
GASTROLO'BIUM DC.	GASTROLO'BIUM. (*γαστηρ*, a belly, and *λοβος*, a pod.) Decand Monog.							
1 bilobum DC.	(ye) two-lobed	N. Holland	1803.	3. 5.	G	♄		Bot. reg. 411.
2 retùsum B.R.	(or) blunt-leaved	———	1832.	12.3.	G	♄		Bot. mag. t. 3328.
EUCHI'LUS DC.	EUCHI'LUS. (*ευ*, well, and *χειλος*, a lip; upper lip of calyx large.) Dec.Mo.							
obcordàtus DC	(ye) heart-leaved	N. Holland	1803.	5. 6.	G	♄		Bot. reg. 403.
SPADO'STYLES Benth.	SPADO'STYLES. (*σπαδων*, a gelding and *στυλος*, a style.) Decand. Monog.							
Siebèri Benth.	(ye) Sieber's	N. S. W.	1824.	5. 7.	G	♄		
Pultenæ'a eúchila DC.								
PULTENÆ'A DC.	PULTENÆ'A. (W. Pulteney, M.D., bot. author.) Decandria Monogynia.							
1 daphnoìdes DC.	(ye) Daphne-leaved	N. S. W.	1792.	6. 7.	G	♄		Bot. mag. 1394.
2 obcordàta DC.	(ye) heart-leaved	V. Diem. I.	1808.	5. 7.	G	♄		Andr. rep. t. 574.
3 cordàta B.M.	(ye) cordate	———	1832.	3. 6.	G	♄		Bot. mag. t 3443.
4 bíloba DC.	(ye) two-lobed	N. Holland	1818.	5. 7.	G	♄		Bot. mag. t. 2091.
5 scàbra H.K.	(y.pu) rough-leaved	N. S W.	1803.	——	G	♄		
6 incurvàta F-T.	(ye) incurved-ld.	———	1825.	——	G	♄		
7 canéscens F.T.	(ye) canescent	———	1824.	4. 7.	G	♄		
8 polifòlia F.T.	(ye) Poley-leaved	———	——	——	G	♄		
9 argéntea F.T.	(ye) silvery	———	1826.	——	G	♄		
10 ferrugínea DC.	(ye) ferruginous	———	1818.	——	G	♄		Lin. trans. 11. t. 23.
11 racemulòsa DC.	(ye) racemed	———	1821.	——	G	♄		
12 parvifòra DC.	(ye) small-flowered	———	1824.	5. 7.	G	♄		
13 procúmbens F.T.	(ye) procumbent	———	——	——	G	♄		
14 stricta DC.	(ye) upright	———	1803.	4. 6.	G	♄		Bot. mag. 1588.
15 ellíptica DC.	(ye) elliptic-leaved	———	1818.	4. 7.	G	♄		Linn. trans. 11. t. 24.
16 plumòsa DC.	(ye) feathered	———	1822.	5. 7.	G	♄		
17 thymifòlia DC.	(ye) Thyme-leaved	———	——	——	G	♄		
18 hypolámpra DC.	(ye) whorl-branched	———	——	——	G	♄		

19	villífera DC.	(*ye*) wool-bearing	N. S. W.	1824.	5.	7.	G	♄	
20	polygalifòlia DC.	(*ye*) Milkwort-ld.	———	1818.	4.	7.	G	♄	Sweet flor. aust. t. 37.
21	fléxilis DC.	(*ye*) fragrant	———	1801.	4.	6.	G	♄	Bot. reg. 1694.
22	Sweètii G.D.	(*ye*) Sweet's	———	1824.	——		G	♄	Sweet flor. austr. t. 35.
	fléxilis Sweet, not DC.								
23	retùsa DC.	(*ye*) blunt	———	1789.	4.	5.	G	♄	Bot. reg. 378.
24	capitellàta DC.	(*ye*) small-headed	———	1825.	——		G	♄	
25	linophy'lla DC.	(*ye*) Flax-leaved	———	1789.	5.	7.	G	♄	Schrad. s. han. 3. t. 1
26	microphy'lla DC.	(*ye*) small-leaved	———	1823.	——		G	♄	
27	stipulàris DC.	(*ye*) scaly	———	1792.	4.	6.	G	♄	Bot. mag. 475.
28	paleàcea DC.	(*ye*) chaffy	———	1789.	5.	7.	G	♄	Lodd. bot. cab. t. 291.
29	aristàta DC.	(*ye*) awned-calyxed	———	1823.	——		G	♄	
30	echínula DC.	(*ye*) harsh-leaved	———	——	——		G	♄	
31	vestìta DC.	(*ye*) awned	N. Holland	1803.	4.	7.	G	♄	
32	mucronàta B.C.	(*ye*) mucronate-ld.	———	1826.	4.	6.	G	♄	Bot. cab. t. 1711.
33	rosmarinifòlia B.R.	(*ye*) rosemary-leav'd	———	1830.	——		G	♄	Bot. reg. 1584.
34	subumbellàta B.M.	(*ye*) subumbellate	V. D. L.	——	——		G	♄	Bot. mag. t. 3254.
35	tenuifòlia DC.	(*ye*) slender-leaved	N. Holland	1818.	4.	7.	G	♄	Bot. mag. 2086.
	cándida B.C. t. 1236.								
36	villòsa DC.	(*ye*) villous	N. S. W.	1790.	4.	5.	G	♄	Bot. mag. t. 967.
37	stenophy'lla D.S.	(*ye*) narrow-leaved	N. Holland	1824.	4.	6.	G	♄	
38	styphelioìdes D.S.	(*ye*) styphelia-like	———	——	——		G	♄	
39	pedunculàta B.M.	(*ye*) pedunculated	N. S. W.	——	5.	6.	G	♄	Bot. mag. 2859.
40	erióphora L.C.	(*ye*) wool-bearing	———	1794.	4.	7.	G	♄	
41	incarnàta M.C.	(*fl*) flesh-coloured	N. Holland	1824.	——		G	♄	
42	rosmarinifòlia ψ	(*ye*) Rosemary-leav'd	———	——	——		G	♄	

PHYLLO'TA Benth. PHYLLO'TA. (φυλλον, a leaf, and ους, an ear.) Decandria Monogynia.

1	áspera Benth.	(*ye*) rough	N. S. W.	1824.	5.	8.	G	♄	
	Pultenæ'a áspera DC.								
2	comòsa Benth.	(*ye*) tufted	———	——	——		G	♄	
3	squarròsa Benth.	(*ye*) squarrose	———	——	——		G	♄	
4	phylicoìdes Benth.	(*ye*) Phylica-like	———	——	——		G	♄	

DAVIE'SIA DC. DAVIE'SIA. (Rev. H. Davies, F.L.S., Welsh bot.) Decandria Monogynia.

§ 1. *Leaves unarmed at apex.*

1	latifòlia DC.	(*ye*) broad-leaved	N. S. W.	1803.	5.	8.	G	♄	Bot. mag. 1757.
2	corymbòsa DC.	(*ye*) corymb-flowered	———	1804.	——		G	♄	
3	mimosoìdes H.K.	(*ye*) green-leaved	———	1800.	——		G	♄	Andr. reposit. 526.
	corymbòsa A.R. *non* Smith.								
4	glaúca B.C.	(*ye*) glaucous-leaved	———	1812.	——		G	♄	Lodd. bot. cab. 43.
	mimosoìdes Bot. mag. 1957. *non* H.K.								
5	leptophy'lla D.S.	(*ye*) slender leaved	N. Holland	1824.	4.	6.	G	♄	

§ 2. *Leaves spiny at apex.*

6	umbellulàta DC.	(*ye*) small-umbelled	N. Holland	1822.	4.	8.	G	♄	
7	physòdes D.S.	(*ye*) bladdery	———	1824.	4.	6.	G	♄	
8	incrassàta DC.	(*ye*) thick-leaved	———	1820.	5.	8.	G	♄	
9	aciculàris DC.	(*ye*) needle-leaved	———	1804.	6.	7.	G	♄	
10	ulícina DC.	(*ye*) Furze-like	N. S. W.	1792.	4.	8.	G	♄	Andr. reposit. 304.
	lineàris Bot. cab. t. 1015.								
11	genistoìdes L.C.	(*ye*) pungent	N. Holland	1825.	5.	8.	G	♄	Lodd. bot. cab. t. 1552.
12	púngens M.C.	(*ye*) pungent	———	——	4.	8.	G	♄	

§ 3. *Leaves cordate at their bases.*

13	squarròsa DC.	(*ye*) squarrose	N. S. W.	1822.	5.	7.	G	♄	
14	cordàta DC.	(*ye*) heart-leaved	N. Holland	1824.	——		G	♄	Bot. reg. 1005.

§ 4. *Leaves wanting.*

15	alàta DC.	(*ye*) winged	———	1820.	4.	6.	G	♄	Bot. reg. t. 728.
16	júncea DC.	(*ye*) rushy	———	1823.	——		G	♄	

MIRBE'LIA DC. MIRBE'LIA. (M. Mirbel, French physiol. bot.) Decandria Monogynia.

1	reticulàta DC.	(*pu*) netted-leaved	N. S. W.	1792.	5.	8.	G	♄	Bot. mag. 1211.
2	púngens M.C.	(*pu*) pungent-leaved	N. Holland	1824.	——		G	♄	
3	speciòsa DC.	(*pu*) beautiful	N. S. W.	——	——		G	♄	Sweet. flor. aust. t. 34.
4	grandiflòra B.M.	(*y.re*) large-flowered	———	1823.	——		G	♄	Bot. mag. 2771.
5	dilatàta DC.	(*pu*) lobed-leaved	N. Holland	1803.	——		G	♄	Bot. reg. 1041.
6	rubiæfòlia DS.	(*pu*) rubia-leaved	N. S. W.	1792.	5.	7.	G	♄	
	Pultenæ'a rubiæfòlia Andr. bot. rep. 1351.								
7	púngens DS.	(*pu*) pungent	N. Holland	1823.	5.	7.	G	♄	

Tribe II. *LO'TEÆ.* DC. *prodr.* 2. *p.* 115.

Subtribe I. *GENI'STEÆ.* DC. 1. *c.* 115.

VEA DC. HO'VEA. (A. P. Hove, a Polish bot.) Monadelphia Decandria.

rosmarinifòlia F.T.	(*bl*)	Rosemary-ld.	N. S. W.	1824.	3.	6.	G	♄	
ongifòlia DC.	(*bl*)	long-leaved	———	1805.	3.	7.	G	♄	Bot. reg. 614.
ineàris DC.	(*bl*)	linear-leaved	———	1796.	——		G	♄	——— t. 463. & t. 1427.?
lanceolàta var. lineàris B.R. t. 1427.									
anceolàta DC.	(*bl*)	spear-leaved	———	1805.	——		G	♄	Bot. mag. 1624.
rispa B.R.	(*pu*)	curled	Swan River	1837.	2.	3.	G	♄	
úngens Benth.	(*pu*)	pungent	N. Holland	——	——		G	♄	
apiculàta DS.	(*pu*)	apiculated	N. S. W.	1824.	——		G	♄	
mucronàta DS.	(*pu*)	mucronate	———	——	——		G	♄	
acutifòlia DS.	(*pu*)	acute-leaved	———	——	——		G	♄	
Manglèsii B.R.	(*pu*)	Mangles's	Swan River	1837.	1.	3.	G	♄	Bot. reg. n. s. t. 62.
elliptica DC.	(*bl*)	elliptic-leaved	———	1817.	3.	7.	G	♄	
Poirètia elliptica L.T.									
villòsa B.R.	(*pu*)	villous	N. Holland	1830.	——		G	♄	Bot. reg. t. 1512.
purpùrea S.F.A.	(*pu*)	purple-flowered	N. S. W.	1824.	2.	5.	G	♄	Sweet. flor. aust. t. 13.
pannòsa DS.	(*pu*)	rusty	———	1823.	3.	6.	G	♄	Bot. mag. t. 3053.
lanigera Lodd. cat.									
latifòlia DC.	(*bl*)	broad-leaved	———	1817.	——		G	♄	Lodd. bot. cab. 30.
Célsi DC.	(*bl*)	Cels's	N. Holland	1818.	3.	7.	G	♄	Bot. reg. 280.

LAGIOLO'BIUM S.F.A. PLAGIOLO'BIUM. (πλαγιος, transverse, and λοβος, a pod.) Diad. Decand.

1 chorizemæfòlium S.F.A.	(*bl*)	Chorizema-ld.	N. Holland	1824.	2.	5.	G	♄	Sweet flor. aust. t. 2.
Hòvea chorizemifòlia B.R. t. 1524.									
2 ilicifòlium S.F.A.	(*bl*)	Holly-leaved	———	1827.	——		G	♄	Swt. flor. aust. t. 2. f. 10-11.

ALA'GE B.R. LALA'GE. (a dame mentioned in Horace.) Diadelphia Decandria.

ornàta B.R.	(*ye*)	beautiful	N. Holland	1830.	4.	5.	G	♄	Bot. reg. 1722.

LATYLO'BIUM DC. FLAT-PEA. (πλατυς, broad, and λοβος, a pod.) Monadelphia Decandria.

1 formòsum DC.	(*ye*)	large-flowered	N. S. W.	1790.	6.	8.	G	♄	Bot. mag. 469.
2 parviflòrum DC.	(*ye*)	smaller-flowered	———	1792.	5.	9.	G	♄	——— t. 1520.
3 ovàtum DC.	(*ye*)	oval-leaved	———	1820.	5.	7.	G	♄	
4 triangulàre DC.	(*ye*)	triangular-ld.	V.Diem.Isl.	1805.	5.	9.	G	♄	Bot. mag. 1508.
5 obtusángulum B.M.	(*or*)	obtuse-leaved	———	....	5.	6.	G	♄	——— t. 3258.
6 Murrayànum B.M.	(*or*)	Murray's	———	....	....		G	♄	——— t. 3259.

BOSSIÆ'A DC. BOSSIÆ'A. (M. Bossieu Lamartiniere, a French bot.) Monadel. Decand.

§ 1. *Branches compressed, leafless.*

1 scolopéndria DC.	(*ye*)	Plank-plant	N. S. W.	1792.	5.	7.	G	♄	Vent. malm. 55.
Platylòbium Scolopéndrium Andr. rep. 191.									
2 ensàta DC.	(*ye*)	sword-stemmed	N. S. W.	1822.	——		G	♄	Sweet flor. aust. t. 51.
rùfa Lob. bot. cab. 1119. *non* DC.									
3 rùfa DC.	(*re*)	red-flowered	N. Holland	1803.	5.	9.	G	♄	

§ 2. *Branches compressed, leafy.*

4 linophy'lla DC.	(*ye*)	narrow-leaved	———	——	7.	9.	G	♄	Bot. mag. 2491.
5 heterophy'lla DC.	(*ye*)	various-leaved	N. S. W.	1792.	4.	12.	G	♄	Vent. cels. t. 7.
lanceolàta B.M. 1144. *Platylòbium lanceolàtum et ovàtum* A.R. 205 et 276.									
6 rotundifòlia DC.	(*ye*)	round-leaved.	N. S. W.	1822.	5.	7.	G	♄	
7 rhombifòlia DC.	(*ye*)	rhomb-leaved	———	——	4.	6.	G	♄	Sweet flor. aust. t. 9.
lenticulàris Lod. bot. cab. 1238. *non* DC.									

§ 3. *Branches terete, leafy.*

8 microphy'lla DC.	(*ye*)	small-leaved	———	1803.	5.	7.	G	♄	Lodd. bot. cab. t. 656.
9 lenticulàris DC.	(*ye*)	orbicular-leaved	———	1822.	——		G	♄	
10 foliòsa F.T.	(*ye*)	leafy	———	1823.	4.	7.	G	♄	
11 ovàta DS.	(*ye*)	ovate-leaved	———	1792.	——		G	♄	
Platylòbium ovàtum Andr. bot. rep. t. 266.									
12 buxifòlia F.T.	(*ye*)	Box-leaved	———	1823.	——		G	♄	
13 prostràta DC.	(*ye*)	prostrate	———	1803.	——		G	♄	Bot. mag. 1493.
14 linnæòides DS.	(*ye*)	Linnæa-like	N. Holland	1824.	4.	5.	G	♄	
15 cordifòlia S.F.A.	(*y.pu*)	heart-leaved	———	——	4.	7.	G	♄	Sweet flor. aust. t. 20.
16 cinèrea DC.	(*y.pu*)	sharp-leaved	V.Diem.Isl.	1803.	5.	7.	G	♄	Bot. reg. 306.

GOO'DIA DC. GOO'DIA. (Peter Good, bot. collector.) Monadelphia Decandria.

1 lotifòlia DC.	(*ye*)	Lotus-leaved	V.Diem.Isl.	1793.	4.	7.	G	♄	Sal. par. lond. 41.
2 subpubéscens	(*ye*)	hairy-leaved	———	1812.	——		G	♄	

3	pubéscens DC.	(y.pu)	downy	V.Diem.Is.	1805.	4. 7.	G ♄	Bot. mag. 1310.
4	retùsa M.C.	(ye)	retuse-leaved	N. Holland	1824.	——	G ♄	

TEPHROTHA'MNUS. TEPHROTHA'MNUS. (τεφρος, ash-coloured, and θαμνος, a shrub.) Mon. D

	tomentòsus	(ye)	woolly	C. B. S.	1798.	7. 8.	G ♄	And rep. 237.

Cy'tisus tomentòsus A.R. *Goòdia? polyspérma* DC.

SCO'TTIA H.K. SCO'TTIA. (Robert Scott, M.D., prof. bot., Dublin.) Monadel. Decand

1	dentàta DC.	(sc)	broad-leaved	N. Holland	1803.	1. 6.	G ♄	Bot. reg. 1233.
2	trapezifórmis M.C. . .		trapeziform	——	1825.	....	G ♄	
3	læ'vis B.R.	(ye)	smooth	——	——	——	G ♄	Bot. reg. t. 1652.
4	angustifòlia M.C.	(ye.re)	narrow-leaved	——	——	1. 6.	G ♄	—— 1266.

TEMPLETO'NIA DC. TEMPLETO'NIA. (John Templeton, Irish bot.) Monadelphia Decandria.

1	retùsa DC.	(sc)	green-leaved	N. Holland	1803.	3. 7.	G ♄	Bot. reg. 383.
2	glaúca DC.	(sc)	glaucous-leaved	——	——	——	G ♄	Bot. mag. 2088.

RA'FNIA DC. RA'FNIA. (C. C. Rafn, bot. author.) Monadelphia Decandria.

1	cordàta DC.	(ye)	heart-leaved	C. B. S.	1821.	5. 7.	G ♄	
2	ellíptica DC.	(ye)	elliptic-leaved	——	1816.	——	G ♄	
3	cuneifòlia DC.	(y.pu)	wedge-leaved	——	1820.	——	G ♂	
4	triflòra DC.	(ye)	three-flowered	——	1786.	——	G ♂	Bot. mag. 482.

Crotalària triflòra L. *Borbònia cordàta* And. rep. t. 31. *nec aliorum.*

5	láncea DC.	(ye)	lance-leaved	C. B. S.	1816.	5. 7.	G ♂	Th. ac. holm. 1800. t.

Œdmánnia láncea Th.

6	opposìta DC.	(ye)	opposite-leaved	——	1825.	——	G ♄	
7	angulàta DC.	(ye)	angular-stalked	——	1816.	——	G ♄	
8	filifòlia DC.	(ye)	narrow-leaved	——	——	——	G ♄	

VASCO'A DC. VASCO'A. (Vasco de Gama, Port. circumnavigator.) Monadelph. Decand

1	amplexicaúlis DC.	(ye)	stem-clasping	C. B. S.	1812.	6. 7.	G ♄	

Crotalària amplexicaúlis L. *Ráfnia amplexicaúlis* Th.

2	perfoliàta DC.	(ye)	perfoliate	C. B. S.	1812.	7. 8.	G ♄	Seba. thes. 1. t. 24. f.

Borbònia perfoliàta Th. *Crotalària amplexicaúlis* Lam.

BORBO'NIA DC. BORBO'NIA. (Gaston de Bourbon, Duke of Orleans.) Monadel. Decand

1	barbàta DC.	(ye)	bearded	C. B. S.	1816.	6. 8.	G ♄	Lam. ill. t. 610. f. 2.
2	trinérvia DC.	(ye)	three-nerved	——	1759.	——	G ♄	Pluk. alm. t. 297. f.
3	lanceolàta DC.	(ye)	many-nerved	——	1752.	——	G ♄	Jacq. schœnb. 2. t. 2
4	cordàta DC.	(ye)	heart-leaved	——	1759.	——	G ♄	—— 2. t. 21
5	ruscifòlia DC.	(ye)	Ruscus-leaved	——	1816.	——	G ♄	Bot. mag. 2128.
6	parviflòra DC.	(ye)	small-flowered	——	1821.	——	G ♄	
7	crenàta DC.	(ye)	notch-leaved	——	1774.	——	G ♄	Bot. mag. 274.
8	ciliàta DC.	(ye)	fringed	——	1816.	——	G ♄	Houtt. syst. 8. t. 62. f.

ACHYRO'NIA DC. ACHYRO'NIA. (αχυρον, chaff; hairs like.) Diadelphia Decandria.

	villòsa DC.	(ye)	villous	N. Holland	1810.	5. 8.	G ♄	Wendl. hort. her. 1. t. 1

LIPA'RIA DC. LIPA'RIA. (λιπαρος, brilliant; shining leaves.) Diadelphia Decandria.

	spæ'rica DC.	(ye)	globe-headed	C. B. S.	1794.	7. 8.	G ♄	Bot. mag. 1241.

PRIESTLE'YA DC. PRIESTLE'YA. (M. Priestley, physiol. bot.) Diadelphia Decandria.

1	myrtifòlia DC.	(ye)	Myrtle-leaved	C. B. S.	1825.	4. 7.	G ♄	DC. leg. mem. t. 29.
2	hirsùta DC.	(ye)	shaggy-stemm'd	——	1792.	12.4.	G ♄	Bot. reg. 8.

Lipària hirsùta B.R.

3	lævigàta DC.	(ye)	polished	——	1799.	7. 8.	G ♄	DC. leg. mem. t. 30.

Borbònia lævigàta Lodd. bot. cab. 247.

4	capitàta DC.	(ye)	headed	——	1812.	3. 6.	G ♄	
5	graminifòlia DC.	(ye)	narrow-leaved	——	1800.	4. 7.	G ♄	
6	tères DC.	(ye)	smooth-stalked	——	1816.	——	G ♄	
7	ericæfòlia DC.	(w.pu)	Heath-leaved	——	1812.	4. 8.	G ♄	DC. leg. mem. t. 31.
8	serícea DC.	(ye)	silky-leaved	——	1794.	——	G ♄	Pluk. t. 388. f. 3.
9	axillàris DC.	(ye)	axillary-flowerd.	——	1824.	——	G ♄	DC. leg. mem. t. 32.
10	ellíptica DC.	(ye)	elliptic leaved	——	1816.	——	G ♄	—— t. 33.
11	villòsa DC.	(ye)	villous-leaved	——	1774.	——	G ♄	Bot. mag. t. 3216.
12	vestìta DC.	(ye)	concave-leaved	——	1800.	5. 6.	G ♄	—— t. 2223.

Lipària vestìta B.M. *Lipària villòsa* A.R. 382. *nec aliorum.*

13	tomentòsa DC.	(ye)	downy	C. B. S.	1812.	5. 8.	G ♄	
14	umbellífera DC.	(ye)	umbel-flowered	——	1825.	6. 7.	G ♄	

HA'LLIA DC. HA'LLIA. (B. M. Hall, a pupil of Linneus.) Monadelphia Decandria.

1	alàta DC.	(pu)	wing-stalked	C. B. S.	1818.	6. 8.	G ♄	
2	fláccida DC.	(pu)	long-leaved	——	1789.	6. 9.	G ♂	
3	angustifòlia DC.	(pu)	narrow-leaved	——	1816.	——	G ♂	
4	cordàta DC.	(pu)	heart-leaved	——	1787.	——	G ♄	Jacq. schœnb 3. t. 296.

Gly'cine monophy'lla Jacq. *Hedy'sarum cordàtum* Th. n. ac. ups. 6. t. 1.

5	Asárina DC.	(pu)	Asarum-like	C. B. S.	1816.	6. 9.	G ♄	
6	imbricàta DC.	(pu)	imbricated	——	1812.	——	G ♄	Bot. mag. 1850. et 2596

HEYLA'NDIA DC. HEYLA'NDIA. (M. Heyland, bot. artist.) Monadelphia Decandria.

1	hebecárpa DC.	(ye)	hairy-podded	Ceylon	1820.	6. 8.	S ♄	DC. leg. mem. t. 34

leiocárpa DC.	(ye) smooth-podded	E. Indies	1820.	7. 8.	S	♄		Petiv. gaz. t. 30. f. 11.
CROTALA'RIA DC.	CROTOLA'RIA.	(κροταλον, a castanet; seeds rattle in pods.) Monad. Dec.						
§ 1. *Leaves simple.*								
* *Stipulas decurrent.*								
alàta DC.	(st) winged-stalked	Nepaul	1818.	4. 8.	S	♄		
platycárpa DC.	(ye) flat-podded	N. America	1824.	7. 9.	H	☉		
Púrshii DC.	(ye) Pursh's	———	1827.	——	H	☉		Pluk. alm. t. 277. f. 2.
leviàta Ph. *non* Lam.								
parviflòra DC.	(ye) small-flowered	———	1823.	6. 9.	H	☉		Pluk. alm. t. 169. f. 6?
sagittàlis DC.	(ye) Virginian	———	1731.	——	H	☉		Herm. lugd. p. 203. ic.
ovàlis DC.	(ye) oval-leaved	———	1827.	——	H	☉		
rubiginòsa DC.	(ye) rusty	E. Indies	1807.	——	S	☉		
* * *Stipulas not decurrent.*								
verrucòsa DC.	(bl) blue-flowered	E. Indies	1731.	——	S	☉		Andr. reposit. 308.
cerùlea Jac. ic. t. 144. *angulòsa* Cav. ic. 4. t. 321.								
semperflòrens DC.	(ye) ever-blowing	E. Indies	1816.	3. 9.	S	♄		Vent. hort. cels. t. 17.
retùsa DC.	(ye) wedge-leaved	———	1731.	5. 9.	S	☉		Bot. reg. 253.
Lechenaúltii DC.	(ye) Lechenault's	———	1826.	——	S	☉		
spectábilis DC.	(pu) showy	———	1824.	——	S	☉		
pulchérrima DC.	(ye) Mysore	———	1814.	——	S	♃		Bot. mag. 2027.
bengalénsis DC.	(ye) Bengal	———	1806.	——	S	☉		Pluk. alm. t. 169. f. 5.
júncea DC.	(ye) rush-stalked	———	1700.	6. 9.	S	☉		Bot. mag. 490.
tenuifòlia DC.	(ye) slender-leaved	———	1818.	——	S	☉		
fenestràta DC.	(ye) window-calyxed	———	1816.	——	S	☉		Bot mag. 1933.
serícea DC.	(ye) silky	———	1807.	——	S	☉		
técta DC.	(ye) striped-flower'd	———	1824.	6.10.	S	☉		
Burmánni DC.	(ye) Burmann's	———	——	——	S	☉		Burm. ind. t. 48. f. 1.
hirsùta DC.	(ye) hairy-podded	———	1823.	——	S	☉		
mysorénsis DC.	(ye) Mysore	———	1826.	——	S	☉		
montàna DC.	(ye) mountain	———	1816.	——	S	♃		
álbida DC.	(wh) white-flowered	———	1824.	——	S	☉		
paniculàta DC.	(ye) panicled	———	1807.	6. 8.	S	♄		
pálchra DC.	(ye) short-podded	———	1800.	3. 5.	S	♄		Andr. reposit. t. 601.
Nòvæ-Hollándiæ DC.	(pu) N. Holland	N. Holland	1820.	6. 8.	S	♄		
paulina DC.	(ye) St. Paul	Brazil	——	7. 9.	S	♄		Schr. pl. rar. h. mon. t. 88.
breviflòra DC.	(ye) short-flowered	———	1824.	——	S	♄		
bifària DC.	(ye) two-ranked	E. Indies	——	——	S	♄		
dichótoma DC.	(ye) forked	———	——	——	S	♄		
diffùsa DC.	(ye) diffuse	.....	1818.	6. 8.	S	♃		
biflòra DC.	(ye) two-flowered	E. Indies	1790.	——	S	☉		Petiv. gaz. t. 30. f. 10.
glaúca DC.	(ye) glaucous	Guinea	1824.	7. 8.	S	☉		
pùmila DC.	(ye) dwarf	.....	1816.	——	S	☉		
nàna DC.	(ye) dwarf	E. Indies	1790.	6. 8.	S	☉		Burm. ind. t. 48. f. 2.
bialàta DC.	(ye) two-winged	———	1818.	——	S	☉		
tetragòna DC.	(ye) square-stalked	Nepaul	1806.	8. 9.	S	♂		And.. rep. t. 593.
linifòlia DC.	(ye) Flax-leaved	E. Indies	1823.	6. 7.	S	☉		
pellíta DC.	(ye) villous-podded	Jamaica	1822.	7. 9.	S	♄		
virgúltalis	(ye) twiggy	C. B. S.	1816.	——	G	♄		
acuminàta DC.	(ye) taper-pointed	———	——	——	G	♄		
spartioìdes DC.	(ye) Broom-like	———	——	——	G	♄		
thebàica DC.	(ye) stripe-flowered	Egypt	1828	7. 8.	G	♄		Delil. fl. eg. t. 37. f. 1.
nummulària DC.	(ye) money-wort-ld.	E. Indies	——	——	S	♃		
tuberòsa DC.	(pu) tuberous-rooted	Nepaul	1816.	6. 7.	S	♃		
anthylloìdes DC.	(ye) large-calyxed	Java	1789.	8. 9.	S	♄		
calycina DC.	(st) hispid-calyxed	E. Indies	1818.	7. 9.	S	♃		Schr. pl. rar. mon. t. 12.
nepalénsis L. en.	(bl) Nepaul	Nepaul	1821.	6. 8.	S	☉		
Roxburghiàna DC.	(ye) Roxburgh's	E. Indies	1823.	7. 9.	S	♃		
chinénsis DC.	(ye) Chinese	China	1820.	6. 7.	S	♄		
hírta DC.	(ye) hairy	E. Indies	1816.	6. 8.	S	☉		Mart. acad. mun. 6. t. F.
prostràta DC.	(wh) prostrate	———	1804.	——	S	♃		——— t. E.
stipulàcea H.B.	(ye) large-stipuled	———	1823.	——	S	♃		
§ 2. *Leaves trifoliate.*								
arboréscens DC.	(ye) spreading	C. B. S.	1774.	6.10.	G	♄		Jacq. vind. 3. t. 64.
incanéscens W. *capénsis* Th.								
tùrgida DC.	(ye) turgid-podded	.....	1820.	——	G	♄		Herb. amat. t. 238.
laburnifòlia DC.	(ye) Laburnum-ld.	E. Indies	1739.	7. 9.	S	♂		Rheed. mal. 9. t. 27.
péndula DC.	(ye) pendulous-pod.	W. Indies	1820.	——	S	♄		
Brównei DC.	(ye) Browne's	Jamaica	——	——	S	♄		
bracteàta DC.	(ye) large-bracted	E. Indies	1818.	5. 9.	S	♄		

61	cytisoìdes DC.	(*ye*) Cystisus-like.	Nepaul	1823.	6. 8.	S	♄	
62	foliòsa DC.	(*ye*) leafy	E. Indies	1826.	——	S	♄	
63	orixénsis DC.	(*ye*) minute-flowerd.	————	1816.	7. 8.	S	⊙	Mart. acad. mun. 6. t.
64	virgàta DC.	(*ye*) slender	————	1824.	——	S	⊙	———— 6. t.
65	cubénsis DC.	(*ye*) Cuba	Cuba	1820.	——	S	⊙	
	hirta Lag.							
66	purpuráscens DC.	(*pu*) purplish	Mauritius	1823.	8.10.	S	⊙	
67	incàna DC.	(*ye*) hoary	W. Indies	1714.	6. 7.	S	⊙	Bot. reg. 377.
68	mìcans DC.	(*ye*) glittering	E. Indies	1823.	——	S	♃	
69	curtàta EC.	(*ye*) short-keeled	.....	1820.	——	S	⊙	
70	vitellìna DC.	(*ye*) yellow-twigged	Brazil	1819.	5. 7.	S	♄	Bot. reg. 447.
71	medicagínea DC.	(*ye*) Trefoil-leaved	E. Indies	1818.	6. 7.	S	♄	Rott. n. ac. nat. c. 4.
72	cajanifòlia DC.	(*ye*) Cajan-leaved	Mexico	1824.	7. 9.	S	♄	
73	Grahàmi	(*ye*) Graham's	————	——	9.12.	S	♄	Bot. mag. 2714.
	dichótoma B.M. *non* DC.							
74	Bojèri	(*ye*) Bojer's	Madagascar	1828.	....	S	♄	
	dichótoma Bojer. *nec aliorum.*							
75	trichótoma Boj.	(*ye*) three-forked	————	——	....	S	♄	
76	strícta DC.	(*ye*) upright	E. Indies	1826.	8.10.	S	⊙	
77	purpùrea DC.	(*pu*) purple-flowered	C. B. S.	1790.	3. 5.	G	♄	Bot. reg. 128.
78	microphy'lla DC.	(*ye*) small-leaved	Arabia	1823.	8.10.	H	⊙	
79	micrántha DC.	(*ye*) small-blossom'd	Ceylon	1820.	6. 7.	S	⊙	
80	pállida DC.	(*st*) pale-flowered	Africa	1775.	——	S	⊙	
81	argéntea DC.	(*ye*) silvery-leaved	C. B. S.	1823.	——	G	♄	Jacq. schœnb. 2. t. 2
82	pulchélla DC.	(*ye*) large-flowered	————	1800.	——	G	♄	Bot. mag. 1699.
83	Saltiàna A.B.	(*ye*) Salt's	Abyssinia	1810.	6. 7.	S	♄	Andr. reposit. 648.
84	angustifòlia DC.	(*st*) narrow-leaved	C. B. S.	1815.	5. 9.	G	♄	Jacq. schœnb. 2. t. 2
85	villòsa DC	(*ye*) villous	————	1823.	——	G	♃	
86	latifòlia	(*ye*) broad-leaved	E. Indies	1825.	——	S	♄	
87	ellíptica H.B.	(*ye*) elliptic-leaved	China	1823.	7. 9.	G	♄	
88	lanceolàta H.B.	(*ye*) spear-leaved	W. Indies	1806.	——	S	♄	
89	lotifòlia DC.	(*ye*) Lotus-leaved	————	1732.	6. 7.	S	♄	Dill. elth. t. 102. f. 1
90	axillàris DC.	(*ye*) axillary-flowrd.	Guinea	1781.	7. 8.	S	⊙	
	§ 3. *Leaves of 5-7 leaflets.*							
91	quinquefòlia DC.	(*ye*) five-leaved	E. Indies	1792.	6. 7.	S	⊙	Rheed. mal. 9. t. 28.

HYPOCALY'PTUS DC. HYPOCALY'PTUS. (ὑπο under, and καλυπτω, to veil.) Monad. Decand.

	obcordàtus DC.	(*pu*) obcordate-leaved	C. B. S.	1790.	4. 6.	G	♄	Lodd. bot. cab. 1158.
	Crotalària cordifòlia B.C.							

VIBO'RGIA DC. VIBO'RGIA. (Eric Viborg, a Danish bot.) Monadelphia Decandria.

1	obcordàta DC.	(*ye*) many-flowered	C. B. S.	1812.	7. 9.	G	♄	Lodd. bot cab. 509.
	Crotalària floribúnda B.C. *Anthy'llis cuneàta* Hort.							
2	serícea DC.	(*ye*) silky	C. B. S.	1780.	——	G	♄	

LODDIGE'SIA DC. LODDIGE'SIA. (Conrad Loddiges, of Hackney.) Monadelph. Decand.

	oxalidifòlia DC.	(*ro*) Oxalis-leaved	C. B. S.	1802.	5. 9.	G	♄	Bot. mag. 965.

DICHI'LUS DC. DICHI'LUS. (δις, twice, and χειλος, a lip; calyx.) Monad. Decand.

	lebeckioìdes DC.	(*st*) Lebeckia-like	C. B. S.	1816.	6. 8.	G	♄	DC. leg. mem. 6. t. 35.

LEBE'CKIA DC. LEBE'CKIA. (Lebeck, some obscure bot.) Monadelphia Decandria.

	§ 1. *Leaves simple.*							
1	subnùda DC.	(*ye*) few-leaved	C. B. S.	1823.	4. 6.	G	♄	
2	contaminàta DC.	(*ye*) narrow-leaved	————	1787.	——	G	♄	
3	sepiària DC.	(*ye*) filiform-leaved	————	1816.	——	G	♄	Pluk. alm. t. 424. f. 1.
	§ 3. *Leaves trifoliate.*							
4	subternàta DC.	(*ye*) various-leaved	————	——	——	G	♄	
5	serícea DC.	(*ye*) silky-leaved	————	1774.	——	G	♄	
6	cytisoìdes DC.	(*ye*) Cytisus-like	————	——	——	G	♄	Com. hort. amst. 2. t. 107.

SARCOPHY'LLUM DC. SARCOPHY'LLUM. (σαρξ, flesh, and φυλλον, a leaf.) Monad. Decandria.

	carnòsum DC.	(*ye*) fleshy-leaved	C. B. S.	1812.	5. 8.	G	♄	Bot. mag. 2502.

ASPA'LATHUS DC. ASPA'LATHUS. (*a* priv., and σπαω, to extract; thorns.) Monadelp. Decand.

	§ 1. *Flowers almost sessile; leaves on fascicles.*							
1	spinòsa DC.	(*ye*) spiny	C. B. S.	1823.	5. 8.	G	♄	Breyn. cent. t. 26.
2	aculeàta DC.	(*ye*) yellow-spined	————	——	——	G	♄	
3	acuminàta DC.	(*ye*) taper-pointed	————	1816.	——	G	♄	Lam. ill. t. 620. f. 4.
4	laricifòlia DC.	(*ye*) Larch-leaved	————	1825.	——	G	♄	
5	capitàta DC.	(*ye*) headed	————	1823.	6. 7.	G	♄	Lam. ill. t. 620. f. 2.
6	astroìtes DC.	(*ye*) spiny-bracted	————	1825.	5. 8.	G	♄	Seba. thes. t. 24. f. 6.
7	chenopòda DC.	(*or*) cluster-leaved	————	1759.	7. 8.	G	♄	Bot. mag. 2225.
8	álbens DC.	(*wh*) white-leaved	————	1774.	——	G	♄	
9	argyræ'a DC.	(*wh*) silvery	————	1818.	——	G	♄	
10	hy'strix DC.	(*wh*) silky-spined	————	1824.	——	G	♄	Lam. ill. t. 620. f. 1.

thymifòlia DC.	(*ye*)	Thyme-leaved	C. B. S.	1825.	5.	8.	G	♄	Pluk. alm. t. 413. f. 1.
ericifòlia DC.	(*ye*)	Heath-leaved	———	1780.	7.	8.	G	♄	——— t. 413. f. 6.
hispida DC.	(*ye*)	hispid	———	1823.	——		G	♄	
asparagoìdes DC.	(*ye*)	Asparagus-like	———	1812.	——		G	♄	
multiflòra DC.	(*ye*)	many-flowered	———	1818.	——		G	♄	
unifòra DC.	(*ye*)	one-flowered	———	1812.	——		G	♄	Pluk. mant. t. 414. f. 7.
carnòsa DC.	(*ye*)	fleshy-leaved	———	1795.	5.	8.	G	♄	Bot. mag. 1289.
pínguis DC.	(*ye*)	succulent- ld.	———	1818.	7.	8.	G	♄	
crassifòlia DC.	(*ye*)	thick-leaved	———	1800.	——		G	♄	Andr. reposit. t. 351.
affi'nis DC.	(*ye*)	likened	———	1816.	——		G	♄	
genistoìdes	(*ye*)	Genista-like	———	1825.	6.	8.	G	♄	
squarròsa DC.	(*ye*)	squarrose	———	——	——		G	♄	
galioìdes DC.	(*ye*)	Galium-like	———	1816.	7.	8.	G	♄	
pínea DC.	(*ye*)	Pine-leaved	———	——	——		G	♄	
abietina DC.	(*ye*)	Fir-leaved	———	1826.	——		G	♄	
araneòsa DC.	(*pa*)	cobweb	———	1795.	6.	7.	G	♄	Bot. mag. 829.
globòsa A.R.	(*ye*)	globe-headed	———	1802.	——		G	♄	Andr. reposit. 302.
ciliàris DC.	(*ye*)	ciliated	———	1790.	7.	8.	G	♄	Bot. mag. 2233.
quinquefòlia DC.	(*br*)	five-leaved	———	1816.	——		G	♄	
cándicans DC.	(*ye*)	white	———	1774.	——		G	♄	
heterophy'lla DC.	(*ye*)	various-leaved	———	1828.	——		G	♄	
argéntea DC.	(*ye*)	silvery-leaved	———	1759.	——		G	♄	
subulàta DC.	(*ye*)	awl-leaved	———	1789.	——		G	♄	
§ 2. *Flowers nearly sessile: leaves trifoliate, hardly in fascicles.*									
sericea DC.	(*ye*)	silky	———	1816.	7.	8.	G	♄	
callòsa DC.	(*ye*)	oval-spiked	———	1812.	——		G	♄	Bot. mag. 2329.
fúsca DC.	(*ye*)	brown	———	1816.	——		G	♄	
mucronàta DC.	(*ye*)	thorny-branch'd	———	1796.	6.	7.	G	♄	
§ 3. *Flowers pedicellate; leaves in fascicles.*									
pedunculàta DC.	(*ye*)	small-leaved	———	1775.	7.	8.	G	♄	Bot. mag. 344.
bracteàta DC.	(*ye*)	bracteate	———	1816.	——		G	♄	

LEX. DC. FURZE. (*ac*, Celtic, a point; prickly branches.) Monadelphia Decandria.

1 europæ'us DC.	(*ye*)	common	Britain	....	3.	7.	H	♄	Eng. bot. 742.
2 nánus DC.	(*ye*)	dwarf	———	....	1.	12.	H	♄	——— t. 743.
3 provinciàlis DC.	(*ye*)	Provence	———	....	6.	8.	H	♄	Loisel. not. 105. t. 6. f. 2.
4 hibérnicus DC.	(*ye*)	Irish	Ireland	....	7.	8.	H	♄	

STAURACA'NTHUS DC. STAURACA'NTHUS. (*σταυρος*, a cross, and *ακανθα*, a spine.) Mon. Dec.

aphy'llus DC.	(*ye*)	leafless	Portugal	1815.	6.	8.	H	♄	Bot. reg. t. 1452.

SPA'RTIUM DC. SPANISH BROOM. (*σπαρτον*, cordage; use.) Monadelphia Decandria.

júnceum DC.	(*ye*)	common	S. Europe	1548.	7.	9.	H	♄	Bot. mag. 85.
Spartiánthus júnceus L. en.									
β *flore pleno*	(*ye*)	*double-flowered*	———	....	——		H	♄	
γ *odoratissimum* D. Don.	(*ye*)	*sweet-scented*	Persia	1830.	——		H	♄	Swt. br. fl. gar. s. 2. t. 390.
δ *acutifòlium*	(*ye*)	*acute-leaved*	Egypt?	....	——		H	♄	Bot. reg. t. 1974.
acutifòlium B.R.									

GENI'STA DC. GENI'STA. (*gen*, Celtic, a small bush.) Monadelphia Decandria.

§ 1. *Unarmed; leaves all or mostly trifoliate.*									
1 parviflòra DC.	(*ye*)	small-flowered	Levant	1739.	5.	7.	H	♄	Venten. cels. t. 87.
Spártium parviflòrum Vent.									
2 clavàta DC.	(*ye*)	clavate	Barbary	1812.	5.	8.	F	♄	Venten. hort. cels. t. 17.
Spártium seríceum Vent. *non* Ait.									
3 canariénsis DC.	(*ye*)	Canary	Canairies	1656.	5.	9.	F	♄	Bot. reg. t. 217.
4 cándicans DC.	(*ye*)	hoary	Spain	1735.	4.	7.	H	♄	Wats. dend. brit. t. 80.
5 pátens DC.	(*ye*)	spreading	———	1825.	5.	7.	H	♄	Cavan. ic. 2. t. 176.
6 linifòlia DC.	(*ye*)	Flax-leaved	———	1739.	1.	6.	F	♄	Bot. mag. 442.
Spártium linifòlium Desf. atl. 2. t. 181.									
7 triquetra DC.	(*ye*)	triangular	Corsica	1770.	5.	6.	H	♄	Wats. dend. brit. t. 79.
8 bracteolàta DC.	(*ye*)	bracteolate	.....	1826.	——		H	♄	
9 microphy'lla DC.	(*ye*)	small-leaved	Canaries	1824.	——		F	♄	
10 umbellàta DC.	(*ye*)	umbelled	Barbary	1799.	4.	6.	F	♄	Desf. atl. 2. t. 180.
Spártium umbellàtum Desf.									
11 radiàta DC.	(*ye*)	rayed	Italy	1758.	5.	7.	H	♄	Bot. mag. 2260.
Spártium radiàtum B.M. Mill. ic. t. 249. f. 1.									
§ 2. *Spiny, leaves all or mostly trifoliate.*									
12 hórrida DC.	(*ye*)	large-spined	Pyrenees	1826.	5.	7.	H	♄	Gilib. b. prat. 2. p. 239. ic.
13 lusitánica DC.	(*ye*)	Portugal	Portugal	1771.	3.	5.	H	♄	Andr. reposit. t. 419.
14 ephedrioìdes DC.	(*ye*)	Ephedra-like	Sardinia	1832.	5.	7.	H	♄	Maund. bot. gard. t. 498.
15 Lobèlii DC.	(*ye*)	Lobel's	S. Europe	1826.	4.	6.	H	♄	Lob. adv. p. 409. icon.
16 férox DC.	(*ye*)	sharp-spined	Barbary	1800.	6.	7.	F	♄	Desf. atl. 2. t. 182.

17	Cupàni DC.	(*ye*) Cupani's	Naples	1826.	6.	7.	H	♄	Cup.pan.ed.1.v.2.t.2[illegible]
18	triacánthos DC.	(*ye*) three-spined	Portugal	1821.	5.	6.	H	♄	Brot. phyt. 130. t. 5[illegible]
19	cuspidòsa DC.	(*ye*) sharp-pointed	C. B. S.	1816.	——		G	♄	
	§ 3. *Spiny; leaves all simple.*								
20	tricuspidàta DC.	(*ye*) three-pointed	Algiers	1826.	——		F	♄	Desf. alt. 2. t. 183.
21	gibraltárica DC.	(*ye*) Gibraltar	Gibraltar	——	——		F	♄	
22	sylvéstris DC.	(*ye*) wood	Hungary	1824.	6.	8.	H	♄	Jacq. ic. rar. t. 557.
	hispánica Jacq. *non* L.								
23	ægyptìaca DC.	(*ye*) Egyptian	Egypt	1828.	——		H	♄	
24	falcàta DC.	(*ye*) falcate-podded	Portugal	1821.	5.	7.	H	♄	Brot. phyt. 133. t. 5[illegible]
25	córsica DC.	(*ye*) Corsican	Corsica	1826.	——		H	♄	
26	Scórpius DC.	(*ye*) Scorpion	S. Europe	1570.	3.	4.	H	♄	Sweet br.fl.gard.s.2.t.[illegible]
27	hispánica DC.	(*ye*) dwarf prickly	Spain	1759.	6.	8.	H	♄	Cavan. ic. 3. t. 211.
28	ánglica DC.	(*ye*) petty whin	Britain	....	5.	8.	H	♄	Eng. bot. 132.
29	germánica DC.	(*ye*) German	Germany	1773.	6.	8.	H	♄	Fuchs. hist. 220. ic.
	§ 4 *Unarmed; leaves all simple.*								
30	púrgans DC.	(*ye*) purging	S. France	1768.	6.	7.	H	♄	Bull. herb. t. 115.
31	cinèrea DC.	(*ye*) ash-coloured	———	1818.	5.	7.	H	♄	Wats. dend. brit. t. 7[illegible]
32	virgàta DC.	(*ye*) long-twigged	Madeira	1777.	3.	6.	F	♄	Bot. mag. 2265.
33	congésta DC.	(*ye*) close-branched	Teneriffe	....	4.	7.	F	♄	
34	sericea DC.	(*ye*) silky-leaved	Austria	1812.	5.	6.	H	♄	Jacq. ic. rar. 3. t. 556
35	humifùsa DC.	(*ye*) trailing	Dauphiny	1819.	——		H	♄	Vill. dauph. 3. t. 44.
36	aphy'lla DC.	(*vi*) violet-coloured	Volga	1818.	6.	7.	H	♄	Pall it. 3. app. t. 5. f.
	Spártium aphy'llum L. en.								
37	monospérma DC.	(*wh*) single-seeded	S. Europe	1690.	5.	7.	F	♄	Bot. reg. t. 1918.
	Spártium monospérmum B. M. 683.								
38	sphærocárpa DC.	(*ye*) round-podded	———	1731.	——		F	♄	Renealm. spec. t. 33.
39	æthnénsis DC.	(*ye*) three-seeded	Mt. Ætna	1822.	6.	8.	F	♄	Bot. mag. 2674.
	Spártium ætnénse B.M.								
40	tetragòna DC.	(*ye*) four-sided	Poland	1826.	——		H	♄	
41	depréssa DC.	(*ye*) depressed	Tauria	1828.	....		H	♄	
42	scariòsa DC.	(*ye*) scariose	Italy	1820.	6.	8.	H	♄	Viv. frag. ital. 1. t. 8.
43	anxántica DC.	(*ye*) smooth	———	——	——		H	♄	Swt.br.fl.gar.s.2.t.316.
44	tinctòria DC.	(*ye*) Dyer's green-weed	Britain	....	——		H	♄	Eng. bot. 44.
	β *latifòlia* DC.	(*ye*) *broad-leaved*	Switzerland	1824.	——		H	♄	
	γ *hirsùta* DC.	(*ye*) *villous*	———	....	——		H	♄	
	δ *prátensis* DC.	(*ye*) *meadow*	Italy	....	——		H	♄	
45	sibírica DC.	(*ye*) Siberian	Siberia	1785.	6.	8.	H	♄	Jacq. vind. 2. t. 190.
46	polygalæfòlia DC.	(*ye*) Milkwort-ld.	Portugal	1826.	——		H	♄	
47	flórida DC.	(*ye*) Spanish	Spain	1752.	——		H	♄	
48	mántica DC.	(*ye*) prostrate	Italy	1824.	——		H	♄	Poll. fl. veron. 2. t.4. f.1.
49	ovàta DC.	(*ye*) oval-leaved	Hungary	1816.	——		H	♄	Wats. dend. brit. t. 77.
50	pátula DC.	(*ye*) spreading	Siberia	1828.	....		H	♄	
51	triangulàris DC.	(*ye*) three-sided	Hungary	1815.	5.	6.	H	♄	W. et K. hung. 2.t.153.
52	sagittàlis DC.	(*ye*) jointed	Germany	1570.	——		H	♄	Jacq. aust. 3. t. 209.
53	diffùsa DC.	(*ye*) diffuse	Italy	1816.	——		H	♄	Jacq. ic. rar. 3. t. 555.
	Spártium decúmbens Jacq. *non* Ait.								
54	prostràta DC.	(*ye*) trailing	Italy	1826.	——		H	♄	Reyn. mem. 1.p.211.ic.
55	procúmbens DC.	(*ye*) procumbent	Hungary	1816.	6.	8.	H	♄	Bot. reg. 1150.
56	pilòsa DC.	(*ye*) hairy green-weed	England	....	5.	6.	H	♄	Eng. bot. 44.
57	micántha DC.	(*ye*) small-blossom'd	Spain	1824.	——		H	♄	Orteg. dec. 6. t. 10. f.1.
58	pilocárpa DC.	(*ye*) hairy-podded	.....	1820.	5.	7.	H	♄	

CY'TISUS. DC. (*ye*) CY'TISUS. (*Cy'thnus*, one of the Cyclades; found there.) Monadel. Decand.

Sect. 1. ALBURNOI'DES; *calyx campanulate; legume 1-4-seeded, not dilated; flowers white; leaves few; unarmed.*

1	nubígenus DC.	(*wh*) cluster-flower'd	Teneriffe	1779.	5.	8.	H	♄	
2	álbus DC.	(*wh*) white-flowered	Portugal	1752.	6.	7.	H	♄	Duham. arb. t. 23.
	Spártium multiflòrum W.								
	β *incarnàtus* B.C.	*flesh-coloured*	———	1823.	——		H	♄	Lodd. bot. cab. 1052.

Sect. 2. LABU'RNUM; *calyx campanulate; legume many-seeded, not dilated; flowers yellow; leaves numerous; unarmed.*

3	Labúrnum DC.	(*ye*) Laburnum	Europe	1596.	5.	6.	H	♄	Bot. mag. 176.
4	sórdidus B.R.	(*ye.pu*) dirty-purple	Hybrid	1833.	5.	7.	H	♄	Bot. reg. t. 1965.
5	alpìnus DC.	(*ye*) Scotch Laburnum	Hungary	....	6.	7.	H	♄	W. et K. hung. 3. t. 260.
6	nígricans DC.	(*ye*) black-rooted	Austria	1730.	——		H	♄	Bot. reg. 802.
7	sessilifòlius DC.	(*ye*) common	Italy	1629.	5.	6.	H	♄	Bot. mag. 255.
8	æólicus Guss. DC.	(*ye*) Æolian	Stromboli	....	6.		H	♄	Swt br.fl.gar.s.2.t.382.
9	triflòrus DC.	(*ye*) three-flowered	Spain	1640.	6.	7.	H	♄	Clus. hist. 1. p. 94. f.
10	élegans Ait.	(*ye*) elegant	C. B. S.	1821.	6.	8.	F	♄	

1	móllis DC.	(*ye*)	soft-leaved	.....	1820.	6. 7.	H	♄	
2	Weldènii D.S.	(*ye*)	Welden's	Dalmatia	1837.	——	H	♄	
3	pàtens DC.	(*ye*)	woolly-podded	Portugal	1752.	——	H	♄	
4	grandifiòrus DC.	(*ye*)	great-flowered	————	1816.	——	H	♄	
5	scopàrius DC.	(*ye*)	common-broom	Britain	....	4. 6.	H	♄	Eng. bot. 1330.

Spártium scopàrium E.B.

Sect. 3. CALYCO'TOME; *calyx campanulate, at length truncate; legume thickened on the upper suture; spiny; flowers yellow.*

6	spinòsus DC.	(*ye*)	prickly	S. Europe	1596.	6. 7.	F	♄	Lobel. ic. 2. t. 95.
7	lanígerus DC.	(*ye*)	villous	————	1822.	——	F	♄	

Spártium lanígerum Df. *Calycótome villòsa* L. en.

Sect. 4. TUBOCY'TISUS; *calyx tubular, bilabiate; unarmed.*

8	prolíferus DC.	(*wh*)	silky	Canaries	1779.	4. 5.	G	♄	Bot. reg. 121.
9	leucánthus DC.	(*wh*)	cream-coloured	Hungary	1806.	6. 7.	H	♄	Bot. mag. 1438.
10	álbidus DC.	(*wh*)	whitish	S. Europe	1824.	——	F	♄	
11	purpùreus DC.	(*pu*)	purple-flower'd	Austria	1792.	5. 8.	H	♄	Bot. mag. 1176.
	β *álbus* DC.	(*wh*)	*white-flowered*	————	——	——	H	♄	
12	bifiòrus DC.	(*ye*)	two-flowered	Hungary	1760.	5. 7.	H	♄	Bot. reg. 308.
13	elongàtus DC.	(*ye*)	long-branched	————	1804.	——	H	♄	Wats. dend. brit. 82.
14	multifiòrus B.R.	(*ye*)	many-flowered	————	1824.	——	H	♄	Bot. reg. 1191.
15	falcàtus DC.	(*ye*)	sickle-shaped	————	1816.	6. 8.	H	♄	W. et K. hung. 3. t. 238.
16	austrìacus DC.	(*ye*)	Austrian	Austria	1741.	6. 9.	H	♄	Jacq. aust. 1. t. 21.
17	supìnus DC.	(*ye*)	trailing	S. Europe	1755.	5. 8.	H	♄	———— 1. t. 20.
18	hirsùtus DC.	(*ye*)	hairy	————	1739.	6. 8.	H	♄	Jacq. obs. 4. t. 96.
19	serótinus DC.	(*ye*)	late-flowering	Hungary	1826.	——	H	♄	
20	capitàtus DC.	(*ye*)	cluster-flowered	Austria	1774.	6. 7.	H	♄	Jacq. aust. t. 33.
21	ciliàtus DC.	(*ye*)	fringed	Mt. Carpathian	1824.	——	H	♄	
22	canéscens DC.	(*ye*)	hoary	.....	1826.	5. 7.	H	♄	
23	prócerus DC.	(*ye*)	tall	Portugal	1816.	6. 7.	H	♄	
24	poly'trichus DC.	(*ye*)	many-haired	Tauria	1822.	——	H	♄	

Sect. 5. LOTOI'DES; *Calyx tube short; the upper lip bipartite, and the lower one tridentate; corolla hardly exserted; unarmed.*

25	argénteus DC.	(*ye*)	silver-leaved	France	1739.	7. 9.	H	♄	Lobel ic. 2. p. 41. f. 2.
26	calycìnus DC.	(*ye*)	dwarf	Levant	1816.	6. 8.	H	♄	Lodd. bot. cab. t. 673.

nànus Wats. dend. brit. t. 81.

Sect. 6. CHRONA'NTHUS; *Calyx having the upper lip bifid, and the lower one trifid; corolla persistent; legume 2-seeded.*

27	orientàlis DC.	(*ye*)	oriental	Levant	....	5. 7.	G	♄	

ADENOCA'RPUS DC. ADENOCA'RPUS. (*αδην*, a gland, and *καρπος*, a fruit.) Monadelph. Dodecan.

1	hispánicus DC.	(*ye*)	Spanish	Spain	1821.	5. 7.	F	♄	
2	intermèdius DC.	(*ye*)	intermediate	S. Europe	....	7. 8.	H	♄	Clus. hist. 1. p. 94. f. 1.
3	parvifòlius DC.	(*ye*)	small-leaved	France	....	4. 7.	H	♄	
4	telonénsis DC.	(*ye*)	loose-flowered	S. Europe	1824.	5. 7.	H	♄	Du. arb. ed. n. 5. t. 47. f. 2.

Cy'tisus divaricàtus β Bot. mag. 1387 ?

5	frankenioìdes DC.	(*ye*)	Frankenia-like	Teneriffe	1815.	——	G	♄	

Genista viscòsa W. *Adenocárpus anagy'rus* S.S.

6	folioìdsus DC.	(*ye*)	leafy	Canaries	1770.	7. 8.	F	♄	Bot. mag. 426.

ONO'NIS DC. REST-HARROW. (*ονος*, an ass, and *ονημι*, to delight; food for.) Monadel. Dodecan.

Sect. 1. EUONO'NIS; *stipulas adnate to the petioles.*

§ 1. NA'TRIX; *leaves simple or trifoliate; flowers axillary, pedicellate.*

1	crispa DC.	(*ye*)	curl-leaved	Spain	1739.	6. 8.	F	♄	Rœm. arch. 1. p 3. t. 1.
2	hispánica DC.	(*ye*)	Spanish	————	1799.	5. 9.	F	♄	Bot. mag. 2450.
3	vaginàlis DC.	(*ye*)	sheathed	Egypt	1815.	6. 8.	F	♄	Vent. cels. t. 32.
4	Nàtrix DC.	(*ye*)	yellow-shrubby	S. Europe	1683.	5. 9.	F	♄	Bot. mag. 329.
5	pícta DC.	(*std*)	painted-flower'd	Barbary	1825.	6. 8.	H	♃	Desf. atl. 2. t. 137.
6	pínguis W.	(*ye*)	greasy	————	1739.	7. 8.	F	♄	
7	longifòlia DC.	(*ye*)	long-leaved	Canaries	1816.	5. 6.	F	♄	
8	ramosíssima DC.	(*ye*)	branching	Barbary	1825.	7. 8.	H	♄	Desf. atl. 2. t. 186.
9	arenària DC.	(*ye*)	sand	S. France	——	——	H	♄	
10	bifiòra DC.	(*ye*)	two-flowered	Barbary	1824.	——	H	⊙	
11	viscòsa DC.	(*ye*)	clammy	S. France	1750.	——	H	⊙	Barrel. ic. t. 1239.
12	brachycárpa DC.	(*ye*)	short-podded	Spain	1824.	——	H	⊙	
13	brevifòlia DC.	(*ye*)	short-leaved	S. Europe	....	——	H	⊙	
14	sícula DC.	(*ye*)	Sicilian	Sicily	1822.	6. 8.	H	⊙	
15	pubéscens DC.	(*ye*)	downy	S. Europe	1680.	——	H	⊙	Brot. phyt. 140. t. 58.
	arthropòdia Brot.								
16	ornithopodioìdes DC.	(*ye*)	Bird's-foot	Sicily	1713.	——	H	⊙	Cavan. ic. 2. t. 192.
17	rotundifòlia DC.	(*re*)	round-leaved	Switzerland	1570.	5. 7.	H	♄	Bot. mag. 335.
18	fruticòsa DC.	(*re*)	shrubby	S. Europe	1680.	——	H	♄	———— t. 317.

19	tridentàta DC.	(*re*) three-toothed	Spain	1752.	6. 8.	F	♄	Cavan. ic. 2. t. 152.
20	angustíssima DC.	(*re*) narrow-leaved	———	1826.	——	F	♄	
21	cenísia DC.	(*re*) crested	Italy	1759.	——	H	♃	Barrel. ic. t. 1104.
22	fœ'tida DC.	(*re*) strong-scented	Barbary	1804.	7.10.	H	☉	
23	geminiflòra DC.	(*re*) twin-flowered	Spain	1825.	8.10.	H	☉	
24	Schoúwii DC.	(*re*) Schouw's	Italy	1828.	7.10.	H	☉	
25	reclinàta DC.	(*re*) reclined	S. Europe	1800.	6. 8.	H	☉	Barrel. ic. t. 761.
26	móllis DC.	(*re*) soft	Spain	1824.	——	H	☉	
27	Cherlèri DC.	(*re*) dwarf	S. Europe	1771.	6. 7.	H	☉	Bauh. hist. 2. p. 394. f.
28	pedunculàris B.R.	(*wh.ro*) peduncled	Teneriffe	1829.	4.	F	♄	Bot. reg. t. 1446.
29	péndula DC.	(*re*) pendulous	Barbary	1826.	7. 9.	H	☉	Desf. atl. 2. t. 191.
30	Siebèri DC.	(*re*) Sieber's	Crete	——	——	H	☉	

§ 2. BUGRA'NA; *leaves simple, or trifoliate; flowers sessile or nearly so.*

31	arboréscens DC.	(*re*) tree	Barbary	1825.	6. 8.	F	♄	Desf. atl. 2. t. 193.
32	altíssima DC.	(*re*) stinking	Italy	1596.	5. 8.	H	♃	All. ped. t. 41. f. 1.
	hircìna Jacq. vind. t. 93.							
33	procúrrens DC.	(*re*) rooting-branch'd	Europe	....	6. 8.	H	♄	Fuchs. hist. 60. ic.
34	rèpens W.	(*re*) creeping	Britain	....	——	H	♃	Dill. elth. t. 25. f. 28.
35	spinòsa DC.	(*re*) Cammock	———	....	——	H	♄	Eng. bot. 682.
	arvénsis E.B.							
36	antiquòrum W.	(*re*) tall	S. Europe	1790.	——	H	♃	
37	mitíssima DC	(*re*) cluster-flower'd	Portugal	1732.	6. 7.	H	☉	Dill. elth. t. 24. f. 27.
38	diffùsa DC.	(*re*) diffuse	Italy	1824.	7. 8.	H	☉	
39	serràta DC.	(*pu.wh*) serrate	Egypt	1828.	6.10.	H	☉	
40	hírta DC.	(*bl*) hairy	Levant	——	——	H	♃	
41	alopecuroìdes DC.	(*re*) Fox-tail	Portugal	1696.	7. 8.	H	☉	Schkuhr. handb. t. 194.
42	álba DC.	(*wh*) white-flowered	Naples	1826.	——	H	☉	
43	oligophy'lla DC.	(*re.w*) few-leaved	———	1824.	——	H	☉	Ten. fl. nap. 2. t. 67.
44	arragonénsis DC.	(*ye*) Arragon	Spain	1816.	4. 7.	H	☉	Asso. arr. t. 6. f. 2.
45	capitàta DC.	(*ye*) capitate	———	1818.	6. 7.	H	♃	Cavan. ic. 2. t. 159. f. 1.
46	striàta DC.	(*ye*) striated	S. France	1814.	——	H	♃	
47	Colúmnæ DC.	(*ye*) small-flowered	Europe	1732.	——	H	♃	All.p.1.n.1166.209.f.3.
	minutíssima Jacq. aust. t. 240. *parviflòra* P.S.							
48	minutíssima DC.	(*ye*) pointed-calyxed	S. Europe	1818.	6. 8.	H	☉	Cavan. ic. 2. t. 153.
	barbàta Cav. *saxátilis* Lam.							
49	variegàta DC.	(*ye*) variegated	———	1784.	7. 8.	H	☉	Desf. atl. 2. t. 185.
50	pállida DC.	(*pa*) pale	.....	1824.	——	H	☉	

Sect. 2. LOTONOI'DES; *stipulas hardly, or not at all adnate to the petioles, leafy; stamens monadelphous.*

51	emarginàta Boj.....	emarginate	Mauritius	1824.	....	S	♄	
52	villòsa DC.	(*ye*) villous	C. B. S.	1825.	7. 9.	G	♄	
53	decúmbens DC.	(*ye*) decumbent	———	1822.	——	G	♃	
54	geminàta DC.	(*ye*) twin-podded	———	1787.	——	G	♃	
55	umbellàta DC.	(*ye*) umbel-flowered	———	1818.	——	G	♃	
56	glàbra DC.	(*ye*) smooth-leaved	———	1816.	——	G	♄	
57	capénsis DC.	(*pu*) Cape annual	———	1823.	——	H	☉	
58	cérnua DC.	(*ye*) hanging-podded	———	1774.	——	G	♄	

REQUIE'NIA DC. REQUIE'NIA. (M. Requien, French bot.) Monadelphia Decandria.

1	obcordàta DC.	(*ye*) obcordate	Senegal	1824.	6. 8.	S	♄	DC. leg. mem. t. 37.
2	sphærospérma DC.	(*ye*) round-seeded	C. B. S.	1816.	4. 7.	G	♄	——— t. 38.

ANTHY'LLIS DC. KIDNEY VETCH. (*ανθος*, a flower, and *ουλος*, down; downy.) Monad. Decan.

Sect. 1. DORYCHNOI'DES; *calyx hardly inflated; legume* 1-*celled*, 1-*seeded; leaves impari-pinnate; odd leaflet sessile.*

1	Gerárdi DC.	(*ro*) Gerard's	S. Europe	1806.	6. 8.	H	♃	Ger. gallopr. t. 18.
2	onobrychioìdes DC.	(*y*) Saintfoin-like	Spain	1818.	——	H	♃	Cavan. ic. 2. t. 150.

Sect. 2. ASPALATHOI'DES; *calyx hardly inflated; legume* 1-*celled*, 1-2-*seeded; leaves trifoliate or simple.*

3	cytisoìdes DC.	(*ye*) downy-leaved	Spain	1731.	4. 6.	F	♄	Barrel. ic. 1182.
4	genístæ DC.	(*ye*) Genista-like	———	1824.	——	F	♄	
5	Hermánniæ DC.	(*ye*) Lavender-leavd.	Levant	1739.	4. 7.	F	♄	Bot. mag. 2576.
6	aspálathi DC.	(*ye*) spiny	———	——	——	F	♄	

Sect. 3. ERINA'CEA; *calyx inflated; legume* 1-*celled*, 1-2-*seeded; spiny and leaflets.*

7	erinàcea DC.	(*bl*) prickly	Spain	1759.	4. 6.	H	♄	Bot. mag. 676.
8	hy'strix	(*wh*) porcupine	S. Europe	....	——	H	♄	

Sect. 4. VULNERA'RIA; *calyx inflated; legume* 1-*celled*, 1-2-*seeded; leaves impari-pinnate.*

9	Bárba-Jòvis	(*st*) Jupiter's-beard	S. Europe	1640.	3. 5.	G	♄	Bot. mag. 1927.
10	heterophy'lla DC.	(*v*) various-leaved	———	1768.	6. 7.	G	♄	
11	serícea DC.	(*ye*) silky	Spain	1786.	——	F	♄	

2 polycéphala DC.	(*ye*) many-headed	Barbary	1829.	7.		H	♃	Desf. atl. 2. t. 195.
3 montàna DC.	(*ro*) mountain	Europe	1759.	6.	7.	H	♃	Swt. br. fl. gar. 1. t. 79.
4 Webbiàna B.M.	(*w*) Webb's	Teneriffe	1830.	——		F	♃	Swt. br. fl. gar. s. 2. t. 292.
5 Vulnerària DC.	(*ye*) common	Britain	....	5.	8.	H	♃	Eng. bot. 104.
6 rústica Mil.	(*wh*) white-flowered	.....	....	——		H	♃	
7 Dillènii Sct.	(*sc*) red-flowered	S. Europe	....	——		H	♃	Dill. elth. t. 320. f. 413.
8 polyphy'lla Kit.	(*ye*) many-leaved	Hungary	1827.	——		H	♃	

Sect. 5. CORNI'CINA; *calyx inflated; legume 2 or many-celled; leaves pinnate.*

9 tetraphy'lla DC.	(*st*) four-leaved	S. Europe	1640.	7.	8.	H	⊙	Bot. mag. 108.
0 cornícina DC.	(*st*) horned	Spain	1759.	——		H	⊙	Cavan. ic. 1. t. 39. f. 2.
1 hamòsa DC.	(*st*) hooked	Barbary	1820.	——		H	⊙	
2 lotoìdes DC.	(*st*) Lotus-like	Spain	1739.	6.	7.	H	⊙	Cavan. ic. 1. t. 40.
3 chilénsis DC.	(*st*) Chili	Chili	1824.	——		G	♃	

Lòtus subpinnàtus Lag.

Subtribe II. *TRIFOLIE'Æ.* DC. prodr. 2. p. 171.

MEDICA'GO DC. MEDICK. (*Medike*, a name given to Medean grass.) Diadelphia Decandria.

Sect. 1. LUPULA'RIA; *legume reniform, falcate, or rather shell-shaped. glabrous or pubescent, with entire margins.*

1 rupéstris DC.	(*ye*) rock	Tauria	1827.	6.	8.	H	♃	
2 brachycárpa DC.	(*ye*) short-podded	Tiflis	1818.	7.	8.	H	⊙	
3 lupulìna DC.	(*ye*) nonesuch	Britain	....	5.	8.	H	♂	Eng. bot. 971.
4 cretàcea DC.	(*ye*) suffrutescent	Tauria	1805.	7.	8.	H	♄	
5 falcàta DC.	(*ye*) sickle-podded	Britain	....	——		H	♃	Eng. bot. 1016.
6 procúmbens DC.	(*ye*) procumbent	Poland	1827.	——		H	♃	
7 cancellàta DC.	(*ye*) netted-podded	Caucasus	1828.	——		H	♃	
8 suffruticòsa DC.	(*vi.ye*) frutescent	Pyrenees	1818.	6.	8.	H	♄	
9 arbòrea DC.	(*ye*) moon trefoil	Italy	1596.	5.	11.	H	♄	Flor. græc. 767.
10 sibírica DC.	(*ye*) Siberian	Siberia	1824.	6.	9.	H	⊙	
11 mèdia DC.	(*bl.ye*) pale-flowered	Europe	....	6.	7.	H	♃	
12 sativa DC	(*bl*) Lucerne	Britain	....	——		H	♃	Eng. bot. 1749.
β *versícolor* DC.	(*bl.y*) *various-color'd.*	——	....	——		H	♃	
13 mexicàna	(*bl*) Mexican	Mexico	1824.	5.	8.	F	♄	
14 prostràta DC.	(*ye*) prostrate	Hungary	1793.	7.	8.	H	♃	Jacq. vind. 1. t. 89.
15 glomeràta DC.	(*ye*) clustered	Italy	1818.	——		H	♃	
16 glutinòsa DC.	(*vi*) glutinous	Caucasus	——	——		H	♃	

Sect. 2. SPIROCA'RPUS; *legume twisted into an orbicular form.*

§ 1. *Legumes with thin unarmed margins.*

17 obscùra DC.	(*ye*) doubtful	S. France	1734.	7.	8.	H	⊙	Retz. obs. fasc. 1. t. 1.
18 læ'vis DC.	(*ye*) smooth	Tunis	1816.	6.	8.	H	⊙	
Hèlix W.								
19 orbiculàris DC.	(*ye*) flat-podded	S. Europe	1688.	7.	8.	H	⊙	Gært. sem. 2. t. 155.
20 marginàta DC.	(*ye*) margined	———	1816.	——		H	⊙	Moris. his. s. 2. t. 15. f. 2.
21 applanàta DC.	(*ye*) obovate-leaved	.....	1824.	7.	9.	H	⊙	
22 scutellàta DC.	(*ye*) snail-podded	S. Europe	1562.	6.	8.	H	⊙	Cæert. sem. 2. t. 155. f. 7.
23 rugòsa DC.	(*ye*) elegant	———	1680.	7.	8.	H	⊙	Moris. his. s. 2. t. 15. f. 4.
elegans W.								
24 saxátilis DC.	(*ye*) stone	Tauria	1828.	6.	8.	H	♃	

§ 2. *Legumes with thickened unarmed margins.*

25 tornàta DC.	(*ye*) smooth-podded	S. Europe	1658.	6.	8.	H	⊙	
26 turbinàta DC.	(*ye*) turban	———	1680.	——		H	⊙	Moris. his. s. 2. t. 15. f. 5.
27 tuberculàta DC.	(*ye*) wart-podded	———	1658.	——		H	⊙	Bauh. hist. 2. f. 1.
28 striàta DC.	(*std*) striped-podded	———	1828.	——		H	⊙	

§ 3. *legumes spiny.*

29 spiculàta DC.	(*ye*) tufted	Italy	1800.	——		H	⊙	
30 coronàta DC.	(*ye*) crowned	S. Europe	1660.	——		H	⊙	Moris. his. s. 2. t. 15. f. 16.
31 catalónica DC.	(*ye*) Catalonian	Catalonia	1816.	——		H	⊙	Schrank. h. mon. t. 28.
32 denticulàta DC.	(*ye*) toothed	S. France	1800.	——		H	⊙	
33 flexuòsa DC.	(*ye*) flexuose	Naples	1824.	——		H	⊙	
34 spinulòsa DC.	(*ye*) prickly-podded	S. Europe	1798.	——		H	⊙	
35 pubéscens DC.	(*ye*) pubescent	Montpelier	1823.	——		H	⊙	
36 terebéllum DC.	(*ye*) short-spined	S. Europe	1798.	——		H	⊙	

37	marìna DC.	(*ye*) sea-side	S. Europe	1596.	6. 8.	H	⊙		Cavan. ic. 2. t. 136.
38	tentaculàta DC.	(*ye*) distichous-spined	———	1824.	——	H	⊙		Gært. sem. 2. t. 155.
39	Hornemanniàna DC.	(*ye*) Hornemann's	Morocco	1823.	——	H	⊙		
40	littoràlis DC.	(*ye*) shore	S. Europe	1827.	——	H	♃		J.Bauh. his. 2. p. 383.
41	lappàcea DC.	(*ye*) bur-podded	———	——	——	H	⊙		
42	pentacy'cla DC.	(*ye*) five-whorled	———	....	——	H	⊙		
43	hístrix DC.	(*ye*) porcupine	Naples	1824.	——	H	⊙		
44	discifórmis DC.	(*ye*) hook-spined	Montpelier	1826.	——	H	⊙		
45	carstiénsis DC.	(*ye*) creeping-rooted	Carinthia	1789.	6. 9.	H	♃		Bot. mag. 909.
46	nìgra DC.	(*ye*) black	France	——	6. 8.	H	⊙		Moris. his. s. 2. t. 15. f. 1
47	tribuloìdes DC.	(*ye*) Caltrops-like	S. Europe	1739.	——	H	⊙		
48	cylindràcea DC.	(*ye*) cylinder-podded	.....	1824.	——	H	⊙		
49	præ'cox DC.	(*ye*) early	France	1820.	——	H	⊙		
50	mollíssima DC.	(*ye*) softest	———	1818.	——	H	⊙		
51	græ'ca DC.	(*ye*) Grecian	Greece	1804.	——	H	⊙		
52	mínima DC.	(*ye*) least	England	....	——	H	⊙		Flor. dan. t. 211.
53	arenària DC.	(*ye*) sand	Italy	1824.	——	H	⊙		
54	muricoléptis DC.	(*ye*) arch-spined	Sicily	——	——	H	⊙		
55	uncinàta DC.	(*ye*) hooked	S. Europe	1820.	——	H	⊙		
56	dístans DC.	(*ye*) distant	———	——	——	H	⊙		Moris. his. s. 2. t. 15. f. 21.
57	erécta DC.	(*ye*) erect	———	1810.	——	H	⊙		
58	aculeàta DC.	(*ye*) prickly	.....	1802.	——	H	⊙		
59	maculàta DC.	(*ye*) heart	England	....	5. 6.	H	⊙		Eng. bot. 1616.
	polymórpha E.B.								
60	Gerárdi DC.	(*ye*) Gerard's	Hungary	1816.	6. 8.	H	⊙		Moris. his. s. 2. t. 15. f. 18.
	villòsa DC. fl. fr. 4. p. 545.								
61	agréstis DC.	(*ye*) field	Italy	1824.	——	H	⊙		
62	rigídula DC.	(*ye*) thorny-podded	S. Europe	1730.	——	H	⊙		
63	muricàta DC.	(*ye*) prickly	England	....	5. 8.	H	⊙		Vaill. par. t. 33. f. 7.
64	sphærocárpos DC.	(*ye*) round-podded	Italy	1826.	6. 8.	H	⊙		Sebast. pl. rom. p. 15. t. 3.
65	mùrex DC.	(*ye*) Burdock-podded	.....	1802.	——	H	⊙		
66	laciniàta DC.	(*ye*) cut-leaved	S. Europe	1683.	——	H	⊙		Breyn. cent. 81. t. 34.
67	Tenoreàna DC.	(*ye*) Tenore's	Naples	1827.	——	H	⊙		
68	granaténsis DC.	(*ye*) Spanish	Spain	1816.	——	H	⊙		Jacq. coll. sup. t. 15. f. 2.
69	intertéxta DC.	(*ye*) hedgehog	S. Europe	1629.	——	H	⊙		Moris his. s. 2. t. 15. f. 8.
70	ciliàris DC.	(*ye*) fringed	France	1686.	7. 8.	H	⊙		———s. 2. t. 15. f. 7.
71	echìnus DC.	(*ye*) Sea-egg	S. Europe	1820.	6. 8.	H	⊙		———s. 2. t. 15. f. 9.
72	ægagróphila DC.	(*ye*) goats	.....	1824.	7. 9.	H	⊙		
73	cáspica L. en.	(*ye*) Caspian	Caucasus	1820.	6. 8.	H	⊙		
74	ovàta H E.	(*ye*) oval-leaved	S. Europe	1818.	——	H	⊙		
75	strumària H.E.	(*ye*) strumous	———	——	——	H	⊙		
76	mícrodon E.	(*ye*) small-toothed	Egypt	1826.	——	H	⊙		
77	pedunculàta E.	(*ye*) peduncled	———	——	——	H	⊙		

HYMENOCA'RPOS DS. HYMENOCA'RPOS. (ὑμην, a membrane, & καρπος, a fruit.) Diad. Dec.

1	circinnàtus DS.	(*ye*) circinnate	Corsica	1640.	7. 8.	H	⊙		
	Medicàgo circinnàta DC.								
2	nummulàrius DS.	(*ye*) money-wort	S. Europe	——	6. 8.	H	⊙		Gært. fr. 2. t. 155. f. 7.
3	radiàtus DS.	(*ye*) radiated	Italy	1629.	——	H	⊙		Mor. hist. s. 2. t. 15. f. 4.

TRIGONE'LLA DC. FENUGREEK. (τρεις, three, and γωνια, an angle.) Diadelphia Decandria.

Sect. 1. GRAMMOCA'RPUS; *legume ovate, nerved lengthways, ending in a beak; flowers capitate, or umbellate.*

1	cœrùlea DC.	(*bl*) blue	Switzerland	1562.	7. 9.	H	⊙		Bot. mag. 2283.
	Trifòlium cœrùleum B.M. *Melilòtus cœrùlea* Lam.								
2	Besseriàna DC.	(*bl*) Besser's	Poland	....	——	H	⊙		
3	azùrea DC.	(*bl*) azure	Caucasus	1837.	——	H	⊙		
4	marítima DC.	(*ye*) sea-side	Egypt	1827.	——	H	⊙		
5	uncinàta DC.	(*st*) hooked	Iberia	1823.	6. 9.	H	⊙		
	Melilòtus hamòsa M.B. *uncinàta* Bess.								
6	littoràlis DC.	(*ye*) shore	Sicily	1826.	——	H	⊙		
7	callíceras DC	(*ye*) rostrate	Iberia	1821.	——	H	⊙		DC. hort. gen. 2. ic.
	oxyrhy'ncus F.								

Sect. 2. FŒ'NUM-GRÆ'CUM; *legume elongated, compressed, reticulated lengthwise, ending in a long beak; flowers sessile, solitary or twin.*

8	prostràta DC.	(*ye*) prostrate	S. France	....	6. 9.	H	⊙		J.Bauh. hist. 2. p. 365. f. 2.
9	gladiàta DC.	(*wh*) sword-podded	Tauria	1829.	——	H	⊙		
10	Fœ'num-græ'cum DC.	(*st*) common	S. France	1597.	——	H	⊙		Schk. s. han. 2. t. 211.

Sect. 3. BU'CERAS; *legume cylindrically compressed, a little arched, reticulated, mucronate; flowers racemose.*

11	spinòsa DC.	(*ye*) thorny	Candia	1710.	7. 9.	H	⊙		Breyn. cent. 79. t. 33. f.

striàta DC.	(*ye*) streaked	Abyssinia?	1824.	6. 9.	H	⊙		
spiràta DC.	(*ye*) spiked	Greece	1836.	——	H	⊙		
hamòsa DC.	(*ye*) hooked-podded	Egypt	1640.	7. 8.	H	⊙		Alp. ægypt. t. 124.
flexuòsa DC.	(*st*) flexuose	————	1818.	6. 8.	H	⊙		
Fischeriàna DC.	(*ye*) Fischer's	Tiflis	——	——	H	⊙		
flexuòsa M.B. *non* Delil.								
anguìna DC.	(*ye*) snake-podded	Egypt	1828.	——	H	⊙		Delil. fl. egypt. t. 110. f. 2.
ténuis DC.	(*ye*) slender	Tiflis	1818.	——	H	⊙		
arcuàta DS.	(*ye*) arched	Caucasus	1837.	——	H	⊙		
elongàta W. en.	(*ye*) elongated	.....	1823.	——	H	⊙		
stellàta Forsk.	(*ye*) starry	Arabia	1837.	——	H	⊙		
egyptiaca Hort. *elongàta* Hort.								
cancellàta DC.	(*ye*) netted-podded	.....	1818.	——	H	⊙		
monspeliaca DC.	(*ye*) Montpelier	Montpelier	1710.	——	H	⊙		W. et K. hung. 2. t. 142
parviflòra DC.	(*ye*) small flowered	Switzerland	1824.	——	H	⊙		
pinnatífida DC.	(*ye*) pinnatifid	Spain	1801.	——	H	⊙		Cavan. ic. 1. t. 38.
mèdia Delil.								
polyceràta DC.	(*ye*) broad-leaved	S. Europe	1640.	7. 9.	H	⊙		
monántha DS.	(*ye*) one-flowered	Caucasus	1837.	——	H	⊙		
ægyptiaca DC.	(*ye*) Egyptian	Egypt	1823.	6. 8.	H	⊙		
ornithory'nchos DC.	(*ye*) beak-podded	Russia	1825.	6. 9.	H	⊙		
crassifòlia DC.	(*ye*) thick-leaved	Egypt	1828.	6. 8.	H	⊙		
Sect. 4. FALCA'TULA; *legume compressed, falcate, reticulated, mucronate; umbels pedunculate.*								
ruthénica DC.	(*ye*) small	Siberia	1741.	5. 7.	H	♃		Lodd. bot. cab. 1391.
laciniàta DC.	(*ye*) laciniate	Egypt	1823.	7. 9.	H	⊙		
platycárpos DC.	(*ye*) round-leaved	Siberia	1741.	6. 9.	H	♂		Gmel. sib. 4. t. 9.
hybrida DC.	(*ye*) hybrid	France	1806.	——	H	♃		DC. ic. rar. 1. t. 29.
ornithopodioìdes DC.	(*re*) Bird's foot	Britain	....	——	H	⊙		Eng. bot. t. 1047.
Trifòlium ornithopodioìdes E.B. *Melilòtus ornithopodioìdes* P. S.								
corniculàta DC.	(*ye*) horse-shoe	S. Europe	1597.	6. 7.	H	⊙		Moris. his. s. 2. t. 16. f. 11.
esculénta DC.	(*ye*) esculent	E. Indies	1815.	6. 9.	S	⊙		
POCO'CKIA DC.	Poco'ckia.	(Richard Pocock, trav. in Levant.)						Diadelphia Decandria.
crética DC.	(*ye*) Cretan	Candia	1713.	6. 9.	H	⊙		Moris. his. s. 2. t. 14. f. 3.
Trifòlium crèticum L. *Melilòtus crética* P. S.								
MELILO'TUS DC.	MELILOT. (*mel* and *lotus*, honey lotus.)							Diadelphia Decandria.
Sect. 1. COELORU'TIS; *legume wrinkled from lacunæ.*								
1 Kochiàna DC.	(*ye*) Koch's	Germany	1816.	6. 9.	H	♂		
2 dentàta DC.	(*ye*) toothed	Hungary	1802.	6. 8.	H	♃		W. et K. hung. 1. t. 42.
3 lineàris DC.	(*ye*) linear-leaved	Spain	1816.	——	H	⊙		
4 ruthénica DC.	(*wh*) Russian	Sarepta	1828.	——	H	⊙		
5 melanospérma DC.	(*ye*) black-seeded	Tauria	1825.	——	H	♂		
6 officinàlis DC.	(*ye*) common	Britain	....	6. 9.	H	⊙		Eng. bot. 1340.
7 palústris DC.	(*ye*) marsh	Hungary	1824.	——	H	♂		W. et K. hung. 3. t. 266.
8 altíssima DC.	(*wh*) tallest	S. Europe	1818.	——	H	⊙		
9 leucántha DC.	(*wh*) white-flowered	Europe	....	——	H	♂		Sturm. deuts. 1. f. K.
vulgàris W. en.								
10 macrorhìza DC.	(*ye*) long-rooted	Hungary	1801.	7. 9.	H	♃		W. et K. hung. 1. t. 26.
11 parviflòra DC.	(*ye*) small-flowered	S. Europe	1810.	6. 8.	H	⊙		
12 rugulòsa W. en.	(*wh*) rugged-podded	E. Indies	——	——	H	⊙		
13 indica W. en.	(*ye*) Indian	————	1680.	——	H	⊙		Pluk. alm. t. 45. f. 4.
14 Baumèti H.	(*ye*) one-seeded	.....	1818.	——	H	⊙		
15 minima DC.	(*wh*) small-flowered	E. Indies	1810.	8. 10.	H	⊙		
16 vegetàlis DC.	(*ye*) hedge	Spain	1824.	6. 8.	H	⊙		
17 polónica DC.	(*ye*) Polish	Poland	1778.	——	H	⊙		
18 taúrica DC.	(*wh*) Taurian	Tauria	1823.	6. 9.	H	⊙		
19 itàlica DC.	(*ye*) Italian	Italy	1596.	——	H	⊙		Camer. hort. t. 29.
rotundifòlia T.N.								
20 gracìlis DC.	(*ye*) slender	S. Europe	——	6. 8.	H	⊙		
neapolitàna T.P.								
21 pàlida DC.	(*ye*) pale-podded	Poland	1828.	——	H	♂		
22 suaveolens DC.	(*ye*) sweet-scented	Dahuria	1826.	——	H	♃		
23 hirsùta Bal.	(*ye*) hairy	.....	——	——	H	⊙		
24 procúmbens H. Pr.	(*y*) procumbent	.....	1829.	——	H	⊙		
Sect. 2. PLAGIORU'TIS; *legume wrinkled transversely and circinately.*								
25 arvénsis DC.	(*ye*) corn-field	Germany	1822.	6. 9.	H	⊙		
26 petitpierriàna W.	(*wh*) rough-podded	————	1816.	——	H	♂		
27 Besseriàna DC.	(*ye*) Besser's	Tauria	1826.	6. 8.	H	♂		
subrùgòsa Bes.								
28 plicàta P.	(*ye*) plaited	————	1823.	——	H	⊙		

Sect. 3. CAMPYLORU'TIS; *legumes ovate or obovate, densely and arcuately veined.*

29	messanénsis DC.	(*ye*) Sicilian	Sicily	1680.	6. 8.	H	⊙	
30	sulcàta DC	(*ye*) furrowed	Barbary	1798.	——	H	⊙	
	mauritánica W. enum.							

TRIFO'LIUM DC. TREFOIL. (*tres*, three, and *folium*, a leaf.) Diadelphia Decandria.

Sect. 1. LAGO'PUS; *calyx villous, not inflated; flowers in spikes.*

1	angustifòlium DC.	(*ro*) narrow-leaved	S. Europe	1640.	6. 8.	H	⊙	Barrel. ic. t. 698.
2	intermèdium DC	(*wh*) intermediate	Italy	1829.	——	H	⊙	
3	purpùreum DC.	(*pu*) purple	Montpelier	1826.	——	H	⊙	Loisel. fl. gall. t. 14.
4	rùbens DC.	(*re*) long-spiked	S. Europe	1633.	6. 9.	H	♃	Jacq. aust. 4. t. 385.
5	cœruléscens DC.	(*pu*) bluish	Tauria	1827.	——	H	⊙	
6	incarnàtum DC.	(*sc*) scarlet	Italy	1596.	7. 9.	H	⊙	Bot. mag. 328.
7	Molinèri W.	(*bh*) blush-flowered	———	1823.	——	H	⊙	
8	arvénse DC.	(*wh*) corn	Britain	....	7. 8.	H	⊙	Engl. bot. v. 14. t. 9
9	lagòpus DC.	(*re*) Hare's-foot	Spain	1827.	——	H	⊙	
10	grácile P.S.	(*re*) slender	France	1818.	——	H	⊙	Barrel. ic. 901.
11	ligústicum DC.	(*re*) awned	Portugal	1820.	6. 8.	H	⊙	Balb. act. ac. it. 1. f.
	arrectisètum Brot. phyt. t. 63. f. 1. *aristàtum* H.							
12	divaricàtum DC.	(*wh*) spreading	.....	1827.	——	H	⊙	
13	geméllum DC.	(*wh*) double-headed	Spain	1825.	——	H	⊙	
14	phleoìdes DC.	(*re*) Phleum-spiked	———	——	——	H	⊙	
15	lappàceum DC.	(*st*) burr-spiked	S. Europe	1787.	——	H	⊙	Barrel. ic. 871.
16	echinàtum DC.	(*wh*) bristly	Caucasus	1823.	——	H	⊙	
17	erinàceum DC.	(*wh*) villous-leaved	Iberia	1827.	——	H	⊙	
18	malacánthum DC.	(*wh*) soft-headed	.....	1824.	——	H	⊙	
19	sylváticum DC.	(*pu*) wood	S. France	1826.	——	H	♃	

Sect. 2. PHLEA'STRUM; *calyx not inflated; flowers disposed in ovate heads.*

20	Boccòni DC.	(*re*) Boccone's	S. Europe	1825.	7. 8.	H	⊙	Brot. phyt. t. 63. f. 2.
	semiglàbrum Brot. *collìnum* Poir.							
21	striàtum DC.	(*pu*) soft-knotted	Britain	....	6. 7.	H	⊙	Eng. bot. v. 26. t. 18
22	tenuifìorum DC.	(*pa*) slender-flowered	Naples	1824.	6. 8.	H	⊙	
23	scàbrum DC.	(*wh*) rough	Britain	....	5. 7.	H	⊙	Eng. bot. v. 13. t. 9

Sect. 3. EUTRIPHY'LLUM; *calyx villous, not inflated; flowers disposed in bracteate ovate heads.*

24	marítimum DC.	(*li*) sea-shore	Britain	....	6. 8.	H	⊙	Eng. bot. v. 4. t. 22
	rígidum Savi. fl. pis. 2. p. 159. t. 1. f. 1.							
25	supìnum DC.	(*bh*) spreading-branch'd	S. Europe	1827.	——	H	⊙	Savi. obs. trif. p. 46. f.
26	constantinopolitànum DC.	(*ye*) Turkish	Constantinople	—	——	H	⊙	
27	cínctum DC.	(*st*) girded	Montpelier	1820.	——	H	⊙	
28	alexandrìnum DC.	(*st*) Egyptian	Egypt	1798.	——	H	⊙	
29	ochroleùcum DC.	(*st*) sulphur-color'd	Britain	....	——	H	♃	Eng. bot. v. 17. t. 12
30	tricocéphalum DC.	(*st*) hairy-headed	Caucasus	1829.	——	H	♃	
31	canéscens DC.	(*wh*) gray	———	1803.	5. 7.	H	♃	Bot. mag. 1168.
32	pannónicum DC.	(*wh*) Hungarian	Hungary	1752.	6. 8.	H	♃	Jacq. obs. 2. t. 42.
33	barbàtum DC.	(*ye*) bearded	Montpelier	1827.	——	H	♃	
34	oly'mpicum B.M.	(*st*) long-flowered	Levant	1810.	——	H	♃	Bot. mag. 2790.
35	armènium DC.	(*st*) Armenian	Armenia	1816.	5. 7.	H	♃	
36	squarròsum DC.	(*wh*) various-leaved	Spain	1640.	7. 8.	H	⊙	Moris. his. s. 2. t. 13. f. 1.
	β *flávicans* DC.	(*st*) *yellowish*	———	....	——	H	⊙	Savi. obs. tri. p. 65. t. 3.
37	álbidum DC.	(*st*) whitish	.....	1796.	——	H	⊙	
38	cónicum DC.	(*st*) conical	.....	1823.	6. 8.	H	⊙	
39	Kitaibeliànum DC.	(*st*) Kitaibel's	Hungary	1828.	——	H	⊙	
40	elongàtum DC.	(*re*) long-flowered	Galatia	1810.	——	H	♃	
41	alpéstre DC.	(*pu*) oval-spiked	Europe	1789.	——	H	♃	Bot. mag. 2779.
42	mèdium DC.	(*pu*) Cow-grass	Britain	....	7. 8.	H	♃	Eng. bot. v. 3. t. 190.
43	bracteàtum DC.	(*pu*) large-bracted	Morocco	1804.	6. 8.	H	♂	
44	expánsum DC.	(*pu*) expanded	.....	——	6. 7.	H	♃	
45	praténse DC.	(*pu*) common-clover	Britain	....	5. 9.	H	♃	Eng. bot. v. 25. t. 1770.
	α *perénne*	(*pu*) *perennial*	———	....	——	H	♃	Sincl. gr. wob. 221.
	β *satìvum*	(*pu*) *cultivated*	———	....	——	H	♂	
46	vaginàtum Schl.	(*ye*) sheathed	Switzerland	1824.	——	H	♃	
	praténse β *flávicans* Ser. in DC. prodr. 2. p. 195. *ochroleùcum* γ DC.							
47	microphy'llum DC.	(*p*) small-leaved	France	1824.	5. 9.	H	♃	
48	nóricum DC.	(*st*) shaggy	Carinthia	1823.	6. 7.	H	♃	Sturm deuts. 1. fas. 16
49	pensylvánicum DC.	(*p*) Buffalo-clover	N. America	1811.	6. 9.	H	♃	
50	fimbriàtum B.R.	(*re*) fringed	———	1826.	9.10.	H	♃	Bot. reg. 1070.
51	tridentàtum B.R.	(*re*) three-toothed	———	——	8.10.	H	♃	
52	cyathíferum B.R.	(*re*) cup-like	———	——	——	H	♃	
53	pállidum DC.	(*wh*) pale	Hungary	1803.	6. 8.	H	⊙	W. et K. hung. 1. t. 3.
54	Wormskiódldi DS.	(*re*) Wormskiold's	Greenland	1826.	6. 7.	H	⊙	
55	diffùsum DC.	(*pu*) diffuse	Hungary	1801.	6. 9.	H	⊙	W. et K. hung. 1

86	hirtum DC.	(pu) hairy	S. Europe	1806.	6. 7.	H	⊙	Desf. atl. 2. t. 209. f. 1.
	hispidum Desf.							
87	fucàtum B.R.	(cr.re) pretty	California	1833.	6. 7.	H	⊙	Bot. reg. t. 1883.
88	pictum W.	(pu) painted-leaved	S. Europe	1806.	——	H	⊙	
89	pauciflòrum DC.	(pu) few-flowered	Archipelago	1828.	——	H	♂	
90	Cherìeri DC.	(st) hispid-headed	S. Europe	1750.	5. 7.	H	⊙	Barrel. ic. 859.
91	sphærocéphalum DC.	(wh) round-headed	Barbary	1820.	6. 7.	H	⊙	Desf. atl. 2. t. 209.
92	circumdàtum Guss.	(wh) surrounded	Calabria	1836.	——	H	⊙	
93	globòsum DC.	(wh) globular-headed	Levant	1713.	6. 8.	H	⊙	
94	clypeàtum DC.	(wh) oriental	——	1711.	——	H	⊙	Alpin. exot. t. 306.
95	stellàtum DC.	(ro) star-headed	England	....	7. 8.	H	⊙	Eng. bot. v. 22. t. 1545.
96	leucánthum DC.	(wh) white-flowered	Tauria	1823.	6. 8.	H	⊙	
97	Waldsteinianum	(pu) Waldstein's	Hungary	1826.	——	H	⊙	W. et K. hung. 3. t. 269.
	reflexum W.K. *non* L.							
98	obscùrum DC.	(wh) obscure	Italy	1820.	6. 7.	H	⊙	Sav. trif. p. 31. f. 1.
99	saxátile DC.	(wh) rock	Switzerland	1816.	6. 8.	H	♂	All. ped. t. 59. f. 3.
Sect. 4. TRIPOLIA'STRUM; *calyx not inflated; flowers usually deflexed, disposed in globose heads.*								
100	suffocàtum DC.	(wh) suffocated	England	....	6. 8.	H	⊙	Eng. bot. v. 15. t. 1049.
101	glomeràtum DC.	(ro) round-headed	——	....	6. 7.	H	⊙	——v. 15. t. 1063.
102	congéstum DS.	(re) crowded	Calabria	1820.	5. 6.	H	⊙	
103	parviflòrum DC.	(li) small-flowered	Hungary	1805.	7. 8.	H	⊙	Sturm deuts. 1. fasc. 15.
	strictum Sturm.							
104	stríctum DC.	(bh) upright	S. Europe	——	——	H	⊙	W. et K. hung. 1. t. 37.
105	rèpens DC.	(wh) white-clover	Britain	....	5. 9.	H	♃	Eng. bot. v. 25. t. 1769.
	β *pentaphy'llum* P.S.	(w) purple 5-leaved	——	....	——	H	♃	
106	Vaillántii DS.	(wh) Vaillant's	France	....	——	H	♃	Vaill. par. t. 22. f. 1.
107	anómalum DC.	(wh) anomalous	.....	1827.	5.10.	H	♃	Schrank. pl. rar. t. 47.
108	eérnuum DC.	(pu) drooping	Portugal	1820.	6. 7.	H	⊙	Brot. phyt. t. 62.
109	palléscens DC.	(st) pale	Hungary	1804.	6. 8.	H	♃	Sturm. deuts. fl. 1. fas. 15.
110	cæspitòsum DC.	(wh) turfy	Switzerland	1815.	——	H	♃	Vill. delph. 3. t. 41.
111	angulàtum DC	(bh) angular	Hungary	1803.	——	H	⊙	W. et. K. hung. 1. t. 27.
112	suavèolens DC.	(pu) sweet-scented	S. Europe	1818.	——	H	⊙	W. hort. berol. t. 108.
113	hy'bridum DC.	(wh) hybrid	——	1805.	——	H	⊙	Sturm deuts. fl. 1. fas. 15.
114	oxypétalum F.M.	(pu) sharp-petalled	Lousiana	1836.	——	H	⊙	
115	Micheliànum DC.	(st) Micheli's	Italy	1815.	——	H	⊙	Mich. n. gen. t. 25. f. 25.
116	élegans DC.	(li) elegant	S. Europe	1818.	——	H	♃	Savi. fl. pi. 2. t. 1. f. 2.
	formòsum Savi. Vail. par. t. 22. f. 1.							
117	reflèxum DC.	(pk.wh) reflexed	Virginia	1794.	——	H	♃	Bot. mag. t. 3471.
118	montànum DC.	(wh) mountain	Europe	1786.	7. 8.	H	♃	Flor. dan. t. 1172.
119	rupéstre DC.	(wh) flat-headed	Italy	1824.	——	H	♃	
120	Prutetiànum DC.	(re) soft-hairy	——	1828.	——	H	♃	
Sect. 5. VESICA'STRUM; *flowers in dense heads; upper lip of calyx inflated, and increased, but the under one remains unchanged.*								
121	subterràneum DC.	(w) subterraneous	England	....	5. 6.	H	⊙	Eng. bot. v. 15. t. 1048.
122	vesiculòsum DC.	(re) recurved	Hungary	1805.	6. 8.	H	⊙	Bot. reg. t. 1408.
	recùrvum W.K.							
123	ambíguum DC.	(re) ambiguous	Caucasus	1815.	6. 7.	H	♃	
124	physánthum Hook	(re) bladder-fl'd	N. America	1837.	——	H	♃	
125	physopétalum F.M.	(re) bladder-pet'd	California	——	——	H	♃	
126	spumòsum DC.	(pu) bladdered	France	1771.	6. 8.	H	⊙	Cupan. panp. t. 69. f. 1.
127	resupinàtum DC.	(pu) resupinate	Germany	1713.	——	H	⊙	Sturm deuts. fl. 1. fas. 16.
128	fragíferum DC.	(li) Strawberry	England	....	7. 8.	H	♃	Eng. bot. v. 15. t. 1050.
129	tomentòsum DC.	(ye) woolly	S. Europe	1640.	6. 8.	H	⊙	Barrel. ic. 864.
130	physòdes DC.	(li) swollen-calyxed	Iberia	1829.	——	H	⊙	
131	túrgidum DC.	(wh) turgid	Caucasus	1818.	6. 7.	H	⊙	
132	alàtum DC.	(li) netted-calyxed	Sicily	1820.	7. 8.	H	⊙	Cupan. panp. t. 97. f. 1.?
	Cupàni Tineo.							
Sect. 6. LUPINA'STER; *segments of calyx subulate, erect; flowers large; petals persistent; leaves reticulated.*								
133	unifiòrum DC.	(re.wh) one-flowered	S. Europe	1822.	6. 8.	H	♃	Swt. br. fl. gar. s. 2. t. 200.
	β *Sternbergiànum* DC.	(wh) *Sternberg's*	——	——	——	H	♃	Buxb. c. 3. p. 18. t. 31. f. 2.
134	eximium DC.	(pu) choice	Dahuria	1828.	——	H	♃	
	β *albiflòrum* DC.	(wh) *white-flowered*	Altay	——	——	H	♃	
135	alpinum DC.	(re.wh) alpine	Italy	1775.	——	H	♃	Sturm deut. fl. 1. fasc. 15.
136	involucràtum DC.	(re) involucred	Mexico	1825.	——	H	⊙	Kth. pl. legum. t. 53.
137	Gussoni DC.	(pu) Gussone's	Sicily	1822.	——	H	♃	Bonan. sic. t. 245.
Sect. 7. CHRONOSE'MIUM; *flowers disposed in ovate heads; petals scarious; vexillum deflexed, persistent.*								
138	hìdum DC.	(br) villous-stalked	Pyrenees	....	6. 8.	H	♃	Sturm deuts. fl. 1. fasc. 16.

109	agràrium DC.	(*ye*) golden	Europe	1815.	6. 8.	H	☉	Sturm deuts. fl. 1. fas
110	spadíceum DC.	(*ye*) bay-coloured	———	1778.	——	H	♃	Bot. mag. 557.
111	decípiens DC.	(*ye*) decipient	.....	1827.	——	H	☉	
112	speciòsum DC. *comòsum* Labil.	(*br*) large-flowered	Candia	1752.	——	H	☉	Labill. dec. 5. t. 1
113	procúmbens DC.	(*st*) Hop	Britain	....	6. 7.	H	☉	Eng. bot. v. 14. t.
114	parisiénse DC. *pàtens* Sturm.	(*st*) Paris	France	....	——	H	☉	Sturm deuts. 1. fas.
115	Sebastiàni DC.	(*ye*) Sebastiani's	Italy	1823.	——	H	☉	Sebas. pl. rom. fas.
116	flavéscens DC.	(*ye*) yellowish	Sicily	1828.	6. 8.	H	☉	
117	mìnus E.B.	(*ye*) lesser yellow	Britain	....	——	H	☉	Eng. bot. v. 18. t.
118	filifórme E.B.	(*ye*) slender yellow	———	....	——	H	☉	——— v. 18. t.
119	micránthum DS.	(*ye*) small-flowered	Libya	1816.	——	H	☉	
		† *Species hardly known.*						
120	comòsum W.	(*wh*) tufted	N. America	1798.	——	H	♃	
121	tenuifòlium DC.	(*wh*) slender-leaved	Naples	1824.	——	H	☉	
122	capénse DC.	(*st*) Cape	C. B. S.	1825.	——	G	♃	
123	congéstum DC.	(*wh*) close-headed	Sicily	1829.	——	H	☉	
124	formòsum DC.	(*pi*) handsome	Isl. Melos	1828.	——	H	♂	
125	lasiocéphalum DC.	(*w*) woolly-headed	C. B. S.	1825.	——	H	☉	
126	villòsum Pr.	(*wh*) villous	Sicily	1818.	5. 7.	H	☉	
127	plicàtum Pr.	(*br*) plaited	———	1824.	6. 8.	H	☉	
128	Ehrenbérgii H. ber.	(*w*) Ehrenberg's	Egypt	1826.	——	H	☉	
129	libanóticum E.	(*wh*) Lebanon	Mt. Lebanon	1827.	——	H	☉	
130	álbiceps E.	(*wh*) white-headed	Egypt	1829.	——	H	☉	

LUPINA'STER Mh. LUPINA'STER. (so called from its likeness to Lupine.) Diadelphia Decan

1	pentaphy'llus Mh. *Trifòlium Lupináster* B.M. *Pentaphy'llon Lupináster* P.S.	(*re*) five-leaved	Siberia	1741.	7. 8.	H	♃	Bot. mag. 879.
2	álbens F.	(*wh*) white-flowered	Volga	1827.	——	H	♃	
3	purpuráscens F.	(*pu*) purple	———	1821.	6. 8.	H	♃	
4	cœruléscens F.	(*pu*) blue purple	———	1826.	——	H	♃	
5	macrocéphalus Ph.	(*var*) long-headed	Missouri	1826.	——	H	♃	Pursh. fl. amer. t. 2

DORY'CNIUM DC. DORY'CIUM (δορυ, a spear; ancient pl. used to poison.) Diadelph. Decan

1	réctum DC. *Lòtus réctus* W.	(*ro*) upright	S. Europe	1640.	6. 8.	H	♄	Barrel. ic. t. 544.
2	latifòlium DC.	(*wh*) broad-leaved	Iberia	1818.	6. 9.	H	♄	
3	hirsùtum DC. *Lòtus hirsùtus* B.M.	(*ro*) hairy	S. Europe	1683.	——	H	♄	Bot. mag. 336.
4	seríceum *Lòtus seríceus* DC. cat. h. monsp. p. 122.	(*bh*) silky	———	1820.	——	H	♄	
5	argénteum DC.	(*ye*) silvery	Egypt	1825.	——	H	♄	Delil. fl. æg. 113. t.
6	parviflòrum DC.	(*ye*) small-flowered	S. Europe	1824.	7. 8.	H	☉	Desf. atl. 2. t. 211.
7	subbiflòrum DC.	(*ye*) two-flowered	Spain	1820.	6. 8.	H	☉	
8	herbàceum DC.	(*wh*) herbaceous	S. Europe	1802.	6. 9.	H	♃	Vill. dauph. 3. t. 41.
9	intermèdium Mey.	(*wh*) intermediate	Caucasus	1836.	——	H	♃	
10	suffruticòsum DC.	(*wh*) suffrutescent	S. Europe	1640.	7. 9.	F	♄	Lobel. ic. 2. p. 51. f. 1
11	microphy'llum *Lòtus microphy'llus* B.M. 2808.	(*ro*) small-leaved	C. B. S.	1826.	——	G	♄	Bot. mag. 2808.

LO'TUS DC. BIRD'S-FOOT TREFOIL. (a name of Egyptian origin.) Diadelphia Decandria.

Sect. 1. KROKE'RIA; *legume turgid, curved; flowers* 1-2.

1	edùlis DC.	(*ye*) esculent	S. Europe	1710.	7. 8.	H	☉	Cavan. ic. 2. t. 157.

Sect. 2. LO'TEA; *legume long, compressed; flowers umbellate.*

2	ornithopodioìdes	(*ye*) claw-podded	S. Europe	1683.	6. 8.	H	☉	Cavan. ic. 2. t. 163.
3	peregrìnus DC.	(*ye*) flat-podded	———	1713.	7. 8.	H	☉	
4	índicus DC.	(*ye*) Indian	E. Indies	....	——	H	☉	Pluk. phyt. t. 200. f. 7.
5	tetraphy'llus DC.	(*ye*) four-leaved	Archipelago	1828.	——	H	☉	Viv. fl. lib. t. 17. f. 13.
6	flexuòsus DC.	(*ye*) flexuose	.....	1820.	6. 8.	H	☉	

Sect. 3. EULO'TUS; *legume long, cylindrical; flowers disposed in corymbose umbels.*

7	glaúcus DC.	(*ye*) glaucous	Madeira	1777.	6. 8.	G	♂	
8	sessilifòlius DC.	(*ye*) sessile-leaved	Canaries	1816.	6. 9.	G	♃	
9	anthylloìdes DC.	(*ye*) Anthyllis-like	C. B. S.	1812.	——	G	♄	Venten. malm. t. 92.
10	atropurpùreus DC.	(*da*) dark-purple	Cap. Verd Is.	1823.	3. 9.	G	♄	
11	jacobæ'us DC.	(*da*) dark-flowered	———	1714.	1. 12.	G	♄	Bot. mag. 79.
12	arenàrius DC.	(*ye*) sand	Portugal	1824.	6. 8.	H	☉	Bot. reg. t. 1488.
13	créticus DC.	(*ye*) silver-headed	Levant	1680.	6. 9.	G	♄	Cavan. ic. 2. t. 156.
	β vàrians DC.	(*ye*) *variable*	———	1829.	——	G	♄	
14	cytisoìdes DC.	(*ye*) downy	S. Europe	1752.	7. 8.	H	♃	Barrel. ic. t. 1031.
15	Dioscóridis DC.	(*ye*) Dioscorides's	Crete	1658.	6. 8.	H	☉	All. ped. 1. t. 59. f. 1
16	Gebèlia DC.	(*ro*) Aleppo	Aleppo	1823.	5. 9.	F	♃	Vent. h. cels. t. 57.

arábicus DC.	(re)	red-flowered	Arabia	1773.	7. 9.	F	♃		Jacq. vind. t. 155.
austràlis DC.	(re)	New Holland	N. S. W.	1803.	5. 9.	G	♄		Bot. mag. 1365.
Candolleànus. ed. 1.	(re)	De Candolle's	———	1812.	6. 9.	G	♄		
austràlis β angustifolìola DC.									
albidus B.C.	(wh)	white-flowered	———	1823.	——	G	♄		Lodd. bot. cab. 1063.
aboràtus ed. 1.	(ye)	glaucous obovate	———	1803.	4. 9.	G	♃		
decúmbens DC.	(ye)	decumbent	France	1820.	5. 7.	H	♃		
Forstèri	(ye)	Forster's	Britain	....	——	H	♃		
decúmbens E. F. *non* DC.									
pilosíssimus DC.	(ye)	hairy	S. France	1826.	6. 8.	H	⊙		
hispidus DC.	(ye)	hispid	Jersey	1820.	——	H	⊙		Eng. bot. suppl. t. 2823.
suavèolens DC.	(ye)	fragrant	S. Europe	1804.	——	H	♃		
angustíssimus DC.	(ye)	narrow-podded	———	....	5. 7.	H	♂		Bauh. hist. 2. p. 356. f. 2.
diffùsus DC.	(ye)	slender-podded	England	....	——	H	⊙		Eng. bot. v. 13. t. 925.
portosanctànus	Webb....	Porto Santo	P. Santo	1829.	....	H	⊙		
ciliàtus DC.	(ye)	ciliated	Italy	1820.	6. 8.	H	⊙		
grácilis DC.	(ye)	slender	Hungary	1818.	5. 7.	H	⊙		W. et K. hung. 3. t. 229.
lanuginòsus DC.	(ro)	drooping-flow'd	Levant	——	7. 8.	G	♃		
conimbricénsis DC.	(bh)	Portuguese	Portugal	1800.	6. 8.	H	⊙		Brot. phyt. t. 53.
glabérrimus DC.	(bh)	smooth	.....	1820.	——	H	⊙		
odoràtus DC.	(ye)	sweet-scented	Barbary	1804.	——	H	♃		Bot. mag. 1233.
corniculàtus E.B.	(ye)	common	Britain	....	——	H	♃		Eng. bot. v. 30. t. 2090.
major E.B.	(ye)	large hairy	———	....	——	H	♃		——— v. 30. t. 2091.
crassifolius DS.	(ye)	thick leaved	Europe	1812.	7. 9.	H	♃		
tenuifolius Poll.	(ye)	fine-leaved	———	1837.	——	H	♃		
ténuis W.K.	(ye)	slender	Hungary	1816.	6. 8.	H	♃		
deprésus W. enum. *humifùsus* W. en. *ex.* Link enum.									
uliginòsus Schrad.	(ye)	bog	Europe	1836.	——	H	♃		
pedunculàtus DC.	(ye)	long-peduncled	Spain	1814.	——	H	♃		Cavan. ic. 2. t. 164.
palústris DC.	(ye)	marsh	Levant	1824.	——	H	♃		

CYAMO'PSIS DC. CYAMO'PSIS. (κυαμος, a bean, and οψις, resemblance.) Monadelph. Decand.

psoraleoìdes DC.	(bl)	psoralea-like	India	1813.	7. 8.	S	⊙		Lher. sterp. t. 78.
Dólichos fabæfórmis Lher.									

TETRAGONO'LOBUS DC. WINGED PEA. (τετρα, four, γωνια, an angle, and λοβος, a pod.) Dia. Dec.

1 purpùreus DC.	(pu)	purple-flowered	S. Europe	1596.	6. 8.	H	⊙		Bot. mag. 151.
Lòtus tetragonòlobus. B.M.									
2 biflòrus DC.	(ye)	two-flowered	Sicily	1754.	——	H	⊙		Desf. atl. t. 210.
3 conjugàtus DC.	(pu)	twin-podded	Montpelier	1759.	——	H	⊙		
4 siliquòsus L. en.	(ye)	square-podded	S. Europe	1683.	7. 8.	H	♃		Jacq. aust. 4. t. 361.
5 marítimus L. en.	(ye)	sea-side	———	——	——	H	♃		Flor. dan. 800.
6 Requiéni F.M.	(ye)	Requien's	Sardinia	1837.	——	H	♃		
Lòtus Requieni Moris.									

HOSA'CKIA B.R. HOSA'CKIA. (David Hosack, M.D., prof. bot. New York.) Diadelph. Decand.

1 bícolor B.R.	(y.w)	two-coloured	N. America	1823.	6. 9.	H	♃		Bot. reg. t. 1257.
Lòtus pinnàtus Bot. mag. t. 2913.									
2 Purshiàna B.R.	(ye)	Pursh's	———	1827.	——	H	♃		
3 decúmbens B.R.	(ye)	decumbent	———	——	——	H	♃		
4 parvifòra B.R.	(ye)	small-flowered	———	——	——	H	♃		
5 crassifòlia B.R.	(ye)	thick-leaved	California	1833.	——	H	♃		
6 stolonífera B.R.	(br)	stoloniferous	———	——	——	H	♃		Bot. reg. t. 1977.
7 Wrangeliàna G.D.	(ye)	Wrangel's	———	1836.	——	H	⊙		
Lòtus Wrangeliànus F. M.									
8 subpinnàta G.D.	(ye)	subpinnate-ld	Chili	——	——	H	⊙		Hook et Arn. chil. t. 8.
Lòtus subpinnàtus Hook et Arn. *Anthy'llis chilénsis* DC.									

Subtribe III. *CLITORIEÆ.* DC. prodr. p. 246.

PSORA'LEA DC. PSORA'LEA, (ψωραλεος, scurfy.) Diadelphia Decandria.

§ 1. *Flowers axillary, but never in spikes.*

1 odoratìssima DC.	(bl)	sweet-scented	C. B. S.	1795.	5. 10.	G	♄		Jacq. schœnb. 2. t. 229.
pinnàta Andr. rep. 474. *nec aliorum.*									
2 arbòrea B.M.	(bl)	tree	———	1814.	——	G	♄		Bot. mag. 2090.

3	pinnàta DC.	(*bl*) winged-leaved	C. B. S.	1690.	5. 7.	G	♄		Herm. lugd. 273. ic.
4	lævigàta DC.	(*pu*) smooth	———	1824.	——	G	♄		
5	verrucòsa DC.	(*bl*) warted	———	1774.	5. 8.	G	♄		Jacq. schœnb. 2. t. 2[illegible]
	angustifòlia Jacq.								
6	filifórmis DC.	(*bl*) slender	———	1821.	——	G	♄		
7	axillàris DC.	(*bl*) axillary-flowered	———	1816.	6. 7.	G	♄		
8	tenuifòlia DC.	(*bl*) slender-leaved	———	1793.	——	G	♄		Jacq. schœnb. 2. t. 2[illegible]
9	fasciculàris DC.	(*bl*) fascicle-flowered	———	1816.	——	G	♄		
10	multicaúlis DC.	(*v*) many-stalked	———	1793.	8.10.	G	♄		Jacq. schœnb. 2. t. 2[illegible]
11	aphy'lla DC.	(*bl*) leafless	———	1790.	6. 8.	G	♄		Bot. mag. t. 1727.
12	lathyrifòlia DC.	(*bl*) Lathyrus-leaved	———	1823.	——	G	♄		Balb. h. taur. p. 23. [illegible]
13	decúmbens DC.	(*bl*) decumbent	———	1774.	4. 6.	G	♄		Lodd. bot. cab. 3. t. 2[illegible]
14	rèpens DC.	(*bl*) creeping	———	——	7. 8.	G	♄		
15	hírta DC.	(*bl*) hairy	———	1713.	5. 9.	G	♄		
16	Jacquiniàna	(*bl*) Jacquin's	———	——	——	G	♄		Jacq. schœnb. 2. t. 2[illegible]
	hírta Jacq. *nec aliorum.*								
17	aculeàta DC.	(*bl*) prickle-leaved	———	1774.	——	G	♄		Andr. reposit. 146.
	§ 2. *Flowers approximate in the axils of the leaves, and capitate or spicate at the tops of the branches.*								
18	bracteàta DC.	(*bl*) oval-spiked	C. B. S.	1731.	6. 8.	G	♄		Bot. mag. 446.
19	involucràta DC.	(*bl*) large-bracted	———	1824.	7. 8.	G	♄		
20	spicàta DC.	(*bl.wh*) long-spiked	———	1774.	——	G	♄		Andr. reposit. 411.
21	Stáchydis DC.	(*bl*) Stachys-like	———	1793.	4. 6.	G	♄		
22	striàta DC.	(*bl*) streaked	———	1816.	6. 8.	G	♄		
23	argéntea DC.	(*bl*) silvery	———	——	——	G	♄		
24	tomentòsa DC.	(*bl*) woolly	———	1825.	——	G	♄		
25	cinèrea B.R.	(*pu*) grey	N. Holland	1837.	....	H	⊙		
26	capitàta DC.	(*bl*) headed	C. B. S.	1793.	6. 8.	G	♄		
	§ 3. *Peduncles axillary, bearing capitate spikes of flowers.*								
27	corylifòlia DC.	(*vi*) Hazel-leaved	Arabia	1739.	6. 7.	S	♂		Bot. mag. 665.
28	acaúlis DC.	(*pu*) stemless	Iberia	1837.	——	H	♃		
29	virgàta DC.	(*bl*) twiggy	Florida	1826.	6. 8.	H	♃		
30	arenària DC.	(*bl*) sand	Missouri	1823.	——	H	♃		
	lanceolàta et elliptica Ph. *ex* Nutt.								
31	palæstìna DC.	(*bl*) Palestine	Levant	1771.	4. 9.	F	♃		Jacq. vind. 2. t. 184.
32	bituminòsa DC.	(*pu*) bituminous	Italy	1570.	——	F	♄		Schkuhr hand. 2. t. 21[illegible]
33	orbiculàris B.R.	(*pu*) orbicular-leaved	California	1833.	6. 7.	H	♄		Bot. reg. t. 1971.
34	serícea DC.	(*pu*) long-peduncled	C. B. S.	1815.	1.12.	G	♄		Bot. reg. 223.
	pedunculàta B.R.								
35	Mutísii DC.	(*pu*) Mutis's	Mexico	1828.	6. 8.	G	♄		Kth. pl. legum. t. 54.
	§ 4. *Peduncles axillary; bearing loose spikes or racemes of flowers.*								
36	esculénta DC.	(*bl*) Bread-root	Missouri	1811.	6. 8.	H	♃		Pursh. amer. 2. t. 22.
37	brachiàta Doug.	(*wh.bl*) brachiate	Rocky Mts.	1828.	6. 7.	H	♄		Hook. am. t. 53.
38	cuspidàta DC.	(*bl*) large-rooted	Louisiana	1811.	6. 8.	H	♃		
	macrorhìza Fraser.								
39	incàna DC.	(*bl*) silky	Missouri	1813.	——	H	♃		
	argophy'lla Ph.								
40	lupinélla DC.	(*pu*) narrow-leaved	Carolina	1812.	——	H	♃		
41	tenuiflòra DC.	(*pu*) slender-flower'd	Missouri	1826.	——	H	♃		
42	longifòlia DC.	(*wh*) long-leaved	Louisiana	1811.	——	H	♃		
43	melilotoìdes DC.	(*bl*) Melilot-like	Carolina	1814.	1823.	F	♃		Bot. reg. 454.
44	Onobry'chis DC.	(*pu*) rough-podded	Louisiana	1812.	——	H	♃		——— t. 453.
45	glandulòsa DC.	(*v*) glandular	Peru	1770.	5. 9.	H	♄		Swt. br. fl. gar. 3. t. 296.
46	pubéscens DC.	(*bl*) pubescent	Lima	1823.	——	G	♂		Bot. reg. 968.
47	macrostàchya DC.	(*pu*) long-spiked	California	1833.	7. 8.	H	♃		Bot. reg. t. 1769.
48	canéscens DC.	(*bl*) canescent	Carolina	1823.	6. 8.	F	♃		
49	divaricàta DC.	(*bl*) divaricate	Peru	1820.	5. 9.	G	♄		
50	dentàta DC.	(*wh.pu*) tooth-leaved	Madeira	1816.	——	F	♄		Lob. ic. 2. t. 31. f. 1
	americàna Jacq. schœnb. t. 227.								

CARMICHÆ'LIA. B.R. CARMICHÆ'LIA. (Captain Dugald Carmichael, F.L.S.) Diad. Decand.

	austràlis B.R.	(*li*) New Zealand	N. Zealand	1822.	3. 5.	G	♄		Bot, reg. 912.
	Lòtus arbòreus Forster.								

INDIGO'FERA DC. INDIGO. (*indigo*, a blue dye, and *fero*, to bear.) Diadelphia Decandria.

§ 1. SIMPLICIFO'LIA; *leaves simple, sessile, or nearly so.*

1	linifòlia DC.	(*wh*) Flax-leaved	E. Indies	1792.	7. 8.	S	⊙		Roxb. cor. 2. t. 194.
2	paniculàta DC.	(*re*) panicled	Sierra Leon	1824.	——	S	♄		
3	filifòlia DC.	(*re*) filiform-leaved	C. C. S.	1812.	7.10.	G	♄		
4	echinàta DC.	(*re*) prickly-podded	E. Indies	1824.	6. 9.	S	♃		
5	cordifòlia DC.	(*pu*) heart-leaved	———	1826.	——	S	♄		

§ 2. OLIGOPHY'LLA; *petioles elongated; leaflets* 1-3, *terminal one stalked.*

1	monophy'lla DC.	(*pu*)	simple-leaved	N. S. W.	1826.	6. 9.	G	♄	
2	diphy'lla DC.	(*ro*)	two-leaved	Africa	1824.	7.10.	S	☉	
3	subulàta DC.	(*li*)	awl-stipuled	W. Indies	——	——	S	☉	
4	Lechenaúltii DC.	(*pu*)	Lechenault's	Bengal	1826.	7.10.	S	☉	
5	trifoliàta DC.	(*re*)	trifoliate	E. Indies	1818.	7. 8.	S	♃	
6	multicaúlis DC.	(*re*)	many-stalked	Nepaul	1824.	7.10.	S	☉	
7	glandulòsa DC.	(*re*)	glandular	E. Indies	1818.	5. 7.	S	♃	
8	bifòra DC.	(*pu*)	two-flowered	————	1826.	——	S	♄	
9	denudàta DC.	(*pu*)	smooth-leaved	C. B. S.	1790.	——	G	♄	Jacq. schœnb. 2. t. 233
10	sanguìna DC.	(*sc*)	scarlet-flowered	————	1774.	3. 5.	G	♄	Bot. reg. 300.
11	rígida D.C.	(*re*)	rigid	E. Indies	1820.	5. 8.	S	♄	
12	virgàta DC.	(*re*)	twiggy	Nepaul	1823.	7. 8.	S	♄	

§ 3. MACRO'PODA; *leaves impari-pinnate; petioles elongated.*

13	argéntea DC.	(*re*)	silvery	Egypt	1776.	——	S	♄	L'Herit. stirp. t. 79.
14	tinctòria DC.	(*re*)	East Indian	E. Indies	1731.	——	S	♄	Rheed. mal. 1. t. 54.
15	brachycárpa DC.	(*re*)	short-podded	W. Indies	....	——	S	♄	
16	A'nil DC.	(*re*)	West Indian	————	1731.	——	S	♄	Lam. ill. t. 626. f. 2.
17	cœrùlea H.B.	(*pu*)	blue-flowered	E. Indies	1820.	6. 7.	S	♄	
18	leptostàchya DC.	(*pu*)	slender-spiked	————	1827.	6. 8.	S	♄	
19	atropurpùrea DC.	(*pu*)	dark-purple	Nepaul	1820.	7. 8.	S	♄	Bot. mag. t. 3065.
20	cylíndrica DC.	(*ro*)	cylindric-podd'd	C. B. S.	1822.	6. 8.	G	♄	
21	júncea DC.	(*ro*)	rushy	————	....	7.10.	G	♄	Herb. amat. t. 227.

aphy'lla L. enum. *Lebéckia contaminàta* B.R. 104.

22	austràlis DC.	(*li*)	round-stemm'd	N. S. W.	1790.	3. 6.	G	♄	Bot. reg. 386.
23	sylvática Sieb.	(*ro.li*)	wood	N. Holland	1825.	6. 7.	G	♄	Bot. mag. 3000.
24	nùda DC.	(*pu*)	naked	C. B. S.	1816.	——	G	♄	———— 2214.

Lebéckia nùda B.M.

25	angulàta B.R.	(*li*)	angular-stalked	N. S. W.	1824.	3. 6.	G	♄	Bot. reg. t. 991.
26	macrostàchya DC.	(*ro*)	long-spiked	China	1822.	4. 6.	G	♄	Vent. malm. t. 44.
27	frutéscens DC.	(*re*)	frutescent	C. B. S.	1823.	7. 9.	G	♄	
28	divaricàta DC.	(*ru*)	spreading	.....	1824.	——	G	♄	Jacq. schœnb. t. 365.
29	macronàta DC.	(*re*)	mucronate	Jamaica	——	——	S	♄	
30	ellíptica H.B.	(*re*)	elliptic-leaved	Bengal	1820.	7. 8.	S	♄	
31	pulchélla H.B.	(*re*)	pretty	E. Indies	1823.	——	S	♄	
32	arbòrea H.B.	(*re*)	tree	————	——	....	S	♄	
33	purpuráscens H.B.	(*p*)	purplish	————	1827.	7. 8.	S	♄	
34	violàcea H.B.	(*vi*)	violet-coloured	————	1825.	——	S	♄	Bot. mag. t. 3348.
35	uncinàta H.B.	(*re*)	hooked	————	——	——	S	♄	
36	circinnàta Rox.	(*re*)	rounded	————	1822.	——	S	♄	
37	laterítia DC.	(*re*)	brick-coloured	Guinea	——	——	S	☉	Jacq. ic. t. 359.

hirsùta Jacq. *non* Linn.

38	viscòsa DC.	(*re*)	clammy	E. Indies	1806.	6. 8.	S	☉	Wend. sert. han. 2. t. 12.
39	dendroìdes DC.	(*ro*)	tree-like	Guinea	1822.	——	S	☉	Jacq. ic. 3. t. 571.
40	polyphy'lla DC.	(*re*)	many-flowered	Nepaul	1825.	4. 8.	G	♃	
41	heterótricha DC.	(*ro*)	various-haired	C. B. S.	1816.	——	G	♄	
42	hirsùta DC.	(*pu*)	hairy-leaved	E. Indies	1739.	7. 9.	S	♄	Burm. zeyl. 37. t. 14.
43	endecaphy'lla DC.	(*re*)	eleven-leaved	Guinea	1822.	——	S	☉	Bot. reg. 789.
44	altérnans DC.	(*re*)	alternate-leaved	C. B. S.	1816.	——	G	♄	

§ 4. BRACHY'PODA; *leaves impari-pinnate; petioles short.*

45	frágrans DC.	(*re*)	fragrant	E. Indies	1822.	7. 9.	S	♃	
46	pusílla DC.	(*re*)	small	Madagascar	——	——	S	♄	
47	glàbra DC.	(*re*)	smooth	E. Indies	1824.	——	S	☉	Pluk. alm. t. 166. f. 1.
48	emmaphy'lla DC.	(*pu*)	trailing	————	1776.	——	S	☉	———— t. 166. f. 2.
49	cytisoìdes DC.	(*ro*)	angular-stem'd	C. B. S.	1774.	——	G	♄	Bot. mag. 742.
50	lotoìdes DC.	(*ro*)	Lotus-like	————	1816.	——	G	♄	Comm. hort. 2. t. 84?
51	angustifòlia DC.	(*pu*)	narrow-leaved	————	1774.	6.10.	G	♄	Bot. mag. 465.

§ 5. DIGITA'TA; *leaflets* 3 *to* 5, *rising from the same point at the tops of the petioles, or directly from the branch.*

52	aspalathoìdes DC.	(*re*)	Aspalathus-like	Ceylon	1823.	4. 6.	S	♄	
53	filifórmis DC.	(*ro*)	filiform	C. B. S.	1816.	——	G	♄	
54	alopecuroìdes DC.	(*ro*)	Fox-tail	————	1825.	——	G	♄	
55	coriàcea DC.	(*ro*)	leathery-leaved	————	1774.	7. 8.	G	♄	
56	sarmentòsa DC.	(*ro*)	dwarf	————	1786.	6. 8.	G	♄	
57	microphy'lla P.S.	(*ro*)	small-leaved	————	1812.	1.12.	G	♄	
58	digitàta DC.	(*ro*)	finger-leaved	————	1820.	4. 8.	G	♄	
59	sessilifòlia DC.	(*ro*)	sessile-leaved	————	1816.	——	G	♄	
60	spinòsa DC.	(*re*)	spiny	Arabia	1822.	——	S	♄	
61	cándicans DC.	(*ro*)	white-leaved	C. B. S.	1774.	5. 9.	G	♄	Bot. mag. 198.

67 psoraloìdes DC. (*ro*) Psoralea-like C. B. S. 1758. 7. 8. G ♄ Bot. mag. t. 476.
68 stipulàris DC. (*ro*) stipuled ——— 1816. 6. 7. G ♄
69 incàna DC. (*ro*) hoary ——— 1812. 5. 7. G ♄ Bot. reg. 957.
70 trìta DC. (*re*) oval-leaved E. Indies 1802. 6. 8. S ♂
71 procúmbens DC. (*re*) procumbent C. B. S. 1816. 5. 7. G ♄
72 prostràta DC. (*re*) prostrate E. Indies 1828. 8.10. S ☉

OU'STROPIS DS. Ou'stropis. (*ovs*, an ear, and *τροπις*, a keel.) Diadelphia Decandria.
1 microphy'llus DS. (*re*) small-leaved C. B. S. 1827. 7. . G ♃
Lòtus microphy'llus Bot. mag. 2808.

CLITO'RIA DC. Clito'ria. (*Clitoris*, an anatomical term.) Diadelphia Decandria.
Sect. 1. Terna'tea; *calyx tubular; vexillum spurless; leaves impari-pinnate.*
1 lascívia Boj. .... Madagascar Madagascar 1826. .... S ♄ ◡
2 heterophy'lla DC. (*bl*) various-leaved E. Indies 1812. 7. 8. S ☉ ◡ Bot. mag. 2111.
3 Ternàtea DC. (*bl.wh*) wing-leaved ——— 1739. 5. 9. S ♄ ◡ Rheed. mal. 8. t. 38.
α cærùlea (*bl*) *blue-flowered* ——— —— —— S ♄ ◡ Bot. mag. 1542.
β álba (*wh*) *white-flowered* ——— .... —— S ♄ ◡
Sect. 2. Euclito'ria; *calyx tubular: vexillum spurless; leaves trifoliate.*
4 mariàna DC. (*bl*) Maryland N. America 1759. 8. 9. H ♃ ◡
5 formòsa DC. (*vi*) beautiful Oronoco 1823. 7. 8. G ♃ ◡
6 mexicàna DC. (*pu*) Mexican Mexico 1823. 6. 8. G ♃ ◡
Sect. 3. Centrose'ma; *calyx campanulate, 5-cleft; vexillum spurred behind; leaves trifoliate.*
7 virginiàna DC. (*pu*) Virginian America 1732. 7. 8. G ♃ ◡ Dill. elt. t. 76.
calcarígera Sal. par. lond. t. 51.
8 occidentàlis (*pu*) West Indian Trinidad 1824. 6. 8. S ♄ ◡ Bot. reg. 1047.
virginiàna B.B. 1047. *non* Linn.
9 brasiliàna DC. (*bl*) Brazilian Brazil 1759. —— S ♃ ◡ Breyn. cent. t. 32.
10 Plumièri DC. (*pu*) Plumier's W. Indies 1815. 8.11. S ♄ ◡ Bot. reg. 268.
11 arboréscens DC. .. tree Trinidad 1804. .... S ♄
12 erécta H.B. .... erect S. America 1822. .... S ♄
Sect. 4. Glycinoi'des; *calyx campanulate, 5-toothed; leaves trifoliate.*
13 Berteriàna DC. (*ye*) Bertero's St. Domingo 1824. 6. 8. S ♃ ◡

NEUROCA'RPUM DC. Neuroca'rpum. (*νευρον*, a nerve, and *καρπος*, a fruit; valves.) Diad. D
1 guianénse DC. (*pu*) Guiana Guiana 1826. 6. 8. S ♃ Aubl. guian. 2. t. 30
2 falcàtum DC. (*pu*) sickle-podded St. Domingo —— —— S ♄ ◡ Plum. spec. 8. t. 85.

COLOGA'NIA DC. Cologa'nia. (family of Cologan in Teneriffe.) Diadelphia Decandria.
1 intermèdia DC. (*fl*) intermediate Mexico 1824. 6. 8. G ♃ ◡
2 angustifòlia DC. (*vi*) narrow-leaved ——— —— —— G ♃ ◡ Kth. mim. 209. t. 58.
3 Broussonnètii DC. (*vi*) Broussonnet's ..... 1820. —— S ♃ ◡

GALA'CTIA DC. Gala'ctia. (*γαλα*, milk; juice.) Diadelphia Decandria.
1 péndula DC. (*ro*) pendulous Jamaica 1794. 7. 8. S ♄ ◡ Bot. reg. 269.
2 seríceа DC. (*pu*) silky I. Bourbon 1824. —— S ♄ ◡
3 cubénsis DC. (*ro*) Cuba Cuba 1826. —— S ♃ ◡
4 móllis DC. (*pu*) soft Carolina .... —— G ♃ ◡ Dill. elth. 1. f. 170.
5 glabélla DC. (*re*) smooth ——— 1826. 6. 8. G ♃ ◡

STEGANO'TROPIS DS. Stegano'tropis. (*στεγανος*, a covering, and *τροπις*, a keel.) Diad. D
1 conjugàtus DS. (*ye*) conjugate-leaved S. America 1827. 6. 7. S ☉ ◡

VILMORI'NIA DC. Vilmori'nia. (M. Vilmorin, memb. agric. soc., Paris.) Diadel. Decandria.
multiflòra DC. (*pu*) many-flowered W. Indies 1823. 7. 8. S ♄
Clitòria multiflòra Swartz.

COLLÆ'A DC. Collæ'a. (Aloysio Colla, of Turin; bot. author.) Monodelphia Pent-Decandria.
1 speciòsa DC. (*pu*) pentandrous Peru 1824. 6. 8. G ♄ DC. leg. me. p. 245. t. 30.
2 trinérvia DC. (*pu*) decandrous E. Indies 1826. —— S ♄ ——— p. 247. t. 4
OTO'PTERA DC. Oto'ptera. (*ovs*, an ear, and *πτερον*, a wing.) Monadelphia Decandria.
Burchéllii DC. (*pu*) Burchell's C. B. S. 1816. 5. 7. G ♄ ◡ DC. leg. mem. 250. t. 42.

PUERA'RIA DC. Puera'ria. (M. N. Puerari; prof. bot. Copenhagen.) Monadelphia Decandria.
1 tuberòsa DC. (*ye*) tuberous-root'd E. Indies 1806. 6. 8. S ♄ ◡
Hedy'sarum tuberòsum W.
2 Wallíchii DC. (*ye*) Wallich's Nepaul 1826. 4. 6. G ♄ ◡ DC. leg. mem. 254. t. 43.

DUMA'SIA DC. Dumasia. (M. Dumas, of Paris.) Diadelphia Decandria.
1 villòsa DC. (*ye*) villous Nepaul 1824. 8.12. G ♄ ◡ DC. leg. mem. 257. t. 44.
2 pubéscens (*ye*) pubescent ——— —— —— G ♄ ◡ Bot. reg. 962.

GLY'CINE DC. Gly'cine. (*γλυκυς*, sweet; leaves and roots of some species.) Diadelph. Decand.
1 clandestìna DC. (*bl*) hidden-flower'd N. S. W. 1810. 4. 8. G ♄ ◡
2 débilis DC. (*ye*) hairy E. Indies 1778. 6. 7. S ♃ ◡
3 mínima DC. (*bl*) small N. S. W. 1812. 4.10. G ♃ ◡
4 striàta DC. (*li*) streaked S. America 1823. 7. 9. S ♄ ◡ Jacq. vind. 1. t. 76.
5 parviflòra DC. (*re*) small-flowered E. Indies 1812. 7. 8. S ♂ ◡
6 senegalénsis DC. (*ye*) Senegal Senegal 1822. —— S ♃ ◡
7 bíloba BR. (*pu*) two-lobed Mexico 1827. 8. H ♄ ◡ Bot. reg. 1418.
8 heterophy'lla DC. (*ye*) various-leaved C. B. S. 1816. 6. 8. G ♃ ◡

argéntea DC. (*ye*) silvery-leaved C. B. S. 1816. 6. 8. G ♃ ◡
secúnda DC. (*ye*) side-flowered ——— 1825. 6. 9. G ♃ ◡

CHÆTO'CALYX DC. CHÆTO'CALYX. (χαιτη, a bristle, and καλυξ, covered by.) Diadel. Decand.
vincentina DC. (*ye*) St. Vincent W. Indies 1823. 6. 8. S ♄ ◡ Bot. reg. 799.
Gly'cine vincentina B.R. 799.

Subtribe IV. *GALE'GEÆ.* DC. prodr. 2. p. 243.

PETALOSTE'MUM DC. PETALOSTE'MUM. (πεταλον, a petal, and στημων, a stamen.) Mon. Pen.
cándidum DC. (*wh*) white N.America 1811. 7. 8. H ♃ Mich. amer. 2. t. 37. f. 1.
cárneum DC. (*li*) flesh-coloured Florida —— —— H ♃
violàceum DC. (*pu*) purple-flowered Missouri —— 7. 9. H ♃ Bot. mag. 1707.
villòsum DC. (*ro*) villous ——— 1826. —— H ♃
corymbòsum DC. (*wh*) corymbose Carolina 1806. —— H ♃
Dàlea Kuhnistèra W. *Kuhnistèra carolinénsis* Lam. *Cylipògon virgàtum* Rafin.

DA'LEA DC. DA'LEA. (Thos. Dale, Eng. bot. 18th century.) Monadelphia Decandria.
laxiflòra DC. (*wh*) loose-flowered Louisiana 1811. 7. 8. H ♃
aúrea DC. (*ye*) golden ——— —— —— H ♃
alopecuroìdes DC. (*w*) FOX-tail ——— 1812. —— H ☉ Mich. amer. 2. t. 38.
Dàlea Linnæ'i Mich.
Cliffortiàna W. (*bl*) Vera Cruz Vera Cruz 1737. 7. 8. H ☉ Linn. h. cliff. t. 22.
Legòpus DC. (*vi*) downy-spiked Mexico 1780. 10. 11. G ☉ Cavan ic. 1. t. 86.
sericea DC. (*d. vi*) silky ——— 1825. 9. 11. G ♃ Kth. mim. 166. t. 48.
gracilis Kth.
tuberculàta DC. (*pu*) tubercled ——— —— —— G ♄
citriodòra DC. (*v*) leafy New Spain 1780. 10. 11. G ☉ Cavan. ic. 3. t. 271.
Psoràlea citriodòra Cav. *foliolòsa* H.K.
lùtea DC. (*ye*) yellow Mexico 1823. 7. 9. G ♃ Cavan. ic. 4. t. 325.
mutábilis DC. (*v*) changeable ——— 1821. 9. 10. G ♄ Bot. mag. 2486.
bicolor Hook. ex. flor. 43.
1 nùtans DC. (*vi*) nodding ——— 1824. 7. 9. G ♃ Cavan. ic. 3. t. 201.
2 reclinàta DC. (*vi*) reclining ——— —— 5. 8. G ♃
3 tomentòsa DC. (*vi*) woolly ——— 1823. 7. 9. G ♃ Cavan. ic. 4. t. 240.
4 prostràta DC. (*ye*) prostrate ——— 1826. —— G ♃
5 mucronàta DC. (*wh*) mucronate ——— —— —— G ♃
6 Thouìni DC. (*vi*) Thouin's ——— 1824. 6. 9. H ☉ Schrank. hort. mon. t. 9.
7 phymatòdes (*vi*) obovate leaved Caracas —— 7. 9. G ♄ Jacq. ic. 3. t. 563.
8 enneaphy'lla DC. (*re*) nine-leaved W. Indies 1772. —— S ♄

GLYCYRRHI'ZA DC. LIQUORICE. (γλυκυς, sweet, and ῥιζα, a root. Diadelphia Decandria.
1 glàbra DC. (*pu*) common S. Europe 1562. 7. 9. H ♃ Lam. ill. t. 625. f. 2.
2 glandulífera DC. (*pu*) glandular Hungary 1805. 6. 8. H ♃ W. et K. hung. 1. t. 21.
3 lepidòta DC. (*wh*) scaly Missouri 1811. 7. 8. H ♃ Bot. mag. 2150.
4 fœ'tida DC. (*ye*) strong-scented Barbary 1823. 6. 9. H ♃ Desf. atl. 2. t. 199.
5 echinàta DC. (*pu*) prickly-headed Italy 1596. —— H ♃ Bot. mag. 2154.
6 aspérrima DC. (*li*) rough Siberia 1795. 7. 8. H ♃ Pall. it. app. t. M. f. 3.
7 uralénsis DS. (*li*) Siberia ——— 1826. —— H ♃
8 hirsùta DC. (*li*) hairy Levant 1739. —— H ♃

GALE'GA DC. GOAT'S-RUE. (γαλα, milk; herbage increases.) Monadelphia Decandria.
1 officinàlis DC. (*pu*) officinal Spain 1568. 6. 9. H ♃ Schk. hand. 2. t. 208.
α *purpùrea* (*pu*) *purple-flowered* ——— —— —— H ♃
β *álba* (*pu*) *white-flowered* ——— —— —— H ♃
2 pérsica DC. (*wh*) Persian Persia 1816. —— H ♃ Swt. br. fl. gar. 3. t. 244.
3 bìloba B.F.G. (*pu*) two-lobed ..... 1823. —— H ♃ ——— 2. t. 159.
4 orientàlis DC. (*bl*) oriental Levant 1801. —— H ♃ Bot. reg. 326.

CALLO'TROPIS DS. CALLO'TROPIS. (καλλος, beauty, and τροπη, a keel.) Diadelph. Decand.
tricolor DS. (*var*) three-coloured N. Holland 1823. 6. 9. G ♃
Galéga tricolor Hook exot. fl. t. 185.

TEPHRO'SIA DC. TEPHRO'SIA. (τεφρος, ash-coloured; foliage of some species.) Mono-Diad. Dec.
Sect. 1. MUNDU'LEA; *leaves impari-pinnate; racemes axillary, erect; stamens monadelphous; style glabrous or bearded.*
1 suberòsa DC. (*ro*) cork-barked E. Indies 1818. 5. 8. S ♄
Robìnia suberòsa H.B.
2 fruticòsa DC. (*ro*) frutescent ——— 1820. .... S ♄ ◡
3 chinénsis H.F. (*ro*) Chinese China 1822. 6. G ♄
4 sophoroìdes DC. (*wh*) Sophora-like Nepaul 1826. .... G ♄
5 brachystàchya DC. (*ro*) short-spiked ——— —— .... G ♄

6	cándida DC.	(*ro*)	white-leaved	E. Indies	1810.	5. 8.	S	♄	
	Robínia cándida H. B.								
Sect. 2.	Brisso'nia; *lobes of calyx acuminated; stamens monadelphous; style bearded laterally; legumes velvetty or hispid.*								
7	toxicària DC.	(*bh*)	Fish-poison	S. America	1791.	5. 8.	S	♄	Plum ic. t. 135.
8	virginiàna DC.	(*re*)	Virginian	Virginia	1765.	6. 8.	H	♃	Pluk. alm. t. 23. f. 2.
9	hispídula DC.	(*li*)	bristle-podded	———	1826.	——	H	♃	
Sect. 3.	Craccoi'des; *lobes of calyx acuminated; stamens diadelphous; style bearded.*								
10	ochroleùca DC.	(*st*)	straw-coloured	W. Indies	1799.	6. 8.	S	♄	Jacq. ic. t. 150.
Sect. 4.	Reine'ria; *teeth of calyx subulate; stamens either monadelphous or diadelphous.*								
11	caribæ'a DC.	(*re.wh*)	various coloured	Carribees	1786.	6. 8.	S	♄	Jacq. amer. t. 125.
12	grandiflòra DC.	(*re*)	large-flowered	C. B. S.	1774.	6. 9.	I	♄	Bot. reg. 769.
	Galèga grandiflòra B.R. *Galèga ròsea* Lam.								
13	villòsa DC.	(*pu*)	villous	E. Indies	1779.	6. 8.	S	♃	Burm. zeyl. t. 33.
14	purpùrea DC.	(*pu*)	purple	———	1768.	7. 8.	S	♃	——— t. 32.
	Galèga purpùrea L.								
15	lanceæfòlia DC.	(*st*)	lance-leaved	———	1824.	——	S	♄	
16	argéntea DC.	(*pu*)	silvery	———	1826.	....	S	♃	Pluk. alm. t. 52. f. 1.
17	piscatòria DC.	(*pu*)	woolly	———	1778.	6. 8.	S	♄	
18	leucántha DC.	(*wh*)	white-flowered	Mexico	1826.	6.10.	G	♄	H.et B.n.gen.a.
19	coronillæfòlia DC.	(*st*)	Coronilla-leavd.	Bourbon	——	....	S	♄	
20	capénsis DC.	(*ye*)	Cape	C. B. S.	1823.	5. 9.	G	♄	Jacq. ic. t. 574.
21	cinèrea DC.	(*vi*)	cinereous	W. Indies	1824.	6. 9.	S	⊙	——— t. 575.
22	littoràlis DC.	(*pu*)	sea-shore	———	——	7. 8.	S	♃	Jacq. amer. t. 124.
23	hypargy'rea DC.	(*pu*)	various-leaved	E. Indies	1825.	6. 9.	S	♄	
	heterophy'lla F.								
24	strícta DC.	(*pu*)	straight-podded	C. B. S.	1774.	5. 6.	I	♄	Jacq. schœnb. t. 236.
25	lineàris DC.	(*pu*)	linear-leaved	Guinea	1822.	....	S	♄	
26	pállens DC.	(*li*)	pale-flowered	C. B. S.	1787.	6. 8.	I	♄	
27	apollínea DC.	(*bl*)	Egyptian	Egypt	1822.	6. 7.	F	♃	Delil. fl. eg. t. 53. f. 3.
28	Barclayàna	(*pu*)	Mr. Barclay's	Madagascar	1823.	5.10.	S	♄ ◡	Hook ex. flor. t. 188.
	Dalbérgia Barcláyii H.E.F.								
29	Telfàirii	(*pu*)	Mr. Telfair's	———	——	——	S	♄ ◡	
30	Colonìla L.T.	(*pu*)	Colonil	E. Indies	1818.	6. 8.	S	♄	
31	racemòsa	(*pu*)	racemed	———	1822.	——	S	♄ ◡	
	Robínia racemòsa H.B.								
32	pentaphy'lla	(*pu*)	five-leaved	———	1824.	——	S	♄	
	Galèga pentaphy'lla H.B.								
33	biflòra DC.	(*pu*)	two-flowered	.....	1826.	6. 9.	G	♄	
34	capitulàta DC.	(*pu*)	headed	Owyhee	——	——	S	♃	
35	incàna	(*pu*)	hoary	E. Indies	1820.	——	S	♄	
	Galèga incàna H.B.								
36	Heyniàna	(*bl*)	Heyne's	———	1807.	7. 9.	S	♄	
	Galèga Heyniàna H. B.								
37	sericea DC.	(*pu*)	silky	C. B. S.	1824.	——	I	♄	
38	filifòlia DC.	(*re*)	filiform-leaved	———	——	——	I	♄	
AMO'RPHA DC.	Bastard Indigo. (*a*, priv, and *μορφη*, form; corolla.) Monad. Decand.								
1	fruticòsa DC.	(*bl*)	shrubby	Carolina	1724.	6. 8.	H	♄	Bot. reg. 427.
2	croceolanàta W.D.	(*pu*)	yellow-haired	———	1812.	——	H	♄	Wats. dend. brit. t. 139.
3	frùgrans B.F.G.	(*pu*)	fragrant	———	——	——	H	♄	Swt. br. fl. gar. t. 241.
	nàna Bot. mag. 2112. *nec aliorum.*								
4	emarginàta L.C.	(*bl*)	emarginate	———	——	——	H	♄	
	fruticòsa β emarginàta Ph.								
5	Lewísii L.C.	(*bl*)	Lewis's	———	——	——	H	♄	
	fruticòsa angustifòlia Ph.								
6	glàbra DC.	(*pu*)	smooth	———	——	——	H	♄	
7	nàna DC.	(*pu*)	dwarf	Missouri	1811.	7. 8.	H	♄	
	microphy'lla Ph.								
8	herbàcea DC.	(*pu*)	pubescent	Carolina	1803.	6. 8.	H	♄	Lodd. bot. cab. 689.
	pubéscens Ph.								
9	canéscens DC.	(*bl*)	canescent	Missouri	1812.	7. 8.	H	♄	
NISSO'LIA DC.	Nisso'lia. (William Nissole, prof. Konigsberg.) Mono-Diadel. Decand.								
1	fruticòsa DC.	(*st*)	shrubby	S. America	1766.	7.11.	S	♄ ◡	Jacq. vind. t. 167.
2	racemòsa DC.	(*st*)	racemed	W. Indies	....	6. 8.	S	♄ ◡	
3	glabràta DC.	(*wh*)	smooth-leaved	S. America	1818.	7.11.	S	♄	
4	robiniæfòlia DC.		Robinia-leaved.	St. Vincent	1824.	....	S	♄	
5	micróptera DC.	(*ye*)	small-winged	.....	——	5. 8.	S	♄	
6	retùsa DC.	(*ye*)	retuse-leaved	S. America	1823.	....	S	♄ ◡	

MULLE'RA DC. MULLE'RA. (O. F. Muller, a Danish bot.) Monadelphia Octo-Decandria.
1 australis DC. .... bracelet Guiana 1792. .... S ♄
LONCHOCA'RPUS DC. LONCHOCA'RPUS. (λογχη, a lance, and καρπος, a fruit.) Mono-Diad. Dec.
1 domingénsis DC. (re) oval-leaved St.Domingo 1759. .... S ♄
2 violàceus DC. (vi) violet W. Indies —— 5. 8. S ♄ Jacq. amer. t. 177. f. 49.
Robinia violàcea Jacq.
3 formosiànus DC. (vi) Formosa Africa 1822. .... S ♄ Beauv. fl. owar. 2. t. 76.
4 sericeus DC. (pu) silky W. Indies 1823. .... S ♄
5 pyridàrius DC. (pu) Cuba Caba 1822. .... S ♄
6 latifòlius DC. (pu) broad-leaved S. America 1814. .... S ♄
Americanus latifòlium. W.
7 pubéscens DC. (pu) pubescent Caracas 1820. .... S ♄
8 roseus DC. (ro) rose-coloured S. America .... S ♄
9 sèpium DC. (ro) hedge W. Indies 1820. .... S ♄ Jacq. amer. t. 129. f. 101.
10 Swàrtzii DC. (ro) Swartz's ——— —— .... S ♄
Robinia sèpium Sw.
11 Nícou DC. (pu) climbing Guiana 1826. .... S ♄ ◡ Aubl. guian. 2. t. 308.
Robinia Nícou Aubl. *scándens* W.
ROBI'NIA DC. ROBI'NIA. (Jean Robin, a French bot.) Diadelphia Decandria.
1 Pseudacàcia DC. (wh) com.or Locust Tree N. Amer. 1640. 5. 6. H 5 Schmidt arb. 1. t. 32.
2 inérmis DC. (wh) spineless .... —— H 5
spectàbilis L.C.
3 macrophy'lla L.C. (ro) long-leaved Siberia 1797. 6. 7. H 5
4 sophoræfòlia L.C. (wh) Sophora-leaved Hybrid. 1811. —— H 5
5 amorphæfòlia L.en (w) Amorpha-leav'd ——— 1820. —— H 5
6 umbraculífera DC. (w) Parasol ——— 1811. .... H 5
Robinia inérmis Dum. Cours. *non* DC.
7 dùbia DC. (bh) doubtful ——— —— .... H 5
8 stricta L.C. (wh) upright ——— .... H 5
9 tortuòsa DC. (wh) twisting ——— .... 6. 7. H 5
10 monstrùosa L.C. (wh) monstrous ——— .... —— H 5
11 péndula L. en. (wh) pendulous ——— .... —— H 5
12 viscòsa DC. (bh) clammy N. America 1797. 6. 8. H 5 Venten. cels. t. 4.
glutinòsa Bot. mag. 580.
13 hispida DC. (ro) Rose Acacia Carolina 1743. 5. 9. H ♄ Bot. mag. 311.
14 ròsea Ell. (ro) smooth-branch'd ——— 1812. —— H ♄
15? guineénsis W.en. (ro) Guinea Guinea 1821. .... S ♄
Cytìsus hispidus W.
16? purpùrea L.en. (pu) purple ..... 1816. 4. 6. S ♄
POITÆ'A DC. POITÆ'A. (M. Poiteau, a French bot.) Diadelphia Decandria.
1 galegoìdes DC. (ro) Galega-like St.Domingo 1826. .... S ♄ Venten. choix. t. 36.
COURSE'TIA DC. COURSE'TIA. (Dumont de Corset, ed. of Bon Jardinier.) Diadel. Decand.
1 tomentòsa DC. (ye) woolly Peru 1824. 6. 8. G ♄ Cavan. ic. t. 84.
Láthyrus fruticòsus Cav. *O'robus tomentòsus* Df. *Vícia fruticòsa* W.
2 virgàta DC. (ye) slender Trinidad 1820. —— S ♄ Cavan. ic. t. 293.
Æschynómene virgàta Cav.
SESBA'NIA DC. SESBA'NIA. (*Sesban* is the Arabic name of first species.) Diadel. Decand.
1 ægyptìaca DC (ye) Egyptian Egypt 1680. 7. 8. S ♂ Alp. ægypt. 81. t. 82.
2 occidentàlis DC. (ye) West Indian W. Indies 1823. 6. 8. S ♄ Plum. ed Bur. t. 125. f. 1.
3 aculeàta DC. (ye) prickly E. Indies 1690. 7. 10. S ⊙ Jacq. ic. t. 564.
4 cannàbina DC. (ye) Hemp-like ——— 1800. —— S ⊙
5 affìnis DC. (ye) likened ——— 1822. 5. 8. S ♂
6 pícta DC. (std) painted W. Indies —— 4. 9. S ♄ Bot. reg. 873.
7 macrocárpa DC. (st) long-podded Louisiana —— 7. 10. H ⊙ Bart. fl. amer. 1. t. 28.
8 paludòsa DC. (ye) marsh E. Indies 1810. —— S ⊙
9 gracìlis DC. (ye) slender ..... 1824. —— S ⊙
10 sericea DC. (ye) silky E. Indies 1818. —— S ⊙
11 procúmbens H.B. (ye) procumbent ——— —— —— S ⊙
12 uliginòsa (ye) swamp ——— —— —— S ⊙
Æschynómene uliginòsa H.B.
AGA'TI DC. AGA'TI. (name of first species in Sanscrit.) Diadelphia Decandria.
1 grandiflòra DC. (bh) great-flowered E. Indies 1768. 7. 8. S ♄ Rheed. mal. 1. t. 51.
Sesbània grandiflòra P.S. *Æschynómene grandiflòra* L. *Coronilla grandiflòra* W.
2 coccínea DC. (sc) red-flowered E. Indies. 1824. 7. 8. S ♄ Rumph. amb. 1. t. 77.
GLOTTI'DIUM DC. GLOTTI'DIUM. (γλωττα, a tongue; valves of pod.) Diadelphia Decandria.
1 floridànum DC. (ye) flat-podded Florida 1822. 7. 8. S ⊙ Jacq. ic. 1. t. 148.
Sesbània platycárpa P.S. *Robinia vesicària* Jacq. *Phàca floridàna* W.
PISCI'DIA DC. JAMAICA DOGWOOD. (*piscis*, fish, and *cædo*, to kill.) Diadelph. Decand.
1 Erythrìna DC. (v) oval-leaved W. Indies 1690. .... S ♄ Sloan. jam. 2. t. 176. f. 4-5.

2	carthagenénsis DC.	(v) obovate-leaved.	W. Indies	....	....	S	♄	Plum. ed Bur. t. 133.

DAUBENTO'NIA DC. DAUBENTO'NIA. (M. Daubenton, a cel. naturalist.) Diadelphia Decand.

1	punícea DC.	(pu) red-flowered	Mexico	1824.	....	S	♄	Cavan. ic. 4. t. 316.
2	longifòlia DC.	(ye) long-leaved	New Spain	1828.	....	S	♄	——— 4. t. 315.

CORYNE'LLA DC. CORYNE'LLA. (a dim. of κορυνη, a club; shape of style.) Diadel. Decand.

	polyántha DC.	(pu) many-flowered	W. Indies	1824.	....	S	♄	
	Robínia polyántha Swartz.							

CARAGA'NA DC. CARAGA'NA. (*Caragan*, name for C. *arboréscens* among the Mongols.) Diad. Dec.

1	Altagàna DC.	(ye) flat-podded	Dahuria	1789.	4. 6.	H	♄	L'Herit. stirp. t. 76.
2	microphy'lla DC.	(ye) small-leaved	Siberia	1816.	——	H	♄	Pall. ross. t. 42. f. 1-2.
3	arenària L.C.	(ye) sand	———	1802.	6. 7.	H	♄	Bot. mag. 1886.
	Robínia Caragàna β *arenària* B.M.							
4	arboréscens DC.	(ye) common	———	1752.	4. 6.	H	♄	Schmidt arb. 1. t. 33.
	Robínia Caragàna L.							
5	Chamlàgu DC.	(ye) shining	China	1773.	5. 6.	H	♄	L'Herit. stirp. t. 77.
6	frutéscens DC.	(ye) shrubby	Siberia	1752.	4. 6.	H	♄	Swt. br. fl. gar. 3. t. 2[illegible]
7	móllis M.B.	(ye) soft-leaved	Tauria	1822.	——	H	♄	
8	grandifiòra DC.	(ye) large-flowered	Iberia	——	——	H	♄	
9	pygmæ'a DC.	(ye) pigmy	Siberia	1751.	——	H	♄	Bot. reg. 1021.
10	mongólica F.	(ye) Mongolian	Tartary	1826.	——	H	♄	
11	Redówskii F.	(ye) Redowski's	Siberia	1822.	——	H	♄	DC. leg. mem. t. 11. f. [illegible]
12	spinòsa DC.	(ye) thorny	———	1775.	——	H	♄	Pall. ross. 1. t. 44.
13	tragacanthoìdes DC.	(y) Goat's-thorn-like	———	1816.	——	H	♄	Pall. astr. t. 86.
14	jubàta DC.	(bh) bearded	———	1796.	——	H	♄	——— p. 113. t. [illegible]

HALIMODE'NDRON DC. SALT-TREE. (ἁλιμος, maritime, and δενδρον, a tree.) Diadel. Decand.

1	argénteum DC.	(pu) silvery-leaved	Iberia	1779.	5. 6.	H	♄	Bot. mag. 1016.
2	subviréscens DS.	(pu) smooth-leaved	———	....	——	H	♄	L'Herit. stirp. n. 102.
	Robínia triflòra L'Herit.							

AMMODE'NDRON. Fisch. AMMODE'NDRON. (αμμος, sand, and δενδρον, a tree.) Decand. Monogy.

	Sievérsii Fisch.	(pu) Siever's	Siberia	1837.	....	H	♄	Pall. astr. t. 91.
	Sophòra argéntea Pall.							

CALO'PHACA DC. CALO'PHACA. (καλος, beautiful. and φακη, a lentil.) Diadelphia Decandria.

1	wolgárica (DC.	(ye) wing-leaved	Siberia	1786.	5. 6.	H	♄	Wats. dend. brit. 83.
	Cy'tisus wolgáricus L. *pinnàtus* Pall. ross. 1. t. 47.							
2	jùncea F.M.	(ye) rushy	Siberia	1837.	——	H	♄	

COLU'TEA DC. BLADDER SENNA. (κολουω, to amputate; die if lopped.) Diadel. Decand.

1	arboréscens DC.	(ye) common	S. Europe	1568.	6. 8.	H	♄	Bot. mag. 81.
2	cruénta DC.	(re) red-flowered	Levant	1710.	——	H	♄	Schmidt arb. t. 119.
3	Haléppica DC.	(ye) Pocock's	———	1752.	5.10.	H	♄	——— t. 120.
	Pocóckii H.K. *I'stria* Mill. ic. t. 100.							
4	mèdia DC.	(ye) smaller	.....	....	6. 8.	H	♄	Wats. dend. brit. t. 140.
5	nepalénsis DC.	(ye) Nepaul	Nepaul	1822.	8. 9.	H	♄	Bot. mag. 2622.

SPHÆROPHY'SA DC. SPHÆROPHY'SA. (σφαιρα, a sphere, and φυσα, a bladder.) Diadel. Decand.

1	Sálsula DC.	(re) salt-field	Dahuria	1829.	....	H	♄	Pall. itin. 4. t. 9. f. 1.
2	cáspica DC.	(pu) Caspian	Caucasus	——	....	H	♄	
	Colùtea cáspica M.B. *Phàca Sálsula* Bieb. casp. 210.							

SWAINSO'NA DC. SWAINSO'NA. (Isaac Swainson, F.R.S. F.L.S., bot. amateur.) Diad. Dec.

1	galegifòlia DC.	(sc) red-flowered	N. S. W.	1800.	7. 8.	G	♄	Bot. mag. 792.
2	coronillæfòlia DC.	(pu) purple-flowered	———	1802.	——	G	♄	——— t. 1725.
3	lessertiæfòlia DC.	(pu) small-flowered	N. Holland	1822.	——	G	♄	
4	astragalifòlia C.C.	(wh) white-flowered	N. S. W.	1802.	——	G	♄	Bot. reg. 994.
	galegifòlia var. *albiflòra* B.R.							

LESSE'RTIA DC. LESSE'RTIA. (Benj. Delessert, of Paris, cel. bot.) Diadelphia Decandria.

1	ánnua DC.	(pu) annual	C. B. S.	1731.	6. 7.	G	⊙	Hook. exot. flor. t. 84.
2	diffùsa DC.	(pu) procumbent	———	1792.	7. 8.	G	⊙	Jacq. ic. 3. t. 576.
	Galèga dùbia Jacq.							
3	fruticòsa B.R.	(pu) frutescent	———	1826.	——	G	⊙	Bot. reg. 970.
4	perénnans DC.	(ro) perennial	———	1753.	——	G	♃	Jacq. vind. 3. t. 3.
	Colùtea perénnans Jacq. *fistulòsa* Hort.							
5	púlchra DC.	(ro) pretty	———	1817.	5. 8.	G	⊙	Bot. mag. 2064.
6	falcifórmis DC.	(pu) sickle-podded	———	1825.	——	G	♂	DC. leg. mem. t. 46.
7	annulàris DC.	(pu) ring-podded	———	1816.	——	G	⊙	
8	brachystàchya DC.	(pu) short-spiked	———	——	——	G	♄	
9	prostràta DC.	(pu) prostrate	———	1820.	——	G	⊙	
10	virgàta L.O.	(pu) slender	———	1828.	6. 8.	G	⊙	
11	vesicària DC.	(pu) bladder-podded	———	1825.	——	G	♂	
12	tomentòsa DC.	(pu) woolly	———	1822.	——	G	♃	
13	procúmbens DC.	(pu) procumbent	———	....	——	G	♄	

SUTHERLA'NDIA DC. SUTHERLA'NDIA. (James Sutherland, Curator bot. gard. Edinb.) Diad. Dec.

1 frutéscens DC.	(sc)	frutescent	C. B. S.	1683.	6. 9.	F	♄	Bot. mag. 181.
Colùtea frutéscens B.M.								
β canéscens	(sc)	*hoary-ld.dwarf*	———	1816.	——	F	♄	
2 microphy'lla DC.	(sc)	small-leaved	———	——	——	F	♄	
CLIA'NTHUS Sol.		CLIA'NTHUS.	(κλεος, glory, and ανθος, a flower.)					Diadelphia Decandria.
puníceus Sol.		scarlet	N. Zealand	1832.	6. 8.	F	♄	Swt.brit.fl.gar.n.s.t.397.
Dènia punícea D.S.								

Subtribe V. *ASTRAGA'LEÆ.* DC. prodr. 2. p. 273.

PHA'CA DC.		BASTARD VETCH.	(φακη, a lentil, from φαγω, to eat.)					Diadelphia Decandria.
1 be'tica DC.	(wh)	hairy	Spain	1640.	7. 8.	H	♃	Moris his. s. 2. t. 8. f. 1.
2 frígida DC.	(st)	small	Austria	1795.	——	H	♃	Jacq. aust. t. 166.
3 alpina DC.	(y)	Alpine	———	1759.	——	H	♃	Jacq. ic. 1. t. 151.
4 membranàcea F.	(st)	membranous	Dahuria	1823.	——	H	♃	
5 lùtea Led.	(ye)	yellow	Siberia	1827.	——	H	♃	
6 cæspitòsa DC.	(st)	tufted	Missouri	1826.	——	H	♃	
Astrágalus triphy'llus Ph.								
7 densifòlia DC.	(re)	dense-leaved	California	1822.	——	H	♃	
8 glàbra DC.	(v)	smooth	S. Europe	——	——	H	♃	
9 canéscens DS.	(v)	canescent	Chili	1838.	——	H	♃	
Berteriàna Moris. acad. tor. 37. t. 25.								
10 austrìlis DC.	(pa)	trailing	S. Europe	1779.	5. 6.	H	♃	Lodd. bot. cab. 490.
11 astragálina DC.	(v)	procumbent	Scotland	——	5. 7.	H	♃	Eng. bot. t. 2717.
12 lappónica DC.	(v)	Lapland	Lapland	1824.	7. 8.	H	♃	Flor. dan. t. 51.
13 oroboìdes DC.	(bl)	Orobus-like	N. Europe	1826.	——	H	♃	——— 8. t. 1396.
14 triangulàris F.	(bl)	triangular	Siberia	1824.	——	H	♃	
15 exaltàta Led.	(ye)	tall	Altay	1828.	....	H	♃	
16 arenària DC.	(p.y)	sand	Siberia	1796.	7. 8.	H	♃	Pall. it. 4. t. 19. f. 3-4.
OXYTROPIS DC.		OXY'TROPIS.	(οξυς, sharp, and τροπις, a keel; mucronate.)					Diad. Decand.
§ 1. ACAU'LES; *stemless; stipulas adnate to the petioles; leaves of many opposite pairs of leaflets.*								
1 montàna DC.	(bl)	mountain	Europe	1531.	7. 8.	H	♃	Bot. mag. 843.
Astrágalus montànus B.M.								
2 cyànea DC.	(bl)	bright blue	Iberia	1826.	——	H	♃	
3 sórdida	(pa)	sordid	N. Europe	....	5. 8.	H	♃	Flor. dan. t. 1041.
4 argyræ'a DC.	(pu)	silvery	Altay	1828.	——	H	♃	
5 uralénsis DC.	(pu)	villous	Siberia	1800.	6. 8.	H	♃	Pall. ast. t. 42. f. A.
6 sericea DC.	(pu)	hairy mountain	Scotland	....	5. 8.	H	♃	Eng. bot. t. 466.
7 cœrùlea DC.	(bl)	blue-flowered	Siberia	1827.	6. 8.	H	♃	Pall. ast. t. 52.
8 árctica DC.	(pu)	northern	Melvill Isl.	——	——	H	♃	
9 argentàta DC.	(pa)	silver-leaved	Siberia	——	——	H	♃	Pall. ast. t. 48.
10 ambígua DC.	(pu)	ambiguous	———	1824.	5. 8.	H	♃	——— t. 43.
11 setòsa DC.	(pu)	pointed-calyxed	———	1828.	6. 8.	H	♃	——— t. 44.
12 Lambérti DC.	(pu)	Mr. Lambert's	Missouri	1811.	8. 9.	H	♃	Bot. mag. 2147.
13 grandiflòra DC.	(ro)	large-flowered	Siberia	1824.	5. 8.	H	♃	Pall. astr. t. 46.
14 cándicans DC.	(pa)	hoary	———	1827.	6. 8.	H	♃	——— t. 49.
15 songárica DC.	(vi)	spear-podded	———	1824.	5. 8.	H	♃	——— t. 51.
16 sylvática DC.	(pu)	wood	———	1820.	——	H	♃	——— t. 78.
17 longiróstra DC.	(pu)	long-beaked	———	1824.	6. 8.	H	♃	DC. astr. n. 17. t. 5.
Gmelini F.								
18 breviróstra DC.	(pu)	short-beaked	Altay	1802.	7. 9.	H	♃	DC. astr. n. 19. t. 6.
Astrágalus altàicus Pall. astr. t. 45.								
19 leptophy'lla DC.	(ro)	slender-leaved	Siberia	1818.	——	H	♃	Pall. astr. t. 66. A.
20 filifórmis DC.	(bl)	filiform	Dahuria	1824.	7. 8.	H	♃	DC. astr. n. 16. t. 4.
21 nigréscens DC.	(bl)	black-haired	Siberia	1828.	——	H	♃	Pall. astr. t. 53.
22 campéstris DC.	(st)	field	Scotland	....	——	H	♃	Eng. bot. v. 36. t. 2522.
Astrágalus campéstris E.B.								
23 sulphùrea Led.	(st)	sulphur-color'd	Siberia	1827.	7. 8.	H	♃	Led ill. t. 55.
24 viscòsa DC.	(wh)	clammy	Switzerland	1817.	7.	H	♃	Vill. dauph. 3. t. 43.
25 fœ'tida DC.	(st)	fetid	———	1819.	6. 8.	H	♃	
§ 2. VERTICILLA'RES; *stemless; leaflets for the most part verticillate, or 2 or 3 rise together from the same dot on the petiole.*								
26 microphy'lla DC.	(pu)	small-leaved	Siberia	1823.	7. 8.	H	♃	Pall. ast. t. 76.
27 pùmila DC.	(bl)	small	———	——	7. 8.	H	♃	

28	verticillàris DC.	(*pu*) whorl-leaved	Siberia	1824.	7. 8.	H	♃	Amm. ruth. t. 19.
29	myriophy'lla DC.	(*va*) many-leaved	———	——	——	H	♃	Pall. astr. t. 71.
30	oxyphy'lla DC.	(*pu*) sharp-leaved	———	1823.	7. 9.	H	♃	——— t. 74.
31	prostràta DC.	(*pu*) prostrate	———	1820.	6. 9.	H	♃	——— t. 72.

Astrágalus dahùricus Pall. ast. *Pháca prostràta* L.

§ 3. CAULESCE'NTES; *stems elongated; stipulas not adnate to the petioles; leaflets rising in pairs from the petioles.*

32	pilòsa DC.	(*st*) hairy	Siberia	1732.	6. 8.	H	♃	Bot. mag. 2483.
33	floribúnda DC.	(*pu*) many-flowered	———	1827.	5. 8.	H	♂	Pall. astr. t. 37.
34	glàbra DC.	(*vi*) smooth	Dahuria	——	——	H	♃	DC. astr. n. 31. t.
35	defléxa DC.	(*vi*) small-flowered	Siberia	1800.	6. 8.	H	♃	L'Herit. stirp. t.

Astrágalus retrofléxus Pall. astr. t. 27. *hìans* Jacq. ic. t. 252. *parviflòrus* Lam.

36	Pallàsii DC.	(*str*) Pallas's	Tauria	1818.	6. 8.	H	♃	Pall. astr. t. 81.
37	Fischèri DC.	(*bl*) Fischer's	Siberia	1828.	——	H	♃	
38	vaginàta DC.	(*bl*) sheathed	———	——	——	H	♃	
39	tenélla DC.	(*bl*) slender	———	——	——	H	♃	
40	dichóptera DC.	(*bl*) pubescent	———	1815.	——	H	♃	
41	longicúspis Led.	(*pu*) long-pointed	———	1827.	——	H	♃	

ASTRA'GALUS DC. MILK-VETCH. (αστηρ, and γαλα, milk.) Diadelphia Decandria.

Sect. 1. PURPURASCE'NTES; *flowers purplish or white; stipulas free from the petioles.*

§ 1. HYPOGLOTTI'DEI; *stipulas joined at their bases, opposite the leaves, bifid at apex.*

1	hypoglóttis DC.	(*pu*) purple-mountain	Britain	....	6. 7.	H	♃	Eng. bot. v. 4. t. 27
2	dasyglóttis DC.	(*pu*) creeping-rooted	Siberia	1828.	——	H	♃	
3	purpùreus DC.	(*pu*) purple	S. France	1824.	——	H	♃	DC. astr. n. 17. t.
4	sínicus L.	(*ro*) Chinese annual	China	1763.	7. 9.	H	☉	Bot. mag. 1350.

lotoìdes DC.

5	onobrychioìdes DC.	(*pu*) Saintfoin-like	Persia	1828.	——	H	♄	DC. astr. n. 39. t.

canéscens DC. ast. *cephalòtes* Pall. astr. t. 24.

6	leontìnus DC.	(*pu*) Lion's-tail	Austria	1816.	5. 7.	H	♃	Lodd. bot. cab. 432.
7	procúmbens B.M.	(*bl.ye*) procumbent	Chili	1831.	5. 6.	F	♃	Bot. mag. 3263.
8	Doniànus DC.	(*pu*) Mr. D. Don's	Nepaul	1821.	8. 9.	H	♃	

macrorhìzus D.P. *non* CAV.

9	arenàrius DC.	(*bl*) sand	N. Europe	1798.	6. 7.	H	♃	Retz. obs. 3. t. 3.
10	bayonénsis DC.	(*pu*) woolly-podded	S. France	1828.	——	H	♃	
11	macrópterus DC.	(*pu*) large-winged	Siberia	1827.	——	H	♃	
12	taúricus DC.	(*pu*) Taurian	Tauria	1824.	7. 8.	H	♃	Pall. astr. t. 38.

§ 2. DISSITIFLO'RI; *stipulas distinct; flowers distant in the racemes; legumes straight.*

13	austriacus DC.	(*pu*) Austrian	Austria	1640.	6. 7.	H	♃	Jacq. aust. 2. t. 195.
14	olópterus DC.	(*pa*) long-racemed	Altay	1827.	——	H	♃	
15	melilotoìdes DC.	(*pu*) Melilot-like	Siberia	1785.	——	H	♃	Pall. astr. t. 41.
16	suleàtus DC.	(*pu*) furrowed	———	——	7. 8.	H	♃	Jacq. vind. 3. t. 40.
17	grácilis DC	(*li*) slender	Missouri	1812.	6. 7.	H	♃	
18	succuléntus DC.	(*pu*) succulent	N. America	1827.	——	H	♃	Bot. reg. t. 1324.
19	subulàtus DC.	(*pu*) awl-podded	Tauria	1806.	5. 8.	H	♃	Pall. astr. t. 20.
20	ceratoìdes DC.	(*pu*) triangular-pod'd	Altay	1827.	——	H	♃	——— t. 20. A.
21	virgàtus DC.	(*pu*) twiggy	Siberia	1806.	——	H	♄	——— t. 18.

vàrius Gmel. itin. 2. t. 17.

22	brachy'lobus DC.	(*pu*) short-podded	———	1827.	——	H	♄	

§ 3. ONOBRYCHOI'DEI; *stipulas distinct; flowers in dense spikes or heads; legumes generally straight, rarely falcate; roots perennial.*

23	dahùricus DC.	(*pu*) Dahurian	Dahuria	1824.	5. 8.	H	♃	Pall it. 3. ap. t. w. f.
24	leptophy'llus DC.	(*wh*) slender-leaved	Barbary	1811.	6. 7.	H	♃	Desf. atl. 2. t. 207.
25	Steveniànus DC.	(*pu*) Steven's	Iberia	1829.	....	H	♃	
26	tenuifòlius W.	(*pu*) fine-leaved	Siberia	1780.	7. 8.	H	♃	Swt. br. fl. gar. t. 73.

linearifòlius DC.

27	Onobry'chis DC.	(*pu*) purple-spiked	Europe	1640.	6. 8.	H	♃	Jacq. aust. 1. t. 38.
28	adúncus DC.	(*pu*) hooked	Caucasus	1819.	6. 7.	H	♃	Bieb. pl. ross. t. 80.
29	fláccidus DC.	(*wh*) flaccid	Iberia	1826.	6. 8.	H	♃	
30	vimíneus DC.	(*pu*) twiggy	Siberia	1824.	7. 8.	H	♄	Pall. astr. t. 21.
31	fruticòsus DC.	(*pu*) woody	———	1804.	6. 8.	H	♄	——— t. 19.
32	adsúrgens DC.	(*bl*) assurgent	———	1824.	——	H	♃	——— t. 31.
33	Laxmánni DC.	(*pa*) Laxmann's	———	1804.	——	H	♃	Jacq. vind. 3. t. 37.
34	missouriénsis DC.	(*pu*) Missouri	Missouri	1826.	6. 8.	H	♃	
35	caryocárpus DC.	(*vi*) swelled-podded	Louisiana	1811.	——	H	♃	Bot. reg. 176.

§ 4. SESA'MEI; *stipulas distinct; flowers in dense spikes or heads; legumes straight; roots annual.*

36	pentaglóttis DC.	(*pu*) rough Spanish	Spain	1739.	6. 7.	H	☉	Cavan. ic. 2. t. 188.
37	Glaúx DC.	(*pu*) small Spanish	———	1596.	——	H	☉	Clus. hist. 2. p. 242. ic
38	oxyglóttis DC.	(*pu*) sharp-podded	Tauria	1824.	6. 9.	H	☉	
39	psiloglóttis DC.	(*pu*) smooth-podded	Astracan	1829.	——	H	☉	

40	crucàtus DC.	(*pu*) oblong-leaved	Iberia	1823.	6. 9.	H	⊙	
41	Stélla DC.	(*pu*) star-podded	S. Europe	1658.	——	H	⊙	Lobel. ic. 2. t. 83.
42	tribuloìdes DC.	(*pu*) Caltrops-like	Egypt	1828.	——	H	⊙	
43	sesámeus DC.	(*pu*) Sesama	S. Europe	1616.	——	H	⊙	Garid. prov. t. 12.
	§ 5. VESICA'RII ; *stipulas distinct ; calyxes bladdery.*							
44	vesicàrius DC.	(*pu*) white Italian	Europe	1637.	7. 8.	H	♃	Bot. mag. t. 3268.
	álbidus W. et K. hung. 1. t. 40. *dealbàtus* Pall. astr. t. 23. f. 1.							
45	inflàtus Gill.	(*pu*) inflated	Chili	1827.	5. 6.	F	♃	
46	albicaúlis DC.	(*wh*) white-stalked	Caucasus	1803.	7. 8.	H	♃	DC. astr. n. 59. t. 21.
	dealbàtus Pall. ast. t. 23. f. 2 et 3. *Oxy'tropis dealbàta* P.S.							
	§ 6. ANNULA'RES ; *stipulas distinct ; legumes arched.*							
47	Nuttalliànus DC.	(*bl*) Nuttall's	N. America	1826.	6. 8.	H	♃	
	micránthus N. *non* Desv.							
48	cymbecárpos DC.	(*pa*) boat-podded	Portugal	1800.	——	H	⊙	Brot. phyt. t. 59.
49	striatéllus DC.	(*bl*) striated	Tauria	1829.	——	H	⊙	Bieb. cent. 1. t. 20.
50	annulàris DC.	(*ro*) ring-podded	Egypt	1800.	——	H	⊙	DC. astr. app. n. 6. t. 7.
51	trimórphus DS.	(*pu*) three-formed	Libya	1827.	6. 7.	H	⊙	Viv. lyb. t. 10. f. 2.
52	ankylòtus F.M.	(*pu*) arched-podded	Siberia	1835.	——	H	⊙	
53	hispídulus DC.	(*pa*) rough-podded	Egypt	1828.	6. 8.	H	⊙	
54	scorpioìdes DC.	(*bl*) blue-flowered	Spain	1816.	6. 9.	H	⊙	
	cenaliculàtus W. enum. ex Link enum. 2. p. 254.							
55	mareóticus DC.	(*li*) Alexandrian	Egypt	1828.	——	H	⊙	Delil. fl. eg. t. 39. f. 3.
56	corrugàtus DC.	(*pu*) rugged-podded	———	——	——	H	⊙	
57	reticulàtus DC.	(*pu*) netted	Volga	——	——	H	⊙	
	Sect. 2. OCHROLEU'CI ; *stipulas free from the petioles ; flowers cream-coloured.*							
	§ 1. BUCE'RATES ; *stipulas distinct ; legumes arched ; roots annual.*							
58	contortuplicàtus DC.	(*st*) wave-podded	Siberia	1764.	7. 8.	H	⊙	Pall. astr. t. 79.
59	triméstris DC.	(*st*) Egyptian	Egypt	1739.	——	H	⊙	Jacq. vind. 2. t. 174.
60	ægíceras DC.	(*st*) Goat's-horn	.....,	1816.	6. 8.	H	⊙	
61	brachy'ceras DC.	(*st*) short-podded	Persia	1828.	——	H	⊙	
62	hamòsus DC.	(*st*) hook-podded	Spain	1633.	——	H	⊙	Moris.ox. s. 2. t. 9.f. 10.
63	epiglóttis DC.	(*st*) heart-podded	S. Europe	1737.	——	H	⊙	Herm. lugd. t. 77.
64	triangulàris DC.	(*st*) triangular	.....	1828.	——	H	⊙	
65	bœ'ticus DC.	(*st*) slender-podded	S. Europe	1759.	——	H	⊙	Munt. phyt. t. 110.
	§ 2. SYNOCHREA'TI ; *stipulas joined together ; roots perennial.*							
66	capitàtus W.	(*st*) headed	Levant	1759.	7. 8.	H	♃	
67	microphy'llus DC.	(*st*) small-leaved	Siberia	1773.	6. 7.	H	♃	
68	emarginàtus DC.	(*ye*) emarginate	Levant	1825.	7. 8.	F	♃	Labill. syr. dec. 1. t. 9.
69	semibiloculàris DC.	(*st*) semibilocular	Siberia	1804.	6. 8.	H	♃	DC. astr. n. 64. t. 23.
70	Baicalénsis Pall.	(*ye*) Baical	———	1830.	8.11.	H	♃	
71	réptans DC.	(*wh*) creeping	Mexico	1829.	6. 8.	F	♃	Willd. hort. ber. 2. t.88.
72	odoràtus DC.	(*st*) sweet-scented	Levant	1816.	——	H	♃	DC. astr. n. 67. t. 24.
73	stipulàtus DC.	(*st*) large-stipuled	Nepaul	1821.	8. 9.	H	♃	Bot. mag. 2380.
	§ 3. CICEROI'DEI ; *stipulas distinct ; spikes pedunculate ; legumes sessile.*							
74	glycyphy'llus DC.	(*st*) sweet-leaved	Britain	....	6. 7.	H	♃	Eng. bot. 3. t. 203.
75	glycyphylloìdes DC.	(*ye*) liquorice-like	Iberia	1818.	——	H	♃	
76	depréssus DC.	(*st*) depressed	Europe	1772.	5. 6.	H	♃	Lodd. bot. cab. 680.
77	leucophæ'us DC.	(*wh*) dwarf-white	.....	1776.	5. 8.	H	♃	——— t. 111.
78	Cìcer DC.	(*st*) bladder-podded	Europe	1570.	6. 7.	H	♃	Jacq. aust. t. 251.
79	uliginòsus DC.	(*st*) marsh	Siberia	1752.	6. 8.	H	♃	Pall. astr. t. 26.
80	micránthus DC.	(*st*) small-blossom'd	.....	1824.	——	H	♃	
81	canadénsis DC.	(*st*) woolly	N. America	1732.	6. 7.	H	♃	Lodd. bot. cab. 372.
82	carolinìanus DC.	(*st*) Carolina	———	——	——	H	♃	Dill. elth. t. 39. f. 45.
83	falcàtus DC.	(*st*) sickle-podded	Siberia	1737.	——	H	♃	DC. astr. n. 70. t. 26.
	virescens H.K.							
84	falciformis DC.	(*st*) sickle-like	Barbary	....	——	H	♃	Desf. atl. 2. t. 207.
85	ásper DC.	(*st*) rough Astracan	Siberia	1796.	7. 8.	H	♃	Jacq. ic. 1. t. 33.
	chlorántkus Pall. astr. t. 25.							
86	chloróstachys DS.	(*ye.gr*) green-spiked	Nepaul	1824.	9.10.	H	♃	
87	pallèscens DC.	(*st*) pale-flowered	Siberia	1818.	6. 7.	H	♃	
	§ 4. GALEGIFO'RMES ; *stipulas distinct ; legumes stipitate.*							
88	chinénsis DC.	(*st*) upright	Chinese	1795.	6. 8.	H	♃	Linn. f. decad. 1. t. 3.
89	podocárpus DS.	(*ye*) stalk-fruited	Caucasus	1836.	——	H	♃	
90	galegiformis DC.	(*st*) Goat's-rue-like	Siberia	1729.	——	H	♃	Pall. astr. t. 29.
91	racemòsus DC.	(*wh*) racemed	Louisiana	1827.	——	H	♃	
	galegoides N.							
	§ 5. ALOPECAROI'DEI ; *stipulas distinct ; flowers in thick dense axillary spikes.*							
92	alopècias DC.	(*ye*) axillary-headed	Siberia	1823.	6. 8.	H	♃	Pall. astr. p. 12. t. 9.
93	alopecuroìdes DC.	(*ye*) Foxtail-like	———	1737.	——	H	♃	——— t. 8.

94	narbonénsis DC.	(*ye*) French	S. Europe	1780.	6. 8.	H	♃	Pall. astr. t. 10.
95	pónticus DC.	(*ye*) villous-calyxed	Tauria	1824.	——	H	♃	——— t. 11.
96	vulpìnus DC.	(*ye*) Fox-tail	Siberia	1815.	——	H	♃	——— t. 7.
	alopecuroìdes Pall. astr. t. 7.							
97	macrocéphalus DC.	(*ye*) large-headed	Persia	1829.	——	H	♃	

§ 6. CHRISTIA'NI; *stipulas adnate to the petioles; flowers in glomerate, almost sessile, ex racemes.*

98	christiànus DC.	(*st*) great-yellow	Armenia	1737.	7. 8.	H	♃	Tourn it. 2. t. 254
99	tomentòsus DC.	(*st*) downy-leaved	Egypt	1800.	——	H	♃	DC. astr. n. 80. t.
100	Siebèri DC.	(*st*) Sieber's	———	1828.	——	H	♃	

Sect. 3. TRAGACANTHA'CEI; *stipulas adnate to the petioles; petioles persistent, and at leng come hardened spines.*

101	Bárba-Jòvis DC.	(*pu*) silvery-leaved	Armenia	....	7. 8.	H	♃	
	Tragacántha argéntea Mill.							
102	caucásicus DC.	(*wh*) Caucasean	Caucasus	1822.	——	H	♄	Pall. astr. p. 2. t.
103	breviflòrus DC.	(*pu*) short-flowered	Armenia	1826.	6. 8.	H	♄	Lodd. bot. cab. 138
104	arnacántha DC.	(*li*) prickly-leaved	Tauria	1640.	——	H	♄	Pall. astr. p. 1. t.
	Potèrium Pall. ast. *nec aliorum.*							
105	sículus DC.	(*bh*) Sicilian	Sicily	1827.	——	H	♄	
106	Potèrium DC.	(*wh*) small goat's-thorn	S. Europe	1640.	——	H	♄	Morris. ox. s. 2. t. 13.
107	massiliénsis DC.	(*wh*) sea-side	———	1827.	——	H	♄	Duham. arb. 2. t.
	Tragacántha Pall. astr. t. 4. f. 1. 2.							
108	aristàtus DC.	(*wh*) awned	Pyrenees	1791.	5. 7.	H	♄	Garid. aix. t. 104.
109	lagùrus DC.	(*ye*) hare's-tailed	Armenia	1829.	——	H	♄	DC. astr. n. 104.
110	armàtus W.	(*ye*) armed	Barbary	....	6. 7.	H	♄	Desf. atl. 2. t. 194.
	Anthy'llis tragacanthoìdes Desf. *túmulus* DC.							

Sect. 4. PODOCHREA'TI; *stipulas adnate to the petioles; petioles persistent, not hardening into sp*

§ 1. ANTHYLLOI'DEI; *calyx bladdery, inclosing the legume.*

111	halicácabus DC.	(*ye*) bladdered	Armenia	1806.	6. 7.	H	♃	Schreb. dec. p. 5. t.
	Phàca vesicària Schreb.							
112	laguroìdes DC.	(*pu*) Hare's-tail-like	Siberia	1829.	....	H	♃	Pall. astr. t. 16.
113	xanthótrichus DC	(*ye*) yellow-haired	Altaia	1836.	6. 7.	H	♃	Led. ill. t. 296.
114	ammòdytes DC.	(*wh*) silky-leaved	Siberia	1823.	——	H	♃	Pall. astr. p. 7. t. 5

§ 2. CAPRI'NI; *calyxes not bladdery; flowers yellow.*

115	dasyánthus DC.	(*ye*) woolly-headed	Siberia	1828.	6. 7.	H	♃	Pall. astr. p. 79. t.
	eriocéphalus W. et K. hung. 1. t. 46.							
116	caprìnus DC.	(*ye*) scented	Barbary	1683.	——	H	♃	Moris. ox. s. 2. t. 24.
117	longiflòrus DC.	(*ye*) long-flowered	Tartary	——	——	H	♃	Pall. astr. t. 60.
118	ròseus DS.	(*ro*) rosy	Altaia	1837.	——	H	♃	Led. ill. t. 300.
119	ùtriger DC.	(*ye*) turgid-podded	Tartary	1825.	——	H	♃	Pall. astr. t. 61.
120	exscàpus DC.	(*ye*) hairy-podded	Hungary	1787.	5. 7.	H	♃	Jacq. ic. 3. t. 561.
121	diffùsus DC.	(*st*) diffuse	Tauria	1824.	6. 7.	H	♃	Pall. astr. t. 68.
122	lactiflòrus D.S.	(*st*) milk-flowered	Altaia	1836.	——	H	♃	Led. ill. t. 103.
123	buchtorménsis DC.	(*y*) pointed-podd'd	Siberia	1 26.	——	H	♃	Pall. astr. t. 62. f. A

§ 3. INCA'NI; *calyxes not bladdery; flowers purple; legumes bilocular.*

124	monspessulànus DC.	(*pu*) Montpelier	S. Europe	1710.	7. 8.	H	♃	Bot. mag. 375.
125	incànus DC.	(*pu*) hoary	———	1759.	6. 7.	H	♃	Magn. monsp. p. 32
126	sanguinoléntus DS.	(*ye*) bloody	Caucasus	1837.	——	H	♃	
127	refráctus DS.	(*ye*) bent	———	——	——	H	♃	
128	macrorhìzus DC.	(*pu*) long-rooted	Spain	1821.	6. 8.	H	♃	Cavan. ic. 2. t. 133.
129	brachycárpus DC.	(*pu*) short-podded	Siberia	1820.	——	H	♃	Bot. mag. 2335.

§ 4. RADICIFLO'RÆ; *calyxes not bladdery; legumes generally bladdery.*

130	physòdes DC.	(*pu*) inflated	Siberia	1759.	6. 8.	H	♃	DC. astr. n. 127. t.
131	Pallàsii DC.	(*pu*) Pallas's	Caucasus	1828.	——	H	♃	Pall. astr. t. 59.
132	testiculàtus DC.	(*bh*) woolly podded	———	1824.	——	H	♃	——— t. 67.
133	rupífragus DC	(*pu*) dry rock	Tauria	1828.	——	H	♃	——— t. 70.
134	redúncus DC.	(*pu*) crook-podded	Volga	——	——	H	♃	——— p. 109. t. 82.

Species hardly known.

135	uncàtus DC.	(*wh*) hooked	Aleppo	1768.	7. 8.	H	♃	
136	radìcans DC.	(*pu*) rooting-branch'd	.....	1828.	——	H	♃	
137	campylorhy'nchus F.M.	(*pu*) curve-snout'd	Armenia	1837.	6. 7.	H	⊙?	
138	juvenàlis Del.	juvenal	Egypt	——	——	H	⊙?	
139	oroboìdes Horn ..	orobus-like	Europe	——	——	H	♃	
140	pérsicus F.M. ..	Persian	Persia	——	——	H	♃	

BISE'RRULA DC. HATCHET-VETCH. (*bis*, twice, and *serrula*, a little saw.) Diadelph. Decand.

	Pelécinus DC	(*bl*) common	S. Europe	1640.	7. 9.	H	⊙	Tourn. inst. 417. t. 234

Tribe III. HEDYSA'REÆ. *DC. prodr.* 2. *p.* 307.

Subtribe I. *CORONI'LLEÆ.* DC. loc. cit. p. 308.

SCORPIU'RUS DC. CATERPILLAR. (σκορπιος, a scorpion, and ουρα, a tail.) Diadelph. Decand.

1 lævigàta DC.	(*ye*) smooth	Levant	1820.	6. 8.	H	⊙		Flor. græc. t. 718.
2 muricàta DC.	(*ye*) two-flowered	S. Europe	1640.	——	H	⊙		Moris.ox.s.2.t.11. f. 4.
3 sulcàta DC.	(*ye*) three-flowered	————	1596.	——	H	⊙		Desf. atl. 2. t. 4.
4 subvillòsa DC.	(*ye*) subvillous	————	1731.	——	H	⊙		Mor. hist. s. 2. t. 11. f. 2.
5 acutifòlia DC.	(*ye*) acute-leaved	Corsica	1828.	——	H	⊙		Viv. fl. lyb. t. 19. f. 4.
6 vermiculàta DC.	(*ye*) common	S. Europe	1621.	——	H	⊙		Moris. ox. s. 2. t. 11. f. 3.

CORONI'LLA. DC. CORONI'LLA. (*corona*, a crown; disposition of flowers.) Diadelph. Decand.

Sect. 1. E'MERUS; *legumes nearly terete, separating into joints; claws of petals three times as long as the calyx.*

1 E'merus DC.	(*ye*) Scorpion Senna	France	1596.	4. 6.	H	♄		Bot. mag. 445.

Sect. 2. CORONI'LLA; *legume rather compressed, separating into joints; claws of petals hardly longer than the calyx.*

2 júncea DC.	(*ye*) rush-like	France	1656.	6. 8.	F	♄		Bot. reg. 820.
3 valentìna L. *stipulàris* Lam.	(*ye*) nine-leaved	S. Europe	1596.	2. 6.	F	♄		Bot. mag. 185.
4 pentaphy'lla DC.	(*ye*) five-leaved	Algiers	....	3. 6.	F	♄		Mill ic. t. 289. f. 2?
5 argéntea DC.	(*ye*) silvery-leaved	Crete	1664.	5. 6.	F	♄		—— 2. t. 289. f. 3.
6 glaúca DC.	(*ye*) seven-leaved	France	1722.	9. 5.	F	♄		Bot. mag. t. 13.
7 viminàlis DC.	(*bh*) slender	Mogador	1798.	5.11.	G	♃		Sal. par. lond. t. 13.
8 mínima DC.	(*ye*) least	S. Europe	1658.	7. 8.	H	♃		Bot. mag. 2179.
9 coronàta DC.	(*ye*) large-headed	————	1776.	6. 8.	H	♃		Clus. hist. 1. p. 98. f. 2.
10 montàna DC. *coronàta* B.M. 907. *non* L.	(*ye*) mountain	Europe	1816.	6. 9.	H	♃		Scop. carn. ed. 2. t. 44.
11 ibérica DC.	(*ye*) Iberian	Iberia	1818.	7.10.	H	♃		Swt. br. fl. gar. t. 25.
12 parviflòra DC.	(*ye*) small-flowered	Crete	1828.	——	F	♃		
13 squamàta DC.	(*ye*) scaly	Spain	1820.	6. 7.	H	♃		Cav. ic. t. 155.
14 crética DC.	(*v*) Cretan	Crete	1731.	6. 8.	H	⊙		Jacq. vind. 1. t. 25.
15 vària DC.	(*pu*) purple	Europe	1597.	6.11.	H	♃		Bot. mag. 258.
16 globòsa Lam.	(*pk*) globose	Candia	1800.	7.10.	H	♃		

ASTROLO'BIUM DC. ASTROLO'BIUM. (αστρον, a star, and λοβος, a pod; disposition.) Diad. Dec.

1 ebracteàtum DC. *Ornithopus lævigàtus* Sm. *nudiflòrus* Lag. *ebracteàtus* Brot.	(*ye*) round-podded	Portugal	....	5. 6.	H	⊙		Dalech. his. 1. 487. f. 1.
2 dùrum DC.	(*ye*) perennial	S. Europe	1805.	6. 7.	H	♃		Cavan. ic. 1. t. 41.
3 repándum DC.	(*ye*) repand	Barbary	——	——	H	⊙		Lam. ill. t. 631. f. 4.
4 scorpioìdes DC. *Ornithopus scorpioìdes* L. *trifoliàtus* Lam.	(*ye*) Purslane-leav'd	S. Europe	1596.	——	H	⊙		Cavan. ic. 1. t. 37.

ORNI'THOPUS DC. BIRD'S-FOOT. (ορνιθος, of a bird, and πους, a foot; pods like.) Diad. Dec.

1 compréssus DC.	(*ye*) hairy	S. Europe	1730.	6. 7.	H	⊙		Berg. phyt. t. 191.
2 intermèdius RO. *sativus* Brot. fl. lus. 2. p. 160.	(*ro*) intermediate	Portugal	1816.	——	H	⊙		
3 perpusíllus DC.	(*v*) common	Britain	....	5. 6.	H	⊙		Eng. bot. v. 6. t. 369.

HIPPOCRE'PIS. DC. HORSESHOE-VETCH. (ιππος, a horse, and κρηπις, a shoe.) Diad. Dec.

1 baleárica DC.	(*ye*) shrubby	Minorca	1776.	5. 6.	F	♄		Bot. mag. 427.
2 helvética DS.	(*ye*) Swiss	Switzerland	1822.	5. 8.	H	♃		
3 comòsa DC.	(*ye*) tufted	England	....	4. 8.	H	♃		Eng. bot. 1. t. 31.
4 glaúca DC.	(*ye*) glaucous	Naples	1825.	5. 8.	H	♃		Ten. fl. neap. 2. t. 69.
5 syriaca L.	(*ye*) Syrian	Syria	1826.	6. 8.	H	⊙		
6 scàbra DC.	(*ye*) rough	Spain	——	——	H	⊙		
7 multisiliquòsa DC.	(*ye*) many-podded	S. Europe	1683.	——	H	⊙		Schkuhr hand. 2. t. 206.
8 monocárpa DC.	(*ye*) one-podded	Caucasus	1825.	——	H	⊙		
9 unisiliquòsa DC.	(*ye*) single-podded	Italy	1570.	6. 7.	H	⊙		Lam. ill. t. 630. f. 3.
10 ciliàta DC.	(*ye*) ciliated	Spain	1823.	6. 8.	H	⊙		
11 biflòra DC.	(*ye*) two-flowered	.....	1824.	——	H	⊙		

SECURI'GERA DC. HATCHET-VETCH. (*Securis*, a hatchet, and *gero*, to bear.) Diad. Decand.

Coronilla DC.	(*ye*) common	S. Europe	1562.	7. 8.	H	⊙		Lam. ill. t. 629.

Subtribe II. *EUHEDYSA'REÆ.* DC. prodr. 2. p. 313.

PICTE'TIA DC. Picte'tia. (Charles Pictet, cel. French physician.) Diadelphia Decandria.

1	aristàta DC.	(*ye*) awned	S. Domingo	1820.	4. 6.	S	♄	DC. leg. mem. t. 47. f.
	Æschynómene aristàta Jacq. schœnb. 2. t. 237.							
2	squamàta DC.	(*ye*) scaly	W. Indies	1824.	——	S	♄	Vahl. symb. 3. t. 69.
	Robínia squamàta Vahl.							

ORMOCA'RPUM DC. Ormoca'rpum. (*ορμος*, a necklace, and *καρπος*, a fruit.) Diadelph. Decan.

	sennoìdes DC.	(*ye*) Senna-like	E. Indies	1818.	6. 7.	S	♄	
	Hedy'sarum sennoìdes W.							

POIRE'TIA DC. Poire'tia. (J. L. M. Poiret, bot. author.). Monadelphia Decandria.

	scándens DC.	(*ye*) climbing	S. Domingo	1826.	....	S	♄ ◡	Venten. choix. t. 42.
	Turpínia punctàta P.S. *Gly'cine punctàta* Lam. ill. t. 609.							

MYRIADE'NUS DC. Myriade'nus. (*μυριος*, many, and *αδην*, a gland; leaves.) Diadel. Decand.

	tetraphy'llus DC.	(*ye*) four-leaved	Jamaica	1818.	6. 7.	S	⊙	Sloan jam. 1. t. 116. f.
	Ornithopus tetraphy'llus L.							

TETRANE'MA Tetrane'ma. (*τετρα*, four, and *νημα*, a filament; number.) Monadelph. Decand.

	nùtans	(*li*) drooping-fld.	E. Indies	1823.	5. 8.	S	♄	Bot. mag. 2867.
	Hedy'sarum nùtans Gr. *Desmòdium nùtans* B.M.							

ZO'RNIA DC. Zo'rnia. (John Zorn, of Bavaria, a bot. author.) Monadelphia Decandria.

1	angustifòlia DC.	(*ye*) narrow-leaved	E. Indies	1733.	7. 8.	S	⊙	Rheed. mal. 9. t. 82.
	díphy'lla P.S. *Hedy'sarum diphy'llum* L.							
2	reticulàta DC.	(*ye*) netted-bracted	W. Indies	....	——	S	⊙	
3	thymifòlia DC.	(*ye*) Thyme-leaved	Mexico	1826.	——	G	♄	
4	zeylonénsis DC.	(*ye*) Ceylon	Ceylon	1733.	——	S	⊙	Burm. zeyl. t. 50. f. 1.
	conjugàta Sm. *Hedy'sarum conjugàtum* W.							
5	dyctiocárpa DC.	(*ye*) netted-podded	N. Holland	1824.	——	H	⊙	
6	tetraphy'lla DC.	(*ye*) four-leaved	Carolina	1823.	——	H	♃	Mich. amer. 2. t. 41.
7	capénsis DC.	(*ye*) Cape	C. B. S.	1824.	5. 6.	G	♃	Thunb. n. ac. ups. 6. t.

STYLOSA'NTHES DC. Stylo a'nthes. (*στυλος*, a style, and *ανθος*, a flower; style long.) Mon. Dec.

1	procúmbens DC.	(*ye*) procumbent	Jamaica	1829.	6. 8.	S	♄	Swar. ac. h. 1789. t. 11. f.
2	erécta DC.	(*ye*) erect	Guinea	1825.	7. 8.	S	⊙	Beauv. fl. d'. ow. 2. t. 7
3	viscòsa DC.	(*ye*) viscous	Jamaica	1829.	6. 8.	S	♄	Swar. ac. h. 1789. t. 9. f.
4	mucronàta DC.	(*ye*) mucronate	E. Indies	1818.	——	S	♄	Burm. zeyl. t. 106. f. 2
	Hedy'sarum hamàtum Burm. *A'rachis fruticòsa* Retz.							
5	elàtior DC.	(*ye*) tall	Carolina	1823.	7. 8.	H	♃	Pluk. alm. t. 447. f. 7.
6	guianénsis DC.	(*ye*) Guiana	Guiana	1826.	——	S	⊙	Aubl. guian. 2. t. 309.

ADE'SMIA DC. Ade'smia. (*a* priv., and *δεσμος*, a bond; free stamens.) Decandria Monogynia.

1	muricàta DC.	(*ye*) prickly-podded	Patagonia	1793.	6. 7.	G	⊙	Jacq. ic. 3. t. 568.
	Hedy'sarum muricàtum Jacq. *Patagònium hedysaroìdes* Schk.							
2	hispídula DC.	(*ye*) hispid	Peru	1826.	6. 8.	G	⊙	DC. leg mem. t. 48.
3	pappòsa DC.	(*ye*) feathery-podd'd	Chili	1823.	——	G	♃	
4	microphy'lla Hook	(*ye*) small-leaved	Valparaiso	1836.	....	F	♃	
5	péndula DS.	(*ye*) pendulous	Buen. Ayres	1825.	8.10.	H	♃	Swt. br. fl. gar. s. 2. t. 32
6	glutinòsa DS.	(*ye*) clammy-leaved	Chili	1831.	....	G	♄	Bot. cab. t. 1692.
7	viscòsa Gill.	(*ye*) clammy	———	1832.	8.	F	♄	Swt. br. fl. gar. s. 2. t. 230.
8	uspalaténsis Gill.	(*ye*) uspalata	———	——	6.	F	♄	——— t. 222.
9	Loudònia B.R.	(*ye*) Loudon's	Chili	1832.	——	F	♄	Bot. reg. 1720.

ÆSCHYNO'MENE DC. Æschyno'mene. (*αισχυνω*, to be ashamed; leaves sensitive.) Diad. Dec.

1	áspera DC.	(*ye*) rough-stemmed	E. Indies	1759.	6. 7.	S	⊙	Breyn. cent. 51. t. 52.
2	sensitìva DC.	(*wh*) sensitive	W. Indies	1733.	5. 8.	S	♄	Plum. ic. t. 139.
3	índica DC.	(*ye*) Indian	E. Indies	1799.	6. 7.	S	⊙	Rheed. mal. 9. t. 18.
4	americàna DC.	(*ye*) hairy	Jamaica	1732.	7. 8.	S	⊙	Sloan. jam. 1. t. 118. f. 3.
5	pátula DC.	(*ye*) spreading	Mauritius	1826.	6. 8.	S	♄	
6	subviscòsa DC.	(*v*) glandular	E. Indies	1820.	9.10.	S	⊙	
7	híspida DC.	(*ye*) hispid	N. America	1803.	8. 9.	H	⊙	Bart. fl. amer. t. 29.
8	micrántha DC.	(*ye*) small-flowered	Madagascar	1826.	6. 8.	S	♃	
9	viscídula DC.	(*ye*) viscous	N. America	1818.	7. 8.	H	⊙	
10	falcàta DC.	(*ye*) sickle-podded	Brazil	1825.	——	S	⊙	
11	péndula Boj.	(*ye*) pendulous	Madagascar	——	——	S	⊙	

SMI'THIA DC. Smi'thia. Sir J. E. Smith, M.D., P. L. S.) Diadelphia Decandria.

1	sensitìva DC.	(*ye*) sensitive	E. Indies	1785.	7.10.	S	⊙	Sal. par. lond. t. 92.
2	conférta DC.	(*ye*) close-flowered	N. Holland	1825.	——	S	⊙	
3	áspera H.B.	(*ye*) rough	E. Indies	1812.	——	S	⊙	
4	geminiflòra DC.	(*ye*) twin-flowered	———	1810.	7.	S	⊙	

LOU'REA DC. LOU'REA. (etymology unknown.) Diadelphia Decandria.

1 Vespertiliònis DC. (*w*) bat-winged Cochinchina 1780. 7. 8. S ♂ Jacq. ic. 3. t. 566.
Hedy'sarum Vespertiliònis Jacq. *Christia lunàta.* Mœnch.
2 reniformis DC. (*pu*) kidney-leaved China 1826. —— S ♂

URA'RIA DC. URA'RIA. (etymology unknown.) Diadelphia Decandria.

§ 1. *Leaves impari-pinnate.*
1 pícta DC. (*pu*) painted-leaved Guinea 1788. 6. 8. S ♂ Jacq. ic. 3. t. 567.
Hedy'sarum pictum Jacq.
2 comòsa DC. (*pu*) comose E. Indies 1818. —— S ♄
3 crinìta DC. (*br*) crook-podded ——— 1780. 7. 9. S ♄ Burm. ind. t. 56.
§ 2. *Leaves trifoliate.*
4 lagopoìdes DC. (*wh*) Harefoot-like ——— 1790. —— S ♄ Burm. ind. t. 53. f. 2.
Hedy'sarum lagopodioìdes L. *Lespedèza lagopodioìdes* P.B.
5 Lagòpus DC. (*pu*) Hare's-foot Nepaul 1823. 6. 8. S ♄
6 hamòsa (*wh*) hooked E. Indies —— 6. 7. S ♃
Doòdia hamòsa et Hedy'sarum hamòsum H.B.
7 alopecuroìdes (*wh*) Fox-tail E. Indies —— —— S ♃
Doòdia alopecuroìdes et Hedy'sarum alopecuroìdes H.B.
8 lagocéphala DC. (*ye*) hairy Brazil —— 7. 9. S ♃

NICOLSO'NIA DC. NICOLSO'NIA. (M. Nicholson, author of nat. hist. of St. Domingo.) Diad.Dec.
barbàta DC. (*pu*) bearded W. Indies 1826. 6. 8. S ♃

DESMO'DIUM DC. DESMO'DIUM. (δεσμος, a band; stamens connected) Diadelphia Decandria.

Sect. 1. EUDESMO'DIUM; *joints of legume coriaceous, indehiscent and truncate at both ends; flowers corymbose; leaves trifoliate.*
1 dùbium B.R. (*pu*) doubtful Nepaul 1823. 7. 8. S ♄ Bot. reg. 967.
2 umbellàtum DC. (*wh*) umbel-flowered E. Indies 1801. 6. 7. S ♄ Jacq. schœnb. 3. t. 297.

Sect. 2. PLEUROLO'BIUM; *joints of legume membranous, nearly square, at length dehiscent.*
§ 1. PTERO'PODA; *petioles winged; leaves simple.*
3 auricalàtum DC. (*pu*) eared Timor 1825. 6. 7. S ♄
4 tríquetrum DC. (*pu*) triangular E. Indies 1802. 7. 8. S ♂ Burm. ind. t. 52. f. 2.
5 pseudotríquetrum DC. (*pu*) three-sided Nepaul 1818. —— S ♂
6 alàtum DC. (*pu*) winged-stalked E. Indies 1809. —— S ♄
§ 2. GYRA'NTIA; *petioles wingless; leaves trifoliate, lateral leaflets small.*
7 gyrans DC. (*re*) moving plant E. Indies 1775. 7. 9. S ♂ Jacq. ic. t. 565.
8 gyroìdes DC. (*li*) gyrans-like ——— 1818. —— S ♄

Sect. 3. CHALA'RIUM; *joints of legume membranous, indehiscent, oval or orbicular, tapering to both ends.*
§ 1. *Leaves simple.*
9 gangéticum DC. (*li*) oval-leaved E. Indies 1762. 7. 9. S ♄ Burm. zeyl. t. 49.
10 maculàtum DC. (*li*) spotted ——— 1732. 6. 8. S ☉ Dill.elth.1.t.141.f.168.
Hedy'sarum maculàtum L. *Æschynómene maculàta* Poir.
11 sagittàtum DC. (*re*) arrow-leaved E. Indies 1807. —— S ♃
12 angustifòlium DC. (*pu*) narrow-leaved Mexico 1825. —— S ♄
13 latifòlium DC. (*bl*) broad-leaved E. Indies 1800. 7. 8. S ♄ Bot. reg. t. 356.
Hedy'sarum latifòlium B.R.
14 velutinum DC. (*vi*) velvetty Trinidad 1820. —— S ♄
15 lasiocárpum DC. (*ro*) woolly-podded Guinea 1822. 7. 9. S ♄ Beauv. fl. ow. 1. t. 18.
§ 2. *Leaves trifoliate.*
16 canadénse DC. (*pu*) Canadian N. America 1640. —— H ♃ Corn. canad. t. 45.
17 canéscens DC. (*pu*) canescent ——— 1733. —— H ♃
18 marylándicum DC. (*p*) Maryland ——— 1725. 7.10. H ♃ Dill. elth. t. 144. f. 171.
19 obtùsum DC. (*vi*) obtuse ——— 1805. 7. 8. H ♃
20 ciliàre DC. (*vi*) fringed ——— 1823. —— H ♃
21 viridiflòrum DC. (*pu*) green-flowered ——— 1787. 7. 9. H ♃ Pluk. alm. t. 308. f. 5.
22 lævigàtum DC. (*pu*) smooth-stalked ——— 1826. —— H ♃
23 bracteòsum DC. (*pu*) bracted ——— 1806. 7. 8. H ♃
24 cuspidàtum DC. (*pu*) sharp-pointed ——— —— —— H ♃
25 glabéllum DC. (*pu*) smooth ——— 1824. 7. 9. H ♃
26 panicalàtum DC. (*pu*) panicled ——— 1781. 7. 8. H ♃ Pluk. alm. t. 432. f. 6.
27 acuminàtum DC. (*pu*) glutinous ——— 1805. —— H ♃
Hedy'sarum glutinòsum W. *acuminàtum* Ph.
28 nudiflòrum DC. (*pu*) naked-flowered ——— 1823. —— H ♃
29 pauciflòrum DC. (*wh*) small-flowered ——— 1828. —— H ♃
30 rotundifòlium DC. (*pu*) round-leaved ——— 1733. —— H ♃
31 Aparìnes DC. (*li*) hairy-stalked Mexico 1820. 7. 9. S ♄
32 stipulàceum DC. (*pu*) stipulaceous ——— 1824. 7. 8. G ♃
33 cinèreum DC. (*pu*) white-branched ——— 1826. 7. 9. S ♄ H.etB.n.pl.am.6.t.599.
34 uncinàtum DC. (*vi*) uncinate Caracas 1823. 6. 7. S ♄ Jacq. schœnb. 3. t. 208.
35 incànum DC. (*pu*) hoary W. Indies 1820. 7. 8. S ♄ Plum.ed.Bur.t.149.f.1.
36 erythrinæfòlium DC. (*wh*) Erythrina-ld Trinidad —— —— S ♄

37	supìnum DC.	(*pu*) trailing	Jamaica	1820.	7. 8.	S	♄		Sloan. jam. 1. t. 118. f.
38	tortuòsum DC.	(*pu*) twisted-podded	———	1781.	——	S	♄		——— 1. t. 116. f.
39	adscéndens DC.	(*pu*) ascending	———	1820.	7. 9.	S	♄		H.etB.n.pl.am.6.t.52
40	mexicànum	(*bl*) Mexican	Mexico	——	11. 5.	S	♄		Bot. reg. 815.
	Hedy'sarum adscéndens β? cærùleum DC.								
41	trigònum DC.	(*li*) trigonal	Jamaica	1733.	7. 9.	S	♄		
42	spiràle DC.	(*wh*) spiral-podded	———	....	——	S	♄	◡	
43	ásperum DC.	(*pa*) harsh	.....	1820.	6. 8.	S	♄		
44	cæspitòsum DC.	(*bh*) tufted	Mauritius	——	——	S	♃		
45	mauritiànum DC.	(*wh*) creeping-rooted	———	1822.	7. 9.	S	♃		
46	Scálpe DC.	(*pu*) repand-leaved	Madagascar	1823.	7. 8.	S	♄		
	Hedy'sarum repándum Poir. *non* Vahl.								
47	diversifòlium DC.	(*li*) different-leav'd	———	1820.	——	S	♄		
48	spectábile	(*pu*) showy	Zanzibar	1825.	....	S	♄		
	Hedy'sarum spectábile Boj.								
49	triflòrum DC.	(*pu*) three-flowered	India	1796.	6. 7.	S	♃		Burm. ind. t. 54. f. 2.
50	heterophy'llum DC.	(*pu*) various-leav'd	Ceylon	1820.	——	S	♃		Burm. zeyl. t. 54. f. 1.
51	parvifòlium DC.	(*pu*) slender	Nepaul	1823.	7. 9.	S	♄		
	Hedy'sarum tenéllum DP. *non* Kth.								
52	Roxbúrghii	(*pu*) Roxburgh's	E. Indies	1825.	——	S	♄		
	diffùsum DC. p. 335. *non* p. 336.								
53	floribúndum DP.	(*pu*) abundant-fld.	Nepaul	1823.	——	S	♄		
54	retùsum D.P.	(*pu*) retuse-leaved	———	——	——	S	♄		
55	confértum DC.	(*li*) close-flowered	———	1826.	——	S	♄		
56	sambuénse D.P.	(*li*) villous-leaved	———	——	——	S	♄		
57	concínnum DC.	(*li*) neat	———	1823.	——	S	♄		
58	trichocaúlum DC.	(*vi*) hairy-stalked	———	1827.	——	S	♄		
59	Leschenaúltii DC.	(*li*) Leschenault's	E. Indies	——	——	S	♄		
60	capitàtum DC.	(*pu*) headed	Ceylon	——	7. 8.	S	♄		Burm. ind. t. 54. f. 1.
	Hedy'sarum cónicum Poir.								
61	láxum DC.	(*li*) loose	Nepaul	1828.	——	S	♄	◡	
62	tomentòsum DC.	(*wh*) woolly	China	1782.	6. 7.	G	♃		
63	rèpens DC.	(*pu*) creeping	W. Indies	1820.	——	S	♄		
64	malacophy'llum DC.	(*li*) soft-leaved	Manila	1822.	——	S	♃		
65	grandifòlium DC.	(*li*) large-leaved	E. Indies	——	——	S	♄		
66	serótinum DC.	(*pu*) late-flowering	N. America	1806.	8.10.	H	♃		
67	cephalòtes H.B.	(*li*) close-headed	E. Indies	1825.	6. 8.	S	♄		
68	altíssimum	(*pa*) tallest	———	——	....	S	♄		
69	heptaphy'llum	(*li*) seven-leaved	———	1820.	6. 8.	S	♄		
70	abyssìnicum DC.	(*li*) Abyssinian	Abyssinia	1802.	7.	S	♃		
71	bracteàtum H.B.	(*li*) bracted	E. Indies	1820.	7. 8.	S	♄		
72	rhomboídeum	(*pa*) rhomboid	———	——	7. 9.	S	♄		
	Hedy'sarum rhombifòlium H.B. non Elliot.								
73	orbiculàtum H.B.	(*li*) round-leaved	E. Indies	1818.	——	S	♄	◡	
74	recurvàtum H.B.	(*li*) recurved	———	1824.	——	S	♄		
75	divérgens H.B.	(*pa*) divergent	———	——	——	S	♄		
76	purpùreum H.B.	(*pu*) purple-flowered	———	1818.	6. 8.	S	♃		
77	pàtens H.B.	(*li*) spreading	———	1824.	——	S	♃		
78	arbòreum	.... tree	———	1818.	....	S	♄		
	Hedy'sarum arbòreum H.B.								
79	láeteum Boj.	(*st*) milk-coloured	Zanzibar	1825.	10.11.	S	♂		
80	Helsinbérgii Boj.	... Helsinberg's	Madagascar	——	....	S	♄		

DICE'RMA DC. DICE'RMA. (δις, twice, and ἕρμα, a prop; calyx by 2 bracteas.) Diad. Dec.

1	pulchéllum DC.	(*ye*) neat	E. Indies	1799.	7. 8.	S	♄		Burm. zeyl. t. 52.
	Hedy'sarum pulchéllum W. *Zórnia pulchélla* P.S. *Phyllòdium pulchéllum* Desv.								
2	élegans DC.	(*ye*) elegant	China	1826.	7. 8.	G	♄		
3	biarticulàtum DC.	(*ye*) two-jointed	E. Indies	1808.	——	S	♄		Burm. zeyl. t. 50. f. 2.
	Hedy'sarum biarticulàtum L.								

TAVERNIE'RA DC. TAVERNIE'RA. (J. B. Tavernier, trav. in Levant.) Diadelphia Decandria.

	nummulària DC.	(*ro*) money-wort	Levant	1826.	6. 7.	G	♄		DC. leg. mem. 7. t. 152.
	Hedy'sarum nummularifòlium DC.								

HEDY'SARUM DC. HEDY'SARUM. (ἡδυς, sweet, and αρωμα, perfume.) Diadelphia Decandria.

Sect. 1. ECHINOLO'BIUM; *joints of legumes villous, ribbed, muricated or glochidate in their disk*

1	grandifòlum DC.	(*st*) large-flowered	Iberia	1820.	6. 8.	H	♃		Pall. itin. 2. p. 743. t. 1.
	seríceum M.B. *Astrágalus grandifòrus* L.								
2	argénteum DC.	(*pu*) silvery	Siberia	1827.	——	H	♃		Gmel. sib. 4. t. 13.
3	cándidum DC.	(*pu*) silver-leaved	———	1796.	7. 8.	H	♃		
4	spléndens DC.	(*pa*) glossy-leaved	———	1828.	——	H	♃		
5	pállidum DC.	(*pa*) pale-flowered	Barbary	1811.	——	H	♃		

6 coronàrium DC.	(sc) F. Honeysuckle	Italy	1596.	6. 8.	H	♂	Gært. fruct. 2. t. 155.
α *coccíneum*	(sc) *scarlet-flowered*	———	——	——	H	♂	
β *álbum*	(wh) *white-flowered*	———	——	——	H	♂	
7 carnòsum DC.	(ro) fleshy	Barbary	1820.	7. 8.	H	♃	Desf. atl. 2. t. 200.
8 hùmile DC.	(pu) dwarf	Spain	1640.	——	H	♃	J. Bauh. his. 2. p. 336. f. 1.
9 spinosissimum DC.	(pu) thorny	———	1731.	——	H	⊙	Pluk. alm. t. 50. f. 2.
10 capitàtum DC.	(ro) headed	Barbary	....	——	H	♃	Bot. mag. 1251.
11 flexuòsum DC.	(pu) wave-podded	Asia	1680.	——	H	⊙	Schk. hand. 2. t. 207.
12 cárneum DC.	(fl) flesh-coloured	Siberia	1818.	——	H	♃	Lodd. bot. cab. 312.
13 elongàtum F.	(pu) long-stalked	Russia	1823.	6. 8.	H	♃	——— t. 1401.
14 lasiocárpum DC.	(pu) woolly-podded	Altaia	1824.	——	H	♃	
15 negléctum DS.	(ro) neglected	———	1837.	——	H	♃	Led. ill. t. 482.
lasiocárpum Led.							
16 setígerum Turcz.	(ro) setigerous	Siberia	——	——	H	♃	
17 taúricum DC.	(ro) Taurian	Tauria	1804.	7. 8.	H	♃	Bieb. cent. 2. t. 85.
ròseum Bot. mag. t. 996. *non* DC.							
18 ròseum DC.	(ro) rose-coloured	Siberia	1803.	——	H	♃	
19 polymórphum DS.	(ro) polymorphous	Altaia	1828.	6. 7.	H	♃	
β *prostràtum*	(ro) *prostrate*	———	——	——	H	♃	
ròseum Steph.							
γ *adscéndens* Led.	(ro) *ascending*	———	——	——	H	♃	Led. ill. t. 51.
rytidocárpum DC.							
δ *suberéctum* Led.	(ro) *erectish*	———	——	——	H	♃	
Gmelini Led. *Altàicum* DC.							
20 venústum DC.	(pu) handsome	———	——	——	H	♃	
21 fruticòsum DC.	(li) shrubby	Siberia	1782.	——	H	♄	Pall. it. 3. t. 5. f. 1.
22 ibéricum DC.	(li) Iberian	Iberia	1824.	6. 8.	H	♃	
23 Razoumowiànum DC.	(li) net-podded	Scythia	1828.	——	H	♃	
24 cretàceum DC.	(pu) slender-spiked	Volga	1818.	——	H	♃	

Sect. 2. LEIOLO'BIUM; *joints of legume smooth and glabrous.*

25 consanguíneum DC.	(pu) related	Altay	1818.	6. 8.	H	♃	
26 obscùrum DC.	(pu) creeping-rooted	Europe	1640.	7. 8.	H	♃	Bot. mag. 282.
27 brachysèmum DC.	(pu) short-lipped	Altay	1820.	——	H	♃	Gmel. sib. 4. t. 10.
28 sibíricum DC.	(pu) Siberian	Siberia	1798.	6. 7.	H	♃	Lam. ill. t. 628. f. 3.
29 alpìnum W.	(pu) Alpine	———	——	——	H	♃	Bot. mag. 2213.
30 caucásicum DC.	(pu) Caucasean	Caucasus	1824.	6. 8.	H	♃	
31 argyrophy'llum F.	(pu) silvery-leaved	Altay	1827.	——	H	♃	

ONOBRY'CHIS DC. SAINTFOIN. (*ovos*, an ass, and βρυχω, to gnaw; good for.) Diadel. Decand.

Sect. 1. EUBRY'CHIS; *legume oblique, wrinkled or prickly on the disks, and toothed or interruptedly crested on the back.*

1 sativa DC.	(ro) common	Britain	....	6. 7.	H	♃	Eng. bot. v. 2. t. 96.
Hedy'sarum Onobry'chis Jacq. aust. t. 352.							
2 tanaítica F.	(ro) spreading	Siberia	1823.	——	H	♃	
3 carpáthica DC.	(ro) Carpathian	Carp. Mount.	1818.	——	H	♃	
4 incurváta DC.	(ro) incurved	.....	1826.	——	H	♃	
5 montàna DC.	(pu) mountain	Pyrenees	1816.	——	H	♃	
6 conférta DC.	(pu) close-flowered	Caucasus	1827.	6. 8.	H	♃	
7 procúmbens DC.	(ro) procumbent	Iberia	1823.	——	H	♃	
8 supìna DC.	(ro) trailing	S. Europe	1816.	——	H	♃	
9 glàbra DC.	(ro) smooth	Tauria	1829.	——	H	♃	
10 arenària DC.	(ro) sand	Hungary	1818.	——	H	♃	
11 mareótica DC.	(ro) villous-calyxed	Siberia	1829.	——	H	♃	
12 álba DC.	(wh) white-flowered	Hungary	1804.	7. 8.	H	♃	W. et. K. hung. 2. t. 111.
13 petræ'a DC.	(wh) stone	Caucasus	1818.	6. 8.	H	♃	
14 echinàta DS.	(pk) echinated	Calabria	1831.	6. 7.	H	♃	
Hedy'sarum echinàtum Guss.							
15 crinìta DC.	(li) haired	Levant	1837.	——	H	♃	
16 grácilis DC.	(li) slender	Poland	1828.	6. 8.	H	♃	
17 saxátilis DC.	(wh) rock	S. France	1790.	——	H	♃	All. ped. 1191. t. 19. f. 1.
18 Càput-gálli DC.	(vi) Cock's-head	S. Europe	1731.	7. 8.	H	♃	Lobel. ic. 2. p. 81. f. 1.
19 Crista-gálli DC.	(vi) Cock's-comb	———	1710.	6. 8.	H	⊙	Gært. fruct. 2. t. 148.
20 foveolàta DC.	(vi) Sicilian	Sicily	1828.	——	H	⊙	
21 æquidentàta DC.	(re) equal-toothed	Levant	1823.	——	H	⊙	Desv. j. bot. 1. t. 23.

Sect. 2. HYMENOBRY'CHIS; *legumes falcate, wrinkled or prickly on the disks, expanded into a membranous entire or denticulated crest on the back.*

22 Pallàsii DC.	(st) Pallas's	Tauria	1823.	6. 8.	H	♃	Bieb. pl. ros. 1. t. 35.
Buxbaumiàna S.S. *Hedy'sarum Pallàsii* W. Buxb. cent. 2. t. 42.							
23 heterophy'lla DS.	(ye) variable-leaved	Caucasus	1836.	——	H	♃	

24	radiàta DC.	(*st*) rayed	Caucasus	1823.	7. 9.	H	♃	Desf. an. mus. 12. t. 1.
	Hedy'sarum Buxbaúmii M.B.							
25	Michaúxii DC.	(*pa*) Michaux	Levant	1820.	6. 8.	H	♃	Buxb. cent. 2. t. 42.
26	ptolemàica DC.	(*ye*) striped-flowered	Egypt	1829.	7. 9.	H	♃	Delil. fl. eg. t. 39. f. 1.

Sect. 3. DENDROBRY'CHIS; *legumes smooth, unarmed, and crestless; shrubby.*

27	cornùta DC.	(*pu*) horned	Caucasus	1816.	6. 8.	F	♄	

ELEIO'TIS DC. ELEIO'TIS. (ἐλειος, a dormouse, and ους, an ear.) Diadelphia Decandria.

1	monophy'lla DC.	(*li*) simple-leaved	E. Indies	1820.	4. 8.	S	♃	Burm. ind. t. 50. f. 2.
2	soròria DC.	(*bh*) ternate-leaved	———	——	——	S	♃	Desv. j. bot. 3. t. 6. f. 2.
	Hedy'sarum soròrium L.							

LESPEDE'ZA DC. LESPEDE'ZA. (Lespedez, once Governor of Florida.) Diadelphia Decandria.

1	júncea DC.	(*wh*) slender-branch'd	Siberia	1776.	7. 8.	G	♄	Linn. f. dec. 1. t. 4.
	Hedy'sarum júnceum L. *Anthy'llis cuneàta* Dum. Cours.							
2	reticulàta DC.	(*pu*) netted	N. America	1823.	7. 8.	H	♃	
3	sessiliflòra DC.	(*pu*) sessile-flowered	———	....	——	H	♃	
4	eriocárpa DC.	(*vi*) woolly-podded	Nepaul	1812.	7. 9.	G	♄	
5	frutéscens DC.	(*pu*) frutescent	Carolina	1739.	——	G	♄	Jacq. vind. 3. t. 89.
6	capitàta DC.	(*li*) headed	N. America	1789.	6. 8.	H	♃	
7	angustifòlia DC.	(*li*) narrow-leaved	Carolina	1827.	——	H	♃	
8	Stùvei DC.	(*pu*) Stuve's	New Jersey	1823.	7. 9.	H	☉	
9	polystàchya DC.	(*wh*) hairy	N. America	1789.	6. 8.	H	♃	Mich. amer. 2. t. 40.
	Hedy'sarum hírtum W.							
10	villòsa DC.	(*wh*) villous	———	1812.	——	H	♃	
11	violàcea DC.	(*vi*) violet-coloured	———	1789.	7. 8.	H	♃	
12	divérgens DC.	(*vi*) divergent	———	1827.	——	H	♃	
13	procúmbens DC.	(*pu*) procumbent	———	1812.	——	H	♃	Mich. amer. 2. t. 39.
14	prostràta DC.	(*pu*) prostrate	———	1818.	——	H	♃	

E'BENUS DC. E'BENUS. (ἔβενος, ebony.) Monadelphia Decandria.

1	crética DC.	(*bh*) Cretan	Crete	1737.	6. 7.	F	♄	Swt. br. fl. gard. s. 2. t. 293.
	Anthy'llis crética Lam.							
2	pinnàta DC.	(*pi*) wing-leaved	Barbary	1786.	7. 8.	G	♂	Desf. ac. par. 1. t. 3.
	Anthy'llis sericea W.							
3	Sibthórpii DC.	(*pi*) Sibthorp's	Greece	1826.	——	G	♂	DC. leg. mem. t. 53.

FLEMI'NGIA DC. FLEMI'NGIA. (John Fleming, M.D., an acute bot.) Diadelphia Decandria.

Sect. 1. FLEMINGIA'STRUM; *leaves trifoliate; leaflets sessile; flowers naked or propped by small bracteas.*

1	strícta DC.	(*re*) straight	E. Indies	1798.	7. 9.	S	♄	Roxb. corom. 3. t. 248.
2	semialàta DC.	(*ro*) winged	Nepaul	1805.	7. 8.	S	♄	——— 3. t. 249.
3	congésta DC.	(*re*) crowded-spiked	E. Indies	1802.	7. 9.	S	♄	
4	nàna DC.	(*re*) dwarf	———	1804.	8. 9.	S	♄	
5	lineàta DC.	(*re*) branch-spiked	———	1793.	7. 8.	S	♄	Burm. ind. t. 53. f. 1.
6	angustifòlia DC.	(*re*) narrow-leaved	———	1812.	7. 9.	S	♄	
7	procúmbens DC.	(*re*) procumbent	———	1816.	8.	S	♄	
8	prostràta DC.	(*re*) prostrate	China	1820.	7. 9.	S	♄	

Sect. 2. OSTRYO'DIUM; *leaves simple; flowers furnished with a large leafy persistent common bractea each.*

9	strobilífera DC.	(*wh*) Beech-leaved	E. Indies	1787.	7. 9.	S	♄	Bot. reg. 617.
	Hedy'sarum strobilíferum L. *Zórnia strobilífera* P.S.							

Subtribe III. *ALHA'GEÆ.* DC. *prodr.* 2. *p.* 352.

ALHA'GI DC. ALHA'GI. (Arabic name of one species.) Diadelphia Decandria.

1	maurórum DC.	(*re*) Levant	Levant	1714.	7. 8.	G	♄	Tourn. cor. 54. t. 139.
	Hedy'sarum Alhàgi L. *mannífera* Dv. *Mánna hebràica* D.D.							
2	camelòrum DC.	(*re*) Caspian	Caucasus	1824.	7. 8.	H	♃	

ALYSICA'RPUS DC. ALYSICA'RPUS. (αλυσις, a chain, and καρπος, a fruit; jointed.) Diad. Dec.

1	bupleurifòlius DC.	(*li*) Bupleurum-ld.	E. Indies	1793.	7. 8.	S	♂	Bot. mag. 1722.
	Hedy'sarum bupleurifòlium Roxb. corom. 2. t. 194.							
2	vaginàlis DC.	(*pu*) sheathed	E. Indies	1790.	7. 8.	S	☉	Burm. zeyl. t. 49. f. 1.
3	nummularifòlius DC.	(*pu*) money-wort	———	1777.	7. 9.	S	☉	Petiv. gaz. t. 26. f. 1.
4	monílifer DC.	(*pu*) neck-lace	———	1824.	——	S	♃	Burm. ind. t. 52. f. 3.
5	glumàceus DC.	(*vi*) rugged-podded	Arabia	——	——	G	♃	
6	styracifòlius DC.	(*pu*) Storax-leaved	E. Indies	1796.	——	S	♄	
	Hedy'sarum styracifòlium L.							

BREMONTIERA DC. Bois-de-sable. (M. Bremontier, a French agric. writer.) Diad. Decan.

Ammóxylon DC.	(*pu*)	sand-wood	Mauritius	1826.	....	S	♄
Hedysarum ammóxylon S.S.							

Tribe IV. *VICIE'Æ.* DC. prod. 2 p. 353.

CICER DC. Chick-pea. (*κικυς*, strength; Cicer. had their name from pulse.) Diad. Dec.

arietinum DC.		common	S. Europe	1548.	7. 8.	H	☉	Bot. mag. 2274.
songáricum DC.		large-flowered	Persia	1828.	——	H	☉	DC. leg. mem. t. 54.

FABA DC. Bean. (*φαγω*, to eat; esculent seeds.) Diadelphia Decandria.

vulgàris DC.	(*wh.bk*)	common	Egypt	....	5. 8.	H	☉	Tourn. inst. t. 222.
α *equina*	(*wh.bk*)	*Horse*	———	....	——	H	☉	
β *pre'cox*	(*wh.bk*)	*Mazagon*	———	....	——	H	☉	
γ *ensifórmis*	(*wh.bk*)	*long-pod*	———	....	——	H	☉	
δ *albiflòra*	(*wh*)	*white blossomed*	———	....	——	H	☉	
ε *purpùrea*	(*pu*)	*purple-flowered*	———	....	——	H	☉	
ζ *macrospérma*	(*wh.bk*)	*broad Windsor*	———	....	——	H	☉	
η *chlorospérma*	(*wh.bh*)	*green Windsor*	———	....	——	H	☉	

VICIA DC. Vetch. (*vincio*, to bind; by tendrils.) Diadelphia Decandria.

§ 1. *Peduncles elongated, many-flowered; flowers secund.*

1 pisifórmis DC.	(*st*)	Pea-shaped	S. Europe	1739.	7. 8.	H	♃	Jacq. aust. 4. t. 364.
2 amœ'na DC.	(*pu*)	beautiful	Siberia	1829.	——	H	♃	Gmel. sib. 4. n. 11. t. 32
3 carolinìana DC.	(*wh*)	Carolina	Carolina	——	——	H	♃	
4 dumetòrum DC.	(*vi*)	great-wood	France	1752.	5. 7.	H	♃	Sturm. deuts. 1. fas. 31.
5 dentàta F.	(*vi*)	toothed	Russia	1818.	6. 7.	H	♃	
6 sylvática DC.	(*wh.vi*)	wood	Britain	....	7. 8.	H	♃	Eng. bot. 2. t. 79.
7 americàna DC.	(*vi*)	American	N. America	1818.	——	H	♃	
8 variegàta DC.	(*v*)	variegated	Caucasus	1829.	——	H	♃	Desf. cor. p. 80. t. 66.
9 purpùrea DC.	(*pu*)	purple	Tauria	1827.	——	H	♃	
10 alpéstris DC.	(*pu*)	alpine	———	1828.	——	H	♃	
11 cassùbica	(*vi*)	Cassubian	Germany	1711.	6. 7.	H	♃	Sturm deuts. 1. fas. 31.
12 abbreviàta DC.	(*vi*)	abbreviated	Caucasus	1818.	——	H	♃	
13 cinèrea DC.	(*pa.bl*)	ash-coloured	Tauria	1829.	——	H	♃	
14 Cracca DC.	(*vi*)	tufted	Britain	....	7. 9.	H	♃	Eng. bot. 17. t. 1168.
15 Bivònea DC.	(*ro*)	Bivoni's	Sicily	1828.	——	H	♃	
16 Gerárdi DC.	(*vi*)	Gerard's	S. Europe	1711.	6. 7.	H	♃	Jacq. aust. t. 229.
17 pseudocracca DC. *tenuifòlia* Tenore *non* Roth.	(*vi*)	slender-leaved	Italy	1824.	7. 9.	H	☉	
18 microphy'lla DC.	(*li*)	small-leaved	Archipelago	1828.	6. 8.	H	♃	
19 polyphy'lla DC.	(*li*)	many-leaved	Algiers	1823.	——	H	♃	
20 tenuifòlia DC.	(*vi*)	slender-leaved	Germany	1799.	6. 7.	H	♃	Sturm. deuts. 1. fas. 31.
21 multicaúlis Led.	(*bl.vi*)	many-stemmed	Altaia	1837.	5. 6.	H	♃	Led. ill. t. 50.
22 consentina DC.	(*bl*)	straw-coloured	Naples	1824.	6. 7.	H	♃	
23 capénsis DC.	(*pu*)	Cape	C. B. S.	1802.	6. 8.	G	♃	
24 canéscens DC.	(*bl*)	hoary	Libanus	1800.	——	H	☉	Labil. dec. syr. 1. t. 7.
25 ochroleùca DC.	(*st*)	sulphur-colored	Italy	1824.	——	H	♃	
26 punctàta DC.	(*pu*)	spot-leaved	Switzerland	1826.	——	H	☉	
27 onobrychioìdes DC.	(*pu*)	Saintfoin-like	Europe	1789.	——	H	☉	Sturm deuts. 1. fas. 31.
28 atropurpùrea DC.	(*d.pu*)	dark-purple	Algiers	1815.	——	H	☉	Bot. reg. t. 871.
29 benghalénsis DC.	(*sc*)	Bengal	E. Indies	1792.	7. 9.	H	☉	Herm. lugd. t. 625.
30 perénnis DC.	(*pu*)	perennial	S. Europe	1820.	6. 8.	H	♃	
31 longifòlia DC.	(*st*)	long-leaved	Syria	1824.	——	H	♃	
32 argéntea DC.	(*ro*)	silvery	Pyrenees	1829.	——	H	♃	
33 villòsa DC.	(*pu*)	villous	Germany	1815.	——	H	☉	Sturm deuts. 1. fas. 31.
34 dispérma DC.	(*li*)	two-seeded	S. France	1826.	——	H	☉	
35 trichocàlyx DS.	(*wh*)	hairy-calyxed	Sardinia	1836.	——	H	☉	
36 altìssima DC.	(*bl*)	tallest	Barbary	1820.	——	H	♃	
37 polyspérma DS.	(*pa.bl*)	many-seeded	Naples	1830.	——	H	♃	Swt. br. fl. gar. s. 2. t. 274.
38 biénnis DC.	(*vi*)	biennial	Siberia	1753.	7. 9.	H	♂	Gmel. sib. 4. t. 2.
39 Nissolìana DC.	(*re*)	red-flowered	Levant	1773.	6. 7.	H	☉	
40 pellùcida DC.	(*pu*)	pellucid	C. B. S.	1812.	6. 8.	G	♃	Jacq. schœnb. 2. t. 222.

41	biflòra DC.	(*bl*) two-coloured	Algiers	1801.	6. 8.	H	⊙	Desf. atl. 2. t. 197.
	§ 2. *Flowers pedunculate, solitary.*							
42	calcaràta DC.	(*pu*) spurred	———	1790.	7. 9.	H	⊙	
	monántha W.							
43	bithy'nica DC.	(*pu.wh*) Bithynian	Britain	....	7. 8.	H	♃	Eng. bot. 1842.
44	syrìaca DC.	(*vi*) Syrian	Syria	1822.	——	H	⊙	
	§ 3. *Flowers nearly sessile, solitary or twin.*							
45	pimpinelloìdes DC.	(*pu*) Pimpinella-like	Rome	——	6. 9.	H	⊙	
46	satìva DC.	(*pu*) common	Britain	....	5. 7.	H	⊙	Eng. bot. 5. t. 334.
	α nemoràlis P.S.	(*pu*) *wood*	———	....	——	H	⊙	Sturm deuts. 1. fas. 31.
	β segetàlis DC.	(*pu*) *hedge*	———	....	——	H	⊙	Eng. bot. 5. t. 334.
47	leucospérma L.en.	(*wh*) white-seeded	.....	....	——	H	⊙	
48	glàbra DC.	(*pu*) glabrous	Switzerland	1819.	——	H	⊙	
49	Bobárti DS.	(*pu*) Bobart's	Britain	....	——	H	⊙	Eng. bot. t. 2708.
	angustifòlia Smith. eng. fl. *lathyroìdes* Dicks.							
50	Rothamagénsis Pers	(*pu*) Rouen	France	1836.	——	H	⊙	
51	angustifòlia W. en.	(*pu*) narrow-leaved	Europe	....	——	H	⊙	Sturm deuts. 1. fas. 31.
52	megalospérma W.en.	(*pu*) large-seeded	Tauria	1798.	6. 8.	H	⊙	
53	incìsa DC.	(*pu*) cut-leaved	———	1829.	——	H	⊙	
54	rèpens DC.	(*pu*) creeping	Archipelago	1828.	——	H	♃	
55	canadénsis DC.	(*li*) Canadian	Canada	——	——	H	⊙	
56	globòsa DC.	(*bl*) globular	.....	1804.	——	H	⊙	
57	cordàta DC.	(*pu*) heart-leaved	Germany	1828.	——	H	⊙	Sturm deuts. 1. fas. 32.
58	pilòsa DC.	(*pu*) pilose	Tauria	1820.	——	H	⊙	
59	peregrìna DC.	(*pu*) broad-podded	S. Europe	1779.	7. 8.	H	⊙	Sturm deuts 1. fas. 32.
60	Michaúxii DC.	(*wh*) Michaux's	.....	1803.	——	H	⊙	
61	amphicárpa DC.	(*pu*) subterraneous	S. France	1815.	——	H	⊙	Ger. m. an. 6. v. 3. p. 344.
62	lathyroìdes DC.	(*pu*) spring	Britain	....	4. 6.	H	⊙	Eng. bot. 1. t. 30.
63	lævigàta DC.	(*br*) smooth-podded	England	....	7. 9.	H	♃	——— 7. t. 483.
64	dùbia DC.	(*pu*) doubtful	.....	1827.	——	H	♃	
65	lùtea DC.	(*ye*) yellow-flowered	Britain	....	6. 8.	H	♃	Eng. bot. 7. t. 481.
66	hírta P.S.	(*wh*) hairy	France	1820.	——	H	♃	
67	hy'brida DC.	(*st*) hairy-flowered	England	....	——	H	♃	Eng. bot. 7. t. 482.
68	hyrcánica F.M.	(*ye*) Hyrcanean	Caucasus	1836.	——	H	⊙	
	Biebersteínii C. Meyer. not DC.							
69	spùria DC.	(*st*) spurious	Sicily	1826.	——	H	♃	
70	grandifòra DC.	(*ye*) large-flowered	Switzerland	1823.	——	H	♂	Scop. fl. carn. 2. t. 42.
71	sórdida DC.	(*ye*) large-yellow	Hungary	1802.	——	H	⊙	W. et K. hung. 2. t. 134.
72	bícolor DC.	(*v*) two-coloured	.....	1818.	——	H	♃	
73	Biebersteínii DC.	(*ye*) Bieberstein's	Poland	1823.	——	H	♃	
74	trícolor DC.	(*ye.pu*) three-coloured	Naples	1827.	——	H	⊙	Seb. et Maur. pr. rom. t. 4.
75	Bàcla DC.	(*pu*) Bacla	.....	....	——	H	⊙	
76	pícta DC.	(*var*) painted	.....	....	——	H	⊙	
	§ 4. *Flowers nearly sessile, 2 or 4 together.*							
77	sèpium DC.	(*pu*) bush	Britain	....	5. 6.	H	♃	Eng. bot. 22. t. 1515.
78	pannónica DC.	(*wh*) Hungarian	Hungary	1658.	6. 7.	H	⊙	Jacq. aust. 1. t. 34.
79	pyrenàica DC.	(*pu*) Pyrenean	Pyrenees	1828.	——	H	⊙	DC. ic. rar. 1. t. 33.
80	striàta M.B.	(*std*) striped	Tauria	1824.	——	H	⊙	
81	truncátula DC.	(*st*) truncate-leaved	Caucasus	1828.	6. 8.	H	⊙	
	§ 5. *Leaves broad, resembling those of the Bean.*							
82	narbonénsis DC.	(*d.pu*) broad-leaved	France	1596.	——	H	⊙	Roth. abhand. 10. t. 2.
83	serratifòlia W.	(*pu*) saw-leaved	Hungary	1723.	——	H	⊙	Sturm fl. germ. 1. fas. 32.
84	monadélpha DC.	(*pu*) monadelphous	America	1820.	——	H	♂	
85	platycárpos DC.	(*pu*) flat-podded	Germany	1723.	——	H	⊙	Roth. abhand. 10. t. 1.
	† *Species not sufficiently known.*							
86	dasycárpa Len.	thick-fruited	Naples	1837.	6. 8.	H	♃	
87	pseúdo-órobus Fish.	false orobus	Siberia?	——	——	H	♃	
88	occúlta Lehm.	hidden	Europe?	——	——	H	⊙	

E'RVUM DC. TARE. (*erw*, in Celtic, tilled land; pest in.) Diadelphia Decandria.

Sect. 1. LE'NS; *legumes rather inflated, broad-oblong, 2-seeded.*

1	Léns DC.	(*pa*) Lentil	France	1548.	5. 7.	H	⊙	Sturm fl. germ. 1. fas. 2.
	Cicer Léns W. *Léns esculénta* Mœnch.							
2	nígricans DC.	(*pa*) dark-seeded	Tauria	1823.	6. 7.	H	⊙	
	lentoìdes T.P.							
3	lentícula DC.	(*bl*) one-flowered	Carinthia	1824.	6. 8.	H	⊙	Sturm fl. germ. 1. fas. 2
	soloniénse Schrank pl. rar. t. 48. *unifìorum* Seb. rom. pl. fas. 2. t. 4.							
4	Hohenackèri F.M.	(*li*) Hohenacker's	Caucasus	1830.	6. 8.	H	⊙	
5	hirsùtum DC.	(*pu.wh*) hairy	Britain	....	6. 7.	H	⊙	Eng. bot. 14. t. 970
6	dispérmum S.S.	(*li*) two-seeded	E. Indies	1824.	6. 8.	H	⊙	

7 camelòrum s.s. (*li*) broad-podded ..... 1824. 6. 8. H ⊙
8 péndulum s.s. (*li*) pendulous-podd'dE. Indies 1828. —— H ⊙
Sect. 2. ERVI'LIA; *legume rather inflated, oblong-linear, 4-6-seeded.*
9 Ervília DC. (*pu*) officinal S. Europe 1596. 6. 8. H ⊙ Sturm fl. ge. 1. fas. 32. ic.
Ervília sativa. L. en. *Vìcia Ervília* W.
10 monánthos DC. (*li*) single-flowered ——— 1790. 7. 8. H ⊙ Sturm fl. ge. 1. fas. 32. ic.
Vìcia articulàta W. *Láthyrus monánthos* W. en.
11 agrigentìnum DC. (*li*) Sicilian Sicily 1827. —— H ⊙
12 tetraspérmum DC. (*li*) four-seeded Britain .... 6. 8. H ⊙ Eng. bot 17. t. 1223.
13 grácile DC. (*li*) slender S. Europe 1823. —— H ⊙ Lois. fl. gal. t. 12.
tenuissimum P.S. *longifòlium* T.N. *Vìcia laxiflòra* Brot. phyt. t. 54.
14 pubéscens DC. (*li*) pubescent S. Europe 1828. 6. 8. H ⊙
15 Loiseleùrii DC. (*li*) Loiseleur's Tauria —— —— H ⊙
16 diphy'llum DC. (*li*) two-leaved ..... —— —— H ⊙

PISUM DC. PEA. (*pis*, Celtic, a pea; hence *pisum* in Latin.) Diadelphia Decandria.
1 sativum DC. (*wh*) cultivated S. Europe .... 5.10. H ⊙ ◡ Lam. ill. t. 633.
α *saccharàtum* DC. (*wh*) *sugar* ——— .... —— H ⊙ ◡ Tourn. inst. t. 215.
β *macrocárpon* DC. (*wh*) *marrowfat* ——— .... —— H ⊙ ◡
γ *víride* (*wh*) *green-marrowfat* ——— .... —— H ⊙ ◡
δ *rugòsum* (*wh*) *Knight's marrowfat* —— .... —— H ⊙ ◡
ε *chlorospérmum* (*wh*) *green rouncival* ——— .... —— H ⊙ ◡
ζ *cærulèscens* (*wh*) *blue Prussian* ——— .... —— H ⊙ ◡
η *prolíficum* (*wh*) *prolific* ——— .... —— H ⊙ ◡
θ *præcox* (*wh*) *early Charlton* ——— .... —— H ⊙ ◡
ι *uniflòrum* (*wh*) *early frame* ——— .... —— H ⊙ ◡
κ *humile* (*wh*) *dwarf* ——— .... —— H ⊙ ◡
λ *umbellàtum* DC. (*pi*) *rose or crown* ——— .... —— H ⊙ ◡ Tabern. icon. t. 495.
μ *quadràtum* DC. (*pu*) *grey or swine's* ——— .... —— H ⊙ ◡
2 elàtum DC. (*pa.pu*) upright Iberia 1827. 6.10. H ⊙ ◡
3 arvénse DC. (*pu*) field Europe .... 6. 9. H ⊙ ◡ Moris. his. 2. s. 2. t. 1. f. 4.
4 marítimum DC. (*pu*) sea England .... 7. 8. H ♃ ◡ Eng. bot. 15. t. 1046.
5 americànum DC. (*pu*) American America .... —— H ⊙ ◡
6 Jomárdi DC. (*wh*) angular-stalked Egypt 1818. 6. 9. H ⊙ ◡
7 thebàicum DC. (*wh*) short-peduncled ..... —— —— H ⊙ ◡

LATHYRUS DC. LA'THYRUS. (*la*, augment. and θουρος, exciting.) Diadelphia Decandria.
Sect. 1. EULA'THYRUS; *vexillum toothless at the base; petioles winged.*
§ 1. *Peduncles many-flowered; perennial.*
* *Leaves with only one pair of leaflets.*
1 sylvéstris DC. (*pu*) wood Britain .... 7. 8. H ♃ ◡ Eng. bot. v. 12. t. 805.
2 intermèdius DC. (*ro*) intermediate N. Europe 1818. —— H ♃ ◡ Flor. dan. t. 785.
3 magellánicus DC. (*bl*) Lord Anson's Pea Cape Horn 1744. 6. 8. H ♄ ◡ Swt. br. fl. gar. s. 2. t. 344.
armitageànus Wesm. Maund. bot. gard. t. 526.
4 purpùreo-cœrùleus K.W. (*pu.bl*) purple-blue Brasil 1836. 8. 9. F ♄ ◡ Flor. cab. 2. p. t. 117.
5 latifòlius DC. (*ro*) everlasting Pea England .... 7. 9. H ♃ ◡ Eng. bot. v. 16. t. 1108.
β *albiflòrus* (*wh*) *white-flowered* .... —— H ♃ ◡
6 rotundifòlius DC. (*ro*) round-leaved Tauria 1822. —— H ♃ ◡ Bieb. cent. 1. t. 22.
7 decaphy'llus Ph. (*re.li*) ten-leaved N. America 1829. 6. H ♃ ◡ Bot. mag. t. 3123.
β *ellípticus* D. Don. (*cr*) *elliptic* Georgia .... —— H ♃ ◡ Swt. br. fl. gar. s. 2. t. 333.
8 pratènsis DC. (*ye*) meadow Britain .... 6. 8. H ♃ ◡ Eng. bot. v. 10. t. 670.
9 tuberòsus DC. (*ro*) tuberous-rooted Europe 1596. 7. 8. H ♃ ◡ Bot. mag. 111.
10 ròseus DC. (*ro*) rose-coloured Iberia 1828. —— H ♃ ◡
11 grandiflòrus DC. (*pu*) large-flowered Italy 1814. 6. 9. H ♃ ◡ Bot. mag. t. 1938.
** *Leaves with 2, 3, 4, or more pairs of leaflets.*
12 pisifórmis DC. (*std*) Siberian Siberia 1759. 6. 8. H ♃ ◡ Linn. fil. dec. t. 20.
13 mutábilis B.F.G. (*std*) changeable ——— 1825. —— H ♃ ◡ Swt. br. fl. gar. t. 194.
14 venòsus DC. (*pu*) veined N. America 1823. 7. 8. H ♃ ◡
15 califórnicus B.R. (*pu*) Californian California 1827. 6.10. H ♃ ◡ Bot. reg. 1144.
16 palústris DC. (*pu*) marsh Britain .... 7. 8. H ♃ ◡ Eng. bot. v. 3. t. 169.
17 altàicus DS. (*vi*) Altaian Altaia 1832. 6. 8. H ♃ ◡ Led. ill. t. 53.
18 myrtifolius DC. (*pu*) Myrtle-leaved N. America 1823. 7. 8. H ♃ ◡
19 polymórphus DC. (*pu*) variable Missouri —— —— H ♃ ◡
20 heterophy'llus DC. (*li*) various-leaved Europe 1731. 7. 9. H ♃ ◡ J. Bauh. his. 2. p. 304. f. 1.
21 stipulàceus DC. (*pu*) large-stipuled N. America 1827. —— H ♃ ◡
§ 2. *Peduncles 1-3-flowered; annual.*
* *Petioles leafless.*
22 A'phaca DC. (*st*) yellow-vetchling England .... 6. 7. H ⊙ ◡ Eng. bot. v. 17. t. 1167.
23 Nissòlia DC. (*cr*) crimson ——— .... 5. 6. H ⊙ ◡ ——— v. 2. t. 112.
** *Leaves with only one pair of leaflets.*
24 inconspícuus DC. (*pa*) small-flowered Levant 1739. 7. 8. H ⊙ ◡

25 sphæ'ricus DC. (*sc*) scarlet S. Europe 1800. 6. 7. H ⊙ ◡ DC. ic. rar. 1. t. 32.
coccíneus P.S. *axillàris* Lam. *inconspícuus* Jacq. vind. t. 86. *O'robus coccíneus* Lodd. b. cab. t. 883.
26 micránthus DC. (*pu*) small-blossom'd S. France .... 6. 7. H ⊙ ◡
27 angulàtus DC. (*pu*) angular-seeded S. Europe 1683. —— H ⊙ ◡ Buxb. cent. 3. t. 42. f. 2.
28 longepedunculàtus DC. (*pu*) long-stalk'd ..... 1824. 6. 9. H ⊙ ◡
29 leptophy'llus DC. (*pu*) slender-leaved Caucasus 1828. —— H ⊙ ◡
30 setifòlius DC. (*ro*) bristle-leaved S. Europe 1739. 6. 7. H ⊙ ◡ J Bauh. 2. p. 308. ic.
31 amphicárpos DC. (*li*) Earth Pea Levant 1680. 6. 9. H ⊙ ◡ Sweet br. fl. gar. 3. t. 236.
32 satìvus DC. (*bl.wh*) chickling-vetch S. Europe 1640. 6. 8. H ⊙ ◡ Jacq. f. eclog. t. 116.
α *cœrùleus* (*bl*) *blue-flowered* ——— —— —— H ⊙ ◡ Bot. mag. 115.
β *álbus* (*wh*) *white-flowered* ——— —— —— H ⊙ ◡
33 Cícera DC. (*pu*) flat-podded ——— 1633. —— H ⊙ ◡ Jacq. f. eclog. t. 115.
34 ánnuus DC. (*ye*) yellow-annual ——— 1621. —— H ⊙ ◡ Buxb. cent. 3. t. 42. f. 1.
35 hirsùtus DC. (*pu*) rough-podded England .... 7. 8. H ⊙ ◡ Eng. bot. v. 18. t. 1255.
36 hírtus DC. (*pu*) hairy ..... 1824. 7. 9. H ⊙ ◡
37 odoràtus DC. (*va*) Sweet Pea Sicily 1700. 6. 9. H ⊙ ◡ Bot. mag. t. 60.
α *purpùreus* DC. (*pu*) *dark-purple* ——— —— —— H ⊙ ◡ ——— t. 60.
β *rùber* (*re*) *red-flowered* ..... —— —— H ⊙ ◡
γ *ròseus* DC. (*ro*) *painted-lady* Ceylon —— —— H ⊙ ◡
δ *álbus* (*wh*) *white-flowered* ——— —— —— H ⊙ ◡
38 tingitànus DC. (*pu*) Tangier Pea Barbary 1680. —— H ⊙ ◡ Bot. mag. t. 100.
*** *Leaves with 2 or 3 pairs of leaflets.*
39 bithy'nicus DC. (*vi*) tumid-podded S. Europe 1816. 6. 8. H ⊙ All. ped. 1. t. 26. f. 2.
tùmidus W. *túrgidus* Lam. *Vícia bithy'nica* L.
40 ciliàtus DC. (*va*) ciliated Calabria 1832. 5. 7. H ⊙

Sect. 2. CLY'MENUM; *vexillum furnished with a conical gibbosity on each side at the base; lower petioles leafless; upper ones bearing* 2-6 *usually alternate leaflets.*

41 incúrvus DC. (*pu*) curve-podded Siberia 1802. 7. 8. H ♃ ◡ Roth. abh. 13. t. 4.
42 alàtus DC. (*pu*) wing-stalked Italy 1829. —— H ⊙ ◡
43 Cly'menum DC. (*re.bl*) various-flowered Levant 1713. 6. 7. H ⊙ ◡ Pluk. alm. t. 114. f. 6.
44 articulàtus DC. (*ro.wh*) joint-podded S. Europe 1640. 7. 9. H ⊙ ◡ Bot. mag. 258.
45 auriculàtus Bert. (*pu*) eared Italy 1820. 6. 8. H ⊙ ◡
46 spùrius DC. (*pu*) bastard ..... 1815. —— H ⊙ ◡
47 tenuifòlius DC. (*bl*) slender-leaved Algiers 1824. 6. 7. H ⊙ ◡
48 purpùreus DC. (*pu*) purple-flowered Levant 1826. 6. 8. H ♃ ◡ Desf. cor. p. 81. t. 61.
49 cornùtus DC. (*pu*) horned ..... 1824. —— H ⊙ ◡
50 aphy'llus (*pu*) leafless Smyrna 1828. 7. 8. H ⊙ ◡

O'CHRUS DS. YELLOW PEA. (ωχρος, yellow; flowers.) Diadelphia Decandria.
pállida DS. (*pa*) pale S. Europe 1633. 6. 7. H ⊙ Schk. hand. 2. t. 280.
Láthyrus òchrus DC.

PLATY'STYLIS B.F.G. PLATY'STYLIS. (πλατυς, broad, and στυλος, a style.) Diadelph. Decand.
1 cyànea B.F.G. (*bl*) blue-flowered Iberia 1826. 7. 8. H ♃ ◡ Swt. br. fl. gar. 3. t. 239.
2 stipulàcea DS. (*pu*) stipulaceous Siberia 1828. 5. 6. H ♃ Bot. mag. t. 2937.
Láthyrus stipulàceus B.M.
3 sessilifòlius B.F.G. (*pu*) sessile-leaved Levant 1824. 6. 8. H ♃ Buxb. cent. 2. t. 38.
O'robus sessilifòlius Bot. Mag. 2796. *digitàtus* M.B.

O'ROBUS DC. BITTER VETCH. (ορω, to excite, and βους, an ox.) Diadelphia Decandria.
§ 1. *Leaves with only one pair of leaflets.*
1 laxiflòrus DC. (*vi*) loose-flowered Candia 1820. 5. 7. H ♃ Desf. cor. t. 62.
2 hirsùtus DC. (*li*) hairy Levant 1818. 5. 6. H ♃ Swt. br. fl. gar. s. 2. t. 302.
3 formòsus DC. (*pu*) handsome Caucasus 1824. —— H ♃
4 lathyroìdes DC. (*bl*) upright Siberia 1758. 6. 7. H ♃ Bot. mag. t. 2098.
5 Fischèri B.F.G. (*d.pu*) Fischer's Siberia? 1827. —— H ♃ Swt. br. fl. gar. 3. t. 289.
§ 2. *Leaves with many pairs of broadish leaflets.*
6 vérnus DC. (*pu*) spring Europe 1629. 3. 4. H ♃ Bot. mag. t. 521.
7 venòsus DC. (*bl*) veined Siberia 1818. 5. 6. H ♃ Gmel. fl. sib. 4. t. 5.
8 alpéstris DC. (*pu*) alpine Hungary —— —— H ♃ W. et K. hung. 2. t. 1[illegible] 6.
9 multiflòrus DC. (*li*) many-flowered Italy 1824. 5. 7. H ♃
10 variegàtus DC. (*pu*) variegated Naples 1818. 5. 6. H ♃ Swt. br. fl. gar. s. 2. t. [illegible] 8.
11 vicioìdes DC. (*pu*) Vetch-like Hungary —— 6. 8. H ♃ W. et K. hung. 3. t. [illegible] 2.
Vícia oroboìdes W.K.
12 lùteus DC. (*ye*) yellow Siberia 1759. 6. 7. H ♃ Swt. br. fl. gar. s. 2. t. [illegible] 5.
13 Tournefórtii DC. (*pu*) Tournefort's Pyrenees 1821. —— H ♃ Lap. mem. mus. 2. t. [illegible] 0.
14 lævigàtus DC. (*ye*) smooth Hungary 1818. —— H ♃ W. et K. hung. 3. t. [illegible] 3.
15 auràntius DC. (*ye*) orange-colour'd Iberia 1824. 6. 8. H ♃ Swt. br. fl. gar. s. 2. t. [illegible] 8.
16 sylváticus DC. (*std*) wood Britain .... 6. 7. H ♃ Eng. bot. v. 8. t. 51[illegible]
17 ochroleùcus DC. (*st*) straw-coloured Hungary 1816. —— H ♃ W. et K. hung. 2. t. [illegible] 8.
18 Jordàni DS. (*bl*) Jordan's Naples 1830. 5. 6. H ♃

19 hùmilis DC.	(*pu*) humble	Siberia	1825.	7. 8.	H	♃		
Lathyrus humilis Fisch.								
20 niger DC.	(*pu*) black-rooted	Europe	1596.	5. 7.	H	♃		Bot mag. t. 2261.
21 erèctus DC.	(*pu*) upright	.....	1820.	6. 7.	H	♃		
22 tuberòsus DC.	(*pu*) tuberous-rooted	Britain	....	5. 6.	H	♃		Eng. bot. v. 17. t. 1153.
23 pyrenàicus L.	(*pu*) Pyrenean	Pyrenees	1699.	——	H	♃		Pluk. alm. t. 210. f. 2.
24 divaricàtus DS.	(*pu*) divaricate	————	1816.	5. 7.	H	♃		Lap. mem. mus. 2. t. 2.
25 tenuifòlius Roth.	(*pu*) slender-leaved	Germany	1818.	5. 6.	H	♃		
§ 3. *Leaves with many pairs of narrow leaflets.*								
26 vàrius DC.	(*v*) party-coloured	Italy	1759.	——	H	♃		Bot. mag. t. 675.
27 angustifòlius DC.	(*v*) narrow-leaved	Siberia	1766.	——	H	♃		Gmel. sib. 4. p. 14. t. 5.
28 canéscens DC.	(*bl.wh*) canescent	S. Europe	1823.	——	H	♃		Bot. mag. t. 3117.
29 pallèscens M.B.	(*wh*) pale-flowered	Tauria	1824.	——	H	♃		
30 ensifòlius DS.	(*wh*) sword-leaved	Pyrenees	....	——	H	♃		Lap. mem. mus. 2. t. 12.
31 àlbus DC.	(*wh*) white-flowered	Austria	1794.	——	H	♃		Swt. br. fl. gr. 1. t. 22.
pannónicus Jacq. aust. 1. t. 39.								
32 atropurpùreus DC.	(*d.pu*) dark-purple	Calabria	1826.	5. 6.	H	♃		Bot. reg. t. 1763.
33 saxàtilis DC.	(*pu*) rock	S. France	1823.	6. 8.	H	⊙		Venten. cels. t. 94.
34 longifòlius N.	(*li*) long-leaved	Missouri	1827.	——	H	♃		

Tribe V. *PHASEO'LEÆ.* DC. *prodr.* 2. *p.* 381.

A'BRUS DC. WILD LIQUORICE. (*αβρος*, soft; tender leaves.) Monadelphia Enneandria.

precatòrius DC.	(*ro*) common	India	1680.	3. 5.	S	♄	◡	Rheed. mal. 3. t. 39.
α *erythrospérma*	(*ro*) *red-seeded*	————	——	——	S	♄	◡	Rumph. amb. 5. t. 32.
β *melanospérma*	(*ro*) *black-seeded*	————	——	——	S	♄	◡	

SWEETIA DC. SWEE'TIA. (R. Sweet, F.L.S., bot. author.) Diadelphia Decandria.

1 longifòlia DC.	(*pu*) long-leaved	S. America	1824.	6. 7.	S	♄	◡	Jacq. ic. 3. t. 572.
Galèga longifòlia Jacq. *Tephròsia longifòlia* P.S.								
2 filifórmis DC.	(*pu*) slender	S. America	1826.	——	S	♄	◡	Jacq. ic. 3. t. 573.
3 lignòsa DC.	(*pu*) woody	Trinidad	1820.	....	S	♄	◡	
Gly'cine lignòsa P.S.								

MACRA'NTHUS DC. MACRA'NTHUS. (*μακρος*, long, and *ανθος*, a flower.) Diadelphia Decandria.

cochinchinénsis DC.	(*wh*) eatable-pod.	Cochinchina	1826.	6. 9.	H	⊙	◡	

WESTO'NIA S.S. WESTO'NIA. (Mr. Weston.) Monadelphia Decandria.

trifoliàta S.S.	(*st.re*) trifoliate	.....	1820.	6. 8.	S	⊙		
Róthia trifoliàta DC. *Gly'cine humifùsa* W. en.								

TERA'MNUS DC. TERA'MNUS. (*τεραμνος*, soft; pods and leaves.) Monadelphia Pentandria.

1 volùbilis DC.	(*re*) twining	Jamaica	1822.	7. 8.	S	♄	◡	
2 uncinàtus DC.	(*re*) hooked	————	——	——	S	♄	◡	Plum. ed. Burm. t. 221.

AMPHICARPÆ'A DC. AMPHICARPÆ'A. (*αμφι*, on both sides, and *καρπος*, a fruit.) Diadel. Pent.

1 monoíca DC.	(*pa*) pale-flowered	N. America	1781.	8. 10.	H	⊙	◡	Rœm. arch. 1. p. 3. t. 2.
2 comòsa Swt.	(*bl*) tufted	————	1812.	7. 9.	H	♃	◡	
Gly'cine comòsa Ph.								
3 sarmentòsa DC.	(*pa*) sarmentose	————	1805.	——	H	⊙	◡	Schk. bot. an. 12. t. 2.
Gly'cine sarmentòsa Ph. *monoíca* Schkuhr.								

HARDENBE'RGIA Hug. HARDENBE'RGIA. (Hardenberg, German bot.) Diadelphia Decandria.

1 monophy'lla Hug.	(*pu*) one-leav'd	N. S. W.	1790.	3. 8.	G	♄	◡	Vent. malm. t. 106.
Kennèdya monophy'lla DC. *Gly'cine bimaculàta* Bot. mag. t. 263.								
β *longeracemòsa* B.M.	(*pu*) *long-racemed*	————	1828.	3. 8.	G	♄	◡	Bot. reg. t. 1336.
2 ovàta Hug.	(*pu*) ovate-leaved	N. S. W.	1820.	——	G	♄	◡	Bot. mag. t. 2169.
3 cordàta Hug.	(*pu*) cordate-leaved	————	——	——	G	♄	◡	Bot. reg. t. 944.
4 Comptoniàna Hug.	(*pu*) Compton's	N. Holland	1803.	——	G	♄	◡	———— t. 298.
5 macrophy'lla Hug.	(*sc*) long-leaved	Swan River	1835.	——	G	♄	◡	———— t. 1862.

KENNE'DYA DC. KENNE'DYA. (Mr. Kennedy, F. L. S., Hammersmith.) Diadelphia Decandria.

1 rubicúnda DC.	(*cr*) dingy-flowered	N. S. W.	1788.	3. 8.	G	♄	◡	Bot. mag. 208.
2 nígricans B.R.	(*dk.pu*) blackish-flow'd	N. Holland	....	4.	G	♄	◡	Bot. reg. t. 1715.
3 prostràta DC.	(*sc*) scarlet one-fl'd	N. S. W.	1790.	3. 8.	G	♄	◡	Bot. mag. t. 270.
Gly'cine coccínea B.M.								
4 Marryáttæ B.R.	(*sc*) Mrs. Marryatt's	N. Holland	....	4. 7.	G	♄	◡	Bot. reg. t. 1790.
5 coccínea DC.	(*sc*) many-flowered	————	1803.	5. 9.	G	♄	◡	Swt. fl. aust t. 23.
Gly'cine coccínea L.								

ZI'CHYA Hug. ZI'CHYA. (M. Zichy, a German bot.) Diadelphia Decandria.

1 heterophy'lla ψ	(*pu*) various-leaved	H. Holland	1826.	....	G	♄	◡	
2 inophy'lla Hug.	(*pu*) few-leaved	————	1825.	....	G	♄	◡	Bot. reg. t. 1421.
Kennèdya inophy'lla DS.								

3 glabràta Hug. (*sc*) glabrous N. Holland 1833. 5. 7. S ♄ ◡ Bot. reg. t. 1838.
4 serícea Hug. DS. (*sc*) silky ——— 1825. .... G ♄ ◡ ——— t. 1526.
Kennèdya dilatàta DS.

PHYSOLO'BIUM Hugel. PHYSILO'BIUM. (*φυσα*, a bladder, and *λοβος*, a pod.) Diadelph. Decand.
Stirlíngia Hug. Stirling's N. Holland 1834. 3. 6. G ♄ ◡ Bot. reg. t. 1845.
Kennèdya Stirlíngia B.R.

RHYNCHO'SIA DC. RHYNCHO'SIA. (*ῥυγχος*, a beak; keel.) Diadelphia Decandria.
§ 1. *Leaves usually simple, roundish, on long petioles.*
1 renifórmis DC. (*ye*) kidney-leaved Carolina 1806. 7. 8. F ♃
2 diffórmis DC. (*ye*) downy climbing ——— 1732. 6. 9. F ♃ ◡ Dill. elth. t. 26. f. 29.
Gly'cine tomentòsa β volùbilis M.
§ 2. *Leaves trifoliate, on long petioles.*
3 erécta DC. (*br*) upright ——— .... —— F ♃
4 caribæ'à DC. (*ye*) trailing W. Indies 1742. 9.10. S ♄ ◡ Bot. reg. t. 275.
Gly'cine caribæ'a B.R.
5 móllis DC. (*ye*) soft-leaved Guinea 1823. 6. 7. S ♄ ◡ Hook. ex. flor. 201.
Gly'cine móllis H.E.F.
6 mínima DC. (*ye*) slender-stalked W. Indies —— —— S ♄ ◡ Jacq. obs. 1. t. 22.
7 volùbilis DC. (*ye*) black-podded China 1826. —— S ♄ ◡
8 phaseoloìdes DC. (*ye*) Abrus-seeded W. Indies 1820. —— S ♄ ◡ Bot. mag. t. 2284.
9 precatòria DC. (*ye*) Abrus-like S. America —— —— S ♄ ◡
10 macrophy'lla DC. (*ye*) large-leaved Cuba 1825. —— S ♄ ◡
11 reticulàta DC. (*ye*) netted Jamaica 1779. 7. 9. S ♄ ◡
12 rhombifòlia DC. (*ye*) rhomb-leaved E. Indies 1815. 5. 8. S ♄ ◡
13 medicagínea DC. (*ye*) Medick-like Ceylon 1826. —— S ♄ ◡ Burm. zeyl. 188. t. 88.
14 suavèolens DC. (*ye*) sweet-scented E. Indies 1816. —— S ♄
15 víscida DC. (*ye*) viscous ——— 1823. 6. 7. S ♄ ◡
16 viscòsa DC. (*ye*) clammy ——— 1824. —— S ♄ ◡
17 Fridericiàna DC. (*ye*) blunt-leaved Manilla 1826. —— S ♄ ◡
18 scarabœoìdes DC. (*ye*) rough-stemmed E. Indies —— —— S ⊙ ◡ Pluk. alm. t. 52. f. 3.
19 biflòra DC. (*ye*) two-flowered ——— 1827. 6. 8. S ⊙ ◡
20 angustifòlia DC. (*ye*) narrow-leaved C. B. S. 1795. —— G ♄ ◡ Jacq. schœn. 2. t. 231.
21 Tótta DC. (*ye*) smooth-stemm'd ——— 1819. —— G ♄ ◡

ERIOSE'MA DS. ERIOSE'MA. (*εριον*, wool, and *σημα*, a standard; vexillum.) Diadelp. Decan.
1 grandiflòra DS. (*ye*) great-flowered Mexico ... 10. S ♄
2 violàcea DS. (*vi*) violaceous Guiana 1820. 5. 8. S ♄ Aub. guian. 2. t. 306.
Rhynchòsia violàcea DC. *Gly'cine pícta* Vahl.

FAGE'LIA DC. FAGE'LIA. (from the name of some obscure bot.) Diadelphia Decandria.
bituminòsa DC. (*ye*) clammy C. B. S. 1774. 4. 9. G ♄ ◡ Bot. reg. t. 261.
Gly'cine bituminòsa B.R.

WISTA'RIA DC. WISTA'RIA. (Caspar Wistar; prof. anat. Pensylvania.) Diadel. Decan.
1 frutéscens DC. (*bl*) handsome N. America 1724. 6. 9. H ♄ ◡ Swt.br.fl.gar.s. 2. t. 104.
speciòsa N. *Gly'cine frutéscens* B.M. *Apios frutéscens* Ph.
2 chinénsis DC. (*p.bl*) Chinese China 1818 5. 7. H ♄ ◡ Swt. br. fl. gar. 3. t. 211.
Gly'cine chinénsis Bot. mag. 2083. *sinénsis* Bot. reg. 650.
3 floribúnda DC. (*pu*) bundle-flowered Japan .... H ♄ ◡ Houtt. syst. 8. t. 62. f. 2.
Dólichos polystàchyus Thunb.

A'PIOS DC. A'PIOS. (*απιον*, a pear; form of roots.) Diadelphia Decandria.
tuberòsa DC. (*ro*) tuberous-rooted N. America 1640. 8. 9. H ♃ ◡ Bot. mag. t. 1198.
Gly'cine A'pios B.M.

A'MPHODUS B.R. A'MPHODUS. (*αμφι*, on both sides, and *οδους*, a tooth.) Diadelph. Decand.
ovàtus B.R. (*pu*) oval-leaved Trinidad 1824. 4. 6. S ♄ ◡ Bot. reg. t. 1101.

PHASE'OLUS DC. KIDNEY BEAN. (*phaselus*, a little boat, resemblance in pods.) Diad. Dec.
Sect. 1. EUPHASE'OLUS; *legumes compressed.*
§ 1. CARACA'LLA; *roots tuberous; leaflets entire; vexillum twisted.*
1 Caracálla DC. (*pu*) Snail-flower E. Indies 1690. 8. 9. S ♄ ◡ Bot. reg. t. 341.
2 tuberòsus DC. (*ye*) tuberous-rooted China 1825. —— S ♄ ◡
§ 2. PERE'NNES; *roots fibrous; racemes of flowers panicled; leaflets entire.*
3 perénnis DC. (*pu*) perennial Carolina 1823. 7. 9. F ♃ ◡
4 macrostàchyus DC. (*pu*) long-spiked N. America 1824. —— H ♃ ◡
§ 3. MACROPO'DII; *roots annual: leaflets entire; peduncles longer than the leaves.*
5 alàtus DC. (*pu*) winged Carolina 1732. 7. 8. H ⊙ ◡ Dill. elth. t. 235. f. 303.
6 speciòsus DC. (*sc*) showy Mexico 1830. —— H ⊙ ◡
7 sylvéstris DC. (*sc*) wild ——— 1838. —— H ⊙ ◡
8 multiflorus DC. (*sc*) scarlet-runner S. America 1633. 6.10. H ♃ ◡ Schk. hand. 2. t. 199. a.
α coccíneus DC. (*sc*) *scarlet-flowered* ——— —— —— H ♃ ◡ Moris. his. 52. t. 5. f. 4.
β albiflòrus DC. (*wh*) *white-flowered* ——— .... —— H ♃ ◡
§ 4. BRACHYPO'DII; *roots annual; leaflets entire; peduncles shorter than the leaves.*
9 vulgàris DC. (*wh.li*) common E. Indies 1597. 5. 9. H ⊙ ◡ Lobel. ic. 2. p. 59. ic.

10 compréssus DC. (*wh*) white-runner .... 6. 9. H ⊙ ◡ Savi. mem. 3. t.10.f.20.
11 oblóngus DC. (*li*) oblong seeded .... —— H ⊙ ◡ —— 3. p. 17. t.10.f.14.
12 saponàceus DC. (*wh*) spotted-white .... —— H ⊙ ◡ —— 3. p. 19. t.10.f.15.
13 tùmidus DC. (*wh*) thick-seeded .... —— H ⊙ ◡ —— 3. p. 19. t.10.f.16.
14 hæmatocárpus DC. (*li*) red-podded .... —— H ⊙ ◡ —— 3. p. 20. t.10.f.17.
15 spe'ricus DC. (*li*) roundish-seeded .... —— H ⊙ ◡ —— 3. p. 20.t.10.f.18.
16 gonospérmus DC. (*wh*) angular-seeded .... —— H ⊙ ◡ —— 3. p. 21.t.10.f.19.
17 deràsus DC. (*gr.wh*) narrow-podded Brazil 1823. —— H ⊙ ◡ Schk. h. mon. 1. t. 89.
18 lunàtus DC. (*gr*) cimetar-podded E. Indies 1779. —— S ⊙ ◡ Hout. syst. 8. t. 63. f. 1.
19 inamœ'nus DC. (*gr-wh*) various-coloured Africa 1794. 7. 8. H ⊙ ◡ Jacq. vind. t. 66.
20 Xuarèsii DC. (*gr.wh*) pointed-leaved ..... 1823. 6. 9. H ⊙ ◡
21 adenánthus DC. (*wh.bl*) painted-flow'd Guiana 1821. —— S ⊙ ◡
22 macrocárpus DC. (*wh*) long-podded .... —— H ⊙ ◡
23 calcaràtus H.B. (*li*) spurred E. Indies 1820. 7. 8. S ♂ ◡
24 dolichoìdes H.B. (*pu*) Dolichos-like ——— 1820. —— S ♃ ◡
25 mínimus H.B. (*li*) small China 1823. —— H ⊙ ◡
26 angustifòlius H.B. (*li*) narrow-leaved ——— 1818. 6. 8. H ⊙ ◡
§ 5. HETEROPHY'LLI; *leaflets all or some of them lobed.*
27 microspérmus DC. (*pu*) small-seeded Cuba 1821. 6. 9. S ⊙
28 heterophy'llus DC. (*re*) different-leav'd Mexico 1818. 7. 8. H ⊙ ◡
29 aconitifòlius DC. (*ye*) Aconite-leaved E. Indies 1731. 6. 8. S ⊙ ◡ Jacq. obs. 3. t. 52.
30 sublobàtus H.B. (*li*) lobed-leaved ——— 1820. —— S ⊙ ◡
31 subtrilobus L. en. (*ye*) acute-lobed Brazil 1818. —— S ⊙ ◡
Sect. 3. STROPHO'STYLES; *legumes terete.*
§ 1. LOBATIFO'LII; *leaflets all or some of them lobed.*
32 diversifòlius DC. (*pu*) various-leaved N. America 1806. 6. 8. H ⊙
33 trílobus DC. (*pu*) three-lobed E. Indies 1777. 7. 8. S ⊙ Burm. ind. t. 50. f. 1.
34 angulòsus DC. (*bh*) angular-stalk'd S. America 1818. —— S ⊙ ◡
35 farinòsus DC. (*re*) mealy E. Indies 1759. —— S ♃ ◡ Niss. act. par. 1730. t. 42.
36 stipulàris DC. (*ye*) large-stipuled Peru 1805. —— H ⊙
37 mesoleùcus L. en. (*ye*) Brazilian Brazil 1818. —— H ⊙ ◡
§ 2. INTEGRIFO'LII; *leaflets entire.*
38 hélvolus DC. (*ro*) pale red Carolina 1732. —— H ⊙ ◡ Dill. elth. t. 233. f. 300.
39 vexillàtus DC. (*bh*) sweet-scented ——— —— —— H ⊙ ◡ Jacq. vind 2. t. 102.
40 Múngo DC. (*ye*) small-fruited E. Indies 1790. 6. 7. H ⊙
41 hírtus W. (*ye*) hairy C. B. S. 1818. 7. 8. H ⊙ ◡
42 Hernandèsii DC. (*ye*) Hernandez's Mexico 1824. —— H ⊙ Hern. mex. 887. ic.
43 chrysánthos DC. (*ye*) golden-flowered .... —— H ⊙
44 radiàtus DC. (*bh*) rayed China 1732. 6. 7. H ⊙ Dill. elth. t. 235. f. 305.
45 scàber DC. (*st*) rough-podded .... 6. 9. H ⊙ Moris. ox. s. 2. t. 5. f. 8.
46 lathyroìdes DC. (*re*) Lathyrus-like Jamaica 1786. 7. 8. S ⊙ Sloan. hist. t. 116. f. 1.
47 semieréctus DC. (*re*) dark-red S. America 1732. —— S ⊙ ◡ Bot. reg. t. 743.
48 violàceus DC. (*vi.wh*) violet-flowered Africa? .... 6. 9. H ⊙
49 Máx DC. (*re*) hairy-podded E. Indies 1758. 6. 7. S ⊙ Rumph. amb. 5. t. 140.
50 glàber H.B. (*li*) smooth Mauritius 1823. 7. 8. S ⊙
51 tordèus H.B. (*li*) twisted-podded Nepaul —— —— H ⊙
SO'JA DC. SOY. (*Sooja*, name of a sauce prepared from the seeds.) Diadelphia Decandria.
hispida DC. (*vi*) hispid E. Indies 1790. 7. 8. S ⊙ Jacq. ic. 1. t. 145.
Dólichos Sòja Jacq. *Sòja japónica* Savi.
β pállida DC. (*ye*) *pale-flowered* ——— .... —— S ⊙
DO'LICHOS DC. DO'LICHOS. (δολιχος, long; stems.) Diadelphia Dodecandria.
Sect 1. EUDO'LICHOS; *legume compressed, apiculated.*
1 lignòsus DC. (*ro*) woody E. Indies 1776. 7. 8. S ♄ ◡ Smith spicil. t. 21.
β? falcifórmis (*ro*) *falcate-podded* C. B. S. —— —— G ♄ ◡ Bot. mag. t. 382.
2 Jacquìni DC. (*wh*) Jacquin's W. Indies 1822. 7. 9. S ♄ ◡
3 spùrius DC. (*pu*) spurious Guiana 1826. —— S ♄ ◡
4 tuberòsus DC. (*li*) tuberous-rooted Martinica —— —— S ♄ ◡ Plum. ed. Burm. t. 220.
5 articulàtus DC. (*pu*) jointed St. Domingo 1828. —— S ♄ ◡
6 hirsùtus DC. (*pu*) hirsute China 1802. 6. 7. G ♄ ◡ Kæmpf. ic. t. 41.
7 pubéscens DC. (*st*) pubescent S. America 1826. 7. 9. G ⊙ ◡
8 pilòsus DC. (*li*) hairy-podded E. Indies 1790. 7. 8. S ⊙ ◡
9 tetraspérmus DC. (*li*) four-seeded ——— 1816. 5. 8. S ♂ ◡
10 capénsis DC. (*ye*) Cape C. B. S. 1818. —— G ♃ ◡
11 falcàtus DC. (*li*) falcate-podded E. Indies 1820. 7. 8. S ♃ ◡
12 heterophy'llus DC. (*pu*) various-leaved Canaries 1827. 6. 9. H ⊙ ◡
13 lutèus DC. (*ye*) yellow-flowered Jamaica 1812. 7. 8. S ♃ ◡
14 bifòrus DC. (*li*) two-flowered E. Indies 1776. —— S ⊙ Pluk. alm. t. 213. f. 4.
Sect. 2. CATIA'NG; *legumes cylindrical.*
15 Catiáng DC. (*pu*) small-podded ——— 1793. —— S ⊙
16 monachàlis DC. (*pu*) hybrid Portugal 1826. —— H ⊙

17 sinénsis DC. (*ft*) Chinese China 1776. 7. 8. H ⊙ ◡ Rumph. amb. 5. t. 134.
18 nilóticus DC. (*st*) Egyptian Egypt 1828. —— H ⊙ ◡ Delil. fl. eg. t. 38. f. 1.
19 Lùbia DC. (*bl.wh*) cultivated ——— —— —— H ⊙
20 vexillàtus DC. (*st*) hispid S. America .... —— H ⊙ ◡ Dill. elt. 2. f. 302.
21 lobàtus DC. (*li*) lobe-leaved C. B. S. 1818. 6. 7. G ♃ ◡ Hout. syst. 8. t. 64. f. 1.
22 viròsus H.B. (*li*) virose E. Indies —— 5. 8. S ♂ ◡ Rheed. mal. 8. t. 45.
23 gangéticus H.B. (*pu*) Ganges Bengal 1824. 6. 7. S ♃ ◡
24 glutinòsus H.B. (*pu*) glutinous E. Indies 1820. —— S ♃ ◡

Sect 3. UNGUICULA'RIA; *legume almost cylindrical, obtuse, ending in an unguiculate beak, which is rather concave beneath.*

25 unguiculàtus DC. (*li*) Bird's-foot W. Indies 1780. 6. 7. S ⊙ ◡ Jacq. vind. 1. t. 23.
26 tranquebáricus DC. (*vi*) Tranquebar E. Indies 1801. —— S ⊙ ◡ ——— 3. t. 70.
27 melanopthálmus DC. (*vi*) black-circled..... 1822. 7. 9. H ⊙ ◡
28 sesquipedàlis DC. (*wh*) long-podded W. Indies 1781. 8. 9. S ⊙ ◡ Jacq. vind. 1. t. 67.
29 Brunélli DC. (*wh*) branching ..... 1826. 6. 9. S ⊙
30 sphærospérmos DC. (*st*) rouud-seeded S. America 1823. 7. 8. S ⊙ Sloan. jam. 1. t. 117.

† *Species hardly known.*

31 reticulàtus DC. (*li*) netted-leaved N. S. W. 1781. 6. 7. G ♄ ◡
32 phaseoloìdes H.B. (*li*) Kidney Bean-like China 1823. 7. 8. G ♃ ◡
33 frutéscens D.P. (*pu*) frutescent Nepaul 1824. —— G ♄
34 incànus Wal. (*pu*) hoary E. Indies 1825. —— S ⊙

VI'GNA DC. VI'GNA. (D. Vigna, comment. on Theophrast.) Diadelphia Decandria.

1 glàbra DC. (*ye*) smooth America 1805. 7. 8. H ⊙ ◡ Jacq. vind. 1. t. 90.
Dólichos lutèolus Jacq.
2 villòsa DC. (*ye*) villous Chili 1826. —— H ⊙ ◡

LA'BLAB DC. LA'BLAB. (Arabic name of *Convolvulus*.) Diadelphia Decandria.

1 vulgàris DC. (*pu*) common Egypt 1694. 6. 7. S ⊙ ◡ Swt. br. fl. gar. s. 2. t. 236.
Dólichos Láblab B.M.
2 purpùreus (*pu*) purple E. Indies 1790. 5. 10. S ♃ ◡ Exot. bot. 2. t. 74.
Dólichos purpùreus Bot. reg. t. 830.
3 benghalénsis (*wh*) Bengal Bengal 1820. 7. 8. S ♃ ◡ Jacq. vind. 2. t. 124.
4 nankínicus DC. (*wh*) Chinese China 1821. —— H ⊙ ◡ Savi. dis. 1821. f. 8. d-g.
5 leucocárpus DC. (*wh*) white-podded E. Indies —— —— S ⊙ ◡ ——— f. 9. a-d.
6 cultràtus DC. (*wh*) sharp-edged Japan 1818. 6. 7. H ⊙ ◡ Banks ic. Kæmpf. t. 25.
7 microcárpus DC. (*pu*) short-podded E. Indies 1824. —— S ⊙ ◡ Rumph. am. 5. t. 141. f. 1.
8 perénnans DC. (*wh*) perennial China 1823. 7. 8. H ⊙ ◡ ——— 5. t. 137.
Dólichos álbus W.

PACHYRHI'ZUS DC. PACHYRHI'ZUS. (παχυς, thick, and ῥιζα, a root.) Diadelphia Decandria.

1 angulàtus DC. (*vi*) angular-leaved E. Indies 1781. 7. 8. S ♄ ◡ Rumph. amb. 5. t. 132.
Dólichos bulbòsus L.
2 trílobus DC. (*pu*) three-lobed China 1825. 6. 8. S ♄ ◡

PARO'CHETUS D.P. PARO'CHETUS. (παρα, nigh, and οχετος, a brook.) Diadelphia Decandria.

1 commùnis D.P. (*li*) common Nepaul 1827. 6. 8. G ♃
2 màjor D.P. (*li*) larger ——— —— —— G ♃

DIO'CLEA DC. DIO'CLEA. (Diocles-Carystinus, anc. Greek philos.) Diadelphia Decandria.

Jacquiniàna DC. (*re*) Jacquin's Martinica 1826. 6. 9. S ♄ ◡ Jacq. amer. t. 123.
Dólichos rùber Jacq.

PSOPHOCA'RPUS DC. PSOPHOCA'RPUS. (ψοφος, a sound, and καρπος, a fruit.) Diadel. Decand.

tetragonólobus DC. (*bl*) square-podded Mauritius 1816. 9. 11. S ⊙ Rumph. amb. 5. t. 133.
Dólichos tetragonólobus L.

CANAVA'LIA DC. CANAVA'LIA. (*canavali*, Malabar name.) Monadelphia Decandria.

1 obtusifòlia DC. (*pu*) blunt-leaved E. Indies 1818. 7. 8. S ♄ ◡ Rheed. mal. 8. t. 43.
Dólichos rotundifòlius Vahl.
β emarginàta DC. (*pu*) *emarginate* ——— .... —— S ♄ ◡ Jacq. schœnb. 2. t. 221.
2 gladiàta DC. (*bh*) sabre-podded ——— 1801. 6. 7. S ♄ ◡ Jacq. ic. 3. t. 560.
Dólichos gladiàtus W. *Malócchia gladiàta* Savi.
3 ensifórmis DC. (*pu*) cimeter-podded E. Indies 1778. 7. 8. S ⊙ ◡ Jacq. ic. 3. t. 559.
4 ròsea DC. (*ro*) rose-coloured Jamaica 1812. —— S ♄
5 bonariénsis B.R. (*pu*) Buenos Ayres Buen. Ayres 1826. 6. 10. G ♄ ◡ Bot. reg. t. 1199.

MUCU'NA DC. COW-ITCH. (*Mucuna-Guaca*, name of M. *ùrens*, in Brazil.) Diad. Decand.

Sect. 1. ZOOPHTHA'LMUM; *legumes having the furrows transversely lamellose.*

1 ùrens DC. (*st*) broad podded W. Indies 1691. 6. 7. S ♄ ◡ Jacq. amer. t. 182. f. 84.
Dólichos ùrens L. *Stizolòbium ùrens* P.S.

Sect. 2. STIZOLO'BIUM; *legumes destitute of transverse lamellæ.*

2 altíssima DC. (*li*) tallest Martinica 1779. 6. 8. S ♄ ◡ Jacq. amer. t. 182. f. 85.
3 prùriens DC. (*pu*) common India 1680. —— S ♄ ◡ Bot. reg. n. s. t. 18.
Dólichos prùriens L. *Stizolòbium prùriens* P.S. *Carpopògon prùriens* HB.
4 gigantèa DC. (*pa*) gigantic E. Indies 1815. 7. 9. S ♄ ◡ Rheed mal. 8. t. 36.
5 ellíptica DC. (*li*) elliptic-leaved Peru 1828. .... G ♄ ◡

6 mìtis DC. (*li*) oblique-leaved Peru 1823. 7. 9. G ♄ ◡
Negrètia mìtis R.P.
7 comòsa DC. (*wh*) tufted Guiana 1827. —— S ♄ ◡
8 monospérma DC. (*li*) one-seeded E. Indies 1818. —— S ♄ ◡
Carpopògon monospérmum H.B.
9 atropurpùrea DC. (*d.pu*) dark-purple ——— 1820. —— S ♄ ◡
10 anguìnea (*pu*) snake-like ——— 1822. .... S ♄ ◡
Carpopògon anguìnea Roxb.
11 nìvea DC. (*wh*) snowy-white ——— 1820. 7. 9. S ⊙ ◡
12 imbricàta DC. (*pu*) imbricated ——— 1815. —— S ♄ ◡
13 bracteàta DC. (*pu*) bracteate ——— 1822. —— S ♄ ◡
14 capitàta (*pu*) headed ——— —— 8.11. S ⊙ ◡
Carpopògon capitàtum H.B.

PHYLLOLO'BIUM DC. PHYLLOLO'BIUM. (φυλλον, a leaf, and λοβος, a pod.) Diadelph. Decan.
1 chinénse DC. (*wh*) Chinese China 1818. 6. 8. G ♃
2 zanzibarénse Boj. .. Zanzibar Zanzibar 1825. .... S ♄

CAJA'NUS DC. PIGEON-PEA. (*cätjang*, Amboyna name.) Diadelphia Decandria.
1 bìcolor DC. (*ye.pu*) two-coloured E. Indies 1687. 7. 8. S ♄ Jacq. vind. 2. t. 119.
Cy'tisus pseùdo-càjan Jacq.
2 flàvus DC. (*ye*) yellow-flowered ——— —— —— S ♄ Jacq. obs. 1. t. 1.
Cy'tisus Càjan L.

LUPI'NUS DC. LUPINE. (*Lupus*, a wolf; destroys soil.) Monadelphia Decandria.
§ 1. *Leaves digitate.*
1 álbus DC. (*wh*) white Levant 1596. 7. 8. H ⊙ Blackw. herb. t. 282.
2 Térmis DC. (*wh.bl*) Egyptian Egypt 1802. 6. 7. H ⊙
3 vàrius DC. (*bl*) variable S. Europe 1596. 7. 9. H ⊙
4 hirsùtus DC. (*bl*) blue-flowered ——— 1629. —— H ⊙ J. Bauh. his. 2. p.289.ic.
5 bracteolàris DC. (*bl*) bracteolate MonteVid. 1828. —— H ⊙
6 pilòsus DC. (*ro*) rose S. Europe 1710. —— H ⊙
7 angustifòlius DC. (*bl*) narrow-leaved ——— 1686. —— H ⊙ Knor. del. 2. t. L. 7.
8 linifòlius DC. (*bl*) flax-leaved ..... 1790. —— H ⊙ Roth. abhand. 14. t. 5.
9 lùteus DC. (*ye*) yellow S. Europe 1596. —— H ⊙ Bot. mag. t. 140.
β *sulphùreus* DC. (*st*) *straw-coloured* ——— —— —— H ⊙
10 microcárpus DC. (*bl*) small-podded Chili 1822. 4. 6. H ⊙ Bot. mag. t. 2413.
11 incànus Grah. (*li*) hoary S. America 1832. 6. G ♃ ——— t. 3283.
12 trìstis B.M. (*ye*) mournful N. Holland 1828. 3. 4. G ♄ ——— t. 3420.
13 élegans B.R. (*vi*) elegant Mexico 1831. 6. 7. H ⊙ Bot. reg. t. 1581.
14 nànus Benth. (*bl.wh*) dwarf California 1830. 5. 6. H ⊙ Swr. br. fl. gar. s. 2. t. 257
15 subcarnòsus B.M. (*bl.wh*) thick-leaved Texas 1832. 5. 9. H ⊙ ——— s. 2. t. 314
bimaculàtus D. Don. *texénsis* B.R. 3492.
16 densifìòrus B.R. (*wh.pk*) dense-flower'd California 1833. 6. 7. H ⊙ Bot. reg. 1689.
17 leptophy'llus B.R. (*pu*) slender-leaved ——— —— —— H ⊙ ——— 1670.
18 micránthus B.R. (*pu*) small-flowered Columbia 1827. 5. 7. H ⊙ ——— t. 1251.
19 áridus B.R. (*bl.pu*) arid ——— —— 6. 9. H ♂ ——— t. 1242.
20 bìcolor B.R. (*bl.wh*) two-coloured ——— —— 5.10. H ♃ ——— t. 1109.
21 lépidus B.R. (*bl.li*) lively ——— —— 7.10. H ♃ ——— t. 1149.
22 laxifìòrus B.R. (*bl.pi*) lax-flowered ——— —— 8.10. H ♃ ——— t. 1140.
23 littoràlis B.R. (*pu.bl*) shore ——— —— 6.10. H ♃ ——— t. 1198.
24 latifòlius B.R. (*bl*) broad-leaved California 1833. 6. 8. H ♃ ——— t. 1891.
25 ornàtus B.R. (*bl*) adorned Columbia 1827. 5.11. H ♃ ——— t. 1216.
26 plumòsus B.R. (*bl*) feathered ——— —— —— H ♃ ——— t. 1217.
27 Sabiniànus. D. (*ye*) Sabine's ——— —— 6.10. H ♃ ——— t. 1435.
28 mexicànus DC. (*bl*) Mexican Mexico 1819. 7. 9. F ♃ ——— t. 457.
29 perénnis DC. (*bl*) smooth-perenial N. America 1658. 5. 8. F ♃ Bot. mag. t. 202.
β *albiflòrus* (*wh*) *white-flowered* ——— 1817. —— F ♃
30 macrophy'llus Benth. (*pu*) large-leaved ——— 1835. —— H ♃ Swt. br. fl. gar. s. 2. t. 356.
31 polyphy'llus B.R. (*bl*) many-leaved Columbia 1827. —— H ♃ Bot. reg. t. 1096.
β *albiflòrus* B.R. (*wh*) *white-flowered* ——— —— —— H ♃ ——— t. 1377.
32 leucophy'llus B.R. (*wh*) white-leaved ——— —— 6. 8. H ♃ ——— t. 1124.
33 nootkaténsis DC. (*bl*) hairy-perennial Nootka S. 1794. —— H ♃ ——— t. 1311.
β *variàbilis* (*va*) *variable-coloured* ——— —— —— H ♃ ——— t. 2136.
34 versícolor B.R. (*pu.bl*) party-coloured California 1833. 5. 7. H ♃ ——— t. 1979.
35 rivulàris B.R. (*wh.bl*) rivulet ——— —— 5. 9. H ♃ ——— t. 1595.
36 variegàtus F. (*v*) variegated Sitka 1828. —— H ♃
37 argyræ'us DC. (*bl*) silvery-leaved ..... —— —— F ♃
38 álbifrons B.R. (*bl*) white-fronted ——— 1831. —— F ♃ Bot. reg. t. 1642.
39 arbústus B.R. (*pu*) half-shrubby California 1827. 6. 9. F ♄ ——— 1230.
40 canaliculàtus B.F.G. (*bl*) channel-ld. Buen. Ayres 1828. —— H ♄ Swt. br. fl. gar. t. 283.
41 versícolor B.F.G. (*v*) various-coloured Mexico —— —— H ♄ ——— ser. 2. t. 12.

42	tomentòsus DC.	(*va*)	woolly	Peru	1826. 6.10.	H	♄		Swt. br. fl. gar. t. 261.
43	arbòreus DC.	(*ye*)	tree	California	1793. 7. 9.	H	♄		Bot. mag. t. 682.
44	mutábilis B.F.G.	(*wh.y*)	changeable	Bagota	1825. ——	F	♄		Swt. br. fl. gar. t. 130.
	β Cruikshánksii DS.	(*bl.ye.pk*)	*Cruikshank's*	Peru	1829. 7. 8.	F	♄		——— s. 2. t. 203.
	Cruikshánksii B.M. 3056. *mutábilis* B.R. 1539.								
45	pulchéllus Swt.	(*bl*)	handsome	Mexico	1828. 6.10.	F	♄		Swt br. fl. gar.s. 2. t. 67.
46	Marshalliànus Swt.	(*bl*)	Marshall's	.....	1830. 7.10.	H	♄		——— s. 2. t. 139.
	§. 2. *Leaves simple, entire.*								
47	villòsus DC.	(*pu*)	simple-leaved	Carolina	1787. 7. 9.	F	♃		Pursh. fl. amer. 2. t. 21.

CYLI'STA DC. CYLI'STA. (κυλιξ, a calyx; large.) Diadelphia Decandria.

1	scariòsa DC.	(*bh*)	rough	E. Indies	1806. 4. 6.	S	♄	◡	Roxb. corom. 1. t. 92.
2	tomentòsa DC.	(*ye*)	tomentose	———	1818. ——	S	♄	◡	——— t. 221.
3	albiflòra DC.	(*wh*)	white-flowered	Mauritius	.... 4. 5.	S	♄	◡	Bot. mag. t. 1859.
4	villòsa DC.	(*wh*)	hairy	C. B. S.	1776. 4. 6.	G	♄	◡	Andr. rep. t. 446.
	Dólichos hírtus A.R.								

ERYTHRI'NA DC. CORAL-TREE. (ερυθρος, red; flowers.) Diadelphia Decandria.

1	herbàcea DC.	(*sc*)	herbaceous	Carolina	1724. 6. 9.	G	♄		Bot. mag. t. 877.
2	cárnea DC.	(*fl*)	flesh-coloured	Vera Cruz	1733. 5. 6.	G	♄		Trew. ehr. 2. t. 8.
	β pubéscens	(*fl*)	*pubescent-leaved*	———	—— ——	G	♄		Bot. reg. t. 389.
3	Corallodéndron DC.	(*sc*)	common	W. Indies	1690. ——	S	♄		Comm. h. ams. 1. t. 108
4	enneándra DC.	(*sc*)	nine-anthered	.....	.... ——	S	♄		Jacq. schœn. 4. t. 466.
	velutina Jacq *non* W.								
5	macrophy'lla DC.	(*sc*)	large-leaved	.....	1816. ——	S	♄		
6	austràlis Cun.	(*sc*)	southern	Moreton B.	1830.	S	♄		
7	mìtis DC.	(*sc*)	smooth-stem'd	Caracas	1818. 6. 8.	S	♄		Jacq. schœn. 2. t. 216.
8	nàna Bowie	(*sc*)	dwarf	C. B. S.	1823.	G	♄		
9	poiánthes DC.	(*sc*)	crowded-flowrd.	S. America	1826. 4. 6.	S	♄		Bot. reg. t. 1246.
	β subinermis B.R.	(*sc*)	*subarmed*	———	—— ——	S	♄		———1617.
10	secundiflòra DC.	(*sc*)	side-flowering	Brazil	1818. ——	S	♄		Linn. trans. 14. t. 12.
11	speciòsa DC.	(*li*)	large-flowered	W. Indies	1805. 5.10.	S	♄		Andr. rep. t. 443.
12	umbròsa DC.	(*sc*)	deltoid-leaved	Caracas	1824.	S	♄		
13	Humeàna SS.	(*sc*)	Sir A. Hume's	C. B. S.	1818. 5. 6.	S	♄		Bot. mag. t. 2431.
	cáffra Bot. reg. t. 736. *non* Thunb.								
14	cáffra Th.	(*pu*)	Cape-tree	———	1816.	S	5		
15	fúlgens DC.	(*sc*)	fulgent	E. Indies	1801. 5.10.	S	♄		
16	arboréscens DC.	(*cr*)	arborescent	Nepaul	1818.	S	♄		Roxb. corom. 3. t. 219.
17	índica DC.	(*sc*)	Indian	E. Indies	1814. 5. 6.	S	♄		Rheed. mal. 6. t. 7.
18	pícta DC.	(*cr*)	prickly-leavéd	———	1696. 5.10.	S	♄		Rumph. amb. 2. t. 77.
19	aculeatíssima Df.	(*sc*)	very-prickly	.....	1816. ——	S	♄		
20	velutìna DC.	(*sc*)	velvetty	Caracas	1824. 6. 7.	S	♄		Bot. mag. t. 3227.
21	fúsca DC.	(*br.re*)	red-brown	China	1800.	S	♄		Rumph. amb. 2. t. 78.
22	laurifòlia Jacq.	(*sc*)	Laurel-leaved	Brazil	.... 5.10.	H	♄		Swt. br. fl. gar. t. 142.
23	crísta-gálli DC.	(*sc*)	Cock's-comb	———	1771. 6.10.	H	♄		——— t. 1214.
24	nervòsa DC.	(*sc*)	nerved-leaved	———	1824. ——	S	♄		
25	glaúca DC.	(*sc*)	glaucous	Caracas	——	S	♄		
26	piscidioìdes DC.	(*sc*)	Piscidia-leaved	E. Indies	1800.	S	♄		
27	incàna W.	(*sc*)	hoary	.....	1820. 6. 8.	S	♄		
28	lithospérma W.H....		stony-seeded	N. Holland	1824.	S	♄		
29	arbòrea D.L.		tree	Trinidad	1822.	S	♄		
30	stricta H.B.	(*sc*)	upright	E. Indies	1816. 4. 6.	S	♄		
31	ovalifòlia H.B.		oval-leaved	———	——	S	♄		
32	suberòsa H.B.		cork-barked	———	1818.	S	♄		
33	resupinàta H.B.....		resupinate	———	1822.	S	♄		Roxb. cor. 3. t. 220.
34	abyssínica DC		Abyssinian	Africa	1820.	S	♄		

RUDO'LPHIA. DC. RUDO'LPHIA. (A. Rudolph, bot. of Jena). Diadelphia Decandria.

1	volùbilis DC.	(*sc*)	twining	Portorico	1820.	S	♄	◡	Vahl. ecl. 3. t. 30.
2	portoricénsis	(*sc*)	Portorico	———	——	S	♄	◡	
	Erythrìna portoricénsis Df.								
3	dùbia DC.	(*sc*)	doubtful	S. America	1815.	S	♄	◡	H. et B.n. gen. 6. t. 91.

BU'TEA. DC. BU'TEA. (John, Earl of Bute; bot. patron.) Diadelphia Decandria.

1	frondòsa DC.	(*sc*)	downy-branch'd	E. Indies	1796.	S	♄		Roxb. corom. 1. t. 2 .
2	supérba DC.	(*sc*)	smooth-branch'd	———	1798.	S	♄		——— v.1. t 22.
3	parviflòra DC.	(*sc*)	small-flowered	Coromandel	1820.	S	♄		

Tribe VI. *DALBERGIE'Æ.* DC. prod. 2. p. 415.

DE'RRIS DC. DE'RRIS. (δερρις, a skin; consist. of legumes.) Monadelphia Decandria.
trifoliàta DC. (*wh*) three-leaved China 1826. 4. 6. G ♄ ◡

PONGA'MIA DC. PONGA'MIA. (*pongam*, Malabar name.) Monadelphia Decandria.
1 glàbra DC. (*wh*) smooth-leaved E. Indies 1699. 6. 8. S ♄ Vent. malm. t. 28.
2 ellíptica (*wh*) elliptic-leaved ——— 1820. —— S ♄ ◡
Galedùpa ellíptica H.B.
3 chinénsis DC. (*ye*) Chinese China 1827. —— S ♄
4 uliginòsa DC. .... marsh E. Indies —— .... S ♄ ◡
5 piscídia .... Piscidia-leaved ——— 1816. .... S ♄
Galedùpa pisticdia.
6 marginàta H.B. .... margined ——— 1824. .... S ♄ ◡

DALBE'RGIA DC. DALBE'RGIA. (N. Dalberg, Swedish bot.) Mono-Diadelphia Decandria.
1 ougeinénsis DC. (*wh*) Hindoo E. Indies 1828. .... S ♄
2 latifòlia DC. (*wh*) broad-leaved ——— 1811. .... S ♄ Roxb. corom. 2. t. 113.
3 Síssoo DC. (*wh*) large ——— 1823. .... S ♄
4 rubiginòsa DC. (*wh*) rusty ——— 1811. 6. 8. S ♄ ◡ Roxb. corom. 2. t. 115.
5 robústa DC. (*wh*) robust ——— —— .... S ♄
6 scándens DC. (*wh*) scandent ——— —— 5. 7. S ♄ ◡ Roxb. corom. 2. t. 192.
7 volùbilis DC. (*wh*) twining ——— 1820. —— S ♄ ◡ —— v. 2. t. 191.
8 frondòsa DC. (*wh*) frondose ——— 1818. .... S ♄
9 paniculàta DC. (*wh*) panicled ——— 1811. .... S ♄ Roxb. corom. 2. t. 114.
10 Barclàyi DB. (*pu*) Barclay's Mauritius 1823. .... S ♄ Hook. exot. fl. t. 188.
11 emarginàta H.B. (*wh*) emarginate E. Indies —— .... S ♄
12 zeylánica H.B. (*wh*) Ceylon Ceylon 1816. .... S ♄
13 marginàta H.B. (*wh*) margined E. Indies 1820. 5. 7. S ♄ ◡
14 tamarindifòlia H.B. (*wh*) Tamarind-leav'd —— —— .... S ♄ ◡
15 stipulàcea H.B. (*wh*) stipuled ——— —— 6. 8. S ♄
16 rimòsa H.B. (*wh*) rimose ——— 1824. .... S ♄
17 alàta H.B. (*wh*) winged ——— 1823. .... S ♄
18 Crowèi DC. (*wh*) Silhet ——— —— .... S ♄

PTEROCA'RPUS DC. PTEROCA'RPUS. (πτερον, a wing, and καρπος, a fruit.) Mono-Diadel. Decand.
1 Dràco DC. (*ye*) officinal S. America 1818. .... S ♄ Jacq. amer. t. 183. f. 92.
officinàlis Jacq. *hemíptera* Gært.
2 suberòsus DC. (*ye*) corky Guiana 1826. .... S ♄ Aubl. guian. 2. t. 229.
3 Marsùpium DC. (*st*) leathery-leaved E. Indies 1811. .... S ♄ Roxb. corom. 2. t. 116.
4 dalbergioìdes DC. (*ye*) Andaman red-wood —— 1820. .... S ♄
5 índicus DC. (*ye*) Indian ——— 1818. .... S ♄
6 santalinus DC. (*ye*) red sandal wood——— 1800. .... S ♄
7 santalinoìdes DC. (*ye*) African Sierra Leon. 1826. .... S ♄
8 flàvus DC. (*ye*) yellow-barked China —— .... S ♄ Rumph. amb. 3. t. 117.
9 scándens DC. (*vi*) climbing Caracas 1822. .... S ♄ ◡
Amerimnum scándens W.

DREPANOCA'RPUS DREPANOCA'RPUS. (δρεπανον, a sickle, and καρπος, a fruit.) Monad. Decand.
lunàtus DC. (*wh*) crescent-podded S. America 1792. .... S ♄ Plu. ed. Burm. t. 201. f. 2.
Pterocárpus lunàtus L. *Pterocárpus ápterus* Gært. fruct. t. 156.

ECASTAPHY'LLUM DC. ECASTAPHY'LLUM. (ἑκαστος, each, and φυλλον, a leaf.) Diad.-Octo-Dec.
Brównei DC. (*wh*) Browne's W. Indies 1733. 6. 8. S ♄ ◡ Brown. jam. t. 32. f. 1.
Pterocàrpus Ecastaphy'llum L.

AMERI'MNUM DC. AMERI'MNUM. (*a*, priv., and μερινα, case.) Monadelphia Decandria.
Brównei DC. (*wh*) Browne's W. Indies 1793. 6. 8. S ♄ Brown. jam. 288. t. 32. f. 3.

BRY'A DC. BRY'A. (βρυω, to sprout; seeds on tree.) Monadelphia Decandria.
Ebenus DC. (*ye*) Jamaica Ebony W. Indies 1713. 7. 8. S ♄ Brown. jam. t. 31. f. 2.

Suborder II.—*Tribe* VII. SWARTZIE'Æ. DC. prodr. 2. p. 422.

SWA'RTZIA DC. SWA'RTZIA. (O. Swartz, M.D., bot. author.) Monadelphia Dec-Polyandria.
§ *Leaves simple.*
1 simplicifòlia DC. (*ye*) simple-leaved W. Indies 1822. .... S ♄
Bítiera simplex Vahl. *Pósoira simplex* Swartz.

2 grandiflòra DC. (*ye*) great-flowered Trinidad 1822. .... S ♄ Vahl. pl. am.dec. 1. t.
§ 2. *Leaves impari-pinnate.*
3 pinnàta DC. (*ye*) wing-leaved ——— 1820. .... S ♄ Corr. an. mus. 9. t. 24. f.
4 tomentòsa DC. (*ye*) woolly Cayenne 1826. .... S ♄ Aubl. guian. 2. t. 307.
BA'PHIA DC. CAMWOOD. (*βαφη*, dye; used for.) Decandria Monogynia.
nítida DC. (*wh*) glossy SierraLeone .... 5. 9. S ♄ Lodd. bot. cab. t. 367.

Subroder III.—*Tribe* VIII. MIMO'SEÆ. DC. prodr. 2. p. 424.

ENTA'DA DC. ENTA'DA. (Malabar name of first species.) Polygamia Monœcia.
1 Gigalòbium DC. (*wh*) West Indian W. Indies 1780. 4. 6. S ♄ ◡
2 Pursæ'tha DC. (*wh*) East Indian E. Indies —— —— S ♄ ◡ Rumph. amb. 5. t. 4.
Parràna S.S. *Acàcia scándens* W. *Mimòsa scándens* L.
3 monostàchya DC. (*wh*) single-spiked E. Indies 1780. 4. 6. S ♄ ◡ Rheed. mal. 9. t. 77.
Rheèdii S.S. *Mimòsa Entàda* W.
4 polystàcha DC. (*wh*) many-spiked W. Indies 1816. 4. 9. S ♄ ◡ DC. leg. mem. t. 61—62.
MIMO'SA DC. SENSITIVE-PLANT. (*μιμος*, a mimic; leaves sensitive.) Polygamia Monœcia.
Sect. 1. EUMIMO'SA; *legume compressed, moniliform; flowers red.*
§ 1. SENSITI'VÆ; *leaves with one pair of pinnæ, and having 2 pairs of leaflets on each pinna; stamens 4, rarely 5; leaves generally sensitive.*
1 sensitìva DC. (*ro*) true Brazil 1648. 4. 9. S ♄ Botan. regist. t. 25.
2 obtusifòlia DC. (*ro*) blunt-leaved ——— 1816. —— S ♄
3 strigòsa DC. (*ro*) strigose S. America 1822. —— S ♄
4 marginàta B.R. (*pu*) marginate E. Indies 1835. 7. 9. F ♄
5 floribúnda DC. (*ro*) many-flowered Cumana 1824. 6. 7. S ♄
§ 2. PUDI'CÆ: *leaves with one or more pairs of pinnæ; when more than one pair, they are digitate; and each pinna bears many pairs of leaflets; stamens 4, rarely 5; leaves usually sensitive.*
6 vìva DC. (*ro*) lively Jamaica 1739. 7. 9. S ♃ Sloan. his. 2. t. 182. f. 7.
7 polycárpa DC. (*ro*) many-podded Peru 1816. —— S ♄ Kth. mim. p. 8. t. 3.
8 pudìca DC. (*ro*) humble-plant Brazil 1638. 4. 9. S ♄ Bot. reg. v. 11. t. 941.
9 pudibúnda DC. (*ro*) fringe-stipuled ——— 1822. —— S ♄
10 polydáctyla DC. (*ro*) many-fingered Demerara 1824. —— S ♄ Kth. mim. p. 14. t. 5.
§ 3. BIPINNA'TÆ; *leaves bipinnate.*
11 hamàta DC. (*ro*) hooked E. Indies 1820. 4. 9. S ♄
12 intermèdia DC. (*ro*) intermediate Caracas 1825. —— S ♄ Kth. mim. p. 16. t. 6.
13 microcéphala DC. (*re*) small-headed Trinidad 1820. 6. 7. S ♄
14 víscida DC. (*ro*) viscid Brazil 1825. 4. 9. S ♄
Sect. 2. HABBA'SIA; *legume compressed, hispid, not moniliform: leaves bipinnate; flowers white.*
15 canéscens DC. (*wh*) canescent Guinea 1826. 4. 9. S ♄
16 híspida DC. (*wh*) hispid Caracas 1824. 6. 9. S ♄
17 ciliàta DC. (*wh*) ciliated Brazil —— —— S ♄
18 polyacántha DC. (*wh*) many-spined Africa 1828. —— S ♄ Bruce itin. 5. t. 7.
19 asperàta DC. (*wh*) various-spined W. Indies 1822. 6. 7. S ♄ DC. leg. mem. t. 63.
20 pìgra L. (*wh*) straight-spined Vera Cruz 1733. —— S ♄ Mill. ic. 2. t. 182. f.
21 Sicària DC. (*wh*) subulate-spined Brazil 1828. —— S ♄
Sect. 3. BATAUCAU'LON; *legumes compressed, smooth, or pubescent, never moniliform, unarmed or bearing a single row of spines; leaves bipinnate.*
22 rubicaúlis DC. (*st*) Bramble-stalk'd E. Indies 1799. 6. 7. S ♄ Roxb. corom. 2. t. 20
octándra R.C. *spinosíliqua* Rottler. *Rottleri* S.S.
23 Ceratònia DC. (*wh*) round-leaved S. Domingo 1800. .... S ♄ Plum. ed. Burm. 17. t.
Acàcia Ceratònia W.
24 cásta DC. (*wh*) chaste E. Indies 1741. 6. 8. S ♄ Comm. hort. 1. t. 28.
† *Species hardly known.*
25 angulàta S.S. (*wh*) angular-stalk'd Brazil 1826. 6. 8. S ♄
26 latispinòsa S.S. (*ye*) broad-spined Madagascar 1822. —— S ♄
27 Barclayàna .... Mr. Barclay's ——— —— .... S ♄
28 brasiliénsis S.S. (*wh*) Brazilian Brazil 1824. 6. 8. S ♄
29 abstérgens S.S. (*ro*) spotted-stalk'd E. Indies 1818. —— S ♄
30 ferrugínea S.S. (*ro*) ferruginous ——— —— —— S ♄
GAGNEBI'NA DC. GAGNEBI'NA. (etymology unknown.) Decandria Monogynia.
1 tamaríscina DC. (*st*) Tamarisk-like Mauritius 1824. .... S ♄ DC. leg. mem. t. 64. f.
Acàcia tamaríscina W. *Mimòsa tamaríscina* Lam. Pluk. t. 329. f. 3.
2 axillàris DC. (*st*) axillary-spiked Mauritius 1822. .... S ♄ DC. leg. mem. t. 64.

ERYTHROPHLE'UM B. RED-WATER-TREE. (ἐρυθρος, red.) Decandria Monogynia.

leonénse G.D.	....	Sierra Leone	SierraLeon.	1822.	S	♄	

PA'RKIA B. PA'RKIA. (Mungo Park, cel. trav.) Monadelphia Decandria.

1 africàna B.	(cr)	African	Africa	1822. 6. 8.	S	♄	Beauv. fl. ow. 2. t. 90.

I'nga biglobòsa DC. *Mimòsa biglobòsa* Jacq. amer. t. 179. f. 87.

2 uniglobòsa DS.	(sc)	one-globed	SierraLeon.	1822. 3.	S	♄	

I'NGA DC. I'NGA. (American name of L. *Vera.*) Polygamia Monœcia.

§ 1. I'NGÆ-VE'RÆ; *leaves pinnate; leaflets large.*

* PTERO'PODÆ; *common petiole winged.*

1 quassiæfòlia DC.	(wh)	Quassia-leaved	Brazil	1820.	S	♄	
2 pilosiúscula DC.	(wh)	glossy-leaved	Cayenne	1827.	S	♄	Vahl. ecl. 3. t. 24.

Mimòsa lùcida Vahl.

3 setífera DC.	(wh)	setiferous	Guiana	1824.	S	♄	
4 álba DC.	(wh)	white	Cayenne	1804. 7. 8.	S	♄	
5 Feuíllei DC.	(wh)	Feuillee's	Peru	1824. ——	S	♄	Feuil. obs. 3. p. 2. t. 19.
6 fastuòsa DC.	(re)	villous-flowered	Caracas	1820.	S	♄	Jacq. fragm. t. 10.

Mimòsa fastuòsa Jacq.

7 sapindoìdes DC.	(wh)	Soap-berry-like	————	1826.	S	♄	
8 spùria DC.	(wh)	spurious	Cumana	1823. 7. 8.	S	♄	Kth. mim. 39. t. 12.
9 vèra DC.	(wh)	sweet-fruited	S. America	1739. ——	S	♄	Sloan. his. t. 183. f. 1.

Mimòsa I'nga L.

10 rhoifòlia DC.	(wh)	Rhus-leaved	Brazil	1815. ——	S	♄	

** APTERO'PODÆ; *common petiole naked or nearly so.*

11 Bourgòni DC.	(st)	Beech-leaved	W. Indies	1752. ——	S	♄	Aubl. guian. 2. t. 358.

marginàta W. *Mimòsa fagifòlia* L. *non* Jacq.

12 marginàta DC.	....	margined	Caracas	—— ——	S	♄	
13 laúrina DC.	(wh)	Laurel-leaved	————	1768. 3. 5.	S	♄	
14 punctàta DC.	(wh)	white-spotted	————	1818. ——	S	♄	Jacq. amer. t. 164.

Mimòsa fagifòlia Jacq. *non* L.

15 spléndens DC.	(wh)	shining-leaved	————	1825.	S	♄	
16 nodòsa DC.	(wh)	knobbed	Ceylon	1690. 4. 6.	S	♄	Pluk. alm. t. 211. f. 5.

§ 2. HYMENÆOI'DEÆ; *leaves with one pair of pinnæ, and each pinna bearing 2-3 or many leaflets.*

* BIGE'MINÆ; *pinna bearing one pair of leaflets.*

17 microphy'lla DC.	(wh)	small-leaved	Cumana	1815.	S	♄	
18 dúlcis DC.	(wh)	Sappan-fruit	E. Indies	1800. 5. 7.	S	♄	Roxb. corom. 1. t. 99.
19 U'nguis-càti DC.	(wh)	four-leaved	W. Indies	1690. 4. 6.	S	♄	Jacq. schœn. 2. t. 34.
20 mellífera DC.	(wh)	honey-bearing	Arabia	1826.	S	♄	
21 ligústrina DC.	(wh)	Privet-leaved	Caracas	——	S	♄	Jacq. frag. t. 32. f. 5.
22 fœ'tida DC.	(wh)	strong-smelling	W. Indies	1818.	S	♄	Jacq. schœn. 3. t. 390.

** TERGE'MINÆ; *pinnæ bearing 3 or 5 leaflets.*

23 tergémina DC.	(pu)	trifoliate	Martinica	—— 4. 6.	S	♄	Jacq. amer. t. 177. f. 81.
24 emarginàta DC.	(ro)	emarginate	Mexico	1825.	S	♄	Kth. mim. 54. t. 17.
25 latifòlia DC.	(ro)	broad-leaved	————	1768. 3. 5.	S	♄	Plum. ed. Burm. t. 9.

*** CONJUGA'TO-PINNA'TÆ; *pinnæ bearing from 2 to many pairs of opposite leaflets.*

26 circinàlis DC.	(sc)	spiral-podded	W. Indies	1726. 4. 6.	S	♄	Catesb. car. 2. t. 97.
27 purpùrea DC.	(pu)	Soldier-wood	————	1733. 3. 5.	S	♄	Bot. reg. t. 129.

Mimòsa purpùrea Andr. reposit. t. 372.

28 xylocárpa DC.	(wh)	woody-podded	E. Indies	1822. 4. 7.	S	♄	Roxb. corom 1. t. 100.
29 bigémina DC.	(wh)	two-paired	————	1823. ——	S	♄	Rheed. mal. 6. t. 12.
30 Jiringa DC.	(wh)	twisted-podded	————	1828.	S	♄	

§ 3. SAMA'NEÆ; *leaves bipinnate.*

31 comòsa DC.	(wh)	tufted	Jamaica	1820. 4. 6.	S	♄	
32 cyclocárpa DC.	(wh)	shell-podded	Caracas	1826.	S	♄	Jacq. fragm. t. 34. f. 1.
33 Samán DC.	....	linear podded	Jamaica	——	S	♄	———— t. 9.
34 corcondiàna DC.	(wh)	Coromandel	E. Indies	1818.	S	♄	
35 stipulàta H.C.	....	stipuled	————	1831.	S	♄	
36 pulchérrima Cerv.	(pu)	handsome	Mexico	1822.	S	♄	

ANNESLE'IA P.L. ANNESLE'IA. (G. Annesly, Lord Montnorris.) Monadelphia Polyandria.

1 grandifòra	(cr)	large-flowered	Mexico	1769. 6. 9.	S	♄	Andr. reposit. t. 592.

Mimòsa grandifòra A.R. *Acàcia grandifòra* W. *I'nga anómala* Kth. mim. t. 22.

2 Houstòni	(cr)	Houston's	Vera Cruz	1729. 9.11.	S	♄	Bot reg. t. 98.

falcifòlia Sal. par. lond. 64. *Acàcia Houstòni* W. *I'nga? Houstòni* DC.

SCHRA'NKIA DC. SCHRA'NKIA. (F. Von Paula Schrank, Germ. bot.) Polygamia Monœcia.

1 aculeàta DC.	(ro)	prickly	Vera Cruz	1733. 7. 8.	S	♃	Mill. ic. 1. t. 182. f. 1.
2 leptocárpa DC.	(ro)	slender-podded	S.Domingo	1827. ——	S	♃	
3 uncinàta DC.	(ro)	hooked	N. America	1789. ——	H	♃	Vent. choix. t. 28.

DARLINGTO'NIA DC. DARLINGTO'NIA. (Dr. Darlington, an Amer. bot.) Pentand. Monogyn.

1 bra[illegible] DC.	(wh)	short-podded	N. America	1803. 9.10.	H	♃	DC. leg. mem. t. 66.

2 glandulòsa DC. (*wh*) glandular N. America 1806. 9.10. F ♄ Vent. choix. t. 27.
Mimòsa glandulòsa M.

DESMA'NTHUS DC. DESMA'NTHUS. (δεσμη, a bundle, and ανθος, a flower.) Polyg. Monœ.

Sect. 1. NEPTU'NIA; *legume oblong, 4-6 seeded; sterile filaments petaloid; aquatic plants with sensitive bipinnate leaves.*

1 lacústris DC. (*st*) marsh S. America 1823. 6. 8. S *w* ⊙ H. et. B. pl. æq. 1. t. 16.
2 nàtans DC. (*ye*) floating China 1800. 7. 9. S *w* ⊙ And. reposit. t. 629.
3 polyphy'llus DC. (*wh*) many-leaved ..... 1826. —— S *w* ⊙
4 tríquetrus DC. (*wh*) triquetrous E. Indies 1823. —— S *w* ⊙
5 plènus DC. (*ye*) double-yellow Vera Cruz 1733. —— S *w* ⊙ Mill. ic. t. 182. f. 2.

Sect. 2. DESMA'NTHEA; *legumes linear, 10-15-seeded; sterile stamens filiform; shrubs with bipinnate sensitive leaves.*

6 depréssus DC. (*wh*) depressed W. Indies 1828. .... S ♄ Kth. mim. p. 115. t. 35.
7 diffùsus DC. (*wh*) prostrate ——— 1731. 7. 9. S ♄ Pluk. alm. t. 307. f. 3.
8 virgàtus DC. (*wh*) twiggy E. Indies 1774. —— S ♄ Jacq. vind. 1. t. 80.
9 stríctus DC. (*wh*) upright Caribees 1827. —— S ♄
10 punctàtus DC. (*wh*) spotted-stalked Jamaica 1636. —— S ♂ Comm. hort. 1. t. 31.

Sect. 3. DICHRO'STACHYS; *legumes linear, twisted; sterile filaments linear, and elongated; anthers tipped each by a gland; shrubs with bipinnate leaves.*

11 divérgens DC. (*ye*) prickly Abyssinia 1816. 6. 7. S ♄ Bruce itin. 5. t. 6.
12 callístachys DC. (*ro.ye*) pretty-spiked ..... 1820. —— S ♄
13 cinèreus DC. (*ro.ye*) ash-coloured E. Indies 1739. —— S ♄ Roxb. corom. 2. t. 174.
Mimòsa cinèrea R.C.
14 nùtans DC. (*ro.ye*) nodding Senegal 1826. —— S ♄

ADENANTHE'RA DC. BASTARD-FLOWER-FENCE. (αδην, a gland, & ανθηρα, an anther.) De.Mo.

1 pavonìna DC. (*st*) pale-yellow E. Indies 1759. 5. 8. S ♄ Rumph. amb. 3. t. 109.
2 falcàta DC. (*ye*) woolly-leaved ——— 1812. —— S ♄ ——— 3. t. 111.

PRO'SOPIS DC. PRO'SOPIS. (προσωπον, a mask.) Polygamia Monœcia.

1 spicígera DC. (*ye*) eatable-podded E. Indies 1812. 6. 7. S ♄ Roxb. corom. 1. t. 63.
2 Adenanthèra DC. (*ye*) prickly Coromandel 1821. .... S ♄
Adenanthèra aculeàta H.B.
2 hórrida DC. (*wh*) long-spined S. America 1826. .... S ♄ Kth. mim. p. 106. t. 33.
4 dúlcis DC. (*wh*) sweet-podded New Spain 1824. .... S ♄ ——— p. 110. t. 34.
5 siliquástrum DC. (*wh*) falcate-podded Chili 1827. .... S ♄
6 cumanénsis DC. (*wh*) Cumana Cumana 1824. .... S ♄
7 domingénsis DC. (*wh*) St. Domingo S. Domingo 1826. .... S ♄
8 juliflòra DC. (*ye*) long-spiked Jamaica 1793. 5. 6. S ♄
Acàcia juliflòra W. *Mimòsa juliflòra* Swartz.

LAGONY'CHIUM DC. LAGONY'CHIUM. (λαγως, a hare, and ονυχιον, a little nail.) Dec. Mon.
Stephanianum DC. Stephan's Levant 1821. .... H ♄ Breyn. cent. 1. t. 56. f. 4.

ACA'CIA DC. ACA'CIA. (ακαξω, to sharpen; spiny.) Polygamia Monœcia.

Sect. 1. PHYLLODI'NEÆ; *leaves of two forms in a seedling state, bipinnate; but in the adult state, nothing remains but the dilated petioles, which are called phyllodia.*

* CAPITA'TÆ; *flowers collected into globular heads; heads solitary on the peduncles.*

1 alàta DC. (*ye*) wing-stalked N. Holland 1803. 4. 7. G ♄ Bot reg. 396.
2 dolabrifórmis DC. (*ye*) hatchet-leaved ——— 1818. 4. 6. G ♄
3 decípiens DC. (*ye*) paradoxcial ——— 1803. 3. 6. G ♄ Bot. mag. t. 1745.
β *præmórsa* (*ye*) *truncate* ——— 1831. —— G ♄ Bot. mag. t. 3244.
4 deltoídea DS. (*ye*) deltoid ——— 1824. .... G ♄
5 biflòra DC. (*ye*) two-flowered ——— 1803. 3. 6. G ♄ Wendl. dis. n. 3. t. 2.
6 hastulàta DC. (*ye*) hastulate ——— 1824. 4. 6. G ♄ Bot. mag. t. 3341.
7 nervòsa DC. (*ye*) nervose ——— —— —— G ♄
8 paradóxa DC. (*ye*) waved ——— 1818. 3. 6. G ♄ Wendl. dis. n. 4. t. 3.
undulàta Bot. reg. t. 843.
9 ornithóphora S.F.A. (*ye*) Bird-leaved ——— 1825. 4. 6. G ♄ Swt. fl. aust. t. 24.
10 armàta DC (*ye*) armed ——— 1803. —— G ♄ Bot. mag. t. 1653.
11 hy'brida (*ye*) Whitley's mule Hybrid 1822. 3. 6. G ♄ Lodd. bot. cab. 1342
12 genistifòlia DC. (*ye*) Genista-leaved N. Holland 1820. —— G ♄
13 junipérina DC. (*st*) Juniper-leaved N. S. W. 1790. —— G ♄ Vent. malm. t. 64.
ulicifòlia Wendl. coll. 2. t. 6. *Mimòsa ulícina* Sal. prodr.
14 Brównii DC (*st*) Brown's N. S. W. 1796. —— G ♄
aciculàris H.K. *non* W.
15 echínula DC. (*st*) pungent ——— 1824. —— G ♄
16 pugionifórmis DC. (*st*) needle-leaved ——— 1803. —— G ♄ Wendl. dis. 26. t. 9
17 asparagoìdes F.T. (*st*) Asparagus-like ——— 1824. —— G ♄
18 Cunninghàmii (*ye*) Cunningham's ——— 1825. —— G ♄
taxifòlia F.T. *non* W.
19 diffùsa DC. (*ye*) spreading ——— 1822. 3. 6. G ♄ Bot. reg. t. 634.
prostràta Lodd. bot. cab. 631.

20	sulcàta DC.	(*ye*)	furrowed-leaved	N. Holland	1803.	4. 8.	G	♄	Bot. reg. v. 11. t. 928.
21	canaliculàta	(*ye*)	glaucous-furrow'd	———	1823.	5. 8.	I	♄	
22	salígna DC.	(*ye*)	Willow-leaved	———	1820.	3. 6.	G	♄	Labil. n. hol. 2. t. 235.
23	emarginàta DC.	(*st*)	emarginate	———	1816.	——	G	♄	
24	stricta DC.	(*ye*)	upright	N. S. W.	1790.	2. 5.	G	♄	Bot. mag. 1121.
25	lepròsa DC.	(*ye*)	leprous	———	1824.	3. 6.	G	♄	
26	dodonæifòlia DC.	(*ye*)	clammy	———	1818.	4. 6.	G	♄	Wendl. dis. n. 19. t. 7.
	vicòsa Wendl.								
27	vernicifluà F.T.	(*ye*)	varnished	———	1819.	3. 6.	G	♄	Bot. mag. t. 3266.
28	lanígera F.T.	(*ye*)	woolly-stemmed	———	1824.	——	G	♄	——— t. 2922.
	virgàta Lodd. bot. cab. 1246.								
29	rígens DS.	(*ye*)	stiff	N. Holland	1824.	3. 5.	G	♄	
30	lineàta DS.	(*ye*)	lined	N. S. W.	1831.	——	G	♄	Bot. mag. 3346.
31	brévipes B.M.	(*ye*)	short-stalked	———	1810.	——	G	♄	——— t. 3358.
32	multinérvia DC.	(*ye*)	many-nerved	N. Holland	1824.	3. 6.	G	♄	
33	eglandulòsa DC.	(*ye*)	glandless	———	——	——	G	♄	
34	undulæfòlia DS.	(*st*)	wave-leaved	N. S. W.	——	——	G	♄	Bot. mag. t. 3394.
35	trístis B.M.	(*ye*)	sad	N. Holland	1828.	3. 4.	G	♄	——— 3420.
36	hispídula DC.	(*ye*)	little-harsh	N. S. W.	1794.	4. 5.	G	♄	Sm. nov. holl. t. 16.
37	cochleàris DC.	(*ye*)	spoon-leaved	N. Holland	1820.	3. 6.	G	♄	Labill. n.holl. 2. t. 234.
38	coriàcea DC.	(*ye*)	leathery	———	1824.	——	G	♄	
39	ínceps DC.	(*ye*)	flat-edged	———	——	——	G	♄	
40	laurifòlia DC.	(*ye*)	Laurel-leaved	S. Sea Isl.	1775.	——	S	♄	
41	cy'clops DS.	(*ye*)	circle-eye-seeded	N. S. W.	1824.	——	G	♄	
42	gravèolens DS.	(*ye*)	strong-scented	V. D. L.	1825.	——	G	♄	Bot. mag. 3279.
43	elongàta DC.	(*ye*)	elongated	N. S. W.	1824.	3. 6.	G	♄	——— t. 3337.
44	trinervàta DC.	(*ye*)	three-nerved	———	1823.	4. 6.	G	♄	
45	vernicíflua DS.	(*ye*)	varnish-flowing	———	1817.	——	G	♄	
46	calamifòlia DC.	(*ye*)	quill-leaved	———	1822.	1.12.	G	♄	Bot. reg. t. 839.
47	quadrilateràlis DC.	(*ye*)	tetragonal-l'd.	———	——	4. 6.	G	♄	

§ 2. CAPITA'TO-RACEMO'SÆ; *flowers collected into globose heads; heads disposed in racemes along axillary peduncles.*

48	falcàta DC.	(*st*)	sickle-leaved	N. S. W.	1790.	5. 6.	G	♄	Lodd. bot. cab. 1115.
49	falciformis DC.	(*st*)	sickle-shaped	———	1824.	4. 6.	G	♄	
50	penninérvis DC.	(*wh*)	feathered-nerv'd	———	1822.	——	G	♄	Bot. mag. t. 2754.
	imprèssa Bot. reg. v. 13. t. 1115. Lodd. bot. cab. 1319.								
51	platyphy'lla	(*st*)	broad-leaved	N. Holland	1822.	4. 6.	I	♄	
52	melanóxylon DC.	(*wh*)	black-wooded	V.Diem.Isl.	1808.	——	G	♄	Bot. mag. t. 1659.
53	heterophy'lla DC.	(*ye*)	various-leaved	Bourbon	1820.	....	S	♄	
54	amœ'na DC.	(*st*)	handsome	N. S. W.	1824.	4. 6.	G	♄	Wendl. dis. 16. t. 4.
55	myrtifòlia DC.	(*st*)	Myrtle-leaved	———	1789.	2. 5.	G	♄	Sweet flor. aust. t. 49.
56	podalyriæfòlia DS.	(*ye*)	Podalyria-leav'd	———	1824.	——	G	♄	
57	vestìta DC.	(*ye*)	clothed	N. Holland	1820.	3. 6.	G	♄	Bot. reg. t. 698.
58	marginàta DC.	(*ye*)	thick-margined	N. S. W.	1803.	4. 6.	G	♄	Wendl. dis. 19. t. 5. A.
59	furfuràcea DS.	(*ye*)	scurfy	———	1824.	——	G	♄	
	dealbàta Cunning.								
60	umbròsa DS.	(*ye*)	shady	———	1825.	——	G	♄	Bot. mag. 3338.
61	pyrifòlia DC.	(*ye*)	Pear-leaved	———	1824.	——	G	♄	
62	binervàta DC.	(*ye*)	two-nerved	———	——	——	G	♄	
63	bivenòsa DC.	(*ye*)	two-veined	———	——	——	G	♄	
64	prómineus DS.	(*wh*)	prominent	———	——	——	G	♄	Bot. mag. t. 3502.
65	cultriformis DS.	(*ye*)	cultriform	———	——	——	G	♄	Hook icon. 2. t. 170.
66	fimbriàta DC.	(*ye*)	fringed	———	1830.	——	G	♄	
67	buxifòlia F.T.	(*ye*)	Box-leaved	———	1824.	3. 5.	G	♄	
68	lunàta DC.	(*ye*)	lunate-leaved	V.Diem.Isl.	1816.	3. 6.	G	♄	Sweet flor. aust. t. 42.
	β *brevifòlia* B.C.	(*ye*)	*short-leaved*	———	——	——	G	♄	Lodd. bot. cab. t. 1235.
69	obtusàta DC.	(*ye*)	obtuse	N. S. W.	1824.	4. 6.	G	♄	
70	crassiúscula DC.	(*st*)	thick-leaved	———	1803.	2. 6.	G	♄	Wendl. dis. 20. t. 8.
71	suavèolens DC.	(*st*)	sweet-scented	———	1790.	——	G	♄	Lodd. bot. cab. t. 730.
	β *platycárpa* DC.	(*st*)	*flat-podded*	———	——	——	G	♄	
72	angustifòlia DC.	(*st*)	narrow-leaved	———	——	——	G	♄	Lodd. bot. cab. t. 768.
	Mimòsa angustifòlia Jacq. schœnb. 3. t. 391.								
73	linifòlia DC.	(*wh*)	Flax-leaved	———	——	——	G	♄	Bot. mag. t. 2168.
74	abiétina DC.	(*wh*)	Fir-leaved	———	——	3. 6.	G	♄	
75	subulàta DC.	(*ye*)	awl-leaved	N. Holland	1824.	4. 6.	G	♄	Bonpl. nav. t. 45.
76	rùbida DS.	(*ye*)	reddish	———	1823.	——	G	♄	
77	spinulòsa	(*ye*)	small-spined	———	1822.	3. 6.	I	♄	
78	cordifòlia ψ	(*ye*)	heart-leaved	———	1824.	4. 6.	I	♄	
79	dillwyniæfòlia ψ	(*st*)	Dillwynia-leav'd	———	——	——	G	♄	

80	mucronulàta ψ	(*ye*) sharp-pointed	N. Holland	1824.	4. 6.	G	♄	
81	oleifòlia DS.	(*ye*) Olive-leaved	———	1823.	——	G	♄	Bot. reg. 1332.
	uncinàta B.R.							
82	péndula DS.	(*wh*) pendulous	———	——	——	G	♄	
83	leucophy'lla C.C.	(*ye*) white-leaved	———	1820.	3. 6.	I	♄	
	§ 3. SPICA'TÆ; *flowers disposed in cylindrical spikes.*							
84	taxifòlia DC.	(*ye*) Yew-leaved	China	1820.	3. 6.	G	♄	
85	Oxy'cedrus DC.	(*ye*) sharp-leaved	N. S. W.	1824.	4. 6.	G	♄	Sweet flor. aust. t. 6.
	taxifòlia Lodd. bot. cab. t. 1225. *non* W.							
86	verticillàta DC.	(*ye*) whorl-leaved	V.Diem.Isl.	1780.	3. 5.	G	♄	Bot. mag. t. 110.
	α glàbra DC.	(*ye*) *smooth-leaved*	———	——	——	G	♄	
	β angústa DC.	(*ye*) *narrow-leaved*	———	——	——	G	♄	Vent. malm. t. 63.
	γ latifòlia DC.	(*ye*) *broad-leaved*	———	——	——	G	♄	Wendl. coll. 1. t. 30.
87	ruscifòlia DS.	(*ye*) ruscus-leaved	N. Holland	1824.	——	G	♄	
88	lineàris B.M.	(*wh*) linear-leaved	N. S. W.	1812.	8.12.	G	♄	Bot mag. t. 2156.
89	longíssima W.A.	(*ye*) long-linear-ld.	———	——	——	G	♄	Wendl. dis. 31. t. 11.
90	mucronàta DC.	(*wh*) mucronate	———	——	9. 1.	G	♄	Bot. mag. t. 2747.
91	floribúnda DC.	(*wh*) many-flowered	———	1796.	5. 6.	G	♄	Vent. choix. t. 13.
92	doratóxylon F.T.	(*ye*) spear-wood	———	1824.	3. 6.	G	♄	
93	obtusifòlia F.T.	(*ye*) blunt-leaved	———	——	4. 6.	G	♄	
94	homomálla DC.	(*ye*) downy-leaved	———	——	——	G	♄	Wendl. dis. 34. t. 13.
95	holoserícea DS.	(*ye*) whole-silky	N. Holland	1822.	——	S	♄	
	leucophy'lla Sweet?							
96	longifòlia DC.	(*ye*) long-leaved	N. S. W.	1792.	3. 6.	G	♄	Bot. mag. t. 1827.
	β latifòlia	(*ye*) *broader-leaved*	———	——	——	G	♄	——— t. 2166.
97	intertéxta DC.	(*ye*) netted-veined	———	1824.	4. 6.	G	♄	
	obtusifòlia et *thegonocárpa* Cunningh.							
98	glaucéscens DC.	(*ye*) glaucescent	———	1790.	2. 6.	G	♄	Willd. hort. ber. t. 101.
99	leucolòbia	(*ye*) white-podded	N. S. W.	1824.	3. 6.	G	♄	
	dealbàta F.T. *non* Link.							
100	cinerascens DC.	(*ye*) greyish	———	——	——	G	♄	
101	subcœrùlea B.R.	(*ye*) bluish-leaved	N. Holland	——	4. 6.	I	♄	Bot. reg. t. 1075.
102	Sophòræ DC.	(*ye*) Sophora-podded	V.Diem.Isl.	1805.	——	G	♄	Labil. n. holl. 2. t. 237.
103	heteromálla C.C.	(*ye*) broad woolly-ld.	N. Holland	1822.	——	I	♄	
Sect. 2. CONJUGA'TO-PINNA'TÆ; *leaves with one pair of pinnæ, each pinna bearing few or many pairs of leaflets.*								
104	coronillæfólia DC.	(*ye*) Coronilla-leav'd	Mogador	1826.	4. 5.	G	♄	
105	strumbulífera DC.	(*ye*) twisted-podded	Peru	1823.	4. 7.	G	♄	
106	reticulàta DC.	(*ye*) netted	C. B. S.	1816.	4. 6.	G	♄	Pluk. alm. t. 123. f. 2.
107	pulchélla DC.	(*ye*) zigzag-spiny	N. Holland	1803.	4. 7.	G	♄	Lodd. bot. cab. t. 212.
108	hispidíssima DC.	(*ye*) hispid	———	1824.	4. 6.	G	♄	
109	detinens DC.	(*ye*) detaining	C. B. S.	1816.	6.10.	I	♄	
110	viridiràmis DC.	(*ye*) green-branched	———	——	4. 6.	I	♄	
111	cassioìdes DC.	(*ye*) Cassia-like	S. America	1822.	——	S	♄	
112	sapindoìdes Cun.	(*ye*) Soap-berry-like	Moreton Bay	1830.	....	G	♄	
113	Spínii DS.	(*r.y*) Spini's	.....	....	....	S	♄	Coll. hort. rip. ap. t. 6.
114	díptera DC.	(*ye*) two-winged	S. America	1822.	....	S	♄	
Sect. 3. SPICIFLO'RÆ; *leaves bipinnate, with few or many pairs of pinnæ, and each pinna bearing many pairs of leaflets; flowers in spikes.*								
	§ 1. *Unarmed trees or shrubs.*							
115	lophanthoìdes DC.	(*st*) crested	Jamaica	1826.	5. 6.	S	♄	
116	lophántha DC.	(*st*) two-spiked	N. Holland	1803.	11.4.	G	♄	Bot. reg. t. 361.
	Mimòsa élegans Andr. reposit. 563.							
117	guianénsis DC.	(*wh*) Guiana	Guiana	1803.	....	S	♄	Aubl. guian. 2. t. 357.
118	elephantìna B.T.	(*ye*) Elephant	C. B. S.	1816.	....	I	♄	
119	pulchérrima DC.	(*re*) beautiful	Brazil	1826.	....	S	♄	
120	aspidioìdes DC.	(*wh*) Aspidium-leav'd	Guiana	1827.	....	S	♄	
121	dealbàta DC.	(*ye*) white-leaved	V.Diem.Isl.	1818.	3. 6.	G	♄	Bot. reg. t. 371.
	decúrrens β móllis B.R.							
122	Wallichiàna DC.	(*ye*) Wallich's	E. Indies	1827.	....	S	♄	
	§ 2. *Prickly or spiny trees or shrubs.*							
123	adenanthèra H.B...	perennial	E. Indies	1825.	....	S	♃	
124	ferrugínea DC.	(*wh*) ferruginous	———	——	....	S	♄	
125	Súndra DC.	(*ye*) hook-spined	———	1789.	5. 6.	S	♄	Roxb. corom. 3. t. 225.
126	Sùma H.B.	(*ye*) Shumee-tree	———	1822.	——	S	♄	
127	Cátechu DC.	(*ye*) medicinal	———	1790.	——	S	♄	Roxb. corom. 2. t. 175.
128	fasciculàta DC.	(*wh*) fascicled	Mexico	1828.	....	S	♄	Kth. mim. 75. t. 23.
129	viridiflòra DC.	(*gr*) green-flowered	S. America	1823.	5. 6.	S	♄	Kunth. mim. t. 25.
130	cáffra DC.	(*ye*) Hottentot	C. B. S.	1816.	——	I	♄	

131	Sénegal DC.	(wh)	Senegal	Africa	1823.	....	S h	
132	cornígera DC.	(ye)	Cuckold-tree	S. America	1692.	5. 6.	S h	
	α *americàna* DC.	(ye)	*brown-spined*	———	——	——	S h	Comm. hort. 1. t. 107.
	β *índica* DC	(ye)	*yellow-spined*	E. Indies	——	——	S h	Seba thes. 1. t. 70. f. 13.
133	latrònum DC.	(wh)	white-spined	———	1824.	——	S h	

Sect. 4. GLOBIFLO'RÆ; *leaves bipinnate, with few or many pairs of pinnæ, and each pinna bearing few or many pairs of leaflets; flowers in globose heads.*

§ 1. *Prickles stipular, straight; legumes unarmed; stamens* 20 *or more.*

134	Séyal DC.	(ye)	Egyptian	Egypt	1828.	....	G h	Delil. fl. eg. t. 52. f. 2.
135	hórrida DC.	(ye)	common-cape	C. B. S.	1823.	3. 5.	I h	Pluk. t. 121. f. 4.
	Mimòsa leucacántha Jacq. *capénsis* B.T.							
136	ebúrnea DC.	(ye)	ivory-thorned	E. Indies	1792.	4. 6.	S h	Roxb. corom. 2. t. 199.
137	tortuòsa DC.	(st)	twisted	Jamaica	1822.	....	S h	
138	Burmanniàna DC.	(ye)	Burmann's	E. Indies	1824.	....	S h	
139	vèra DC.	(ye)	Egyptian-thorn	Egypt	1596.	7. 8.	I h	Vest egypt. t. 8.
	Mimòsa nilótica L.							
140	arábica DC.	(ye)	Gum Arabic	Arabia	....	6. 8.	S h	Roxb. corom. 2. t. 149.
141	hebéclada DC.	(ye)	stoloniferous	C. B. S.	1816.	4. 6.	I h	
	stolonífera B.T.							
142	maurocèana DC.	(wh)	Marocca	Marocca	....	——	G h	
143	farnesiàna DC.	(ye)	Sponge-tree	St. Domingo	1656.	6. 8.	I h	Duham. ar. ed. n. 2. t. 28.
144	álba DC.	(wh)	white	E. Indies	1828.	....	S h	
145	álbicans DC.	(wh)	whitish	Mexico	1827.	....	S h	Kth. mim. 87. t. 27.
146	álbida B.R.	(ye)	whitened	Peru	1824.	4. 6.	G h	Bot. reg. t. 1317.
147	leucophlæ'a DC.	(st)	panicled	E. Indies	1812.	——	S h	Roxb. corom. 2. t. 150.
148	hæmatóxylon DC.	(ye)	hoary	C. B. S.	1816.	....	S h	
	atomiphy'lla B.T.							
149	tomentòsa DC.	(st)	tomentose	E. Indies	——	5. 7.	S h	
150	índica DC.	(ye)	Indian	———	1824.	....	S h	
151	flexuòsa DC.	(ye)	flexuose	Cumana	1822.	....	S h	
152	peruviàna DC.	(ye)	Peruvian	Peru	——	....	S h	
153	brachyacántha DC...		short-spined	S. America	1816.	....	S h	
154	ciliàta DC.	....	fringed	———	1823.	....	S h	
155	aciculàris DC.	....	needle-spined	———	——	....	S h	
156	Giráffæ DC.	(ye)	Cameleopard's	C. B. S.	1816.	....	I h	
157	rhodacántha DC.	(ye)	red-spined	.....	——	....	S h	
158	heteracántha DC.	(ye)	various-spined	C. B. S.	——	....	I h	
159	Bancroftiàna DC.	(st)	Bancroft's	Jamaica	1826.	....	S h	
160	polycéphala DC.	(wh)	many-headed	Mauritius	——	....	S h	
161	subinérmis DC.	(ye)	scarcely spiny	Jamaica	——	....	S h	
162	edùlis W. en.	....	eatable	S. America	1822.	....	S h	

§ 2. *Prickles stipular, twin, also petiolar and along the ribs of the legume; stamens* 10.

163	acanthocárpa DC.	(bh)	prickly-podd'd	New Spain	1818.	4. 7.	F h	
	Mimòsa aculeaticárpa P.S.							
164	acanthóloba DC.	(st)	prickly-fruited	S. America	1822.	....	S h	

§ 3. *Remeal prickles scattered without order; stems erect.*

165	concínna DC.	(bh)	neat	E. Indies	1794.	6. 8.	S h	
166	tamarindifòlia DC.	(wh)	Tamarind-ld.	W. Indies	1774.	....	S h	Jacq. schœnb. 3. t. 396.
167	I'atsia DC.	(st)	angular-stalked	E. Indies	1778.	6. 8.	S h	Rheed. mal. 6. t. 4.
168	pennàta DC.	(ye)	fine-leaved	———	1773.	——	S h	Burm. zeyl. 2. t. 1.
169	plumòsa B.M.	(ye)	feathery	Madeira	1830 ?	——	S h	Bot. mag. t. 3366.
	scándens and *pennàta* W.							
170	cæ'sia DC.	(wh)	gray	E. Indies	1773.	——	S h	Pluk. mant. 1. t. 330. f. 3.
171	centrophy'lla DC.	(wh)	prickly-leaved	Jamaica	1826.	——	S h	
172	Courantiàna DC.	(wh)	Courant's	.....	1824.	——	S h	
173	arrophùla DC.	(wh)	Nepaul	Nepaul	1823.	....	G h	

§ 4. *Prickles scattered; stems climbing.*

174	scándens DC.	....	climbing	Brazil	1826.	....	S h ◡	
175	prénsans B.M.	(ye.re)	prickly-feather'd	Madeira	....	....	G h ◡	Bot. mag. t. 3408.
176	sarmentòsa DC.	..	trailing	.....	1826.	....	S h ◡	

Sect. 5. TRICHO'DEÆ; *leaves similar to last section; prickles wanting; anthers hairy; stigma pencil-formed.*

177	trichòdes DC.	(wh)	warted-stalked	Caracas	1824.	6. 8.	S h	Jacq. schœnb. 3. t. 394.

Sect. 6. JULIBRI'SSINÆ; *all as in last section, except that the anthers are glabrous, and the stigma simple.*

178	formòsa DC.	(wh)	handsome	Mexico	1826.	....	S h	Kth. mim. t. 32.
179	nígricans DC.	(st)	unequal-winged	N. Holland	1803.	5. 7.	G h	Bot. mag. t. 2188.
180	strigòsa DC.	(ye)	ciliate-winged	———	——	3. 6.	G h	

ciliàta H.K. *nec aliorum.*

181	vàga DC.	(*st*) Brazilian	Brazil	1823.	8. 9.	S	♄	Marcg.bras.p.111.f.1.
182	Lébbeck DC.	(*wh*) Egyptian	Bombay	1742.	——	G	♄	Pluk.mant.2.t.331.f.1.
	speciòsa Jacq. ic. rar. 1. t. 198. *Sirissa* Roxb.							
183	prócera DC.	(*pa*) lofty	Coromandel	1824.	....	S	♄	Roxb. corom. 2. t. 121.
184	odoratíssima DC.	(*pa*) fragrant	————	1790.	4. 6.	S	♄	———— 2. t. 120.
185	glaúca DC.	(*wh*) glaucous	S. America	1690.	6. 9.	S	♄	Trew ehret. t. 46.
186	leucocéphala DC.	(*wh*) white-headed	————	1818.	4. 6.	S	♄	
187	latisíliqua DC.	(*wh*) broad-podded	W. Indies	1777.	3. 6.	S	♄	Plum. ed. Burm. t. 6.
188	portoricénsis DC.	(*wh*) Porto Rico	Porto Rico	1820.	....	S	♄	Jacq. ic. 3. t. 633.
189	caracasàna DC.	(*pu*) Caracas	Caracas	1823.	....	S	♄	———— 3. t. 632.
190	Lambertiàna DC.	(*pu*) Mr. Lambert's	Mexico	1820.	7. 9.	G	♄	Bot. reg. t. 721.
191	tetragòna DC.	(*wh*) square-stalked	Caracas	1822.	....	S	♄	
192	quadrangulàris DC.	(*wh*) quadrangular	.....	1816.	5. 7.	S	♄	Bot. mag. t. 2651.
193	díscolor DC.	(*ye*) two-coloured	N. S. W.	1788.	3. 6.	G	♄	———— t. 1750.
	Mimòsa díscolor Andr. reposit. t. 235. *Mimòsa betrycéphala* Vent. cels. t. 1.							
194	angulàta DC.	(*ye*) angular	N. Holland	1824.	4. 6.	G	♄	
195	pubéscens DC.	(*ye*) hairy-stemmed	N. S. W.	1790.	3. 6.	G	♄	Bot. mag. t. 1263.
196	filícina DC.	(*wh*) fern-leaved	Mexico	1825.	4. 6.	G	♄	Cavan. ic. 1. t. 78.
197	villòsa DC.	(*wh*) villous	Jamaica	1826.	——	S	♄	
198	frondòsa DC.	(*wh*) frondose	E. Indies	1816.	....	S	♄	
199	venústa W. en.	(*ye*) charming	S. America	——	....	S	♄	
200	stipulàta DC.	(*wh*) stipuled	Bengal	1820.	5. 6.	S	♄	
201	divaricàta DC.	(*wh*) straddling	E. Indies	——	——	S	♄	Jacq. schœnb. t. 395.
202	umbellulífera DC.	(*wh*) small-umbell'd	Mexico	1825.	——	G	♄	Kth. mim. t. 31.
203	arbòrea DC.	(*bh*) tree	Jamaica	1768.	——	S	♄	Sloan.his.2.t.182.f.1.2.
204	amàra DC.	(*wh*) bitter	Coromandel	1823.	4. 6.	S	♄	Roxb. corom. 2. t. 122.
205	Nèmu DC.	(*bh*) Japan-tree	Japan	——	....	G	♄	Banks ic. Kæmpf. t. 19.
206	Julibríssin DC.	(*bh*) smooth tree	Levant	1745.	8. 9.	H	♄	Scop. insub. 1. t. 8.
207	polyphy'lla DC.	(*wh*) many-leaved	St. Martha	1826.	6. 9.	S	♄	
208	decúrrens DC.	(*ye*) decurrent	N. S. W.	1790.	5. 7.	G	♄	Vent. malm. t. 61.
209	mollíssima DC.	(*ye*) soft-leaved	————	1818.	4. 6.	G	♄	Sweet flor. aust. t. 12.
210	pentadènia BR.	(*ye*) five-glanded	N. Holland	1830.	4. 5.	G	♄	Bot. reg. 1521.
211	esculénta DC.	(*wh*) eatable	New Spain	1820.	....	S	♄	Flor. mexic. ic. ined.
212	peregrìna DC.	(*wh*) white-flowered	S. America	1780.	7. 8.	S	♄	Kth. mim. t. 30.
213	gràta DC.	(*wh*) grateful	Brazil	1828.	....	S	♄	
214	microphy'lla DC.	(*wh*) small-leaved	Caracas	1826.	....	S	♄	
215	chrysóstachys	(*ye*) golden-spiked	Mauritius	1823.	....	S	♄	
216	lùcida H.B.	.... glossy	E. Indies	1816.	....	S	♄	
217	elàta H.B.	(*wh*) tall	————	1820.	....	S	♄	
218	Kalkòra H.B.	(*wh*) large	————	——	....	S	♄	
219	Smithiàna H.B.	.. Smith's	Silhet	1823.	....	S	♄	
220	semicordàta H.B.	(*wh*) semicordate	E. Indies	——	....	S	♄	
221	fruticòsa H.B.	(*wh*) frutescent	China	1829.	5. 6.	G	♄	
222	pedunculàta H.B.	(*wh*) peduncled	E. Indies	1822.	....	S	♄	
223	tríquetra H.B.	(*wh*) triquetrous	Coromandel	1824.	....	S	♄	
224	robústa B.T.	(*ye*) robust	C. B. S.	1816.	....	I	♄	
225	litakunénsis B.T.	(*ye*) Litakun	————	——	....	I	♄	
226	guilandinæfòlia	(*gr*) Guilandina-ld.	N. Holland	1818.	7. 9.	I	♄	

Suborder IV. CÆSALPI'NEÆ.

Tribe IX. *GEOFFREÆ*. DC. prodr. 2. p. 473.

A'RACHIS DC. EARTH-NUT. (*a*, priv. and *βακις*, a branch.) Diadelphia Decandria.

1	hypogæ'a DC.	(*ye*) American	S. America	1712.	5. 6.	H	⊙	Trew ehret. t. 3. f. 3.
2	africàna W.	(*ye*) African	Africa	1824.	——	H	⊙	

VOANDZE'IA DC. VOANDZE'IA. (*voandzou*, name in Madagascar.) Diadelphia Decandria.

	subterrànea DC.	(*ye*) subterraneous	Madagascar	1820.	6. 8.	S	⊙	DC.leg.me.t.20.f.106.
	Gly'cine subterrànea Linn. dec. 37. t. 17.							

PERA'LTEA DC. PERA'LTEA. (Jos. Peralt, of New Spain; botanical collector.) Diad. Decand.

	lupinoìdes DC.	(*pu*) Lupine-like	New Spain	1827.	9. 11.	F	♄	H.et B.n.gen.6.t.589.

BRONGNIA'RTIA DC. Brongnia'rtia. (Adolph Brogniart, cel. bot.) Diadelphia Decandria.
podalyrioìdes DC. (*fl*) Podalyria-like New Spain 1827. 9. 11. F ♄ H.et B.n. gen.6.t.588.

ANDI'RA DC. Andi'ra. (Brazilian name.) Diadelphia Decandria.
1 racemòsa DC. (*pu*) racemed Brazil 1824. .... S ♄ Aubl. gui. sup. t. 373.
2 inérmis DC. (*pu*) bastard cabbage-tree Jamaica 1778. .... S ♄ Phil. trans. 1777.t.10.

GEOFFRO'YA DC. Geoffro'ya. (M. E. F. Geoffroy, author of a Mat. Med.) Diadelph. Decand.
1 spinòsa DC. (*st*) spiny S. America 1823. .... S ♄ Jacq. amer. t. 180. f. 62.
2 Bredemeyèri DC. (*ye*) striated Caracas 1824. .... S ♄
Robinia striàta W.
3 violàcea DC. (*vi*) violet Guiana 1827. .... S ♄ Aubl. guian. t. 301.

BRO'WNEA DC. Bro'wnea. (P. Browne, auth. of hist. Jam.) Monad. Dec-Dodecandria.
1 Ròsa DC. (*ro*) mountain Rose Trinidad 1816. .... S ♄ Ber. act.ang.1771.t.8-9.
speciòsa Sieber.
2 coccínea DC (*sc*) scarlet-flower'd W. Indies 1793. 7. 9. S ♄ Jacq. amer. t. 121.
3 latifòlia DC. (*ro*) broad-leaved Caracas 1826. .... S ♄ Jacq. fragm. t. 17.
4 racemòsa DC. (*ro*) racemed ——— —— .... S ♄ ——— t. 18. 19.
5 grándiceps DC. (*ro*) close-headed ——— 1828. .... S ♄ ——— t. 22-23.

DI'PTERIX DC. Tonquin Bean. (δις, twice, and πτερυξ, a wing: calyx.) Monad. Octo-Decand.
odoràta DC. (*pu*) sweet-scented Guiana 1793. .... S ♄ Aubl. guian. 3. t. 296.
Cumarovìna odoràta Aubl. *Baryósma Tónga* Gært. fruct. 2. t. 93.

Tribe X. *CASSIE'Æ.* DC. prodr. 2. p. 478.

GLEDI'TSCHIA DC. Gledi'tschia. (G. Gleditsch, prof. bot. Berlin.) Polygamia Diœcia.
1 triacánthos DC. (*gr*) three-thorned N. America 1700. 6. 1. H 5 Wats.dend.brit.2.t.138.
β inérmis DC. (*gr*) *spineless* ——— —— —— H 5 DC.leg.mem.t.22.f.109.
2 brachycárpa DC. (*gr*) curved-spined ——— .... —— H 5
3 monospérma DC. (*gr*) single-seeded ——— 1723. —— H 5 Mich. f. arb. 3. t. 10
4 sinénsis DC. (*gr*) Chinese China 1774. —— H 5 DC. leg. mem. 1. t. 1.
hórrida W.
5 macracántha DC. (*gr*) large-spined ——— .... —— H 5
6 férox DC. (*gr*) flat-spined ——— .... —— H 5
orientàlis Bosc.
7 cáspica DC. (*gr*) Caspian Caucasus 1822. —— H ♄
8 micracántha L.C. (*gr*) small-spined ..... 1824. —— H ♄
9 índica DC. (*gr*) Indian E. Indies 1812. .... S ♄
10 lævis L.C. (*gr*) smooth ..... 1824. .... H ♄
11 latisíliqua L.C. (*gr*) broad-podded ..... —— .... H 5

GYMNO'CLADUS DC. Kentucky Coffee-tree. (γυμνος, naked, and κλαδος, a branch.) Diœc. Dec.
canadénsis DC. (*wh*) Canadian N. America 1748. 5. 6. H 5 Mich. amer. 2. t. 51.
Guilandìna dioìca L.

GUILANDI'NA DC. Nicker-tree. (M. Guilandinus, or Wieland; a cel. trav.) Decand. Mon.
1 Bónduc L.T. (*ye*) Sumatra Sumatra 1640. .... S ♄ Rumph. amb. 5. t. 48.
2 Bonducélla L.T. (*ye*) common E. Indies —— .... S ♄ Schrank. h. mon. t. 68.
3 microphy'lla DC. .. small-leaved ——— .... S ♄ Rumph.amb.5.t.49.f.2?

COULTE'RIA. DC. Coult'eria. (Th. Coulter, M.D., cel. bot. and trav.) Decandria Monogynia.
1 tinctòria DC. (*ye*) dyer's Peru 1818. .... S ♄ H.etB.n.ge.am.6.t.569.
Poinciàna Tàra R.P. *Cæsalpínia pectinàta* Cavan.
2 mexicàna DC. (*ye*) Mexican New Spain 1826. .... S ♄ Flor. mexic. ic. ined.
3 hórrida DC. (*ye*) horrid Popayan 1824. .... S ♄

CÆSALPI'NIA DC. Brasile'tto. (A. Cæsalpinus, M.D. bot. author.) Decandria Monogynia.
Sect. 1. Nuga'ria; *legume* 1-2 *seeded; seeds thick, transversely oblong; calyx glabrous.*
1 Nùga DC. (*ye*) acute-leaved Amboyna 1801. 4. 6. S ♄ Rumph. amb. 5. t. 50.
2 paniculàta DC. (*ye*) panicled E. Indies 1812. .... S ♄ ◡ Rheed. mal. 6. t. 19.
Sect. 2. Brasile'ttia; *legume oblong, acuminated at both ends, samaroid; one-seeded; seed flat; calyx downy.*
3 brasiliénsis DC (*ye*) Brazilian Brazil 1818. 4. 6. S ♄
4 scándens DC. (*ye*) climbing E. Indies 1800. —— S ♄ ◡
Sect. 3. Sappa'nia; *legume compressed, many-seeded, 1-celled; seeds oblong.*
5 Sappán DC. (*ye*) narrow-leaved E. Indies 1773. —— S ♄ Roxb. corom. 1. t. 16.
6 digyna DC. (*ye*) digynous ——— 1828. .... S ♄ Will. n. ac. 1803.v.4.t.3.
7 mimosoìdes DC. (*ye*) Mimosa-leaved ——— 1806. 5. 7. S ♄ Rheed. mal. 6. t. 8.
8 bijuga DC. (*ye*) broad-leaved Jamaica 1770. 6. 9. S ♄ Sloan. j. 2. t. 181. f. 2.3.
9 bahaménsis DC. (*wh*) emarginate Bahama 1823. .... S ♄ Catesb. car. 2. t. 51.

10	Crísta DC.	(*ye*) oval-leaved	Jamaica	....	4. 6.	S	♄		Plum. gen. 28. t. 9.
11	glandulòsa DC.	(*ye*) glandular	St. Domingo	1828.	....	S	♄		
12	Cacalàco DC.	(*ye*) round-leaved	Mexico	1826.	....	S	♄		H.et B. pl. seq. 2. t. 137.
13	coriària DC.	(*ye*) leathery	W. Indies	——	....	S	♄		Kth. mim. t. 45.
14	lebbekkoìdes DC.	(*ye*) Lebbek-podd'd	China	1812.	....	S	♄		
15	punctàta DC.	(*ye*) dotted-leaved	Brazil	1818.	....	S	♄		
16	prócera S.S.	(*ye*) tall	Cuba	1822.	....	S	♄		
17	cassioìdes DC.	(*ye*) Cassia-like	S. America	1823.	....	S	♄		
18	mucronàta DC.	(*ye*) mucronate	Brazil	——	....	S	♄		
19	olæospérma H.B.	(*ye*) oil-seeded	E. Indies	1800.	5. 6.	S	♄	◡	
20	cucullàta H.B.	(*ye*) hooded	———	1822.	....	S	♄	◡	
21	sepiària H.B.	(*ye*) Mysore-thorn	———	1806.	6. 9.	S	♄	◡	
22	resupinàta H.B.	(*ye*) resupinate	———	1828.	....	S	♄	◡	
23	enneaphy'lla H.B.	(*ye*) nine-leaved	———	1812.	....	S	♄	◡	
24	chinénsis H.B.	(*ye*) Chinese	China	——	....	S	♄	◡	
25	tortuòsa H.B.	(*ye*) twisting	E. Indies	1822.	....	S	♄	◡	
26	sumatràna H.B.	(*ye*) Sumatra	———	——	....	S	♄	◡	

COLVI'LLEA Bojer. COLVI'LLEA. (Sir Ch. Colville, bot. patron.) Decandria Monogynia.

racemòsa Boj.	(*sc*) racemose	Mauritius	1832.	6. 9.	S	♄		Bot. mag. t. 3325. 3326.

POINCIA'NA DC. FLOWER FENCE. (M. De Poinci; bot. patron.) Decandria Monogynia.

1	règia B.M.	(*sc*) superb	Madagascar	1827.	....	S	♄		Bot. mag. t. 2884.
2	pulchérrima DC.	(*or*) Barbadoes	E. Indies	1691.	6. 9.	S	♄		——— t. 995.
3	insígnis DC.	(*cop*) noble	S. America	1823.	——	S	♄		Kth. mim. t. 44.
4	elàta DC.	(*ye*) fringe-petal'd	E. Indies	1778.	——	S	♄		
	Cæsalpínia elàta S.S.								
5	Gillièsii Wall.	(*ye.sc*) Gillies's	Mendoza	1829.	——	F	♄		Swt. br. fl. gar. n. s. t. 311.

LABI'CHEA DC. LABI'CHEA. (M. Labiche, accomp. Freycenet.) Decandria Monogynia.

lanceolàta Benth.	lanceolate	Swan River	1837.	....	G	♄			

HOFFMANSE'GGIA DC. HOFFMANSE'GGIA. (J. C. Hoffmansegg, bot. author.) Decand. Monog.

1	falcària DC.	(*ye*) sickle-podded	Chili	1806.	7. 8.	F	♃		Cavan. ic. t. 392.
2	prostràta DC.	(*ye*) prostrate	Lima	1824.	——	F	♃		

MELANOSTI'CTA DC. MELANOSTI'CTA. (*μελας*, black, and *στικτος*, a dot; glands.) Dec. Mon.

Burchéllii DC.	(*ye*) Burchell's	C. B. S.	1816.	....	G	♄			DC. leg. mem. t. 69.

POMA'RIA DC. POMA'RIA. (Dr. Pomar, phys. to Philip III. Spain.) Decandria Monogynia.

glandulòsa DC.	(*ye*) glandular	N. Spain	1826.	5. 6.	G	♄			Cavan. ic. 5. t. 402.

HÆMATO'XYLON D. LOGWOOD. (*αιμα*, blood, and *ξυλον*, wood; colour.) Decand. Monog.

campechiànum DC.	(*ye*) common	S. America	1724.	....	S	♄			Catesb. car. 2. t. 66.

PARKINSO'NIA DC. PARKINSO'NIA. (Parkinson, bot. author.) Decandria Monogynia.

aculeàta DC.	(*ye*) prickly	W. Indies	1739.	6. 9.	S	♄			Jacq. amer. t. 80.

CA'DIA DC. CA'DIA. (*kadi*, Arabic name.) Decandria Monogynia.

vària DC.	(*bh*) various-colour'd	Arabia	1755.	7.10.	S	♄			Picc. hort. pan. 9. ic.
purpùrea W. *Spændóncea tamarindifòlia* Desf.									

CERATO'NIA DC. CAROB-TREE. (*κερατιον*, a horn; pods.) Polygamia Dioecia.

Síliqua DC.	(*gr*) St. John's bread	Levant	1570.	9.10.	G	♄			Andr. reposit. 567.

CASTANOSPE'RMUM DS. MORTON BAY CHESNUT. (*καστανον*, a chesnut and *σπερμα*, a seed.) Dc. Mo.

austràle DS.	(*wh*) southern	N. Holland	1828.	....	S	♄			Hook bot. misc. t. 51. 52.

HARDWI'CKIA DC. HARDWI'CKIA. (Major Gen. Hardwicke, F.R.S., &c.) Octo-Decand. Mon.

1	binàta DC.	(*ye*) binate-leaved	E. Indies	1796.	....	S	♄		Roxb. corom. t. 209.
2	pinnàta DC.	(*ye*) pinnate-leaved	———	1826.	....	S	♄		

JONE'SIA DC. JONE'SIA (cel. Sir W. Jones.) Octandria Monogynia.

Asòca DC.	(*or*) winged-leaved	E. Indies	1796.	4. 6.	S	♄			Rheed. mal. 5. t. 59.
pinnàta W. *Saràca índica* L.									

AMHE'RSTIA. DS. AMHE'RSTIA. (Countess Amherst.) Diadelphia Decandria.

nóbilis DS.	(*sc*) noble	Ava	1837.	....	S	♄			Wall. pl. rar. asiat. 1. t. 1.

TACHIGA'LIA. DC. TACHIGA'LIA. (*Tachigali*, name of pl. in Guiana.) Decandria Monogynia.

paniculàta DC.	(*ye*) panicled	Guiana	1827.	....	S	♄			Aubl. guian. 1. t. 143. f. 1.

MOLDENHAWE'RA DC. MOLDENHAWE'RA. (J. J. Moldenhawer, German bot.) Dec. Monog.

floribúnda DC.	(*ye*) many-flowered	Brazil	1828.	....	S	♄			Neuw. reis. v. 2. ic.

TAMARI'NDUS DC. TAMARIND-TREE. (*tamar*, Arabic for date, and *indus*, Indian.) Monad. Triand.

1	índica DC	(*ye*) East Indian	E. Indies	1633.	6. 7.	S	♄		Rheed. mal. 1. t. 23.
2	occidentàlis DC.	(*ye*) West Indian	W. Indies	——	——	S	♄		Jacq. amer. t. 10.

CATHARTOCA'RPUS DS. PURGING-CASSIA. (*καθαιρω*, to purge, and *καρπος*, a fruit.) Dec. Mon.

1	grándis DS.	(*ye*) large	Brazil	1822.	....	S	♄		Breyn. cent. t. 21.
	Cássia grándis L. *móllis* Vahl. *Brasiliàna* DC.								
2	ferrugíneus DS.	(*ye*) ferruginous	Brazil	1828.	....	S	♄		
	Cássia Roxbúrghii DC.								
3	marginàtus DS.	(*ye*) Roxburgh's	Coromandel	1823.	6. 7.	S	♄		
4	trinitàtis DS.	(*ye*) Trinidad	Trinidad	1824.	....	S	♄		
5	javánicus DS.	(*fl*) Java	Java	1779.	6. 7.	S	♄		Rumph. amb. 2. t. 22.

6 Fistula DS.	(ye) purging	E. Indies	1731.	6. 7.	S	♄	Woodv. med. bot. t. 163.
7 rhombifòlius DS.	(ye) rhomb-leaved	———	1820.	——	S	♄	
8 nodòsus DS.	(ye) knotted	———	1824.	——	S	♄	
9 conspícuus DS.	(ye) drumstick-tree	Sierra Leon.	1822.	....	S	♄	

CHAMÆFI'STULA DS. CHAMÆFI'STULA. (*chamæ*, false, and *fistula*, a pipe; pods.) Dec. Mon.

1 baccillàris DS.	(ye) rod	Surinam	1818.	6. 7.	S	♄	Bot. reg. 881.
Cássia baccillàris L. *Cathartocárpus baccíllus* B.R.							
2 speciòsa DS.	(ye) handsome	Brazil	1828.	6. 8.	S	♄	
3 mehnocárpa DS.	(ye) black-podded	Jamaica	1825.	——	S	♄	
4 corymbòsa DS.	(ye) corymbose	B. Ayres	1796.	7. 8.	S	♄	Bot. mag. t. 633.
5 floribúnda DS.	(ye) many-flowered	New Spain	1822.	5. 8.	S	♄	
6 Hibbertiàna DS.	(ye) Hibbert's	Barbadoes	1828.	9.	S	♄	Bot. reg. 1422.
Cássia Hibbertiàna B.R.							
7 levigàta DS.	(ye) smooth	New Spain	1811.	5. 8.	S	♄	
8 péndula DS.	(ye) pendulous	S. America	1820.	....	S	♄	
9 torùsa DS.	(ye) twisted	China	1807.	5. 7.	G	♄	Jacq. ic. 1. t. 73.
Cássia chinénsis Jacq. *non* Lam.							
10 chinénsis DS.	(ye) Chinese	———	——	——	G	♄	
11 gigantèa DS.	(ye) gigantic	Jamaica	1825.	....	S	♄	
12 coromandelìana DS.	(or) Coromandel	Coromandel	1822.	5. 7.	S	♄	Jacq. fragm. t. 100
13 Sophèra DS.	(ye) round-podded	E. Indies	1653.	7. 9.	S	♄	Burm. zeyl. t. 98.

CA'SSIA DC. CA'SSIA. (etymology unknown.) Decandria Monogynia.

Sect. 1. HESPE'RICA; *anthers biporose; legumes flat, dehiscent, winged on the back, pulpy inside; seeds horizontal, nearly obcordate.*

1 alàta DC.	(ye) winged-podded	S. America	1731.	....	S	♄	Jacq. obs. 2. t. 45. f. 2.
2 Rumphiàna DC.	(ye) Rumphius's	E. Indies	1822.	....	S	♄	Rumph. amb. 7. t. 18.
3 bracteàta DC.	(ye) bracteate	Surinam	——	....	S	♄	

Sect. 2. SE'NNA; *anthers biporose; legume flat; seeds vertical, nearly obcordate.*

4 obovàta DC.	(ye) obovate-leaved	Egypt	1640.	7. 9.	G	⊙	Jacq. f. ecl. 1. t. 87.
Sénna Lam. ill. t. 332. f. 2.							
5 lanceolàta DC.	(ye) spear-leaved	———	1759.	6. 8.	G	⊙	Tabern. ic. 507.
orientàlis P.S. *acutifòlia* Delil. ill. eg. 75. t. 27. f. 1.							
6 ligustrinoìdes DC.	(ye) Privet-like	Arabia	1829.	——	G	♃	
7 Brownìana DC.	(ye) Brown's	Mexico	1828.	....	S	♄	Kth. mim. t. 41.
8 cuspidàta W. en.	(ye) sharp-pointed	S. America	1820.	5. 7.	S	♄	

Sect. 4. CHAMÆSE'NNA; *anthers biporose; legumes compressed, dehiscent, pulpy inside; seeds vertical, nearly square.*

9 sericea DC.	(ye) silky-leaved	S. America	1731.	5. 8.	S	⊙	Jacq. ic. 3. t. 459.
sensitiva Jacq.							
10 obtusifòlia DC.	(ye) blunt-leaved	Jamaica	1732.	7. 8.	S	⊙	Dill. elth. t. 62. f. 72.
11 hùmilis DC.	(ye) dwarf	S. America	....	——	S	⊙	Plum.ed.Burm.t. 76.f.2.
12 Tòra DC.	(st) oval-leaved	E. Indies	1693.	——	S	⊙	Dill. elth. t. 63. f. 73.
13 torùlos H.B.	(st) Mysore	———	1812.	——	S	⊙	
14 ciliàris DC.	(ye) fringe-stipuled	———	——	——	S	♂	
15 Tágera DC.	(ye) long-podded	———	1803.	——	S	♂	Rheed. mal. 2. t. 53.
16 venústula DC.	(ye) pretty	Cumana	1825.	——	S	♄	
17 aversifòra B.M.	(ye) contrary-flow'd	Brazil	1823.	4.12.	S	♄	Bot. mag. t. 2638.
18 vimínea DC.	(ye) twiggy	W. Indies	1786.	6. 7.	S	♄	Sloan. jam.2.t.180.f. 67.
19 chrysótricha DC.	(ye) golden-podded	Guiana	1828.	——	S	♄	Coll. mon. p. 99. t. 13.
20 Apoucoúita DC.	(ye) acuminate	———	1823.	——	S	♄	Aubl. gui. 1. t. 146.
acuminàta W. *non* Mœnch.							
21 sennoìdes DC.	(ye) Senna-leaved	E. Indies	1808.	7. 8.	S	♄	Jacq. ic. 1. t. 70.
22 bicapsulàris DC.	(ye) six-leaved	W. Indies	1730.	5. 6.	S	♄	Bot. mag. t. 633.
23 mollìssima DC.	(ye) soft-leaved	S. America	1816.	7. 8.	S	♄	
24 artemisioìdes DC.	(ye) Wormwood-like	N. S. W.	1823.	4. 7.	G	♄	
25 glutinòsa DC.	(ye) glutinous	N. Holland	——	——	G	♄	
26 oxysdèna DC.	(ye) acute-glanded	Jamaica	1820.	——	S	♄	
27 dispar DC.	(ye) various-leaved	S. America	1822.	5. 8.	S	♄	
28 acapulcénsis DC.	(ye) Acapulco	Mexico	1824.	——	S	♄	
29 sulfùrea DC.	(st) straw-coloured	E. Indies	1800.	——	S	♄	Rheed. mal. t. 910.
arborécens Vahl. *non* Miller.							
30 coluteoìdes DC.	(ye) Colutea-like	.....	....	——	S	♄	Coll. mon. 102. t. 12.
31 Barclayìana S.F.A.	(ye) Mr. Barclay's	N. Holland	1824.	6.10.	G	♄	Swt. flor. aust. t. 32.
32 bifòra DC.	(ye) two-flowered	W. Indies	1766.	12.4.	S	♄	Bot. mag. t. 810.
33 tomentòsa DC.	(st) tomentose	S. America	1822.	6. 8.	S	♄	Jacq. ic. 1. t. 72.
a multiglandulòsa Jacq.							
34 mexicàna DC.	(ye) Mexican	Mexico	1824.	——	S	♄	Jacq. schœnb. t. 203.
35 stipulàcea DC.	(ye) large-stipuled	Chili	1786.	——	S	♄	Feuill. per. 3. t. 42.
36 Bertèrii DS.	(ye) Bertero's	W. Indies	1824.	5. 7.	S	♄	Coll. hort. rip. t. 24.

37	auriculàta DC.	(*ye*) eared	E. Indies	1777.	7. 9.	S	♄	Pluk. alm. t. 314. f. 4.
38	frondòsa DC.	(*ye*) smooth shrubby	W. Indies	1769.	3. 4.	S	♄	Jacq. ic. 1. t. 74.
39	fastigiàta DC.	(*ye*) fastigiate	E. Indies	1810.	6. 7.	S	♄	
40	austràlis B.M.	(*ye*) New Holland	N. Holland	1820.	5.12.	I	♄	Bot. mag. t. 2676.
41	polyphy'lla DC.	(*ye*) many-leaved	Portorico	1828.	6. 9.	S	♄	Jacq. ic. t. 460.
42	marginàta DC.	(*ye*) white-edged	Surinam	1822.	——	S	♄	
43	longisíliqua DC.	(*ye*) long-podded	W. Indies	1800.	6. 7.	S	♄	
44	ægyptìaca DC.	(*ye*) Egyptian	Egypt	1823.	7. 9.	G	⊙	
45	esculénta H.B.	(*ye*) esculent	E. Indies	——	——	S	⊙	
46	occidentàlis DC.	(*ye*) occidental	W. Indies	1759.	3. 8.	S	♄	Bot. reg. t. 83.
47	purpùrea DC.	(*ye*) purple-stalked	E. Indies	1823.	6.11.	S	♄	——— t. 856.
48	hirsùta DC.	(*ye*) hairy	S. America	1778.	7. 9.	S	♄	Jacq. schœnb. t. 270.
	caracasàna Jacq.							
49	lineàris DC.	(*ye*) linear-podded	Carolina	1828.	5. 7.	F	♃	
50	pátula DC.	(*ye*) shining	W. Indies	1778.	8. 9.	S	♄	
51	pubéscens DC.	(*ye*) pubescent	.....	1818.	5. 8.	S	♄	Jacq. fragm. t. 57.
52	sulcàta DC.	(*ye*) furrowed	S. America	1826.	6. 8.	S	♄	Coll. mon. p. 110. t. 6.
53	ruscifòlia DC.	(*ye*) Ruscus-leaved	Caracas	1816.	5. 7.	G	♄	Jacq. ic. 1. t. 71.
54	ligústrina DC.	(*ye*) Privet-leaved	America	1726.	6. 8.	S	♄	Bot. reg. t. 109.
55	robinioìdes DC.	(*ye*) Robinia-like	S. America	1820.	——	S	♄	
56	marylándica DC.	(*ye*) Maryland	N. America	1723.	8.10.	H	♃	Schkuhr. hand. 1. t. 113.
57	nígricans DC.	(*ye*) blackish	Arabia	1817.	6. 7.	G	♄	
	procúmbens Forsk.							
58	latifòlia DC.	(*ye*) broad-leaved	Trinidad	1826.	6. 8.	S	♄	
59	arboréscens DC.	(*ye*) arborescent	New Spain	....	——	S	♄	
60	opàca Gr.	(*or*) dull-leaved	S. America	1825.	8.12.	S	♄	
61	pulchélla Boj.	(*ye*) pretty	Zanzibar	——	7. 9.	S	♄	
62	Millèri DC.	(*ye*) Miller's	Jamaica	....	6. 8.	S	♄	
63	Houstoniàna DC.	(*ye*) Houston's	———	....	7.10.	S	⊙	
64	Plumièri DC.	(*ye*) Plumier's	Gaudaloupe	1822.	——	S	♄	Plum. ed. Burm. t. 77.
	planisíliqua Lam. *non* Linn.							
65	hírta DC.	(*ye*) hairy-branched	S. America	1822.	6. 9.	S	♄	
66	sumatràna DC.	(*ye*) Sumatra	Sumatra	1823.	——	S	♄	
67	formòsa DC.	(*ye*) beautiful	E. Indies	——	——	S	♄	
	speciòsa H.B. *non* Schrader.							
68	emarginàta DC.	(*ye*) notched-leaved	Jamaica	1759.	5. 6.	S	♄	Sloan. his. 2. t. 180. f. 1-4.
69	atomària DC.	(*ye*) woolly-leaved	S. America	1822.	3. 9.	S	♄	
70	reticulàta DC.	(*ye*) netted-leaved	Brazil	——	4. 6.	S	♄	
71	spectábilis DC.	(*ye*) showy	Caracas	1823.	5. 7.	S	♄	Coll. mon. p. 115. t. 7
72	setígera DC.	(*ye*) seta-bearing	E. Indies	1826.	——	S	♄	
73	montàna DC.	(*ye*) mountain	———	1822.	——	S	♄	

Sect. 5. A'BSUS; *anthers birimose; legumes flat; seeds vertical or parallel.*

74	A'bsus DC.	(*sn*) four leaved	Ceylon	1777.	6. 7.	S	⊙	Burm. zeyl. t. 97.
75	híspida DC.	(*ye*) hispid	Cayanne	1826.	——	S	⊙	
76	lotoìdes DC.	(*ye*) Lotus-like	Orinoco	1820.	——	S	♄	

Sect. 6. CHAMÆCRI'STA; *anthers biporose; legumes flat; seeds vertical, compressed.*

77	diphy'lla DC.	(*ye*) two-leaved	W. Indies	1781.	5. 7.	S	♂	Cavan. ic. 5. t. 600. f. 1.
78	bifoliàta DC.	(*ye*) two-leafleted	Brazil	1825.	——	S	♄	Coll. mon. 120. t. 9. f. B.
79	exígua HB.	(*ye*) dwarf	Bengal	1820.	8.10.	S	⊙	
80	grácilis DC.	(*ye*) slender	S. America	1816.	6. 8.	S	♄	Kth. mim. t. 36.
81	uniflòra DC.	(*re*) one-flowered	Brazil	1824.	——	S	♄	
82	lineàta DC.	(*ye*) lined	Jamaica	1820.	5. 7.	S	♄	
83	prostràta DC.	(*ye*) prostrate	S. America	1823.	7. 9.	S	♄	
84	triflòra DC.	(*ye*) three-flowered	.....	1825.	——	S	⊙	Jacq. schœnb. t. 408.
85	Burmánni DC.	(*ye*) Burman's	C. B. S.	1816.	——	G	♄	
86	virgàta DC.	(*ye*) slender-twigged	Jamaica	1820.	5. 8.	S	♄	
87	brevifòlia DC.	(*ye*) short-leaved	Madagascar	1824.	6. 7.	S	♄	
88	níctitans DC.	(*ye*) Virginian	N. America	1800.	7.	G	♂	Linn. hort. cliff. t. 36.
89	chamæcrísta DC.	(*ye*) dwarf	America	1699.	6. 9.	G	♂	Bot. mag. t. 157.
90	chamæcristoìdes DC.	(*ye*) large-flowd.	Vera Cruz	....	——	S	♄	
91	strícta Sck.	(*ye*) straight	Jamaica	....	——	S	♂	Schk. hort. mon. t. 34.
92	glandulòsa DC.	(*ye*) glandular	W. Indies	1822.	——	S	♂	Bot. mag. t. 3435.
93	mimosoìdes DC.	(*ye*) Mimosa-leaved	E. Indies	1806.	——	S	⊙	
94	capénsis DC.	(*ye*) Cape	C. B. S.	1816.	4. 6.	G	♄	Coll. mon. 124. t. 19.
95	pùmila DC.	(*ye*) small	E. Indies	1820.	7.10.	S	⊙	Pluk. alm. t. 120. f. 1.
96	procúmbens DC.	(*ye*) procumbent	N. America	1806.	6. 9.	H	⊙	Comm. petrop. t. 11.
97	Parkeriàna DC.	(*ye*) Parker's	Demerara	1817.	8. 9.	S	♄	
98	angustíssima DC.	(*ye*) narrowest	Java	1820.	7. 8.	S	⊙	

99 Wallichiàna DC. (*ye*) fine-leaved . Nepaul 1812. 6. 9. S ⊙
dimidiàta D.P.
100 ténera (*ye*) small-branched E. Indies 1818. —— S ♂
tenélla H.B. *non* Kth
101 microphy'lla DC. (*ye*) small-leaved W. Indies 1822. —— S ⊙
102 arenària DC. (*ye*) sand Orinoco 1819. 5. 6. S ♄
103 Hornemánni DC. (*ye*) Hornemann's ..... 1827. —— S ⊙
vendos Horn. *non* Zucc.

AFZE'LIA DC. AFZE'LIA. (Adam Afzelius, prof. bot., Upsal.) Octandria Monogynia.
africàna DC. (*cr*) African SierraLeon. 1821. .... S ♄

SCHO'TIA DC. SCHO'TIA. (R. Van. Schot, comp. of Jacq.) Decandria Monogynia.
Sect. 1. SCHO'TIA; *calyx tubular; leaves abruptly pinnate.*
1 speciòsa DC. (*cr*) superb C. B. S. 1759. 7.12. I ♄ Andr. reposit. t. 348.
2 tamarindifòlia DC. (*cr*) Tamarind-leav'd ——— 1795. 5. 9. I ♄ Bot. mag. t. 1153.
2 stipulàta DC. (*cr*) falcate-stipuled ——— 1794. —— I ♄
4 alàta DC. (*re*) winged ——— 1816. 6. 7. I ♄
Sect. 2. SCHOTIA'RIA; *legumes turgid; leaves simple.*
5 simplicifòlia DC. (*re*) simple-leaved C. B. S. 1816. 6. 7. I ♄
Sect. 3. OMPHALOBIOI'DES; *sepals and stamens combined at the very base; legume oval, compressed, 2-seeded; seed arillate.*
6 latifòlia DC. (*re*) broad-leaved C. B. S. 1816. 5. 8. I ♄ Hook. ex. flor. t. 159.
Omphalòbium Schòtia S.S. Jacq. ecl. ic.

COPAI'FERA DC. BALSAM OF CAPEVI. (*copaiba*, and *fero*, to bear.) Decand. Monogyn.
1 officinàlis DC. (*st*) officinal S. America 1774. .... S ♄ H. et B. n. gen. 7. t. 659.
2 guianénsis DC. (*st*) Guiana Guiana 1826. ..— S ♄
3 coriàcea DC. (*st*) leathery-leaved Brazil 1824. .... S ♄

CYNOME'TRA DC. CYNOME'TRA. (*κυων*, a dog, and *μητρα*, matrix; pods.) Decan. Monog.
1 cauliflòra DC. (*re*) stem-flowered E. Indies 1804. .... S ♄ Rumph. amb. 1. t. 62.
2 ramiflòra DC. (*re*) branch-flowered ——— 1826. .... S ♄ ——— 1. t. 63.
3 polyándra DC. (*re*) many-stamened ——— 1822. .... S ♄ Roxb. corom. t. 286.

PARIVO'A DC. PARIVO'A. (name in Guiana.) Diadelphia Decandria.
grandiflòra DC. (*pu*) large-flowered Cayenne 1816. .... S ♄ Aubl. guian. t. 303.
Dimórpha grandiflòra Linn. trans. 9. t. 20.

OU'TEA DC. OU'TEA. (*Joutay*, Guiana name.) Tri-Tetrandria Monogynia.
1 guianénsis DC. (*wh*) Guiana Guiana 1827. .... S ♄ Aubl. guian. 1. t. 9.
2 bíjuga DC. (*wh*) two-paired E. Indies 1823. .... S ♄ Linn. trans. 12. t. 17.
Macrolòbium bíjugum Linn. trans.

VOUA'PA DC. VOUA'PA. (Guiana name.) Triandria Monogynia.
bifòlia DC. .... two-leafed Guiana 1823. .... S ♄ Aubl. guian. 1. t. 7.

HYMENÆ'A DC. LOCUST-TREE. (*Hymen*, god of marriage; twin leaves.) Decand. Monog.
1 Coúrbaril DC. (*wh*) leathery-leaved S. America 1688. 6. 8 S ♄ Lam. ill. t. 330. f. 1.
2 Candolleàna DC. (*wh*) Decandolle's Mexico 1825. .... S ♄ H. et B. n. gen. 6. t. 566.

TRACHYLO'BIUM DS. GUM-COPAL-TREE. (*τραχυς*, rough, and *λοβος*, a pod.) Dec. Monog.
1 Martiànum DS. (*wh*) Martius's Brazil 1808. .... S ♄ Lam. ill. t. 330. f. 2.
Hymenæ'a verrucòsa Lam.
2 Gærtneriànum DS. (*wh*) Gærtner's Madagascar 1808. .... S ♄ Gærtn. fruct. 1. t. 139. f. 7.
Hymenæ'a verrucòsa Gærtn.

BAUHI'NIA DC. BAUHI'NIA. (J. & C. Bauhin, cel. botanists.) Monad. v. Decand. Monog.
Sect. 1. CASPA'RIA; *stamens* 10, 9 *of which are short, sterile, and monadelphous; ovarium stipitate; racemes terminal, simple.*
1 divaricàta DC. (*wh*) dwarf W. Indies 1742. 6. 8. S ♄ Linn. hort. cliff. t. 15.
2 Lamarckiàna DC. (*wh*) Lamarck's S. America .... —— S ♄
3 spathàcea DC. (*wh*) spathaceous New Spain 1825. —— S ♄
4 subrotundifòlia DC. (*wh*) round-leaved S. America 1816. 4. 6. S ♄ Cavan. ic. 5. t. 406.
5 aurìta DC. (*wh*) long-eared Jamaica 1756. 9.10. S ♄ Miller ic. t. 61.
6 porrécta DC. (*wh*) smooth-leaved W. Indies 1737. 7. 8. S ♄
7 latifòlia DC. (*wh*) broad-leaved New Spain 1825. .... S ♄ Cavan. ic 5. t. 405.
8 cándida DC. (*wh*) white-flowered E. Indies 1777. 5. 6. S ♄
9 acuminàta DC. (*wh*) acute-leaved ——— 1808. 7. 8. S ♄ Rheed. mal. 1. t. 34.
Sect. 2. PAULE'TIA; *stamens* 10, *all fertile, monadelphous at the base, or the* 5 *alternate ones are sterile; ovary stipitate.*
§ 1. *Prickly shrubs.*
10 grandiflòra DC. (*wh*) large-flowered Peru 1824. .... S ♄
11 aculeàta DC. (*wh*) prickly-stalked W. Indies 1737. 6. 8. S ♄ Plum. ed. Bur. t. 44. f. 1.
12 forficàta DC. (*wh*) forked Brazil 1824. —— S ♄
13 emarginàta DC. (*wh*) emarginate Carthagena .... —— S ♄
§ 2. *Unarmed shrubs.*
14 inérmis DC. (*wh*) unarmed Mexico 1810. .... S ♄ Cav. icon t. 409.
15 rufescens DC. .... rufous Africa 1816. .... S ♄
16 pu[illegible] DC. (*wh*) small-flowered E. Indies 1808. .... S ♄

17	úngula DC.	(*wh*) villous-leaved	Caracas	1827.	....	S	♄	Jacq. fragm. t. 15. f. 1
	aculeàta Jacq. amer. t. 177. f. 2.							
18	variegàta DC.	(*v*) variegated-fld.	E. Indies	1690.	6. 7.	S	♄	Rheed. mal. 1. t. 32.
19	tomentòsa DC.	(*st*) tomentose	———	1808.	....	S	♄	Burm. zeyl. t. 18.
20	pubéscens DC.	(*wh*) pubescent	W. Indies	1824.	....	S	♄	
21	multinérvia DC.	(*wh*) many-nerved	Caracas	1825.	....	S	♄	
22	glaucéscens DC.	(*wh*) glaucescent	Trinidad	1817.	....	S	♄	

Sect. 3. SYMPHYO'PODA; *stamens* 10, *monadelphous*, 3 *fertile ones long, the rest short and almost abortive; ovary stipitate; stipe adhering to the tube of the calyx.*

23	racemòsa DC.	.... large-leaved	E. Indies	1790.	....	S	♄ ◡	Vahl. symb. 3. t. 62.
24	purpùrea DC.	(*pu*) purple	———	1778.	....	S	♄	Rheed. mal. 1. t. 33.
25	retùsa DC.	(*wh*) retuse-leaved	———	1822.	....	S	♄	
26	triándra H.B.	(*wh*) triandrous	E. Indies	1823.	....	S	♄	
27	semibífida H.B.	(*wh*) half-cleft	———	1818.	....	S	♄ ◡	
28	malabárica H.B.....	Malabar	Malabar	1823.	....	S	♄	
29	ferrugínea H.B.....	ferruginous	E. Indies	1822.	....	S	♄ ◡	
30	cordifòlia H.B.	heart-leaved	———	1828.	....	S	♄ ◡	
31	corymbòsa DC.	(*wh*) corymbose	China	1816.	....	S	♄ ◡	DC. leg. mem. t. 70.

Sect. 4. PHA'NERA; *stamens* 10, *monadelphous at the very base*, 3 *of which are long and fertile; ovarium stipitate; branches compressed.*

32	anguìna DC.	(*wh*) snake	E. Indies	1818.	....	S	♄ ◡	Roxb. corom. 3. t. 28
	scándens L. *excl. synon. Rumph.* Rheed. mal. 8. t. 30-31.							
33	lìngua DC.	(*st*) tongue-leaved	E. Indies	1799.	....	S	♄ ◡	Rumph. amb. 5. t. 1.
	scándens L. *excl. syn. Rheed.*							
34	coccínea DC.	(*sc*) scarlet-flowered	China	1826.	....	S	♄ ◡	

Sect. 5. CAULOTRE'TUS; *stamens* 10, *all fertile and free; ovarium sessile.*

35	guianénsis DC.	(*wh*) Guiana	Guiana	1824.	....	S	♄ ◡	Aubl. guian. 1. t. 145.
36	heterophy'lla DC.	(*wh*) various-leaved	Caracas	——	....	S	♄ ◡	Kth. mim. t. 46.
37	cumanénsis DC.	(*wh*) Cumana	Cumana	——	7. 8.	S	♄ ◡	Bot. reg. t. 1133.
38	glàbra DC.	(*ye*) glabrous	Carthagena	1810.	....	S	♄ ◡	Jacq. amer. t. 173. f. 3.
39	anatómica L. en. ..	jagged-leaved	S. America	1816.	....	S	♄	
			Species hardly known.					
40	spicàta	spiked	S. America	1820.	....	S	♄	
41	speciòsa L.C.	handsome	.....	....	....	S	♄	
42	microphy'lla L.C. ..	small-leaved	.....	....	....	S	♄	
43	esculénta B.T.	(*wh*) eatable-rooted	C. B. S.	1816.	7. 8.	I	♃	

CE'RCIS DC. JUDAS-TREE. (κερκις, a shuttlecock.) Decandria Monogynia.

1	Siliquástrum DC.	(*ro*) European	S. Europe	1596.	5. 6.	H	♄	Bot. mag. t. 1138.
2	canadénsis DC.	(*ro*) American	N.America	1730.	——	H	♄	Miller ic. t. 2.

CRU'DYA DC. CRU'DYA. (evidently the name of some bot.) Octo-Decandria Monogynia.

1	spicàta DC.	(*wh*) spiked	Guiana	1825.	....	S	♄	Aubl. guian. 1. t. 147.
	Apalatòa spicàta Aubl.							
2	aromática DC.	(*gr*) aromatic	———	1828.	....	S	♄	Aubl. guian. 1. t. 148.
	Touchiròa aromática Aubl.							

CODA'RIUM DC. VELVET TAMARIND. (κωδιον, the hyde of a beast; pods.) Diandria Monogynia.

1	acutifòlium DC.	(*re*) acute-leaved	SierraLeon.	1800.	....	S	♄	Rœm. arch. 1. t. 6.
	nítidum Vahl. *Diàlium guineénse* W.							
2	obtusifòlium DC.	(*re*) blunt-leaved	———	——	....	S	♄	

Tribe XI. *DETARIE'ÆE.* DC. *prod.* 2. *p.* 521.

DETA'RIUM DC. DETA'RIUM. (*detar*, Senegal name.) Decandria Monogynia.

	senegalénsis DC.	(*gr*) Senegal	Senegal	1822.	....	S	♄	

PHYLLOLO'BIUM DS. PHYLLOLO'BIUM. (φυλλον, a leaf, and λοβος, a pod.) Decand. Monogy.

	Zanzibárense DS.....	Zanzibar	Zanzibar	1826.	....	S	♃	

ORDER LXXX.

MORI'NGEÆ. *Brown.*

MORI'NGA DC. HORSE-RADDISH-TREE. (Malabar name.) Decandria Monogynia.

1 pterogospérma DC.	(*ye*) wing-seeded	E. Indies	1759.	....	S	♄	Jacq. ic. 3. t. 461.
2 áptera DC.	(*ye*) wingless	———	1838.	....	S	♄	Blackw. herb. t. 386.
3 polygòna DC.	(*ye*) many-angled	———	1822.	....	S	♄	

ORDER LXXXI.

CHRYSOBALA'NEÆ. *Brown cong. p.* 14.

CHRYSOBA'LANUS DC. COCOA PLUM. (χρυσος, gold, and βαλανος, an acorn.) Icosand. Monogy.

1 Icàco DC.	(*wh*) West Indian	W. Indies	1752.	4. 6.	S	♄	Jacq. amer. t. 94.
2 ellípticus DC.	(*wh*) Pigeon Plum	SierraLeone	1822.	....	S	♄	
3 oblongifòlius DC.	(*wh*) American	Georgia	1812.	4. 5.	G	♄	

PARINA'RIUM DC. PARINA'RIUM. (Guiana name.) Dodecandria Monogynia.

1 excélsum G. D.	(*wh*) rough-plum	SierraLeone	1822.	....	S	♄	Loud. encycl. pl. f. 5072.
2 macrophy'llum G. D.	(*w*) gingerbread plum	———	———	....	S	♄	

GRANGE'RIA DC. GRANGE'RIA. (N. Granger, trav. in Egypt.) Dodecandria Monogynia.

borbónica DC.	(*wh*) Bourbon	Bourbon	1822.	....	S	♄	Lam. ill. t. 427.

HIRTE'LLA DC. HIRTE'LLA. (a dim. of *hirtus*, hairy.) Tri-Dodecandria Monogynia.

1 triándra DC.	(*wh*) triandrous	W. Indies	1782.	....	S	♄	Jacq. amer. t. 8.
americàna Jacq. *non* Aubl. *paniculàta* R. S.							
2 glandulòsa DC.	(*wh*) glandular	Brazil	1827.	....	S	♄	Spreng. anl. t. 7. f. 1-4.
3 racemòsa DC.	(*bl*) racemed	Guiana	1782.	....	S	♄	Aubl. guian. 1. t. 98.
americàna Aubl. *non* Jacq.							
4 oblongifòlia DC.	(*ro*) oblong-leaved	New Spain	1826.	....	S	♄	
5 nemoròsa DC	(*ye*) wood	Brazil	1825.	....	S	♄	

ORDER LXXXII.

AMYGDALI'NÆ. *D. Don. prodr. flor. nepal. p.* 239.

AMY'GDALUS K.S. ALMOND. (αμυσσω, to lacerate; shell.) Icosandria Monogynia.

§ 1. *Calyx cylindrically campanulate.*

1 nàna W.	(*pi*) common-dwarf	Russia	1683.	3. 4.	H	♄	Bot. mag. t. 161.
2 geórgica Df.	(*pi*) Georgian	Georgia	1820.	——	H	♄	
3 campéstris Bes.	(*pi*) Besser's	Poland	1829.	——	H	♄	
Besseriàna Schott.							
4 orientàlis W.	(*ro*) silvery-leaved	Levant	1756.	——	F	♄	
argéntea Lam.							
5 incàna W.	(*ro*) woolly	Caucasus	....	——	H	♄	Pall. ross. 1. t. 7.
6 prostràta K.S.	(*pi*) prostrate	Crete	1802.	5.	H	♄	Bot. reg. t. 136.
Prùnus prostràta B.R.							
7 sibírica L.C.	(*pi*) Siberian	Siberia	1820.	3. 4.	H	♄	Lodd. bot. cab. t. 1599.

§ 2. *Calyx campanulate.*

8	commùnis DC.	(*pi*) common	Barbary	1548.	3. 4.	H	5	
	α *amàra* DC.	(*pi*) *bitter*	———	——	——	H	5	
	β *dúlcis* DC.	(*bh*) *sweet*	———	——	——	H	5	Lam. ill. t. 430. f. 2.
	γ *frágilis* DC.	(*bh*) *tender*	———	....	——	H	5	Nois. jard. fr. t. 3. f. .
	δ *macrocárpa* DC.	(*pi*) *large-fruited*	.....	....	——	H	5	Bot. reg. t. 1160..
	ε *persicoìdes* DC.	(*pi*) *Almond Peach*	Hybrid.	....	——	H	5	Nois. jard. fr. t. 3. f. 1.
9	cochinchinénsis DC.	(*pi*) Chinese	Cochinchina	1825.	——	H	5	
10	Pérsica W.	(*pi*) common Peach	Persia	1562.	4. 5.	H	5	Nois. j. fr. 1-16. 22-35. in
	Pérsica vulgàris DC.							
	β *flòre plèno*	(*pi*) *double-blossomed*	.....	....	——	H	5	
	γ *nàna*	(*pi*) *dwarf*	China	1826.	——	H	♄	
	δ *álba* B.R.	(*wh*) *white-flowered*	———	....	——	H	5	Bot. reg. 1586.
	ε *nectarìna*	(*pi*) *Nectarine*	Persia	1562.	——	H	5	Nois. jard. fr. t. 20-21.
	Pérsica lævis DC.							

ARMENIACA DC. APRICOT. (originally from Armenia.) Icosandria Monogynia.

1	vulgàris DC.	(*wh*) common	Levant	1548.	2. 4.	H	5	Lam. ill. t. 431.
	α *ovalifòlia* DC.	(*wh*) *oval-leaved*	———	——	——	H	5	Nois. jar. fr. t. 1-2. f. 1-2.
	β *cordifòlia* DC.	(*wh*) *heart-leaved*	———	——	——	H	5	———— t. 1. f. 3. t. 2. f. 3.
2	dasycárpa DC.	(*wh*) black-fruited	.....	....	3. 4.	H	5	Bot. reg. t. 1243.
	Prùnus dasycárpa B.R.							
	β *persicifòlia* DC.	(*wh*) *Peach-leaved*	.....	....	——	H	♄	Du. ar. ed. no. 5. t. 52. f. 1.
3	sibírica DC.	(*pi*) Siberian	Siberia	1788.	4.	H	♄	Pall. ross. 1. t. 8.
4	brigantìaca DC.	(*wh*) spiny	S. Europe	....	——	H	♄	Duh. arb. ed. n. 5. t. 59.

PRU'NUS DC. PLUM-TREE. (name of Asiatic origin.) Icosandria Monogynia.

1	spinòsa DC.	(*wh*) Sloe-tree	Britain	....	3. 4.	H	♄	Eng. bot. v. 12. t. 842.
	α *vulgàris* DC.	(*wh*) *common*	———	....	——	H	♄	Duham. ed. n. 5. t. 54. f. 1.
	β *microcárpa* DC.	(*wh*) *small-fruited*	———	....	——	H	♄	
	γ *macrocárpa* DC.	(*wh*) *large-fruited*	———	....	——	H	♄	
	δ *ovàta* DC.	(*wh*) *oval-leaved*	———	....	——	H	♄	Blackw. herb. t. 494.
2	insitítia DC.	(*wh*) Bullace-tree	Britain	....	4.	H	♄	Eng. bot. v. 12. t. 841.
3	cándicans DC.	(*wh*) snowy	.....	1818.	4. 5.	H	♄	Bot. reg. t. 1135.
4	Cocomília DC.	(*wh*) twin-flowered	Calabria	1826.	——	H	♄	
5	marítima DC.	(*wh*) sea-side	N. America	1800.	——	H	♄	
6	pubéscens DC.	(*wh*) pubescent	.....	1819.	——	H	♄	
7	divaricàta DC.	(*wh*) spreading	Caucasus	1828.	....	H	♄	
8	cerasífera S.S.	(*wh*) Myrobalan	N. America	1629.	4. 5.	H	5	Duham. arb. 2. t. 2. f. 15.
9	pyramidàlis DC.	(*wh*) pyramidal	Europe	....	4.	H	5	———— 2. t. 15—20.
10	doméstica DC.	(*wh*) common	England	....	——	H	5	Eng. bot. v. 25. t. 1783.
	α *armenioìdes* DC.	(*wh*) *Apricot-like*	.....	....	——	H	5	Duham. arb. 2. t. 13—14.
	β *Claudiàna* DC.	(*wh*) *Reine Claude*	.....	....	——	H	5	———— 2. t. 11—12.
	γ *damascèna* DC.	(*wh*) *Damson*	.....	....	——	H	5	———— 2. n. 13. t. 5.
	δ *turonénsis* DC.	(*wh*) *Monsieur hatif, &c.*	....	....	——	H	5	———— 2. n. 16. t. 20. f. 1.
	ε *Juliàna* DC.	(*wh*) *Saint Julien*	.....	....	——	H	5	Duh. ed. nov. 5. t. 54. f. 2.
	ζ *Catharínea* DC.	(*wh*) *Saint Catharine*	.....	....	——	H	5	Duham. arb. 2. f. 1.
	η *Aubertiàna* DC.	(*wh*) *Imperatrice*	.....	....	——	H	5	Nois. jar. fr. t. 57-58. f. 4.

CE'RASUS DC. CHERRY-TREE. (the name of a town in Pontus.) Icosandria Monogynia.

Sect. 1. CERASO'PHORA; *pedicels* 1 *flowered rising from the bud in umbels.*

1	àvium DC.	(*wh*) small-fruited	Britain	....	4. 5.	H	5	Blackw. t. 425.
	α *sylvéstris*	(*wh*) *wood*	———	....	——	H	5	
	β *macrocàrpa* DC.	(*wh*) *large-fruited*	.....	....	——	H	5	Du. ed. no. 1. n. 2. t. 4. f. D.
	γ *pállida* DC.	(*wh*) *pale-fruited*	.....	....	——	H	5	——— 5. n. 3. t. 4. f. B. C.
	δ *múltiplex* DC.	(*wh*) *double-blossomed*	.....	....	——	H	5	
2	durácina DC.	(*wh*) hard-fruited	Europe	....	——	H	5	
	α *cordígera* DC.	(*wh*) *Bigarreaux*	.....	....	——	H	5	Nois. jard. fr. t. 6. f. 1.
	β *obtusàta* DC.	(*wh*) *blunt-fruited*	.....	....	——	H	5	Duh. ed. no. 5. t. 18. f. B.
	γ *mamillàris* DC.	(*wh*) *large-leaved*	.....	....	——	H	5	—— 5. n. 12. t. 16. f. A.
3	juliàna DC.	(*wh*) early	S. Europe	....	——	H	5	—— 5 n. 5. t. 15. f. A.
	β *Heaumiàna* DC.	(*wh*) *long-leaved*	———	....	——	H	5	—— n. 29. t. 19.
	γ *péndula* DC.	(*wh*) *pendulous-branch'd*	——	....	——	H	5	
4	Capronìàna DC.	(*wh*) common	———	....	——	H	5	
	α *Montmorencyàna* DC.	*May Duke, &c.*	———	....	——	H	5	Duh. ed. no. 5. n. 14. t. 7.
	β *palléscens* DC.	(*wh*) *pale-fruited*	———	....	——	H	5	———— n. 18. t. 11.
	γ *gobétta* DC.	(*wh*) *Kentish*	———	....	——	H	5	———— t. 12. f. A.
	δ *poly'gyna* DC.	(*wh*) *polygynous*	———	....	——	H	5	Duham. arb. 4. t. 3.
	ε *múltiplex* DC.	(*wh*) *semi-double*	.....	....	——	H	5	———— p. 173. t. 5.
	θ *persicifòra* DC.	(*wh*) *double-flowered*	.....	....	——	H	5	
	κ *variegàta* DC.	(*wh*) *striped-leaved*	.....	....	——	H	5	
	λ *griótta* DC.	(*wh*) *globular-fruited*	.....	....	——	H	5	Duh. ed. nov. n. 21. t. 14.
	ι *cordígera* DC.	(*wh*) *red-heart*	.....	....	——	H	5	Duham. arb. 4. t. 16. f. 1.

5	Marásca Jacq.	(wh)	Maraschino	Europe	1837.	4. 5.	H ♄	
6	affìne Jacq.	(wh)	allied	———	——	——	H ♄	
7	semperflòrens DC.	(wh)	late-fruited	N. America	....	5. 6.	H ♄	Wats. dend. brit. 131.
8	chamæcérasus DC.	(wh)	bastard	Germany	1597.	5.	H ♄	Jacq. ic. 1. t. 90.
9	persicifòlia DC.	(wh)	Peach-leaved	N. America	1818.	4. 5.	H ♄	
10	pùmila DC.	(wh)	dwarf	———	1756.	5.	H ♄	Mill. ic. t. 89. f. 2.
11	pygmæ'a DC.	(wh)	small	———	1818.	——	H ♄	
12	nigra DC.	(wh)	black-fruited	Canada	1773.	5. 6.	H ♄	Bot. mag. t. 1117.
13	boreàlis DC.	(wh)	northern	N. America	1818.	——	H ♄	Lodd. bot. cab. t. 1593.
14	deprèssa DC.	(wh)	depressed	———	1805.	5.	H ♄	
15	Susquehánnæ W. en.	(wh)	glaucous-ld.	———	1800.	——	H ♄	
16	hyemàlis DC.	(wh)	mountain	———	1805.	——	H ♄	
17	prostràta DC.	(ro)	prostrate	Candia	1802.	4. 5.	H ♄	Bot. mag. 136.
18	Chícasa DC.	(wh)	Chicasaw	N. America	1806.	——	H ♄	
19	pubéscens DC.	(wh)	pubescent	———	1822.	5.	H ♄	
20	japónica DC.	(pi)	Japan	Japan	1810.	3. 5.	H ♄	Bot. reg. t. 1801.
	β *múltiplex* DS.	(ro)	*double*	———	——	——	H ♄	——— t. 27.
21	serrulàta DS.	(bh)	saw-leaved	China	1822.	4. 5.	H ♄	
22	salícina DS.	(bh)	Willow-like	———	——	——	H ♄	
23	Chinénsis DS.	(re)	China	———	1810.	3. 5.	H ♄	Bot. mag. 2176.
	Amy'gdalus pùmila Lin.							

Sect. 2. LAUROCE'RASUS; *flowers disposed in racemes, rising from the branches.*

24	pseùdo-cérasus DS.	(wh)	Chinese	China	1820.	4. 5.	F ♄	Bot. reg. t. 800.
	paniculàta B.R. *non* Thunb.							
25	pensylvánica DC.	(wh)	Pensylvanian	N. America	1773.	5.	H ♄	Willd. arb. t. 3. f. 3.
26	Mahàleb DC.	(wh)	perfumed	S. Europe	1714.	4. 5.	H ♄	Jacq. aust. 3. t. 227.
27	Pàdus DC.	(wh)	Bird	Britain	....	——	H ♄	Eng. bot. v. 20. t. 1383.
28	rùbra W.	(wh)	red-fruited	England	....	——	H ♄	Willd. arb. t. 4. f. 2.
29	virginianà DC.	(wh)	Virginian	N. America	1724.	5. 6.	H ♄	—— t. 5. f. 1.
30	serótina DC.	(wh)	American Bird	———	1629.	——	H ♄	Wats. dend. brit. 48.
31	occidentàlis DC.	(wh)	West Indian	Jamaica	1784.	12.1.	S ♄	Catesb. car. 2. t. 94?
32	lusitánica DC.	(wh)	Portugal Laurel	Portugal	1648.	6.	H ♄	Mill. ic. t. 196. f. 1.
33	Hixa W. en.	(wh)	Teneriffe	Teneriffe	1824.	——	F ♄	
34	Laurocérasus DC.	(wh)	Laurel	Levant	1629.	4. 5.	H ♄	Blackw. herb. t. 512.
35	sphærocárpa DC.	(wh)	round-fruited	Jamaica	1820.	....	S ♄	Sloan. jam. 2. t. 193. f. 1.
36	caroliniàna DC.	(wh)	evergreen	Carolina	1759.	5.	H ♄	
	Bumèlia serràta Pursh.							

ORDER LXXXIII.

POMA'CEÆ. *D. Don prodr. flor. nepal. p.* 236.

ME'SPILUS KS. ME'SPILUS. (μεσος, half, and πιλος, a bullet; fruit.) Icosandria Di-Pentagynia.

1	germánica DC.	(wh)	Medlar	England	....	5. 7.	H 5	Eng. bot. v. 22. t. 1523.
α	*sylvéstris* DC.	(wh)	*wild*	———	....	——	H 5	
β	*stricta* DC.	(wh)	*upright*	.....	....	——	H 5	
γ	*diffusa* DC.	(wh)	*Dutch*	.....	....	——	H 5	Duham. arb. fr. 1. t. 3.
2	grandiflòra S.S.	(wh)	large-flowered	S. Europe	1800.	5. 6.	H 5	Exot. bot. 1. t. 18.
	Smithii DC. *lobàta* Poir. B.M. 3442.							

CRATÆGUS DS. WHITE-THORN. (κρατος, strength; wood.) Icosandria Di-Pentogynia.

§ 1. PYRACA'NTHA; *leaves toothed or nearly entire, never lobed.*

1	Pyracántha DC.	(wh)	evergreen thorn	S. Europe	1629.	5.	H ♄	Schmidt arb. t. 90.
2	crenulàta DC.	(wh)	crenulate	Nepaul	1818.	6. 7.	H ♄	
3	mexicàna DC.	(wh)	Mexican	Mexico	1819.	5. 6.	F ♄	Swt. br. fl. gar. s. 2. t. 300.
4	Crùs-gálli L.	(wh)	Cockspur-thorn	N. America	1691.	5. 6.	H 5	Wats. dend. brit. t. 56.
	β *ovalifòlia* B.R.	(wh)	*oval-leaved*	———	....	——	H 5	Bot. reg. t. 1860.
	ovalifòlia DC.							
5	pyracanthifòlia	(wh)	Pyracantha-leaved	———	1691.	——	H 5	
	lucida Dum-Cours. bot. cult. ed. 2. v. 5. p. 448. *non* Miller.							
6	salicifòlia LC.	(wh)	Willow-leaved	———	——	——	H 5	
7	linearis DP.	(wh)	linear-leaved	———	——	——	H 5	
8	[illegible]	(wh)	dwarf	———	1826.	——	H ♄	

9	lagenària F.M.	(*wh*) bottle-fruited	Siberia	1837.	5. 6.	H	♄	
10	spinosíssima L.C.	(*wh*) long-spined	S. Europe	....	——	H	♄	Lod. bot. cab. 1106.
11	punctàta DC.	(*wh*) spotted-fruited	N. America	1746.	——	H	5	Wats. dend. brit. t. 57.
	α *ràbra* Ph.	(*wh*) *red-fruited*	——	——	——	H	♄	
	β *aúrea* Ph.	(*wh*) *yellow-fruited*	——	——	——	H	♄	
12	Douglàsii B.R.	(*wh*) Douglas's	——	1830.	——	H	5	Bot. reg. t. 1810.
	punctàta β *brevispina* Hook.							
13	ellíptica DC.	(*wh*) oval-leaved	——	1765.	5.	H	5	
14	prunifòlia DC.	(*wh*) Plum-leaved	——	1812.	5. 6.	H	5	Bot. reg. t. 1868.
15	prunellifòlia DC.	(*wh*) Sloe-leaved	——	1824.	——	H	♄	
16	latifòlia DC.	(*wh*) broad-leaved	——	....	——	H	5	
17	parvifòlia DC.	(*wh*) Gooseberry-ld.	——	1704.	——	H	♄	Wats. dend. brit. 65.
	Méspilus xanthocárpos S.S.	*Cratæ'gus tomentòsa* L. Trew. ehr. t. 17.						
18	spatulàta B.R.	(*wh*) spatulate-leaved	——	....	——	H	♄	Bot. reg. 1890.
	virgínica Lodd. *víridis* Hort.							
19	ovalifòlia DC.	(*wh*) oval-leaved	——	....	——	H	♄	
20	víridis DC.	(*wh*) smooth green	——	....	——	H	♄	
21	pauciflòra Poir.	(*wh*) few-flowered	Switzerland	1818.	——	H	♄	
22	lùcida DC.	(*wh*) glossy-leaved	——	....	——	H	♄	
	§ 2. *Leaves variously lobed or cut.*							
23	apiifòlia DC.	(*wh*) Parsley-leaved	——	1812.	——	H	♄	
24	pyrifòlia DC.	(*wh*) Pear-leaved	——	1765.	6.	H	5	Bot. reg. t. 1877.
25	sanguínea Pall.	(*wh*) hollow-leaved	Siberia	1750.	5. 6.	H	5	Wats. dend. brit. t. 56.
26	microcárpa B.R.	(*wh*) small-fruited	N. America	1806.	——	H	5	Bot. reg. t. 1846.
	spathulàta DC.							
27	coccínea DC.	(*wh*) scarlet-fruited	——	1683.	4. 5.	H	5	—— t. 1957.
	glandulòsa B.R.							
	β *macracántha* B.R.	(*wh*) *long-spined*	——	....	——	H	5	Bot. reg. t. 1912.
	macracántha Lodd.							
28	purpùrea W.D.	(*wh*) purple-branch'd	——	....	——	H	5	Wats. dend. brit. t. 60.
29	cordàta DC.	(*wh*) Maple-leaved	——	1738.	5. 6.	H	5	—— t. 63.
	Cratæ'gus cordàta Bot. reg. t. 1151.							
30	lobàta DC.	(*wh*) lobed-leaved	——	1818.	——	H	5	
31	florentìna DC.	(*wh*) Florentine	Florence	1824.	——	H	5	
32	nìgra DC.	(*wh*) black-fruited	Hungary	1818.	——	H	5	Lodd. bot. cab. t. 1621.
33	pentágyna DC.	(*wh*) five-styled	——	——	——	H	5	
34	flàva DC.	(*wh*) yellow-berried	N. America	1724.	——	H	5	Bot. reg. t. 1935.
	β *lobàta* BR.	(*wh*) *lobed*	——	....	——	H	♄	—— t. 1932.
	lobàta Bosc.							
35	físsa DC.	(*wh*) cloven-leaved	——	1818.	——	H	5	
36	Poiretiàna DC.	(*wh*) Poiret's	N. America	....	——	H	5	
	lineàris Poir. *non* P.S.							
37	platyphy'lla B.R.	(*wh*) broad-leaved	——	....	——	H	5	Bot. reg. t. 1874.
	físsa Hort. not Bosc.							
38	dissécta Dum.	(*wh*) cut-leaved	Persia	1828.	....	H	5	
39	Oxyacántha DC.	(*wh*) Hawthorn	Britain	....	5. 6.	H	5	Eng. bot. v. 35. t. 2504.
	Cratæ'gus Oxyacántha DC.							
	β *màjor*	(*wh*) *great-fruited*	——	....	——	H	5	
	γ *aúrea*	(*wh*) *yellow-berried*	——	....	——	H	5	
	δ *Oliveriàna* BR.	(*wh*) *Oliver's*	Levant	1818.	——	H	5	Bot. reg. t. 1933.
	Oliveriàna Bosc.							
40	præ'cox	(*wh*) Glastonbury	.....	....	3. 5.	H	5	
41	oxyacanthoìdes B.R.	Hawthorn-like	S. Europe	....	5. 6.	H	5	Bot. reg. t. 1128.
	β *múltiplex*	(*wh*) *double-flowered*	——	....	——	H	5	
42	élegans Poir.	(*ro*) *rose-coloured*	——	....	——	H	5	Blackw. herb. t. 149.
	β *rubérrima*	(*re*) *dark-red*	——	1827.	——	H	5	
43	eriocárpa Lind.	(*wh*) woolley-fruited	Britain	....	——	H	5	
44	monógyna Pal.	(*wh*) one-styled	Siberia	....	——	H	5	Pall. ross. 1. t. 12.
45	heterophy'lla DC.	(*wh*) various-leaved	Levant?	1818.	——	H	5	Bot. reg. t. 1847.
46	Azaròlus DC.	(*wh*) Azarole	S. Europe	1640.	——	H	5	Andr. reposit. t. 579.
47	maroccàna B.R.	(*wh*) Marocca	Barbary	....	——	H	5	Bot. reg. t. 1855.
	Aròmia Decaisne.							
48	Aròmia DC.	(*wh*) Aronian	Levant	....	——	H	5	Pocock tr. t. 85.
49	orientàlis DC.	(*wh*) oriental	——	1824.	——	H	5	Bot. reg. t. 1852.
50	tanacetifòlia DC.	(*wh*) Tansey-leaved	——	1789.	——	H	♄	—— t. 1884.
51	odoratíssima DC.	(*wh*) sweet-scented	Crimea	....	——	H	♄	—— t. 1885.
52	Celsiàna DC.	(*wh*) Cels's	Levant	1822.	——	H	♄	
53	laciniàta DC.	(*wh*) jagged	Sicily	——	——	H	♄	
54	melanocárpa DC.	(*wh*) black-berried	Tauria	1818.	——	H	♄	

55 pectinàta L. en. (*wh*) pectinated Persia 1824. 5. 6. H ♄
56 flabellàta LC. (*wh*) fan-leaved ..... 1823. —— H ♄
57 pruinòsa Lk. (*wh*) frosted ..... 1826. —— H ♄
58 succulénta Scr. (*wh*) succulent ..... —— —— H ♄
59 subvillòsa Scr. (*wh*) villous ..... 1827. —— H ♄
60 punícea F. ..... crimson Dahuria —— .... H ♄

STRANVÆ'SIA BR. STRANVÆ'SIA. (Hon. W. F. Strangways.) Icosandria Digynia.
glaucéscens B.R. (*wh*) glaucescent Nepaul .... 5. 8. H ♄ Bot. reg. t. 1956.
Crate'gus glaùca Wall.

RAPHIO'LEPIS DC. RAPHIO'LEPIS. (ραφις, a needle, and λεπις, a scale; bracteas.) Icos. Digyn.
1 índica DC. (*wh*) Indian China 1806. 5. 8. G ♄ Bot. mag. t. 1726.
Crate'gus índica B.M.
2 pheostèmon DC. (*wh*) red-stamen'd ———— 1818. —— G ♄ Bot. reg. t. 468.
índica Bot. reg. *non* Bot. mag.
3 rùbra DC. (*wh*) red-stemmed ———— 1806. —— G ♄ Bot. reg. t. 1400.
4 salicifòlia DC. (*wh*) Willow-leaved ———— 1820. —— G ♄ ———— t. 652.

PHOTI'NIA DC. PHOTI'NIA. (φωτεινος, shining; leaves.) Icosandria Digynia.
1 serrulàta DC. (*wh*) smooth-leaved China 1804. 4. 7. H ♄ Bot. mag. t. 2105.
Crate'gus glàbra B.M.
2 arbutifòlia DC. (*wh*) Arbutus-leaved California 1796. 6. 8. H ♄ Bot. reg. t. 491.
3 integrifòlia DC. (*wh*) entire-leaved Nepaul 1820. 5. 6. H ♄
Py'rus integérrima D.P.
4 dùbia DC. (*wh*) doubtful ———— 1822. —— H ♄ Linn. trans. 13. t. 10.
Méspilus tinctòria D.P. *Méspilus bengalénsis* Roxb.

ERIOBO'TRYA DC. LOQUAT. (εριον, wool, and βοτρυς, a bunch; fruit.) Icosandria Pentagynia.
1 japónica DC. (*wh*) Japan Japan 1787. 9. 10. H ♄ Bot. reg. t. 365.
Méspilus japónica Vent. malm. t. 19.
2 elliptica DC. (*wh*) elliptic-leaved Nepaul 1822. .... H ♄
Méspilus Cuìla D.P.

COTONEA'STER. DC. COTONEA'STER. (*Cotoneum*, quince; similarity.) Icosandria Di-Pentagynia.
1 vulgàris DC. (*wh*) common Europe 1656. 4. 5. H ♄ Flor. dan. t. 112.
Méspilus Cotoneáster. L.
2 affìnis DC. (*wh*) likened Nepaul 1820. 6. 7. H ♄ Lodd. bot. cab. t. 1522.
3 tomentòsa DC. (*wh*) Quince-leaved Europe 1759. 4. 5. H ♄ Wats. dend. brit. t. 55.
Méspilus eriocárpa W.D.
4 melanocárpa L.C. (*pi*) black-fruited Russia —— 6. H ♄ Lodd. bot. cab. t. 1531.
5 denticulàta K.S. (*wh*) tooth-leaved Mexico 1826. .... F ♄ H.et.B.n.ge.am.6.t.556.
6 laxiflòra J.F. (*wh*) loose-flowered Nepaul 1820. 5. 7. H ♄ Bot. reg. t. 1305.
7 multiflòra DS. (*wh*) many-flowered Altaia 1837. —— H ♄ Led. ill. t. 274.
8 frígida B.R. (*wh*) mountain Nepaul 1823. 4. 5. H ♄ Bot. reg. t. 1229.
9 acuminàta DC. (*bh*) pointed-leaved ———— 1820. 4. 6. H ♄ Lin. trans. 13. t. 9.
Méspilus acuminàta Lodd. bot. cab. t. 919.
10 nummulària B.R. (*wh*) Nummul-ld. Nepaul 1824. —— H ♄
11 rotundifòlia B.R. (*wh*) round-leaved ———— 1820. —— H ♄ Bot. reg. t. 1187.
microphy'lla β U'va úrsi B.R.
12 microphy'lla B.R. (*wh*) small-leaved ———— —— —— H ♄ Bot. reg. t. 1114.
13 buxifòlia B.R. (*wh*) Box-leaved ———— 1824. —— H ♄

AMELA'NCHIER DC. AMELA'NCHIER. (Savoy name of the Medlar.) Icosandria Pentagynia.
1 vulgàris DC. (*wh*) common S. Europe 1596. 4. 5. H ♄ Schmidt. arb. t. 85.
Méspilus Amelánchier Jacq. aust. t. 300. *Py'rus Amelánchier* W.
2 Botryàpium DC. (*wh*) snowy N. America 1746. 4. 5. H ♄ Schimdt. arb. t. 84.
Méspilus canadénsis L. *Py'rus Botryàpium* W. *Arònia Botryàpium* P.S.
3 ovàlis DC. (*wh*) oval-leaved N. America 1800. 4. 5. H ♄
4 sanguínea DC. (*wh*) red-branched ———— 1812. —— H ♄ Bot. reg. t. 1171.
5 flórida B.R. (*wh*) florid ———— 1830? —— H ♄ ———— 1589.

ARO'NIA P.S. ARO'NIA. (Latin for the Medlar.) Icosandria Di-Pentagynia.
1 arbutifòlia N. (*wh*) red-berried N. America 1700. 5. 6. H ♄ Bot. mag. t. 3668.
pyrifòlia P.S. *Py'rus arbutifòlia* Ph.
2 grandifòlia (*wh*) large-leaved ———— .... —— H ♄ Bot. reg. t. 1154.
Py'rus grandifòlia B.R.
3 floribúnda (*wh*) many-flowered ———— .... —— H ♄ Bot. reg. t. 1006.
4 deprèssa DS. (*wh*) depressed ———— .... 5. H ♄
5 xanthocárpa L.C. (*wh*) yellow-fruited ———— 1820. 5. 6. H ♄
6 melanocárpa N. (*wh*) black-fruited ———— 1700. —— H ♄ Schmidt. arb. t. 86.
7 pùbens DS. (*wh*) downy ———— 1810. .... H ♄
8 chamæméspilus PS. (*wh*) Bastard Quince Pyrenees 1683. —— H ♄ Schmidt. arb. t. 87.
Mespilus chemæméspilus L. *Crate'gus chamæméspilus* Jacq. aust. t. 231.

PY'RUS DC. PEAR & APPLE. (*peren*, Celt.; a pear.) Icosandria Di-Pentagynia.
Sect. I. [illegible] IORUM; *styles* 5, *free*; *pome more or less turbinate, never umbilicate at the base*; *pedicels simple, umbellate*; *leaves simple, glandless*

1	commùnis DC.	(*wh*) common Pear	England	....	4.	H 5		Eng. bot. v. 25. t. 1784
	α *A'chras* DC.	(*wh*) *pointed-leaved*	———	....	——	H 5		
	β *pyráster* DC.	(*wh*) *round-leaved*	———	....	——	H 5		Gært. fr. t. 87. f. 2.
	γ *sativa* DC.	(*wh*) *cultivated*	———	....	——	H 5		
2	Bollwylleriàna DC.	(*wh*) woolly-leaved	Germany	1786.	4. 5.	H 5		Bot. reg. t. 1437.
3	salvifòlia DC.	(*wh*) Sage-leaved	France	1824.	——	H 5		——— t. 1482.
4	amygdalifórmis DC.	(*wh*) Almond-like	———	1820.	——	H 5		
5	elæagnifòlia DC.	(*wh*) Oleaster-leaved	Tauria	1818.	——	H 5		
6	salicifòlia DC.	(*wh*) Willow-leaved	Siberia	1780.	5. 6.	H 5		Bot. reg. t. 514.
7	crenàta D.P.	(*wh*) crenated	Nepaul	1820.	——	H 5		
8	sinàica DC.	(*wh*) Mount Sinai	Levant	——	5.	H 5		Wats. dend. brit. t. 49.
	pérsica P.S.							
9	nivàlis DC.	(*wh*) white-leaved	Austria	....	——	H 5		Bot. reg. t. 1484.
10	Páshia D.P.	(*wh*) rough-fruited	Nepaul	1825.	5. 6.	H 5		
11	Nússia D.P.	(*wh*) small-fruited	———	1823.	——	H 5		
12	sinénsis B.R.	(*wh*) Chinese	China	——	——	H 5		Bot. reg. t. 1248.

Sect. 2. MA'LUS; *styles* 5, *connected at the very base; pome usually globose, always umbilicate at the base; pedicels simple, umbellate; leaves simple, glandless.*

13	acérba DC.	(*bh*) sour	Europe	....	4. 5.	H 5		Flor. dan. t. 1101.
14	Màlus DC.	(*bh*) common Apple	Britain	....	——	H 5		Eng. bot. v. 3. t. 179.
15	præ'cox	(*bh*) Paradise	Russia	1784.	4.	H 5		
16	dioíca DC.	(*st*) linear-petal'd	.....	....	4. 5.	H 5		
17	astracánica DC.	(*bh*) Astracan	Astracan	1824.	——	H 5		
18	spectábilis DC.	(*pi*) Chinese Apple	China	1780.	5.	H 5		Bot. mag. t. 267.
19	prunifòlia DC.	(*bh*) Siberian Crab	Siberia	1758.	4. 5.	H 5		Mill. ic. t. 2. 269.
20	tomentòsa DC.	(*bh*) woolly	———	1824.	——	H 5		
21	rubicúnda DC.	(*bh*) red-fruited	.....	1820.	——	H 5		
22	baccàta DC.	(*bh*) small Crab	Siberia	1784.	——	H 5		Pall. fl. ross. t. 10.
23	coronària DC.	(*pi*) sweet-scented	Virginia	1724.	5.	H 5		Bot. reg. t. 651.
24	angustifòlia DC.	(*bh*) narrow-leaved	N. America	1750.	——	H ♄		Wats. dend. brit. 132.
25	pùmila Mil.	(*bh*) dwarf-evergreen.....		....	4. 5.	H ♄		

Sect. 3. A'RIA; *styles* 2 *or* 3, *pome globose; flowers in racemes or corymbs; peduncles branched; leaves simple, glandless, white beneath from tomentum.*

26	A'ria DC.	(*wh*) white-beam	Britain	....	5. 6.	H 5		Eng. bot. v. 26. t. 1858.
	α *obtusifòlia* DS.	(*wh*) *blunt-leaved*	———	....	——	H 5		Fl. dan. t. 302.
	β *acutifòlia* DS.	(*wh*) *acute-leaved*	———	....	——	H 5		Duham. ed. nov. 4. t. 34.
	Crataegus longifòlia Duham. *Py'rus alpìna* W. en.							
	γ *undulàta* DS.	(*wh*) *undulated*	———	....	——	H 5		
	δ *angustifòlia* DS.	(*wh*) *narrow-leaved*	———	....	——	H 5		
	ε *rugòsa* DS.	(*wh*) *wrinkled*	———	....	——	H 5		
	ξ *crética* DS.	(*wh*) *Cretan*	———	....	——	H 5		
	η *bullàta* DS.	(*wh*) *blistered*	———	....	——	H 5		
27	crenàta D.P.	(*wh*) crenated	Nepaul	....	6.	H 5		Bot. reg. 1655.
	vestìta Wall.							
28	intermèdia DC.	(*wh*) Swedish	Sweden	1789.	4. 5.	H 5		Flor. dan. 301.
29	latifòlia P.S.	(*wh*) broad-leaved	France	....	5. 6.	H 5		Duham. arb. 1. t. 80.
30	edùlis W. en.	(*wh*) eatable-fruited	Europe	1816.	——	H 5		Wats. dend. brit. t. 52.
31	lanàta D.P.	(*wh*) woolly	Nepaul	1820.	——	H 5		

Sect 4. TORMINA'LIA; *styles* 2-5, *connected, glabrous; pome turbinate at the base and truncate at the apex, in consequence of the calycine lobes being deciduous; leaves lobately angular, glabrous in the adult state: flowers corymbose; peduncles branched.*

32	torminàlis DC.	(*wh*) Wild Service	England	....	4. 5.	H 5		Eng. bot. v. 5. t. 298.

Sect 5. SO'RBUS; *styles* 2-5; *pome globose, or turbinate; leaves impari-pinnate; flowers corymbose; peduncles branched.*

33	auriculàta DC.	(*wh*) eared-leaved	Egypt	1828.	....	H 5		
34	pinnatífida DC.	(*wh*) pinnatifid	England	....	5. 6.	H 5		Eng. bot. v. 33. t. 2331.
35	arbúscula Poir.	(*wh*) little tree	Germany	....	——	H 5		
36	microcárpa DC.	(*wh*) small-berried	N. America	....	——	H 5		
37	aucupària DC.	(*wh*) Mountain Ash	Britain	....	——	H 5		Eng. bot. v. 5. t. 337.
38	americàna DC.	(*wh*) purple-berried	Canada	1782.	——	H 5		Wats. dend. brit. t. 54.
39	sorbifòlia W.D.	(*wh*) Service-leaved	.....	....	5.	H 5		——— t. 53.
40	Sórbus DC.	(*wh*) Service-tree	England	....	5. 6.	H 5		Eng. bot. v. 5. t. 350.
	doméstica E.B.	*Sórbus doméstica* L.						
41	lanuginòsa DC.	(*wh*) woolly-leaved	Hungary	1820.	——	H 5		
42	spùria DC.	(*bh*) spurious	Hybrid	....	——	H 5		Bot. reg. t. 1196.
	hybrida Mœnch.	Weis. t. 6. *Sórbus spùria.*						

CYDO'NIA DC. QUINCE. (native near Cydon in Candia.) Icosandria Pentagynia.

Sect. 1. CYDO'NIA; *lobes of calyx rather foliaceous, and serrulated; stamens disposed in a single series.*

1	vulgàris DC.	(*wh*) common	S. Europe.	1573.	5. 6.	H 5		Jacq. aust. 4. t. 341

α *malíformis* DC.	(*wh*)	*Apple-fruited*	S. Europe	1573.	5. 6.	H	5	
β *lusitánica* DC.	(*wh*)	*large-fruited*	———	——	——	H	5	Duha.arb.fr.1.p.195.ic.
γ *oblónga* DC.	(*wh*)	*oblong-fruited*	———	——	——	H	5	Blackw.herb. t. 137.
.2 *sinénsis* DC.	(*wh*)	Chinese	China	1815.	4. 5.	H	5	Bot. reg. t. 905.
Sect. 2. CHÆNOME'LES ; *lobes of calyx short, obtuse, entire ; stamens in two series.*								
3 japónica DC.	(*sc*)	Japan	Japan	1796.	1.12.	H	♄	Bot. mag. t. 692.
α *rùbra*	(*sc*)	*red-flowered*	———	——	——	H	♄	
Pyrus japónica B.M. *Mâlus japónica* A.R. 462.								
β *álba*	(*wh*)	*white-flowered*	———	1812.	——	H	♄	Lodd. bot. cab. t. 541.

ORDER LXXXIV.

ROSA'CEÆ. *D. Don prodr. fl. nepal. p.* 229.

Suborder I. *RO'SEÆ.* DC. prodr. 2. p. 596.

RO'SA DC. Ro'se. (*rhos*, red, Celt. ; colour of flowers.) Icosandria Polygynia.

Sect. 1. SIMPLICIFO'LIA ; *leaves simple, extipulate ; fruit bristly.*

1 berberifòlia W.	(*ye*)	Berberry-leaved	Persia	1790.	6. 8.	H	♄	Redout. ros. 1. 27. t. 2.
simplicifòlia P.L. 101. *Lòwea berberifòlia* Bot. reg. 1261.								

Sect. 2. FERO'CES ; *branches clothed with permanent tomentum ; fruit naked.*

2 ferox L.R.	(*pu*)	hedgehog	Caucasus	1796.	6. 8.	H	♄	Bot. reg. t. 420.
3 kamchática L.R.	(*pu*)	Kamtschatka	Kamtschatka	1802.	7. 8.	H	♄	——— t. 419.
β *nítens* B.R.	(*pu*)	*glossy*	———	1820.	——	H	♄	——— t. 824.

Sect. 3. BRATHA'TÆ ; *branches and fruit clothed with persistent tomentum.*

4 involucràta L.R.	(*wh*)	floral-leaved	China	1814.	5.10.	H	♄ ◡	Bot. reg. t. 739.
5 clinophy'lla R.R.	(*wh*)	naked-flowered	———	1820.	——	H	♄ ◡	Redout. ros. 1. t. 10.
6 bracteàta L.R.	(*wh*)	Macartney	———	1795.	6.10.	H	♄ ◡	——— 1. t. 6.
β *scabriúscula* L.R.	(*w*)	*rough Macartney*	———	——	——	H	♄ ◡	Bot. mag. 1377.

Sect. 4. CINNAMO'MEÆ ; *setigerous or unarmed, bracteate ; leaflets lanceolate, glandless ; disk thin.*

7 nítida W. en.	(*ro*)	dwarf Labrador	N. America	1773.	7. 8.	H	♄	Lindl. ros. t. 2.
8 ràpa R.R.	(*ro*)	double Burnet	———	1726.	——	H	♄	Redout. ros. 1. 7. t. 2.
9 lùcida W.	(*re*)	single Burnet	———	1773.	——	H	♄	Miss Lawr. ros. t. 24.
10 Lindlèyi S.S.	(*ro*)	spreading	———	1726.	——	H	♄	Lindl. ros. t. 3.
lára L.R. *non* Retz.								
11 parviflòra W.	(*bh*)	small-flowered	———	1724.	——	H	♄	
α *Single Pensylvanian*	(*bh*)	.....	———	——	——	H	♄	Miss Lawr. ros. t. 68.
β *Double Pensylvanian*	(*bh*)	.....	———	——	——	H	♄	——— t. 66.
12 Woódsii L.R.	(*pi*)	Woods's	———	1815.	6. 7.	H	♄	
13 gemélla S.S.	(*re*)	twin-flowering	———	1800.	7. 8.	H	♄	
14 Lyònii S.S.	(*ro*)	Lyon's	Tennassee	1812.	——	H	♄	
15 flórida L.C.	(*re*)	flowering	N. America	——	6. 7.	H	♄	
16 carolina L.R.	(*re*)	Carolina	———	1726.	——	H	♄	Lindl. ros. t. 4.
17 pensylvánica L.en.	(*re*)	Pensylvanian	———	——	——	H	♄	
18 blánda L.R.	(*re*)	Hudson's Bay	———	1773.	5. 8.	H	♄	Miss Lawr. ros. t. 27.
19 fraxinifòlia L.R.	(*re*)	Ash-leaved	Newfoundland	—	4. 6.	H	♄	Bot. reg. 458.
β *Red Alpine Rose*	(*re*)		.....	——	——	H	♄	Miss Lawr. ros. t. 75.
20 cinnamòmea E.B.	(*ro*)	Single Cinnamon	England	....	5.	H	♄	Eng. bot. v. 34. t. 2388.
β *flòra semiplèno*	(*ro*)	*semidouble*	———	....	——	H	♄	
γ *fœcundissima*	(*ro*)	*double Cinnamon*	Europe	....	4. 5.	H	♄	Lindl. ros. t. 5.
21 taúrica DS.	(*re*)	Taurian	Tauria	1817.	6. 7.	H	♄	
22 dahùrica DS.	(*re*)	Dahurian	Dahuria	1824.	5. 6.	H	♄	
23 majàlis L.R.	(*ro*)	dwarf Cinnamon	S. Europe	....	4. 5.	H	♄	Flor. dan. t. 688.
24 frutetòrum S.S.	(*bh*)	short-peduncled	Volhynia	1820.	5. 6.	H	♄	
25 ambígua S.S.	(*bh*)	ambiguous	.....	——	——	H	♄	
26 macrophy'lla L.R.	(*ro*)	long-leaved	Nepaul	1822	....	H	♄	Lindl. ros. t. 6.
27 americàna L. en.	(*ro*)	American	America	——	....	H	♄	

Sect. 5. PIMPINELLIFO'LIA ; *bearing crowded nearly equal prickles or unarmed ; leaflets ovate or oblong ; sepals connivent, persistent ; disk almost absent.*

28 alpìna L. R.	(*re*)	Alpine	Europe	1683.	6. 6.	H	♄	Bot. reg. 424.
α *Alpine Rose*	(*re*)	*common*	———	——	——	H	♄	Miss Lawr. ros. t. 30.

	β pyrenàica L.R.	(*re*) *Pyrenean*	Europe	1683.	6. 7.	H	♄	Jacq. schœnb. 4. t. 416.
	γ pendulìna L.R.	(*re*) *pendulous*	———	1726.	——	H	♄	Miss Lawr. ros. t. 9.
29	pygmæ'a S.S.	(*ro*) pigmy	Tauria	....	——	H	♄	
30	rubélla E.B.	(*re*) long-fruited	England	....	7.	H	♄	Eng. bot. v. 36. t. 2521.
	β melanocárpa L.R.	(*re*) *black-fruited*	———	....	——	H	♄	
31	muricàta L. en.	(*ro*) muricate	.....	1823.	6. 7.	H	♄	
32	balsámica S.S.	(*ro*) balsamic	.....	——	——	H	♄	
33	stricta L.R.	(*ro*) upright	N. America	1726.	——	H	♄	Lindl. ros. t. 7.
	Upright Carolina	(*ro*)	———	——	——	H	♄	Miss Lawr. ros. t. 36.
34	suàvis S.S.	(*ro*) sweet	.....	1817.	——	H	♄	
35	aciculàris L.R.	(*ro*) grey-Siberian	Siberia	....	3. 4.	H	♄	Lindl. ros. t. 8.
36	pauciflòra Ly.	(*ro*) few flowered	———	....	——	H	♄	
37	sulphùrea W.	(*st*) double-yellow	Levant	1629.	7.	H	♄	Bot. reg. 46.
38	lutéscens Ph.	(*st*) yellowish	Siberia	1780.	5. 6.	H	♄	Lindl. ros. t. 9.
	hispida Bot. mag. t. 1570.							
39	vimínea L.R.	(*ro*) twiggy	Russia	1826.	5. 6.	H	♄	
40	spinosíssima E.B.	(*ro*) Scotch	Britain	....	6. 7.	H	♄	Eng. bot. v. 3. t. 187.
	β revérsa L.R.	(*wh*) *reversed prickle*	———	....	——	H	♄	Bot. reg. 431.
	γ striped-flowered Scotch	(*std*)	———	....	——	H	♄	Miss Lawr. ros. t. 15.
	δ Red Scotch	(*re*)	———	....	——	H	♄	——— t. 62.
	ε Double Scotch	(*wh*)	———	....	——	H	♄	——— t. 63.
	ζ Tall Scotch	(*wh*)	———	....	——	H	♄	——— t. 19.
	η Marbled Scotch	(*pu.wh*)	———	....	——	H	♄	——— t. 78.
	θ sanguisorbifòlia L.R.	(*wh*) *Sanguisorba-ld.* ..		....	——	H	♄	
41	altàica W. en.	(*wh*) Pallas's	Siberia	....	——	H	♄	Pall. ros. 2. t. 75.
42	ochroleùca L.en.	(*st*) sulphur-colour'd	———	1814.	——	H	♄	
43	melanocárpa S.S.	(*wh*) small-black-fruit'd	S. Europe	1823.	——	H	♄	
44	grandiflòra L.R.	(*wh*) large-flowered	Siberia	....	5. 6.	H	♄	Bot. reg. 888.
45	myriacántha DC.	(*wh*) numerous-spin'd	S. France	1820.	——	H	♄	Lindl. ros. t. 10.
46	involùta E.B.	(*bh*) Dr. Walker's	Hebrides	....	6. 7.	H	♄	Eng. bot. v. 29. t. 2068
47	revérsa L.R.	(*bh*) reversed	Hungary	1817.	——	H	♄	W. et K. hung. 3. t. 264.
48	Biebersteínii Ly.	(*ro*) Bieberstein's	Causacus	1821.	5.	H	♄	
49	Doniàna L.T.	(*wh*) Mr. Don's	Britain	....	6. 7.	H	♄	Eng. bot. t. 2601.
50	grácilis L.T.	(*ro*) slender	———	....	7. 8.	H	♄	Eng. bot. v. 9. t. 583.
	villòsa E.B. *non* L.							
51	Wilsòni DS.	(*pk*) Wilson's	England	....	6. 7.	H	♄	Eng. bot. suppl. 2722.
52	Sabìni L.T.	(*ro*) Mr. Sabine's	Britain	....	7. 8.	H	♄	Eng. bot. t. 2594.
53	marginàta L.D.	(*ro*) margined	Germany	1823.	——	H	♄	
54	corúscans L. en.	(*ro*) glittering	.....	——	——	H	♄	

Sect. 6. CENTIFO'LIÆ; *bearing bristles and prickles of two forms; peduncles bracteate; leaflets wrinkled; disk closing the throat: sepals compound.*

55	damascèna L.B.	(*re*) red-damask	Syria?	1575.	6. 7.	H	♄	Miss. Lawr. ros. t. 38.
56	centifòlia L.R.	(*ro*) Provins	Caucasus	1596.	——	H	♄	——— t. 8.
	β muscòsa L.R.	(*ro*) *single moss*	.....	1724.	——	H	♄	Bot. reg. 53.
	γ múltiplex	(*ro*) *double moss*	.....	——	——	H	♄	Bot. mag. t. 69.
	δ albiflòra	(*wh*) *white moss*	.....	——	——	H	♄	Bot. reg. t. 102.
	ε pompònia L.R.	(*pi*) *Pompone*	.....	....	——	H	♄	Redout. ros. 1. 65. t. 21
	ζ bipinnàta L.R.	(*pi*) *bipinnate*	Caucasus	....	——	H	♄	——— 2. 11. t. 4.
57	gállica L.R.	(*re*) officinal	Europe	1596.	——	H	♄	Bot. reg. t. 448.
	β pùmila L.R.	(*re*) *dwarf*	Austria	1773.	——	H	♄	Jacq. aust. 2. t. 198.
58	pulchélla	(*re*) neat	France	....	——	H	♄	
59	parvifòlia L.R.	(*pu*) Burgundy	Europe	....	——	H	♄	Bot. reg. t. 452.

Sect 7. VILLO'SÆ; *prickles straightish; leaflets with diverging serratures; sepals conivent, persistent; disk closing the throat.*

60	turbinàta L.R.	(*ro*) Frankfort	Europe	1629.	6. 7.	H	♄	Miss Lawr. ros. t. 69.
61	villòsa L.T.	(*bh*) villous	Britain	....	6.	H	♄	Eng. bot. v. 35. t. 2459
	móllis E.B.							
	a single apple bearing	(*bh*) ———	———	....	——	H	♄	Miss Lawr. ros. t. 33.
	β cœrùlea L.T.	(*bh*) *blue-stalked*	———	....	——	H	♄	
	γ concavifòlia L.T.	(*bh*) *concave-leaved*	Scotland	....	——	H	♄	
	δ suberécta L.T.	(*bh*) *suberect*	Yorkshire	....	——	H	♄	
	ε double apple-bearing	(*pi*)	———	....	——	H	♄	Miss Lawr. ros. t. 29.
62	Leeàna Swt.	Lee's globe hip	.....	....	——	H	♄	Swt. guide 195.
63	scabriúscula L.T.	(*bh*) roughish	Britain	....	——	H	♄	Eng. bot. t. 1896.
64	sylvéstris DS.	(*re*) wild	England	....	6. 7.	H	♄	
65	heterophy'lla L.T.	(*bh*) various-leaved	Scotland	....	——	H	♄	
66	tomentòsa L.T.	(*bh*) downy-ld. dog	Britain	....	——	H	♄	Eng. bot. v. 14. t. 990.
	β sylvéstris L.T.	(*bh*) *wood*	———	....	——	H	♄	
	γ canéscens L.T.	(*bh*) *canescent*	———	....	——	H	♄	

	δ *incàna* L.T.	(*bh*) *hoary*	Britain	....	6.	H	h		
	ε *resinòsa* L.R.	(*re*) *resinous*	Ireland	....	——	H	h		
67	Sherárdi Sm.	(*bh*) Sherard's	Britain	....	6. 7.	H	h		
68	nùda L.T.	(*bh*) naked	Westmoreland..		6.	H	h		
69	álba L.R.	(*wh*) single-white	Europe	1597.	6. 7.	H	h	Miss Lawr. ros. t. 37.	

Sect. 8. RUBIGINO'SÆ; *prickles unequal, sometimes bristle-formed, rarely wanting; leaflets glandular, with diverging serratures; sepals persistent; disk thickened.*

70	montàna S.S.	(*bh*) mountain	Tauria	1820.	6. 7.	H	h		
71	hibérnica L.T.	(*pi*) Irish	Ireland	....	6.11.	H	h	Eng. bot. v. 31. t. 2196.	
72	lùtea L.R.	(*ye*) yellow	Germany	1596.	6.	H	h	Bot. mag. 363.	
	β *plèna* D. Don.	(*ye*) *double*	——	——	——	H	h	Swt. br. fl. gar. s. 2. t. 353.	
	γ *Hóggii* D. Don.	(*ye*) *Hogg's American*	.....	....	——	H	h	—— t. 410.	
73	punícea Mil.	(*re.ye*) red and yellow	Persia	——	——	H	h	Bot. mag. t. 1077.	
74	Dicksoniàna L.R.	(*bh*) Dickson's	Ireland	....	——	H	h		
75	rubiginòsa E.B.	(*ro*) sweet-briar	Britain	....	——	H	h	Eng. bot. v. 14. t. 991.	
76	micrántha L.T.	(*ro*) small	England	....	——	H	h	—— v. 35. t. 2490.	
77	sèpium DC.	(*bh*) hedge	France	....	——	H	h	—— t. 2653.	
78	Borrèri L.T.	(*bh*) Borrer's	Britain	....	——	H	h	Eng. bot. v. 36. t. 2579.	
	dumetòrum E.B.	2723. *inodòra* Fries.							
79	umbellàta DC.	(*ro*) umbel-flowered	——	....	——	H	h		
80	adenophy'lla S.S.	(*bh*) glandulous	.....	1816.	——	H	h		
81	ibérica DC.	(*re*) Iberian	Iberia	1820.	6. 7.	H	h		
82	pruinòsa L.C.	(*ro*) frosted	.....	1817.	5. 6.	H	h		
	pulverulénta L.R.	*non* M.B.							
83	glutinòsa L.R.	(*bh*) glutinous	Levant	1821.	6. 7.	H	h	Cupan. panp. ed. 1. t. 16	
	rubiginòsa erética	Red ros. 125. t. 47.							
84	Montezùmæ K.S.	(*ro*) Mexican	Mexico	1823.	....	H	h	Redout. ros. 1. t. 16.	
85	rèpens Scop.	(*bh*) creeping	.....	1825.	6. 7.	H	h		
86	uncinàta Bes.	(*bh*) hooked	Poland	1826.	——	H	h		
87	Boreykiàna Bes.	(*bh*) Boreyki's	.....	1827.	——	H	h		
88	Fischeriàna Bes.	(*bh*) Fischer's	Russia	1825.	——	H	h		
89	gorenkénsis Bes.	(*bh*) Gorenki	——	——	——	H	h		
90	guttensteiniénsis Bes.	(*bh*) Guttenstein	Poland	1822.	——	H	h		
91	Kosinskiàna Bes.	(*bh*) Koscinszki	Europe	1825.	——	H	h		
92	polyphy'lla Bes.	(*bh*) many-leaved	.....	1827.	——	H	h		
93	terebinthinàcea Bes.	(*bh*) Turpentine	Germany	1825.	——	H	h		
94	Redowskiàna Bes.	(*bh*) Redowski's	.....	1828.	——	H	h		
95	uncinélla Bes.	(*bh*) small-hooked	Europe	1825.	——	H	h		
96	dimórpha Bes.	(*bh*) variable	Volhynia	1821.	——	H	h		
97	caryophyllàcea Bes.	(*bh*) Clove-scent'd	Poland	1825.	——	H	h		
98	glaúca Bes.	(*bh*) glaucous	——	——	——	H	h		
99	nitídula Bes.	(*bh*) glossy	Europe	——	——	H	h		
100	floribúnda Bes.	(*bh*) abundant-flowd.	——	1828.	——	H	h		
101	solstitiàlis Bes.	(*bh*) summer	Poland	1821.	——	H	h		
102	acùta F.	(*bh*) acute-leaved	Caucasus	——	——	H	h		
103	purpuráscens F.	(*pu*) purplish	Tanaim	——	——	H	h		
104	rupícola F.	(*bh*) rocky	Altay	——	——	H	h		

Sect. 9. CANI'NÆ; *prickles equal, hooked; leaves glandular or glandless, with conniving serratures; sepals deciduous; disk closing the throat.*

105	saxátilis M.B.	(*bh*) rock	Tauria	1825.	6. 7.	H	h		
106	caucásica M.B.	(*bh*) Caucasean	Caucasus	1793.	5. 6.	H	h	Lindl. ros. t. 11.	
107	cæ'sia L.T.	(*bh*) grey-leaved	Scotland	....	7.	H	h	Eng. bot. v. 33. t. 2367.	
108	sarmentàcea L.R.	(*ro*) sarmentose	Britain	....	6. 7.	H	h	—— t. 2594.	
	β *nítens* L.T.	(*ro*) *glossy-leaved*	——	....	——	H	h		
109	bractéscens L.T.	(*bh*) long-bracted	Lancashire	....	——	H	h		
110	dumetòrum L.T.	(*bu*) bushy	England	....	6.	H	h	Eng. bot. t. 2610.	
111	Forstèri Sm.	(*bh*) Forster's	——	....	——	H	h	—— t. 2611.	
112	collína L.T.	(*bh*) hill	——	....	——	H	h	—— t. 2612.	
113	canìna L.T.	(*bh*) dog or hep	Britain	....	6. 7.	H	h	Eng. bot. v. 14. t. 992.	
	β *cèra* L.T.	(*bh*) *waxy*	——	....	——	H	h		
	γ *glandulífera* L.T.	(*bh*) *glandular*	——	....	——	H	h		
	δ *simpliciúscula* L.T.	(*bh*) *simple-calyxed*	——	....	——	H	h		
114	surculòsa L.T.	(*bh*) surculose	——	....	——	H	h		
115	leucántha L.en.	(*wh*) white-flowered	Siberia	1824.	....	H	h		
116	rubrifòlia L.R.	(*r*) reddish-leaved	S. Europe	....	5. 6.	H	h	Bot. reg. t. 430.	
117	seríceа L.R.	(*bh*) silky-leaved	Nepaul	1823.	....	H	h	Lindl. ros. t. 12.	
118	microphy'lla L.R.	(*re*) small-leaved	China	1822.	6. 8.	H	h	Bot. reg. 919.	
119	longifòlia W.	(*bh*) Willow-leaved	——	....	2.10.	F	h	Redout. ros. 2. 27. t. 12.	
120	índica W.	(*ro*) common China	——	1789.	1.12.	H	h	Miss. Lawr. rost. t. 26.	

	β centifòlia	(*ro*)	*large double*	China	....	1.12.	H	♄	
	γ purpùrea	(*pu*)	*purple China*	———	....	——	H	♄	
	δ subálba	(*bh*)	*whitish China*	———	....	——	H	♄	
	ε mèdia	(*ro*)	*middle China*	———	....	——	H	♄	
	ζ mìnor	(*ro*)	*small China*	———	....	——	H	♄	Andr. ros. ic.
	η frágrans	(*pu*)	*animating*	———	....	——	H	♄	
	θ nívea D.D.	(*wh*)	*white Noisette*	Hybrid	....	7.	H	♄	Swt. br. fl. gar. s. 2. t. 224.
	ι Blairi D.D.	(*pu*)	*Blair's*	———	1829.	6.	H	♄	——— s. 2. t. 465.
	κ Smithii Swt.	(*ye*)	*Smith's yellow Noisette*	———	——	6. 7.	H	♄	——— s. 2. t. 158.
121	odoràta	(*pa*)	sweet-scented	China	1810.	2.12.	H	♄	Bot. reg. 804.
	índica odoràta A.R.		*índica frágrans* R.R. 1. 115. t. 42.						
	β flavéscens	(*st*)	*yellow China*	China	1823.	2.12.	H	♄	
122	Rùga B.R.	(*bh*)	Ruga	Hybrid	1829.	4. 9.	H	♄	Bot. reg. t. 1389.
123	semperflòrens L.R.	(*cr*)	red China	China	1789.	1.12.	F	♄	Exot. bot. 2. t. 91.
	α diversifòlia V.	(*re*)	*single*	———	....	——	F	♄	Ven.. cels. t. 35.
	β atrorùbens	(*cr*)	*double red*	———	1789.	....	F	♄	Bot. mag. 284.
	γ resplèndens	(*cr*)	*resplendent*	———	....	1.12.	F	♄	
	δ frágrans	(*re*)	*fragrant*	———	1820.	——	F	♄	
	ε Terneaúxi	(*re*)	*Terneaux's*	———	——	——	F	♄	
	ζ Bichònii	(*re*)	*Bichon's*	———	——	——	F	♄	
124	clàre B.R.	(*re*)	clear	Hybrid	....	....	H	♄	Bot. reg. 1438.
125	Lawranceàna L.R.	(*bh*)	Miss Lawrance's	China	1810.	1.12.	F	♄	——— t. 538.
	β flòre plèno	(*bh*)	*double-flowered*	———	1824.	——	F	♄	
Sect. 10. Sy'styla; *styles combined; stipulas adnate.*									
126	sy'styla L.T.	(*bh*)	clustered-dog	Britain	....	6. 7.	H	♄	Eng. bot. v. 27. t. 1895.
	β lanceolàta L.R.	(*bh*)	spear-leaved	Ireland	....	——	H	♄	
	γ Monsòniæ L.R.	(*bh*)	Lady Monson's	England	....	——	H	♄	
127	arvénsis L.T.	(*wh*)	field	Britain	....	——	H	♄	Eng. bot. v. 3. t. 188.
	β scándens	(*wh*)	*Ayrshire*	———	....	——	H	♄ ◡	Bot. mag. 2054.
128	geminàta Rau.	(*bh*)	Swiss	Switzerland	....	——	H	♄	
129	sempervìrens W.	(*wh*)	evergreen	S. Europe	1629.	6. 8.	H	♄ ◡	Bot. reg. t. 465.
130	Boursoúlti	(*ro*)	Boursoult's	Hybrid	1821.	4. 7.	H	♄ ◡	
131	hyacínthina	(*ro*)	Hyacinth-scented	———	——	——	H	♄ ◡	
132	Grevíllii	(*ro.bh*)	Greville's	China	....	——	H	♄ ◡	Bot. reg. t. 1372.
133	Roxbúrghii	(*ro*)	Roxburgh's	———	....	——	H	♄ ◡	
134	multiflòra W.	(*va*)	many-flowered	———	1804.	6. 8.	H	♄ ◡	Bot. reg. 425.
	α ròsea	(*ro*)	*common*	———	——	——	H	♄ ◡	Bot. mag. t. 1059.
	β albiflòra	(*wh*)	*white-flowered*	———	1825.	——	H	♄ ◡	
	γ platyphy'lla	(*wh*)	*broad-ld. seven sisters*	China	1816.	....	H	♄ ◡	
135	Brunònii L.R.	(*wh*)	Mr. Brown's	Nepaul	1820.	6. 8.	H	♄	Lindl. ros. t. 14.
136	moschàta L.R.	(*wh*)	musk-scented	Africa	1596.	7. 9.	H	♄	Miss Lawr. ros. t. 64.
	β flòre plèno	(*wh*)	*double musk*	———	——	——	H	♄	——— t. 53.
137	nívea Dup.	(*wh*)	snow-white	Hybrid	1823.	——	H	♄	Bot. reg. 861.
138	Noisettiàna R.R.	(*bh*)	Noisette's	———	1816.	5.11.	H	♄	
	β grandiflòra	(*bh*)	*large flowered*	———	1827.	——	H	♄	
	γ Frasèri	(*bh*)	*Fraser's*	———	1815.	——	H	♄	
	δ purpùrea	(*pu*)	*purple*	———	1823.	——	H	♄	
139	Armìdæ P.B.	Webb..	Armida's	Teneriffe	1829.	....	H	♄	
140	rubifòlia L.R.	(*re*)	bramble-leaved	N. America	1800.	7. 9.	H	♄	
	β fenestràlis L.R.	(*re*)	*thin-leaved*	———	——	——	H	♄	Lindl. ros. t. 15.
Sect. 11. Banksia'næ; *stipules almost free, narrow, usually deciduous; leaves usually ternate; stems climbing.*									
141	microcárpa L.R.	(*wh*)	small-fruited	China	1822.	5.10.	H	♄ ◡	Lindl. ros. t. 18.
142	lævigàta L.R.	(*wh*)	smooth	Georgia	1826.	7. 9.	H	♄ ◡	Bot. mag t. 2847.
143	sínica L.R.	(*wh*)	shining-leaved	China	1759.	6. 8.	F	♄	Bot. reg. t. 1922.
	cherokénsis Donn.	*hy'strix* Lindl. mon.	*nívea* DC.	*lævigàta* Mx.					
144	Bánksiæ L.R.	(*wh*)	Lady Banks's	China	1807.	6. 8.	H	♄ ◡	Bot. reg t. 397.
	α albiflòra	(*wh*)	*white-flowered*	———	——	——	H	♄ ◡	Bot. mag. t. 1954.
	β lùtea	(*ye*)	*yellow-flowered*	———	1823.	——	H	♄ ◡	——— v. 13. t. 1105.

Garden Varieties.

I. *spinosissima.*

1 Aberdeen
2 Aberfoil
3 alba
4 Alloa

Garden Varieties.

5 Ancram
6 Anderson's double lady's [blush
7 Arbroath
8 Argyll
9 Arrochar

Garden Varieties.

10 Aurora borealis
11 Balloch
12 Banff
13 Bannochburn
14 Borisdale
15 Bass

GARDEN VARIETIES.

16 Beagloe
17 Ben Lomond
18 Ben More
19 Berwick
20 bicolor
21 Biggar
22 Birnam
23 Blair Athol
24 Boharm
25 Borthwick
26 Buchan
27 Bute
28 Caithness
29 Calder
30 Callender
31 Campsie
32 carnescens
33 Carron
34 Cheviot
35 ciphieri
36 Clydesdale
37 Cromarty
38 Dalkeith
39 Dalrymple
40 Dornock
41 double blush Princess
42 double blush Provins
43 double crimson
44 double crimson mottled
45 double dark marbled
46 double dark red
47 double lady's blush
48 double light marbled
49 double light purple
50 double pink
51 double purple
52 double rose blush
53 Douglas
54 Dumbarton
55 Dumblane
56 Dumfernline
57 Dumfries
58 Dunbar
59 Duncrieff
60 Dundee
61 Dunglass
62 Dunkeld
63 Dunlop
64 Dunmore
65 Dutch double blush
66 dwarf bicolor
67 Dysart
68 Eden
69 Elgin
70 Etterick
71 Fairy
72 Falkirk
73 Falkland
74 Falla
75 Fife
76 flavescens
77 Forfar
78 Forth
79 Fort William
80 fulgens
81 Furness
82 Galloway

GARDEN VARIETIES.

83 Glasgow
84 Glenco
85 Glenfallach
86 Glengarry
87 Gourock
88 Grahamston
89 Grampian
90 Greenock
91 Haddington
92 Halkirk
93 Hamilton
94 Hawick
95 Hawthorndean
96 Hector
97 humilis
98 Huntly
99 incarnata
100 Inverary
101 Inverness
102 Invermay
103 Janus
104 Jedburgh
105 Jura
106 Keith
107 Kelso
108 Kilmarnock
109 Kincardine
110 Kinnaird
111 Kinross
112 Kircaldy
113 Kirkwall
114 Lanark
115 Laxford
116 Leith
117 Leslie
118 Lismore
119 Lochaber
120 Lochaird
121 Loch fine
122 Lochleven
123 Lochlomond
124 Lothian
125 Maidenkirk
126 Melrose
127 Moncrieff
128 Monteith
129 Montgomery
130 Montrose
131 Mount Stuart
132 Mull
133 Moray
134 mutabilis
135 Nevis
136 Northumberland
137 Paisley
138 penicillata
139 Pentland
140 perpetual
141 picta L.B.C. 687
142 Proteus
143 red, double light
144 Roberton
145 Rosslyn
146 Rothsay
147 rubicunda
148 Selkirk
149 Shetland

GARDEN VARIETIES.

150 Sky
151 small double light purple
152 small double white
153 small double yellow
154 Staffa
155 Stirling
156 Strathmore
157 striata
158 Stronsa
159 Sutherland
160 Tiviotdale
161 Tarbet
162 Thornhill
163 Thurso
164 Tranent
165 true double red
166 two-coloured, large double
167 two-coloured, small double
168 variegata
169 venulosa glabra
170 venulosa hispida
171 white, large double
172 white, large semidouble
173 white, small double
174 Whitley's double white
175 yellow, globe double
176 yellow, large double
177 yellow, pale double

II. *gallica.*

178 admirable
179 aigle, noir
180 aimable beauté
181 albanian
182 Amaranth
183 Antwerp
184 atlas
185 beauté roúge
186 beauté supreme
187 belle aurore
188 belle cramoisie
189 belle herminie
190 belle pourpre
191 belle violette
192 Bijou
193 Bishop, M.L.R. 20
194 black frizzled
195 blue
196 blue and purple
197 blush hundred-leaved
198 bouquet rouge royale
199 bright purple
200 brunette
201 Brussels
202 Buonsparte
203 burning coal
204 cardinal M.L.R. 59
205 carmine
206 carmine, brillante
207 carmine, proliferous
208 carnation
209 Catalonian
210 champion
211 chancellor
212 changeable
213 cherry
214 Clementine

GARDEN VARIETIES.

215 coquette
216 couleur de feu
217 cramoisie, grand
218 crown
219 Cupid
220 damask black
221 dark marbled
222 dark violet
223 delicious
224 dingy
225 double velvet
226 double marbled M.L.R. 57
227 Duc de Guiche
228 Duchess d'Orleans
229 Dutch crimson
230 Dutch tree
231 Dutch 100-leaved
232 early Ranunculus
233 enchanter
234 enfant de France
235 Eucharis
236 Fanny Bias
237 favourite purple
238 fiery
239 Flanders
240 Flemish
241 formidable
242 fringed M.L.R. 82.
243 garnet
244 gay
245 giant M.L.R. 49.
246 gloria mundi
247 gloria mundi flore pallido
248 gloria mundi pourpre
249 granaat appel
250 grand monarque
251 grand purple
252 grand Sultan
253 Henry IV.
254 Hervy
255 imperatrice
256 incomparable
257 infernal
258 invincible
259 Italian
260 Josephine
261 Junon
262 king
263 La Dauphine
264 la grand belle pourpre
265 Leyden
266 light purple
267 Lisbon M.L.R. 67
268 lively
269 L'ombre agreable
270 L'ombre superbe
271 lurid
272 maiden
273 Majorca
274 Malabar
275 Malta
276 manteau royal
277 marbled
278 marbled, grand
279 Margaret
280 matchless
281 Mauve

GARDEN VARIETIES.

282 mignonne
283 mignonne, blush
284 mignonne, dark
285 mignonne, favorite
286 mignonne, incised
287 mignonne, red
288 mignonne, semidouble
289 mignonne, striped
290 mirabelle
291 Mogul
292 Montaubon
293 Morocco
294 mottled, black
295 mundi M.L.R. 13
296 natalie
297 negrette
298 negro
299 ninon de l'Enclos
300 nonpareil
301 nonsuch
302 noir de Hollande
303 Normandy
304 officinal
305 officinal blush
306 officinal carmine
307 Orleans
308 ornement de parade
309 Pæstana
310 paradise
311 paragon
312 pavot
313 perruque
314 petite 100 leav'd. M.L.R.55
315 petite panachée
316 phœnix
317 plicate M.L.R. t. 87.
318 Pluto M.L.R. 32.
319 Pomona
320 pompadour
321 pompone bizard
322 Poniatowsky
323 poppy
324 porcelaine
325 Portland
326 pourpre bouquet
327 pourpre charmante
328 pourpre de Tyr
329 pourprée, grand belle
330 pourprée, point
331 pourpre velours
332 prince
333 princess
334 prince William V.
335 prolific
336 Pronville
337 Proserpine
338 Provins pulmonaire
339 purple blue
340 purple crimson
341 pyramidal
342 queen
343 Ranunculus
344 red and violet
345 Roi de France
346 Roi de pourpres
347 royal crimson
348 royal red

GARDEN VARIETIES.

349 royal purple
350 royal virgin M.L.R. 7
351 sable
352 Saint John's
353 Sanspareil
354 sceptre
355 semidouble velvet
356 shell M.L.R. 89
357 single velvet.—51
358 Singleton's 100 leaved.—88
359 Spanish
360 stadtholder
361 Stepney M.L.R. 46.
362 striped nosegay
363 striped velvet
364 superb red
365 Sultan M.L.R. 35.
366 Trafalgar
367 triumphant
368 Tuscany. B.R. v. 6. t. 448
369 two-colored
370 Venetian
371 victory
372 violette et rouge

III. *centifolia.*

373 aurora
374 Belle d'Aunay
375 Blandford, M.L.R. 21
376 black, mottled
377 blush, royal. M.L.R. 47
378 blush cabbage
379 Bourbon
380 bright crumpled
381 carmine
382 Centfeuilles Anemone
383 Centfeuilles de Bruxelles
384 Centfeuilles de Hesse
385 Centfeuilles gaufrée
386 chamois
387 cluster
388 Constance
389 Cumberland
390 dragon
391 Duchesse d'Angoulême
392 Duchesse de Berri
393 early 100-leaved
394 Elysian
395 emperor
396 grand chamois
397 grand marbled
398 grand Provins
399 Juno
400 Louis XVIII.
401 Malta
402 mère gryone
403 mignonne, scarlet
404 mignonne, crimson
405 mignonne, purple
406 mottled purple
407 Neapolitan
408 one-sided
409 Œillet
410 pencilled
411 petite Hollande
412 Persian
413 pompone, gros
414 pourprée, aimable

GARDEN VARIETIES.

415 pourprée, favorite
416 pourprée, violette
417 Provins, single R.R. 1. t. 1.
418 Provins, common, M.L.R. 8
419 Provins, cabbage
420 Provins, blush cabbage
421 Provins, scarlet, M.L.R. 22
422 Provins, Childings—43
423 Provins, blush—1.
424 Provins, white—4
425 Provins, Shailer's—76
426 Provins, Colvill's
427 Provins, damask
428 Provins, dwarf
429 Provins, invincible
430 Provins, Dutch
431 Provins, imperial
432 Provins, royal
433 Provins, early
434 Provins, semidouble
435 red Belgic
436 rouge superbe
437 sans petales
438 souchet
439 Spong's
440 superb carmine
441 surpassante
442 Syren
443 Trianon, Belle de
444 Versailles
445 Vilmorin

* *centifolia* muscosa.

446 single moss
447 common moss
448 blush moss
449 dark moss
450 mottled moss
451 prolific moss
452 royal moss
453 scarlet moss
454 semidouble moss
455 striped moss
456 Shailer's white moss
457 Bristol white moss

† *centifolia* pomponia

458 de Meax M.L.R. 31
459 de Rheims—71
460 dwarf Bagshot
461 mignonne charmante
462 mossy de Meaux
463 mossy pompone
464 Pompone, M.L.R. 50.
465 proliferous Pompone
466 St. Francis, M.L.R. 88
467 small provins

IV. *damascena.*

468 Agathe, rouge
469 argentea
470 Auguste, belle
471 Aurora
472 bifera carnea
473 bifera de Naples
474 bifera grandiflora
475 Belgique carnée

GARDEN VARIETIES.

476 Belgique violette
477 belle couronnée
478 blush, Belgic M.L.R. 70
479 blush, monthly—18
480 blush, damask—52
481 Brunswick
482 couronnée, petite
483 damas argenté
484 damas pourpre
485 early blush
486 Egyptian
487 Emperor
488 favorite mignonne
489 felicité
490 Goliath M.L.R. t. 80.
491 gracieuse
492 grand monarque
493 great royal M.L.R. 58
494 imperial blush M.L.R. 90.
495 incomparable
496 lesser Belgic
497 pale cluster
498 paragon
499 Parnassus
500 Pæstana
501 petite 100-leaved
502 perpetual
503 prolific
504 quatre saisons
505 quatre saisons, blanche
506 quatre saisons, flesh-colored
507 quatre saisons, Francois
508 quatre saisons, panaché
509 quatre saisons, pompone
510 quatre saisons, sans épines
511 quatre saisons, semidouble
512 red damask, M.L.R. 38
513 red monthly. M.L.R. 5.
514 red Belgic—83.
515 rouge agathe
516 Swiss
517 valiant
518 Watson's blush
519 white damask
520 white monthly. M.L.R. 17
521 York and Lancaster—10.
522 Zealand

V. *alba.*

523 agate
524 agate magnifique
525 agate Marie Louise
526 agate nouvelle
527 agate prolifere
528 agate royale
529 agate superb
530 agate Thalie
531 belle áurore
532 belle Henriette
533 blanche à cœur vert
534 blanche de Belgique
535 bouquet blanc
536 cœlestial
537 cluster maiden's blush (M.L.R. 23
538 double white blush
539 Duc d'York
540 Eliza

GARDEN VARIETIES.

541 feuille fermée
542 full double white M.L.R 25
543 grand cuisse de nymphe
544 great maiden's blush (M.L.R. 230
545 Joanne d'Arc
546 Morage la favourite
547 muscat rouge
548 nova cœlestis
549 nova plena
550 petite cuisse de nymphe
551 rosea
552 semidouble white
553 Simonville
554 small maiden's blush
555 spineless virgin
556 thornless virgin
557 triangularis

VI. *rubiginosa.*

558 Clementine sweet briar
559 cluster blush sweet briar
560 double mossy sweet briar (M.L.R. 72
561 double red sweet briar—61
562 double rosy sweet briar
563 double tree sweet briar
564 eglantine sweet briar
565 eglanteria alba
566 evergreen sweet briar
567 large blush sweet briar
568 maiden sweet briar
569 Manning's sweet briar (M.L.R. 41
570 monstrous sweet briar
571 petite hessoise
572 royal sweet briar (M.L.R. 74
573 scarlet sweet briar
574 semidouble dwarf
575 semidoublewhite sweet briar (M.L.R. 65
576 Zabeth

VII. *indica* et *semperflorens.*

577 atronigra
578 Bengale a bouquet
579 Bengale à flore panaché
580 Bengale blanche
581 carnescens
582 Chiffonnée
583 Cérise éclatante
584 cucullàta
585 elegans
586 flórida
587 gigantea
588 lie de vin
589 lùcida
590 màjor
591 mìnor
592 monstròsa
593 moonshine
594 nigra
595 sanguínea
596 sans épine
597 Thisbe
598 Veloutée

GARDEN VARIETIES.

VIII. *Various garden Roses.*
599 abundant
600 abyla
601 Achaia
602 Achilles
603 Adelina
604 admirable
605 Adonis
606 African black
607 agate japanese
608 aglace noir
609 aimable violette
610 Ajax
611 aland
612 alba feuille fermee
613 alba bifera
614 Albanian
615 alba novo pleno
616 alba nova cœlestis
617 albo-rosea
618 alba triangularis
619 aline
620 Amazon
621 amour constant
622 Andalusian
623 anemoneflora
624 Arcadian
625 arcaro
626 archbishop
627 ardoise
628 Armenian
629 armida
630 Assyrian
631 Athenian
632 augusta
633 aurelia
634 Baden
635 Balbec
636 beauté frappante
637 beauté insurmountable
638 beauté panachée
639 beauté renommée
640 beauté sans pareille
641 beauté tendre
642 belladonna
643 belle actrise
644 belle aimable
645 belle aurore descemet
646 belle brune
647 belle cataline
648 belle cerisie
649 belle d'Aunay
650 belle du jour
651 belle flamanade
652 belle forme
653 belle galathee
654 belle hative
655 belle incarnate
656 belle inconnue
657 belle Matilde
658 belle mahæca
659 belle parade
660 belle Tigridia
661 belle zulme
662 belle rouge
663 belle sans flatterie
664 belle sans pareille

GARDEN VARIETIES.

665 belle Therese
666 belle vue
667 bellona
668 Berkshire
669 bizard royal
670 black purple
671 blanche superbe
672 blondine
673 blush Italian
674 blush velvet
675 bold
676 Bonifacius
677 bouquet blanc
678 bouquet panache
679 bouquet parfait
680 bouquet superbe
681 Bourbon
682 Brabant
683 bracelet d'amour
684 brigitte
685 brilliant
686 brune brillante
687 brunette aimable
688 brunette superbe
689 bucephalus
690 bullata
691 cabinet
692 Calypso
693 camellote
694 cannabina
695 canopus
696 Carthaginian
697 Castile
698 Cecropia
699 Ceres
700 cervalis
701 chance
702 charmante pourprée
703 chausse
704 chiron
705 cicris pale rose
706 Cleopatra
707 comtesse de Genlis
708 cornelian
709 cossack
710 couleur a la mode
711 couleur de cendre
712 couleur de cerise
713 couleur excellent
714 coupée
715 couronne
716 couronne des roses
717 couronne impériale
718 cramoisie éblouissant
719 cramoisie élegant
720 cramoisie fonce
721 cramoisie imperial
722 cramoisie incomparable
723 cramoisie minor
724 cramoisie nouveau
725 cramoisie panaché
726 cramoisie sans pareil
727 cramoisie triomphant
728 crimson
729 crimson perpetual
730 crown imperial
731 crown purple

GARDEN VARIETIES.

732 Cybele
733 Danæ
734 Danish
735 dark mignonne
736 dark mottled
737 dark shell
738 darling
739 de begnal gros violet
740 Dejanira
741 delicate
742 Derby
743 descemets
744 diadem
745 dianthiflora
746 Dickson's duchess
747 Dido
748 don des dames
749 Dione
750 discolor
751 Dorothee
752 double apple bearing [M.L.R. 2
753 double dog.—60
754 double Mimms
755 double Pæony
756 double purple
757 double red thornless
758 double white thornless
759 duc de Brabant
760 Duchess
761 duchess d'Oldenburgh
762 duke of Clarence
763 Durham
764 Dutch Cinnamon
765 Dutch velvet
766 dwarf burnet-leaved
767 dwarf Chester
768 dwarf prolific
769 early red
770 erato
771 Etna
772 Euphrosyne
773 evratina
774 ex alba rosea
775 fair maid
776 favonius
777 favorite
778 favorite des dames
779 fausse unique
780 felicie
781 felicite
782 Felix
783 feu amoureux
784 feuille chiffonée
785 feuille crenulée
786 feuille de chene
787 feuille de frene
788 few-spined
789 fine panachee
790 fine crimson
791 fine purple
792 flavia pourpre
793 flesh-coloured
794 flesh-coloured four se
795 fleur de parade
796 fleur de pomme
797 fleur et feuille marbr

GARDEN VARIETIES.

798 fleur panachée
799 flora
800 flore nigricante
801 florentine
802 flore rubra
803 floribunda
804 florio
805 flos puniceus
806 folie de Corse
807 four seasons semidouble
808 Franconian
809 Frankfort
810 Frankfort agate
811 freckled
812 frilled
813 frizzled
814 gallicia foliacea
815 garnett
816 Gascony
817 Genoese
818 Genoese velvet
819 Genévre
820 globe
821 gloomy
822 gloria rubrorum
823 gloriosa
824 glowing
825 grand Alexandre
826 grande Angloise
827 grand Cæsar
828 grand centifolia
829 grande chausse
830 grand cramoisie
831 grande foncée
832 grand Mogul
833 grand pivoine
834 grande pompadour
835 grand pyramidal
836 grand rouge
837 grand triumphant
838 grandesse royale
839 grandeur royal
840 great Mogul
841 grey
842 grisdeline
843 grisdeline sans epines
844 Hainault
845 Haarlem
846 harpagus
847 Helena
848 Hebe
849 hero
850 Hertford
851 Hildesheim
852 Hollandia magniflora
853 hortulanus
854 hundred-leaved mignonne
855 hyacinth
856 hybrida perfecta
857 hybrid nouvelle
858 iconium
859 idumea
860 illustrious
861 impératrice
862 impératrice de France
863 Indian queen
864 inermis

GARDEN VARIETIES.

865 iris noir
866 Isabelle
867 Isis
868 Jaqueline
869 Jeanne d'arc
870 Jersey
871 Jessica
872 jolie
873 Julian
874 king Agrippa
875 king of Mexico
876 la belle Elise
877 la belle Rosine
878 l'abondance
879 la constance
880 la coquette
881 la Diane
882 l'admirable
883 la fidele
884 la gracieuse
885 la grandesse
886 l'aimable de Stoirs
887 lake
888 la maculée
889 la magnifique
890 la majesteuse
891 la mignarde
892 l'amitié
893 la moderne
894 Lancaster
895 Lanckman
896 la negresse
897 la parfaite
898 la Parisienne
899 la petite Lisette
900 la plus belle
901 la plus rouge
902 la pomme grenade
903 la précieuse pourpre
904 la reine
905 la reine des roses
906 large platter
907 large perfect
908 la rose de Medicis
909 la rose d'Ispahan
910 la royale
911 la superbe
912 la superbe en brun
913 la tendresse
914 la victorieuse
915 la virginité
916 leafy
917 Leander
918 le dauphin
919 Lee's perpetual
920 le grandeur
921 le grand Lowendael
922 le grand Suwarrow
923 le grand visir
924 Leipsick
925 les alliés
926 le violet triumphant
927 light 100-leaved
928 l'impayable
929 l'importante
930 l'obscurité
931 Lodona

GARDEN VARIETIES.

932 Lodoiska
933 l'ombre panachée
934 l'ombre sans pareille
935 London pride
936 Louis 18th
937 Lubeck
938 Ludolph
939 Ludovicus
940 Luxemburgh
941 Lyonnoise
942 Lystra
943 madder
944 Magdalen
945 maiden blush
946 mantle
947 marble, apple bearing
948 Margaretta
949 Marie Anne
950 marquis de la Romana
951 Marseilles
952 maxima
953 mere gigon
954 merveilleuse
955 Mexican
956 Milanese
957 Minerva
958 miroir des dames
959 mon bijou
960 monstrosa
961 monstrous cluster
962 monstrous 100-ld. M.L.R. 73.
963 Montpelier
964 Moria
965 morning star
966 mottled
967 mourning
968 multiplex
969 Napoleon
970 Napoli di romana
971 Narbonne
972 Nassau
973 negre panachée
974 Neptune
975 new mottled
976 new Provins
977 nigritienne
978 Niobe
979 noblesse
980 noir foncé
981 non plus ultra
982 nouvelle favorite
983 nouvelle de Provins
984 nouvelle pivoine
985 Oldenburgh
986 Oliver
987 Olympic
988 Omphale
989 orient
990 orion
991 ornement de park
992 ornement de violet
993 oublié des François
994 painted
995 painted Belgic
996 Palestine
997 panachée admirable
998 panachée nouvelle

GARDEN VARIETIES.

999 panachée sanspareille
1000 panachée superbe
1001 Pannonian
1002 paradise
1003 Paris 100-leaved
1004 Parnassus
1005 parson
1006 party-coloured
1007 Patmos
1008 Palmyra
1009 Paulina
1010 Pearson's gigantic
1011 Pegasus
1012 pencilled mignonne
1013 pencilled Provins
1014 Penelope
1015 perfecta
1016 perle de l'orient
1017 perpetuelle rouge
1018 Peruvian
1019 petit Cæsar
1020 petit cramoisie
1021 petit favorite
1022 petit mignon
1023 pierian
1024 Pilgrim
1025 pink velvet
1026 plicata purpurea
1027 Pomeranian
1028 pomegranate
1029 pomona
1030 pompone
1031 pompone blanc
1032 pompone bifera
1033 pompone quatre saisons
1034 pompone varin
1035 Pope's cluster
1036 Portlandica grandiflora
1037 Portlandica perpetua
1038 Portobella
1039 Portugal
1040 pourpre agreable
1041 pourpre de Paris
1042 pourpre sans epines
1043 pourpre de Vienne
1044 pourpre imperial
1045 pourpre incomparable
1046 pourpre obscur
1047 pourpre sans defaut
1048 pourpre sans pareil
1049 pourpre superb
1050 predominant
1051 Presburg
1052 prince
1053 prince d'Aremberg
1054 princely
1055 prince regent
1056 princess Charlotte
1057 princesse noble
1058 professor
1059 purple crown
1060 purple imperial
1061 purple velvet
1062 pyramide pourpré
1063 quatre saisons blanche
1064 quatre saisons François
1065 quatre saisons panachée

GARDEN VARIETIES.

1066 quatre saisons sans epines
1067 queen's Provins
1068 ragged robin
1069 Raphael
1070 Ratisbon
1071 Ravenna
1072 red cluster
1073 red crown
1074 red Provins
1075 red velvet
1076 refulgent
1077 regina florum
1078 reine Caroline
1079 reine d'Hongrie
1080 renoncule nouvelle
1081 rex rubrorum
1082 riche en fleurs
1083 roi des negres
1084 roi de Rome
1085 roi de Maroc
1086 roi des Pays Bas
1087 Roman
1088 Rosabel
1089 Rosanna
1090 rose agreeable
1091 rose bouquet
1092 rose de Ceres
1093 rose des dames
1094 rose du roi
1095 rose d'Orleans
1096 rose du prince
1097 rose la mode
1098 rose Lee
1099 rose pivoine
1100 rose prolifere
1101 rouge agréable
1102 rouge bien vif
1103 rouge éclatant
1104 rouge formidable
1105 rouge frappant
1106 rouge luisant
1107 rouge panachée
1108 rouge sans épines
1109 rouge semidouble
1110 rouge vegetable
1111 royal bouquet
1112 royal carmine
1113 royal gabina
1114 royal mantle
1115 royal viscous
1116 rubrispina
1117 rubiginosa umbellata
1118 ruby
1119 sable
1120 St. Antoine
1121 St. Catharine
1122 St. George
1123 St. Germain
1124 St. Gothard
1125 St. Jago
1126 St. Mark
1127 St. Patrick
1128 sans défaut
1129 sans pétales
1130 Sarmatian
1131 scarlet Brabant
1132 Sceptre

GARDEN VARIETIES.

1133 scone purple
1134 semidouble hep
1135 semidouble mignonne
1136 semidouble monthly
1137 semidouble new
1138 seigneur d'Ærtselaar
1139 septum cerise
1140 Seville
1141 Sheffield
1142 Shylock
1143 Silenus
1144 Silesian
1145 shining semidouble
1146 simplicité
1147 singulière agate
1148 Sirius
1149 soliditas
1150 Southampton
1151 Spartan
1152 spineless red
1153 spiral
1154 Stæbon
1155 standard
1156 state
1157 Stephanus
1158 striped monthly
1159 striped Provins
1160 sugar loaf
1161 sulphurea
1162 sulphurea minor
1163 superb
1164 superb amaranth
1165 superbe brune
1166 superbe pyramide
1167 surpasse Singleton
1168 surpasse tout
1169 Swiss
1170 Syrian
1171 Tangiers
1172 ten-leaved
1173 temple d'Apollon
1174 tete de mort
1175 Theseus
1176 Tigris
1177 tricolor
1178 tomentosa alba
1179 toujours
1180 tous les mois gris
1181 transparent
1182 transparent nouvelle
1183 Trebonius
1184 tree-burnet-leav'd
1185 tree pæony
1186 trésorier
1187 triomphe
1188 triomphe des dames
1189 triomphe royale
1190 Triton
1191 turban
1192 two-coloured 100-leaved
1193 two-coloured mignonne
1194 vacuna
1195 vagrant
1196 velours cramoisie
1197 veloute
1198 venerable
1199 venetatus

Garden Varieties.	Garden Varieties.	Garden Varieties.
1200 ventouse noir	1214 violette brillante	1228 umbrella
1201 Venus	1215 violette curieuse	1229 unique rouge
1202 venusta	1216 violette foncée	1230 Waterloo
1203 veritas	1217 violette maculée	1231 Watson's blush
1204 vermillion	1218 violette nouvelle	1232 Watson's white
1205 vesta	1219 violette sans pareille	1233 Wellington
1206 Vesuvius	1220 violette superbe	1234 woolly-leaved
1207 Victoria	1221 violette superieure	1235 white damask
1208 Vidua	1222 virgin's	1236 white Pompone
1209 villosa nouvelle	1223 virginale	1237 York
1210 Vilmorin	1224 virbilia	1238 Yorkshire blush
1211 violette	1225 virgo cramoisie	1239 Yorkshire Provins
1212 violette agréable	1226 ulterio	1240 zatre
1213 violette aimable	1227 ultramarine	1241 Zenobia

Suborder II. *POTENTILLÆ*. Juss. gen. 337.

RUBUS L. Bramble. (*rub*, red, Celt.) Icosandria Polygynia.

§ 1. *Leaves pinnate, glabrous beneath.*

1	rosæfòlius DC.	(*wh*)	Rose-leaved	Mauritius	1811.	10.4.	G	♄	Smith ic. 3. t. 60.
2	eglantèria DC.	(*wh*)	Eglantine	N. Holland	1824.	5. 6.	G	♄	
3	corònàrius	(*wh*)	double-flowered	China	1811.	10.4.	H	♄	Bot. mag. t. 1783.
	rosæfòlius β corònàrius B.M.								
4	pinnàtus DC.	(*wh*)	pinnate	St. Helena	1789.	6. 7.	G	♄	

§ 2. *Leaves pinnate, downy or tomentose beneath.*

5	grácilis DC.	(*wh*)	slender	E. Indies	1826.	6. 7.	S	♄	
6	micránthus D.P.	(*re*)	small-flowered	Nepaul	1818.	6. 8.	H	♄	Bot. reg. t. 854.
	pauciflòrus B.R.								
7	dístans D.P.	(*re*)	distant-leaved	———	——	——	H	♄	
8	apétalus DC.	(*gr*)	petalless	Mauritius	1823.	——	S	♄	
9	macrópodus DC.	(*wh*)	large-footed	N. Holland	1822.	——	G	♄	
10	strigòsus DC.	(*wh*)	strigose	N. America....		6. 7.	H	♄	
11	pedunculòsus D.P.	(*wh*)	long-peduncled	Nepaul	1820.	7. 8.	H	♄	
12	occidentàlis DC.	(*wh*)	American raspberry	N. Amer.	1696.	5. 6.	H	♄	Dill. elth. t. 247. f. 319.
13	ásper DC.	(*wh*)	rough	Nepaul	1822.	6. 8.	H	♄	
14	Idæ'us DC.	(*wh*)	Raspberry	Britain	....	5. 6.	H	♄	Eng. bot. v. 34. t. 2442.

§ 3. *Leaves palmate, of 3 or 5 leaflets; stipulas petiolar, linear.*

15	laciniàtus DC.	(*bh*)	jagged-leaved	.....	....	6. 9.	H	♄	Wild. hort. ber. t. 82.
16	cæ'sius DC.	(*wh*)	Dewberry	Britain	....	6. 8.	H	♄	Eng. bot. v. 12. t. 826.
17	ellípticus DC.	(*wh*)	elliptic	Nepaul	1827.	——	H	♄	Long. 2. t. 141.
	flávus DC.								
18	foliolòsus D.P.	(*li*)	leafy	———	1823.	7. 8.	H	♄	
19	flagellàris DC.	(*wh*)	shining-leaved	N. America	1789.	6. 7.	H	♄	
20	inérmis W. en.	(*wh*)	smooth	———	1805.	——	H	♄	
21	corylifòlius E.B.	(*wh*)	Hazel-leaved	Britain	....	7.	H	♄	Eng. bot. v. 12. t. 827.
22	agréstis DC.	(*wh*)	field	Hungary	1818.	7. 8.	H	♄	W. et. K. hung. 3. t. 268.
23	spectábilis DC.	(*pu*)	showy	Columbia	1827.	6. 8.	H	♄	Bot. reg. 1424.
24	plicàtus W.N.	(*wh*)	plaited-leaved	Britain	....	7. 8.	H	♄	Eng. bot. t. 2714.
25	affinis W.N.	(*wh*)	related	———	....	6. 9.	H	♄	Wei. et N. p. 22. t. 3 et 56.
26	ulmifòlius DC.	(*ro*)	Elm-leaved	Gibraltar	1824.	7. 8.	H	♄	
27	Linkiànus DC.	(*wh*)	double-flowered	.....	....	6. 9.	H	♄	
28	álbicans DC.	(*wh*)	white-leaved	Hungary	1818.	——	H	♄	
29	fruticòsus DC.	(*fl*)	Blackberry	Britain	....	——	H	♄	Eng. bot. v. 10. t. 715.
	β pompònius DC.	(*bh*)	*semidouble*	.....	....	——	H	♄	
	γ leucocárpus DC.	(*bh*)	*white-berried*	.....	....	——	H	♄	
	δ inérmis DC.	(*bh*)	*smooth-stemm'd*	.....	....	——	H	♄	
30	tomentòsus W.N.	(*wh*)	woolly-leaved	Germany	1816.	6. 8.	H	♄	Wei. et N. rub. germ. t. 8.
31	sánctus DC.	(*pk*)	holy	Levant	1823.	——	H	♄	Schreb. dec. t. 8.
32	canéscens DC.	(*bh*)	canescent	Piedmont	1826.	——	H	♄	

33	collînus DC.	(*bh*)	hill	Montpelier	1820.	7. 8.	H	♄	Noc. et. Balb. fl. tic.t.1
34	fastigiàtus W.N.	(*wh*)	close-flowered	Britain	....	——	H	♄	Wei.et N.rub.germ.t.2.
35	suberéctus E.B.	(*wh*)	upright	———	....	6. 9.	H	♄	Eng. bot. v. 36.t.2572.
36	cordifòlius W.N.	(*wh*)	heart-leaved	———	....	7. 8.	H	♄	Wei. et N.rub.germ.t.1
37	Ménkii S.S.	(*wh*)	velvetty	Germany	1816.	——	H	♄	
38	Schlechtendàlii S.S.	(*w*)	Schlechtendale's	———	——	——	H	♄	
39	tiliæfòlius S.S.	(*wh*)	Lime-tree-ld	———	——	——	H	♄	
40	Schleichèri S.S.	(*wh*)	Schleicher's	———	1824.	——	H	♄	
41	hórridus S.S.	(*wh*)	very prickly	———	——	——	H	♄	
42	leucóstachys S.S.	(*wh*)	white-spiked	Britain	....	——	H	♄	Eng. bot. t. 2631.
43	rhamnifòlius W.N.	(*wh*)	Rhamnus-ld.	———	....	——	H	♄	——— t. 2604.
44	setòsus DC.	(*wh*)	bristly	N. America	——	5. 7.	H	♄	
45	abrúptus L.B.	(*wh*)	abrupt	Britain	....	7. 8.	H	♄	
46	nítidus W.N.	(*bh*)	glossy-leaved	———	....	——	H	♄	Wei.et N.rub.germ.t.4.
47	carpinifòlius W.N.	(*pk*)	Hornbean-ld.	———	....	——	H	♄	Eng. bot. suppl. 2664.
48	argùtus DC.	(*wh*)	sharp-toothed	N. America	1824.	6. 7.	H	♄	
49	cuneifòlius DC.	(*wh*)	wedge-leaved	———	1811.	6. 8.	H	♄	
50	sanguinoléntus DC.	(*w*)	red-wooded	Mauritius	1823.	——	S	♄	
51	villòsus DB.	(*wh*)	shaggy	N. America	1777.	7. 8.	H	♄	
52	hírtus W.K.	(*wh*)	hairy	Britain	....	——	H	♄	W.et K.hung.2.t.141.
53	vulpìnus Df.	(*re*)	fox-tail	Germany	1816.	——	H	♄	Flor. dan. t. 1165.
	Sprengèlii W.N.								
54	jamaicénsis DC.	(*wh*)	Jamaica	Jamaica	1820.	——	S	♄	Sloan. jam. 2.t.213.f.1.
55	híspidus DC.	(*wh*)	bristly	Canada	1768.	——	H	♄	
56	triviàlis Ph.	(*bh*)	American Dewberry	N.Amer.	1789.	6. 7.	H	♄	
57	macrophy'llus W.N.	(*w*)	large-leaved	Wales	....	7. 8.	H	♄	
58	vulgàris W.N.	(*bh*)	common	Britain	....	——	H	♄	
59	diversifòlius L.B.	(*bh*)	different-leaved	———	....	——	H	♄	
60	díscolor W.N.	(*bh*)	two-coloured	———	....	——	H	♄	
61	fúsco-àter W.N.	(*bh*)	dark-brown	———	....	——	H	♄	
62	pállidus W.N.	(*bh*)	pale-leaved	———	....	——	H	♄	
63	Kœhlèri W.N.	(*bh*)	Kœhler's	———	....	——	H	♄	Eng. bot. t. 2605.
64	rùdis W.N.	(*bh*)	way-side	———	....	——	H	♄	
65	rubricaúlis W.N.	(*bh*)	red-stalked	Germany	1816.	——	H	♄	
66	echinàtus L.B.	(*bh*)	hedgehog	Britain	....	——	H	♄	
67	dumetòrum W.N.	(*wh*)	bushy	———	....	——	H	♄	
68	tetraphy'llus W. en.	(*w*)	four-leaved	N. America	1812.	6. 7.	H	♄	
69	lanuginòsus DC.	(*wh*)	woolly	Caucasus	1820.	——	H	♄	
70	parvifòlius DC.	(*pu*)	small-leaved	China	1818.	6. 8.	H	♄	Bot. reg. t. 496.
71	canadénsis DC.	(*wh*)	purple-stalked	N. America	1811.	6. 7.	H	♄	
	§ 4. *Leaves palmate of 3-5 leaflets; stipulas ovate, rarely linear.*								
72	saxátilis DC.	(*wh*)	stone	Britain	....	6. 7.	H	♃	Eng. bot. v. 32. t. 2233.
73	triflòrus Rich.	(*wh*)	three-flowered	N. America	1825.	——	H	♃	
74	árcticus DC.	(*cr*)	dwarf crimson	Scotland	....	5. 8.	H	♃	Eng. bot. v. 23. t. 1585.
75	pistillàtus Ph.	(*ro*)	close-styled	Labrador	1802.	6. 7.	H	♃	Sm. exot. bot. 2. t. 86.
	acaúlis DC.								
76	obovàlis DC.	(*wh*)	oboval-leaved	N. America	1823.	5. 7.	H	♃	Hook. fl. amer. t. 61.
	§ 5. *Leaves simple, lobed.*								
77	parviflòrus DC.	(*wh*)	Vine-leaved	———	1824.	——	H	♃	
78	stellàtus DC.	(*ro*)	star-flowered	———	1823.	6. 7.	H	♃	Sm. ic. fasc. 3. t. 64.
79	Chamæmòrus DC.	(*wh*)	Cloud-berry	Britain	....	——	H	♃	Eng. bot. v. 10. t. 716.
80	flóridus DC.	(*wh*)	large-flowered	N. America	1827.	6. 8.	H	♄	
81	odoràtus DC.	(*re*)	flowering raspberry	——	1700.	6. 9.	H	♄	Bot. mag. t. 323.
82	nutkànus DC.	(*wh*)	Nutka Sound	N. America	1826.	6. 7.			Bot. reg. 1368.
83	reflèxus DC.	(*wh*)	reflexed	China	1818.	——	G	♄	——— t. 461.
84	Hamiltoniànus DC.	(*wh*)	Hamilton's	Nepaul	——	——	H	♄	Wall. pl. asiat. 3. t. 234.
	rugòsus DP. *non* Smith.								
85	moluccànus DC.	(*wh*)	Moluccas	Amboyna	1810.	——	S	♄	Rumph. amb. 5. t. 47. f. 2.
86	róridus BR.	(*wh*)	rorid	Madagascar	1830.	8. 9.	S	♄	Bot. reg. t. 1607.
87	rugòsus DC.	(*wh*)	rugose	S. America	1824.	6. 7.	S	♄	
88	tiliàceus DC.	(*wh*)	Lime-tree ld.	Nepaul	——	——	H	♄	
89	paniculàtus DC.	(*wh*)	panicled	———	1826.	7. 9.	H	♄	
90	betúlinus DC.	(*wh*)	Birch-leaved	———	1825.	——	H	♄	

DALIBA'RDA DC. DALIBA'RDA. (D. Dalibard, a French bot.) Icosandria Pent-Decagynia.

	rèpens DC.	(*wh*)	Violet-leaved	N. America	1768.	5. 6.	H	♃	Mich. amer. 1. t. 27.
	violæoìdes M.								

FRAGA'RIA DC. STRAWBERRY. (*fragrans*, fragrant; fruit.) Icosandria Polygynia.

§ 1. *Flowers hermaphrodite.*

1	monophy'lla S.S.		simple-leaved	.....	1773.	5. 6.	H	♃	Bot. mag. t. 63.

2 *vésca* DC.	(*wh*) wood	Britain	....	4. 6.	H	♃	Eng. bot. v. 22. t. 1524.
α *sylvéstris* DC.	(*wh*) *wild*	———	....	——	H	♃	
β *semperflórens* DC.	(*wh*) *ever-bearing*	.....	....	4.12.	H	♃	Nois. jard. fr. t. 11. f. 2.
γ *álba*	(*wh*) *white-fruited*	.....	....	....	H	♃	
δ *minor* DC.	(*wh*) *small English*	Britain	....	——	H	♃	
ε *horténsis* DC.	(*wh*) *garden*	.....	....	——	H	♃	
ζ *efflagéllis* DC.	(*wh*) *short-shooted*	.....	....	——	H	♃	
η *múltiplex* DC.	(*wh*) *double-blossomed*	.....	....	4. 6.	H	♃	Blackw. herb. t. 77. f. 3.
θ *botryfórmis* DC.	(*wh*) *crown-flowered*	.....	....	——	H	♃	
ι *monstróta* DC.	(*gr*) *monstrous*	.....	....	——	H	♃	
3 calycìna DC.	(*wh*) large-calyxed	Britain	....	——	H	♃	
4 collìna DC.	(*wh*) Alpine	Germany	1768.	4.11.	H	♃	
α *rùbra*	(*wh*) *red Alpine*	———	——	——	H	♃	
β *álba*	(*wh*) *white Alpine*	———	——	——	H	♃	
5 platanoìdes DC.	(*bh*) Plane-leaved	N. America	....	4. 6.	H	♃	
§ 2. *Flowers usually dioecious from abortion.*							
6 Majaúfea DC.	(*wh*) plaited-leaved	France	....	——	H	♃	
α *bífera* DC.	(*wh*) *double-bearing*	———	....	——	H	♃	
β *dùbia* DC.	(*wh*) *flat-fruited*	———	....	——	H	♃	
7 Brealíngea DC.	(*wh*) leathery-leaved	———	....	——	H	♃	
α *abórtiva* DC.	(*wh*) *sterile*	———	....	——	H	♃	
β *nìgra* DC.	(*wh*) *black-fruited*	.....	....	——	H	♃	
γ *péndula* DC.	(*wh*) *pear-fruited*	.....	....	——	H	♃	
δ *hispida* DC.	(*wh*) *Longchamp*	France	....	——	H	♃	
ε *viridis* DC.	(*wh*) *green-fruited*	.....	....	——	H	♃	Nois jard. fr. t. 13. f. 2.
ζ *praténsis* DC.	(*wh*) *field*	France	....	——	H	♃	
8 elàtior DC.	(*wh*) tall	Europe	....	——	H	♃	
9 moschàta Ehr.	(*wh*) Hautboy	England	....	5. 6.	H	♃	Eng. bot. v. 31. t. 2197.
elàtior E.B.							
β *dioíca* DC.	(*wh*) *diœcious*	———	....	——	H	♃	
10 virginiàna DC.	(*wh*) scarlet	N. America	1629.	4. 6.	H	♃	Nois jard. fr. t. 12. f. 2.
β *hybrida* DC.	(*wh*) *Keen's seedling*	Hybrid	....	——	H	♃	
11 chilénsis DC.	(*wh*) Chili	S. America	1727.	5. 6.	H	♃	Dill. elth. t. 20. f. 140.
12 grandifiòra DC.	(*wh*) Pine	Surinam	1759.	——	H	♃	Mill. ic. t. 288.
β *ananássa* DC.	(*wh*) *Pine apple*	.....	....	——	H	♃	Nois jard. fr. t. 14. f. 2.
γ *calyculàta* DC.	(*wh*) *Bath scarlet*	.....	....	——	H	♃	—— t. 11. f. 1. t. 14. f. 1
δ *fúscta* DC.	(*wh*) *red-fleshed*	.....	....	——	H	♃	
13 canadénsis DC.	(*wh*) Canadian	Canada	....	——	H	♃	
DUCHE'SNEA DS. Duche'snea. (A. N. Duchesne, a bot. author.) Icosandria Polygynia.							
fragarioìdes DS.	(*ye*) strawberry-like	Nepaul	1805.	5.10.	H	♃	Bot. reg. 61.
Fragària indica DC.							
COMARO'PSIS DC. Comaro'psis. (κομαρον, comarum, and οψις, resemblance.) Icos. Pent-Oct.							
1 fragarioìdes DC.	(*ye*) strawberry-like	N. America	1803.	5. 6.	H	♃	Mich. amer. 1. t. 28.
Dalibárda fragarioìdes M.							
2 Doniàna DC.	(*ye*) Don's	———	——	——	H	♃	Bot. mag. t. 1567.
Dalibárda fragarioìdes BM. *non* Mich. *Waldsteínia Doniàna* Tratt.							
3 pedàta DC.	(*wh*) pedate	N. America	1827.	5. 6.	H	♃	Smith. ic. ined. t. 63.
Rùbus pedàtus Sm. *Dalibárda pedàta* S.S.							
HORKE'LIA B.M. Horke'lia. (John Horkel, prof. phys. Berlin.) Decandria Polygynia.							
1 congésta BM.	(*wh*) tufted-flowered	N. America	1827.	7. 9.	H	♃	Bot. mag. t. 2880.
2 fúsca BR.	(*pk*) brown	California	1833.	6. 8.	H	♃	Bot. reg. t. 1997.
WALDSTEI'NIA DC. Waldstei'nia. (F. von Waldstein, a German bot.) Icos. Digynia.							
geoìdes DC.	(*ye*) Avens-leaved	Hungary	1804.	6. 7.	H	♃	Lodd. bot. cab. 402.
COLU'RIA B. Colu'ria. (κολουρος, tailless; carpels.) Icosandria Polygynia.							
potentilloìdes B.	(*or*) Siberian	Siberia	1780.	6. 7.	H	♃	Jacq. vind. 3. t. 68.
Gèum potentilloìdes W. *Dry'as geoìdes* Pall. *Sievérsia geoìdes* SS.							
COWA'NIA LT. Cowa'nia. (James Cowan, introduced it.) Icosandria Polygynia.							
plicàta L.T.	(*pu*) plicate	Mexico	1832.	6. 7.	F	♄	Swt. br. fl. gar. s. 2. t. 400.
SIEVE'RSIA B. Sieve'rsia. (M. Sievers, a Russian bot. and trav.) Icosandria Polygynia.							
1 Péckii B.M.	(*ye*) Peck's	N. America	1827.	6. 7.	H	♃	Bot. mag. t. 2863.
2 ciliàta DC.	(*ye*) ciliated	———	1818.	——	H	♃	
3 rùsca Grah.	(*ro*) rosy	———	1827.	5.	H	♃	
4 radiàta	(*ye*) radiate	———	1822.	6. 7.	H	♃	
Gèum radiàtum Ph.							
5 triflòra B.M.	(*ye.bh*) three-flowered	———	1827.	——	H	♃	Bot. mag. t. 2858.
6 montàna S.S.	(*ye*) mountain	Austria	1597.	5. 9.	H	♃	Jacq. aust. 4. t. 373.
β *minor*	(*ye*) *smaller mountain*	Alps	——	——	H	♃	Barrel. rar. t. 399.
7 glaciàlis S.S.	(*ye*) arctic	Siberia	1827.	——	H	♃	
8 Róssii B.	(*ye*) Ross's	Melville Isl.	——	——	H	♃	Brown ch. mel. p. 18. t. C.

9	anemonoìdes s.s.	(*wh*)	Anemone-like	Kamtschat.	1824.	5. 9.	H	♃	
10	atlántica DS.	(*ye*)	Atlantic	S. Europe	1810.	——	H	♃	
11	réptans s.s.	(*ye*)	creeping	Switzerland	1775.	6. 8.	H	♃	Jacq. anst. 5. ap. t. 22.

GE'UM. B. AVENS. (γευω, to give a relish; roots.) Icosandria Polygynia.

1	agrimonoìdes Ph.	(*wh*)	Agrimony-leaved	N. America	1811.	6. 7.	H	♃	Murr. com. gœt. 5. t. 21
2	hìspidum s.s.	(*wh*)	hispid	Sweden	1828.	——	H	♃	Reich. ic. cent. t. 3.
3	strìctum W.	(*ye*)	upright	N. America	1778.	5. 7.	H	♃	Jacq. ic. 1. t. 93.
	aléppicum Jacq.								
4	intermèdium W.	(*ye*)	intermediate	Europe	1794.	5. 8.	H	♃	W. hort. ber. 1. t. 69.
5	hy'bridum Jacq.	(*ye*)	hybrid	———	....	——	H	♃	Jacq. ic. 1. t. 94.
6	rivàle W.	(*ye.bh*)	water	Britain	....	5. 9.	H	♃	Eng. bot. 2. t. 106.
7	pyrenàicum DC.	(*ye*)	Pyrenean	Pyrenees	1804.	6. 7.	H	♃	Lam. ill. t. 44.
8	brachypétalum DC.	(*ye.bh*)	short-petal'd.	.....	1826.	5. 8.	H	♃	
9	sylváticum DC.	(*ye*)	wood	S. Europe	1820.	6. 7.	H	♃	
	altánticum Desf. atl. 1. p. 401. *biflòrum* Brot.								
10	Thomasiànum DC.	(*ye*)	Thomas's	Pyrenees	1828.	——	H	♃	
11	Quéllyon B.F.G.	(*sc*)	scarlet Chili	Chili	1826.	5.10.	H	♃	Swt. br. fl. gar. t. 292.
	coccíneum Bot. reg. t. 1088. *non* Flor. græc. *Chiloénse* Balb.								
	β grandiflòrum	(*sc*)	*large-flowered*	———	1829.	——	H	♃	Bot. reg. 1348.
12	macrophy'llum DC.	(*ye*)	large-leaved	Kamtschat.	1804.	6. 7.	H	♃	
13	canadénse DC.	(*ye*)	Canadian	Canada	1778.	5. 8.	H	♃	Murr. com. gœt. 5. t. 4.
14	heterophy'llum DC.	(*wh*)	various-leaved	.....	....	——	H	♃	
15	Besseriànum	(*ye*)	Besser's	Volhynia	1828.	——	H	♃	
	intermèdium Besser *non* Willd.								
16	hirsùtum L.en.	(*st*)	hairy	N. America	1818.	5. 7.	H	♃	
17	virginiànum DC.	(*wh*)	Virginian	———	....	7. 8.	H	♃	Herm. parad. t. 111.
18	álbum DC.	(*wh*)	white-flowered	———	1730.	——	H	♃	Jacq. vind. 2. t. 175.
	canadénse Jacq. *non* Murr.								
19	urbànum DC.	(*ye*)	common	Britain	....	5. 8.	H	♃	Eng. bot. v. 20. t. 1408.
20	ranunculoìdes DC.	(*ye*)	Ranunculus-like	.....	1827.	——	H	♃	

DRY'AS DC. DRY'AS. (Dryades, nymphs of the oaks; leaves.) Icosandria Polygynia.

1	octopétala DC.	(*wh*)	mountain	Britain	....	7. 8.	H	♃	Eng. bot. v. 7. t. 451.
2	Drummóndii B.M.	(*ye*)	Drummond's	N. America	1827.	4. 8.	H	♃	Bot. mag. t. 2972.
3	integrifòlia DC.	(*wh*)	entire-leaved	Greenland	1824.	——	H	♃	Hook. ex. flor. t. 220.

POTENTI'LLA DC. CINQUEFOIL. (*potens*, powerful; qualities.) Icosandria Polygynia.

§ 1. *Leaves ternate.*

1	nívea DC.	(*ye*)	snowy-leaved	N. Europe	1816.	6. 8.	H	♃	Lodd. bot. cab. 460.
	β macrophy'lla B.M.	(*ye*)	*large-leaved*	N. America	1827.	——	H	♃	Bot. mag. t. 2982.
2	angustifòlia DC.	(*ye*)	narrow-leaved	Siberia	1826.	——	H	♃	Lehm. pot. t. 19.
3	macrántha DC.	(*ye*)	great-flowered	———	1829.	5. 8.	H	♃	
4	uniflòra DC.	(*ye*)	single-flowered	Dahuria	1827.	——	H	♃	Lehm. pot. t. 18.
5	mínima DC.	(*ye*)	small	Switzerland	1816.	4. 6.	H	♃	Lodd. bot. cab. 480.
6	helvética DS.	(*ye*)	Swiss	———	1819.	——	H	♃	
	norvégica Swt. but not of Lin.								
7	Brauneàna N.P.	(*ye*)	Braune's	———	1816.	——	H	♃	Nestl. pot. t. 10. f. 4.
8	glaciàlis DC.	(*ye*)	very hairy	———	——	5. 7.	H	♃	Ser. mus. helv. 1. t. 7.
9	frígida DC.	(*ye*)	frigid	Dauphiny	——	——	H	♃	Nestl. pot. t. 10. f. 3.
10	grandiflòra DC.	(*ye*)	large-flowered	Siberia	1640.	6. 7.	H	♃	Bot. mag. t. 75.
11	villòsa DC.	(*ye*)	villous	N. America	1827.	——	H	♃	Lehm. pot. t. 16.
12	norvégica DC.	(*ye*)	Norwegian	N. Europe	1764.	6. 8.	H	♂	Flor. dan. t. 171.
13	Morisòni DC.	(*wh*)	Morison's	N. America	1680.	7. 8.	H	⊙	Nestl. pot. t. 9. f. 1.
	monspeliénsis L. Moris. his. s. 2. t. 20. f. 2. *hirsùta* M.								
14	hirsùta DC.	(*ye*)	hairy-leaved	Greenland	1820.	6. 8.	H	♃	Flor. dan. t. 1390.
15	elàtior D.S.	(*ye*)	taller	Siberia	1824.	6. 7.	H	♃	Lehm. pot. t. 14.
16	subacaúlis DC.	(*ye*)	short-stalked	S. France	1820.	5. 7.	H	♃	Scop. carn. 1. t. 22.
	velutìna L.P.								
17	atrosanguínea DC.	(*cr*)	dark crimson	Nepaul	1820.	6. 9.	H	♃	Swt. br. fl. gar. t. 124.
18	ferrugínea Paxt.	(*or.bl*)	rusty	Hybrid	1835.	7. 8.	H	♃	Paxt. bot. mag. 5. p. 223.

§ 2. *Leaves digitate, of 5 to 9 leaflets.*

19	umbròsa DC.	(*go*)	shaded	Tauria	1821.	6. 8.	H	♃	
20	réptans DC.	(*ye*)	common	Britain	....	——	H	♃	Eng. bot. v. 12. t. 862.
21	bithy'nica DC.	(*ye*)	Bithynian	Bithynia	1822.	——	H	♃	
22	flagellàris DC.	(*ye*)	rod	Siberia	1820.	——	H	♃	Lehm. pot. t. 12.
23	stolonífera Lehm.	(*ye*)	stoloniferous	Europe	1837.	——	H	♃	
24	símplex DC.	(*ye*)	sarmentose	N. America	1804.	5. 8.	H	♃	
	sarmentòsa W.en. *carolinìana* Poiret.								
25	canadénsis DC.	(*ye*)	Canadian	Canada	1818.	——	H	♃	Nestl. pot. t. 10. f. 1.
26	vérna E.B.	(*ye*)	spring	Britain	....	3. 5.	H	♃	Eng. bot. v. 1. t. 37.
27	cinèrea DC.	(*ye*)	ash-coloured	S. Europe	1820.	4. 6.	H	♃	Jacq. ic. 3. t. 491.
	subacaúlis Jacq. *non* L.								

28	pátula DC.	(*ye*) spreading	Hungary	1806.	6. 8.	H	♃	W. et K. hung. 2. t. 199.
29	opàca DC.	(*ye*) opaque-leaved	Scotland	....	——	H	♃	Ser. mus. helv. 1. t. 4. f. 1.
30	alpéstris E.F.	(*ye*) alpine	————	....	——	H	♃	———— v. 8. t. 561.
	aúrea E.B. *nec aliorum.*							
31	aúrea DC.	(*go*) golden	Alps Europe....		——	H	♃	Ser. mus. helv. t. 8. f. a. b.
32	crócea D.S.	(*ye*) copper	Switzerland	1816.	——	H	♃	
	ríbens Horn.							
33	salisburgénsis Jac.	(*ye*) broad-lobed	————	1825.	——	H	♃	Jacq. ic. 3. t. 490.
34	Hallèri DC.	(*ye*) Haller's	————	....	——	H	♃	Hall. hist. t. 21. f. 4.
35	Thomàsii DC.	(*ye*) silky-haired	Italy	1825.	——	H	♃	Swt. br. fl. gar. s. 2. t. 365.
36	calàbra T.N.	(*ye*) Calabrian	————	——	——	H	♃	Ten. fl. nap. 1. p. 287. t. 45.
37	impolita Wah.	(*ye*) unpolished	Carpathian	1818.	——	H	♃	
38	Gunthèri L.P.	(*ye*) Gunther's	Bohemia	1823.	——	H	♃	Lehm. pot. 97. t. 10.
39	argéntea E.B.	(*ye*) silvery-leaved	Britain	....	——	H	♃	Eng. bot. v. 2. t. 89.
40	declinàta D.S.	(*ye*) declinate	.....	1817.	——	H	♃	
41	petræ'a D.S.	(*ye*) rock	France	1819.	——	H	♃	Lehm. pot. t. 11.
42	colfina DC.	(*ye*) hill	Germany	1823.	——	H	♃	
43	intermèdia DC.	(*ye*) intermediate	Scotland	....	——	H	♃	Eng. bot. v. 35. t. 2449.
	opàca E.B. *non* L.							
44	elongàta Bes.	(*ye*) long-stalked	Russia	1827.	——	H	♃	
45	incisa DC.	(*ye*) jagged-leaved	.....	1818.	5. 8.	H	♃	
46	grácilis D.S.	(*ye*) slender	N. America	1826.	6. 8.	H	♃	Bot. mag. t. 2984.
47	Loddigèsii D.S.	(*ye*) Loddiges	Siberia	....	——	H	♃	Lodd. cab. icon.
	vinòsa DC.							
48	chrysántha D.S.	(*ye*) yellow-flower'd	————	1827.	——	H	♃	Led. ill. t. 338.
49	desertòrum D.S.	(*ye*) desert	Altaia	1830.	——	H	♃	———— t. 327.
50	dealbàta D.S.	(*ye*) whitened	————	1837.	——	H	♃	———— t. 326.
51	canéscens DC.	(*ye*) canescent	S. Europe	1822.	——	H	♃	Tausch. h. can. 1. t. 10.
52	thuringiaca DC.	(*ye*) decumbent	Germany	——	——	H	♃	
53	virgàta D.S.	(*ye*) twiggy	Europe	1820.	6. 7.	H	♃	
54	stipulàris DC.	(*ye*) large-stipuled	Siberia	1807.	——	H	♃	Gmel. fl. bad. 3. n. 38. f. 2.
55	hírta DC.	(*ye*) hairy	S. Europe	1725.	5. 9.	H	♃	Lehm. pot. t. 8.
56	pedàta N.P.	(*ye*) pedate-leaved	Italy	1818.	——	H	♃	Nestl. pot. 44. t. 7.
57	astracánica DC.	(*ye*) Astracan	Levant	1787.	6. 8.	H	♃	Jacq. ic. 1. t. 92.
58	taúrica S.S.	(*ye*) Taurian	Tauria	1824.	——	H	♃	Lehm. pot. 90. t. 9.
59	récta S.S.	(*ye*) upright	S. Europe	1648.	——	H	♃	Nestl. pot. 42. t. 6.
60	obscùra S.S.	(*ye*) obscure	Siberia	1816.	6. 7.	H	♃	Noc. et Balb. fl. tic. t. 10.
61	laciniòsa S.S.	(*ye*) jagged	Hungary	1818.	——	H	♃	Bot. reg. t. 1478.
62	Russelliàna B.F.G.	(*sc*) Russell's	Hybrid	1827.	——	H	♃	Swt. br. fl. gar. v. 3. t. 279.
63	formòsa D.P.	(*ro*) handsome	Nepaul	1820.	5. 9.	H	♃	———— v. 2. t. 136.
	nepalénsis Hook. ex. flor. t. 88. *coloràta* Lehm.							
64	Hopwoodiàna D.S.	(*ro*) Hopwood's	Hybrid	1826.	....	H	♃	Swt. br. fl. gar. s. 2. t. 61.
65	Mackayàna D.S.	(*ye.pk*) Mackay's	————	——	....	H	♃	———— s. 2. t. 43.
66	ruthénica DC.	(*ye*) Russian	Siberia	1799.	5. 7.	H	♃	Moris. his. s. 2. t. 20. f. 2.
67	pulchérrima DS.	(*ye*) very fair	N. America	1837.	——	H	♃	
68	diffùsa DC.	(*ye*) diffuse	Siberia	1825.	——	H	♃	
69	pùmila S.S.	(*ye*) dwarf	N. America	1818.	5. 6.	H	♃	
70	Weinmánnii L.C.	(*ye*) Weinmann's	Thuringia	1822.	6. 8.	H	♃	Lodd. bot. cab. t. 706.
71	ornithopodioìdes	(*ye*) Bird's-foot	.....	1827.	——	H	♃	
72	lanuginòsa F.	(*ye*) woolly	Caucasus	1821.	——	H	♃	
73	Sieversiàna Ot.	(*ye*) Sievers's	.....	1829.	——	H	♃	
74	normàlis F.	(*ye*) normal	Siberia	1827.	——	H	♃	
75	pulchélla DC.	(*ye*) neat	Melville Isl.	——	5. 7.	H	♃	
76	divaricàta S.S.	(*ye*) divaricate	Corsica	1824.	6. 8.	H	♃	
	§ 3. *Leaves pinnate.*							
77	fruticòsa DC.	(*ye*) shrubby	England	....	——	H	♄	Eng. bot. 2. t. 88.
78	dahùrica N.P.	(*ye*) Dahurian	Dahuria	1824.	——	H	♄	Nestl. pot. 31. t. 1.
79	floribúnda Ph.	(*ye*) cluster-flowered	N. America	1811.	5. 9.	H	♄	Wats. dend. brit. t. 70.
80	bifúrca DC.	(*ye*) bifid-leaved	Siberia	1773.	6. 7.	H	♃	Gmel. it. 1. t. 37. f. 1.
81	supìna DC.	(*ye*) trailing	Europe	1696.	7. 8.	H	♃	Jacq. aust. 5. t. 406.
82	pimpinelloìdes DC.	(*ye*) Burnet-leaved	Levant	1758.	6. 8.	H	♃	Buxb. cent. 1. t. 48.
83	cicutarisefòlia DC.	(*ye*) cicuta-leaved	Galatia	1818.	——	H	♃	Nestl. pot. t. 2. f. 2.
84	geoìdes DC.	(*ye*) Avens-like	Tauria	1820.	——	H	♃	
85	Sprengeliàna DC.	(*ye*) Sprengel's	Siberia	1824.	——	H	♃	Lehm. pot. 49. t. 3.
86	viscòsa DC.	(*ye*) clammy	————	1797.	7. 8.	H	♃	Bot. reg. t. 1492.
	hispida N.P. *non* W.							
87	glandulòsa B.R.	(*ye*) glandular	California	1833.	8.	H	♃	Bot. reg. t. 1583.
	β *incisa* B.R.	(*ye*) *cut-leaved*	————	——	6.	H	♃	———— t. 1973.

88	pensylvánica DC.	(*ye*)	Pensylvanian	N. America	1725.	6. 8.	H	♃	Jacq. vind. 2. t. 189.
89	pectinàta F.	(*ye*)	pectinated	Siberia	1824.	——	H	♃	
90	missoúrica B.R.	(*st*)	Missouri	Missouri	1830.	5. 8.	H	♃	Bot. reg. t. 1412.
91	argùta Ph.	(*st*)	sharp-toothed	N. America	1818.	5. 7.	H	♃	——— t. 1379.
92	bipinnatífida DS.	(*ye*)	bipinnatifid	———	1826.	6. 7.	H	♃	
	argùta Lehm. not. Ph.								
93	Drummóndi D.S.	(*ye*)	Drummond's	———	——	——	H	♃	Hook. fl. amer. 1. t. 6
94	Hippiàna D.S.	(*ye*)	Hippi's	———	——	——	H	♃	——— 1. t. 64.
	dealbàta Dougl. *leucophy'lla* Torrey.								
95	multífida DC.	(*ye*)	cut-leaved	Siberia	1759.	5. 7.	H	♃	Ser. mus. helv. 1. t. 8
96	agrimonioìdes S.S.	(*ye*)	Agrimony-ld.	Caucasus	1823.	6. 8.	H	♃	
97	verticillàris DC.	(*ye*)	whorled	Dahuria	——	——	H	♃	
98	serícea DC.	(*ye*)	silky	Siberia	1780.	5. 6.	H	♃	Lehm. pot. 66. t. 6.
99	filipéndula D.S.	(*ye*)	dropwort-like	Dahuria	1823.	6. 7.	H	♃	
100	sanguisórba D.S.	(*ye*)	Burnet-like	Siberia	1826.	——	H	♃	Lehm. pot. t. 5.
101	conférta D.S.	(*ye*)	crowded	Altaia	1837.	——	H	♃	Led. ill. t. 333.
102	Egèdii DC.	(*ye*)	smooth-leaved	Greenland	1827.	5. 7.	H	♃	Flor. dan. t. 1578.
103	anserìna DC.	(*ye*)	wild Tansey	Britain	....	5. 9.	H	♃	Eng. bot. 12. t. 861.
	β geminiflòra DC.	(*ye*)	*twin-flowered*	———	....	——	H	♃	Moris. his. s. 2. t. 20. f.
	γ cóncolor DC.	(*ye*)	*silky-leaved*	———	....	——	H	♃	
104	cándicans DC.	(*ye*)	hoary-leaved	America	1826.	——	H	♃	Nestl. pot. 34. t. 3. f.
105	spléndens DC.	(*ye*)	glossy-leaved	Nepaul	1818.	7. 9.	H	♃	Swt. br. fl. gar. 2. t. 15
	striàta S.S. *Siemersiàna* Lehm.								
106	dasyphy'lla DS.	(*ye*)	thick-leaved	Altaia	1836.	5. 7.	H	♃	Led. ill. t. 331.
107	Salesòvii DC.	(*ye*)	white shrubby	Siberia	1823.	6. 8.	H	♄	Lehm. pot. 35. t. 1.
108	glàbra DC.	(*wh*)	smooth white	———	1818.	6.10.	H	♄	Lodd. bot. cab. t. 914.
109	rupéstris DC.	(*wh*)	rock	England	....	6. 8.	H	♃	Eng. bot. v. 29. t. 205
110	fragarioìdes DC.	(*wh*)	Strawberry-like	Siberia	1773.	5. 7.	H	♃	Lehm. pot. 50. t. 4.
	§ 4. *Leaves digitate; flowers white.*								
111	álba DC.	(*wh*)	white-flowered	Wales	....	6. 9.	H	♃	Eng. bot. v. 20. t. 138
112	alchemilloìdes DC.	(*wh*)	alchemilla-like	Pyrenees	1823.	——	H	♃	Lap. act. toul. 1. t. 17
113	cauléscens DC.	(*wh*)	caulescent	Austria	1759.	5. 7.	H	♃	Jacq. aust. t. 220.
114	Clusiàna S.S.	(*wh*)	Clusius's	S. Europe	1806.	7. 8.	H	♃	Bot. mag. t. 1327.
115	lupinoìdes S.S.	(*wh*)	close-flowered	Pyrenees	1739.	6. 7.	H	♃	Lodd. bot. cab. t. 651.
116	valdèria DC.	(*st*)	crowded-flower'd	S. Europe	1818.	6. 8.	H	♃	All. fl. ped. t. 24. f. 1.
	§ 5. *Leaves ternate; flowers white.*								
117	gariepénsis Ecklon	(*wh*)	gariep	C. B. S.	1837.	——	H	♃	
118	nítida DC.	(*bh*)	glossy	S. Europe	1798.	——	H	♃	Jacq. aust. ap. t. 25.
119	apennìna DC.	(*wh*)	Apennine	Italy	1825.	——	H	♃	Ten. fl. nap. 1. t. 46.
120	tridentàta DC.	(*wh*)	trifid-leaved	Scotland	....	5. 7.	H	♃	Eng. bot. v. 34. t. 239
121	micrántha DC.	(*wh*)	small-blossom'd	S. Europe	1816.	6. 8.	H	♃	Ser. mus. helv. 1. t. 5.
122	Fragària DC.	(*wh*)	sterile strawberry	Britain	....	3. 6.	H	♃	Eng. bot. v. 25. t. 178
	Fragària stérilis E.B. *Cómarum fragarioìdes* W. enum.								
123	emarginàta Ph.	(*wh*)	emarginate	Labrador	1828.	——	H	♃	
124	Jamesoniàna DC.	(*ye*)	Jameson's	Greenland	1822.	6. 7.	H	♃	

TORMENTI'LLA DS. TORMENTIL, (*tormentum*, pain; effic. in tooth ache.) Icosan. Polygyn.

1	erécta D.S.	(*ye*)	erect	Britain	....	5.10.	H	♃	Eng. bot. t. 863.
	Potentílla Tormentílla DC.								
2	réptans D.S.		creeping	Britain	....	6. 7.	H	♃	Eng. bot. t. 864.
	Potentílla nemoràlis N.P.								

CO'MARUM DS. MARSH CINQUEFOIL. (*κομαρος*, arbutus; fruit.) Icosandria Polygynia.

	palústre DC.		common	Britain	....	6. 8.	H	♃	Eng. bot. t. 172.
	Potentílla Cómarum DC.								

SIBBA'LDIA DC. SIBBA'LDIA. (R. Sibbald, prof. phys. Edinburgh.) Pentandria Pentagynia.

1	procúmbens DC.	(*ye*)	procumbent	Britain	....	6. 8.	H	♃	Eng. bot. v. 13. t. 897.
2	parviflòra DC.	(*ye*)	small-flowered	Levant	....	——	H	♃	

CHAMÆRHO'DOS DS. CHAMÆRHO'DOS. (*χαμαι*, dwarf; *ροδος*, a rose.) Pentand. Pentagyn.

1	erécta D.S.	(*ye*)	upright	Siberia	1806.	6. 8.	H	♃	Amm. ruth. 112. t. 15.
	Sibbáldia erécta DC.								
2	grandiflòra D.S.	(*ye*)	large-flowered	Dahuria	1828.	——	H	♃	
3	poly'gyna D.S.	(*ye*)	many-styled	Siberia	1824.	——	H	♃	

AGRIMO'NIA DC. AGRIMONY. (a corruption of *Argemone*.) Dodecandria Digynia.

1	Eupatòria DC.	(*ye*)	common	Britain	....	6. 8.	H	♃	Eng. bot. v. 19. t. 133
2	nepalénsis DC.	(*ye*)	Nepaul	Nepaul	1820.	——	H	♃	
3	odoràta DC.	(*ye*)	sweet-scented	Italy	1640.	7. 8.	H	♃	
4	dahùrica DC.	(*ye*)	Dahurian	Dahuria	1824.	6. 8.	H	♃	
5	pilòsa DC.	(*ye*)	hairy	Siberia	1820.	——	H	♃	
6	parviflòra DC.	(*ye*)	small-flowered	N. America	1766.	6. 7.	H	♃	
7	suavèolens DC.	(*st*)	fragrant	———	1820.	——	H	♃	

8 striàta DC. (wh) striped-flowered N. America 1812. 6. 8. H ♃
9 rèpens DC. (ye) creeping-rooted Levant 1737. 7. 9. H ♃

AREMO'NIA DC. AREMO'NIA. (altered from *Agrimonia*.) Pent-Decandria Digynia.
agrimonoìdes DC. (ye) Agrimony-like Italy 1739. 6. 8. H ♃ Col. ecphr. 1. t. 144.
Spallanzània agrimonoìdes S.S. *Agrimònia agrimonoìdes.*

Suborder III. *SANGUISO'RBEÆ*. DC. prodr. v. 2. p. 588.

ALCHEMILLA DC. LADIES' MANTLE. (Alkemelych, Arabic name.) Di-Tetrand. Monogyn.
Sect. 1. ALCHEMI'LLA; *calyx* 8-*cleft*; *stamens* 2-4; *perennial.*
1 capénsis DC. (gr) Cape C. B. S. 1818. 4. 6. G ♃ Lam. ill. t. 86. f. 2.
2 vulgàris DC. (gr) common Britain .... 6. 8. H ♃ Eng. bot. v. 9. t. 597.
β *variegàta* (gr) *variegated-leav'd* —— .... —— H ♃
γ *glàbra* (gr) *smooth* Pyrenees .... —— H ♃
3 hybrida DC. (gr) mountain Saxony .... —— H ♃ Pluk. t. 240. f. 2.
montàna W.en.
4 pubéscens DC. (gr) pubescent Caucasus 1813. —— H ♃ Wild. hort. ber. 2. t. 79.
5 alpina DC. (gr) silvery Britain .... 7. H ♃ Eng. bot. v. 4. t. 244.
6 sericea DC. (gr) silky Caucasus 1813. 6. 8. H ♃
7 pentaphy'lla DC. (gr) five-leaved Switzerland 1784. 7. H ♃ Bocc. mus. p. 18. t. 1.
8 sibbaldiæfòlia DC. (gr) Sibbaldia-ld. Mexico 1823. —— F ♃ H. et B. n. g. am. 6. t. 561.
Sect. 2. A'PHANES; *calyx* 4 *rarely* 5-*cleft*; *stamens* 1-2, *fertile*; *annual.*
9 arvénsis DC. (gr) Parsley piert. Britain .... 4. 6. H ⊙ Eng. bot. v. 15. t. 1011.
Ἀφανὲς W. *A'phanes arvénsis* L.
10 cornucopioìdes DC. (gr) Spanish Spain 1825. 4. 7. H ⊙

MARGYRICA'RPUS DC. MARGYRICA'RPUS. (*μαργαρον*, a pearl, and *καρπος*, a fruit.) Dian. Mon.
setósus DC. (gr) bristle-pointed S. America 1829. .... F ♄ Flor. peruv. 1. t. 8. f. d.

ACÆ'NA Kth. ACÆ'NA. (*ἀκαινα*, a thorn; calyx armed.) Tri-Pentandria Monogynia.
1 elongàta DC. (gr) long-spiked Mexico 1827. 4. 8. F ♄
2 latròsa DC. (gr) hairy C. B. S. 1774. 4. 6. G ♃ Gært. fruct. 1. t. 32.
3 pinnatífida DC. (gr) pinnatifid Chili 1823. —— G ♃ Bot. reg. 1271.
4 sericea DC. (gr) silky Port Desire .... —— G ♃ Jacq. f. ecl. 1. t. 55.

ANCISTRUM Kth. ANCI'STRUM. (*αγκιστρος*, a fish-hook; bristles on calyx.) Di-Pentand. Mono.
1 sanguisórbæ L. (gr) Burnet-leaved N. Zealand 1796. 6. F ♃ Gært. fruct. t. 32.
2 ovalifolium DC. (gr) oval-leaved Peru 1802. 5. 6. F ♃ Vent. h. cels. t. 5.
rèpens Vent.
3 argénteum K.S. (gr) silvery-leaved S. America 1823. —— F ♄ Fl. per. 1. t. 103. f. b.
4 ascéndens DC. (gr) ascending Magellan —— —— H ♃
5 lævigàtum DC. (gr) smooth —— 1790. 6. 8. H ♃
6 magellánicum DC. (gr) Magellan —— .... —— H ♃ Lam. ill. t. 22. f. 2.
7 nitidum Lam. (gr) shining Falkland Isl. 1777. 5. 6. H ♃ —— t. 22. f. 3.

SANGUISO'RBA DC. GREAT-BURNET. (*sanguis*, blood, and *sorbeo*, to absorb.) Tetrand. Monogy.
1 officinàlis DC. (pu) officinal Britain .... 6. 8. H ♃ Eng. bot. v. 19. t. 1312.
β *auriculàta* DC. (pu) *eared* Italy .... —— H ♃ Bocc. mus. 19. t. 9.
2 carnea DC. (pi) flesh-coloured ..... 1818. —— H ♃
3 andersònii DS. (re) Anderson's Siberia .... 7. 8. H ♃
4 fabra Sck. (re) red-spiked Dahuria 1824. 6. 8. H ♃ Schrank. h. mon. t. 69.
5 præcox Bes. (pi) early-flowered Siberia 1827. 5. 7. H ♃
6 angustifòlia F. (pi) narrow-leaved —— 1820. 6. 8. H ♃
7 tenuifòlia DC. (re) slender-leaved Dahuria —— —— H ♃
8 ingrica (wh) glossy-leaved ..... 1829. —— H ♃
9 mauritánica DC. (gr) Barbary Algiers .... —— H ♃ Moris. ox. s. 8. t. 18. f. 4.
10 alpina DS. (ye) alpine Altaia 1837. —— H ♃ Led. ill. t. 90..
11 neglécta DS. (wh) neglected ..... 1800. —— H ♃
12 média DC. (re) short-spiked Canada 1785. —— H ♃ Moris. ox. s. 8. t. 18. f. 8.
13 canadénsis DC. (wh) Canadian —— 1633. —— H ♃ —— s. 8. t. 18. f. 12.

POTERIUM DC. BURNET. (*poterium*, a cup; used in drink.) Monœcia Polyandria.
Sect. 1. LEIOPOTE'RIUM; *fruit smooth*, *baccate*; *spikes cylindrical.*
1 spinòsum DC. (wh) prickly-shrubby Levant 1595. 4. 8. G ♄ Moris. ox. s. 8. t. 18. f. 5.
β *crispum* DC. (wh) *curled-leaved* —— .... —— G ♄
γ *inérme* DC. (wh) *spineless* —— .... —— G ♄
2 candàtum DC. (wh) shrubby Canaries 1799. 1. 4. G ♄ Bot. mag. 2341.
Sect. 2. RUTIDOPOTE'RIUM; *fruit wrinkled or tubercled*; *spikes globose.*
3 Sanguisórba DC. (pu) common England .... 7. H ♃ Eng. bot. v. 12. t. 86.

4	agrimonifòlium DC.	(*pu*)	Agrimony-ld.	Spain	1818. 6. 7.	H	♃	
5	hy'bridum W.	(*pu*)	sweet	France	1683. ——	H	♃	Barrel. ic. t. 632.
6	poly'gamum DC.	(*pu*)	Hungarian	Hungary	1803. 7. 8.	H	♃	W. et K. hung. 2 t. 19
7	villòsum DC.	(*pu*)	villous	Levant	1829. ——	H	♃	Flor. græc. t. 942.
8	verrucòsum E.	(*pu*)	warted	Egypt	1827. ——	H	♃	

CERCOCA'RPUS DC. CERCOCA'RPUS. (*κερκος*, a shuttlecock, and *καρπος*, a fruit.) Icosand. Monog.

	fothergilloìdes DC.	(*pu*)	Fothergilla-like	Mexico	1828.	G	♄	H. et B. n. gen. 3. t. 35

CLIFFO'RTIA DC. CLIFFO'RTIA. (G. Cliffort, patr. of Linneus.) Diœcia Polyandria

§ 1. MULTINE'RVIÆ; *leaves solitary, many-nerved; stipulas simple.*

1	ilicifòlia DC.	(*st*)	Holly-leaved	C. B. S.	1714. 5. 9.	G	♄	Linn. hort. clif. t. 30.
2	cordifòlia DC.	(*st*)	heart-leaved	———	1816. ——	G	♄	
3	tridentàta DC.	(*st*)	three-toothed	———	1752. 6. 7.	G	♄	
4	ruscifòlia DC.	(*st*)	Ruscus-leaved	———	—— ——	G	♄	Linn. hort. cliff. t. 31.
	arachnoìdea B.C. 260.							
5	gramínea DC.	(*st*)	grass-leaved	———	1825. ——	G	♄	

§ 2. DICHO'PTERÆ; *leaflets* 1-*nerved, solitary; stipulas bifid.*

6	ferrugínea DC.	(*st*)	ferruginous	C. B. S.	1823. 6. 7.	G	♄	
7	cuneàta DC.	(*st*)	wedge-leaved	———	1787. 4.	G	♄	

§ 3. TENUIFO'LIÆ; *leaflets* 3, *narrow.*

8	strobilífera DC.	(*st*)	cone-bearing	C. B. S.	1816. 5. 7.	G	♄	Pluk. alm. t. 275. f. 2.
9	ericæfòlia DC.	(*st*)	heath-leaved	———	1799. 7. 9.	G	♄	
10	sarmentòsa DC.	(*st*)	twiggy	———	1795. 6. 8.	G	♄	
11	falcàta DC.	(*st*)	falcate-leaved	———	1816. ——	G	♄	

§ 4. LATIFO'LIÆ; *leaflets* 3, *oval or obcordate; stipulas small.*

12	ternàta DC.	(*st*)	ternate-leaved	C. B. S.	1816. 6. 8.	G	♄	Linn. hort. cliff. . 32.
13	trifoliàta DC.	(*st*)	three-leaved	———	1752. 4. 7.	G	♄	Pluk. alm. t. 319 f. 4.
14	obcordàta DC.	(*st*)	obcordate	———	1790. 6. 8.	G	♄	
15	obliqua DC.	(*st*)	oblique-leaved	———	1816. ——	G	♄	
16	dentàta DC.	(*st*)	toothed	———	—— ——	G	♄	

§ 5 BIFOLIA'TÆ; *leaflets* 2; *petioles wanting.*

17	crenàta DC.	(*st*)	notched-leaved	C. B. S.	1791. 7. 8.	G	♄	
18	pulchélla DC.	(*st*)	beautiful	———	1795. 4. 5.	G	♄	
19	cinèrea DC.	(*st*)	cinereous	———	1800. 6. 7.	G	♄	

ORDER LXXXV.

SPIRÆA'CEÆ. *DC. Don prodr. flor. nepal. p.* 227.

PU'RSHIA DC. PU'RSHIA. (F. Pursh, cel. Amer. bot.) Icosandria Monogynia.

	tridentàta DC.	(*ye*)	three-toothed	Columbia	1827.	H	♄	Pursh. fl. amer. 1. 65.
	Tigàrea tridentàta Ph.							

KE'RRIA DC. KE'RRIA. (W. Kerr, bot. collector.) Icosandria Pent-Octagynia.

	japónica DC.	(*ye*)	Japanese	Japan	1834. 4. 9.	H	♄	Swt. br. fl. gard. s. 2. t. 17.
	β *flòre plèno*	(*ye*)	*double-flowered*	———	1804. ——	H	♄	Andr. reposit. t. 587
	Córchorus japónicus Bot. mag. t. 1296.							

SPIRÆ'A DC. SPIRÆ'A. (*σπειραω*, to become spiral; for garlands.) Icosandria Pentagyn.

Sect. 1. PHYSOCA'RPOS; *ovaria connected at base; at length bladdery; peduncles* 1-*flowered.*

1	opulifòlia DC.	(*wh*)	Guelder-rose-ld.	N. America	1690. 6. 7.	H	♄	Schmidt arb. 1 t. 52.
2	capitàta DC.	(*wh*)	headed	Columbia	1827. ——	H	♄	

Sect. 2. CHAMÆ'DRYON; *ovaria free; pedicels* 1-*flowered, umbellate or corymbose.*

3	ulmifòlia DC.	(*wh*)	Elm-leaved	Siberia	1790. 6. 7.	H	♄	Jacq. vind. 2. t. 140.
4	flexuòsa DC.	(*wh*)	flexuose	———	1820. ——	H	♄	Camb. mon. spir. t. 26
5	bélla DC.	(*ro*)	red-flowered	Nepaul	1818. 6. 9.	H	♄	Bot. mag. t. 2426.
6	chamædrifòlia DC.	(*wh*)	Germander-ld.	Siberia	1780. 6. 7.	H	♄	Bot. reg. t. 1222.
7	mèdia Ph.	(*wh*)	middle	Canada	1827. ——	H	♄	
8	oblongifòlia W. K.	(*wh*)	oblong-leaved	Hungary	1815. 5. 7.	H	♄	W. et K. hung. 3. t. 235
9	càna DC.	(*wh*)	hoary-leaved	———	1824. 6. 7.	H	♄	——— 3. t. 227
10	vacciniifòlia D.P.	(*wh*)	Vaccinium-ld.	Nepaul	—— 6. 8.	H	♄	Lodd. bot. cab. t 140
11	trilobàta DC.	(*wh*)	three-lobed	Siberia	1801. 5. 6.	H	♄	Pall. ros. 1. t. 17.

12	alpìna DC.	(wh)	Alpine	Siberia	1806.	6. 7.	H	♄	Pall. ros. 1. t. 20.
13	thalictroìdes DC.	(wh)	meadow-rue-ld.	———	1790.	5. 6.	H	♄	——— 1. t. 18.
14	pikowiénsis DC.	(wh)	Pikow	Poland	1824.	——	H	♄	
15	hypericifòlia W.	(wh)	Hypericum-ld.	N. America	1640.	4. 5.	H	♄	Schmidt arb. 1 t. 26.
16	uralénsis	(wh)	Fischer's	Siberia	1822.	——	H	♄	
	crenàta V. *non* W. *hypericifòlia β uralénsis* DC.								
17	acutifòlia W.en.	(wh)	acute-leaved	Siberia	——	——	H	♄	
18	crenàta L.	(wh)	crenated	———	1739.	——	H	♄	
19	crategifòlia L.en.	(wh)	Hawthorn-ld.	.....	1824.	5. 6.	H	♄	
20	obovàta W.K.	(wh)	obovate-leaved	Hungary	1816.	——	H	♄	
21	sarmìnica Bes.	(wh)	small-flowered	Poland	1826.	——	H	♄	
22	Besseriàna	(wh)	Besser's	———	——	——	H	♄	
	crenàta Bes. *non* L.								
23	canescens DC.	(wh)	canescent	Nepaul	1825.	6. 8.	H	♄	
24	ceanothifòlia DC.	(wh)	Ceanothus-ld.	.....	1820.	5. 6.	H	♄	
25	corymbòsa DC.	(wh)	corymbose	Virginia	1812.	——	H	♄	Lodd. bot. cab. t. 671.
Sect. 3 SPIRA'RIA; *ovaria free; flowers panicled or thyrsoid.*									
26	betulifòlia DC.	(wh)	Birch-leaved	Siberia	1812.	6. 7.	H	♄	Pall. ros. 1. t. 16.
27	lævigàta DC.	(wh)	smooth-leaved	———	1774.	4. 6.	H	♄	Schmidt arb. 1. t. 49.
28	salicifòlia DC.	(ro)	Willow-leaved	Britain	....	6. 8.	H	♄	Eng. bot. v. 21. t. 1468.
29	alpìna DS.	(pk)	alp	Siberia	1800.	——	H	♄	Amm. ruth. t. 28.
30	alba W.D.	(wh)	white-flowered	.....	....	——	H	♄	Wats. dend. brit. t. 133.
	canescens W.								
31	crispinifòlia W.en.	(bh)	broad-leaved	N. America	....	7. 8.	H	♄	Wats. dend. brit. t. 66.
32	tomentòsa DC.	(ro)	tomentose	———	1736.	7. 9.	H	♄	Schmidt arb. 1. t. 51.
33	ariæfòlia DC.	(ro)	Aria-leaved	———	1827.	6. 8.	H	♄	
34	bicolor DC.	(wh)	two-coloured	———	——	——	H	♄	
Sect. 4. SORBA'RIA; *ovaria joined; flowers in thyrsoid panicles; leaves pinnate.*									
35	sorbifòlia DC.	(wh)	Service-leaved	Siberia	1759.	7. 9.	H	♄	Schmidt arb. 1. t. 58.
36	grandiflòra	(wh)	large-flowered	Kamtschatka	1817.	7. 8.	H	♄	Pall. ros. 1. t. 25.
	sorbifòlia β alpìna DC.								
Sect. 5. ARU'NCUS; *carpels 5, free, pendulous; leaves tripinnate; flowers dioecious.*									
37	aprúncus DC.	(wh)	Goat's-beard	Siberia	1633.	6. 7.	H	♃	Pall. ros. 1. t. 26.
38	americàna DC.	(wh)	glossy-leaved	N. America	1825.	——	H	♃	
Sect. 6. ULMA'RIA; *ovaria free; torus obsolete; flowers in cymose umbels; leaves pinnate.*									
39	ulmària DC.	(wh)	Meadow-sweet	Britain	....	6.10.	H	♃	Eng. bot. v. 14. t. 960.
	tomentòsa DC.	(wh)	*tomentose*	———	....	——	H	♃	
	múltiplex DC.	(wh)	*double-flowered*	———	....	——	H	♃	
	variegàta DC.	(wh)	*variegated-leaved*	———	....	——	H	♃	
40	lobàta DC.	(ro)	lobed-leaved	N. America	1765.	7. 8.	H	♃	Jacq. vind. 1. t. 88.
41	palmàta DC.	(wh)	palmated	China	1823.	——	H	♃	
42	digitàta DC.	(ro)	digitate	Siberia	——	——	H	♃	Pall. ros. 1. t. 27.
43	Filipéndula DC.	(wh)	Dropwort	Britain	....	6.10.	H	♃	Eng. bot. v. 4. t. 284.
	β múltiplex DC.	(wh)	*double-flowered*	———	....	——	H	♃	
GILLE'NIA DC.			GILLE'NIA. (Gillen, the name of some bot.)						Dodecandria Pentagynia.
	trifoliàta DC.	(bh)	three-leaved	N. America	1713.	6. 7.	H	♃	Bot. mag. t. 489.
	Spiræa trifoliàta B.M.								
	stipulàcea DC.	(bh)	large-stipuled	———	1805.	——	H	♃	Bart. med. bot. t. 6.

ORDER LXXXVI.

QUILA'GEÆ. *D. Don, Edinb. jour. Jany.* 1831.

KAGENE'CKIA DC.			KAGENE'CKIA. (Fred. de Kageneck, bot. patr.)						Icosandria Pentagynia.
	oblónga DS.	(wh)	oblong	Chili	1832.	6. 7.	H	♄	Bot. reg. t. 1836.
	crategoìdes D. Don. *crategifòlia* B.R.								
QUILLA'JA DS.			QUILLA'JA. (Quillai, Chili name.)						Decandria Pentagynia.
	saponària DS.	(wh)	Soap	Chili	1832.	....	H	♄	Flor. per. prod. 2. t. 3. p.

ORDER LXXXVII.

CALYCA'NTHEÆ. *DC. prodr.* 3. *p.* 1.

CALYCA'NTHUS DC. ALLSPICE-TREE. (καλυξ, a calyx, and ανθος, a flower.) Icosand. Pgy.

1 flóridus DC.	(*d.pu*)	Carolina	Carolina	1726.	5. 8.	H	♄	Bot. mag. t. 503
2 prunifòlius	(*d.pu*)	Plum-leaved	———	1822.	——	H	♄	
3 glaúcus DC.	(*d.pu*)	glaucous-leaved	———	1806.	——	H	♄	Guimp. ab. holz. 5.
fértilis Bot. reg. t. 404.								
4 oblongifòlius N.	(*d.pu*)	oblong-leaved	———	1812.	——	H	♄	
5 lævigàtus DC.	(*d.pu*)	smooth-leaved	———	1806.	——	H	♄	Bot. reg. t. 481.

CHIMONA'NTHUS DC. JAPAN ALLSPICE. (χειμων, winter, and ανθος, a flower.) Icos. Pgy.

fràgrans DC.	(*ye*)	fragrant	Japan	1776.	12.3.	H	♄	Bot. mag. t. 466.
Calycánthus præ'cox B.M.								
α *vèrus*	(*ye.pu*)	*common*	———	——	——	H	♄	Hort. Kew. v. 2. t. 1.
β *lùteus*	(*ye*)	*yellow-flowered*	———	1814.	——	H	♄	
γ *grandiflòrus* B.R.	(*ye*)	*large-flowered*	———	1812.	——	H	♄	Bot. reg. t. 451.

ORDER LXXXVIII.

GRANA'TEÆ. *D. Don in Jameson Edinb. phil. journ. jul.* 1826. *p.* 14.

PU'NICA DC. POMEGRANATE. (*punicus*, Carthaginian.) Icosandria Monogynia.

1 Granàtum DC.	(*or*)	common	S. Europe	1548.	6. 9.	H	♄	Bot. mag. t. 1832.
α *rùbrum* DC.	(*or*)	*red-flowered*	———	——	——	H	♄	Schkuhr handb. t. 1.
β *flòre plèno* DC.	(*or*)	*double red*	———	....	6. 8.	H	♄	Trew ehret. t. 71. 2.
γ *flavéscens*	(*ye*)	*yellow-flowered*	China	1810.	——	F	♄	
δ *albéscens*	(*wh*)	*white-flowered*	———	——	——	F	♄	Andr. reposit. t. 96
ε *múltiplex*	(*wh*)	*double white*	———	....	——	F	♄	
2 nàna DC.	(*or*)	dwarf	S. America	1723.	7. 9.	F	♄	Bot. mag. t. 634.

ORDER LXXXIX.

MEMECY'LEÆ. *DC. prodr.* 3. *p.* 5.

MEME'CYLON DC. MEME'CYLON. (μεμηκυλον, fruit of *Arbutus*.) Octandria Monogynia.

1 angulàtum DC.	(*pu*)	square-stalked	Mauritius	1826.	5. 7.	S	♄	
2 capitellàtum DC.	(*pu*)	headed	Ceylon	1796.	7. 8.	S	♄	Burm. zeyl. t. 30.
3 edùle DC.	(*pu*)	eatable-fruited	E. Indies	1823.	——	S	♄	Roxb. corom. 1. t. 82.
4 grànde DC.	(*bl*)	tree	———	1824.	....	S	♄	Rheed. mal. 2. t. 14.

MOURI'RIA DC. MOURI'RIA. (name in Guiana.) Decandria Monogynia.

1 myrtilloìdes DC.	(*wh*)	sessile-leaved	Jamaica	1818.	6. 8.	S	♄	Sloan. his. 2. t. 87. f. 3.
Petalòma myrtilloìdes Swartz. fl. ind. occ. 2. p. 833. t. 14.								
2 guianénsis DC.	(*ye*)	Guiana	Guiana	1825.	——	S	♄	Aubl. guian. 1. t. 180.
3 grandiflòra DC.	(*wh*)	great-flowered	Brazil	1822.	....	S	♄	
4 alternifòlia H.B.	....	alternate-leav'd	E. Indies	1823.	....	S	♄	

ORDER XC.

COMBRETA'CEÆ. *DC. prodr.* 3. *p.* 9.

Tribe I. *TERMINALIE Æ.* DC. *prodr.* 3. *p.* 9.

'CIDA DC. OLIVE-BARK-TREE. (*βους*, an ox; horn terminating flower-spike.) Decand.Monog.

Bŭceras DC.	(*wh*) Jamaica	Jamaica	1793. 7.10.	S	♄		Bot. reg. t. 907.
capitàta DC.	(*wh*) headed	W. Indies	1826.	S	♄		Vahl. ecl. 1. t. 8.

RMINA'LIA. DC. TERMINA'LIA. (*terminus*, the end; leaves at ends.) Polygamia Monœcia.

S. 1. CATA'PPA; *drupe compressed, winged, containing a woody putamen.*

Tamboúca DC.	(*wh*) Guiana	Guiana	1826.	S	♄		Aubl. guian. 1. t. 178.
angustifòlia DC.	(*wh*) narrow-leaved	E. Indies	1692. 5. 7.	S	♄		Jacq. vind. 3. t. 100.
Catáppa Benzoin Gært. fruct. 2. p. 206. t. 127.							
mauritiàna DC.	(*wh*) Mauritius	Mauritius	1822.	S	♄		Lam. ill. t. 848. f. 2.
Catáppa DC.	(*wh*) large-leaved	E. Indies	1778. 5. 7.	S	♄		Jacq. ic. 1. t. 197.
subcordàta K.S.	(*wh*) heart-leaved	W. Indies	1816.	S	♄		
moluccàna DC.	(*wh*) Moluccas	Moluccas	——	S	♄		Rumph. amb. 1. t. 68.
glabràta DC.	(*wh*) smooth-leaved	Society Isles	1822.	S	♄		Spreng. antiq. bot. t. 2.

S. 2. MYROBA'LANUS; *drupe ovate, dry or baccate, containing a roundish angularly-furrowed putamen.*

latifòlia DC.	(*wh*) broad-leaved	W. Indies	1778. 6. 8.	S	♄		
bengalénsis DC.	(*wh*) Bengal	E. Indies	1826.	S	♄		
Bellérica DC.	(*wh*) fetid-flowered	———	1818.	S	♄		Roxb. corom. 2. t. 198.
Chébula DC.	(*wh*) oval-leaved	———	1796. 6. 8.	S	♄		———— 2. t. 197.
citrina DC.	(*st*) Citron-leaved	———	1823.	S	♄		Gært. fruct. 2. t. 97.
prócera DC.	(*wh*) lofty	———	1816.	S	♄		Roxb. corom. 3. t. 224.
gangética H.B.	(*wh*) Ganges	———	1823.	S	♄		
biticiria H.B.	(*wh*) Silhet	———	1824.	S	♄		
† *Species hardly known.*							
arbúscula DC.	(*wh*) small-tree	Jamaica	1822.	S	♄		
seríceа DC.	(*wh*) silky-leaved	C. B. S.	1816.	I	♄		
Fatme'a DC.	(*wh*) Madagascar	Madagascar	1826.	S	♄		

NTA'PTERA. DC. PENTA'PTERA. (*πεντε*, fine, and *πτερον*, a wing; fruit.) Polygamia Monœcia.

tomentòsa DC.	(*wh*) woolly	E. Indies	1824.	S	♄		DC. diss. t. 1.
paniculàta DC.	(*wh*) panicled	———	1826.	S	♄		
Arjùna DC.	(*wh*) glaucous-leaved	———	1825.	S	♄		DC. diss. t. 2.
bialàta H.B.	(*wh*) two-winged	———	——	S	♄		

ETO'NIA DC. GETO'NIA. (etymology unknown.) Decandria Monogynia.

floribunda DC.	(*wh*) many-flowered	E. Indies	1815. 5. 7.	S	♄	◡	Roxb. corom. 1. t. 87.
nùtans DC.	(*wh*) nodding	———	1823. ——	S	♄	◡	

ONOCA'RPUS DC. BUTTON-TREE. (*κονος*, a cone, and *καρπος*, a fruit; form.) Pent-Dec.Mon.

1 erécta W.	(*wh*) upright	Jamaica	1752. 6. 8.	S	♄		Jacq. amer. t. 52. f. 1.
2 procúmbens W.	(*wh*) procumbent	Cuba	1730. ——	S	♄		——— t. 52. f. 2.
3 acuminàta DC.	(*wh*) pointed-leaved	E. Indies	1822.	S	♄		
4 latifòlia DC.	(*wh*) broad-leaved	———	1816.	S	♄		

Tribe II. *COMBRETEÆ.* *DC. prodr.* 3. *p.* 18.

LAGUNCULA'RIA DC. LAGUNCULA'RIA. (etymology unexplained) Decandria Monogynia.

racemòsa DC.	(*gr*) racemed	W. Indies	1825.	S	♄		Jacq. amer. t. 53.

COMBRETUM DC. COMBRE'TUM. (a name given by Pliny to a cl. pl.) Octo-Decand.Monogynia.

Sect. 1. EUCOMBRE'TUM; *flowers octandrous.*

1 secùndum DS.	(*ye.sc*) side-flowering	W. Indies	1822.	S	♄	◡	Jacq.am.pic.t.260.f.26.
2 élegans DS.	(*re*) elegant	S. America	1823.	S	♄	◡	Aubl. gui. 1. t. 137.
3 formòsum DS.	(*ye.re*) beautiful	Brazil	1824.	S	♄	◡	
4 farinòsum DS.	(*or*) mealy-leaved	Mexico	1823.	S	♄	◡	

5 láxum DS. (*wh*) loose-racemed S. America 1822. .... S ♄ ◡ Lam. ill. t. 282. f. 1.
6 nànum DS. (*wh*) dwarf Nepaul 1826. .... G ♄
7 micránthum DS. (*sc*) small-flowered Sierra Leone 1828. .... S ♄
parviflòrum Reichenb. hort. bot. t. 62.
Sect. 2. POI'VREA; *flowers decandrous.*
8 comòsum DS. (*cr*) tufted Sierra Leone 1821. 5. 8. S ♄ ◡ Bot. reg. t. 1165.
9 intermèdium DS. (*cr*) intermediate ——— —— .... S ♄ ◡
10 alternifòlium DS. (*wh*) alternate-leav'd S. America 1826. .... S ♄ ◡ Jacq. am. pic. t. 260. f.
decándrum Jacq. *Poívrea decándrum* DC.
11 purpùreum DS. (*sc*) scarlet-flowered Madagascar 1818. 3. 10. S ♄ ◡ Bot. reg. t. 429.
Poívrea coccínea DC. *Cristària coccínea* Sonn. itin. 2. t. 140. *non* Pursh.
12 decándrum DS. (*wh*) Roxburgh E. Indies 1822. .... S ♄ ◡ Roxb. corom. 1. t. 5
Poívrea Roxbúrghii DC.
13 grandifòrum DS. (*sc*) great-flowered Sierra Leone 1824. 7. 10. S ♄ ◡ Bot. reg. t. 1631.
Afzèlii DS. L. T.
CACOU'CIA DC. CACOU'CIA. (Guiana name.) Dodecandria Monogynia.
coccínea DC. (*sc*) scarlet Guiana 1815. .... S ♄ ◡ Aubl. guian. 1. t. 17
Schousbœ'a coccínea W.
QUISQUA'LIS DC. QUISQUA'LIS. (*quis*, who, and *qualis*, what kind; uncertainty.) Dec. Mo
1 índica DC. (*cr*) Indian China 1815. 5. 8. S ♄ ◡ Bot. reg. t. 492.
2 glàbra DC. (*cr*) smooth E. Indies 1825. —— S ♄ ◡ Burm. ind. t. 28. f. 2
3 pubéscens S.S. .... pubescent China 1815. .... S ♄ ◡
4 villòsa S.S. .... villous Pegu 1818. .... S ♄ ◡

ORDER XCI.

VOCHYSIE'Æ. *DC. prodr.* 3. *p.* 25.

VOCHY'SIA DC. VOCHY'SIA. (*Vochy*, Guiana name.) Monandria Monogynia.
1 guianénsis DC. (*ye*) Guiana Guiana 1822. .... S ♄ Aubl. guian. 1. t. 6.
Cuculària excélsa W.
2 tomentòsa DC. (*ye*) woolly ——— 1825. .... S ♄
QUA'LEA DS. QUA'LEA. (Guiana name.) Monandria Monogynia.
violàcea M.P. (*vi*) violet-coloured Brazil 1824. .... S ♄ Mart. pl. bras. 1. t. 8
ERI'SMA DS. ERI'SMA. (ἐρισμα, strife; anomalous.) Monandria Monogynia.
floribúnda D.S. (*vi.bl*) many-flowered Guiana 1825. .... S ♄ Tratt. tab. t. 105.

ORDER XCII.

RHIZOPHOREÆ. *DC. prodr.* 3. *p.* 31.

OLI'SBEA DC. OLI'SBEA. (ολισβος; form of fruit.) Decandria Monogynia.
rhizophoræfòlia DC. Rhizophora-ld. W. Indies 1825. .... S ♄
RHIZO'PHORA DC. (ριζα, a root, and φορεω, to bear; branches.) Octandria Monogynia.
Mángle DC. (*ye*) common India 1818. .... S ♄ Jacq. amer. t. 89.
CARA'LLIA DC. CARA'LLIA. (*Carallie*, Telinga name.) Dodecandria Monogynia.
lùcida DC. (*ye*) glossy E. Indies 1826. .... S ♄ Roxb. corom. 3. t. 21

ORDER XCIII.

ONAGRARIE'ÆE. *DC. prodr. v.* 3. *p.*35.

Tribe I. *MONTINIE'ÆE.* DC. prodr. loc. cit.

MONTI'NIA DC. MONTI'NIA. (L. Montin, an acute Swedish bot.) Dicœcia Tetrandia.

ìcris DC.	(*wh*) Sea purslane-ld.	C. B. S.	1774.	7. 8.	G	♄	Smith spicil. t. 15.
caryophyllàcea Thunb.							

Tribe II. *FUCHSIE'ÆE.* DC. prod. v. 3. p. 36.

FU'CHSIA DC. FU'CHSIA. (L. Fuchs, cel. Germ. bot.) Octandria Monogynia.

Sect. 1. EUCLIA'NDRA; *stamens inclosed; flowers polygamous.*							
1 microphy'lla DC.	(*re*) small-leaved	Mexico	1827.	6. 9.	F	♄	Swt. br. fl. gar. s. 2. t. 16.
2 thymifòlia DC.	(*re*) Thyme-leaved	———	1829.	4.10.	F	♄	——— 2. t. 25.
3 cylindràcea B.R.	(*re.gr*) cylindrical	———	1836.	——	F	♄	Bot. reg. s. 2. t. 66.
4 lycioìdes DC. *rùsea* R. et P.	(*re*) Box-thorn-ld.	Chili	1796.	4.10.	F	♄	Bot. mag. t. 1024.
5 parviflòra DC.	(*re*) small-flowered	Mexico	1824.	6. 9.	F	♄	Bot. reg. t. 1048.
6 bacillàris B.R.	(*ro*) rod-branched	———	——	——	F	♄	——— t. 1480.
Sect. 2. MACROSTE'MMA; *stamens exserted; flowers bisexual.*							
7 arborèscens DC.	(*ro*) arborescent	Mexico	1823.	6.10.	G	♄	Bot. reg. t. 943.
8 macrostémma DC.	(*se*) large-crowned	Chili	——	5.10.	F	♄	Flor. per. 3. t. 324. f. b.
β *tenélla* DC.	(*se*) *weak*	———	1822.	——	F	♄	
γ *cònica* D.Don. *cònica* B.R.	(*se*) *conical-tubed*	———	1824.	——	F	♄	Bot. reg. t. 1062.
δ *globòsa* D.Don. *globòsa* B.R. t. 1556. B.M. 3364.	(*se*) *globose-tubed*	———	——	——	F	♄	Swt. br. fl. gar. s. 2. t. 216.
ε *grácilis* D.Don. *grácilis* B.R. *decussàta* DC.	(*se*) *slender*	Mexico	1822.	——	F	♄	Bot. reg. t. 847.
η *multiflòra* B.R.	(*se*) *many-flowered*	———	1824.	——	F	♄	Bot. reg. t. 1052.
ι *discolor* B.R.	(*re.pu*) *two-coloured*	Falkland Isl.	1830.	8.	F	♄	——— t. 1805.
κ *recurvàta* B.M.	(*se*) *recurved*	S. America	....	5.10.	F	♄	Bot. mag. t. 3523.
9 coccìnea DC.	(*se*) scarlet	Chili	1788.	——	F	♄	——— t. 97.
10 excorticàta DC.	(*gr.re*) changeable	N. Zealand	1821.	——	G	♄	Bot. reg. t. 857.
11 fulgens B.R.	(*se.bl*) fulgent	Mexico	1835.	——	G	♄	——— n. s. t. 1.

Tribe III. *ONA'GREÆ.* DC. prodr. v. 3. p. 40.

CHAMÆNE'RION Tourn. CHAMÆNE'RION. (χαμαι, dwarf; and νεριον, oleander.) Oct. Mon.

1 spicàtum G.B.	(*re*) spiked	England	....	7. 8.	H	♃	Eng. bot. v. 28. t. 1947.
Epilòbium angustifòlium E.B.							
β *albiflòrum*	(*wh*) *white-flowered*	———	....	——	H	♃	
2 speciòsum L.C.	(*re*) handsome	Europe	....	——	H	♃	
Epilòbium angustifòlium β *làtum* DC. *latifòlium* Schmidt.							
3 americànum	(*re*) American	N. America	1825.	——	H	♃	
4 romarinifòlium DC.	(*re*) Rosemary-ld.	Europe	1775.	6. 8.	H	♃	Reich. ic. 4. t. 341.
Epilòbium angustissimum Bot. mag. t. 76.							
5 Hallèri Retz.	(*re*) Haller's	Switzerland	1798.	——	H	♃	Reich. ic. 4. t. 342.
Epilòbium Dodonæ'i Allioni. *rosmarinifòlium* β *alpìnum* DC.							
6 latifòlium	(*li*) broad-leaved	Europe	1779.	7. 8.	H	♃	Sal. par lond. t. 58.
balsamifòlium E.B.							

EPILO'BIUM DC. WILLOW-HERB. (*επι*, upon, and *λοβος*, a pod; flowers.) Octan. Monog.

1	alpìnum DC.	(*ro*) alpine	Britain	....	6. 7.	H	♃	Eng. bot. v. 28. t. 2001.
2	origanifòlium DC. *alsinifòlium* E.B.	(*ro*) Marjoram-leav'd	———	....	7. 8.	H	♃	——— v. 28. t. 2000.
3	minùtum D.S.	(*pk*) minute	N. America	1826.	6. 7.	H	☉	
4	ròseum E.B.	(*ro*) rose-coloured	———	....	——	H	♃	——— v. 10. t. 693.
5	alpéstre S.S.	(*ro*) simple-stalked	Switzerland	....	——	H	♃	
6	montànum DC.	(*li*) mountain	Britain	....	——	H	♃	Eng. bot. v. 17. t. 1177.
7	nùtans DC.	(*bh*) nodding	Bohemia	1827.	——	H	♃	Reich. ic. 2. t. 197.
8	Hornemánni DC. *nùtans* Horn. *nec aliorum.*	(*li*) Hornemann's	Finland	——	——	H	♃	—— p. 73. t. 180.
9	coloràtum DC.	(*ro*) pink-flowered	N. America	1805.	——	H	♃	
10	dahùricum DC.	(*wh*) Dahurian	Dahuria	1816.	——	H	☉	
11	hirsùtum DC.	(*pu*) Codlins & cream.	Britain	....	——	H	♃	Eng. bot. v. 12. t. 838.
12	tomentòsum DC.	(*pu*) woolly	Levant	1821.	——	H	♃	Vent. hort. cels. t. 90.
13	villòsum DC.	(*pu*) villous	C. B. S.	1799.	——	G	♃	
14	cylíndricum DC.	(*ro*) round-stemmed	Nepaul	1827.	——	H	♃	
15	palústre DC.	(*ro*) round-stalked	Britain	....	——	H	♃	Eng. bot. v. 5. t. 346.
16	rivulàre DC.	(*ro*) rivulet	N. Europe	1828.	——	H	♃	Reich. ic. 2. t. 170.
17	parviflòrum DC.	(*pu*) small-flowered	Britain	....	——	H	♃	Eng. bot. v. 12. t. 795.
18	hypericifòlium Ta.	(*re*) hypericum-ld.	S. Europe	1837.	——	H	♃	
19	squammàtum DC. *rosmarinifòlium* Ph.	(*wh*) scaly	N. America	1800.	——	H	♃	
20	tetragònum DC.	(*pu*) square-stemmed	Britain	....	——	H	♃	Eng. bot. v. 28. t. 1948.
21	obscùrum P.S.	(*pu*) obscure	Europe	1820.	——	H	♃	Reich. ic. 2. t. 199.
22	canéscens H.H.	(*ro*) canescent	.....	1826.	——	H	♃	

HARTMA'NNIA Spach. HARTMA'NNIA. (Hartmann, a German bot.) Octandria Monogynia.

	ròsea Spach. *Œnothèra ròsea* DC.	(*ro*) rose-coloured	Peru	1783.	5. 9.	F	♄	Bot. mag. t. 347.

GAU'RA DC. GAU'RA. (*γαυρος*, superb.) Octandria Monogynia.

1	biénnis DC.	(*bh*) biennial	N. America	1762.	8.10.	H	♂	Bot. mag. t. 389.
2	angustifòlia DC. *fruticòsa* Jacq. *ex* DC. prodr.	(*fl*) narrow-leaved	Carolina	1816.	7. 9.	F	♂	Jacq. ic. 3. t. 457.
3	sinuàta DC.	(*fl*) sinuate-leaved	Arkanza	1826.	——	H	♂	
4	tripétala DC.	(*bh*) three-petaled	Mexico	1804.	8.10.	H	☉	Cavan. ic. 4. t. 396. f. 1.
5	linifòlia DC.	(*wh*) Flax-leaved	Arkanza	1826.	7. 9.	H	♂	
6	parviflòra B.M.	(*pk*) small-flowered	N. America	——	8. 9.	H	♂	Bot. mag. t. 3506.
7	coccínea DC.	(*ro*) pale-scarlet	Louisiana	1811.	8.10.	H	♃	
8	mutábilis DC.	(*ye*) changeable-col.	N. Spain	1795.	7. 9.	F	♂	Bot. mag. t. 388.
9	œnotherifòra DC.	(*ye*) canescent	.....	1816.	——	F	♂	

SPHÆROSTI'GMA Ser. SPHÆROSTI'GMA. (*σφαιρα*, a sphere, and *στιγμα*, a stigma.) Oct. Mon.

1	Chamissònis Ser. *Œnothèra dentàta* DC.	(*ye*) Chamisson's	Chili	1818.	6. 9.	H	☉	Lindll. coll. t. 10.
2	micránthum S.S. *Œnothèra micránthа* DC. *hirta* L. en.	(*ye*) small-blossom'd	California	1820.	——	H	☉	
3	strigulòsum F.M.	(*ye*) strigulose	California	1836.	6. 9.	H	☉	
4	minutiflòrum F.M. *Œnothèra contórta* Hook.	(*ye*) minute-leaved	Chili	——	——	H	☉	
5	cheiranthifòlium F.M.	(*ye*) Wallflower-ld.	Chili	1820.	——	F	♄	Bot. reg. t. 1040.
6	spiràle F.M. *Œnothèra spiràlis* Hook.	(*ye*) spiral	N. America	1836.	——	H	☉	

ŒNOTHE'RA DC. EVENING PRIMROSE. Octandria Monogynia.

Sect. 1. ONA'GRA; *stigma quadrifid; anthers oblong-linear; capsules cylindrical, prismatic, or obsoletely tetragonal, thickened at the base.*

1	biénnis DC.	(*ye*) common	N. America	1629.	6. 9.	H	♂	Eng. bot. v. 22. t. 1534.
2	elàta DC.	(*ye*) tall upright	Mexico	1827.	7.10.	F	♂	
3	bífrons D. Don.	(*ye*) two-faced	Texas	1835.	9.10.	H	♂	Swt. br. fl. gar. s. 2. t. 386.
4	grandiflòra DC. *biénnis* var. *grandiflòra* B.R. 1604.	(*ye*) large-flowered	N. America	1778.	6. 8.	H	♂	Bot. mag. t. 2068.
5	suavèolens DC.	(*ye*) fragrant	———	....	——	H	♂	
6	Simsiàna DC. *corymbòsa* B.M. *non* Lamarck.	(*ye*) Sims's	Mexico	1816.	7.10.	F	♂	Bot. mag. t. 1974.
7	salicifòlia DC.	(*ye*) Willow-leaved	.....	1818.	6. 9.	H	♂	
8	parviflòra DC.	(*ye*) small-flowered	N. America	1757.	6. 8.	H	♂	Meerb. ic. 1. t. 34.
9	cruciàta N.	(*st*) cross-petalled	———	1821.	6.10.	H	♂	
10	muricàta DC.	(*ye*) prickly-stalked	———	1789.	7. 9.	H	♂	Murr. com. goet. 6. t. 1.
11	noctúrna DC.	(*ye*) night-smelling	C. B. S.	1790.	4. 8.	G	♂	Jacq. ic. 3. t. 455.
12	longiflòra DC.	(*ye*) long-flowered	B. Ayres	1776.	7. 9.	H	♂	Bot. mag. t. 365.
13	villòsa DC.	(*ye*) villous	C. B. S.	1791.	——	G	♂	
14	mollíssima DC.	(*ye*) soft wave-ld.	B. Ayres	1732.	6.10.	H	♂	Schkuhr. hand. 1. t. 101.

15 odoràta DC.	(ye) sweet-scented	Patagonia	1790.	4. 8.	H	♃	Bot. mag. t. 2403.
α *glaucéscens* DC.	(ye) *glaucescent*	———	——	——	H	♃	Jacq. ic. 3. t. 456.
β *purpúrea* DC.	(ye) *purple-stalked*	———	——	——	H	♃	Bot. reg. t. 147.
16 striàta DC.	(ye) striped-seeded	.....	1816.	6. 9.	H	⊙	
17 sinuàta DC.	(ye) scollop-leaved	N. America	1770.	7. 8.	H	⊙	Bot. mag. t. 3392.
18 Sellòwii L.C.	(ye) Sellow's	M. Video	....	....	H	⊙	
19 Drummóndii B.M.	(ye) Drummond's	Texas	1833.	8. 9.	H	♃	Bot. mag. t. 3361.
20 corymbòsa DC.	(ye) corymbose	.....	1826.	6. 9.	H	♂	
21 spectábilis H.H.	(ye) showy	Mexico	1822.	——	F	♂	
22 gaurùides DC.	(ye) Gaura-like	Baltimore	1816.	7. 9.	H	♂	
23 mèdia DC.	(ye) intermediate	N. America	1821.	6. 9.	H	♃	
24 eròsa DS.	(ye) Erose-petalled	C. B. S.	1828.	7. 9.	H	♂	
25 serrulàta DC.	(ye) saw-leaved	N. America	1821.	6.10.	H	♃	Sweet br. fl. gar. t. 133.
26 pállida B.R.	(bh) pale	———	1827.	6. 8.	H	♃	Bot. reg. t. 1142.
27 albicaúlis DC.	(wh) white-stalked	———	1811.	5. 9.	H	⊙	
pinnatífida N. *non* Kth.							
28 Nuttallii	(wh) Nuttall's	———	——	5. 8.	H	♃	
albicaúlis N. *non* Pursh.							

Sect. 2. ŒNOTHE'RIUM; *stigma quadrifid; anthers oblong; capsules oblong or obovate, tetragonal; having the angles prominent.*

29 cæspitòsa DC.	(wh) tufted	N. America	1811.	6. 9.	H	♃	Bot. mag. t. 1593.
30 acaúlis DC.	(wh) short-stalked	Chili	1822.	——	H	♃	Bot. reg. t. 763.
31 taraxacifòlia B.F.G.	(w) Dandelion-ld.	———	1823.	——	H	♃	Sweet. br. fl. gar. t. 294.
grandiflòra Flor. peruv. 3. t. 318. f. b. *nec aliorum.*							
32 anisóloba DS.	(wh) unequal-lobed	Chiloe	1828.	6.	H	♃	Swt. br. fl. gard. s. 2. t. 105.
33 tríloba DC.	(st) root-flowering	N. America	1821.	6.10.	H	⊙	Bot. mag. t. 2566.
rhizocárpa S.S.							
34 macrocárpa DC.	(ye) large-fruited	———	1811.	6. 8.	H	♃	Sweet br. fl. gar. t. 5.
35 missouriénsis B.M.	(ye) Missouri	———	——	——	H	♃	Bot. mag. t. 1592.
alâta Nutt.							
36 virgàta DC.	(pu) slender-twigged	Peru	1823.	6. 9.	H	⊙	Flor. per. t. 315.
37 pinnatífida DC.	(ye) pinnatifid	Mexico	1825.	——	F	♃	
38 tetrúptera DC.	(wh) four-winged	———	1796.	——	H	⊙	Bot. mag. t. 468.
39 latifòra DC.	(wh) broad-flowered	———	1826.	——	H	♃	Flor. mex. ined. t. 376.
40 glaúca DC.	(ye) glaucous-leaved	N. America	1812.	5.10.	H	♃	Bot. mag. t. 1606.
41 fruticòsa DC.	(ye) frutescent	———	1737.	6. 8.	H	♃	——— t. 332.
42 ambígua DC.	(ye) ambiguous	———	....	....	H	♃	——— t. 3545.
fruticòsa var. *ambígua* B.M.							
43 serótina B.F.G.	(ye) late-flowered	———	1820.	7.10.	H	♄	Sweet br. fl. gar. t. 184.
44 tetragòna DC.	(ye) blunt-leaved	———	....	6. 8.	H	♃	
45 Frasèri DC.	(ye) Fraser's	———	1811.	5.10.	H	♃	Bot. mag. t. 1674.
46 pùmila DC.	(ye) dwarf	———	1757.	5. 9.	H	♃	——— t. 355.
47 lineàris DC.	(ye) linear-leaved	———	....	6. 8.	H	♃	
48 speciòsa DC.	(wh) handsome	Louisiana	1821.	——	H	♃	Sweet br. fl. gar. t. 253.
49 canadénsis DC.	(ye) Canadian	Canada	1825.	6. 9.	H	⊙	

EUCHARI'DIUM F.M. EUCHARI'DIUM. (εὐ, well, and χαρις, comeliness.) Octandria Monogynia.

concínnum F.M.	(ro) neat	California	1836.	5. 9.	H	⊙	Bot. reg. t. 1962.

BOISDUVA'LIA Spach. BOISDUVA'LIA. (M. Boisduval, a French bot.) Octandria Monogynia.

1 Douglàsii Spach.	(pu) Douglas's	California	1831.	6. 7.	H	⊙	Bot. reg. t. 1593.
Œnothèra densiflòra B.R. 1593.							
2 concínna Spach.	(pu) neat	Chili	1832.	6. 8.	H	⊙	Swt. br. fl. gar. s. 2. t. 183.
Œnothèra concínna D. Don. *humifùsa* Bot. reg. t. 1829.							

GODE'TIA Spach. GODE'TIA. (M. Godet, a French bot.) Octandria Monogynia.

1 Cavanillesiàna Sp.	(pu) Cavanilles's	Chili	1822.	5. 9.	H	⊙	Swt. br. fl. gar. t. 167.
Œnothèra tenella DC.							
2 Gayàna Sp.	(pu) Gay's	———	1820.	——	H	⊙	Bot. reg. t. 1587.
Œnothèra tenuifòlia DC. G. *tenélla* var. *tenuifòlia* Bot. reg.							
3 vinòsa B.R.	(pa) venous	California	1833.	——	H	⊙	Bot. reg. t. 1880.
4 rubicúnda B.R.	(re) reddish	———	——	——	H	⊙	——— t. 1856.
5 lèpida B.R.	(pu) lepid	———	——	——	H	⊙	——— t. 1849.
6 viminea Sp.	(pu) twiggy	N. America	1827.	——	H	⊙	——— t. 1220.
7 decúmbens Sp.	(pu) decumbent	———	——	——	H	⊙	——— t. 1221.
8 quadrivúlnera Sp.	(pu) four-spotted	———	——	——	H	⊙	——— t. 1119.
9 Lindleyàna Sp.	(pu) Lindley's	———	——	——	H	⊙	Swt. br. fl. gar. s. 2. t. 19.
10 amœ'na	(wh. ro) pleasing	———	1826.	——	H	⊙	——— t. 268.
Œnothèra roseo-álba DC.							
11 purpùrea Sp.	(pu) purple	———	1784.	——	H	⊙	Bot. mag. t. 352.
12 Romanzòvii Sp.	(pu) Romanzow's	———	1819.	——	H	⊙	Bot. reg. t. 662.

CLA'RKIA Ph. CLA'RKIA. (Capt. Clarke, N. American trav.) Octandria Monogynia.

1 [illegible] Ph.	(ro) beautiful	N. America	1827.	5.10.	H	⊙	Swt. br. fl. gar. s. 2. t. 157.

	β albiflòra	(*wh*) *white-flowered*	N. America	1827.	5.10.	H ⊙		Swt. fl. gar. s. 2. t. 157. f.
	γ integrilòba	(*ro*) *entire-lobed*	———	——	——	H ⊙		
2	élegans Doug.	(*pu*) elegant	California	1830.	——	H ⊙		Swt. br. fl. gar. s. 2. t. 20[illegible]
3	gauroìdes Doug.	(*pu*) Gaura-like	———	1835.	——	H ⊙		——— t. 379.
4	rhomboídea DS.	(*pu*) rhomboid	N. America	1833.	——	H ⊙		Bot. reg. t. 1981.

Tribe IV. *JUSSIE'Æ.* DC. prodr. v. 3. p. 52.

JUSSIÆ'A DC. JUSSIÆ'A. (A. de Jussieu, uncle of the cel. A. L. de Jussieu.) Octo-Dec-Dodec. Mono.

§ 1. *Petals* 5, *rarely* 6; *stamens* 10, *rarely* 12.

1	variábilis DC.	(*ye*) variable	Guiana	1820.	7. 9.	S *w* ♄		
2	leptocárpa DC.	(*ye*) narrow-podded	Mississipi	1824.	——	H ⊙		
3	pilòsa DC.	(*ye*) hairy	Caracas	1829.	——	S *w* ♃		H. et B. n. gen. 6. t. 532.
4	grandifòra DC.	(*ye*) great-flowered	Carolina	1812.	7.10.	G *w* ♃		Bot. mag. t. 2122.
5	rèpens DC.	(*wh*) creeping	E. Indies	1816.	——	S *w* ♃		Rheed. mal. 2. t. 51.
6	Swartziàna DC.	(*ye*) Swartz's	W. Indies	1826.	——	S *w* ♃		

§ 2. *Petals* 4; *stamens* 8.

7	inclinàta DC.	(*ye*) inclined	Surinam	1820.	——	S *w* ⊙		
8	acuminàta DC.	(*ye*) acuminate	Jamaica	——	——	S ⊙		
9	linifòlia DC.	(*ye*) Flax-leaved	W. Indies	——	——	S ⊙		
10	erécta DC.	(*ye*) upright	S. America	1739.	——	S *w* ♂		Gært. fruct. t. 31.
11	frutéscens DC.	(*ye*) frutescent	.....	1829.	4. 6.	S *w* ♃		
12	longifòlia DC.	(*ye*) long-leaved	Brazil	1828.	6. 9.	S *w* ♃		DC. pl. rar. gen. 1. t. 4.
13	decúrrens DC.	(*ye*) decurrent	N. America	——	——	H *w* ♃		Abb. ins. t. 40.
14	ovalifòlia DC.	(*ye*) oval-leaved	Madagascar	1823.	7. 9.	S *w* ♃		Bot. mag. t. 2530.
15	Burmánni DC.	(*ye*) Burmann's	E. Indies	1808.	8. 9.	S *w* ♄		Andr. reposit. 621.
	suffruticòsa A.R.							
16	villòsa DC.	(*ye*) villous	———	1826.	——	S *w* ♄		Rheed. mal. 2. t. 50.
17	octonérvia DC.	(*ye*) eight-nerved	S. America	....	7. 9.	S *w* ♃		Lam. ill. t. 280. f. 1.
	Œnothèra octoválvis Jacq. amer. t. 70.							
18	octófila DC.	(*ye*) eight-veined	Caribees	....	——	S *w* ♃		Plum. ed. Bur. t. 175. f. 1.
19	scàbra DC.	(*ye*) rough	Brazil	1816.	——	S *w* ♃		
20	hírta DC.	(*ye*) hairy	S. America	1823.	——	S *w* ♄		Plum. ed. Bur. t. 174. f. 2.

LUDWI'GIA DC. LUDWI'GIA. (C. G. Ludwig, prof. med. Leipsic.) Tetrandria Monogynia.

1	jussiæoìdes DC.	(*ye*) Jussiæa-like	Mauritius	1826.	7. 9.	S *w* ♃		
2	parviflòra DC.	(*ye*) small-flowered	E. Indies	1812.	——	S ⊙		

ISNA'RDA DC. ISNA'RDA. (A. D. Isnard, French bot.) Tetrandria Monogynia.

Sect. 1. LUDWIGIA'RIA; *petals present; leaves alternate.*

1	alternifòlia DC.	(*ye*) alternate-leaved	N. America	1752.	6. 7.	H *w* ♃		Lam. ill. t. 77.
	Ludwígia alternifòlia L. *macrocárpa.* M.							
2	hirsùta DC.	(*ye*) hairy	———	1812.	6. 8.	H *w* ♃		

Sect. 2. DA'NTIA; *petals wanting; leaves opposite.*

3	palústris DC.	(*gr*) marsh	Britain	....	7. 8.	H *w* ♃		Eng. bot. t. 2593.
4	nítida	(*gr*) American	America	....	——	H *w* ♃		
	Ludwígia nítida M. *apétala* Walter. *palústris* Torrey.							

Tribe V. *CIRCÆE'Æ.* DC. prodr. v. 3. p. 61.

LOPE'ZIA DC. LOPE'ZIA. (Th. Lopez, a Spanish bot.) Monandria Monogynia.

1	racemòsa DC.	(*pu*) smooth	Mexico	1792.	8.10.	G ♂		Bot. mag. t. 254.
2	cordàta DC.	(*pu*) heart-leaved	———	1826.	7.10.	H ⊙		
3	coronàta DC.	(*pu*) coronet-flowered	———	1805.	——	H ⊙		Sweet br. fl. gar. t. 08.
4	oppositifòlia DC.	(*pu*) opposite-leaved	———	1825.	——	H ⊙		
5	integrifòlia DC.	(*pu*) entire-leaved	———	——	——	H ⊙		
6	miniàta DC.	(*pu*) frutescent	———	1824.	9.11.	G ♄		Jacq. f. ecl. t. 109.
7	hirsùta DC.	(*pu*) hairy	———	1796.	——	G ♂		Jacq. coll. 5. t. 15. . 4.
8	pùmila DC.	(*pu*) dwarf	———	1825.	7. 9.	H ⊙		

CIRCÆ'A DC. ENCHANTRESS'S NIGHTSHADE. (Circe, the fam. enchantress.) Diand. M[illegible] no.

1	lutetiàna DC.	(*wh*) common	Britain	....	6. 8.	H ♃		Egg. bot. v. 15. t. 1 56.
2	canadénsis L.	(*wh*) smooth-stalked	N. America	....	——	H ♃		
3	alpìna DC.	(*wh*) mountain	Britain	....	6. 9.	H ♃		Eng. bot. v. 15. t. 1 57.

ORDER XCIV.

HYDROCA'RYEÆ. *DS. syst.* 2. *p.* 700.

TRA'PA DC. WATER-CALTROPS. (abridged from *Calcitrapa*, caltrops.) Tetrand. Monogy.

1 nàtans DC.	(*wh*) floating	S. Europe	1781.	6. 8. H *w* ⊙	Bot. reg. t. 259.
2 quadrispinòsa DC.	(*wh*) four-spined	E. Indies	1823.	—— S *w* ⊙	
3 bispinòsa DC.	(*wh*) two-spined	————	1822.	6. 9. S *w* ⊙	Roxb. corom. t. 234.
4 bicórnis DC.	(*wh*) two-horned	China	1790.	—— G *w* ♃	Braam ic. chin. t. 22.

ORDER XCV.

HALORA'GEÆ. *DC. prodr. v.* 3 *p.* 65.

Tribe 1. *CERCODIA'NÆ.* DC. *prodr. v.* 3. *p.* 65.

SERPI'CULA DC. SERPI'CULA. (*serpo*, to creep.) Monœcia Tetrandria.

rèpens DC.	(*gr*) creeping	C. B. S.	1789.	7. 8. G ♃	Berg. cap. t. 5. f. 10.

GONIOCA'RPUS DC. GONIOCA'RPUS. (γωνια, an angle, and καρπος, a fruit.) Octand. Tetragy.

1 micránthus DC.	(*wh*) small-flowered	Japan	1805.	6. 9. H ⊙	Thunb. fl. jap. t. 15.
2 scàber DC.	(*wh*) rough-leaved	China	1820.	—— H ⊙	Ann. bot. 1. t. 12. f. 6.
3 teucrioìdes DC.	(*wh*) Teucrium-like	N. S. W.	1826.	—— H ⊙	

HALORA'GIS DC. HALORA'GIS. (ἁλς, the sea, and βαξ, a berry.) Octandria Di-Tetragynia.

1 prostràta DC.	(*gr*) prostrate	N. S. W.	1818.	4. 9. G ♄	
2 dígyna DC.	(*gr*) two-styled	N. Holland	1826.	—— G ♄	Labil. n. holl. 1 t. 129.

CERCO'DIA DC. CERCO'DIA. (κερκος, a tail, and ειδος, like; petals.) Octandria Tetragynia.

erécta DC.	(*gr*) upright	N. Zealand	1772.	4. 9. G ♄	Jacq. ic. 1. t. 69.

Halorìgis alàta Jacq. *Cercòdia* H.K. *Tetragònia ivæfòlia* L.

PROSERPINA'CA DC. PROSERPINA'CA. (*proserpo*, to creep; plants.) Triandria Trigynia.

1 palústris DC.	(*wh*) marsh	N. America	1822.	7. 8. H *w* ⊙	Jus. an. mus. 3. t. 30. f. 1.
2 pectinàta DC.	(*wh*) pectinated	————	——	—— H *w* ⊙	Lam. ill. 1. t. 50. f. 1.

MYRIOPHY'LLUM. WATER MILFOIL. (μυριος, a myriad, and φυλλον, a leaf.) Monœc-Tetr-Oct.

1 spicàtum DC.	(*ro*) spiked	Britain	....	7. 8. H *w* ♃	Eng. bot. v. 2. t. 83.
2 pectinàtum DC.	(*ro*) pectinated	Europe	1828.	—— H *w* ♃	Flor. dan. t. 1046.
verticillàtum V.D.					
3 verticillàtum DC.	(*ro*) verticillate	England	....	—— H *w* ♃	Eng. bot. v. 4. t. 218.

Tribe II. *CALLITRICHI'NEÆ.* D.C. *prod. v.* 3. *p.* 70.

CALLI'TRICHE DC. WATER STARWORT. (καλλος, beautiful, and θριξ, a hair.) Monand. Digyn.

1 vérna DC.	(*wh*) vernal	Britain	....	4.10. H *w* ⊙	Eng. bot. v. 11. t. 722.
2 autumnàlis DC.	(*wh*) autumnal	————	....	6.10. H *w* ⊙	———— t. 722. f. 2.
3 pedunculàta DC.	(*wh*) peduncled	————	....	4.10. H *w* ⊙	———— t. 2606.

Tribe III. *HIPPURI'DEÆ.* DC. *prod. v.* 3. *p.* 71.

HIPPU'RIS DC. MARE'S-TAIL. (ἱππος, a horse, and ουρα, a tail; resemblance.) Monand. Monog.

vulgàris DC.	(*gr*) common	Britain	....	5. H *w* ♃	Eng. bot. v. 11. t. 763.

ORDER XCVI.

CERATOPHY'LLEÆ. *Gray brit. pl. arr.* 2. *p.* 554.

CERATOPHY'LLUM DC. HORNWORT. (κερας, a horn, and φυλλον, a leaf; branched.) Mon. Pol

1	demérsum DC.	(*gr*) spiny-fruited	Britain	....	7. 9.	H *w* ♃	Eng. bot. v. 14. t. 9
2	submérsum DC.	(*gr*) naked-fruited	———	....	9.	H *w* ♃	——— v. 10. t. 6

ORDER XCVII.

LYTHRARIE'ÆE. DC. *prodr. v.* 3. *p.* 75.

Tribe I. *SALICARIE'ÆE.* DC. *prodr. v.* 3. *p.* 75.

PE'PLIS DC. WATER PURSLANE. (πεπλις, Greek for purslane.) Hexandria Monogynia.

1	Pórtula DC.	(*re*) common	Britain	....	7. 9.	H ☉	Eng. bot. v. 17. t. 1211
2	alternifòlia DS.	(*re*) alternate-leaved	Caucasus	....	6. 9.	H ☉	
3	biflòra Salzm.	.. two-flowered	Brazil?	....	——	S ☉	

AMMA'NNIA DC. AMMA'NNIA. (J. Ammann, prof. bot. Petersburgh.) Tetr-Heptandria Monogy

§ 1. *Flowers apetalous; stamens* 4.

1	ægyptìaca DC.	(*gr*) Egyptian	Egypt	1818.	7. 8.	H *w* ☉	Willd. hort. ber. t.
2	senegalénsis DC.	(*gr*) Senegal	Senegal	1836.	——	S *w* ☉	Lam. ill. t. 77. f. 2.
3	vesicatòria DC.	(*ye*) bladdered	E. Indies	1825.	——	S *w* ☉	Pluk. alm. t. 136. f.
4	occidentàlis DC.	(*gr*) occidental	Portorico	1829.	——	S *w* ☉	

§ 2. *Petals and stamens* 4.

5	cáspica DC.	(*gr*) Caspian	Astracan	1818.	——	H *w* ☉	
6	ramòsior DC.	(*pu*) branching	Virginia	1759.	——	H *w* ☉	Bocc. mus. t. 104.
7	latifòlia DC.	(*wh*) broad-leaved	W. Indies	1733.	——	S *w* ☉	Sloan. his. 1. t. 7. f.
8	hùmilis DC.	(*ro*) small	N. America	1823.	——	H *w* ☉	
9	baccífera RS.	(*ye*) berry-bearing	China	1820.	——	H *w* ☉	Burm. ind. t. 15. f.
10	verticillàta DC.	(*pu*) whorled	———	——	——	H *w* ☉	Lam. ill. t. 77. f. 3.
11	multiflòra DC.	(*re*) many-flowered	E. Indies	1818.	——	S *w* ☉	
12	dèbilis DC.	(*li*) cluster-flower'd	———	1778.	——	S *w* ☉	
13	diffùsa DC.	(*wh*) spreading	———	1818.	——	S *w* ☉	
14	rotundifòlia DC.	(*fi*) round-leaved	Nepaul	——	——	H *w* ☉	

§ 3. *Petals and stamens* 5.

15	pentándra DC.	(*wh*) pentandrous	E. Indies	1823.	——	S *w* ☉	

§ 4. *Petals* 4-7; *stamens* 8-14.

16	sanguinoléntaDC.	(*cr*) bloody	Jamaica	1803.	——	S *w* ☉	
17	octándra DC.	(*cr*) octandrous	E. Indies	1818.	——	S *w* ☉	Roxb. corom. 2. t. 133.
18	auriculàta DC.	(*pu*) eared	Egypt	1820.	——	H *w* ☉	Willd. h. ber. 1. t. 7.

† *Species hardly known.*

19	rùbra DC.	(*re*) red-flowered	Nepaul	1822.	——	H *w* ☉	
20	pállida DC.	(*pa*) pale-flowered	.....	1828.	——	H *w* ☉	
21	víridis DC.	(*gr*) green	.....	1818.	——	H *w* ☉	
22	Wormskióldii L.	.. Wormskiold's	Siberia	1828.	....	H *w* ☉	

LY'THRUM DC. LY'THRUM. (λυθρον, black blood; colour of fl.) Di-Dodecandria Monogynia.

Sect 1. HYSSOPIFO'LIA; *flowers solitary in the axils of the leaves, never in spikes.*

1	thymifòlium DC.	(*li*) Thyme-leaved	S. Europe	1820.	7. 9.	H ☉	Barrel. ic. 773. f. 2.
2	thesioìdes DC	(*li*) Thesium-like	Caucasus	1828.	——	H ☉	
3	lineàre DC.	(*wh*) linear-leaved	N. America	1812.	7. 8.	H ♃	
4	alàtum DC.	(*pu*) winged	———	——	5.11.	F ♃	Bot. mag. t. 1812.
5	hyssopifòlium DC.	(*li*) Hyssop-leaved	England	....	8. 9.	H ☉	Eng. bot. v. 5. t. 291

6 lanceolàtum DC. (*pu*) spear-leaved Carolina 1822. 7. 9. H ♃
7 álbum DC. (*wh*) white-flowered Mexico 1827. —— H ♄
§ 2. *Stamens twice the number of the petals.*
8 Græfferi DC. (*pu*) Græffer's S. Europe 1825. —— H ⊙
Sect. 2. SALICA'RIA; *terminal flowers disposed in racemose spikes; stamens twice the number of the petals.*
9 Salicària DC. (*pu*) common Britain[6] .... 7. 9. H *w* ♃ Eng. bot. v. 15. t. 1061.
10 pubéscens (*pu*) pubescent N. America .... 7. 8. H ♃
Salicària β pubéscens Ph.
11 diffùsum B.F.G. (*pu*) spreading ——— 1822. 7. 9. H ♃ Sweet br. fl. gar. t. 149.
12 virgàtum DC. (*ro*) slender-branch'd Europe 1776. 6. 9. H ♃ Bot. mag. t. 1003.
CU'PHEA DC. CU'PHEA. (κυφος, curved; capsules.) Dodecandria Monogynia.
§ 1. CIRCÆOI'DEÆ; *racemes spicate, terminal; flowers small.*
1 circæoìdes DC. (*vi*) Circæa-like S. America 1819. 8.10. H ⊙ Bot. mag. t. 2201.
2 spicàta DC. (*ro*) spiked Peru —— —— H ⊙ Cavan. icon. 4. t. 381.
§ 2. LONGIFLO'RÆ; *flowers axillary, disposed in racemose spikes; calyx tubular, spurred at base.*
3 Melvílla DC. (*sc.gr*) scarlet & green Guiana 1822. 6.10. S ♃ Bot. reg. t. 852.
§ 3. LYTHROI'DEÆ; *pedicels interpetiolar, 1-flowered; calyx gibbous at the base; petals large; stamens* 11-12.
4 viscosíssima DC. (*li*) clammy America 1776. 7.10. H ⊙ Swt. br. fl. gar. t. 60.
5 procúmbens DC. (*li*) procumbent Mexico 1816. 6. 9. H ⊙ Bot. reg. t. 182.
6 lanceolàta DC. (*pu*) spear-leaved ——— 1796. 5. 8. G ♂ Swt. br. fl. gar. s. 2. t. 402.
7 æquipétala DC. (*vi*) equal-flowered ——— 1828. 6. 9. H ⊙ Cavan. ic. 4. t. 382. f. 2.
8 virgàta DC. (*vi*) twiggy ——— —— —— H ⊙ ——— t. 382. f. 1.
§ 4. FRUTICO'SÆ; *pedicles alar 1-flowered; calyx and gibbous at the base.*
9 Llàvea B.R. (*sc*) Llave's Mexico 1829. 8.10. F ♄ Bot. reg. t. 1386.
10 decándra DC. (*pu*) ten-stamened Jamaica 1789. 6.10. S ♄
11 parviflòra DC. (*ro*) small-flowered Demerara 1824. 10.12. S ♄ Hook. ex. flor. t. 161.
12 Símsii ed. 1. (*li*) Sims's Trinidad 1823. 8.10. S ♄ Bot. mag. t. 2850.
serpyllifòlia B.M. *non* Kth. *Trinitàtis* DC..
13 multiflòra DC. (*vi*) many-flowered ——— 1822. —— S ♄ Lodd. bot. cab. t. 808.
ACISANTHE'RA DC. ACISANTHE'RA. (ακις, a point, and ανθηρα, an anther.) Decand. Monog.
quadràta DC. (*pi*) four-sided Jamaica 1804. .... S ♃ Brown. jam. t. 22. f. 1.
HEI'MIA DC. HEI'MIA. (Dr. Heim, cel. Berlin physician.) Dodecandria Monogynia.
1 salicifòlia DC. (*ye*) Willow-leaved Mexico 1821. 6. 9. F ♄ Swt br. fl. gar. t. 281.
2 myrtifòlia Ot. (*ye*) Myrtle-leaved ——— 1827. —— F ♄
DE'CODON DC. DE'CODON. (δεκας, ten, οδους, a tooth; calyx.) Decandria Monogynia.
verticillàtum DC. (*pu*) whorl-flowered N. America 1759. 7. 9. H *w* ♃
Ly'thrum verticillàtum L. *Nesæ'a verticillàta* Kth.
NESÆ'A DC. NESÆ'A. (name of a sea-nymph.) Oct.-Dodecandria Monogynia.
triflòra DC. (*bl*) three-flowered Mauritius 1802. 8. 9. S *w* ♃
Ly'thrum triflòrum L.
LAWSO'NIA DC. LAWSO'NIA. (Isaac Lawson, M.D., trav. in Carolina.) Octandria Monogynia.
1 spinòsa W. (*wh*) prickly E. Indies 1759. 6. 9. S ♄ Rheed. mal. 1. t. 40.
2 inérmis W. (*wh*) smooth Egypt —— —— G ♄ Rauw. ic. 60. t. 7.
GINO'RIA DC. GINO'RIA. (Marquis Carlo Ginori; prom. bot.) Dodecandria Monogynia.
americàna DC. (*bl*) American Cuba 1827. .... S ♄ Jacq. amer. t. 91.
GRI'SLEA DC. GRI'SLEA. (G. Grisley, a Portuguese bot.) Oct-Dodecandria Monogynia.
1 secùnda DC. (*re*) secund Caracas 1824. 6. 8. S ♄
2 tomentòsa DC. (*sc*) downy E. Indies 1804. 5.12. S ♄ Bot. reg. t. 30.
Woodfórdia floribùnda Sal. par. lond. t. 42. *Ly'thrum fruticòsum* L.

Tribe II. *LAGERSTRŒMIE'Æ.* DC. *prodr. v.* 3. *p.* 92.

LAGERSTRŒ'MIA DC. LAGERSTRŒ'MIA. (M. Lagerstroem, Germ. bot.) Icosandria Monogynia.
1 índica DC. (*re*) Indian China 1759. 8.10. F ♄ Bot. mag. t. 405.
β *cárnea* (*fl*) *flesh-coloured* ——— 1816. —— F ♄
γ *álba* (*wh*) *white-flowered* ——— —— —— F ♄
δ *rósea* DC. (*ro*) *rosy* ——— 1825. 8. 9. F ♄ Bot. cab. t. 1765.
2 parviflòra DC. (*wh*) small-flowered E. Indies 1816. 8. 10 S ♄ Roxb. corom. 1. t. 66.
3 speciòsa DC. (*ro*) beautiful China 1826. .... S ♄ Munch. haus. 5. t. 356.
4 grandiflòra DC. (*ro*) large-flowered E. Indies 1809. .... S ♄
5 reginæ DC. (*ro*) oblong-leaved ——— 1792. .... S ♄ Roxb. corom. 1. t. 651.

ORDER XCVIII.

MELASTOMA'CEÆ. *DC. prodr. v.* 3. *p.* 99.

Tribe I. LAVOISIE'REÆ. *DC. loc. cit.* 100.

MERIA'NIA DC. MERIA'NIA. (Maria S. Merian, entymologist.) Decandria Monogynia.

1	leucántha DC.	(*wh*)	white-flowered	Jamaica	1825.	6. 8.	S ♄	
2	ròsea DC.	(*ro*)	mountain-rose	———	——	——	S ♄	Tussac fl. ant. t. 6.
3	purpùrea DC.	(*pu*)	purple	———	——	——	S ♄	Swart. fl. ind. oc. 2. t. 15.

Tribe II. *RHEXIE'Æ.* *DC. prodr.* 3. *p.* 114.

SPE'NNERA DC. SPE'NNERA. (M. Spenner, a German bot.) Octo-Decandria Monogynia.

1	paludòsa DC.	(*ro*)	marsh	Brazil	1825.	6. 8.	S ♃	
2	frágilis DC.	(*wh*)	brittle	Trinidad	1822.	——	S ♄	
3	aquática DC.	(*wh*)	marsh	S. America	1793.	3. 9.	S ♄	Aubl. guian. 1. t. 168.

Rhéxia aquática Bonpl. rhex. t. 40. *Metástoma aquática* Aubl.

4	pendulifòlia DC.	(*ro*)	hanging-leaved	Guiana	1826.	——	S ♄	Bonpl. nav. t. 26.
5	glandulòsa DC.	(*wh*)	glandulous	———	1824.	——	S ♄	——— 70. t. 27.

MICROLI'CIA DC. MICROLI'CIA. (μικρος, small, and ηλικια, stature; dwarf.) Decand. Mon.

1	brevifòlia DC.	(*pu*)	short-leaved	Guiana	1823.	7.10.	S ☉	Aubl. guian. 1. t. 155. f. b.

Melástoma trivàlvis Aubl. *Rhéxia trivàlvis* Vahl.

2	bivàlvis DC.	(*pu*)	two-valved	Trinidad	1822.	6. 8.	S ☉	Aubl. guian. 1. t. 155. f. a.
3	recúrva DC.	(*pu*)	recurved-leav'd	———	1820.	——	S ♃	

RHE'XIA DC. RHE'XIA. (ῥηξις, a rupture; cure for.) Octandria Monogynia.

1	mariàna DC.	(*li*)	Maryland	N. America	1759.	7. 9.	H ♃	Pluk. mant. t. 428. f. 1.
	α *purpùrea* DC.	(*li*)	*purplish*	———	——	——	H ♃	
	β *rubélla* DC.	(*re*)	*reddish*	———	——	——	H ♃	Swt. br. fl. gar. t. 41.
2	virgínica DC.	(*pu*)	Virginian	———	——	6. 8.	H ♃	Bot. mag. t. 968.
3	ciliòsa DC.	(*pu*)	ciliated	———	1812.	8.10.	H ♃	Swt. br. fl. gar. t. 226.
4	angustifòlia DC.	(*wh*)	narrow-leaved	———	——	7. 9.	H ♃	

OXY'SPORA DC. OXY'SPORA. (οξυς, sharp; and σπορα, a seed.) Octandria Monogynia.

	paniculàta DC.	(*re*)	panicled	Nepaul	1826.	6. 8.	S ♄	

Arthrostémma paniculàtum D.P.

HETERONO'MA DC. HETERONO'MA. (ἑτερος, variable; and νομα, law.) Octand. Monog.

1	subtriplinérvium DC.	(*wh*)	white-flow.	Mexico	1824.	6. 9.	S ♄	Lk. et Ott. ab. 1. t. 24.

Melástoma subtriplinérvia Lk. et Ott.

2	diversifòlium DC.	(*re*)	diverse-leaved	———	1830.	——	S ♄	——— 1. t. 37.

Tribe III. *OSBE'CKIÆ.* *DC. prodr.* 3. *p.* 127.

LASIA'NDRA. DC. LASIA'NDRA. (λασιος, hairy; and ανηρ, a male; stamens.) Decand. Mon.

1	Fontanesiàna DC.	(*pu*)	rough-leaved	Brazil	1818.	4. 8.	S ♄	Bonpl. rhex. t. 36

Melástoma granulòsa B. reg. 671. *Rhéxia Fontanèsii* Bonpl.

2	Langsdorfiàna DC.	(*pu*)	Langsdorf's	Brazil	1821.	——	S ♄	Bonpl. rhex. t. 51
3	argéntea DC.	(*bl*)	silvery-leaved	———	1816.	——	S ♄	——— t. 12.

Rhéxia holoseríceа Bot. reg. t. 323. *Pleròma holoseríceum* Don.

CHÆTOGA'STRA DC. CHÆTOGA'STRA. (χαιτη, a bristle, and γαστηρ, a belly.) Dec. [on.

1	lanceolàta DC.	(*wh*)	spear-leaved	Trinidad	1827.	1. 5.	S ♄	Bot. mag. t. 2836
2	hypericoìdes DC.	(*wh*)	Hypericum-like	———	1820.	8.12.	S ☉	Aubl. guian. 1. t. 68.

Rhéxia villosissima Bonpl. rhex. t. 31. *Melástoma villòsa* Aubl.

3 ciliàris DC. (*pu*) fringed — S. America 1822. 4. 7. S ♃ — Vent. choix. t. 34.
Meriània ciliàris Vent.
4 grácilis DC. (*ro*) slender — Brazil 1824. —— S ♃ — Bot. mag. 3481.

ARTHROSTE'MMA DC. ARTHROSTE'MMA. (αρθρον, a joint, and στημων, a stamen.) Oct. Mon.
1 ladanoìdes DC. (*li*) bristly-stalked — Trinidad 1820. 6. 9. S ⊙ — Bonpl. rhex. t. 27.
Rhéxia ladanoìdes Bonpl. *Melástoma trichótoma* W.
2 villòsum DC. (*vi*) villous — Trinidad —— —— S ♄ — Aubl. guian. 1. t. 129. f. 1.
3 versícolor DC. (*bh*) changeable-col. — Brazil 1825. 5. 9. S ♄ — Bot. reg. t. 1066.
Rhéxia versicolor B.R.
4 nitidum Grah. (*pa. li*) glossy-leaved — B. Ayres 1830. 7. F ♄ — Bot. mag. t. 3412.

OSBE'CKIA DC. OSBE'CKIA. (Peter Osbeck, a Swedish nat.) Octo-Decandria Monogynia.
Sect. 1. MICRO'LEPIS; *calyx* 5-*cleft; teeth deciduous; stamens* 10; *appendages between the lobes of the calyx small and ciliated.*
1 urceolàris DC. (*pu*) urceolate — Brazil 1825. 4. 9. S ♄
Sect. 2. PTERO'LEPIS; *stamens* 8-10; *calyx* 4-5-*cleft; lobes permanent; appendages between the lobes elongated and pectinated.*
2 Símsii DC. (*pu*) Sims's — Mauritius 1820. 4. 9. S ♄ — Bot. mag. t. 2235.
Melástoma obseckioìdes B.M.
3 glomeràta DC. (*ro*) cluster-flower'd — S. America 1821. 12. 4. S ♄ — Bot. mag. t. 2838.
β *albiflòra* DC. (*wh*) *white-flowered* — Brazil —— —— S ♄ — Lodd. bot. cab. t. 334.
Rhéxia glomeràta B.C.
Sect. 3. OSBECKIA'RIA; *calyx* 4-5-*cleft, with a bristly tube, having the appendages between the lobes plumose and pectinated; lobes and appendages caducous.*
4 chinénsis DC. (*ro*) Chinese — China 1816. 3. 10. S ♄ — Bot. reg. t. 542.
5 zeylánica DC. (*wh*) Ceylon — Ceylon 1749. 5. 9. S ♄ — ——— t. 565.
6 angustifòlia DC. (*ro*) narrow-leaved — Nepaul 1826. —— S ♄
7 nepalénsis H.E.F. (*ro*) handsome — ——— 1820. —— S ♄ — Hook. ex. flor. t. 31.
speciòsa D.P.
β *albiflòra* B.R. (*wh*) *white-flowered* — ——— 1829. 8. S ♄ — Bot. reg. t. 1475.
8 stellàta DC. (*li*) starry-haired — ——— 1818. 5. 9. S ♄ — ——— t. 674.
9 ternifòlia DC. (*li*) whorl-leaved — ——— 1825. —— S ♄ — Wall. pl. rar. as. t. 240.
10 octándra DC. (*ro*) octandrous — Ceylon 1815. 4. 8. S ♄
Melástoma octándra L.
11 decúmbens DC. (*ro*) decumbent — Africa 1821. —— S ♃ — Beauv. fl. ow. t. 41.
Melástoma decúmbens Beauv.

TIBOUCHI'NA DC. TIBOUCHI'NA. (of Caribbean origin.) Decandria Monogynia.
áspera DC. (*pu*) rough — Guiana 1820. 4. 6. S ♄ — Aubl. guian. 1. t. 177.

MEDINI'LLA D.S. MEDINI'LLA. (etymology unknown.) Decandria Monogynia.
erythrophy'lla B.R. (*re*) red-leaved — E. Indies 1837. .... S ♄

MELA'STOMA DC. MELA'STOMA. (μελας, black, and στομα, the mouth; stains.) Dec. Mon.
1 affìne DC. (*ro*) scaly-stalked — E. Indies 1816. 1. 8. S ♄
2 malabáthricum DC. (*ro*) Malabar — ——— 1793. —— S ♄ — Bot. reg. t. 672.
3 ásperum DC. (*ro*) rough — ——— 1815. 8. 11. S ♄ — Rheed. mal. 4. t. 43.
4 macrocárpum DC. (*ro*) large-fruited — ——— 1793. 1. 8. S ♄ — Bot. mag. t. 529.
malabáthrica B.M. *nec aliorum.*
5 sanguíneum DC. (*li*) red-veined — Sunda St. 1818. 4. 12. S ♄ — Bot. mag. t. 2241.
6 rubrolimbàtum DC. (*wh*) red-limbed — E. Indies 1823. —— S ♄ — Lk. et Ott. abb. t. 41.
7 cándidum DC. (*li*) white-leaved — China 1820. 4. 8. S ♄
8 normàle DC. (*li*) Nepaul — Nepaul 1819. 2. 6. S ♄ — Lodd. bot. cab. t. 707.
nepalénsis B.C.
9 Wallíchii DC. (*li*) Wallich's — ——— 1824. —— S ♄
10 decémfidum DC. (*pu*) ten-cleft — E. Indies 1826. 1. 8. S ♄
11 cymòsum DC. (*li*) cymose — Sierra Leone 1792. 4. 8. S ♄ — Vent. h. malm. t. 14.
corymbòsum Bot. mag. t. 984.
12 elongàtum D.C. (*pu*) tuberous-rooted — ——— 1822. .... S ♃
13 pulverulèntum DC. (*re*) powdered — Sumatra —— .... S ♄

PLERO'MA DC. PLERO'MA. (πληρωμα, fulness; capsule.) Decandria Monogynia.
1 viminèum D.C. (*vi*) slender — Brazil 1820. 4. 8. S ♄ — Bot. reg. t. 664.
Rhéxia viminea B.R.
2 heteromállum DC. (*bl*) woolly-leaved — ——— —— —— S ♄ — Bot. reg. t. 644.
Melástoma heteromálla.
3 villòsum DC. (*pu*) villous — S. America 1820. 5. 10. S ♄ — Bot. mag. t. 2630.
Melástoma villòsa B.M.

DIPLOSTE'GIUM DC. DIPLOSTE'GIUM. (διπλοος, double, and στεγος, a covering.) Dec. Mon.
canéscens DC. (*ro*) hoary-stemm'd — Brazil 1820. 4. 8. S ♄

ACIOTIS DC. ACIO'TIS. (ακις, a point, and ους, an ear; petals.) Octandria Monogynia.
díscolor DC. (*bh*) two-coloured — W. Indies 1793. 3. 9. S ♃

Tribe IV. *MICONIE'Æ.* *DC. prodr. v. 3. p.* 152.

CLIDE'MIA DC. CLIDE'MIA. (Clidemi, an ancient Greek bot.) Decandria Monogynia.

1	aggregàta DC.	(*wh*)	clustered	Peru	1820. 7.10.	S	♄	
2	hírta DC.	(*wh*)	hairy	Jamaica	1740. 3. 6.	S	♄	Bot. mag. t. 1971.
	Melástoma hírta B.M.							
3	crenàta DC.	(*wh*)	crenated	W. Indies	1820. ——	S	♄	Vahl. ic. pl. am. 2. t. 2
4	élegans DC.	(*wh*)	elegant	Trinidad	1822. ——	S	♄	Aubl. guian. 1. t. 167.
5	biserràta DC.	(*pu*)	double-serrate	Brazil	1825. ——	S	♄	
6	spicàta DC.	(*wh*)	spiked	Trinidad	1820. ——	S	♄	Aubl. guian. 1. t. 165.
7	strigillòsa DC.	(*wh*)	strigose	Jamaica	1825. ——	S	♄	
8	agréstis DC.	(*wh*)	field	Cayenne	1822. 4. 8.	S	♄	Aubl. guian. 1. t. 166.
9	lanàta DC.	(*wh*)	sweet-scented	Trinidad	—— ——	S	♄	

TOCO'CA DC. TOCO'CA. (of Caribbean origin.) Decandria Monogynia.

	guianénsis DC.	(*ro*)	Guiana	Guiana	1822. 4. 7.	S	♄	Aubl. guian. 1. t. 174.
	Melástoma physíphora Vahl.							

MAIE'TA DC. MAIE'TA. (etymology unknown.) Decandria Monogynia.

	guianénsis DC.	(*ro*)	Guiana	Guiana	1824.	S	♄	Aubl. guian. 1. t. 176.

OSSÆ'A DC. OSSÆ'A. (Don. Ant. de La Ossa, of Havana.) Octandria Monogynia.

	purpuráscens DC.	(*pu*)	purplish	Jamaica	1822. 3. 6.	S	♄	
	Melástoma purpuráscens Swartz.							

SAGRÆ'A DC. SAGRÆ'A. (Don Ramon de La Sagra, of Havana.) Octandria Monogynia.

1	sessilifòra DC.	(*re*)	sessile-flowered	Guiana	1793. 4. 8.	S	♄	Vahl. ic. am. t. 13.
	Melástoma rùbra Bonpl. mel. t. 39.							
2	hirtélla DC.	(*wh*)	hispid-fruited	Jamaica	1824. ——	S	♄	
3	umbròsa DC.	(*wh*)	shaded	W. Indies	—— 3. 7.	S	♄	
4	pilòsa DC.	(*wh*)	pilose	Jamaica	1828. ——	S	♄	
5	microphy'lla DC.	(*wh*)	small-leaved	————	1820. 5. 6.	S	♄	
6	hirsùta DC.	(*wh*)	purple-haired	————	1823. ——	S	♄	

TETRAZY'GIA DC. TETRAZY'GIA. (*τετρα*, four, and *ζυγος*, a yoke.) Tetr-Octand. Monogy.

1	tetrándra DC.	(*wh*)	tetrandrous	Jamaica	1815. 3. 6.	S	♄	
	Melástoma tetrándra Swartz.							
2	díscolor DC.	(*wh*)	two-coloured	W. Indies	1793. 5. 7.	S	♄	Bonpl. mel. t. 34.
	Melástoma díscolor Jacq. amer. t. 84.							
3	angustifòlia DC.	(*wh*)	narrow-leaved	————	1823. ——	S	♄	Bonpl. mel. t. 10.

HETERO'TRICHUM DC. HETERO'TRICHUM. (*ἑτερος*, variable, and *θριξ*, a hair.) Decand. Monogy.

1	níveum DC.	(*bh*)	snowy-white	St. Domingo	1820. 5.10.	S	♄	
	Melástoma nívea Lam.							
2	pàtens DC.	(*bh*)	spreading	————	1825. 4. 8.	S	♄	

CONOSTE'GIA DC. CONOSTE'GIA. (*κονος*, a cone, and *στεγη*, a covering.) Dec-Dodecand. Monogy.

1	prócera DC.	(*wh*)	tall	Jamaica	1822.	S	♄	Bonpl. mel. t. 51.
2	Balbisiàna DC.	(*wh*)	Balbis's	————	1825.	S	♄	
3	semicrenàta DC.	(*wh*)	semicrenate	W. Indies	1823. 4. 6.	S	♄	Bonpl. mel. t. 41.

DIPLOCHI'TA DC. DIPLOCHI'TA. (*διπλοος*, double, and *χιτων*, an outer coat.) Octo-Dec. Mon

1	Fothergílla DC.	(*wh*)	Fothergill's	Trinidad	1815.	S	♄	Bonpl. mel. t. 32.
	Melástoma Fothergílla ss. *Fothergílla mirábilis* Aubl. gui. 1. t. 175.							
2	Swartziàna DC.	(*ro*)	Swartz's	Jamaica	1815. 4. 6.	S	♄	Bonpl. mel. t. 33.
	Melástoma Tamònea Swartz.							
3	macrophy'lla DC.		large-leaved	Mexico	1820.	S	♄	

LORE'YA DC. LORE'YA. (M. Lorey, a French bot.) Decandria Monogynia.

	arboréscens DC.	(*wh*)	arborescent	Guiana	1822.	S	♄	Aubl. guian. 1. t. 163.
	Melástoma arboréscens Aubl.							

MICO'NIA DC. MICO'NIA. (D. Micon, a Spanish bot.) Decandria Monogynia.

Sect. 1. LEIOSPHÆ'RA; *calyx and fruit smooth; flowers crowded.*

1	racemòsa DC.	(*ro*)	racemed	Trinidad	1822. 4. 8.	S	♄	Bonpl. mel. t. 27.
	Melástoma racemòsa Aubl. guian. t. 156.							
2	purpuráscens DC.	(*wh*)	purple-berried	Guiana	1804. 3. 6.	S	♄	Aubl. guian. t. 154.
	Melástoma purpùrea W.							
3	ciliàta DC.	(*wh*)	fringed	————	1824. 4. 7.	S	♄	Bonpl. mel. t. 26.

Sect. 2. ERIOSPHÆ'RA; *flower bud tomentose; leaves discoloured.*

4	holoserícea DC.	(*wh*)	velvetty	W. Indies	1816. 4. 7.	S	♄	Bonpl. mel. t. 23-24.
5	argéntea DC.	(*wh*)	silvery-leaved	————	1827. ——	S	♄	Sloan. jam. t. 196. f.

Sect. 3. EUMICO'NIA; *tube of calyx obovate or turbinate; flowers disposed in rows along the branches of the panicle.*

6	impetiolàris DC.	(*wh*)	great-leaved	W. Indies	1822. 4. 7.	S	♄	Bonpl. mel. t. 29.
	Melástoma macrophy'lla Lam.							

7	Lambertiàna DC.	(wh)	Mr. Lambert's	W. Indies	1824.	4. 7.	S ♄	
8	caudàta DC.	(ro)	tailed-leaved	S. America	1822.	5. 8.	S ♄	Bonpl. mel. t. 7.
9	pyramidàlis DC.	(wh)	pyramidal	Trinidad	——	——	S ♄	Pluk. alm. t. 159. f. 1.
	Melástoma pyramidàlis Lam.							
10	Acinodéndron	(wh)	oval-leaved	Jamaica	1804.	——	S ♄	Plum. ic. 142. f. 2.
	Melástoma Acinodéndron L.							
11	lævigàta DC.	(wh)	smooth	Caribees	1815.	4. 8.	S ♄	Bot. reg. t. 363.
12	prasina DC.	(wh)	green	Jamaica	1824.	——	S ♄	
13!	ecostàta DC.	(pu)	riblesa	———	1793.	5. 6.	S ♄	
	Melástoma ecostàta H.K.							

BLA'KEA DC. BLA'KEA. (Martin Blake, of Antigua.) Dodecandria Monogynia.

1	trinérvia DC.	(ro)	three-ribbed	Jamaica	1789.	6. 7.	S ♄	Bot. mag. t. 451.
2	quinquenérvis DC.	(fl)	five-nerved	Guiana	1820.	——	S ♄	Aubl. guian. 1. t. 210.
	triplinérvia L.							

ORDER XCIX.

ALANGIE'Æ. *DC. prodr.* 3. *p.* 203.

ALA'NGIUM DC. ALA'NGIUM. (*alangi*, Malabar, name.) Icosandria Monogynia.

1	decapétalum DC.	(wh)	Sage-leaved	E. Indies	1779.	5. 8.	S ♄	Rheed. mal. 4. t. 17.
	Grèwia salvifòlia L.							
2	hexapétalum DC.	(wh)	six-petalled	———	1822.	——	S ♄	Rheed. mal. 4 t. 26.

MA'RLÉA R.C. MA'RLEA. (of Indian origin.) Icosandria Monogynia.

	begonifòlia R.C.	(wh)	Begonia-leaved	E. Indies	1824.	....	S ♄	Bot. reg. n. s. t. 58.

ORDER C.

PHILADE'LPHEÆ. *DC. prodr.* v. 3. *p.* 205.

PHILADE'LPHUS DC. SYRINGA. (φιλαδελφος, a name employed by Aristotle.) Icosand. Monogy.

§ 1. *Stems straight, stiff; flowers in racemes.*

1	coronàrius DC.	(wh)	common	S. Europe	1596.	5. 6.	H ♄	Bot. mag. t. 391..
	β *variegàtus*	(wh)	*striped-leaved*	———	....	——	H ♄	
	γ *multiplex*	(wh)	*double-flowered*	———	....	——	H ♄	
2	nànus Mil.	(wh)	dwarf	.....	....	6. 7.	H ♄	
3	Zeyhèri DC.	(wh)	Zeyher's	N. America	1812.	——	H ♄	Schrad. diss. c. ic.
4	floribùndus DC.	(wh)	many-flowered	———	1816.	——	H ♄	——— c. ic.
5	Gordoniànus B.R.	(wh)	Gordon's	———	1830.	——	H ♄	
6	verrucòsus DC.	(wh)	warted	———	1812.	——	H ♄	Schrad. diss. c. ic.
	grandiflòrus Bot. reg. t. 570. *non* W.							
7	tomentòsus DS.	(wh)	tomentose	Nepaul	1822.	——	H ♄	
	nepaulénsis L.H.B.							
8	latifòlius DC.	(wh)	broad-leaved	N. America	1820.	——	H ♄	Lois. herb. amat. t. 208.

§ 2. *Stems more slender, twiggy, loose; flowers solitary or three together.*

9	grandiflòrus DC.	(wh)	large-flowered	N. America	1816.	6. 7.	H ♄	Swt. br. fl. gar. s. 2. t. 8.
10	speciòsus DC.	(wh)	beautiful	———	1820.	——	H ♄	Bot. reg. t. 2093.
11	làxus DC.	(wh)	loose-branched	———	1816.	——	H ♄	Schrad. diss. c. ic.
12	triflòrus B.R.	(wh)	three-flowered	Himalaya	1835.	——	H ♄	
13	hirsùtus DC.	(wh)	slender-hairy	N. America	1816.	——	H ♄	Bot. reg. n. s. t. 14.
	β *grácilis* DC.	(wh)	*slender*	———	——	——	H ♄	
	grácilis Lodd. cat.							
14	Lewisii DC.	(wh)	Lewis's	———	....	——	H ♄	
15	inodòrus DC.	(wh)	entire-leaved	Carolina	1738.	——	H ♄	Bot. mag. t. 1478.

DECUMA'RIA DC. DECUMA'RIA. (δεκυμα, a tenth; structure of flowers.) Dodecand. Monogy.
1 bárbara Ph. (wh) smaller Carolina 1785. 7. 8. H ♄ ◡
2 sarmentòsa Ph. (wh) larger ——— 1758. —— H ♄ ◡ Bosc. act. par. 1. t. 13.
DEU'TZIA DS. DEU'TZIA. (John Deutz, a Dutch naturalist.) Decandria Trigynia.
1 scàbra DS. (wh) scabrous Japan 1833. 5. 7. H ♄ Swt. br. fl. gar. s. 2. t. 39.
2 canéscens Sbld. (wh) canescent ——— 1837. —— H ♄

ORDER CI.

MYRTA'CEÆ. *DC. prodr. v. 3. p. 207.*

Tribe I. *CHAMÆLAUCIE'Æ.* DC. prodr. 3. p. 208.

CA'LYTHRIX DC. CA'LYTHRIX. (καλυξ, a calyx, and θριξ, a hair; lobes.) Icosand. Monogyn.
1 glàbra DC. (wh) smooth N. S. W. 1818. 4. 6. G ♄ Bot. reg. t. 409.
2 virgàta Cun. (wh) twiggy ——— 1823. —— G ♄ Bot. mag. t. 3323.
ericoìdes F.T.
3 scàbra DC. (wh) rough-leaved ——— 1824. —— G ♄
DARWI'NIA. LT. DARWI'NIA. (Dr. Darwin, auth. of a poem called Bot. Gard.) Decand. Mon.
1 fasciculàris LS. (wh) fascicled N. S. W. 1826. 4. 6. G ♄ Linn. trans. v. 11. t. 22.
2 taxifòlia F.T. (wh) Yew-leaved ——— 1827. —— G ♄
VERTICO'RDIA DC. VERTICO'RDIA. (meaning unknown.) Decandria Monogynia.
1 Fontanèsii DC. (wh) Desfontaines' N. Holland 1826. 4. 6. G ♄ Desf. mem. mus. 5. t. 4.
Chamelaùcium plumòsum Df.
2 Brównii DC. (wh) Brown's ——— —— —— G ♄ Desf. mem. mus. 5. t. 19.
CHAMÆLAU'CIUM DC. CHAMÆLAU'CIUM. (χαμαι-λευκη, humble poplar) Decandria Monogynia.
ciliàtum DC. (wh) fringed N. Holland 1825. 4. 6. G ♄ Df. mem. mus. 5. t. 3. f. B.
GENETY'LLIS DC. GENETY'LLIS. (meaning unknown.) Icosandria Monogynia.
diosmoìdes DC. (wh) Diosma-like N. Holland 1827. 4. 6. G ♄ DC. dict. cl. v. 11. e. ic.
PILEA'NTHUS DC. PILEA'NTHUS. (πιλεος, a cap, and ανθος, a flower; invol.) Icosand. Monog.
Limàcis DC. (wh) clubbed-leaved N. Holland 1824. 4. 7. G ♄ Lab. n. holl. 2. t. 149.

Tribe I. *LEPTOSPE'RMEÆ.* DC. prodr. 3. p. 209.

Subtribe I. *MELALEU'CEÆ.* Stamina polyadelphous. DC. loc. cit. p. 210.

ASTARTE'A DC. ASTARTE'A. (*Astarte*, Syrian Venus.) Polyadelphia Icosandria.
fasciculàris DC. (wh) fascicled V. Diem. Isl. 1824. 4. 6. G ♄ Lab. n. holl. 1. t. 170.
Melaleùca fasciculàris Labill.
TRISTA'NIA DC. TRISTA'NIA. (τρεις, three, σταω, to stand; flowers and leaves by threes.) Poly. Icos.
1 neriifòlia DC. (ye) Oleander-leaved N. S. W. 1804. 7. 9. G ♄ Bot. mag. 1058.
Melaleùca neriifòlia B.M. *salicifòlia* Andr. reposit. t. 485.
2 persicæfòlia F.T. (ye) Peach-leaved N. S. W. 1824. —— G ♄
3 laúrina DC. (ye) Laurel-leaved ——— 1798. —— G ♄
4 deprèssa DC. (ye) depressed ——— 1820. —— G ♄
5 álbicans Cun. (wh) whitish N. Holland 1818. 6. 7. G ♄
6 álbens DC. (ye) white-leaved N. S. W. 1822. 7. 9. G ♄
7 conférta DC. (ye) Pittosporum-ld. ——— 1805. —— G ♄
8 macrophy'lla Cun. (wh) large-leaved Moreton-B. 1830. —— G ♄ Bot. mag. t. 1839.
9 suavèolens DC. (ye) sweet-scented N. Holland 1826. .... G ♄ Gæert. fruct. 1. t. 35.
BEAUFO'RTIA DC. BEAUFO'RTIA. (Mary, Duchess of Beaufort, patr. of bot.) Polyad. Icosand.
1 decussàta DC. (sc) splendid N. Holland 1803. 3. 8. G ♄ Bot. reg. t. 18.
2 spársa DC. (sc) alternate-leaved ——— —— —— G ♄
3 spléndens Baxt. (sc) splendid ——— 1830. .... G ♄
4 Dampièri B.M. (re) Dampier's ——— 1823. 3. 8. G ♄ Bot. mag. t. 3272.

CALOTHA'MNUS DC. CALOTHA'MNUS. (καλος, beautiful, θαμνος, a shrub.) Polyad. Icosand.

1 quadrífida DC.	(sc) four-cleft	N. Holland	1803.	1.12.	G	♄	Bot. mag. t. 1506.
2 clavàta M.C.	(sc) club-leaved	———	1826.	——	G	♄	Lodd. bot. cab. t. 1447.
3 villòsa DC.	(sc) hairy 5-cleft	———	1803.	——	G	♄	Bot. reg. t. 1099.
4 grácilis DC.	(sc) long-leaved	———	——	——	G	♄	

MELALEU'CA DC. MELALEU'CA. (μελας, black, and λευκος, white; wd. bl; branch wh.) Pol. Icos.

§ 1. *Leaves alternate.*

1 Leucadéndron DC.	(wh) aromatic	E. Indies	1796.	....	S	♄	Rumph. amb. 2. t. 16.
2 mìnor DC.	(wh) Cajuputi-tree	———	1816.	....	S	♄	——— 2. t. 17. f. 1.
3 viridiflòra DC.	(gr) green-flowered	N. S. W.	1798.	4. 6.	G	♄	Cavan. ic. t. 333.

Metrosidèros quinquenérvia Cavan.

4 paludòsa DC.	(re) long-leaved red	N. Holland	1803.	7. 9.	G	♄	
5 globífera DC.	(wh) globe-fruited	———	——	——	G	♄	
6 diosmifòlia DC.	(gr) Diosma-leaved	———	1794.	6. 7.	G	♄	Andr. reposit. t. 476.
7 styphelioìdes DC.	(wh) Styphelia-leaved	N. S. W.	1793.	4. 6.	G	♄	
8 genistifòlia DC.	(wh) Genista-leaved	———	——	——	G	♄	Sm. exot. bot. 1. t. 55.
9 lanceolàta DC.	(st) spear-leaved	N. Holland	1812.	5. 6.	G	♄	Otto hort. ber. 36.
10 striàta DC.	(wh) rigid-leaved	———	1803.	——	G	♄	Lab. n. holl. 2. t. 165.
11 thymoìdes DC.	(ye) yellow-spear-ld.	———	——	——	G	♄	——— 2. t. 167.
12 squàmea DC.	(pu) scaly-branched	V. Diem. Isl.	1805.	6. 8.	G	♄	Bot. reg. t. 447.
13 nodòsa DC.	(wh) Whin-leaved	N. S. W.	1790.	——	G	♄	Sm. exot. bot. 1. t. 35.
14 tenuifòlia DC.	(wh) slender-leaved	———	1824.	——	G	♄	
15 ericifòlia DC.	(wh) Heath-leaved	———	1788.	7. 9.	G	♄	Sm. exot. bot. 1. t. 34.
16 erubéscens DC.	(li) Lilac-coloured	———	1820.	——	G	♄	Otto hort. ber. 37.
17 armillàris DC.	(wh) pale-flowered	———	1788.	6. 8.	G	♄	Vent. malm. t. 76.

ericifòlia Andr. rep. t. 175. *non* Sm. *Metrosidèros armillàris* G.

18 Hugélii Endl.	(wh) Hugel's	Swan River	1837.	....	G	♄	
19 uncinàta DC.	(re) hook-leaved	N. Holland	1803.	6. 8.	G	♄	
20 scàbra DC.	(pu) rough-leaved	———	——	——	G	♄	Swt. flor. aust. t. 10.
21 juniperoìdes DC.	(st) Juniper-like	N. S. W.	1826.	——	G	♄	
22 pulchélla DC.	(li) pendulous	N. Holland	1803.	6. 9.	G	♄	Lodd. bot. cab. t. 200.

§ 2. *Leaves opposite or verticillate.*

23 thymifòlia DC.	(pu) Thyme-leaved	N. S. W.	1792.	——	G	♄	Sm. exot. bot. 1. t. 36.

coronàta Andr. rep. t. 278. *gnidiæfòlia* Vent. malm t. 7.

24 decussàta DC.	(li) cross-leaved	N. Holland	1803.	6. 9.	G	♄	Bot. mag. t. 2268.
25 tetragòna DC.	(li) four-sided	———	1824.	——	G	♄	
26 centiculàris DC.	(pu) solitary-flower'd	———	1824.	——	G	♄	Lab. n. holl. 2. t. 171.
27 fúlgens DC.	(sc) splendid	———	1803.	6. 8.	G	♄	Bot. reg. t. 103.
28 linariifòlia DC.	(wh) Toad-flax-leav'd	N. S. W.	1793.	5. 7.	G	♄	Sm. exot. bot. 1. t. 56.
29 Fraseri B.M.	(re) Frazer's	———	....	....	G	♄	Bot. mag. t. 3210.
30 abiétina DC.	(wh) Fir-leaved	N. Holland	1824.	5. 7.	G	♄	
31 hypericifòlia DC.	(sc) Hypericum-ld.	N. S. W.	1792.	7. 9.	G	♄	Andr. reposit. t. 200.
32 elliptica DC.	(cr) elliptic-leaved	N. Holland	1824.	——	G	♄	Lab. n. holl. 2. t. 173.
33 squarròsa DC.	(wh) Myrtle-leaved	N. S. W.	1792.	——	G	♄	Bot. mag. t. 1935.

myrtifòlia Vent. malm. t. 47.

34 gibbòsa DC.	(li) gibbous	V. Diem. Isl.	1822.	6. 8.	G	♄	Lab. n. holl. 2. t. 172.
35 imbricàta L. en.	(wh) imbricated	N. Holland	1803.	5. 6.	G	♄	
36 sprengelioìdes DC.	(wh) Sprengelia-like	N. S. W.	1824.	——	G	♄	
37 calycina DC.	(wh) permanent-cup'd	N. Holland	1803.	6. 8.	G	♄	

§ 3. *Leaves in whorls.*

38 dénsa DC.	(pu) dense-leaved	———	——	——	G	♄	
39 incàna DC.	(st) hoary	N. S. W.	1812.	——	G	♄	Bot. reg. t. 410.

canescens Otto. hort. ber p. 87. Abbild. t. 81. *tomentòsa* coll. hort. rip. t. 37.

EUDE'SMIA DC. EUDE'SMIA. (ευ, well, and δεσμη, a bundle; stamens polyadelphous.) Polyand. Icos.

tetragòna DC.	(wh) square-stemm'd	N. Holland	1824.	6. 8.	G	♄	Swt. flor. aust. t. 21.

Subtribe II. *EULEPTOSPE'RMEÆ.* Stamina free. DC. prodr. 3. p. 216.

EUCALY'PTUS DC. EUCALY'PTUS. (ευ, well, and καλυπτω, to cover; calyx.) Icosand. Monogyn.

§ 1. *Leaves alternate; operculum conical, longer than the cup of the calyx.*

1 cornùta DC.	(wh) horned	N. Holland	1803.	3. 6.	G	♄	Lab. voy. 1. t. 20.
2 tereticórnis DC.	(wh) long-horned	N. S. W.	1804.	4. 7.	G	♄	
3 resinífera DC.	(wh) red gum-tree	———	1788.	——	G	♄	Andr. reposit. t. 400.

4	longifòlia DC.	(*wh*) long-leaved	N. S. W.	1818.	4. 7.	G	♄		Link et Ot. abb. t. 45.
	§ 2. *Leaves alternate; operculum conical, equal in length to the calycine cup.*								
5	robústa DC.	(*wh*) brown gum-tree	N. S. W.	1794.	8. 9.	G	♄		Smith nov. holl. t. 13.
6	rostràta Cav.	(*wh*) beaked	———	1804.	——	G	♄		Cavan. ic. 4. t. 342.
7	marginàta DC.	(*wh*) thick-edged	———	1794.	4. 7.	G	♄		
8	incrassàta DC.	(*wh*) thick-leaved	N. Holland	1820.	——	G	♄		Lab. nov. holl. 2. t. 150.
9	persicifòlia DC.	(*wh*) Peach-leaved	N. S. W.	1812.	——	G	♄		Lodd. bot. cab. t. 501.
10	punctàta DC.	(*wh*) black-dotted	———	1810.	——	G	♄		
11	acérvula DC.	(*wh*) flat-peduncled	———	1818.	——	G	♄		
12	virgàta DC.	(*wh*) slender-twigged	———	1820.	5. 8.	G	♄		
13	micrántha DC.	(*wh*) small-flowered	———	1824.	——	G	♄		
14	stellulàta DC.	(*wh*) starry	———	1816.	——	G	♄		
15	oblónga DC.	(*wh*) oblong-leaved	———	1819.	6. 8.	G	♄		
16	viminàlis DC.	(*wh*) slender	N. Holland	1816.	——	G	♄		Lab. nov. holl. 2. t. 151.
17	capitellàta DC.	(*wh*) small-headed	N. S. W.	1804.	4. 7.	G	♄		White's voy. 226. ic.
18	triántha L. en.	(*wh*) three-flowered	———	1820.	4. 6.	G	♄		
19	salígna DC.	(*wh*) Willow-like	———	1804.	4. 7.	G	♄		
20	angustifòlia L.en.	(*wh*) narrow-leaved	———	1816.	——	G	♄		
21	microphy'lla DC.	(*wh*) small-leaved	———	——	——	G	♄		
22	stenophy'lla DC.	(*wh*) slender-leaved	———	——	——	G	♄		
23	myrtifòlia DC.	(*wh*) Myrtle-leaved	———	1812.	4. 6.	G	♄		
24	elongàta DC.	(*wh*) taper-pointed	———	1820.	——	G	♄		
25	mèdia DC.	(*wh*) acuminate	———	——	——	G	♄		
26	reticulàta DC.	(*wh*) netted-leaved	———	1816.	....	G	♄		
27	umbellàta DC.	(*wh*) umbel-flowered	———	1820.	5. 8.	G	♄		
	§ 3. *Leaves alternate; operculum nearly conical or hemispherical, shorter than the calycine cup.*								
28	ovàta DC.	(*wh*) oval-leaved	N. Holland	1820.	5. 8.	G	♄		Lab. nov. holl. 2 t. 153.
	mucronàta L. enum.								
29	scàbra DC.	(*wh*) rough-leaved	N. S. W.	1803.	——	G	♄		
30	pilulàris DC.	(*wh*) small-fruited	———	1804.	2. 5.	G	♄		
31	radiàta LC.	(*wh*) rayed	———	1824.	3. 6.	G	♄		
32	strícta DC.	(*wh*) straight	———	——	....	G	♄		
33	hæmástoma DC.	(*wh*) red-mouthed	———	1803.	4. 7.	G	♄		White's voy. 226. c. ic.
	racemòsa Cavan. ic. 4. n. 377.								
34	ligústrina DC.	(*wh*) Privet-like	N. S. W.	1824.	....	G	♄		
35	amygdálina DC.	(*wh*) Almond-leaved	N. Holland	1822.	....	G	♄		Bot. mag. t. 3260.
36	ambígua DC.	(*wh*) ambiguous	———	1824.	....	G	♄		
37	Lindleyàna DC.	(*wh*) Lindley's	N. S. W.	1816.	4. 6.	G	♄		Bot. reg. t. 947.
	longifòlia B.R. *non* Link.								
38	botryoìdes DC.	(*wh*) clustered	———	1803.	4. 7.	G	♄		Cavan. ic. 4. t. 341.
	platy'podos Cavan.								
39	piperita DC.	(*wh*) Peppermint-tree	———	1788.	——	G	♄		Reich. gart. mag. t. 42.
40	pállens DC.	(*wh*) white-leaved	———	1822.	——	G	♄		
41	oblìqua DC.	(*wh*) oblique-leaved	V.Diem.Isl.	1774.	4. 8.	G	♄		Sal. par. lond. t. 15.
42	corymbòsa DC.	(*wh*) corymbose-fld.	N. S. W.	1788.	——	G	♄		Cavan. ic. 4. t. 340.
43	paniculàta DC.	(*wh*) panicled	———	1801.	6. 8.	G	♄		
44	cneorifòlia DC.	(*wh*) Widow-wail-ld.	———	1824.	——	G	♄		
45	obtusifòlia DC.	(*wh*) blunt-leaved	———	——	....	G	♄		
	§ 4. *Leaves alternate; operculum hemispherical, much broader than the calycine cup.*								
46	gomphocéphala DC.	(*w*) persistent-headed	N.S.W.	1824.	....	G	♄		
	§ 5. *Leaves opposite or alternate on the same plant.*								
47	glóbulus DC.	(*wh*) large-tree	V.Diem.Isl.	1804.	5. 6.	G	♄		Lab. voy. 1. t. 13.
	pulverulénta L. enum. *non* B.M. *glaúca* DC.								
48	diversifòlia DC.	(*wh*) various-leaved	N. S. W.	1810.	5. 8.	G	♄		Bonpl. nav. 1. t. 13.
49	perfoliàta DC.	(*wh*) perfoliate glaucous	N.Holland	1803.	4. 6.	G	♄		
50	cordàta DC.	(*wh*) heart-leaved	V.Diem.Isl.	1816.	11.3.	G	♄		Lab. nov. holl. 2. t. 152.
51	pulverulénta DC.	(*wh*) powdered	N. S. W.	——	——	G	♄		Bot. mag. t. 2087.
52	pulvígera DS.	(*wh*) powder-bearing	———	1824.	....	G	♄		
53	purpuráscens DC.	(*wh*) purple-branch'd	———	1804.	....	G	♄		
54	tuberculàta DC.	(*wh*) warted-branch'd	———	1816.	....	G	♄		
55	rígida DC.	(*wh*) rigid-leaved	———	——	....	G	♄		
56	hypericifòlia	(*wh*) Hypericum-ld.	———	1804.	....	G	♄		
57	Cunninghàmi	(*wh*) Cunningham's	———	1825.	....	G	♄		
	microphy'lla F.T. *non* Link.								

ANGO'PHORA DC. ANGO'PHORA. (αγγος, a vessel, and φορεω, to bear.) Icosand. Monogy.

1	cordifòlia DC.	(*wh*) hispid	N. S. W.	1789.	5. 8.	G	♄		Bot. mag. t.. 1960.
	Metrosidèros hispida Sm. exot. bot. 1. t. 42. *hirsùta* Andr. rep. t. 281. *anómala* Vent. malm. t. 1								

2 floribúnda DC. (*wh*) many-flowered N. S. W. 1788. 5. 8. G ♄
Metrosidèros floribúnda L.T. *non* Vent.
3 intermèdia DC. (*wh*) intermediate ——— 1820. —— G ♄
4 lanceolàta DC. (*wh*) ribbed ——— 1816. —— G ♄ Cavan. ic. 4. t. 337.
Metrosidèros costàta P.S. *spléndens* Gært. fruct. 1. t. 34. f. 2.

CALLISTE'MON DC. CALLISTE'MON. (καλλιστος beautiful, and στημων, a stamen.) Icosand. Mon.

§ 1. *Stamens with yellowish filaments.*
1 pinifòlium DC. (*gr*) Pine-tree-leaved N. S. W. 1806. 6. 8. G ♄ Wendl. coll. 1. t. 16.
2 viridiflòrum DC. (*gr*) green-flowered ——— 1820. —— G ♄ Bot. mag. t. 2602.
rusciflòrum C.C. *Metrosidèros viridiflòra* B.M.
3 lophánthum S.F.A. (*st*) crested ——— 1816. —— G ♄ Swt. flor. aust. t. 29.
4 leptostàchyum S.F.A. (*st*) slender-spiked ——— —— —— G ♄
5 salígnum DC. (*st*) Willow-leaved ——— 1788. 5. 7. G ♄ Bonpl. nav. t. 4.
Metrosidèros saligna Vent. cels. t. 70. *non* Bot. mag.
6 pállidum DC. (*st*) pale-leaved N. S. W. 1816. —— G ♄ Bonpl. nav. p. 101. t. 41.
7 Siebèri DC. (*st*) Sieber's ——— 1820. —— G ♄

§ 2. *Stamens with scarlet filaments.*
8 rígidum DC. (*sc*) rigid-leaved ——— 1800. 3. 8. G ♄ Bot. reg. t. 393.
9 linèare DC. (*sc*) linear ——— 1788. 6. 7. G ♄ Sert. hann. t. 11.
10 ruguldsum DC. (*sc*) tubercle-leaved ——— 1820. —— G ♄
11 scàbrum B.C. (*sc*) rough-leaved N. Holland 1824. —— G ♄ Lodd. bot. cab. t. 1288.
12 linearifòlium DC. (*sc*) linear-leaved ——— 1820. —— G ♄
13 microphy'llum M.C. (*sc*) small-leaved ——— 1825. —— G ♄
14 microstàchyum B.R. (*sc*) small-spiked ——— 1824. 3. 4. G ♄ Bot. reg. n. s. t. 14.
15 formòsum M.C. (*sc*) handsome ——— 1825. 6. 7. G ♄
16 lanceolàtum DC. (*sc*) spear-leaved N. S. W. 1788. 11. 6. G ♄ Bot. mag. t. 260.
Metrosidèros citrina B.M. *lanceolàta* L.T.
β *semperflòrens* B.C. (*sc*) *ever-blowing* ——— —— —— G ♄ Lodd. bot. cab. t. 523.
17 marginàtum DC. (*sc*) thick-margined ——— 1816. 6. 8. G ♄ Cavan. ic. 4. t. 332.
18 glaúcum S.F.A. (*sc*) splendid N. Holland 1803. 3. 6. G ♄ Bonpl. nav. t. 34.
Metrosidèros glaúca Bonp. *speciòsa* Bot. mag. t. 1761. C. *speciòsum* DC.
19 hybridum DC. (*sc*) hybrid N. S. W. 1824. 4. 6. G ♄

METROSIDE'ROS DC. METROSIDE'ROS. (μητρα, the heart, and σιδηρος, iron.) Icosand. Monogy.
1 vèra DC. (*gr*) Ironwood E. Indies 1815. 5. 8. S ♄ Lindl. coll. t. 18.
2 flórida DC. (*st*) many-flowered N. Zealand 1820. —— G ♄
3 glomulífera DC. (*st*) cluster-flowered N. S. W. 1805. —— G ♄
4 umbellàta DC. (*re*) umbel-flowered ——— 1822. —— G ♄ Cavan. ic. 4. t. 337.
5 angustifòlia DC. (*wh*) narrow-leaved C. B. S. 1787. —— G ♄ Hout. pfl. sys. 3. t. 25. f. 2.

STENOSPE'RMUM Swt. STENOSPE'RMUM. (στενος, narrow, and σπερμα, a seed.) Icosand. Monogy.
1 capitàtum Swt. (*li*) headed N. S. W. 1824. 4. 6. G ♄ Reich. hort. bot. 1. t. 84.
Metrosidèros capitàta DC. *Melaleùca eriocéphala* Sieb.
2 corifòlium Swt. (*wh*) Coris-leaved N. S. W. 1791. 6. 7. G ♄ Vent. malm. t. 46.
Leptospérmum ambíguum Sm. exot. bot. t. 59. *Metrosidèros corifòlia* Vent.

BILLO'TIA DS. BILLO'TIA. (Madame Zecophi Billoti, of Turin, bot. artist.) Icosand. Monogy.
1 marginàta DS. (*wh*) white-margined N. Holland 1816. 6. 7. G ♄ Lab. nov. holl. 2. t. 148.
Leptospérmum marginàtum Labill.
2 flexuòsa DS. (*wh*) flexuose ——— 1812. —— G ♄ Colla. h. rip. ap. 1. t. 2.
Leptospérmum flexuòsum L. enum. *Metrosidèros flexuòsa* W. enum.
3 salígna Swt. (*wh*) Willow-like N. S. W. 1812. 6. 7. G ♄
4 ovalifòlia Swt. (*wh*) oval-leaved N. Holland —— —— G ♄
Fabrícia myrtifòlia Hort. *nec aliorum.*
5 linearifòlia DS. linear-leaved ——— 1824. .... G ♄
6 ellíptica Swt. (*wh*) elliptic-leaved ——— —— .... G ♄

LEPTOSPE'RMUM DC. SOUTH SEA MYRTLE. (λεπτος, slender, and σπερμα, a seed.) Icosand. Mono.
1 emarginàtum DC. emarginate N. S. W. 1816. 6. 7. G ♄
2 seríceum DC. (*wh*) silky-leaved V. Diem. Isl. 1820. —— G ♄ Lab. nov. holl. 2. t. 147.
3 tuberculàtum DC. (*wh*) tuberculate N. S. W. 1816. —— G ♄ Cavan. ic. 4. t. 330.
stellàtum Cavan.
4 grandifòlium DC. (*wh*) large-leaved ——— 1803. —— G ♄ Bot. mag. t. 1810.
5 lanígerum DC. (*wh*) woolly-leaved ——— 1774. —— G ♄ Lodd. bot. cab. t. 1192.
6 pubéscens W. (*wh*) hoary-leaved ——— —— —— G ♄
7 trinérve DC (*wh*) three-nerved ——— 1812. —— G ♄ White itin. 229. c. ic.
8 grandiflòrum B.C. (*wh*) large-flowered ——— 1816. —— G ♄ Lodd. bot. cab. t. 514.
scopàrium β *grandiflòrum* B.M. t. 3419.
9 scopàrium DC. (*wh*) N. Zealand Tea N. Zealand 1772. —— G ♄ Andr. rep. t. 622.
10 squarròsum G. (*wh*) squarrose N. S. W. —— —— G ♄ Forst. itin. 1. t. 22.
11 floribúndum (*wh*) many-flowered ——— —— —— G ♄ Rœm. et Ust. mag. 7. t. 2.
12 rubricaúle L.en. (*wh*) red-stemmed ——— 1812. —— G ♄

13	flavéscens DC.	(wh)	yellowish	N. S. W.	1787.	5. 7.	G	h	Bot. mag. t. 2695.
	Melaleùca Thèa Wendl. sert. han. 1. t. 14.								
14	gnidiæfòlium DC.	(wh)	Gnidia-leaved	———	1824.	——	G	h	
15	thymifòlium F.T.	(wh)	Thyme-leaved	———	1823.	——	G	h	
16	multicaúle F.T.	(wh)	many-branched	———	——	——	G	h	
17	obliquum DS.	(wh)	oblique	———	1800.	——	G	h	
18	porophy'llum DC.	(wh)	dotted-leaved	———	1823.	——	G	h	Cav. ic. 4. t. 330. f. 2.
19	parvifòlium DC.	(wh)	small-leaved	———	1795.	——	G	h	
20	myrtifòlium DC.	(wh)	Myrtle-leaved	———	1824.	6. 8.	G	h	
21	obovàtum S.F.A.	(wh)	obovate-leaved	———	1823.	——	G	h	Swt. flor. aust. t. 36.
22	attenuàtum DC.	(wh)	fine-branched	———	1795.	——	G	h	
23	multifloràum DC.	(wh)	abundant-flower'd	———	1820.	——	G	h	Cav. ic. 4. t. 331. f. 1.
24	junipérinum DC.	(wh)	Juniper-leaved	———	1790.	——	G	h	Vent. malm. 89.
25	baccàtum DC.	(wh)	berry-fruited	———	——	6. 7.	G	h	Cavan. ic. 4. t. 331. f. 2.
26	arachnoídeum DC.	(w)	cobweb	———	1795.	5. 7.	G	h	Gært. fruct. 1. t. 35. f. 3.
27	triloculàre DC.	(wh)	trilocular	———	1816.	——	G	h	Vent. malm. t. 84.
28	dùbium DC.	(wh)	doubtful	———	1824.	6. 7.	G	h	
29	péndulum DC.	(wh)	pendulous	———	——	——	G	h	

FABRI'CIA DC. FABRI'CIA. (C. Fabricius, cel. Danish entomologist.) Icosandria Monogynia.

1	myrtifòlia DC.	(wh)	Myrtle-leaved	N. S. W.	1803.	5. 6.	G	h	Gært. fruct. 1. t. 35. f. 4.
2	lævigàta DC.	(wh)	smooth-leaved	———	1788.	——	G	h	Bot. mag. t. 1304.
3	seríceа	(wh)	silky-leaved	N. Holland	1803.	....	G	h	
4	strícta B.C.	(wh)	upright	N. S. W.	1822.	5. 7.	G	h	Lodd. bot. cab. t. 1219.

BÆ'CKEA DC. BÆ'CKEA. (Abraham Bæck, friend of Linneus.) Pent-Dodecand. Monogy.

1	frutéscens DC.	(wh)	Chinese	China	1806.	9. 1.	G	h	Bot. mag. t. 2802.
2	grácilis F.T.	(wh)	slender-branch'd	N. S. W.	1824.	6. 9.	G	h	
3	virgàta DC.	(wh)	slender-twiggy	———	1806.	8.10.	G	h	Bot. mag. t. 2127.
4	linifòlia DC.	(wh)	Flax-leaved	———	1820.	6. 8.	G	h	Linn. trans. 8. t. 12.
5	diffùsa DC.	(wh)	spreading	———	1824.	——	G	h	
6	densifòlia DC.	(wh)	close-leaved	———	1812.	——	G	h	
7	pulchélla DC.	(wh)	neat	———	1825.	——	G	h	
8	diosmifòlia DC.	(wh)	Diosma-leaved	———	1823.	——	G	h	
9	camphoràta DC.	(wh)	Camphor-scented	———	1803.	8.10.	G	h	Bot. mag. t. 2694.
10	microphy'lla DC.	(wh)	small-leaved	———	1812.	——	G	h	
11	brevifòlia DC.	(wh)	short-leaved	———	1824.	——	G	h	
12	ramosíssima DC.	(wh)	branching	———	1825.	7. 9.	G	h	
13	crenulàta DC.	(wh)	notch-leaved	———	1822.	——	G	h	
14	diosmoìdes DC.	(wh)	Diosma-like	———	1825.	——	G	h	
15	saxícola DS.	(wh)	rock	———	....	——	G	h	

Tribe III. *MY'RTEÆ.* DC. prodr. v. 3. p. 230.

SONNERA'TIA. DC. SONNERA'TIA. (M. Sonnerat, trav. in New Guinea, &c.) Icosand. Monogy.

1	ácida DC.	(re)	acid-fruited	E. Indies	1822.	....	S	h	Rheed. mal. 3. t. 40.
2	álba DC.	(wh)	white-flowered	———	1824.	....	S	h	Rumph. amb. 3. t. 73.
3	apétala DC.	(gr)	petalless	———	1826.	....	S	h	Sym. emb. to Ava. 3. t. 25.

NE'LITRIS DC. NE'LITRIS. (νη, priv. and ελυτρον, a seed vessel.) Icosandria Monogynia.

1	paniculàta DC.	(wh)	panicled	Moluccas	1820.	....	S	h	
2	jambosélla DC.	(wh)	jambosella	Society Isl.	1810.	....	G	h	
	Psidium decaspérmum L.								

CAMPOMANE'SIA DC. CAMPOMANE'SIA. (Rodrig. C. de Compamanes, Spanish nat.) Icosan. Mono.

	lineatifòlia DC.	(wh)	yellow-fruited	Peru	1824.	4. 6.	G	h	Flor. per. prod. t. 1[illegible]

PSI'DIUM DC. GUAVA. (ψιδιον, pomegranate; resemblance.) Icosandria Monogynia.

§ 1. *Branches tetragonal.*

1	pùmilum DC.	(wh)	dwarf	E. Indies	1824.	4. 6.	S	h	Rumph. amb. 1. t. 4[illegible].
2	aromáticum DC.	(wh)	aromatic	W. Indies	1779.	6. 8.	S	h	Aubl. guian. 1. t. 19[illegible].
3	montànum DC.	(wh)	mountain	———	——	5. 7.	S	h	
4	pyríferum DC.	(wh)	Pear-fruited	———	1656.	6. 8.	S	h	Trew. ehr. t. 43.
5	pomíferum DC.	(wh)	Apple-fruited	———	1692.	——	S	h	Rumph. amb. 1. t. 4[illegible].
6	sapidíssimum S.S.	(wh)	pleasant	.....	1823.	——	S	h	Jacq. schœnb. 3. t. 3[illegible]6.

§ 2. *Branches terete or cylindrical.*

7	guineénse DC.	(wh)	Guinea	Guinea	——	——	S	h	
8	polycárpon DC.	(wh)	many-fruited	Trinidad	1809.	4. 8.	S	h	Linn. trans. 11. t. 1[illegible].
9	Aràca DC.	(wh)	egg-fruited	Brazil	1820.	5. 7.	S	h	Raddi mem. 1821. t. 1.

10 fluviàtile DC.	(wh) Guiana	Guiana	1823.	5. 7.	S	♄	
guianénse P.S.							
11 oligospérmum DC.	(wh) few-seeded	Brazil	——	——	S	♄	
12 Cattleiànum DC.	(wh) Mr. Cattley's	———	1816.	1.12.	S	♄	Bot. reg. 622.
13 cordàtum DC.	(wh) spice	W. Indies	1811.	5. 7.	S	♄	Bot. mag. t. 1779.
14 nigrum DC.	(wh) black-fruited	China	....	——	S	♄	
15 ràbrum DC.	(wh) red-fruited	———	1820.	——	S	♄	
16 chinénse LC.	(wh) yellow Chinese	———	1818.	——	S	♄	
17 frùgrans L.C.	(wh) fragrant	.....	....	4. 8.	S	♄	
18 myrtifòlium L.C.	(wh) Myrtle-leaved	.....	....	——	S	♄	
19 latifòlium DC.	(wh) broad-leaved	.....	1820.	6. 8.	S	♄	
20 índicum DC.	(wh) Indian	E. Indies	1824.	——	S	♄	

JOSSI'NIA DC. Jossi'nia. (etymology unknown.) Icosandria Monogynia.

1 mespiloìdes DC.	(wh) Mespilus-like	Isl. Bourbon	1826.	....	S	♄	
2 ellíptica DC.	(wh) elliptic-leaved	Mauritius	1824.	....	S	♄	
Eugènia ellíptica Lam. *non* Smith.							
3 buxifòlia DC.	(wh) Box-leaved	Isl. Bourbon	1822.	....	S	♄	
4 melastomoìdes Cum.	(wh) Melastoma-like	Moreton B.	....	..	G	♄	

MY'RTUS DC. Myrtle. (*μυρον*, myrrh; perfume.) Icosandria Monogynia.)

1 commùnis DC.	(wh) common	S. Europe	1597.	7. 8.	F	♄	Lam. ill. t. 410.
A *melanocárpa* DC.	(w) *black-berried*	———	——	——	F	♄	
α *romàna* DC.	(wh) *broad-leaved*	———	——	——	F	♄	Mill. ic. t. 184 f. 1.
β *multiplex*	(wh) *double-blossomed*	———	....	——	F	♄	
B *leucocárpa* DC.	(wh) *white-fruited*	Levant	....	——	F	♄	
2 tarentìna	(wh) Box-leaved	S. Europe	1597.	——	F	♄	
3 itàlica	(wh) upright Italian	———	——	——	F	♄	
β *varieyàta*	(wh) *striped-leaved*	———	....	——	F	♄	
γ *maculàta*	(wh) *blotch-leaved*	———	....	——	F	♄	
4 boˈtica	(wh) Orange-leaved	———	1597.	——	F	♄	Blackw. t. 114.
5 lusitánica	(wh) Portugal	Portugal	——	——	F	♄	Clus. hist. 1. p. 66. f. 1.
6 bélgica	(wh) sharp-leaved	S. Europe	——	——	F	♄	
7 mucronàta	(wh) small-leaved	———	——	——	F	♄	
8 tomentòsa DC.	(ro) woolly-leaved	China	1776.	5. 9.	S	♄	Bot. mag. t. 250.
9 tenuifòlia DC.	(wh) slender-leaved	N. S. W.	1824.	——	G	♄	
10 lùcida DC.	(wh) shining	Surinam	1793.	4. 8.	S	♄	

MY'RCIA DC. My'rcia. (surname of Venus.) Icosandria Monogynia.

1 punctàta DC.	(wh) punctated	Santa Cruz	1825.	....	S	♄	
2 coriàcea DC.	(wh) Sumach-leaved	Hispaniola	1759.	5. 7.	S	♄	Plum. ic. t. 208. f. 2.
3 àcris DC.	(wh) broad-ld. Allspice	W. Indies	——	——	S	♄	Pluk. alm. t. 155. f. 3.
4 pimentoìdes DC.	(wh) Allspice-like	———	——	——	S	♄	Lodd. bot. cab. t. 178.
My'rtus Piménta β *latifòlia* Lodd. bot. cab. t. 178.							
5 divaricàta DC.	(wh) spreading-flow'd	W. Indies	1820.	——	S	♄	Plum. ic. t. 208. f. 1.
6 soròria DC.	(wh) sister	Trinidad	1822.	——	S	♄	
7 spléndens DC.	(wh) glossy-leaved	Hispaniola	——	——	S	♄	Jacq. coll. 2. t. 4.
Eugènia periplocæfòlia Jacq.							
8 Mìni	(wh) small-fruited	Guiana	1803.	——	S	♄	Aubl. guian. 1. t. 197.
Eugènia Mìni Aubl.							
9 crassinérvia DC.	(wh) thick-nerved	———	1780.	——	S	♄	
10 bracteàta DC.	(wh) leafy-bracted	Brazil	1824.	——	S	♄	
11 pseùdo-Mìni DC.	(wh) Brazilian	———	1822.	——	S	♄	

CALYPTRA'NTHES DC. Calyptra'nthes. (*καλυπτρα*, a hood, and *ανθος*, a flower.) Icos. Mon.

1 rígida DC.	(wh) rigid-leaved	Jamaica	1822.	....	S	♄	
2 Chytracùlia DC.	(wh) forked-panicled	———	1778.	3. 5.	S	♄	Brown. jam. t. 37. f. 2.
3 Zuzy'gium DC.	(wh) oval-leaved	———	——	5. 7.	S	♄	——— 240. t. 7. f. 2.

SYZY'GIUM DC. Syzy'gium. (*συζυγος*, coupled; branch and leaves.) Icosandria Monogynia.

1 obovàtum DC.	(wh) obovate-leaved	Mauritius	1822.	....	S	♄	
2 paniculàtum DC.	(wh) panicled	———	1821.	4. 6.	S	♄	
Eugènia paniculàta Lam.							
3 glomeràtum DC.	(wh) cluster-flowered	———	1824.	....	S	♄	
4 Jambolàna DC.	(wh) Jambolana-tree	E. Indies	1796.	5. 7.	S	♄	Rumph. amb. 1. t. 42.
Calyptránthes Jambolàna W. *Eugènia Jambolàna* Lam.							
5 inophy'llum DC.	(wh) equal-leaved	E. Indies	1826.	....	S	♄	
6 caryophyllifòlium DC.	(wh) Clove-ld.	———	1822.	5. 7.	S	♄	Rumph. amb. 1. t. 41.
Eugènia caryophyllifòlia Lam. *Calyptránthes cáryophyllifòlia* W.							
7 venòsum DC.	(wh) veined-leaved	Nepaul	1824.	....	S	♄	
8 fruticòsum DC.	(wh) shrubby	E. Indies	——	....	S	♄	
9 zeylánicum DC.	(wh) Ceylon	———	1798.	6. 7.	S	♄	Herm. zeyl. 435. ic.

CARYOPHY'LLUS DC. Clove-tree. (*Qarumfel*, Arab for cloves.) Icosandria Monogynia.

aromáticus DC.	(wh) aromatic	Moluccas	1797.	....	S	♄	Bot. mag. t. 2749-2750.

ACME'NA DC. Acme'na. (a name of Venus.) Icosandria Monogynia.

	ellíptica DC.	(*wh*) elliptic-leaved	N. S. W.	1790.	5. 9.	G	♄	Bot. mag. t. 1872.
	Eugènia ellíptica B.M. *My'rtus Smithii* S.S. *Metrosidèros floribúnda* Vent. malm. t. 75.							

EUGE'NIA DC. Euge'nia. (Prince Eugene of Savoy, patr. of bot.) Icosandria Monogynia.

1	Michèlii DC.	(*wh*) one-flowered	Brazil	1759.	1. 3.	S	♄	Bot. mag. t. 473.
	unifòra W. *Plinia pedunculàta* B.M.							
2	ligústrina DC.	(*wh*) Privet-leaved	Caribbees	1798.	8. 9.	S	♄	
3	balsámica DC.	(*wh*) balsamic	W. Indies	1816.	6. 7.	S	♄	Jacq. frag. t. 45. f. 2.
4	angustifòlia DC.	(*wh*) narrow-leaved	St.Domingo	1825.	....	S	♄	Plum.ed.Bur.t.207.f.2.
5	obscùra DC.	(*wh*) obscure	Brazil	1824.	10.11.	S	♄	Bot. reg. t. 1044.
	My'rtus obscùra B.R.							
6	alpìna DC.	(*wh*) alpine	Jamaica	1827.	6. 8.	S	♄	
7	latifòlia DC.	(*wh*) broad-leaved	Guiana	1793.	——	S	♄	Aubl. guian. 1. t. 199.
8	Lambertiàna DC.	(*wh*) Mr. Lambert's	W. Indies	1794.	....	S	♄	
9	Parkeriàna DC.	(*wh*) Parker's	Trinidad	——	....	S	♄	
10	Roxbúrghii DC.	(*wh*) Roxburgh's	E. Indies	1798.	6. 7.	S	♄	Andr. reposit. t. 619.?
	zeylánica Roxb. *non* W.							
11	dísticha DC.	(*wh*) globe-berried	Jamaica	1793.	4. 7.	S	♄	Lindl. coll. t. 19.
	My'rtus dísticha L. coll.							
12	glabràta DC.	(*wh*) smooth	W. Indies	1825.	——	S	♄	
13	axillàris DC.	(*wh*) axillary	Jamaica	1793.	9.10.	S	♄	
14	floribúnda DC.	(*wh*) many-flowered	Santa Cruz	1822.	4. 6.	S	♄	
15	buxifòlia DC.	(*wh*) Box-leaved	W. Indies	——	——	S	♄	
16	baruénsis DC.	(*wh*) many-flowered	———	....	——	S	♄	Jacq. ic. 3. t. 486.
17	dumòsa DC.	(*wh*) bushy	———	1793.	6. 7.	S	♄	
18	biflòra DC.	(*wh*) two-flowered	Jamaica	1759.	4. 5.	S	♄	Brown jam. t. 25. f. 3.
	My'rtus biflòra W.							
19	Sieberiàna DC.	(*wh*) Sieber's	Trinidad	1824.	——	S	♄	
20	trinérvia DC.	(*wh*) three-nerved	N. S. W.	1823.	——	G	♄	Bot. mag. t. 3223.
	My'rtus trinérvia L.T.							
21	trinitàtis DC.	(*wh*) Trinidad	Trinidad	——	....	S	♄	
22	Grègii DC.	(*wh*) Greg's	Dominica	1776.	6. 7.	S	♄	Gært. fruct. 1. t. 33.
	Grèggia aromática G. *My'rtus Grègii* W.							
23	fràgrans DC.	(*wh*) sweet-scented	Jamaica	1790.	4. 5.	S	♄	Bot. mag. t. 1242.
24	virgultòsa DC.	(*wh*) twiggy	W. Indies	1787.	7. 8.	S	♄	
	My'rtus virgultòsa W.							
25	corymbòsa DC.	(*wh*) corymbose	E. Indies	1824.	....	S	♄	Rheed. mal. 5. t. 27.
26	pulchélla H.B.	(*wh*) pretty	———	1822.	....	S	♄	
27	glandulífera H.B.	(*wh*) glandular	———	1823.	....	S	♄	
28	obtusifòlia H.B.	(*wh*) blunt-leaved	———	——	....	S	♄	
29	cerasoìdes H.B.	(*wh*) Cherry-fruited	———	——	....	S	♄	
30	Piménta DC.	(*wh*) Allspice	W. Indies	1723.	5. 7.	S	♄	Bot. mag. t. 1236.
	My'rtus Piménta W.							

JAMBO'SA DC. Jambo'sa. (*jambos*, vernacular name.) Icosandria Monogynia.

1	vulgàris DC.	(*st*) narrow-leaved	E. Indies	1768.	2. 7.	S	♄	Bot.mag.t.1696 & 3356.
	Eugènia Jámbos B.M.							
2	venòsa DC.	(*bh*) veined-leaved	Madagascar	1824.	....	S	♄	
3	macrophy'lla DC.	(*wh*) large-leaved	E. Indies	1822.	....	S	♄	
4	macrocárpa	(*wh*) large-fruited	———	——	....	S	♄	
	Eugènia macrocárpa H. B.							
5	purpuráscens DC.	(*pu*) purple-flower'd	W. Indies	1768.	5. 8.	S	♄	Andr. reposit. t. 458.
	Eugènia malaccénsis Smith exot. bot. t. 61.							
6	malaccénsis DC.	(*wh*) Malay Apple	E. Indies	——	——	S	♄	Rheed. mal. 1. t. 18.
7	amplexicaúlis DC.	(*gr*) stem-clasping	Sumatra	1820.	3. 6.	S	♄	Bot. reg. t. 1033.
8	àquea DC.	(*ro*) watery	Moluccas	1819.	——	S	♄	Rumph.amb.1.t.38.f.2.
	Eugenia àquea H.B.							
9	acuminàta	(*gr*) taper-pointed	Amboyna	1816.	5. 6.	S	♄	
	Eugènia acuminàta H.B.							
10	laurifòlia DC.	(*wh*) Laurel-leaved	E. Indies	1824.	....	S	♄	
11	ternifòlia	(*wh*) three-leaved	———	1822.	——	S	♄	
	Eugènia ternifòlia H.B.							
12	austràlis DC.	(*wh*) Myrtle-leaved	N. Holland	1812.	5. 9.	G	♄	Bot. mag. t. 2230.
	Eugènia austràlis Coll. hort. rip. app. t. 8. *Eugènia myrtifòlia* Bot. reg. t. 627.							

Tribe IV. *BARRINGTONIE'Æ.* DC. prodr. v. 3. p. 288.

BARRINGTO'NIA DC. BARRINGTO'NIA. (Hon. Daines Barrington, F.R.S.) Monad. Polyan.
1 speciòsa DC. (*pu.wh*) beautiful E. Indies 1786. .... S ♄ Rumph. amb. 3. t. 114.
2 racemòsa DC. (*wh*) racemed Malabar 1822. .... S ♄ Rheed. mal. 4. t. 6.
Eugènia racemòsa L.
STRAVA'DIUM DC. STRAVA'DIUM. (*Tsjeria-Samstravadi*, Malabar name.) Mon. Polyand.
1 álbum DC. (*wh*) white-flowered Moluccas 1822. .... S ♄ Rumph. amb. 3. t. 116.
2 rùbrum DC. (*ro*) red-flowered ——— —— .... S ♄ ——— 3. t. 115.
Barringtònia acutángula G. *Eugènia acutángula* L.
GUSTA'VIA DC. GUSTA'VIA. (Gustavus III., King of Sweden, pat. bot.) Monadel. Polyand.
1 augústa DC. (*wh*) large-flowered Guiana 1794. .... S ♄ Aubl. guian. 1. t. 192.
2 óstuòsa DC. (*wh*) six-petalled ——— 1824. .... S ♄ ——— 1. t. 193.

MYRTA'CEÆ DU'BIÆ. DC. prodr. v. 3. p. 394.

FÆTI'DIA DC. FÆTI'DIA. (from its fœtid smell.) Icosandria Monogynia.
mauritiàna DC. (*gr*) sessile-leaved Mauritius 1825. .... S ♄ Lam. ill. t. 419.
CAREYA R.C. CARE'YA. (Rev. W. Carey, of Serampore, cel. bot.) Monadelphia Polyandria.
1 sphæ'rica H.B. (*wh*) sphærical E. Indies 1823. .... S ♄
2 arbòrea R.C. (*gr.bh*) tree ——— —— .... S ♄ Roxb. corom. 3. t. 218.
3 herbàcea R.C. (*re*) herbaceous ——— 1808. 7. 8. S ♃ ——— 3. t. 217.
GRI'AS DC. ANCHOVY PEAR. (γραυ, to eat; fruit.) Polyandria Monogynia.
cauliflòra DC. (*wh*) stem-flowering Jamaica .... S ♄ Sloan. his. 2. t. 217. f. 2.

ORDER CII.

LECYTHI'DEÆ. *D.S.*

LE'CYTHIS. DC. LE'CYTHIS. (λεκυθος, an oil jar; form of fruit.) Monadelphia Polyandria.
§ 1. *Leaves serrated.*
1 Ollària DC. (*wh*) sessile-leaved Brazil 1820. .... S ♄
2 minor DC. (*wh*) smaller Carthagena 1823. .... S ♄ Jacq. amer. t. 109.
§ 2. *Leaves entire.*
3 grandiflòra DC. (*ro*) large-flowered Cayenne 1822. .... S ♄ Au. gu. 2. t. 283. 284. 285.
4 Idatimon DC. (*fl*) flesh-coloured Guiana —— .... S ♄ ——— 2. t. 829.
5 amàra DC. (*ye*) bitter-seeded ——— —— .... S ♄ ——— 2. t. 286. et t. 285. f. 1
6 parviflòra DC. (*st*) small-flowered ——— —— .... S ♄ ——— 2. t. 287.
7 bracteàta DC. (*st*) bracteate Maranham 1825. .... S ♄ ——— 2. t. 282.
BERTHOLLE'TIA DC. BRAZIL-NUT. (Louis Claude Berthollet, cel. chem.) Mon. Poly.
excélsa DC. (*st*) lofty Brazil 1824. .... S ♄ H. et B. pl. equ. 1. t. 36.
COUROUPI'TA DC. COUROUPI'TA. (*Couroupitoutouma*, Caribbean name.) Monadel. Poly.
guianénsis DC. (*bh*) Guiana Guiana 1820. .... S ♄ Aubl. guian. 2. t. 282.
Lécythis bracteàta W. *Pèkea Couroupìta* Juss.

ORDER CIII.

CUCURBITA'CEÆ. *DC. prodr. v. 3. p. 297.*

Tribe II. *CUCURBI'TEÆ.* DC. prod. 3. p. 299.

LAGENA'RIA DC.	Gourd.	(*Lagena*, a bottle; form of fruit.)						Monœcia Monadelphia.
1 vulgàris DC.	(*wh*) bottle	India	1597.	7. 9.	H	⊙	◡	
α *Goúrda* DC.	(*wh*) *common*	———	——	——	H	⊙	◡	Moris. his. s. 1. t. 5. f. 1.
β *Cougoúrda* DC.	(*wh*) *Cow-gourd*	China	——	——	H	⊙	◡	Rumph. amb. 5. t. 144.
γ *depréssa* DC.	(*wh*) *flat-fruited*	India	——	——	H	⊙	◡	
δ *turbinàta* DC.	(*wh*) *top-fruited*	———	——	——	H	⊙	◡	Moris. his. s. 1. t. 5. f. 2.
ε *clavàta* DC.	(*wh*) *club-fruited*	———	——	——	H	⊙	◡	—— sect. 1. t. 5. f. 3.
2 vittàta DC.	(*wh*) ribbon	E. Indies	....	7. 9.	H	⊙	◡	
3 idolátrica DC.	(*wh*) Pear-fruited	———	....	——	H	⊙	◡	
CU'CUMIS DC.	Cucumber.	(σικυος, a cucumber.)						Monœcia Monadelphia.
1 Mèlo DC.	(*st*) Melon	Tartary	1570.	5. 9.	F	⊙	◡	Blackw. herb. t. 329.
2 deliciòsus DC.	(*st*) delicious	E. Indies	1818.	——	F	⊙	◡	
3 satìvus DC.	(*ye*) common	———	1573.	7. 9.	H	⊙	◡	Blackw. herb. t. 4.
α *víridis* DC.	(*ye*) *green-fruited*	———	——	——	H	⊙	◡	
β *flàvus* DC.	(*ye*) *pale-fruited*	———	——	——	H	⊙	◡	
γ *álbus* DC.	(*ye*) *white Turkey*	———	——	——	H	⊙	◡	
δ *variegàtus* DC.	(*ye*) *striped-fruited*	———	——	——	H	⊙	◡	
ε *fastigiàtus* DC	(*ye*) *clustered*	———	——	——	H	⊙	◡	
4 flexuòsus DC.	(*ye*) flexuous snake	———	1597.	5. 9.	F	⊙	◡	Lob. stirp. p. 363. f. 2.
β *reflèxus* DC.	(*ye*) *angular-leaved*	———	....	——	F	⊙	◡	
5 anguìnus W.	(*ye*) snake-fruited	———	1820.	7. 9.	F	⊙	◡	
6 jamaicénsis DC.	(*ye*) round-fruited	Jamaica	1818.	——	F	⊙	◡	
7 Chàte DC.	(*ye*) hairy	Levant	1759.	6. 7.	H	⊙	◡	Alp. ægypt. t. 117.
8 Dudàim DC.	(*ye*) Apple-fruited	———	1705.	7. 8.	H	⊙	◡	Andr. reposit. t. 548.
9 prophetàrum DC.	(*ye*) globe-fruited	———	1777.	6. 9.	F	⊙	◡	Jacq. vind. 1. t. 9.
10 africànus DC.	(*ye*) African	C. B. S.	1816.	——	G	♃	◡	Herm. parad. t. 134.
11 Angùria DC.	(*ye*) round prickly	Jamaica	1692.	7. 9.	H	⊙	◡	Mill. ic. 1. t. 33.
12 Citrúllus DC.	(*ye*) Water Melon	Africa	1597.	5. 9.	F	⊙	◡	Rumph. amb. 5. t. 146.
α *Pásteca* DC.	(*ye*) *firm-fruited*	———	——	——	F	⊙	◡	
β *Jâce* DC.	(*ye*) *juicy-fruited*	———	——	——	F	⊙	◡	
13 pubéscens DC.	(*ye*) pubescent	.....	1815.	6. 9.	F	⊙	◡	
14 maculàtus DC.	(*ye*) spotted-fruited	.....	....	——	F	⊙	◡	Ser. dis. t. 3.
15 Colocy'nthis DC.	(*ye*) bitter	Japan	1551.	5. 8.	F	⊙	◡	Blackw. herb. t. 441.
16 perénnis DC.	(*ye*) perennial	N. America	1824.	6. 8.	F	⊙	◡	
17 coronàrius	(*ye*) crowned	.....	1827.	——	F	⊙	◡	
18 Momórdica H.B.	(*ye*) Momordica-like	E. Indies	1812.	7. 9.	F	⊙	◡	
19 utilitíssimus H.B.	(*ye*) useful	———	1820.	——	F	⊙	◡	
20 turbinàtus H.B.	(*ye*) top-shaped	———	——	——	F	⊙	◡	
21 maderaspatànus W.	(*ye*) Madras	———	1805.	7. 8.	F	⊙	◡	Pluk. alm. t. 170. f. 2.
Byrònia maderaspatàna DC.								
22 integrifòlius H.B.	(*ye*) entire-leaved	———	1825.	——	F	⊙	◡	
LU'FFA DC.	Lu'ffa.	(*Louff*, Arabic name of a species.)						Pentandria Monogynia.
1 fœ'tida DC.	(*ye*) strong-scented	E. Indies	1812.	6.10.	F	⊙	◡	Bot. mag. t. 1638.
2 acutángula DC.	(*ye*) acute-angled	———	1692.	6. 9.	F	⊙	◡	Jacq. vind. 2. t. 73-74.
Cùcumis acutángulus Jacq.								
3 Plukenetiàna DC.	(*ye*) Plukenet's	———	....	——	F	⊙	◡	Pluk. alm. t. 172. f. 1.
4 clavàta H.B.	(*ye*) erect	———	1820.	6.10.	F	⊙	◡	
5 amàra H.B.	(*ye*) bitter	———	——	——	F	⊙	◡	
6 gravèolens H.B.	(*ye*) strong-smelling	———	1823.	——	F	⊙	◡	
7 racemòsa H.B.	(*ye*) racemed	———	——	——	F	⊙	◡	
8 ægyptìaca DC.	(*ye*) Egyptian	Egypt	1739.	7. 8.	F	⊙	◡	Alp. ægypt. t. 58.
Momórdica Líffa L.								
BENINCA'SA DC.	Beninca'sa.	(Count Benincasa, an Ital.)						Polygamia Monœcia.
cerífera DC.	(*ye*) musky	E. Indies	....	7. 9.	F	⊙	◡	Savi. mem. c. 1818. p. 6.

BRYO'NIA DC. Bryony. (βρυω, to sprout up; growth.) Monœcia Monadelphia.

§ 1. *Leaves angular.*

1 rostràta DC.	(*st*) rostrate	E. Indies	1825.	7. 9.	S	⊙	◡		
2 scàbra DC.	(*st*) globe-fruited	C. B. S.	1774.	9.10.	G	♃	◡		
3 verracòsa DC.	(*st*) warted	Canaries	1779.	6.10.	G	♃	◡		
4 scabràta DC.	(*st*) roughish	E. Indies	1826.	——	S	♃	◡		
5 punctàta DC.	(*st*) dotted	C. B. S.	1816.	——	G	♃	◡		
6 cordàta DC.	(*st*) cordate	———	——	——	G	♃	◡		
7 grándis DC.	(*re*) great-flowered	E. Indies	1783.	5. 8.	S	♃	◡	Rump. amb. 5.t.166.f.1.	
8 umbellàta DC.	(*st*) umbel-flowered	———	1825.	——	S	♃	◡	Rheed. mal. 8. t. 26?	
9 hederæfòlia DC.	(*st*) Ivy-leaved	Teneriffe	——	——	G	♃	◡	Jacq. fragm. 73. t. 113.	

§ 2. *Leaves lobed.*

10 epigæ'a DC.	(*st*) leathery-leaved	E. Indies	1815.	——	G	♃	◡		
11 scabréllà DC.	(*st*) rough-seeded	———	1781.	6. 8.	S	⊙	◡		
12 latebròsa DC.	(*st*) hairy	Canaries	1779.	——	G	♃	◡		
13 trilobàta DC.	(*st*) three-lobed	C. B. S.	1816.	——	G	⊙	◡		
14 álba DC.	(*wh*) black-fruited	Europe	1807.	——	H	♃	◡	Lam. ill. t. 796.	
15 dioíca DC.	(*st*) red-fruited	Britain	....	5. 9.	H	♃	◡	Eng. bot. v. 7. t. 439.	
16 nítida DC.	(*st*) glossy	.....	1824.	——	S	♃	◡		
17 crética DC.	(*st*) Cretan	Candia	1759.	7. 9.	G	♃	◡	Desf. an. mus. 12. t. 17.	
18 quinquéloba DC.	(*st*) five-lobed	C. B. S.	....	6.10.	G	♃	◡	Bot. reg. t. 82.	
19 ficifòlia DC.	(*st*) Fig-leaved	B. Ayres	1726.	——	G	♃	◡	Dill. elth. t. 50. f. 58.	
20 variegàta DC.	(*st*) variegated	America	....	——	S	♃	◡		

§ 3. *Leaves palmate.*

21 racemòsa DC.	(*st*) racemed	Trinidad	1820.	——	S	♃	◡	Plum. amer. 83. t. 97.	
22 pinnatífida DC.	(*st*) pinnatifid	C. B. S.	1816.	7. 8.	G	♃	◡		
23 divìsa W. en.	(*st*) divided-leaved	.....	1818.	6.10.	G	♃	◡		
24 palmàta DC.	(*st*) palmated	Ceylon	1778.	7. 8.	S	♃	◡		
25 Garcini DC.	(*st*) round-lobed	———	1818.	——	S	♃	◡	Burm. ind. t. 57. f. 3.	
26 laciniòsa DC.	(*st*) laciniated	E. Indies	1710.	——	S	♃	◡	Herm. lugd. 95. t. 97.	
27 africàna DC.	(*st*) African	C. B. S.	1759.	7. 8.	G	♃	◡	Herm. parad. t. 708.	
28 dissécta DC.	(*st*) smooth-leaved	———	1710.	——	G	♃	◡		
29 tenélla H. B.	(*st*) slender	E. Indies	1820.	——	S	♃	◡		
30 Wallichiàna DC.	(*st*) filiform	Nepaul	——	——	S	♃	◡		
filiformis H.B.									

SICYOS DC. Single-seeded Cucumber. (σικυος, Gr. name of cucumber.) Monœc. Monad.

1 angulàtus DC.	(*ye*) angular-leaved	N. America	1710.	7. 9.	H	⊙	◡	Dill. elth. t. 51. f. 59.	
2 bryonifòlius DS.	(*ye*) Bryony-leaved	.....	1832.	....	F	⊙	◡		
3 parviflòrus DC.	(*ye*) small-flowered	Quito	1823	7. 9.	H	⊙	◡		
4 microphy'llus DC.	(*ye*) small-leaved	Mexico	——	——	H	⊙	◡		
5 vitifòlius DC.	(*ye*) Vine-leaved	.....	——	——	H	⊙	◡		
6 laciniàtus DC.	(*ye*) jagged-leaved	S. America	1827.	——	F	⊙	◡	Plum. ed Burm. t. 243.	

ELATE'RIUM DC. Elate'rium. (ελατηρ, an impeller; elastic fruit.) Monœcia Monadelphia.

1 geméllum DC.	(*wh*) twin-tendrilled	Mexico	1826.	6. 9.	H	⊙	◡		
2 carthagenénse DC.	(*wh*) Carthagenian	Caracas	1824.	——	F	⊙	◡	Jam. am. pict. t. 232.	
3 tamnoides DC.	(*st*) Tamus-like	Mexico	1818.	——	H	⊙	◡		

MOMO'RDICA DC. Momo'rdica. (*mordeo*, to bite, appearance of seeds.) Monœcia Monadelph.

1 balsamìna DC.	(*ye*) Balsam Apple	E. Indies	1568.	6. 7.	F	⊙	◡	Blackw. herb. 6. t. 539.	
2 muricàta DC.	(*ye*) tubercled	———	....	——	F	⊙	◡	Rheed. mal. 8. t. 10.	
3 Charántia DC.	(*ye*) hairy	———	1710.	——	F	⊙	◡	Bot. mag. t. 2455.	
β *abbreviàta* DC.	(*ye*) *short-fruited*	———	——	——	F	⊙	◡		
4 senegalénsis DC.	(*ye*) Senegal	Senegal	1822.	7. 8.	F	⊙	◡		
5 cylíndrica DC.	(*ye*) cylindrical	China	1816.	——	F	⊙	◡		
6 operculàta DC.	(*ye*) rough-fruited	W. Indies	1731.	6. 9.	F	⊙	◡	Comm. rar. t. 22.	
7 Elatèrium DC.	(*st*) squirting cucumber	S. Europe	1548.	——	H	♃	◡	Bot. mag. t. t. 1914.	
8 dioíca DC.	(*ye*) diœcious	E. Indies	1820.	7. 8.	S	♃	◡	Rheed. mal. 8. t. 18.	
9 monadélpha H.B.	(*ye*) monadelphous	———	1812.	——	S	♃	◡		
10 mixta H.B.	(*ye*) mixed	———	1820.	——	S	♃	◡		
11 umbellàta H.H.	(*ye*) umbel-flowered	———	1818.	——	S	♃	◡		
12 tubiflòra H.B.	(*ye*) tube-flowered	———	1824.	7.10.	F	⊙	◡		

SECHIUM DC. Chocho. (σεκιξο, to fatten; hogs.) Monœcia Monadelphia.

1 edùle DC.	(*ye*) eatable	W. Indies	1823.	7. 9.	F	⊙	◡	Jacq. amer. t. 163.	
2 americànum DC.	(*ye*) American	Jamaica	1825.	——	F	⊙	◡		
3 palmàtum DC.	(*st*) palmated	Mexico	1827.	9.11.	F	⊙	◡	Moc. et. Ses. fl. mex. ic.	

MELOTHRIA DC. Melo'thria. (μελοθρον, a name given to Bryony.) Monœcia Triandria.

1 péndula DC.	(*ye*) pendulous	America	1752.	6. 7.	H	⊙	◡	Plum. ic. t. 66. f. 2.	
2 fœ'tida DC.	(*ye*) strong-scented	Guinea	1825.	——	S	♃	◡	Jacq. ic. 3. t. 624.	
Trichosánthes fœtidissima Jacq.									

TRICHOSA'NTHES DC. Snake-gourd. (θριξ, a hair, and ανθος, a flower; fringed.) Monœc. Monad.

1 anguìna DC.	(wh) common	China	1755.	5. 8.	F	⊙	◡	Bot. mag. t. 722.
2 colubrìna DC.	(wh) panicled	.....	1820.	——	F	⊙	◡	Jacq. f. eclog. t. 128.
3 dioíca H.B.	(wh) diœcious	E. Indies	——	5. 6.	S	♃	◡	
4 cucumérina DC.	(wh) Cucumber-like	———	1804.	6. 8.	F	⊙	◡	Rheed. mal. 8. t. 15.
5 lobàta H.B.	(wh) lobed-leaved	———	1812.	——	F	⊙	◡	
6 cordàta H.B.	(wh) heart-leaved	———	1823.	——	S	♃	◡	
7 palmàta H.B.	(wh) palmated	———	1825.	——	S	♄	◡	
8 corniculàta DC.	(wh) horn-gourd	W. Indies	1810.	6. 7.	S	♃	◡	Bot. mag. t. 2703.

tuberòsa B.M. *Ceratosánthes tuberòsa* S.S.

AMPELOSI'CYOS DS. Vine-Cucumber. (αμπελος, a vine, and σικυος, a cucumber.) Dicœc. Monad.

scándens DS.	(pu) climbing	Zanzibar	1825.	6. 8.	S	♄	◡	Bot. mag. t. 2681.
Jolíffia Africàna DC.								
♀ *fœ'mina*	(pu) *female*	———	——	——	S	♄	◡	——— t. 2681.
Feuillæ'a pedàta B.M.								
♂ *máscula*	(pu) *male*	———	1827.	——	S	♄	◡	Bot.mag.t.2751 et 2752.

Telfaíria pedàta Hook. bot. mag. t. 2751.

CUCU'RBITA DC. Pumpkin. (*Curvitas*, crookedness; shape.) Monœcia Monadelphia.

1 máxima DC.	(ye) Elephant	.....	....	7.10.	H	⊙	◡	Tourn. inst. n. 2. t. 24.
α *Potíro* DC.	(ye) *yellow-fruited*	.....	....	——	H	⊙	◡	
β *víridis* DC.	(ye) *green-fruited*	.....	....	——	H	⊙	◡	
γ *Coúrgero* DC.	(ye) *small-fruited*	.....	....	——	H	⊙	◡	
2 Melopèpo DC.	(ye) Squash	.....	1597.	5. 9.	H	⊙	◡	Moris. hist. 1. s. 1. t. 8.
3 moschàta DC.	(ye) musk Melon	W. Indies	——	6. 9.	F	⊙	◡	Dalech. hist. 616. f. 3.
4 villòsa DC.	(ye) woolly-fruited	E. Indies	1818.	——	F	⊙	◡	
5 Pèpo DC.	(ye) common	Levant	1570.	——	H	⊙	◡	
α *subrotúnda* DC.	(ye) *round-fruited*	———	——	——	H	⊙	◡	
β *oblónga* DC.	(ye) *oblong-fruited*	———	——	——	H	⊙	◡	
6 farinòsa DC.	(ye) mealy-fruited	E. Indies	1822.	——	F	⊙	◡	
7 verrucòsa DC.	(ye) warted	.....	1658.	——	H	⊙	◡	Bauh. hist. 2. p. 222. ic.
8 subverrucòsa DC.	(ye) oblong-fruited	.....	....	——	H	⊙	◡	
9 auántia DC.	(ye) orange-gourd	.....	....	——	H	⊙	◡	
α *orángina* DC.	(ye) *true orange*	.....	....	——	H	⊙	◡	
β *colocynthoìdes* DC.	(ye) *variegated-fruit'd*	..	....	——	H	⊙	◡	
10 ovífera DC.	(ye) egg-shaped	Astracan	....	——	H	⊙	◡	Dod. pempt. 670. f. 1.
α *pyriformis* DC.	(ye) *pear-fruited*	———	....	——	H	⊙	◡	Ser. diss. t. 1.
β *subglobòsa* DC.	(ye) *white-striped*	———	....	——	H	⊙	◡	
γ *grísea* DC.	(ye) *white-spotted*	———	....	——	H	⊙	◡	
11 fœtidíssima DC.	(ye) strong-scented	Mexico	1825.	——	H	⊙	◡	
12 marsupiàlis Jacq.	(ye) bag-bearing	.....	1821.	——	H	⊙	◡	
13 dipsàcea E.	(ye) Teasel-like	Egypt	1827.	——	H	⊙	◡	

ANGU'RIA DC. Angu'ria. (αγγος, a vessel; shape of fruit.) Monœcia Diandria.

1 trilobàta DC.	(re) three-lobed	Martinico	1793.	6. 7.	S	♃	◡	Jacq. am. pict. t. 234.
2 pedatisécta DC.	(re) cut-leaved	Peru	1827.	7.10.	H	⊙	◡	Feuil. per. 1. t. 41.
3 pedàta DC.	(re) pedate-leaved	St.Domingo	——	6. 8.	S	♃	◡	Jacq. am. pict. t. 155.
4 umbròsa DC.	(re) shaded	S. America	——	——	S	♃		

GE'NERA CUCURBITA'CEIS AFFI'NIA.

GRONO'VIA DC. Grono'via. (J. F. Gronovius, a German bot.) Pentandria Monogynia.

scándens DC.	(st) climbing	Jamaica	1731.	6. 7.	S	♃	◡	Jacq. ic. 2. t. 338.

ORDER CIV.

PAPAYA'CEÆ. DS. 3. *p.* 43.

CA'RICA DS. Papaw-tree. (a native of Caria.) Diœcia Decandria.

1 Papàya DS.	(st) common	India	1690.	7. 8.	S	♄	Bot. reg. t. 459.
2 pyrifórmis DS.	(ro) Pear-fruited	Peru	1825.	....	S	♄	Feuil. journ. 3. t. 39.

citriformis DC.	(*ro*) Citron-fruited	Guinea	1825.	....	S ♄		Bot. mag. t. 3633.
caulifòra DC.	(*st*) stem-flowering	Caracas	1806.	6. 8.	S ♄		Jacq. schœnb. 3. t. 311.
microcárpa DC.	(*st*) small-fruited	———	——	——	S ♄		——— 3. t. 309. 310.
monoica Df.	(*st*) monœcious	———	1816.	——	S ♄		
digitàta DC.	(*st*) spiny	Guiana	1824.	....	S ♄		Aubl. guian. 2. t. 246.
spinòsa W.							

ORDER CV.

PASSIFLO'REÆ. DC. *prodr.* v. 3. p. 321.

Tribe I. *PAROPSIE'Æ.* DC. prodr. v. 3. p. 322.

SMEATHMA'NNIA L.T. SMEATHMA'NNIA. (M. Smeathmann, African trav.) Polyand. Pentag.

levigàta L.T.	(*wh*) smooth	Sierra Leon.	1822.	....	S ♄		

Tribe II. *PASSIFLO'REÆ VE'RÆ.* DC. prodr. v. 3. p. 322.

PASSIFLO'RA DC. PASSION-FLOWER. (*passio*, passion, and *flos*, a flower.) Monadelp. Pentand.

§. 1. POLYA'NTHEMA; *peduncles many-flowered; involucrum wanting; calyx* 5-*lobed; petals* 5.

holosericea DC.	(*st*) silky-leaved	Vera Cruz	1733.	5. 8.	S ♄ ◡		Bot. reg. t. 59.

§. 2. CIE'CA; *calyx* 5-*lobed*; *petals wanting; involucrum wanting or small; peduncles* 1-*flowered.*

pallida DC.	(*gr*) pale-flowered	W. Indies	1820.	5.10.	S ♄ ◡		Bot. reg. t 660.
cuprea DC.	(*co*) copper-coloured	Bahama Isl.	1724.	7. 8.	S ♄ ◡		Jacq. ic. 3. t. 606.
Cavanillèsii DC.	(*pu*) Cavanilles's	W. Indies	1822.	....	S ♄ ◡		Cavan. diss. 10. t. 273.
cupres Cav. not of L.							
multiflòra DC.	(*wh*) many-flowered	Vera Cruz	1731.	6. 9.	S ♄ ◡		Cavan. diss. 10. t. 272.
auriculàta DC.	(*wh*) auricled	Orinoco	1820.	6. 8.	S ♄ ◡		
pubéscens DC.	(*wh*) pubescent	Caracas	1825.	——	S ♄ ◡		
mexicàna DC.	(*wh*) Mexican	Mexico	1812.	——	S ♄ ◡		Jus. an. mus. 6. t. 38. f. 2.
normàlis DC.	(*cr*) linear-lobed	Jamaica	1771.	5. 7.	S ♄ ◡		
angustifòlia DC.	(*gr*) narrow-leaved	W. Indies	1773.	6. 9.	S ♄ ◡		Bot. reg. t. 188.
heterophylla Jacq. schœn. 2. t. 181.							
maculàta DC.	(*wh*) painted-leaved	N. America	1812.	——	G ♄ ◡		Pluk. t. 210. f. 3.
gracilis DC.	(*wh*) slender	———	1823.	6.10.	S ♃ ◡		Bot. reg. t. 870.
lutea DC.	(*st*) pale yellow	———	1714.	5. 8.	F ♃ ◡		——— t. 79.
minima DC.	(*gr*) small	S. America	1690.	7. 9.	S ♄ ◡		——— t. 144.
hirsùta DC.	(*gr*) hairy-stalked	W. Indies	1778.	8.10.	S ♄ ◡		Plum. amer t. 88.
cirrhòsa BR.	(*bl*) clawed	Brazil	1835.	——	S ♄ ◡		Bot. reg. n. s. t. 21.
suberòsa DC.	(*wh*) cork-barked	W. Indies	1759.	6. 9.	S ♄ ◡		Sm. exot. bot. 1. t. 28.
peltàta DC.	(*st*) peltate	———	1778.	8.10.	S ♄ ◡		Bot. reg. t. 507.
hederàcea DC.	(*wh*) Ivy-leaved	Antilles	....	6. 7.	S ♄ ◡		Plum. amer. t. 84.
panònsa DC.	(*fl*) cloth-leaved	W. Indies	1824.	6. 9.	S ♄ ◡		
cuneàta W. en.	(*wh*) wedge-leaved	S. America	1820.	6.10.	S ♄ ◡		
multiformis DC.	(*wh*) multiform	Caraccas	1825.	——	S ♄ ◡		Jacq. frag. t. 67. f. 1.
caracasàna W. en.							
heterophylla DC.	(*wh*) various-leaved	St. Domingo	1817.	——	S ♄ ◡		Plum. ed. Bur. t. 139. f. 1.
rubricaùlis Jac.	(*re*) red-stalked	S. America	1821.	6. 8.	S ♄ ◡		

§. 3. DECA'LOBA; *calyx* 10-*lobed; the* 5 *inner ones are probably petals; involucrum wanting, or small; peduncles* 1-*flowered.*

perfoliàta DC.	(*pu*) perfoliate	W. Indies	1806.	7. 9.	S ♄ ◡		Bot. reg. t. 78.
rùbra DC.	(*fl*) red-fruited	———	1731.	4. 9.	S ♄ ◡		——— t. 95.
capsulàris DC.	(*wh*) angular-fruited	———	1826.	——	S ♄ ◡		Bot. mag. t. 2868 ?
bifòra DC.	(*wh*) crescent-leaved	———	1733.	——	S ♄ ◡		Sm. ic. pict. 1. t. 1.
lunàta Sm. *non* Juss. *Vespertílio* Miss Lawr. pass. t. 8. *nec aliorum.*							
β? *acutíloba*	(*wh*) *acute-lobed*	W. Indies	——	——	S ♄ ◡		Bot. reg. t. 577.
Andersònii DC.	(*st*) Anderson's	St. Vincent	1823.	7.10.	S ♄ ◡		

30 hemícycla DC. (*wh*) half-circle-ld. S. America 1817. .... S ♄ ◡
31 Vespertílio DC. (*wh*) bat-winged W. Indies 1732. 5. 6. S ♄ ◡ Dill. elth. t. 137. f. 16
32 Maximiliàna DC. (*wh*) two-coloured Brazil 1820. 6.10. S ♄ ◡ Bot. reg. t. 597.
Vespertílio B.R. *nec aliorum. discolor* Lodd. bot. cab. t. 565.
33 oblongàta DC. (*wh*) oblong-leaved Jamaica 1822. —— S ♄ ◡
34 kermesìna D.S. (*cr*) crimson S. America 1831. —— S ♄ ◡ Bot. reg. 1633.
35 lyræfòlia DC. (*wh*) lyre-leaved Jamaica 1816. 6. 7. S ♄ ◡ Tuss. ant. t. 4.
36 tuberòsa DC. (*pa*) tuberous-rooted S. America 1784. 6.10. S ♄ ◡ Bot. reg. t. 432.
punctàta Lodd. bot. cab. t. 101.
37 rotundifòlia DC. (*wh*) round-leaved W. Indies 1779. 5. 8. S ♄ ◡ Cavan. dis. t. 290.
38 obscùra D.S. (*wh.pu*) obscure S. America 1823. 8.10. S ♄ ◡
39 punctàta DC. (*st*) dotted-leaved Peru 1784. 5. 6. S ♄ ◡ Cavan. dis. 6. t. 269.
Sect. 4. GRANADI'LLA; *involucrum* 3-*leaved, under the flower; peduncles* 1-*flowered.*
* *Leaves entire.*
40 serratifòlia DC. (*pu*) notch-leaved W. Indies 1731. 5.10. S ♄ ◡ Bot. mag. t. 651.
41 coccínea DC. (*sc*) scarlet-flowered Guiana 1823. .... S ♄ ◡ Aubl. guian. 3. t. 324.
42 mucronàta DC. (*v*) mucronate Brazil 1822. .... S ♄ ◡ Cavan. diss. t. 282.
43 malifórmis DC. (*v*) Apple-fruited W. Indies 1731. 7.11. S ♄ ◡ Bot. reg. t. 94.
44 tiliæfòlia DC. (*wh*) Lime-tree-ld. Peru 1822. .... S ♄ ◡ Feuill. obs. 2. t. 12.
45 ligulàris DC. (*v*) taper-pointed ——— —— 4. 8. S ♄ ◡ Juss. an. mus. 6. t. 40.
46 quadrangulàris DC. (*v*) square-stalked Jamaica 1768. 8.10. S ♄ ◡ Bot. reg. t. 14.
47 alàta DC. (*v*) wing-stalked W. Indies 1772. 4. 8. S ♄ ◡ Bot. mag. t. 66.
48 phœnícea B.R. (*sc.bl*) scarlet-flower'd S. America 1830. 9. S ♄ ◡ Bot. reg. t. 1663.
49 álbida DC. (*wh*) white-flowered Brazil 1816. 7.11. S ♄ ◡ ——— t. 677.
50 angulàta Cerv. (*wh*) angular-stalked Mexico 1823. —— G ♄ ◡
51 laurifòlia DC. (*v*) Laurel-leaved W. Indies 1690. 6. 8. S ♄ ◡ Bot. reg. t. 13.
52 tinifòlia DC. (*v*) Tinus-leaved ——— 1822. —— S ♄ ◡ Juss. an. mus. 6. t. 41. f. 2.
** *Leaves lobed, parted, or cut to the base.*
53 racemòsa DC. (*sc*) racemed Brazil 1816. 1.12. S ♄ ◡ Bot. reg. t. 285.
54 sanguínea DC. (*cr*) crimson Hybrid 1820. —— G ♄ ◡
55 cœrùleo-racemòsa (*pu*) Whitley's mule ——— —— —— G ♄ ◡ Lodd. bot. cab. t. 573.
α quinquelobàta H.T. (*pu*) *five-lobed* ——— —— —— G ♄ ◡ Hort. trans. 4. t. 9.
β trilobàta H.T. (*pu*) *three-lobed* ——— —— —— G ♄ ◡
γ racemífera (*pu*) *raceme-bearing* ——— —— —— G ♄ ◡
56 alàto-cœrùlea DC. (*ro*) Masters's mule Hybrid 1823. 4. 8. G ♄ ◡ Bot. reg. t. 848.
57 stipulàta DC. (*wh*) glaucous-leaved Cayenne 1779. 8. 9. S ♄ ◡ Aubl. guian. 2. t. 325.
glaúca Bot. reg. t. 88. *non* Humb.
58 Raddiàna DC. (*st.pur*) Raddi's Brazil 1829. 7.10. S ♄ ◡
59 álba D.S. (*wh*) white-flowered ——— —— —— S ♄ ◡
60 álbicans H.C. (*wh*) whitish Mexico 1826. —— S ♄ ◡ Lk. et Ott. ab. t. 33.
61 incarnàta DC. (*bh*) flesh-coloured N. America 1629. 7. 9. H ♄ ◡ Miss Lawr. pass. ic.
β ? integríloba DC. (*bh*) *entire-lobed* ——— 1812. —— H ♄ ◡ Bot. reg. t. 332.
62 edùlis DC. (*bh*) eatable-fruited Brazil 1816. 6.10. G ♄ ◡ Bot. mag. t. 1989.
incarnàta β Bot. reg. t. 152.
63 vitifòlia DC. (*wh*) Vine-leaved S. America 1824. .... S ♄ ◡
64 filamentòsa DC. (*v*) filamentose ——— 1819. 7.10. G ♄ ◡ Cavan. diss. 10. t. 294.
65 palmàta DC. (*v*) palmate-leaved Brazil —— —— F ♄ ◡ Lodd. bot. cab. t. 97.
66 Colvíllii DC. (*v*) Colvill's mule Hybrid 1823. —— H ♄ ◡ Swt. br. fl. gar. t. 126.
67 cœrùlea DC. (*wh.bl*) common Brazil 1699. —— H ♄ ◡ Bot. reg. t. 488.
β glaucophy'lla (*wh.bl*) *glaucous-ld.* ——— .... —— H ♄ ◡
γ angustifòlia (*wh.bl*) *narrow-long-ld* ——— .... —— H ♄ ◡
68 chinénsis (*wh.bl*) Chinese China 1819. 6.10. G ♄ ◡
cærùlea Lour. *nec aliorum.*
69 serràta DC. (*pa*) saw-leaved Martinica 1800. .... S ♄ ◡ Cavan. diss. 10. t. 296.
70 digitàta R.P. (*pa*) digitate Peru 1824. .... S ♄ ◡
71 pedàta DC. (*pa*) curl-flowered W. Indies 1781. .... S ♄ ◡ Plum. am. t. 81.
Sect. 5. TACSONIOI'DES; *tube of calyx rather elongated, but still shorter than the limb; leaves* 3-*lobed, having the recesses and petioles glandular.*
72 picturàta DC. (*v*) pictured Brazil 1823. 6. 9. S ♄ ◡ Bot. reg. t. 673.
73 cephalèima DC. crowded-flower'd..... 1826. .... S ♄ ◡ Bor. ann. 2. t. 22. f. 2.
Sect. 6. DYSO'SMIA; *involucrum* 3-*leaved under the flower, having the leaflets divided into cartaceous glandular lobes; calyx* 10-*lobed, the inner* 5-*lobes probably petals.*
74 hibiscifòlia (*wh.bl*) Hibiscus-leaved Caribees 1825. 6. 9. S ♄ ◡ Plum. am. t. 86.
75 fœ'tida (*wh.bl*) stinking W. Indies 1731. 7. 9. S ♂ ◡ Bot. mag. t. 2619.
76 hircìna ed. 1. (*wh.bl*) strong-scented Brazil .... 5.10. S ♄ ◡ Bot. reg. t. 321.
fœ'tida Bot. reg. *nec aliorum. hirsùta* Bot. cab. 138. *nec aliorum.*
77 gossypifòlia B.R. (*wh.bl*) cotton-ld. W. Indies 1830. 8. S ♄ ◡ Bot. reg. n. s. 19.
hibiscifòlia DC. not Lam.
78 nigelliflòra B.M. (*wh.bl*) nigella-flow. Tucuman 1836. 7. 9. G ♄ ◡ Bot. mag. t. 3685.

79 tucumanénsis B.M. (wh.bl) Tucuman Tucuman 1836. 7. G ♄ ◡ Bot. mag. t. 3636.
80 ciliàta DC. (wh.bl) ciliated Jamaica 1783. 7. 9. S ♄ ◡ ——— t. 288.

DISE'MMA DC. DISE'MMA. (δις, two, and στεμμα, a crown; double.) Monadelph. Pentand
1 Herbertiàna DC. (st) Ld. Caernarvon's N. Holland 1822. 6.10. G ♄ ◡ Bot. reg. t. 737.
Passiflòra Herbertiàna B.R.
2 adianthifòlia DC. (or) Adiantum-l'd. Norfolk Isl. 1792. —— G ♄ ◡ Bot. reg. t. 233.
*Passiflòra auránti*a Andr. reposit. t. 295. *Passiflòra glàbra* Wendl. coll. 1. t. 17.
3 Bauèri D.S. (ye) Bauer's Norfolk Isl..... .... G ♄ ◡

MURUCU'IA DC. MURUCU'IA. (Brazilian name for many species of passion-flower.) Mon. Pen.
ocellàta DC. (cr) ocellated W. Indies 1739. 7. 8. S ♄ ◡ Bot. reg. t. 574.
Passiflòra Murucùja B.R. Lin. am. 1. t. 10. f. 10.

TACSO'NIA DC. TACSO'NIA. (*Tacso*, name of a species in Peru.) Monadelphia Pentandria.
1 pinnatistípula DC. (ro) feather-stipuled Chili 1826. 5. G ♄ ◡ Swt. br. fl. gar. s. 2. t. 156.
2 pedunculàris DC. (ro) long-peduncled Peru 1815. .... S ♄ ◡ Cavan. ic. 5. t. 426.
Passiflòra pedunculàris CAV.

MODE'CCA DC. MODE'CCA. (Name of a species in the East Indies.) Diœcia Monadelphia.
1 lobàta DC. (gr) lobe-leaved Sierra Leone 1816. 6. 9. S ♄ ◡ Bot. reg. t. 433.
2 trilobàta H.B. (gr) three-lobed E. Indies 1823. —— S ♄ ◡ Roxb. corom. 3. ic.
3 tuberòsa H.B. (gr) tuberous-rooted ——— 1822. —— S ♄ ◡ Rumph. amb. 8. t. 20.

ORDER CVI.

MALESHERBIA'CEÆ. DS. 3. *p.* 60.

MALESHE'RBIA DC. MALESHE'RBIA. (C. W. de Lamoig. Malesherbes, pat. of the sciences.) P. Tr.
1 thyrsiflòra DC. (ye) thyrse-flowered Chili 1832. 8. 9. S ♄ Cavan. ic. 4. t. 375.
2 paniculàta DD. (bl) panicled ——— —— —— G ♂ Swt. br. fl. gar. s. 2. t. 167.
linearifòlia D.D. *coronàta* DC.
3 hùmilis D.D. (wh) humble ——— —— —— G ♂
4 fasciculàta D.D. (wh) fascicled ——— —— —— G ♄

ORDER CVII.

LOA'SEÆ. DC. *prodr. v.* 3. *p.* 339.

BARTO'NIA. DC. BARTO'NIA. (B. S. Barton, M.D., prof. bot. Philadelphia.) Poly. Mon.
1 albéscens D.S. (wh) whitish Chili 1831. 6. 7. H ⊙ Swt. br. fl. gar. s. 2. t. 182.
2 ornàta DC. (wh) naked-seeded Missouri 1811. 7. 9. F ♂ Bot. mag. t. 1487.
decapétala B.M.
3 nùda DC. (wh) winged-seeded ——— —— —— F ♃
4 aúrea B.R. (ye) golden California 1835. 6. 7. H ⊙ Swt. fl. gar. s. 2. t. 357.

BLUMENBA'CHIA DC. BLUMENBA'CHIA. (J. F. Blumenbach, M.D., prof. med. Gott.) Poly. Mon.
1 insígnis DC. (wh) elegant Chili 1826. 7. 10. H ⊙ Swt. br. fl. gar. t. 171.
Loàsa palmàta Treviranus. *pàtula* Gr.
2 multífida B.M. (wh. re) multifid B. Ayres 1834. —— H ⊙ Bot. mag. t. 3599.

SCYPHA'NTHUS B.F.G. CUP-FLOWER. (σκυφος, a cup. and ανθος, a flower; form.) Poly. Mon.
élegans B.F.G. (ye) elegant Chili 1824. 5. 9. F ♄ ◡ Swt. br. fl. gar. t. 238.

LOA'SA. DC. LOA'SA. (meaning unknown.) Polyandria Monogynia.
1 bryoniæfòlia DC. (ye) Bryony-leaved Chili 1828. 6. 9. H ⊙ Schrad. pl. rar. gœt. ic.

2	trícolor DC.	(*ye*) three-coloured	Chili	1822.	8.10.	H	⊙	
3	nítida DC.	(*ye*) glossy-leaved	Peru	——	7.10.	H	⊙	Swt. br. fl.gar.s.2.t.18
	trícolor B.R. 667.							
4	Plàcei H.T.	(*ye.re*) Place's	Chili	——	——	H	⊙	Bot. reg. t. 1599.
	acanthifòlia B.R. 785. *nítida* Hook. bot. misc. 3. p. 238.							
	β parviflòra B.M.	(*ye*) small-flowered	———	——	——	H	⊙	Bot. mag. t. 3218.
5	ambrosiæfòlia B.R.	(*ye*) Ambrosia-ld.	Lima	1829.	7. 9.	H	⊙	Bot. reg. t. 1390.
	hispida DC. Bot. mag. 1305.							
6	incàna Grah.	(*wh*) hoary	Peru	1830.	10.11.	F	♃	Bot. mag. t. 3048.
7	grandiflòra DC.	(*ye*) large-flowered	Peru	1825.	7.10.	H	⊙	Juss. an. mus.5.t.4.f.2.
8	álba D. Don	(*wh*) white-flowered	Chili	1831.	——	H	⊙	Swt. br. fl. gar.s.2.t.12

CAIO'PHORA. DS. CAIO'PHORA. (καιω, to burn, and φορεω, to bear; flowers red.) Pol. Mo

	laterítia G.D.	(*or.re*) brick-coloured	Tucuman	1836.	5.11.	F	♃	Bot. mag. t. 3632.
	punícea D.S.? *Loàsa laterítia* B.M.							

MENTZE'LIA DC. MENTZE'LIA. (C. Mentzelius, M.D., Germ. bot.) Polyandria Monogynia.

1	áspera DC.	(*or*) rough	W. Indies	1773.	7. 9.	S	⊙	Plum. ed. Bur. t.174.f.
2	oligospérma DC.	(*or*) few-seeded	Louisiana	1812.	5. 7.	F	♃	Bot. mag. t. 1760.
3	híspida DC.	(*or*) hispid	Mexico	1824.	6. 9.	F	♃	Cavan. ic. 1. t. 70.
4	stipitàta DC.	(*ye*) stipitate	———	1835.	6. 8.	F	♃	Botan. t. 34.

ORDER CVIII.

TURNERA'CEÆ. DC. *prodr. v.* 3. *p.* 345.

TURNE'RA DC. TURNE'RA. (W. Turner, M.D., Eng. bot.) Pentandria Trigynia.

1. *Peduncles combined with the petioles, bibracteate.*

1	ulmifòlia DC.	(*ye*) Elm-leaved	Jamaica	1733.	6. 9.	S	♄	Linn. h. cliff. t. 10.
2	angustifòlia B.M.	(*ye*) narrow-leaved	———	——	4. 9.	S	♄	Bot. mag. t. 281.
3	cuneifórmis DC.	(*ye*) wedge-leaved	Brazil	1821.	——	S	♄	
4	trioniflòra DC.	(*ye*) Ketmia-flow'd.	Trinidad	1812.	——	S	♄	Bot. mag. t. 2106.
	élegans B.S.							
5	acùta DC.	(*ye*) acute-leaved	Jamaica	1826.	——	S	♄	
6	Pumilèa DC.	(*ye*) nettle-leaved	———	1796.	8. 9.	S	⊙	Sloan. hist. t. 127. f. 6

§ 2. *Peduncles axillary, distinct from the petioles; flowers bibracteate.*

7	rupéstris DC.	(*ye*) rock	Guiana	1826.	6. 9.	S	♄	Aubl. guian. 1. t. 113.f.

§ 3. *Flowers disposed in axillary and terminal racemes.*

8	guianénsis DC.	(*ye*) Guiana	Guiana	1826.	6. 9.	S	⊙	Aubl. guian. 1. t. 114.
9	cistoìdes DC.	(*ye*) Cistus-like	America	1774.	6.10.	H	⊙	Plum. ic. t. 150. f. 1.
10	racemòsa DC.	(*ye*) raceme-flower'd	St.Domingo	1789.	7.10.	S	⊙	Jacq. vind. 3. t. 94.

PIRIQUETA DC. PIRIQUE'TA. (etymology not explained.) Pentandria Trigynia.

	villòsa DC.	(*ye*) villous	Guiana	1826.	7.10.	S	⊙	Aubl. guian. 1. t. 117.

ORDER CIX.

PORTULA'CEÆ. *DC. prodr. v.* 3. *p.* 351.

TRIA'NTHEMA DC. TRIA'NTHEMA. (τρεις, three, and ανθος, a flower.) Pent-Decand. Mono-T

Sect. 1. ZALE'YA; *stamens* 10 *or more.*

1	decándra DC.	(*gr*) trailing	E. Indies	1762.	7. 8.	S	⊙	Burm. ind. t. 31. f.
2	tríquetra DC.	(*gr*) triquetrous	———	1826.	——	S	⊙	

Sect. 2. ROCA'MA; *stamens* 5.

3	obcordàta H.B.	(*gr*) obcordate	———	1820.	——	S	⊙	
4	monógyna DC.	(*gr*) Purslane-leav'd	Jamaica	1716.	——	S	⊙	DC. plant. gras. t. 1

PORTULA'CA DC. PURSLANE. (*porto*, to carry, and *lac*, milk.) Oct-Dodecandria Monogynia.

§ 1. *Axils of leaves naked.*

1	oleràcea H.S.	(*ye*) small	Europe	1562.	6.	8.	H	☉	DC. plant. gras. t. 123.
2	sativa H.S.	(*ye*) garden	America	1652.	6.	9.	H	☉	
	β *aúrea* H.S.	(*ye*) *golden*	———	——	——		H	☉	
3	parvifòlia H.S.	(*ye*) small-leaved	Jamaica	1799.	8.	10.	H	☉	

§ 2. *Axils of leaves or joints hairy.*

4	foliòsa DC.	(*ye*) leafy	Guinea	1822.	6.	8.	S	♃	Bot. reg. t. 793.
5	involucràta H.R.	(*ye*) leafy-flowered	.....	1819.	8.	9.	S	♄	
6	marginàta DC.	(*ye*) red-margined	Caracas	1822.	6.	10.	H	☉	
7	halimoìdes DC.	(*ye*) Halimus-leaved	Jamaica	1823.	8.	9.	S	☉	Sloan. hist. 1. t. 129. f. 3.
8	mucronàta DC.	(*ye*) mucronate	.....	1827.	6.	9.	S	☉	
9	quadrífida DC.	(*ye*) quadrifid	Asia	1773.	8.	9.	S	☉	Jacq. coll. 2. t. 17. f. 4.
10	meridiàna H.S.	(*ye*) noon-day	E. Indies	1791.	5.	6.	S	☉	Rheed. mal. 10. t. 31.
11	grandifiòra B.M.	(*va*) large-flowered	Chili	1828.	6.	8.	F	♃	Bot. mag. t. 2885.
	α *purpùrea*	(*pu*) *purple-flowered*	———	——	——		F	♃	——— t. 2885. f. 2.
	β *aurantìaca*	(*or*) *orange-coloured*	———	——	——		F	♃	——— t. 2885. f. 1.
12	pilòsa DC.	(*pu*) hairy	W. Indies	1690.	——		S	♄	Bot. reg. t. 792.
13	setàcea H.S.	(*pu*) bristly	———	——	——		S	☉	Pluk. phyt. t. 246. f. 6.
14	Gillièsii DS.	(*pu*) Gillies's	Mendoza	1827.	6.	7.	G	♄	Bot. reg. 1672.
15	pusílla DC.	(*ro*) least	Trinidad	1824.	——		F	☉	

ANACA'MPSEROS DC. ANACA'MPSEROS. (ἀνακάμπτω, to cause return, and ἔρως, love.) Dodec. Mono.

1	telephiástrum DC.	(*re*) round-leaved	C. B. S.	1732.	7.	9.	D I	♄	DC. plant. gras. t. 3.

Portulàca Anacámpseros L. *Talìnum Anacámpseros* W. *Rulíngia Anacámpseros* H.S.

2	arachnoìdes DC.	(*bh*) cobweb	C. B. S.	1790.	7.	9.	D I	♄	Bot. mag. t. 1368.
3	vàrians	(*re*) various-leaved	———	1812.	——		D I	♄	

Rulíngia vàrians H.S.S.

4	rùbens DC.	(*re*) red-leaved	———	1796.	——		D I	♄	
5	filamentòsa DC.	(*ro*) thready	———	1795.	——		D I	♄	Bot. mag. t. 1367.
6	lanceolàta DC.	(*ro*) spear-leaved	———	1796.	——		D I	♃	
7	angustifòlia DC.	(*ro*) narrow-leaved	———	1819.	——		D I	♄	
8	rufèscens DC.	(*bh*) rufescent	———	1818.	——		D I	♄	
9	trigòna DC.	(*bh*) trigonal-leaved	———	——	——		D I	♄	Burm. afr. t. 30. f. 2.
10	lanígera DC.	(*ro*) woolly	———	——	——		D I	♄	
11	intermèdia H.P.	(*ro*) intermediate	———	1823.	——		D I	♄	
12	polyphy'lla DC.	(*ro*) many-leaved	———	——	——		D I	♄	

Rulíngia polyphy'lla H.S.S.

TALI'NUM DC. TALI'NUM. (θαλία, a green branch; verdure.) Dodecandria Monogynia.

Sect. 1. PHEMERA'NTHUS; *stigmas* 3, *close together.*

1	teretifòlium DC.	(*ro*) round-leaved	N. America	1820.	7.	8.	H	♃	Lodd. bot. cab. t. 819.

Sect. 2. TALINA'STRUM; *style filiform; stigmas* 3, *spreading.*

2	crassifòlium DC.	(*ro*) thick-leaved	Caribees	1800.	8.	9.	S	♄	Jacq. vind. 3. t. 52.
3	fruticòsum W.	(*wh*) white-flowered	S. America	....	——		S	♄	Comm. hort. 1. t. 4.
4	triangulàre DC.	(*ye*) triangular	W. Indies	1739.	——		S	♄	Jacq. obs. 1. t. 23.
5	pàtens DC.	(*re*) spreading-fld.	S. America	1776.	8.	10.	S	♂	Jacq. vind. 2. t. 151.

paniculàtum Gært. fruct. 2. t. 128. *Portulàca paniculàta* Jacq. amer. *non* R.P.

6	reflèxum DC.	(*ye*) reflex-flowered	S. America	1800.	8.	10.	S	♂	Bot. mag. t. 1543.
7	cuneifòlium DC.	(*re*) wedge-leaved	Arabia	1823.	——		S	♄	
8	lineàre K.S.	(*ye*) linear-leaved	Mexico	1826.	——		H	☉	
9	purpùreum F.	(*pu*) purple	.....	——	——		H	☉	

CALANDRI'NIA DC. CALANDRI'NIA. (L. Calandrini, an Italian bot.) Dodecandria Monogynia.

1	paniculàta DC.	(*ro*) panicled	S. America	1812.	8.	10.	H	☉	
2	pilosiúscula DC.	(*ro*) ciliated	Chili	1823.	——		H	☉	Hook. ex. flor. 1. t. 82.

Talìnum ciliàtum Hooker *non* R.P. ex DC.

3	Phacospérma DC.	(*ro*) Peruvian	Peru	1827.	——		G	♂	
4	caulèscens DC.	(*ro*) caulescent	Mexico	——	——		H	☉	H. et B. n. ge. am. 6. t. 526.
5	compréssa DC.	(*ro*) compressed	Chili	1826.	——		H	☉	
	β *adscéndens*	Otto (*ro*) *ascending*	———	——	——		H	☉	
6	nítida DC.	(*re*) shining	———	1837.	——		H	☉	
7	procúmbens	Moris (*re*) procumbent	S. America	——	——		H	☉	
8	monándra DC.	(*re*) Monandrous	Chili	——	——		H	☉	

Talìnum monándrum R. et P.

9	glaùca DC.	(*ro*) glaucous-leaved	———	1827.	——		D G	♄	
10	dìscolor B.M.	(*ro*) two-coloured	Chili?	1832.	7.	8.	D G	♃	Bot. mag. t. 3357.
11	speciòsa B.M.	(*ro*) showy-flowered	California	——	9.	10.	D G	♄	——— t. 3379.
12	arenària B.M.	(*ro*) sand	Chili	1832.	7.		H	☉	Bot. reg. 1605.

racemòsa B.M. vol. 64. *picta* Gill.

13	umbellàta DC.	(*ro*) umbellate	Peru	1836.	7.	8.	H	☉	

Talìnum umbellàtum R. et P.

14	grandiflòra B.R.	(*ro*)	large-flowered	Chili	1826.	6.10.	D	G ♄	Bot. reg. t. 1194.
15	Andrèwsii	(*ro*)	Andrews's	W. Indies	1812.	8.10.	D	G ♄	Andr. rep. t. 253.
	Talinum pàtens A.R. *nec aliorum.*								
16	Lockhárti	(*ro*)	Lockhart's	Trinidad	1825.	6. 9.	D	G ♄	
	Talinum grandiflòrum Lockhart.								

PORTULACA'RIA DC. PURSLANE-TREE. (altered from *Portulaca.*) Pentandria Trigynia.

	A'fra DC.	(*ro*)	African	Africa	1732.	6. 9.	D	G ♄	DC. plant. gras. t. 122.

CLAYTO'NIA DC. CLAYTO'NIA. (John Clayton, bot. collector.) Pentandria Monogynia.

1	perfoliàta DC.	(*wh*)	small-flowered	N. America	1794.	5. 8.	H	⊙	Bot. mag. t. 1332.
	cubénsis Bonp. an. mus. 7. t. 6.								
2	alsinoìdes DC.	(*wh*)	chickweed-like	Nootka-sound	1794.	3. 6.	H	⊙	Bot. mag. t. 1309.
3	lanceolàta DC.	(*wh*)	spear-leaved	N. America	1812.	3. 5.	H	♃	Pursh. fl. amer. 1 t. 3.
4	sibírica DC.	(*ro*)	Siberian	Siberia	1768.	5. 8.	H	⊙	Swt. br. fl. gar. t. 16.
5	acutifòlia DC.	(*wh*)	acute-leaved	———	1827.	....	H	♃	
6	gypsophiloìdes F.M.	(*re*)	Gypsophila-like	California	1836.	8.10.	H	⊙	Swt. br. fl. gar. s. 2. t. 375.
7	Vestiàna F.	(*ro*)	Vest's	Altay	1827.	....	H	♃	
8	unalaschkénsis R.S.	(*wh*)	Unalaschka	Unalaschka	1824.	3. 6.	H	⊙	
9	virginiàna L.	(*wh*)	notch-petalled	N. America	1748.	3. 8.	H	♃	Swt. br. fl. gar. s. 2. t. 168.
10	acutiflòra	(*wh*)	acute-petalled	———	....	——	H	♃	Bot. mag. t. 941.
	virgínica B.M. *non* L. *virginiàna a. acutiflòra* DC.								
11	grandiflòra B.F.G.	(*pi*)	large-flowered	N. America	....	——	H	♃	Swt. br. fl. gar. t. 216.
12	caroliniàna M.	(*pi*)	spatula-leaved	———	1789.	——	H	♃	——— v. 3. t. 208.

MO'NTIA DC. WATER-CHICKWEED. (Jos. Monti, prof. bot. Bologna.) Triand. Trigyn.

	fontàna DC.	(*wh*)	common	Britain	....	4. 6.	H	⊙	Eng. bot. v. 17. t. 1206.

GINGI'NSIA DC. GINGI'NSIA. (M. Gingins, a French bot.) Pentandria Trigynia.

1	brevicaúlis DC.	(*pi*)	short-stalked	C. B. S.	1816.	5. 6.	G	♄	DC. m. s. his. n. pa. v. 4. ic.
2	elongàta DC.	(*pi*)	long-peduncled	———	1795.	——	G	♄	Andr. rep. t. 329?
	Pharnàceum incànum L. *lineàre* Andr. *non alior.*								
3	auràntia DC.	(*or*)	orange-flowered	C. B. S.	——	——	G	♄	Andr. rep. t. 326.
4	álbens DC.	(*wh*)	white-flowered	———	——	——	G	♄	——— t. 329?
5	conférta DC.	(*wh*)	close-leaved	———	1782.	5.10.	G	♄	Bot. mag. t. 1883.
	Pharnàceum incànum B.M. *non* L.								
6	pruinòsa DS.	(*wh*)	pruinose	———	1817.	6. 8.	G	♄	
	Pharnàceum pruinòsum H.S.								

LI'MEUM W. LI'MEUM. (etymology unknown.) Heptandria Digynia.

	africànum W.	(*wh*)	African	C. B. S.	1774.	6. 7.	G	♃	

ORDER CX.

PARONYCHIE'ÆE. *DC. prodr. v.* 3. *p.* 365.

Tribe I. *TELEPHIE'ÆE.* DC. prodr. v. 3. p. 366.

TELE'PHIUM DC. ORPINE. (Telephus, son of Hercules.) Pentandria Trigynia.

	Imperàti DC.	(*wh*)	true	S. Europe	1658.	6. 8.	H	♃	Schkuhr. handb. 1. t. 85.

CORRIGI'OLA DC. STRAPWORT. (a dim. of *Corrigia*, a shoe-string.) Pentandria Trigynia.

1	telephiifòlia DC.	(*wh*)	Orpine-leaved	Spain	1822.	6. 8.	H	♃	
2	littoràlis DC.	(*wh*)	sand	England	....	7. 8.	H	♃	Eng. bot. v. 10. t. 668.

Tribe II. *ILLECE'BREÆ.* DC. prodr. v. 3. p. 367.

HERNIA'RIA DC. RUPTURE-WORT. (*hernia*, a rupture; cures.) Pentandria Digynia.

1	cinèrea DC.	(*gr*)	cinereous	Montpelier	1816.	7. 8.	H	⊙	
2	glàbra DC.	(*gr*)	smooth	England	....	——	H	♃	Eng. bot. v. 3. t. 16.
3	hirsùta DC.	(*gr*)	hairy	———	....	——	H	♃	——— v. 20. t. 378
4	incàna DC.	(*gr.wh*)	hoary	S. Europe	1816.	5. 8.	H	♃	Pluk. alm. t. 53. 3.
5	Bessèri DC.	(*gr*)	Besser's	Tauria	1824.	——	H	♃	

6 alpina DC.	(gr)	alpine	S. Europe	1816.	7. 8.	H	♃	
7 fruticosa DC.	(gr)	frutescent	Spain	1814.	5. 8.	H	♄	
8 polygonoides DC.	(gr)	Knot-grass-like	S. Europe	1752.	——	F	♄	Cavan. ic. 2. t. 137.

ANY'CHIA DC. ANY'CHIA. (from its affinity to *Paronychia*.) Pentandria Monogynia.

1 dichótoma DC.	(gr)	forked	N. America	1806.	5. 8.	H	♂	Ort. dec. t. 15. f. 2.

Queria canadénsis L.

2 capillácea DC.	(gr)	smooth-stalked	————	1824.	——	H	♂	

ILLECEBRUM DC. KNOT-GRASS. (*illicio*, to allure; pretty plant.) Pentandria Monogynia.

verticillàtum DC.	(wh)	whorled	England	....	7. 8.	H	⊙	Eng. bot. v. 13. t. 895.

CHÆTONY'CHIA DC. CHÆTONY'CHIA. (χαιτη, a head of hair, and ονυξ, a claw.) Pentand. Monogy.

cymòsa DC.	(wh)	cymose	S. Europe	1817.	6. 7.	H	♃	Flor. græc. t. 245.

Illécebrum cymòsum L.

PARONY'CHIA DC. PARONY'CHIA. (παρα, near, and ονυξ, a claw.) Pentandria Monogynia.

echinàta DC.	(wh)	bristly	S. Europe	1817.	6. 7.	H	♃	Schrad. journ. 1801. t. 4.
bonariénsis DC.	(wh)	Buenos Ayres	BuenosAyres	1826.	8.10.	H	⊙	

brasiliàna Lam. dict. 5. p. 23.

chilénsis DC.	(wh)	Chili	Chili	1837.	——	F	♃	
arábica DC.	(wh)	Arabian	Arabia	1828.	7.10.	H	⊙	Descr. de l'Egyp. t. 18.
polygonifòlia DC.	(wh)	Polygonum-ld.	Dauphiny	1816.	5. 8.	H	♃	Vill. delph. 2. t. 16.
argéntea DC.	(wh)	silvery	S. Europe	1640.	——	H	♃	Flor. græc. t. 246.

hispánica S.S. *Illécebrum Parony'chia* L.

itàlica R.S.	(wh)	Italian	Italy	1816.	——	H	♃	Vill. delph. 2. p. 410. ic.
capitàta DC.	(wh)	capitate	Spain	1683.	6. 8.	H	♃	Flor. græc. t. 247.
serpyllifòlia DC.	(wh)	Thyme-leaved	S. Europe	1820.	——	H	♃	Schrad. journ. 1801. t. 4.
nívea DC.	(wh)	villous-leaved	————	1812.	——	H	♃	Barrel. ic. t. 687.
canariénsis J.	(wh)	Canary	Teneriffe	1829.	8.10.	G	♃	
tenuifòlia L.en.	(wh)	slender-leaved	.....	1822.	6. 8.	H	⊙	
alsinefòlia R.S.	(wh)	Chickweed-ld.	Spain	....	——	H	⊙	Scop. del. ins. t. 13.
pubéscens R.S.	(wh)	pubescent	S. France	1818.	——	H	♃	Schra. jour. 1801. p. 412.

Tribe III. *POLYCARPÆ'Æ.* DC. prodr. v. 3. p. 373.

POLYCARPÆ'A DC. POLYCARPÆ'A. (πολυ many, and καρπος, a fruit.) Pentandria Monogynia.

1 gnaphalòdes DC.	(wh)	woolly-leaved	Canaries	1818.	6. 8.	F	♄	

Hàgea gnaphalòdes P.S. *Móllia gnaphalòdes* S.S. *Lahàya gnaphalòdes* R.S.

2 latifòlia DC.	(wh)	broad-leaved	Teneriffe	1816.	7. 8.	F	♄	Schrank pl. rar. t. 29.
3 Teneriffæ DC.	(wh)	forked	————	1779.	——	H	⊙	W. hort. ber. 1. t. 11.

Móllia diffùsa W. *Lahàya diffùsa* Schult. syst.

4 aristàta DC.	(wh)	bearded	Canaries	1780.	6. 7.	F	♄	
5 memphítica DC.	(wh)	Egyptian	Egypt	1828.	7. 9.	H	⊙	Delil. fl. æg. t. 24. f. 2.
6 stellàta DC.	(wh)	starry	Guinea	1820.	6. 8.	H	⊙	
7 corymbòsa DC	(wh)	corymbose	Ceylon	1823.	——	H	⊙	Burm. zeyl. t. 65. f. 2.
8 brasiliénsis DS.	(wh)	Brasilian	Brasil	1837.	——	S	♃	
9 tenuifòlia DC.	(wh)	fine-leaved	Guinea	1817.	——	S	♄	
10 carnòsa DC.	(wh)	fleshy-leaved	Canaries	1816.	——	F	♄	
11 Smíthii DC.	(wh)	Smith's	————	——	——	F	♄	

ORTE'GIA DC. ORTE'GIA. (Jos. E. de Ortega, a Spanish bot.) Triandria Monogynia.

1 hispánica DC.	(gr)	Spanish	Spain	1768.	6. 7.	H	♃	Cavan. ic. 1. t. 47.
2 dichótoma DC.	(gr)	forked	Italy	1781.	8. 9.	H	♃	All. ac. taur. 3. t. 4. f. 1.

POLYCA'RPON DC. ALL-SEED. (πολυ, many, and καρπος, a fruit.) Tri-Pentandria Trigynia.

§ 1. *Flowers triandrous.*

1 tetraphy'llum DC.	(wh)	four-leaved	England	....	5. 8.	H	⊙	Eng. bot. v. 15. t. 1031.

§ 2. *Flowers pentandrous.*

2 alsinefòlium DC.	(wh)	Chickweed-ld.	S. Europe	....	——	H	⊙	Bocc. sic. p. 71. t. 38.

Lahàya alsinefòlia S.

3 peploides DC.	(wh)	Peplis-like	Sicily	1818.	6. 8.	H	♃	

Lahàya polycarpoìdes S. *Móllia polycárpon.* S.S.

Tribe IV. *POLLICHIE'Æ.* DC. prod. v. 3. p. 377.

POLLI'CHIA DC. POLLI'CHIA. (J. A. Pollich, M.D., German bot.) Monandria Monogynia.

campéstris DC.	(wh)	whorl-leaved	C. B. S.	1780.	8.10.	G	♂	Smith spicil. 1. t. 1.

ORDER CXI.

SCLERANTHA'CEÆ. *DS.* 3. *p.* 94.

Tribe I. *SCHERA'NTHEÆ.* DS. 3. p. 94.

MNIA'RUM DC.		Mnia'rum. (*μνιαρος*, mossy; habit.) Monandria Digynia.					
biflòrum DC.	(*gr*)	two-flowered	N. Holland	1818.	5. 7.	G ♃	Forst. gen. 1. t. 1.
SCLERA'NTHUS DC.		Knawel. (*σκληρος*, hard, and *ανθος*, a flower; dry.) Decandria Digynia.					
1 ánnuus DC.	(*gr*)	annual	Britain	....	7. 8.	H ⊙	Eng. bot. v. 5. t. 351.
2 perénnis DC.	(*gr*)	perennial	———	....	8. 9.	H ♃	——— v. 5. t. 352.
3 púngens DC.	(*gr*)	pungent	N. Holland	1826.	——	H ⊙	

Tribe II. *QUERIA'CEÆ.* DC. prodr. v. 3. p. 379.

QUE'RIA DC.		Que'ria. (Jos. Quer. y Martinez, M.D. prof. bot. Madrid.) Triand. Trigy.					
hispánica DC.	(*gr*)	Spanish	Spain	1800.	5. 9.	H ⊙	Quer. fl. esp. 6 t. 15. f. 2.

Tribe III. *MINUARTIE'Æ.* DC. prodr. v. 3. p. 379.

MINUA'RTIA DC.		Minua'rtia. (John Minuart, a Spanish bot.) Tri-Decandria Trigynia.					
1 dichótoma DC.	(*wh*)	forked	Spain	1771.	6. 7.	H ⊙	Lœfl. it. p. 121. t. 1. f. 3.
2 montàna DC.	(*wh*)	mountain	———	1806.	——	H ⊙	——— p. 122. t. 1. f. 4.
3 campéstris DC.	(*wh*)	field	———	——	——	H ⊙	Act. stock. 1758. t. 1. f. 3.
LŒFLI'NGIA DC.		Lœfli'ngia. (Peter Lœfling, a disciple of Linnæus.) Triandria Monogynia.					
1 hispánica DC.	(*wh*)	Spanish	Spain	1770.	6. 7.	H ⊙	Cavan. ic. 1. t. 94.
2 pentándra DC.	(*wh*)	pentandrous	———	1820.	——	H ⊙	——— 2. t. 148. f. 2.

ORDER CXII.

CRASSULA'CEÆ. *DC. prodr. v.* 3. *p.* 381.

Tribe I. *CRASSU'LEÆ.* DC. prodr. v. 3. p. 381.

TILLÆ'A DC.		Tillæ'a. (M. A. Tilli, M.D., prof. bot. Pisa.) Tetrandria Tetragynia.					
1 muscòsa DC.	(*wh*)	mossy	England	....	5. 7.	H ⊙	Eng. bot. v. 2. t. 116.
2 moschàta DC. *Crássula moschàta* Forster.	(*wh*)	musk-scented	Magellan	1794.	5. 11.	H ⊙	
3 connàta R.P. *rubéscens* DC.	(*re*)	connate	Peru	1838.	——	H ⊙	R. et P. fl. per. 1. t. 106. f. a.
4 verticillàris DC.	(*wh*)	whorled	N. S. W.	1823.	6. 9.	H ⊙	
BULLIA'RDA DC.		Bullia'rda. (M. Bulliard, a French bot.) Tetrandria Tetragynia.					
1 Vaillántii DC.	(*wh*)	Vaillant's	France	1825.	6. 8.	H*w* ⊙	DC. plant. gras. t. 74.
2 aquática DC.	(*wh*)	water	N. Europe	1816.	——	H*w* ⊙	
DASYSTE'MON DC.		Dasyste'mon. (*δασυς*, thick, and *στημων*, a stamen.) Pentand. Pentagyn.					
calycìnum DC.	(*wh*)	leafy-calyxed	N. Holland	1823.	6. 9.	H ⊙	
SE'PTAS. DC.		Se'ptas. (*septem*, seven; No. 7 prevail. in fructific.) Heptand. Heptagy.					
1 capénsis DC.	(*wh*)	Cape	C. B. S.	1774.	8. 9.	D G ♃	Andr. rep. t. 98.
2 globífera B.M.	(*wh*)	globe-flowering	———	1809.	3. 5.	D G ♃	Bot. mag. t. 1472.
3 Umbélla DC. *Crássula Umbélla* Jacq.	(*wh*)	skreen	———	1800.	7. 8.	D G ♃	Jacq. ic. t. 352.

CRA'SSULA H.R. CRA'SSULA. (dim. of *crassus*, thick; leaves and stems.) Pentand. Pentagy.

§ 1. LATIFO'LIÆ; *shrubby; leaves broad and flat, having the margins and surfaces smooth.*

1 arborèscens DC.	(*pi*) arborescent	C. B. S.	1730. 5. 6.	D G ♄	Bot. mag. t. 384.
Cotylèdon B.M.					
2 portulàcea DC.	(*ro*) oblique-leaved	———	1759. 4. 5.	D G ♄	DC. plant. gras. t. 79.
obliqua H.S.					
3 láctea H.S.	(*wh*) milk-white	———	1774. 9. 2.	D G ♄	Bot. mag. t. 1771.
4 telephioìdes H.R.	(*ro*) Orpine-like	———	1820. 7. 8.	D G ♄	

§ 2. SUBULA'RES; *shrubby; leaves awl-shaped.*

5 ramòsa H.S.	(*ro*) branching	C. B. S.	1774. ——	D G ♄	
6 revólvens H.P.	(*wh*) recurved-leaved	———	1820. 8.10.	D G ♄	
7 tetragòna H.S.	(*wh*) square-leaved	———	1711. ——	D G ♄	DC. plant. gras. t. 19.
8 biplanàta H.P.	(*wh*) flat-leaved	———	1820. ——	D G ♄	
9 acutifòlia H.S.	(*wh*) acute-leaved	———	1795. 9.11.	D G ♄	DC. plant. gras. t. 2.
10 bibracteàta H.P.	(*wh*) double-bracted	———	1820. 8.10.	D G ♄	
α *minor* H.P.	(*wh*) *smaller*	———	—— ——	D G ♄	
β *major* H.P.	(*wh*) *larger*	———	—— ——	D G ♄	
11 filicaùlis H.P.	(*wh*) thready-stem'd	———	—— ——	D G ♄	

§ 3. SQUAMULO'SÆ; *frutescent; leaves linear-lanceolate, rough from scaly papulæ.*

12 scàbra H.R.	(*wh*) rough-leaved	C. B. S.	1730. 6. 7.	D G ♄	Dill. elth. t. 99. f. 117.
13 scabrélla H.R.	(*wh*) patent-leaved	———	1820. 6. 9.	D G ♄	
14 squamulòsa H.R.	(*wh*) small-scaly	———	1817. ——	D G ♄	
15 bullulàta H.S.	(*ye*) rough-yellow	———	1800. 6. 7.	D G ♄	Mart. cent. t. 24.
16 pruinòsa DC.	(*wh*) frosted	———	1821. ——	D G ♄	

§ 4. COLUMNA'RES; *frutescent; leaves broader, densely imbricated along the stems and branches.*

17 columnàris H.S.	(*wh*) columnar	C. B. S.	1789. 7.10.	D G ♄	Burm. afr. t. 9. f. 2.
18 locopodioìdes DC.	(*wh.pu*) whip-cord	———	1760. 6. 7.	D G ♄	
imbricàta H.K.					
19 ericoìdes H.P.	(*wh*) large whip-cord	———	1820. 9.10.	D G ♄	
20 vestìta DC.	(*ye*) powdered-leav'd	———	.... 6.10.	D G ♄	
21 argéntea H.S.	(*wh*) silvery-leaved	———	1820. 7. 9.	D G ♄	

§ 5. PERFILA'TA; *shrubs or herbs; léaves flat, broader, glabrous, connate, usually glaucous.*

22 perfóssa DC.	(*wh*) threaded	C. B. S.	1785. 8. 9.	D G ♄	DC. plant. gras. t. 25.
perfilàta H.S. Scop. del. ins. 3. t. 6. c.					
23 perforàta DC.	(*wh*) perfoliate	———	—— ——	D G ♄	
24 marginàlis DC.	(*wh*) red-margined	———	1774. 7. 8.	D G ♄	Jacq. schœnb. 4. t. 471.
25 pellùcida H.S.	(*bh*) pellucid	———	1732. 6. 9.	D G ♄	Dill. elth. t. 100. f. 119.
26 centauroìdes DC.	(*ro*) Centaury-flow'd	———	1774. 5. 7.	D G ♄	Bot. mag. t. 1765.

§ 6. PETIOLA'RES; *frutescent; leaves flat, broader petiolate.*

27 cordàta DC.	(*ro*) heart-leaved	C. B. S.	1774. 5. 8.	D G ♄	DC. plant. gras. 2. t. 121.
28 spathulàta DC.	(*ro*) notch-leaved	———	—— 7. 9.	D G ♄	——— 1. t. 49.

§ 7. ROSULA'RES; *herbs; radical leaves opposite, rosulate; scapes nearly naked; flowers glomerate, small.*

29 orbiculàris H.S.	(*bh*) starry	C. B. S.	1731. 7. 9.	D G ♃	DC. plant. gras. 1. t. 43.
30 rosulàris H.R.	(*wh*) great-starry	———	1819. ——	D G ♃	

§ 8. GLOMERA'TÆ; *dichotomous herbs; flowers small, glomerate; lower ones solitary, in the forks.*

31 glomeràta H.S.	(*wh*) rough-clustered	C. B. S.	1774. 8.10.	H ⊙	DC. plant. gras. 1. t. 57.
32 glàbra H.R.	(*wh*) smooth-cluster'd	———	—— 6.10.	H ⊙	

† *Species not sufficient known.*

33 expánsa H.S.	(*wh*) expanded	C. B. S.	1774. 6. 8.	H ⊙	
34 difùsa H.S.	(*wh*) diffuse	———	—— ——	H ⊙	
35 subulàta H.S.	(*wh*) awl-leaved	———	1820. ——	H ⊙	Petiv. gaz. t. 89. f. 8.
36 lineòlata H.S.	(*wh*) channelled	———	1774. ——	D G ♂	
37 pulchélla H.R.	(*ye*) pretty	———	1778. 7. 8.	H ⊙	
38 spársa H.S.	(*st*) alternate-leaved	———	1774. 6. 9.	H ⊙	

PURGO'SEA H.P. PURGO'SEA. (πυργος, a tower; disp. of flowers.) Pentandria Pentagynia.

1 linguæfòlia H.R.	(*wh*) tongue-leaved	C. B. S.	1808. 8. 9.	D G ♃	
2 ciliàta DC.	(*st*) ciliated	———	1732. 7. 8.	D G ♃	DC. plant. gras. t. 7.
3 concínna	(*wh*) small neat	———	1820. ——	D G ♄	
Crássula concínna H.R.					
4 ligulifòlia	(*wh*) latchet-leaved	———	—— ——	D G ♄	
Crássula ligulifòlia H.R.					
5 concinnélla DC.	(*wh*) elegant	———	1822. ——	D G ♄	
6 tomentòsa H.R.	(*wh*) tomentose	———	1790. 4. 5.	D G ♄	
7 cotylèdonis DC.	(*wh*) Cotyledon-like	———	1800. 7. 9.	D G ♃	
8 conspícua	(*wh*) conspicuous	———	1820. ——	D G ♃	
Crássula conspícua H.R.					

9 corymbulòsa DC. (*wh*) impress-dotted C. B. S. 1818. 9.11. D G ♃ Ot. et Lk. abb. t. 16.
pertùsa H.R. *Crássula corymbulòsa* L. en.
10 pertúsula H.P. (*wh*) small impress-dot'd. —— 1822. —— D G ♃
11 capitellàta H.R. (*wh*) square-spiked —— 1774. 7. 8. D G ♂
12 thyrsiflòra H.R. (*wh*) thyrse-flowered —— 1824. —— D G ♂
13 obovàta H.R. (*wh*) obovate-leaved —— 1818. —— D G ♂
14 aloìdes H.R. (*bh*) Aloe-like —— 1774. 6. 8. D G ♂
15 punctàta DC. (*wh*) dotted —— 1759. 4. 8. D G ♄
16 ramuliflòra DC. (*wh*) branch-flowered —— 1821. 6. 7. D G ♄ Ot. et Lk. abb. t. 17.
17 turrìta H.R. (*bh*) tower-like —— 1818. 9.11. D G ♂ Jacq. schœnb. 1. t. 52.
α álba (*wh*) *white-flowered* —— —— —— D G ♂
β ròsea H.S.S. (*ro*) *rose-coloured* —— —— —— D G ♂

GLOBU'LEA DC. GLOBU'LEA. (*globulus*, a small globe; petals tipped by waxy globules.) P. Pent.
§ 1. CULTRA'TÆ; *leaves cuneately-obovate, cultrate; suffruticose.*
1 cultràta DC. (*wh*) sharp-leaved C. B. S. 1732. 7. 8. D G ♄ Bot. mag. t. 1940.
2 radìcans DC. (*wh*) rooting-branch'd —— 1823. 12.3. D G ♄
3 atropurpùrea DC. (*wh*) purple-leaved —— —— 7. 8. D G ♄
§ 2. LINGUA'TÆ; *leaves lorate, obtuse, convex beneath, or narrow tongue shaped, imbricating in 4 rows; scapes leafless; stems short.*
4 Língua DC. (*wh*) tongue-leaved C. B. S. 1823. 5. 6. D G ♃
5 língula DC. (*wh*) lesser-tongue —— —— —— D G ♃
6 capitàta DC. (*wh*) large grey-leav'd —— 1819. 7. 8. D G ♃
7 obvallàta DC. (*wh*) Houseleek-leav'd —— 1795. —— D G ♄ DC. plant. gras. t. 61.
Crássula obvallàta L. Trew. pl. rar. 1. t. 11.
8 canéscens DC. (*wh*) canescent —— 1800. —— D G ♃
§ 3. ANGUSTA'TÆ; *leaves linear, semiterete, furrowed, or terete; scapes leafless.*
9 nudicaúlis DC. (*wh*) naked-stalked C. B. S. 1732. 5. 9. D G ♃ DC. plant. gras. t. 133.
10 sulcàta DC. (*wh*) sulcate —— 1820. —— D G ♃
§ 4. LORA'TÆ; *leaves lorate, convex beneath, imbricating in 4 rows; scapes leafy.*
11 imprèssa DC. (*wh*) impressed C. B. S. 1822. 7. 8. D G ♃ Comm. præl. t. 29.
β minor H.P. (*wh*) *lesser* —— —— —— D G ♃
12 paniculàta DC. (*wh*) panicled —— 1823. —— D G ♃
13 híspida DC. (*wh*) hispid —— —— 10.11. D G ♄
§ 5. SUBULA'TÆ; *leaves subulate, fleshy, flattish above; flowers cymose.*
14 mesembryanthoìdes DC. (*wh*) hedgehog C. B. S. 1822. 7. 9. D G ♄
β áltior (*wh*) *taller* —— —— —— D G ♄
15 móllis DC. (*wh*) soft —— 1774. —— D G ♄
16 subincàna DC. (*wh*) hoary frutescent —— 1822. —— D G ♄
α decúmbens H.P. (*wh*) *decumbent* —— —— —— D G ♄
β erécta H.P. (*wh*) *erect* —— —— —— D G ♄

CURTO'GYNE H.R. CURTO'GYNE. (κυρτος, gibbous, and γυνη, a female; ovaria.) Pen. Pent.
1 dejécta DC. (*wh*) twisted-branch'd C. B. S. 1821. 6. 7. D G ♄ Jacq. schœnb. t. 423.
Crássula dejécta Jacq.
2 undulàta H.R. (*wh*) lesser-waved —— 1797. 8.11. D G ♄ Lodd. bot. cab. t. 584.
3 undàta A.R. (*wh*) greater-waved —— 1818. —— D G ♄
4 undòsa D.S. (*wh*) waved-leaved —— 1824. 7.8. D G ♄

GRAMMA'NTHES DC. GRAMMA'NTHES. (γραμμα, a writing, and ανθος, a flower.) Pen. Pent.
1 chloræflòra DC. (*ye*) Chlora-flower'd C. B. S. 1774. 6. 8. H ⊙ Herm. lugd. t. 553.
Crássula dichótoma L. *Vauánthes chloræflòra* H.R.
2 retrofléxa (*or*) orange-flower'd —— 1788. —— H ⊙
Crássula retrofléxa H.S.
3 gentianoìdes DC. (*ye*) Gentian-flower'd —— 1816. —— H ⊙ Pluk. mant. t. 415. f. 6.

RO'CHEA DC. RO'CHEA. (M. de la Roche; a French bot.) Pentandria Pentagynia.
1 falcàta DC. (*or*) falcated C. B. S. 1785. 6. 9. D G ♄ DC. plant. gras. t. 103.
Crássula falcàta Bot. mag. t. 2035. *obliqua* Andr. reposit. t. 414.
β minor H.P. (*sc*) *smaller* C. B. S. 1821. 6. 9. D G ♄
2 perfoliàta DC. (*va*) great perfoliate —— 1725. 7. 8. D G ♄ Mill. ic. t. 108.
α coccínea DC. (*sc*) *scarlet* —— —— —— D G ♄
β álba DC. (*wh*) *white-flowered* —— —— —— D G ♄ DC. plant. gras. t. 13.
3 albiflòra DC. (*wh*) white-flowered —— 1820. 7. 9. D G ♄ Bot. mag. t. 2391.
Crássula albiflòra B.M.

KALOSA'NTHES H.R. KALOSA'NTHES. (καλος, beautiful, and ανθος, a flower.) Pent. Pent.
1 coccínea H.R. (*sc*) scarlet C. B. S. 1710. 6. 8. D G ♄ Bot. mag. t. 495.
Crássula coccínea B.M. *Ròchea coccínea* DC. plant. gras. t. 1.
β álba H.R. (*wh*) *white-flowered* C. B. S. 1710. 6. 8. D G ♄ Bradl. succ. t. 50.
2 mèdia H.R. (*std*) great changeable —— 1820. —— D G ♄
3 versícolor H.R. (*std*) various-coloured —— 1816. —— D G ♄ Bot. reg. t. 320.
Crássula versícolor B.R.
4 bícolor H.R. (*ye.sc*) two-coloured —— 1820. —— D G ♄

5 capitàta (wh) headed C. B. S. 1822. 6. 8. D G ♄ Lodd. bot. cab. t. 1029.
Crássula capitàta L.C. *nec aliorum. odoratíssima álba* DC.
6 odoratíssima H.R. (st) sweet-scented ——— 1793. 6. 7. D G ♄ Andr. rep. t. 26.
Crássula odoratíssima Jacq. schœnb. t. 434. *Dietríchia odoratíssima* Tratt.
7 flava H.S. (ye) yellow-flower'd C. B. S. 1802. 6. 9. D G ♄ Burm. afr. t. 23. f. 3.
8 cymòsa H.R. (wh) cymose ——— 1800. —— D G ♄
9 biconvéxa H.P. (wh) convex-leaved ——— 1822. —— D G ♄
10 jasminea A.R. (wh) Jasmine-flower'd ——— 1812. 6. 8. D G ♄ Bot. mag. t. 2178.
Crássula jasminea B.M. *Ròchea jasminea* DC.
KALANCHO'E DC. KALANCHO'E. (Chinese name of one of the species.) Octand. Tetragyn.
1 spathulàta DC. (ye) spathulate China 1820. 7. 9. D G ♄ DC. plant. gras. t. 65.
2 ægyptìaca DC. (or) Egyptian Egypt —— —— D G ♄ ——— t. 64.
3 rotundifòlia H.P. (ye) round-leaved C. B. S. —— —— D G ♄
4 acutiflòra H.P. (wh) white-flowered E. Indies 1806. —— D S ♄ Andr. reposit. t. 560.
Vèria acutiflòra A.R.
5 crenàta DC. (ye) great notched Sier. Leone 1793. —— D S ♄ Andr. reposit. t. 21.
Cotylèdon crenàtum Bot. mag. t. 1436. *Vèria crenàta* A.R.
6 vàriana D.S. (ye) variable E. Indies .... —— D S ♄
7 laciniàta DC. (ye) cut-leaved ——— 1731. —— D S ♄ DC. plant. gras. t. 100.
8 ceratophy'lla DC. (st) buck's-horn-ld. China 1820. 9. 1. D G ♄
BRYOPHY'LLUM DC. BRYOPHY'LLUM. (βρυω, to sprout, and φυλλον, a leaf; edges.) Oct. Tet.
calycinum DC. (br) large-cupped Mauritius 1800. 4. 7. D G ♄ Bot. mag. t. 1409.
COTYLE'DON DC. NAVELWORT. (κοτυλη, a cavity; leaves.) Decandria Pentagynia.
§ 1. *Leaves opposite.*
1 undulàta H.S.S. (ye) wave-leaved C. B. S. 1818. 7. 8. D G ♄
2 orbiculàta H.S. (ye.bh) round-leaved ——— 1789. —— D G ♄
3 ovàta H.S. (ye.bh) ovate-leaved ——— —— —— D G ♄ Bot. mag. t. 321.
orbiculàta B.M. *orbiculàta β obovàta* DC. pl. gras. t. 76.
4 oblónga H.S. (ye.bh) oblong-leaved C. B. S. 1690. 7.10. D G ♄
5 elàta H.S.S (ye.bl) tall-powdered ——— 1816. 6. 8. D G ♄
6 crassifòlia H.P. .. thick-leaved ——— 1823. —— D G ♄
7 víridis H.P. .. green-leaved ——— —— .... D G ♄
8 ramòsa H.S.S. (ye.bh) branching ——— 1768. 7.10. D G ♄ Moris. his. s.12.t.7.f.39.
9 ramosíssima H.S.S. (ye) cluster-branch'd ——— 1816. —— D G ♄
10 corúscans H.S.S (or) sparkling ——— 1818. 3. 5. D G ♄ Bot. mag. t. 2601.
canalifòlia H.P.
11 ungulàta DC. (pu) ungulate ——— 1822. 5. 8. D G ♄ Bur. afr. dec. 3. t. 22. f. 1.
12 papillàris DC. (or) cross-leaved ——— 1813. —— D G ♄ Bot. reg. t. 915.
decussàta Bot. mag. t. 2518.
13 tricuspidàta H.P. (or) trident-leaved ——— 1820. —— D G ♄
14 cuneifórmis H.P. (pu) cuneiform-ld. ——— 1823. —— D G ♄
15 purpùrea DC. (pu) purple ——— 1813. 7. 8. D G ♄ Burm. afr. t. 20. f. 1.
16 cristàta H.P. (pu) Coxcomb-leaved ——— 1825. 8.10. D G ♃
17 clavifòlia H.P. (pu) club-leaved ——— —— —— D G ♄
§ 2. *Leaves alternate, marcescent.*
18 curvifòra DC. (ye.bh) curve-flower'd ——— —— —— D G ♄ Bot mag. t. 2044.
19 tuberculòsa DC. (or) tubercled ——— 1822. —— D G ♄ DC. plant. gras. 1. t. 86.
20 cacalioìdes DC. (ye) Cacalia-like ——— 1820. 5. 6. D G ♄
21 ventricòsa DC. (gr) bellied-tubed ——— 1825. 6. 8. D G ♄ Burm. afr. d. 3. t. 21. f. 1.
22 spùria DC. (ye) narrow-leaved ——— 1731. 7. 8. D G ♄ ——— t. 19. f. 1.
23 fascicularis DC. (gr.re) clustered ——— 1759. 7. 9. D G ♄ ——— t. 18.
tardiflòrum Bonpl. nav. t. 37.
§ 3. *Leaves alternate, persistent.*
24 triflòra DC. (wh.pu) three-flowered ——— 1821. 7. 9. D G ♄
25 maculàta DC. (v) spotted-leaved ——— 1818. 5. 7. D G ♄
26 rhombifòlia H.P. (ye) rhomb-leaved ——— 1823. —— D G ♄
27 jasminiflòra DC. (v) Jasmine-flower'd ——— 1818. 6. 8. D G ♄
28 rotundifòlia H.P. (ye.bh) round-leaved ——— 1826. 7. 8. D G ♄
29 hemisphæ'rica DC. (v) thick-leaved ——— 1731. 6. 8. D G ♄ DC. plant. gras. 1. t. 87.
30 mamillàris DC. (v) mamillary ——— 1818. 5. 7. D G ♄
31 cuneàta DC. (ye) large pubescent ——— 1813. 6. 8. D G ♄
32 interjécta H.P. .. fleshy-stemmed ——— 1823. .... D G ♄
33 caryophyllàcea DC. (re) Clove-flower'd ——— 1826. 6. 8. D G ♄ Burm. dec. 2. t. 17.
34 mucronàta DC. (ye) mucronate ——— 1818. —— D G ♄ Burm. afr. t. 19. f. 2.
35 canaliculàta H.S.S. (v) channel-leav'd ——— 1817. —— D G ♄
36 grácilis H.S.S. (ye) slender ——— 1800. 5. 8. D G ♄
37 dichótoma H.R. (gr) fork-spined ——— 1818. —— D G ♄
PISTORI'NIA DC. PISTORI'NIA. (etymology not explained.) Decandria Pentagynia.
hispánica DC. (re) Spanish Spain 1796. 6. 7. H ♂ DC. plant. grass. t. 122.
Cotylèdon hispánica Lodd. cab. t. 77. f. 1.

UMBILI'CUS DC. Pennywort. (*umbilicus*, the navel; hollow leaves of some species.) Dec. Pent.

Sect. 1. Rosula'ria; *sepals equal to the tube of the corolla; leaves radical, rosulate; scapes sub-panicled; herbs with the habit of Sempervivum.*

1	sempervìvum DS. (*re*) Houseleek	Caucasus	1837.	....	H	♃		
	Cotylèdon sempervivum M.B.							
2	pubéscens D.S. (*re*) downy	———	——	....	H	♃		
	Cotylèdon pubéscens Meyer. *Sèdum pilòsum* M.B.							

Sect. 2. Coty'le; *roots tuberous; stems branched; radical leaves cucullate; corolla hardly 5-cleft.*

3	pendulìnus DC. (*gr*) drooping-flower'd	Britain	....	6. 9.	H	♃		Eng. bot. v. 5. t. 325.
	Cotylèdon Umbilìcus E.B.							
4	eréctus DC. (*ye*) upright-flower'd	England	....	——	H	♃		Eng. bot. v. 22. t. 1522.
	Cotylèdon lùteum E.B.							
5	horizontàlis DC. (*st*) horizontal	Sicily	1828.	——	H	♃		

Sect. 3. Pistorinoi'des; *roots thick, woody; stems simple, fistular, densely leafy.*

6	Lievènii D.S. (*re*) Lieven's	Caucasus	1836.	5. 7.	H	♃		Led. ill. t. 57.
	Cotylèdon Lievènii Meyer.							

ORO'STACHYS F. Oro'stachys. (ορος, the end, and σταχυς, a spike.) Decandria Pentagynia.

1	serràta (*pu*) notch-leaved	Crete	1732.	6. 7.	F	♃		Dill. elth. t. 95. f. 112.
	Cotylèdon serràta H.S.							
2	spinòsa (*ye*) spiny	Siberia	....	——	F	♃		Murr. com. goet. 7. t. 5.
	chlorántha F. *Cotylèdon spinòsum* L. Gmel. sib. 4. t. 67. f. 2.							
3	malachophy'lla F. (*wh*) soft-leaved	Dahuria	1815.	——	H	⊙		Pall. it. 3. ap. t. G. f. 1.
4	thyrsiflòra F. (*bh*) thyrse-flowered	———	1820.	——	H	⊙		

ECHEVE'RIA DC. Echeve'ria. (M. Echeveri, a bot. artist of Mexico.) Decand. Pentagy.

1	coccínea DC. (*sc*) scarlet	Mexico	1816.	8.10.	D	G	♄	Bot. mag. t. 2572.
	Cotylèdon coccínea B.M.							
2	grandifòlia H.P. (*or*) large-leaved	———	1826.	——	D	G	♄	Swt. br. fl. gar. t. 275.
3	gibbiflòra DC. (*or*) gibbous-flower'd	———	——	——	D	G	♄	Bot. reg. t. 1247.
4	cæspitòsa DC. (*ye*) tongue-leaved	California	1796.	6. 8.	D	F	♃	Jacq. f. ecl. 1. t. 17.
	Cotylèdon linguifórmis H.K. *Sèdum Cotylèdon* Jacq.							
5	secúnda B.R. (*sc*) secund	Mexico	1838.	6. 7.	D	F	♃	
6	lùrida H.P. (*sc*) lurid	———	1830.	7.	D	F	♃	

RHODI'OLA L. Rose-root. (ῥοδον, a rose; smell of roots.) Diœcia Octandria.

1	ròsea L. (*ye*) common	Britain	....	5. 7.	H	♃		Eng. bot. v. 8. t. 508.
	Sèdum Rhodìola DC. plant. gras. t. 143.							
2	sibírica F. (*ye*) Siberian	Siberia	1826.	——	H	♃		
	Sèdum altàicum D.S.							

SE'DUM DC. Stonecrop. (*sedeo*, to sit; habitat. on stones.) Decandria Pentagynia.

§ 1. *Leaves flat.*

1	Aizòon DC. (*ye*) yellow Orpine	Siberia	1757.	7. 9.	H	♃		DC. plant. gras. t. 101.
2	elongàtum D.S. (*ye*) elongated	Altaia	1827.	5. 7.	H	♃		
3	álgidum D.S. (*ye*) algid	———	——	——	H	♃		Led. ill. t. 418.
4	hy'bridum DC. (*st*) Germander-leav'd	Siberia	1766.	——	H	♃		Murr. com. goet. 6. t. 5.
5	involucràtum DC. (*wh*) involucred	Caucasus	1822.	——	H	♃		
6	verticillàtum DC. (*pu*) whorl-leaved	Kamtschat.	....	7. 9.	H	♃		Linn. amœn. 2. t. 4. f. 14.
7	latifòlium DC. (*st*) broad-leaved	Europe	1794.	——	H	♃		Clus. hist. 2. p. 66. f. 1.
8	máximum H.S. (*pu*) great purple	Spain	——	——	H	♃		
9	álbicans H.S. (*wh*) great white	Europe	——	——	H	♃		
10	argùtum H.R. (*pu*) lance-toothed	M. Carpath.	1820.	——	H	♃		
11	paúcidens H.R. (*wh*) few-toothed	Europe	——	——	H	♃		
12	Telèphium E.B. (*pu*) common Orpine	Britain	....	——	H	♃		Eng. bot. v. 19. t. 1319.
13	triphy'llum (*pu*) three-leaved	Portugal	1794.	——	H	♃		
	Anacámpseros triphy'lla H.S.							
14	purpùreum H.S. (*pu*) purple-stalked	———	——	——	H	♃		DC. plant. gras. t. 92.
15	telephioìdes DC. (*pu*) Rhodiola-like	N. America	1810.	7. 8.	H	♃		
16	spùrium DC. (*pu*) greater-fringed	Caucasus	——	7. 9.	H	♃		Bot. mag. t. 2370.
17	Ewérsii D.S. (*pu*) Ewers's	Altaia	1829.	7. 8.	H	♃		Led. ill. t. 58.
18	ibéricum DC. (*re*) Iberian	Iberia	1836.	——	H	♃		
19	ròseum DC. (*ro*) rose-coloured	Caucasus	1827.	7. 9.	H	♃		
20	dentàtum DC. (*li*) large-toothed	.....	1810.	——	H	♃		
21	pectinàtum DC. (*wh*) pectinated	.....	1819.	——	H	♃		
22	lívidum DC. (*wh*) livid-leaved	.....	1820.	——	H	♃		
23	cruciàtum DC. (*wh*) cross-leaved	S. Europe	1816.	6. 7.	H	♃		Lodd. bot. cab. t. 464.
	monregalénse Balb. misc. p. 23. t. 6.							
24	ciliàre H.S. (*wh*) fringed	Caucasus	1810.	7. 9.	H	♃		Bot. mag. t. 1807.
	oppositifòlium B.M. *Anacámpseros ciliàris* H.S.							
25	ternàtum DC. (*bh*) dwarf 3-leaved	N. America	1789.	7. 8.	H	♃		Bot. reg. t. 142.
26	púlchrum DC. (*pu*) pretty	———	1824.	——	H	♃		
27	populifòlium DC. (*wh*) Poplar-leaved	Siberia	1780.	——	H	♄		Bot. mag. t. 211.

28	Notarjánni DC. (*wh*) few-flowered	Naples	1824.	7. 8.	H	♄	Ten. flor. nap. 1. t. 40.
29	Anacámpseros DC. (*pu*) evergreen	France	1596.	——	H	♃	Bot. mag. t. 118.
	Anacámpseros sempervirens H.S.						
30	divaricàtum W. (*li*) spreading	Madeira	1777.	6. 7.	G	♄	
31	Sempervìvum DC. (*re*) houseleek-ld.	Iberia	1823.	6. 8.	H	♃	Bot. mag. t. 2474.
32	deltoídeum DC. (*pu*) deltoid-leaved	Naples	1826.	——	H	⊙	
33	stellàtum DC. (*bh*) starry	S. Europe	1640.	6. 7.	H	⊙	Camer. hort. 7. t. 2.
34	Cepæ'a DC. (*wh*) panicled	France	——	7. 8.	H	♂	Clus. hist. 2. p. 68. ic.
35	calábricum Ten. (*wh*) Calabrian	Calabria	1836.	——	H	♂	
36	spathulàtum W.K. (*wh*) spathulate	Hungary	1820.	——	H	♂	W. et K. hung. 2. t. 104.
37	Fabária Koch. (*wh*) bean	Europe	1836.	——	H	♂	
38	neglèctum Ten. (*wh*) neglected	Naples	——	——	H	♂	
39	tetraphy'llum F.G. (*wh*) four-leaved	Levant	....	——	H	♂	
	§ 2. *Leaves terete.*						
40	cerùleum DC. (*pu*) blue pubescent	Tunis	1821.	7. 9.	H	♃	Bot. reg. t. 520.
41	ánglicum DC. (*wh.re*) English	England	....	7. 8.	H	♃	Eng. bot. v. 3. t. 171.
	β *microphy'llum* H.B. (*wh*) *small-ld.*	———	....	——	H	♃	
42	oblóngum H.B. (*wh*) oblong-leaved	———	....	——	H	♃	
43	stràtum DC. (*wh*) dark annual	Italy	1795.	7. 9.	H	⊙	DC. plant. gras. t. 120.
44	glaúcum DC. (*wh*) glaucous	Hungary	1816.	——	H	♂	W. et K. hung. 2. t. 181.
45	séxfidum DC. (*wh*) six-cleft	Caucasus	1818.	——	H	⊙	
46	andegavénse DC. (*wh*) Andegaveny	France	1836.	——	H	⊙	
47	pállens H.B. (*wh*) annual glaucous	.....	....	——	H	⊙	
48	villòsum DC. (*ro*) hairy	Britain	....	6. 7.	H	♃	Eng. bot. v. 6. t. 394.
49	pállidum M.B. (*ro*) pale red	Tauria	1820.	7. 9.	H	⊙	
50	rùbens DC. (*re*) annual red	S. Europe	1759.	5. 8.	H	⊙	DC. plant. gras. t. 55.
	Crássula rùbens DC.						
51	cæspitòsum DC. (*re*) tufted	———	1788.	7. 8.	H	⊙	Cavan. ic. t. 69. f. 2.
	Crássula cæspitòsa Cav, *Crássula Magnòlii* DC. *verticillàris* L?						
52	míserum B.R. (*gr*) meagre	Mexico	1837.	....	H	⊙	
53	dasyphy'llum DC. (*wh*) thick-leaved	England	....	6. 7.	H	♃	Eng. bot. v. 10. t. 656.
54	hispánicum DC. (*wh*) Spanish	Spain	1732.	——	H	♃	Jacq. aust. 5. ap. t. 47.
55	álbum DC. (*wh*) white	England	....	6. 8.	H	♃	Eng. bot. v. 22. t. 1578.
56	micránthum Haw. (*wh*) small-flowered	———	....	6. 7.	H	♃	
	álbum β *micránthum* Hort.						
57	teretifòlium DC. (*wh*) terete-leaved	———	....	——	H	♃	Flor. dan. t. 66.
	álbum DC. pl. grass. t. 22. not of Lin.						
58	quinquéfidum H.B. (*gr.wh*) five-cleft	.....	....	6. 8.	H	♃	
59	hexapétalum H.B. (*ye*) six-petal'd	.....	....	——	H	♃	
60	quadrífidum DC. (*ye*) four-cleft	Dahuria	1800.	7. 8.	H	♃	Pall. it. 3. a. t. P. f. 1.
61	nùdum DC. (*ye*) naked-branch'd	Madeira	1777.	——	G	♄	
62	ochroleùcum H.P. (*st*) tall sharp-cup'd	Greece	....	——	F	♃	
63	altíssimum DC. (*st*) tall blunt-cup'd	Italy	1769.	——	H	♃	DC. plant. gras. t. 116.
	Jacquini H.P. *Sempervìvum sedifórme.* Jacq. vind. 1. t. 81.						
64	cærulèscens H.P. (*st*) great-straw-col.	.....	....	——	H	♃	
65	reflèxum H.P. (*ye*) reflex-leaved	Britain	....	6. 7.	H	♃	Eng. bot. v. 10. t. 695.
66	septangulàre H.P. (*ye*) seven-angled	Europe	....	7. 8.	H	♃	
67	albéscens H.B. (*ye*) white-leaved	England	....	6. 7.	H	♃	Eng. bot. v. 35. t. 2477.
	glaúcum E.B. *non* W.K.						
68	minus H.P. (*ye*) lesser short-leav'd	.....	....	——	H	♃	DC. plant. gras. t. 116.
	reflèxum DC.						
69	spiràle H.P. (*ye*) spiral-leaved	Europe	....	——	H	♃	
70	sexangulàre DC. (*ye*) insipid	England	....	——	H	♃	Eng. bot. v. 28. t. 1946.
71	àcre DC. (*ye*) biting	Britain	....	——	H	♃	——— v. 12. t. 839.
	β *diminùtum* Haw. (*ye*) *less*	England	....	——	H	♃	
	γ *elongàtum* Haw. (*ye*) *elongated*	———	....	——	H	♃	
72	recurvàtum H.P. (*ye*) slender-re-curv'd	.....	1820.	6. 7.	H	♃	
73	mopétalum DC. (*st*) broader-leav'd	S. France	1815.	——	H	♃	Bauh. icon. 3. 428.
	β *aurantiacum* H.P. (*or*) *orange-col.*	———	——	——	H	♃	
74	vìrens H.P. (*ye*) deep green	Portugal	1774.	——	H	♃	
75	viridulum H.P. (*ye*) small green	.....	1826.	6. 8.	H	♃	
76	subclavàtum H.P. (*ye*) subclavate	N. America	1829.	....	H	♃	
77	globulifòlium Moris. (*ye*) globe-leaved	.....	1838.	....	H	♃	
78	stenopétalum DC. (*ye*) narrow-petalled	N. America	1826.	6. 7.	H	♃	
79	litòreum D.S. (*ye*) sea-shore	Calabria	1837.	5. 7.	H	⊙	Guss. pl. rar. t. 37. f. 2.
80	rupéstre H.P. (*ye*) expanding glaucous	England	....	6. 8.	H	♃	Eng. bot. v. 3. t. 170.
81	Forsteriànum H.P. (*ye*) Forster's	Wales	....	7. 8.	H	♃	——— v. 26. t. 1802.
82	saxátile DC. (*ye*) rock	S. Europe	1739.	7. 9.	H	⊙	DC. pl. gras. t. 119.

83 rèpens DC. (*ye*) creeping — Pyrenees — 1829. 7. 9. H ⊙ — Vill. dauph. 3. t. 45.
Guettárdi Villars.
84 magellénse DC. (*ye*) Neapolitan — Naples — 1816. —— H ⊙
85 monregalénse Balb. (*ye*) Balbis's — Monregal — 1817. —— H ♃
86 Siebóldii Hort. (*ye*) Siebold's — Japan — 1838. .... H ♃

MONA'NTHES H.R. MONA'NTHES. (*μονος*, one, and *ανθος*, a flower.) Dodecand. Heptagyn.
polyphy'lla H.R. (*pu*) many-leaved — Canaries — 1777. 7. 9. D G ♃ — Bot. mag. t. 93.
Sempervìvum monánthes B.M.

SEMPERVI'VUM DC. HOUSELEEK. (*semper vivo*, to live for ever.) Dodecand. Dodecagynia.
Sect. 1. CHRONO'BIUM; *plants living only for a time, never throwing out young plants from the axils.*
1 aizoìdes DC. (*ye*) Aizoon-like — Madeira — .... 5. 7. D G ♄ — DC. pl. gras. t. 4.
Sèdum azoìdes DC. pl. gr. *divaricàtum* HK.
2 tortuòsum DC. (*ye*) twisted — Canaries — 1779. 7. 8. D G ♄ — Bot. mag. t. 296.
3 villòsum DC. (*ye*) small villous — Madeira — 1777. 5. 7. D G ♄ — Bot. reg. t. 1553.
4 ciliàtum DC. (*wh*) ciliated — Teneriffe — 1815. —— D G ♄
5 glandulòsum DC. (*ye*) gland-edged — Madeira — 1777. 3. 5. D G ♄
6 glutinòsum DC. (*ye*) glutinous — ——— — —— 7. 8. D G ♄ — Bot. reg. t. 278.
7 úrbicum DC. (*ye*) wedge-leaved — Canaries — 1824. —— D G ♄ — ——— t. 1741.
8 retùsum H.P. (*ye*) retuse-leaved — Teneriffe — —— —— D G ♄
9 arbòreum DC. (*ye*) tree — Levant — 1640. 12.3. D G ♄ — Bot. reg. t. 99.
β *variegàtum* H.R. (*ye*) *variegated* — ——— — .... —— D G ♄
γ *atropurpùreum* H.R. (*ye*) *dark pur.-ld.* — ——— — .... —— D G ♄
10 frutéscens H.P. (*ye*) frutescent — Teneriffe — 1824. 3. 6. D G ♄
11 tabulæfórme DC. (*ye*) table-shaped — Madeira — 1815. 7. 9. D G ♄ — Lodd. bot. cab. t. 1328.
12 canariénse DC. (*wh*) Canary Island — Canaries — 1699. 6. 7. D G ♄ — DC. plant. gr. t. 141.
13 Smíthii DC. (*ye*) Smidt's — ——— — 1815. 8.10. D G ♄ — Bot. mag. t. 1980.
14 barbàtum DC. (*ye*) bearded — Madeira — —— 6. 7. D G ♄
lineolàre H.S.S. *spathulàtum* Horn.
15 hy'bridum H.R. (*ye*) hybrid — Hybrid — .... —— D G ♄
16 cæspitòsum DC. (*ye*) latchet-leaved — Canaries — 1815. 9. 4. D G ♄ — Bot. mag. t. 1978.
ciliàtum B.M. *non* W. *barbàtum* H.R. non Smith. *ciliàre* H.S.S.
17 uvíferum P.B. Webb. (*ye*) Uva de' Guanches — Teneriffe — 1829. .... D G ♂
18 láxum H.R. (*ye*) loose-flowered — Canaries — 1820. 7.10. D G ♂
19 dodrantàle DC. (*st*) smooth-leaved — ——— — 1815. 7. 8. D G ♂
20 aúreum DC. (*ye*) chalice-form — Teneriffe — —— 6. 7. D G ♃ — Bot. reg. t. 892.
calycifórme B.R. Lodd. bot. cab. 1368.
21 punctàtum DC. (*ye*) dotted-leaved — Canaries — 1824. 7. 9. D G ♂
22 stellàtum DC. (*ye*) annual villous — Madeira — 1790. 7.10. H ⊙ — Bot. mag. t. 1809.
villòsum B.M. *non* H.S.
23 dichótomum DC. (*ye*) forked — Canaries — 1824. 6. 8. D G ♂ — DC. jard. gen. t. 21.
24 africànum DC. (*ye*) African — C. B. S. — 1768. .... D G ♃
Sect. 2. JOVIBA'RBA; *young plants rising from the axils of the lower leaves.*
25 hírtum DC. (*st*) hairy — Italy — .... 6. 7. H ♃ — DC. plant. gras. t. 107.
soboliferum B.M. t. 1457. ex DC. *globíferum* H.R. *non* DC.
26 globíferum DC. (*ye*) great-flowered — Germany — 1731. —— H ♃ — Bot. mag. t. 507 et 2115.
27 tectòrum DC. (*pu*) common — Britain — .... 6. 9. H ♃ — Eng. bot. v. 19. t. 1330.
28 flagellifórme DC. (*re*) whip-lash — Siberia — 1818. 6. 8. H ♃
29 montànum DC. (*re*) mountain — Switzerland — 1752. —— H ♃ — DC. plant. gras. t. 105.
30 arachnoídeum DC. (*pu*) Cobweb — Italy — 1699. —— F ♃ — Bot. mag. t. 68.
31 pùmilum M.B. (*pu*) dwarf — Caucasus — 1824. —— F ♃

Tribe II. *PENTHO'REÆ.*

PENTHO'RUM DC. PENTHO'RUM. (*πεντε*, five, and *ὁρος*, a boundary.) Decand. Pentagyn.
sedoìdes DC. (*st*) American — Virginia — 1768. 7. 8. H ♃ — Act. ups. 1744. t. 2.
LEWI'SIA Ph. LEWI'SIA. (Capt. Lewis, an American trav.) Dodecandria Trigynia.
redivìva Ph. (*wh*) white-flowered — N. America — 1827. 7. 8. H ♃ — Hook. bot. mis. 1. t. 70.

ORDER CXIII.

FICOIDEÆ. DC. *prodr. v.* 3. *p.* 415.

Tribe I. *MESEMBYRANTHEMEÆ.*

MESEMBRYA'NTHEMUM. Fig-Marygold. (μεσημβρια, mid-day, and ανθεμον, a flower.) Ic. Pent.

Sect. 1. Acau'lia; *stems very short or wanting; leaves large, variable in form and thickness, but never flat.*

§ 1. Sphæroi'dea; *stemless; leaves* 2, *opposite, joined into a globe, but at length separating at apex; flowers solitary, sessile, central; calyx* 4-5-*cleft; stigmas* 4-5; *petals joined into a loose tube.*

1 minùtum H.R.	(*re*) small-white	C. B. S.	1795.	9.11.	D I ♃	Bot. mag. t. 1376.
2 mínimum H.R.	(*st*) small chequer'd	———	1766.	9.12.	D I ♃	Pet. gaz. t. 39. f. 3.
3 perpusíllum H.R.	(*st*) small exserted	———	1819.	——	D I ♃	
4 obcordéllum H.R.	(*wh*) glaucous chequer'd	———	1776.	10.2.	D I ♃	Bot. mag. t. 1647.
5 obconéllum H.R.	(*wh*) green chequer'd	———	1794.	——	D I ♃	
6 ficifórme H.R.	.. fig-shaped	———	1819.	....	D I ♃	
7 truncatéllum H.R.	(*st*) large dotted	———	1795.	10.2.	D I ♃	
8 fibulifórme H.R.	.. cloth button	———	——	11.	D I ♃	
9 uvæfórme H.R.	.. Grape-like	———	1820.	....	D I ♃	Burm. dec. t. 10. f. 2?
10 nucifórme H.R.	.. nut-shaped	———	1790.	....	D I ♃	

§ 2. Subquadrifo'lia; *nearly stemless; leaves* 4-6, *decussate, flat above and convex beneath; flowers solitary, nearly sessile; calyx* 4 5-*cleft*; *stigmas* 4-6. *The two upper leaves usually connate at first.*

11 testiculàre H.R.	(*wh*) broad short white	C. B. S.	1774.	11.	D I ♃	
12 octophy'llum H.R.	(*ye*) narrow short white	——	——	——	D I ♃	Bot. mag. t. 1573.
testiculàre B.M.						
β longiúsculum	(*ye*) *longer leaved*	———	——	——	D I ♃	
13 testiculàtum DC.	(*ro*) rosy	———	——	——	D I ♃	Jacq. frag. 73. t. 12.f.2.
14 obtùsum H.R.	(*re*) obtuse cloven	———	1792.	3. 4.	D I ♃	
15 fissum H.R.	.. cloven white	———	1776.	....	D I ♃	
16 digitifórme H.R.	(*wh*) finger-formed	———	1775.	4. 6.	D I ♃	
digitàtum H.K?						

§ 3. Aloi'dea; *stemless; leaves triquetrous, thickening to the tops, the carinal angle gibbous; the* 2 *upper leaves entire; flowers central, sessile.*

17 magnipúnctum H.R.	(*ye*) gt.-dotted club	C.B.S.	1816.	9.11.	D I ♃	
α sesquiuncìale H.R.	(*ye*) *thickest-ld.*	———	——	——	D I ♃	
β uncìale H.R.	(*ye*) *thinner-leaved*	———	——	——	D I ♃	
18 nóbile H.P.	(*ye*) noble	———	——	11.	D I ♃	
19 cànum H.R.	(*ye*) hoary club-leav'd	———	1795.	....	D I ♃	
20 aloides H.R.	(*ye*) Aloe-like	———	1816.	9.11.	D I ♃	

§ 4. Ringe'ntia; *stemless; leaves triquetrous, thickening to the top, or gibbous, usually ciliately toothed; calyx* 4-5-*cleft; stigmas* 4-5; *flowers opening after meridian.*

21 cuninum H.R.	(*ye*) dog-chop	C. B. S.	1717.	8.10.	D G ♄	DC. plant. gras. t. 95.
22 vulpìnum H.R.	(*ye*) fox-chop	———	1795.	——	D G ♄	
23 hy'bridum H.R.	(*ye*) hybrid	Hybrid	....	——	D G ♃	
24 tigrìnum H.P.	(*ye*) tiger-chop	C. B. S.	1790.	9.11.	D G ♃	Bot. reg. 260.
25 felìnum H.P.	(*ye*) cat-chop	———	1730.	8.11.	D G ♃	DC. plant. gras. t. 152.
26 lupìnum H.P.	(*ye*) wolf's-chop	———	1822.	6. 8.	D G ♃	
27 agnìnum H.P.	(*ye*) lamb's-chop	———	——	5. 6.	D G ♃	
28 mustelìnum H.P.	(*ye*) weasel-chop	———	1818.	8.11.	D G ♃	
29 musculìnum H.P.	(*ye*) small trailing	———	——	6. 8.	D G ♃	
30 erminìnum H.P.	(*ye*) Ermine-chop	———	1823.	5. 6.	D G ♃	
β majus H.P.	(*ye*) *red-tipped*	———	——	——	D G ♃	
31 murìnum H.P.	(*ye*) mouse-chop	———	1790.	9.	D G ♃	

§ 5. Albino'ta; *stemless tufted; leaves decussate, green, spreading, full of white tubercular dots, terete at base, acinaciformly triquetrous at apex, mucronate; flowers central, solitary, sessile; stamens like those of Ringentia.*

32 albinòtum H.P.	(*ye*) keeled white dotted	C.B.S.	1824.	7. 9.	D G ♃	
33 albipúnctum H.P.	(*ye*) white-spotted	———	——	8. 9.	D G ♃	

§ *Sect.* 6. DOLABRIFO RMIA; *stemless, or nearly so; leaves decussate, with a keeled gibbous angle; calyx 5-cleft; stigmas 5.*

34	dolabrifórme H.R. (*ye*) hatchet-leaved	C. B. S.	1705.	5.11.	D G ♄		Bot. mag. t. 32.
35	carìnans H.R. (*ye*) scymetar-leaved	———	1820.	....	D G ♃		
36	scapíger H.P. (*ye*) great-scaped	———	1822.	8. 9.	D G ♃		

§ 7. ROSTRA'TA; *stemless, or nearly so; leaves 4-6, connate, semiterete, attenuated, keeled a little, and rather denticulated at apex; calyx 4-8 cleft; stigmas 8-12; flowers pedunculate.*

37	álbidum H.R. (*ye*) whitish	C. B. S.	1714.	7. 8.	D G ♃		Bot. mag. t. 1824.
38	denticulàtum H.R. (*st*) toothed-beak'd	———	1793.	4.	D G ♃		
	α *cànum* H.R. (*st*) *white-leaved*	———	——	——	D G ♃		
	β *glaúcum* H.R. (*st*) *glaucous-leaved*	———	——	——	D G ♃		
	γ *candidissimum* H.R. (*st*) *whitest*	———	——	——	D G ♃		
39	robústum H.R. (*ye*) robust-beaked	———	1795.	....	D G ♃		
40	compáctum H.R. (*ye*) compact	———	1780.	11.	D G ♄		
41	quadrífidum H.R. (*ye*) quadrifid	———	1795.	——	D G ♄		
42	bífidum H.R. (*ye*) bifid-beaked	———	——	——	D G ♃		
43	bibracteàtum H.R. (*ye*) double-bracted	———	1803.	4.11.	D G ♄		
44	purpurascens DC. (*ye*) purple-bracted	———	1826.	——	D G ♃		
45	rostràtum H.R. (*ye*) heron-beaked	———	1732.	4. 5.	D G ♃		Dill. elth. f. 229.
	β *tuberculàtum* H.R. (*ye*) *tuberculate*	———	....	——	D G ♃		
46	ramulòsum A.R. (*ye*) small-beaked	———	1803.	3.11.	D G ♄		

§ 8. MONILIFO'RMIA; *stems very short, moniliform, without leaves in the summer; two first leaves united even to the apex and deciduous; the two following ones elongated, joined at the base; calyx 4-6-cleft, full of papulæ as well as the leaves; stigmas 7-8.*

47	pisifórme H.R. .. pea-shaped	C. B. S.	1796.	....	D I ♃		
48	monilifórme H.R. (*wh*) necklace	———	1791.	3. 4.	D I ♃		

§ 9. LINGUÆFO'RMIA; *stemless, or nearly so; leaves tongue-shaped, flat above and convex beneath, soft and shining; flowers large, solitary; calyx 4-5-cleft; stigmas 8, rarely 10.*

* *Leaves distich.*

49	scalpràtum H.R. (*ye*) great tongue	C. B. S.	1714.	8.10.	D G ♃		Dill. elth. t. 183. f. 224.
50	frágrans H.R. (*ye*) sweet-scented	———	1820.	——	D G ♃		Ott. et Lk. abb. t. 43.
51	grandifiòrum H.P. (*ye*) great-blistered	———	1824.	——	D G ♃		
52	præpíngue H.R. (*ye*) soft.tongue	———	1792.	——	D G ♃		
53	mèdium H.R. (*ye*) large-tongue	———	1816.	——	D G ♃		
54	cultràtum H.R. (*ye*) long-cultrated	———	1820.	——	D G ♃		
55	lùcidum H.R. (*ye*) high-polished	———	1768.	——	D G ♃		Dill. elth. f. 227.
56	adscéndens H.R. (*ye*) long-peduncled	———	1805.	8.11.	D G ♃		
57	pustulàtum H.R (*ye*) blistered-tongue	———	1816.	——	D G ♃		
58	lóngum H.R. (*ye*) long-thin-leaved	———	1725.	8.10.	D G ♃		
	α *fláccidum* H.R. (*ye*) *long-flaccid*	———	——	——	D G ♃		Bot. mag. t. 1866.
	deprèssum B.M. *nec aliorum.*						
	β *declíve* H.R. (*ye*) *lesser erect-edged*	———	——	——	D G ♃		
	γ *angústius* H.R. (*ye*) *narrow-leaved*	———	——	——	D G ♃		
	δ *purpurascens* H.R. (*ye*) *purple green*	———	——	——	D G ♃		
	ε *uncàtum* H.R. (*ye*) *leaden green*	———	1819.	——	D G ♃		
	ζ *attólens* H.R. (*ye*) *narrow dark*	———	——	——	D G ♃		
59	linguæfórme H.R. (*ye*) common tongue	———	1732.	11.3.	D G ♃		Dill. elth. f. 226.
	β *rufescens* H.R. (*ye*) *reddish green*	———	1804.	....	D G ♃		
	γ *subcruciàtum* H.R. (*ye*) *subcruciate*	———	1820.	8.11.	D G ♃		
	δ *prostràtum* H.R. (*ye*) *prostrate*	———	——	——	D G ♃		
	ε *assúrgens* H.R. (*ye*) *assurgent*	———	1819.	——	D G ♃		
60	làtum H.R. (*ye*) broad tongue	———	1732.	——	D G ♃		Dill. elth. f. 225.
	β *brève* H.R. (*ye*) *short-flat*	———	1802.	——	D G ♃		
61	deprèssum H.R. (*ye*) small recurving-ld.	———	1795.	9.11.	D G ♃		Dill. elth. f. 226?
	α *pállens* H.R. (*ye*) *light green*	———	——	——	D G ♃		
	β *lividum* H.R. (*ye*) *rufous green*	———	1819.	——	D G ♃		

** *Leaves cruciate, usually obliquely decussate.*

62	cruciàtum H.R. (*ye*) soft-cruciate	———	1792.	5.11.	D G ♄		
63	taurìnum H.R. (*ye*) Bull's-horn	———	1795.	9.11.	D G ♄		
64	Sálmii H.R. (*ye*) Prince de Salm's	———	1818.	——	D G ♃		
	α *decussàtum* H.R. (*ye*) *decussate*	———	——	——	D G ♃		
	β *semicruciàtum.* H.R. (*ye*) *semicruciate*	———	1820.	——	D G ♃		
	γ *angustifòlium* H.R. (*ye*) *narrow-ld.*	———	——	——	D G ♃		
65	surréctum H.R. (*ye*) thick acute tongue	———	1819.	——	D G ♃		
66	heterophy'llum H.R. (*ye*) various-ld.	———	1795.	——	D G ♃		
67	angústum H.R. (*ye*) narrow tongue	———	1790.	3.10.	D G ♃		
	β *pállidum* H.R. (*ye*) *paler-leaved*	———	1819.	....	D G ♃		
	γ *heterophy'llum* H.K. (*ye*) *semcylindric-ld.*	—	....	8.10.	D G ♃		Andr. reposit. 540.
68	diffórme H.R. (*ye*) difformed	———	1732.	——	D G ♃		Dill. elth. f. 242.
	β *brevicaúle* H.R. (*ye*) *short-stalked*	———	——	——	D G ♄		

69 bidentàtum H.R.(*ye*)double-toothed C. B. S. 1816. 8.10. D G ♃
α *minus* H. R. (*ye*) *smaller* —— —— —— D G ♃
β *majus* H.R. (*ye*) *larger* —— —— —— D G ♃
70 bigibberàtum H.P.(*ye*)lesser difformed —— 1824. —— D G ♄
71 semicylíndricum H.R.(*ye*)small difformed —— 1732. 3.11. D G ♄ Dill. elth. t. 194. f. 241.

§ 10. GIBBO'SA; *nearly stemless, leaves large, unequal, one of which is gibbous, the other oblique, connate at the base; calyx* 6-*cleft; stigmas* 6; *flowers small.*

72 gibbòsum H.R. (*re*) great pale gibbous C. B. S. 1780. 1. 4. D G ♄
73 fúteo-víride H.R.(*re*)long pale gibbous —— 1795. —— D G ♄
74 pervíride H.R. (*re*) dark green gibbous —— 1792. 1. 5. D G ♄
75 pubéscens H.R.(*re*) hoary gibbous —— —— —— D G ♄

§ 11. CALAMIFO'RMIA; *nearly stemless; leaves numerous, almost terete, greenish, dotted; flowers on short peduncles; calyx* 5-*cleft, stigmas* 8.

76 calamifórme H.R.(*wh*)white-fld. quill C. B. S. 1717. 7. 9. D G ♄ DC. plant. gras. t. 5.
77 obsubulàtum H.R.(*wh*)reversed quill —— 1796. .... D G ♄

§ 12. TERETIFO'LIA; *stemless or nearly so; leaves nearly terete, greenish, dotted; flowers pedunculate, showy; calyx* 4-*cleft; stigmas* 12.

78 cylíndricum H.R.(*re*)cylindric quill C. B. S. 1792. 9. 2. D G ♄
79 teretifòlium H.R.(*re*) round quill —— 1794. —— D G ♄
80 teretiúsculum H.R.(*re*)roundish quill —— —— —— D G ♄

§ 13. BELLIDIFLO'RA; *stemless or caulescent; leaves triquetrous, acute at the angles, toothed at apex; flowers solitary, pedicellate; calyx* 5-*cleft; stigmas numerous, hair-formed.*

81 bellidiflòrum H.R.(*re*)daisy-flowered C. B. S. 1717. 6. 8. D G ♄ Dill. elth. t. 224. f. 233.
α *glaucéscens* H.R.(*re*)*small-glaucous* —— —— —— D G ♄
β *víride* H.R. (*re*) *pea-green* —— 1822. —— D G ♄
82 subulàtum DC. (*std*) great-green —— 1768. 6. 8. D G ♄ DC. plant. gras. t. 41.

§ 14. ACU'TA; *stemless or nearly so; leaves semi-terete, subulate, incurved, triquetrous at apex; green, full of pellucid dots; flowers pedicellate; calyx* 5-*cleft.*

83 acùtum H.R. (*pu*) great awl-leaved C. B. S. 1793. 11.4. D G ♃
84 punctàtum H.R.(*pu*)middle-spotted —— .... D G ♃
85 diminàtum H.R.(*pu*)small awl-leaved —— 1789. 4. D G ♃
β *caulicularàtum* H.R.(*pu*)*stalked* —— 1717. —— D G ♃

Sect. 2. CEPHALOPHY'LLA; *stems decumbent, leaves long, triquetrous, or nearly cylindrical, disposed in heads; flowers pedunculate, yellow; calyx* 5-*cleft; stigmas* 10-20.

§ 15. CORNICULA'TA; *leaves crowded at the nodi, elongated, glabrous; ovarium depressed.*

86 lòreum H.R. (*st*) leathery-stalked C. B. S. 1732. 9. D G ♄ Dill. elth. t. 200. f. 255.
β *congéstum* H.R.(*st*)*crowded-leaved* —— 1805. .... D G ♄
87 diversifòlium H.R.(*st*)short-horn-ld. —— 1726. 3.10. D G ♄ Dill. elth. t. 198. f. 252.
α *majus* H.R. (*std*) *larger* —— 1819. —— D G ♄
β *glaúcius* H.R. (*st*) *glaucescent* —— 1726. —— D G ♄
γ *brevifòlium* H.R(*st*)*short-leaved* —— 1819. 8. D G ♄
δ *lète-vìrens* H.R.(*st*)*pale-green* —— —— —— D G ♄
ε *àtro-vìrens* H.R.(*st*)*dark-green* —— —— 8. 9. D G ♄
88 decípiens H.R. (*st*) middle horn-ld. —— 1820. .... D G ♄
89 dùbium H.R. (*st.or*) round-stalked —— 1800. 11.5. D G ♄ Bradl. succ. d. 4. t. 40.
90 corniculàtum H.R.(*std*)long-horn-ld. —— 1732. 3. 5. D G ♄ DC. plant. gras. 108.

§ 16. PROCUMBE'NTIA; *procumbent; leaves connate at the base, long, semiterete or cylindrical.*

91 purpùreo-álbum H.P.(*std*)purple&white C. B. S. 1824. 7.10. D G ♄
92 procúmbens H.R.(*v*) purple-jointed —— 1820. .... D G ♄
93 tricolòrum H.R.(*st.re*)three-coloured —— 1794. 10. D G ♄

§ 17. CAPITA'TA; *erect, branched; leaves crowded at the tops of the branches, very long, smooth; floriferous branches decumbent; petals aliated at the base.*

94 pugioniférme H.R.(*ye*)great dagger-ld. C. B. S. 1714. 7. 9. D G ♄ DC. plant. gras. t. 82.
β *cárneum* H.R.(*ye*) *flesh-coloured* —— .... —— D G ♄
γ *purpùreum* H.R.(*pu*)*purple* —— .... —— D G ♄
δ *biénne* H.R. (*ye*) *biennial* —— .... —— D G ♂
95 capitàtum H.R. (*ye*) lesser dagger-ld. —— 1717. 7. 9. D G ♄ Bot. reg. t. 494.
β *ramigerum* H.R.(*ye*)*branching* —— 1816. —— D G ♄
96 brevicaúle H.R. (*ye*) dwarf dagger-ld. —— —— —— D G ♄
97 coruscans H.R. (*ye*) glittering-dagger. —— 1813. —— D G ♄
98 elongàtum H.R.(*ye*) tuberous long-ld. —— 1793. 5. D G ♄ DC plant. gras. t. 72.
α *grandiflòrum* (*ye*) *large-flowered* —— —— —— D G ♄
β *minus* H.R. (*ye*) *lesser* —— —— —— D G ♄ Bot. reg. t. 493.
γ *fusifórme* H.R.(*ye*)*fusiform* —— —— —— D G ♄ Breyn. cent. t. 80.

Sect. 3. REPTA'NTIA; *suffrutescent, decumbent, creeping; branches angular; leaves opposite; connate at the base, acutely triquetrous; flowers pedunculate, reddish except in M. edùle; stigmas* 5-20.

§ 18. SARMENTO'SA; *branches rooting; leaves dotted, with serrulated margins; peduncle bibracteate, usually ternate; calyx 5-cleft; stigmas 5.*

99	vállidum H.P.	(*ro*) robust light-green	C. B. S.	1823.	5.	D G ♄	
100	geminiflòrum H.R.	(*ro*) small-pale	———	1819.	——	D G ♄	
101	símile H.R.	(*ro*) short-jointed	———	——	5. 7.	D G ♄	
102	láxum H.R.	(*ro*) long-jointed	———	——	——	D G ♄	
103	sarmentòsum H.R.	(*ro*) sarmentose	———	1805.	4. 5.	D G ♄	
104	rigidicaúle H.R.	(*ro*) stiff-stemmed	———	1819.	——	D G ♄	
105	Schóllii H.R.	(*ro*) Scholl's	———	1818.	——	D G ♄	Jacq. frag. t. 51. f. 2.

adúncum Jacq. *non* H. *recúrvum* H.S.S.

§ 19. RUBRICAU'LIA; *branches reddish, hardly decumbent, leaves rough and serrulated at the angles; flowers solitary, bractless; calyx 5-cleft; stigmas 5-8.*

106	filamentòsum H.R.	(*ro*) thready	C. B. S.	1732.	3. 4.	D G ♄	Dill. elth. t. 212. f. 273.
107	serrulàtum H.R.	(*ro*) rosy-stalked	———	1795.	11.12.	D G ♄	
	α glaúcum H.R.	(*ro*) *glaucous*	———	——	——	D G ♄	
	β vírídius H.R.	(*ro*) *greenish*	———	——	——	D G ♄	
108	rubricaúle H.R.	(*ro*) deep red-stalk'd	———	1802.	12.2.	D G ♄	
	α gracílius H.R.	(*ro*) *slenderest*	———	——	——	D G ♄	
	β dénsius H.R.	(*ro*) *crowded*	———	....	——	D G ♄	
	γ subvìrens H.R.	(*ro*) *tall-green*	———	....	——	D G ♄	

§ 20. ACINACIFO'RMIA; *robust, rather decumbent; branches angular, prostrate; leaves acinaciform; flowers large, solitary; fruit fleshy; stigmas 6-10.*

109	acinacifórme H.R.	(*ro*) great scymetar-ld.	C. B. S.	1714.	8. 9.	D G ♄	Dill. elth. f. 270. 271.
	α brève H.R.	(*ro*) *short-branched*	———	——	——	D G ♄	Andr. reposit. 508.
	β lóngum H.R.	(*ro*) *longer-branched*	———	——	——	D G ♄	
110	lævigàtum H.R.	(*ro*) smooth-scymetar	———	1802.	——	D G ♄	
111	rùbro-cínctum H.R.	(*ro*) red-edged	———	1811.	——	D G ♄	Bot. reg. t. 1732.
	α crássum H.R.	(*ro*) *thick-leaved*	———	——	....	D G ♄	
	β compréssum H.R.	(*ro*) *compressed*	———	....	....	D G ♄	
	γ ténerum H.R.	(*ro*) *tender*	———	....	....	D G ♄	
112	subalàtum H.R.	(*ro*) wing-stalked	———	1802.	....	D G ♄	
113	vìrens H.R.	(*ro*) smooth-edged green	———	1821.	7. 8.	D G ♄	
114	edùle H.R.	(*ye*) Hottentot's-fig.	———	1690.	——	D G ♄	Dill. elth. t. 212. f. 272.
115	dimidiàtum H.R.	(*ro*) lesser-eatable	———	1811.	——	D G ♄	DC. plant. gras. t. 89.

§ 21. CARNICAU'LIA; *stems elongated, weak, prostrate, and creeping, when young thick and fleshy; leaves usually soft; flowers large, solitary; stigmas 6; capsule pulpy outside.*

116	glaucéscens H.R.	(*ro*) glaucescent	N. Holland	1804.	7.	D G ♄	
117	abbreviàtum H.P...	short-jointed	N. S. W.	1825.	....	D G ♄	
118	Róssi H.R.	(*ro*) Ross's	V.Diem.Isl.	1821.	....	D G ♄	
119	virescens H.R.	(*ro*) virescent	N. Holland	1804.	6. 8.	D G ♄	
120	æquilateràle H.R.	(*ro*) equal-angled	———	1791.	——	D G ♄	
	β decágynum DC.	(*ro*) *ten-styled*	———	——	——	D G ♄	

§ 22. HUMI'LLIMA; *humble, prostrate, and creeping, rooting at the joints; leaves usually crowded, with smooth edges; calyx 5-cleft; stigmas 5.*

121	réptans H.R.	(*ro*) creeping	C. B. S.	1774.	6. 8.	D G ♄	
122	austràle H.R.	(*bh*) New Zealand	N. Zealand	1773.	——	D G ♄	
123	crassifòlium H.R.	(*ro*) thick-leaved	C. B. S.	1727.	5. 8.	D G ♄	Dill. elth. t. 208. f. 2[illegible]
124	clavellàtum H.R.	(*re*) club-ld. creeping	N. Holland	1803.	6. 7.	D G ♄	
	β aggregàtum H.R.	(*re*) *cluster-branched*	———	——	——	D G ♄	
	γ minus H.R.	(*re*) *shorter-branched*	———	——	——	D G ♄	

Sect. 4. PERFOLIA'TA; *usually erect shrubs, with erect or decumbent branches; leaves opposite, connate and sheathing at the base, usually triquetrous towards the top, and for the most part hooked at the apex; calyx 5-cleft; stigmas 5.*

125	forficàtum H.R.	(*re*) scissors-leaved	C. B. S.	1758.	9.10.	D G ♄	Jacq. vind. 1. t. 26.
126	geminàtum H.R.	(*re*) white twin-shoot'd	———	1792.	....	D G ♄	
127	marginàtum H.R.	(*re*) white-edged	———	1793.	....	D G ♄	
128	rostéllum H.R.	(*wh.re*) little-prostrate beak.	———	1820.	8.10.	D G ♄	
129	perfoliàtum H.R.	(*ro*) great-hooked	———	1714.	6. 8.	D G ♄	Dill. elth. t. 192. f. 248.
	α triacánthum H.R.	(*ro*) *three-thorned*	———	——	——	D G ♄	Bradl. suc. 5. t. 46.
	β monacánthum H.R.	(*ro*) *one-thorned*	———	——	——	D G ♄	——— dec. 3. f. 26.
130	uncinéllum H.R.	(*li*) small-hooked	———	1819.	——	D G ♄	Dill. elth. f. 239.
131	uncinàtum H.R.	(*ro*) greenish-hooked	———	1725.	8.	D G ♄	DC. plant. gras. t. 54.
132	semidentàtum H.R.	(*ro*) slender-hooked	———	1818.	6. 8.	D G ♄	
133	ùnidens H.P.	(*li*) dwarf-uncinate	———	1824.	——	D G ♄	
134	víride H.R.	(*li*) deep-green	———	1792.	7.	D G ♄	
135	acutángulum H.P.	(*wh*) sharp-angled	———	1820.	6. 8.	D G ♄	
136	cúrtum H.R.	(*wh*) short-sheathed	———	1811.	——	D G ♄	
	β majus H.R.	(*wh*) *larger*	———	——	——	D G ♄	
137	hamàtum W.	(*wh*) hook'd-sheathing	———	——	——	D G ♄	

138	vaginàtum H.R. (wh) rough-sheathing	C. B. S.	1802.	7. 8.	D	G ♄	
	β *parviflorum* H.R. (wh) *smaller-flowered*	——	——	——	D	G ♄	
139	parviflorum H.R. (wh) small-flowered	——	1800.	8.	D	G ♄	
140	rigidum H.R. (wh) rigid	——	1793.	——	D	G ♄	
141	tenéllum H.R. (wh) least-perfoliate	——	1782.	——	D	G ♄	
142	imbricàtum H.R. (wh) imbricated	——	——	7.	D	G ♄	
	α *minus* H.R. (wh) *smallest*	——	——	——	D	G ♄	
	β *majus* H.R. (wh) *blunt-crowded*	——	——	——	D	G ♄	
	γ *viride* H.R. (wh) *dull-green*	——	——	——	D	G ♄	
143	multiflorum H.R. (wh) many-flowered	——	——	7. 9.	D	G ♄	Pluk. phyt. t. 117. f. 1.
	α *majus* H.R. (wh) *larger-white*	——	——	——	D	G ♄	
	β *minus* H.R. (wh) *lesser-white*	——	——	——	D	G ♄	
	γ *ruàbrum* H.R. (re) *red-flowered*	——	1816.	——	D	G ♄	
	δ *pàtens* H.R. (wh) *single-flowered*	——	——	——	D	G ♄	
	ε *nitens* H.R. (wh) *bright-green*	——	....	——	D	G ♄	
144	umbellàtum H.R. (wh) umbel-flowered	——	1727.	6. 9.	D	G ♄	Dill. elth. t. 208. f. 266.
	β *apétalum* H.R. (wh) *petalless*	——	——	——	D	G ♄	
145	tumídulum H.R. (re) tumid	——	1802.	3.	D	G ♄	
	β *minus* H.R. (re) *lesser*	——	——	——	D	G ♄	
146	foliòsum H.R. (re) many-leaved	——	——	9.	D	G ♄	
147	lineolàtum H.R. (re) tumid-sheathed	——	1819.	6. 8.	D	G ♄	
	β *minus* H.R. (re) *lesser*	——	——	——	D	G ♄	
	γ *nitens* H.R. (re) *glittering*	——	——	——	D	G ♄	
148	serràtum H.R. (ye) saw-keeled	——	1707.	6. 7.	D	G ♄	Dill. elth. t. 192. f. 238.
149	lácerum H.R. (re) ragged-keeled	——	1792.	6.	D	G ♄	
150	heteropétalum H.R. (ye) various-petal'd	——	1794.	5. 8.	D	G ♄	
	α *albiflorum* (wh) *white-flowered*	——	——	——	D	G ♄	
	β *ròseum* (ro) *rose-coloured*	——	——	——	D	G ♄	
151	glaucìnum H.R. (li) glaucine	——	1818.	——	D	G ♄	
	α *angústum* H.R. (li) *slenderest-leaved*	——	——	——	D	G ♄	
	β *crássum* H.R. (li) *thicker-leaved*	——	——	——	D	G ♄	
152	mutábile H.R. (wh.ro) changeable	——	1792.	7. 9.	D	G ♄	DC. plant. gras. t. 60.
	filamentòsum DC.						
153	inclinídens H.R. (pu) open-flowered	——	1805.	6. 9.	DG	♄	Andr. reposit. 388.

Sect. 5. TRI'QUETRA; *branched shrubs; leaves opposite, distinct, more or less triquetrous; flowers usually solitary, terminal; calyx 5-cleft; stigmas 5.*

§ 23. DELTOI'DEA; *leaves glaucous, deltoid, nearly distinct, having the angles muricately toothed; flowers numerous, aggregate, small, sweet-scented.*

154	caulèscens H.R. (li) smooth delta-ld.	C. B. S.	1731.	5. 7.	D	G ♄	Dill. elth. f. 243-4
155	deltoides H.R. (li) great delta-ld.	——	——	5.	D	G ♄	DC. plant. gras. 53.
156	muricàtum H.R. (li) small delta-ld.	——	——	——	D	G ♄	Dill. elth. t. 195. f. 27.
	β *minus* H.R. (li) *smaller-leaved*	——	....	——	D	G ♄	

§ 24. MICROPHY'LLA; *humble, procumbent, divaricate; leaves small, connate, mucronate, crowded, persistent.*

157	microphy'llum H.R. (ro) small-green-ld.	C. B. S.	1795.	5.	D	G ♄	
158	mucronàtum H.R. (ro) bristle-pointed	——	1794.	6. 7.	D	G ♄	
159	pygmæ'um H.R. (ro) pigmy-connate	——	1820.	——	D	G ♄	
160	pulchéllum DC. (ro) small grey-leaved	——	1793.	4.	D	G ♄	
	cæsèscens H.R.						
	β *revolùtum* H.R. (ro) *revolving-branched*	——	1819.	——	D	G ♄	

§ 25. FALCA'TA; *branches erect or divaricate; leaves falcate, glaucous, usually dotted; flowers solitary or aggregate.*

161	máximum H.R. (ro) great crescent-ld.	C. B. S.	1787.	3. 8.	D	G ♄	
162	lunàtum H.R. (ro) small crescent-ld.	——	....	4. 6.	D	G ♄	
163	falcàtum H.R. (ro) small sickle-ld.	——	1727.	6. 8.	D	G ♄	Dill. elth. f. 275-6.
164	decúmbens H.R. (li) dwarf-decumbent	——	1759.	5.10.	D	G ♄	
165	incúrvum H.R. (li) incurved	——	1802.	6.	D	G ♄	
	β *dilàtans* H.R. (li) *dilated*	——	1805.	9.10.	D	G ♄	
	γ *pallídius* H.R. (li) *pale-flowering*	——	——	——	D	G ♄	
	δ *densifòlium* H.R. (li) *dense lesser-ld.*	——	1819.	——	D	G ♄	
	ε *ròseum* H.R. (ro) *rosy*	——	——	——	D	G ♄	
166	confértum H.R. (li) crowded-leaved	——	1805.	——	D	G ♄	
167	falciforme H.R. (li) sickle-shaped	——	——	7. 8.	D	G ♄	
168	virgàtum H.R. (li) slender-twigged	——	1793.	2. 4.	D	G ♄	
169	glomeràtum H.R. (re) clustered	——	1732.	6. 8.	D	G ♄	Dill. elth. t. 213. f. 274.
170	inflexum H.R. (re) inflex-leaved	——	1818.	——	D	G ♄	

§ 26. STE'NA; *dwarf effuse; branches and leaves filiform; petals narrow or setaceous, pale red.*

171	stènum R.P. (re) narrow	C. B. S.	1829.	....	D	G ♄	
172	débile H.P. (re) weak	——	1824.	8. 7.	D	G ♄	

§ 27. SCA'BRIDA; *branches filiform, expanded; leaves scabrous from dots, a little incurved.*

173 scàbrum H.R. (*re*) rough C. B. S. 1731. 7. D G ♄ Dill. elth. t. 197. f. 251.
α pállidum H.R. (*li*) *pale-bloomed* —— —— —— D G ♄
β purpùreum H.R. (*pu*) *purple* —— —— —— D G ♄
174 versícolor H.R. (*wh.re*) changeable rough —— 1795. 5. 8. D G ♄
175 retrofléxum H.R. (*re*) reflex-flowered —— 1794. 5.10. D G ♄
176 ímbricans H.R. (*re*) imbricate-leaved —— 1818. —— D G ♄
177 defléxum H.R. (*re*) smooth-deflexed —— 1774. 7.10. D G ♄
178 polyánthon H.R. (*pu*) copious-flowered —— 1803. 8. D G ♄
179 polyphy'llum H.R. (*re*) crowded-leaved —— 1819. 6.10. D G ♄
180 violàceum H.R. (*vi*) deep-violaceous —— 1820. 10. D G ♄ DC. plant. gras. t. 84.
181 emarginàtum H.R. (*vi*) notch-petalled —— 1732. 6. 8. D G ♄ Dill. elth. t. 197. f. 254.
182 dilatàtum H.R. (*wh*) gibbous-keeled —— 1795. 7. D G ♄

§ 28. BRACTEA'TA; *erect; branches compressed; leaves hooked at apex, more or less scabrous from dots; flowers bracteate, expanded.*

183 bracteàtum H.R. (*re*) double-bracted C. B. S. 1774. 7.10. D G ♄
184 ánceps H.R. (*li*) broad-bracted —— 1811. 9.10. D G ♄
β pállidum H.R. (*li*) *paler-flowered* —— —— —— D G ♄
185 grácile H.R. (*li*) slender-bracteate —— 1794. 8.11. D G ♄
stellàtum H.S. *non* DC.
β gracílius H.R. (*li*) *pale flat-bracted* —— .... —— D G ♄
186 radiàtum H.R. (*re*) radiate —— 1732. —— D G ♄ Dill. elth. t. 197. f. 249.
187 compréssum H.R. (*re*) rough-compressed —— 1792. 7. 9. D G ♄
188 pátulum H.R. (*li*) paler-flowered —— 1811. 10.11. D G ♄
189 ásperum H.R. (*ro*) large rough-leaved —— 1818. 7. 9. D G ♄
α màjus H.R. (*ro*) *broader-leaved* —— —— D G ♄
β cæruléscens H.R. (*ro*) *bluish-leaved* —— 1820. —— D G ♄

§ 29. CONFE'RTA; *branches ascending; leaves rather connate, crowded, with smooth angles; flowers solitary or by threes.*

190 formòsum H.R. (*re*) white-eyed red C. B. S. 1820. 8. 9. D G ♄
191 amœ'num DC. (*re*) beautiful —— 1825. —— D G ♄
192 spectábile H.R. (*pu*) glaucous-showy —— 1787. 5. 8. D G ♄ Bot. mag. t. 396.
193 conspícuum H.R. (*re*) dark-red showy —— 1806. 9.10. D G ♄
194 turbinàtum DC. (*re*) top-shaped —— 1826. —— D G ♄ Jacq. vind. t. 476.
195 blándum H.R. (*bh*) fair-flowered —— 1816. 6.12. D G ♄ Bot reg. t. 582.
196 curvifìorum H.R. (*bh*) incurving white —— 1818. —— D G ♄

§ 30. AU'REA; *erect, branched; leaves dotted, elongated, glaucous; flowers large.*

197 aúreum H.R. (*or*) great-orange C. B. S. 1750. 3.10. D G ♄ Bot. mag. t. 262.
198 auránticum H.R. (*or*) glaucous-orange —— 1793. 6. 8. D G ♄
199 glaúcum H.R. (*ye*) great gold-flower'd —— 1696. 6. 7. D G ♄ DC. plant. gras. t. 146.

§ 31. CYMBIFO'RMIA; *erect; branches straight, usually decussate; leaves small, turgid, obtuse, boat-shaped.*

200 cymbifòlium H.P. (*ye*) greater boat-ld. C. B. S. 1823. .... D G ♄
201 stríctum H.R. (*ye*) upright boat-ld. —— 1795. .... D G ♄
202 mucroníferum H.P. (*ye*) mucronate boat-ld. —— 1823. .... D G ♄
203 cymbifórme H.R. (*re*) small boat-ld. —— 1793. .... D G ♄
204 granifórme H.R. (*ye*) grain-leaved —— 1727. 9.10. D G ♄ Bradl. succ. 2. t. 20.
205 mólle H.R. (*re*) soft —— 1774. 10. D G ♄

Sect. 6. TERETIU'SCULA; *shrubs; leaves distinct, rarely connate at the base, nearly terete, without any papulæ; calyx 5-cleft; stigmas 5.*

§ 32. TENUIFLO'RA; *branches slender; leaves rather triquetrous, somewhat compressed; flowers solitary, pedunculate, expanding in the morning.*

206 coccíneum H.R. (*sc*) scarlet-flowered C. B. S. 1696. 5. 9. D G ♄ Bot. mag. t. 59.
α obtùsum H.R. (*sc*) *blunt-calyxed* —— —— —— D G ♄ DC. plant. gras t. 83.
β acùtius H.R. (*sc.pu*) *acute-calyxed* —— .... —— D G ♄
γ minus H.R. (*sc*) *lesser* —— .... —— D G ♄
207 bicolòrum H.R. (*sc.ye*) two-coloured —— 1732. —— D G ♄
α eréctum H.R. (*sc.ye*) *tall-upright* —— —— —— D G ♄ Dill. elth. t. 202. f. 258.
β pátulum H.R. (*sc.ye*) *spreading* —— .... —— D G ♄
γ minus H.R. (*sc.ye*) *dwarf-spreading* —— .... —— D G ♄
208 inæquàle H.R. (*ye*) unequal-cupped —— 1716. —— D G ♄ Bradl. succ. 1. t. 7.
209 tenuifòlium H.R. (*sc*) slender-leaved —— 1700. 6. 9. D G ♄ Dill. elth. t. 201. f. 256.
β eréctum H.R. (*sc*) *upright slender-ld.* —— .... —— D G ♄ DC. plant. gras. t. 82.
210 variábile H.R. (*ye*) changeable-fld. —— 1796. 6. 8. D G ♄
α dénsius H.R. (*ye*) *rough close-leaved* —— —— —— D G ♄
β læ'vius H.R. (*ye*) *smoother distant-ld.* —— —— —— D G ♄

§ 33. ADU'NCA; *dwarf; leaves subulate, usually incurved, hooked at apex; flowers solitary, expanding before meridian.*

211 spinifórme H.R. (*li*) thorn-shaped C. B. S. 1793. 9.10. D G ♄

	β *subdúncum* H.R. (*li*) *greater hook-ld.*	C. B. S.	1810.	10.11.	D G ♄		
212	curvifòlium H.R. (*li*) great curve-ld.	———	1799.	10.	D G ♄		
213	flexifòlium H.R. (*li*) lesser curve-ld.	———	1818.	——	D G ♄		
	α *perviride* H.R. (*li*) *dark-green*	———	——	——	D G ♄		
	β *le'te virens* H.R. (*li*) *apple-green*	———	——	——	D G ♄		
214	inconspícuum H.P. (*li*) inconspicuous	———	1824.	6. 9.	D G ♄		
215	sdúncum H.R. (*li*) small curve-ld.	———	1795.	2. 3.	D G ♄		
216	filicaúle H.R. (*li*) thready-stemmed	———	1800.	9.	D G ♄		

§ 34. SPINO'SA; *erect; branches stiff, hard, usually spinescent after florescence; leaves rather triquetrous.*

217	mucronífèrum H.P. (*re*) mucrone-bearing	C. B. S.	1821.	9.	D G ♄		
	pulverulèntum W. en.						
218	spinòsum H.R. (*pu*) thorny	———	1714.	6. 9.	D G ♄	Dill. elth. t. 208. f. 265.	

§ 35. HAWORTHIA'NA; *smooth, erect; branches decussate, chestnut-coloured; leaves subulate, elongated, glaucous; flowers solitary.*

219	prodúctum H.P. (*ro*) great-cupped	C. B. S.	1820.	6. 8.	D G ♄		
220	lépidum H.P. (*wh*) pretty	———	1824.	7. 9.	D G ♄		
221	stipulàceum H.R. (*re*) tall-stipuled	———	1723.	5. 8.	D G ♄	Dill. elth. f. 267 & 268.	
222	corállinum H.R. (*ro*) coral-stemmed	———	1819.	——	D G ♄		
223	Hawórthii H.R. (*ro*) Haworth's	———	1793.	6. 1.	D G ♄		
224	le've H.R. (*pu*) blunt white-leav'd	———	1774.	7. 9.	D G ♄		

§ 36. VERRUCULA'TA; *erect; branches short; leaves crowded, connate, terete, blunt, glaucous, soft, dotless.*

225	veruculàtum H.R. (*ye*) long spit-leaved	C. B. S.	1731.	5. 6.	D G ♄		
	α *Dillènii* H.R. (*ye*) *Dillenius's*	———	——	——	D G ♄	Dill. elth. f. 259.	
	β *Candóllii* H.R. (*ye*) *cluster spit-leaved*	———	——	——	D G ♄	DC. plant. gras. t. 36.	

§ 37. CRO'CEA; *branches on one side; leaves subtriquetrous at apex; flowers solitary; calyx succulent, unequal.*

226	purpùreo-cròceum H.R. purple saffron-fld.	C.B.S.	1780.	8.10.	D G ♄		
227	flàvo-cròceum H.P. yellow and saffron	———	1816.	5. 9.	D G ♄		
228	lùteum H.P. (*ye*) upright-yellow	———	1822.	6. 8.	D G ♄		
229	lutèolum H.P. (*ye*) small-yellow	———	——	——	D G ♄		
230	cròceum H.R. (*sa*) saffron-flowered	———	1816.	10.11.	D G ♄	Jacq. frag. p. 17. t. 11. f. 2.	

Sect. 7. PLANIFO'LIA; *herbs or under-shrubs; leaves flat, beset with papulæ.*

§ 38. PLATYPHY'LLA; *leaves flat, variable in form, papulose as well as the branches; calyx 5-cleft; stigmas 5.*

231	crystállinum H.R. (*wh*) diamond	C. B. S.	1727.	5. 8.	D G ♂	DC. plant. gras. t. 128.	
232	glaciàle H.R. (*wh*) Ice-plant	Greece	1787.	——	G ⊙		
233	pinnatífidum H.R. (*ye*) jagged-leaved	C. B. S.	1774.	5.10.	G ⊙	Bot. mag. t. 67.	
234	sessilifiòrum (H.R. (*ye*) small ice-plant	———	——	7. 8.	G ⊙		
	α *lùteum* H.R. (*ye*) *yellow-flowered*	———	——	——	G ⊙		
	β *álbum* H.R. (*wh*) *white-flowered*	———	1816.	——	G ⊙		
235	clandestìnum H.P. (*wh*) minute-flower'd	———	1823.	5. 8.	D G ♄		
236	pubérulum H.P. (*wh*) puberulous	———	1829.	6. 8.	D G ⊙		
237	Aitòni H.R. (*ro*) Aiton's	———	1823.	6.10.	D G ♂	Jacq. vind. 3. t. 7.	
238	lanceolàtum H.R. (*wh*) spear-leaved	———	1795.	5. 8.	G ⊙		
	α *álbum* H.R. (*wh*) *white-flowered*	———	——	——	G ⊙		
	β *ròseum* H.R. (*ro*) *rosy*	———	1812.	——	G ⊙		

§ 39. CORDIFO'LIA; *leaves petiolate, cordate, rather papulose; calyx 5-lobed, unequal; stigmas 4.*

239	cordifòlium H.R. (*re*) heart-leaved	C. B. S.	1774.	5. 9.	D G ♃	DC. plant. gras. t. 102.	

§ 40. HELIANTHOI'DEA; *leaves lanceolate or spatulate, almost without papulæ; peduncles axillary; calyx angular at the base, with 5 elongated lobes; stigmas* 10-20.

240	pomeridiànum H.R. (*ye*) great-yellow	C. B. S.	1774.	7. 9.	G ⊙	Bot. mag. t. 540.	
	β *Andrèwsii* H.R. (*ye*) *Andrews's*	———	....	——	G ⊙	Andr. reposit. t. 57.	
241	Candóllii H.R. (*ye*) Decandolle's	———	....	——	G ⊙	DC. plant. gras. t. 135.	
	helianthoìdes DC. *nec aliorum.*						
242	piloùm H.R. (*ye*) hairy-yellow	———	1800.	6. 8.	G ⊙	Breyn. cent. t. 79.	
243	calendulàceum H.R. (*y*) hispid narrow-cup'd	———	1819.	8.	G ⊙		
244	flaccidum DC. (*ye*) flaccid	———	1826.	——	D G ♂		
245	helianthoìdes H.R. (*ye*) spatula-leaved	———	1774.	8.10.	G ⊙		

§ 41. SCAPO'SA; *almost stemless; leaves linear or cuneiform, almost all radical, entire, papulose; peduncles one-flowered, rising from the root; calyx 5-lobed, unequal; stigmas 6.*

246	cuneifòlium DC. (*pu*) transparent	C. B. S.	1774.	7.	G ⊙	Jacq. ic. 3. t. 288.	
	limpidum H.R.						
247	pyropæ'um H.S.S. (*v*) annual 3-colour'd	———	1820.	4. 7.	G ⊙		
	α *rúbidum* (*pu*) *the ruby*	———	——	——	G ⊙	Bot. mag. t. 2144.	
	tricolor W. hort. ber. t. 22.						
	β *ròseum* H.R. (*ro*) *the rosy*	———	——	——	G ⊙		
	γ *álbum* H.R. (*bh*) *blush-white*	———	1819.	——	G ⊙		

248 villòsum H.B. (*bh*) villous C. B. S. 1759. 7. D G ♄

§ 42. EXPA'NSA; *leaves flat, hardly papulose, stem-clasping, keeled a little; calyx tube sub-pyriform, with* 5-6 *unequal lobes; stigmas* 4.

249 expánsum H.B. (*st*) houseleek-leav'd ——— 1705. 7. 8. D G ♄ Dill. elth. t. 172. f. 223 *tortuòsum* DC. plant. gras. t. 94. *non* L.

250 vàrians H.B. (*wh.st*) varying C. B. S. 1706. 7.10. D G ♄ Pet. gaz. t. 78. f. 10.

251 tortuòsum H.B. (*st*) twisting-leaved ——— 1705. 6.10. D G ♄ Dill. elth. t. 181. f. 221

252 pállens H.B. (*wh*) pale-flowered ——— 1774. 7. 8. D G ♄ DC. plant. gras. t. 47. *expánsum* DC. *non* L.

253 crassicaúle HP. (*ye*) thick-stalked ——— 1822. 5. D G ♄

254 loràtum H.B. (*wh*) glaucous strap-ld. ——— 1819. —— D G ♄

255 relaxàtum H.B. (*re*) livid strap-leav'd ——— .... —— D G ♄

256 anatómicum H.B. (*wh*) skeleton-leav'd ——— 1803. 7. 8. D G ♄

β *frágile* H.B. (*wh*) *brittle* ——— —— —— D G ♄

257 humifùsum H.H. (*wh*) narrow-ld. ice-pl. ——— 1774. —— D G ♄

258 réctum H.B. (*wh*) upright-egg-ld. ——— 1819. —— D G ♄

Sect. 8. PAPULO'SA; *shrubs or herbs; leaves opposite, rarely alternate; distinct, nearly terete or thick at one end, channelled above, narrow, more or less beset with glittering papulæ; calyx* 4-*cleft, but usually* 6-*cleft; stigmas just so many.*

§ 43. NODIFLO'RA; *branched; leaves nearly terete or linear, thick, papulose; flowers axillary, almost sessile; calyx* 4-5 *lobed; stigmas* 4-5.

259 cadùcum H.B. (*wh*) deciduous C. B. S. 1774. 7. 8. G ⊙

260 apétalum H.B. (*wh*) dwarf-spreading ——— —— —— G ⊙ Jacq. vind. 3. t. 6.

261 nodiflòrum H.B. (*wh*) knot-flowered Egypt 1739. 8.10. G ⊙ DC. plant. gras. t. 88.

§ 44. GENICULIFLO'RA; *erect; leaves semiterete, papulose; flowers solitary, sessile in the forks; expanding in the day time.*

262 ciliàtum HB. (*wh*) ciliated C. B. S. 1774. .... D G ♄

263 geniculiflòrum H.B. (*ye*) joint-flower'd Egypt 1727. 7. 9. D G ♄ DC. plant. gras. t. 17.

§ 45. TRIPO'LIA; *leaves flat; radical ones crowded; rameal ones alternate, almost without papulæ; flowers pedunculate; calyx* 5-*cleft; stigmas* 5.

264 Tripòlium H.B. (*wh*) Aster-leaved C. B. S. 1700. 6.10. D G ♂ Dill. elth. t. 172. f. 220

§ 46. SPLENDE'NTIA; *branched erect; leaves when young furrowed above, beset with papulæ; flowers usually solitary, expanding before meridian; calyx usually* 5-*lobed; stigmas* 5, *rarely* 4-6.

265 crassuloìdes H.B. (*bh*) Crassula-like C. B. S. 1819. 7. 8. D G ♄

266 incómptum H.B. (*wh*) persistent-cup'd ——— 1816. —— D G ♄

267 spléndens H.B. (*wh*) shining white-fld. ——— 1716. 6. 8. D G ♄ DC. plant. gras. t. 35.

268 flexuòsum H.B. (*bh*) flexuose-leaved ——— 1795. 7. 8. D G ♄

269 acuminàtum H.P. (*wh*) long-cupped ——— 1820. 8. 9. D G ♄

270 albicaúle H.P. (*wh*) white-twigged ——— 1823. 8.10. D G ♄

271 sulcàtum H.B. (*wh*) acute-cupped ——— 1819. —— D G ♄

272 fastigiàtum H.B. (*bi*) level-topped ——— 1794. 7. 9. D G ♄

β *reflèxum* H.B. (*br*) *reflex-leaved* ——— 1792. 8. 9. D G ♄

273 umbelliflòrum H.B.. umbel-flowered ——— 1825. —— D G ♄

274 longístylum DC. (*bh*) long-styled ——— 1822. —— D G ♄

275 *pállens* Jacq. schœnb. 3. t. 279. *non* Ait. *palléscens* H.B.

β *purpuráscens* DC. (*pu*) *purplish* C. B. S. —— —— D G ♄

§ 47. JU'NCEA; *erectish; branches slender, green; leaves subulate, deciduous; flowers pedunculate; calyx* 4-*cleft; stigmas* 4.

276 micránthon H.B. (*wh*) small-blossom'd C. B. S. 1804. 8. 9. D G ♄ Jacq. schœnb. 3. t. 278. *parviflòrum* Jacq. *non.* H.B.

277 júnceum H.B. (*ro*) rushy ——— 1800. 8.10. D G ♄

278 granulicaúle H.P. (*ro*) shagreen-stem'd ——— 1821. 6. 8. D G ♄

279 ténue H.B. (*wh*) slender rushy ——— 1819. —— D G ♄

§ 48. SPINULI'FERA; *stems usually strumose; branches rather fleshy, papulose; leaves cylindrical, papulose, channelled above, permanent, spinose; flowers expanding before meridian, calyx* 5-*cleft; stigmas* 5.

280 spinulíferum H.B. (*st*) spinulescent C. B. S. 1794. 6.10. D G ♄

281 grossum H.B. (*bh*) gouty ——— 1774. 8.10. D G ♄

282 salmòneum H.B. (*ro*) salmon-colour'd ——— 1819. —— D G ♄

283 canaliculàtum H.B. (*ye*) channel-ld. ——— 1794. 7.10. D G ♄

284 viridiflòrum H.B. (*gr*) green-flowered ——— 1774. 7.11. D G ♄ Bot. mag. t. 326.

285 tenuiflòrum. H.B. (*re*) slender-flower'd ——— 1824. .... D G ♄ Jacq. frag. 52. f. 3.

286 longispínulum H.P. (*st*) rosy-cupp'd yellow ——— 1821. 8.11. D G ♄

287 nítidum H.B. (*ye*) shrubby crystalline ——— 1790. 7.10. D G ♄ DC. plant. gras. t. 123 *brachiàtum* DC. *nec aliòrum.*

§ 49. TRICHO'TOMA; *erect, branched; leaves nearly cylindrical, glittering from papulæ: calyx* 5-*cleft; flowers small by threes.*

288 subincànum H.P. (*wh*) soft-ld. white C. B. S. 1821. 8. 9. D G ♄

289 brachiàtum H.R. (*ye*) three-forked C. B. S. 1774. 6. 8. D G ♄
290 testàceum H.R. (*su*) tile-coloured ——— 1816. —— D G ♄
291 megarhizum D.S. (*wh*) large-rooted ——— 1823. 6. 9. D G ♄
macrorhizum H.P.
292 tuberòsum H.R. (*co*) tuberous shrubby ——— 1714. 6.10. D G ♄ DC. plant. gras. t. 78.
β *minus* H.R. (*bl*) *lesser-leaved* ——— —— —— D G ♄

§ 50. NOCTIFLO'RA; *slender subshrubs, at length becoming thickened at the roots; branches elongated; leaves cylindrical, glaucous; remote, dotless, soon falling off; flowers terminal, usually by threes; calyx turbinate, 4-cleft; stigmas 4.*

293 noctiflòrum H.R. (*ro.wh*) night-flowering C.B.S. 1714. 6. 8. D G ♄ DC. plant. gras. t. 10.
α *phœniceum* H.R. (*ro*) *deep rosy* ——— —— —— D G ♄ Dill. elth. f. 262.
β *stramineum* H.R. (*st*) *straw-coloured* ——— —— —— D G ♄ ——— f. 263.
γ *elàtum* H.R. (*wh.ro*) *tall-rosy* ——— 1819. —— D G ♄
294 fúlvum H.R. (*br.wh*) grey-barked ——— 1732. —— D G ♄
295 clavàtum DC. (*wh*) clubbed ——— .... —— D G ♄ Jacq. schœnb. t. 108.
defoliàtum H.R.
296 horizontàle H.R. (*st*) spreading-leaved ——— 1795. —— D G ♄

§ 51. ASPERICAU'LIA; *branches filiform, scabrous; leaves remote, nearly terete, glittering from papulæ; flowers expanding before meridian; calyx 5-cleft; stigmas 5.*

297 speciòsum H.R. (*cr*) glittering orange C. B. S. 1793. 5.10. D G ♄
298 micans H.R. (*sc*) dark orange ——— 1704. 5. 8. D G ♄ Bot. mag. t. 448.
299 maculàtum H.R. (*sc*) spotted-stalked ——— 1792. —— D G ♄
300 flàvum H.R. (*go*) small-glittering ——— 1820. 8. D G ♄
301 obliquum H.R. (*re*) bright afternoon-fig. ——— 1819. —— D G ♄
302 parvifòlium H.R. (*pu*) small triquetrous ——— —— 6.10. D G ♄
303 brevifòlium H.R. (*re*) short-leaved ——— 1777. —— D G ♄ Jacq. vind. t. 477.
erigerifòlium Jacq.
304 subglobòsum H.R. (*re*) globular ——— 1795. —— D G ♄
305 pulverulèntum H.R. (*re*) powdered ——— 1792. 5. D.G ♄

§ 52. HI'SPIDA; *branches hispid; leaves cylindrical, papulose; peduncles hispid; flowers middle-sized, expanding before meridian; calyx 5-cleft; stigmas 5.*

306 híspidum H.R. (*pu*) hispid-stalked C. B. S. 1704. 5.10. D G ♄ DC. plant. gras. t. 66.
α *Dillènii* H.R. (*pu*) *the bushy* ——— —— —— D G ♄ Dill. elth. f. 278.
307 subhíspidum H.P. (*pu*) subhispid ——— 1820. —— D G ♄
hispidum β. *platypétalum* H.R.
308 hirtéllum H.R. (*re*) dwarf bristly ——— 1792. 5.11. D G ♄
309 cándens H.R. (*wh*) trailing hispid ——— 1820. —— D G ♄
β *viridius* Haw. (*wh*) *greener* .... 9. D G ♄
310 subcompréssum H.P. (*vi*) upright twiggy ——— 1824. 6. 8. D G ♄
β *minus* H.P. (*vi*) *lesser* ——— —— —— D G ♄
311 furfùreum H.P. (*re*) scurfy ——— 1830. —— D G ♄
312 floribúndum H.R. (*fl*) crowded-fld. ——— 1704. 5.10. D G ♄ Dill. elth. t. 114. f. 280.
313 calycìnum H.R. (*wh*) hispid long-cup'd ——— 1819. —— D G ♄
314 striàtum H.R. (*std.*) striped bristly ——— 1727. —— D G ♄ Dill. elth. t. 215. f. 281.
α *ròseum* H.R. (*std.*) *rosy* ——— —— —— D G ♄ ——— t. 215. f. 281.
β *pállens* H.R. (*std*) *pale-flowered* ——— —— —— D G ♄ DC. plant. gras. t. 132.
315 attennàtum H.R. (*v*) slender hispid ——— 1820. —— D G ♄
316 tuberculàtum DC. (*v*) hispid-leaved ——— 1814. —— D G ♄
hispifòlium H.R.
α *fastigiàtum* H.R. (*v*) *level-topped* ——— —— —— D G ♄
β *ròseum* H.R. (*ro*) *rosy-flowered* ——— —— —— D G ♄

§ 53. ECHINA'TA; *much branched; leaves nearly terete, more or less hispid as well as the branches; calyx 5-lobed, foliaceous; stigmas 5.*

317 echinàtum H.R. (*ye*) hedge-hog C. B. S. 1774. 7.10. D G ♄ D.C. plant. gras. t. 24.
α *lùteum* (*ye*) *yellow* ——— —— —— D G ♄
β *álbum* (*wh*) *white-flowered* ——— —— —— D G ♄
318 strumòsum H.R. (*st*) tuberous-hedge-hog ——— 1820. —— D G ♄

§ 54. BARBA'TA; *branched; leaves nearly terete, rather papulose, thick, bearded at apex, flowers expanding in the sun; calyx 5-8 cleft; stigmas 5-8.*

319 barbàtum H.P. (*pu*) bearded bushy C. B. S. 1793. 5.10. D G ♄ Bot. mag. t. 70.
320 stelligerum H.P. (*pu*) procumbent-bearded ——— 1705. 6. 8. D G ♄
321 bulbòsum H.P. (*re*) bearded tuberous ——— 1820. —— D G ♄
322 intónsum H.P. (*re*) black-bearded ——— —— 7. D G ♄
α *rubicúndum* H.P. (*re*) *red-flowered* ——— —— —— D G ♄
β *álbum* H.P. (*bh*) *white-flowered* ——— —— —— D G ♄
323 stellàtum H.P. (*pu*) small-bearded ——— 1716. 9.10. D G ♄ DC. plant. gras. t. 29.
324 dénsum H.P. (*pu*) dwarf-bearded ——— 1732. 5. 8. D G ♄ Bot. mag. t. 1220.

HEMENO'GYNE H.R. HYMENO'GYNE. (ὑμην, a membrane, and γυνη, a female.) Icos. Dodec.
glàbra H.R. (*st*) smooth C. B. S. 1732. 5. 8. G ⊙
Mesembryánthemum glàbrum H.S. *non* A. R.

TETRAGO'NIA W. TETRAGO'NIA. (τετρα, four, and γωνια, an angle; fruit.) Icosand. Pentag.
Sect. 1. TETRAGONOI'DES; *stamens in fascicles or solitary in the recesses of the calyx; usually horned.*

1 expánsa H.S.	(*gr*) horned	N. Zealand	1772.	8. 9.	H	☉	DC. plant. gras. t. 114.
2 crystállina H.S.	(*gr*) diamond	Peru	1788.	6.12.	H	☉	——— t. 34.
3 echinàta H.S.	(*gr*) hedgehog	C. B. S.	1774.	5. 8.	G	♂	——— t. 113.

Sect. 2. TETRAGONOCA'RPUS; *stamens in one series at the base of the calycine lobes; fruit usually winged.*

4 hirsùta DC.	(*gr*) hairy	C. B. S.	1823.	5. 8.	G	♂	
5 fruticòsa H.S.	(*gr*) shrubby	———	1712.	7. 9.	G	♄	Mill. ic. 2. t. 263. f. 2.
6 lineàris H.R.	(*gr*) linear-leaved	———	1819.	9.	G	♄	
7 obovàta H.R.	(*gr*) obovate-leaved	———	——	....	G	♄	
8 decúmbens H.S.	(*gr*) trailing	———	1758.	7. 9.	G	♄	DC. plant. gras. t. 23.
9 Tetrápteris H.S.	(*gr*) wing-seeded	———	1795.	——	G	♄	
10 spicàta H.S.	(*gr*) spiked	———	——	——	G	♃	
11 herbàcea H.S.	(*gr*) tuberous-rooted	———	1752.	6. 7.	G	♃	Comm. hort. 2. t. 102.
12 purpùrea Ot.	(*pu*) purple	.....	1825.	——	H	☉	

SESU'VIUM DC. SESU'VIUM. (etymology unknown.) Icosandria Tri-Pentagynia.

1 pedunculàtum PS.	(*pu*) peduncled	W. Indies	1692.	6. 8.	D	S	♃	Pluk. phyt. t. 216. f. 1.
2 séssile P.S.	(*pu*) sessile-flowered	———	——	——	D	S	♃	DC. plant. gras. t. 9.
Aizoòn canariénse Andr. rep. t. 201. *nec aliorum.*								
3 longifòlium DC.	(*pu*) long-leaved	S. America	1816.	7. 8.	D	S	♃	
4 revolutifòlium DC.	(*pu*) revolute-ld.	Cuba	....	——	D	S	♃	Bot. mag. t. 1701.
5 rèpens DC.	(*pu*) creeping	E. Indies	1816.	——	S	☉		
6 microphy'llum DC.	(*pu*) small-leaved	Havannah	1823.	——	D	S	♃	

AIZOO'N DC. AIZOO'N. (αει, always, ζωος, alive.) Icosandria Pentagynia.
§ 1. *Leaves alternate.*

1 canariénse DC.	(*ye*) Purslane-leav'd.	Canaries	1731.	7. 8.	D	G	♃	DC. plant. gras. t. 136.
2 glinoìdes DC.	(*ro*) hairy	C. B. S.	1774.	6. 8.	D	G	♃	
§ 2. *Leaves opposite.*								
3 hispánicum DC.	(*wh*) Spanish	Spain	1728.	7. 8.	H	☉		DC. plant. gras. t. 30.
4 tomentòsum DC.	(*ye*) woolly	C. B. S.	1824.	——	D	G	♄	
5 stellàtum DC.	(*ye*) starry	———	——	——	D	G	♄	
6 perfoliàtum DC.	(*ye*) perfoliate	———	1816.	6. 8.	D	G	♄	
7 sarmentòsum DC.	(*ye*) trailing	———	——	——	D	G	♄	Burm. afr. t. 26. f. 2.
8 lanceolàtum W.	(*ye*) spear-leaved	———	1752.	8.	D	G	♂	

BALBI'SIA Cav. BALBI'SIA. (J. B. Balbis, a German bot.) Decandria Pentagynia.

1 pedunculàris D. Don	(*ye*) peduncled	Chili	1829.	8.	G	♄		Bot. reg. t. 1392.
Ledocárpum pedunculàre B.R. *Cruickshánksia cistiflòra* Bot. misc. t. 90.								

GLI'NUS DC. GLI'NUS. (given by Theophrastus to the maple.) Dodecandria Pentagynia.

lotoìdes DC.	(*wh*) hairy	S. Europe	1788.	7. 8.	H	☉		Bocc. sic. 21. t. 11.

ORDER CXIV.

NEURADIA'CEÆ.

GRIE'LUM DS. GRIE'LUM. (γραια, old; hoary aspect.) Monadelphia Decandria.

1 tenuifòlium D.S.	(*ye*) fine-leaved	C. B. S.	1790.	4. 6.	S	♄		Swt. ger. 2. t. 176.
2 laciniàtum D.S.	(*ye*) jagged	———	1825.	——	S	♄		——— 4 t. 306.

ORDER CXV.

NITRARIA'CEÆ.

NITRA'RIA DC. NITRA'RIA. (found near nitre works.) Dodecandria Trigynia.

1 Schobèri L.	(*wh*) thick-leaved	Siberia	1778.	5. 8.	H	♄		Andr. rep. t. 529.

2	sibírica v.	(wh)	Siberian	Siberia	1826.	....	H ♄	Gmel. sib. 2. t. 98.
3	cáspica W. en.	(wh)	Caspian	Caspia	1822.	5. 8.	H ♄	Pall. ross. t. 50. f. B.
4	tridentàta DC.	(wh)	tridentate	Africa	——	——	H ♄	

ORDER CXVI.

CA'CTEÆ. DC. *prodr. v.* 3. *p.* 457.

Tribe I. *OPUNTIA'CEÆ.* DC. prodr. v. 3. p. 458.

MAMMILLA'RIA H.S. MAMMILLA'RIA. (*mamma*, a nipple; mammæform tubercles.) Ic. Mon.

1	magnimámma DC.	(re)	large-beaded	Mexico	1823.	6. 8.	D S ♄	
2	coronària DC.	(sc)	the great	———	1820.	——	D S ♄	Orteg. dec. t. 16.
3	corioìdes Bosch.	...	leather-like	S. America	1835.	....	D S ♄	
4	pyramidàlis Ot	...	pyramidal	Mexico	——	....	D S ♄	
5	díscolor DC.	(wh.re)	two-coloured	S. America	1800.	——	D S ♄	DC. diss. t. 2. f. 2.
	Cáctus Spínii Coll. *depréssus* DC. cat. h. monsp. p. 84. *pseùdo-mammillàris* Salm Dyck.							
6	lanífera DC.	(re)	wool-bearing	Mexico	1823.	6. 8.	D S ♄	DC. diss. t. 4.
7	divaricàta Hort.	(pk)	divaricate	.....	....	....	D S ♄	
8	Andrèæ Ot.	...	Andrea's	.....	1835.	....	D S ♄	
9	cancifìora Hitch.	...	wedge-flowered	.....	....	....	D S ♄	
10	grándis Hitch.	...	great	.....	....	....	D S ♄	
11	cylíndrica Hitch	...	cylindrical	.....	....	....	D S ♄	
12	neglécta Hort.	...	neglected	.....	1835.	....	D S ♄	
13	rhodántha Ot. *stràts* Hort.	(ro)	rose-flowered	.....	1836.	....	D S ♄	
14	nívea Wend.	...	white	.....	1834.	....	D S ♄	
15	nivòsa Hort.	...	snowy	.....	1835.	....	D S ♄	
16	pulchérrima Hort.	(re)	very-fair	.....	....	....	D S ♄	
17	dichótoma Hort.	(pk)	forked	.....	....	....	D S ♄	
18	lutéscens Hort.	...	yellowish	.....	....	....	D S ♄	
19	eriacántha Hort.	...	woolly-spined	.....	....	....	D S ♄	
20	flavéscens DC.	(re)	yellow-spined	S. America	1811.	——	D S ♄	
21	fulvispìna H.P.	(re)	brown-spined	Brazil	1822.	8.10.	D S ♄	
22	dénsa D.S.		dense	Mexico	1830.	....	D S ♄	Lk. et Ot. pl. r. t. 35.
23	stramínea H.S.S.	(re)	straw-coloured	S. America	1811.	6. 8.	D S ♄	
24	prolífera DC.	(wh)	white-spined	———	1688.	7. 8.	D S ♄	
25	púlchra H.B.R.	(pu)	pretty	Mexico	1828.	6.10.	D S ♄	Bot. reg. t. 1329.
26	bícolor D.S.	(re)	two-coloured	———	1832.	——	D S ♄	
27	deprèssa DC. *discolor* DC. *dis. non* Haw.	(wh.re)	depressed	S. America	1800.	6. 8.	D S ♄	DC. diss. t. 2. f. 2.
28	díscolor H.S.	(wh.re)	discoloured	S. America	1800.	6. 8.	D S ♄	
29	acanthophlégma Lehm.		lace-spined	.....	1835.	....	D S ♄	
30	vétula Mart.	(h.sc)	oldish	.....	——	....	D S ♄	
31	supertéxta Mart.	...	cobwebbed	.....	1836.	....	D S ♄	
32	stellàta H.P. *non pusílla* DC. *ex* H.P.	(ro)	starry	———	1816.	6. 9.	D S ♄	Lod. bot. cab. t. 79.
33	ténuis B.R.	(ye.wh)	slender	Chili	1830.	5. 6.	D S ♄	Bot. reg. t. 1523.
34	floribúnda B.M.	(pk)	bundle-flowered	———	....	——	D S ♄	Bot. mag. t. 3647.
35	atràta B.M.	(pk)	dark	———	....	——	D S ♄	——— t. 3642.
36	Lehmánnii B.M. *ochracántha* and *leucacántha* DC. rev.	(st)	Lehmann's	Mexico	——	——	D S ♄	——— t. 3634.
37	angulàris Ot.	...	angular	.....	1835.	....	D S ♄	
38	polyèdra Mart.	...	many-sided	.....	1836.	....	D S ♄	
39	Zuccariniàna Mart.	...	Zuccarini's	.....	1835.	....	D S ♄	
40	Karwinskii Zucc.	...	Karwinski's	.....	1836.	....	D S ♄	
41	subpolyèdra Salm.	...	subpolyedrous	.....	——	....	D S ♄	
42	Seitziàna Mart.	...	Seitz's	.....	1835.	....	D S ♄	
43	pychnacántha Mart.	..	close-spined	.....	——	....	D S ♄	
44	loricàta Mart.	...	harnessed	.....	——	....	D S ♄	

45	polythèle Mart. ..	many-teated	.....	1835.	....	D S ♄		
46	cárnea Zucc. (*fl*)	flesh-coloured	.....	——	....	D S ♄		
47	longimámma DC. ..	long-teated	Mexico	——	....	D S ♄		
48	microthèle Mart. ..	small-teated	.....	1836.	....	D S ♄		
49	spacelàta Mart. ..	spacelate	.....	——	....	D S ♄		
50	simplex DC. (*wh*)	small red-spin'd	W. Indies	1688.	7. 8.	D S ♄	DC. plant. gras. t. 3.	
	Cáctus mammillàris L.							
51	tentaculàta Hort. (*sc*)	stinging	.....	1636.	....	D S ♄		
52	missouriénsis L.C. (*wh*)	Missouri	Missouri	1813.	6. 8.	D G ♄		
	Cáctus mammillàris Nuttall. *nec aliorum.*							
53	vivípara DC. (*re*)	viviparous	———	——	——	D G ♄		
54	parvimámma DC. ..	small-beaded	S. America	1817.	....	D S ♄		
	Cáctus microthèle S.S.							
55	elongàta DC. ..	elongated	Mexico	1833.	....	D S ♄		
56	stélla-auràta Mart. (*ye*)	golden-starred	.....	1835.	....	D S ♄		
57	echinària DC. ..	hedge-hog	Mexico	1833.	....	D S ♄		
58	subcròcea DC. ..	subcroceous	———	——	....	D S ♄		
59	intertéxta DC. ..	interwoven	———	——	....	D S ♄		
60	élegans DC. ..	elegant	———	——	....	D S ♄		
61	crinìta DC. ..	hairy	———	——	....	D S ♄		
62	Wildiàna Ot. ..	Wild's	.....	....	....	D S ♄		
63	subangulàris DC. ..	subangular	Mexico	1833.	....	D S ♄		
64	auràta Ot. ..	eared	———	——	....	D S ♄		
65	geminispìna DC. (*re*)	twin-spined	———	1823.	6. 8.	D S ♄	DC. diss. t. 3.	
66	glomeràta DC. (*re*)	tufted	St. Domingo	1825.	....	D S ♄	Plum. ed Bur. t. 201. f. 1.	
67	pusílla DC. (*bh*)	hoary starry	S. America	1816.	6. 9.	D S ♄	DC. diss. t. 2. f. 1.	
	Cáctus stellàtus Lodd. bot. cab. t. 79.							
68	Helícteres DC. (*ro*)	simple obovate	Mexico	1827.	——	D S ♄	DC. diss. t. 5.	
69	cónica H.S.S. ..	cone-beaded	.....	1808.	....	D S ♄		
70	coccínea Gill. (*sc*)	scarlet-flower'd	Chili	1827.	....	D S ♄		
71	speciòsa Gil. (*re*)	handsome	———	——	....	D S ♄		
72	fuscàta Ot. ..	brown	S. America	——	....	D S ♄		
73	canéscens Ot. ..	canescent	———	——	....	D S ♄		
74	cæspitòsa Ot. ..	tufted	———	——	....	D S ♄		
75	chrysacántha Ot. (*ye*)	yellow-spined	———	——	....	D S ♄		
76	cirrhífera Karw.	tendril-bearing	Mexico	1838.	....	D S ♄		
77	hístrix Karw.	porcupine	———	——	....	D S ♄		
78	glochidàta Karw.	glochidate	———	——	....	D S ♄		
79	quadrispìna Karw. (*sc*)	four-spined	———	——	....	D S ♄		
80	columnàris Karw.	columnar	———	——	....	D S ♄		
MELOCA'CTUS DC.	MELON THISTLE. (*μηλον*, a melon, and *κακτος*; shape.)						Icos. Monog.	
1	commùnis DC. (*re*)	Turk's-cap.	W. Indies	1688.	7. 8.	D S ♄	DC. plant. gras. t. 112.	
	β oblóngus DC. (*re*)	*oblong*	———	——	——	D S ♄		
	γ macrocéphalus	*large-beaded*	———	——	——	D S ♄		
2	macracánthus DC. (*re*)	large-spined	S. America	1820.	——	D S ♄	Lk. et Ot. dis. t. 12.	
3	pyramidàlis DC. ..	pyramidal	Curassao	1824.	....	D S ♄	——— p. 10. t. 25.	
4	placentifórmis DC. (*re*)	black-spined	Brazil	——	7. 9.	D S ♄	Besl. h. eyst. 4. ord. f. 1.	
	Cáctus Melocáctus Besl. *non* L. *Melocáctus Beslèri* Lk. et Ot. dis. p. 11. t. 21.							
5	Langsdórfii DC. (*ye*)	Langsdorf's	Brazil	1826.	7. 9.	D S ♄		
6	meonacánthus DC ..	oblong	Jamaica	1836.	....	D S ♄	Lk. et Ot. p. 19. t. 15.	
7	polyacánthus DC. ..	many-spined	Brazil	——	....	D S ♄	——— p. 13. t. 16. f. 1.	
8	amœ'nus Hoffm. (*h.sc*)	pleasant	.....	1835.	....	D S ♄		
9	Grengèlii Hort. ..	Grengel's	W. Indies	1836.	....	D S ♄		
10	Salmiànus Ot. ..	Salm's	.....	——	....	D S ♄		
11	octogònus Hort. ..	eight-angled	Mexico	1884.	....	D S ♄		
12	excavàtus Hort. ..	excavated	———	——	....	D S ♄		
ECHINOCA'CTUS DC.	ECHINOCA'CTUS. (*εχινος*, a hedge-hog, *κακτος*; form.)						Icos. Monog.	
1	gibbòsus DC. (*wh*)	gibbous	Jamaica	1808.	6. 8.	D S ♄	Bot. reg. t. 137.	
	Cáctus gibbòsus B.R.							
2	subgibbòsus H.P. (*wh*)	subgibbous	Chili	1830.	....	D S ♄		
3	nóbilis H.P. (*wh*)	noble	Mexico	1796.	....	D S ♄		
	Cèreus redúctus DC.							
4	latispìnus H.P. (*pu*)	flat-spined	———	1823.	....	D S ♄	Lk. et Ot. dis. t. 14.	
5	Sellòwii DC. ..	Sellow's	Monte Video	——	....	D S ♄	Lk. et Ot. dis. t. 22.	
6	cornígerus DC. (*wh*)	horn-bearing	Mexico	1830.	6. 9.	D S ♄	DC. diss. t. 7.	
7	crispàtus DC. (*pu*)	curl-ribbed	———	1826.	....	D S ♄	DC. diss. t. 8.	
8	obvallàtus DC. (*pu*)	guarded	———	——	....	D S ♄	——— t. 9.	
9	tenuispìnus DC. (*ye*)	slender-spined	Brazil	——	6. 8.	D S ♄		

10	melocactiformis DC. (*bh*)	Melocactus-like	Mexico	1826.	....	D S ♄	DC. diss. t. 10.
11	Langsdórfii D S. (*ye*)	Langsdorf's	Brazil	1833.	....	D S ♄	
12	pachycéntrus Lehm. ..	thick-spined	.....	1836.	....	D S ♄	
13	centetèrius Lehm. (*re*)	awl-spined	.....	——	....	D S ♄	
14	sessiliflòrus Hort. ..	sessile-flowered	.....	1834.	....	D S ♄	
15	coccíneus Hort. (*sc*)	scarlet	.....	1835.	....	D S ♄	
16	spiràlis Karw. ..	spiral	Mexico	——	....	D S ♄	
17	Eyrièsii D.S. (*wh*)	Eyries's	——	——	6. 8.	D S ♄	Bot. reg. 1707.
	β *glaucus* B.M. (*wh*)	*glaucous*	——	——	——	D S ♄	Bot. reg. n. s. t. 31.
18	tubiflòrus B.M. (*wh*)	tube-flowered	——	——	——	D S ♄	Bot. mag. t. 3627.
19	intórtus DC. ..	twisted	Antigua	1768.	....	D S ♄	
20	Salmiànus DC. ..	Salm-Dyck's	Curassao	1824.	....	D S ♄	
21	hy'strix H.P. (*wh*)	porcupine	S. America	1818.	5. 7.	D S ♄	
22	Ottònis D.S. (*ye*)	Otto's	Brazil	1830.	6. 8.	D S ♄	Bot. mag. t. 3107.
23	corynòdes Ot. (*ye*)	clubbed	.....	1835.	....	D S ♄	
24	Montevidénsis (*ye*)	Monte Video	M. Video	——	....	D S ♄	
25	rhodánthus (*ro*)	red-flowered	.....	——	....	D S ♄	
26	acutangulàris (*ye*)	acute-angled	.....	——	....	D S ♄	
27	tuberculàtus DC. ..	tubercled	Mexico	1826.	....	D S ♄	Lk. et Ot. dis. t. 26.
28	platyacánthus Hort...	broad-spined	——	1837.	....	D S ♄	
29	polyacánthus Hort...	many-spined	Brazil	——	....	D S ♄	
30	xanthacánthus Hort...	yellow-spined	.....	1835.	....	D S ♄	
31	Gillièsii Hort. ..	Gillies's	Mexico	1830.	....	D S ♄	
32	formòsus Hort. ..	beautiful	——	....	....	D S ♄	
33	thelèphorus Hort. ..	nipple-bearing	.....	1834.	....	D S ♄	
34	gladiàtus DC. ..	sword-spined	Mexico	1826.	....	D S ♄	Lk.et.Ot.diss.p.17.t.17.
35	subuliferus DC. ..	awl-spined	——	1824.	....	D S ♄	—— p. 16. t. 27.
36	deprèssus DC. ..	depressed	S. America	1780.	....	D S ♄	
37	orthacánthus DC. ..	straight-spined	M. Video	1828.	....	D G ♄	Lk. et Ot. dis. t. 18.
38	acuàtus DC. ..	sharp-ribbed	——	——	....	D G ♄	—— p. 15. t. 23.
39	parvispìnus DC. ..	small-spined	S. America	1815.	....	D S ♄	
40	intricàtus DC. ..	intricate	M. Video	1828.	....	D S ♄	Lk. et Ot. dis. t. 24.
41	inflàtus Gil. ..	inflated	Chili	1828.	....	D S ♄	
42	erinàceus H.P. ..	Hedgehog	.....	1818.	....	D S ♄	
	Cáctus erinàceus H.S.S.						
43	excúlptus Ot. ..	engraven	.....	1836.	....	D S ♄	
44	anconiànus Hort. ..	Ancona	Ancona	1834.	....	D S ♄	
45	spinosíspinus Hort...	very spiny	.....	——	....	D S ♄	
46	echinàtus Hort. ..	echinated	Mexico	1830.	....	D S ♄	
47	oxyacanthus Hort...	sharp-spined	.....	——	....	D S ♄	
48	cylindricus Hort. ..	cylindrical	Mexico	1836.	....	D S ♄	
49	octogònus D.S. (*re.wh*)	octogonal	S. America	1830.	6. 8.	D S ♄	Bot. reg. 1717.
50	agglomeràtus Karw.	agglomerated	Mexico	1838.	....	D S ♄	
51	glaúcus Karw.	glaucous	——	——	....	D S ♄	
52	acutángulus Karw.	acute-angled	——	——	....	D S ♄	
53	ingens Karw.	huge	——	——	....	D S ♄	
54	Línkii D.S. (*ye*)	Link's	Mexico	1828.	——	D S ♄	
55	Lécchii D.S. (*ye*)	Lecche's	S. America	1833.	——	D S ♄	Coll. rip. app. 5. t. 2.
56	Scòpa DC. ..	setaceous	Brazil	1826.	....	D S ♄	

CEREUS DC. CE'REUS. (*cereus*, pliant; shoots of some species.) Icosandria Monogynia.

Sect. 1. CEREA'STRI; *stems upright, never throwing out roots.*

§ 1. *Stems of many angles.*

1	multangulàris DC. ..	many-angled	S. America	1815.	....	D S ♄	
2	myriophy'llus Hort. ..	thousand-ld.	.....	1815.	....	D S ♄	
3	strigòsus Gill. ..	strigose	Chili	1824.	....	D S ♄	
4	spinòsus Hitch. ..	spiny	.....	1815.	....	D S ♄	
5	Bonariénsis Tev. ..	Buenos Ayres	B. Ayres	1836.	....	D S ♄	
6	tenuàtus Hort. ..	slender	.....	——	....	D S ♄	
7	oxygònus Ot. (*pk*)	sharp-angled	Brazil	1829.	....	D S ♄	
	Echinocáctus sulcàtus Hort.						
8	múltiplex Ot. (*ca.sc*)	multiple	.....	1830.	....	D S ♄	
9	leucánthus Gill. (*wh.pu*)	white	Chili	——	....	D S ♄	
	Melocáctus ambíguus Hitch.						
10	turbinàtus Pfref. ..	turbinate	.....	1835.	....	D S ♄	
	Echinocáctus turbinàtus Hort.						
11	tephracánthus DC ..	ashy-spined	——	1825.	....	D S ♄	Lk. et Ot. dis. t. 14. f. 2.
12	recúrvus DC. ..	recurve-spined	Mexico	1768.	....	D S ♄	
	Cáctus nóbilis L.						

13	senìlis DC.	.. grey-headed	Mexico	1823.	....	D S ♄		
	Cáctus senìlis H.P.							
14	fèrox HP.	(*wh*) fierce upright	Brazil	1828.	——	D S ♄		
	§ 2. *Stems of* 6 *to* 12 *angles.*							
15	peruviànus DC.	(*re.wh*) great Peruvian	Peru	1728.	8.10.	D S ♄	DC. plant. gras. t. 58.	
16	monstròsus DC.	(*re.wh*) irregular	S. America	1816.	——	D S ♄	DC. diss. t. 11.	
	Cáctus abnórmis W. enum. sup. 31.							
17	monóclonos DC.	(*ro.wh*) obcordate-pet.	Caribees	....	6. 8.	D S ♄	Plum. ed. Burm. t. 191.	
18	fimbriàtus DC.	(*ro*) fringe-petal'd	St.Domingo	1826.	——	D S ♄	——— t. 195. f. 1.	
19	hexagònus H.S.	(*ro.wh*) great 6-angled	Surinam	1690.	7. 8.	D S ♄	Bradl. succ. t. 1.	
20	heptagònus H.S.	(*wh*) great 7-angled	W. Indies	1728.	——	D S ♄		
21	hístrix DC.	.. Porcupine	.....	1818.	....	D S ♄		
22	pellùcidus Ot.	.. pellucid	.....	1830.	....	D S ♄		
23	Olférsii Ot.	.. Olfers's	Brazil	——	....	D S ♄		
24	spinibárbes Ot.	.. Spine-bearded	.....	——	....	D S ♄		
25	nigrospìnus Tw.	.. black-spined	B. Ayres	1836.	....	D S ♄		
26	heteracánthus Tw.	.. variable-spined	———	——	....	D S ♄		
27	tortuòsus Tw.	.. twisted	———	——	....	D S ♄		
28	affìnis Hort.	(*wh*) allied	.....	....	....	D S ♄		
29	glaúcus Salm.	.. glaucous	Brazil	1835.	....	D S ♄		
30	Jamacàru Salm.	(*wh*) Jamacaru	———	——	....	D S ♄		
31	cæ'sius Hort.	.. grey	.....	1836.	....	D S ♄		
32	amblyogònus	.. blunt angled	S. America	——	....	D S ♄		
33	formòsus	(*wh*) beautiful	B. Ayres	1834.	....	D S ♄		
34	cineráscens DC.	.. greyish	Mexico	1830.	....	D S ♄		
35	ebúrneus DC.	.. ivory-thorned	Curassao	1818.	....	D S ♄	Bradl. succ. t. 10.	
	β *monstròsus* DC.	.. *monstrous*	Hybrid	....	....	D S ♄		
36	gríseus H.S.	(*wh*) grey-spined	S. America	1809.	9.10.	D S ♄		
37	crenulàtus DC.	.. crenulate	———	1822.	....	D S ♄		
38	æ'thiops H.P.	(*wh*) black-spined	Brazil	1828.	——	D S ♄		
39	albispìnus DC.	.. white-spined	S. America	1822.	....	D S ♄		
40	regàlis DC.	.. the royal	———	1816.	....	D S ♄		
41	strictus DC.	.. straight	———	1822.	....	D S ♄		
42	Hawórthii DC.	.. Haworth's	Caribees	1811.	....	D S ♄		
	Cáctus Hawórthii S.S. *Cèreus nóbilis* H.S.							
43	aúreus DC.	.. gold-spined	S. America	1825.	....	D S ♄		
44	nìger DC.	(*wh*) black	———	1820.	....	D S ♄		
45	fulvispìnus DC.	.. tawny-spined	———	1795.	....	D S ♄		
46	flavispìnus DC.	.. yellow-spined	———	1822.	....	D S ♄		
47	chiloénsis DC.	.. ten-angled	Chili	1825.	....	D S ♄		
48	euphorbioìdes DC.	.. Euphorbia-like	S. America	1815.	....	D S ♄		
49	cándicans Hort.	.. whitish	.....	1830.	....	D S ♄		
50	macracánthus Hort.	.. long-spined	.....	——	....	D S ♄		
51	ochroleùcus Hort.	(*st*) cream-coloured	.....	1835.	....	D S ♄		
52	nígricans Hort.	.. blackish	.....	——	....	D S ♄		
53	Russeliànus Forb.	.. D. of Bedford's	Demerara	1836.	....	D S ♄		
54	Royèni DC.	(*wh*) Royen's 9-angled	W. Indies	1728.	6. 9.	D S ♄	DC. plant. gras. t. 143.	
55	lanuginòsus DC.	(*wh*) woolly	———	1690.	7. 8.	D S ♄	Herm. parad. t. 115.	
56	repándus DC.	(*wh*) waved short-spin'd	——	1728.	8.10.	D S ♄	Bot. reg. t. 336.	
57	suprepándus DC.	(*wh*) waved long-spin'd	——	1817.	——	D S ♄		
58	cœruléscens Forb.	.. bluish	Brasil	....	....	D S ♄		
59	glaucéscens Tw.	.. glaucescent	Buenos Ayres	1836.	....	D S ♄		
60	erióphorus Hort.	(*re*) woolly	.....	1835.	....	D S ♄		
61	divaricàtus DC.	.. divaricate	.....	1826.	....	D S ♄		
62	polygònus DC.	(*wh*) many-sided	St.Domingo	1827.	....	D S ♄	Plum. ed. Burm. t. 196.	
63	mágnus H.P.	(*wh*) great 12-angled	———	1830.	6.10.	D S ♄		
64	rosàceus Ot.	(*ro*) rosy	.....	1826.	....	D S ♄		
65	Déppii Ot.	.. Deppi's	Mexico	——	....	D S ♄		
66	propínquus Salm.	.. allied	.....	1835.	....	D S ♄		
67	leptacánthus DC.	.. slender-spined	.....	——	....	D S ♄		
68	incrustàtus Ot.	.. incrusted	.....	1826.	....	D S ♄		
	§ 3. *Stems of* 3, 4, *or* 5 *angles, very rarely of* 6 *angles.*							
69	grándis DC.	.. straddling-spin'd	.....	1816.	....	D S ♄		
70	pentálophus B.M.	(*pk*) five-crested	.....	....	....	D S ♄		
	β *subarticulàtus* B.M.	(*pk*) *subarticulated*	....	....	....	D S ♄	Bot. mag. t. 3651.	
71	tetragònus DC.	(*wh*) great 4-angled	S. America	1710.	7. 8.	D S ♄		
72	paniculàtus DC.	(*wh.re*) panicled	St.Domingo	1827.	....	D S ♄	Plum. ed. Burm. t. 192.	
73	obtùsus DC.	.. blunt 3-angled	Brazil	1819.	....	D S ♄		

74	lætevìrens Salm...	pale-green	.....	1836.	....	D S ♄	
75	Pitajàya Jacq. ..	Pitajaya	Carthagena	——	....	D S ♄	
76	variábilis Ot. ..	variable	.....	——	....	D S ♄	
77	válidus H.P. ..	strong	S. America	1826.	....	D S ♄	

Sect. 2. SERPENTI'NI; *stems jointed, prostrate, rooting or twining.*

§ 1. *Stems of many angles.*

78	serpentìnus DC. (*pu.wh*)	white-spined	———	1817.	7. 8.	D S ♄	Lk. et Ott. abb. t. 91.
79	tunicàtus D.S.	tunicated	Brazil	1832.	....	D S ♄	
80	ambíguus DC. (*pu.wh*)	ambiguous	.....	1827.	7. 8.	D S ♄	
81	léptophis DC. (*re*)	slender	Mexico	1832.	....	D S ♄	
82	flagelliformis DC. (*ro*)	creeping	Peru	1690.	3. 6.	D G ♄	Bot. mag. t. 17.
83	costàtus Hort ..	ribbed	———	1690.	....	D S ♄	
84	MartiànusHort. (*pu*)	Martius's	.....	1835.	....	D S ♄	
85	Smíthii Hort. ..	Smith's	.....	——	....	D S ♄	
86	tenuíssimus ..	very-slender	.....	——	....	D S ♄	
87	flagifórmis Karw...	Karwinki's	Mexico	1838.	——	D S ♄	
88	caudàtus Gil. ..	tailed	Chili	1828.	....	D G ♄	
89	horizontàlis Gil. ..	horizontal	———	——	....	D G ♄	

§ 2. *Stems of 5 or 6 angles.*

90	grandiflòrus DC. (*ye.wh*)	night-flower'd	Jamaica	1700.	6. 8.	D S ♄	Bot. mag. t. 3381.
91	Napoleònis B.M. (*wh*)	Napoleon's	S. America	....	9.	D S ♄	——— t. 3458.
92	Colvíllii ..	Colvill's hybrid	Hybrid	1825.	6.10.	D S ♄	
93	pentagònus DC. (*wh*)	five-angled	S. America	1769.	7. 8.	D S ♄	
94	réptans H.S.S. ..	creeping	———	1813.	....	D S ♄	
95	albisetòsus H.S.S. ..	wht.-spin'd trailg.	St. Dom.	1816.	....	D S ♄	
96	radìcans DC. ..	rooting-branch'd	S. America	1827.	....	D S ♄	
97	hùmilis DC. ..	slender dwarf	.....	——	....	D S ♄	
98	nyriocaúlon Mart..	many-stemmed	.....	1835.	....	D S ♄	
99	nycticàlius L.K...	night-beauty	.....	1834.	....	D S ♄	
100	Schránkii Zuc. ..	Schrank's	.....	1835.	....	D S ♄	
101	arcuàtus Hort. (*wh*)	arched	.....	——	....	D S ♄	
102	Lanceànus Hort. (*sc*)	Lance's	.....	1834.	....	D S ♄	
103	ramòsus Karw. ..	branched	Mexico	1838.	——	D S ♄	

§ 3. *Stems of 3 or 4 angles.*

104	quadrangulàris DC. (*wh*)	quadrangular	S. America	1809.	7. 9.	D S ♄	Plum. ed. Bur. t. 199. f. 1.
105	tripteris DC. ..	broad-lobed	.....	1827.	....	D S ♄	
106	bífrons H.S.S. ..	rooting 4-angul.	S. Domingo	1818.	....	D S ♄	
107	speciosíssimus DC. (*sc.pu*)	beautiful	Mexico	1816.	6. 9.	D G ♄	Bot. reg. t. 486.
	Cáctus speciosíssimus B.R. *speciòsus*		Colla hort. rip. t. 10.				
	β lateritius B.R. (*br*)	*brick-coloùred*	Hybrid	1831.	6.	D S ♄	Bot. reg. 1596.
108	triangulàris DC. (*wh*)	great triangular	W. Indies	1690.	7. 8.	D S ♄	Bot. mag. t. 1884.
109	undàtus H.P. ..	waved	China	1828.	....	D S ♄	
110	setíger H.P. ..	bristle-bearing	Brazil	——	....	D S ♄	
111	trigònus DC. (*wh*)	small triangular	W. Indies	1809.	7. 8.	D S ♄	Plum. ed. Bur. t. 200. f. 2.
112	tríqueter DC. ..	least triangular	S. America	1794.	....	D S ♄	
113	coccíneus DC. (*sc*)	scarlet-flowered	Brazil	1828.	....	D S ♄	
114	Smithiànus (*sc*)	Smith's hybrid	Hybrid	1824.	6. 9.	D G ♄	
115	exténsus DC. ..	extended	.....	1826.	....	D S ♄	
116	squamulòsus DC. (*ye*)	scaly	Brazil	——	....	D S ♄	
117	prismáticus DC. ..	prismatic	.....	——	....	D S ♄	
118	setàceus DC. ..	bristly	Brazil	1828.	....	D S ♄	
119	myosùrus DC. ..	mouse-tail	———	——	....	D S ♄	
120	ténuis DC. (*ro*)	slender-branched	———	1826.	....	D S ♄	
121	tenuispìnus H.P. ..	slender-spined	Mexico	——	....	D S ♄	
122	baxàrius Karw. ..	clog	———	1838.	....	D S ♄	
123	gemmàtus Karw...	bud	———	1834.	——	D S ♄	

Sect. 3. EPIPHYLLUM; *branches compressed, 2-edged, crenated; usually angular at the base.*

124	phyllanthoìdes DC. (*pi*)	rosy-flowered	Mexico	1816.	5. 8.	D G ♄	Bot. mag. t. 2092.
	Cáctus speciòsus Bot. reg. t. 304. *Epiphy'llum phyllanthoìdes* H.B.						
125	Jenkinsòni (*sc*)	Mr. Jenkinson's	Hybrid	1824.	6. 9.	D G ♄	
126	Ackermánni H.B. (*sc*)	Ackermann's	Mexico	——	5. 7.	D S ♄	
127	oxypétalus DC. (*re*)	sharp-petalled	———	1828.	——	D S ♄	
128	truncàtus DC. (*cr*)	truncated	Brazil	1818.	7.11.	D S ♄	Bot. reg. t. 696.
	Cáctus truncàtus Bot. mag. t. 2092. *Epiphy'llum truncàtum* H.P.						
129	crispàtus H.P. ..	curled	———	1829.	....	D S ♄	
130	alàtus DC. (*gr.wh*)	wing-stemmed	Jamaica	1818.	8.11.	D S ♄	Bot. mag. t. 2820.
131	Hookèri H.P. (*wh*)	Hooker's	S. America	....	7. 8.	D S ♄	——— t. 2692.
	Cáctus Phyllánthus B.M. *nec aliorum. Epiphy'llum Hookèri* H.P.						

132	Phyllánthus DC. (*wh*)	long-tubed	S. America	1710.	6. 7.	D S ♄	DC. plant. gras. t. 143.
133	rhómbeus Salm. ..	rhomboid	.....	1835.	....	D S ♄	
134	ramulòsus Salm...	branching	.....	——	....	D S ♄	
135	latífrons Karw.	broad fronted	Mexico	1838.	....	D S ♄	
136	longifòlius Karw.	long-leaved	——	——	....	D S ♄	

Sect. 4. OPUNCTIA'CEI; *composed of globose joints, furnished with strong diverging prickles; flowers tubular; style exserted, multifid at the apex.*

137	grácilis DC.	.. slender	S. America	1826.	....	DS ♄	

OPU'NTIA DC. INDIAN-FIG. (plentiful near Opus, a city of Locris.) Icosand. Monogyn.

Sect. 1. CYLINDRA'CEÆ; *stems cylindrical, neither jointed nor furrowed, but bear areolate convex tubercles, and fascicles of prickles.*

1	ròsea DC. (*ro*)	rosy	Mexico	1830.	——	DS ♄	
2	cylíndrica DC. (*sc*)	cylindrical	Peru	1799.	——	DS ♄	Bot. mag. t. 3301.
	Cèreus cylindricus H.S. *Cáctus cylíndricus* Lam.						
3	imbricàta DC. (*sc*)	imbricate	——	1820.	——	DS ♄	
	Cèreus imbricàtus H.B.						
4	stapèliæ DC.	.. stapelia-like	Mexico	1830.	——	DS ♄	
5	exuviàta DC.	.. exuviate	——	——	——	DS ♄	
6	decípines DC. (*sc*)	deceiving	——	——	——	D S ♄	
7	Klei'niæ DC.	.. Klein's	——	1836.	....	D S ♄	
8	leptocaúlis DC.	.. slender-stemm'd	——	——	....	D S ♄	
9	ramulífera Forb.	.. branch-bearing	——	——	....	D S ♄	
10	pubéscens Wend...	.. pubescent	——	——	....	D S ♄	
11	Ottònis D.S.	.. Otto's	Brazil	1830.	——	D S ♄	Lk. et Ot. pl. r. b. t. 16.
12	pulvinàta DC.	.. pulvinate	Mexico	——	——	D S ♄	

Sect. 2. DIVARICA'TÆ; *humble; branches diverging; joints linear-lanceolate, thick, nearly terete; prickles strong in fascicles.*

13	longispìna H.P. (*ye*)	long-spined	Brazil	1826.	6.10.	D S ♄	
14	glomeràta H.P. (*ye*)	long flat-spined	——	——	——	D S ♄	
15	aurantìaca Gill. (*or*)	orange	Chili	1824.	——	D S ♄	Bot. mag. t. 1606.
16	foliòsa DC. (*ye*)	greater Pin-pillow	S. America	1805.	6. 7.	D S ♄	
	pusílla H.S. *non* DC.						
17	articulàta Ot.	.. articulated	.....	1836.	....	D S ♄	
18	alpìna Gill.	.. alpine	Chili	——	....	D S ♄	
19	corrugàta Gill.	.. corrugated	——	1824.	....	D S ♄	
20	andícola Hort.	.. Andes	Andes	1690.	....	D S ♄	
21	horizontàlis Ot.	.. horizontal	.....	1814.	....	D S ♄	
22	platyacántha Hort. (*ye*)	broad-spined	.....	——	....	D S ♄	
23	curassávica DC. (*ye*)	Pin-pillow	Curassao	1690.	——	D S ♄	Bradl. succ. t. 4.
	α màjor H.S. (*ye*)	*larger*	——	——	——	D S ♄	
	β mèdia H.S. (*ye*)	*middle*	——	——	——	D S ♄	
	γ minor H.S. (*ye*)	*smaller*	——	——	——	D S ♄	
	δ lónga H.B. (*ye*)	*longer*	Brazil	1820.	——	D S ♄	
24	frágilis DC. (*ye*)	brittle Pin-pillow	Missouri	1814.	....	D F ♄	
25	pusílla DC. (*ye*)	small Pin-pillow	S. America	1826.	....	D S ♄	

Sect. 3. GRANDISPINO'SÆ; *joints compressed, ovate or obovate, prickles variable, the smaller ones setaceous and the larger strong.*

26	polyacántha H.S.S. (*st*)	many-spined	Missouri	1814.	7. 9.	D F ♄	
	missouriénsis DC. *Cáctus fèrox* N.						
27	mèdia H.S.S. (*ye*)	lesser many-spined	——	——	——	D F ♄	
28	fèrox DC. (*ye*)	ferocious	S. America	1817.	....	D S ♄	
29	spinosíssima DC. ..	cluster-spined	Jamaica	1732.	7.	D S ♄	
30	myriacántha Lk. et Ot.	thousand-spined	Mexico	1830.	....	D S ♄	
31	hùmilis H.S. (*ye*)	humble	W. Indies	1795.	7. 8.	D S ♄	
	hórrida DC.						
32	Dillènii DC. (*ye*)	Dillenius's	S. America	1731.	9.10.	D S ♄	Bot. reg. t. 255.
	Cáctus Dillènii B.R. Dill. elth. 2. t. 296. f. 382.						
33	Tùna DC. (*ye*)	yellow-spined	——	——	——	D S ♄	Dill. elth. t. 295. f. 380.
34	polyántha DC. (*ye*)	many-flowered	——	1811.	7. 9.	D S ♄	Bot. mag. t. 2691.
35	monacántha DC. (*ye*)	one-spined	——	1816.	——	D S ♄	Bot. reg. 1726.
36	leucótriche DC.	.. white-haired	Mexico	1836.	....	D S ♄	
37	senìlis Parm.	.. old-man	.....	1837.	....	D S ♄	
38	calacántha Ot.	.. beautiful-spined	.....	1836.	....	D S ♄	
39	megacántha Forb...	large-spined	Mexico	1835.	....	D S ♄	
40	álbicans Forb.	.. whitish-spined	——	——	....	D S ♄	
41	elàtior DC. (*ye*)	great black-spin'd	——	1731.	7. 8.	D S ♄	Dill. elth. t. 204. f. 379.
42	nígricans DC. (*ye*)	lesser black-spined	——	1795.	——	D S ♄	Bot. mag. t. 1557.
	Cáctus Tùna γ nigricàns B.M.						

43 máxima DC.	(ye) great oblong	S. America	1768.	7. 9.	D	S	♄	
44 triacántha DC.	(ye) three-spined	———	1796.	——	D	S	♄	
Sect. 4. PARVISPINO'SÆ; *prickles uniform, hair-shaped, short or almost wanting.*								
45 decumàna H.B.	.. great	S. America	1820.	....	D	S	♄	
46 elongàta H.S.S.	.. various-spined	———	1816.	....	D	S	♄	
47 cochinillífera DC.	(re) Cochineal-fig	———	1688.	7. 9.	D	S	♄	Andr. rep. t. 523.
Cáctus cochinílifer Bot. mag. t. 2741-2742.								
48 Ficus-I'ndica DC.	(ye) Indian Fig	———	1731.	7. 8.	D	S	♄	
49 pecìdo-Tùna DC.	(ye) bastard	———	....	——	D	S	♄	
50 tomentòsa DC.	.. woolly-branch'd	———	1824.	....	D	S	♄	
51 sericea Gil.	.. silky	Chili	1827.	....	D	S	♄	
52 lanceolàta DC.	(ye) spear-shaped	———	1796.	7. 9.	D	S	♄	
53 tuberculàta DC.	(ye) tubercled	———	1818.	——	D	S	♄	
54 inérmis DC.	(ye) upright spineless	———	1796.	——	D	S	♄	DC.plant.gras.n.138.ic.
stricta H.S.								
55 Amyclæ'a DC.	(ye) Neapolitan	Naples	1825.	——	D	F	♄	
56 subinérmis L.en.	(ye) nearly smooth	S. America	1824.	7. 9.	D	S	♄	
57 rubéscens DC.	.. red-stemmed	Brazil	1828.	....	D	S	♄	
58 crássa DC.	(ye) thick-lobed	Mexico	1817.	6. 9.	D	G	♄	
59 longispìna Ot.	(ye) long-spined	S. America	1824.	....	D	S	♄	
60 leucacántha Ot.	(ye) white-spined	———	——	....	D	S	♄	
61 pulvinàta DC.	.. pulvinate	Mexico	1827.	....	D	S	♄	
62 sulphùrea Gill.	(ye) sulphur-flower'd	Chili	1827.	....	D	S	♄	
63 Hernandèsii DC.	(re) Hernandez's	Mexico	——	....	D	G	♄	Hern. mex. 78. ic.
64 microdàsys Lehm.	.. small-thick	.....	1810.	....	D	S	♄	
65 párvula Forb.	.. least	Chili	1835.	....	D	S	♄	
66 glaúca Forb.	.. glaucous	.....	——	....	D	S	♄	
67 decúmbens Salm.	.. decumbent	Mexico	——	....	D	S	♄	
68 elàta Ot.	.. tall	S. America	1731.	....	D	S	♄	
69 grándis Forb.	.. great	.....	1835.	....	D	S	♄	
70 hórrida Salm.	(ye) horrid	S. America	1815.	....	D	S	♄	
71 spinulífera Salm.	.. spine-bearing	Mexico	1836.	....	D	S	♄	
72 dejécta Forb.	(ye) dejected	Cuba	——	....	D	S	♄	
73 vulgàris DC.	(re) common	America	1596.	7. 9.	D	F	♄	Mill. dict. t. 191.
Cáctus Opúntia Bot. mag. t. 2393.								
β *minor*	(ye) *lesser*	N. America	1914.	——	D	F	♄	
Cáctus Opúntia N.								
Sect. 5. TENUI'LOBÆ; *stems terete, when young; joints flat, membranous.*								
74 brasiliénsis DC.	(ye) round-stemm'd	Brazil	1817.	5. 6.	D	S	♄	Bot. mag. t. 3293.
Species not sufficiently known.								
75 Nopalíllo Karw.	small Nopal	Mexico	1838.	....	D	S	♄	
76 spinaúrea Karw.	yellow-spined	———	——	....	D	S	♄	
77 réptans Karw.	creeping	———	——	....	D	S	♄	

PERE'SKIA DC. PERE'SKIA. (Mr. F. Peiresk, a French nat.) Icosandria Monogynia.

1 aculeàta DC.	(wh) Barbadoes Gooseby.	W. Indies	1696.	10. 11.	S		♄	Bot. reg. t. 1928.
Cáctus Peréskia L.								
2 longispina H.S.S.	(wh) long-spined	S. America	1808.	....	S		♄	
3 Ble'o DC.	(re) rose-coloured	———	1827.	1. 4.	S		♄	Bot. reg. 1473.
4 portulacæfòlia DC.	(pu) Purslane-leav'd	W. Indies	1820.	....	S		♄	Plum. ed Bur. t. 197.f.1.
5 grandifòlia DC.	.. great-leaved	Brazil	1818.	....	S		♄	
6 Petitàche Karw.	Petitache	Mexico	1838.	....	S		♄	
7 crassicaúlis Karw.	thick-stemmed	———	——	....	S		♄	
8 grandiflòra Karw.	great-flowered	———	——	....	S		♄	
9 grandispìna Hort.	great-spined	.....	1818.	....	S		♄	

Tribe II. *RHIPSALI'DEÆ.* DC. prod. v. 3. p. 475.

RHI'PSALIS DC. RHI'PSALIS. (ῥαψ, a willow branch; flexible.) Dodecandria Monogynia.

1 Cassy'tha DC.	(wh) pendulous	W. Indies	1758.	7. 10.	S		♄	Bot. mag. t. 3080.
2 Hookerìana DC.	(wh) four-petal'd	———	....	——	S		♄	Hook. ex. flor. t. 2.
3 fasciculàta DC.	(wh) cluster-branch'd	S. America	1800.	——	S		♄	Bot. mag. t. 3079.
4 parasítica DC.	(wh) parasitical	W. Indies	——	——	S		♄	Plum. ed Bur. t. 197. f.2.
5 funàlis DC.	(wh) great-flowered	S. America	1816.	7. 8.	S		♄	Bot. mag. t. 2740.
grandiflorus B.M. *Cáctus funàlis* S.S.								

6	salicornioìdes DC.	(*ye*)	Glass-wort-like	W. Indies	1818.	5. 8.	D S	♄	Bot. mag. t. 2461.
7	mesembryanthoìdes DC.		Fig Marygold-like	——	——	——	D S	♄	—— t. 3078.
8	cereúscula H P.	..	cereus-like	Brazil	1828.	....	D S	♄	
9	spatulàta Ot.	..	spatulate	.....	1836.	....	D S	♄	
10	péndula Salm.	(*wh*)	pendulous	.....	1818.	....	D S	♄	
11	pentáptera Ot.	(*wh*)	five-winged	.....	1836.	....	D S	♄	
12	calamifórmis Forb...		quill-formed	.....	——	....	D S	♄	

ORDER CXVII.

GROSSULARIE'Æ. DC. *prodr. v.* 3. *p.* 477.

RI'BES DC. CURRANT. (Arabic name of an acid plant.) Pentandria Monogynia.

Sect. 1. GROSSULA'RIA; *peduncles* 1-2-3 *flowered; calyx more or less campanulate; leaves plicate: gooseberries.*

1	oxyacanthoìdes DC.	(*st*)	Hawthorn-ld.	N. America	1705.	4. 5.	H	♄	Dill. elth. t. 139. f. 166.
2	fèrox DC.	(*st*)	ferocious	California	1827.	——	H	♄	
3	lacústre DC.	(*br*)	swamp	N. America	1812.	——	H	♄	Lodd. bot. cab. t. 884.
4	Menziìsii DC.	(*cr*)	Menzies's	California	1827.	——	H	♄	
5	speciòsum DC.	(*sc*)	beautiful	N. America	——	——	H	♄	Swt. br. fl. gar. 2. s. t. 149.
6	ùva-críspa R.S.	(*st*)	smooth Gooseberry	England	....	——	H	♄	Eng. bot. v. 29. t. 2057.
7	reclinàtum R.S.	(*st*)	procumbent	Germany	1683.	——	H	♄	
8	Grossulària R.S.	(*st*)	rough Gooseberry	England	....	——	H	♄	Eng. bot. v. 12. t. 1292.
9	caucásicum DC.	(*st*)	Caucasian	Caucasus	1820.	——	H	♄	
10	aciculàre DC.	(*wh*)	acicular-spined	Siberia	1827.	——	H	♄	Led. ill. t. 230.
11	setòsum B.R.	(*st*)	bristly	Missouri	——	5.	H	♄	Bot. reg. t. 1237.
12	hirtéllum DC.	(*st*)	hairy	N. America	1812.	4. 5.	H	♄	
13	grácile DC.	(*st*)	slender	——	——	——	H	♄	
14	Cynósbati DC.	(*st*)	prickly-fruited	Canada	1759.	4.	H	♄	Schmidt. arb. t. 98.
15	divaricatum D.S.	(*wh*)	divaricate	N. America	1826.	4.	H	♄	Bot. reg. t. 1359.
16	trifiòrum DC.	(*br*)	three-flowered	——	1812.	4. 5.	H	♄	Lodd. bot. cab. t. 1094.
17	níveum D.S.	(*wh*)	white	——	1826.	——	H	♄	Bot. reg. 1692.
18	Dikúscha F.	(*st*)	Fischer's	Siberia	1821.	——	H	♄	
19	Stakòri F.	(*st*)	Siberian	——	——	——	H	♄	

Sect. 2. BOTRYCA'RPUM; *prickles of Sect. Grossularia, and the racemose flowers of Sect. Ribesia.*

20	orientàle DC.	(*st*)	oriental	Syria	1820.	4. 5.	H	♄	
21	saxátile DC.	(*br*)	rock	Siberia	1828.	——	H	♄	
22	diacántha DC.	(*st*)	two-spined	——	1781.	5. 6.	H	♄	Pall. ross. 2. t. 66.

Sect. 3. RIBE'SIA; *racemes generally many-flowered; leaves plicate, calyx campanulate or cylindrical; currants.*

23	alpìnum DC.	(*st*)	Alpine	Britain	....	4. 5.	H	♄	Eng. bot. v. 10. t. 704.
	α *stérile* DC.	(*st*)	*barren*	——	....	——	H	♄	
	β *baccíferum* DC.	(*st*)	*berry-bearing*	——	....	——	H	♄	
24	resinòsum DC.	(*st*)	clammy	N. America	1800.	——	H	♄	Bot. mag. t. 1483.
25	procúmbens DC.	(*br*)	trailing	Dahuria	1804.	5. 6.	H	♄	Pall. ross. 2. t. 65.
26	multifiòrum DC.	(*st*)	many-flowered	Hungary	1818.	5.	H	♄	Bot. mag. t. 2368.
27	spicàtum DC.	(*br*)	acid	England	....	——	H	♄	Eng. bot. v. 18. t. 1290.
28	rùbrum DC.	(*st*)	common-red	Britain	....	4. 5.	H	♄	Eng. bot. v. 18. t. 1289.
	α *sylvéstre* DC.	(*st*)	*wild*	——	....	——	H	♄	
	β *hortènse* DC.	(*st*)	*cultivated*	.....	....	——	H	♄	
	γ *cárneum* DC.	(*st*)	*pale-fruited*	.....	....	——	H	♄	
	δ *variegàtum* DC.	(*st*)	*stripe-fruited*	.....	....	——	H	♄	
	ε *álbum* DC.	(*st*)	*white-fruited*	.....	....	——	H	♄	Berl. mem. t. 2. f. 15.
29	petræ'um DC.	(*re*)	rock	England	....	5. 6.	H	♄	Eng. bot. v. 10. t. 705.
30	céreum B.R.	(*wh*)	waxy	Columbia	1827.	4. 5.	H	♄	Bot. reg. t. 1263.
31	inébrians B.R.	(*br*)	intoxicating	N. America	1830.	4.	H	♄	Bot. reg. 1471.
32	atropurpùreum Led.	(*pu*)	dark-purple	Siberia	1827.	....	H	♄	
33	carpáthicum R.S.	(*si*)	Carpathian	Carpathian M.	1816.	4. 5.	H	♄	
34	tríste DC.	(*re.ye*)	dark-coloured	Siberia	1818.	——	H	♄	

35	punctàtum DS.	(*ye*) dotted	Chili	1826.	4. 5.	H	♄	Bot. reg. 1658. & 1278.
	prostràtum R. et P. not DC.							
36	heterótrichum DS.	(*pu*) variable-haired	Altaia	1837.	——	H	♄	Led. ill. t. 235.
37	nigrum DC.	(*wh*) black-fruited	Britain	....	——	H	♄	Eng. bot. v. 18. t. 1291.
38	glaciàle DS.	(*wh*) icy	Nepaul	1823.	——	H	♄	
39	trífidum DC.	(*pu*) trifid-calyxed	N. America	1828.	——	H	♄	
40	glandulòsum DC.	(*st*) glandular	Chili	1820.	5. 6.	H	♄	Flor. per. t. 232. f. b.
41	prostràtum DC.	(*pu*) prostrate	N. America	1777.	4. 5.	H	♄	L'Herit. stirp. 1. t. 2.
	glandulòsum H.K. *non* R.P.							
42	Bieberstéinii DC.	(*st*) Bieberstein's	Caucasus	1820.	——	H	♄	
	caucásicum M.B. *nec aliorum.*							
43	rìgens DC.	(*st*) rigid	N. America	1812.	——	H	♄	
44	albinérvium DC.	(*st*) white-nerved	Canada	1828.	——	H	♄	
45	laxiflòrum DC.	(*st*) loose-flowered	N. America	1812.	——	H	♄	
46	viscosíssimum DC.	(*ye*) viscous	————	1827.	——	H	♄	
47	sanguíneum DC.	(*cr*) crimson	————	1820.	5. 6.	H	♄	Bot. mag. t. 3335.
48	malvàceum Benth.	(*re*) Malvaceous	California	1835.	——	H	♄	Swt. fl. gard. s. 2. t. 340.
49	flòridum DC.	(*st*) Pensylvanian	N. America	1729.	4. 5.	H	♄	Dill. elth. t. 244. f. 315.

Sect. 4. SYMPHOCA'LYX; *calyx tubular, yellow; racemes many flowered; leaves compassing in the bud; unarmed.*

50	flàvum DS.	(*ye*) yellow	Missouri	1812.	4. 6.	H	♄	Bot. reg. t. 125.
	aúreum B.R. 125. *aúreum* γ *sanguíneum* H.T.							
51	tenuiflòrum B.R	(*ye*) slender-flowered	N. America	1824.	——	H	♄	Bot. reg. t. 1274.
	α *melanocárpum*	(*ye*) *black-fruited*	————	——	——	H	♄	
	β *chrysocárpum*	(*ye*) *yellow-fruited*	————	——	——	H	♄	
52	aúreum DS.	(*ye*) golden	————	1812.	——	H	♄	Berl. rib. t. 2. f. 23.
	α *præcox* DS.	(*ye*) *early*	————	——	——	H	♄	
	β *villòsum* DS.	(*ye*) *villous*	————	——	——	H	♄	
	longiflòrum Fraser.							
	γ *serótinum* DS.	(*ye*) *late*	————	——	——	H	♄	

ORDER CXVIII.

ESCALLO'NEÆ. *Kth. synops. v.* 3. *p.* 364.

ESCALLO'NIA L. ESCALLO'NIA. (Escallon, a Span. trav. in S. America.) Pentand Monogy.

1	rùbra DC.	(*re*) red-flowered	Chili	1826.	8.10.	G	♄	Bot. mag. t. 2890.
	Stereóxylon rùbrum Flor. per. v. 3. t. 236. f. b.							
2	glandulòsa DC.	(*wh*) glandular	Chili	——	——	G	♄	Lodd. bot. cab. t. 1291.
3	floribúnda DC.	(*wh*) many-flowered	N. Granada	1827.	....	G	♄	
4	caracasàna DC.	(*wh*) Caracas	Caracas	——	....	S	♄	
5	viscòsa DC.	(*wh*) viscous	Mendoza	1829.	....	G	♄	
6	discolor DC.	(*wh*) two-coloured	N. Granada	1820.	....	G	♄	Vent. choix. t. 54.
7	pulverulénta DS.	(*wh*) powdery	Chili	1831.	....	G	♄	Swt. fl. gar. s. 2. t. 310.
8	illínita DS.	(*wh*) anointed	————	1831.	8. 9.	F	♄	Bot. reg. t. 1900.
8	Montevidénsis DC.	(*wh*) Monte Video	Brasil	1827.	——	F	♄	———— t. 1467.
	bifida Lk. et Ot. abbild. t. 23.							

ANO'PTERUS B.P. ANO'PTERUS. (*ανω*, upwards, and *πτερον*, a wing; seeds.) Decand. Digyn.

	glandulòsa B.P.	(*wh*) glandular	V.Diem.Isl.	1823.	....	G	♄	Lab. nov. holl. 1. t. 112.

I'TEA DC. I'TEA. (Greek name of *willow*.) Pentandria Monogynia.

	virgínica DC.	(*wh*) Virginian	N. America	1744.	6. 8.	H	♄	Bot. mag. t. 2409.

ORDER CXIX.

SAXIFRA'GACEÆ. *DS.* 3. *p.* 206.

Tribe I. *SAXIFRA'GEÆ.* DC. *prodr.* 4. *p.* 17.

SAXI'FRAGA L. SAXI'FRAGE. (*saxum*, a stone, and *frango*, to break.) Decandria Digynia.

Sect. 1. BERGE'NIA; *calyx* 5-*parted*; *petals and stamens perigynous*; *seeds cylindrical*; *leaves large, fleshy, undivided.*

1	crassifòlia L.T.	(*ro*) thick-leaved	Siberia	1765.	3. 5.	H	♃		Bot. mag. t. 126.
	Bergènia crassifòlia Mœn. *Megàsea crassifòlia* H.R.								
2	cordifòlia L.T.	(*ro*) heart-leaved	Siberia	1779.	——	H	♃		
3	mèdia	(*ro*) intermediate	———	1819.	——	H	♃		
	Megàsea mèdia H.R.								
4	ligulàta L.T.	(*wh*) fringed-leaved	Nepaul	1818.	——	H	♃		Swt. br. fl. gar. t. 59.
	Megàsea ciliàta H.R.								

Sect. 2. GYNO'PERA; *calyx* 5-*leaved*; *petals and stamens hypogynous*; *seeds spherical*; *leaves fleshy, undivided.*

5	Gèum L.T.	(*sp*) kidney-leaved	Ireland	....	6. 7.	H	♃		Eng. bot. v. 22. t. 1561.
6	hirsùta L.T.	(*sp*) hirsute	———	....	5. 6.	H	♃		——— v. 33. t. 2322.
7	polìta L. en.	(*sp*) polished	———	....	——	H	♃		
	Robertsònia polìta H.S.								
8	dentàta L. en.	(*sp.*) toothed	———	....	5. 6.	H	♃		
	Robertsònia dentàta H.S.								
9	crenàta	(*sp*) crenated	.....	1790.	——	H	♃		
	Robertsònia crenàta H.S.								
10	sphæroídea	(*sp*) sphæroid	Pyrenees?	1800.	——	H	♃		
	Robertsònia sphæroídea H.S.								
11	punctàta L.	(*sp*) dotted-flowered	Siberia	1699.	——	H	♃		
12	serràta L. en.	(*sp*) sawed-leaved	Ireland	....	——	H	♃		
	Robertsònia serràta H.S.								
13	umbròsa L.T.	(*sp*) London-pride	Britain	....	4. 6.	H	♃		Eng. bot. v. 10. t. 633.
14	cuneifòlia L.T.	(*sp*) wedge-leaved	Switzerland	1768.	5. 6.	H	♃		W. et K. hung. 1 t. 44.
15	spicàta L.T.	(*sp*) spiked	N. America	1827.	——	H	♃		
16	argùta L.T.	(*sp*) deep-notched	———	——	——	H	♃		
17	hybrida L. en.	(*sp*) hybrid	.....	1820.	——	H	♃		Sternb. sax. 17. t. 8. f. 3.
18	stellàris L.T.	(*wh*) starry	Britain	....	6. 7.	H	♃		Eng. bot. v. 3. t. 167.
	β *Schleichèri* L.T.	(*wh*) *Schleicher's*	Switzerland	1819.	——	H	♃		
	Spatulària stellàris γ *depilàta* H.R.								
	γ *dissímilis* DS.	(*wh*) *dissimilar*	Scotland	....	——	H	♃		
19	leucanthemifòlia	(*wh*) stock-leaved	N. America	1812.	——	H	♃		Lap. pyr. sax. t. 25.
20	sarmentòsa L.T.	(*wh*) sarmentose	China	1771.	——	F	♃		Bot. mag. t. 92.
	Díptera sarmentòsa Bork. *Ligulària sarmentòsa* H.R.								
21	cuscutæfòrmis B.C.	(*wh*) dodder-like	China	1815.	2. 7.	F	♃		Lodd. bot. cab. t. 186.
	Ligulària minor H.R.								
22	eròsa L.T.	(*wh*) jagged-leaved	N. America	1812.	5. 6.	H	♃		
	Auláxis nùda H.R.								
	β *hirsùta* L.T.	(*wh*) *hairy*	———	——	——	H	♃		
	Auláxis micranthifòlia H.R.								

Sect. 3. LEIO'GYNE; *calyx* 5-*cleft*; *petals sessile*; *stamens inserted in the throat of the calyx*. *stigmas orbicular*; *ovarium free*; *seeds roundish*; *leaves reniform, lobed.*

23	rotundifòlium L.T.	(*wh*) ronnd-leaved	Austria	1596.	5. 6.	H	♃		Bot. mag. t. 424.
	Miscopétalum rotundifòlium H.R.								
	β *repánda* L.T.	(*wh*) *repand*	———	....	——	H	♃		Sternb. saxif. t. 5.
24	granulàta L.T.	(*wh*) grain-rooted	Britain	....	5.	H	♃		Eng. bot. v. 7. t. 500.
	β *múltiplex*	(*wh*) *double-flowered*	———	....	——	H	♃		
25	altífida DS.	(*wh*) Altifid	.....	....	——	H	♃		
26	bulbífera L.T.	(*wh*) bulbiferous	S. Europe.	....	6. 7.	H	♃		Sternb. sax. t. 12. f. 1.
27	cérnua L.T.	(*wh*) drooping	Scotland	....	7.	H	♃		Eng. bot. v. 10. t. 664.
	Lobària cérnua H.R.								
28	sibírica L.T.	(*wh*) Siberian	Siberia	1802.	5. 6.	H	♃		Sternb. sax. p. 23. t. 3.
29	rivulàris L.T.	(*wh*) Alpine-brook	Scotland	....	6. 7.	H	⊙		Eng. bot. v. 32. t. 2274.
	Lobària rivulàris H.R.								

30 hederàceus L.T. (*wh*) Ivy-leaved Levant 1752. 7. H ⊙ Flor. græc. t. 379.
31 nudicaùlis L.T. (*wh*) naked-stalked N. America 1837. 5. 6. H ♃
Sect. 4. Hi'rculus; *calyx* 5-*cleft*; *petals sessile*; *stamens inserted in the throat of the calyx*; *stigmas orbicular*; *ovarium free*; *seeds oblong, wrinkled*; *leaves narrow, entire, usually ciliated.*
32 Hírculus L.T. (*ye*) yellow-marsh England .... 8. H ♃ Eng. bot. v. 15. t. 1009.
Hirculus ranunculoìdes H.B.
33 flagellàris L.T. (*ye*) flagelliferous Baffin's Bay 1820. —— H ♃ Sternb. sax. p. 25. t. 6.
34 aizoìdes L.T. (*ye*) smaller-mountain Britain .... 7. 8. H ♃ ———— t. 8. f. 1.
β *autumnàlis* (*ye*) *larger-mountain*———— .... —— H ♃ Eng. bot. v. 1. t. 39.
Leptàsea aizoìdes H.B.
35 bronchiàlis L.T. (*st*) spiny-fringed Siberia 1819. —— H ♃ Gmel. sib. 4. t. 65. f. 2.
36 tenélla L.T. (*wh*) slender Carinthia 1824. —— H ♃ Jacq. coll. 3. t. 17.
37 juniperìna L.T. (*ye*) Juniper-like Caucasus 1826. —— H ♃ Sternb. sax. p. 31. t. 10.
38 tricuspidàta L.T. (*ye*) tricuspidate N. America 1827. 5. 6. H ♃ Fl. dan. t. 976.
39 áspera L.T. (*st*) rough Switzerland 1852. 8. H ♃ Jacq. aust. 5. t. 31.
Ciliària áspera H.B.
40 bryoìdes L.T. (*st*) thread-moss-like ——— —— 6. 7. H ♃ Jacq. misc. 2. t. 5. f. 1.
Sect. 5. Micra'nthes; *calyx* 5-*parted*; *petals small, sessile, inserted in the calyx, as also the stamens*; *stigmas capitate*; *ovarium free*; *seeds oblong, smooth*; *leaves undivided.*
41 hieracifòlia L.T. (*br*) Hawkweed-ld. Hungary 1789. 5. 6. H ♃ W. et K. hung. 1. t. 18.
42 pensylvànica L.T. (*gr*) Pensylvanian N. America 1732. —— H ♃ Dill. elt. t. 253. f. 328.
β *glàbra* (*gr*) *smoother-leaved*———— —— —— H ♃
43 semipubéscens L.T. (*st*) semipubescent ——— .... —— H ♃
Micránthes semipubéscens H.S.
44 virginiénsis L.T. (*wh*) Virginian ——— 1790. 5. 7. H ♃ Bot. mag. t. 1664.
Dermàsea pilòsa H.B.
45 congésta H.S.L. (*wh*) close-headed ——— 1812. —— H ♃
nivàlis Ph. *nec aliorum*
46 nivàlis L.T. (*wh*) clustered Alpine Britain .... 6. 7. H ♃ Eng. bot. v. 7. t. 440.
Dermàsea nivàlis H.B.
47 vernàlis DS. (*wh*) vernal N. America .... —— H ♃ Willd. hort. ber. t. 43.
virginiénsis Torr. *elongàta* Sternb.
48 ferrugínea Gr. (*wh*) rusty ——— 1827. —— H ♃
49 melaleùca S.S. (*wh*) Fischer's Siberia 1826. —— H ♃
50 longiscàpa L.T. (*wh*) long-scaped ——— 1824. 5. 7. H ♃
51 dahùrica L.T (*wh*) Dahurian Dahuria —— —— H ♃
Sect. 6. Azoo'nia; *calyx* 5-*cleft*; *petals sessile perigynous, as well as the stamens*; *stigmas spatulate, bearded*; *seeds ovate, triquetrous, wrinkled.*
52 Cotylèdon L.T. (*wh*) pyramidal Alps Europe 1596. 5. 7. H ♃ Flor dan. t. 241.
Chondrùsea pyramidàlis H.B.
53 intermèdia (*wh*) related ..... 1808. 7. H ♃
Chondrùsea intermèdia H.B.
54 lingulàta L.T. (*sp*) tongue-leaved Pyrenees .... 5. 7. H ♃
longifòlia S.S.
β *mèdia* L.T. (*sp*) *middle* ——— .... —— H ♃ Sternb. sax. p. 1. t. 1. a.
55 crustàta L. en. (*sp*) crusted ——— .... —— H ♃ ———— 1. t. b.
56 Aizoòn L.T. (*sp*) large margined ——— 1731. —— H ♃ Jacq. aust. t. 438.
57 récta P.S. (*sp*) straight-leaved Alps Europe .... —— H ♃ Lap. pyr. sax. t. 15.
intácta L.T. W. hort. ber. 2. t. 75. *Chondrùsea Aizoòn* H.B.
β *minor* H.B. (*sp*) *lesser* Alps Europe .... —— H ♃
γ *párviflos* H.B. (*sp*) *smaller-flowered*———— .... —— H ♃
58 mutàta L.T. (*ye*) saffron-colour'd Switzerland 1779. 6. 7. H ♃ Bot. mag. t. 351.
59 aretioìdes L.T. (*ye*) Aretia-like ——— 1825. —— H ♃ Lap. pyr. sax. t. 13.
60 Burseriàna L.T. (*st*) Burser's Italy —— 5. 6. H ♃ Jacq. misc. 1. t. 17. f. 3.
61 retùsa L.T. (*ro*) purple-flowered Pyrenees .... 3. 4. H ♃ Lap. pyr. sax. t. 18.
62 oppositifòlia L.T. (*re*) opposite-leaved Britain .... —— H ♃ Eng. bot. v. 1. t. 9.
Antiphy'lla cærùlea H.B.
63 bifòra L.T. (*re*) two-fid. purple Switzerland 1825. —— H ♃ Lap. pyr. sax. t. 17.
64 cæ'sia L.T. (*st*) grey ——— 1752. 5. 6. H ♃ Jacq. aust. 4. t. 374.
65 valdénsis DS. (*wh*) Baldo S. Europe .... —— H ♃
cæ'sia W.
66 nítida DS. (*ye*) shining .... —— H ♃ Sternb. sax. t. 10.
67 tenélla DS. (*wh*) tender Carinthia 1819. 6. 8. H ♃ Jacq. coll. 3. t. 17.
68 diapensioìdes L.T. (*wh*) Diapensia-like Switzerland 1828. 5. 6. H ♃ Flor. ped. app. p. 21. t. 3.
69 compácta S.S. (*wh*) compact ——— —— —— H ♃
Sect. 7. Saxi'fragæ-ve'ræ; *calyx* 5-*cleft*; *petals sessile, perigynous, as well as the stamens*: *stigmas spatulate, bearded*; *seeds obovate*; *leaves divided, rarely simple.*
70 androsàcea L.T. (*wh*) Androsace-leav'd Switzerland 1792. 5. 6. H ♃ Jacq. aust. 4. t. 389.

71	sedioìdes L.T.	(*st*) Stonecrop-like	Europe	1825.	5. 6.	H	♃	Jacq.misc.2.t.21.f.22.
72	stenopétala D.S. *aphy'lla* Sternb.	(*wh*) narrow-petalled	Switzerland	....	——	H	♃	Sternb. sax. t. 11.
73	ténera L.T. *planifòlia* S.S.	(*st*) flat-leaved	——	1825.	——	H	♃	Sternb. sax. t. 9. f. 4.
74	geranioìdes L.S.	(*wh*) cranesbill-leav'd	Pyrenees	1770.	4. 5.	H	♃	Lap. pyr. sax. t. 43.
75	irrígua L.T.	(*wh*) crowfoot-leav'd	Siberia	1820.	——	H	♃	M.B. cent. pl. rar. t. 71.
76	pedatífida L.T.	(*wh*) pedatifid	Scotland	....	5. 6.	H	♃	Eng. bot. v. 32. t. 2276.
	β *minor* H.R.	(*wh*) *smaller villous*	——	....	——	H	♃	
	γ *ladanífera* L.T.	(*wh*) *ladaniferous*	Pyrenees	....	——	H	♃	Lap. sax. pyr. t. 42.
77	viscòsa H.R.	(*wh*) clammy	.....	——	....	H	♃	
78	quinquéfida H.R.	(*wh*) quinquefid	Scotland	....	——	H	♃	
79	ceratophy'lla L.T.	(*wh*) shining-calyx'd	Spain	1804.	——	H	♃	Bot. mag. t. 1651.
80	ajugifòlia L.T.	(*wh*) Bugle-leaved	Pyrenees	1770.	6. 7.	H	♃	Lap. pyr. sax. t. 31.
81	affinis L.T.	(*wh*) affined	Ireland	....	——	H	♃	
82	pentadáctyla L.T.	(*wh*) five-fingered	Pyrevees	1815.	5. 6.	H	♃	Lap. pyr. sax. t. 40.
83	latífida L.T.	(*wh*) broad-cleft	Spain	1826.	——	H	♃	
84	decípiens L.T. *palmàta* Eng. bot. v. 7. t. 455. *cæspitòsa* Flor. dan. t. 71.	(*wh*) palmate	Wales	....	——	H	♃	Sternb. sax. p. 55. t. 23.
85	hírta L.T.	(*wh*) hairy	Ireland	....	——	H	♃	Eng. bot. v. 32. t. 2291.
86	platypétala L.T.	(*wh*) broad-petalled	Scotland	....	6.	H	♃	——— v. 32. t. 2276.
87	Schradèri S.S.	(*wh*) Schrader's	Siberia	1826.	——	H	♃	
88	incurvifòlia L.T.	(*wh*) incurved-leav'd	Ireland	....	——	H	♃	
89	denudàta L.T.	(*wh*) half-naked	Scotland	....	——	H	♃	Lodd. bot. cab. t. 1517.
90	Sternbérgii L.T.	(*wh*) Sternberg's	Germany	....	5. 6.	H	♃	Stern. sax. t. 24.
91	pulchélla L.T	(*st*) pretty	——	1818.	——	H	♃	
92	tridentàta L.T.	(*wh*) three-toothed	.....	....	——	H	♃	
93	cæspitòsa L.T.	(*st*) tufted	Wales	....	——	H	♃	Eng. bot. v. 12. t. 794.
94	lanceolàta H.R.	(*wh*) lanceolate	S. Europe	1800.	——	H	♃	
95	exaràta L.T. *nervòsa* Lap. pyr. sax. t. 39.	(*wh*) furrowed	Pyrenees	1818.	——	H	♃	Vill. delph. 4. t. 45.
96	pedemontàna L.T. *cymòsa* Pl. rar. hung. t. 88. *heterophy'lla* Sternb. sax. t. 29. f. 1-2.	(*wh*) Piedmont	Piedmont	1824.	——	H	♃	All. ped. t. 21. f. 6.
97	moschàta L.T.	(*ye*) musky	Piedmont	....	5. 6.	H	♃	Jacq. misc. 2. t. 21. f. 2.
98	muscoìdes L.T. *Muscària muscoìdes* H.R.	(*st*) Moss-like	England	....	——	H	♃	Lap. pyr. sax. t. 35.
99	pygmæ'a L.T. *moschàta* E.B. *non* Jacq. *Muscària cæspitòsa* H.R.	(*st*) pigmy	Scotland	....	——	H	♃	Eng. bot. v. 33. t. 2214.
100	tridactylìtes E.B. *Tridactylìtes ánnua* H.R.	(*bh*) Rue-leaved	Britain	....	3. 5.	H	⊙	Eng. bot. v. 7. t. 501.
101	controvérsa S.S.	(*wh*) confused	N. Europe	....	——	H	⊙	Sternb. sax. t. 16.
102	petræ'a L.T.	(*wh*) rock	Carinthia	1752.	4. 5.	H	⊙	Jacq. ic. 1. t. 81.
103	adscéndens D.T. *aquática* Lap. pyr. sax. t. 28.	(*wh*) ascending	Pyrenees	——	5. 6.	H	♃	Sternb. sax. t. 19. f. 1. 2.
104	hypnoìdes L.T.	(*wh*) mossy	Britain	....	4. 6.	H	♃	Eng. bot. v. 7. t. 454.
	β *viscòsa* L.T.	(*wh*) *viscous*	——	....	——	H	♃	
	γ *angustifòlia* L.T.	(*wh*) *narrow-ld.*	——	....	——	H	♃	
	δ *muscòsa* L.T.	(*wh*) *tufted*	——	....	——	H	♃	
	ε *pulchélla* L.T.	(*wh*) *larger*	——	....	——	H	♃	
	ζ *sputulàta* H.R.	(*wh*) *spatulate*	——	....	——	H	♃	
	η *latífida* H.R.	(*wh*) *broad-cleft*	——	....	——	H	♃	
	θ *rhodopétala* H.R.	(*bh*) *rosy-petalled*	——	....	——	H	♃	
	ι *recúrvula* H.R.	(*wh*) *recurving-cup'd*	——	....	——	H	♃	
	κ *aristàta* H.R.	(*wh*) *awned*	——	....	——	H	♃	
	λ *septífida* H.R.	(*wh*) *seven-cleft*	——	....	——	H	♃	
105	condensàta L.T.	(*wh*) close	Scotland	....	——	H	♃	Gmel. fl. bad. t. 3.
106	elongélla L.T.	(*wh*) long-peduncled	——	....	5. 6.	H	♃	Eng. bot. v. 32. t. 2277.
107	leptophy'lla L.T.	(*wh*) narrow-leaved	Wales	....	——	H	♃	
	β *angustífida* L.T.	(*wh*) *narrow-lobed*	——	....	——	H	♃	
108	lætevìrens L.T.	(*wh*) light-green	Scotland	....	——	H	♃	
109	quínquedens H.R.	(*wh*) five-toothed	Europe	....	——	H	♃	
110	Haworthii H.S.L. *hírta* H.R. *non* E.B.	(*ah*) Haworth's	——	....	——	H	♃	
111	æstivàlis F.	(*wh*) summer	Altaia	1821.	5. 7.	H	♃	

LEPTARRHE'NA DC. LEPTARRHENA. (λεπτος, slender, and ἀρὴν, a male.) Decand. Digyn.

	pyrolifòlia DC. *Saxífraga pyrolifòlia* L.T.	(*wh*) pyrola-leaved	N. America	1827.	5. 6.	H	♃	Hook. fl. amer. 1. t. 88.

HEUCHE'RA DC. ALLUM-ROOT. (J. H. de Heucher, pref. med. Witterberg.) Pentand. Digyn.

1	americàna DC. *viscida* Ph.	(*gr*) viscid	N. America	1656.	5. 7.	H	♃	Schkuhr. hand. t. 58.

2 pubéscens DC. (*bh*) pubescent N. America 1812. 5. 7. H ♃
3 hispida DC. (*gr*) hispid ——— 1820. —— H ♃
4 micrántha B.R. (*gr*) small-flowered Columbia 1827. 6. 7. H ♃ Bot. reg. t. 1302.
5 villòsa DC. (*gr*) villous N. America 1812. 5. 7. H ♃
6 caulèscens DC. (*wh*) caulescent ——— .... —— H ♃
7 glàbra DC. (*gr*) smooth Altaia 1827. —— H ♃
8 Richardsòni D.S. (*gr*) Richardson's N. America —— —— H ♃
9 cylindràcea DS. (*ye*) cylindrical ——— —— 5. 6. H ♃ Bot. reg. t. 1924.
10 Menziìsii DS. (*wh*) Menzies's ——— 1812. 4. 5. H ♃ Hook. fl. amer. 1. t. 80.
Tiarélla Menziìsii Ph.

TIARE'LLA DC. TIARE'LLA. (*tiara*, a Persian diadem; form of fruit.) Decandria Digynia.
1 cordifòlia DC. (*wh*) heart-leaved N. America 1731. 4. 5. H ♃ Bot. mag. t. 1589.
2 trifoliàta DC. (*wh*) three-leaved ——— 1826. —— H ♃
3 polyphy'lla DC. (*wh*) many-leaved Nepaul 1818. —— H ♃
4 colòrans Gr. (*wh*) coloured N. America 1827. 4. 6. H ♃

ASTI'LBE DS. ASTI'LBE. (*a* priv., and στιλβη, brightness; opaque.) Oct-Decandria Digynia.
1 decándra DS. (*st*) decandrous Carolina 1812. 5. 6. F ♃ Vent. malm. t. 54.
Tiarélla biternàta V.
2 rivalàris DS. (*st*) rivulet Nepaul 1825. —— H ♃ Bot. reg. t. 2911.
Spiræ'a barbàta B.R.

TE'LLIMA DS. TE'LLIMA. (anagram of Mitella.) Decandria Digynia.
grandiflòra B.R. (*st.re*) large-flowered N. America 1826. 4. 5. H ♃ Bot. reg. t. 1178.
Mitella grandiflòra Ph.

MITE'LLA DC. MITE'LLA. (a dim. of *mitra*, a mitre; form of fruit.) Decandria Digynia.
1 diphy'lla DC. (*wh*) two-leaved N. America 1731. 4. 5. H ♃ Bot. reg. t. 166.
2 cordifòlia DC. (*wh*) heart-leaved ——— 1812. —— H ♃ Lam. ill. t. 373. f. 3.
3 renifórmis DC. (*wh*) kidney-leaved ——— 1758. 6. 8. H ♃ ——— t. 373. f. 2.
nùda W.
4 trifida Gr. (*wh*) trifid N. America 1827. 5. 7. H ♃
5 prostràta DC. (*wh*) prostrate ——— 1812. 5. 6. H ♃

DRUMMO'NDIA DC. DRUMMO'NDIA. (T. Drummond, bot. collector.) Pentandria Digynia.
mitelloìdes DC. (*wh*) Mitella-like N. America 1827. 6. 7. H ♃ Bot. mag. t. 2933.
Mitélla pentándra B.M.

CHRYSOSPLE'NIUM. DS. GOLDEN SAXIFRAGE. (χρυσος, gold, and σπλην, the spleen.) Oct-Dec. Dig.
1 alternifòlium DS. (*ye*) alternate-leaved Britain .... 4. 5. H ♃ Eng. bot. v. 1. t. 54.
2 oppositifòlium DC. (*ye*) opposite-ld. ——— .... —— H ♃ ——— v. 7. t. 490.
3 americànum DS. (*ye*) American N. America .... —— H ♃
oppositifòlium MIX.
4 nepalénse DC. (*ye*) Nepaul Nepaul 1824. —— H ♃

Tribe II. *HYDRA'NGEÆ.* DC. *prod.* 4. *p.* 13.

HYDRA'NGEA DS. HYDRA'NGEA. (ὑδωρ, water, and αγγειον, a vessel.) Decandria Digynia.
1 arborèscens DC. (*wh*) shrubby Virginia 1736. 7. 8. H ♄ Bot. mag. t. 437.
vulgàris DC.
2 cordàta DC. (*wh*) heart-leaved Carolina 1806. —— H ♄ Wats. dend. brit. t. 42.
3 nìvea DC. (*wh*) white-leaved ——— 1786. —— H ♄ ——— t. 43.
radiàta Walt.
4 heteromálla DC. (*wh*) woolly-leaved Nepaul 1823. .... H ♄
5 quercifòlia DC. (*wh*) Oak-leaved Florida 1803. 6. 9. H ♄ Bot. mag. t. 925.
6 Hortènsia DC. (*pi*) changeable China 1788. 4. 9. H ♄ ——— t. 438.
β cerùlea (*bl*) *blue-flowered* ——— —— —— H ♄

ADA'MIA DC. ADA'MIA. (John Adam, some time Gov. Gen. of India.) Decandria Pentagynia.
cyànea DC. (*wh*) blue-berried E. Indies 1829. 6. 8. H ♄ Bot. mag. 3046.

ORDER CXX.

GALACI'NEÆ. *DS.* 3. *p.* 203.

GA'LAX DS. GA'LAX. (γαλα, milk; white flowers.) Pentandria Monogynia.
aphy'lla DS. (*wh*) leafless Virginia 1786. 6. 7. H ♃ Bot. mag. t. 754.
Blandfórdia cordàta Andr. bot. rep. t. 343.
FRANCO'A DS. FRANCO'A. (F. Franco, M.D., promoter of bot.) Octandria Tetragynia.
1 appendiculàta D.S.(*pk*) appendiculate Chili 1830. 7. 8. H ♃ Swt. br. fl. gar. s. 2. t. 151.
2 sonchifòlia DS. (*pu*) sonchus-leaved ——— —— —— H ♃ ——— s. 2. t. 169.
3 ramòsa DS. (*wh*) branched ——— —— —— H ♃ ——— s. 2. t. 223.

ORDER CXXI.

CUNONIA'CEÆ. *DS.* 3. *p.* 196.

Tribe I. *CUNONIE'Æ.* DS. *p.* 197.

WEINMA'NNIA DS. WEINMA'NNIA. (J. W. Weinmann, a Germ. bot.) Octandria Digynia.
1 glàbra DS. (*wh*) smooth W. Indies 1818. 5. 7. S ♄ Lam. ill. t. 313. f. 1.
2 hírta DS. (*wh*) hairy ——— —— —— S ♄
3 ellíptica DS. (*wh*) elliptic-leaved Peru 1823. .... G ♄
4 ovàta DS. (*wh*) oval-leaved ——— —— .... G ♄ Cav. ic. 6. t. 566.
ACROPHY'LLUM Benth. ACROPHY'LLUM. (ακρος, the summit, and θυλλον, a leaf.) Oct. Dig.
venòsum Benth. (*wh*) veiny N. Holland 1836. .... G ♄ Botan. t. 95.
Weinmánnia venòsa Flor. cab.
CALDCLU'VIA DS. CALDCLU'VIA. (Alex. Caldcleugh, F.R.S.) Octandria Digynia.
paniculàta DS (*wh*) panicled N. Holland 1831. .... G ♄ Cavan. icon. 6. t. 565.
Weinmánnia paniculàta Cav.
PLATY'OLPHUS DS. WHITE-ASH. (πλατυς, broad, and λοφος, a crest.) Oct-Decandria Digynia.
trifoliàta DS. (*wh*) trifoliate C. B. S. 1820. .... G ♄
Weinmánnia trifoliàta L.
CUNO'NIA DS. CUNO'NIA. (J. C. Cuno, of Amsterdam.) Decandria Digynia.
capénsis DS. (*wh*) Cape. C. B. S. 1816. 5. 7. G ♄ Bot. reg. t. 828.
CALLI'COMA DS. CALLI'COMA. (καλος, beautiful, and κομη, hair.) Dodecandria Digynia.
serratifòlia DS. (*st*) saw-leaved N. S. W. 1793. 5. 8. G ♄ Andr. reposit. t. 566.
CERATOPE'TALUM DS. CERATOPE'TALUM. (κερας, a horn, and πεταλον, a petal.) Decand. Mon.
gummíferum DS. (*ye*) gum-bearing. N. Holland 1820. .... G ♄ Sm. n. holl. 1. t. 3.
SCHIZOME'RIA DS. SCHIZOME'RIA. (σιχζω, to cut, and μερις, a part; petals.) Decand. Dig.
ovàta DS. (*wh*) ovate-leaved N. Holland. 1825. .... G ♄
Ceratopétalum ovàtum Caley.

Tribe II. *BAUE'REÆ.* *DS. prodr.* 3. *p.* 202.

BAUE'RA D.S. BAU'ERA. (Franc. and Ferdin. Bauer, cel. bot. artists.) Polyand. Digynia. H.
1 rubiæfòlia D.S. (*re*) Madder-leaved N. S. W. 1793. 7. 12. G ♄ Sal. ann. bot. 1. t. 10.
rubioìdes A.R. 198. B.M. 715.
2 hùmilis D.S. (*re*) dwarf ——— 1804. —— G ♄ Dodd. bot. cab. t. 119.

ORDER CXXII.

UMBELLI'FERÆ. *Juss. gen.* 218.

Suborder I. *ORTHOSPE'RMEÆ.* DC. prodr. 4. p. 58.

Tribe I. *HYDROCOTYLI'NEÆ.* Subtribe I. HYDROCOTY'LEÆ. DC. *prod.* 4. *p.* 58.

HYDROCO'TYLE DC. MARSH-PENNYWORT. (*υδωρ*, water, and *κοτυλη*, a cavity.) Pent. Digy.

1 interrúpta DC.	(*wh*) interrupted	N. America	1824.	5.	7.	H *w* ♃		Rich. dis. t. 50. f. 1. b.
2 vulgàris DC.	(*bh*) common	Britain	....	5.	6.	H *w* ♃		Eng. bot. v. 11. t. 751.
3 umbellàta DC.	(*wh*) umbelled	N. America	1795.	7.	8.	H *w* ♃		Spreng. umb. 1. t. 1. f. 1.
4 bonariénsis DC.	(*ye*) Buenos Ayres	B. Ayres	1828.	——		H *w* ♃		Cavan. icon. 5. t. 488.
5 nàtans DC.	(*bh*) floating	Naples	1819.	6.	8.	H *w* ♃		Cyr. rar. neap. 1. t. 6. f. B.
6 americàna DC.	(*gr*) American	N. America	1790.	5.	8.	H *w* ♃		Spreng. umb. p. 3. t. 2. f. 3.
7 plebèia DC.	(*gr*) plebian	N. Holland	1823.	——		G *w* ♃		Rich. hydr. f. 23.
8 ranunculoìdes DC.	(*gr*) crowfoot-leav.	Mexico	1824.	——		G *w* ♃		Spr. umb. 2. t. 1. f. 2.
9 pulchélla DC.	(*gr*) pretty	N. S. W.	1826.	——		G *w* ♃		
10 pedunculàris	(*gr*) peduncled	———	1823.	——		G *w* ♃		Rich. hydr. f. 26.
11 sibthorpioìdes DC.	(*wh*) Sibthorpia-like	Mauritius	1818.	——		S *w* ♃		
12 villòsa S.S.	(*gr*) villous	C. B. S.	1795.	8.		G *w* ♃		
13 nepalénsis H.K.F.	(*gr*) Nepaul	Nepaul	1818.	2.	6.	G *w* ♃		Hook. ex. flor. t. 30.
hispida D.P.								
14 spicàta DC.	(*gr*) spiked	W. Indies	1825.	——		S *w* ♃		Rich. hydr. f. 15.
15 tríloba DC.	(*gr*) three-lobed	C. B. S.	1810.	——		G *w* ♃		Thun. diss. 2. t. 3.
16 nitídula DC.	(*gr*) glossy	Java	1821.	——		S *w* ♃		Hook. ex. flor. t. 29.
17 canariénsis DC.	(*gr*) Canary	Canaries	1828.	4.	6.	G *w* ♃		
18 prolífera Ot.	(*gr*) proliferous	Brazil	1824.	——		S *w* ♃		
19 repánda DC.	(*wh*) Pilewort-leaved	N. America	1806.	6.	7.	G *w* ♃		Spreng. umb. t. 2. f. 4
20 asiática DC.	(*wh*) thick-leaved	Asia	1690.	7.	8.	G *w* ♃		Rheed. mal. 10. t. 46.

CRA'NTZIA DC. CRA'NTZIA. (J. N. CRANTZ, Germ. bot.) Pentandria Digynia.

lineàta DC.	(*wh*) lined	N. America	1824.	5.	8.	H *w* ♃		Rich. hydr. f. 38.
Hydrocótyle lineàta Mx.								

ERIGE'NEA DC. ERIGE'NEA. (*εριγενεια*, a name of Aurora; early.) Pentandria Digynia.

bulbòsa DC.	(*wh*) bulbous	N. America	1825.	3.	5.	H ♃		Spreng. umb. 5. t. 5. f. 9.

DIDI'SCUS DC. DIDI'SCUS. (*δις*, twice, and *δισκος*, a disk; fruit.) Pentandria Digynia.

1 albiflòrus DC.	(*wh*) white-flowered	N. S. W.	1820.	6.	8.	H ⊙		Linn. trans. 10. t. 21. f. 2.
Trachymène incìsa L.T.								
2 cœrùleus DC.	(*bl*) blue-flowered	———	1827.	7.	9.	H ⊙		Bot. mag. t. 2875.
Trachymène cœrùlea Bot. reg. t. 1225.								

TRACHYME'NE DC. TRACHYME'NE. (*τραχυς*, rongh, and *ὑμην*, a membrane.) Pentan. Digynia.

1 compréssa DC.	(*st*) flat-stalked	N. Holland	1824.	5.	6.	G ♃		Lab. n. holl. 1. t. 101.
2 linèaris DC.	(*ye*) linear-leaved	N. S. W.	——		——	G ♄		Cavan. icon. 5. t. 485.
Azorélla linearifòlia Cav.								
3 lanceolàta Spr.	(*wh*) lance-leaved	N. Holland	1829.	7.		G ♄		Bog. mag. t. 3334.
4 ovàlis DC.	(*wh*) oval-leaved	N. S. W.	1824.	5.	7.	G ♄		
5 ovàta DC.	(*st*) ovate-leaved	———	1827.	5.	6.	G ♄		Lab. n. holl. 1. t. 100.
Azorélla ovàta Labill.								

ASTRO'TRICHA DC. ASTRO'TRICHA. (*αστον*, a star, and *θριξ*, a hair: hairs stellate.) Pent. Digy.

1 floccòsa DC.	(*wh*) woolly	N. S. W.	1825.	5.	7.	G ♄		DC. col. mem. 5. t. 5.
2 ledifòlia DC.	(*wh*) ledum-leaved	———	1830.	——		G ♄		——— 5 t. 6.

XANTHO'SIA DC. XANTHO'SIA. (*ξανθος*, yellow; down.) Pentandria Digynia.

1 montàna DC.	(*wh*) mountain	N. S. W.	1826.	5.	7.	G ♄		Linn. trans. 10. t. 22. f. 1.
2 hirsùta DC.	(*wh*) hairy	———	1830.	——		G ♄		

BOWLE'SIA DC. BOWLE'SIA. (W. Bowles, an Irish botanist.) Pentandria Digynia.

ténera DC.	(*wh*) slender	Monte Video	1827.	6.	8.	H ⊙		Lk. et Ott. abb. t. 4.

Tribe II. *MULI'NEÆ.* DC. *prodr.* 4. *p.* 78.

DRU'SA DC. Dru'sa. (M. Le Dru, a French bot. and traveller.) Pentandria Digynia.
oppositifòlia DC. (*wh*) opposite-leaved Canaries. 1826. 6. 9. H ⊙ DC. ann. mus. 10. t. 38.

SPANA'NTHE DC. Spana'nthe. (σπανος, rare, and ανθος, a flower; few.) Pentand. Digyn.
paniculàta DC. (*wh*) panicled Caracas. 1795. 7. 8. S ♂ Jacq. ic. 3. t. 350.
Hydrocótyle Spanánthe W.

POZO'A DC. Pozo'a. (D. Pozo, a Spanish bot.) Pentandria Digynia.
coriàcea DC. (*wh*) leathery-leaved Chili 1827. 7. 9. F ♃

Tribe III. *SANICU'LEÆ.* DC.

ACTINO'TUS DC. Actino'tus. (ακτιν, a ray, and ους, an ear; involucrum.) Pentand. Digy.
Heliánthi DC. (*wh*) larger N. S. W. 1821. 6.12. G ♂ Bot. reg. t. 654.
Eriocàlia màjor Ex, bot. t. 80.

SANI'CULA DC. Sanicle. (*sano*, to heal; virtues.) Pentandria Digynia.
1 europæ'a DC. (*wh*) wood Britain .... 6. 7. H ♃ Eng. bot. v. 2. t. 98.
2 canadénsis L. (*wh*) Canadian. Canada 1800. —— H ♃
3 marilándica DC. (*wh*) Maryland N. America 1765. —— H ♃ Jacq. ic. 2. t. 348.

HOHENACKE'RIA F.M. Hohenacke'ria. (R. F. Hohenacker, a German bot.) Pentand. Digy.
bupleurifòlia F.M. Hare's-ear-leav'dGandscha 1836. 6. 7. H ♂

HACQUE'TIA DC. Hacque'tia. (Balth Hacquet, a Hungarian bot.) Pentandria Digynia.
Epipáctis DC. (*ye*) dwarf S. Europe 1818. 5. 7. H ♃ Jacq. aust. 5. t. 11.
Astrántia Epipáctis W. *Dóndia Epipáctis* SS.

ASTRA'NTIA DC. Astra'ntia. (αστρον, a star, and ανθος; umbels.) Pentandria Digynia.
1 màjor DC. (*bh*) great black Alps Europe1596. 5. 9. H ♃ Exot. bot. 2. t. 76.
2 Biebersteínii F.M. (*bh*) Bieberstein's Caucasus 1835. —— H ♃
màjor Bieb. not of Lin.
3 carniólica DC. (*bh*) Carniolian Carniola. 1812. 5. 6. H ♃ Jacq. aust. 6. app. t. 10.
minor Smith exot. bot. 2. t. 77. ex. DC.
4 intermèdia DC. (*bh*) Caucasean Caucasus. 1824. —— H ♃
caucásica S.U. *trífida* H.U.
5 máxima Pall. (*bh*) Hellebore-leaved———— 1804. 6. 7. H ♃ Bot. mag. t. 1553.
helleborifòlia PL. 60. *heterophy'lla* M.B.
6 mìnor DC. (*wh*) small Switzerland 1686. 5. 6. H ♃ Lam. ill. t. 191. f. 2.

ERY'NGIUM DC. Ery'ngo. (ερευγω, to belch; specific in flatulency.) Pentandria Digynia.
Sect. 1. Paralleline'rvia; *nerves of radical leaves parallel and longitudinal; leaves narrow.*
1 aquáticum DC. (*wh*) marsh N. America1699. 7. 9. H ♃ Bot. reg. t. 372.
2 longifòlium DC. (*wh*) long-leaved Mexico 1812. —— F ♃ Cav. ic. 6. t. 555.
3 gramíneum DC. (*bl*) grass-leaved New Spain 1825. 7.10. F ♃ Laroch. eryng. t. 26.
4 bromeliæfòlium DC. (*st*) Bromelia-leav.———— 1822. —— F ♃ ———— t. 28.
5 monocéphalum DC. (*pu*) one-headed Mexico 1824. —— F ♃ Cavan. icon. 6. t. 553.
6 ebracteàtum DC. (*wh*) bractless MonteVideo1810. 7. 9. F ♃ Laroch. eryng. t. 32.
Sect. 2. Ramosine'rvia; *limbs of radical leaves more or less distinct from the petioles; the nerves more or less branched and diverging.*
7 ternàtum DC. (*pu*) ternate-leaved Crete .... 7. 9. F ♃ Moris. his. s. 7. t. 36. f. 24.
8 plànum DC. (*bl*) flat-leaved Europe 1596. —— H ♃ Jacq. aust. 4. t. 391.
9 tricuspidàtum DC. (*pu*) trifid Spain 1699. 9. H ♂ Laroch. eryng. t. 9.
10 dichótomum DC. (*bl*) forked S. Europe —— 7. 9. H ♃ Desf. atl. 1. t. 55.
11 cœrùleum M.B. (*bl*) blue Caucasus 1816. —— H ♃
12 gigantèum DC. (*bl*) gigantic Armenia 1823. —— H ♃ Laroch. eryng. t. 11.
13 alpìnum DC. (*bl*) Alpine Switzerland 1597. —— H ♃ Bot. mag. t. 922.
14 spìna-álba DC. (*wh*) white-spined S. Europe 1816. —— H ♃ Vill. delph. t. 17.
15 virgàtum DC. (*bl*) oval-leaved N. America 1810. 6. 7. H ♃ Laroch. eryng. t. 29.
16 grácile DC. (*ye*) slender N. Spain 1818. 7. 9. F ♃ ———— t. 24.
17 Baldwíni DC. (*bl*) small-headed Carolina 1824. —— H ♃
18 aquifòlium DC. (*bl*) holly-leaved Spain 1827. —— H ♃ Laroch. eryng. t. 10.
19 corniculàtum DC. (*bl*) horned Portugal 1803. 6. 8. H ♃ Bot. mag. t. 1427.
20 ténue DC. (*bl*) slender annual ———— .... —— H ⊙ Moris. sect. 7. t. 35. f. 15.
21 Cervantèsii DC. (*bl*) Cervantes's Mexico 1820. .... H ♃ Tratt. arch. t. 359.
22 pusíllum DC. (*bl*) dwarf Spain 1640. 6. 8. H ♃ Laroch. eryng. t. 16.
23 virginiànum DC. (*pa*) Viginian Virginia .... 7. 9. H ♃ ———— t. 19.

24 serràtum DC.	(*wh*) serrated	New Spain	1823.	8.10.	F	♃	Cav. ic. 6. t. 55.
25 Carlinæ DC.	(*bl*) Carlina-like	———	1827.	——	F	♃	Laroch. eryng. t. 22.
26 fœ'tidum DC.	(*wh*) stinking	W. Indies	1714.	——	S	♂	Sloan. jam. t. 156. f.3.4.
27 marìtimum DC.	(*bl*) sea Holly	Britain	....	7.10.	H	♃	Eng. bot. v. 10. t. 718.
28 tríquetrum DC.	(*bl*) triquetrous	Sicily	1827.	——	H	♃	Desf. atl. 1. t. 54.
29 campéstre DC.	(*wh*) field	Britain	....	7. 8.	H	♃	Eng. bot. v. 1. t. 57.
30 Bourgàti DC	(*bl*) cut-leaved	S. France	1731.	6. 8.	H	♃	Gouan. ill. 7. t. 3.
31 Billardièri DC.	(*bl*) Labillardier's	Levant	....	....	H	♃	Laroch. eryng. t. 2.
32 amethy'stinum	(*bl*) amethystine	Styria	1648.	7. 8.	H	♃	W. et. K. hung. 3.t.215.
33 Andersònii DS.	(*bl*) Anderson's	.....	....	——	H	♃	
amethy'stinum H.C.							
34 dilatàtum DC.	(*bl*) dilated	Portugal	....	——	H	♃	Laroch. eryng. t. 4.
35 crinìtum DC.	(*bl*) fringe-leaved	Spain	1826.	——	H	♃	
36 comòsum DC.	(*pa*) tufted	Mexico	1818.	——	F	♃	Laroch. eryng. t. 7.
37 ovìnum DS.	(*wh*) sheep's	N. Holland	1824.	——	G	♃	
38 azùreum R. S.	(*bl*) azure blue	.....	1818.	——	H	♃	

Tribe IV. *AMMI'NEÆ.* DC. 4. p. 98.

RU'MIA DC. Ru'mia. (Goddess of young infants.) Pentandria Digynia.

1 taúrica DC.	(*wh*) Taurian	Tauria	1820.	7. 8.	H	♃	Hoff. umb. p. 173. f. 17.
Cáchrys taúrica S.S.							
2 sibírica F.	(*wh*) Siberian	Siberia	1826.	——	H	♃	
3 microcárpa DC.	(*wh*) small-fruited	Caucasus	1827.	——	H	♃	Hoff. umb. tit. t. 3. 21.
4 athamantoìdes DC.	(*wh*) Athamanta-like	Siberia	——	——	H	♃	
5 leiógyna DS.	(*wh*) smooth-styled	Caucasus	1837.	——	H	♃	
Trinia Hoffmánni DC.							
6 seseloìdes DC.	(*wh*) Seseli-like	Tauria	1827.	——	H	♃	Led. ill. t. 8.

CICU'TA DC. Cowbank. (a name used by Pliny.) Pentandria Digynia.

§ 1. *Fibres of roots cylindrical and slender.*

1 virùsa DC.	(*wh*) long-leaved	Britain	....	7.	H	♃	Eng. bot. v. 7. t. 479.
2 davùrica DC.	(*wh*) Daurian	Siberia	1824.	——	H	♃	Gmel. sib. 1. t. 47.

§ 2. *Fibres of roots oblong and fleshy.*

3 maculàta DC.	(*wh*) spotted	N. America	1759.	7. 8.	H	♃	
4 bulbífera DC	(*wh*) bulb-bearing	———	1823.	——	H	♃	Big. amer. bot.med.t.22.

ZI'ZIA DC. Zi'zia. (G. B. Zizi, a German bot.) Pentandria Digynia.

1 aúrea DC.	(*ye*) golden	N. America	1699.	5. 6.	H	♃	
Smy'rnium aúreum W. *Thaspium aúreum* N. *Sison aúreus* S.S.							
2 cordàta DC.	(*ye*) cordate-leaved	———	1597.	6. 7.	H	♃	
3 integérrima DC.	(*ye*) quite entire	———	1758.	——	H	♃	

PENTACRY'PTA D.S. Pentacry'pta. (πεντε, five; κρυπτω, to hide.) Pentandria Digynia.

atropurpùrea D.S.	(*pu*) dark purple	Mexico	1829.	....	F	♃	

A'PIUM DC. Celery. (*apon*, Celt. water; habitation.) Pentandria Digynia.

1 gravèolens DC.	(*wh*) common	Britain	....	6. 8.	H	♂	Eng. bot. v. 17. t. 1210.
α *fistulòsum*	(*wh*) *hollow-stalked*	———	....	——	H	♂	
β *sólidum*	(*wh*) *solid-stalked*	———	....	——	H	♂	
γ *rùbrum*	(*wh*) *red-stalked*	———	....	——	H	♂	
δ *napàceum* Mill.	(*wh*) *Turnep-rooted*	.....	....	——	H	♂	
2 chilénse DC.	(*wh*) Chili	Chili	1836.	——	H	♂	

PETROSELI'NUM DC. Parsley. (πετρος, a rock, and σελινον, parsley; habitation.) Pent. Dig.

1 sativum DC.	(*gr*) common	Sardinia	1548.	6. 7.	H	♂	Moris. sect. 9. t. 8. f. 2.
β *crispum*	(*gr*) *curled-leaved*	———	....	——	H	♂	——— 9. t. 8. f. 3.
2 romànum Zuc.	(*gr*) large	Greece	....	——	H	♂	
3 fractophy'llum Lag.	(*st*) broken-leaved	.....	1825.	——	H	♂	
4 prostràtum DC.	(*gr*) prostrate	V. Diem. Isl.	1818.	——	G	♂	Vent. malm. t. 81.
5 peregrìnum DC.	(*wh*) Lovage-like	Portugal	1633.	6. 7.	H	♂	Jacq. vind. 3. t. 18.
Ligústicum peregrìnum Jacq. *Sison peregrìnum* R.S.							
6 ségetum D.C.	(*bh*) corn	England	....	8.	H	⊙	Eng bot. v. 4. t. 228.
Sison ségetum E.B.							

TRI'NIA H.U. Tri'nia. (Dr. Trinius, cel. Russian bot.) Pentandria Digynia.

1 Hoffmánni M.B.	(*wh*) Hoffman's	Tauria	....	5. 6.	H	♃	
glabérrima var. Hoffm.							
2 glabérrima DC.	(*st*) quite-glabrous	England	....	——	H	♃	Eng. bot. t. 1209.
Pimpinella dioica E.B.							

3 Henníngii M.B. (*wh*) Henning's Hungary 1803. 6. 8. H ♃
Pimpinélla dioíca Bess. *Trínia vulgàris* DC.
4 Kitaibèlii DC. (*wh*) Kitaibel's ——— 1827. —— H ♃ W. et K. hung. 1. t. 72.
Pimpinélla glaúca Hoffm.
5 ramosíssima F. (*wh*) branching Siberia —— —— H ♃
HELOSCIA'DIUM DC. HELOSCIA'DIUM. (ελος, a marsh, and σκιαδιον, an umbel.) Pent. Dig.
Sect. 1. CYCLOSPE'RMA; *involucra and involucels wanting; fruit quite glabrous.*
1 leptophyllum DC. (*wh*) narrow-leaved S. Europe 1824. 7. 8. H ⊙ Jacq. vind. t. 200.
Sìson A'mmi Jacq. *Pimpinélla lateriflòra* L. enum.
2 laciniàtum DC. (*wh*) jagged Peru 1836. 6. 7. H ⊙
Sect. 2. MAUCHA'RTIA; *involucra of* 1-3 *leaves, rarely wanting; involucels of* 5 *or* 6 *leaves; procumbent creeping plants.*
3 intermèdium DC. intermediate France 1826. 6. 8. H *w* ♃ Thor. jo. bot. 1. t. 7. f. 1. 2.
4 inundàtum DC. (*wh*) inundated Britain .... 5. 6. H *w* ♃ Eng. bot. v. 4. t. 227.
Sìson inundàtum E.B. *Sìum inundàtum* E.F. *Mèum inundàtum* S.S.
5 nodiflòrum DC. (*wh*) procumbent Britain .... 7. 8. H *w* ♃ Eng. bot. v. 9. t. 639.
Sìum nodiflòrum E.B.
6 rèpens DC. (*wh*) creeping ——— .... 6. H *w* ♃ Eng. bot. v. 20. t. 1431.
DISCOPLEU'RA DC. DISCOPLEU'RA. (δισκος, a disk, and πλευρα, a rib.) Pentand. Digyn.
1 capillàcea DC. (*wh*) capillary N. America 1824. 7. 9. H ⊙ DC. omb. t. 8. A.
A'mmi capillàceum M.
2 Nuttállii DC. (*wh*) slender-leaved ——— 1812. 7. 8. H ⊙ DC. omb. t. 9.
LEPTOCAU'LIS DC. LEPTOCAU'LIS. (λεπτος, slender, and καυλος, stem.) Pentan. Digyn.
divaricàtus DC. (*ro. wh*) spreading N. America 1812. 6. 8. H ⊙ DC. omb. t. 10. A.
Æthùsa divaricàta N. *A'mmi divaricàtum* P.S.
PTYCHO'TIS DC. PTYCHO'TIS. (πτυχη, a plait, ους, an ear; petals in mid.) Pent. Digy.
Sect. 1. EUPTYCHO'TIS; *involucrum none; ribs of fruit smooth.*
1 heterophy'lla DC. (*wh*) Coriander-leav'd Pyrenees 1778. 7. 8. H ♂ Jacq. vind. 2. t. 198.
Mèum heterophy'llum S.S. *Æthùsa Bùnius* W.
2 verticillàta DC. (*wh*) Milfoil-leaved S. Europe 1759. 6. 7. H ⊙ Dalech. lugd. 695. f. 2.
Séseli ammoìdes S.S. *Ptychòtis ammoìdes* K.U.
Sect. 2. TRACHYSPE'RMUM; *involucra of few linear or trifid leaves; fruit muncated.*
3 cóptica DC. (*wh*) Egyptian Egypt 1773. 6. 7. H ⊙ Jacq. vind. 2. t. 196.
Trachyspérmum cópticum L. enum. *A'mmi cópticum* L. *Bùnium cópticum.* R.S.
4 Ajòwan DC. (*wh*) Ajava seeds E. Indies 1830. 6. 7. H ⊙
FALCA'RIA DC. FALCA'RIA. (*falx*, a sickle.) Pentandria Digynia.
1 Rivini DC. (*wh*) decurrent Europe 1726. 7. 8. H ♃ Jacq. aust. 3. t. 257.
Sìum Falcària R.S. *Drepanophy'llum agréste* K.U.
2 dahùricum DC. (*wh*) Dahurian Dahuria 1824. —— H ♃ Gmel. sib. 1. n. 14. t. 27.
Cicùta dahùrica F.
SI'SON DC. SI'SON. (*Sìsum*, Celt. running water; habitation.) Pentandria Digynia.
Amòmum DC. (*wh*) hedge Britain .... 7. 8. H ⊙ Eng. bot. v. 14. t. 954.
SCHU'LTZIA DC. SCHU'LTZIA. (J. H. Schultz, a cel. Germ. bot.) Pentandria Digynia.
crinìta DC. (*wh*) slender-leaved Altaia 1828. 6. 7. H ♂ Pall. act. pet. 1779. 12. t. 7.
A'MMI DC. BISHOP'S WEED. (αμμος, sand; habitation.) Pentandria Digynia.
1 màjus DC. (*wh*) great S. Europe 1551. 6. 7. H ⊙ Flor. græc. t. 273.
2 glaucifòlium DC. (*wh*) glaucous-leav'd France 1816. —— H ♂
3 intermèdium DC. (*wh*) intermediate Pyrenees 1816. —— H ♂ Lapeyr. pyr. t. 75.
4 anethifòlium DC. (*wh*) fennel-leaved Siberia 1818. —— H ♂
Daúcus meoìdes P.S.
5 Visnàga DC. (*wh*) Toothpick S. Europe 1596. 6. 8. H ⊙ Jacq. vind. 3. t. 26.
Visnàga daucoìdes G.
ÆGOPO'DIUM DC. GOUT-WEED. (αιξ, a goat, and πους, a foot; shape of leaves.) Pent. Dig.
1 Podagrària DC. (*wh*) common Britain .... 5. 7. H ♃ Eng. bot. v. 14. t. 940.
Sìson Podagrària S.S.
2 alpéstre Led. (*wh*) Alp Altaia 1830. 6. 7. H ♃ Led. ill. t. 7.
CA'RUM DC. CARAWAY. (from Caria, in Asia Minor.) Pentandria Digynia.
Sect. 1. CA'RVI; *involucra wanting; involucels wanting, or of very few leaves.*
1 Cárvi DC. (*wh*) common Britain .... 6. H ♂ Eng. bot. v. 21. t. 1503.
Fœniculum Cárvi L.en.
2 rigídulum DC. (*wh*) rigid Italy 1796. 7. 8. H ♃ Viv. it. frag. 1. t. 15.
Selìnum rigídulum Viv. *Séseli pimpinelloìdes* L.
Sect. 2. BULBOCA'STANUM; *involucra and involucels many-leaved.*
3 Bulbocástanum DC. (*wh*) Earth-nut Europe 1797. 6. 7. H ♃ Flor. dan. t. 220.
Bùnium Bulbocástanum W. *My'rrhis Bùnium* R.S.
4 verticillàtum DC. (*wh*) whorl-leaved Britain .... 7. 8. H ♃ Eng. bot. v. 6. t. 395.
Sìum verticillàtum E. B. *Sìson verticillàtum* L. *Æthùsa fàtua* H.K.

CHAMÆSCIA'DIUM. DS. Chamæscia'dium. (χαμαι, on the ground, and σκιαδιον, an umbel.) Pe. Di.
flavéscens DC. (*ye*) yellow-flowered Caucasus 1821. 6. 7. H ♃
Bùnium acaùle Hoffm.

BU'NIUM DC. Bu'nium. (βουνος, a hill; habitat.) Pentandria Digynia.

Sect. 1. Chry'seum; *flowers yellow or greenish; styles diverging.*

1 peucedanoìdes DC.	(*st*) Sulphur-wort	Caucasus	1823.	7. 8.	H	♃	
2 lùteum DC.	(*ye*) yellow	Volga	1827.	——	H	♃	
3 viréscens DC.	(*gr*) greenish-flower'd	Europe	1826.	——	H	♃	
Sìum viréscens R.S.							

Sect. 2. Caroi'des; *flowers white; styles diverging.*

4 glaucéscens DC.	(*wh*) glaucous	Persia	1831.	7. 8.	H	♃	
5 alpìnum DC.	(*wh*) Alpine	Hungary	1827.	6. 8.	H	♃	W. et K. hung. 2. t. 182.
Wallròthia tuberòsa S.S.							
6 ferulæfòlium DC.	(*wh*) ferula-leaved	Candia	1824.	6. 7.	H	♃	Desf. ann. mus. 11. t. 30.

Sect. 3. Conopo'dium; *flowers white; styles straight; stylopodium conical.*

7 denudàtum DC.	(*wh*) naked	Britain	....	5. 6.	H	♃	Eng. bot. t. 988.
Bùnium flexuòsum E.B.							
8 Pyrenæ'um DS.	(*wh*) Pyrenean	Pyrenees	1820.	——	H	♃	Lois. fl. gall. t. 1. f. 5.
9 rìgens DC	(*wh*) stiff	C. B. S.	1787.	6. 7.	G	♄	
Cònium rìgens L.							

CRYPTOTÆ'NIA DC. Cryptotæ'nia. (κρυπτος, hidden, and ταινια, vitta.) Pent. Digy.

1 canadénse DC.	(*wh*) Canadian	N. America	1699.	7. 8.	H	♃	
Sìson canadénse W. *My'rrhis canádensis* S.S.							
2 Thomásii DC.	(*wh*) Thomas's	Italy	1827.	——	H	♃	

PIMPINE'LLA DC. Burnet Saxifrage. (altered from bipinnate; leaves.) Pentand. Digyn.

Sect. 1. Tragoseli'num; *roots perennial; fruit glabrous.*

1 mágna DC.	(*wh*) great	England	....	6. 8.	H	♃	Eng. bot. v. 6. t 408.
2 mèdia P.S.	(*wh*) middle	Germany	....	——	H	♃	Hoff. deut. fl. t. 397.
orientàlis Jacq. aust. t. 397.							
3 dissécta W.	(*wh*) cut-leaved	France	....	——	H	♃	Retz. obs. 3. t. 2.
4 rotundifòlia DC.	(*wh*) round-leaved	Caucasus	1816.	——	H	♂	Spr. anl. ed. 2. t. 4. f. 1. 4.
Sìson rotundifòlius S.S.							
5 Saxìfraga DC.	(*wh*) common	Britain	....	——	H	♃	Eng. bot. v. 6. t. 407.
β *nìgra* DC.	(*wh*) *black-rooted*	Germany	1683.	6. 8.	H	♃	Bauh. hist. 3. p. 111. f. 2.
6 aúrea DC.	(*ye*) golden	Persia	1831.	....	H	♃	

Sect. 2. Tra'gium; *fruit villous; roots biennial or perennial.*

7 Tràgium DC.	(*wh*) Columna's	S. Europe	1824.	6. 8.	H	♃	Column. phyt. t. 17.
Tràgium Colúmnæ S.S.							
8 depréssa DC.	(*wh*) depressed	Candia'	1822.	——	H	♃	
9 peregrìna DC.	(*wh*) nodding	Italy	1640.	——	H	♃	Jacq. vind. 2. t. 131.
10 aromática DC.	(*wh*) aromatic	Caucasus	1824.	——	H	♂	
11 bubonoìdes DC.	(*wh*) Bubon-like	Portugal	1814.	——	H	♃	Brot. phyt. t. 35.
Tràgium Brotèri R.S.							
12 villòsa DC.	(*wh*) villous	Barbary	1824.	——	H	♃	
Tràgium Schousbœ'i R.S.							

Sect. 3. Ani'sum; *fruit puberulous; roots annual.*

13 dichótoma DC.	(*wh*) dichotomous	Spain	1798.	6. 8.	H	⊙	
14 Crética DC.	(*wh*) Cretan	Candia	1820.	——	H	⊙	
15 Anìsum DC.	(*wh*) Anise	Egypt	1551.	——	H	⊙	Moris. his. s. 9. t. 9.
Sìson Anìsum R.S. *Anìsum vulgàre* Gaert.							

SIUM DC. Water-parsnep. (*Siu*, Celt. water; habitat.) Pentandria Digynia.

1 Sísarum DC.	(*wh*) Skirret	China	1548.	7. 8.	H	♃	Schukr. hand. 1. t. 69.
2 lancifòlium DC.	(*wh*) spear-leaved	Siberia	1823.	——	H *w*	♃	Gmel. sib. 1. t. 47.
3 latifòlium DC.	(*wh*) broad-leaved	Britain	....	——	H *w*	♃	Eng. bot. v. 3. t. 204.
4 lineàre DC.	(*wh*) linear	N. America	1816.	——	H *w*	♃	
5 cicutàrium Gmel.	(*wh*) cicuta-like	Siberia	1831.	——	H *w*	♃	
6 angustifòlium DC.	(*wh*) narrow-leaved	Britain	....	——	H *w*	♃	Eng. bot. v. 2. t. 139.
Bérula angustifòlia Koch. deutschl. fl.							

BUPLEU'RUM DC. Hare's-ear. (βους, an ox and πλευρον, a side; effects.) Pent. Digyn.

1 coriàceum DC.	(*st*) thick-leaved	Gibraltar	1784.	7. 8.	G	♄	L'Herit. st. nov. t. 67.
2 fruticòsum DC.	(*st*) shrubby	S. Europe	1596.	——	H	♄	Flor. græc. t. 263.
3 fruticéscens DC.	(*st*) frutescent	Spain	1752.	8. 9.	H	♄	Cav. ic. 2. t. 106.
4 plantagìneum DC.	(*st*) plantain-leaved	Barbary	1809.	——	G	♄	Desf. atl. 1. t. 57.
β *canéscens* P.S.	(*st*) *hoary*	——	——	——	G	♄	
5 spinòsum DC.	(*st*) thorny	Spain	1752.	——	F	♄	Gouan. ill. 8. t. 2. f. 3.
6 diffórme DC.	(*st*) various-leaved	C. B. S.	——	——	G	♄	Burm. afr. t. 71. f. 1.
7 rotundifòlium DC.	(*ye*) round-leaved	England	....	6. 7.	H	⊙	Eng. bot. v. 2. t. 99.
8 nodiflòrum DC.	(*ye*) knot-flowered	Candia	1823.	——	H	⊙	Del. egypt. t. 22. f. 2.
proliferum Del.							

9	protráctum DC.	(*st*) protracted	Portugal	1824.	6. 7.	H	⊙	
10	heterophy'llum DC.	(*st*) various-leaved	Egypt	——	——	H	⊙	
	panacifòlium H.H.							
11	aúreum DC.	(*ye*) golden	Siberia	——	——	H	♃	
12	longifòlium DC.	(*st*) long-leaved	Switzerland	1713.	5. 7.	H	♃	Moris. sect. 9. t. 11.
13	pyrenàicum DC.	(*st*) Pyrenean	Pyrenees	1814.	——	H	♃	Gouan. ill. t. 4.
14	angulòsum W.	(*st*) angular-leaved	Switzerland	1759.	——	H	♃	Moris. sect. 9. t. 12.
15	ranunculoìdes DC.	(*st*) Crowfoot-like	Pyrenees	1790.	7. 8.	H	♃	Park. theatr. f. 7.
16	caricifòlium W.	(*st*) Carex-leaved	S. France	1824.	——	H	♃	
17	Burseriànum W.en.	(*st*) Burser's	———	1820.	——	H	♃	
18	petræ'um S.S.	(*st*) alpine	S. Europe	1823.	——	H	♃	Rich. de Bellev. t. 206.
19	sibíricum M.B.	(*st*) Siberian	Siberia	1826.	——	H	♃	
20	graminifòlium DC.	(*st*) Grass-leaved	Switzerland	1768.	5. 7.	H	♃	Jacq. ic. 1. t. 56.
21	stellàtum DC.	(*st*) starry	———	1775.	——	H	♃	Hall. helv. t. 18.
22	falcàtum DC.	(*st*) twisted-stalk'd	Germany	1739.	5. 9.	H	♃	Jacq. aust. 2. t. 158.
23	scorzoneræfòlium DC.	(*st*) Scorzonera-ld.	———	1818.	6. 8.	H	♃	
24	rígidum DC.	(*st*) rigid	S. France	1739.	5. 9.	H	♃	Moris. sect. 9. t. 12.
25	nùdum DC.	(*st*) naked-stalked	C. B. S.	1778.	10.	G	♃	
26	gibraltáricum Lag.	(*st*) Gibraltar	Gibraltar	1825.	——	G	♃	
27	glaúcum DC.	(*ye*) glaucous	S. France	1828.	——	H	⊙	
28	Odontìtes DC.	(*ye*) toothache	S. Europe	....	7. 8.	H	⊙	Rchb. icon. 2. t. 68. f. 177.
29	aristàtum DC.	(*bh*) narrow-leaved	England	....	10.	H	⊙	Eng. bot. v. 35. t. 2468.
	Odontìtes lutèola R.S. *B. odontìtes* R.B.							
30	júnceum DC.	(*ye*) linear-leaved	S. Europe	1722.	7. 8.	H	⊙	Moris. sect. 9. t. 12.
31	Gerárdi DC.	(*ye*) Gerard's	———	1804.	——	H	⊙	Jacq. aust. t. 256.
32	baldénse DC.	(*ye*) channel-leaved	M. Baldo	1818.	——	H	⊙	W. et K. hung. 3. t. 257.
33	exaltàtum DC.	(*ye*) exalted	Caucasus	1807.	7.	H	⊙	
34	semicompósitum DC.	(*ye*) dwarf	Spain	1778.	6. 9.	H	⊙	Flor. græc. t. 261.
	Odontìtes semicompósita R.S.							
35	grácile DC.	(*ye*) slender-twigged	Tauria	1827.	——	H	⊙	
36	tenuíssimum DC.	(*ye*) slender	England	....	7. 8.	H	⊙	Eng. bot. v. 7. t. 478.
37	trífidum DC.	(*ye*) trifid-umbelled	Italy	1824.	5. 9.	H	♃	

HETEROMO'RPHA DC. HETEROMO'RPHA. (ἕτερος, variable, and μορφή, form.) Pentand. Digy.

	arboréscens DC.	(*st*) arborescent	C. B. S.	1816.	7. 8.	G	♄	
	Bupleùrum arboréscens S.S. *Tenòria arboréscens* R.S.							

Tribe V. *SESELI'NEÆ.* DC.

LICHTENSTEI'NIA. DC. LICHTENSTEI'NIA. (M. Von Lichtenstein, prof. med. Berlin.) Pent. Digy.

1	lácera DC.	(*wh*) cut-leaved	C. B. S.	1818.	8. 10.	G	♃	
	Œnánthe exaltàta Th.							
2	inèbrians	(*wh*) various-leaved	———	1816.	8. 9.	G	♃	
	pyrethriifòlia DC. *Œnánthe inèbrians* Th.							

ŒNA'NTHE DC. WATER-DROPWORT. (οἶνος, wine, and ἄνθος, a flower.) Pentand. Digyni.

1	fistulòsa DC.	(*bh*) common	Britain	....	6. 8.	H w	♃	Eng. bot. v. 6. t. 363.
2	peucedanifòlia DC.	(*wh*) round-rooted	S. Europe	....	——	H w	♃	Pollich. palat. t. 3.
3	silaifòlia DC.	(*wh*) oblong-rooted	England	....	——	H w	♃	Eng. bot. v. 5. t. 348.
	peucedanifòlia R.B. *non* S.S.							
4	Lachenàlii DC.	(*wh*) naked-rooted	N. Europe	1824.	——	H w	♃	
	gymnorhìza S.S.							
5	pimpinelloìdes DC.	(*bh*) Burnet Saxifrage	England	....	——	H w	♃	Eng. bot. v. 5. t. 347.
6	prolífera DC.	(*wh*) proliferous	S. Europe	1739.	——	H w	♃	Jacq. vind. 3. t. 62.
7	globulòsa DC.	(*ah*) globe-headed	Portugal	1710.	——	H	♂	Gouan. ill. 18. t. 9.
8	crocàta DC.	(*wh*) poisonous	Britain	....	——	H w	♃	Eng. bot. v. 33. t. 2313.
9	Phellándrium DC.	(*wh*) water Hemlock	———	....	6. 7.	H w	♂	——— v. 10. t. 684.
	Phellándrium aquáticum R.B.							
10	apiifòlia DC.	(*wh*) Parsley-leaved	Portugal	1806.	6. 8.	H	♃	Brot. phyt. t. 33.
11	austràlis R.S.	(*wh*) southern	S. Europe	1824.	——	H	♃	
12	involucràta Cav.	(*wh*) involucred	Spain	1820.	——	H	♃	
13	amœ'na Leh.	(*wh*) handsome	.....	1827.	——	H	♃	
14	tenuifòlia DC.	(*wh*) fine-leaved	C. B. S.	1816.	——	G	♃	
15	interrúpta DC.	(*wh*) interrupted	———	1818.	——	G	♃	

ANNESORHI'ZA DC. ANNESORHI'ZA. (ἁγνής, chaste, and ῥίζα a root; smell.) Pentand. Digy.

	capénsis DC.	(*wh*) Cape	C B. S.	1816.	6. 8.	G	♃	

SCLEROSCIA'DIUM DC. SCLEROSCIA'DIUM. (σκληρος, hard, and σκιαδιον, an umbel.) Pent. Digy.
hùmile DC. (wh) dwarf Teneriffe 1787. 6. 8. H ⊙ DC. col. mem. 5. t. 2. f. F.

ÆTHU'SA DC. FOOLS-PARSLEY. (αιθω, to burn; acrid taste.) Pentandria Digynia.
1 Cynàpium DC. (wh) common Britain .... 7. 9. H ⊙ Eng. bot. v. 17. t. 1192.
2 cynapioìdes DC. (wh) Caucasean Caucasus 1820. —— H ⊙ Hoff. umb. ed. 2. t. tit. f. 9.
3 elàta DC. (wh) tall Siberia —— —— H ⊙

FŒNI'CULUM DC. FENNEL. (Latin name for *fennel*.) Pentandria Digynia.
1 vulgàre DC. (ye) common Britain .... 7. 8. H ♃ Eng. bot. v. 17. t. 1208.
Anèthum Fœniculum E.B. *Mèum Fœniculum* S.S.
2 dùlce DC. (ye) sweet S. Europe 1824. —— H ⊙ DC. hort. m. ined. t. 96.
3 piperìtum DC. (ye) peppery Italy —— —— H ♃
Mèum piperìtum R.S. *Anèthum piperìtum* Bert.
4 lùtum F. (ye) yellow Persia 1829. —— H ♂

KUNDMA'NNIA DC. KUNDMA'NNIA. (H. Kundmann, a German bot.) Pentandria Digynia.
sìcula DC. (ye) Parsnep-leaved Sicily 1686. 7. 8. H ♃ Jacq. vind. 2. t. 133.
Brignòlia pastinacæfòlia K.U. *Sìum sìculum* R.S.

DEVE'RRA DC. DEVERRA. (a mythological name.) Pentandria Digynia.
1 tortùosa DC. (wh) twisting Levant 1828. .... G ♄ Desf. atl. 1. t. 73.
Bìbon tortuòsum Df.
2 aphy'lla DC. (wh) leafless C. B. S. 1816. .... G ♄
Bìbon aphy'llum Schlecht.

SE'SELI S.S. MEADOW SAXIFRAGE. (*Seycelyous*, Arabic name.) Pentandria Digynia.
Sect. 1. HIPPOMA'RATHRUM; *involucra wanting; leaves of involucels joined into a cup, which is toothed on the margin.*
1 Hippomárathrum DC. (wh) various-ld. Austria 1656. 7. 8. H ♃ Jacq. aust. 2. t. 143.
Sect. 2. HIPPOMARATHROI'DES; *involucra wanting or of few leaves; leaves of involucels joined at the base.*
2 dichótomum DC. (wh) forked Tauria 1816. 7. 9. H ♂ Bot. mag. t. 2073.
3 gummíferum DC. (bh) gum-bearing Crimea 1710. —— H ♂ Sm. exot. bot. t. 20.
4 cuneifòlium DC. (wh) wedge-leaved Caucasus 1823. —— H ♃
5 rígidum DC. (wh) stiff Hungary 1710. 6. 8. H ♃ W. et K. hung. 2. t. 146.
6 peucedanifòlium DC. (wh) smooth-stalk'd —— 1826. 7. 9. H ♃ —— t. 146.
7 leucospérmum DC. (wh) white-seeded —— 1805. 7. H ♃ —— t. 89.
Sect. 3. EUSE'SELI; *involucra wanting or of few leaves; leaves of involucels distinct.*
8 elàtum DC. (wh) tall Austria 1710. 7. 8. H ♃ Gouan. ill. 16. t. 8.
9 vàrium DC. (wh) variable ..... 1818. —— H ♃
10 glaùcum DC. (pu. wh) glaucous France 1759. —— H ♃ Jacq. aust. 2. t. 45.
11 montànum DC. (wh) mountain Italy 1658. 6. 7. H ♃ Lob. ic. t. 778.
12 coloràtum DC. (bh) coloured Europe 1816. 7. 8. H ♂ Jacq. aust. t. 55.
Cárum simplex W.
13 campéstre DC. (wh) field Poland 1827. —— H ♃
14 tortuòsum DC. (wh) crooked S. Europe 1597. 10. H ♃ Moris. sect. 9. t. 6.
15 proliferum DC. (wh) prolific ..... 1823. 5. 8. H ♃
16 chærophylloìdes S.S. (wh) Chervil-like C. B. S. 1816. —— G ♃
17 Boccòni DC. (wh) Boccone's Sicily 1826. —— H ♃ Bocc. sic. s. 27. 28.
18 divaricàtum DC. (ye) shining-leaved N. America 1812. 6. 7. H ♃ Bot. mag. t. 1742.
19 striàtum DC. (wh) striped-stalked C. B. S. 1816. 7. 8. G ♃
20 grácile DC. (ye) slender Hungary 1805. 6. 7. H ♃ W. et K. hung. 2. t. 117.
21 petræ'um DC. (wh) glaucous Tauria 1824. 7. 8. H ♃
Bìbon glaùcus S.S.
22 Pallásii DC. (wh) Pallas's Siberia 1823. —— H ♃
23 stríctum DS. (wh) strict Altaia 1830. 7. H ♂ Led. ill. t. 174.
24 Lobeliànum Bess. (wh) Lobel's ..... 1823. 7. 9. H ♃

LIBANO'TIS DC. LIBANO'TIS. (λιβανος, incense; scent.) Pentandria Digynia.
Sect. 1. ERIO'TIS; *petals canescent.*
1 gravèolens DS. (wh) strong-scented Altaia 1833. 6. 7. H ♃ Led. ill. t. 164.
2 buchtorménsis DC. (wh) Siberian Siberia 1822. 7. 8. H ♃ DC. coll. mem. 5. t. f. 5.
Bìbon buchtorménsis R.S. *Athamánta rígida* Horn.
Sect. 2. EULIBANO'TIS; *petals glabrous.*
3 vulgàris DC. (wh) mountain England .... 7. 8. H ♃ Eng. bot v. 2. t. 138.
Athamánta Libanòtis E.B.
β *pubéscens* DC. (wh) *pubescent* Pyrenees 1734. —— H ♃
Athamánta pubéscens Retz.
γ *daucifòlia* DC. (wh) *carrot-leaved* S. Europe —— —— H ♃ Jacq. vind. 2. t. 197.
Athamánta daucifòlia DC. A. *Pyrenàica* Jacq.
δ *condensàta* DC. (wh) *condensed* Siberia 1773. —— H ♃ Lam. ill. t. 194. f. 1.
Athamánta condensàta L.
4 Sibírica DS. (wh) Siberian Siberia 1771. —— H ♃ Gmel. sib. t. 40. f. 2.
5 athamantoìdes DC. (wh) athamanta-like ..... 1817. —— H ♃ Jacq. vind. t. 197.

cachroìdes DC. (*wh*) Cachrys-like Dauria 1827. 7. 8. H ♃
Cáchrys sibírica F.

CENOLO'PHIUM DC. CENOLO'PHIUM. (*κενος*, empty, and *λοφος*, a crest.) Pentandria Digynia.
Fischèri DC. (*wh*) Fischer's Siberia 1820. 6. 8. H ♃ DC. col. mem. 5. t. 3. f. T.
Cnídium Fischèri S.S. *Angélica Fischèri* R.S. *Ligústicum Fischèri* L. enum.

CNI'DIUM DC. CNI'DIUM. (ancient name of *orach*.) Pentandria Digynia.
1 Monnièri DC. (*wh*) annual S. Europe 1771. 7. 8. H ⊙ Jacq. vind. 1. t. 62.
Selinum Monnièri Jacq. *Cicùta sinénsis* Zuc.
2 apioìdes DC. (*wh*) Parsley-leaved Europe 1791. 6. 7. H ♃ Jacq. aust. 5. sp. t. 44.
Ligústicum apioìdes R.S. *silæifòlium* Jacq.
3 venòsum DC. (*wh*) veined Europe 1818. 7. 8. H ♃ Spreng. f. hal. 92. f. 2.
Séseli dùbium R.S.
4 anómalum DC. (*wh*) anomalous Altaia 1836. 6. 8. H ♂ Led. ill. t. 311.
5 Fontanèsii DC. (*wh*) Desfontaines's Barbary .... —— H ♃
6 carvifòlium DC. (*wh*) carvi-leaved Caucasus 1820. —— H ♃
7 canadénse DC. (*wh*) Canadian Canada 1817. —— H ♃
Selinum canadénse MX.
8 dahùricum F.M. (*wh*) Dahurian Dahuria 1837. —— H ♃

THA'SPIUM DC. THA'SPIUM. (from the Isle of Thapsia.) Pentandria Digynia.
§ 1. *Umbels opposite the leaves.*
1 atropurpùreum DC. (*pu*) dark purple-fld. Carolina 1810. 6. 9. H ♃
§ 2. *Umbels terminal.*
2 actæifòlium DC. (*ye*) Actæa-leaved N. America 1824. 7. 8. H ♃
Ligústicum actæifòlium M.
3 barbinòde DC. (*ye*) bearded-jointed ———— 1759. 6. 7. H ♃
Thápsia trifoliàta R.S.

TROCHISCA'NTHES DC. TROCHISCA'NTHES. (*τροχισκος*, a wheel, and *ανθος*, a flower.) Pent. Digy.
nodiflòrus DC. (*bh*) knot-flowered Apennines 1818. 6. 7. H ♃ All. ped. v. 2. t 72.
Ligústicum nodiflòrum S.S. *verticillàtum* W. et K. hung. 2. t. 171.

ATHAMA'NTHA DC. SPIGNELL. (a species found on Mount Athamas, in Sicily.) Pentand. Digy.
1 cervariæfòlia DC. (*wh*) carvi-leaved Teneriffe 1818. 6. 7. G ♃
Séseli cervariæfòlia DC.
2 macedónica DC. (*wh*) Macedonian Greece 1596. 6. 8. F ♃ Lobel. hist. 406. ic. 708.
Bùbon macedónicum L.
3 cretènsis DC. (*wh*) candy-carrot Austria —— 6. 7. H ♃ Jacq. aust. 1. t. 62.
4 Matthìoli DC. (*wh*) fine-leaved Carniola 1802. —— H ♃ Jacq. ic. rar. 1. t. 57.
5 sícula DC. (*wh*) Flixweed-leaved Sicily 1686. —— H ♃ Ten. fl. nap. 1. t. 25.
6 stricta Led. (*wh*) upright Siberia 1827. —— H ♃
7 ánnua W. (*wh*) annual Candia 1731. —— H ⊙ Moris. ox. s. 9. t. 10.

LIGU'STICUM DC. LIGU'STICUM. (some species grow in Liguria.) Pentandria Digynia.
§ 1. *Margin of calyx 5-toothed; teeth persistent.*
1 scóticum DC. (*bh*) Scotch Britain .... 6. 7. H ♃ Eng. bot. v. 17. t. 1207.
2 obtusifòlium DC. (*wh*) blunt-leaved Tangiers 1824. 7. 8. H ♃
§ 2. *Margin of calyx minutely 5-toothed; involucra of many leaves.*
4 alàtum DC. (*ro.wh*) winged-stalked Caucasus 1823. 7. 8. H ♃
5 ferulàceum DC. (*wh*) Fennel-leaved Levant 1752. 6. H ♃ Allion. ped. t. 60.
Laserpítium daúricum Jacq. vind. 3. t. 38.
6 cuneifòlium DC. (*wh*) wedge-leaved Naples 1827. 6. 7. H ♃ Guss. pl. rar. 130. t. 26.
7 cándicans DC. (*wh*) pale ..... 1780. 7. 8. H ♃
§ 3. *Margin of calyx obsolete; involucra wanting, or of few leaves.*
8 pyrenàicum DC. (*wh*) Pyrenean Pyrenees 1739. 6. 7. H ♃ Gouan. ill. t. 7. f. 2.
Cnídium pyrenæ'um S.S. *Séseli aristàtum* H.K.
9 Seguièri DC. (*wh*) Fennel-leaved Italy 1774. 7. 8. H ♃ Jacq. vind. 1. t. 61.
Selinum Seguièri Jacq. *Imperatòria Seguièri* S.S.

SILA'US. DC. SILA'US. (a name used by Pliny.) Pentandria Digynia.
1 praténsis DC. (*st*) meadow England .... 6. 8. H ♃ Eng. bot. v. 30. t. 2142.
Peucédanum Silàus E.B. *Cnídium Silàus* S.S. *Séseli praténsis* Riv. pent. irr. t. 58.
2 tenuifòlius DC. (*ye*) late-flowering Hungary 1824. 7. 8. H ♃ W. et K. hung. 2. t. 182.
Peucédanum Matthìoli S.S.
3 Bessèri DC. (*st*) Alpine Poland 1739. 6. 7. H ♃
Peucédanum alpéstre S.S.
4 longifòlius D.S. (*ye*) long-leaved Altaia 1820. 7. 8. H ♃ Gmel. sib. 1. t. 41.
5 carvifòlius DC. (*ye*) carvi-leaved Caucasus 1837. —— H ♃

WALLRO'THIA DC. WALLRO'THIA. (J. Wallroth, a German bot.) Pentandria Digynia.
tenuifòlia DC. (*wh*) slender-leaved Pyrenees 1826. 6. 8. H ♃ DC. mem. umb. t. 1. f. A

ME'UM DC. BAWD-MONEY. (*μειων*, smaller; delicacy of leaves.) Pentandria Digynia.
1 athamánticum DC. (*wh*) common Britain .... 4. 6. H ♃ Eng. bot. v. 32. t. 2249.
2 Mutellìna DC. (*re*) Alpine Austria 1774. 7. 8. H ♃ Jacq. aust. t. 56.
Phellándrium Mutellìna L.

ARPI'TIUM Nec. ARPI'TIUM. (altered from *Laserpitium.*) Pentandria Digynia.
simplex (*wh.bh*) shining Switzerland 1775. 7. H ♂ Jacq. mis. 2. t. 2.
Laserpitium simplex Jacq. *lucidum* H.K. *Gàya simplex* DC.
CONIOSELI'NUM DC. CONIOSELI'NUM. (composed of *Conium* and *Selinum.*) Pent. Dign.
1 ingricum F. (*wh*) Ingrian Russia 1827. 7. 8. H ♃
2 Fischèri DC. (*wh*) Fischer's Tartary 1825. —— H ♃
Angélica Fischèri RS.
3 Czernæ'via F.M. (*wh*) Czernæv's Siberia 1837. —— H ♃
4 dùbium Turc. (*wh*) doubtful ——— —— —— H ♃
5 univittàtum Turc. (*wh*) one-ribbed ——— —— —— H ♃
CRITHMUM DC. SAMPHIRE. (κριθη, barley; seeds like.) Pentandria Digynia.
maritimum DC. (*st*) sea-side Britain .... 7. 9. H ♃ Eng. bot. v. 12. t. 819.

Tribe VI. *ANGELI'CEÆ.* DC.

LEVI'STICUM. DC. LOVAGE. (*levo*, to assuage; medical.) Pentandria Digynia.
officinàle DC. (*ye*) common Italy 1596. 6. 7. H ♃ Schk. handb. t. 68.
Ligisticum Levisticum S.S.
SELI'NUM DC. MILK-PARSLEY. (σελινον, Gr. name of parsley.) Pentandria Digynia.
carvifòlium DC. (*bh*) Caraway-leav'd Austria 1774. 7. 8. H ♃ Jacq. aust. 1. t. 16.
OSTE'RICUM DC. OSTE'RICUM. (etymology unknown.) Pentandria Digynia.
pratense DC. (*wh*) field Galicia 1824. 7. 8. H ♃ Rchb. ic. rar. t. 402.
Angélica praténsis M.B.
ANGE'LICA DC. ANGE'LICA. (from angelic virtues.) Pentandria Digynia.
1 Razoúlii DC. (*bh*) decurrent-ld. Pyrenees 1816. 6. 8. H ♃ Gouan. ill. 13. t. 6.
2 montàna DC. (*wh*) mountain Switzerland —— —— H ♃
3 sylvéstris DC. (*wh*) wild Britain .... —— H ♃ Eng. bot. v. 16. t. 1128.
4 lùcida DC. (*br*) shining Canada 1640. —— H ♂ Jacq. vind. 3. t. 24.
5 triquinàta DC. (*wh*) triquinate-leaved N. America 1810. —— H ♃ Spreng. umb. t. 6. f. 2.
6 pyrenæ'a DC. (*wh*) Pyrenean Pyrenees 1818. —— H ♃ Gouan. ill. p. 11. t. 5.
7 lancifòlia S.S. (*wh*) lance-leaved ..... 1818. —— H ♃
Selinum angelicástrum L. enum.
ARCHANGE'LICA DC. ARCHANGE'LICA. (αρχη, original, and angelica.) Pentand. Digyn.
1 officinàlis DC. (*wh*) garden England .... 6. 8. H ♂ Eng. bot. v. 36. t. 2561.
Angélica Archangélica E.B.
2 atropurpùrea DC. (*pu*) dark purple Canada 1750. 7. 8. H ♂ Cornut. canad. t. 100.
3 Gmelini DC. (*wh*) Gmelin's Kamtschat. 1827. —— H ♃
4 decúrrens D.S. (*wh*) decurrent-leav'd Altaia 1836. —— H ♃ Led. ill. t. 166.

Tribe VII. *PEUCEDA'NEÆ.* DC.

OPO'PANAX DC. OPO'PANAX. (οπος, juice, παν, all, ακος, a remedy.) Pentand. Digyn.
Chiònium DC. rough S. Europe 1640. 6. 7. H ♃ W. et K. hung. 3. t. 211.
Pastinàca Opópanax W. *Ferùla Opópanax* S.S.
FE'RULA S.S. GIANT-FENNEL. (*ferio*, to strike; stems used as rods.) Pentandria Digynia.
Sect. 1. FERULA'GO; *vittæ often numerous; involucra of* 4-8 *leaves.*
1 sylvática DC. (*ye*) wood Podolia 1830. 6. 7. H ♃
2 paucíjuga DC. (*ye*) few-leaved Persia —— —— H ♃
3 Ferulàgo DC. (*ye*) knot-flowered S. Europe 1596. —— H ♃ Jacq. aust. ap. t. 5.
nodiflòra Jac.
4 thyrsiflòra DC. (*st*) thyrse-flowered Candia 1823. —— H ♃ Fl. græc. t. 200.
5 stricta DC. (*ye*) straight C. B. S. 1816. —— G ♂
Sect. 2. FERULA'RIA; *fruit having* 3 *vittæ in each dorsal furrow, and* 4 *in the commissure; involucra wanting.*
6 nudicaúlis DC. (*ye*) naked-stalked Sicily 1825. 12.3. H ♃
Nuttéllii DC.
7 A'ssa fœ'tida DC. (*st*) Assa fœtida Persia 1818. 6. 7. H ♃ Kmpf. am. p. 536. ic.
8 linearis Cerv. (*ye*) linear-leaved Mexico 1828. 8.10. F ♃
9 communis DC. (*ye*) common Europe 1597. 6. 7. H ♃ Moris. s. 9. t. 15. f. 3.
10 glaúca DC. (*ye*) glaucous Italy 1596. —— H ♃

11 campéstris S.S. (*ye*) field Tauria 1827. 6. 7. H ♃
12 tingitàna DC. (*ye*) Tangier Barbary 1680. —— H ♂ Herm. parad. t. 165.
13 nùda DC. (*ye*) naked Siberia 1827. —— H ♃ Spreng. umb. t. 7. f. 13.
14 cáspica DC. (*ye*) Caspian Caspia 1824. —— H ♃ ———— t. 7. f. 14.
15 orientàlis DC. (*ye*) eastern Levant 1759. 7. 8. H ♃ Tourn. it. 3. t. 239.
16 pérsica DC. (*ye*) stinking Persia 1782. —— H ♃ Andr. rep. t. 558.
17 capillàris DC. (*ye*) capillary Portugal 1828. —— H ♃ Mor. ox. s. 9. t. 15.
18 desertòrum Led. (*ye*) desert Siberia 1827. —— H ♃
19 songárica R.S. (*ye*) Songarian ———— —— —— H ♃

ERIOSYNA'PHE DC. ERIOSYNA'PHE. (ἔριον, wool, and συναφή, connection.) Pentand. Digyn.
longifòlia DC. (*ye*) long-leaved Wolga 1823. 7. 8. H ♃ DC. mem. umb. pl. 1. f. E.
Férula longifòlia F.

PALI'MBIA DC. PALI'MBIA. (meaning not explained.) Pentandria Digynia.
1 sálsa DC. (*ye*) fine-leaved Tauria 1804. 7. 8. H ♃ Pall. act. pet. 1779. t. 8.
Sìler sálsa S.S. *Agasy'llis sálsa* S.U.
β *podólica* DC. (*gr.ye*) *podolian* Podolia —— —— H ♃
2 Chabræ'i DC. (*bh*) fine-leaved Europe 1791. 7. 6. H ♃ Jacq. aust. 1. t. 72.
Selìnum Chabræ'i Jacq. *Oreoselìnum Chabræ'i* M.B. *Imperatòria Chabræ'i* R.S.

PEUCE'DANUM DC. SULPHURWORT. (πεύκη, a pine, and δανος, parched.) Pentand. Digyn.
Sect. 1. EUPEUCE'DANUM; *margin of mericarps narrow; vittæ* 2-4 *in the commissure; dorsal ribs* 5; *involucra generally wanting.*
1 officinàle DC. (*ye*) officinal England .... 5. 7. H ♃ Eng. bot. v. 25. t. 1767.
2 paniculàtum DC. (*ye*) panicled Corsica 1827. —— H ♃
3 parisiénse DC. (*wh*) French France 1816. —— H ♃ Gmel. sib. 1. t. 41.
4 vaginàtum D.S. (*wh*) sheathed Altaia 1837. —— H ♃ Led. ill. t. 808.
5 itálicum F.S. (*ye*) yellow-flowered Italy .... 5. 7. H ♃
6 ruthénicum DC. (*ye*) Russian Russia 1824. 6. 8. H ♃
7 longifòlium DC. (*ye*) long-leaved Hungary 1826. —— H ♃ W. et K. hung. t. 251.
8 arenàrium DC. (*ye*) sand ———— 1816. 6. 7. H ♃ ———— 1. t. 20.
9 Morisòni DC. (*ye*) Morison's ———— —— —— H ♃ Moris. his. 3. s. 9. t. 15. f. 1.
11 créticum D.S. (*wh*) knotted-stalked Crete .... —— H ♃ ———— s. 9. t. 17.
12 aúreum DC. (*ye*) golden Canaries 1779. 6. G ♂ Bot. reg. t. 559.
13 tenuifòlium DC. (*ye*) slender-leaved C. B. S. 1816. 6. 8. G ♂
14 iseténse DC. (*st*) straw-coloured Siberia 1828. —— H ♂ Gmel. sib. 1. t. 42-43.
15 sibíricum DC. (*ye*) Siberian ———— 1804. 6. 7. H ♃ W. et K. hung. 1. t. 20.
Sect. 2. THYSELI'NUM; *margins of mericarps narrow; vittæ* 2 *in the commissure, covered by an indusium; involucra many-leaved.*
16 sylvéstre DC. (*wh*) marsh Britain .... 7. 8. H ♃ Eng. bot. v. 4. t. 229.
Selìnum palústre E.B. *Thysselìnum palústre* H.U. *Selìnum sylvéstre* L.
17 baicalénse DC. (*wh*) Baical Siberia 1824. 7. 8. H ♃
Sect. 3. CERVA'RIA; *margins of mericarps narrow; vittæ* 2 *in the commissure, superficial, solitary in the furrows; dorsal ribs* 5, *approximate; involucra many-leaved.*
18 Cervària DC. (*wh.pu*) large-leaved Europe 1597. 7. 8. H ♃ Jacq. aust. 1. t. 69.
Athamánta Cervària Jacq. *Ligústicum Cervària* S.S.
19 alsáticum DC. (*wh*) small-headed Austria 1774. 6. 8. H ♃ Jacq. aust. 1. t. 70.
20 Oreoselìnum DC. (*re.wh*) bending Europe 1780. 7. 9. H ♃ Jacq. aust. 1. t. 68.
Athamánta Oreoselìnum Jacq. *Oreoselìnum legítimum* M.B.
Sect. 4. SELINOI'DES; *margins of mericarps broad, diapherous; vittæ usually* 2 *in the commissure, and one in each furrow; involucra many-leaved.*
21 alpéstre DC. (*ye*) Alp ..... 1739. 6. 7. H ♃
22 montànum DC. (*wh*) mountain Switzerland 1816. 7. 8. H ♃ Roem. arch. 1. f. 2.
23 involucràtum DC. (*wh*) involucred S. France 1824. —— H ♃
Selìnum peucedanoìdes R.S. *Oreoselìnum peucedanoìdes* H.U.
24 austrìacum DC. (*wh*) Austrian Austria 1804. —— H ♃ Jacq. aust. 1. t. 71.
Selìnum austrìacum Jacq. *Oreoselìnum austrìacum* H.U.
25 rablénse DC. (*wh*) linear-leaved N. Europe 1816. 7. 8. H ♃ Flor. dan. t. 1330.
26 latifòlium DC. (*wh*) broad-leaved Caucasus —— —— H ♃
Oreoselìnum latifòlium M.B.
27 Bellárdi Lag. (*wh*) Bellardi's Piedmont 1824. —— H ♃
Sect. 5. ANGELICOI'DES; *vittæ* 2 *in the commissure superficial; dorsal ribs* 5 *at equal distances, involucra wanting.*
28 verticillàre DC. (*ye*) whorled Piedmont 1683. 7. H ♃ Jacq. hort. vind. t. 130.
Angélica verticillàris

IMPERATO'RIA DC. MASTER-WORT. (imperial virtues in medicine.) Pentand. Digynia.
1 ostrùthium DC. (*wh*) common Britain .... 5. 7. H ♃ Eng. bot. t. 1380.
2 angustifòlia DC. (*wh*) narrow-leaved Piedmont 1819. 7. 8. H ♃
3 caucásica DC. (*wh*) Caucasean Caucasus 1824. —— H ♃
4 Mexicàna D.S. (*wh*) Mexican Mexico 1818. —— H ♃

DORE'MA D.S. DORE'MA. (δόρημα, a gift; virtues.) Pentandria Digynia.
1 ammoniacum D.S. ammoniac Persia 1831. .... H ♃

CALLI'SACE DC. Calli'sace. (καλλος, beauty, and σακος, a buckler; fruit.) Pentand. Digyn.

dahùrica DC.	(wh) Daurian	Dauria	1820.	7. 8.	H ♃		
Thysselinum davùricum S.S.							

BU'BON K.U. Bu'bon. (βουβων, the groin; to cure.) Pentandria Digynia.

1 Galbànum DC.	(ye) Lovage-leaved	C. B. S.	1696.	6. 8.	G ♄	Jacq. vind. 3. t. 36.	
Selinum Galbànum R.S.							
2 gummíferum DC.	(ye) gum-bearing	———	1731.	——	G ♄	Comm.hort.ams.2.t 52.	
3 lævigàtum DC.	(ye) smooth	———	1774.	3.10.	G ♄		

ANETHUM DC. Dill. (ανω, upwards, and θεω, to run; quick growth.) Pentandria Digynia.

1 gravèolens DC.	(ye) common	Spain	1570.	6. 7.	H ♂	Hoff.umb.gen.t.1.f.13.	
Pastinàca Anèthum S.S.							
2 ségetum DC.	(ye) Portugal	Portugal	1796.	——	H ☉	Jacq. vind. t. 132.	
3 Sowa DC.	(st) Indian	E. Indies	1810.	——	H ☉		

CAPNOPHY'LLUM DC. Capnophy'llum. (καπνος, fumitory, and φυλλον, a leaf.) Pent. Dig.

1 africànum DC.	(wh) Rue-leaved	C. B. S.	1759.	6. 9.	H ☉		
Cònium africànum L. *Rùmia capénsis* L. en.							
2 Jacquìni DC.	(wh) Jaquin's	———	——	——	H ☉	Jacq. hort. vind. t. 164.	
Cònium africànum Jacq. not of L.							

ARCHEMO'RA DC. Archemo'ra. (a mythological name.) Pentandria Digynia.

1 ambígua DC.	(wh) ambiguous	N. America	....	7. 8.	H ♃		
2 rígida DC.	(wh) rigid	Virginia	1774.	7. 8.	H ♃	Moris. his. s. 9. t. 7. f.1.	
Sium rigídius W. *Œnánthe rígida* N. *Pastinàca rígida* S.S.							

PASTINA'CA DC. Parsnep. (*pastinum*, a dibble; form of root.) Pentandria Digynia.

1 lùcida DC.	(ye) shining-leaved	S. Europe	1771.	6. 7.	H ♂	Jacq. vind. 2. t. 199.	
2 satìva DC.	(ye) cultivated	.....	....	7.	H ♂	Blackw. ic. t. 373.	
3 sylvéstris Mill.	(ye) wild	Britain	....	——	H ♂	Eng. bot. v. 8. t. 556.	
sativa β arvénsis P.S. *opàca* W. en.							
4 latifòlia DC.	(ye) broad-leaved	Corsica	1824.	——	H ♃		
5 divaricàta DC.	(ye) divaricate	———	——	——	H ♃		
6 taraxacifòlia F.	(ye) Dandelion-ld.	Russia	1822.	——	H ♃		
7 gravèolens DC.	(ye) strong-scented	Tauria	1819.	7. 8.	H ♃	Hoff. umb.t.1.B.f.6.c.	
Malabaìla gravèolens H.U.							
8 panacifòlia F.	(ye) Panax-leaved	———	1826.	——	H ♃		
9 pimpinellifòlia DC.	(ye) Burnet Saxifrage	Caucasus	1824.	——	H ♂	Mill. ic. t. 266.	
10 umbròsa DC.	(ye) shady	———	1821.	——	H ♃		
11 stenocárpa DC.	(ye) narrow-fruited	Siberia	1830.	——	H ♃		
12 Sékakul DC.	(ye) cut-leaved	Levant	1816.	6. 7.	H ♂	Venten. cels. t. 78.	
dissécta Vent.							

ASTYDA'MIA DC. Astyda'mia. (daughter of Oceanus; grows on sea-shore.) Pentand. Digyn.

canariénsis DC.	(ye) cut-leaved	Canaries	1780.	7.	G ♂	DC. dis. umb. t. 1. f.D.	
Bupleùrum canariénse S.S. *Crìthmum latifòlium* D. *Tenòria canariénsis* R.S.							

HERACLE'UM DC. Cow-parsnep. (*Heracles*, Hercules, sacred to him.) Pentandria Digynia.

1 Sphondy'lium DC.	(wh) common	Britain	....	5. 6.	H ♃	Eng. bot. v. 14. t. 939.	
2 flavéscens DC.	(wh) yellowish	Austria	1789.	6. 7.	H ♃	Jacq. aust. 2. t. 173.	
3 élegans Jacq.	(wh) rough-leaved	———	1800.	5. 6.	H ♃	——— 2. t. 175.	
4 angustifòlium DC.	(wh) narrow-leaved	———	....	——	H ♃	——— 2. t. 174.	
5 longifòlium DC.	(wh) long-leaved	———	....	——	H ♃	——— 2. t. 374.	
6 palmatílobum DC.	(wh) palmate-lobed	———	1830.	——	H ♃		
7 sibìricum L.	(st) Siberian	Siberia	1768.	——	H ♃	Gmel. sib. 1. t. 50.	
8 Pinaces DC.	(wh) Fig-leaved	———	1596.	7. 8.	H ♃	Lobel. ic. 701.	
9 pyrenàicum DC.	(wh) Pyrenean	Pyrenees	1804.	——	H ♃	Lap. fl. pyr. t. 79.	
amplifòlium Lap.							
10 speciòsum H.U.	(wh) handsome	———	1816.	——	H ♃		
11 ásperum DC.	(wh) rough	Caucasus	——	——	H ♃		
12 cordàtum DC.	(wh) heart-leaved	Sicily	1825.	——	H ♃		
13 villòsum DC.	(wh) villous	Siberia	1816.	——	H ♃		
14 grandiflòrum Stev.	(w) large-flowered	Caucasus	1818.	——	H ♃		
15 decípiens H.U.	(wh) deceiving	———	——	——	H ♃		
16 marginàtum F.	(wh) margined	Siberia	1816.	——	H ♃		
17 pubéscens DC.	(wh) pubescent	Caucasus	1824.	——	H ♃	Willd. h. ber. 1.t.53.54.	
gummíferum W. en.							
18 caucásicum DC.	(wh) Caucasean	———	——	——	H ♃		
19 alpìnum DC.	(wh) Alpine	Switzerland	1739.	6. 7.	H ♃	Barrel. ic. 55.	
20 austriacum DC.	(wh) Austrian	Austria	1816.	——	H ♃	Jacq. aust. t. 61.	
Tordy'lium stiifòlium W.							
21 ligusticifòlium DC.	(wh) Lovage-leaved	Tauria	1824.	——	H ♂		
22 subvillòsum F.	(wh) subvillous	Siberia	1820.	——	H ♃		
23 gigantèum F.	(wh) gigantic	———	——	——	H ♃		
24 básvicum F.	(wh) stately	———	——	——	H ♃		

25 laciniàtum F. (*wh*) jagged Siberia 1824. 6. 7. H ♃
26 taúricum F. (*wh*) Taurian ——— 1823. —— H ♃
27 verrucòsum Stev. (*wh*) warted Tauria 1820. —— H ♂
28 cáspicum DC. (*wh*) Caspian Caucasus 1828. —— H ♃
29 lanàtum DC. (*wh*) woolly N. America —— —— H ♃
30 mínimum DC. (*wh*) dwarf Dauphiny 1800. 5. 7. H ♃ Vill. delph. 2. t. 14.
pùmilum Vill. *Peucédanum Vocontiòrum* S.S.

ZOZI'MIA DC. ZOZI'MIA. (A. N. & Z. Zozima, distinguished editors of the Gr. Classics.) Pent. Digy.
absinthifòlia DC. (*ye*) Wormwood-ld. Persia 1816. 7. 8. H ♃ Flor. græc. t. 281.
orientàlis H.U. *Heraclèum absinthifòlium* Vent. choix. t. 22. *Tordy'lium absinthifòlium* P.S.

Tribe VIII. *TORDYLI'NEÆ.* DC.

HASSELQUI'STIA DC. HASSELQUI'STIA. (Fred. Hasselquist, M.D., a trav. in H. Land.) Pent. Dig.
1 ægyptìaca DC. (*wh*) Egyptian Egypt 1768. 7. H ⊙ Jacq. vind. 1. t. 87.
2 cordàta DC. (*wh*) heart-leaved ..... 1787. —— H ⊙ ——— 2. t. 193.

TORDY'LIUM DC. HARTWORT. (τορδυλιον, of Dioscorides.) Pentandria Digynia.
1 syrìacum DC. (*wh*) Syrian Syria 1597. 7. H ⊙ Jacq. vind. 1. t. 54.
2 cordàtum E. (*wh*) heart-leaved ——— 1826. —— H ⊙
3 máximum SS. (*wh*) great England .... 6. 7. H ⊙ Eng. bot. v. 17. t. 1172.

CONDYLOCA'RPUS. K.U. CONDYLOCA'RPUS. (κονδυλος, a finger joint, & καρπος, a fruit.) Pent. Mon.
1 officinàlis K.U. (*bh*) officinal England .... 7. H ⊙ Eng. bot. v. 34. t. 2440.
Tordy'lium officinàle DC.
2 ápulus K.U. (*wh*) small Italy 1739. —— H ⊙ Jacq. vind. 1. t. 53.
Tordy'lium ápulum DC.

Tribe IX. *SILERI'NEÆ.* DC.

KRUBE'RA DC. KRUBE'RA. (J. J. Kruber, M.D., promoter of bot.) Pentandria Digynia.
leptophy'lla DC. slender-leaved Barbary 1800. 6. 7. H ⊙ Desf. atl. 1. t. 66.
Cònium dichótomum Df. *Càchrys dichótoma* R.S. *Tordy'lium peregrìnum* L.

AGASY'LLIS CC. AGASY'LLIS. (Greek name of Ammoniac.) Pentandria Digynia.
caucásica DC. (*wh*) Caucasean Caucasus 1823. 5. 7. H ♃
Siler caucásicum S.S. *Càchrys latifòlia* M.B.

SI'LER D.C. S'ILER. (*siler*, withy, from *salio*, to spring; quick growth.) Pentandria Digynia.
trílobum D.C. (*wh*) Columbine-ld. Austria 1796. 5. 7. H ♃ Jacq. aust. 2. t. 147.
aquilegifòlium R.S. *Laserpítium aquilegifòlium* W.

PACHYPLEU'RUM DS. PACHYPLEU'RUM. (παχυς, thick, and πλευρον, rib; fruit.) Pent. Dig.
alpìnum DS. (*wh*) alpine Altaia 1837. 5. 7. H ♃ Led. ill. icon.

Tribe X. *CUMI'NEÆ.* DC.

CUMI'NUM DS. CUMIN. (*quamoun*, Arabic name.) Pentandria Digynia.
Cymìnum DC. (*wh*) officinal Egypt 1594. 6. 7. H ⊙ Cav. ic. 4. t. 360.

Tribe XI. *THAPSIE'Æ.* DC.

THA'PSIA DC. DEADLY CARROT. (first species discovered in the island of Thapsus.) Pent. Di
1 villòsa DC. (*ye*) villous S. Europe 1710. 6. 7. H ♃ Moris. s. 9. t. 18. f.

2 fœ'tida DC.	(*ye*) stinking	Spain	1596.	7.	8.	H	♃	Moris. s. t. 18. f. 7.
3 Asclèpium DC.	(*ye*) oriental	Levant	1774.	——		H	♃	Flor. græc. t. 286.
4 gargánica DC.	(*ye*) Garganian	Barbary	1683.	——		H	♃	Gouan. ill. 18. t. 10.
5 Silphium DC.	(*ye*) Silphium	Libya	1824.	——		H	♃	
6 altíssima DC.	(*ye*) tall	Apulia	....	——		H	♃	

CYMO'PTERUS DC. CYMO'PTERUS. (*κυμα*, a wave, and *πτερον*, a wing.) Pentandria Digynia.

glomeràta DC.	(*ye*) clustered	N. America	1824.	5.	6.	H	♃	

Selinum acaúle Ph.

LASERPI'TIUM DC. LASERWORT. (*laser*, its gum, and *pix*, pitch.) Pentandria Digynia.

§ 1. *Fruit glabrous, or the primary ribs are clothed with very short down.*

1 glàbrum DC.	(*wh*) broad-leaved	Europe	1640.	6.	7.	H	♃	Jacq. aust. t. 146.

latifòlium S.S.

2 marginàtum DC.	(*st*) purple-margin'd	Hungary	1818.	——		H	♃	W.et.K.hung.2.t.192.
3 Siler DC.	(*wh*) mountain	——	1640.	——		H	♃	—— 2. t. 145.
4 gummíferum DC.	(*wh*) gum-bearing	S. Europe	1824.	7.	8.	H	♃	Desf. alt. 1. t. 72.

Thápsia gummífera S.S.

5 aquilegifòlium DC.	(*wh*) Columbine-ld.	S. Europe	1640.	5.	7.	H	♃	W. et K. hung. 3. t. 253.

trílobum Jacq. *alpìnum* W et K.

6 angustifòlium W.	(*wh*) narrow-leaved	——	1738.	6.	7.	H	♃	Moris. s. 9. t. 19. f. 9.
7 peucedanoìdes W.	(*wh*) fine-leaved	Italy	....	——		H	♃	Jacq. ic. 2. t. 350.
8 hirsùtum DC.	(*wh*) hairy	Switzerland	1759.	——		H	♃	Hall. stirp. t. 19.
9 Stevènii F.M.	(*wh*) Steven's	Caucasus	1838.	——		H	♃	
10 scàbrum DC.	(*wh*) scabrous	Spain	1800.	——		H	♂	Cavan. icon. 2. t. 190.
11 Archangélica DC.	(*wh*) spotted-stalked	Hungary	1818.	——		H	♃	Jacq. ic. 1. t. 58.
12 pilòsum DC.	(*st*) sulphur-colored	Caucasus	1759.	——		H	♃	
13 gállicum DC.	(*wh*) French	S. Europe	1683.	——		H	♃	Pluk. phyt. t. 198. f. 6.
14 praténse Led.	(*wh*) field	Siberia	1827.	——		H	♃	
15 lariflòrum F.	(*wh*) loose-flowered	——	1828.	——		H	♃	

§ 2. *Primary ribs of fruit hispid from spreading bristles.*

16 pruthénicum DC.	(*wh*) Prussian	Germany	1759.	7.	8.	H	♃	Jacq. aust. 2. t. 153.
17 híspidum DC.	(*bh*) hispid	Caucasus	1818.	7.	8.	H	♃	
18 Athamántæ S.S.	(*wh*) branching	Siberia	——	——		H	♂	

LOPHOSCIA'DIUM DC. LOPHOSCIA'DIUM. (*λοφος*, a crest, and *σκιαδιον*, an umbel.) Pentand. Digy.

millefòlium DC.	(*ye*) milfoil-leaved	Levant	1823.	7.	8.	H	♃	DC. mem. umb. t. 2. f. P.

Férula meoìdes S.S.

MELANOSELI'NUM DC. BLACK-PARSLEY. (*μελας*, black, and *σελινον*, parsley.) Pentand. Digy.

decípiens DC.	(*wh*) shrubby	Madeira	1785.	6.	7.	G	♄	Wend. s. han. 3. t. 13.

Tribe XII. *DAUCI'NEÆ.* DC.

ARTE'DIA DC. ARTE'DIA. (Peter Artedi, a Swedish bot.) Pentandria Digynia.

squamàta DC.	(*wh*) Fennel-leaved	Levant	1740.	7.		H	⊙	Lam. ill. t. 193.

ORLA'YA DC. ORLA'YA. (John Orlay, M.D., of Moscow.) Pentandria Digynia.

1 grandiflòra DC.	(*wh*) great-flowered	S. Europe	1648.	7.	8.	H	⊙	Jacq. aust. 1. t. 54.

Caucalis grandiflòra S.S.

2 marítima DC.	(*bh*) sea-side	——	1825.	——		H	⊙	Cavan. icon. 2. t. 101.

Caucalis marítima S.S.

3 platycárpos DC.	(*wh*) broad-seeded	——	1800.	——		H	⊙	Jacq. vind. 3. t. 10.

DAU'CUS DC. CARROT. (*Δαυκος*, said to be from *δαω*, to make hot.) Pentandria Digynia.

Sect. 1. CARO'TA; *prickles of secondary ribs slender; rays of umbel nearly equal, or gradually shorter to the centre.*

1 Caròta W.	(*wh*) wild	Britain	....	6.	7.	H	♂	Eng. bot. v. 17. t. 1174.
β *lúteus*	(*wh*) *yellow-rooted, garden*	——	....	——		H	♂	
γ *aurántia*	(*wh*) *long-orange*	——	....	——		H	♂	
δ *pre'cox*	(*wh*) *early-horn*	——	....	——		H	♂	
2 mauritánicus DC.	(*wh*) fine-leaved	Spain	1768.	——		H	♂	All. ped. 2. t. 61. f. 1.
3 poly'gamus DC.	(*wh*) polygamous	——	....	——		H	♂	Jacq. vind. 3. t. 78.
4 pusillus DC.	(*wh*) small	N. America	1812.	——		H	♂	
5 marítimus DC.	(*ro*) sea-side	France	....	——		H	♂	
6 hispánicus DC.	(*bh*) Spanish	England	....	——		H	♂	Eng. bot. t. 2560.

maritimus E.B. *gummífer* Lam.

7 prólifer DC.	(*wh*) proliferous	Sicily	1828.	——		H	♂	
8 híspidus DC.	(*bh*) hispid	Barbary	1804.	——		H	♂	Desf. atl. 1. t. 63.
9 aúreus DC.	(*ye*) golden	Calabria	1823.	7.		H	⊙	—— 1. t. 61.

10 sículus DC. (*bh*) Sicilian Barbary 1804. 6. 7. H ♂
11 Gingídium DC. (*ro*) shining-leaved France 1722. —— H ♂ Moris. s. 9. t. 13. f. 1.
lùcidus W.
12 parviflòrus DC. (*wh*) small-flowered Barbary 1823. —— H ♂ Desf. atl. 1. t. 68.
13 crinìtus DC. (*wh*) whorl-leaved ———— 1804. —— H ♃ ———— 1. t. 62.
Torìlis crinìta S.S.

Sect. 2. PLATYSPE'RMUM; *prickles of secondary ribs cohering at the base; involucra wanting or small.*

14 muricàtus DC. (*bh*) prickly-seeded Barbary 1683. 6. 7. H ⊙ Moris. s. 9. t. 14. f. 4.
15 littoràlis DC. (*wh*) sea-shore Greece 1823. —— H ⊙ Flor. græc. t. 271.
16 pulchérrimus DC. (*wh*) beautiful Caucasus 1816. —— H ♂
Caúcalis pulchérrima M.B.
17 Boccòni Guss. (*wh*) Bocconi's Calabria 1836. —— H ♂
18 pubéscens DC. (*wh*) pubescent Egypt 1820. —— H ⊙
19 orientàlis DC. (*wh*) oriental Caucasus 1699. —— H ♂ Buxb. cent. 3. t. 28.
Caúcalis orientàlis R.S.
20 Bessarábicus DC. (*wh*) Bessarabian Odessa 1824. —— H ♂
Caúcalis littoràlis M.B. *Càchrys littoràlis* S.S.

Sect. 3. ANISA'CTIS; *carpophore almost undivided; rays of umbel very unequal.*

21 montevidénsis Ot. (*wh*) Monte Video Monte Video 1826. 6. 7. H ⊙

Suborder II. *CAMPYLOSPE'RMEÆ.* DC.

Tribe XIII. *ELÆOSELI'NEÆ.* DC.

ELÆOSELI'NUM DC. MARSH-PARSLEY. (ἐλαία, an olive, and σέλινον, paraley.) Pentand. Digy.
meoìdes DC. (*ye*) Meum-like S. Europe 1830. 6. 8. H ♃ Desf. alt. 1. t. 69.

Tribe XIV. *CAUCALI'NEÆ.* DC.

SZOVI'TSIA F.M. SZOVI'TSIA. (M. Szovits, a trav. in Persia.) Pentandria Digynia.
callicárpa F.M. (*wh*) beautiful-fruited Persia 1837. 7. 8. H ⊙
CAU'CALIS DC. BUR-PARSLEY. (a name used by Hippocrates.) Pentandria Digynia.
1 daucoìdes DC. (*ro*) small England .... 7. 8. H ⊙ Eng. bot. v. 3. t. 197.
2 mauritánica DC. (*wh*) Barbary Barbary 1823. —— H ⊙
3 leptophy'lla DC. (*bh*) fine-leaved Europe 1739. —— H ⊙ Jacq. vind. t. 195.
4 pùmila W. (*bh*) dwarf ———— 1640. —— H ⊙ Ger. gallop. n. 4. t. 18.
5 híspida S.S. (*st*) hispid S. Europe 1825. —— H ⊙
6 hùmilis Lag. (*wh*) low ———— —— —— H ⊙
TURGE'NIA DC. TURGE'NIA. (*turgeo*, to swell; fruit.) Pentandria Digynia.
latifòlia DC. (*bh*) broad-leaved England .... 7. 8. H ⊙ Eng. bot. v. 3. t. 198.
Caúcalis latifòlia E.B.
TORI'LIS DC. TORI'LIS. (a name employed by Adanson.) Pentandria Digynia.

Sect. 1. EUTO'RILIS; *fruit covered with stiff usually hooked prickles.*

1 Anthríscus DC. (*bh*) upright Britain .... 7. 8. H ⊙ Eng. bot. v. 14. t. 982.
2 infésta DC. (*wh*) spreading ———— .... —— H ⊙ ———— v. 19. t. 1314.
helvética S.S. *arvénsis* L. en. *Caúcalis infésta* E.B.
3 neglécta DC. (*wh*) confused Austria .... —— H ⊙ Jacq. aust. t. 29.
4 microcárpa DC. (*wh*) small-fruited Ukraine 1828. —— H ⊙
ucránica S.S.
5 nodòsa DC. (*wh*) knotted Britain .... 5. 7. H ⊙ Eng. bot. v. 3. t. 199.

Sect. 2. TRICHOCARPÆ'A; *fruit covered with long, soft, setaceous, spreading, coloured hairs.*

6 trichospérma DC. (*fl*) hairy-seeded Egypt 1818. 5. 7. H ⊙

Tribe XV. *SCANDICI'NEÆ.* DC.

SCA'NDIX DC. CICELY. (Greek name of an eatable plant.) Pentandria Digynia.

Sect. 1. PE'CTEN; *beak of fruit compressed on the back; petals nearly equal; carpophore undivided, setaceous.*

1 Pécten DC.	(*wh*)	Venus's comb	Britain	....	6. 7.	H	⊙	Eng. bot. v. 20. t. 1397.
2 brachycárpa DC.	(*wh*)	short-seeded	Sicily	1829.	——	H	⊙	
3 pinnatífida DC.	(*wh*)	cut-leaved	Persia	1805.	5. 7.	H	⊙	Venten. cels. t. 14.

Sect. 2. WY'LIA; *beak of fruit compressed on the sides; carpophore bifid; petals radiant.*

4 parviflòra R.S.	(*wh*)	small-flowered	Tauria	1827.	5. 7.	H	⊙	
5 austràlis DC.	(*wh*)	southern	S. Europe	1713.	5. 7.	H	⊙	Flor. græc. t. 285.
Wy'lia austràlis H.U.								
6 falcàta DC.	(*wh*)	radiated	Tauria	——	——	H	⊙	Hoff. umb. t. 2. f. 2.
Wy'lia ràdians H.U.								
7 grandiflòra DC.	(*wh*)	large-flowered	———	1827.	6. 7.	H	⊙	Hoff. umb. p. 15. t. 2. f. 3.
8 ibérica DC.	(*wh*)	Iberian	Iberia	1828.	——	H	⊙	——— t. 2. f. 4.

ANTHRI'SCUS DC. ROUGH CHERVIL. (a name given by Pliny.) Pentandria Digynia.

1 vulgàris DC.	(*wh*)	common	Britain	....	5. 6.	H	⊙	Eng. bot. v. 12. t. 818.
Scándix anthríscus E.B.								
2 trichospérma R.S.	(*wh*)	hairy-seeded	Persia	1827.	——	H	⊙	
3 nemoròsa DC.	(*wh*)	wood	Caucasus	1823.	7. 8.	H	♃	Hoff. umb. 2. t. 1. B. f. 19.
4 torquàta DC.	(*wh*)	twisted	France	1726.	6. 7.	H	♂	Jacq. aust. 1. t. 63.
Cherophy'llum bulbòsum All.								
5 cicutària DC.	(*wh.re*)	Cicuta-like	Switzerland	1810.	5. 7.	H	♃	
Cherophy'llum cicutàrium Vill.								
6 fumarioìdes DC.	(*wh*)	Fumitory-like	Hungary	1818.	7. 8.	H	♂	W. et K. hung. 3. t. 224.
7 sylvéstris DC.	(*wh*)	smooth	Britain	....	4. 5.	H	♃	Eng. bot. v. 11. t. 752.
Cherophy'llum sylvéstre E.B.								
8 Cerefòlium DC.	(*wh*)	true Chervil	———	....	6. 7.	H	⊙	Eng. bot. v. 18. t. 1268.
Scándix cerefòlium E.B. *Cherophy'llum sativum* S.S.								

CHÆROPHY'LLUM DC. CHERVIL. (χαιρω, to rejoice, and φυλλον, a leaf; smell.) Pentand. Digy.

Sect. 1. EUCHÆROPHY'LLUM; *fruit glabrous, ribbed; styles more or less diverging.*

1 aromáticum DC.	(*wh*)	aromatic	Scotland	....	6. 8.	H	♃	Eng. bot. t. 2636.
My'rrhis aromática S.S.								
2 angelicæfòlium DC.	(*wh*)	Angelica-leav'd	Iberia	1828.	——	H	♃	
3 hirsùtum DC.	(*wh*)	hairy-leaved	Switzerland	1759.	6. 7.	H	♃	Jacq. aust. 2. t. 148.
4 cicutàrium L.en.	(*bh*)	Cicuta-like	S. Europe	1816.	——	H	♃	
5 aúreum DC.	(*st*)	golden	Scotland	....	6.	H	♃	Eng. bot. v. 30. t. 2103.
6 maculàtum DC.	(*wh*)	spotted-stemmed	S. Europe	1810.	5. 6.	H	♃	
7 millefòlium DC.	(*wh*)	thousand-leaved	Caucasus	1818.	——	H	♃	Hoff. umb. 2. t. 1. f. 33.
tenuifòlium Stev. but not of Poir.								
8 tenuéntum DC.	(*wh*)	rough	Britain	....	7. 8.	H	♂	Eng. bot. v. 22. t. 1521.
9 monogònum DC.	(*wh*)	one-angled	Hungary	1820.	4. 6.	H	♃	
10 angulàtum Kit.	(*wh*)	angular	———	——	——	H	♃	
11 hùmile DC.	(*wh*)	dwarf	.....	1825.	——	H	♃	
Anthríscus hùmilis Besser. *My'rrhis hùmilis* R.S.								
12 hy'bridum DC.	(*wh*)	hybrid	Naples	1823.	——	H	♃	
13 bulbòsum DC.	(*wh*)	bulbous-rooted	Europe	1726.	——	H	♂	Jacq. aust. t. 63.
14 nitidum Wahl.	(*wh*)	glossy-seeded	Carpathian-m.	1820.	——	H	♃	
15 Biebersteínii Lag.	(*wh*)	Bieberstein's	Caucasus	1824.	5. 6.	H	♃	
16 rùseum DC.	(*ro*)	rose-coloured	Iberia	1824.	6. 7.	H	♂	Hoff. umb. t. 1. B. f. 33.
17 coloràtum DC.	(*st*)	color'd-bract'd	Illyria	1806.	7. 8.	H	♂	
18 tenuifòlium DC.	(*wh*)	slender-leaved	Morocco	——	——	F	♂	Jacq. vind. t. 51.
19 Villársii Koch.	(*wh*)	Villars's	Dauphiny	1836.	——	H	♂	

Sect 2. PHYSOCAU'LIS; *fruit subcylindrical, covered with stiff flattened bristles; styles short, straight.*

20 nodòsum DC.	(*wh*)	knotted	Sicily	1656.	5. 6.	H	⊙	Jacq. vind. 3. t. 25.
Scándix nodòsa Jacq. *Anthríscus nodòsa* S.S.								

Sect. 3. BRACHY'STYLIS; *fruit glabrous, ribbed; styles very short, straight; umbels of few rays.*

21 procúmbens Ph.	(*wh*)	procumbent	N. America	1699.	7. 8.	H	⊙	Moris. his. s. 9. t. 11. f. ult.

SPHALLEROCA'RPUS DC. SPHALLEROCA'RPUS. (σφαλλω, to deceive, & καρπος, fruit.) Pent. Digy.

Cyminum	(*wh*)	slender	Siberia	1827.	6. 8.	H	♂	DC. dis. umb. t. 2. f. N.
My'rrhis gràcilis S.S. *Cherophy'llum Cymìnum* F. *gracile* Bess.								

MOLOPOSPE'RMUM DC. MOLOPOSPE'RMUM. (μωλοψ, a stripe, and σπερμα, seed.) Pent. Digy.

cicutàrium DC. (*pa*) Hemlock-leaved Switzerland 1596. 6. 7. H ♃ Jac. aust. app. t. 13.
Peloponesiànum K.U. *Ligústicum peloponesìacum* L.

MY'RRHIS DC. MYRRH. (*μυῤῥα*, myrrh; smell.) Pentandria Digynia.
odoràta DC. (*wh*) sweet-scented Britain .... 5. 6. H ♃ Eng. bot. v. 10. t. 697.

OSMORHI'ZA DC. OSMORHI'ZA. (*οσμη*, smell, and *ῥιζα*, a root; sweet-scented.) Pentan. Dig.
1 brevi'stylis DC. (*wh*) short-styled N. America 1806. 7. 8. H ♃ Spreng. umb. t. 3. f. 1.
My'rrhis Claytòni S.S. *Uraspérmum hirsùtum*. Bigelow. *Claytòni* N.
2 longístylis DC. (*wh*) long-styled ——— 1806. —— H ♃
3 Bertèrii DC. (*wh*) Bertero's Chile 1838. —— H ♃
chilénsis Hook.

Tribe XVI. *SMY'RNEÆ*. DC.

LAGŒ'CIA DC. WILD CUMIN. (*λαγως*, a hare, and *οικος*, a house.) Pentandria Monogynia.
cuminoìdes DC. (*gr.ye*) common Levant 1640. 6. 7. H ⊙ Flor. græc. 243.

OLIVE'RIA DC. OLIVE'RIA. (M. J. A. Olivier, a traveller in Levant.) Pentandria Digynia.
orientàlis DC. (*bh*) Thyme-scented Bagdad 1816. 5. 7. H ⊙ Venten. cels. t. 21.
decúmbens V.

ECHINO'PHORA DC. SEA PARSNEP. (*εχινος*, a hedge-hog, and *φορεω*, to bear.) Pentand. Digy.
1 spinòsa DC. (*bh*) prickly England .... 7. H ♃ Eng. bot. v. 34. t. 2413.
2 tenuifòlia DC. (*bh*) fine-leaved Apulia 1731. 7. 8. H ♃ Flor. græc. t. 266.
3 trichophy'lla DC. (*bh*) slender-leaved Armenia 1820. —— H ♃

ARCTO'PUS DC. ARCTO'PUS. (*αρκτος*, a bear, and *πους*, a foot; spines like claws.) Polyg. Diœ.
echinàtus DC. (*wh*) rough C. B. S. 1774. 6. 9. G ♃ Bot. reg. t. 706.

CA'CHRYS DC. CA'CHRYS. (*καιω*, to burn; carminative.) Pentandria Digynia.
1 lævigàta DC. (*ye*) smooth S. Europe 1710. 7. 8. H ♃ Moris. umb. t. 3. f. sup.
2 odontálgica DC. (*ye*) Pallas's Siberia 1824. —— H ♃ Pall. reis. ap. 3. t. 9.
3 alpina DC. (*ye*) Alpine Tauria 1826. —— H ♃

PERLE'BIA DC. PERLE'BIA. (etymology unknown.) Pentandria Digynia.
tríquetra DC. (*wh*) winged Levant. 1816. 6. 7. H ♃ Vent. cels. t. 79.
Laserpítium tríquetrum V. *Càchrys tríquetra* S.S.

ÆGOMA'RATHRUM KU. GOAT FENNEL. (*αιξ*, a goat, and *μαραθρον*, fennel.) Pentandria Digy.
1 pterochlæ'na DC. (*ye*) hairy-seeded Sicily 1640. 7. 8. H ♃ Flor. græc. t. 238.
Càchrys sícula L. *Hippomárathum sículum* L. en.
2 crispa DC. (*ye*) curled Caucasus 1810. —— H ♃
Hippomárathum crispum K.U.

PRA'NGOS DC. PRA'NGOS. (native name of P. *pabularia*.) Pentandria Digynia.
1 ferulàcea DC. (*ye*) ferrula-like Sicily 1752. 6. 7. H ♃
Laserpítium ferulàceum L. *Càchrys libanòtis* Guss.
2 ulóptera DC. (*ye*) curled-winged Persia 1836. —— H ♃
3 fœniculàcea DS. (*ye*) fennel-like Caucasus 1837. —— H ♃
4 pabulària DC. (*ye*) fodder Thibet 1839. .... H ♃ Wall. pl. rar. asia. 3. t. 212.

MAGYDA'RIS DC. MAGYDA'RIS. (Latin name of *Laserwort*.) Pentandria Digynia.
panácina DC. (*wh*) Parsnep-leaved Sicily 1752. 7. 8. H ♃ Bocc. sic. 1. t. 1.
Càchrys panacif'ólia R.S. *Athamánta panacif'ólia* R.S.

HE'RMAS DC. HE'RMAS. (meaning unknown.) Polygamia Monœcia.
1 gigantèa DC. (*pu*) gigantic C. B. S. 1794. 6. 7. G ♃ Thunb. act. pet. 14. t. 11.
2 villòsa DC. (*bh*) villous ——— 1795. —— G ♃ Burm. afr. t. 71. f. 2.
depauperàta L.
3 ciliàta DC. (*wh*) ciliated ——— 1816. —— G ♃ Burm. t. 72. f. 1.
4 capitàta DC. (*wh*) headed ——— —— 6. 8. G ♃ Thun. n. act. pet. 14. t. 12.
5 quinquedentàta DC. (*wh*) toothed ——— 1821. —— G ♃ ——— 14. p. 533. t. 12.

CO'NIUM DC. HEMLOCK. (*κονια*, dust; pulverised for medicine.) Pentandria Digynia.
1 maculàtum DC. (*wh*) common Britain .... 6. 7. H ♂ Eng. bot. v. 17. t. 1192.
2 croàticum DC. (*wh*) Hungarian Hungary .... —— H ♂

ARRACA'CIA DC. ARRACA'CIA. (S. American name of plants.) Pentandria Digynia.
1 esculénta DC. (*wh*) esculent. S. America 1822. 4. 5. F ♃ Hook. ex. flor. t. 152.
Conium Arracácha H.B.F.
2 moschàta DS. (*wh*) musky ——— 1824. —— F ♃ H.B. et K. no. ge. 5. t. 458.

PLEUROSPE'RMUM DC. PLEUROSPE'RMUM. (*πλευρον*, a rib, and *σπερμα*, a seed.) Pent. Digy.
1 austrìacum DC. (*wh*) Austrian. Austria 1596. 6. 8. H ♃ Jacq. aust. 2. t. 151.
Ligústicum austrìacum W.
2 uralénsis DC. (*wh*) Ural Siberia 1836. —— H ♃ Gmel. sib. 1. t. 45.

SMY'RNIUM DC. ALEXANDER'S. (σμυρνα, myrrh; smell.) Pentandria Digynia.
1 olusàtrum DC. (st) common Britain .... 5. 6. H ♂ Eng. bot. v. 4. t. 230.
2 perfoliàtum DC. (st) perfoliate Europe 1596. 5. H ♃ Flor. græc. 289.
Dioscóridis SS.
3 rotundifòlium DC. (ye) round-leaved Sicily 1700. —— H ♂ Lob. ic. t. 709.
Dodonæ'i SS.
4 apiifòlium DC. (ye) smallage-leaved Candia 1731. 5. 7. H ♃
5 cicutàrium SS. (ye) Cicuta-like Caucasus 1829. —— H ♃
PHYSOSPE'RMUM DC. PHYSOSPE'RMUM. (φυσα, a bladder, and σπερμα, a seed.) Pent. Digy.
1 commutàtum DC. (wh) Cornish England .... 7. 8. H ♃ Eng. bot. v. 10. t. 683.
Ligústicum cornubiénse E.B.
2 aquilegifòlium DC. (wh) columbine-ld. Caucasus 1820. 5. 7. H ♃ Spreng. umb. t. 4. f. 7.
Ligústicum aquilegifòlium W. *Smy'rnium nudicaúle* M.B.

Suborder III. *CŒLOSPE'RMEÆ.* DC. prodr. 4. p. 249.

Tribe XVII. *CORIÁNDREÆ.* DC. prod. 4. p. 249.

BI'FORIS DC. BI'FORIS. (*bis*, twice. and *foris*, a door; two holes in commissure.) Pent. Digy.
1 testiculàta DC. (wh) flosculose S. Europe 1640. 6. 7. H ⊙ Moris. sect. 9. t. 11.
Cárion testiculàtum L.en. *Coriándrum testiculàtum* L. *Bifòra flosculòsa* M.B.
2 ràdians DC. (wh) rayed Tauria .... —— H ⊙ Hoff. umb. ed. 2. t. tit. f. 2.
ATRE'MA DC. ATRE'MA. (a, priv., and τρημα, a hole; destitute of.) Pentandria Digynia.
americànum DC. (wh) American N. America 1827. 6. 7. H ⊙ DC. mem. umb. t. 18.
Coriándrum americànum N.
CORIA'NDRUM DC. CORIANDER. (κορις, a bug, and ανηρ, a male; smell.) Pentandria Digynia.
sativum DC. (bh) common England .... 6. H ⊙ Eng. bot. v. 1. t. 67.

ORDER CXXIII.

ARALIA'CEÆ. *Juss. gen. p.* 217.

ADO'XA DC. MOSCHATEL. (a, priv., and δοξα, glory.) Oct-Decandria Tetragynia.
Moschatéllina DC. (st) tuberous Britain .... 3. 5. H ♃ Eng. bot. v. 7. t. 453.
PA'NAX DC. PA'NAX. (παν, all, and ακος, a remedy; in medicine.) Polygamia Dioecia.
§ 1. *Herbaceous plants, with tuberous roots and compound leaves.*
1 quinquefòlium DC. (gr) Ginseng N. America 1740. 6. H ♃ Bot. mag. t. 1333.
2 trifòlium DC. (wh) lesser ——— 1759. 5. 6. H ♃ ——— t. 1334.
pusílla A. B.M.
§ 2. *Prickly shrubs; leaves ternate or palmately-lobed.*
3 aculeàtum DC. (wh) prickly China 1774. 11. S ♄ Jacq. ic. 3. t. 634.
4 hórridum DC. (wh) horrid N. America 1829. .... H ♄
§ 3. *Unarmed shrubs leaves; simple, undivided.*
5 cochleàtum DC. (wh) shell-leaved E. Indies 1820. 4. 6. S ♄ Rump. amb. 4. t. 31.
6 conchifòlium H.B. (gr) shell-leaved Guiana —— .... S ♄
§ 4. *Unarmed shrubs; leaves digitate.*
7 attenuàtum DC. (gr) attenuated W. Indies 1825. .... S ♄
8 Morototòni DC. (wh) Morototoni Trinidad 1822. .... S ♄ Aubl. gui. 2. t. 360.
chrysophyllum Vahl. *undulàtum* P.S.
9 arbòreum DC. (gr) tree N. Zealand 1822. .... G ♄
10 digitàtum (gr) fingered E. Indies 1818. .... S ♄

§ 4. *Unarmed shrubs; leaves pinnately compound.*

11	fruticòsum DC.	(*gr*) shrubby	Ternate	1800. 8. 9.	S	♄		Andr. rep. t. 595.

CUSSO'NIA DC. Cusso'nia. (Peter Cusson, prof. bot., Montpelier.) Pentandria Digynia.

1	thyrsifòra DC.	(*gr*) thyrse-flowered	C. B. S.	1795. 8.10.	G	♄		Th. nov. act. ups. 3. t. 12.
2	tríptera DC.	(*gr*) tripterous	———	1816.	G	♄		Colla hort. rip. t. 26.
3	spicàta DC.	(*gr*) spike-flowered	———	1789. 8.10.	G	♄		Th. nov. act. ups. 3. t. 13.

GILIBE'RTIA DC. Gilibe'rtia. (J. E. Gilibert, a French bot.) Pent-Decandria Monogynia.

palmàta DC.	(*wh*) palmate-leaved	E. Indies	1818. 3. 4.	S	♄		Bot. reg. t. 894.

Gastònia palmàta B.R.

SCIODAPHY'LLUM DC. Sciodaphy'llum. (σκια, a shadow, and φυλλον, a leaf.) Pent. Pentagy.

1	pentándrum DC.	(*bh*) pentandrous	Peru	1828.	G	♄		Flor. peruv. t. 311.
2	acuminàtum DC.	(*ye*) acuminate-petal'd	———	1818.	S	♄	◡	——— t. 310.

Actinophy'llum acuminàtum R.P.

3	cónicum DC	(*bh*) conical-flowered	———	——	S	♄	◡	Flor. peruv. p. 75. t. 309.
4	pedicellàtum DC.	(*bh*) pedicelled	———	——	S	♄	◡	——— t. 308.

Actinophy'llum pedicillàtum R.P.

5	angulàtum DC.	(*ye*) tree	———	1824.	G	♄		
6	Bròwnii DC.	(*gr*) upright	W. Indies	1793. 6. 8.	S	♄		Brown jam. t. 19. f. 1. 2.

Aràlia Sciodaphy'llum W.

7	anómalum GD.	(*gr*) anomalous	Trinidad	1817.	S	♄		

ARA'LIA DC. Ara'lia. (a name of unknown meaning.) Pentandria Pentagynia.

§ 1. *Prickly species.*

1	pentaphy'lla DC.	(*gr*) five-ld. prickly	China	1822.	G	♄		
2	erinàcea DC.	(*wh*) hedgehog	N. America	1827.	H	♄		
3	spinòsa DC.	(*wh*) Angelica-tree	Virginia	1688. 9.	H	♄		Comm. hort. 1. t. 47.

§ 2. *Unarmed species.*

4	nudicaúlis DC.	(*wh*) naked-stalked	N. America	1731. 6. 7.	H	♃		Pluk. alm. t. 238. f. 5.
5	racemòsa DC.	(*gr*) berry-bearing	———	1658. 6. 9.	H	♃		Schkuhr. hand. 1. t. 86.
6	pubéscens DC	(*wh*) pubescent	New Spain	1819.	G	♄		DC. mons. ined. t. 45.
7	híspida DC.	(*wh*) hispid	N. America	1799. 6. 7.	H	♄		Bot. mag. t. 1085.
8	mìcans DC.	(*gr*) glittering	Trinidad	1826.	S	♄		

HE'DERA DC. Ivy. (*hedera*, a cord in Celtic.) Pentandria Mono-Pentagynia.

§ 1. *Leaves compound.*

1	umbraculífera	(*wh*) large	E. Indies	1818. 3. 4.	S	♄		

Aràlia umbraculífera H.B.

2	digitàta H.B.	(*wh*) fingered	———	—— ——	S	♄		
3	sambucifòlia Cun.	(*gr*) elder-leaved	N. Holland	1823. 8.	G	♄		
4	macrophy'lla Cun.	(*π*) large-leaved	Norfolk I.	1831.	G	♄		
5	aculeàta D.P.	(*wh*) prickly Nepaul	Nepaul	1816.	F	♄		
6	fràgrans D.P.	(*wh*) fragrant	———	——	F	♄		
7	xalapénsis DC.	(*wh*) Xalapa	Mexico	1827.	S	♄		
8	ferrugínea DC.	(*wh*) rusty	Trinidad	1826.	S	♄		

§ 2. *Leaves simple.*

9	arbòrea DC.	(*wh*) tree	Jamaica	1820.	S	♄		Jacq. schœnb. t. 51.
10	péndula DC.	(*gr*) pendulous	———	1824.	S	♄		Swartz. icon. t. 9.
11	capitàta DC.	(*gr*) cluster-flower'd	W. Indies	1777. 8.	S	♄		Smith. ic. pict. 4.
12	canariénsis R.S.	(*gr*) Irish	Canaries	1807. 9.10.	H	♄	◡	Willd. ber. m. 2. t. 5. f. 1.
13	Hèlix DC.	(*gr*) common	Britain	....	—— H	♄	◡	Eng. bot. v. 18. t. 1267.
β poética R.S.		(*gr*) *Poet's*	———	....	—— H	♄	◡	
chrysocárpa DC.								
γ álbo-variegàta		(*gr*) *white-variegated*	———	....	—— H	♄	◡	
δ flàvo-variegàta		(*gr*) *yellow-variegated*	———	....	—— H	♄	◡	

ORDER CXXIV.

CAPRIFOLIA'CEÆ. *Juss. gen. p.* 210.

Tribe I. *CO'RNEÆ.* DC. prod. 4. p. 320.

CO'RNUS DC. Dogwood. (*Cornu*, a horn; hard wood.) Tetrandria Monogynia.

§ 1. Nudiflo'ræ; *flowers corymbose or panicled, not involucrated.*

1	alternifòlia DC.	(*wh*) alternate-leaved	N. America	1760. 9.	H	♄		Schm. arb. 2. t. 70.
2	paniculàta DC.	(*wh*) panicled	———	1758. 6. 7.	H	♄		——— 2. t. 68.

3 stricta DC.	(wh) upright	N. America	1758.	6. 7.	H	♄	Schm. arb. 2. t. 67.
β variegàta DC	(wh) variegated-leav'd	———	——	——	H	♄	
4 oblónga DC.	(bh) oblong-leav'd	Nepaul	1818.	7. 8.	H	♄	
5 macrophy'lla F.I.	(wh) large-leaved	———	1827.	——	H	♄	
6 circinàta DC.	(wh) Pensylvanian	N. America	1784.	——	H	♄	Schm. arb. 2. t. 69.
7 álba DC.	(wh) white-berried	Siberia	1741.	6. 9.	H	♄	——— 2. t. 65.
8 sibírica DC.	(wh) Siberian	———	....	——	H	♄	
9 seríceа DC.	(wh) blue-berried	N. America	1683.	8.	H	♄	Schm. arb. 2. t. 64.
10 sanguínea DC.	(wh) common	Britain	....	6. 7.	H	♄	Eng. bot. v. 4. t. 249.
β variegàta	(wh) variegated	———	....	——	H	♄	

§ 2. INVOLUCRA'TÆ; *flowers disposed in heads or umbels, surrounded by coloured involucra, which are usually composed of four leaves.*

11 mascula DC.	(ye) Cornelian Cherry	Europe	1596.	2. 4.	H	♄	Flor. græc. t. 151.
β variegàta	(ye) variegated	———	——	——	H	♄	
12 flórida DC.	(ye) great-flowered	N. America	1731.	4. 5.	H	♄	Bot. mag. t. 526.
13 canadénsis DC.	(wh) Canadian	Canada	1774.	6. 8.	H	♃	Bot. mag. t. 880.
14 suécica DC.	(wh) dwarf	Britain	....	4.	H	♃	Eng. bot. v. 5. t. 310.

BENTHA'MIA B.R. BENTHA'MIA. (George Bentham, Sec. Hort. Society.) Tetrandria Monogynia.

fragífera B.R.	(wh) Strawberry-bearing	Nepaul	1820.	4. 5.	H	♄	Bot. reg. t. 1579.

Córnus capitàta DS.

Tribe II. *SAMBU'CEÆ.* DC. *prodr.* 4. *p.* 321.

SAMBU'CUS DC. ELDER. (σαμβυκη, a musical instrument; made of the wood.) Pentand. Trig.

§ 1. *Leaves pinnate; flowers cymose or corymbose.*

1 E'bulus R.S.	(fl) herbaceous	Britain	....	6. 7.	H	♃	Eng. bot. v. 7. t. 475.
2 hùmilis Mill.	(fl) dwarf	.....	....	——	H	♃	
3 chinénsis DS.	(fl) Chinese	China	1825.	——	H	♃	
4 nigra DC.	(wh) common	Britain	....	5. 7.	H	♄	Eng. bot. v. 7. t. 476.
β variegàta	(wh) variegated	———	....	——	H	♄	
γ aúrea	(wh) golden-leaved	———	....	——	H	♄	
δ pulveruléntа	(wh) powdered-leaved	———	....	——	H	♄	
ε monstròsa	(wh) deformed	———	....	——	H	♄	
ζ viréscens	(wh) green-fruited	———	....	——	H	♄	
η álbida	(wh) white-fruited	———	....	——	H	♄	
5 laciniàta Mill.	(wh) Parsley-leaved	.....	....	——	H	♄	Schm. arb. t. 144.
6 hy'brida Jac.	(wh) hybrid	.....	1826.	——	H	♄	
7 rotundifòlia L.C.	(wh) round-leaved	Wiltshire	....	——	H	♄	
8 canadénsis DC.	(wh) Canadian	N. America	1761.	6. 8.	H	♄	Schm. arb. t. 142.

§ 2. *Leaves pinnate; flowers panicled.*

9 racemòsa DC.	(st) red-berried	S. Europe	1596.	5. 6.	H	♄	Jacq. ic. 1. t. 59.
β purpùrea	(br) purple-flowered	———	——	——	H	♄	
10 pùbens DC.	(st) pubescent	N. America	1812.	——	H	♄	

VIBU'RNUM DC. VIBU'RNUM. (*vieo*, to tie; pliant branches.) Pentandria Trigynia.

Sect. 1. O'PULUS; *outer flowers of corymbs radiant and sterile, larger than the rest, which are fertile; seeds obcordate.*

1 mòlle DC.	(wh) soft	N. America	1812.	6. 7.	H	♄	
3 edùle DC.	(wh) eatable-fruited	———	1812.	7.	H	♄	
4 Oxycócous DC.	(wh) Cranberry-like	———	....	——	H	♄	
5 O'pulus DC.	(wh) Guelder Rose	Britain	....	5. 6.	H	♄	Eng. bot. v. 5. t. 332.
β ròseum R.S.	(wh) *Snowball-tree*	.....	....	——	H	♄	Schm. arb. t. 174.
γ variegàtum	(wh) variegated-leav'd	.....	....	——	H	♄	

Sect. 2. SOLENOTI'NUS; *corymbs not radiant; corollas obconical or cylindrical; seeds ovate-oblong.*

6 cylíndricum DC.	(wh) cylindrical-fld.	Nepaul	1826.	6. 8.	H	♄	
7 davúricum R.S.	(wh) Siberian	Dahuria	1785.	6. 7.	H	♄	Pall. ross. 1. t. 38.

Sect. 3. LENTA'GO; *corymbs not radiant; flowers all fertile, and equal in shape and size; corollas rotate or subcampanulate; seeds oval.*

8 lantanoìdes DC.	(wh) Lantana-like	N. America	....	5. 6.	H	♄	Lodd. bot. cab. t. 1570.
9 Lantàna DC.	(wh) wayfaring-tree	Britain	....	——	H	♄	Eng. bot. v. 5. t. 331.
10 nervosum DC.	(wh) nerved-leaved	Nepaul	1826.	——	H	♄	
11 cotinifòlium D.P.	(wh) cotinus-leaved	———	....	——	H	♄	Bot. reg. t. 1650.
polycárpum DC.							
12 acerifòlium DC.	(wh) Maple-leaved	N. America	1736.	6. 7.	H	♄	Wats. dend. brit. t. 11.

13	Lentàgo DC.	(wh)	tree	N. America	1761.	7.	H	♄	Wats. dend. brit. t. 22.
14	squamàtum R.S.	(wh)	scaly	———	1812.	6. 7.	H	♄	——— t. 24.
15	pyrifòlium DC.	(wh)	pear-leaved	———	....	5. 6.	H	♄	——— t. 22.
16	prunifòlium DC.	(wh)	plum-leaved	———	1731.	——	H	♄	——— t. 23.
17	pubéscens DC.	(wh)	pubescent	———	1736.	6. 7.	H	♄	
18	dentàtum DC.	(wh)	tooth-leaved	———	——	——	H	♄	Wats. dend. brit. t. 23.
19	lævigàtum DC.	(wh)	Cassioberry bush	———	1724.	7. 8.	H	♄	Mill. ic. 1. t. 83. f. 1.
20	nítidum DC.	(wh)	shining-leaved	———	1758.	5. 6.	H	♄	
21	cassinoìdes DC.	(wh)	thick-leaved	———	1761.	6. 7.	H	♄	
22	obovàtum DC.	(wh)	obovate-leaved	———	1812.	5. 6.	H	♄	Lodd. bot. cab. t. 1476.
23	odoratìssimum DC. *chinénse* Zeyh.	(w)	sweet-scented	China	1810.	——	G	♄	Bot. reg. t. 456.
24	nùdum DC.	(wh)	oval-leaved	N. America	1752.	——	H	♄	Wats. dend. brit. t. 20.
25	villòsum DC.	(wh)	villous	Jamaica	1820.	4. 6.	S	♄	
26	rugòsum DC. *rígidum* Vent. malm. t. 98.	(wh)	rugged-leaved	Canaries	1796.	4. 5.	H	♄	Bot. reg. t. 376.
27	stríctum L.en.	(wh)	upright Laurestine	S. Europe	1596.	3. 5.	H	♄	
	β virgàtum	(wh)	*twiggy*	———	——	——	H	♄	
28	Tìnus DC.	(wh)	common Laurestine	——	——	12.4.	H	♄	Bot. mag. t. 38.
29	lùcidum R.S.	(bh)	shining Laurestine	———	——	2. 5.	H	♄	Clus. hist. 1. 49. ic.

Tribe III. *LONICERÆ.* DC. prodr. 4. p. 329.

SYMPHORICA'RPUS DC. St. PETER'S-WORT. (συμφορεω, to accumulate, & καρπος; in clusters.) Pt. Ma.

1	vulgàris DC.	(bh)	common	N. America	1730.	8. 9.	H	♄	Schmidt arb. t. 115.
2	racemòsus DC.	(bh)	Snowberry	———	1812.	7. 9.	H	♄	Wats. dend. brit. t. 7.
3	montànus DC. *Symphòria Mexicàna* Lod. bot. cab.	(pi)	mountain	Mexico	1829.	7.10.	H	♄	H. et B. nov. gen. 3. t. 296.

DIERVI'LLA DC. DIERVI'LLA. (M. Dierville, a French surg. first introduced the plant.) Pent. Mon.

	canadénsis DC. *lùtea* Ph. *Tournefórtii* R.S. *hùmilis* P.S. *Lonicèra Diervilla* L.	(ye)	yellow-flower'd	N. America	1739.	6. 7.	H	♄	Bot. mag. t. 1796.

LONICE'RA DC. FLY-HONEYSUCKLE. (Adam Lonicer, a German bot.) Pentandria Monogynia.

Sect. 1. ISI'DÆ; *berries 2 on each peduncle, joined together.*

1	alpígena DC.	(re)	red-berried	Switzerland	1596.	4. 5.	H	♄	Schmidt arb. t. 112.
2	microphy'lla DC.	(re)	small-leaved	Siberia	1818.	5. 6.	H	♄	Led. ill. t. 213.
3	sibírica DC.	(re)	Siberian	———	....	——	H	♄	
4	oblongifòlia DC.	(wh)	oblong-leaved	N. America	1823.	4. 5.	H	♄	Hk. fl. amer. bor. 1. t. 100.
5	orientàlis DC. *caucásica* Pall.	(wh)	oriental	Levant	1820.	——	H	♄	
6	coerùlea DC.	(st)	blue-berried	Switzerland	1629.	3. 4.	H	♄	Bot. mag. t. 1965.
7	ibérica DC.	(br)	Iberian	Iberia	1818.	5. 6.	H	♄	Bieb. cent. 1. t. 13.
8	altàica DC.	(wh)	Altaian	Altaia	1827.	3. 4.	H	♄	Pall. flor. ross. t. 37.

Sect. 2. CUPHA'NTHÆ; *berries either distinct or joined; corollas very gibbous on one side at the base.*

9	Ledeboùrii D.S.	(ye)	Ledebour's	California	1838.	5. 6.	H	♄	
10	involucràta S.S.	(ye)	involucred	N. America	1824.	——	H	♄	Bot. reg. t. 1179.

Sect. 3. CHAMÆCE'RASI; *berries usually joined at the very base, and diverging at apex; corollas hardly gibbous at the base or equal.*

11	Pallàsii Led.	(ye)	Pallas's	Siberia	1838.	5. 6.	H	♄	
12	villòsa R.S. *Xylósteum villòsum* M.	(st)	villous	Canada	1818.	4. 5.	H	♄	
13	Xylósteum DC.	(wh)	fly	England	....	6. 7.	H	♄	Eng. bot. v. 13. t. 916.
14	canéscens DC. *biflòra* Desf.	(wh)	canescent	Barbary	1820.	——	H	♄	Desf. atl. 1. t. 52.
15	punícea DC.	(cr)	crimson-flower'd	.....	——	4. 5.	H	♄	Bot. mag. t. 2469.
16	ciliàta DC. *canadénsis* DC.	(bh)	ciliated	N. America	1824.	5. 6.	H	♄	
	β álba R.S.	(wh)	*white-berried*	———	——	——	H	♄	
17	tatárica DC.	(wh)	Tartarian	Tartary	1752.	4. 5.	H	♄	Pall. ros. 1. t. 36.
	α álba	(wh)	*white-flowered*	———	——	——	H	♄	
	β rùbra	(pi)	*red-flowered*	———	——	——	H	♄	Bot. reg. t. 31.
	γ lutéa	(wh)	*yellow-fruited*	———	——	——	H	♄	
18	nìgra DC.	(pu)	black-berried	Switzerland	1597.	3. 4.	H	♄	Schmidt arb. t. 110.
19	flexuòsa DC.	(wh)	flexuose	China	1806.	7. 9.	H	♄	
20	quadrifòlia DC.	(wh)	four-leaved	Siberia	1824.	——	H	♄	

21 pyrenàica DC. (*wh*) Pyrenean Pyrenees 1739. 5. H ♄ Magn. hort. t. 209.
22 hispida DC. (*wh*) hispid-branch'd Dahuria 1821. —— H ♄
23 ligustrina DC. (*st*) Privet-leaved Nepaul 1825. 4. 5. H ♄
NINTOO'A. NINTOO'A. (Nin-too, Chinese name of *N. Japonica.*) Pentandria Monogynia.
1 longiflòra (*st*) long-flowered China 1816. 5.10. F ♄ ◡ Bot. reg. t. 1233.
Caprifòlium longiflòrum B.R. *japónicum* D.P.
2 confùsa (*st*) pale-flowered China 1806. 7.10. F ♄ ◡ Andr. reposit. t. 583.
Nin-too Kæmpf. amœn. 5. p. 785. *Lonicèra japónica* Bot. reg. t. 70 *non Thunb.*
3 japónica Th. (*re*) red-flowered China 1814. 4.11. H ♄ ◡ Bot. mag. 3316.
Lonicèra chinénsis W.D. Bt. 117. L. *glàbra* Wall. *flexuòsa* Bot. reg. v. 9. t. 712. *nec aliorum.*
CAPRIFO'LIUM RS. HONEYSUCKLE. (*caper*, a goat, and *folium*, a leaf; climbing.) Pent. Mon.
1 itàlicum R.S. (*bh*) early England .... 4. 6 H ♄ ◡ Eng. bot. v. 12. t. 799.
álbum (*wh*) *white-flowered* ——— .... —— H ♄ ◡ Jacq. aust. t. 357.
Lonicèra Caprifòlium B.B.
β rùbrum (*re*) *early red* Italy .... —— H ♄ ◡ Schmidt arb. t. 106.
2 etrùscum R.S. (*wh.pu*) Italian ——— 1824. —— H ♄ ◡ San. Viag. al. m. t. 1.
3 balearicum R.S. (*st*) red-barked S. Europe —— —— H ♄ ◡
4 dioícum R.S. (*re*) small-flowered N. America 1766. 6. 7. H ♄ ◡ Bot. reg. t. 138.
parviflòrum Ph.? *bracteòsum* M.? *Lonicèra mèdia* Murr. com. got. 1776. t. 3.
5 grìtum R.S. (*re*) evergreen N. America 1730. 6. 8. H ♄ ◡ Hort. angl. n. 10. t. 8.
6 flàvum B.M. (*ye*) golden-flowered ——— 1810. 5. 7. H ♄ ◡ Bot. mag. t. 1318.
Frasèri Ph. *Lonicèra flava* B.M.
7 Douglásii H.T. (*ye*) Douglas's Canada 1824. 5. 7. H ♄ ◡
8 pubéscens H.E.F. (*ye*) pubescent N. America 1820. —— H ♄ ◡ Hook. ex. flor. t. 27.
Lonicèra Góldii S.S. *L. hirsùtum* B.M. 3103.
9 sempervìrens R.S. (*sc*) Trumpet ——— 1656. 5. 8. H ♄ ◡ Bot. mag. t. 781.
10 oblongifòlium (*sc*) oblong-leaved Carolina .... —— F ♄ ◡ ——— t. 1753.
Lonicèra sempervìrens β mìnor B.M.
11 occidentàle (*or*) western FtVancouver .... 6. 8. H ♄ ◡ Bot. reg. t. 1458.
ciliòsum Dougl. B.R.
12 ciliòsum R.S. (*ye*) fringed N. America 1827. 5. 8. H ♄ ◡
13 impléxum R.S. (*pa*) glaucous-leaved Minorca 1772. 6. 9. H ♄ ◡ Bot. mag. t. 640.
14 hispídulum B.R. (*re*) hispid N. America .... 6. 8. H ♄ ◡ Bot. reg. t. 1761.
15 Periclymenum R.S. (*st*) Woodbine Britain .... 5. 7. H ♄ ◡ Eng. bot. v. 12. t. 800.
α vulgàris H.K. (*st*) *common* ——— .... —— H ♄ ◡ Schmidt arb. t. 107.
β serótinum H.K. (*re*) *late red* ——— .... 6. 8. H ♄ ◡ ——— t. 108.
γ bélgicum H.K. (*bh*) *Dutch* ——— .... 5. 7. H ♄ ◡ Hort. angl. n. 5. t. 6.
δ quercifòlium H.K. (*st*) *Oak-leaved* Britain .... —— H ♄ ◡
ε variegàtum H.K. (*st*) *variegated-ld.* ——— .... —— H ♄ ◡
LEYCESTE'RIA DC. LEYCESTE'RIA. (Hon. W. Leycester.) Pentandria Monogynia.
formòsa DC. (*wh*) handsome Nepaul 1824. 8.10. H ♄ Bot. reg. s. 3. t. 2.
TRIO'STEUM DC. FEVERWORT. (τρεις, three, and οστεον, a bone; 3 bony seeds.) Pent. Mon.
1 perfoliàtum DC. (*pu*) perfoliate N. America 1730. 6. 7. H ♃ Swt. br. fl. gar. s. 2. t. 45.
2 angustifolium DC. (*ye*) narrow-leaved ——— 1699. —— H ♃ Pluk. alm. t. 104. f. 2.
LINNÆ'A W. LINNÆ'A. (Carolus Linnæus, cel. naturalist.) Didynamia Angiospermia.
boreàlis W. (*bh*) two-flowered Britain .... 5. 8. H ♃ Eng. bot. v. 7. t. 433.

ORDER CXXV.

LORA'NTHEÆ. *Juss. ann. mus.* 12. *p.* 292.

LORA'NTHUS DC. LORA'NTHUS. (*lorum*, a lash, and *ανθος*, a flower.) Hexand. Monogyn.
europæ'us DC. (*st*) European Europe 1824. .... H ♄ Jacq. aust. t. 30.
VI'SCUM DC. MISSELTOE. (*viscus*, bird-lime; clammy fruit.) Diœcia Tetrandria.
álbum DC. (*gr*) common England .... 5. H ♄ Eng. bot. v. 21. t. 1470.
NU'YTSIA D.S. NU'YTSIA. (Peter Nuyts, a cel. Dutch nav.) Hexandria Monogynia.
floribúnda D.S. (*st*) bundle-flowered N. Holland 1831. .... G ♄ Lab. n. holl. 1. t. 113.
Loránthus floribúndus DC.
AU'CUBA D.S. AU'CUBA. (Japanese name of the shrub.) Diœcia Tetrandria.
japónica D.S. (*pu*) blotch-leaved Japan 1783. 5. 7. H ♄ Bot. mag. t. 1107.

ORDER CXXVI.

CHLORA'NTHEÆ. *R. Brown.*

CHLORA'NTHUS D.S. CHLORA'NTHUS. (χλωρος, green, and ανθος, a flower.) Tetran. Mon.

1	inconspícuus D.S. (*st*) trailing	China	1781. 5. 9.	G	♄	L'Her. sert. angl. t. 2.
2	eréctus H.S.L. (*wh*) upright *elàtior* L. enum.	———	1809. 6. 7.	G	♄	
3	elàtior D.S. (*ye*) sweet-scented *Creòdus odorifer* Loureiro.	———	1820. ——	G	♄	
4	monóstachys D.S. (*st*) single-spiked	———	1819. 2. 6.	G	♃	Bot. mag. t. 2190.
5	monánder D.S. (*ye*) single-stamen'd	———	1817. 1.12.	G	♃	

ORDER CXXVII.

DIPTEROCA'RPEÆ. D.S. 1. *p.* 812.

LOPHI'RA D.S. SCRUBBY OAK. (λωφος, a crest; calyx to fruit.) Icosandria Monogynia.

alàta DC.	(*wh*) winged	Sierra Leone	1822.	S	♄

ORDER CXXVIII.

RUBIA'CEÆ. DC. *prod.* 4. *p.*

Tribe I. *CINCHONA'CEÆ.* DC.

Subtribe I. *NAUCLEE'Æ.* DC.

NAU'CLEA DC. NAU'CLEA. (ναυς, a ship, and κλειω, to enclose.) Pentandria Monogynia.

§ 1. NAUCLEA'RIA; *lobes of calyx short, acute, or wanting; carpels free in Nos.* 1 *and* 2, *but combined in Nos.* 3, 4, *and* 5.

1	undulàta DC.	(*ye*) wave-leaved	E. Indies	1823. 7. 8.	S	♄
2	coadunàta DC.	(*ye*) coadunate	———	1820.	S	♄
3	macrophy'lla DC.	(*st*) large leaved	———	1829.	S	♄
4	Cadámba DC.	(*or*) broad-leaved	———	1823.	S	♄ Rheed. mal. 3. t. 33.
5	parvifòlia DC.	(*ye*) small-leaved	———	1825.	S	♄ Roxb. corm. 1. t. 52.
6	orientàlis DC.	(*ye*) oriental	———	1800.	S	♄

§ 2. PENTACORY'NA; *calycine segments elongated and club-shaped.*

7	cordifòlia DC.	(*st*) heart-leaved	E. Indies	1825.	S	♄ Roxb. corm. 1. t. 53.
8	purpùrea DC.	(*pu*) purple-flowered	———	1827.	S	♄ ——— 1. t. 54.

UNCA'RIA DC. UNCA'RIA. (*uncus*, a hook; old peduncles.) Pentandria Monogynia.

1	Gámbier DC.	(*pi*) Gambier-tree	E. Indies	1826.	S	♄ ◡ Linn. trans. v. 8. t. 22.
2	pilòsa DC.	(*wh*) hairy	———	——	S	♄ ◡

ADI'NA DC. ADI'NA. (*αδινος*, crowded; flowers.) Pentandria Monogynia.
1 globiflòra DC. (*wh*) globe-flowered China 1804. 7. 8. G ♄ Bot. reg. t. 895.
2 pedunculàris DC. (*wh*) peduncular ——— 1825. —— G ♄
Nauclea adinoìdes B.R.

Subtribe II. *CINCHONEÆ*. DC.

COUTA'REA DC. COUTA'REA. (not explained by the author.) Hexandria Monogynia.
speciòsa DC. (*sc*) Laurel-leaved Guiana 1803. .... S ♄ Aubl. guian. 1. t. 122.
Portlándia hexándra Jacq. am. pict. t. 65.
HI'LLIA DC. HI'LLIA. (Sir John Hill, bot. author.) Tetr-Hexandria Monogynia. S.S.
1 longiflòra DC. (*wh*) long-flowered W. Indies 1789. 2. 3. S ♄ Bot. mag. t. 721.
2 tetrándra DC. (*wh*) mountain Jamaica 1793. 6. 7. S ♄ Swz. icon. t. 11.
LUCU'LIA DC. LUCU'LIA. (*Luculi-swa*, name in Nepaul.) Pentandria Monogynia.
gratíssima DC. (*ro*) sweet-scented Nepaul 1818. 10.2. G ♄ Swt. br. fl. gar. t. 145.
Cinchòna gratíssima F.I. *Mussæ'nda Lucùlia* D.P.
HYMENODI'CTYON DC. HYMENODI'CTYON. (*ὑμην*, a membrane, and *δικτυον*, a net.) Pe. Mo.
1 thyrsiflòrum DC. (*st*) thyrse-flower'd E. Indies 1816. .... S ♄
2 excélsum DC. (*wh*) tall ——— —— .... S ♄ Roxb. cor. 2. t. 106.
Cinchòna excélsa R.S.
EXOSTE'MMA DC. EXOSTE'MMA. (*εξω*, without, and *στεμμα*, a crown.) Pentand. Monogyn
1 caribæ'um DC. (*wh*) Caribean W. Indies 1780. 6. 9. S ♄ Andr. reposit. t. 481.
Cinchòna caribæ'a W.
2 floribúndum DC. (*bh*) many-flowered ——— 1794. .... S ♄ Lamb. cinch. 27. t. 7.
MANE'TTIA DC. MANE'TTIA. (Xavier Manetti, a bot. author.) Tetrandia Monogynia.
1 Lygístum DC. (*re*) veined-leaved W. Indies 1822. 2. 4. S ♃ ◡ Brown. jam. t. 3. f. 2.
2 coccínea DC. (*sc*) scarlet Trinidad 1806. 12.4. S ♄ ◡ Bot. reg. t. 693.
3 glàbra DC. (*sc*) glabrous B. Ayres 1834. 8. 9. S ♄ ◡ Swt. br. fl. gar. s. 2. t. 233.
cordifòlia B.M. t. 3202. B.R. t. 1866.
BOUVA'RDIA DC. BOUVA'RDIA. (Charl. Bouvard, M.D., a French bot.) Tetrandria Monogynia.
1 triphy'lla DC. (*sc*) blunt-leaved Mexico 1794. 4.11. G ♃ Sal. par. lond. t. 88.
2 Jacquínii DC. (*sc*) sharp-leaved ——— —— —— G ♃ Jacq. schœnb. 1. t. 257.
Iatra americàna Jacq. *Bouvárdia triphy'lla* Bot. reg. t. 107.
3 versícolor DC. (*re.ye*) various-color'd S. America 1814. 7. 1. S ♄ Bot. reg. t. 245.
PINCKNE'YA DC. PINCKNE'YA. (Mr. Pinckney, an American bot.) Pentandria Monogynia.
pùbens DC. (*bh*) pubescent Georgia 1786. 6. 7. F ♄ Mich. amer. t. 13.
CALYCOPHY'LLUM DC. CALYCOPHY'LLUM. (*καλυξ*, a calyx, and *φυλλον*, a leaf.) Pent. Mon.
1 candidíssimum DC. (*wh*) whitest Cuba 1830. .... S ♄ Vahl. symb. 2. t. 30.
2 coccíneum DC. (*re*) scarlet-bracted Trinidad 1820. 8. 9. S ♄ ——— t. 29.
Macrocnèmum coccíneum Vahl. *Mussæ'nda coccínea* R.S.

Tribe II. *GARDENIA'CEÆ*. DC.

Subtribe I. *SARCOCEPHA'LEÆ*. DC.

SARCOCE'PHALUS DC. SARCOCE'PHALUS. (*σαρξ*, flesh, and *κεφαλη*, a head.) Pent. Mon.
esculéatus DC. (*wh*) eatable-fruited Sier. Leone 1822. 6. 8. S ♄ Bot. reg. t. 1827.

Subtribe II. *GARDENIEÆ*. DC.

BURCHE'LLIA DC. BURCHE'LLIA. (W. Burchell, celeb. trav. and nat.) Pentand. Monogy.

1	capénsis DC.	(*sc*) broad-leaved	C. B. S.	1818.	3. 6.	G	♄	Bot. reg. t. 466.
2	parviflòra DC.	(*or*) smaller-flowered	———	——	——	G	♄	——— t. 891.
	bubalìna B.M. 2339.							

MUSSÆ'NDA DC. MUSSÆ'NDA. (vernacular name of *M. frondòsa*.) Pentandria Monogynia.

Sect. 1. BELI'LLA; *one of the lobes of the calyx always dilated and coloured; anthers sessile, inclosed; capsules ovate.*

1	speciòsa DC.	(*ro*) showing	Caraccas	1826.	8.10.	S	♄	Jacq. schœnb. 1. t. 43.
	Macrocnèmum speciòsum Jacq.							
2	frondòsa DC.	(*ye*) frondose	E. Indies	1815.	5.10.	S	♄	Bot. reg. t. 517.
3	glàbra DC.	(*ye*) smooth	———	1820.	——	S	♄	
4	pubéscens DC.	(*ye*) pubescent	China	1805.	5. 9.	G	♄	Bot. mag. t. 2099.
5	corymbòsa DC.	(*or*) corymbose	E. Indies	1827.	5. 8.	S	♄	
6	macrophy'lla DC.	(*or*) large-leaved	Nepaul	——	....	S	♄	

Sect. 2. LA'NDIA; *lobes of calyx equal, or nearly so; capsules naked at apex.*

7	Lándia DC.	(*ye*) De la Lande's	Mauritius	1824.	8. 9.	S	♄	Lam. ill. t. 157. f. 2.
8	Stadmánni DC.	(*ye*) Stadmann's	———	1828.	——	S	♄	
9	arcuàta DC.	(*ye*) arched	———	1822.	——	S	♄	
10	chinénsis DC.	(*ye*) China	China	1820.	——	G	♄	

TOCOYE'NA DC. TOCOYE'NA. (Guiana name.) Pentandria Monogynia.

	longiflòra DC.	(*wh*) long-flowered	Guiana	1826.	....	S	♄	Aubl. guian. 1. t. 50.

POSOQUE'RIA DC. POSOQUE'RIA. (*Aymara-posoqueri*, Guiana name.) Pentand. Monogyn.

1	longiflòra DC.	(*wh*) long-flowered	Guiana	——	....	S	♄	Aubl. guian. 1. t. 51.
2	latiflòla DC.	(*wh*) broad-leaved	———	——	....	S	♄	Rudge guain. 1. t. 40.
3	grácilis DC.	(*wh*) slender	———	——	....	S	♄	——— 1. t. 41.

OXYA'NTHUS DC. OXYA'NTHUS. (ὀξυς, sharp, and ανθος, a flower; calyx teeth.) Pent. Monogy.

1	speciòsus DC.	(*wh*) showy	Sierra Leone	1789.	7.12.	S	♄	DC. diss. ic.
2	tubiflòrus DC.	(*wh*) tube-flowered	———	——	——	S	♄	Andr. rep. t. 183.
	Gardènia tubiflòra A.R.							
3	hirsùtus DC.	(*wh*) hairy	———	1812.	——	S	♄	Bot. mag. t. 1992.
	speciòsus Lind. col. t. 13. not of DC.							

STYLOCORY'NA DC. STYLOCORY'NA. (στυλος, a style, and κορυνη, a club.) Pentan. Monogy.

	malabárica DC.	(*wh*) sweet-scented	E. Indies	1822.	4. 6.	S	♄	Roxb. cor. t. 197.
	Gardènia fràgrans R.C. *Posoquèria fràgrans* F.I.							

GENI'PA DC. GENIP-TREE. (*genipapa*, Guiana name.) Pentandria Monogynia.

1	oblongifòlia DC.	(*st*) oblong-leaved	Peru	1823.	4. 6.	S	♄	Flor. per. 2. t. 220. f. a.
2	americàna DC.	(*wh*) American	S. America	1779.	5. 7.	S	♄	Plum. ic. t. 136.
3	Meriànæ DC.	(*wh*) hairy	Cayenne	1800.	——	S	♄	Merian. sur. t. 43.
	Duroìa eriópila L.							
4	esculénta DC.	(*wh*) Cherry-fruited	China	——	——	S	♄	

GARDE'NIA DC. GARDE'NIA. (Alex. Garden, M.D., Charlestown.) Pentandria Monogynia.

§ 1. *Thorny shrubs.*

1	amœ'na DC.	(*re.wh*) crimson-tipped	China	1810.	6. 8.	S	♄	Bot. mag. t. 1904.
2	pánnea B.R.	(*ye*) lobe-leaved	S. America	....	6. 7.	S	♄	Bot. reg. t. 1952.
3	montàna DC.	(*wh*) mountain	E. Indies	1818.	6. 8.	S	♄	
4	campanulàta DC.	(*st*) bell-flowered	———	1812.	——	S	♄	
5	micrántha DC.	(*wh*) small-flowered	China	1806.	——	S	♄	Thunb. gar. n. 8. t.1.f.2.

§ 2. *Unarmed shrubs.*

6	flórida DC.	(*wh*) Cape Jasmine	China	1754.	7.10.	S	♄	Bot. reg. t. 449.
	β *flòre-plèno*	(*wh*) *double-flowered*	———	——	——	S	♄	Ehret. pict. t. 15.
	γ *longiflòra* B. M.	(*wh*) *long-flowered*	———	....	——	S	♄	Bot. mag. 3349.
7	angustifòlia DC.	(*wh*) narrow-leaved	———	1820.	——	S	♄	Lodd. bot. cab. 512.
8	radicans DC.	(*wh*) rooting	———	1804.	3. 6.	G	♄	Bot. reg. t. 73.
9	grandiflòra DC.	(*wh*) large-flowered	———	1816.	——	S	♄	Bot. mag. t. 2627.
	flórida var. *ovalifòlia*. Bot. mag. t. 2627.							
10	costàta DC.	(*wh*) ribbed	E. Indies	1825.	....	S	♄	
11	latifòlia DC.	(*wh*) broad-leaved	———	1787.	....	S	♄	Roxb. cor. 2. t. 134.
12	lùcida DC.	(*wh*) glossy-leaved	———	1820.	....	S	♄	
13	pubéscens DC.	(*wh*) pubescent	———	1825.	5. 7.	S	♄	
14	Thunbérgii DC.	(*wh*) starry	C. B. S.	1773.	1. 3.	S	♄	Bot. mag. t. 1004.
15	Rothmánnia DC.	(*sp*) spotted-flowered	———	1774.	7.	G	♄	——— t. 690.

RA'NDIA DC. RA'NDIA. (Isaac Rand, M.D. demonstr. bot. Chelsea.) Pentand. Monogyn.

Sect. 1. OXY'CERAS: *throat of corolla not dilated; thorny shrubs.*

1 latifòlia DC. (wh) broad-leaved W. Indies 1733. 5. 6. S ♄ Lam. ill. 136. f. 1.
aculeàta RS. *Gardènia Rándia* W.
β *mitis* DC. (wh) mild ——— —— —— S ♄ Bot. mag. t. 1841.
2 obovàta DC. (wh) obovate-leaved N. Granada 1818. —— S ♄ Flor. per. t. 220. f. b.
3 pubéscens DC. (wh) pubescent Peru —— —— S ♄ ——— 2. t. 120. f. b.
4 rotundifòlia DC. (wh) round-leaved ——— —— —— S ♄
5 dumetòrum DC. (wh) bushy W. Indies 1779. 7. 9. S ♄ Roxb. corom. 2. t. 136.
Gardènia dumetòrum W. *Cánthium coronàtum* Lam.
6 uliginòsa DC. (wh) marsh E. Indies 1802. 7. 9. S ♄ ——— 2. t. 135.
7 longispìna DC. (wh) long-spined ——— 1812. 4. 6. S ♄
Gardènia longispìna S.S.
8 nùtans DC. (wh) drooping ——— 1818. 7. 9. S ♄
9 floribúnda DC. (wh) many-flowered ——— 1825. .... S ♄
10 longiflòra DC. (wh) long-flowered ——— 1818. .... S ♄ Lam. ill. t. 136. f. 3.
Gardènia multiflòra W.
11 fasciculàta DC. (wh) fascicle-flowered——— 1824. 5. 6. S ♄
12 rígida DC. (wh) rigid Nepaul 1825. .... S ♄
13 stricta DC. (wh) upright E. Indies 1824. 5. 7. S ♄
Macrocnèmum stríctum R.S.
14 armàta DC. (wh) armed W. Indies 1813. 5. 6. S ♄ Jacq. amer. pict. t. 71.
Mussæ'nda spinòsa Jacq. *Gardènia armàta* S.S.
15 tetracántha DC. (st) four-spined N. Spain 1818. —— S ♄ Cavan. icon. 5. t. 435.
Mussæ'nda tetracántha Cav. *Gardènia tetracántha* S.S.
16 hórrida DC. (wh) large-spined China 1825. 5. 7. S ♄
17 sinénsis DC. (wh) Chinese ——— —— —— S ♄
18 Bowieàna B.M. (wh) Bowie's C. B. S. .... —— G ♄ Bot. mag. t. 3009.
Sect. 2. EUCLI'NIA; *tube of corolla usually dilated and obconical at the throat; unarmed shrubs.*
19 maculàta DC. (wh) spotted-flowered Guinea 1696. 7. 9. S ♄ Sal. par. lond. t. 65.
Rothmánnia longiflòra Sal.
20 Mussæ'nda DC. (wh) Mussænda-like S. America 1820. .... S ♄ Jacq. amer. t. 48.
Mussæ'nda formòsa Jacq. *Gardènia Mussæ'nda* Th.
21 macántha DC. (wh) large-flowered Sierra Leone 1796. 8. 9. S ♄ Sal. par. lond. t. 93.
longiflòra P.L. *non* R.S.
22 propínqua B.R. (wh) strong-spined ..... 1816. 5. 8. S ♄ Bot. reg. t. 975.

HEI'NSIA DC. HEI'NSIA. (Heinsius, famed philologist.) Pentandria Monogynia.
jasminiflòra DC. (wh) jasmine-flower'd Sierra Leone 1824. 3. 4. S ♄

CU'PIA DC. CUPIA. (*Cupe*, Malabar name.) Pentandria Monogynia.
1 corymbòsa DC. (wh) corymbose E. Indies 1759. 4. 6. S ♄ Bot. reg. t. 119.
Welèra corymbòsa S.S.
2 macrophy'lla DC. (wh) large-leaved ——— 1824. 5. 7. S ♄
3 odoràta DC. (wh) sweet-scented ——— 1826. —— S ♄
4 cymòsa DC. (wh) cymose ——— 1811. —— S ♄

COCCOCY'PSELUM DC. COCCOCY'PSELUM. (κοκκος, a berry, κυψελη, a vase.) Tetand. Monog.
rèpens DC. (li) creeping W. Indies 1793. 5. S ♃ Brown. jam. t. 6. f. 1.

FERNE'LIA J. FERNE'LIA. (J. Fernel, M.D., French bot.) Tetrandria Monogynia.
1 buxifòlia DC. (wh) Box-leaved Isl. France 1816. 4. 6. S ♄ Gært. fr. 3. t. 191.
2 obovàta DC. (wh) obovate-leaved Mauritius —— —— S ♄ Lam. ill. t. 67. f. 1.
buxifòlia β. Lamarck.

PETU'NGA DC. PETU'NGA. (Bengalee name.) Pentandria Monogynia.
Roxburghiàna DC. (wh) Roxburgh's E. Indies 1818. .... S ♄
Rándia racemòsa F.I.

CATESBÆ'A DC. LILY-THORN. (Mark Catesby, auth. of nat. hist., Carolina.) Tetrand. Monog.
1 spinòsa DC. (wh) spiny Providence I. 1726. 5. 9. S ♄ Bot. mag. t. 131.
2 latifòlia DC. (wh) broad-leaved W. Indies 1818. 9. 11. S ♄ Bot. reg. t. 858.
3 parviflòra DC. (wh) small-flowered ——— 1810. 7. 10. S ♄ Sloan. h. 2. t. 207. f. 1.
4 parvifòlia DC. (wh) small-leaved St Domingo 1818. 5. 7. S ♄ Lam. ill. t. 156. f. 2.
Gardènia parvifòlia RS. *Rándia parvifòlia* Lam.

Tribe III. *HEDYOTI'DEÆ.* DC.

Subtribe I. *RONDELETIE'Æ.* DC.

MACROCNE'MUM DC. MACROCNE'MUM. (μακρος, long, and νημα, a filament.) Pentand. Monog.
1 jamaicénse DC. (wh) Jamaica Jamaica 1806. .... S ♄ Swart. obs. t. 3. f. 1.

CONDAMI'NEA DC. CONDAMI'NEA. (La Condamine, a trav. in S. America.) Pentand. Monogy.
tinctòria DC. (*wh*) dying S. America 1820. 9.10. S ♄

PORTLA'NDIA DC. PORTLA'NDIA. (Duchess of Portland, bot. patroness.) Pentand. Monog.
1 grandiflòra DC. (*wh*) great-flowered Jamaica 1775. 6. 8. S ♄ Sm. ic. pict. 1. t. 6.
2 coccínea DC. (*sc*) scarlet-flowered ——— 1812. .... S ♄

WENDLA'NDIA DC. WENDLA'NDIA. (H. L. Wendland, cur. bot. gard., Hanover.) Pent. Mon.
1 paniculàta DC. (*wh*) panicled E. Indies 1820. 7. 8. S ♄
Rondelètia paniculàta F.J.
2 tinctòria DC. (*wh*) dyer's ——— 1825. —— S ♄

RONDELE'TIA DC. RONDELE'TIA. (W. Rondelet, a fam. nat. hist. of Montpelier.) Pent. Mon.
1 americàna DC. (*wh*) American W. Indies 1752. 8. S ♄ Plum. ic. t. 242. f. 1.
2 lævigàta DC. (*wh*) smooth-leaved ——— 1790. 7. 8. S ♄
3 trifoliàta DC. (*re*) three-leaved Jamaica .... —— S ♄ Jacq. amer. pict. t. 62.
4 racemòsa DC. (*wh*) racemed W. Indies 1818. —— S ♄ Brown. jam. 143. t. 2. f. 1.
5 tomentòsa DC. (*wh*) downy-leaved ——— —— —— S ♄
6 hírta DC. (*br.ye*) hairy ——— 1776. 6. 8. S ♄ Lodd. bot. cab. t. 350.
7 odoràta DC. (*re*) sweet-scented Havana .... 7.12. S ♄ Bot. reg. t. 1905.
speciòsa Hort. Lod. bot. cab. t. 1893.

OPHIORHI'ZA DC. SNAKE-ROOT. (ὄφις, a snake, and ῥίζα, a root; cures bite of.) Pent. Mon.
Múngos DC. (*wh*) Mungos E. Indies 1820. 4.12. S ♄

Subtribe II. *HEDYO'TEÆ.* DC.

DENTE'LLA DC. DENTE'LLA. (*dens*, a tooth; segments of corolla.) Pentandria Monogynia.
rèpens DC. (*wh*) creeping N. Holland 1802. 7. H ♄ Rumph. am. 6. t. 170. f. 4.

OLDENLA'NDIA DC. OLDENLA'NDIA. (H. B. Oldenland, a Danish bot.) Tetrandria Monogynia.
1 diffùsa DC. (*wh*) spreading E. Indies 1818. 7. 9. S ☉
2 herbàcea DC. (*wh*) herbaceous ——— 1816. 6. 9. S ☉ Rheed. mal. 10. t. 35.
3 capénsis DC. (*wh*) Cape C. B. S. 1824. 7.10. H ☉
4 umbellàta DC. (*wh*) Indian Madder E. Indies 1792. 7. 8. S ♃ Roxb. cor. 1. t. 3.
5 corymbòsa DC. (*wh*) Hyssop-leaved Jamaica 1739. 6.10. S ☉ Ehret pic. t. 2. f. 1. et t. 4.
6 ramosíssima DC. (*wh*) branching ..... 1816. —— S ☉
7 biflòra DC. (*pu*) two-flowered E. Indies —— —— S ☉
8 láctea DC. (*st*) milk-coloured ——— —— —— S ☉
9 Deppeàna DC. (*wh*) Deppe's Mexico 1830. 6. 9. S ♄ Lk. et. Ott. abbild. t. 36.
Gerontògea Deppeàna L.

KOHAU'TIA DC. KOHAU'TIA. (W. Kohaut, a coll. of nat. hist.) Tetrandria Monogynia.
grácilis DC. (*wh*) slender Nepaul 1828. 6.10. S ☉
Hedyòtis grácilis F.I. *fúsca* D.P.

ANO'TIS DC. ANO'TIS. (*a* priv., and *ous*, an ear; calyx.) Tetrandria Monogynia.
1 lanceolàta DC. (*wh*) lanceolate Carolina 1788. 6. 9. H ☉
2 rotundifòlia DC. (*wh*) round-leaved N. America 1831. 3. 6. H ♃
3 cuspidàta DC. (*re*) cuspidate Trinidad 1824. —— S ♄
4 ciliolòsa DS. (*li*) ciliated N. America 1832. 6. 9. H ♃ Bot. gard. t. 683.

Tribe IV. *ISERTIE'Æ.* DC.

ISE'RTIA DC. ISE'RTIA. (P. E. Isert, Surg. Danish Accra.) Hexandria Monogynia.
coccínea DC. (*sc*) scarlet-flower'd S. America 1820. .... S ♄ Aubl. guian. 1. t. 123.

Tribe V. *HAMELIE'Æ.* DC.

SABI'CEA DC. SABI'CEA. (*Sabisabi*, Guiana name.) Pentandria Monogynia.

1 *aspera* DC.	(*wh*) rough	Guiana	1824.	S ♄ ◡	Aubl. guian. 1. t. 76.	
2 *hirta* DC.	(*wh*) hairy	Jamaica	1825.	S ♄ ◡		

HAME'LIA DC. HAME'LIA. (H. L. Du Hamel du Monceau; author of val. fr. trees.) Pent. Mon.

1 *axillaris* DC.	(*ye*) axillary-flower'd	Jamaica	1820. 7. 8.	S ♄		
2 *ventricosa* DC.	(*ye*) large-flowered	W. Indies	1778. 9.11.	S ♄	Bot. reg. 1195.	
grandiflora par. lond. t. 55.						
3 *latifolia* DC.	(*sc*) broad-leaved	Trinidad	1819. ——	S ♄		
4 *chrysantha* DC.	(*ye*) yellow-flower'd	W. Indies	1820. ——	S ♄	Jacq. ic. 2. t. 335.	
5 *patens* DC.	(*sc*) spreading	————	1752. 7. 8.	S ♄	Exot. bot. 1. t. 24.	
6 *sphærocarpa* DC.	(*or*) round-fruited	Peru	1811. ——	S ♄	Flor. per. t. 221. f. b.	

Tribe VI. *GUETTARDACEÆ.* DC.

Subtribe I. *MORI'NDEÆ.* DC.

MORI'NDA DC. MORI'NDA (*Morus Indica*; Indian Mulberry.) Pentandria Monogynia.

1 *umbellata* DC.	(*wh*) umbelled	E. Indies	1809. 6. 8.	S ♄		
2 *citrifolia* DC.	(*wh*) broad-leaved	Otaheite	1793. ——	S ♄	Rheed. mal. 1. t. 52.	
3 *tinctoria* DC.	(*wh*) dyer's	————	1826.	S ♄		
4 *bracteata* DC.	(*wh*) bracted	E. Indies	1816. 5. 7.	S ♄		
5 *angustifolia* DC.	(*wh*) narrow-leaved	————	—— ——	S ♄	Roxb. corom. 3. t. 237.	
6 *Royoc* DC.	(*wh*) Laurel-leaved	W. Indies	1793. 7.10.	S ♄	Jacq. vind. 1. t. 16.	
7 *jasminoides* Cun.	(*ye*) Jasmine-like	N. S. W.	1830. 4.	G ♄	Bot. mag. t. 3351.	

Subtribe II. *GUETTARDEÆ.* DC.

MITCHE'LLA DC. MITCHE'LLA. (John Mitchell, M.D., Amer. bot.) Tetrandria Monogynia.

repens DC.	(*wh*) creeping	N. America	1761. 6.	H ♃	Cat. car. 1. t. 20.	

VANGUE'RIA DC. VANGUE'RIA. (*Voa-Vanguer*, name in Madagascar.) Pentandria Monogynia.

1 *edulis* DC.	(*gr*) eatable	E. Indies	1809. 5. 7.	S ♄	Lam. ill. t. 159.	
2 *spinosa* DC.	(*gr*) spiny	————	1818.	S ♄		
3 *velutina* B.M.	(*gr*) velvetty	Madagascar	1828. 5. 6.	S ♄	Bot. mag. t. 3014.	

GUETTA'RDA DC. GUETTA'RDA. (J. E. Guettard, a French bot.) Monœcia Tetr-Pent-Hexandria.

Sect. 1. CADA'MBA; *limb of calyx soon falling off; cells of drupe curved at top.*

1 *speciosa* DC.	(*wh*) great-flowered	E. Indies	1771.	S ♄	Bot. reg. 1393.	

Sect. 2. GUETTARDA'RIA; *limb of calyx usually persistent; corolla silky outside, with flat lobes; cells of drupe straight.*

2 *argentea* DC.	(*wh*) silvery-leaved	Jamaica	1826.	S ♄	Lam. ill. t. 154. f. 2.	
3 *ambigua* DC.	(*wh*) ambiguous	W. Indies	1829.	S ♄	Brown. j. t. 20. f. 1.	
4 *scabra* DC.	(*wh*) rough	————	1827.	S ♄	Vent. choix. 1. t. 1.	
Matthiola scabra L.						
5 *rugosa* DC.	(*wh*) rough-leaved	————	1793.	S ♄		
6 *parviflora* DC.	(*wh*) small-flowered	————	1829.	S ♄		
7 *membranacea* DC.	(*wh*) membranaceous	————	1830.	S ♄		
8 *odorata* DC.	(*br*) sweet-scented	Havannah	1827.	S ♄	Jacq.am pic.t.259.f.16.	
9 *elliptica* DC.	.. elliptic-leaved	Jamaica	1825.	S ♄		

Sect. 3. ULO'LOBUS; *limb of calyx short, 5-parted; corolla silky outside, with curled lobes.*

10 *crispiflora* DC.	(*wh*) curled-flowered	W. Indies	....	S ♄		

Sect. 4. LAUGE'RIA; *limb of calyx truncate or toothed; corolla glabrous*, 4-5 *lobed.*

11 resinòsa DC. (*wh*) resinous Trinidad 1824. .... S ♄ Vahl. ecl. 1. t. 10.

STENO'STOMUM DC. STENO'STOMUM. (στενος, narrow, στομα, a mouth; corolla.) Pent. Mo

1 lùcidum DC. (*wh*) glossy W. Indies 1818. 5. 8. S ♄ Vahl. symb. 3. t. 57.
Stúrmia lùcida G. *Guattèria lùcida* P.S. *Laugèria lùcida* Swt.

2 tomentòsum DC. (*wh*) tomentose Jamaica 1822. —— S ♄

CHIO'NE DC. CHIO'NE. (χιονεος, white as snow; flowers.) Pentandria Monogynia.

glàbra DC. (*wh*) glabrous W. Indies 1824. .... S ♄ Rich. mem. 5. t. 19. f.1
Psychótria megalospérma Vahl. ecl. 3. t. 21.

HAMILTO'NIA DC. HAMILTO'NIA. (W. Hamilton, Amer. bot.) Pentandria Monogynia.

1 suavèolens DC. (*wh*) sweet-scented E. Indies 1816. 8.12. S ♄ Bot. reg. t. 348.
Spermadíctyon suavèolens B.R.

2 scàbra DC. (*bl*) blue-flowered Nepaul 1827. 1. 3. S ♄ Bot. reg. t. 1235.
Spermadíctyon azùreum B.R.

ERI'THALIS DC. ERI'THALIS. (ερι, and θαλλω, to grow green.) Pentandria Monogynia.

fruticòsa DC. (*wh*) shrubby Jamaica 1793. 7. 8. S ♄ Jacq. am. p. t. 260. f. 2
odorífera B.S.

RETINOPHY'LLUM DC. RETINOPHY'LLUM. (ρετινη, resin, and φυλλον, a leaf.) Pentand. Mona.

secundiflòrum DC. (*wh*) side-flowering S. America .... S ♄ H. B. pl. æquin. 1. t. 2
Nonatèlia secundiflòra Swt.

NONATE'LIA DC. NONATE'LIA. (Guiana name.) Pentandria Monogynia.

1 racemòsa DC. (*wh*) racemed Trinidad 1825. .... S ♄ Aubl. guian. 1. t. 72.

2 violàcea DC. (*wh*) violet-berried Guiana 1824. .... S ♄ ———— 1. t. 73.

3 officinàlis DC. (*wh*) officinal W. Indies 1824. .... S ♄ ———— 1. t. 70. f. 1.
Psychótria involucràta W.

4 lùtea DC. (*ye*) yellow-flowered Guiana 1823. .... S ♄ Aubl. guian. 1. t. 74.

Tribe VII. *PÆDERIE'Æ.* DC.

PÆDE'RIA DC. PÆDE'RIA. (*pæderos*, an opal; shining berries.) Pentandria Monogynia.

fœ'tida DC. (*pu*) stinking China 1806. .... G ♄ ◡ Icon. Kæmpf. 9.

LECO'NTEA DC. LECO'NTEA. (John Leconte, American bot.) Pentandria Monogynia.

Bojeriàna DC. (*wh*) Bojer's Madagascar 1823. .... S ♄ ◡
Pædèria Lingua Boj.

Tribe VIII. *COFFEA'CEÆ.* DC.

Subtribe I. *COFFIE'Æ.* DC.

CA'NTHIUM DC. CA'NTHIUM. (*Canti*, Malabar name.) Pentandria Monogynia.

1 angustifòlium DC. (*st*) narrow-leaved E. Indies 1826. 5. 7. S ♄

2 parvifòlium DC. (*wh*) small-leaved ———— 1824. —— S ♄

3 parviflòrum DC. (*ye*) small-flowered ———— —— —— S ♄ Roxb. corom. 1. t. 51.
Webèra tetrándra W.

4 dídymum DC. (*wh*) cyme-flowered ———— 1811. —— S ♄ Gært. carp. 3. t. 196.

5 chinénse DC. (*wh*) Chinese China 1804. 7. 9. G ♄ Thunb. gar. n. 7. t. 2. f.
Rándia spinòsa Poir.

PLECTRO'NIA DC. PLECTRO'NIA. (πλεκτρον, a whip; square branches.) Pentandria Monogy

ventòsa DC. (*wh*) square-branched C. B. S. 1816. .... G ♄ Crus. rub. cap. t. 2.
Serissa capénsis Th.

DIPLO'SPORA DC. DIPLO'SPORA. (διπλοος, double, and σπορα, a seed.) Pentandria Monogy

viridiflòra DC. (*gr*) green-flowered China .... 5. 7. G ♄ Bot. reg. t. 1026.
Cánthium dùbium B.R.

SIDERODE'NDRON DC. IRON-TREE. (σιδηρος, iron, and δενδρον, a tree.) Tetrandria Monogy

triflòrum DC. (*ro. wh*) three-flowered W. Indies 1793. .... S ♄ Jacq. amer. 19. t. 173.

CHIOCO'CCA DC. SNOWBERRY. (χιων, snow, and κοκκος, a berry; white.) Pentand. Mo

1 racemòsa DC. (*wh*) cluster-flowered Jamaica 1729. 2. S ♄ Andr. reposit. t. 284.

2 anquífuga DC. (*wh*) panicled W. Indies 1824. —— S ♄ Mart. med. bras. t. 5

CHOME'LIA DC.		Chome'lia. (B. Chomel, M.D., a French bot.) Tetrandria Monogynia.						
1 spinòsa DC.	(wh)	spiny	W. Indies	1793.	....	S	♄	Jacq. amer. 18. t. 13.
2 fasciculàta DC.	(wh)	fascicled	Jamaica	1824.	4. 6.	S	♄	
IXO'RA DC.		Ixo'ra. (name of a Malabar idol.) Tetrandria Monogynia.						
1 grandiflòra DC.	(sc)	great-flowered	E. Indies	1814.	7. 9.	S	♄	Bot. reg. t. 154.
coccinea L. *non* B.M.								
2 Bandhùca DC.	(sc)	stem-clasping	———	——	1. 4.	S	♄	Bot. reg. t. 513.
3 fúlgens DC.	(sc)	glossy	———	1820.	....	S	♄	Rumph. amb. 4. t. 46.
longifòlia Sm. *lanceolàta* Lam.								
4 flámmea DC.	(or)	flame-coloured	China	1690.	4. 8.	S	♄	Bot. mag. t. 169.
coccinea B.M. *stricta* F.I. *speciòsa* W. enum.								
5 crocàta DC.	(sn)	saffron-coloured	China	1820.	——	S	♄	Bot. reg. t. 782.
6 incarnàta DC.	(fl)	flesh-coloured	———	——	——	S	♄	Lodd. bot. cab. 1048.
7 blánda DC.	(bh)	charming	———	1812.	——	S	♄	Bot. reg. t. 100.
8 álba DC.	(wh)	white	E. Indies	1768.	6.	S	♄	Rheed. mal. 2. t. 14.
9 cuneifòlia DC.	(wh)	wedge-leaved	———	1820.	——	S	♄	Bot. reg. t. 648.
10 brachiàta DC.	(wh)	brachiate-panicled	———	——	——	S	♄	
11 arbòrea DC.	(wh)	fragrant	———	....	——	S	♄	Andrews's reposit. t. 78.
12 acuminàta DC.	(wh)	tapering-leaved	———	1824.	3. 5.	S	♄	
13 decípiens DC.	(wh)	deceiving	———	1818.	6.12.	S	♄	
parviflòra F.I. not of Vahl.								
14 parviflòra DC.	(wh)	small-flowered	———	1800.	8.10.	S	♄	Vahl symb. 3. t. 52.
15 barbàta DC.	(wh)	bearded	———	1822.	6. 8.	S	♄	Bot. mag. t. 2505.
16 undulàta DC.	(wh)	wave-leaved	———	1818.	——	S	♄	
17 ròsea DC.	(ro)	rose-coloured	———	1820.	4. 8.	S	♄	Bot. reg. t. 540.
18 obovàta DC.	(cr)	obovate-leaved	———	1810.	——	S	♄	
purpùrea F.								
PAVE'TTA DC.		Pave'tta. (vernacular name of P. Indica.) Tetrandria Monogynia.						
1 índica DC.	(wh)	Indian	E. Indies	1791.	8.10.	S	♄	Rheed. mal. 5. t. 10.
2 tomentòsa DC.	(wh)	woolly	———	1824.	——	S	♄	
3 cáffra DC.	(wh)	Cape	C. B. S.	1816.	——	G	♄	Bot. mag. t. 3580.
4 arenòsa DC.	(wh)	tubercled	China	....	3.10.	S	♄	Bot. reg. t. 198.
indica B.R. *nec aliorum*								
TETRAME'RIUM G.		Tetrame'rium. (τετρας, four, and μερις, a part; flowers.) Tetrand. Monogy.						
1 odoratissimum S.S.	(wh)	sweet-scented	W. Indies.	1793.	4. 6.	S	♄	Jacq. amer. t. 47.
Coffèa occidentàlis W. *Ixòra americàna* Sw. *Faràmea odoratissima* DC.								
COFFE'A DC.		Coffee-tree. (*Caffee*, a province of Narea, in Africa.) Pentand. Monogy.						
1 arábica DC.	(wh)	Arabian	Yemen	1696.	8.11.	S	♄	Bot. mag. t. 1303.
2 paniculàta DC.	(wh)	panicled	Guiana	1822.	——	S	♄	Aubl. guian. 1. t. 58.
Tetramèrium paniculàtum S.S.								
PSYCHO'TRIA DC.		Psycho'tria. (ψυχη, life; powerful emetic properties.) Pentand. Monogy.						
1 ellíptica DC.	(wh)	elliptic-leaved	Brazil	1820.	2. 6.	S	♄	Bot. reg. t. 607.
2 undàta DC.	(wh)	wave-leaved	Bahama	1818.	4. 6.	S	♄	Jacq. schœnb. 3. t. 260.
3 chimarrhoìdes DC.	(wh)	Chimarrhis-like	Trinidad	1826.	——	S	♄	
4 capitellàta DC.	(wh)	capitellate	———	1824.	——	S	♄	
5 brachiàta DC.	(wh)	cross-branched	W. Indies	1793.	....	S	♄	
6 pubéscens DC.	(wh)	pubescent	Jamaica	1812.	....	S	♄	
7 corymbòsa DC.	(pu)	corymbose	———	——	3. 4.	S	♄	
8 myrtiphy'llum DC.	(wh)	Myrtle-leaved	———	1823.	2. 5.	S	♄	Sloan. his. 2. t. 209. f. 2.
9 parasítica DC.	(wh)	parasitic	W. Indies	1802.	5. 8.	S	♄	Jacq. amer. t. 51. f. 1.
10 marginàta DC.	(wh)	marginate	Jamaica	1819.	5. 6.	S	♄	
11 hirsùta DC.	(wh)	hairy	———	1826.	——	S	♄	
12 fœ'tens DC.	(wh)	strong-scented	———	1825.	——	S	♄	
13 citrifòlia DC.	(wh)	Citron-leaved	W. Indies	1793.	1.12.	S	♄	
14 laurifòlia DC.	(wh)	Laurel-leaved	———	1825.	5. 8.	S	♄	
15 Brównei DC.	(wh)	Browne's	Jamaica	1806.	5. 6.	S	♄	Brown. jam. t. 17. f. 2.
16 glabràta DC.	(wh)	smooth	———	1822.	4. 5.	S	♄	
17 pedunculàta DC.	(st)	pedunculate	———	1824.	5. 6.	S	♄	
18 Roxbárghii DC.	(wh)	Roxburgh's	Moluccas	1806.	4. 5.	S	♄	
19 Reeveàii DC.	(gr)	Reeves's	China	1823.	4. 6.	G	♄	
20 daphnoìdes Cun.	(wh)	Daphne-like	Moreton Bay	1830.	6.	G	♄	Bot. mag. t. 3228.
PALICOU'REA DC.		Palicou'rea. (etymology unknown.) Pentandria Monogynia.						
1 Pavétta DC.	(wh)	nerved	W. Indies	1823.	8.10.	S	♄	Plum. ic. t. 156. f. 1.
Pavétta pentándra R.S.								
2 crócea DC.	(sn)	copper-coloured	Trinidad	——	7. 8.	S	♄	Brown. jam. t. 13.
3 rígida DC.	(ye)	stiff	———	1820.	8.10.	S	♄	
4 spicàta DC.	(ye)	pointed-fruited	Caracas	1824.	7.11.	S	♄	Kth. nov. gen. 3. t. 285.

Subtribe II. *CEPHÆLI'DEÆ.* DC.

CEPHAE'LIS DC. CEPHAE'LIS. (κεφαλη, a head; flowers.) Pentandria Monogynia.

Sect. 1. TAPOGO'MEA; *heads of flowers involucrated by two large spreading connate coloured bracteas.*

1	tomentòsa DC.	(*pu*) tomentose	Trinidad	1820.	4. 6.	S	♄	
2	punícea DC.	(*pu*) puniceous	Jamaica	1825.	——	S	♄	
3	elàta DC.	(*pu*) tall	———	1793.	....	S	♄	

Sect. 2. CALLICO'CCA; *heads of flowers involucrated by distinct ovate or oblong bracteas.*

4	glàbra DC.	(*bl*) smooth	Trinidad	1820.	5. 8.	S	♄	Aubl. guian. 1. t. 63.
5	Swártzii DC.	(*bl*) Swartz's	W. Indies	1824.	....	S	♄	
6	axillàris DC.	(*pu*) axillary-flower'd	Brazil	1816.	4. 5.	S	♄	
7	violàcea DC.	(*vi*) violet-coloured	W. Indies	1824.	4. 6.	S	♄	Aubl. guian. 1. t. 60.
	Tapogòmea violàcea Aubl.							
8	muscòsa DC.	(*wh*) mossy	———	——	——	S	♄	Jacq. amer. t. 35.
9	purpùrea DC.	(*pu*) purple	Guiana	1821.	——	S	♄	Aubl. guian. 1. t. 63. f. 3.
10	álba DC	(*bh*) white	———	1824.	——	S	♄	——— 1. t. 62. f. 1.
11	pedunculàta DC.	(*wh*) long-peduncled	Sierra Leon.	.....	2. 4.	S	♄	Sal. par. lond. t. 103.

CARAPI'CHEA DC. CARAPI'CHEA. (vernacular name.) Pentandria Monogynia.

	Aublètii DC.	(*wh*) Aublet's	Guiana	1824.	6. 9.	S	♄	Aubl. guian. 1. t. 68.
	Cephæ'lis involucràta W.							

SUTE'RIA DC. SUTE'RIA. (J. R. Suter, prof. bot. Berne.) Pentandria Monogynia.

	calycìna DC.	(*wh*) large-calyxed	Brasil	1816.	4. 5.	S	♄	Lindl. coll. t. 21.
	Cephæ'lis calycina Lindl.							

GEO'PHILA DC. GEO'PHILA. (γη, the earth, and φιλεω, to love; creeping.) Pentand. Monogy.

	renifórmis DC.	(*wh*) kidney-leaved	W. Indies	1793.	4. 6.	S	♃	Jacq. amer. t. 46.
	Psychótria herbàcea W.							

Tribe IX. *SPERMACO'CEÆ.* DC.

Subtribe I. *CEPHALA'NTHEÆ.* DC.

CEPHALA'NTHUS DC. BUTTON-WOOD. (κεφαλη, a head, and ανθος, a flower.) Tetrand. Monogy.

	occidentàlis DC.	(*wh*) American	N. America	1735.	8.	S	♄	Schmidt arb. 1. t. 45.

Subtribe II. *EUSPERMACO'CEÆ.* DC.

BORRE'RIA DC. BORRE'RIA. (W. Borrer, F.L.S., cel. British bot.) Tetrand. Monogy.

1	verticillàta DC.	(*wh*) whorl-flowered	Africa	1732.	6. 8.	S	♄	
	Spermacòce verticillàta L. *mucronàta* Nees. *Bigelòvia verticillàta* s.s. *commutàta* s.s.							
2	Kohautiàna DC.	(*wh*) Kohaut's	Africa	1732.	6. 8.	S	♄	Dill. elth. t. 277. f. 358.
3	spinòsa DC.	(*wh*) spiny	E. Indies	1829.	8. 9.	S	⊙	Brown. jam. t. 141. f. 1.
4	parviflòra DC.	(*wh*) small-flowered	———	1827.	——	S	⊙	Meyer. essequ. 83. t. 1.
5	cornifòlia DC.	(*wh*) Cornus-leaved	Brazil	1820.	——	S	⊙	
6	capitàta DC.	(*wh*) capitate	Peru	1826.	6. 8.	F	♃	Flor. per. 1. t. 91. f. b.
7	áspera DC.	(*wh*) rough	W. Indies	1822.	7. 8.	S	⊙	Aubl. guian. 1. t. 20. f. 4.
8	adscéndens DC.	(*wh*) ascending	Madagascar	1820.	——	S	⊙	
9	linifòlia DC.	(*wh*) flax-leaved	W. Indies	——	6. 8.	S	⊙	

SPERMACO'CE DC. BUTTON-WEED. (σπερμα, a seed, and ακωκη, a point.) Tetrand. Monogy.

1	glàbra DC.	(*wh*) smooth	N. America	1823.	7. 8.	H	⊙	
2	stricta DC.	(*wh*) upright	E. Indies	1821.	——	S	⊙	
	Bigelòvia stricta s.s.							
3	híspida DC.	(*vi*) bristly	E. Indies	1781.	8. 9.	S	⊙	Burm. zeyl. t. 20. f. 3.
4	latifòlia s.s.	(*wh*) broad-leaved	Guiana	1803.	7.	S	♂	Aub. gui. t. 19. f. 1.
5	suffrutéscens s.s.	(*bh*) suffruticose	.....	1823.	7. 8.	S	♄	Jacq. schoen. t. 322.
6	radicans DC.	(*wh*) rooting	Guiana	1803.	——	S	♃	Aubl. gui. 1. t. 20. f. 5.
7	tenùior DC.	(*bh*) slender	W. Indies	1732.	6. 8.	H	⊙	Sch. hand. 1. t. 22.

8 lanceolàta DC. (*wh*) spear-leaved W. Indies 1818. 6. 8. H ⊙
9 sexangulàris DC. (*bl*) six-angled ——— 1822. —— S ⊙ Aubl. gui. 1. t. 20. f. 3.
10 prostràta DC. (*wh*) prostrate Jamaica 1818. —— S ♄
11 involucràta DC. (*wh*) involucred Carolina 1812. —— H ⊙

DIO'DIA DC. DIO'DIA. (*διοδος*, a passage.) Tetrandria Monogynia.
1 virgínica DC. (*wh*) Virginian Virginia 1820. 6. 8. H ♃ Jacq. ic. 1. t. 29.
2 tetragòna DC. (*wh*) angular-stem'd Carolina 1824. —— H ♃
3 hirsùta DC. (*wh*) hairy N. America 1830. —— H ♃
4 verticillàta DC. (*wh*) whorl-leaved Santa Cruz 1821. .... S ♃
5 tères DC. (*wh*) round-stemmed N. America 1820. 7. 8. H ⊙
6 sarmentòsa DC. (*wh*) sarmentose W. Indies 1821. 6. 8. S ♃
Spermacòce diodìna M.

CRU'SEA DC. CRU'SEA. (G. Cruse, who has written on Cape Rubiaceæ.) Tetra. Monogy.
rùbra DC. (*ro*) red W. Indies 1760. 7. 8. S ♂ Jacq. schœn. 3. t. 256.
Spermacòce rùbra Jacq. *strigòsa* Bot. mag. t. 1558.

RICHARDSO'NIA DC. (R. Richardson, Eng. bot. of 16th cent.) Hexandria Monogynia.
1 scàbra DC. (*wh*) rough S. America 1812. 9.10. H ⊙ Swt. br. fl. gar. t. 91.
2 pilòsa DC. (*wh*) hairy Lima 1824. 7. 9. H ⊙ Flor. peruv. 3.t.279.f.b.
3 stellàris DS. (*wh*) starry Brazil 1836. —— H ⊙

KNO'XIA DC. KNO'XIA. (R. Knox, author of Hist. Ceylon.) Tetrandria Monogynia W.
1 xylónica DC. (*wh*) Ceylon Ceylon 1826. 6. 8. S ♄ Lam. ill. t. 59. f. 1.
2 corymbòsa DC. (*wh*) Sumatra E. Indies 1818. 4. 6. S ♄
Spermacòce sumatrénsis F.I.
3 umbellàta DC. (*wh*) umbel-flowered Nepaul 1820. 4. 6. S ♄
Spermacòce tères F.I.
4 exsérta DC. (*wh*) exserted Ceylon 1828. 6. 8. G ♄
5 lævis DC. (*li*) smooth E. Indies 1818. 7. 8. G ♄
Spermacòce Roxbúrghii S.S.

MITRACA'RPUM DC. MITRACA'RPUM. (*μιτρα*, a girdle, and *καρπος*, a fruit.) Tetran. Monogy.
1 villòsum DC. (*wh*) villous Jamaica 1823. 7. 9. S ⊙ Jacq. ic. t. 308.
Spermacòce hírta Jacq. *non* Swartz.
2 hírtum DC. (*wh*) hairy Jamaica 1822. 7. 9. S ⊙
3 Fischèri DC. (*wh*) Fischer's ——— 1820. —— S ⊙
4 stylòsum DC. (*wh*) long-styled Manilla —— 8. 9. S ⊙

Tribe X. *PUTORIEÆ*. DC.

SERI'SSA DC. SERI'SSA. (a name employed by Dioscorides.) Pentandria Monogynia.
fœ'tida DC. (*wh*) Japanese Japan 1787. 5. 9. G ♄ Bot. mag. t. 361.
β *multiplex* (*wh*) *double-flowered* ——— —— —— G ♄

ERNO'DEA DC. ERNO'DEA. (*ερνωδης*, branched.) Tetrandria Monogynia.
littoràlis DC. (*ye*) Sea-shore W. Indies 1820. 6. 7. S ♄ Sloan.his.2.t.169.f.1&2.

PLO'CAMA DC. PLO'CAMA. (*πλοκαμος*, bent or twisted; hairs.) Pentandria Monogynia.
péndula DC. (*wh*) pendulous Canaries 1779. .... G ♄

PUTO'RIA DC. PUTO'RIA. (*putor*, rankness; smell.) Tetrandria Monogynia.
calábrica DC. (*pu*) mountain Sicily 1820. 6. 7. H ♄ Flor. græc. t. 143.
Asperula calábrica L. *Ernòdea montàna* F.G.

Tribe XI. *ANTHOSPERMEÆ*. DC.

ANTHOSPE'RMUM DC. AMBER-TREE. (*ανθος*, a flower, and *σπερμα*, a seed.) Diœcia Tetrand.
æthiópicum DC. (*gr*) Ethiopian C. B. S. 1692. 6. 7. G ♄ Pluk. alm. t. 183. f. 1.

CAPRO'SMA DC. CAPRO'SMA. (*καπρος*, a wild boar, and *οσμη*, a smell.) Tetra-Heptan. Digy.
hirtélla DC. (*wh*) hairy V. D. L. 1837. .... G ♄ Lab. nov. holl. 1. t. 95.

PHY'LLIS DC. BASTARD HARE'S-EAR. (*φυλλον*, a leaf; principal beauty.) Pentandria Digyn.
Nòbla DC. (*br*) Canary Canaries 1699. 6. 7. G ♄ Dill. elth. t. 299. f. 386.

Tribe XII. *STELLA'TÆ.* DC. prod. 4. p. 580.

CRUCIANE'LLA DC. Cross-wort. (*crux*, a cross; leaves placed crosswise.) Tetrand. Monogy.

§ 1. *Flowers disposed in continuous spikes.*

1	angustifòlia DC.	(*st*) narrow-leaved	S. Europe	1658.	6. 7.	H	☉		Sm. exot. bot. 2. t. 109.
2	ciliàta DC.	(*st*) ciliated	Levant	1805.	7. 8.	H	☉		
3	pátula DC.	(*ye*) spreading	Spain	1798.	6. 7.	H	☉		
4	latifòlia DC.	(*gr*) broad-leaved	S. Europe	1633.	——	H	☉		Flor. græc. t. 139.
5	ægyptìaca DC.	(*st*) Egyptian	Egypt	1800.	——	H	☉		
6	monspelìaca DC.	(*st*) Montpelier	S. France	1791.	7. 8.	H	☉		Flor. græc. t. 140.
7	suavèolens DC.	(*ye*) sweet-scented	Caucasus	1837.	——	H	♃		
8	gilánica DC.	(*ye*) Gilan	Persia	——	——	H	♃		Tri. in act. pet. 1818. t. 12.
9	chloróstachys F.M.	(*gr*) green-spiked	Persia ?	——	——	H	♃		

§ 2. *Flowers capitate.*

10	marítima DC.	(*ye*) sea-side	S. France	1640.	7. 8.	G	♄		Sabb. hort. 2. t. 13.
11	stylòsa DC.	(*re*) long-styled	Persia	1836.	6. 8.	H	♃		Bot. reg. n. s. t. 55.
12	americàna DC.	(*bl*) American	Vera Cruz	....	7. 8.	S	♄		
13	pubéscens DC.	(*pu*) pubescent	Candia	1799.	——	G	♃		

§ 3. *Flowers in fascicles, forming interrupted racemes.*

14	áspera DC.	(*st*) rough	Iberia	1827.	6. 8.	H	♃		
15	glomeràta DC.	(*st*) clustered	———	1828.	——	H	♃		
16	molluginoìdes DC.	(*wh*) Mollugo-like	Caucasus	1800.	——	H	♃		Buxb. cent. 2. t. 30. f. 1.
17	exásperata F.M.	(*ye*) exasperated	Persia ?	1837.	——	H	♃		
18	hispídula F.M.	(*ye*) hispidulous	——— ?	——	——	H	♃		
19	híspida DC.	(*pu*) hispid	Vera Cruz	....	——	S	♃		

SHERA'RDIA DC. Shera'rdia. (W. Sherard, LL.D., Consul at Smyrna.) Tetran. Monogy.

	arvénsis DC.	(*li*) little	Britain	....	4. 9.	H	☉		Eng. bot. v. 13. t. 891.

RU'BIA DC. Madder. (*ruber*, red; colour of roots.) Tetrandria Monogynia.

1	tinctòrum DC.	(*gr*) dyer's	S. Europe	1596.	6.	H	♃		Flor. græc. t. 141.
2	spléndens DC.	(*ye*) glossy	Portugal	1812.	6. 8.	H	♄		
3	galioìdes R.S.	(*gr*) Galium-like	Canaries	1816.	——	F	♄		
4	peregrìna DC.	(*ye*) wild	England	....	7.	H	♃		Eng. bot. v. 12. t. 851.
5	làcida DC.	(*ye*) shining	Majorca	1762.	——	F	♄		Flor. græc. t. 142.
6	fruticòsa DC.	(*ye*) prickly-leaved	Canaries	1779.	9.	F	♄		Jacq. ic. 1. t. 25.
7	Boccòni DC.	(*bh*) Boccone's	Italy	1823.	——	H	♃		Bocc. mus. t. 75. f. 2-3.
8	angustifòlia DC.	(*st*) narrow-leaved	S. Europe	1772.	7. 8.	F	♄		Lam. ill. t. 60. f. 2.
9	cordifòlia DC.	(*wh*) heart-leaved	Siberia	1783.	7.	H	♃		Pall. it. 3. ap. t. L. f. 1.

ASPE'RULA DC. Woodruff. (a dim. of *asper*, rough; leaves.) Tetrandria Monogynia.

§ 1. Sherardia'na; *corollas tubularly funnel-shaped; annual.*

1	trichòdes DC.	(*gr.wh*) hairy	Persia	1838.	6. 7.	H	☉		
2	arvénsis DC.	(*bh*) field	Europe	1596.	7.	H	☉		Lobel. ic. t. 801. f. 2.

§ 2. Cyna'nchica; *corollas tubularly funnel-shaped; perennials.*

3	lævigàta DC.	(*wh*) shining	S. Europe	1775.	6.	H	♃		Moris. his. 3. t. 21 f. 4.
4	taurìna DC.	(*li*) broad-leaved	Italy	1739.	4. 6.	H	♃		Lob. ic. 800. f. 1.
5	longifòra DC.	(*li*) long-flowered	Hungary	1818.	——	H	♃		W. et K. hung. t. 150.
6	aristàta DC.	(*st*) awned	S. Europe	1823.	——	H	♃		
7	supìna DC.	(*bh*) trailing	Caucasus	——	6. 7.	H	♃		
8	brevifòlia DC.	(*li*) short-leaved	Levant	1818.	——	H	♄		Vent. cels. t. 63.
9	cynánchica DC.	(*bh*) small	England	....	7.	H	♃		Eng. bot. v. 1. t. 33.
10	alpìna DC.	(*bh*) Alpine	Caucasus	1825.	——	H	♃		
11	crassifòlia R.S.	(*wh*) thick-leaved	Levant	1775.	6.	H	♃		
12	scàbra DC.	(*wh*) rough	Italy	1824.	——	H	♃		
13	tinctòria DC.	(*bh*) narrow-leaved	Europe	1764.	6. 7.	H	♃		Tabern. ic. 151.
14	montàna DC.	(*bh*) mountain	Hungary	1801.	——	H	♃		
15	arcadiénsis DC.	(*ro*) Arcadian	Arcadia	1819.	5.	H	♃		Bot. mag. t. 2146.
16	tomentòsa DC.	(*pu*) woolly	Italy	1826.	——	H	♃		Ten. fl. nap. 1. t. 9.
17	nítida DC.	(*pk*) shining	Greece	1829.	7. 9.	H	♃		Flor. græc. t. 124.
18	hírta DC.	(*pu*) thick-rooted	Pyrenees	1826.	5. 6.	H	♃		Ram. phil. t. 9. f. 1. 2.
19	hirsùta DC. *rèpens* Brot.	(*ro*) hairy creeping	S. Europe	1820.	——	H	♃		
20	incàna DC.	(*pu*) hoary	Crete	1823.	6. 7.	H	♃		Flor. græc. t. 119.

§ 3. Galioi'deæ; *corollas campanulate; perennials.*

21	galioìdes DC. *Gàlium glaúcum* L.	(*wh*) glaucous	S. Europe	1710.	6. 9.	H	♃		Bocc. mus. 2. t. 116.
22	humifùsa DC.	(*wh*) spreading	Caucasus	1825.	——	H	♃		

23 longifòlia DC.	(wh)	long-leaved	Greece	1823.	6. 9.	H ♃	Flor. græc. 118.
24 Aparìne DC.	(wh)	marsh	Crete	——	——	H ♃	——— t. 117.
riváli Sm. *Gàlium uliginòsum* Pall.							
25 odoràta DC.	(wh)	sweet-scented	Britain	....	5. 6.	H ♃	Eng. bot. 755.
26 tyràica DC.	(wh)	Tyraican	Levant	1826.	——	H ♃	

VALA'NTIA DC. VALA'NTIA. (S. Vaillant, an eminent French bot.) Tetrand. Monogy.

1 muràlis DC.	(st)	wall	S. Europe	1739.	5. 7.	H ⊙	Flor. græc. t. 137.
2 hispida DC.	(wh)	bristly	———	1768.	——	H ⊙	——— t. 138.

GA'LIUM DC. BEDSTRAW. (γαλα, milk; some used for curdling.) Tetrandria Monogynia.

Sect. 1. MASCHAGA'LIA; *inflorescence axillary; flowers polygamous, cream-coloured or yellow; leaves 4 in a whorl.*

1 cruciàtum DC.	(ye)	Crosswort	Britain	....	5. 6.	H ♃	Eng. bot. v. 2. t. 143.
Valántia cruciàta W.							
2 chersonénse DC.	(ye)	fringed	Tauria	1829.	5. 7.	H ♃	
3 taúricum DC.	(ye)	fragrant	———	1820.	——	H ♃	Bot. mag. t. 2670.
Valántia taúrica Pall.							
4 coronàrium DC.	(ye)	crowned	Tauria	1816.	6. 7.	H ♃	Flor. græc. t. 125.
Valántia taúrica M.B.							
5 pedemontànum DC.	(ye)	Piedmont	Piedmont	1799.	7.	H ♃	Bell. append. t. 5.
6 retòrsum DC.	(ye)	retrorse	Hungary	——	——	H ⊙	W. et K. hung. 1. t. 33.
Pedemontànum M.B. *Valántia pedemontàna* W.K.							
7 Bauhìni R.S.	(ye)	Bauhin's	Europe	1731.	7. 8.	H ♃	——— 1. t. 32.
Valántia glàbra L.							
8 vérnum DC.	(ye)	shining	———	——	——	H ♃	Scop. c. e. 2. t. n. 144. t. 2.
9 Pérsicum DC.	(ye)	Persian	Persia	1837.	——	H ♃	
10 Hallèri R.S.	(st)	Haller's	Switzerland	1823.	5. 6.	H ♃	
Valántia glàbra Vill.							

§ 2. PLATYGA'LIA; *leaves broad, 4 in a whorl; flowers disposed in cymose panicles, hermaphrodite; fruit glabrous.*

11 articulàtum DC.	(ye)	jointed	Egypt	1752.	7. 8.	H ⊙	Lam. ill. t. 843. f. 3.
12 rubiòides DC.	(st)	Madder-leaved	S. Europe	1775.	7.	H ♃	Buxb. cent. 2. t. 29.
13 diffùsum DC.	(st)	spreading	———	1820.	——	H ♃	
14 tatàricum DC.	(wh)	Tartarian	Tartary	——	6. 8.	H ♃	
15 valantioides D.C.	(wh)	Valantia-like	Caucasus	1823.	——	H ♃	

§ 3. LEIOGA'LIA; *leaves 6 to 10 in a whorl, rarely 4 or 5; flowers disposed in cymose panicles, hermaphrodite, white; fruit glabrous.*

16 palústre DC.	(wh)	water	Britain	....	6. 8.	H w ♃	Eng. bot. v. 26. t. 1857.
17 satureiæfòlium DC.	(wh)	Savory-leaved	Caucasus	1818.	7.	H w ♃	
18 trífidum DC.	(wh)	3-fid-flowered	N. Europe	——	——	H w ♃	Flor. dan. t. 48.
19 tinctòrium DC.	(wh)	dyer's	N. America	1830.	——	H ♃	
20 fruticòsum DC.	(wh)	frutescent	Crete	1823.	7. 8.	F ♄	
21 helòdes DC.	(wh)	weak-branched	Portugal	1827.	——	H w ♃	
22 Claytòni R.S.	(wh)	Clayton's	N. America	——	——	H w ♃	
23 Witheringii DC.	(wh)	rough	England	....	6. 7.	H ♃	Eng. bot. v. 31. t. 2206.
24 glàbrum S.S.	(wh)	smooth	C. B. S.	1816.	——	G ♃	
25 uliginòsum DC.	(wh)	marsh	Britain	....	7. 8.	H w ♃	Eng. bot. v. 28. t. 1972.
26 divaricàtum DC.	(wh)	divaricate	S. France	1820.	——	H ⊙	DC. ic. gal. rar. t. 24.
27 campéstre DC.	(st)	field	Barbary	1818.	8. 9.	H ⊙	
28 austriacum R.S.	(wh)	Austrian	Europe	1804.	6. 7.	H ♃	Jacq. aust. t. 80.
29 Boccòni DC.	(bh)	Boccone's	———	1801.	5. 6.	H ♃	Bocc. mus. t. 101.
30 obliquum DC.	(wh)	oblique-leaved	S. France	....	——	H ♃	Vill. delph. 2. n. 9. t. 8.
31 pusillum DC.	(wh)	least	England	....	7. 8.	H ♃	Eng. bot. v. 2. t. 74.
32 pùmilum DC.	(wh)	dwarf	Pyrenees	1820.	6. 7.	H ♃	Lam. ill. t. 60. f. 2.
33 supinum DC.	(wh)	trailing	Europe	1819.	——	H ♃	Juss. ac. p. 1714. t. 15. f. 2.
34 alpéstre DC.	(wh)	smooth-leaved	S. Europe	1824.	——	H ♃	Vill. delph. 2. t. 7. bis.
35 tenuifòlium R.S.	(wh)	slender-leaved	———	1820.	6. 7.	H ♃	
36 tenuissimum DC.	(br)	slenderest	Caucasus	1818.	7. 9.	H ⊙	
37 tyrolénse DC.	(wh)	Tyrolese	Tyrol	1801.	7.	H ♃	
38 Mollùgo DC.	(wh)	great hedge	Britain	....	7. 8.	H ♃	Eng. bot. v. 24. t. 1673.
39 elàtum P.S.	(wh)	tall	France	1827.	——	H ♃	
40 Villársii DC.	(wh)	Villars's	Pyrenees	1823.	6. 7.	H ♃	Vill. dauph. 2. t. 7.
megalospérma All.							
41 campanulàtum S.S.	(wh)	bell-flowered	Europe	1710.	6. 9.	H ♃	Jacq. aust. 1. t. 81.
glaucum Jacq. *non* L.							
42 erèctum DC.	(wh)	upright	Britain	....	6. 7.	H ♃	Eng. bot. v. 29. t. 2067.
43 lùcidum RS.	(wh)	glossy	S. Europe	1820.	——	H ♃	All. ped. 1. t. 77. f. 2.
44 linifòlium DC.	(wh)	Flax-leaved	———	1759.	——	H ♃	Barr. ic. t. 356 et 583.
45 rígidum DC.	(wh)	rigid	Azores	1778.	——	H ♃	
46 sylváticum DC.	(wh)	wood	S. Europe	1658.	7. 8.	H ♃	

47	cinèreum DC.	(*wh*) cinereous	Scotland	....	8.	H	♃	All. ped. 1. t. 77. f. 4.
48	hyrcánicum DS.	(*wh*) Hyrcanian	Caucasus	1838.	6. 8.	H	♃	
49	chloroleùcum F.M.	(*gr.wh*) greenish-wh.	Persia	——	——	H	♃	
50	aristàtum DC.	(*wh*) awned	Scotland	....	7. 8.	H	♃	Barr. ic. t. 356.
51	saxátile DC.	(*bh*) smooth heath	Britain	....	——	H	♃	Eng. bot. v. 12. t. 813.
52	helvéticum DC.	(*wh*) Swiss	Switzerland	1823.	——	H	♃	J.m.ac.p.1714.t.15.f.1.
53	ánglicum DC.	(*st*) English	England	....	6. 7.	H	⊙	Eng. bot. v. 6. t. 384.
54	parvifòlium R.S.	(*wh*) small-leaved	Switzerland	1825.	——	H	⊙	
55	parisiénse RS.	(*st*) Paris	France	1818.	——	H	⊙	

§ 4. TRICHOGA'LIA; *leaves* 4 *to* 10 *in a whorl; flowers hermaphrodite, in cymose panicles; fruit hispid.*

56	boreàle DC.	(*wh*) cross-leaved	Britain	....	7.	H	♃	Eng. bot. v. 2. t. 105.
57	septentrionàle DC.	(*wh*) northern	N. America	1827.	——	H	♃	
58	brachyphy'llum DC.	(*wh*) short-leaved	Caucasus	——	——	H	♃	
59	rotundifòlium DC.	(*wh*) round-leaved	Europe	....	6. 7.	H	♃	Jacq. aust. t. 94.
60	Neesiànum DC.	(*wh*) Nees's	Teneriffe	1830.	8.10.	F	♃	
	hirsùtum Nees.							
61	ellípticum DC.	(*wh*) elliptic-leaved	Sicily	1820.	6. 7.	H	♃	Barr. ic. t. 21. f. 4.
62	pilòsum R.S.	(*wh*) hairy	N. America	1778.	——	H	♃	
63	græ'cum DC.	(*pu*) Candian	Candia	1798.	——	H	♃	Flor. græc. t. 136.
64	suavèolens R.S.	(*wh*) sweet-scented	N. Europe	1827.	——	H	♃	
65	refléxum R.S.	(*wh*) reflexed	Tauria	1818.	——	H	♃	
66	marítimum DC.	(*pu*) sea-side	S. Europe	1820.	7. 8.	H	♃	
67	triflòrum DC.	(*wh*) three-flowered	N. America	1827.	——	H	♃	Willd. hort. ber. t. 66.

§ 5. ERYTHROGA'LIA; *leaves* 6 *in a whorl; flowers hermaphrodite, cymosely panicled, purple or red; fruit glabrous.*

68	rúbrum DC.	(*re*) red-flowered	Italy	1597.	6. 7.	H	♃	Ger. herb. t. 967. f. 3.
69	purpùreum DC.	(*pu*) purple-flowered	Switzerland	1731.	——	H	♃	Noc. et Balb.fl.tic.1.t.3.

§ 6. EUAPARI'NES; *stems scabrous; leaves* 4-8 *in a whorl; inflorescence axillary; fruit granular or hispid, didymous.*

70	capillàre R.S.	(*wh*) woolly-fruited	Spain	1828.	6. 7.	H	⊙	Cavan. icon. 2.t.191.f.1.
71	Aparìne DC.	(*wh*) Cleavers	Britain	....	5. 9.	H	⊙	Eng. bot. v. 12. t. 316.
72	inféstum R.S.	(*st*) infesting	Europe	1818.	——	H	⊙	W. et K. hung. 3. t. 202.
73	litigiòsum DC.	(*wh*) litigious	S. Europe	....	6. 7.	H	⊙	DC. icon. rar. t. 26.
74	microspérmum DC.	(*wh*) small-seeded	Barbary	1819.	——	H	⊙	
75	setàceum DC.	(*wh*) setaceous	Sicily	——	——	H	⊙	
76	scabérrimum DC.	(*st*) roughest	Egypt	1818,	6. 9.	H	⊙	
77	baldénse S.S.	(*wh*) tufted	Mnt. Baldo.	1825.	7. 8.	H	♃	
78	tricórne DC.	(*st*) three-flowered	Britain	....	7.	H	⊙	Eng. bot. v. 23. t. 1641.
79	spùrium DC.	(*gr*) spurious	———	....	6. 7.	H	♃	——— v. 26. t. 1871.
80	verrucòsum E.B.	(*st*) warted	———	....	6. 8.	H	⊙	——— v. 31. t. 2173.

saccharàtum R.S. *Valántia Aparìne* W.

§ 7. XANTHOGA'LIA; *leaves* 6 *to* 10 *in a whorl; inflorescence panicled; flowers yellow, hermaphrodite.*

81	vèrum DC.	(*ye*) cheese-rennet	Britain	....	7. 9.	H	♃	Eng. bot. t. 660.
82	verosímile R.S.	(*ye*) similar	Europe	1825.	——	H	♃	
83	humifùsum	(*ye*) trailing	Tauria	1820.	6. 7.	H	♃	
84	caucásicum R.S.	(*ye*) Caucasian	Caucasus	——	7. 9.	H	♃	
85	mutábile R.S.	(*ye*) changeable	Poland	1828.	——	H	♃	

§ 8. A'SPERÆ; *leaves* 4 *rarely* 6 *in a whorl; inflorescence lateral; fruit oblong, hispid; parts of fruit distinct, narrow, elongated.*

86	filifórmis DC.	(*ye*) filiform	Teneriffe	1780.	6. 7.	H	⊙	
	Valánta filifórmis Ait.							
87	muràle DC.	(*ye*) wall	S. Europe	1805.	——	H	⊙	Flor. græc. t. 115.
	Sherárdia muràlis L.							
88	verticillàtum DC.	(*wh*) whorled	France	1829.	——	H	♃	——— t. 116.

CALLIPE'LTIS DC. CALLIPE'LTIS. (καλλος, beautiful, and πελτη, a buckler.) Tetran. Mono.

	cucullària DC.	(*ye*) hooded	Levant	1780.	5. 6.	H	⊙	Buxb. cent. 1. t. 19. f. 2.

Tribe XIII. *OPERCULARIE'ÆE.* DC. prodr. 4. p. 614.

OPERCULA'RIA DC. OPERCULA'RIA. (*operculum*, a lid; calyx.) Tetrandria Monogynia.

1	Lamarckiàna DC.	(*wh*) Lamarck's	N. S. W.	1825.	7. 9.	H	⊙	Lam. ill. t. 658. f. 1.

2 áspera DC. (wh) rough N. Zealand 1790. 6. 7. H ♃ Gært. fr. 1. t. 24. f. 4.
3 hispida DC. (wh) hispid N. S. W. —— —— G ♃ Jus. an. mus. 4. t. 70. f. 1.
áspera J.
4 sessiliflòra DC. (wh) sessile-flowered ——— 1816. —— G ♃ Jus. an. mus. 4. t. 70. f. 2.
5 ocymifòlia DC. (wh) Basil-leaved ——— 1820. —— G ♃
6 paleàta DC. (gr.re) Young's ——— 1793. 7. 8. G ♃ Linn. trans. 3. t. 5.
Cryptospérmum Youngii P.S.

PO'MAX DC. PO'MAX. (πωμα, a lid; fruit.) Tetrandria Monogynia.
hirta DC. (wh) hairy N. Holland 1818. 6. 7. G ♄ Gært. fr. 1. t. 24. f. 4.
Operculária umbellàta G.

LIPO'STOMA DS. LIPO'STOMA. (λειπω, to fall from, and στομα, a mouth.) Tetrand. Mon.
capitàta DS. (bl) capitate Brazil 1828. 6. 8. S ♃ Bot. mag. t. 2840.
Ægineìtia capitàta Graham. *Hedyòtis campanuliflòra* B.M.

ORDER CXXIX.

VALERIA'NEÆ. *DC. fl. fr. ed.* 3. *v.* 4. *p.* 418.

CENTRA'NTHUS DC. CENTRA'NTHUS. (κεντρον, a spur, and ανθος, a flower.) Monand. Mon.
1 longiflòrus DC. (re) long-flowered Armenian 1826. 6. 9. H ♃
2 angustifòlius DC. (re) narrow-leaved Europe 1731. 5. 7. H ♃ Flor. græc. 1. t. 29.
3 rùber DC. (re) common England .... 6.10. H ♃ Eng. bot. v. 22. t. 1531.
Valeriàna rùbra E.B.
α *coccíneus* (sc) *scarlet* ——— .... —— H ♃
β *cárneus* (fl) *flesh-coloured* ——— .... —— H ♃
γ *álbus* (wh) *white-flowered* ——— .... —— H ♃
4 nervòsus DC. (wh) nerved-leaved Corsica 1830. —— H ♃
5 Calcítrapa DC. (pi) cut-leaved Portugal 1570. 5. 7. H ☉ Flor. græc. 1. t. 30.

VALERIA'NA DC. VALERIAN. (Valerius first used the plant in medicine.) Triand. Monog.
§ 1. *Radical leaves undivided; cauline ones tripartite or pinnatifid.*
1 dioíca DC. (bh) diœcious Britain .... 5. 7. H ♃ Eng. bot. v. 9. t. 628.
2 Phù DC. (wh) garden Germany 1597. —— H ♃ Plenck. t. 28.
3 officinàlis DC. (bh) great wild Britain .... 6. 7. H ♃ Eng. bot. v. 10. t. 698.
4 tenuifòlia Vahl. (bh) linear-leaved Germany .... —— H ♃ Sturm. fl. germ. fas. 9.
5 sambucifòlia DC. (bh) Elder-leaved Sweden 1818. —— H ♃
6 cardámines M.B. (bh) Ladies smock-ld. Caucasus 1823. 6. 7. H ♃
7 sisymbriifòlia DC. (pi) water-rocket-ld. Levant 1820. —— H ♃
8 trípteris DC. (bh) three-leaved Switzerland 1752. 3. 5. H ♃ Jacq. aust. 3. t. 268.
9 pyrenàica DC. (ro) heart-leaved Scotland .... 5. 6. H ♃ Eng. bot. v. 23. t. 1591.
10 capénsis DC. (bh) Cape C. B. S. 1816. 6. 7. F ♃
11 tuberòsa DC. (ro) tuberous-rooted S. Europe 1629. 5. 8. H ♃ Lapeyr. pyr. t. 53.
12 asarifòlia DC. (re) Asarum-leaved Candia 1824. —— H ♃
13 elongàta DC. (st) elongated Austria 1812. 6. 7. H ♃ Jacq. ic. 3. t. 219.
§ 2. *Leaves all undivided.*
14 supìna DC. (ro) creeping-rooted Germany 1818. 6. 7. H ♃ Jacq. misc. 2. t. 17. f. 2.
15 alliariæfòlia R.S. (wh) Alliaria-leaved Levant 1825. 5. 8. H ♃ Buxb. cent. 2. t. 11.
16 montàna DC. (bh) mountain Switzerland 1748. 6. 7. H ♃ Lodd. bot. cab. 317.
17 saxátilis DC. (wh) rock Germany 1748. 7. H ♃ Jacq. aust. 3. t. 267.
18 salúnca DC. (bh) headed-flower'd Italy 1824. 6. 7. H ♃ All. ped. 1. t. 70. f. 1.
19 celtica DC. (st) raceme-flower'd Switzerland 1748. —— H ♃ Jacq. coll. 1. t. 1.

PATRI'NIA DC. PATRI'NIA. (M. Patrin, a trav. in Siberia.) Tetrandria Monogynia.
1 sibírica DC. (ye) Siberian Siberia 1759. 5. 6. H ♂ Bot. mag. t. 2325.
Valeriàna sibírica L. *ruthénica* B.M.
2 coronàta S.S. (ye) crowned Altay 1826. 5. 7. H ♂
3 rupéstris DC. (re) rock Siberia 1801. —— H ♂ Bot. mag. t. 714.
Valeriàna sibírica B.M.
4 heterophy'lla D.S. (ye) various-leaved China 1837. —— H ♃
5 intermèdia DC. (ye) intermediate Siberia 1823. —— H ♂
nudiúscula Fisch.

6 scabiosæfòlia DC. (*ye*) Scabious-leav'd Dahuria 1826. 6. 8. H ♃ Swt. br. fl. gar. t. 154.
serratulæfòlia F.

DUFRE'SNIA DC. DUFRE'SNIA. (Peter Dufresne, M.D., a French bot.) Tetrand. Monog.
orientàlis DC. (*ro*) oriental Levant 1838. .... H ♃ DC. coll. mem. 7. t. 3.

FE'DIA DC. FE'DIA. (*fedus*, a syn. of *hædus*, a kid.) Diandria Monogynia.
Cornucòpiæ DC. (*pu*) purple S. Europe 1596. 5. 8. H ⊙ Bot. reg. t. 155.
Valeriàna cornucòpiæ B.R.

VALERIANE'LLA DC. VALERIANE'LLA. Triandria Monogynia.
1 olitòria DC. (*bh*) Lamb's Lettuce Britain .... 4. 8. H ⊙ Eng. bot. v. 12. t. 811.
Valeriàna locústa R.B. *Fèdia olitòria* R.S. *Fèdia locústa* Reich. ic. t. 60.
2 radiàta DC. (*bh*) rayed N. America 1818. 4. 7. H ⊙ Dufres. val. t. 3. n. 7.
3 exscàpa DC. (*pk*) stemless Caucasus 1826. —— H ⊙
4 gibbòsa DC. ... gibbous Sicily 1837. —— H ⊙
5 uncinàta DC. (*bh*) uncinate Truria 1818. —— H ⊙ Reich. ic. C. 1. t. 69.
6 echinàta DC. (*li*) prickly-capsul'd S. Europe 1807. 7. 8. H ⊙ —————— 1. t. 68.
7 eriocárpa DC. (*bh*) woolly-capsuled France 1823. 4. 7. H ⊙ —————— 1. t. 65.
8 míxta DC. (*bh*) mixed S. Europe 1828. —— H ⊙ Dufr. val. t. 3. n. 6.
9 truncàta DC. (*bh*) truncate Cæte 1829. —— H ⊙ Reich. ic. C. 2. t. 115.
10 microcárpa S.S. (*bh*) small-capsuled S. Europe 1828. —— H ⊙ —————— 2. t. 114.
11 aurícula DC. (*bh*) eared Britain .... —— H ⊙ Eng. bot. suppl. t. 2809.
12 dentàta DC. (*bh*) toothed Europe .... 4. 8. H ⊙ Dufr. val. t. 3. f. 5.
13 pùmila DC. (*re*) small S. Europe 1823. 4. 7. H ⊙ Reich. ic. C. 2. t. 113.
14 hamàta DC. (*bh*) hooked France 1825. —— H ⊙ —————— 1. t. 66. f. 1.
15 Morisònii DC. (*bh*) Morison's Britain .... 4. 8. H ⊙ Eng. bot. t. 1370.
Fèdia dentàta R.B. *non* DC.
16 vesicària DC. (*bh*) bladdered Candia 1739. 4. 7. H ⊙ Flor. græc. 1. t. 34.
17 coronàta DC. (*bh*) prickly-seeded Portugal 1731. —— H ⊙ Dufres. val. t. 3. f. 2.
18 rotàta R.S. (*bh*) rotate Italy 1828. —— H ⊙ Reich. ic. C. 1. t. 67.
19 discoídea D.F. (*bh*) discoid ———— 1731. —— H ⊙ —————— 2. t. 116.
20 chenopodiifòlia R.S. (*bh*) Goosefoot-ld. N. America .... —— H ⊙
21 plagiostephàna F.M. (*wh*) oblique-crowned Caucasus 1836. —— H ⊙
22 cymbocárpa DS. ... boat-fruited ———— 1837. —— H ⊙
23 carinàta DC. (*bh*) keeled Britain .... 4. 8. H ⊙ Eng. bot. suppl. t. 2816.
24 muricàta M.B. (*bh*) muricate Caucasus 1828. 4. 7. H ⊙
25 angulòsa DC. (*bh*) angular ..... 1826. —— H ⊙
26 sclerocárpa F.M. (*bh*) hard-fruited Caucasus 1836. —— H ⊙
27 brachystephàna Ten. (*bh*) short-crowned Naples 1838. —— H ⊙
28 oxyrhy'ncha F.M. (*bh*) sharp-beaked Persia? —— —— H ⊙
29 grácilis F.M. (*bh*) slender ———— —— —— H ⊙
30 Szovitsiàna F.M. (*bh*) Szovits' ———— —— —— H ⊙

BETCKE'A DC. BETCKE'A. (M. Betcke, a French bot.) Triandria Monogynia.
1 samolifòlia DC. (*ro*) Samolus-leaved California? 1835. .... H ⊙
2 màjor F.M. (*ro*) larger N. California —— .... H ⊙

PLECTRITIS DC. PLECTRI'TIS. (πληκτρον, a cock's spur; flowers.) Triandria Monogynia.
1 congésta DC. (*ro*) close-headed N. America 1826. 5. 6. H ⊙ Bot. reg. t. 1094.
Valerianélla congésta B.R.
2 brachystèmon F.M. (*wh*) short-stamd. N. California 1836. —— H ⊙

ORDER CXXX.

DIPSA'CEÆ. *Juss. gen.* 194.

Tribe I. *MORI'NEÆ.* DC. prodr. 4. p. 644.

MORI'NA DC. MORI'NA. (Louis Morin, M.D., a French bot.) Diandria Monogynia.
pérsica DC. (*re*) Persian Persia 1740. 7. 8. G ♃ Flor. græc. 1. t. 28.

Tribe II. *SCABIO'SEÆ.* DC. prodr. 4. p. 645.

DI'PSACUS DC. TEASEL. (διψσαω, to thirst; leaves hold water.) Tetrandria Monogynia.

1 fullònum DC.	(li) manured	Britain	....	7.		H	♂	Eng. bot. v. 29. t. 2080.
2 sylvéstris DC.	(li) wild	———	....	——		H	♂	——— v. 15. t. 1032.
3 laciniàtus DC.	(li) cut-leaved	Germany	1683.	7.	8.	H	♂	Jacq. aust. 5. t. 403.
4 divaricàtus DC.	(li) spreading-leav'd	Sicily	1827.	——		H	♂	
5 Gmelìni DC.	(bl) Gmelin's	Caucasus	1820.	——		H	♂	Jacq. f. ecl. t. 106.
6 ferox DC.	(bh) fierce	Corsica	——	——		H	♂	——— t. 107.
7 pilòsus DC.	(wh) small	Britain	....	8.		H	♂	Eng. bot. v. 13. t. 877.
8 inérmis DC.	(st) spineless	Nepaul	1820.	8.	10.	H	♂	

CEPHALA'RIA DC. CEPHALA'RIA. (κεφαλη, a head; flowers.) Tetrandria Monogynia.

§ 1. *Perennial plant; paleæ acuminated, downy.*

1 tatárica DC.	(ye) Tartarian	Russia	1759.	6.	8.	H	♃	Rchb. pl. crit. 4. t. 301.
Scabiòsa tatárica Gmel. *elàta* Horn.								
2 alpina DC.	(st) Alpine	Switzerland	1570.	6.	7.	H	♃	Moris. s. 6. t. 13. f. 10.
Scabiòsa alpìna W.								

§ 2. *Annual plants; paleæ membranous, awned at apex.*

3 transylvánica DC.	(li) Transylvanian	Hungary	1699.	7.	8.	H	⊙	Jacq. vind. 2. t. 111.
4 joppénsis DC.	(st) Joppa	Joppa	1828.	7.		H	⊙	Reich. H. bot. t. 15.
Succìsa jóppica S.S.								
5 syriaca DC.	(wh) Syrian	Syria	1633.	——		H	⊙	Flor. græc. t. 105.
β *pedunculàta* DC.	(bl) *Vaillant's*	Levant	1826.	——		H	⊙	
Vaillánti R.S.								

§ 3. *Perennial plants; outer paleæ alone, blunt or blunttish.*

6 centauroìdes DC.	(st) Centaury-like	S. Europe	1816.	7.	8.	H	♃	Coult. dips. t. 1. f. 8.
α *commùnis* DC.	... *common*	Hungary	——	——		H	♃	W. et K. hung. 3. t. f. 230.
Scabiòsa centauroìdes Lam. *lævigàta* W. et K.								
β *corniculàta* DC.	(st) *horned*	Hungary	1801.	——		H	♃	W. et. K. hung. 1. t. 13.
Cephalària corniculàta R.S. *Scabiòsa corniculàta* W.K.								
γ *uralénsis* DC.	(st) *Uralian*	Siberia	1789.	——		H	♃	Murr. c. got. 1782. t. 4.
Scabiòsa uralénsis Murr.								
δ *cretàcea* DC.	(st) *leathery-leaved*	Tauria	1828.	——		H	♃	
Scabiòsa coriàcea W. en.								
7 leucántha DC.	(wh) white-flowered	S. Europe	1633.	9.	10.	H	♃	Rchb. pl. crit. 4. t. 356.
β *albéscens* DC.	(st) *whitish*	Siberia	....	——		H	♃	
Scabiòsa albéscens W. en.								
γ *Scopòlii* DC.	(wh) *Scopoli's*	Carniola	1793.	——		H	♃	
Scabiòsa leucántha Scop.								
8 rígida DC.	(wh) rough-leaved	C. B. S.	1731.	7.		G	♄	
9 attenuàta DC.	(wh) narrow-leaved	———	1774.	7.	9.	G	♄	
Scabiòsa attenuàta L. *trífida* Th.								
10 scàbra R.S.	(wh) scabrous	———	1825.	——		G	♄	

KNAU'TIA DC. KNAU'TIA. (C. Knaut, M.D., of Halle, a bot. author.) Tetrand. Monogy.

Sect. 1. LYCHNOI'DES; *involucra erect, cylindrical, of* 6-10 *leaves; flowers few; receptacle narrow; corollas irregular.*

1 orientàlis DC.	(re) red-flowered	Levant	1713.	6.	9.	H	⊙	Schk. handb. 1. t. 22.
2 propóntica DC.	(ro) purple-flowered	———	1768.	——		H	⊙	Lam. ill. t. 58.

Sect. 2. TRICEROI'DES; *involuc. spreading,* 10-12-*leaved; flowers few or many; involucels bidentate at apex; corollas rather irregular; calyxes ciliated.*

3 hybrida DC.	(pu) hybrid	S. Europe	1748.	6.	9.	H	⊙	Flor. græc. t. 104.
Scabiòsa integrifòlia var. DC. *bìdens* F.G.								

Sect. 3. TRICHE'RA; *involucra spreading, of many leaves; flowers numerous; receptacle dilated; involucels rather truncate at top; calyx divided into* 8-10 *awnes; corollas almost regular.*

4 arvénsis DC.	(li) field	Britain	....	7.	10.	H	♃	Eng. bot. v. 10. t. 659.
Scabiòsa arvénsis L.								
β *collìna* DC.	(pu) *hill*	Europe	....	——		H	♃	
γ *canéscens* DC.	(li) *canescent*	———	....	——		H	♃	
5 campéstris DC.	(li) pasture	Poland	1824.	——		H	♃	
6 sylvática DC.	(re) broad-leaved	Austria	1633.	7.		H	♃	Jacq. aust. 4. t. 362.
Scabiòsa sylvática L.								
β *longifòlia* DC.	(li) *long-leaved*	Hungary	1802.	7.	8.	H	♃	W. et K. hung. 1. t. 5.
γ *integrifòlia* DC.	(st) *pubescent*	———	1820.	——		H	♃	
Scabiòsa integrifòlia Host. *pubéscens* W.en.								
7 montàna DC.	(wh) mountain	Caucasus	1823.	——		H	♃	Jacq. f. eclog. t. 60.

8 ciliàta DC. (*st*) ciliated Hungary 1820. 7. 8. H ♃ Rchb. pl. cr. 3. t. 273.
9 diversifòlia DC. (*vi.bl*) diverse-leaved Transylvania 1826. —— H ♃
Scabiòsa diversifòlia S.S.
10 Salcèdi DC. (*li*) Salcedi's Spain 1823. —— H ♃

PTEROCE'PHALUS DC. PTEROCE'PHALUS. (πτερον, a wing, and κεφαλη, a head.) Tet. Mon.
1 plumòsus DC. (*li*) feathered Greece 1824. 7. 8. H ⊙ Flor. græc. t. 111.
Scabiòsa plumòsa Sm. *Knaútia plumòsa* L.
2 Vaillánti DC. (*wh*) Vaillant's S. Europe 1739. —— H ⊙ ——— t. 112.
Scabiòsa pappòsa L. *involucrata* F.G.
3 palæstìnus DC. (*st*) Palestine Palestine 1771. 7. 8. H ⊙ Jacq. vind. 1. t. 96.
Scabiòsa Sibthorpiàna F.G. t. 109.
β *calábricus* DC. (*pu*) *Calabrian* Calabria .... —— H ⊙
γ *dalmáticus* DC. (*pu*) *Dalmatian* Dalmatia .... —— H ⊙ W. et K. hung. 2. t. 157.
Scabiòsa silenifòlia W. et K.
4 lusitánicus DC. (*re*) Portuguese Portugal 1824. 6. 7. H ⊙
Scabiòsa plumòsa Lk. *gramúntia* Brot. not L.

SCABIO'SA DC. SCABIOUS. (*scabies*, the itch; said to cure.) Tetrandria Monogynia.

Sect. 1. ASTEROCE'PHALUS; *involucels terete at the base, not plicate, and furnished with* 5-6 *foveolæ; crown of seed large, membranous, spreading or erect; calyx sessile or stipitate, ending in* 5 *exserted bristles; corollas* 5-*cleft.*

1 caucásica DC. (*wh*) Caucasean Caucasus 1803. 7. 8. H ♃ Jacq. fragm. t. 125. f. 1.
2 élegans R.S. (*vi*) elegant ——— —— —— H ♃ Bot. mag. t. 886.
caucásica BM. *élegans* R.S. *connàta* Horn. *caucásica* β *élegans* DC.
3 prolífera DC. (*st*) prolific Egypt 1683. 7. 9. H ⊙ Flor. græc. t. 107.
4 graminifòlia DC. (*bl*) grass-leaved Switzerland —— 6. H ♃ Bot. reg. t. 835.
5 crética DC (*li*) Cretan Crete 1596. 6. 10. G ♄ Moris. s. 6. t. 15. f. 31.
6 stellàta DC. (*li*) starry Spain —— 7. 8. H ⊙ ——— s. 6. t. 15. f. 39.
rotàta M.B.
7 símplex S.S. (*wh*) simple-stalked Barbary .... —— H ⊙ Desf. atl. 1. t. 39. f. 1
stellàta β. *pinnatifida* DC
8 palæstìna DC. (*wh*) Palestine Palestine 1771. 7. 8. H ⊙ Jacq. vind. 1. t. 96.
9 micrántha DC. (*ro*) small-flowered Armenia 1819. —— H ⊙ Desf. an. mus. t. 11. 25.
Biebersteínii R.S. *sicula* M.B.
10 iseténsis DC. (*wh.li*) Siberian Siberia 1801. —— H ♃ Gmel. sib. 2. t. 88. f. 1.
rupéstris R.S.
11 crenàta DC. (*fl*) crenated Sicily 1824. —— H ♃ Cyril. pl. rar. 1. t. 3.
napifòlia Flor. græc. t. 114. *coronopifòlia* R.S.
12 lyràta DC. (*li*) lyrate-leaved Turkey 1799. —— G ♂
13 pectinàta DC. (*li*) pectinated Arabia 1824. —— H ⊙
14 acutifiòra DC. (*pa.re*) acute-flowered S. Europe 1824. —— H ♃ Rchb. pl. crit. 4. t. 326.
15 ucránica DC. (*wh*) Ukraine Ukraine 1713. 6. 10. H ♃ Gmel. sib. 2. t. 87.
argéntea L. Flor. græc. t. 168. *álba* Scop.
β *sícula* DC. (*re*) *Sicilian* Sicily —— —— H ♃ Jacq. vind. 1. t. 15.
divaricàta Jacq. *ebúrnea* F.G. t. 106.

Sect. 2. VIDU'A; *base of involucels rounded and plicate, having the foveolæ usually obliterated; crown small reflexed; limb of calyx pedicellate, with* 5 *exserted bristles.*

16 atropurpùrea DC. (*pu*) sweet E. Indies 1629. 7. 9. H ♂ Bot. mag. t. 247.
β *cárnea* (*fl*) *flesh coloured* ——— —— —— H ♂
γ *ròsea* (*ro*) *rose coloured* ——— —— —— H ♂
δ *variegàta* (*v*) *variegated* ——— —— —— H ♂
ε *álba* (*wh*) *white-flowered* ——— —— —— H ♂
ζ *prolífera* (*d.pu*) *large-flowered* ——— 1814. —— H ♂ Moris. s. 6. t. 14. f. 2.
17 setífera DC. (*wh*) setiferous France 1820. —— H ♃
18 grandifiòra DC. (*st*) great-flowered Barbary 1804. 6. 9. H ♃ Scop. del. ins. 3. t. 14.
19 marítima DC. (*li*) sea-side S. Europe 1818. 7. 9. H ⊙ Bauh. hist. 3. p. 7. f. 2.
20 limoniifòlia DC. (*li*) Limonium-ld. Sicily .... 6. 8. H ♄ Cup. panph. 2. t. 247.
21 ambígua DC. (*pu*) ambiguous Naples 1835. 6. 9. H ♃
22 Massòni DC. (*li*) Masson's Azores 1779. 6. 8. H ♃
lùcida H.K. *Massòni* H.S.L. *nítens* R.S.
23 saxátilis DC. (*wh*) rock Spain 1827. —— H ♃ Cav. icon. 2. t. 184.

Sect. 3. SUCCI'SA; *base of involucels not distinguishable from the tube, the foveola reaching from the base to the crown; crown short, spreading, membranous; limb of calyx sessile, with* 5 *bristles, of which some or all are sometimes abortive.*

§ 1. *corollas* 5-*cleft.*
24 africàna DC. (*wh*) African Africa 1690. 7. 10. G ♄ Herm. parad. t. 219.
induràta L. *incisa* Mill.
25 altíssima DC. (*li*) tall C. B. S. 1816. 6. 9. G ♄ Jacq. vind. 2. t. 185.
26 lùcida DC. (*li*) shining France 1800. —— H ♃ W. et K. hung. 2. t. 138.
nórica Vest. *stricta* W. et K.

27	amœ'na DC. *nitida* R.S.	(*ro*) glossy	Russia	1823.	7. 8.	H	♃	
28	Scopòlii DC.	(*st*) Scopoli's	S. Europe	1822.	——	H	♃	
29	ochroleùca DC. *tenuifòlia* Roth.	(*st*) pale-flowered	Germany	1597.	——	H	♃	Jacq. aust. 5. t. 439.
30	granùntia DC.	(*wh.li*) cut-leaved	S. Europe	1597.	——	H	♃	Gerard. herb. 582. f. 2.
31	revérsa DC	(*li*) reversed	Siberia	1829.	——	H	♃	
32	paucisèta DC. *uniseta* Savi.	(*vi*) few-bristled	Italy	1827.	——	H	♃	Sav. fl. pisa. t. 2. f. 6.
33	Columbària DC.	(*li*) fine-leaved	Britain	....	7. 8.	H	♃	Eng. bot. v. 19. t. 1311.
	β *Colùmnæ* DC.	(*li*) *Columna's*	Italy	1823.	——	H	♃	Ten. fl. nap. 1. t. 7.
	γ *commutàta* DC.	(*bl*) changed	Siberia	——	——	H	♃	
34	banmática DC.	(*ft*) Hungarian	Hungary	1800.	——	H	♃	W. et K. hung. 1. t. 12.
35	ceratophy'lla	(*li*) stag's-horn-ld.	Naples	1825.	——	H	♂	Ten. fl. nap. 1. t. 8.
36	agréstis DC.	(*li*) field	Hungary	1818.	——	H	♃	W. et K. hung. 3. t. 204.
37	incàna DC.	(*li*) hoary	.....	——	——	H	♃	
38	dahùrica F.	(*li*) Dahurian	Dahuria	1824.	——	H	♃	
39	neglécta DC.	(*li*) neglected	Naples	1825.	——	H	♃	
40	holoserícea DC.	(*bl*) silky	Pyrenees	1824.	——	H	♃	
41	pyrenàica DC. *maritima* Vill. *cinèrea* Lam.	(*li*) Pyrenean	———	1823.	——	H	♃	All. ped. 1. t. 25. f. 2.
	β *mollissima* DC. *laxiflòra* L. en.	(*bl*) *soft*	S. Europe	——	7. 8.	H	♃	
	γ *tomentòsa* DC.	(*vi*) *woolly*	Spain	1826.	——	H	♃	Cavan. icon. 2. t. 183.
42	Webbiàna DC.	(*wh*) Webb's	Levant	1820.	——	H	♃	Bot. reg. t. 717.
43	móllis DC. *capillàta* R.S.	(*li*) soft	.....	1827.	——	H	♃	Rchb. pl. crit. 4. t. 353.
44	suavèolens DC. *emèscens* W. et. K.	(*li*) sweet-scented	Hungary	1802.	——	H	♃	W. et K. hung. t. 53.
45	dichótoma DC. *parviflòra* Desf.	(*re*) forked	Sicily	1804.	6. 8.	H	⊙	Bocc. mus. 120.
46	urceolàta DC. *rutæfòlia* Vahl. *divaricàta* Lam.	(*st*) Rue-leaved	———	1804.	——	H	♃	Bocc. sic. t. 40. f. 3.
	§ 2. *Corollas 4-cleft.*							
47	Succìsa DC. *Succìsa pratènsis* S.S.	(*bl*) Devil's-bit	Britain	....	8.10.	H	♃	Eng. bot. v. 13. t. 878.
	β *glabràta* DC.	(*bl*) *smooth-leaved*	Austria	1823.	7. 9.	H	♃	
48	australis DC.	(*ye*) creeping-rooted	Italy	——	——	H	♃	
			Species hardly known.					
49	Hornemánni DC.	(*li*) Hornemann's	.....	1825.	7. 9.	H	♃	
50	comòsa R.S.	(*vi*) tufted	Dahuria	1828.	——	H	♃	
51	diffùsa S.S.	(*li*) diffuse	Teneriffe	1825.	6. 8.	F	♃	Reich. hort. t. 16.
52	pilòsa S.S.	(*bh*) hairy	Spain	1826.	——	H	♃	

ORDER CXXXI.

CALYCE'REÆ. *Brown in Linn. trans. v.* 12. *p.* 132.

ACICA'RPHA L.T. ACICA'RPHA. (ακις, a point, and καρφος, chaff.) Syngenesia Necessaria.

spathulàta L.T.	(*ye*) spathulate-leav'd	Brazil	1816.	6. 9.	G	♃	

ORDER CXXXII.

COMPO'SITÆ. *DC. prodr.* 5. *p.* 4.

Tribe I. *VERNONIA'CEÆ.* DC. prod. 5. p. 9.

Subtribe I. VERNONIE'Æ. DC. prod. 5. p. 10.

Division I.—Euvernonie'æ. DC. prod. 1. p. 10.

SPARGANO'PHORUS DC. Spargano'phorus. (σπαργανον, a fillet, and φορεω, to bear.) Syn. Æq.

1	Vaillántii DC. (*pu*) Vaillant's *Ethùlia Sparganóphorus* L.	E. Indies	1824.	6. 8.	S	♃	Gært. fr. 2. t. 165. f. 4.
2	Strùchium DC. (*pu*) axillary-flower'd	W. Indies	1826.	——	S	♃	Brown. jam. t. 34. f. 2.

ETHU'LIA DC. Ethu'lia. (etymology unknown.) Syngenesia Æqualis.

1	conyzoìdes DC. (*li*) panicled *ramòsa* H.B.	India	1776.	7. 8.	S	☉	Linn. fil. dec. t. 1.
2	brasiliénsis L.en. (*pu*) Brazilian	Brazil	1822.	——	S	♃	

VERNO'NIA DC. Verno'nia. (Will. Vernon, a trav. in N. America.) Syngenesia Æqualis.

1	tères DC. (*pu*) terete *Acílepis squarròsa* D.D.	Nepaul	1821.	7. 8.	H	♃	
2	cinèrea DC. (*pu*) grey	E. Indies	....	7. 8.	S	☉	Rumph. am. 6. t. 14. f. 1.
3	noveboracénsis DC. (*pu*) long-leaved	N. America	1710.	9. 11.	H	♃	Dill. elt. t. 263. f. 342.
4	præálta DC. (*pu*) tall	———	1732.	——	H	♃	——— t. 264. f. 343.
5	angustifòlia DC. (*pu*) narrow-leaved	———	1817.	——	H	♃	
6	oligophy'lla DC. (*pu*) few-leaved	———	1710.	——	H	♃	Dill. elt. t. 262. f. 341.
7	altíssima DC. (*pu*) tallest	———	1823.	——	H	♃	
8	panduràta DC. (*pu*) fiddle-form	———	——	——	H	♃	
9	serratuloìdes DC. (*pu*) Sawwort-like	Mexico	1824.	——	H	♃	
10	axillarifiòra DC. (*pi*) axillary-flower'd	Brazil	1829.	9. 10.	F	♃	Bot. reg. t. 1464.
11	centrifiòra DC. (*pu*) centre-flower'd	———	1826.	——	S	♄	
12	sericea B.R. (*li*) silky	———	1818.	9. 1.	S	♄	Bot. reg. t. 522.
13	acutifòlia B.M. (*pa.pu*) acute-leaved	S. America	....	11. 12.	G	♄	Bot. mag. t. 3062.
14	arboréscens DC. (*pu*) tree *Cony'za arborescens* W.	Jamaica	1733.	——	S	♄	Plum. sp. 10. t. 130. f. 2.
15	fruticòsa DC. (*pu*) shrubby *Cony'za fruticòsa* L.	S. America	1818.	11. 12.	S	♄	Plum. ic. 95. f. 1.
16	tomentòsa Ot. (*ye*) tomentose	Brazil	1827.	9. 11.	S	♄	
17	flexuòsa DC. (*pu*) flexuose-branch'd	———	1823.	9. 10.	S	♄	Bot. mag. t. 2477.
18	áspera DC. (*wh*) rough	E. Indies	1820.	6. 8.	S	♄	
19	anthelmíntica DC. (*li*) Indian *Ascarícida índica* Cup. *Cony'za anthelmíntica* L.	———	1770.	8. 9.	S	♂	Rheed. mal. 2. t. 24.

CYA'NOPIS DC. Cya'nopis. (κυανος, blue; flowers.) Syngenesia Æqualis.

	pubéscens DC. (*bl*) Chinese *Cony'za chinénsis* Lam. *pàtula* H.K.	China	1758.	7. 8.	S	♂	Mill. icon. t. 247.

CENTRATHE'RUM DC. Centrathe'rum. (κεντρον, a spur, and αθηρ, an awn.) Syng. Æqualis.

1	intermèdium DC. (*bl*) intermediate *Amphérephis intermèdia* Lk.	Brazil	1821.	7. 9.	H	☉	Swt. br. fl. gar. t. 225.
2	punctàtum DC. (*bl*) dotted *Amphérephis aristàta* Kunth.	Caraccas	1824.	——	H	☉	Hum. et Bon. n. g. 6. t. 314.
3	mùticum DC. (*bl*) mutic	S. America	1826.	——	H	☉	——— t. 315.

STOKE'SIA. W. Stoke'sia. (Jonathan Stokes, M.D., Eng. bot.) Syngenesia Æqualis.

	cyánea W. (*bl*) blue-flowered	Carolina	1766.	8.	G	♃	L'Herit. ser. 27. t. 38.

PLATYCA'RPHA. DC. Platyca'rpha. (πλατυς, broad; καρφος, chaff.) Syngenesia Æqualis.

	glomeràta DC. (*bl*) glomerated *Cynàra glomeràta* Th. *Stobæ'a glomeràta* S.S.	C. B. S.	1816.	7. 8.	G	♃	

Division II.—Elephanto'peæ. DC. prod. 5. p. 85.

ELEPHA'NTOPUS DC. Elephant's-foot. (ἐλέφας, an elephant, and πους, a foot.) Syng. Segreg.
1 scàber DC. (re) rough-leaved E. Indies 1695. 6. 9. S ♃ Rheed. mal. 10. t. 7.
2 caroliniànus DC. (re) Carolina America 1732. 7. 9. G ♃ Dill. elth. t. 106. f. 126.
3 nudicaùlis DC. (re) naked stem W. Indies 1733. 7. 8. S ♃
tomentòsus W.
4 mòllis DC. (wh) soft-leaved Caraccas 1825. —— S ♃
5 Mártii DC. (vi) Martius's Brazil 1829. —— S ♃ Arrab. flum. 8. f. 148.
cervìnus Arrab.
ELEPHA'NTOSIS DC. Elepha'ntosis. (altered from *Elephantopus*.) Syngen. Segregata.
angustifòlius DC. (re) narrow-leaved W. Indies 1823. 7. 8. S ♄ Sloan. hist. t. 148. f. 4.
Elephántopus angustifòlius Swartz.
DISTRE'PTUS DC. Distre'ptus. (δις, & στρεφω, to turn; inflorescens.) Syngenesia Segregata.
1 nudiflòrus DC. (re) naked-flower'd W. Indies 1822. 7. 8. S ♄
Elephántopus nudiflòrus W.
2 spicàtus DC. (re) spiked ——— 1821. —— S ♄ Sloan. hist. 1. t. 150. f. 3. 4.

Division III.—Rola'ndreæ. DC. prod. 5. p. 88.

GUNDE'LIA DC. Gunde'lia. (Andrew Gundelscheinzer, a Germ. bot.) Syngenesia Segregata.
Tournefórtii DC. (pu) Tournefort's Levant 1739. 6. 8. H ♃ Mill. ic. t. 287.
ROLA'NDRA DC. Rola'ndra. (Dan. Rolander, a trav. in Surinam.) Syngenesia Segregata.
argéntea DC. (wh) silver-leaved W. Indies 1714. 7. S ♄ Sloan. jam. 1. t. 7. f. 3.
LAGA'SCEA. Laga'scea. (Mariano Lagasca, a cel. Spanish bot.) Syngenesia Segregata.
Sect. 1. Laga'sca; *pappus crown-formed, small, nearly entire, ciliated.*
1 mòllis W. (wh) soft S. America 1815. 6. 9. G ⊙ Bot. mag. t. 1804.
Sect. 2. Nocca'a; *pappus with short subdentate paleæ.*
2 rùbra DC. (re) red-flowered Mexico 1823. 8. 10. F ♄ Swt. br. fl. gar. s. 2. t. 26.
Nécca rígida Kunth.
3 suavèolens DC. (wh) sweet-scented ——— —— .... F ♄
4 latifòlia DC. (wh) broad-leaved ——— —— .... F ♄ Swt. br. fl. gar. t. 215.

Subtribe II. *PECTI'DEÆ.* DC. prod. 5. p. 94.

Division I.—Lia'beæ. DC. prod. 5. p. 94.

ANDROMA'CHIA DC. Androma'chia. (Andromachus, phys. to Nero.) Syngenesia Superflua.
igniària DC. (ye) close-flowered S. America 1823. 6. 8. F ♃ H. et B. pl. æq. 2. t. 112.
Hierba de Santa Maria incolarum.
LIA'BUM DC. Lia'bum. (meaning not explained.) Syngenesia Superflua.
Brównei DC. Browne's Jamaica 1768. 6. 7. S ♃ Lam. ill. t. 682. f. 2.
Stárkea umbellàta Willd.

Division II.—Eupecti'deæ. DC. prod. 5. p. 98.

PECTI'DIUM DC. Pecti'dium. (similarity to Pectis.) Syngenesia Superflua.
punctàtum DC. (ye) dotted Hispaniola 1824. 6. 8. S ⊙ Jacq. amer. t. 126.
Péctis punctàta Jacq.
PE'CTIS W. Pe'ctis. (*pecten*, a comb; pappus.) Syngenesia Superflua.
1 prostràta W. (ye) prostrate New Spain 1824. 7. 9. H ⊙ Cavan. ic. 4. t. 324.
2 ciliàris W. (ye) ciliated Hispaniola 1793. 7. S ⊙ Plum. ic. 151. f. 2.
3 linifòlia W. (ye) Flax-leaved Jamaica 1732. 7. 8. S ⊙ Sloan. hist. 1. t. 149. f. 3.

LORE'NTIA DC. LORE'NTIA. (Lorenti, an Ital. bot.) Syngenesia Superflua.

1 humifûsa DC.	(*ye*) trailing	W. Indies	1822. 7. 9.	S ⊙		Plum. ic. t. 95. f. 2.
Péctis humifûsa Swartz.						
2 canéscens DC.	(*ye*) canescent	Mexico	1827. 8. 9.	H ⊙		H. et B. n. gen. 4. t. 393.
3 saturejoìdes DC.	(*ye*) Savory-leaved	Vera Cruz	1733.	S ♃		Reliq. houst. 8. t. 19.

Tribe II. *EUPATORIA'CEÆ.* DC. prod. 5. p. 103.

Subtribe I.—EUPATORIE'Æ. DC. prod. 5. p. 104.

DIVISION I.—ALOMIE'Æ. DC. prod. 5. p. 104.

PIQUE'RIA DC. PIQUE'RIA. (And. Piquerio, a Spanish bot.) Syngenesia Æqualis.

1 trinérvia DC.	(*wh*) three-nerved	Mexico	1798. 7. 8.	G ♃		Cavan. ic. 3. t. 235.
2 pilòsa DC.	(*wh*) hairy	———	1824. ——	G ♃		
ovàta G. Don.						
3 artemisioìdes DC.	(*wh*) Wormwood-like	Quito	—— 8.12.	G ♃		

ALO'MIA K.S. ALO'MIA. (*α* priv. and *λωμα*, a fringe; achenia.) Syngenesia Æqualis.

ageratoìdes K.S.	(*wh*) white-flowered	New Spain	1823. 7. 9.	G ♃		H. et B. 4. t. 354.

PHALACRÆ'A DC. PHALACRÆ'A. (*φαλακρος*, bald; achenia.) Syngenesia Æqualis.

latifòlia DC.	(*pu*) broad-leaved	Peru	1800. 7. 8.	H ⊙		Cavan. ic. 4. p. 357.
Agératum latifòlium Cav.						

ISOCA'RPHA DC. ISOCA'RPHA. (*ισος*, equal, and *καρφος*, chaff.) Syngenesia Æqualis.

oppositifòlia DC.	(*wh*) opposite-leaved	W. Indies	1739. 7. 8.	S ♂		
Càlea oppositifòlia W.						

CŒLESTI'NA Cas. CŒLESTI'NA. (*cœlestis*, heavenly; blue flower.) Syngenesia Æqualis.

1 suffruticòsa	(*bl*) suffruticose	S. America	.... 7.10.	G ♄		Bot. mag. t. 1730.
Agératum cœlestìnum B.M. *micránthum* Lag.						
2 ageratoìdes K.S.	(*bl*) Ageratum-like	New Spain	1824. ——	G ♃		
3 corymbòsa DC.	(*bl*) blue-flowered	N. America	1732. 7.11.	H ♃		Dill. elth. t. 114. f. 139.
Eupatòrium cœlestìnum W. *Cœlestìna cœrùlea* Cas.						

AGE'RATUM DC. AGE'RATUM. (*α* priv., *γερας*, old age; annual.) Syngenesia Æqualis.

1 stríctum B.M.	(*wh*) upright	Nepaul	1820. 9.11.	H ⊙		Bot. mag. t. 2410.
2 conyzoìdes DC.	(*bl*) hairy	America	1714. 7. 8.	H ⊙		Hook. ex. flor. t. 15.
3 coerùleum P.S.	(*bl*) blue-flowered	S. America	1820. ——	H ⊙		
4 mexicànum B.M.	(*bl*) Mexican	Mexico	1823. 8.10.	H ⊙		Swt. br. fl. gar. t. 89.
5 Houstoniànum Mil.	(*bl*) Houston's	S. America	.... 6. 8.	S ⊙		
6 paniculàtum Scr.	(*bl*) panicled	———	1827. 9.10.	H ⊙		
7 álbum W.	(*wh*) white-flowered	———	1822. 6. 9.	H ⊙		
hírtum Lam.						
8 marítimum DC.	(*bl*) sea-side	Cuba	1826. ——	S ♃		
9 cordifòlium H.B.	(*wh*) heart-leaved	Bengal	1820. 8.10.	S ⊙		

ADENOSTE'MMA DC. ADENOSTE'MMA. (*αδην*, a gland, and *στεμμα*, a crown.) Syngen. Æqualis.

1 Swártzii DC.	(*wh*) Swartz's	Jamaica	1818. 7. 9.	H ♃		Sloan. jam. t. 155.
Lavènia decúmbens Swartz. *Cótula Verbesìna* L.						
2 rugòsum DC.	(*wh*) wrinkled	E. Indies	1820. 8.10.	S ⊙		
aquáticum D.D.						
3 eréctum DC.	(*wh*) erect	———	1739. 7. 9.	S ⊙		Burm. zeyl. t. 42.
Lavènia erécta W.						

SCLERO'LEPIS DC. SCLERO'LEPIS. (*σκληρος*, hard, and *λεπις*, a scale.) Syngenesia Superflua.

verticillàtus DC.	(*pu*) whorl-leaved	N. America	1827. 8.10.	H *w* ♃		
Sparganóphorus verticillàris M.						

STE'VIA W. STE'VIA. (P. J. Esteve, prof. bot. Valencia.) Syngenesia Æqualis.

Sect. 1. EXARISTA'TÆ; *pappus exaristate, paleaceous, scarious; paleæ* 5-6 *free or combined.*

1 monardæfòlia DS.	(*ro*) Monarda-leav'd	Mexico	1826. 8. 9.	F ♃		
2 pilòsa DC.	(*ro*) hairy	New Spain	1825. 8.10.	F ♃		
3 subpubéscens DC.	(*w*) downy-branch'd	———	—— ——	F ♄		
4 coriàcea DC.	(*wh*) leather-leaved	Peru	1826. ——	F ♄		

5 angustifòlia DC. (*wh*) narrow-leaved Mexico 1803. 8.10. F ♄
6 lucida DC. (*wh*) glossy-leaved New Spain 1822. —— F ♄

Sect. 2. PALEA'CEO-ARISTA'TÆ; *pappus with* 1 *to* 5 *short awned paleæ.*

7 salicifòlia DC. (*wh*) Willow-leaved Mexico 1803. 8.10. F ♄ Cavan. ic. 4. t. 354.
8 trífida DC. (*wh*) trifid-leaved New Spain 1828. —— F ♃
9 micrántha DC. (*wh*) small-flowered ——— 1825. —— F ♃
10 connàta DC. (*wh*) connate-leaved ——— —— —— F ♄
11 microphy'lla DC. (*bh*) small-leaved Mexico 1828. —— F ♃
12 fastigiàta DC. (*wh*) crowded-fid. New Spain —— —— F ♃
13 adenóphora DC. (*wh*) glandular Chile 1822. —— F ♃
14 exarthrótricha L.G. (*w*)jointed-haired New Spain 1828. —— F ♃
15 ovàta DC. (*wh*) oval-leaved Mexico 1816. 8. 9. F ♃
16 suavèolens DC. (*wh*) sweet-scented ——— 1827. —— F ♃
17 rhombifòlia DC. (*wh*) rhomb-leaved ——— 1826. 8.10. F ♃
18 nepetæfòlia DC. (*wh*) catmint-leaved ——— —— —— F ♃
19 Eupatòria DC. (*ro.wh*) entire-leaved ——— 1798. 7. 9. F ♃ Bot. mag. t. 1849.
20 lanceolàta DC. (*bh*) spear-leaved ——— 1824. —— F ♃
21 fasciculàris B.R. (*wh*) fascided ——— 1837. —— F ♃ Bot. reg. s. 2. t. 59.
22 ivæfòlia DC. (*wh*) Iva-leaved ——— 1816. —— F ♃
23 serràta DC. (*wh*) saw-leaved ——— 1799. —— F ♃ Jacq. schœn. 3. t. 300.
24 virgàta DC. (*wh*) slender ——— 1824. —— F ♃
25 purpùrea DC. (*pu*) purple-flowered ——— 1812. 8. 9. H ♃ Bot. reg. t. 93.
Eupatòria B.R. *nec aliorum.*
26 víscida DC. (*ro*) rose-coloured ——— 1824. 9.10. F ♃
27 paniculàta DC. (*wh*) panicled New Spain —— —— F ♃ Bot. mag. t. 1861.
hyssopifòlia B.M.
28 incanéscens DC. (*wh*) villous-stalked ——— 1825. 8.10. F ♃
29 pubéscens DC. (*pu*) pubescent Mexico 1823. —— F ♃
30 tomentòsa DC. (*ro*) tomentose ——— 1825. —— F ♃
31 ternifòlia DC. (*wh*) three-leaved ——— —— —— F ♃
32 mòllis DC. (*wh*) soft ——— 1834. —— F ♃
33 laxiflòra DC. (*pu*) loose-flowered ——— .... —— F ♃
purpùrea var. L.G. *hyssopifòlia* Kunth.

Sect. 3. MULTIARISTA'TÆ, *pappus without paleæ or nearly so, but with* 6 *to* 20 *awns instead.*

34 suboctoaristàta DC. (*w*)8-awned Peru 1824. —— F ♃

PALAFO'XIA DC. PALAFO'XIA. (Palifox, a Spanish general.) Syngenesia Æqualis.

1 lineàris DC. (*wh*) linear-leved Mexico 1816. 8.10. F ♃ Bot. mag. t. 2132.
Stèvia lineàris W. *Agératum lineàre* Cav. ic. 3. t. 205.
2 fastigiàta DC. (*wh*) fastigiate N. America 1823. —— H ♃
Poly'pteris integrifòlia Nutt.

DIVISION II.—ADENOSTY'LEÆ. DC. prod. 5. p. 126.

KU'HNIA DC. KU'HNIA. (Adam Kuhn, a pupil of Linneus.) Syngenesia Æqualis.

1 eupatorioìdes DC. (*wh*)Eupatorium-like N. America 1812. 6. 8. H ♃ Linn. fil. dec. t. 11.
Critònia eupatorioìdes G.
2 paniculàta DC. (*st*) glandular-leaved ——— 1816. —— H ♃ Gært. carp. 2. t. 174. f. 7.
Critònia Kùhnia G. *Kùhnia Critònia* W.
3 rosmarinifòlia DC. (*pu*)Rosemary-ld. Cuba 1827. .... S ♃

LIATRIS W. LIA'TRIS. (etymology unknown.) Syngenesia Æqualis.

Sect. 1. EULIA'TRIS; *pappus in one series, long and plumose; roots tuberous; heads spicate or racemose.*

1 tenuifòlia DC. (*pu*) fine-leaved Carolina 1820. 8.10. H ♃
2 èlegans DC. (*pu*) hairy-cupped N. America 1787. 9.10. H ♃ Bot. reg. t. 267.
3 squarròsa DC. (*pu*) rough-cupped ——— 1732. —— H ♃ Swt. br. fl. gar. t. 44.

Sect. 2. SUPRA'GO; *pappus in* 1 *or* 3 *series; bristles densely bearded; root tuberous; heads spicate or racemose.*

4 sphaeroìdea DC. (*pu*) globular-cupped N. America 1817. 8.10. H ♃ Swt. br. fl. gar. t. 87.
5 scariòsa DC. (*pu*) scariose-cupped ——— 1739. 9.10. H ♃ Bot. reg. t. 590. t. 1654.
6 spicàta DC. (*pu*) long-spiked ——— 1732. 8.10. H ♃ Swt. br. fl. gar. t. 49.
β *pùmila* B.C. (*pu*) *dwarf* ——— .... —— H ♃ Lodd. bot. cab. t. 147.
γ *racemòsa* D.C. (*pu*) *racemose* ——— 1783. —— H ♃ Bot. reg. t. 595.
pilòsa B.R. and Lodd. bot. cab. t. 356., but not of others.
7 pycnostàchya DC. (*pu*) pubescent ——— 1732. 8.10. H ♃ Dill. elt. t. 72. f. 43.
8 heterophy'lla DC. (*pu*) various-leaved ——— 1790. 7. 8. H ♃
9 intermèdia B.R. (*pu*) intermediate ——— 1823. 8. 9. H ♃ Bot. reg. t. 948.
10 cylindràcea DC. (*pu*) cylindrical-cup'd ——— 1811. 10. H ♃
11 pilòsa DC. (*pu*) hairy-leaved ——— 1783. —— H ♃ Lodd. bot. cab. t. 1909.

12 grácilis DC. (*pu*) smooth-leaved N. America 1812. 10. H ♃
13 turbinàta B.F.G. (*pu*) turbinate-cupp'd ——— 1823. —— H ♃ Swt. br. fl. gar. ic.

Sect. 3. TRILI'SA; *bristles of pappus in* 1 *to* 3 *series, shortly and distantly bearded; rarely subtuberous, fibrous; heads corymbose or panicled.*

14 paniculàta DC. (*pu*) panicled N. America 1826. 8.10. H ♃
15 odoratíssima DC. (*pu*) sweet-scented Carolina 1786. —— F ♃ Andr. reposit. t. 633.
16 corymbòsa DC. (*pu*) corymbose N. America 1825. —— F ♃

EUPATO'RIUM W. EUPATO'RIUM. (Mithridates Eupator, first used it in medicine.) Syng. Æqualis.

Sect. 1. IMBRICA'TA; *scales of heads in many imbricated series; outer scales short, inner ones gradually longer.*

§ 1. CYLINDROCE'PHALA; *heads cylindrical,* 5 *to* 6-*flowered; scales blunt and ciliated.*

1 repándum DC. (*wh*) repand-leaved Antilles 1822. 6. 8. S ♄ Plum. ic. 130. f. 1.
2 atriplicifòlium DC. (*li*) Orache-leaved W. Indies 1820. .... S ♄
3 sinuàtum DC. (*wh*) sinuate ——— 1824. 6. 8. S ♄ Plum. sp. 10. ic. 128. f. 1.
4 odoràtum DC. (*wh*) sweet-scented Jamaica 1752. 8.10. S ♄ Pluk. alm. t. 177. f. 3.
5 conyzoìdes DC. (*pu*) Conyza-like S. America .... S ♄ Schrank. hort. mon. t. 85.
6 pulchéllum DC. (*vi*) pretty Mexico 1824. 6. 8. S ♄ H. et B. v. 4. t. 345.
7 iveæfòlium DC. (*wh*) Iva-leaved Jamaica 1794. 6. 7. S ♃
8 stœchadifòlium L. (*vi*) Stœchas-leaved New Granada 1826. .... S ♄ Sm. ic. ined. t. 69.
9 punctàtum DC. (*pu*) punctated N. America 1815. 8. 9. H ♃

§ 2. SESSILIFO'LIA; *heads* 5-10 *flowered; involucrum oblong; scales oblong.*

10 sessilifòlium DC. (*wh*) sessile-leaved N. America 1777. 9.10. H ♃
11 truncàtum DC. (*wh*) truncate-leaved ——— 1812. 8.10. H ♃
salviæfòlium Bot. mag. t. 2010.
12 perfoliàtum DC. (*wh*) Feverwort ——— 1699. —— H ♃ Big. med. bot. 1. t. 2.

§ 3. VERTICILLA'TA; *heads* 5-10 *flowered; involucrum oblong; scales oblong; leaves* 4 *in a whorl.*

13 trifoliàtum L. (*wh*) three-leaved N. America 1768. 8.10. H ♃
ternifòlium Ell. DC.
14 purpùreum DC. (*pu*) purple-stalked ——— 1640. 9.10. H ♃ Corn. canad. t. 72.
15 maculàtum DC. (*pu*) spotted-stalked ——— 1656. 8. 9. H ♃ Herm. parad. t. 158.
16 verticillàtum DC. (*pu*) whorl-leaved ——— 1811. —— H ♃
17 dùbium DC. (*pu*) doubtful ——— 1815. —— H ♃
punctàtum W. en.

Sect. 2. SUBIMBRICA'TA; *scales of involucrum loose or imbricated in few series; heads ovate or campanulate.*

18 triflòrum DC. (*wh*) three-flowered Trinidad 1821. 7. 8. S ♄ ◡ Aub. gui. 2. t. 314.
19 iresinoìdes DC. (*wh*) Iresine-like S. America 1824. 6. 8. S ♃ H. et B. v. 4. t. 340.
20 populifòlium DC. (*wh*) Poplar-leaved Mexico —— .... S ♄
21 canéscens DC. (*wh*) canescent S. America 1822. 6. 8. S ♄ Vahl. symb. 3. t. 73.
22 xalapénse DC. (*wh*) six-angled Mexico —— —— S ♄
23 Schiedeànum DC. (*wh*) Schiede's ——— 1833. —— F ♃
virgàtum Schrad. *diversifòlium* Schrad.

Sect. 3. EXIMBRICA'TA; *scales of involucrum in one or two nearly equal series, never imbricated.*

24 adenóphorum DC. (*wh*) gland-bearing Mexico .... 6. 8. H ♃ Bot. reg. t. 1723.
glandulòsum B.R.
25 deltoídeum DC. (*pi*) deltoid-leaved ..... 1818. —— S ♃ Jacq. schœn. 3. t. 369.
26 paniculàtum DC. (*pu*) panicled Trinidad 1833. 7. 8. H ⊙
27 Ayapàna DC. (*pu*) medicinal Brazil 1821. 8.10. S ♄ Vent. malm. p. 3. t. 3
triplinérve P.S.
28 Berteriànum DC. (*wh*) Bertero's Guadaloupe 1830. 7. 8. H ⊙ Coll. hort. rip. 3. t. 9.
Mikània Berteriàna S.S.
29 tetragònum DC. (*wh*) tetragonal Mexico 1832. .... S ♄
30 Schradèri DC. (*wh*) Schrader's ——— —— .... S ♄
31 diffùsum DC. (*wh*) spreading S. America 1821. 6. 8. S ♃
32 cordàtum DC. (*wh*) cordate-leaved N. America —— 8.10 H ♃
melissoìdes W. *aromáticum* Ell.
33 aromáticum DC. (*wh*) aromatic ——— 1739. 7. 8. H ♃ Pluk. alm. t. 88. f. 3.
34 urticæfòlium W. (*wh*) Nettle-leaved S. America 1803. —— G ♃ Smith ined. t. 68.
35 ageratoìdes DC. (wh) Ageratum-like N. America 1640. 8.10. H ♃ Corn. canad. t. 21.
36 ceanothifòlium DC. (*w*) Ceanothus-like ——— 1812. 8.11. H ♃
37 serótinum DC. (*wh*) late ——— —— —— H ♃
38 fœniculàceum DC. (*st*) Fennel-leaved ——— 1807. 6. 9. H ♃
39 coronopifòlium DC. (*wh*) buckshorn-ld. ——— 1819. 8. 9. H ♃
40 hyssopifòlium DC. (*wh*) Hyssop-leaved ——— 1699. —— H ♃ Dill. elth. t. 115. f. 148.
41 altíssimum DC. (*wh*) tall ——— —— 9.10. H ♃ Jacq. vind. 2. t. 164.
42 álbum DC. (*wh*) white-flowered ——— 1822. 8.10. H ♃
43 lanceolàtum W. (*wh*) spear-leaved ——— 1819. 8.11. H ♃
44 teucriifòlium DC. (*wh*) Teucrium-leav'd ——— 1816. —— H ♃ Willd. hort. ber. t. 32.
45 rotundifòlium DC. (*wh*) round-leaved ——— 1699. 7. 8. H ♃ Pluk. alm. t. 88. f. 4.

46 pubéscens DC. (*wh*) pubescent N. America 1816. 8.10. H ♃
47 amœ'num DC. (*re*) pleasant ——— —— —— H ♃
48 cannábinum DC. (*pu*) Hempagrimony Britain .... 7.10. H ♃ Eng. bot. v. 6. t. 428.
49 syrìacum DC. (*ro*) syrian Syria 1807. 7. 9. H ♃ Jacq. ic. 1. t. 170.

Species not sufficiently known.

50 lamiifòlium L.en. (*wh*) Lamium-leaved N. America 1818. 8.10. H ♃
51 paniculàtum Mil. (*wh*) panicled ——— .... —— H ♃
52 myosotifòlium DC. (*bl*) Myosotis-leav'd S. America 1824. 6. 8. S ♂ Jacq. ic. 3. t. 282.

MIKA'NIA DC. MIKA'NIA. (Jos. Mikan, prof. bot., Prague.) Syngenesia Æqualis.
1 Houstòni DC. (*wh*) Houston's Jamaica 1733. 7. 8. S ♄
2 hastàta DC. (*wh*) halbert-leaved ——— .... —— S ♄ Brown jam. t. 34. f. 3.
3 scándens DC. (*wh*) climbing N. America 1714. 8. 9. H ♃ ◡ Jacq. ic. 1. t. 169.
4 Guàco DC. (*wh*) medicinal S. America 1823. .... S ♃ ◡ H. et B. pl. 2. t. 105.
5 amàra DC. (*wh*) bitter Trinidad 1824. .... S ♄ ◡ Aubl. gui. 2. t. 315.
6 trinitària DC. (*wh*) Trinidad ——— 1823. 8. 9. S ♃ ◡
7 orinocénsis DC. (*wh*) Orinoca Pararuma 1826. —— S ♃ ◡
8 suavèolens DC. (*wh*) sweet-scented N. Granada 1823. —— S ♄ ◡
9 chenopodifòlia DC. (*wh*) Goosefoot-ld. SierraLeone 1824. —— S ♃ ◡
10 opìfera DC. (*wh*) snakewort Brazil 1822. .... S ♄ ◡
11 nummulària DC. (*wh*) moneywort Mexico 1826. 6. 8. S ♃ ◡

CRITO'NIA DC. CRITO'NIA. (κριτος, select; beauty.) Syngenesia Æqualis.
1 Dàlea DC. (*wh*) shrubby Jamaica 1773. 8. S ♄ Jacq. schœn. 2. t. 146.
Eupatòrium Dàlea L.
2 parviflòra DC. (*wh*) small-flowered ——— 1823. —— S ♄

BULBO'STYLIS DC. BULBO'STYLIS. (βολβος, a bulb, and στυλος, a style.) Syngenesia Æqualis.
1 Cavanillèsii DC. (*st*) squarrose Mexico 1824. —— S ♃ Cavan. ic. 1. t. 98.
Eupatòrium squarròsum Cav.
2 veronicæfòlia DC. (*w*) Speedwell-ld. ——— 1825. .... S ♄ H. et B. v. 4. t. 341.
Eupatòrium veronicæfòlium K.S.
3 péndula DC. (*ye*) pendulous ——— 1832. .... S ♄

HEBECLI'NIUM DC. HEBECLI'NIUM. (ἡβη, down, and κλινιον, a little bed.) Syngenesia Æqualis.
macrophy'llum DC. (*li*) large-leaved S. America 1824. .... S ♃ Plum. spec. 10. t. 129.
Eupatòrium macrophy'llum L.

CONOCLI'NIUM DC. CONOCLI'NIUM. (κωνος, a cone, and κλινη, a bed.) Syngenesia Æqualis.
cœlestìnum DC. (*bl*) sky-blue Virginia .... 7. 8. H ♃ Dill. elth. t. 114. f. 139.
Eupatòrium cœlestìnum L.

ADENO'STYLES Cas. ADENO'STYLES. (αδην, a gland, and στυλος, a style.) Syngenesia Æqualis.
1 candidíssima Cas. (*pu*) hoary S. France 1828. 7. 9. H ♃
leucophy'lla DC. *Cacàlia tomentòsa* Vill. *leucophy'lla* W.
2 álbida Cas. (*pi*) white-leaved Austria 1739. 7. 8. H ♃ Jacq. aust. 3. t. 235.
Petasìtes DC. *Cacàlia álbifrons* Jacq. *Petasìtes* Lam.
3 víridis Cas. (*li*) alpine Austria 1739. 7. 8. H ♃ Jacq. aust. 3. t. 234.
glàbra DC. *Cacàlia alpìna* Jacq. *glàbra* Vill.
4 hy'brida DC. (*pu*) hybrid Switzerland .... —— H ♃
Cacàlia tomentòsa β *hy'brida* Vill.

Subtribe II. *TUSSILAGI'NEÆ*. DC. prod. v. 3. p. 204.

HOMO'GYNE DC. HOMO'GYNE. (ωμος, crude, and γυνη, a female; styles.) Syngenesia Super.
1 alpìna DC. (*pu*) Alpine Austria 1710. 3. 5. H ♃ Bot. mag. t. 84.
Tussilàgo alpìna L.
2 díscolor DC. (*pu*) two-coloured ——— 1633. 4. 5. H ♃ Jacq. aust. 3. t. 247.
3 sylvéstris DC. (*pu*) wood ——— 1816. —— H ♃ —— 5. app. t. 12.

NARDO'SMIA DC. NARDO'SMIA. (ναρδος, spikenard, and οσμη, smell.) Syngenesia Superflua.
1 frígida DC. (*pa*) Lapland Lapland 1710. 5. H ♃ Flor. dan. t. 61.
Tussilàgo frígida L.
2 frìgrans DC. (*bh*) fragrant Italy 1806. 1. 3. H ♃ Bot. mag. t. 1388.
Tussilàgo frìgrans L.
3 corymbòsa DC. (*wh*) corymbose Arctic regions 1827. 1. 4. H ♃
4 palmàta DC. (*wh*) cut-leaved Labrador 1778. 4. H ♃ Hort. Kew. v. 3. t. 11.
5 lævigàta DC. (*ye*) smooth Bohemia 1816. —— H ♃
6 sagittàta DC. (*pa*) sagittate N. America —— —— H ♃

PETASITES DC. PETASI'TES. (πετασος, a parasol; large leaves.) Syngenesia Superflua.
1 vulgàris DC. (*bh*) common butterbur. Britain .... 3. 4. H ♃ Eng. bot. v. 6. t. 431.
Tussilàgo Petasìtes E.B.

2 hy'bridus G.D. (*bh*) large-leaved Britain .... 3. 4. H ♃ Eng. bot. v. 6. t. 430.
3 tomentòsus DC. (*wh*) lobe-leaved Germany 1790. —— H ♃ Retz. obs. 1. t. 2.
Tussilàgo spùria W. *tomentòsa* Ehr.
4 álbus DC. (*wh*) white butter-bur. Europe 1683. 1. 4. H ♃ Flor. dan. t. 524.
Tussilàgo álba L.
5 níveus DC. (*wh*) downy-leaved Switzerland 1713. 4. H ♃ Retz. obs. 2. t. 3.

TUSSILA'GO DC. COLTSFOOT. (*tussis*, a cough, and *ago*, to drive away.) Syng. Super.
1 Fárfara DC. (*ye*) common Britain .... 3. 4. H ♃ Eng. bot. v. 6. t. 429.
β variegàta (*ye*) *variegated-ld.* —— .... —— H ♃

Tribe III. *ASTEROI'DEÆ*. DC. prodr. 5. p. 211.

Subtribe I. ASTERI'NEÆ. DC. prodr. 5. p. 213.

DIVISION I.—AME'LLEÆ. DC. prodr. 5. p. 213.

AME'LLUS DC. AME'LLUS. (a plant mentioned by Virgil.) Syngenesia Superflua.
1 Lychnìtis DC. (*bl*) Cape C. B. S. 1768. 6. 7. G ♄ Bot. reg. t. 586.
2 annuus DC. (*bl*) blue-flowered —— 1819. —— H ⊙
Kaulfùssia amelloìdes Zeyh.

DIVISION II.—ASTE'REÆ. DC. prodr. 5. p. 217.

MAI'RIA DC. MAI'RIA. (M. Maire, a bot. collector.) Syngenesia Superflua.
1 crenàta DC. (*li*) crenated C. B. S. 1820. 4. 8. G ♃ Bot. reg. t. 855.
Gerbèra crenàta B.R.
2 taxifòlia DC (*ye*) ciliated —— 1816. 7. 8. G ♄
Leyssèra ciliàta Th. *A'ster taxifòlius* L.

FELI'CIA DC. FELI'CIA. (evidently from the name of a lady.) Syngenesia Superflua.
1 tenélla DC. (*vi*) slender C. B. S. 1769. 4.10. H ⊙ Bot. mag. t. 33.
A'ster tenéllus L. *Kaulfùssia ciliàta* S.S. *Cinerària tenélla* Lk. *A'ster dentàtus* Th.
2 angustifòlia DC. (*li*) villous C. B. S. 1812. 4.10. G ♄
A'ster villòsus Th.
β glàbra DC. (*bl*) *glabrous* —— 1804. 5. 7. G ♄ Jacq. schœnb. 3. t. 370.
A'ster angustifòlius Jacq.
3 echinàta DC. (*ye*) prickly-cupped —— 1820. 4. 6. G ♄
4 refléxa DC. (*re.wh*) reflexed-leaved —— 1759. 2. 9. G ♄ Bot. mag. t. 884.
A'ster refléxus L. *Chrysócoma scàbra* Th.

MUNY'CHIA DC. MUNY'CHIA. (etymology unknown.) Syngenesia Superflua.
1 hirsùta DC. (*ye.wh*) hairy C. B. S. .... 5.11. G ♄ Vent. malm. t. 95.
Cinerària hirsùta Vent.
2 Cymbalàriæ DC. (*wh*) Ivy-leaved —— 1786. —— G ♄
brachyglóssa Cass. *A'ster cymbalàriæ* Th. *oppositifòlius* L.

AGATHÆ'A DC. AGATHÆ'A. (αγαθος, good; flowers pretty.) Syngenesia Superflua.
1 Bergeriàna DC. (*bl*) Berger's C. B. S. 1816. 6. 8. H ⊙ Bot. reg. t. 490.
Kaulfùssia amelloìdes Eckl.
2 cœléstis DC. (*bl*) Cape-Aster —— 1753. 2. 9. G ♄ Bot. mag. t. 249.
Cinerària amelloìdes W.
3 Zeyhèri DC. (*bl*) Zeyher's —— .... —— G ♄
Cinerària linifòlia Zeyh.
4 serràta DC. (*bl*) saw-leaved —— 1825. 7. 9. G ♄
A'ster serràtus Th.

BELLIDIA'STRUM Cas. BELLIDIA'STRUM. (*bellis*, the daisy, and *astrum*, like.) Syngen. Super
Michèlii Cas. (*wh.ro*) Micheli's Austria 1570. 6. 8. H ♃ Bot. mag. t. 1196.
A'rnica Bellidiástrum B.M. *Dorónicum Bellidiástrum* L.

A'STER W. STARWORT. (αστηρ, a star; form of heads.) Syngenesia Superflua.
Sect. 1. ALPIGE'NI; *scales of involucra narrow, nearly equal; receptacle naked, pitted; pap in few series; stigmas short, triangular; heads large.*
1 alpìnus DC. (*pu*) Alpine Alps Europe 1658. 5. 8. H ♃ Bot. mag. t. 199.

2 pyrenæ'us DC.	(*vi*) Pyrenean	Pyrenees	1768.	6. 9.	H	♃		
3 peregrinus DC.	(*bl*) foreign	N. America	....	6. 8.	H	♃		

Sect. 2. AME'LLI; *scales of involucra squarrose or ciliated; receptacles alveolate, with toothed margins; stigmas lanceolate at top; heads large.*

4 salsuginòsus DC.	(*vi*) salt-plain	N. America	1827.	5. 6.	H	♃		Bot. mag. t. 2942.
5 biflòrus DC. *strictus* Ph.	(*li*) two-flowered	———	1806.	9.10.	H	♃		
6 surculòsus DC.	(*vi*) surculose	———	....	8. 9.	H	♃		
7 conspícuus DC.	(*bl*) conspicuous	———	....	9.11.	H	♃		
8 spectábilis DC.	(*bl*) showy	———	1777.	8. 9.	H	♃		Bot. reg. t. 1527.
9 nudiflòrus DC.	(*vi*) naked-flowered	———	——	——	H	♃		
10 rádula DC.	(*wh*) rasp-leaved	———	1785.	——	H	♃		
11 tatáricus DC. *Grindèlia sibírica* Lk.	(*bl*) Tartarian	Siberia	1818.	——	H	♃		Gmel. sib. 2. t. 80. f. 2.
12 sibíricus DC.	(*pu*) Siberian	———	1768.	6. 9.	H	♃		Gmel. sib. 2. t. 80. f. 1.
13 Améllus DC.	(*bl*) Italian	Italy	1596.	7. 9.	H	♃		Bot. reg. t. 340.
α *latifòlius*	(*bl*) *broad-leaved*	———	——	——	H	♃		
β *angustifòlius*	(*bl*) *narrow-leaved*	———	——	——	H	♃		
14 ibéricus M.B. *Amellus* ε *ibéricus* DC.	(*bl*) Iberian	Iberia	1827.	——	H	♃		
15 amelloìdes Bes. *Amellus* δ *Bessarábicus* DC.	(*vi*) Amellus-like	Poland	——	——	H	♃		
16 nòvæ ángliæ DC.	(*bl*) New England	N. America	1710.	9.10.	H	♃		Herm. parad. 98.
β *rùbra*	(*re*) *red-flowered*	———	1812.	——	H	♃		Bot. reg. 183. f. *inf.*
17 caroliniànus DC.	(*pu*) tall	Carolina	....	8. 9.	H	♄		
18 oblongifòlius DC. *graveòlens* N.	(*li*) oblong-leaved	Missouri	1823.	——	H	♃		
19 phlogifòlius DC.	(*vi*) Phlox-leaved	N. America	1797.	7.10.	H	♃		
20 pàtens DC.	(*bl*) spreading	———	1773.	9.11.	H	♃		Swt. brit. fl. gar. t. 234.
21 auritus DC.	(*wh*) eared	———	....	——	H	♃		
22 grandiflòrus DC.	(*bl*) great-flowered	———	1720.	10.11.	H	♃		Bot. reg. t. 273.
23 seríceus DC.	(*bl*) silky-leaved	Missouri	1802.	5.11.	G	♄		Venten. cels. t. 33.

Sect. 3. GENUI'NI; *scales of involucra imbricated or loose, having the margins more or less membranous; receptacles alveolately toothed; pappus in many series.*

§ 1. HETEROPHY'LLI; *radical or lower leaves petiolate, cordate, rarely roundish.*

24 cordifòlius DC.	(*bh*) heart-leaved	N. America	1759.	7. 8.	H	♃		Bot. reg. t. 1597.
25 paniculàtus DC.	(*li*) panicled	———	1640.	9.10.	H	♃		Corn. canad, t. 65.
26 sagittifòlius DC.	(*bl*) arrow-leaved	———	1818.	7. 9.	H	♃		
27 diversifòlius DC. *undulàtus* L.	(*bl*) diverse-leaved	———	1699.	8.10.	H	♃		Herm. parad. t. 96.
28 heterophy'llus DC. *cordifòlius* Nutt. *pubéscens* Horn.	(*bl*) variable-leaved	———	1811.	7. 9.	H	♃		

§ 2. HOMOPHY'LLI; *radical leaves acute at the base, more or less attenuated.*

29 pátulus DC. *paniculàtus* W. *Tradescánti* Hoffm.	(*bl*) spreading	N. America	1633.	7. 9.	H	♃		Hoffm. phyt. blat. t. d. f. 2.
β *pállens* DC. *pállens* W. en. *tardiflòrus* L.	(*bl*) *pale-blue*	———	1775.	9.10.	H	♃		Bot. reg. t. 1509.
30 abbreviàtus DC. *acuminàtus* Nees.	(*bl*) shortened	———	....	7. 9.	H	♃		
31 prenanthoìdes DC.	(*bl*) hairy-branched	———	1817.	——	H	♃		
32 præ'cox DC.	(*li*) early-flowering	———	1800.	7. 8.	H	♃		
33 thyrsiflòrus DC. *recurvàtus* W.	(*li*) thyrse-flowered	———	——	8. 9.	H	♃		
β *squarròsus* DC.	(*li*) *squarrose*	———	....	——	H	♃		
34 fi'rmus DC.	(*li*) firm	———	1818.	——	H	♃		
35 puníceus DC. *hispidus* α *amæ'nus* Lam.	(*pu*) red-stalked	———	1710.	7.10.	H	♃		Herm. ludg. t. 651.
β *demissus* DC.	(*vi*) *short*	———	....	——	H	♃		Bot. reg. t. 1636.
36 vimíneus DC.	(*li*) slender	———	1818.	——	H	♃		
37 argùtus DC.	(*bl*) sharp-toothed	———	——	——	H	♃		
38 laxiflòrus DC. *longifòlius* Nees.	(*li*) loose-flowered	———	....	——	H	♃		
β *cárneus*	(*li*) flesh-coloured	———	1827.	——	H	♃		
39 brumàlis DC. *nòvi bélgii* W. not L. *lævigàtus* Lam. *serótinus* N.	(*bl*) smooth	———	....	——	H	♃		
40 prælùtus DC. *salicifòlius* H.K. *virgàtus* Nees.	(*bl*) tallest	N. America	1760.	9.10.	H	♃		Rob. ic. 307.
41 æstivus DC.	(*wh*) summer	———	1776.	7. 8.	H	♃		
42 blándus DC.	(*pu*) charming	———	1800.	10.11.	H	♃		

43	oblìquus DC. (*li.wh.*) oblique *lanceolàtus* N. *rigídulus* Desf.	N. America	....	8. 9.	H	♃	
44	hiemàlis DC. (*wh.vi.*) winter *salicifòlius* Nees.	———	....	10.11.	H	♃	Dill. elth. t. 35. f. 39.
45	tardiflòrus DC. (*li*) late-flowering	———	....	——	H	♃	
	β *cæspitòsus* DC. (*li*) *tufted* *adulterìnus* B.R., but not of Nees.	———	....	——	H	♃	Bot. reg. t. 1571.
46	nòvi bélgii DC. (*li*) New York *serótinus* Nees. *floribúndus* N.	———	1710.	——	H	♃	Herm. lugd. t. 69.
	β *floribúndus* DC. (*li*) *abundant-fld.* *floribúndus* W.	———	——	——	H	♃	
47	luxùrians DC. (*li*) luxuriant *nòvi bélgii* N., not L.	———	....	——	H	♃	
48	adulterìnus DC. (*re*) bastard	———	....	8.10.	H	♃	
49	mutábilis L. (*pu*) changeable *squarrulòsus* DC.	———	1710.	9.10.	H	♃	Herm. lugd. t. 67.
50	longifòlius DC. (*bl*) long-leaved *júnceus* H.K. *éminens* Nees.	———	1798.	10.	H	♃	Bot. reg. t. 1640.
	β *éminens* DC. (*re*) *eminent* *éminens* W.en.	———	....	1.11.	H	♃	
	γ *lævigàtus* DC. (*li*) *smooth* *lævigàtus* Ph., not W.	———	....	——	H	♃	
	δ *albiflòrus* DC. (*wh*) *white-flowered* *éminens virgíneus* B.R. *virgíneus* N.A.	———	1826.	——	H	♃	Bot. reg. t. 1656.
51	salígnus DC. (*wh*) sallow-leaved	Germany	1815.	——	H	♃	
52	acuminàtus DC. (*wh*) acuminate	N. America	1806.	8.10.	H	♃	Bot. mag. t. 2707.
53	láxus DC. (*wh*) loose-stalked	———	....	9.11.	H	♃	
54	símplex DC. (*wh*) simple-stalked	———	....	8.10.	H	♃	
55	lanceolàtus DC. (*wh*) lanceolate	———	1811.	8.11.	H	♃	
56	leucánthemus DC. (*w*) Tarragon-like *dracunculoìdes* W.	———	——	9.11.	H	♃	
57	bellidiflòrus DC. (*wh*) daisy-flowered	———	....	——	H	♃	
58	parviflòrus DC. (*wh*) small-flowered *mìser* H.K.	———	1759.	9.10.	H	♃	
59	divérgens DC. (*wh*) spreading downy	———	1758.	——	H	♃	
60	frágilis DC. (*pa.bl*) brittle	———	1800.	9.	H	♃	Bot. reg. t. 1537.
61	Tradescánti DC. (*vi*) Michaelmas daisy *vimíneus* Lam.	———	1633.	7. 9.	H	♃	Moris. s. 7. t. 21. f. 42.
62	coridifòlius DC. (*wh*) Coris-leaved *foliolòsus* Ell.	———	....	8.11.	H	♃	Bot. reg. t. 1587.
63	dumòsus DC. (*wh*) bushy *foliòsus* P.S.	———	1734.	——	H	♃	Herm. parad. 95.
	α *violàceus* H.K. (*vi*) *violet-flowered*	———	——	——	H	♃	
	β *álbus* H.K. (*wh*) *white-flowered*	———	——	——	H	♃	
64	ericoìdes. DC. (*wh*) heath-leaved *tenuifòlius* W.	———	1758.	9.	H	♃	
65	sparsiflòrus W. (*wh*) scattered-flowered *glabéllus* DC.	———	1798.	9.11.	H	♃	
66	pilòsus DC. (*wh*) hairy *villòsus* Mx.	———	1812.	9.10.	H	♃	
67	foliolòsus W. (*wh*) leafy	———	1732.	10.	H	♃	Dill. elth. t. 35. f. 39.
68	diffùsus DC. (*wh*) diffuse	———	1777.	9.10.	H	♃	
69	stenophyllus DC. (*bl*) narrow-leaved	———	....	——	H	♃	
70	mìser DC. (*wh*) meagre	———	1759.	8. 9.	H	♃	
	β *myrtifòlius* L.en. (*w*) *Myrtle-leaved*	———	1819.	——	H	♃	
71	péndulus DC. (*wh*) pendulous	———	1758.	——	H	♃	Hoff. phyt. bl. t. c. f. 2.
72	cóncolor DC. (*pu*) self-coloured	———	1759.	8.11.	H	♃	
73	squarròsus DC. (*bl*) ragged	———	1801.	——	H	♃	
74	multiflòrus DC. (*wh*) many-flowered	———	1732.	9.10.	H	♃	Dill. elth. t. 36. f. 40.
75	ciliàtus W. (*wh*) ciliated	———	....	——	H	♃	
76	canéscens DC. (*bl*) canescent *biénnis* N.	———	1812.	——	H	♂	
77	retroflèxus DC. (*bl*) retroflexed *squarròsus* Hort.	———	....	——	H	♃	
78	tenuifòlius DC. (*pa*) fine-leaved *polyphyllus* W.en. *júnceus* Ph.	———	1725.	——	H	♃	
79	purpuràtus DC. (*pu*) purplish *mìser* Hort. Par.	———	....	——	H	♃	

80 lævis W. (*bl*) smooth N. America 1753. 9.10. H ♃ Bot. reg. t. 1500.
81 concinnus DC. (*bl*) neat ——— 1800. —— H ♃ ——— t. 1619.
82 stríctus DC. (*vi*) upright dwarf. ——— 1806. —— H ♃
83 onústus DC. (*vi*) showy ——— .... —— H ♃
confértus Desf.
84 mutábilis DC. (*bl*) changeable ——— 1710. 9.11. H ♃ Herm. lugd. 6. icone.
85 versícolor DC. (*wh.bl*) various-coloured ——— 1790. 8. 9. H ♃
86 élegans W. (*bl*) elegant ..... —— 8.10. H ♃
87 amplexicaúlus DC. (*bl*) stem-clasping N. America .... 9.11. H ♃
88 lævigàtus DC. (*li*) smooth-stem'd ——— 1794. —— H ♃ Bot. mag. t. 2995.
89 cyàneus DC. (*bl*) bright-blue ——— 1789. —— H ♃ Bot. reg. t. 1495.
90 glaúcus N.A. (*bl*) glaucous-leaved ..... 1823. 8.10. H ♃
91 rubricaúlis DC. (*vi*) red-stemmed N. America .... H ♃
Species not sufficiently known.
92 argénteus H.K. (*bl*) silver-leaved N. America 1801. 7. 9. H ♃
93 reticulàtus DC. (*wh*) netted-leaved ——— 1812. —— H ♃
94 serótinus W. (*bl*) late-flowering ——— .... 9.11. H ♃
95 pinifòlius L.en. (*wh*) Pine-leaved ——— 1823. 9.10. H ♃
96 laxiflòrus L.en. (*li*) loose-flowered ——— .... 8.10. H ♃
97 scopàrius N.A. (*wh*) broom-like ——— 1827. —— H ♃
98 expánsus N.A. (*bl*) expanded ——— —— —— H ♃
99 abbreviàtus N.A. (*bl*) short-rayed ——— —— —— H ♃
100 robústus N.A. (*bl*) robust ..... —— —— H ♃

TRIPO'LIUM DC. TRIPO'LIUM. (a name employed by Pliny.) Syngenesia Superflua.
1 vulgàre DC. (*bl*) common Britain .... 8. 9. H ♃ Eng. bot. t. 87.
A'ster Tripòlium L.
β *pannónicum* DC. (*bl*) *Hungarian* Hungary 1815. —— H ♃ Jacq. vind. 1. t. 8.
γ *salinum* DC. (*bl*) *salt-marsh* Siberia .... —— H ♃ Schr. hort. goet. 1. t.3.
2 flexuòsum DC. (*bl*) flexuous N. America .... —— H ♃
A'ster flexuòsus N. *sparsiflòrus* MX.
3 subulàtum DC. (*bl*) subulate ——— 1798. —— H ♃
A'ster longifòlius Desf. *subulàtus* N.
4 pauciflòrum DC. (*bl*) few-flowered ——— .... —— H ♃

GALATE'LLA DC. GALATE'LLA. (a dim. of γαλα, milk.) Syngenesia Superflua.
§ 1. *Leaves dotted.*
1 linifòlia DC. (*wh*) flax-leaved N. America 1739. 7. 8. H ♃
A'ster linifòlius L.
2 punctàta DC. (*li*) dotted Europe 1683. 8. 9. H ♃ Bot. reg. t. 1818.
A'ster àcris L. *hyssopifòlius* Cav. icon. 3. t. 232. *sedifòlius* L.
β *intermèdia* DC. (*li*) *intermediate.* S. Europe .... 8. 9. H ♃ Garid. aix. t. 11.
γ *inscúlpta* DC. (*li*) *undotted* Hungary 1815. —— H ♃ W. et K. hung. 2. t. 109.
A'ster punctàtus W. et K. *dracunculoìdes* Bess.
3 cìna DC. (*li*) hoary-leaved Hungary 1816. —— H ♃ ——— hung. 1. t. 30.
4 dracunculoìdes DC. (*bl*) Tarragon-like Caucasus 1820. —— H ♃
A'ster dracunculoìdes Lam. *stríctus* Wend.
β *discoìdes* DC. .. *discoid* Caucasus —— —— H ♃ Gmel. fl. sib. 2. t. 82. f. 1.
A'ster bifìdus Nees. *bifìorus* Bieb.
§ 2. *Leaves dotless.*
5 rígida DC. (*bl*) stiff Europe .... —— H ♃
A'ster àcris W. *trinérvis* H.P.
6 nemoràlis DC. (*li*) wood N. America 1778. —— H ♃
ledifòlius Ph. *A'ster nemoràlis* H.K.
7 Hauptii DC. (*bl*) Haupt's Altaia 1827. —— H ♃ Led. ill. t. 161.
A'ster fastigiàtus Led.
8 lusitánica DC. (*pu*) Portugal Portugal 1820. 8.10. H ♃ Brot. phyt. t. 29.
A'ster lusitánicus Brot. *fùgax* Brot.

CALI'MERIS DC. CALI'MERIS. (καλος, beautiful, and μερις, a part.) Syngenesia Superflua.
1 incìsa DC. (*bl*) cut-leaved Siberia 1816. 6. 9. H ♃
A'ster incìsus F. *Grindèlia incìsa* S.S.
2 altàica DC. (*bl*) dwarf Altaia 1804. 5. 8. H ♃
A'ster altàicus W.en. *pùmilus* F.
3 canéscens DC. (*bl*) canescent Siberia —— —— H ♃
A'ster Geblèri Bess. *lithospermifòlia* H. par.
4 cassiarìbica G.D. (*pu*) false Arabian Russia 1834. 9. H ♃ Bot. gard. no. 672.
A'ster cassiarìbicus F.M.

ARCTO'GERON DC. ARCTO'GERON. (αρκτος, northern, and γερων, an old man.) Syng. Superflua.
1 gramíneum DC. (*pu*) grass-leaved Siberia 1824. 9. H ♃ Gmel. sib. 1. t. 76. f. 2.
Erígeron gramíneum L.

SERICOCA'RPUS DC. SERICOCA'RPUS. (σηρικος, silk, and καρπος, a fruit.) Syngenesia Superfl.
1 solidaginoìdes DC. (wh) Solidago-like N. America 1699. 8. 9. H ♃ Pluk. alm. t. 79. f. 2.
A'ster solidaginoìdes W. *Cony'za linifòlia* L.
2 conyzoìdes DC. (wh) Conyza-like N. America 1778. —— H ♃
A'ster conyzoìdes W.
3 tortifòlius DC. (wh) twisted-leaved ——— .... —— H ♃
HELEA'STRUM DC. HELEA'STRUM. (ἕλος, a marsh, and αστρον, a star.) Syng. Superflua.
1 álbum DC. (wh) white-flowered Missouri 1824. 8. 9. H ♃
Chrysópsis álbus Nutt.
2 paludòsum DC. (bl) marsh N. America 1784. —— H ♃
A'ster paludòsus H.K. *grandiflòrus* Walt.
BIO'TIA DC. BIO'TIA. (M. Biot, a French bot.) Syngenesia Superflua.
1 S'chrebèri DC. (wh) Schreber's N. America 1827. 8.10. H ♃
Aster Schrebèri Nees.
2 latifòlia DC. (wh) broad-leaved ——— .... —— H ♃
3 glomeràta DC. (wh) glomerate ——— .... —— H ♃
4 macrophy'lla DC. (wh) large-leaved ——— 1739. 7.10. H ♃
A'ster macrophy'llus L. *Eury'bia macrophy'lla* Cass.
5 corymbòsa DC. (wh) corymbose N. America 1765. 9. H ♃ Bot. reg. t. 1532.
A'ster corymbòsus H.K. *cordifòlius* Mx.
EURY'BIA DC. EURY'BIA. (in mythology the name of a nymph.) Syngenesia Superflua.
1 myrsinoìdes DC. (wh) Myrsine-leaved V.Diem.Isl. 1824. —— G ♄ Lab. nov. h. p. 53. t. 202.
A'ster myrsinoìdes Lab.
2 erubéscens DC. (bh) blush-flowered N. S. W. 1826. —— G ♄
3 argophy'lla DC. (wh) musk-scented V.Diem.Isl. 1804. —— G ♄ Bot. mag. t. 1563.
4 liràta B.M. (wh) fluted-stemmed N. S. W. 1812. —— G ♄ ——— t. 1509.
5 aculeàta DC. (wh) prickly-leaved V.Diem.Isl. 1818. —— G ♄ Lab. nov. hol. 2. t. 200.
A'ster exasperàtus L. enum. *aculeàtus* Lab.
OLEA'RIA DC. OLEA'RIA. (etymology unknown.) Syngenesia Superflua.
1 dentàta DC. (wh) tooth-leaved N. S. W. 1793. 5. 7. G ♄ Wend. a. han. p. 8. t. 24.
A'ster dentàtus Andr. rep. t. 61. *tomentòsus* Schr.
2 stellulàta DC. (wh) starry-haired V.Diem.Isl. 1823. —— G ♄ Lab. nov. hol. 2. t. 196.
3 phlogopáppa DC. (vi) glossy-haired ——— 1827. —— G ♄ ——— 2. t. 195.
DIPLOSTE'PHIUM DC. DIPLOSTE'PHIUM. (διπλοος, double, and στεφος, a crown.) Sy. Sup.
1 cornifòlium DC. (wh) Dogwood-leav'd N. America 1811. 8.10. H ♃ Pluck. alm. t. 76. f. 1.
2 umbellàtum DC. (wh) umbellate ——— 1759. 7. 9. H ♃ Hoff. phyt. blat. t. 8. f. 2.
A ster umbellàtus W. *Chrysópsis umbellata* N.
3 amygdálinum DC. (wh) Almond-ld. N. America 1699. 8.10. H ♃ Bot. reg. t. 1517.
A'ster hùmilis W. *Chrysópsis hùmilis* N. *A. amygdálinus* Lam.
4 acuminàtum DC. (wh) acuminated N. America —— —— H ♃ Bot. mag. 2707.
CALLISTE'PHUS DC. CHINA ASTER. (καλλιστος, most beautiful, στεφος, a crown.) Syn. Sup.
chinénsis DC. (va) garden China 1731. 7. 9. H ⊙ Dill. elth. t. 34. f. 38.
α cœrùlea (bl) *blue-flowered* ——— —— —— H ⊙
β rùbra (re) *red-flowered* ——— —— —— H ⊙
γ álba (wh) *white-flowered* ——— —— —— H ⊙
δ variegàta (bl.wh) *variegated* ——— —— —— H ⊙
ε versícolor (re.wh) *red and white* ——— —— —— H ⊙
ζ múltiplex (va) *double-flowered* ——— —— —— H ⊙
η brachyántha (va) *bonnet* ——— —— —— H ⊙
DIPLOPA'PPUS DC. DIPLOPA'PPUS. (διπλοος, double, and παππος, pappus.) Syn. Sup.
1 obtusàtus DC. (li) obtuse-leaved C. B. S. 1793. 5. 7. G ♄
A'ster obtusàtus W.
2 fruticulòsus DC. (li) shrubby ——— 1759. 3. 7. G ♄ Bot. mag. t. 2286.
3 filifòlius DC. (wh) thread-leaved ——— 1812. —— G ♄ Venten. malm. t. 82.
4 caucásicus DC. (pu) Caucasean Caucasus 1804. 7. 8. H ♃
5 linariæfòlius DC. (pu) toad-flax-leav'd N. America 1699. 9.10. H ♄
A'ster linàriifòlius W. *Chrysópsis linariifòlia* N.
6 rígidus DC. (vi) stiff-leaved N. America 1759. 8.10. H ♃ Lodd. bot. cab. 1. t. 6.
A'ster rígidus Ph. *pulchérrimus* Lodd. *nemoràlis* W. *non* H.K.
7 incànus DC. (vi) hoary California 1833. 8.10. H ♃ Bot. reg. t. 1693.
HETEROCHÆ'TA DC. HETEROCHÆ'TA. (ετερος, variable, and χαιτα, a bristle.) Syn. Sup.
pubéscens DC. (wh) pubescent Mexico 1827. 7.11. H ♃
Erígeron pubéscens Kth.
POLYACTI'DIUM DC. POLYACTI'DIUM. (απολυ, many, and κτιν, a ray; flowers.) Syn. Sup.
delphiniifòlium DC. (wh) Larkspur-ld. S. America 1816. 7. 8. S ♂ Willd. h. ber. t. 90.
Erígeron delphiniifòlium W.
ERI'GERON W. ERI'GERON. (ερ, the spring, and γερων, an old man; hoary.) Syngen. Sup.
Sect. 1. EUERI'GERON; *bristles of pappus not combined into a ring at the base.*
§ 1. *Ligulæ longer than the disc.*
1 glaúcum DC. (li) glaucous-leaved S. America 1812. 1.12. G ♄ Bot. reg. t. 10.

2 speciòsum DC. (*bl*) showy — California — 1830. 6. 8. H ♃ — Bot. reg. t. 1577.
Stenáctis speciòsa B.R.
3 máximum DC. (*pu*) largest — Mexico — 1830. —— F ♃
4 philadélphicum DC. (*pu*) spreading — N. America — 1778. 7. 8. H ♃
5 purpùreum DC. (*pu*) purple — Hudson's B. — 1776. —— H ♃
6 bellidifòlium DC. (*li*) Plantain-leav'd — N. America — 1790. —— H ♃ — Bot. mag. t. 2402.
serpentàrium Hort.
7 glabéllum DC. (*pu*) smoothish — ——— — 1827. 8.12. H ♃ — ——— t. 2923.
8 pùmilum DC. (*wh*) dwarf — ——— — —— 8. 9. H ♃
9 hùmile DC. (*wh*) low — ——— — —— 9.10. H ♄
10 àsperum DC. (*wh*) rough — ——— — 1828. 8. 9. H ♃ — Flor. cab. 4. 396.
11 pulchéllum DC. (*pu*) neat — Dahuria — 1818. 4. 5. H ♃ — Bot. mag. t. 2321.
A'ster pulchéllus W. *altwarténsis* Lodd.
12 compósitum DC. (*li*) daisy-flowered — N. America — 1811. 8. 9. H ♃ — Lin. trans. 14. t. 13.
13 rivulàre DC. (*wh*) rivulet — Trinidad — 1821. —— S ☉
14 jamaicénse DC. (*wh*) Jamaica — Jamaica — 1820. —— S ☉ — Swartz obs. t. 8. f. 2.
§ 2. *Ligulæ not exceeding the disc.*
15 canadénse DC. (*wh*) Canada — England — .... 8. 9. H ☉ — Eng. bot. v. 29. t. 2019.
16 bonariénse DC. (*wh*) buck's-horn — S. America — 1732. 7. 8. H ☉ — Dill. elt. t. 257. f. 334.
17 divaricàtum DC. (*wh*) divaricate — N. America — 1818. —— H ♂
18 pusillum DC. (*wh*) small — ——— — 1825. 8. 9. H ☉
19 chinénse DC. (*wh*) Chinese — China — 1818. 7. 9. H ☉ — Jacq. schœnb. 3. t. 303.
Sect. 2. TRIMORPHÆ'A; *female flowers numerous, in one to three series, narrow-ligulate; central flowers tubular, very slender, 5-cleft.*
20 Villársii DC. (*pu*) Villars's — Piedmont — 1804. 7. 8. H ♃ — Bot. reg. t. 583.
áticum Vil.
21 rupéstre Schl. (*li*) rock — Switzerland — 1818. —— H ♃
22 àcre DC. (*li*) common — Britain — .... —— H ♂ — Eng. bot. v. 17. t. 1158.
23 alpìnum DC. (*li*) Alpine — Scotland — .... 7. H ♃ — ——— v. 7. t. 464.
24 unifiòrum DC. (*li*) dwarf — ——— — .... 8. 9. H ♃ — ——— v. 34. t. 2416.
25 podólicum Bess. (*pu*) Polish — Poland — 1818. 7. 9. H ♃
26 Lehmánni DC. (*li*) Lehmann's — ..... — 1828. —— H ♃
27 elongàtum DC. (*li*) elongated — Siberia — 1833. —— H ♃
28 armerifòlium DC. (*pu*) Thrift-leaved — Baical — 1829. 6. 8. H ♃
29 fœ'tidum DC. (*ye*) stinking — Malta — 1688. —— H ☉ — Bocc. sic. 26. t. 13.
30 caucásicum DC. (*pu*) Caucasean — Caucasus — 1821. 7. 8. H ♃
31 lævigàtum DC. (*wh*) smooth — Cayenne — 1823. —— S ♂
† *Species not sufficiently known.*
32 montevidénse DC. (*wh*) M. Videan — Monte Video — 1827. 7. 8. H ☉
33 involucràtum Lk. .. involucred — Brazil — 1828. .... S ♃

HETEROPA'PPUS DC. HETEROPA'PPUS. (ετερος, variable, and παππος, pappus.) Syngen. Sup.
hìspidus DC. (*wh*) hispid — China — 1804. 9.10. H ♃ — Kœmpf. am. t. 29.
A'ster hispidus Th.

PHALACROLO'MA DD. PHALACROLO'MA. (φαλακρος, bald, and λωμα, a fringe.) Sy. Su.
obtusifòlium DC. (*ye*) Hyssop-leaved — Carolina — 1727. 7.10. H ♃ — Dill. elt. t. 306. f. 394.
Eri geron caroliniànum L.

LEPTOSTE'LMA DC. LEPTOSTE'LMA. (λεπτος, slender, and στελμα,, a crown.) Syng. Superfl.
máxima D.D. (*wh*) gigantic — Mexico — 1828. 8. 9. H ♃ — Swt. br. fl. gar. s. 2. t. 38.

STENA'CTIS DC. STENA'CTIS. (στενος, narrow, and ακτιν, a ray; ligulæ.) Syng. Superflua.
1 vérna DC. (*wh*) naked-stalked — N. America — 1812. 7. H ♃
Eri'geron nudicaúle MX. *A'ster vérnus* L.
2 strigòsa DC. (*wh*) strigose — N. America — 1818. —— H ♂
Erigeron strigòsum Muhl. *austràle* Horn.
3 ánnua DC. (*wh*) various-leaved — N. America — 1640. 7. 9. H ♂ — Flor. græc. t. 486.
A'ster ánnuus L. *Diplopáppus dùbius* Cas. *Eri'geron heterophy'llum* W.
4 multiradiàta DC. (*re*) many-rayed — Nepaul — .... 8. H ♃
A'ster inuloìdes D.D.

BOLTO'NIA DC. BOLTO'NIA. (J. B. Bolton, English bot.) Syngenesia Superflua.
1 diffùsa DC. (*wh*) Starwort-fld. — N. America — 1758. 8.10. H ♃ — Bot. mag. t. 2554.
asteroìdes W.
2 glastifòlia DC. (*pu*) glaucous-leaved — ——— — —— 9. H ♃ — ——— t. 2381.

CALO'TIS DC. CALO'TIS. (καλος, beauty, and ους, an ear; pappus.) Syngenesia Superflua.
cuneifòlia DC. (*bl*) wedge-leaved — N. Holland — 1819. 7. 8. G ♄ — Bot. reg. t. 504.

BE'LLIUM. BE'LLIUM. (*bellis*, a daisy; similar.) Syngenesia Superflua.
1 bellidioìdes DC. (*pk*) small — Italy — 1796. 6. 9. H ☉ — Swt. bt. fl. gar. s. 2. t. 175.
2 minùtum DC. (*wh*) dwarf — Levant — 1772. 6.10. H ♃ — Schreb. a. ups. 1. t. 5. f. 2.
3 crassifòlium DC. (*wh*) thick-leaved — Sardinia — 1832. —— H ♃ — Swt. br. fl. gar. s. 2. t. 278.

GARU'LEUM DC. GARU'LEUM. (not explained.) Syngenesia Necessaria.
1 pinnatífidum DC. (*bl*) pinnatifid — C. B. S. — 1774. 6. 9 G ♄ — Jacq. icon. 1. t. 179.
Osteospérmum pinnatifidum Th. *cœrùleum* H.K.

MYRIA'CTIS DC. MYRIA'CTIS. (*μυριος*, a myriad, and *ακτιν*, a ray.) Syngenesia Superflua.
Gmelìni DC. (*wh*) Gmelin's Persia 1836. 6. 7. F ♃
Botryadènia Gmelini F.M.

BE'LLIS DC. DAISY. (*bellus*, pretty; flowers.) Syngenesia Superflua.
1 sylvéstris DC. (*wh*) large Portugal Portugal 1797. 5. 7. H ♃ Bot. mag. t. 2511.
2 perénnis DC. (*wh*) common Britain .... 3. 8. H ♃ Eng. bot. v. 6. t. 424.
β hortènsis (*wh*) *large double* .... —— H ♃ Bot. mag. t. 228.
γ fistulòsa (*re*) *red quilled* .... —— H ♃
δ tubulòsa (*wh*) *white quilled* .... —— H ♃
ε prolìfera (*wh.re*) *Hen & Chicken* .... —— H ♃
3 hy'brida Ten. (*wh*) Italian Italy 1824. 4. 8. H ♃
4 ánnua DC. (*wh*) annual S. Europe 1759. 3. 7. H ☉ Bot. mag. t. 2174.
5 integrifòlia Mx. (*pu*) entire-leaved N. America 1834. 6. 7. F ☉ ——— t. 3455.

BRACHY'COME DC. BRACHY'COME. (*βραχυς*, short, and *κομη*, hair; pappus.) Syng. Superfl.
diversifòlia DC. (*wh*) different-leav'd N. Holland 1824. 5. 7. G ♄ Hook. ex. flor. t. 215.
Pyrèthrum diversifòlium Graham.

DIVISION III.—CHRYSOCO'MEÆ. DC. prod. 5. p. 310.

GYMNOSPE'RMA DC. GYMNOSPE'RMA. (*γυμνος*, naked, and *σπερμα*, a seed.) Syng. Æqual.
glutinòsa DC. (*ye*) clammy Brazil 1815. 1. 5. G ♄ Bot. reg. t. 462.
Sellòa glutinòsa B.R.

BRACHY'RIS DC. BRACHY'RIS. (*βραχυς*, short, and *αχυρον*, palea.) Syngenesia Superflua.
Euthàmiæ DC. (*ye*) strong-scented Missouri 1827. 8.10. H ♃
Solidàgo Saróthræ Ph. *Brachyachy'ris Euthàmiæ* S.S.

GRINDE'LIA DC. GRINDE'LIA. (Grindel, a German bot.) Syngenesia Superflua.
1 glutinòsa DC. (*ye*) glutinous Mexico 1803. 1.12. F ♄ Bot. reg. t. 187.
Dònia glutinòsa B.R. *Dorónicum glutinòsum* W.
2 inuloìdes DC. (*ye*) Inula-like Mexico 1815. 6. 9. F ♄ Bot. reg. t. 248.
3 pulchélla DC. (*ye*) pretty Chili 1827. —— F ♄
4 nítida Bern. (*ye*) glossy Mexico 1825. —— F ♄
5 coronopifòlia Leh. (*ye*) Buckshorn-ld. ——— 1826. —— F ♄
6 argùta DC. (*ye*) sharp-toothed ——— 1822. —— F ♄ Bot. reg. t. 781.
angustifolia B.R.
7 spatulàta DC. (*ye*) spatulate-leaved ——— —— —— F ♄
Lambérti G. Don.
8 angustifòlia DC. narrow-leaved ——— 1820. —— F ♄
Duvàlii S.S.
9 squarròsa DC. (*ye*) Snake-headed Missouri 1811. 7. 9. F ♃ Bot. mag. t. 1706.
10 villòsa D. (*ye*) villous Columbia 1827. 8.10. H ♃

HETEROTHE'CA DC. HETEROTHE'CA. (*ἑτερος*, variable, and *θηκη*, a sheath.) Syng. Superfl.
1 inuloìdes DC. (*ye*) Inula-like Mexico 1827. 8.10. F ♃ Swt. br. fl. gar. t. 246.
Diplócoma villosa D.D. *Dorónicum Mexicànum* Cerv.
2 scàbra DC. (*ye*) scabrous N. America .... —— F ♃
I'nula scàbra Nutt.

PSIA'DIA DC. PSIA'DIA. (*ψιας*, a dew-drop; gluten and leaves.) Syngenesia Necessaria.
glutinòsa DC. (*ye*) glutinous Mauritius 1796. 6. 8. S ♄ Jacq. schœn. 2. t. 152.

MICROGLO'SSA DC. MICROGLO'SSA. (*μικρος*, small, and *γλωσσα*, a tongue.) Syn. Pol. Nec.
volùbilis DC. (*wh*) proliferous Java 1819. 7. 8. S ♄ Rumph. am. 5. t. 104. f. 1.
Cony'za prolìfera W.

NIDORE'LLA DC. NIDORE'LLA. (a dim. of *nidor*, a smell; fetid.) Syngenesia Superflua.
1 trílobа DC. (*ye*) three-lobed Sinai 1837. .... H ♃
2 fœ'tida DC. (*ye*) fetid C. B. S. .... 7. 8. G ♃ Mill. icon. t. 233.
Erígeron fœ'tidum L. *I'nula fœ'tida* L.

NE'JA DC. NE'JA. (meaning unknown.) Syngenesia Superflua.
grácilis DC. (*ye*) slender Mexico 1828. 9.10. F ♄ Swt. br. fl. gar. ser. 2.

CHRYSO'PSIS DC. CHRYSO'PSIS. (*χρυσος*, gold, and *οψις*, resemblance.) Syngenesia Superflua.
1 gossy'pina DC. (*ye*) cottony N. America 1823. 6. 8. H ♃
I'nula gossy'pina M.
2 trichophy'lla DC. (*ye*) hairy-leaved ——— 1827. —— H ♃
3 mariàna DC. (*ye*) American ——— 1742. 7. 8. H ♃ Mill. ic. 1. t. 57. f. 1.
4 villòsa DC. (*ye*) villous Missouri 1811. 8. 9. H ♃
Sideránthus integrifòlius Fras. *Amèllus villòsus* Ph.

BIGELO'WIA DC. BIGELO'WIA. (Jacob Bigelow, M.D., American bot.) Syngenesia Æqualis.
1 uniligulàta DC. (*ye*) one-flowered N. America 1811. 8.10. H ♃
Solidàgo pauciflosculòsa Mx.
2 dracunculoìdes DC (*ye*) Siberian Missouri 1822. 9.10. H ♃
Chrysócoma dracunculoìdes Ph. *gravèolens* Nutt.

3 nudàta DC.	(*ye*) naked	N. America	1819.	——	H	♃		
4 virgàta DC.	(*ye*) slender	———	——	——	H	♃		

SOLIDA'GO DC. GOLDEN-ROD. (*solido*, to unite; vulnerary.) Syngenesia Superflua.

§ 1. *Racemes secund subscorpioid.*

* *Leaves three-nerved.*

1 canadénsis DC.	(*ye*) Canadian	N. America	1648.	7. 9.	H	♃		Schk. hand. 3. f. 246.
2 prócera DC.	(*ye*) great	———	1758.	9.10.	H	♃		
3 serótina W.	(*ye*) upright smooth	———	——	7. 8.	H	♃		
4 gigantèa DC.	(*ye*) gigantic	———	——	8. 9.	H	♃		
5 ciliàris DC.	(*ye*) ciliated	———	1811.	——	H	♃		
6 reflèxa DC.	(*ye*) hanging-leaved	———	1758.	8. 9.	H	♃		
7 frágrans DC.	(*ye*) fragrant	———	....	7. 9.	H	♃		
8 laterifòra DC.	(*ye*) lateral-flowered	———	1758.	8. 9.	H	♃		
9 glàbra DC.	(*ye*) smooth	———	....	——	H	♃		
10 angulàta DC.	(*ye*) angular	———	....	——	H	♃		
11 longifòlia DC.	(*ye*) long-leaved	———	....	——	H	♃		
12 nùtans DC.	(*ye*) drooping	———	....	——	H	♃		

** *Leaves feather nerved or veined.*

13 áspera DC.	(*ye*) rough-leaved	N. America	1732.	9.	H	♃		Dill. elth. t. 305. f. 392.
14 altíssima DC.	(*ye*) tall	———	1686.	8. 9.	H	♃		Mart. cent. 14.
15 recurvàta DC.	(*ye*) recurved	———	1814.	——	H	♃		
16 rugòsa DC.	(*ye*) wrinkle-leaved	———	1732.	——	H	♃		Dill. elth. t. 308. f. 396.
17 villòsa DC.	(*ye*) villous	———	——	——	H	♃		
18 scàbra DC.	(*ye*) rough	———	1811.	——	H	♃		
19 pyramidàta DC.	(*ye*) pyramidal	———	1812.	8. 9.	H	♃		
20 nemoràlis DC.	(*ye*) woolly-stalked	———	1769.	9.	H	♃		
21 pátula DC.	(*ye*) spreading	———	1805.	9.10.	H	♃		
22 ulmifòlia DC.	(*ye*) Elm-leaved	———	——	8.10.	H	♃		
23 argùta DC.	(*ye*) sharp-notched	———	1758.	7. 8.	H	♃		
24 júncea DC.	(*ye*) rush-stalked	———	1769.	8. 9.	H	♃		
25 ellíptica DC.	(*ye*) oval-leaved	———	1759.	——	H	♃		
26 asperàta Ph.	(*ye*) roughish-leaved	Canada	1825.	——	H	♃		
27 odòra DC. *retrósa* Mx.	(*ye*) sweet-smelling	N. America	1699.	8.10.	H	♃		Big. med. bot. 1. t. 20.
28 pubérula DC.	(*ye*) pubescent	———	——	——	H	♃		
29 sempervìrens DC.	(*ye*) evergreen	———	——	9.10.	H	♃		Corn. canad. t. 169.
30 verrucòsa DC.	(*ye*) warted	———	....	——	H	♃		
31 tortilifòlia DC. *odòra* Mx. not of H.K.	(*ye*) twisted-leaved	———	....	——	H	♃		

§ 2. *Racemes erect, not secund.*

* *Leaves serrated.*

32 multifòra DC.	(*ye*) many-flowered	N. America	....	9.10.	H	♃		
33 bícolor DC. *A'ster bicolor* Nees.	(*wh.ye*) two-coloured	———	1759.	8. 9.	H	♃		Pluk. alm. t. 114. f. 8.
34 petiolàris DC.	(*ye*) late-flowered	———	1758.	10.12.	H	♃		
35 híspida DC.	(*ye*) hispid	———	1820.	8.10.	H	♃		
36 cæ'sia DC.	(*ye*) Maryland	———	1732.	9.10.	H	♃		
37 flexicaúlis DC.	(*ye*) crook-stalked	———	1725.	9.	H	♃		Pluk. alm. t. 235. f. 3.
38 latifòlia DC.	(*ye*) broad-leaved	———	——	——	H	♃		——— t. 235. f. 4.
39 ambígua DC.	(*ye*) angular-stalked	.....	1759.	7. 8.	H	♃		
40 macrophy'lla Ph.	(*ye*) large-leaved	N. America	....	8.10.	H	♃		
41 glomeràta DC.	(*ye*) close-flowered	———	1820.	——	H	♃		
42 squarròsa DC.	(*ye*) squarrose-cup'd	———	1827.	——	H	♃		
43 alpéstris W.K.	(*ye*) Alpine	Europe	——	7. 9.	H	♃		
44 Virgaúrea DC.	(*ye*) common	Britain	....	——	H	♃		Eng. bot. v. 5. t. 301.
45 cámbrica W.	(*ye*) Welsh	Wales	....	7. 8.	H	♃		Dill. elth. t. 306. f. 393.
46 asiática F.	(*ye*) Asiatic	N. Asia	1824.	——	H	♃		
47 axillàris DC.	(*ye*) axillary	N. America	1811.	8.10.	H	♃		
48 flabellifórmis DC.	(*ye*) fan-shaped	———	....	——	H	♃		
49 grácilis DC.	(*ye*) weak	———	....	——	H	♃		
50 Schradèri DC.	(*ye*) Schrader's	———	....	——	H	♃		
51 hùmilis DC.	(*ye*) humble	———	....	——	H	♃		
52 leiocárpa DC. *hùmilis* Ph.	(*ye*) dwarf	———	1811.	7. 8.	H	♃		
53 virgàta DC.	(*ye*) slender	———	1827.	——	H	♃		
54 lívida DC.	(*ye*) purple-stemmed	———	1812.	——	H	♃		
55 hírta DC.	(*ye*) hairy	———	....	9.10.	H	♃		
56 grandifòra DC.	(*ye*) great-flowered	———	....	——	H	♃		
57 minùta W.	(*ye*) least	Pyrenees	1772.	7. 8.	H	♃		Lodd. bot. cab. t. 189.

58	multiradiàta DC.	(*ye*) Labrador	Labrador	1776. 7. 8.	H	♃		
59	elàta DC.	(*ye*) tall hairy	N. America	1811. 8.10.	H	♃		
60	rígida DC.	(*ye*) hard-leaved	———	1710. 9.	H	♃		Herm. parad. 243.
61	littoràlis S.S.	(*ye*) sea-side	Italy	1827. 7. 9.	H	♃		
62	decúrrens S.S.	(*ye*) decurrent	China	1823. 8.10.	H	♃		
			** *Leaves quite entire.*					
63	lithospermifòlia DC.	(*ye*) Gromwell-ld.	N. America	1811. 8.10.	H	♃		
64	fuscàta DC.	(*ye*) brownish	———	....	——	H	♃	
65	limoniifòlia DC.	(*ye*) Limonium-ld.	———	1683. 7.10.	H	♃		Dodart. act. 4. t. 219.
	mexicàna L.							
66	lævigàta DC.	(*ye*) fleshy-leaved	———	1799. 10.11.	H	♃		
67	strícta DC.	(*ye*) Willow-leaved	———	1758. 9.	H	♃		
68	erécta DC.	(*ye*) upright	———	....	——	H	♃	
69	vimínea DC.	(*ye*) twiggy	———	1759.	——	H	♃	
70	angustifòlia DC.	(*ye*) narrow-leaved	———	1824.	——	H	♃	
71	speciòsa N.	(*ye*) handsome	———	1812. 9.10.	H	♃		
	integrifòlia Desf.							

EUTHA'MIA N. EUTHA'MIA. (εὐ, well, and θαμὴς, crowded; flowers.) Syngenesia Superflua.

1	graminifòlia N.	(*ye*) grass-leaved	N. America	1758. 8.10.	H	♃		Bot. mag. t. 2546.
	Chrysócoma graminifòlia L. *Solidàgo lanceolàta* W. *graminifòlia* DC.							
2	tenuifòlia N.	(*ye*) slender-leaved	N. America	1758. 9.10.	H	♃		

COMMIDE'NDRUM DC. CÒMMIDE'NDRUM. (κομμι, gum, and δενδρον, a tree.) Syngen. Superfl.

	rugòsum DC.	(*br*) wrinkled	St. Helena	1772. 11.	G	♄		
	Cony'za rugòsa H.K.							

APLOPA'PPUS DC. APLOPA'PPUS. (απλοος, simple, and παππος, pappus.) Syngenesia Superfl.

1	ciliàtus DC.	(*ye*) ciliated	Arkansas	1821. 9.10.	H	♃		Hook. ex. flor. 1. t. 45.
	Dònia ciliàta Nutt.							
2	spinulòsus DC.	(*ye*) spiny	Missouri	——	——	H	♃	
	Amèllus spinulòsus Ph. *Sideránthus pinnatífidus* Fras.							

LINOSY'RIS DC. LINOSY'RIS. (λινον, flax, and *Osyris*, a name adopted by Ray.) Syngen. Superfl.

1	vulgàris DC.	(*ye*) common	Europe	....	9.10.	H	♃	Eng. bot. v. 35. t. 2565.
	Chrysócoma Linosy'ris L.							
2	villòsa DC.	(*ye*) villous	Hungary	1799.	——	H	♃	W. et K. hung. 1. t. 58.
3	punctàta DC.	(*ye*) dotted	Siberia	1741. 8. 9.	H	♃		Gmel. sib. 2. t. 82. f. 1.
	Chrysócoma biflòra L. *dracunculoìdes* Lam.							
4	divaricàta DC.	(*ye*) divaricate	Astracan	....	——	H	♃	

CHRYSO'COMA DC. GOLDY-LOCKS.) χρυσος, gold, and κομη, a head of hair.) Syngen. Æqualis.

1	comaúrea DC.	(*ye*) great-shrubby	C. B. S.	1731. 6. 8.	G	♄		Bot. mag. t. 1972.
2	pátula L.	(*ye*) spreading	———	1816.	——	G	♄	
3	cérnua L.	(*ye*) small-shrubby	———	1712. 5. 9.	G	♄		Comm. hort. 2. t. 45.
4	ciliàta DC.	(*ye*) Heath-leaved	———	1759. 7.10.	G	♄		——— 2. t. 48.
5	nívea DC.	(*ye*) woolly-leaved	———	1820. 5. 9.	G	♄		Jacq. schœn. 2. t. 147.
	tomentòsa Jacq. *non* L.							

PTERO'NIA DC. PTERO'NIA. (πτερον, a wing; scales on recept.) Syngenesia Æqualis.

1	camphoràta DC.	(*ye*) aromatic	C. B. S.	1774. 6. 7.	G	♄		Pluk. mant. t. 345. f. 2.
2	strícta DC.	(*ye*) cluster-flowered	———	—— 4. 6.	G	♄		
3	flexicaúlis DC.	(*ye*) bending-stalked	———	1812. 6. 8.	G	♄		
4	fasciculàta DC.	(*ye*) cluster-flowered	———	1816.	——	G	♄	
5	pállens DC.	(*pa*) pale	———	——	——	G	♄	
6	oppositifòlia DC.	(*ye*) opposite-leaved	———	1774. 7.	G	♄		Lam. ill. t. 667. f. 2.
7	glomeràta DC.	(*ye*) crowded	———	1823. 6. 8.	G	♄		
8	scariòsa DC.	(*ye*) window-cupped	———	1815.	——	G	♄	

Subtribe II. BACCHARI'DEÆ. DC. prod. 5. p. 368.

DIVISION I.—CONY'ZEÆ. DC. prod. 5. p. 368.

SPHÆRA'NTHUS DC. SPHÆRA'NTHUS. (σφαιρα, a sphere, and ανθος, a flower.) Syngen. Segr.

1	móllis DC.	(*bl*) soft	E. Indies	1818. 7. 9.	S	♃		Rheed. mal. 10. t. 43.
2	índicus W.	(*pu*) Indian	———	1699. 8.12.	S	♃		Burm. zeyl. t. 94. f. 3.
3	cochinchinénsis W.	(*bl*) Cochinchina	Cochinchina	1826. 7. 8.	H	⊙		
4	hírtus DC.	(*bl*) hairy	Manila	1823.	——	G	⊙	Lam. ill. t. 718. f. 1.

5 africànus W. (*bi*) African C. B. S. 1759. 7. 8. G ⊙ Pluk. mant. t. 108. f. 7.
microcéphalus DC. ?

DICHROCE'PHALA DC. DICHROCE'PHALA. (δις, twice, and χρωμα, colour, κεφαλη, a head.) Syng. Sup.
1 latifòlia DC. (*ye*) broad-leaved E. Indies 1804. 7. 8. S ⊙ Lam. ill. t. 699. f. 1.
Cótula bicolor Roth. *Grángea latifòlia* Lam. *Sphæránthus africànus* Burm.
2 sonchifòlia DC. (*ye*) Sonchus-leaved Caucasus .... 7. 8. H ⊙
Cótula sonchifòlia M.B.

GRA'NGEA DC. GRA'NGEA. (probably the name of some bot.) Syngenesia Superflua.
1 maderaspatàna DC. (*ye*) Madras E. Indies 1780. 7. 8. S ⊙ Lam. ill. t. 699. f. 3.
Cótula maderaspatàna W.
2 cinèrea L. en. (*ye*) grey Egypt 1825. —— H ⊙
3 ægyptìaca DC. (*ye*) Egyptian ——— —— —— H ⊙ Jacq. hort. vind. 3. t. 88.
Tanacètum ægyptìacum Jacq. *hùmile* Desf.

KARELI'NIA DC. KARELI'NIA. (Karelin, a bot. collector.) Syngenesia Superflua.
cáspia DC. (*pu*) Caspian Caspia .... 8. 9. H ♃ Pall. voy. 2. t. 13.
Serrátula Cáspia Pall.

CONYZA DC. FLEA-BANE. (κονις, dust; powder of, kills fleas.) Syngenesia Superflua.
Sect. 1. DIMORPHA'NTHES; *receptacle flat, naked, or alveolately-fringed; achenia much shorter than the bristle-formed pappus.*
1 chilénsis DC. (*ye*) Chili Chili 1816. 8.10. H ⊙
Erígeron chilénsis D.D.
2 diversifòlia DC. (*ye*) diverse-leaved ——— .... —— F ♃
3 Grahàmii DC. (*ye*) Graham's BuenosAyr. 1820. —— F ♃
4 amœ'na DC. (*pu*) pretty Congo 1816. 7. 8. S ♃
5 sericea DC. (*ye*) snowy Canaries 1779. .... G ♄
6 fastigiàta DC. (*pu*) clustered Senegal 1820. 7. 8. H ⊙
7 Gouàni DC. (*ye*) Gouan's Canaries 1772. —— G ♂ Jacq. vind. 3. t. 79.
8 ambígua DC. (*wh*) ambiguous S. Europe .... —— H ⊙
Erígeron linifòlium W.
9 ægyptiàca DC. (*ye*) Egyptian Egypt 1778. 7. 9. H ⊙ Jacq. vind. 3. t. 19.
10 mauritiàna Boj. (*pu*) Mauritius Mauritius 1821. —— S ⊙
11 Hubértii Boj. (*pu*) Hubert's Madagascar 1824. 7.10. S ⊙
12 vicòsa Boj. (*pu*) viscous Mauritius —— 8.10. S ⊙
Sect. 2. FIMBRILLA'RIA; *receptacle fimbrilliferous; those of the centre longest, and usually bristle-formed.*
13 pinnatífida DC. (*pu*) pinnatifid E. Indies 1816. 7. 9. S ♄
14 incìsa DC. (*pu*) cut-leaved C. B. S. 1774. 6. 8. G ♄
15 ivæfòlia DC. (*wh*) Peruvian America 1696. 7. 8. G ♄ Schk. handb. 3. t. 244.
Báccharis ivæfòlia L. *halamifòlia* W.
Species not sufficiently known.
16 glomeràta L. en. (*pu*) crowded ..... 1824. 7. 8. S ♃
17 spatulàta L. en. (*bi*) spatulate ..... —— 7. 9. S ♃
18 thapsoìdes M.B. (*pu*) Thapsus-leaved Caspian Sea 1806. —— H ♃

PHAGNA'LON DC. PHAGNA'LON. (not explained.) Syngenesia Superflua.
1 sórdidum DC. D. (*br*) small-flowered S. Europe 1570. 7. 9. F ♄ Barr. ic. t. 368.
Cony'za sórdida L.
2 pùmilum DC. (*ye*) dwarf Crete 1826. 7. 9. H ♄ Flor. græc. t. 863.
3 saxátile DC. (*br*) stone S. Europe 1640. 7. 8. F ♄ Schk. handb. 3. t. 341.
4 rupéstre DC. (*ye*) rock Arabia 1790. —— G ♄ Schmidel ic. t. 36.
Cony'za rupéstris L. *Tendrii* S.S. *geminiflòra* Ten.

DIVISION II.—BACCHA'REÆ. DC. prod. 5. p. 399.

BA'CCHARIS DC. PLOWMAN'S SPIKENARD. (Bacchus wine; smell.) Syngenesia Superflua.
1 glutinòsa DC. (*ye*) clammy Peru .... G ♄
2 glomerulæflòra DC. (*wh*) heap-flower'd N. America 1817. 8.10. F ♄
3 halamifòlia DC. (*wh*) Halimum-leaved ——— 1683. 9.11. H ♄ Dub. arb. 2. t. 60.
4 scopària DC. (*wh*) broom Jamaica 1822. 7. 9. S ♄ Brown. jam. t. 34. f. 4.
Cálea scopària L.
5 móllis DC. (*wh*) soft Quito 1824. 5. 6. F ♄
6 genistelloìdes DC. (*w*) wing-stemmed Brazil 1829. 7.10. G ♄
alàta Hort. *Pteróciadis genistelloìdes* Lamb. herb.
7 parviflòra DC. (*wh*) small-flowered Peru 1822. .... S ♄
8 angustifòlia DC. (*wh*) narrow-leaved Carolina 1812. 6. 9. F ♄
9 júncea DC. (*wh*) rushy Brazil 1827. —— S ♃

Subtribe III. *TARCHONA'NTHEÆ.* DC. prod. 5. p. 429.

Division I.—Eutarchona'ntheæ. DC.

BRACHYLÆ'NA DC. Brachlyæ'na. (βραχυς, short, and χλαινα, a cloak; invol.) Syn. Superfl.
1 neriifòlia DC. (*st*) Oleander-leaved C. B. S. 1752. 8.11. G ♄
Báccharis neriifòlia W.
2 dentàta DC. (*ye*) toothed-leaved ——— 1816. 6.10. G ♄
Tarchonánthus dentàtus Th.
3 ellíptica DC. (*ye*) elliptic-leaved ——— 1823. —— G ♄
TARCHONA'NTHUS DC. African Fleabane. (*tarchon*, Arab. for *tarragon*, and ανθος.) Syn. Æq.
camphoràtus DC. (*ye*) strong-scented C. B. S. 1690. 6.10. G ♄ Lam. ill. t. 671.

Division II.—Pluchei'neæ. DC. prod, 5. p. 432.

BLU'MEA DC. Blu'mea. (C. L. Blume, a Dutch bot.) Syngenesia Necessaria.
1 ampléctens DC. (*ye*) clasping E. Indies 1828. 6. 7. S ☉
2 axillàris DC. (*re*) axillary Mauritius 1824. 7. 9. S ☉
Cony'za axillàris Lam.
3 chinénsis DC. (*bl*) China China 1796. 7. 8. S ♂
Cony'za chinénsis L.
4 balsamífera DC. (*re*) balsamiferous ——— 1818. 6. 7. S ♃ Rumph. amb. 6. t. 24. f. 1.
5 pubiflòra DC. (*wh*) downy-flowered E. Indies 1812. —— S ♃
Erígeron asteroìdes Rotb.
6 aurìta DC. (*wh*) eared ——— 1818. —— S ☉
Cony'za aurìta L.
PLU'CHEA DC. Plu'chea. (from the name of some bot.) Syngenesia Necessaria.
1 subdecúrrens DC. (*ye*) Mexico Mexico 1824. 8. 9. S ♄
Cony'za adnàta K.S. *Báccharis adnàta* W.
2 Dioscóridis DC. (*wh*) Dioscorides' Levant 1822. 7. 9. G ♄
3 índica DC. (*pu*) Indian E. Indies —— —— G ♄ Breyn. cent. t. 70.
4 odoràta DC. (*pu*) sweet-scented India 1759. 6. 8. S ♄ Plum. ic. t. 97.
5 marylándica DC. (*pu*) Maryland N. America .... 8.10. H ☉ Dill. elt. t. 88. f. 104.
6 camphoràta DC. (*pu*) camphor-scented ——— 1704. —— H ♃ ——— t. 89. f. 105.
Báccharis fœ'tida W.
7 bífrons DC. (*st*) oval-leaved ——— 1739. 8. 9. H ♃ Pluk. alm. t. 87. f. 4.
8 purpuráscens DC. (*li*) purplish Jamaica 1822. —— S ☉ Sloan. hist. 1. t. 159. f. 1.
9 fœ'tida DC. (*wh.re*) stinking Africa 1724. —— G ♃ Mill. ic. 2. t. 233.
10 carolinénsis W. (*pu*) Carolina Carolina 1823. —— G ♄ Jacq. ic. 3. t. 185.
11 hirsùta DC. (*ye.pu*) shaggy China 1767. —— G ♂
Cony'za hirsùta L.
PTEROCAU'LON DC. Pterocau'lon. (πτερον, a wing, and καυλον, a stem.) Syngenesia Superflua.
1 virgàtum DC. (*pu*) wing-stalked America 1783. 8. 9. G ♃ Sloan. hist. 1. t. 152. f. 5.
Cony'za virgàta L.
2 pychnostàchya DC. (*pu*) narrow-spiked Carolina .... 7. 8. H ♃
Cony'za pychnostàchya Mx.
E'VAX DC. E'vax. (not explained.) Syngenesia Necessaria.
1 pygmæ'a DC. (*br*) pigmy S. Europe 1629. 7. 8. H ☉ Cavan. ic. 1. t. 36.
Filàgo pygmæ'a W.
2 asterisciflòra DC. (*br*) simple-stalked Spain 1824. —— H ☉ Lam. ill. t. 694. f. 2.
Filàgo asterisciflòra P.S.
3 exígua DC. (*br*) slender Sicily 1831. —— H ☉ Flor. græc. t. 922.
4 díscolor DC. (*br*) two-coloured ——— —— —— H ☉
MI'CROPUS DC. Mi'cropus. (μικρος, small, and πους, a foot; heads.) Syngenesia Necessaria.
1 supìnus DC. (*pa*) trailing S. Europe 1710. 6. 9. H ☉ Schk. hand. 3. t. 267.
2 eréctus DC. (*pa*) upright ——— 1683. —— H ☉ Loefl. hisp. t. 1. f. 3.
EPA'LTES DC. Epa'ltes. (not explained.) Syngenesia Necessaria.
divaricàta DC. (*pu*) spreading E. Indies 1815. 6. 9. S ☉ Lam. ill. t. 699.

Subtribe IV. *INU'LEÆ.* DC. prod. 5. p. 462.

I'NULA DC. I'NULA. (a corruption of *Helenium*.) Syngenesia Superflua.

Sect. 1. CORVISA'RIA; *outer scales of involucrum broad-ovate, foliaceous; inner ones obovate-spatulate, obtuse, achenia glabrous.*

1 Helènium DC.	(*ye*) Elecampane	Britain	....	7. 8.	H	♃		Eng. bot. v. 22. t. 1546.

Sect. 2. BUBO'NIUM; *scales of involucrum linear or lanceolate, ending each in a small foliaceous appendage, outer ones the shortest.*

2 O'culus-Chrísti DC.	(*ye*) hoary	Austria	1759.	7. 9.	H	♃		Jacq. aust. t. 223.
3 británnica DC.	(*ye*) creeping-rooted	Germany	——	——	H	♃		Flor. dan. t. 413.
4 gravèolens DC.	(*ye*) strong-smelling	S. Europe	1633.	7. 8.	H	☉		Ger. emac. 481. f. 2.
5 áspera Poir.	(*ye*) rough	.....	1828.	7.10.	H	♃		
6 campéstris Bess.	(*ye*) field	Poland	1827.	——	H	♃		
O'culis Christi β, campéstris DC.								
7 squarròsa DC.	(*ye*) net-leaved	S. Europe	1768.	7. 9.	H	♃		Flor. græc. t. 875.
8 salícina DC.	(*ye*) willow-leaved	N. Europe	1648.	8. 9.	H	♃		Flor. dan. 786.
9 spiræifòlia DC.	(*ye*) Austrian	Austria	1801.	7. 9.	H	♃		Jacq. aust. 5. ap. t. 19.
Bubònium Jacq.								
10 hírta DC.	(*ye*) hairy	———	1759.	6. 9.	H	♃		——— 4. t. 358.
11 glandulòsa DC.	(*ye*) glandular	Georgia	1804.	7. 8.	H	♃		Bot. mag. t. 1907.
12 grandiflòra DC.	(*ye*) large-flowered	Caucasus	1825.	——	H	♃		
13 móllis L.en.	(*ye*) soft	.....	1823.	——	H	♃		
14 suavèolens DC.	(*ye*) woolly-leaved	S. Europe	1758.	6. 8.	H	♃		Jacq. vind. 3. t. 51.
15 Vaillántii DC.	(*ye*) Vaillant's	France	1739.	——	H	♃		Hall. helv. n. 73. t. 2.
16 germánica DC.	(*ye*) German	Germany	1759.	6. 7.	H	♃		Jacq. aust. 2. t. 134.
17 ensifòlia DC.	(*ye*) sword-leaved	Austria	1793.	7. 9.	H	♃		——— 2. t. 162.
18 provinciàlis W.	(*ye*) oval-leaved	France	1778.	7. 8.	H	♃		
19 montàna DC.	(*ye*) mountain	S. Europe	1759.	——	H	♃		Garid. aix. t. 10.
calycina S.S.								
20 bífrons DC.	(*ye*) Italian	———	1713.	6. 8.	H	♃		Herm. parad. t. 127.
21 thapsoìdes DC.	(*ye*) Mullein-like	.....	1823.	——	H	♃		
β Bieberstéini DC.	(*ye*) *Bieberstein's*	Caucasus	....	——	H	♃		
Cony'za thapsoìdes M.B.								
22 verbascifòlia Poir.	(*ye*) Mullein-leaved	———	1828.	——	H	♃		
thapsoìdes β, Poirètii DC.								
23 hybrida S.S.	(*ye*) hybrid	Poland	1828.	——	H	♃		
24 glàbra M.B.	(*ye*) smooth	Caucasus	1826.	——	H	♃		
25 cáspica DC.	(*ye*) Caspian	Volga	——	——	H	♃		
26 cándida DC.	(*ye*) woolly	Candia	1714.	6. 7.	F	♄		Flor. græc. t. 866.
verbascifòlia W.								
27 limonifòlia F.G.	(*ye*) white-leaved	———	....	——	F	♄		——— t. 865.
cándida W. *non* L.								
28 Cony'za DC.	(*ye*) great	Britain	....	7. 8.	H	♂		Eng bot. v. 17. t. 1195.
Cony'za squarròsa L.								

Sect. 3. LIMBA'RDA; *scales of involucrum without appendages, adpressed, acuminated, in few series; the inner not exceeding the outer ones much.*

29 viscòsa DC.	(*ye*) clammy	Barbary	1633.	7. 8.	G	♃		Jacq. vind. 2. t. 165.
Erígeron viscòsum Jacq.								
30 crithmoìdes DC.	(*ye*) Samphire-leaved	England	....	8. 9.	H	♃		Eng. bot. v. 1. t. 68.

SCHIZO'GYNE DC. SCHIZO'GYNE. (σχιζω, to cut, and γυνη, a female; style.) Syng. Superfl.

serícea DC.	(*ye*) silky	Canaries	1779.	....	G	♄		
Cony'za serícea H.K.								

VICO'A DC. VICO'A. (probably from the name of some bot.) Syngenesia Superflua.

índica DC.	(*ye*) Indian	E. Indies	1739.	7.10.	S	☉		Burm. zeyl. t. 55. f. 2.
I'nula índica L.								

FRANCŒU'RIA DC. FRANCŒU'RIA. (probably from the name of some bot.) Syngenesia Superfl.

crispa DC.	(*ye*) curled	Egypt	1739.	7.10.	H	☉		Del. egypt. t. 45. f. 2.
I'nula crispa P.S. *Cony'za undulàta* Poir.								

JASO'NIA DC. JASO'NIA. (from Jason, on account of the golden flowers.) Syngenesia Superfl.

1 longifòlia DC.	(*ye*) long-leaved	N. America	1818.	7. 8.	H	♃		
Erígeron longifòlium P.S.								
2 glutinòsa DC.	(*ye*) clammy	S. Europe	1825.	7. 9.	H	♃		Bocc. sic. t. 13. f. 4.
I'nula saxátilis Lam. *Erígeron glutinòsum* L.								
3 tuberòsa DC.	(*ye*) tuberous-rooted	S. Europe	1640.	——	H	♃		Moris. s. 7. t. 19. f. 20.
Erígeron tuberòsum W.								

4 sícula DC. (*ye*) red-stalked Sicily 1779. 8. 9. H ☉ Bocc. sic. t. 31. f. 4.
5 dichótoma DC. (*pu*) cluster-flower'd Teneriffe 1780. 7. 8. G ♄ Jacq. ic. 1. t. 171.
Cony'za dichótoma L. *inuloìdes* H.K.
6 lævigàta DC. (*ye*) smooth Teneriffe 1824. 5. 7. G ♄

PULICA'RIA DC. FLEAWORT. (*pulex*, a flea; smell drives away.) Syngenesia Superflua.
1 vulgàris DC. (*ye*) small England .... 8. 9. H ☉ Gært. sem 2. t. 173. f. 7.
I'nula Pulicària Eng. bot v. 17. t. 1196.
2 villòsa L. en. (*ye*) villous ..... 1821. —— H ☉
3 arábica DC. (*ye*) Arabian Arabia 1823. —— F ♃ Pluk. alm. t. 149. f. 4.
4 dysentérica DC. (*ye*) meadow England .... —— H ♃ Eng. bot. v. 16. t. 1115.
I'nula dysentérica E.B.
5 paludòsa Lk. (*ye*) marsh Portugal 1828. —— H ♃
6 undulàta DC. (*ye*) waved Egypt .... —— H ☉ Del. egypt. t. 46. f. 1.
I'nula undulàta L.
7 odòra DC. (*ye*) sweet-scented S. Europe 1824. 6. 8. H ♃ Moris. s. 7. t. 21. f. 6.

CÆSU'LIA Roxb. CÆSU'LIA. (*cæsus*, beaten; trampled upon.) Syngenesia Segregata.
1 axillàris W. (*wh*) axillary-flowered E. Indies 1804. 7. 9. S ♃ Andr. reposit. t. 431.
2 lancifòlia (*wh*) spear-leaved ——— 1820. —— S ♃

Subtribe V. BUPHTHA'LMEÆ. DC. prod. 5. p. 483.

BUPHTHA'LMUM DC. OX-EYE. (βους, an ox, and οφθαλμος, the eye.) Syngenesia Superflua.
1 salicifòlium DC. (*ye*) Willow-leaved Austria 1759. 6. 10. H ♃ Jacq. aust. 4. t. 370.
2 grandiflòrum DC. (*ye*) great-flowered ——— 1722. —— H ♃ Moris. s. 6. t. 7. f. 52.
3 procúmbens Df. (*ye*) procumbent ..... 1820. —— H ♃

TELE'KIA DC. TELE'KIA. (a name not explained.) Syngenesia Superflua.
1 speciosíssima DC. (*ye*) handsome Italy 1828. 6. 10. H ♃ Bott. mag. t. 3466.
2 cordifòlia DC. (*ye*) heart-leaved Hungary 1739. 6. 8. H ♃ W. et K. hung. 2. t. 113.
Buphthálmum cordifòlium L.

ASTERI'SCUS DC. ASTERI'SCUS. (αστηρ, a star; heads.) Syngenesia Superflua.
1 stenophy'llus DC. (*ye*) linear-ld. Canaries 1816. 5. 7. G ♄
Buphthálmum stenophy'llum L.K.
2 imbricàtus DC. (*ye*) elegant ——— —— —— G ♄
Buphthálmum élegans W.
3 seríceus DC. (*ye*) silky ——— 1779. —— G ♄ Bot. mag. t. 1836.
4 aquáticus DC. (*ye*) sweet-scented S. Europe 1731. 7. 8. H ☉ Breyn. cent. t. 77.
5 marítimum DC. (*ye*) sea Sicily 1640. 7. 9. H ♃ Bocc. mus. t. 129.

PALLE'NIS DC. PALLE'NIS. (παλληνη, the peninsula of Maced. habitat.) Syngenesia Superfl.
spinòsa DC. (*ye*) spinose Spain 1570. 6. 9. H ☉ Schkuhr. han. t. 258.
Buphthálmum spinòsum L.

ANVI'LLEA DC. ANVIL'LEA. (J. B. B. D'Anville.) Syngenesia Polygamia Superflua.
Garcìni DC. (*ye*) Garcin's Levant 1827. 5. 7. G ♄ Vent. cels. t. 25.
Buphthálmum flosculòsum Vent.

Subtribe VI. ECLI'PTEÆ. DC. prod. 5. p. 488.

BORRI'CHIA DC. BORRI'CHIA. (M. Borrich, a cel. nat.) Syngenesia Superflua.
1 arboréscens DC. (*ye*) arborescent S. America 1699. 5. 9. G ♄ Dill. elth. t. 38. f. 43.
Buphthálmum arboréscens W. *Diomèdea glabràta* K.S.
2 frutéscens DC. (*ye*) shrubby Carolina 1696. 6. 8. G ♄ Catesb. carol. 1. t. 93.
Buphthálmum frutéscens Dill. elth. t. 28. f. 4. *Diomèdea bidentàta* S.S.
3 argéntea DC. (*ye*) silvery Cuba 1823. —— G ♃

ECLI'PTA DC. ECLI'PTA. (εκλειπω, to be deficient; pappus wanting.) Syngenesia Superflua.
1 erécta DC. (*wh*) upright S. America 1690. 7. 9. H ☉ Dill. elth. t. 113. f. 137.
2 punctàta DC. (*wh*) dotted W. Indies 1822. —— S ☉ Jacq. amer. pict. t. 197.
3 prostràta DC. (*wh*) trailing E. Indies 1732. —— S ☉ Dill. elth. t. 113. f. 138.
4 procúmbens M. (*wh*) procumbent Carolina 1819. —— H ☉
5 lineàris Ot. (*wh*) linear-leaved ..... 1825. —— S ☉

BLAINVI'LLEA DC. BLAINVI'LLEA. (H. D. de Blainville, a cel. French zoologist.) Syng. Superf.
1 latifòlia DC. (*wh*) broad-leaved E. Indies 1823. 6. 7. S ☉ Mur. c. goett. 1779. t. 4.
Eclipta latifolia L. *Verbesìna dichótoma* Wall.

SA'LMEA DC. Sa'lmea. (Prince Charles of Salm Dyke, in Holland.) Syngenesia Æqualis.

1 scándens DC.	(wh) climbing	S. America	1815.	4. 6.	S	♄	◡	Bot. mag. t. 2062.
Cálea Amélius L.								
2 hirsùta DC.	(wh) hairy	———	——	——	S	♄	◡	
3 eupatòria	(wh) large-headed	———	——	——	S	♄	◡	Jacq. ecl. 2. t. 139.
Bidens scándens Swz.								

DA'HLIA DC. Da'hlia. (Andrew Dahl, a Swedish bot.) Syngenesia Superflua.

1 Cervantèsii DC.	(sc) Cervantes'	Mexico	1820.	8.10.	H	♃		Swt.br.fl.gar.s.2.t.22.
β *Aurèra* S.F.G.	(sc) *double-flowered*	———	1828.	——	H	♃		Swt. flor. guid. t. 117.
2 crocèta DC.	(sc) saffron-coloured	———	1818.	——	H	♃		Swt. br. fl. gar. t. 282.
3 coccínea DC.	(sc) scarlet-flowered	———	1802.	——	H	♃		Cavan. icon. t. 266.
4 rùsea C.I.	(ro) bipinnate-leaved	———	——	7.10.	H	♃		——— t. 265.
5 astrantiæflòra	(pu) Astrantia-fld.	———	1812.	——	H	♃		
6 variábilis DC.	(va) variable	———	1789.	6.11.	H	♃		Cavan. icon. 1. t. 80.
pinnàta C.I. *superflua* H.K.								
α *purpùrea*	(pu) *purple-flowered*	———	——	——	H	♃		Ann. mus. 3. t. 37. f. 1.
β *lilácina*	(li) *lilac-coloured*	———	——	——	H	♃		Sal. par. lond. t. 16.
γ *pállida*	(bl) *blush-flowered*	———	——	——	H	♃		
δ *álba*	(wh) *white-flowered*	———	——	——	H	♃		
ε *flàva*	(ye) *yellow-flowered*	———	——	——	H	♃		
ζ *cùprea*	(co) *copper-coloured*	———	——	——	H	♃		
η *rùbra*	(re) *red-flowered*	———	——	——	H	♃		Bot. mag. t. 1885. A.
θ *coccínea*	(sc) *scarlet-flowered*	———	——	——	H	♃		
ι *punícea*	(cr) *crimson-flower'd*	———	——	——	H	♃		Bot. reg. t. 55.
κ *atrosanguínea*	(d.cr) *dark-crimson*	———	——	——	H	♃		
λ *atropurpùrea*	(d.pu) *dark purple*	———	——	——	H	♃		
μ *nigra*	(da) *dark-coloured*	———	——	——	H	♃		
ν *variegàta*	(v) *variegated-fld.*	———	——	——	H	♃		
ξ *nàna*	(li) *double dwarf lilac*	———	——	——	H	♃		Andr. reposit. t. 483.
ο *superba*	(pu) *double purple*	———	....	——	H	♃		Bot. mag. t. 1885. B.
π *Junoniàna*	(d.pu) *Juno*	———	....	6.11.	H	♃		Swt. flor. guid. t. 102.
ρ *imperiòsa*	(d.pu.) *Dennis's imperial*	———	1827.	——	H	♃		——— v. 1. t. 71.
σ *stellàris*	(sc) *morning star*	———	1826.	——	H	♃		——— v. 1. t. 65.
τ *sphærocéphala*	(d.cr) *globe-flowered*	———	1827.	——	H	♃		——— v. 2. t. 115.
υ *Belladónna*	(pi) *painted Lady*	———	——	——	H	♃		——— v. 2. t. 110.

The varieties of the present species are endless.

SIEGESBE'CKIA DC. Siegesbe'ckia. (J. G. Siegesbeck, M.D., a cel. German bot.) Syng. Superf.

Sect. 1. Pentamera'nthes; *female flowers with flat ligulæ; those of the disk* 5-*toothed and pentandrous.*

1 orientàlis DC.	(ye) oriental	E. Indies	1730.	8.10.	H	⊙		Schk. hand. 3. t. 256.
2 triangulàris C.I.	(ye) triangular-leav'd	Mexico	....	——	H	⊙		Cav. ic. 3. t. 253.
3 ibérica DC.	(ye) Iberian	Iberia	1823.	——	H	⊙		Buxb. cent. 3. t. 52.
4 cordifòlia DC.	(ye) heart-leaved	Mexico	1826.	——	H	⊙		
5 jorullénsis DC.	(ye) Sundew-like	———	1825.	——	F	♃		Swt. br. fl. gar. t. 203.
droseroides B.F.G.								

Sect. 2. Trimera'nthes; *flowers of the ray difformed, shortly and irregularly ligulate,* 2-3 *toothed; those of the disk tridentate, triandrous.*

6 flosculòsa DC.	(ye) small-flowered	Peru	1784.	6. 7.	H	⊙		L'Herit. stirp. t. 19.

Tribe IV. *SENECIONI'DEÆ.* DC. *prod.* 5. *p.* 497.

Subtribe I. MELAMPODI'NEÆ. DC. prod. 5. p. 506.

Division I.—Euxenie'æ. DC. prod. 5. p. 501.

EUXENIA DC. Euxe'nia. (εὺς, beautiful, and ξένος, a stranger.) Syngenesia Segregata.

1 grìta DC.	(ye) grateful	Chile	1825.	7. 9.	F	♄		
Podánthus grùtus D.D.								
2 Mitiqui DC.	(ye) Mitique	———	1826.	——	F	♄		Hor. phys. berl. 75. t. 16.

PETRO'BIUM DC. PETRO'BIUM. (πετρος, a rock, and βιοω, to live; growing among.) Syng. Æqual.
arbòreum DC. (*st*) tree St. Helena 1816. .... S ♄ Forst. nov. gen. t. 47.
Spilánthes arbòreus Forst.

DIVISION II. MILLERIE'Æ. DC. prod. 5. p. 502.

ELVI'RA DC. ELVI'RA. (not explained.) Syngenesia Necessaria.
biflòra DC. (*ye*) two-flowered S. America 1730. 6. 8. H ⊙ Mart. dec. 47. f. 1.
Millèria biflòra L. *Delília Bertèrii* S.S.
MILLE'RIA DC. MILLE'RIA. (Philip Miller; auth. of gard. dict.) Syngenesia Necessaria.
quinqueflòra DC. (*ye*) five-flowered Vera Cruz 1731. 7.10. H ⊙ Cavan. ic. 1. t. 82.
FOUGEROU'XIA DC. FOUGEROU'XIA. (M. Fougeroux de Bandaroy; bot. auth.) Syng. Necess.
1 récta DC. (*ye*) upright Vera Cruz 1699. 6. 7. H ⊙ Schk. ha. 3. t. 261. C.
Baltimòra récta L.
2 álba DC. (*wh*) white .... 1824. —— H ⊙
CHRYSO'GONUM DC. CHRYSO'GONUM. (χρυσος, gold, and γονυ, a knee.) Syngen. Necess.
virginiànum DC. (*ye*) Carolina Carolina .... 5. 6. H ♃ Pluck. alm. t. 83. f. 4.

DIVISION III.—SILPHIE'Æ. DC. prod. 5. p. 510.

SI'LPHIUM W. SI'LPHIUM. (*zalaph*; Arabic name of Assafœtida.) Syngenesia Necessaria.
§ 1. TERETICAU'LIA; *stems terete or bluntly subhexagonal.*
* *Leaves pinnate-lobed, alternate.*
1 laciniàtum DC. (*ye*) jagged-leaved N. America 1781. 7. 9. H ♃ Lin. fil. fas. 1. t. 3.
2 compósitum DC. (*ye*) scollop-leaved ——— 1789. —— H ♃
** *Leaves undivided, alternate.*
3 Asteríscus DC. (*ye*) hairy-stalked N. America 1732. 7. 9. H ♃ Dill. elth. t. 37. f. 42.
4 scàbrum N. (*ye*) rough-leaved ——— 1823. —— H ♃
Asteríscus B. *lævicaúle* DC.
5 pùmilum DC. (*ye*) dwarf woolly ——— —— —— H ♃
6 therebinthinàceum DC. (*ye*) broad-leaved ——— 1765. 8. 9. H ♃ Jacq. vind. 1. t. 43.
*** *Leaves undivided, verticillate.*
7 trifoliàtum DC. (*ye*) three-leaved N. America 1755. 7.10. H ♃ Bot. mag. t. 3355.
8 ternàtum DC. (*ye*) various-leaved ——— 1806. —— H ♃
9 atropurpùreum W. (*ye*) purple-stalked ——— 1812. —— H ♃
ternàtum β, *atropurpùreum* DC.
§ 2. TETRAGO'NA; *stems tetragonal, sometimes terete at tops; leaves opposite.*
10 perfoliàtum DC. (*ye*) perfoliate N. America 1766. 7.10. H ♃ Bot. mag. t. 3354.
11 conjúnctum W. en. (*ye*) conjoined ——— .... —— H ♃
perfoliàtum β, *conjúnctum* DC.
12 connàtum DC. (*ye*) round-stalked ——— 1765. —— H ♃
13 Hornemánni DC. (*ye*) Hornemann's ——— .... —— H ♃
connàtum Desf. not. L. *perfoliàtum* Poir. not. L.
14 erythrocaúlon DC. (*ye*) red-stemmed ——— .... —— H ♃
POLY'MNIA DC. POLY'MNIA. (name of one of the muses.) Syngenesia Necessaria.
1 canadénsis DC. (*ye*) Canadian N. America 1768. 7. 8. H ♃ Lin. am. ac. 3. t. 1. f. 5.
2 Uvedàlia DC. (*ye*) broad-leaved ——— 1699. 8.10. H ♃ Moris. s. 6. t. 7. f. 55.
3 maculàta DC. (*ye*) spotted-stalked Mexico 1823. 9.11. H ♃ Cav. ic. 3. t. 227.
4 áspera DC. (*ye*) rough ——— 1830. —— F ♃

DIVISION IV.—MELAMPODIE'Æ. DC. prod 5. p. 517.

MELAMPO'DIUM W. MELAMPO'DIUM. (μελας, black, and πους, a foot; seeds.) Syng. Necess.
Sect. 1. EUMELAMPO'DIUM; *inner scales of involucrum involving the achenia, tubercular or muricated outside, and ribbed, drawn out each at top into a cuculla, which is sometimes truncate and sometimes ending in a hooked awn.*
1 americànum DC. (*ye*) American Vera Cruz 1733. 8.10. S ⊙ Reliq. Houst. 9. t. 21.
2 seríceum DC. (*ye*) silky-leaved New Spain 1825. —— H ⊙
Sect. 2. ZARABE'LLIA; *inner scales of involucrum involving the achenia of the rays, wrinkled or tubercled outside, truncate or drawn out into mucrones or teeth at tops.*
3 híspidum DC. (*ye*) hispid New Spain 1825. 9.11. H ⊙ H. et B. 4. t. 399.

4 longifòlium DC. (*ye*) long-leaved New Spain 1820. 9.11. H ⊙
5 ovalifòlium R.I. (*ye*) oval-leaved S. America 1828. —— H ⊙ Rchb. exot. t. 42.
divaricàtum DC. *paludòsum* Kth. *Wedèlia ovatifòlium* W. *Alcìna ovalifòlia* L.G.

Sect. 3. ALCI'NA; *inner scales of involucrum involving the achenia of the ray, oval-oblong, smooth, bearing each 2 to 4 small tubercles at tops.*

6 perfoliàtum DC. (*ye*) perfoliate Mexico 1796. 8.10. H ⊙ Cavan. ic. 1. t. 15.
Alcìna perfoliàta Cav. *Wedèlia perfoliàta* W.

ACANTHOSPE'RMUM DC. THORN-SEED. (*ακανθος*, a thorn, and *σπερμα*, a seed.) Syng. Necess.
1 xanthoìdes DC. (*ye*) Xanthium-like Brazil 1830. 6.10. H ⊙
hirsùtum DC. *brasìlum* Schranck hort. mon. 2. t. 53.
2 hùmile DC. (*ye*) dwarf Jamaica 1782. 6.10. S ⊙
Melampòdium hùmile Swz.

DIVISION V.—AMBROSIE'Æ. DC. prod. 5. p. 522.

XA'NTHIUM DC. XA'NTHIUM. (*ξανθος*, yellow; used for dyeing.) Monœcia Pentandria.
1 Strumàrium DC. (*gr*) small burdock England .... 7. 9. H ⊙ Eng. bot. v. 36. t. 2544.
2 orientàle DC. (*gr*) oriental China 1685. —— H ⊙ Linn. dec. 33. t. 17.
3 índicum DC. (*gr*) Indian E. Indies —— —— H ⊙
chinénse Mill.
4 canadénse L. (*gr*) Canadian Canada —— —— H ⊙ Dill. elth. 2. t. 321.
5 echinàtum W. (*gr*) hedgehog Italy 1818. —— H ⊙ Noc. fl. tic. 4. t. 323.
macrocárpum DC.
6 cathárticum DC. (*gr*) divided-leaved S. America 1825. 9.10. H ⊙
7 spinòsum DC. (*gr*) spiny S. Europe 1713. 7. 9. H ⊙ Herm. parad. 246.

FRANSE'RIA DC. FRANSE'RIA. (Anth. Franser, M.D., a German bot.) Monœcia Pentandria.
1 artemisioìdes DC. (*gr*) Mugwort-leaved Peru 1759. 7. 9. G ♄ Willd. hort. ber. t. 2.
2 ambrosioìdes DC. (*gr*) Ambrosia-ld. Mexico 1796. —— G ♄ Cavan. ic. 2. t 200.

AMBRO'SIA DC. AMBRO'SIA. (the feigned food of gods; fragrant.) Monœcia Pentandria.
§ 1. *Leaves undivided.*
1 integrifòlia DC. (*gr*) entire-leaved N. America 1816. 7. 9. H ⊙
§ 2. *Leaves three-lobed.*
2 trífida DC. (*gr*) trifid-leaved ——— 1669. —— H ⊙ Moris. s. 6. t. 1. f. 4.
3 cumanénsis DC. (*gr*) Cumana S. America 1823. 9.11. H ⊙
§ 3. *Leaves pinnatifid or bipinnatifid.*
4 elàtior DC. (*gr*) tall N. America 1696. 7. 8. H ⊙ Herm. lugdb. t. 35.
5 artemisiæfòlia DC. (*gr*) Mugwort-leaved ——— 1759. —— H ⊙
6 paniculàta DC. (*gr*) panicled ——— 1811. 7. 9. H ⊙ Pluk. alm. t. 10. f. 5.
7 marítima DC. (*gr*) sea Italy 1570. 7. 8 H ⊙ Schk. hand. 3. t. 292.
8 peruviàna DC. (*gr*) Peruvian Peru 1821. 9.11. G ♃
9 heterophy'lla DC. (*gr*) variable-leaved N. America 1817. —— H ⊙

DIVISION VI.—ΓVEÆ. DC. prod. 5. p. 527.

TETRA'NTHUS DC. TETRA'NTHUS. (*τετρας*, four, and *ανθος*, a flower; in head.) Syng. Necess.
littoràlis DC. (*wh*) sea-shore S. Domingo 1820. —— H ⊙

ΓVA DC. ΓVA. (a name used by the older botanists.) Syngenesia Necessaria.
1 ciliàta DC. (*ye*) ciliated N. America 1820. 7. 8. H ⊙
2 ánnua DC. (*ye*) annual S. America 1768. —— H ⊙ Schmidel. ic. t. 16.
3 xanthiifòlia DC. (*ye*) Xanthium-ld. Missouri 1827. —— H ⊙
4 axillàris DC. (*ye*) axillary-flower'd ——— —— 5. 6. H ⊙ Hook. fl. b. amer. 2. t. 107.
5 frutéscens DC. (*ye*) shrubby N. America 1711. 8. H ♄ Lam. ill. t. 166. f. 2.

DIVISION VII.—PARTHENIE'Æ. DC. prod. 5. p. 530.

PARTHE'NIUM DC. PARTHE'NIUM. (*παρθενος*, a virgin; med. virtues.) Syngenesia Necessaria.
1 integrifolìum DC. (*wh*) entire-leaved Virginia 1661. 6.10. H ♃ Willd. hort. ber. t. 4.
2 incànum DC. (*wh*) hoary Mexico 1824. —— H ⊙ H. et B. 4. t. 391.
3 Hysteróphorus DC. (*wh*) cut-leaved W. Indies 1728. 7.10. H ⊙ Bot. mag. t. 2275.
Argyrochæ'ta bipinnatìfida Cavan. icon. 4. t. 378.

Subtribe II.—HELIA'NTHEÆ. DC. prod. 5. p. 534.

Division I.—Heliopsi'deæ. DC. prod. 5. p. 534.

ZI'NNIA W. Zi'nnia. (J. G. Zinn, prof. bot. Gottingen.) Syngenesia Superflua.

§ 1. *Achenia of the disk bearing one awn on the inner side, and sometimes two very unequal ones; paleæ of the receptacle entire, obtuse.*

1 pauciflòra DC. (*ye*) yellow-flowered Peru 1753. 7. 8. H ☉ Mill. ic. 1. t. 64.
2 multiflòra DC. (*re*) red-flowered N. America 1770. 6.10. H ☉ Bot. mag. t. 149.
3 verticillàta DC. (*re*) whorl-leaved Mexico 1789. 7. 8. H ☉ Andr. repos. t. 189.
4 tenuiflòra DC. (*re*) slender-flowered ——— 1799. —— H ☉ Bot. mag. t. 555.

§ 2. *Achenia of the disk biaristate or bidentate at apex, seldom mutic; paleæ of receptacle quite entire, acute.*

5 hy'brida DC. (*sc*) hybrid Mexico 1818. 6. 9. H ☉ Bot. mag. t. 2123.
6 angustifòlia DC. (*re*) narrow-leaved ——— 1825. —— H ☉

§ 3. *Achenia of the disk mutic or subbidentate; paleæ of receptacle serrately crested at apex.*

7 élegans DC. (*vi*) elegant Mexico 1796. 7.10. H ☉ Bot. mag. t. 527.
violàcea Cav. Andr. repos. t. 55.
β *coccínea* B.R. (*sc*) *scarlet-flowered* ——— 1829. —— H ☉ Bot. reg. t. 1294.

WEDE'LIA KS. Wede'lia. (G. W. Wedel, a German bot.) Syngenesia Necessaria.

1 acapulcénsis DC. (*ye*) Acapulco Mexico 1823. 6. 8. S ♄
2 híspida DC. (*ye*) hispid New Spain 1819. —— S ♄ Bot. reg. t. 543.
3 radiòsa DC. (*ye*) rayed S. America 1822. 8.10. S ♄ ——— t. 610.
4 calendulàcea DC. (*ye*) Marigold Ceylon 1739. 7. 9. S ☉ Burm. zeyl. t. 22. f. 1.
Verbesìna calendulàcea L. *Wedèlia Benghalénsis* Rich.
5 helianthoìdes DC. (*ye*) sunflower-like Quito 1827. 9.11 S ♃ H. B. nov. gen. 4. t. 372.

MELANTHE'RA DC. Melanthe'ra. (μελας, black, and ανθηρα, an anther). Syng. Æqualis.

1 deltoídea DC. (*li*) Linnæus's S. America 1799. 6. 8. S ♂ Jacq. ic. 3. t. 583.
Linnæ'i K.S. *Bìdens nívea* L. *Câlea áspera* Jacq.
2 hastàta DC. (*wh*) hastate-leaved N. America 1732. —— G ♃ Dill. elth. t. 47. f. 55.
β *panduràta* Ph. (*wh*) *fiddle-leaved* ——— —— —— G ♃ ——— t. 46. f. 54.

WOLLASTO'NIA DC. Wollasto'nia. (Dr. Wollaston, cel. chemist.) Syngenesia Superflua.

biflòra DC. (*ye*) two-flowered E. Indies 1818. 7. 9. S ☉ Rheed. mal. 10. t. 40.
Acmélla biflòra S.S. *Verbesìna biflòra* L.

PASCA'LIA DC. Pasca'lia. (Dedan Pascal, M.D., prof. bot., Parma.) Syngenesia Superflua.

glaúca DC. (*ye*) glaucous-leaved Chili 1799. 6. 8. H ♃ Andr. reposit. t. 549.

HELIO'PSIS DC. Helio'psis. (ἥλιος, the sun, and οψις, resemblance; heads.) Syng. Superfl.

1 canéscens DC. (*ye*) hoary-leaved S. America 1820. 8.10. H ♃
2 læ'vis DC. (*ye*) smooth Mexico 1714. 7.10. H ♃ Bot. mag. t. 3372.
3 helianthoìdes (*ye*) roughish N. America —— —— H ♃ L'Herit. stirp. t. 45.
Buphthálmum helianthoìdes L.
4 scàbra DC. (*ye*) rough-leaved ——— 1820. —— H ♃ Bot. reg. t. 592.
canéscens B.R. *non* K.S.
5 buphthalmoìdes DC. (*ye*) ox-eye-like Peru 1798. —— G ♃ Jacq. schœnb. 2. t. 151.
A'nthemis buphthalmoìdes Jacq.

GUIZO'TIA. Guizo'tia. (Count Guizot, patron of bot.) Syngenesia Superflua.

oleífera DC. (*ye*) oleiferous Abyssinia 1775. 6. 7. H ☉ Bot. mag. t. 1017.
Verbesìna satìva B.M. *Poly'mnia abyssínica* L.

TETRAGONOTHE'CA DC. Tetragonothe'ca. (τετραγωνος, quadrangular; θηκη, a case.) Sy. Sup.

helianthoìdes DC. (*ye*) Sunflower-like Virginia 1726. 8.10. H ♃ Schk. hand. 3. t. 263.

FERDINA'NDIA DC. Ferdina'ndia. (Ferdinand IV. of Spain.) Syngenesia Superflua.

1 augústa DC. (*ye*) august Mexico 1816. 8.10. F ♄
2 integrifòlia D.D. (*ye*) entire-leaved ——— 1828. —— F ♄

ZALUZA'NIA DC. Zaluza'nia. (Zalusianski, a Polish bot.) Syngenesia Superflua.

trìloba DC. (*ye*) three-lobed Mexico 1798. 7. 9. F ♄
A'nthemis trìloba W.

CHILIOPHY'LLUM DC. Chiliophy'llum. (χιλιος, a thousand, and φυλλον, a leaf.) Syng. Sup.

globòsum DC. (*ye*) globose Mexico 1829. 8. 9. G ♃ Jacq. schœn. 3. t. 371.
A'nthemis globòsa Ort.

Division II.—Rudbeckie'æ DC. prod. 5. p. 554.

ECHINA'CEA DC. Echina'cea. (ἐχινος, a hedgehog; involucrum.) Syngenesia Frustranea.
1 purpùrea DC. (pu) reflexed-rayed N. America 1699. 7.10. H ♃ Bot. mag. t. 2.
Rudbéckia purpùrea B.M.
2 serótina DC. (li) hispid-stalked ——— 1816. 8.10. H ♃ Swt. br. fl. gar. t. 4.
Rudbéckia serótina B.F.G.
3 napifòlia DC. (ro) Rape-leaved New Spain 1824. 7.10. F ♃
Rudbéckia napifòlia K.S.
4 heterophy'lla DC. (li) various-leaved Mexico 1828. 9.11. H ♃ Swt. br. fl. gar. s.2. t.32.
5 Dicksònii BR. (pu) Dickson's ——— 1835. —— H ♃ Bot. reg. s. 2. t. 27.
RUDBE'KIA D.D. Rudbe'ckia. (Olof Rudbeck, prof. bot., Upsal.) Syngenesia Frustranea.
1 digitàta DC. (ye) narrow-jagged-ld. N. America 1759. 8. 9. H ♃ Moris. s. 6. t. 6. f. 54.
2 lacinàta DC. (ye) broad-jagged-ld. ——— 1640. 7. 9. H ♃ —— s. 6. t. 6. f. 53.
3 lævigàta DC. (ye) smooth Georgia 1812. 7. 8. H ♃
CENTROCA'RPHA DD. Centroca'rha. (κεντρον, a spur, and καρφος, chaff.) Syng. Frustr.
1 trìloba D.D. (ye) three-lobed N. America 1699. 7.10. H ♃
Rudbéckia trìloba L. *tomentòsa* Ell.
2 aristàta D.D. (ye) awned ——— —— —— H ♃ Bot. reg. t. 525.
Rudbéckia trìloba B.R. *aristàta* Ph.
3 hìrta D.D. (ye) great hairy ——— 1714. 6.11. H ♃ Swt. br. fl. gar. t. 82.
Rudbéckia hìrta B.F.G.
4 fúlgida D.D. (ye) small hairy ——— 2760. 7. 8. H ♃ Bot. mag. t. 1996.
5 chrysómela B.F.G. (ye) pointed-leaved ——— 1822. 7.11. H ♃ Swt. br. fl. gar. s. 2.
6 spathulàta W. (ye) spathulate-ld. ——— 1825. 8.11. H ♃
7 grácilis N. (ye) slender hairy ——— —— —— H ♃
8 ràdula D.D. (ye) rasp Georgia —— 7. 8. H ♃
9 grandiflòra Swt. (ye) great-flowered N. America 1830. —— H ♃ Swt. br. fl. gar. s. 2. t.87.
Rudbéckia nudicaúlis Nutt.
DRACO'PIS DC. Draco'pis. (δρακων, a dragon, and πους, a foot.) Syngenesia Frustranea.
amplexicaúlis DC. (ye) stem-clasping Louisiana 1793. 7. 9. H ⊙ Jacq. icon. 3. t. 592.
Rudbéckia amplexicaúlis Vahl.
OBELISCA'RIA DC. Obelisca'ria. (οβελισκος, an obelisk; form of recept.) Syng. Frustr.
pinnàta DC. (ye) fragrant N. America 1803. 8. 9. H ♃ Sw. br. fl. gar. t. 146.
Rudbéckia pinnàta L.
RATIBI'DA Raf. Ratibi'da. (meaning unknown.) Syngenesia Superflua.
columnàris DC. (ye) high-crowned Louisiana 1811. 8. 9. H ♃ Bot. mag. t. 1601.
Rudbéckia columnàris Ph. *Obeliscària columnàris* DC.
β pulchérrima D.D. (ye.re) very fair Texas 1832. —— H ♃ Swt. br. fl. s. 2. t. 361.
Obeliscària pulchérrima DC.
GYMNO'PSIS DC. Gymno'psis. (γυμνος, naked, and οψις, resemblance.) Syng. Necess.
triplinérve DC. (ye) triple-nerved S. America 1825. 6. 9. S ♄
Gymnolòma triplinérvia K.S.
WU'LFFIA DC. Wu'lffia. (G. H. Wulff, a German bot.) Syngenesia Necessaria.
maculàta DC. (ye) spotted-stalked Brazil 1822. 6. 9. S ♄ Bot. reg. t. 662.
MONTAGNÆ'A DC. Montagnæ'a. (M. Montagna, a Neapolitan bot.) Syngenesia Frustranea.
Sect. 1. Erioca'rphæ; *ligulæ five; paleæ very hairy.*
1 floribúnda DC. (wh) bundle-flowered Mexico 1828. 9.10. F ♄ H. B. 4. t. 396.
Eriécoma floribúnda K.S.
2 tomentòsa DC. (wh) woolly ——— —— —— S ♄ Swt. br. fl. s. 2. t. 44.
Eriécoma frágrans D.D. *heterophy'lla* Schr.
Sect. 2. Acanthoca'rphæ; *ligulæ about* 10; *paleæ rather villous, mucronate, and at length spinescent.*
3 grandiflòra DC. (wh) great-flowered Mexico 1826. 9.10. S ♄
Montanòa grandiflòra Llave.
SCLEROCA'RPUS DC. Scleroca'rpus. (σκληρος, and καρπος, a fruit.) Syngenesia Frustranea.
africànus DC. (ye) African Guinea 1812. 7. 8. G ⊙ Jacq. ic. 1. t. 176.
ENCE'LIA DC. Ence'lia. (εγχελις, an eel; form of seeds.) Syngenesia Superflua.
1 canéscens DC. (ye) canescent. Mexico 1786. 7. 9. G ♄ Bot. reg. t. 909.
Pallàsia halimifòlia W. *Coreópsis liménsis* Jacq. ic. 3. t. 594.
2 halimifòlia DC. (ye) great-flowered Mexico 1825. —— G ♄ Cavan. ic. 3. t. 216.
Pallàsia grandiflòra W.
CHRYSOSTE'MMA DC. Golden crown. (χρυσος, gold, and στεμμα, a crown.) Syng. Frustr.
trípteris DC. (ye) three-leaved N. America 1737. 8.10. H ♃ Bot. mag. t. 3583.
Coreópsis trípteris L.

CALLIO'PSIS DC. Callio'psis. (καλλιστος, most beautiful, and ὀψις, an eye.) Syng. Frustr.

1 tinctòria DC. (*ye.pu*) two-coloured Arkansa 1823. 6.10. H ⊙ Swt. br. fl. gar. t. 72.
bicolor B.M. *Coreópsis tinctòria* N.
β atropurpùrea B.M. (*pu*) *dark purple* ——— .... —— H ⊙ Bot. mag. t. 3511.
2 Atkinsoniàna DC. (*ye.pu*) Atkinson's Columbia 1827. 8.11. H ♃ Bot. reg. 1376.
3 palmàta S.S. (*ye*) palmate-leaved Louisiana 1823. 8.10. H ⊙
4 ròsea S.S. (*ro*) rose-coloured N. America —— —— H ♃
Coreópsis ròsea DC.
5 Drummóndii D.D. (*ye.pu*) Drummond's Texas 1834. 9.10. H ⊙ Swt. br. fl. gar. s. 2. t. 315.
Coreópsis diversifòlia B.M. t. 3474.

Division III.—Coreopsi'deæ. DC. prod. 5. p. 569.

COREO'PSIS DC. Coreo'psis. (κορις, a brig, and ὀψις, resemblance; in seeds.) Syng. Frustr.

§ 1. *Leaves opposite, parted or cut.*

1 grandiflòra DC. (*ye*) large-flowered N. America 1826. 8. 9. H ♃ Swt. br. fl. gar. t. 175.
2 delphinifòlia DC. (*ye*) whorl-leaved ——— 1759. 7.10. H ♃ Bot. mag. t. 156.
3 tenuifòlia DC. (*ye*) slender-leaved ——— 1780. 7. 8. H ♃ Pluk. man. t. 344. f. 4.
verticillàta L.
4 trichospérma DC. (*ye*) pinnate-leaved Carolina 1822. 8.10. G ♂
5 aúrea DC. (*ye*) Hemp-leaved N. America 1785. 8. 9. H ♃ Bot. reg. t. 1228.
6 díscolor L.en. (*ye*) two-coloured ——— 1818. —— H ♃
7 senifòlia DC. (*ye*) sessile-leaved ——— 1812. —— H ♃ Bot. mag. t. 3484.
8 coronàta B.M. (*ye*) crowned Texas 1835. 6. 9. H ⊙ ——— t. 3460.
9 lóngipes B.M. (*ye*) long-stalked ——— —— —— H ⊙ ——— t. 3586.
10 filifòlia B.M. (*ye*) thread-leaved ——— —— —— H ⊙ ——— t. 3505.
11 auriculàta DC. (*ye*) ear-leaved N. America 1699. 8.10. H ♃ Schk. hand. 3. t. 260.
12 diversifòlia DC. (*ye*) diverse-leaved ——— .... —— H ♃ Bot. mag. t. 3474.
auriculàta β, diversifòlia Ell.

§ 2. *Leaves opposite, undivided.*

13 latifòlia DC. (*ye*) broad-leaved ——— 1786. 8. 9. H ♃
14 argùta DC. (*ye*) sharp-notched Carolina .... —— H ♃
15 lanceolàta DC. (*ye*) spear-leaved ——— 1724. 7. 9. H ♃ Swt. br. fl. gar. t. 10.
16 crassifòlia H.K. (*ye*) thick-leaved ——— 1786. 8.10. H ♃
lanceolàta γ, villòsa DC.
17 integrifòlia DC. (*ye*) entire-leaved ——— .... —— H ♃

§ 3. *Leaves alternate.*

18 angustifòlia DC. (*ye*) narrow-leaved N. America 1778. 6. 8. H ♃
19 gladiàta DC. (*ye*) gladiate ——— 1827. —— H ♃
dichótoma Mx.

ACTINO'MERIS N. Actino'meris. ακτιν, a ray, and μερις, a part.) Syngenesia Frustranea.

1 alternifòlia DC. (*ye*) squarrose N. America 1640. 9.11. H ♃ Jacq. vind. 2. t. 110.
squarròsa N. *Coreópsis alternifòlia* Jacq. *Verbesìna Coreópsis* Ph.
2 prócera N. (*ye*) tall N. America 1765. 9.10. H ♃
Coreópsis prócera H.K.
β álba N. (*wh*) *white-flowered* ——— —— —— H ♃
3 helianthoìdes DC. (*ye*) Sunflower-like Louisiana 1825. —— H ♃
4 alàta DC. (*ye*) wing-stalked Virginia 1803. 9.11. H ♃
Coreópsis alàta Ph.
5 ovàta DC. (*ye*) oval-leaved Mexico 1829. —— H ♃ Cav. icon. 3. t. 280.
6 tetráptera DC. (*ye*) four-winged ——— 1803. —— H ♃ ——— t. 260.
Coreópsis alàta Cav. not. N.

SI'MSIA DC. Si'msia. (Dr. John Sims, edit. bot. mag.) Syngenesia Frustranea.

1 amplexicaúlis DC. (*ye*) stem-clasping Mexico 1806. 7. 8. F ♃
Coreópsis amplexicaúlis Cav.
2 heterophy'lla DC. (*ye*) various-leaved ——— 1827. 8.10. F ♃ H. B. 4. t. 380.
Ximenèsia heterophy'lla K.S.
3 ficifòlia DC. (*ye*) fœtid ——— 1799. 7. 8. H ⊙ Cav. icon. 1. t. 77.
Coreópsis fœ'tida Cav. *Ximenèsia fœ'tida* K.S.
4 cordàta DC. (*ye*) heart-leaved Mexico —— —— F ♃

VIGUIE'RA DC. Vigui'era. (L. G. A. Viguier, a French bot.) Syngenesia Frustranea.

1 helianthoìdes DC. (*ye*) Sunflower-like Cuba 1825. 6. 9. S ♃ H. et B. 4. t. 379.
2 dentàta DC. (*ye*) toothed Mexico 1798. 9.11. F ♃ Cav. icon. 3. t. 220.
Heliánthus dentàtus Cav.
3 prostràta DC. (*ye*) prostrate N. America 1800. 7. 9. H ♃

LEI'GHIA DC. Lei'ghia. (G. Leigh, a German nat.) Syngenesia Frustranea.

1 lineàris DC. (*ye*) linear-leaved Mexico 1823. 8.10. H ♃ Bot. reg. t. 523.
Heliánthus lineàris Cav.

2 speciòsa DC. (*ye*) showy Mexico 1833. 8.10. F ♃ Bot. mag. t. 3295.
Helianthus speciosus B.M.

HARPA'LIUM DC. HARPA'LIUM. (etymology unknown.) Syngenesia Frustranea.
rígidum DC. (*ye*) stiff N. America .... 8.10. H ♃
Helianthus rigidus Desf.

TITHO'NIA DC. TITHO'NIA. (Tithonus, fav. of Aurora; colour of flowers.) Syng. Frustr.
1 tagetifiòra DC. (*or*) Tagetes-flower'd W. Indies 1821. 8. 9. S ♃ Bot. reg. t. 591.
2 tubæfórmis DC. (*ye*) tube-flowered Mexico 1799. 9.11. H ⊙ ——— t. 1519.
Helianthus tubæformis Jacq.
3 excélsa DC. (*ye*) tallest ——— 1824. —— F ♃ Cav. icon. 3. t. 219.
Helianthus excelsus Willd. *gigantèus* Cav. not L.

HELIA'NTHUS DC. SUNFLOWER. (ἥλιος, the sun, and ἄνθος, a flower.) Syngenesia Frustranea.
1 ánnuus DC. (*ye*) annual S. America 1596. 6.10. H ⊙ Lob. icon. t. 592. f. 2.
2 índicus W. (*ye*) dwarf annual Egypt 1785. —— H ⊙ Tabern. ic. 764.
3 lenticulàris DC. (*ye*) freckled N. America 1827. 8. 9. H ⊙ Bot. reg. t. 1265.
4 petiolàris DC. (*ye*) long-petioled Arkansa 1826. 7.11. H ⊙ Swt. br. fl. gar. s. 2. t. 75.
ásper Roth.
5 ovàtus DC. (*ye*) ovate-leaved Mexico 1828. 6.10. H ⊙
6 pàtens DC. (*ye*) spreading S. America —— —— H ⊙
7 doronicoìdes DC. (*ye*) Doronicum-like N. America 1795. 7.10. H ♃ Bot. mag. t. 2778.
pubéscens Vahl. *Hookèri* G.D.
8 multiflòrus DC. (*ye*) many-flower'd ——— 1597. 8.10. H ♃ Bot. mag. t. 227.
β *plènus* (*ye*) *double-flowered* ——— —— —— H ♃
9 tuberòsus DC. (*ye*) Jerusalem Artichoke Brazil 1617. 9.10. H ♃ Jacq. vind. 2. t. 161
10 atrorùbens DC. (*ye*) dark-eyed N. America 1732. 7.10. H ♃ Bot. mag. t. 2020.
diffùsus B.M.
11 lætiflòrus DC. (*ye*) pale-flowered ——— .... —— H ♃
12 divaricàtus DC. (*ye*) divaricate ——— 1759. 8.10. H ♃ Moris. s. 6. t. 7. f. 66.
13 trachelifòlius DC. (*ye*) Trachelium-ld. ——— 1818. —— H ♃
14 longifòlius DC. (*ye*) long-leaved Georgia 1812. —— H ♃
15 pauciflòrus DC. (*ye*) few-flowered Louisiana 1823. —— H ♃
16 gigantèus DC. (*ye*) gigantic N. America 1714. 9.10. H ♃ Jacq. vind. 2. t. 160.
altissimus W.
17 strumòsus W. (*ye*) Carrot-rooted ——— 1710. —— H ♃ Bocc. sic. t. 27. f. 4.
18 decapétalus DC. (*ye*) ten-rayed ——— 1759. 8.11. H ♃ Bot. mag. 3510.
19 móllis DC. (*ye*) soft ——— 1795. 7.10. H ♃ ——— t. 3589.
pubéscens B.R. t. 527. not Vahl.
20 macrophy'llus DC. (*ye*) large-leaved ——— 1800. 8.10. H ♃ Willd. hort. ber. t. 70.
21 angustifòlius DC. (*ye*) narrow-leaved ——— 1789. 9.10. H ♃ Bot. mag. t. 2051.
22 parviflòrus K.S. (*ye*) small-flowered Mexico 1824. 8.10. H ♃ H. et B. 4. t. 378.
23 cornifòlius DC. (*ye*) Dogwood-leav'd ——— —— —— H ♃
24 trilobàtus DC. (*ye*) three-lobed ——— 1823. —— H ♃
25 procúmbens DC. (*ye*) procumbent Peru 1800. 7. 9. F ♃
prostràtus Desf.

DIVISION IV. BIDENTI'DEÆ. DC. prod 5. p. 593.

BI'DENS DC. BI'DENS. (*bis*, twice, and *dens*, a tooth; achenia.) Syngenesia Frustranea.
Sect. 1. PLATYCARPÆ'A; *achenia oval or obovate, subcompressed, ciliated, with bristles on the margins, the upper of which are retrograde; leaves usually undivided.*
1 nodiflòra DC. (*ye*) sessile-flowered E. Indies 1732. 7. 8. S ⊙ Dill. elth. t. 44. f. 52.
2 tripartìta DC. (*ye*) trifid Britain .... 7. 9. H ⊙ Eng. bot. t. 1113.
3 cérnua DC. (*ye*) nodding ——— .... —— H ⊙ ——— t. 1114.
4 chrysanthemoìdes DC. (*ye*) large yellow N. America 1827. 8.10. H ⊙
5 frondòsa DC. (*ye*) smooth-stalked ——— 1710. 7. 8. H ⊙ Moris. his. s. 6. t. 5. f. 21.
6 bullàta DC. (*ye*) rough-leaved Italy 1759. 8.11. H ⊙ Arduin. spec. 2. t. 18.
7 connàta DC. (*ye*) connate N. America 1817. —— H ⊙
8 rèpens DC. (*ye*) creeping Nepaul 1819. 6. 8. H ⊙
tripartìta Roxb.
9 helianthoìdes DC. (*ye*) Sunflower-like Mexico 1825. —— H ♃
Sect. 2. PSILOCARPÆ'A; *achenia linear-tetragonal, glabrous or with the margin ciliated upwards.*
10 argùta DC. (*ye*) sharp-toothed Mexico 1825. 7. 8. H ♃
11 triplinérvia DC. (*ye*) triply-nerved ——— —— —— H ♃
12 heterophy'lla DC. (*ye*) various-leaved ——— 1803. 8. 9. F ♃ Orteg. dec. 8. t. 12.
13 luxùrians W. en. (*ye*) luxuriant ——— 1823. —— F ♃
14 foliòsa W. en. (*ye*) leafy ..... —— 8.10. H ⊙
15 reflèxa L. en. (*ye*) reflexed Mexico 1824. —— G ♃

16	crithmifòlia DC.	(*ye*) Samphire-leav'd	Quito	1824.	9.10.	F	♃	
17	angustissima D.C.	(*or*) narrow-leaved	New Spain	——	——	H	♃	
18	prócera DC.	(*ye*) tall	S. America	1818.	——	H	♃	Bot. reg. t. 684.
19	ferulæfòlia DC.	(*ye*) Fennel-leaved	Mexico	1799.	10.11.	F	♃	Jacq. schœnb. 3. t. 373.
	Coreópsis ferulæfòlia Jacq.							
20	ciliàta Swt.	(*ye*) fringed	———	1827.	8.10.	H	⊙	
21	chrysántha Ort.	(*ye*) golden-flowered	———	——	——	H	⊙	
22	coronàta F.	(*ye*) crowned	.....	1829.	——	H	⊙	
23	procúmbens DC.	(*ye*) procumbent	Mexico	1827.	——	H	⊙	
24	hirtélla DC.	(*ye*) hairy	———	1826.	——	H	⊙	
25	leucántha DC.	(*wh*) white-flowered	S. America	....	8.10.	H	⊙	
26	striàta B.F.G.	(*std*) stripe-flowered	Mexico	1827.	8.11.	H	⊙	Swt. br. fl. gar. t. 237.
27	chinénsis DC.	(*wh*) Chinese	China	1801.	6. 7.	H	⊙	Rumph. amb. 6. t. 15. f. 2.
28	coreópsides DC.	(*ye*) Coreopsis-like	W. Indies	1752.	——	S	♃	Plum. icon. 53. f. 1.
	Coreópsis chrysántha S.S.							
29	álba G.D.	(*wh*) climbing	Jamaica	1699.	6. 7.	H	♃ ◡	Herm. parad. 124.
	Coreópsis álba DC.							
30	incìsa G.D.	(*ye*) jagged-leaved	W. Indies	....	9.12.	S	♃ ◡	Bot. reg. t. 7.
	Coreòpsis incìsa B.R.							
31	réptans G.D.	(*ye*) trailing	———	1792.	7. 9.	S	⊙	Smith spic. t. 22.
	Coreópsis réptans L.							
32	pilòsa DC.	(*wh*) hairy	N. America	1732.	7.	H	⊙	Dill. elth. t. 43. f. 51.
33	sambucifòlia DC.	(*sc*) Elder-leaved	S. America	1801.	7. 8.	H	♃	Cavan. ic. 3. t. 229.
34	odoràta DC.	(*wh*) sweet-scented	Mexico	1823.	——	H	⊙	——— 1. t. 13.
35	grandiflòra DC.	(*wh*) large-flowered	S. America	1811.	8.11.	H	⊙	Bot. mag. t. 1689.
	Coreópsis diversifòlia Jacq. eclog. 1. t. 54. *Bidens serrulàta* Df. *Cósmea lùtea* B.M.							
36	bipinnàta DC.	(*ye*) Hemlock-leaved	N. America	1687.	8.11.	H	⊙	Herm. parad. t. 123.
37	parviflòra DC.	(*ye*) small-flowered	Siberia	1823.	——	H	⊙	

CO'SMOS DC. Co'smos. (κοσμος, an ornament; flowers.) Syngenesia Frustranea.

1	sulphùreus DC.	(*st*) Southernwood-ld.	Mexico	1799.	7. 8.	H	⊙	Jacq. ic. 3. t. 595.
2	tenéllus DC.	(*ro*) slender	———	1825.	10.11.	G	⊙	
3	bipinnàtus DC.	(*pu*) purple-flowered	———	1799.	——	G	⊙	Bot. mag. t. 1535.
4	crithmifòlius DC.	(*ro*) Samphire-ld.	———	1825.	——	G	⊙	
5	parviflòrus DC.	(*wh*) white-flowered	———	1800.	——	H	⊙	Jacq. schœn. 3. t. 374.
6	chrysanthemoìdes DC.	(*vi*) violet	———	1826.	9.10.	F	♃	H. B. 4. t. 382.
7	tenuifòlius B.R	(*pu*) fine-leaved	———	1830.	——	H	⊙	Bot. reg. t. 2007.
8	scabiosioìdes B.R.	(*pu*) Scabiosa-like	———	1838.	——	H	⊙	Bot. reg. s. 2. t. 15.
9	diversifòlia Ott.	(*li*) diverse-leaved	N. America	1835.	6.10.	H	♃	Flor. cab. t. 2. p. 47.

Division V.—Verbesi'neæ. DC. prod. 5. p. 607.

PERYME'NIUM DC. Peryme'nium. (etymology unknown.) Syngenesia Superflua.

1	díscolor DC.	(*wh*) two-coloured	Mexico	1830.	....	G	♄	
2	Barclayànum DC.	(*co*) Barclay's	———	——	....	G	♄	

LIPOCHÆ'TA DC. Lipochæ'ta. (λειπω, to fall, and χαιτη, a bristle.) Syngenesia Superflua.

	tagetiflòra G.D.	(*ye*) Tagetes-flower'd	Mexico	1828.	8.10.	F	♄	
	Zexmènia tagetiflòra D.D.							

VERBESI'NA DC. Verbesi'na. (altered from Verbena.) Syngenesia Superflua.

Sect. 1. Verbesina'ria; *heads radiate; ligulæ in one series; awns of achenia straight, usually twin, equal, or one of them is sometimes shorter or wanting.*

§ 1. *Leaves not decurrent; stems not winged.*

1	atriplicifòlia DC.	(*st*) Atriplex-leav'd	Trinidad	1822.	9.11.	S	♄	Colla hort. rip. t. 31.
2	buphthalmoìdes DC.	(*ye*) procumbent	Monte Video	1827.	6. 8.	F	♄	Link et Ott. abb t. 49.
3	serràta DC.	(*ye*) saw-leaved	Mexico	1803.	7.10.	G	♃	Cav. ic. 3. t. 214.
4	aúrea DC.	(*ye*) golden	———	1829.	9.	G	♄	Bot. mag. t. 3384.
	Wedèlia aúrea B.M.							
5	helianthoìdes DC.	(*ye*) Sunflower-like	Quito	1827.	8.	G	♃	
6	salicifòlia DC.	(*ye*) Willow-leaved	Mexico	1824.	10.11.	G	♃	

§ 2. Pterocau'læ; *leaves decurrent, therefore the stem is winged.*

7	Phaetùsa DC.	(*ye*) northern	N. America	....	7.10.	H	♃	Pluk. mant. t. 342.
	Siegesbéckia occidentàlis L. *V. Siegesbéckia* Mx.							
8	Siegesbéckia DC.	(*ye*) American	Virginia	1731.	10.11.	H	♃	
9	pinnatífida DC.	(*st*) pinnatifid	Mexico	1824.	8.10.	F	♃	Jacq. schœn. 3. t. 305.
10	virgínica DC.	(*wh*) white-flowered	N. America	1812.	7. 9.	H	♃	
11	virgàta DC.	(*ye*) slender	Mexico	1825.	——	H	♃	Cav. ic. 3. t. 275.
12	gigantèa DC.	(*wh*) tree	W. Indies	1758.	——	S	♄	Jacq. ic. 1. t. 175.
13	sinuàta DC.	(*ye*) sinuated	Carolina	1821.	——	H	♃	
	laciniàta N.							

Sect. 2. HAMU'LIUM; *heads radiate; ligulæ numerous, subbiseriate; awns of achenia two, unequal, the smaller one straight, the larger one hooked at the apex.*

14 alàta DC. (*or*) wing-stalked S. America 1699. 5.10. G ♃ Bot. mag. t. 1716.

Sect. 3. PLATY'PTERIS; *heads discoid; ligulæ none.*

15 crocàta DC. (*co*) coppery Mexico 1812. 1. 3. F ♃ Bot. mag. t. 1627.
Spilánthes crocàta B.M. *Bidens crocàta* Cav. icon. 1. t. 99.

† *Species not sufficiently known.*

16 tridentàta S.S. (*ye*) three-toothed W. Indies 1759. 6. 8. S ♄
17 chinénsis L. (*or*) Chinese China 1814. 5.10. G ♃
18 fruticòsa W. (*ye*) shrubby W. Indies 1759. 6. 8. S ♄ Plum. ic. t. 52.

ACME'LLA P.S. ACME'LLA. (ακμη, a point; taste of foliage.) Syngenesia Superflua.

1 mauritiàna P.S. (*ye*) Balm-leaved Mauritius 1768. 7. 8. S ☉ Rumph. amb. 6. t. 65.
Spilánthes Acméllа W.
2 repens P.S. (*ye*) creeping N. America 1819. —— H ☉
3 occidentàlis P.S. (*ye*) oval-leaved S. America 1825. —— H ☉
4 uliginòsa Cass. (*ye*) bog Jamaica 1820. —— S ☉
5 tenel'la Cass. (*ye*) slender Caracas 1823. —— S ☉
débilis K.S.

SPILA'NTHES DC. SPILA'NTHES. (σπιλος, a spot, and ανθος, a flower.) Syngenesia Æqualis.

1 Pseùdo-Acméllа DC. (*ye*) spear-leav'd Ceylon 1768. 7. S ☉ Pluk. alm. t. 159. f. 4.
2 exasperàta DC. (*wh*) rough-stalked Caracas 1825. 7. 9. S ☉ Jacq. ic. 3. t. 584.
3 álba DC. (*wh*) white-flowered Peru 1783. 6. 7. H ☉ L'Herit. stirp. 7. t. 4.
4 olerràcea DC. (*ye*) esculent E. Indies 1770. 7. 9. S ♂ Jacq. vind. 2. t. 135.
5 pállida V. (*st*) pale-flowered Jamaica 1821. —— S ☉
6 multiflòra Ot. (*ye*) many-flowered ..... 1829. —— S ☉
7 brasiliénsis DC. (*ye*) Brazil Brazil 1827. —— S ☉

XIMENE'SIA. XIMENE'SIA. (Joseph Ximenes, a Spanish bot.) Syngenesia Superflua.

encelioìdes DC. (*ye*) oval-leaved Mexico 1795. 6.11. G ♂ Cavan. ic. 2. t. 178.

SANVITA'LIA DC. SANVITA'LIA. (probably the name of some bot.) Syngenesia Superflua.

procúmbens DC. (*ye*) trailing Mexico 1798. 7. 8. H ☉ Bot. reg. t. 707.

SYNEDRE'LLA DC. SYNEDRE'LLA. (a dim. of συνεδρος, a bench; recept.) SyngenesiaSuperflua.

nodiflòra DC. (*ye*) sessile-flowered W. Indies 1726. 6. 7. S ☉ Dill. elth. t. 45. f. 53.

CHRYSANTHE'LLUM DC. CHRYSANTHE'LLUM. (dim. of Chrysanthemum.) Syngen. Sup.

1 procúmbens DC. (*ye*) procumbent W. Indies 1768. 6. 7. S ☉ Lam. ill. t. 686. f. 2.
Verbesìna mùtica L. *A'nthemis Americàna* L.
2 Swártzii DC. (*ye*) Swartz's Jamaica —— —— S ☉ Swartz. obs. t. 8. f. 1.
Verbesìna mùtica Swartz.

GLOSSOCA'RDIA DC. GLOSSOCA'RDIA. (γλωσσα, a tongue, and καρδια, the heart.) Sy. Su.

Bosvállea DC. (*ye*) eatable E. Indies 1818. 7. 9. S ☉
Verbesìna Boswállia W.

HETEROSPE'RMUM DC. HETEROSPE'RMUM. (ἕτερος, variable, and σπερμα, a seed.) Sy. Su.

pinnàtum DC. (*ye*) wing-leaved New Spain 1799. 8. 9. H ☉ Cavan. ic. 3. t. 267.

Subtribe III. *FLAVERIE'Æ.* DC. prod. 5. p. 634.

FLAVE'RIA J. FLAVE'RIA. (*flavus*, yellow; used in dyeing.) Syngenesia Necessaria.

1 Contrayérba DC. (*ye*) Peruvian Peru 1794. 8.10. H ☉ Cavan. ic. 1. t. 4.
2 angustifòlia DC. (*ye*) narrow-leaved Mexico 1825. —— H ☉ ——— 3. t. 223.
Millèria angustifòlia Cav.
3 linearis DC. (*ye*) linear Cuba 1822. —— H ☉
marítima K.S.

BROTERO'A DC. BROTERO'A. (M. Brotero, a cel. bot. collector.) Syngenesia Segregata.

trinervàta DC. (*ye*) three-nerved Mexico 1799. 7. 9. H ☉ Schrad. jour. 1800. t. 5.
Nauembérgia trinervàta W. *Flavèria repanda* Lag.

ENHY'DRA DC. ENHY'DRA. (εν, in, and υδωρ, water; habitat.) Syngenesia Superflua.

sessilis DC. (*ye*) sessile-flowered W. Indies .... 7. 8. S ♃
Meyèra sessilis Swartz.

Subtribe IV. *TAGETI'NEÆ.* DC. prodr. 5. p. 638.

Division I.—Tage'teæ. DC. prodr. 5. p. 638.

LEBETI'NA DC. Lebeti'na. (not explained.) Syngenesia Superflua.

	cancellàta DC.	(*ye*) Mexican	Mexico	1823.	8. 9.	H	⊙	
	Dysòdia porophy'llum W. enum.							

DYSO'DIA DC. Dyso'dia. (δυσωδια, fetid.) Syngenesia Superflua.

1	chrysanthemoìdes DC.	(*ye*) glandular	N. America	1823.	8. 9.	H	⊙	Venten. cels. t. 36.
	Tagètes pappòsa v.							
2	Porophy'lla DC.	(*ye*) Mexican	Mexico	——	——	H	⊙	Cav. icon. 3. t. 225.
	Bæbèra porophy'lla K.S.							
3	fastigiàta DC.	(*ye*) clustered	———	1827.	9.11.	H	⊙	
4	divaricàta Rich.	(*ye*) spreading	———	1828.	——	H	⊙	
5	pubéscens DC.	(*ye*) pubescent	New Spain	1826.	8.10.	H	⊙	Cavan. icon. 3. t. 212.
	A'ster pinnàtus Cavan.							
6	incàna DC.	(*ye*) hoary	Mexico	....	——	H	⊙	Bot. reg. 1602.
	Dysòdia subintegerrima Lag. *Bæbèra incàna* B.R.							

TAGÈTES DC. Tage'tes. (Tages, a Tuscan divinity; beauty.) Syngenesia Superflua.

§ 1. Pectidifo'rmes; *leaves undivided, opposite; involucrum cylindrical.*

1	lùcida DC.	(*ye*) sweet-scented	Mexico	1798.	7.11.	F	♃	Bot. mag. t. 740.
2	flórida DC.	(*ye*) gay-flowering	———	1827.	8.11.	F	♃	Swt. br. fl. gar. s. 2.t.35.

§ 2. Macroce'phalæ; *leaves pinnate; heads many-flowered; ligulæ large, roundish; involucrum ovate or campanulate.*

3	pátula DC.	(*pu.ye*) French Marygold	Mexico	1573.	7.10.	H	⊙	Bot. mag. t. 150.
4	corymbòsa DC.	(*va*) corymb-flower'd	———	1825.	9.11.	H	⊙	Swt. br. fl. gar. t. 151.
	α purpùrea	(*pu*) *purple-flowered*	———	——	——	H	⊙	
	β lùtea	(*ye*) *yellow-flowered*	———	——	——	H	⊙	
5	erécta DC.	(*ye*) Afric. Marygold	———	1596.	6. 9.	H	⊙	Lam. ill. t. 684.
6	tenuifòlia DC.	(*ye*) fine-leaved	———	1797.	7.10.	H	⊙	Swt. br. fl. gar. t. 141.

§ 3. Leptoce'phalæ; *leaves pinnate, rarely bipinnate; heads few-flowered; involucrum cylindrical; ligulæ small or wanting.*

7	subvillòsa DC.	(*ye*) villous-leaved	Mexico	1825.	8.11.	H	⊙	
8	coronopifòlia DC.	(*ye*) small-rayed	———	1822.	——	H	⊙	
	clandestìna LG.							
9	micrántha DC.	(*ye*) solitary-flower'd	———	——	——	H	⊙	Cavan. ic. 4. t. 352.
10	glandulífera DC.	(*ye*) gland-bearing	Brazil	1728.	9.11.	H	⊙	Dill. elth. 2. t.280.f.362.
	glandulòsa L.en. *minùta* L.							
11	daucoìdes DC.	(*ye*) carrot-like	Mexico	....	——	H	⊙	
12	fœtidíssima DC.	(*ye*) very fetid	———	....	——	H	⊙	
13	angustifòlia DC.	(*ye*) narrow-leaved	———	1826.	——	H	⊙	
14	multífida DC.	(*ye*) multifid	———	——	——	H	⊙	
	filifòlia Lag.							

Division II.—Porophy'lleæ. DC. prod. 5. p. 647.

POROPHY'LLUM DC. Porophy'llum (πορος, a pore, and φυλλον, a leaf.) Syng. Æqual.

1	ruderàle DC.	(*gr.ye*) glaucous-leav'd	S. America	1824.	7.10.	S	⊙	Jacq. amer. t. 127.
	Kleìnia ruderàlis Jacq.							
2	ellípticum DC.	(*gr.ye*) perforated	———	1699.	6.10.	S	⊙	Cavan. ic. 3. t. 222.
	Cacàlia porophy'llum L.							
3	viridiflòrum DC.	(*gr*) green-flowered	Mexico	1823.	——	S	♄	
4	tagetoìdes DC.	(*gr*) Tagetes-like	———	——	——	H	⊙	
5	linifòlium DC.	(*pu*) suffruticose	S. America	1825.	——	G	♄	Cavan. ic. 3. t. 257.
6	coloràtum DC.	(*vi*) violet-coloured	Mexico	——	——	H	⊙	Mart. mon. t. 15.
7	decúmbens DC.	(*pu*) decumbent	———	——	——	G	♄	Lodd. bot. cab t. 1561.
	Kleìnia suffruticòsa Lodd.							

Subtribe V. *HELENIE'Æ.* DC. prod. 5. p. 651.

Division I.—Gaillardie'æ. DC. prod. 5. p. 651.

GAILLA'RDIA DC. Gailla'rdia. (M. Gaillard de Marentonneau, a French bot.) Syng. Frust.
§ 1. A'nnuæ; *inner scales of involucrum ending abruptly in a linear subulate appendage each.*
1 Drummóndi DC. (*ye.sc*) Drummond's Texas 1834. 7.10. H ⊙ Bot. mag. 3368.
picta Swt. fl. gar. s. 2. t. 267. *bicolor* β, *Drummóndi* B.M.
2 pulchélla DC. (*ye.re*) neat Louisiana 1786. 7.10. H ⊙ Garten. mag. 1810. t. 6.
bicolor Lam. *amàra* Raf. *Virgília helioìdes* Lher.
§ 2. Pere'nnes; *scales of involucrum linear-lanceolate.*
3 lanceolàta DC. (*ye.re*) two-coloured Carolina 1787. 7.10. H ♃ Bot. mag. t. 1602.
bicolor B.M.
4 aristàta DC. (*ye*) long-awned N. America 1812. —— H ♃ Bot. reg. t. 1186.

ACHYROPA'PPUS DC. Achyropa'ppus. (αχυρον, chaff, and παππος, pappus.) Syngen. Superfl.
schkuhrioìdes DC. (*ye*) Schkuhria-like Mexico 1830. 7. 8. H ⊙ L. et O. abbild. t. 30.

SCHKU'HRIA DC. Schku'hria. (Christ. Schkuhr, a cel. German bot.) Syngenesia Superflua.
abrotanoìdes DC. (*wh*) Wormwood-ld. Mexico 1798. 7. 9. H ⊙ Schk. hand. 3. t. 250. b.

FLORESTI'NA DC. Floresti'na. (evidently from the name of a lady.) Syngenesia Æqualis.
1 pedàta DC. (*wh*) pedate-leaved Mexico 1803. 7. 9. G ⊙ Cavan. ic. 4. t. 356.
Stèvia pedàta B.M. 2040.
2 callòsa DC. (*wh*) callous Arkansa 1824. 6. 8. H ⊙
Stèvia callòsa N.

BA'HIA DC. Ba'hia. (not explained.) Syngenesia Superflua.
1 stachadifòlia DC. (*ye*) Stachys-leaved Mexico 1826. 6. 8. H ♃
Eriophy'llum stachadifòlium L.G.
2 lanàta DC. (*ye*) woolly N. America 1827. —— H ♃ Bot. reg. t. 1167.
B. cæspitòsum B.R. *Actinélla lanàta* Ph. *Trichophy'llum lanàtum* N. *Helènium lanàtum* S.S.
3 oppositifòlia DC. (*ye*) opposite-leaved N. America 1826. 6. 8. H ♃
4 trolliifòlia DC. (*ye*) Trollius-leaved New Spain 1828. 8.10. F ♃

HYMENOPA'PPUS DC. Hymenopa'ppus. (υμην, a membrane, and παππος, pappus.) Syng. Æqualis.
1 scabiosæ'us DC. (*wh*) Scabious-like Missouri 1812. 6. 8. H ⊙ Jour. de. hist. nat. n. 1. ic.
2 tenuifòlius DC. (*wh*) slender-leaved ———— 1811. —— F ♂

POLY'PTERIS DC. Poly'pteris. (πολυ, many, and πτερον, a wing; palea.) Syngenesia Æqualis.
integrifòlia DC. (*ye*) entire-leaved Carolina 1823. 7. 8. H ♃
Hymenopáppus integrifòlius S.S

CEPHALO'PHORA DC. Cephalo'phora. (κεφαλη, a head, and φορεω, to bear.) Syng. Æqualis.
1 glaúca DC. (*wh*) glaucous Chili 1798. 7. 8. H ⊙ Cavan. ic. 6. t. 599.
Hymenopáppus glaúcus S.S. *Santolìna tinctòria* Mol.
2 aromática DC. (*ye*) aromatic Chili 1798. 7. 8. H ⊙ Hook. ex. flor. t. 189.
Gre'nia aromática Hook.

BÆ'RIA F.M. Bæ'ria. (K. E. de Baer, of Dorpat.) Syngenesia Superflua.
chrysóstoma F.M. (*ye*) yellow-mouthed N. California 1836. 5. 7. H ⊙ Swt. br. fl. gar. s. 2. t. 395.

LASTHE'NIA DC. Lasthe'nia. (not explained.) Syngenesia Superflua.
§ 1. *Pappus paleaceous.*
1 glaberrìma DC. (*ye*) quite glabrous California 1833. 6. 7. H ⊙ Bot. reg. t. 1823.
califórnica B.R.
2 obtusifòlia DC. (*ye*) blunt-leaved Chili —— —— H ⊙ Colla. mem. tur. 38. t. 30.
Rencágua Feuillei Poep.
§ 2. *Pappus wanting.*
3 glabràta DC. (*ye*) glabrous California —— —— H ⊙ Bot. reg. t. 1780.

HELE'NIUM DC. Hele'nium. (celeb. Helen.) Syngenesia Superflua.
Sect. 1. Hele'nia; *corollas of the disk* 5-*toothed; paleæ of pappus awned at apex or distinctly apiculated; receptacle convex or globose.*
1 autumnàle DC. (*ye*) smooth N. America 1729. 8.10. H ♃ Schk. hand. 3. t. 250.
2 pubéscens W. (*ye*) downy ———— 1776. 8. 9. H ♃
3 pùmilum DC. (*ye*) dwarf ———— 1819. 5.10. H ♃
4 mexicànum DC. (*ye*) Mexican Mexico 1823. 8.10. H ♃
Sect. 2. Te'trodus; *corollas of the disk* 4-*toothed; paleæ of pappus short; receptacle ovate or oblong.*
5 quadripartìtum DC. (*ye*) four-cleft ..... 1825. 8. 9. H ⊙
6 quadridentàtum DC. (*ye*) four-toothed Louisiana 1790. 5.10. H ⊙ Bot. reg. t. 598.
Rudbéckia alàta Jacq. ic. t. 194.
7 vàrium DC. (*ye*) variable Mexico 1832. —— H ⊙

Division II.—Galinso'geæ. DC. prod. 5. p. 668.

CA'LEA DC. Ca'lea. (καλος, beautiful.) Syngenesia Æqualis.

1	jamaicénsis DC.	(li) purple-flowered	W. Indies	1739.	6. 7.	S	♃	Sloan. jam. 1. t. 151. f. 3.
2	martinicénsis DC.	(li) Martinico	Martinico	1821.	....	S	♃	
3	cordifòlia DC.	(ye.li) heart-leaved	Jamaica	1822.	6. 7.	S	♃	
4	solidagínea DC.	(li) Solidago-like	Caracas	1817.	——	S	♃	H. et B. 4. t. 407.

CALEA'CTE DC. Calea'cte. (καλος, beautiful, ακτη, sea-side; habitat.) Syngenesia Æqualis.

1	urticifòlia DC. *Solidàgo urticæfòlia* Mill.	(ye) Nettle-leaved	Vera Cruz	....	....	S	♄	
2	pinnatífida DC.	(ye) pinnatifid	Brazil	1816.	6. 8.	S	♄	

GALINSO'GA DC. Galinso'ga. (M.M.Galinsoga, superin. bot. gard., Madrid.) Syng. Super.

	parviflòra DC. *Wibórgia parviflòra* K.S. *Wibórgia Acmélla* Roth.	(wh) small-flowered	S. America	1796.	6. 8.	H	⊙	Cavan. icon. 3. t. 281.

SOGALGI'NA DC. Sogalgi'na. (an anagram of Galinsoga.) Syngenesia Superflua.

1	trilobàta DC. *Galinsòga trilobàta* Cav.	(ye) three-lobed	Peru	1797.	8.11.	H	⊙	Swt. br. fl. gar. t. 56.
2	balbisioìdes DC.	(ye) Mexican	Mexico	1825.	——	H	⊙	H. et B. 4. t. 386.

PTILOSTE'PHIUM DC. Ptilostè'phium. (πτιλον, a feather; στεφος, a crown.) Syngen. Super.

1	coronopifòlium DC.	(ye) Buckshorn-ld.	Mexico	1823.	8.10.	H	⊙	H. et B. 4. t. 387.
2	trífidum DC.	(ye) trifid-leaved	———	——	——	H	⊙	——— 4. t. 388.

TRI'DAX DC. Tri'dax. (τριδακνος, thrice-bitten; ray-flowers.) Syngenesia Superflua.

	procúmbens DC. *Balbísia elongàta* W.	(st) procumbent	Mexico	1804.	7. 8.	H	⊙	

MARSHA'LLIA DC. Marsha'llia. (Humphrey Marshall, a bot. author.) Syngenesia Æqualis.

1	lanceolàta DC.	(li) spear-leaved	Carolina	1812.	6. 7.	F	♃	
2	latifòlia DC. *Persoònia latifòlia* M. *Tratteníckia latifòlia* P.S.	(li) broad-leaved	———	1806.	——	F	♃	Mich. amer. 2. t. 43.
3	cæspitòsa N.	(pu.wh) tufted	Texas	1837.	7. 8.	F	♃	Bot. mag. t. 3704.

SPHENO'GYNE DC. Spheno'gyne. (σφην, a wedge, and γυνη, a female.) Syngen. Frustra.

Sect. 1. Thelytha'mnos; *outer scales of involucrum without any manifest scarious margin.*

1	anthemoìdes DC.	(ye) white-crowned	C. B. S.	1774.	7. 9.	H	⊙	Bot. mag. t. 544.
2	crithmifòlia DC.	(ye) Samphire-leav'd	———	1768.	4. 8.	G	♄	——— t. 3042.
3	abrotanifòlia DC.	(ye) Southernwood-ld.	———	1789.	5. 8.	G	♄	
4	dentàta DC.	(ye) small-leaved	———	1787.	6. 7.	G	♄	Burm. afr. t. 64.
5	fœniculàcea DC. *Arctòtis fœniculàcea* Jacq.	(ye) Fennel-leaved	———	1825.	5. 9.	H	⊙	Jacq. schœn. 2. t. 156.
6	leucanthemoìdes DC. *Arctòtis leucanthemoìdes* Jacq.	(ye) Ox-eye Daisy-ld.	———	——	——	H	⊙	Jacq. schœn. 2. t. 164.

Sect. 2. Xero'lepis; *scales of involucrum with a broad scarious margin.*

7	odoràta DC.	(ye) smooth-seeded	C. B. S.	1774.	4. 6.	G	♄	
8	scariòsa DC.	(ye) scaly-cupped	———	——	——	G	♄	
9	pilífera DC.	(ye) hair-toothed	———	1820.	6. 7.	G	♄	Bot. reg. t. 604.
10	serràta DC.	(ye) saw-leaved	———	1826.	——	G	♄	

Division III.—Madie'æ. DC. prod. 5. p. 691.

MA'DIA DC. Ma'dia. (*madi* is its name in Chili.) Syngenesia Superflua.

	viscòsa DC. *mellòsa* Jacq. schœnbr. 3. t. 302.	(ye) viscous	Chili	1794.	7. 8.	H	⊙	Bot. mag. t. 2574.

MADA'RIA DC. Mada'ria. (altered from *Madia*.) Syngenesia Necessaria.

	élegans DC. *Màdia élegans* D.D.	(ye) elegant	California	1831.	7. 8.	H	⊙	Bot. reg. t. 1458.

CALLICHRO'A F.M. Callichro'a. (καλλιστος, most beautiful, and χροω, to colour.) Syng. Superfl.

	platyglóssa F.M.	(ye) broad-flowered	California	1836.	5. 8.	H	⊙	Swt. br. fl. gar. s. 2. t. 373.

OXYU'RA DC. Oxyur'a. (οξυς, acute, and ουρα, a tail.) Syngenesia Superflua.

	chrysanthemoìdes DC.	(ye) Chrys.-like	California	1836.	6. 7.	H	⊙	Bot. reg. t. 1815.

Subtribe VI. ANTHEMI'DEÆ. DC. prod. 6. p. 1.

Division I.—Euanthemi'deæ. DC. prod. 6. p. 1.

ŒDE'RA DC. Œde'ra. (George Œder, a Danish bot.) Syngenesia Segregata.

1 prolífera DC.	(*ye*) proliferous	C. B. S.	1789.	5. 6.	G	♄	Bot. mag. t. 1637.
2 aliena DC.	(*ye*) linear-leaved	———	1821.	5. 7.	G	♄	Jacq. schœnb. 2. t. 154.

ANTHEMIS DC. Chamomile. (*ανθεμις*, a flower; covered with.) Syngenesia Superflua.

Sect. 1. Chamæme'lum; *achenia all bald; heads radiate.*

1 Marschalliàna DC.	(*ye*) Bieberstein's	Caucasus	1828.	7. 8.	H	♃	
2 Rudolphiàna M.B.	(*ye*) Rudolph's	———	——	——	H	♃	
Marschalliàna β Rudolphiàna LC.							
3 fruticulòsa DC.	(*wh*) frutescent	———	1810.	——	H	♄	Barrel. ic. t. 451.
4 Chamomílla DC.	(*wh*) various-leaved	S. Europe	1720.	8.10.	H	♃	
5 retùsa DC.	(*wh*) retuse	Egypt	1824.	7. 8.	H	⊙	
6 incrassàta DC.	(*wh*) thick-stalked	S. France	1823.	7.10.	H	⊙	
austràlis W. *Nicœénsis* W.							
7 póntica DC.	(*wh*) pontic	Odessa	1817.	——	H	⊙	
8 nóbilis DC.	(*wh*) common	Britain	....	7. 9.	H	♃	Eng. bot. v. 14. t. 908.
β flòre plèno DC.	*double-flowered*	Gardens	....	——	H	♃	
9 arvénsis DC.	(*wh*) corn	Britain	....	6. 8.	H	♂	——— v. 9. t. 602.
10 aúrea DC.	(*ye*) golden	S. Europe	1570.	——	H	♃	Lob. icon. t. 771. f. 2.
nóbilis β flosculòsa P.S. *Anácyclus aúreus* L.							

Sect. 2. Eua'nthemis; *achenia terminated by a circular or unilateral corona.*

11 parthenoìdes DC.	(*wh*) Parthenium-like	.....	1764.	8. 9.	H	♃	Bot. reg. t. 527.
apiifòlia B.R. *Matricària parthenioìdes* Desf.							
12 ibérica DC.	(*wh*) Iberian	Iberia	1829.	——	H	♃	
13 petræ'a DC.	(*wh*) long-stalked	Naples	1823.	8.10.	H	⊙	
14 minùta Leh.	(*wh*) minute	.....	1829.	——	H	⊙	
15 suffruticòsa Leh.	(*wh*) suffrutescent	.....	——	6. 9.	H	♄	
16 Kitaibèlii DC.	(*wh*) Kitaibel's	Hungary	1807.	7. 8.	H	♃	
sarátilis Wen. *carpáthica* W. et K.							
17 peregrìna DC.	(*wh*) close-branched	Piedmont	1817.	7. 8.	H	⊙	Flor. græc. t. 883.
18 cándidissima DC.	(*w*) silvery-leaved	Caucasus	1812.	——	H	⊙	
19 montàna DC.	(*wh*) mountain	Italy	1759.	7.10.	H	♃	Ger. prov. t. 8.
sarátilis DC. *suffruticòsa* Horn.							
20 chìa DC.	(*wh*) cut-leaved	Chio	1731.	6.10.	H	⊙	Guss. pl. rar. t. 69.
21 rigéscens DC.	(*wh*) rigid	Caucasus	1805.	7. 9.	H	♃	W. hort. ber. 1. t. 62.
nigricans Hort.							
22 Còta W.	(*wh*) Venetian	Italy	1714.	7. 8.	H	⊙	Pluk. alm. t. 17. f. 5.
23 altíssima DC.	(*wh*) tall	S. Europe	1731.	8.	H	⊙	Flor. græc. t. 881.
24 punctàta DC.	(*wh*) dotted	Levant	1825.	7. 9.	G	♄	Desf. atl. 2. t. 139.
25 marítima DC.	(*wh*) sea	England	....	7. 8.	H	⊙	Till. pis. t. 19. f. 3.
26 ruthénica DC.	(*wh*) Russian	Tauria	1823.	7.10.	H	⊙	
27 melampodìna DC.	(*wh*) Egyptian	Egypt	1819.	6. 7.	H	⊙	Del. egypt. t. 45. f. 1.
28 secundiràmea DC.	(*w*) secund-branch'd	Sicily	1824.	7. 9.	H	⊙	Biv. cent. 2. t. 2.
29 Wiedemanniàna F.M.	(*wh*) Wiedemann's	Natolia	1836.	——	H	⊙	
30 ánglica DC.	(*wh*) English	Britain	....	7. 8.	H	⊙	Eng. bot. t. 2370.
marítima E.B. not L.							
31 tinctòria DC.	(*ye*) Ox-eye	Britain	....	6.11.	H	♃	Eng. bot. v. 21. t. 1472.
β discoídea W.	(*ye*) *saw-leaved*	Italy	1800.	7. 8.	H	♃	
32 austrìaca DC.	(*wh*) Austrian	Austria	1759.	5. 8.	H	⊙	Jacq. aust. 5. t. 444.
β Triumfétti DC.	*Triumfetti's*	Italy	——	——	H	⊙	Triumf. obs. t. 80.

MARU'TA DC. Maru'ta. (meaning not explained.) Syngenesia Necessaria.

1 Cótula DC.	(*wh*) stinking	Britain	....	6. 9.	H	⊙	Eng. bot. v. 25. t. 1772.
A'nthemis Cótula L. *ramòsa* Lk.							
2 fuscàta DC.	(*wh*) brown-scaled	Portugal	1805.	7. 8.	H	⊙	Biv. cent. 2. t. 1.
A'nthemis fuscàta Brot. *fállax* W.en. præ'cox Lk.							

LUGO'A DC. Lugo'a. (Fernand. de Lugo, a trav. in Teneriffe.) Syngenesia Superflua.

revolùta DC.	(*wh*) revolute	Canaries	1816.	8.10.	G	♄	
A'nthemis revolùta Lk.							

LYONNETIA DC. Lyonne'tia. (M. Lyonnet, a cel. microscopic observer.) Syng. Super.

1 créticus DC.	(*wh*) Cretan	Candia	1759.	6. 8.	H	⊙	Ann. mus. 11. t. 22.
Anácyclus créticus L.							
2 abrotanifòlia DC.	southernwood-ld.	S. Europe	1727.	7. 8.	H	⊙	Flor. græc. t. 854.
Santolìna anthemoìdes L. *Cótula abrotanifòlia* W.							

ANA'CYCLUS DC. ANA'CYCLUS. (α priv., ανθος, a flower, and κυκλος, a circle.) Syn. Sup.

Sect. 1. PYRETHRA'RIA; *heads amply rayed; ligula white, purplish beneath; corollas of the disk equally 5-lobed.*

1	Pyrèthrum DC. (*w*) Pellitory of Spain	S. Europe	1570.	6. 7.	H ♃		Bot. mag. t. 462.
	A'nthemis Pyrèthrum W.						

Sect. 2. DIORTHO'DON; *heads amply rayed; corollas of the disk with two lobes longer than the others.*

2	radiàtus DC. (*ye*) rayed	S. Europe	1823.	6. 8.	H ⊙		
3	clavàtus DC. (*wh*) clavate	Barbary	——	——	H ⊙		
	A'nthemis incrassàta Lk. *Anácyclus divaricàtus* Balb.						
4	valentìnus DC. (*ye*) fine-leaved	Spain	1656.	——	H ⊙		Schk. han. 3. t. 254. b.
5	purpurascens DC. (*ye.cr*) two-coloured	S. Europe	1829.	——	H ⊙		
6	officinàrum Hayn. (*wh*) officinal	.....	1828.	——	H ⊙		
7	inflàtus Lehm. (*wh*) inflated	Siberia	1829.	——	H ⊙		
8	tomentòsus DC. (*wh*) woolly	France	——	——	H ⊙		
	A'nthemis pubéscens W. *tomentòsa* Gouan.						
9	pedunculàtus DC. (*wh*) large-stalked	Portugal	1823.	8.10.	H ⊙		

Sect. 3. HIO'RTHIA; *ray flowers female, minute ligulate, almost tubular; corollas of the disk equally 5-lobed.*

10	orientàlis DC. (*wh*) oriental	Levant	1731.	6. 8.	H ⊙		Boer. lugd. 1. t. 110.

CYRTO'LEPIS DC. CRYTO'LEPIS. (κυρτος, a curve, and λεπις, a scale.) Syng. Superflua.

	alexandrìna DC. (*ye*) Alexandrian	Egypt	1828.	6. 8.	H ⊙		Del. egypt. t. 48. f. 3.
	Anácyclus alexandrìnus W.						

ORME'NIS DC. ORME'NIS. (ορμενος, wild asparagus.) Syngenesia Superflua.

	míxta DC. (*wh*) simple-leaved	France	1731.	7. 8.	H ⊙		Mich. gen. t. 30. f. 1.
	A'nthemis mixta L. *coronopifòlia* W.						

CLADA'NTHUS Cas. CLADA'NTHUS. (κλαδος, a branch, and ανθος, a flower.) Syng. Super.

1	arábicus Cas. (*ye*) Arabian	Barbary	1759.	7. 8.	H ⊙		Smith spic. 9. t. 10.
	prolíferus DC. *A'nthemis arábica* W.						
2	canéscens S.F.G. (*ye*) canescent	Canaries	1829.	3. 8.	F ♄		Swt. br. fl. gar. ser. 2.

PTA'RMICA DC. SNEEZEWORT. (πταρμος, sneezing; excites.) Syngenesia Superflua.

§ 1. *Leaves pinnate; lobes undivided or cut.*

1	Barrelièri DC. (*wh*) Barrelier's	Naples	1829.	8.10.	H ♃		Ten. fl. nap. 2. t. 81.
	A'nthemis Barrelièri Ten.						
2	mucronulàta DC. (*wh*) mucronulate	Italy	1829.	8.10.	H ♃		Barrel. ic. t. 522.
	A'nthemis mucronulàta Bert.						
3	oxy'loba DC. (*wh*) sharp-lobed	Austria	1807.	7. 9.	H ♃		Jacq. aust. 6. ap. t. 30.
	A'nthemis alpìna L.						
4	atràta DC. (*wh*) black-cupped	———	1596.	7. 8.	H ♃		Sturm. dent. fl. 1. t. 16.
	β *Hænkeàna* DC. (*wh*) *Hænke's*	Tyrol	1821.	——	H ♃		
	A'nthemis corymbòsa Hænke.						
	γ *Clusiàna* DC. (*wh*) *Clusius's*	Austria	1596.	——	H ♃		Jacq. aust. 1. t. 77.
	δ *intermèdia* DC. (*wh*) *intermediate*	Switzerland	1824.	——	H ♃		
	Achillèa intermèdia Schleich.						
5	moschàta DC. (*wh*) musk	Italy	1775.	6. 7.	H ♃		Jacq. aust. 5. t. ap. 33.
6	nàna DC. (*wh*) dwarf	———	1759.	6. 8.	H ♃		All. ped. 1. t. 9. f. 3.
7	macrophy'lla DC. (*wh*) large-leaved	———	1710.	7. 8.	H ♃		Triumf. obs. t. 23.
8	Vallesiàca DC. (*wh*) Valesian	Switzerland	1819.	——	H ♃		
	Achillèa helvética Murr.						
9	Clavénnæ DC. (*wh*) silver-leaved	Austria	1656.	6. 7.	H ♃		Bot. mag. t. 1287.
10	Thomasiàna DC. (*wh*) Thomas's	S. France	1828.	——	H ♃		
	Achillèa montàna Schleich.						

§ 2. PECTINA'TÆ; *leaves pinnatifid, or pectinated.*

11	alpìna DC. (*wh*) Alpine	Siberia	1731.	7.11.	H ♃		Bocc. mus. 144. t. 101.
12	serràta DC. (*wh*) saw-leaved	Switzerland	1686.	8. 9.	H ♃		
13	impàtiens DC. (*wh*) impatient	Siberia	1759.	6. 9.	H ♃		Gmel. sib. 2. t. 83. f. 1.

§ 3. EUPTA'RMICA; *leaves serrated.*

14	mongólica DC. (*wh*) Mongolic	Tartary	1823.	——	H ♃		
	Achillèa Mongólica F.						
15	lingulàta DC. (*wh*) tongue-leaved	Hungary	1815.	7. 8.	H ♃		W. et K. hung. 1. t. 2.
16	Hérba-ròta DC. (*wh*) Herbarota	France	1640.	6. 7.	H ♃		All. ped. 1. t. 9. f. 3.
17	grandiflòra DC. (*wh*) great-flowered	Caucasus	1815.	7. 8.	H ♃		
18	vulgàris DC. (*wh*) Sneezewort	Britain	....	7.11.	H ♃		Eng. bot. v. 11. t. 757.
	Achillèa ptármica L.						
	β *flòre plèno* (*wh*) *double-flowered*	———	....	——	H ♃		
19	cristàta DC. (*wh*) slender-branch'd	Italy	1784.	7. 8.	H ♃		
20	speciòsa DC. (*wh*) spear-leaved	.....	1804.	7. 9.	H ♃		
21	biserràta DC. (*wh*) two-toothed	Iberia	1825.	——	H ♃		
22	salicifòlia F. (*wh*) Willow-leaved	Lithuania	1827.	——	H ♃		
	vulgàris δ, *cartilagínea* DC.						

ACHILLE'A DC. Milfoil. (Achilles, pupil of Chiron; first used it in medicine.) Syng. Superfl.

§ 1. Millefolia'ta; *leaves pinnate; lobes usually cut or pinnatifid; ligulæ usually white.*

1	crithmifòlia DC.	(*wh*)	Samphire-leav'd	Hungary	1804.	7. 8.	H	♃	W. et K. hung. 1. t. 66.
2	tanacetifòlia DC.	(*ro*)	Tansy-leaved	Switzerland	1685.	——	H	♃	Moris. s. 6. t. 11. f. 14.
3	lanàta DC.	(*wh*)	woolly	Caucasus	1804.	——	H	♃	
4	mágna DC.	(*wh*)	great	S. Europe	1683.	6.11.	H	♃	Flor. græc. t. 896.
5	Millefòlium DC.	(*wh*)	Yarrow	Britain	....	6.10.	H	♃	Eng. bot. v. 758.
	β rùbra	(*re*)	*red-flowered*	———	....	——	H	♃	
6	asplenifòlia DC.	(*ro*)	Rose-coloured	N. America	1803.	6. 8.	H	♃	Vent. cels. t. 93.
	rùsea Desf.								
7	microphy'lla DC.	(*wh*)	small-leaved	Spain	1800.	——	H	♃	Barr. ic. 1114.
8	ligústica DC.	(*wh*)	Ligurian	Italy	1791.	——	H	♃	Flor. græc. t. 897.
9	nòbilis DC.	(*wh*)	showy	Germany	1640.	——	H	♃	Schk. hand. 3. t. 255.
10	myriophy'lla S.S.	(*wh*)	many-leaved	.....	1798.	7. 9.	H	♃	
11	odoràta DC.	(*wh*)	sweet-scented	Spain	1729.	6. 8.	H	♃	Jacq. col. 1. t. 21.
12	setàcea DC.	(*wh*)	bristly	Hungary	1805.	5. 6.	H	♃	W. et K. hung. 7. t. 80.
13	abrotanifòlia W.	(*ye*)	Southernwood-ld	Levant	1739.	6. 8.	H	♃	
14	chamæmelifòlia DC.	(*wh*)	Chamomile-ld	Pyrenees	1820.	——	H	♃	
15	dentífera DC.	(*wh*)	tooth-leaved	Italy	1804.	7. 9.	H	♃	All. ped. 1. t. 53. f. 1.
	mágna All. *distans* W. et K.								
16	sylvática DC.	(*wh*)	wood	Calabria	1830.	——	H	♃	

§ 2. Filipendulí'na; *leaves variously pinnate, rarely only serrated; lobes or segments flat, undivided or parted; ligulæ yellow or cream-coloured.*

17	Ageràtum DC.	(*ye*)	Sweet Maudlin	S. Europe	1570.	8.10.	H	♃	Mill. ic. t. 10.
18	decolòrans DC.	(*st*)	pale yellow	England	1798.	6. 8.	H	♃	Eng. bot. v. 36. t. 2531.
	serràta E.B. *nec aliorum.*								
19	semipectinàta DC.	(*st*)	half-pectinated	.....	1801.	——	H	♃	
	auriculàta W.								
20	coronopifòlia DC.	(*st*)	buckshorn-ld.	Levant	1816.	8. 9.	H	♃	Willd. ch. 18. t. 1. f. 2.
21	semipectinàta DC.	(*st*)	half pectinated	.....	1801.	——	H	♃	
	auriculàta W.								
22	Tournefórtii DC.	(*ye*)	Egyptian	Levant	1640.	7. 9.	G	♃	Flor. græc. t. 892.
	egyptiaca L.								
23	pectinàta DC.	(*st*)	comb-leaved	Hungary	1801.	8. 9.	H	♃	W. et. K. hung. 1. t. 34.
	ochroleùca W.K. *non* W.								
24	Gerbèri DC.	(*ye*)	various-leaved	Siberia	1816.	——	H	♃	Gmel. sib. 2. t. 83. f. 2.
25	pilòsa DC.	(*ye*)	hairy	.....	1826.	——	H	♃	
26	leptophy'lla DC.	(*ye*)	narrow-leaved	Tauria	1823.	6. 8.	H	♃	
27	taúrica DC.	(*st*)	Taurian	———	1829.	——	H	♃	
28	aúrea W.	(*go*)	golden-flower'd	Levant	1739.	6. 9.	H	♃	
29	filipendulìna DC.	(*go*)	short-rayed	Casp. shores	1812.	7. 8.	H	♃	
	β eupatòria DC.	(*ye*)	*Caspian*	Caucasus	1803.	——	H	♃	Buxb. cent. 2. t. 19.
	eupatòrium M.B.								
	γ filicifòlia DC.	(*ye*)	*fern-leaved*	Iberia	——	——	H	♃	Willd. ach. t. 2. f. 3.
	Tanacètum angulàtum W.								
30	compácta DC.	(*ye*)	compact	.....	1812.	——	H	♃	
31	decúmbens DC.	(*ye*)	decumbent	Kamtschatka	1800.	6. 8.	H	♃	
32	micrántha DC.	(*st*)	small-flowered	Levant	1805.	6.10.	H	♃	
	β sulfùrea DC.	(*st*)	*sulphur-colour'd*	Caspia	1739.	6. 9.	H	♃	
	pubescéns W.								
33	tomentòsa DC.	(*ye*)	tomentose	S. Europe	1648.	5.10.	H	♃	Bot. mag. t. 498.
34	ochroleùca DC.	(*st*)	cream-coloured	Naples	1804.	7. 9.	H	♃	Ten. fl. nap. 2. t. 83.
	punctàta Ten.								
35	bammática DC.	(*st*)	Hungarian	Hungary	1823.	——	H	♃	
36	anthemoìdes DC.	(*ye*)	Chamomile-like	.....	....	6.10.	H	♃	

§ 3. Santolinoi'des; *leaves pinnate; segments transverse, imbricated, undivided, or usually tripartite; ligulæ usually yellow or cream-coloured.*

37	crética DC.	(*wh*)	Cretan	Candia	1739.	7. 8.	H	♃	Bocc. mus. t. 34.
38	albicaúlis DC.	(*st*)	white-stemmed	Caucasus	1836.	——	H	♃	
39	falcàta DC.	(*st*)	sickle-leaved	Levant	1739.	6. 9.	H	♃	Lam. ill. t. 683. f. 3.
40	santolinoìdes DC.	(*st*)	Santolina-like	Spain	1824.	——	H	♃	
41	tenuifòlia DC.	(*ye*)	slender-leaved	Levant	1733.	6. 8.	H	♄	Jacq. del. 1. t. 4.
	álbida W. en.								
42	Santolìna DC.	(*ye*)	Lavender-cotton-ld.	——	1759.	——	H	♃	Flor. græc. t. 891.
43	imbricàta DC.	(*st*)	imbricated	Syria	....	——	H	♃	Vent. cels. t. 54.
44	vermiculàta DC.	(*st*)	vermiculate	Caucasus	1836.	——	H	♃	
			Species not sufficiently known.						
45	holoseríceа F.G.	(*wh*)	silky-leaved	Greece	1823.	7. 9.	H	♃	Flor. græc. t. 894.
46	dùbia F.	(*wh*)	doubtful	Siberia	1800.	——	H	♃	
47	heterophy'lla S.	(*wh*)	different-leaved	.....	1804.	——	H	♃	

48 paradóxa L.C. (*wh*) uncertain ..... 1822. 7. 9. H ♃
49 squarròsa DC. (*wh*) rough-headed ..... 1775. 7. 8. H ♃

DIO'TIS DC. DIO'TIS. (δις, twice, and ους, an ear; corolla with two spurs.) Syngenesia Æqualis.
marítimus DC. (*ye*) sea-side England .... 7. 9. H ♄ Eng. bot. v. 2. t. 141.
Santolìna marítima E.B. *Otánthus marítimus* L. en.

SANTOLI'NA DC. LAVENDER-COTTON. (*Sanctus*, holy, and *Linum*, flax.) Syngenesia Æqualis.
1 Chámæ-Cyparíssus DC. (*ye*) common S. Europe 1573. 7. H ♄ Lam. ill. t. 671. f. 3.
β tomentòsa DC. (*ye*) *woolly* ——— 1827. 7. 9. H ♄
squarròsa Moris. *tomentòsa* P.S.
γ squárròsa (*ye*) *squarrose* ——— 1570. 7. 8. H ♄ Moris. s. 6. t. 3. f. 17.
ericoìdes P.S. *squarròsa* W. *villòsa* Mill.
2 víridis DC. (*ye*) dark-green ——— 1727. 7. H ♄
3 rosmarinifòlia DC. (*ye*) Rosemary-leav'd ——— 1683. 7. 9. H ♄ Sm. exot. bot. 2. t. 62.
4 pectinàta DC. (*ye*) pectinate Spain 1825. —— H ♄
5 viscòsa DC. (*ye*) viscous ——— —— —— H ♄
6 crithmifòlia DC. (*ye*) Samphire-ld. S. Europe 1823. —— H ♃
7 pinnàta DC. (*wh*) wing-leaved ——— 1791. —— F ♄ Viv. fragm. 1. t. 1.
8 alpìna DC. (*ye*) alpine ——— 1798. —— H ♃ Guss. pl. rar. t. 58.
9 canéscens DC. (*ye*) canescent Spain 1683. —— H ♄
mìnor Mill. dict.

LASIOSPE'RMUM DC. LASIOSPE'RMUM. (λασιος, woolly, and σπερμα, a seed.) Syngenesia Superfl.
1 pedunculàre DC. (*ye*) long-stalked Italy 1798. 6. 9. F ♃ Lam. ill. 671. f. 4.
Santolìna eriospérma P.S. *erécta* Lam. *alpìna* Bertol.
2 radiàtum DC. (*ye*) fleshy-leaved C. B. S. 1824. 6. 8. G ♂
Matáxa capénsis S.S.

DIVISION II.—CHRYSANTHE'MEÆ. DC. prod. 6. p. 38.

LIDBE'CKIA DC. LIDBE'CKIA. (E. G. Lidbeck, a Swedish bot.) Syngenesia Superflua.
1 lobàta DC. (*ye*) lobe-leaved C. B. S. 1816. 5. 6. G ♄ Lam. ill. t. 701. f. 3.
Lancísia lobàta P.S. *Cótula quinquéloba* Z.
2 pectinàta DC. (*ye*) silver-leaved C. B. S. 1774. —— G ♄ Berg. cap. 306. t. 5. f. 9.

GAMO'LEPIS DC. GAMO'LEPIS. (γαμος, wedlock, and λεπις, a scale; joined.) Syngenesia Superflua.
1 Tagètes DC. (*ye*) slender-stalked C. B. S. 1823. 7. 9. H ⊙
Othónna Tagètes L.
2 ericoìdes DC. (*ye*) heath-like ——— 1815. —— G ♄
Othónna ericoìdes L.

EGLE'TES DC. EGLE'TES. (not explained.) Syngenesia Superflua.
1 domingénsis DC. (*wh*) St. Domingo S. America 1825. 8. 10. H ⊙
Matricària prostràta Swz. *Pyrèthrum simplicifòlium* W.
2 viscòsa DC. (*wh*) clammy Vera Cruz 1739. 8. S ♃
Cótula viscòsa L.

NANA'NTHEA DC. NANA'NTHEA. (ναυος, dwarf, and ανθος, a flower.) Syngenesia Superflua.
perpusílla DC. (*wh*) least Corsica 1827. 5. 7. H ⊙ Desv. journ. 2. t. 13. f. 3.
Chrysánthemum perpusillum Lois.

LEUCA'NTHEMUM DC. OX-EYE-DAISY. (λευκος, white, and ανθος, a flower.) Syng. Superfl.
Sect. 1. PHALACROGLO'SSUM; *achenia bald; flowers of the ray female.*
1 integrifòlium DC. (*wh*) entire-leaved N. America 1827. 6. 8. H ♃
Chrysánthemum integrifòlium Richards.
2 sibíricum DC. (*wh*) Siberian Siberia —— —— H ♃
Chrysánthemum árcticum Led. not. L.
β acutílobum (*wh*) *acute-lobed* ——— 1739. 6. 9. H ♃ Schk. hand. t. 253.
C. monspeliénse Hort.
3 vulgàre DC. (*wh*) common Britain .... 6. 7. H ♃ Eng. bot. t. 601.
Chrysánthemum leucánthemum L.
4 rotundifòlium DC. (*wh*) round-leaved Hungary 1819. 7. 8. H ♃ W. et K. hung. 3. t. 236.
5 árcticum DC. (*bh*) northern Kamtschatka 1801. 6. 8. H ♃ Willd. hort. ber. t. 33.
6 máximum DC. (*wh*) largest Pyrenees 1816. 5. 8. H ♃
Chrysánthemum máximum Ram.
Sect. 2. PHALACRODI'SCUS; *achenia of the disk without pappus; pappus of the rays crown-formed, unilateral; flowers of the rays female.*
7 latifòlium DC. (*wh*) broad-leaved Pyrenees 1816. 5. 8. H ♃
Pyrèthrum latifòlium W. en.
8 lanceòlatum DC. (*wh*) lanceolate France —— —— H ♃
9 atràtum DC. (*wh*) fleshy-leaved Austria 1731. 7. 8. H ♃ Jacq. fragm. t. 44.
10 montànum DC. (*wh*) mountain France 1759. 6. 7. H ♃ Jacq. obs. 4. t. 91.
11 heterophy'llum DC. (*wh*) various-leaved Switzerland 1806. 7. 8. H ♃

12 graminifòlium DC.(*wh*)Grass-leaved Montpelier 1739. 5. 7. H ♃ Jacq. obs. 4. t. 92.
13 cebennense DC.(*wh.pu*)Montpelier ——— —— 6. 9. H ♃ ——— 4. t. 93.
Chrysánthemum monspeliénse L.

Sect. 3. EUNUCHOGLO'SSUM; *achenia of the rays furnished with unilateral pappus, but those of the disk are bald; ray-flowers sterile.*

14 setabénse DC. (*wh*) marsh Barbary 1817. 8. 9. H ♃ Desf. atl. 2. t. 238.
Chrysánthemum paludòsum Desf.

Sect. 4. PHALACROCA'RPUM; *achenia all bald; flowers of the disk sterile, those of the ray fertile.*

15 anómalum DC. (*wh*) anomalous Spain 1824. 7. 9. H ♄

MATRICA'RIA DC. MATRICA'RIA. (*matrix*, the womb; effects on.) Syngenesia Superflua.

1 suavèolens DC. (*wh*) sweet Europe 1781. 6. 8. H ⊙
2 discifórmis DC. (*ye*) disc-formed Caucasus 1835. —— H ⊙
3 Chamomílla DC.(*wh*) Wild Chamomile Britain .... 5. 7. H ⊙ Eng. bot. v. 18. t. 1232.
4 pusílla DC. (*wh*) small .... 7. 9. H ⊙
5 præ'cox DC. (*wh*) early Caucasus 1827. 5. 7. H ♃
Pyrèthrum præ'cox M.B. *parviflòrum* W.
6 inodòra DC. (*wh*) scentless Britain .... 8. 9. H ⊙ Eng. bot. t. 676.
Pyrèthrum inodòrum Smith.
7 capénsis DC. (*wh*) Cape C. B. S. 1699. 7. 9. G ♂ Seb. thes. 1. t. 16. f. 2.

PYRETHRUM DC. FEVERFEW. (πυρ, fire; taste hot.) Syngenesia Superflua.

§ 1. LEUCOGLO'SSA; *ligulæ white, rarely red, elongated; disk yellow; receptacle always naked.*

1 marítimum DC. (*wh*) sea Britain .... 6.10. H ♃ Eng. bot. v. 14. t. 979.
2 glàbrum DC. (*wh*) smooth Spain 1825. 7. 8. H ⊙
3 arvénse DC. (*wh*) corn Barbary 1837. —— H ⊙
Phalacrodiscus arvénsis F.M.
4 incànum Led. (*wh*) hoary Siberia 1827. 7. 8. H ♃
5 tomentòsum DC.(*wh*) woolly Corsica 1829. 7. 9. H ♃ Lois. fl. gall. t. 18.
6 palústre DC. (*wh*) marshy Armenia 1824. 7.10. H ⊙
7 corymbòsum DC.(*wh*) mountain Germany 1596. 6. 8. H ♃ Jacq. aust. 4. t. 379.
8 serótinum DC. (*wh*) creeping-rooted N. America 1731. 9.10. H ♃ Jacq. obs. 4. t. 90.
9 uliginòsum DC. (*wh*) marsh Hungary 1816. 7. 9. H ♃ Bot. mag. t. 2706.
10 alpìnum DC. (*wh*) Alpine Switzerland 1759. 7. 8. H ♃ Lodd. bot. cab. t. 126.
11 Hallèri DC. (*wh*) Haller's ——— 1820. —— H ♃ Barrel. ic. 458. f. 2.
β *Barrelièri* DC.(*wh*) *Barrelier's* Pyrenees 1816. —— H ♃ Barrel. icon. t. 458. f. 3.
Barrelièri Lk.
12 cárneum DC. (*pi*) flesh-coloured Caucasus 1804. 8. 9. H ♃ Bot. mag. t. 1080.
Chrysánthemum coccíneum B.M. *ròseum* Bot. reg. t. 1084. not M.B.
13 ròseum DC. (*ro*) rose-coloured Caucasus 1818. 8. 9. H ♃
Chrysánthemum coccíneum W.
14 seríceum DC. (*wh*) silky Iberia 1731. 7. 8. H ♃ Bieb. cent. 2. t. 78.
Chrysánthemum argénteum W.
15 cinerarifòlium DC.(*wh*) Ragwort-ld. Dalmatia 1824. 6. 8. H ♃ Bocc. mus. t. 4.
16 Parthènium DC.(*wh*) common Britain .... 6. 9. H ♃ Eng. bot. v. 18. t. 1231.
β *flòre pleno* (*wh*) *double-flowered* ——— .... —— H ♃
17 parthenifòlium DC.(*wh*) Parthenium-ld. Caucasus 1804. 6. 7. H ♃ Vent. cels. t. 43.
18 caucásicum DC. (*wh*) Caucasian ——— —— 7. 8. H ♃
19 ceratophylloìdes DC.(*wh*) Stag's-horn-ld. Piedmont 1808. 6. 7. H ♃ All. ped. t. 37. f. 1.
Chrysánthemum ceratophylloìdes All.
20 Achille'æ DC. (*wh*) Milfoil-leaved Italy 1775. 6. 8. H ♃ Mich. gen. 34. t. 29.
tenuifòlium Ten. fl. nap. 2. t. 80.
21 níveum DC. (*wh*) snowy Iberia 1810. —— H ♃
pulverulèntum W.en. *fruticulòsum* Schultes obs.

§ 2. GYMNO'CLINES; *ligulæ white or yellow, few, short, difformed, rarely wanting; receptacle naked, narrow, and flat.*

22 macrophy'llum DC.(*wh*) large-leaved Hungary 1803. 7.10. H ♃ W. et K. hung. 1. t. 94.
23 achilleæfòlium DC.(*ye*) Milfoil-like Cumana 1824. 6. 7. H ♃ Gmel. sib. 2. t. 85. f. 2.
24 decípiens DC. (*wh*) deceiving Persia 1835. —— H ♃
25 myriophy'llum DC.(*ye*) thousand-ld. Caucasus 1818. 5. 9. H ♃
Tanacètum myriophy'llum W. *Achillèa bipinnata* L.

§ 3. XANTHOGLO'SSA; *ligulæ numerous, elongated, yellow; receptacle naked.*

26 millefoliàtum DC.(*ye*)Milfoil-leaved Siberia 1731. 5. 9. H ♃ Mill. ic. 1. t. 9.
27 bipinnàtum DC. (*ye*) wing-leaved ——— 1796. 6. 7. H ♃ Gmel. sib. 2. t. 85. f. 1.
28 leptophy'llum S.S.(*ye*) narrow-leaved Caucasus 1829. —— H ♃
29 Bocconi DC. (*ye*) Bocconi's Spain 1823. 7. 8. H ♃ Bocc. mus. 2. t. 98.
30 trifurcàtum DC. (*ye*) trifurcate-leav'd Barbary 1820. —— H ♃ Desf. atl. 2. t. 235. f. 2.
31 Mycònis DC. (*ye*) tongue-leaved Italy 1775. —— H ⊙ Jacq. obs. 4. t. 94.
Chrysánthemum hy'bridum Guss.

§ 4. DENDRA'NTHEMA; *shrubs; involucrum scarious; heads usually double, through the multiplication of ligulæ; there are scarious bracteoles on the receptacle between the ligulæ.*

32	tripartìtum B.F.G.	(*ye*) three-parted	China	1820. 10.12.	F	♃		Swt. br. fl. gar. t. 193.
33	índicum DC.	(*ye*) Indian	———	1819. ——	G	♄		Hort. trans. v. 4. pl. 12.
	Chrysánthemum indicum L.							
34	sinénse DC.	(*va*) variable Chinese	———	1790. ——	H	♄		
	Chrysánthemum sinénse Sab. *A'nthemis artemisiæfòlia* W. *Chrysánthemum índicum* B.M. non L.							
	β purpùreum	(*pu*) *old purple*	China	1790. 10.12.	H	♄		Bot. mag. t. 327.
	γ variábile	(*wh*) *changeable-white*	———	1802? ——	H	♄		——— t. 2042.
	δ tubulòsum álbum	(*wh*) *quilled white*	———	1808. ——	H	♄		Bot. reg. t. 4.
	ε supérbum	(*wh*) *superb white*	———	1817. ——	H	♄		——— t. 455.
	ζ tessellàtum	(*wh*) *tasselled white*	———	1816. ——	H	♄		
	η tubulòsum lùteum	(*ye*) *quilled yellow*	———	1802. ——	H	♄		
	θ sulphùreum	(*st*) *straw-coloured*	———	—— ——	H	♄		
	ι aúreum	(*go*) *golden yellow*	———	—— ——	H	♄		Bot. reg. t. 4. f. sup.
	κ díscolor	(*li*) *large lilac*	———	1808. ——	H	♄		
	λ lilácinum	(*pi*) *pink or lilac*	———	1798. ——	H	♄		
	μ cùpreum	(*co*) *buff or copper colour'd*	———	—— ——	H	♄		
	ν fúlvum	(*br*) *Spanish brown*	———	1806. ——	H	♄		
	ξ flámmeum	(*ye*) *quilled flame yellow*	———	1819. ——	H	♄		Hort. trans. v. 4. pl. 14.
	ο tubulòsum ròseum	(*li*) *quilled pink*	———	—— ——	H	♄		Bot. reg. t. 616.
	π atropurpùreum	(*cr*) *early crimson*	———	1820. ——	H	♄		Hort. trans. v.5.pl.3.inf.
	ρ aurantìacum	(*or*) *large quilled orange*	———	—— ——	H	♄		—— v. 5. pl. 3. f. sup.
	σ expánsum	(*li*) *expanded light purple*	———	—— ——	H	♄		Bot. mag. t. 2556.
	τ purpuráscens	(*li*) *quilled light purple*	———	—— ——	H	♄		
	υ involùtum	(*li*) *curled lilac*	———	—— ——	H	♄		Swt. br. fl. gar. t. 7.
	φ fasciculàtum	(*ye*) *superb clustered yellow*	———	—— ——	H	♄		——— t. 14.
	χ tubulòsum cárneum	*semidouble quilled pink*	———	—— ——	H	♄		Hort. tr. v.5.pl.17*. inf.
	ψ álbum semidùplex	*semidouble quilled white*	———	—— ——	H	♄		
	ω tubulòsum aurántium	*semidòu. quilled orange*	———	—— ——	H	♄		Hort. tr. v.5.pl.17**.inf.
	αα serótinum	(*p.pu*) *late pale purple*	———	—— ——	H	♄		
	ββ salmòneum	(*sa*) *quilled salmon-colour'd*	———	—— ——	H	♄		Hort. t. v.5.pl.17**.sup.
	γγ párvulum	(*ye*) *small yellow*	———	—— ——	H	♄		Hort.t.5.pl.17**.f.sup.
	δδ papyràceum	(*wh*) *paper white*	———	1821. ——	H	♄		
	εε pállidum	(*li*) *late pale pink*	———	1822. ——	H	♄		
	ζζ chrysócomum	(*ye*) *tasselled yellow*	———	1824. ——	H	♄		
	ηη Waratáh	(*ye*) *yellow Waratah*	———	—— ——	H	♄		
	θθ Sabìni	(*ye*) *golden Lotus*	———	—— ——	H	♄		
	ι chryseídes	(*ye*) *double Indian yellow*	———	—— ——	H	♄		
	κκ Párkii	(*ye*) *Park's small yellow*	———	—— ——	H	♄		
	λλ pállens	(*p.or*) *semidouble quilled pale orange*	———	—— ——	H	♄		
	μμ stramíneum	(*st*) *pale buff*	———	—— ——	H	♄		
	νν mutábile	(*st*) *changeable pale buff*	———	—— ——	H	♄		
	ξξ bícolor	(*v*) *two-coloured incurved*	———	—— ——	H	♄		
	οο versícolor	(*re*) *two-coloured red*	———	—— ——	H	♄		
	ππ stellàtum	(*pu*) *starry purple*	———	—— ——	H	♄		
	ρρ ornàtum	(*li*) *tasselled lilac*	———	—— ——	H	♄		
	σσ fulvéscens	(*pu*) *brown purple*	———	—— ——	H	♄		
	ττ verecúndum	(*bh*) *early blush*	———	—— ——	H	♄		
	υυ blándum	(*bh*) *blush*	———	—— ——	H	♄		
	φφ leucánthum	(*wh*) *double Indian white*	———	—— ——	H	♄		

§ 5. BALSAMÌTÆ; *heads discoid or radiate; ligulæ female; corollas of the disk terete, 5-toothed; pappus very short, subdentate.*

35	Balsamìta DC.	(*wh*) various-leaved	Levant	1779. 8. 9.	H	♃		Jacq. obs. 4. t. 89.
36	multífidum DC.	(*wh*) multifid	———	1806. ——	H	♃		
	Chrysánth. Balsamita β, Hort. *multífidum* Desf. *Pyrèthrum pinnatífidum* W.							
37	Tanacètum DC.	(*ye*) Cosmary	Europe	1568. ——	H	♃		Schk. handb. 3. t. 24.
	Tanacètum Balsamita L. *Balsamìta vulgaris* W.							

CHRYSA'NTHEMUM W. CHRYSA'NTHEMUM. (χρυσος, gold, and ανθος, a flower.) Syn. Sup. *Sect.* 1. GLEBIO'NIS; *achenia bald, those of the ray trigonal, almost wingless, those of the disk turbinate or subcompressed, striately ribbed; heads yellow; ligulæ sometimes cream-coloured.*

1	coronàrium DC.	(*wh.ye*) garden	Sicily	1629. 7.10.	H	⊙		Lam. ill. t. 678. f. 6.
	α álbum	(*wh*) *white-flowered*	———	—— ——	H	⊙		
	β aúreum	(*ye*) *golden*	———	—— ——	H	⊙		
2	sègetum DC.	(*ye*) corn	Britain	.... 6. 8.	H	⊙		Eng. bot. v. 9. t. 540.
3	Roxbúrghii DC.	(*ye*) Roxburgh's	E. Indies	1810. 6. 9.	H	⊙		Bot. mag. t. 1521.
	Pyrèthrum índicum Roxb. *Chrys. breviradiàtum* Hort.							

Sect. 2. IMME'LIA; *achenia terminated by coroniform toothed pappus, those of the ray* 3-*winged, and those of the disk much compressed, winged; ligulæ white or yellow.*

4 carinàtum DC.(*wh.pu*) three-coloured Barbary 1796. 7.10. H ☉ Bot. mag. t. 508.
5 pùmilum W.en.(*wh*) small C. B. S. 1806. —— H ☉

Sect. 3. MAGA'RSA; *achenia terminated by coroniform toothed pappus or without; those of the ray* 3-*winged; those of the disk sub-compressed, having the inner angle winged a little.*

6 feniculàceum DC. (*wh*) Fennel-leav'd Teneriffe 1815. 1.12. G ♄ Bot. reg. t. 272.
7 crithmifòlium W.en.(*wh*) Samphire-ld. —— —— —— G ♄
8 anethifòlium W.en.(*wh*) Dill-leaved —— —— —— G ♄
9 frutéscens DC. (*wh*) shrubby Canaries 1699. —— G ♄
10 coronopifòlium W.en.(*wh*) Buckshorn-ld. —— .... —— G ♄
11 grandiflòrum DC.(*wh*) great-flowered —— 1815. —— G ♄
12 speciòsum W.en.(*wh*) large-flowered —— —— —— G ♄
13 Broussonètii DC. (*wh*) Broussonet's —— 1829. 7.10. G ♄
14 pinnatifìdum DC. (*ye*) cut-leaved Madeira 1778. 5. 8. G ♄ Swt.br.fl.gar. s. 2.t.342.
Chrysánthemum pinnatífidum S.S. *Ismèlia maderénsis* D. Don.

Species not sufficiently known.

15 mexicànum DC. (*wh*) Mexican Mexico 1827. 8.11. H ♃
16 itálicum DC. (*ye*) Italian Italy 1796. 6. 7. H ♃
17 daucifòlium DC. (*wh*) carrot-leaved ..... 1820. —— H ♃
18 sylvéstre W.en. (*wh*) wood Portugal 1804. 6. 7. H ♃

CENTROSPE'RMUM S.S. CENTROSPE'RMUM. (κεντρον, a spur, and σπερμα, a seed.) Sy. Su.
chrysánthemum S.S.(*ye*) yellow-flow. Spain 1821. 8.10. H ☉
Heteránthemis hírta Schot. *Chrysánthemum viscòsum* DC.

DIMORPHOTHE'CA DC. DIMORPHOTHE'CA. (δις, twice, μορφη, form, and θηκη, a sheath.) Sy.Su.

Sect. 1. METEORI'NA; *outer flowers of the disk hermaphrodite, inner ones male; achenia with smooth edges.*

1 pluviàlis DC.(*wh.pu*) small Cape C. B. S. 1699. 6. 7. H ☉ Mill. ic. t. 75. f. 2.
Calénduła pluviàlis L.
2 hybrida DC. (*wh.pu*) great Cape —— 1752. —— H ☉ Swt. br. fl. gar. t. 39.

Sect. 2. LESTIBO'DEA; *outer flowers of the disk hermaphrodite, inner ones male; achenia of the disk with scabrous margins.*

3 nudicaùlis DC. (*wh*) naked-stalked C. B. S. 1731. 6. 8. G ♃ Comm. hort. 2. t. 33.
4 graminifòlia DC.(*wh.pu*) Grass-leaved —— —— 5. 9. G ♃ Bot. reg. t. 289.
5 Tràgus DC. (*pu.wh*) bending-stalked —— 1774. 5. 6. G ♄ Bot. mag. t. 408.
Calénduła Tràgus Jacq. h. schœnb. 2. t. 153.
β *fláccida* V. (*or*) *flaccid* —— —— —— G ♄ Bot. reg. t. 28.

Sect. 3. BLA'XIUM; *flowers of the disk male; corollas appendiculate on the outside of the lobes.*

6 fruticòsa DC. (*wh*) shrubby C. B. S. 1752. 6. 7. G ♄ Mill. ic. t. 2. t. 283.
Calénduła fruticòsa L.

Sect. 4. CASTA'LIS; *flowers of the disk fertile; tubes very short; achenia of the rays trigonal,* 3-*winged, tubercular; those of the disk obovate, flat, smooth,* 2-*winged.*

7 cuneàta DC. (*or*) viscous C. B. S. 1790. 6. 9. G ♄ Andr. reposit. t. 412.
Calénduła viscòsa Andr. *Arctòtis glutinòsa* Bot. mag. t. 1343.
8 aurantìaca DC. (*or*) orange —— 1774. —— G ♄ Vent. malm. t. 20.
Calénduła fláccida Vent.
9 dentàta A.R. (*wh*) tooth-leaved —— 1790. 5. 6. G ♄ Andr. reposit. c. ic.
10 oppositifòlia DC. (*ye*) glaucous-leaved —— 1774. 8. G ♄

Sect. 5. ARNO'LDIA; *flowers of the disk hermaphrodite; achenia of the ray trigonal, smooth; those of the disk flatly compressed.*

11 chrysanthemifòlia DC.(*ye*) large-flow. C. B. S. 1790. 3. 8. G ♄ Bot. reg. t. 40.
Calénduła chrysanthemoìdes Vent. malm. t. 56. Bot. mag. t. 2218.

DIVISION III.—COTU'LEÆ. DC. prod. 6. p. 76.

PEYROU'SEA DC. PEYROU'SEA. (La Peyrouse, cel. circumnavigator.) Syngenesia Superflua.
oxy'lepis DC. (*ye*) umbel-flowered C. B. S. 1822. 7. 9. H ☉
Cótula umbellàta L.

CO'TULA DC. CO'TULA. (old name for a species of *A'nthemis.*) Syngenesia Superflua.
1 anthemoìdes DC. (*ye*) Anthemis-like St. Helena 1696. 7. 8. S ☉ Dill. elth. t. 23. f. 25.
2 aúrea DC. (*ye*) golden S. Europe 1823. 7. 9. H ☉ Lam. ill. t. 700. f. 2.
3 coronopifòlia DC.(*ye*) Buck's Horn C. B. S. 1683. —— G ☉ —— t. 700. f. 1.
4 pusílla DC. (*ye*) small —— 1835. —— G ☉
5 filifòlia DC. (*ye*) thread-leaved —— —— —— G ☉
6 sphæránthus DC. (*ye*) round-headed Congo 1820. —— S ♃

CE'NIA DC. CE'NIA. (κενος, empty; tops of branches.) Syngenesia Superflua.
1 turbinàta DC.(wh.re) turbinated C. B. S. 1713. 7. 8. H ⊙ Lam. ill. t. 701. f. 1.
Lidbéckia turbinàta W. *Cótula turbinàta* L.
2 sericea DC. (ye) silky C. B. S. 1816. 6. 8. H ⊙
Cótula sericea Thunb.
3 discoídea DC. (ye) discoid ——— —— —— H ⊙ Houtt. syst. t. 69. f. 4.
Cótula nudicaúlis Th.

LO'NAS DC. LO'NAS. (meaning unknown.) Syngenesia Superflua.
inodòra DC. (ye) scentless Sicily 1686. 7. 8. H ⊙ Bot. mag. 2276.
Athanàsia ánnua L.

GONOSPE'RMUM DC. GONOSPE'RMUM. (γωνια, an angle, and σπερμα, a seed.) Syng. Superfl.
1 élegans DC. (ye) elegant Canaries 1816. 5. 9. G ♄
Tanacètum canariénse DC. *Achillèa arbòrea* Horn.
2 multifiòrum DC. (ye) many-flowered Canaries 1838. —— G ♄

HYMENO'LEPIS DC. HYMENO'LEPIS. (ὑμην, a membrane, and λεπις, a scale.) Syngen. Æqua.
1 parvifiòra DC. (ye) small-flowered C. B. S. 1731. 4. G ♄ Jacq. schœn. t. 149.
Athanàsia parvifiòra L. *Tanacètum crithmifòlium* L.
2 pinnàta Meyer. (ye) pinnated C. B. S. 1824. 6. 8. G ♄ Lam. ill. t. 670. f. 4.

HOLOPHY'LLUM DC. HOLOPHY'LLUM. (ὅλος, entire, and φυλλον, a leaf.) Syng. Superfl.
1 capitàtum DC. (ye) hairy C. B. S. 1774. 1. 3. G ♄ Moris. s. 6. t. 3. f. 48.
Athanàsia capitàta L.
β *glàbrum* DC. (ye) *glabrous* ——— 1822. 5. 7. G ♄ Petiv. gaz. t. 81. f. 6.
Athanàsia punctàta Berg.
2 lanuginòsum DC.(ye) woolly ——— —— —— G ♄ Cavan. ic. 2. t. 3.

ATHANA'SIA DC. ATHANA'SIA. (α priv., θανατος, death; lasting flowers.) Syngenesia Æqualis.
§ 1. LEPTOCE'PHALÆ; *heads oblong or oval-oblong; leaves quite entire, rarely tridentate.*
1 tomentòsa DC. (ye) Lavender-leaved C. B. S. 1774. 5. 6. G ♄ Lam. ill. t. 670. f. 1.
cinèrea L.
2 filifórmis DC. (ye) fine-leaved ——— 1787. 8. G ♄
§ 2. SPHÆROCE'PHALÆ; *heads globose or obovate-globose, many-flowered.*
* *Leaves entire.*
3 pubéscens DC. (ye) villous-leaved C. B. S. 1768. 6. 8. G ♄ Comm. hort. 2. t. 47.
4 crenàta DC. (ye) crenated ——— 1816. —— G ♄
** *Leaves toothed, cut, or lobed.*
5 trifurcàta DC. (ye) trifid-leaved ——— 1710. 7. 8. G ♄ Comm. hort. 2. t. 49.
β *tricúspis* DC. (ye) *three-pointed* ——— 1816. —— G ♄
6 virgàta DC. (ye) twiggy ——— 1815. —— G ♄ Jacq. schœn. 2. t. 148.
7 crithmifòlia DC. (ye) Samphire-leaved ——— 1723. —— G ♄ Comm. hort. 2. t. 50.
8 cuneifòlia DC. (ye) wedge-leaved ——— 1816. 7. 9. G ♄ Lam. ill. t. 670. f. 3.

MORY'SIA DC. MORY'SIA. (M. de Saint Morys, bot. amat.) Syngenesia Æqualis.
1 dentàta DC. (ye) tooth-leaved C. B. S. 1759. 7. 8. G ♄ Comm. rar. t. 41.
Athanàsia dentàta L.
2 pinnàta DC. (ye) pinnate ——— 1824. —— G ♄
3 linearfloba DC. (ye) pectinated ——— 1774. 5. 6. G ♄
Athanàsia pectinàta L.
4 fasciculàta DC. (ye) fascicled ——— 1816. 8. 9. G ♄
Tanacètum vestìtum Th.

DIVISION IV.—ARTEMESIE'Æ. DC. prod. 6. p. 92.

STILPNOPHY'TUM DC. STILPNOPHY'TUM. (στιλπνος, shining, and φυτον, a plant.) Sy. S
linifòlium W. (ye) Flax-leaved C. B. S. 1774. 8. G ♄
Tanacètum linifòlium Th.

ARTEMI'SIA DC. WORMWOOD. (Artemis, one of the names of Diana.) Syngenesia Superflu
Sect. 1. *Dracúnculus; receptacle naked; heads heterogamous; flowers of the ray female in one series those of the disk bisexual, but sterile from the abortion of the achenia.*
1 salsoloìdes DC.(ye.gr) Saltwort-like Siberia 1827. 7. 7. F ♄
2 arenària DC. (ye) few-flowered ——— 1824. 6. 7. H ♄
pauciflòra M.B.
3 variábilis DC. (ye) variable Naples .... —— H ♄
4 paniculàta DC. (ye) panicled France .... —— H ♄ Barrel. icon. t. 447.
5 crithmifòlia DC. (br) Samphire-leaved Portugal 1739. 8.10. H ♄
6 campéstris DC. (br) field England .... 8. H ♄ Eng. bot. v. 5. t. 338.
Marschalliàna S.S. *pauciflora* W.
7 inodòra DC. (ye) inodorous Siberia 1548. 7. 8. H ♄
Redówski Led.
8 Fontanesiàna DC.(ye) Desfontaines's ..... 1548. —— H ♄
trifurcàta Desf.

9 Dracúnculus DC. (*wh.gr*) Tarragon	S. Europe	1548.	7. 8.	H	♃	Black. herb. t. 116.
β *inodòra* DC. (*wh.gr*) scentless	Siberia	——	——	H	♃	Gmel. sib. 2. t. 59. & 60. f. 1.
inodòra W. en. *not* M. B.						
10 glaúca DC. (*ye*) glaucous	———	1806.	6. 8.	H	♃	Gmel. sib. 2. t. 60. f. 2.
11 dracunculoìdes Ph. (*gr.*) Tarragon-like	N. America	1811.	8. 10.	H	♃	
cérnua N. *nùtans* Fraser.						
12 desertòrum DC. (*br*) desert	Tartary	1817.	7. 9.	H	♃	
leucanthemifòlia Hort.						
β *neglécta* W. en. (*gr. ye*) *neglected*	Siberia	1815.	7. 8.	H	♃	
13 nàna DC. (*ye. gr*) dwarf	Switzerland	1819.	——	H	♃	
helvética Schleich.						
β *Allìoni* DC. (*br*) *Swiss*	———	1823.	——	H	♃	All. ped. t. 9. f. 1.
pedemontàna L. *tanacetifòlia* L.						
14 boreàlis DC. (*ye. gr*) Northern	Siberia	....	——	H	♃	
β *Wormskiòldii* DC... *Wormskiold's*	Greenland	1827.	6. 7.	H	♃	Flor. dan. t. 1585.
grœnlándica Wormsk.						
15 scopària DC. (*wh. gr*) besom	Hungary	1796.	7. 9.	H	⊙	W. et K. hung. 1. t. 65.
élegans Roxb.						
16 japónica DC. (*wh*) Japanese	Japan	1804.	10. 11.	H	♄	
17 parviflòra DC. (*ye. gr*) small-flowered	Nepaul	1818.	6. 8.	H	⊙	

Sect. 2. SERIPHI'DIUM; *receptacle naked; heads homogamous.*

§ 1. SUBINDIVI'SÆ; *radical leaves undivided or simply pinnatifid.*

18 cœruléscens DC. (*ye*) blueish	England	....	8. 10.	H	♄	Eng. bot. v. 34. t. 2426.

§ 2. MULTI'FIDA; *radical leaves bi or tri-pinnate; lobes linear.*

19 valentìna Lam. (*ye. gr*) Spanish	Spain	1739.	7. 8.	F	♄	Barr. ic. t. 485.
20 arragonénsis DC. (*ye. gr*) snowy-white	———	1816.	——	F	♄	Asso arrag. t. 8. f. 1.
21 ramòsa DC. (*st*) branching	Canaries	——	6. 8.	G	♄	
22 incúlta DC. (*ye. gr*) uncultivated	Egypt	1818.	8. 9.	H	♃	Dell. ill. t. 43. f. 2.
23 marítima DC. (*br*) drooping-flower'd	Britain	....	——	H	♃	Eng. bot. v. 24. t. 1706.
24 gállica DC. (*br*) upright-flower'd	———	....	——	H	♃	——— t. 1001.
25 salina DC. (*wh. gr*) sea-side	Germany	1817.	——	H	♃	Spreng. halens. t. 12.
26 nùtans DC. (*br. gr*) nodding	Tartary	1819.	7. 9.	H	♃	
27 monógyna DC. (*ye*) one-styled	Hungary	1816.	——	H	♃	W. et K. hung. 1. t. 75.
28 vallesiaca DC. (*st*) downy	Italy	1739.	7. 8.	H	♃	
29 Santónica DC. (*wh. gr*) Tartarian	Siberia	1596.	9. 11.	H	♄	Gmel. sib. 2. t. 51.
30 frùgrans DC. (*st*) Lavender-leav'd	Armenia	1739.	6. 7.	H	♃	
31 Lerchiàna DC. (*ye. gr*) Lerche's	Siberia	1820.	——	H	♃	
β *hùmilis* DC. (*ye. gr*) *humble*	———	——	——	H	♃	Gmel. sib. 2. t. 50. f. 2 & 3.
hùmilis M. B.						
γ *Gmeliniàna* DC. (*ye. gr*) *Gmelin's*	———	——	——	H	♃	Led. ill. t. 478.
álbida Led.						
32 taúrica DC. (*wh. gr*) Taurian	Tauria	1824.	7. 8.	H	♃	

Sect. 3. ABRO'TANUM; *receptacle naked; heads heterogamous; flowers of the ray female, of the disk hermaphrodite, all fertile.*

33 áfra DC. (*wh. gr*) Cape	C. B. S.	1816.	9. 12.	G	♄	Jacq. schœn. 4. t. 467.
34 judàica DC. (*ye*) Judean	Levant	1688.	8.	G	♄	Pluk. alm. t. 73. f. 2.
35 Gmelìni DC. (*ye. gr*) Gmelin's	Siberia	....	——	H	♄	Gmel. sib. 2. t. 58. f. 1.
36 Measerrchmidiàna DC. (*gr. st*) sacred	———	1828.	7. 9.	H	♄	——— 2. t. 56. f. 2.
sacròrum Led.						
37 prócera DC. (*ye. gr*) tall	S. Europe	1816.	8. 10.	F	♄	Lobel. ic. 768.
paniculàta Lam.						
38 Abrótanum DC. (*ye. gr*) Southernwood	———	1548.	——	H	♄	Blackw. t. 555.
39 chamæmelifòlia DC. (*br*) Chamomile-ld.	———	1739.	7. 8.	F	♃	Vill. dauph. 3. t. 35.
40 herbàcea DC. (*ye. gr*) herbaceous	Siberia	1817.	8.	H	♃	
41 pónticа DC. (*ye*) Roman	Austria	1570.	9.	H	♃	Jacq. aust. 1. t. 99.
42 ludoviciàna DC. (*br*) St. Louis	Missouri	1827.	6. 7.	H	♃	
43 tanacetifòlia DC. (*br*) Tansy-leaved	Siberia	1768.	7. 8.	H	♂	All. ped. 1. t. 10. f. 3.
44 laciniàta DC. (*gr*) jagged	Dauria	1823.	——	H	♃	
β *Mertensiàna* DC. (*gr. st.*) *Mertens's*	———	1826.	——	H	♃	Wallr. sched. t. 4.
45 insípida DC. (*br*) insipid	S. Europe	1823.	——	H	♃	Vill. delph. 3. t. 35.
46 armeniaca DC. (*gr. ye*) Armenian	Armenia	1828.	——	H	♃	Rchb. ic. exot. t. 4.
canécens W.						
β *potentillæfòlia* DC. (*gr. st*) *Cinquefoil-ld.*	Siberia	1827.	7. 9.	H	♃	
47 austriàca DC. (*br*) Austrian	Austria	1597.	8. 10.	H	♃	Jacq. aust. 1. t. 100.
β *nìvea* DC. (*gr. ye*) *snowy*	Siberia	1815.	6. 7.	H	♃	
nìveà W. en.						
γ *rèpens* DC. (*br*) *creeping*	Armenia	1805.	——	H	♃	
rèpens W.						

48	vulgàris DC.	(*pu*) Mugwort	Britain	....	8. 9.	H	♃	Eng. bot. v. 14. t. 978.
	β *camtschática* DC.	(*gr.st*) *Kamtschatka*	Kamtschatka	1827.	8.10.	H	♃	
49	índicæ DC.	(*ye.gr*) Indian	E. Indies	1796.	9.10.	F	♃	Rheed. mal. 10. t. 45.
50	integrifòlia DC.	(*ye.gr*) entire-leaved	Siberia	1759.	7. 8.	H	♃	Gm. sib. 2. t. 48. f. 1. 2.
51	mexicàna DC.	(*ye.pu*) Mexican	Mexico	1824.	——	H	♃	
52	serràta N.	(*gr*) saw-leaved	Missouri	1827.	——	H	♃	
	longifòlia DC.							
53	gnaphalòdes DC.	(*br*) Cudweed-like	————	——	——	H	♃	
54	lactiflòra DC.	(*wh*) milk-flowered	Nepaul	1820.	8.10.	F	♃	
55	fasciculàta DC.	(*ye.pu*) fascicled	Iberia	——	8. 9.	H	♃	
	β *armeniàca* DC.	(*ye.gr*) *Armenian*	Armenia	....	——	H	♃	
	orientàlis W.							
56	tanacetifòlia DC.	(*br*) tansy-leaved	Piedmont	1800.	——	H	♃	Lam. ill. t. 695. f. 3.
57	spicàta DC.	(*br*) spiked	Switzerland	1790.	6. 7.	H	♃	Jacq. aust. 5. t. ap. 34.
58	norvégica DC.	(*br*) Norwegian	Norway	1823.	——	H	♃	Flor. dan. t. 801.
	rupéstris Flor. dan. *nec aliorum.*							
59	chinénsis DC.	(*ye.gr*) Moxa	China	1816.	7.10.	H	♄	Gmel. sib. 2. t. 61. f. 1. 2.
60	ánnua DC.	(*wh.gr*) annual	Siberia	1741.	7. 8.	H	☉	Am. ruth. t. 196. f. 23.
61	biénnis DC.	(*ye.gr*) biennial	Missouri	1804.	——	H	♂	Bot. mag. t. 2472.
62	palústris DC.	(*ye*) marsh	Siberia	——	——	H	☉	Gmel. sib. 2. t. 55.
63	pectinàta DC.	(*br*) comb-leaved	Dauria	1806.	7. 9.	H	☉	Pall. it. 3. t. Hh. f. 2.

Sect. 4. ABSI'NTHIUM; *receptacle pilose; heads heterogamous; flowers of the ray female, of the disk hermaphrodite; involucrum subglobose.*

64	arboréscens DC.	(*ye.gr*) tree	Levant	1640.	6. 8.	H	♄	Flor. græc. t. 856.
65	argéntea DC.	(*ye*) silvery	Madeira	1777.	6. 7.	G	♄	
66	Móxa DC.	(*ye.gr*) Moxa	China	....	——	G	♄	
67	montevidénsis DC.	(*ye.gr*) Monte Videan	M. Video	....	....	G	♄	
68	camphoràta DC.	(*ye.gr*) Camphor-scent'd	S. Europe	1820.	6. 7.	H	♄	Lob. ic. t. 769. f. 1.
	subcanéscens W. en.							
69	saxátilis W. et K.	(*wh*) rock	Hungary	1816.	6. 8.	H	♃	
70	sericea DC.	(*wh*) silky-leaved	Siberia	1796.	6. 7.	H	♃	Gmel. sib. t. 64. f. 1.
71	glaciàlis DC.	(*ye.gr*) silky	Switzerland	1739.	7. 8.	H	♃	Jacq. aust. 5. t. ap. 35.
72	rupéstris DC.	(*br*) stone	N. Europe	....	——	H	♄	All. ped. t. 9. f. 1.
73	mutellìna DC.	(*ye.gr*) Alpine	Alps of Europe	1815.	——	H	♃	Vill. dauph. 3. t. 35.
74	spléndens DC.	(*ye*) glossy	Caucasus	1827.	——	H	♃	
75	furcàta S.S.	(*br*) forked	Siberia	1829.	——	H	♃	
76	lanàta DC.	(*wh.ye*) woolly	S. Europe	1827.	——	H	♃	
	caucásica L.							
77	alpìna M.B.	(*ye.gr*) alpine	Caucasus	——	——	H	♃	
78	viridifòlia S.S.	(*ye.gr*) green-leaved	Siberia	1828.	8.10.	H	♄	
79	frígida DC.	(*gr.ye*) frigid	————	1597.	——	H	♃	
	β *procúmbens* DC.	(*ye.gr*) *procumbent*	————	1823.	8. 9.	H	♃	
	procúmbens Schrad. *aprìca* Led. *chrysántha* F.							
	γ *Gmelinìana* DC.	(*ye.gr*) *leafy-panicled*	Siberia	1824.	7. 8.	H	♃	
	jeniseénsis S.S. *virgàta* Richards.							
80	mollissima DC.	(*ye*) soft-leaved	Nepaul	1823.	8.11.	H	♃	
81	Absínthium DC.	(*ye*) common	Britain	....	7.10.	H	♃	Eng. bot. v. 18. t. 1230.
82	Sieversiàna W.	(*br.gr*) Sievers's	Siberia	1800.	7. 8.	H	♂	

Species not sufficiently known.

83	balsamìta W. en.	(*ye*) Balsam-scented	.....	1800.	7. 8.	H	♃	
84	lednicénsis S.S.	(*ye.gr*) linear-lobed	Hungary	1829.	6. 7.	H	♄	
85	palmàta W.	(*gr.ye*) palmated	S. Europe	1739.	——	G	♄	

TANACETUM DC. TANSY. (altered from *Athanasia.*) Syngenesia Superflua.

Sect. 1. EUTANACE'TUM; *heads heterogamous; flowers of the ray tubular, female, 3-toothed, in one series; those of the disk hermaphrodite and 5-toothed; leaves pinnate or bipinnate.*

1	vulgàre DC.	(*ye*) common	Britain	....	5. 9.	H	♃	Eng. bot. v. 18. t. 1229.
	β *crispum*	(*ye*) *curled*	————	....	——	H	♃	
2	Douglàsii DC.	(*ye*) Douglas's	N. America	....	——	H	♃	
3	Barclayànum DC.	(*ye*) Barclay's	Siberia	....	——	H	♃	
	incànum Hort.							
4	boreàle DC.	(*ye*) Northern	————	——	——	H	♃	
5	sibíricum DC.	(*ye*) Siberian	————	1823.	——	H	♃	Gmel. sib. 2. t. 65. f. 2.
6	canéscens DC.	(*ye*) canescent	Persia	1827.	——	H	♃	
	incànum L.							

Sect. 2. PSANASE'TUM; *heads homogamous; corollas all 4 or 5-toothed; pappus almost wanting.*

7	argénteum DC.	(*ye*) silvery	Levant	1812.	5. 9.	H	♃	Willd. ach. t. 2. f. 4.
8	ánnuum DC.	(*ye*) annual	S. Europe	1629.	7. 8.	H	☉	Clus. hist. 1. p. 326. f. 1.
	Balsamìta ánnua DC.							
9	Audibérti DC.	(*ye*) Audibert's	Corsica	1837.	——	H	♃	

10 microphy'llum DC. (*ye*) small-leved Spain 1629. 7. 8. H ⊙ Mill. icon. t. 227. f. 1.

Sect. 3. MATRICARIOI'DES; *heads homogamous; receptacle conical; corollas* 4-*toothed.*

11 pauciflòrum DC. (*ye*) few-flowered N. America 1827. 5. 9. H ♃

Cótula matricarioìdes Bong.

Sect. 4. BRO'CCHIA; *heads homogamous, rarely heterogamous; corollas all* 4-*toothed; achenia of the ray angular or compressed.*

12 grandiflòrum DC. (*ye*) great-flowered C. B. S. 1825. 5. 9. G ♃

13 globíferum DC. (*ye*) globe-bearing ——— 1838. —— H ⊙ Deless. icon. sel. 4. t. 48.

14 suffruticòsum W. (*ye*) shrubby ——— 1751. —— G ♄ Comm. hort. 2. t. 100.

15 multiflòrum DC. (*ye*) Tansy-leaved ——— 1780. 6. 8. H ⊙ Pluk. man. t. 430. f. 7.

Cótula tanacetifòlia W.

PLA'GIUS DC. PLA'GIUS. (πλαγιος, transverse.) Syngenesia Æqualis.

1 grandiflòrus DC. (*ye*) great-flowered N. Africa .... 6.10. H ♂ Desf. act. par. 1791. t. 1.

Balsamìta grandiflòra Desf. *Cótula grándis* L.

2 ageratifòlius DC. (*ye*) Ageratum-ld. Candia 1605. —— G ♄ Alp. exot. t. 326.

3 virgàtus DC. (*ye*) twiggy Italy 1791. 6. 7. H ♃ Jacq. obs. 4. t. 81.

Balsamìta virgàta Desf. *Chrysócoma denticulàta* Jacq. schœnbr. 3. t. 363.

PE'NTZIA DC. PE'NTZIA. (C. J. Pentz, a Swedish bot.) Syngenesia Æqualis.

flabellifórmis DC. (*ye*) fan-leaved C. B. S. 1774. 5. 8. G ♄ Bot. mag. t. 212.

Tanacètum flabellifórme B.M.

MYRIO'GYNE DC. MYRIO'GYNE. (μυριος, a myriad, and γυνη, a female.) Syng. Superflua.

minùta DC. (*ye*) minute E. Indies 1768. 7. 9. H ⊙ Lam. ill. t. 699. f. 2.

Cótula minùta Forst. *Grángea decúmbens* Desf. *cuneifòlia* W.

CHLAMYDO'PHORA DS. CHLAMYDO'PHORA. (χλαμυδος, a cloak, and φορεω, to bear.) Sy. Æq.

tridentàta DC. (*ye*) tridentate Egypt 1836. 6. 8. H ⊙ Del. ill. egyp. t. 4. f. 1.

Balsamìta tridentàta Del.

SPHÆROMORPHÆ'A DC. SPHÆROMORPHÆ'A. (σφαιρα, a sphere, and μορφη, form.) Sy. Su.

centipèdia DC. (*ye*) centiped China 1768. 7. 9. H ⊙ Burm. ind. t. 58. f. 3.

Grángea mínima W. *Cótula mínima* W.

DIVISION V.—HIPPIE'Æ. DC. prod. 6. p. 141.

SOLI'VA DC. SOLI'VA. (Salvator Soliva, M.D., a Spanish bot.) Syngenesia Necessaria.

1 anthemifòlia DC. (*gr*) Chamomile-ld. S. America 1812. 4.12. H ⊙ J. ann. mus. t. 61. f. 1.

Gymnóstyles anthemifòlia P.S.

2 pterospérma DC. (*gr*) wing-seeded Brazil 1827. 5. 9. H ⊙

3 stolonífera L.T. (*gr*) stoloniferous Portugal? 1818. 4.12. H ⊙

Hippia stolonífera P.S. *Gymnóstyles lusitánica* S.S.

4 Barclayàna DC. (*ye*) Barclay's S. America 1830. —— H ⊙

5 minùta Swt. (*ye*) fringe-leaved ——— 1825. —— H ⊙

pygmæ'a DC. *Hippia minùta* L. *Gymnóstyles minùta* S.S.

6 pedicellàta DC. (*gr*) pedicelled S. America 1825. —— H ⊙

7 sessilis DC. (*gr*) sessile Chili 1836. —— H ⊙ R. et P. prod. t. 24.

LEPTINE'LLA DC. LEPTINE'LLA. (a dim. of λεπτος, slender. Syngenesia Necessaria.

perpusílla F.M. least Persia 1836. 6. 8. H ⊙

HI'PPIA DC. HI'PPIA. (ἱππος, a horse; fond of.) Syngenesia Necessaria.

frutéscens DC. (*ye*) shrubby C. B. S. 1710. 2. 8. G ♄ Bot. mag. t. 1855.

Tanacètum frutéscens L. *suffruticòsum* Th.

ERIOCE'PHALUS DC. WOOLHEAD. (εριον, wool, and κεφαλη, a head; woolly.) Syn. Nec.

1 africànus W. (*ye*) cluster-leaved C. B. S. 1732. 1. 4. G ♄ Bot. mag. t. 833.

2 glàber Th. (*ye*) cross-leaved ——— 1816. 3. 6. G ♄

decussàtus B.T. *frutéscens* H.K. *setífer* DC.

3 purpùreus B.T. (*pu*) purple C. B. S. —— —— G ♄

4 racemòsus DC. (*ye*) silver-leaved ——— 1739. 3. 4. G ♄

5 spinéscens DC. (*ye*) spiny ——— 1816. —— G ♄

Subtribe VII. GNAPHALIE'Æ. DC. prod. 6. p. 149.

Division I.—Angia'ntheæ. DC. prod. 6. p. 149.

ANGIA'NTHUS DC. Angia'nthus. (αγγιον, a vessel, and ανθος, a flower.) Syn. Seg.
tomentòsus DC. (*ye*) woolly N. Holland 1803. 7. 8. G ♃ Wendl. coll. 2. t. 48.
Cassínia aúrea H.K. *non* L.T.
CRASPE'DIA DC. Craspe'dia. (κρασπεδον, a fringe; bracteas.) Syngenesia Æqualis.
1 macrocéphala DC.(*ye*) large-headed V. D. L. 1834. 6. 8. G ♃ Bot. mag. t. 3415.
2 plebèia Cun. (*ye*) plebeian N. Holland 1823. .... G ♄
3 glaúca BR. (*ye.re*) glaucous V. D. L. 1830. .... G ♄ Bot. reg. t. 1908.

Division II.—Cassinie'æ. DC. prod. 6. p. 153.

AMMO'BIUM DC. Ammo'bium. (αμμος, sand, and βιω, to live; habitat.) Syngen. Æqualis.
alàtum DC. (*wh*) winged-stalk'd N. S. W. 1823. 8. 9. F ♃ Swt. br. fl. gar. t. 48.
IXO'DIA H.K. Ixo'dia. (ιξωδης, viscid; plant.) Syngenesia Æqualis.
achillæoìdes H.K.(*wh*) Milfoil-like N. Holland 1803. 3. 9. G ♄ Bot. mag. t. 1534.
CASSI'NIA L.T. Cassi'nia. (M. Henri Cassini, cel. French bot.) Syngenesia Æqualis.
1 affìnis DC. (*st*) related N. S. W. 1823. 4. 6. G ♄
2 aúrea DC. (*ye*) golden ——— 1821. —— G ♄ Bot. reg. t. 764.
3 longifòlia DC. (*st*) long-leaved ——— —— —— G ♄
4 denticulàta DC. (*st*) tooth-leaved ——— 1826. 6. 8. G ♄
5 leptophy'lla DC.(*wh*) small-leaved N. Zealand 1821. 4. 6. G ♄
APALO'CHLAMYS DC. Apalo'chlamys. (απαλος, soft, and χλαμυς, a cloak; invol.) Sy. Æq.
Kérrii DC. (*st*) Kerr's N. Holland 1821. 5.10. G ♂ Bot. reg. t. 678.
Cassínia spectábilis B.R.

Division III.—Helychry'seæ. DC. prod. 6. p. 157.

HU'MEA DC. Hu'mea. (Lady of Sir Abraham Hume.) Syngenesia Æqualis.
élegans DC. (*re*) elegant N. S. W. 1800. 6.10. G ♂ Exot. bot. 1. t. 1.
RHODA'NTHE DC. Rhoda'nthe. (ροδος, red; ανθος, a flower; colour.) Syngenesia Æqualis.
Manglèsii DC. (*re*) Mangles's Swan River 1833. 6.10. F ⊙ Swt. br. fl. gar. s. 2. t. 235.
PODOTHE'CA DC. Podothe'ca. (πους, a foot, and θηκη, a sheath; achenia.) Syng. Æqualis.
angustifòlia DC. (*ye*) narrow-leaved N. Holland 1835. 6. 8. H ⊙
MO'RNA DC. Mo'rna. (mythological name.) Syngenesia Æqualis.
1 nítida DC. (*ye*) shining Swan River 1837. 6. 9. F ⊙ Bot. reg. s. 2. t. 1941.
2 nívea B.R. (*wh.ye*) snowy ——— —— —— F ⊙ ——— 2. t. 9.
PODO'LEPIS Lab. Podo'lepis. (πους, a foot, and λεπις, a scale; stipitate.) Syngen. Super.
1 rugàta DC. (*ye*) wrinkle-scaled N. Holland 1803. 7. 8. G ♃ Lab. nov. holl. 2. t. 208.
2 acúminàta DC. (*ye*) sharp-scaled N. S. W. —— 5. 8. G ♃ Bot. mag. t. 956.
Scàlia jaceoìdes B.M.
3 grácilis DC. (*li*) slender N. Holland 1827. 8.10. H ♃ Swt. br. fl. gar. t. 285.
4 contórta B.R. (*ye*) twisted V. D. L. 1835. —— G ♃
OZOTHA'MNUS DC. Ozotha'mnus. (οζος, a branch, and θαμνος, a shrub.) Syng. Æqualis.
1 cinèreus DC. (*ye*) rusty V.Diem.Isl. 1820. 4. 8. G ♄ Lab. nov. hol. v. 2. t. 182.
Chrysócoma cinèrea Lab.
2 rosmarinifòlius DC.(*ye*) Rosemary-leav'd——— 1822. —— G ♄ Lab. nov. hol. v. 2. t. 181.
Eupatòrium rosmarinifòlium Lab.
3 ferrugíneus DC. (*ye*) ferruginous ——— —— —— G ♄ Lab. nov. hol. v. 2. t. 180.
Eupatòrium ferrugíneum Lab.
4 diosmæfòlius DC.(*ye*) Diosma-leaved N. Holland 1827. —— G ♄
LEO'NTONYX DC. Leo'ntonyx. (λεων, a lion, and ονυξ, a claw; scales.) Syngen. Superflua.
1 squarròsus DC.(*pu.wh*) squarrose C. B. S. 1816. 7.10. G ♃ Jacq. frag. t. 3. f. 4.
Gnaphàlium squarròsum Jacq. *Spirálepis squarròsa* D. Don.

2 glomerètus DC. (*wh*) cluster-flowered C. B. S. 1774. 3. 9. G ♃
3 tinctus DC. (*bh*) stained ——— 1816. —— G ♃
4 declinàtus DC. (*wh*) creeping ——— 1787. 7. 9. G ♃
Gnaphàlium declinàtum W.

HELICHRY'SUM DC. HELICHRY'SUM. (ἥλιος, the sun, and χρυσος, gold.) Syngen. Superflua.

Sect. 1. EUHELICHRY'SUM; *receptacle naked; pappus scabrous.*

§ 1. OXYBE'LIA; *heads ovate or subglobose, small; scales white, acuminated, scarcely radiating.*

1 ericæfòlium DC. (*wh*) heath-leaved C. B. S. 1774. 6. 8. G ♄
Gnaphàlium ericoìdes L. *Stœ'be áspera* Th.
2 ericoìdes DC. (*wh*) heath-like ——— —— —— G ♄ Bot. mag. t. 435.

§ 2. DECLINA'TA; *heads ovate or semiglobose, small or middle-sized, many-flowered; scales whitish, hardly radiant, ending each in a bluntish appendage.*

3 serpyllifòlium DC. (*wh*) Thyme-leaved C. B. S. 1774. 7.10. G ♄ Volck. norib. t. 194.
Gnaph. helianthemifòlium Burm.

§ 3. SPHÆROCE'PHALA; *heads nearly globose, many-flowered; scales blunt, white, rarely purplish or straw-coloured, conniving.*

4 stellatum DC. (*wh*) starry C. B. S. .... G ♄ Burm. afr. t. 80. f. 12.
Gnaphàlium frùgrans Sieb. *cárneum* Schrank.
5 grandiflòrum DC. (*w*) great-flowered C. B. S. 1731. 6. 8. G ♄ Burm. afr. t. 76. f. 1.
Gnaphàlium grandiflòrum W.
6 frúticans DC. (*wh*) frutescent ——— 1779. —— G ♄ Bot. mag. t. 1802.
Astélma frùticans B.R. 726. *Gnaphàlium frúticans* B.M. *grandiflòrum* A.R. 489.
7 crassifòlium DC. (*ye*) thick-leaved C. B. S. 1774. 7. 9. G ♄
8 felinum DC. (*wh.fl*) cat's ——— 1791. 5. 6. G ♄ Bot. reg. t. 243.
discolòrum D. Don. *congéstum* D. Don. *Gnaphàlium congéstum* B.R.
β *subhirsùtum* (*wh.fl*) *hairy* C. B. S. 1791. 5. 6. G ♄ Bot. mag. t. 2328.
Gnaph. congéstum B.M.
9 sanguíneum DC. (*re*) bloody Egypt 1768. 5. 7. H ♃ Rauw. it. 285. t. 37.

§ 4. XERANTHEMOI'DEA; *scales of involucrum more or less acuminated, radiating, shining, white, rarely purple or yellowish; leaves narrow, usually recurved.*

10 paniculàtum DC. (*wh*) corymb.-flower'd C. B. S. 1800. 6. 9. G ♄ Burm. afr. t. 67. f. 1.
argénteum A.R. 552. *nec aliorum.*
11 argénteum DC. (*wh*) silvery ——— —— —— G ♄
12 frùgrans A.R. (*ro*) fragrant ——— 1803. 7. 9. G ♄ Andr. reposit. t. 313.
Elichry'sum frùgrans A.R.
13 retórtum DC. (*wh*) trailing ——— 1732. 7. 8. G ♄ Dill. elth. t. 322. f 415.
14 striàtum DC. (*wh*) rigid-leaved ——— 1801. 5. 6. G ♄ Andr. reposit. t. 387.
rígidum H.K.

§ 5. STŒCHADI'NA; *heads middle-sized, aggregate, corymbose; scales yellow, rarely white.*

15 Lamárckii DC. (*wh*) Lamarck's S. Europe 1774. 7. 9. G ♄
Gnaphàlium crassifòlium Lam. *ambíguum* P.S.
16 cæspitòsum DC. (*ye*) tufted Sicily .... 7. 9. G ♄ Viv. lib. t. 111. f. 5.
Stœ'chas β DC. *Gnaphàlium cæspitòsum* Presl. *conglobàtum* Viv.
17 Stœ'chas DC. (*ye*) com. shrubby S. Europe 1629. 6.10. H ♄ Barrel. ic. 410.
18 angustifòlium DC. (*ye*) narrow-leaved ——— 1818. —— H ♄ ——— t. 1125.
Gnaphàlium angustifòlium P.S. *Itálicum* W.en.
19 rupéstre DC. (*ye*) rock Naples 1830. 6.10. H ♄
20 microphy'llum DC. (*ye*) small-leaved Crete 1823. —— G ♄
21 ignéscens DC. (*re*) red-flowered C. B. S. 1731. —— G ♄
22 orientàle DC. (*ye*) eastern Africa 1629. 4. 8. G ♄ Comm. hort. 2. t. 55.
23 arenàrium DC. (*ye*) sand Europe 1739. 7. 9. H ♃ Bot. mag. t. 2159.
24 gravèolens DC. (*ye*) strong-smelling Tauria 1819. —— H ♃
Gnaphàlium gravèolens M.B.
25 rútilans DC. (*ye*) shining-flower'd C. B. S. 1731. 6. 7. G ♃ Dill. elt. t. 107. f. 127.
26 squammòsum DC. (*ye*) scaly ——— 1802. 7. 9. G ♃ Bot. mag. 1773.
Xeránthemum herbàceum A.R. t. 487. *Elichry'sum spléndens* B.M.

§ 6. XEROCHLÆ'NA; *heads homogamous or heterogamous, ample, many-flowered, radiant; scales yellow or white; achenia glabrous; pappus pilose; bristles bearded at top; heads solitary or loosely corymbose, on long peduncles.*

27 fœ'tidum DC. (*ye*) strong-scented C. B. S. 1692. 6. 9. G ♂ Bot. mag. t. 1987.
Gnaphàlium fœ'tidum B.M.
28 fúlgidum DC. (*ye*) great yellow ——— 1774. 2.10. G ♃ Bot. mag. t. 414.
29 dealbàtum DC. (*wh*) herbaceous V.Diem.Isl. 1812. 1.12. G ♃ Lab. nov. hol. 2. t. 190.
30 bícolor R.R. (*wh.ye*) two-coloured ——— .... —— H ⊙ Bot. reg. t. 1814.
31 bracteàtum DC. (*ye*) wave-leaved N. Holland 1799. 7. 9. H ⊙ Andr. reposit. 375.
chrysánthum P.S. *Xeránthemum bracteàtum* V.M t. 2. *lùcidum* Maunde.
β *álbidum* DC. (*wh*) *white-scaled* ——— .... 7. 9. H ⊙
32 macránthum DC. (*wh.pk*) large-flowered Swan River 1838. —— H ⊙ Bot. reg. s. 2. t. 58.

§ 7. CYLI'NDRICA; *involucrum cylindrical, few-flowered; scales adpressed or squarrose.*

33 cylíndricum DC. (*ye*) cylindrical C. B. S. 1780. 6. 8. G ♃ Pluk. phyt. 298. f. 4.
34 imbricàtum DC.(*re.ye*)imbricated ——— .... —— G ♄ Burm. afr. t. 80. f. 2.
Gnaphàlium imbricàtum L. *discolòrum* L.

Sect. 2. BLEPHARO'LEPIS; *heads largish, homogamous or heterogamous; scales attenuated into slend ciliated stipes; achenia glabrous; pappus pilose, scabrous, bearded at apex.*

35 apiculàtum DC. (*ye*) N. Holland V.Diem.Isl.1804. 1.12. G ♄ Bot. reg. t. 240.
Gnaphàlium apiculàtum B.R.
36 scorpioìdes DC. (*ye*) scorpion-like ——— 1837. —— G ♄ Lab. nov. holl. 2. t. 191
Sect. 3. TAXO'STICHE; *involucrum cylindrical; scales not spirally disposed, but lying over each other i 2 to 5 incumbent series, white, glabrous; outer ones shorter, inner ones longer and blunter, erect receptacle narrow, convex, fimbrilliferous, or areolate.*

37 Zeyhèri DC. (*wh*) Zeyher's C. B. S. 1821. 5. 7. G ♄
Pentatáxis micrántha D. Don.

Sect. 4. LEPICLI'NÆ; *receptacle paleaceously fimbrilliferous; pappus scabrous.*

38 undàtum DC.(*wh.re*)waved C. B. S. .... 5. 7. G ♄
Gnaphàlium críspum W.
39 odoratíssimum DC.(*ye*)sweet-scented ——— 1691. 4. 8. G ♄ Mill. ic. 1. t. 131. f. 2.
40 cymòsum DC.(*ye.wh*) branching Africa 1731. —— G ♄ Dill. elth. t. 107. f. 128.
41 parviflòrum DC. (*ye*) small-flowered C. B. S. —— —— G ♄ Burm. afr. t. 77. f. 1.
Gnaphàlium níveum L. *cérnum* Th. *cítrinum* Schranck.
42 marítimum DC. (*ye*) sea-side C. B. S. 1772. 6. 8. G ♄ Burm. afr. t. 77. f. 2.
Gnaphàlium maritimum L. *dasyánthum* W.en.
43 teretifòlium DC. (*wh*) round-leaved C. B. S. 1812. —— G ♄ Burm. afr. t. 77. f. 2.
Gnaphàlium tephròdes Lk.en. *teretifòlium et ericoìdes* W.
44 críspum DC. (*wh*) curled C. B. S. 1809. 6. 8. G ♄ Breyn. prod. t. 18. f. 3.
45 auriculàtum DC.(*wh*) auricled ——— 1771. 8. 1. G ♄
panduræfòlium Schranck. *Gnaphàlium pátulum* Berg.
46 cárneum P.S. (*fl*) flesh-coloured C. B. S. 1816. 4. 6. G ♄

PANÆ'TIA DC. PANÆ'TIA. (meaning unknown.) Syngenesia Superflua.
fúlva B.R. (*ye*) fulvous Swan River 1838. 4. 7. G ⊙

LEUCOSTE'MMA D.D. LEUCOST'EMMA. (λευκος, white, and στεμμα, a crown.) Syng. Superfl.
1 vestìtum D.D. (*wh*) upright C. B. S. 1774. 7. 9. G ♄ Burm. afr. t. 66. f. 1.
Elichry'sum vestìtum W. *Helichry'sum vestitum* DC.
2 lingulàtum D.D.(*wh*) tongue-leaved C. B. S. 1812. —— G ♄

ASTE'LMA Br. ASTE'LMA. (*a* priv. and στελμα, a crown; fruit.) Syngenesia Superflua.
1 exímium B.R. (*re*) giant C. B. S. 1793. 6. 9. G ♄ Bot. reg. t. 532.
Gnaphàlium exímium A.R. 654. *Helípterum exímium* DC.
2 milleflòrum D.D.(*wh*) many-flowered C. B. S. 1802. 6. 9. G ♄
Gnaphàlium milleflòrum W. *Helípterum p lomoìdes* DC.
3 Stæhelìna D.D. (*ye*) keel-leaved C. B. S. 1801. 12.3. G ♄ Andr. rep. t. 428.
4 crassifòlium D.D.(*ye*) thick-leaved ——— 1816. 3. 5. G ♄
5 proteoìdes D.D. (*wh*) Protea-like ——— 1821. —— G ♄
6 speciosíssimum D.D.(*wh*)showy ——— 1691. 7. 9. G ♄ Andr. reposit. t. 51.
Xeránthemum speciosíssimum A.R. *Elichry'sum speciosíssimum* W.
7 lineàris D.D. (*wh*) linear-leaved C. B. S. 1816. 7. 9. G ♄
8 spiràlis D.D. (*re.wh*) spiral-leaved ——— 1801. 7.10. G ♄ Andr. reposit. t. 262.
Elichry'sum spiràle W.
9 variegàtum D.D. (*v*) large globular-fld. ——— —— 5. 6. G ♄
10 imbricàtum D.D (*ro*) imbricated ——— 1816. —— G ♄
Elichry'sum imbricàtum W. *Xeránthemum imbricàtum* L.
11 canéscens D.D. (*ro*) elegant C. B. S. 1794. 8. 4. G ♄ Bot. mag. t. 420.
12 modéstum Sie. (*fl*) modest ——— 1815. 6. 7. G ♄ ——— t. 2710.
Gnaph. modéstum B.M. *Syncárpha gnaphaloìdes* DC. *Helip. gnaphalòdes* DC. *Stæhelìna gnaphalòdes* L.
13 virgàtum G. Don.(*wh*)twiggy C. B. S. .... —— G ♄ Bot. mag. t. 1697.
Helípterum virgàtum DC. *Pterònia pauciflòra* B.M.

APHELE'XIS DC. APHELE'XIS. (αφελης, simple, and εξις, habit; slender.) Syng. Superfl.
1 hùmilis DC. (*pu*) dwarf C. B. S. 1812. 6. 9. G ♄ Andr. reposit. t. 664.
Elichry'sum spectábile B.C. 59. *pinifòlium* P.S. *Helípterum hùmile* DC.
2 sesamoìdes D.D. (*pu*) superb C. B. S. 1739. 4. 6. G ♄ Bot. mag. t. 425.
Elichry'sum sesamoìdes W. *Xeránthemum sesamoìdes* B.M. *Helípterum sesamoìdes* DC.
3 heterophy'llaG.Don.(*wh.re*)variable-ld. C. B. S. 1799. 4. 6. G ♄ Andr. reposit. t. 279.
Helípterum heterophy'llum DC.
4 fasciculàta D.D. (*va*) bundle-leaved ——— —— 3. 9. G ♄ Andr. reposit. t. 242.
α lutéscens (*st*) *yellowish* ——— .... —— G ♄
β versicolor (*pu.wh*)*variegated-flower'd* ——— .... —— G ♄ Breyn. ic. t. 16. f. 2.
δ rubra (*sc*) *red-flowered* ——— .... —— G ♄ Andr. reposit. t. 650.
5 filifórmis GD. (*bh*) filiform ——— 1796. —— G ♄ Lodd. bot. cab. t. 1954.
Helichry'sum ericoìdes P.S. *Helípterum filifórmis* DC.

6 incàna G. Don. (*wh.pu*) hoary V. D. L. 1828. 5. 6. G ♃ Bot. mag. t. 2881.
Helichry'sum incànum B.M. *Helipterum incànum* DC.

ACHYROCLI'NE DC. ACHYROCLI'NE. (*αχυρον*, chaff, and *κλινη*, a bed.) Syng. Superfl.
alàtum DC. (*st*) winged Quito 1829. 7. 8. G ♃
Gnaphàlium alàtum K.S.

GNAPHA'LIUM DC. EVERLASTING. (*γναφαλον*, soft down; covered with.) Syng. Superfl.
Sect. 1. EUGNAPHA'LIUM; *achenia nearly terete.*
1 citrinum DC. (*or*) ctiron-coloured Chili 1835. 6. 7. F ♃
2 pubérulum DC. (*st*) puberulous ——— 1837. —— F ♃ Schr. pl. mon. t. 84.
3 Schradèri DC. (*pu*) Schrader's America —— —— F ♃
4 decúrrens DC. (*st*) decurrent N. America 1745. —— H ♃
5 undulàtum DC. (*wh*) wave-leaved Africa 1732. 6. 9. H ⊙ Dill. elth. t. 108. f. 130.
6 obtusifòlium L. (*wh*) blunt-leaved N. America 1699. 7. 9. H ⊙ ——— t. 108. f. 131.
7 purpùreum DC. (*pu*) purple-flowered S. America 1732. 6. 9. G ♂ ——— t. 109. f. 132.
8 coarctàtum W. (*gr*) crowded Chili 1820. —— H ♃
9 polycéphalum DC. (*st*) many-headed N. America 1826. —— H ⊙
10 liteo-àlbum DC. (*st*) Jersey Jersey .... 7. 8. H ⊙ Eng. bot. v. 14. t. 1002.
11 albéscens DC. (*wh*) white Jamaica Jamaica 1793. .... S ♄
12 uliginòsum DC. (*st*) marsh Britain .... 8. 9. H ⊙ Eng. bot. v. 17. t. 1194.
13 stachydifòlium DC. (*br*) Stachys-ld. Monte Video 1826. —— H ⊙
14 Berteriànum DC. (*br*) Bertero's Chili 1835. —— H ⊙
chilénse S.S.
15 spicàtum DC. (*ru*) spicate America 1817. 7. 9. F ♃
coarctàtum W.
16 americànum DC. (*br*) Jamaica Jamaica 1815. .... S ♃
17 pensylvánicum DC (*st*) American N. America —— 7. 9. H ⊙
18 sylváticum DC. (*st*) highland Britain .... 8. 9. H ♃ Eng. bot. v. 13. t. 913.
19 réctum Smith. (*br*) upright wood ——— .... —— H ♃ ——— v. 2. t. 124.
20 cónicum ♃ (*ye*) conical S. Europe 1824. 6. 10. H ♄
Sect. 2. EUCHI'TON; *achenia subcompressed; scales of involucrum rufous, usually propped by foliaceous bracteas.*
21 involucràtum DC. (*gr*) involucred N. Zealand 1823. 7. 8. G ♃ Bot. mag. t. 2582.
22 cephaloídeum W. (*br*) headed N. Europe 1818. 6. 7. H ⊙
globòsum Horn.

Species not sufficiently known.
23 lasiocaúlon Swt. (*wh*) woolly-stalked C. B. S. 1823. 6. 9. G ♄
24 acuminàtum Swt. (*wh*) taper-pointed N. Holland 1812. —— G ♄
25 resedifòlium Trev... Reseda-leaved ..... 1836. —— H ⊙
26 candelábrum Horn. chandelier ..... —— —— H ⊙

OMALOTHE'CA DC. OMALOTHE'CA. (*ὁμαλος*, smooth, and *θηκη*, a sheath.) Syng. Superfl.
supìna DC. (*br*) dwarf Scotland .... 6. 7. H ♃ Eng. bot. v. 17. t. 1193.
Gnaphàlium supìnum Vill.
β *subacaúlis* DC. (*br*) *small* Sweden 1818. —— H ♃ Krock. siles. t. 41.
Gnaphàlium pusillum Hænke.

CLADOCHÆ'TA DC. CLADOCHÆ'TA. (*κλαδος*, a branch, and *χαιτη*, a head of hair.) Syng. Æqu.
candidíssima DC. (*ye*) white-leaved Caucasus 1819. 7. 9. H ♃
Gnaphàlium candidissimum M.B.

FILA'GO DC. FILA'GO. (*filum*, a thread; hairy.) Syngenesia Superflua.
1 germánica DC. (*st*) common Britain .... 6. 8. H ⊙ Eng. bot. v. 14. t. 948.
Gnaphàlium germánicum L.
β *pyramidàta* DC. (*st*) *pyramidal* S. Europe 1779. —— H ⊙
2 gállica DC. (*st*) narrow-leaved England .... —— H ⊙ Eng. bot. v. 33. t. 2369.
3 montàna DC. (*st*) mountain Europe 1820. —— H ⊙
4 mínima G.D. (*st*) least Britain .... 7. 8. H ⊙ Eng. bot. v. 17. t. 1157.
5 arvénsis DC. (*st*) corn Europe 1804. —— H ⊙ Flor. dan. t. 1275.
β *Lagòpus* DC. (*wh*) *Hare's-foot* Siberia 1820. —— H ⊙
6 neglécta DC. (*wh*) neglected France .... —— H ⊙

Species not sufficiently known.
7 austràlis F. (*st*) southern S. Europe 1823. 7. 8. H ⊙
8 Sellówii LK. (*st*) Sellow's Buen. Ayres 1828. —— H ⊙
9 pompeyàna E. (*st*) Egyptian Egypt 1820. —— H ⊙

METALA'SIA DC. METALA'SIA. (*μετα*, a change, *λασιος*, woolly; turned leaves.) Syng. Superf.
1 muricàta DC. (*ro*) muricate C. B. S. 1816. 6. 9. G ♄
2 divérgens DC. (*wh*) spreading ——— —— —— G ♄ Burm. afr. t. 72. f. 2.
Gnaphàlium divérgens W.
3 fastigiàta Swt. (*wh*) close-flowered ——— 1812. 5. 8. G ♄ Petiv. gaz. 12. t. 7. f. 3.
Gnaphàlium fastigiàtum W.
4 aúrea DC. (*ye*) golden ——— 1816. —— G ♄
5 mucronàta L.T. (*ye*) mucronate ——— 1824. —— G ♄ Burm. afr. t. 66. f. 3.

6 púngens DC. (*wh*) pungent C. B. S. 1815. 5. 8. G ♄
7 phylicoìdes DC. (*wh*) Phylica-leaved ——— 1816. —— G ♄
8 pulchérrima DC. (*wh*) Gnaphalium-like ——— 1824. —— G ♄ Burm. afr. t. 77. f. 1.
Stœ'be gnaphaloìdes Th.
9 cephalòtes DC. (*wh.re*) large-headed ——— 1789. 11. 1. G ♄ Pluk. phyt. t. 410. f. 2.

ERYTHROPO'GON DC. Erythropo'gon. (*ερυθρος*, red; *πωγων*, a beard.) Syngenesia Æqualis.
1 imbricàtus DC. (*wh*) imbricated C. B. S. 1816. 5. 8. G ♄ Lam. ill. t. 693. f. 3.
Metalàsia unifloìra DD.
2 umbellàtus DC. (*ro*) umbellate ——— —— —— G ♄
Metalàsia umbellàta D.D.

DISPARA'GO DC. Dispara'go. (*dispar*, unequal; corollas.) Syngenesia Segregata.
ericoìdes DC. (*wh*) Heath-like C. B. S. 1816. 7. 9. G ♄ Moris. s. 7. t. 18. f. 12.
Stœ'be ericoìdes Th.

Division IV.—Seriphie'æ. DC. prod. 6. p. 259.

STOŒ'BE DC. Stœ'be. (*στιβας*, a bed of leaves; used as.) Syngenesia Segregata.
1 æthiópica DC. (*wh*) Juniper-leaved C. B. S. 1759. 8. G ♄ Lam. ill. t. 722.
Seriphium æthiópicum P.S.
2 gomphrenoìdes DC. (*w*) Gomphrena-like ——— —— —— G ♄ Houtt. syst. 4. t. 34. f. 1.
3 alopecuroìdes DC. (*wh*) foxtail-like ——— —— —— G ♄ Pluk. alm. t. 445. f. 72.

SERI'PHIUM DC. Seri'phium. (*σεριφιον*, sea wormwood.) Syngenesia Segregata.
cinèreum DC. (*wh*) Heath-leaved C. B. S. 1774. 8. G ♄ Pluk. mant. t. 297. f. 1.
Stœ'be cinèrea P.S.

Division V.—Antenarie'æ. DC. prod. 6. p. 264.

TRICHO'GYNE DC. Tricho'gyne. (*θριξ*, a hair, and *γυνη*, a female; styles.) Syng. Superflua.
1 refléxa DC. (*wh*) reflex-leaved C. B. S. 1816. 5. 8. G ♄
Stœ'be refléxa L.
2 seriphioìdes DC. (*wh*) Seriphium-like ——— 1825. —— G ♄
Metalàsia seriphioìdes D.D.
3 cauliflòra DC. (*wh*) stem-flowering Egypt .... —— H ⊙ Lab. syr. dec. 4. t. 2. f. 1.

PHŒNO'COMA DC. Phœno'coma. (*φοινος*, bloody, and *κομη*, hair; involucr.) Syng. Superflua.
prolífera DC. (*pu*) proliferous C. B. S. 1789. 5. 11. G ♄ Bot. reg. t. 21.
Elichry'sum prolíferum B.R. *Xeránthemum prolíferum* L.

PETALA'CTE DC. Petala'cte. (*πεταλον*, a petal, and *ακτη*, the sea-shore; habitat.) Syng. Superf.
1 coronàta DC. (*wh*) crowned C. B. S. 1816. 5. 7. G ♄ Burm. afr. t. 69. f. 3.
Gnaphàlium coronàtum W.
2 bícolor DC. (*pu.wh*) two-coloured ——— —— —— G ♄

ANAXE'TON DC. Anaxe'ton. (not explained.) Syngenesia Superflua.
arboréscens DC. (*re*) shrubby C. B. S. 1770. 2. 8. G ♄
Gnaphàlium arboréscens L. *arbòreum* L.

ANTENNA'RIA DC. Antenna'ria. (pappus, like antennæ of insects.) Syngenesia Superflua.
1 dioíca DC. (*ro*) red-flowered Britain .... 5. 7. H ♃ Eng. bot. v. 4. t. 267.
Gnaphàlium dioícum E.B.
2 hyperbòrea DD. (*wh.ro*) northern Skye .... —— H ♃ Eng. bot. suppl. t. 2640.
3 alpina DC. (*wh*) Alpine Alps Europe 1775. 6. 7. H ♃ Rchb. pl. crit. 8. t. 750.
4 carpática DC. (*wh*) Carpathian Carp. mount —— —— H ♃ Flor. dan. t. 332.
Gnaphàlium alpinum W. *non* L.
5 plantagínea DC. (*wh*) Plantain-leav'd Virginia 1759. 6. 7. H ♃ Pluk. alm. t. 348. f. 9.
Gnaphàlium plantagíneum W.
6 margaritàcea DC. (*wh*) pearly England .... 7. 9. H ♃ Eng. bot. v. 29. t. 2018.
7 triplinérvis DC. (*wh*) triple-nerved Nepaul 1823. 6. 9. F ♃ Bot. mag. t. 2468.
8 contórta DC. (*wh*) twisted-leaved ——— 1818. —— F ♃ Bot. reg. t. 605.

LEONTOPO'DIUM DC. Lion's-foot. (*λεων*, a lion, and *πους*, a foot; heads.) Syng. Superflua.
1 alpìnum DC. (*wh*) Swiss Switzerland 1776. 6. 7. H ♃ Bot. mag. t. 1958.
Gnaphàlium Leontopòdium B.M.
2 sibíricum DC. (*wh*) Siberian Siberia 1829. —— H ♃ Rchb. pl. crit. 10. t. 961.

Division VI.—Leysse'reæ. DC. prod. 6. p. 276.

ATHRI'XIA DC. Athri'xia. (α, priv., and θριξ, a hair; recept.) Syngenesia Superflua.
capénsis DC. (li) Cape C. B. S. 1823. 5. 8. G ♃ Bot. reg. t. 681.
A'ster crinìtus Th.
LEYSSE'RA. Leysse'ra. (M. Leysser, auth. of Flora Halensis.) Syngenesia Superflua.
1 gnaphalioìdes DC.(or)woolly C. B. S. 1774. 7. 9. G ♄ Jacq. ic. 3. t. 558.
2 capillifòlia DC. (st) Leyssera-like Africa 1824. 6. 8. H ⊙
Gnaphàlium leysseroìdes Df. *Péctis discoìdea* H.H. *Longchámpia capillifòlia* W.

Division VII.—Relhanie'æ. DC. prod. 6. p. 280.

CARPE'SIUM DC. Carpe'sium. (καρπησιον, a slender straw; scales.) Syngenesia Superflua.
1 cérnum DC. (ye) drooping Austria 1739. 7. 8. A ♃ Jacq. aust. 3. t. 204.
2 abrotanoìdes DC.(ye) Southernwood-like China 1768. —— H ♃ Osbeck. it. t. 10.
3 torulòsum F. (ye) twisted Siberia 1823. 6. 8. H ♃
4 Wulfeniànum Schreb.(ye)Wulfen's ..... 1829. —— H ♂
NESTLE'RA DC. Nestle'ra. (C. G. Nestler, bot. author.) Syngenesia Superflua.
biénnis DC. (ye) biennial C. B. S. 1820. 7. 9. G ♂ Jacq. schœn. 3. t. 301.
Columéllea biénnis S.S.
RELHA'NIA DC. Relha'nia. (Rich. Relhan, author of Flora Cantabr.) Syngenesia Superflua.
1 squarròsa DC. (ye) cross-leaved C. B. S. 1774. 5. 6. G ♄
2 pedunculàta DC. (ye) dwarf ——— 1824. 5. 8. G ♄
3 paleàcea DC. ♃ (ye) chaffy ——— 1825. —— G ♄ Gært.fruct.2.t.173.f.9.
Leyssèra paleàcea Gært.
ECLO'PES DC. Eclo'pes. (not explained.) Syngenesia Superflua.
1 genistæfòlia DC. (ye) Genista-leaved C. B. S. 1823. 5. 7. G ♄
Relhània genistæfòlia L'her.
2 trifòra DC. (ye) pungent-leaved ——— 1820. 6. 8. G ♄ Bot. reg. t. 587.
Relhània púngens B.R. *lateriflòra* Lk.
OSMITES DC. Osmi'tes. (οσμη, perfume; smell of camphor.) Syngenesia Frustranea.
1 bellidiástrum DC.(wh)Daisy-like C. B. S. 1816. 4. 8. G ♄
2 dentàta Th. (ye) toothed ——— 1790. —— G ♄ Seb. mus. 1. t. 90. f. 2.
camphorìna Gærtn. Lin.
OSMITO'PSIS DC. Osmito'psis. (resemblance to Osmites.) Syngenesia Frustranea.
asteriscoìdes DC.(wh)starry C. B. S. 1823. 4. 7. G ♄ Burm. afr. t. 58. f. 1.
Osmites asteriscoìdes L.

Subtribe VIII. *SENECIONEÆ*. DC. prod. 6. p. 292.

Division I.—Neurolæ'neæ. DC. prod. 6. p. 292.

NEUROLÆ'NA DC. Neurolæ'na. (νευρον, a nerve, and χλαινα, a cloak; scales.) Syng. Æqualis.
lobàta DC. (ye) halberd-weed W. Indies 1733. 6. 7. S ♄ Bot. mag. t. 1734.
Cèlea lobàta B.M.

Division II.—Erechti'deæ. DC. prod. 6. p. 293.

ERECHTHITES DC. Erechthi'tes. (meaning unknown.) Syngenesia Superflua.
1 carduifòlia DC. (pu) Thistle-leaved .... 6. 7. H ⊙
Senècio carduifòlius Desf.
2 hieracifòlia DC. (ye) Hawkweed-ld. N. America 1699. 8. H ⊙ Herm. parad. t. 226.
Senècio hieracifòlius L. *Cinera'ria canadénsis* W.

3 valerianæfòlia DC. (*ye*) Valerian-leaved Brazil 1826. 6.10. F ⊙ Rchb. exot. 1. t. 85.
4 ambígua DC. (*ye*) Cacalia-like ——— 1820. —— H ⊙
Senècio cacalioìdes L. en.
5 glomeràta DC. (*ye*) close-flowered N. Holland 1816. 8.10. H ⊙

ERIO'THRIX DC. ERIO'THRIX. (ἔριον, wool, and θριξ, a hair; pappus.) Syngenesia Superflua.
lycopodioìdes DC. (*wh*) Clubmoss-like Mauritius 1828. .... S ♄ Lam. ill. t. 697. f. 2.
Cony'za lycopodioìdes Lam. *Báccharis lycopodioìdes* S.S.

CREMOCE'PHALUM DC. CREMOCE'PHALUM. (κρεμαω, to suspend, and κεφαλη, a head.) Sy. Sup.
cérnuum DC. (*pu*) drooping E. Indies 1780. 7. 8. H ⊙ Jacq. vind. 3. t. 98.
Senècio cérnuus H.K. *rùbens* Jacq. *uniflòrus* Retz. *purpùreus* W.

DIVISION III.—EUSENECIO'NEÆ. DC. prod. 6. p. 298.

GYNU'RA DC. GYNU'RA. (γυνη, a female, and ουρα, a tail.) Syngenesia Æqualis.
1 Pseùdo-China DC. (*or*) Chinese China 1732. 6. 8. G ♃ Dill. elth. t. 258. f. 335.
Senècio pseùdo-Chìna L.
2 hæmatophy'lla DC. (*ye*) purple-leaved C. B. S. 1789. 6.10. G ♄
3 bícolor DC. (*or*) two-coloured E. Indies 1804. 9. 5. S ♄ Bot. reg. t. 110.
Cacàlia bícolor B.R.
4 ovàlis DC. (*ye*) oval-leaved China .... 5. 9. S ♄ Bot. reg. t. 102.

EMI'LIA Cas. EMI'LIA. (evidently from the name of a lady.) Syngenesia Æqualis.
1 sagittàta DC. (*or.pu*) flame-flowered Java 1823. 6. 9. S ⊙
flámmea Cas. *Cacàlia sagittàta* W.
2 sonchifòlia W. (*re*) Sonchus-leaved E. Indies 1768. 7. S ⊙ Rheed. mal. 10. t. 68.
Cacàlia sonchifòlia L.
3 coccínea B.M. (*sc*) scarlet-flowered S. America 1799. 6. 7. H ⊙ Bot. mag. t. 564.

BRACHYSTE'PHIUM DC. BRACHYSTE'PHIUM. (βραχυς, short, and στεφος, a crown.) Syng. Super.
diversifòlium DC. (*wh*) diverse-leaved N. Holland .... H ⊙ Bot. reg. t. 1026.
Pyrèthrum diversifòlium Graham.

CINERA'RIA DC. CINERA'RIA. (*cineres*, ashes; down on leaves.) Syngenesia Superflua.
1 geifòlia DC. (*ye*) kidney-leaved C. B. S. 1710. 4. 8. G ♄ Comm. hort. 2. t. 73.
2 canéscens DC. (*ye*) small-flowered ——— 1790. —— G ♄ Bot. mag. t. 1990.
3 lobàta DC. (*ye*) lobed ——— 1774. 6. 8. G ♄
4 humifùsa DC. (*ye*) trailing ——— 1704. 7. 8. G ♃
5 viscòsa DC. (*wh*) clammy ——— 1774. 6. 8. G ♂ Jacq. frag. 12. t. 7. f. 2.
6 scapifiòra DC. (*ye*) long-peduncled ——— 1828. 5. 6. G ♃

SENECI'LLIS DC. SENECI'LLIS. (a dim. of *Senecio*.) Syngenesia Superflua.
glaúca DC. (*ye*) glaucous Siberia 1790. 6. 7. H ♂ Gmel. sib. 2. t. 74.
Cinerària glaúca W.

LIGULA'RIA. DC. LIGULA'RIA. (*ligula*, a little tongue; ray-flowers ligulate.) Syngen. Superf.
1 altàica DC. (*ye*) Altaian Altaia 1837. 6. 8. H ♃
2 sibírica DC. (*ye*) Siberian Siberia 1784. —— H ♃ Bot. mag. t. 1869.
Cinerària sibírica W. et K.
3 speciòsa Schra. (*ye*) large-flowered ——— 1818. —— H ♃ Bot. reg. t. 812.
4 caucásica M.B. (*ye*) Caucasean Caucasus 1820. —— H ♃
5 thyrsoídea DC. (*ye*) thyrsoid Altaia 1837. —— H ♃ Led. ill. t. 157.
Senècio sibírica L. *Cinerària thyrsoídea* Led.

A'RNICA DC. A'RNICA. (αρνακις, a lamb's skin; leaves.) Syngenesia Superflua.
1 montàna DC. (*ye*) mountain Europe 1731. 7. 8. H ♃ Bot. mag. t. 1749.
2 angustifòlia DC. (*ye*) narrow-leaved Greenland 1827. 6. 8. H ♃ Flor. dan. t. 1524.
3 fúlgens DC. (*ye*) glossy-flowered Missouri 1826. —— H ♃
4 marítima L. (*ye*) sea-side Kamtschatka 1821. —— H ♃

ARO'NICUM DC. ARO'NICUM. (altered from *Dorònicum*.) Syngenesia Superflua.
1 scorpioìdes DC. (*ye*) alternate-leaved Austria 1710. 6. 8. H ♃ Jacq. aust. 4. t. 349.
A'rnica scorpioìdes L.
2 glaciàle W. (*ye*) alpine Germany 1816. 7. 8. H ♃ Jacq. ic. 3. t. 586.
3 Dorónicum DC. (*ye*) Clusius's Austria —— —— H ♃ Jacq. aust. 1. t. 92.
A'rnica Clùsii All. t. 17. f. 1. 2. *A'rnica Dorónicum* Jacq.
4 altàicum DC. (*ye*) Siberian Siberia 1783. 6. 8. H ♃ Pall. a. pet. 1779. t. 16.

DORO'NICUM DC. LEOPARD'S-BANE. (*doronigi*, Arabic name.) Syngenesia Superflua.
§ 1. *Radical leaves cordate.*
1 Pardaliánches DC. (*ye*) great Britain .... 5. H ♃ Eng. bot. t. 2654.
2 macrophy'llum DC. (*ye*) large-leaved Europe 1821. —— H ♃
3 austriàcum DC. (*ye*) Austrian Austria 1816. —— H ♃ Jacq. aust. t. 130.
4 Colúmnæ DC. (*ye*) Columna's Naples 1826. 4. 6. H ♃ Ten. flor. nap. 2. t. 79.

5 caucásicum DC. (*ye*) Caucasean — Caucasus — 1815. 4. 6. H ♃ — Bot. mag. t. 3143.
orientàle W. en.
§ 2. *Radical leaves ovate.*
6 dentàtum DC. (*ye*) toothed — ..... — 1825. 5. 6. H ♃
7 plantagíneum DC. (*ye*) Plantain-leaved — S. Europe — 1570. —— H ♃ — Lob. icon. t. 648. f. 2.
8 scorpioides DC. (*ye*) mountain — Britain — .... 4. 6. H ♃ — Eng. bot. t. 630.
perdatiánches K.B.

CACA'LIA DC. — CACA'LIA. (*κακος*, bad, and *λιαν*, exceedingly; for soil.) Syngenesia Æqualis.
Sect. 1. EUCACA'LIA; *receptacle naked, flat; flowers whitish.*
1 suavèolens DC. (*wh*) sweet-scented — N. America — 1752. 8.10. H ♃
2 runcinàta DC. (*ro*) runcinate — Mexico — 1825. .... H ♃
3 hastàta DC. (*wh*) spear-leaved — Siberia — 1780. 8.10. H ♃ — Gmel. sib. 2. t. 66.
4 cordifòlia DC. (*ye*) heart-leaved — Mexico — 1825. 7. 9. F ♃ — H. et B. 4. t. 350.
Sect. 2. CONO'PHORA; *receptacle conical; involucra* 5-*leaved*, 5-*flowered.*
5 striplicifölia DC. (*wh*) Orache-leaved — N. America — 1699. 8.10. H ♃ — Pluk. alm. t. 101. f. 2.
6 reniförmis DC. (*wh*) kidney-leaved — ——— — 1801. 7. 8. H ♃
7 tuberòsa DC. (*wh*) tuberous-rooted — ——— — 1812. —— H ♃
Sect. 3. AULACO'PHORA; *receptacle fimbrilliferous, conical; involucra* 10-12-*leaved, ecalyculate.*
8 reticulàta DC. (*ye*) netted — Bourbon — 1823. .... G ♄
Species not sufficiently known.
9 pinnàta DC. (*ye*) pinnate-leaved — Iberia — 1816. 7. 8. H ♃
10 rhombifòlia DC. (*st*) rhomb-leaved — Caucasus — —— 8.10. H ♃

PSACA'LIUM DC. — PSACA'LIUM. (*ψακας*, the dew.) Syngenesia Æqualis.
peltàtum DC. (*gr*) peltated — Mexico — 1825. 7. 8. G ♃ — H. et Bonpl. 4. t. 361.
Cacàlia peltàta K.S.

KLEI'NIA DC. — KLEI'NIA. (J. H. Klein, a German botanist.) Syngenesia Æqualis.
1 papillàris DC. (*wh*) rough-stalked — C. B. S. — 1727. .... G ♄ — Dill. elth. t. 55. f. 63.
Cacàlia papillàris H.S.
2 Anteuphórbium DC. (*st*) oval-leaved — ——— — 1596. 2. 3. G ♄ — Dill. elth. t. 55. f. 2. 3.
3 neriifòlia H.S. (*wh*) Oleander-leav'd — Canaries — 1732. 9.10. G ♄ — DC. plant. gras. t. 12.
Cacàlia Kleínia W.
4 ficoìdes DC. (*st*) flat-leaved — C. B. S. — 1710. 6.11. G ♄ — DC. plant. gras. t. 90.
5 radicans DC. (*ye*) rooting — ——— — .... —— G ♄
Cacàlia radicans L.
6 rèpens DC. (*st*) glaucous-leaved — ——— — 1759. 6.10. G ♄ — DC. plant. gras. t. 42.
7 cylíndrica DC. (*ye*) cylindrical — Africa — 1818. —— G ♄ — ——— t. ic.
8 carnòsa DC. (*st*) narrow-leaved — C. B. S. — 1757. 6. G ♄
9 Hawórthii DC. (*st*) woolly-leaved — ——— — 1795. .... G ♄
Cacàlia canéscens W. *Kleínia tomentòsa* H.S. *non C. tomentòsa* L.
10 pugioniförmis DC.... long-leaved — ..... — 1820. .... S ♄
Cacàlia longifòlia H.B.
11 articulàta DC. (*wh*) jointed — C. B. S. — 1775. 9.11. G ♄ — DC. plant. gras. t. 18.
laciniàta Jacq. ic. 1. t. 168.

SENECIO DC. — GROUNDSEL. (*senex*, an old man; recept. like a bald head.) Syngen. Superfl.
Ser. 1. CAUCA'SICI; *natives of Europe, North Africa, Levant, and Siberia.*
1 vulgàris DC. (*ye*) common — Britain — .... 1.12. H ⊙ — Eng. bot. v. 11. t. 747.
2 Decaisnèi DC. (*ye*) Decaisne's — Arabia — 1837. —— H ⊙
Crassocéphalum flàvum Decaisne.
3 arábicus DC. (*ye*) Arabian — Egypt — 1804. 7. 8. H ♂
4 verbenæfòlius DC. (*ye*) Vervain-leaved — ——— — 1803. 6. 7. H ⊙ — Jacq. vind. 1. t. 3.
5 triflòrus DC. (*ye*) three-flowered — ——— — 1776. 7. 9. H ⊙
6 ægy'ptius DC. (*ye*) Egyptian — ——— — 1771. 7. 8. H ⊙
7 viscòsus DC. (*ye*) stinking — Britain — .... 6.10. H ⊙ — Eng. bot. v. 1. t. 32.
8 sylváticus DC. (*st*) mountain — ——— — .... 7. 8. H ⊙ — ——— v. 11. t. 748.
9 lividus DC. (*ye*) livid — ——— — .... —— H ⊙ — ——— v. 35. t. 2515.
10 foeniculàceus DC. (*ye*) fennel-like — Naples — .... —— H ⊙ — Till. pis. t. 78.
11 trílobus DC. (*ye*) three-lobed — Spain — 1728. 6. 8. H ⊙
leucanthemifòlius DC.
12 crassifòlius DC. (*ye*) thick-leaved — S. Europe — 1815. —— H ⊙ — Barr. ic. t. 261.
13 Marmòræ DC. (*ye*) Sardinian — Sardinia — 1829. 4. 5. H ⊙
14 coronopifòlius DC. (*ye*) Buckshorn-ld — Spain — 1821. 7. 8. H ⊙
15 nebrodénsis DC. (*ye*) Nebrodes — S. Europe — 1704. 6. 8. H ♃ — Barrel. rar. 401.
lanuginòsus Presl.
16 rupéstris W. et K. (*ye*) rock — Hungary — 1805. 6. 7. H ♃ — W. et K. hung. 2. t. 128.
laciniàta Bert. *montànus* W. *nebrodénsis* β, *glabràtus* DC.
17 glaúcus DC. (*ye*) sea-green — Egypt — 1739. —— H ⊙
18 æthénsis DC. (*ye*) Etna — Sicily — 1836. —— H ⊙ — Cup. panph. t. 161.
19 chrysanthemifòlius DC. (*ye*) Chrysanthemum-ld. — Sicily — 1823. 7. 9. H ♃
20 vernàlis DC. (*ye*) spring — Hungary — 1803. 4. 6. H ⊙ — W. et K. hung. 1. t. 24.

21	squálidus Sm. (*ye*) inelegant *chrysanthemifòlius γ, latilòbus* DC.	England	....	6.10.	H	⊙	Eng. bot. v. 9. t. 600.
22	gállicus DC. (*ye*) French *laxiflòrus* Viv.	France	....	——	H	⊙	Viv. fl. lib. t. 11. f. 3.
23	delphinifòlius W. (*ye*) Larkspur-leav'd	Sicily	1823.	——	H	♂	Vahl. symb. 2. t. 43.
24	rapistroìdes DC. (*ye*) Rapistrum-like	Caucasus	1837.	——	H	⊙	
25	frígidus DC. (*ye*) frigid *Cinerària frígida* Richards.	N. America	1827.	5. 6.	H	♃	
26	alpìnus DC. (*ye*) Alpine	Austria	1683.	6. 8.	H	♃	Jacq. aust. 2. t. 177.
27	cordifòlius G.D. (*ye*) heart-leaved *Cinerària cordifòlia* Jacq.	———	1739.	7. 8.	H	♃	——— 2. t. 176.
28	auràtus DC. (*ye*) golden *Cinerària aúrea* L.	Siberia	1825.	6. 8.	H	♃	
29	taraxacifòlius DC. (*ye*) Dandelion-ld. *Cinerària taraxacifòlia* M.B.	Caucasus	1824.	——	H	♃	
30	lampsanoìdes DC. (*ye*) small-flowered *Cinerària parviflòra* M.B.	———	1827.	——	H	♃	
31	abrotanifòlius DC. (*ye*) Southernwood-ld.	Austria	1640.	7.10.	H	♃	Jacq. aust. 1. t. 79.
32	artemisiæfòlius DC. (*ye*) Wormwood-ld.	France	1820.	——	H	♃	
33	ambràceus DC. (*ye*) ambraceous *adonidæfòlius* Lois.	Siberia	1827.	——	H	♃	
34	erucæfòlius DC. (*ye*) Eruca-leaved	Europe	1816.	7. 8.	H	♃	
35	tenuifòlius Sm. (*ye*) slender-leaved *erucæfòlius β, tenuifòlius* DC.	Britain	....	——	H	♃	Eng. bot. v. 8. t. 574.
36	Jacobæ'a DC. (*ye*) common-ragwort	———	....	——	H	♃	Eng. bot. v. 16. t. 1130.
37	erráticus DC. (*ye*) water	S. Europe	1826.	5. 7.	H	♃	Rchb. pl. crit. 4. f. 538.
38	aquáticus DC (*ye*) marsh	Britain	....	——	H	♃	Eng. bot. v. 16. t. 1131.
39	præáltus DC. (*ye*) lofty *arenàrius* M.B.	Caucasus	1827.	7. 8.	H	♃	
40	Othónnæ DC. (*ye*) Othonna-like *Cinerària anómala* Flor. græc.	———	1822.	——	H	♃	Flor. græc. t. 872.
41	umbròsus DC. (*ye*) ear-leaved	Hungary	1815.	——	H	♃	
42	platyphy'llus DC. (*ye*) broad-leaved *Cinerària macrophy'lla* M.B.	Caucasus	1828.	8.10.	H	♃	
43	coriàceus DC. (*ye*) leathery-leaved	Levant	1728.	7. 8.	H	♃	Dill. elth. t. 105. f. 125.
44	Dòria DC. (*ye*) broad-leaved	Austria	1570.	7. 9.	H	♃	Jacq. aust. 2. t. 185.
45	macrophy'llus DC. (*ye*) large-leaved	Caucasus	1817.	——	H	♃	
46	eudòrus DC. (*ye*) golden *Cacàlia senecioìdes* Desf.	.....	1815.	——	H	♃	
47	cacaliáster DC. (*ye*) Cacalia-like *Cacàlia sarracénica* L.	France	——	——	H	♃	
48	paludòsus DC. (*ye*) Bird's-tongue	England	....	6. 8.	H	♃	Eng. bot. v. 10. t. 650.
49	Fúchsii DC. (*ye*) Fuchs's *nemorénsis* Lorey.	Switzerland	1819.	——	H	♃	
50	sarracénicus DC. (*ye*) creeping-rooted *Jacquiniànus* DC.	Britain	....	7.10.	H	♃	Eng. bot. v. 31. t. 2211.
	β nemorénsis W. (*ye*) *branching*	Austria	1785.	7. 8.	H	♃	Jacq. aust. 2. t. 184.
	γ flosculòsus DC. (*ye*) *flosculose croàticus* W. et K.	Hungary	1805.	——	H	♃	W. et K. hung. 2. t. 148.
	δ ovàtus DC. (*ye*) *oval-leaved*	Germany	1817.	——	H	♃	
51	leucophy'llus DC. (*ye*) white-leaved	S. Europe	1821.	——	H	♃	
52	ambíguus DC. (*ye*) shining-leaved	Sicily	1820.	——	F	♄	
53	linifòlius DC. (*ye*) Flax-leaved *Cinerària bícolor*.	Spain	1817.	——	H	♃	Barrel. rar. t. 802.
54	cineràrius DC. (*ye*) sea ragwort *Cinerària marítima* L.	S. Europe	1633.	7. 9.	F	♄	Flor. græc. t. 871.
55	gibbòsus DC. (*ye*) gibbous-headed *Cinerària gibbòsus* Guss.	Sicily	1827.	6. 8.	H	♄	
56	cándidus DC. (*ye*) white-nerved *Cinerària nebrodénsis* Guss. *cándida* Presl.	———	1823.	——	H	♄	Cup. pamph. 2. t. 165.
57	parviflòrus DC. (*ye*) small-flowered	Piedmont	——	——	H	♃	All. ped. t. 38. f. 3.
58	carniólicus DC. (*ye*) Carniolian	Carniola	1827.	7. 8.	H	♃	Sch. m. ph. 4. t. 15.
59	uniflòrus DC. (*ye*) one-flowered	S. Europe	1799.	——	H	♃	All. ped. t. 17. f. 3.
60	incànus DC. (*ye*) downy	———	1759.	——	H	♃	Pluk. alm. t. 39. f. 6.
61	Dorónicum DC. (*ye*) Leopard's-bane	———	1705.	——	H	♃	Jacq. aust. 5. t. ap. 45.
62	arachnoìdes DC. (*ye*) woolly *A'rnica lanígera* Ten.	Italy	1827.	——	H	♃	
63	pseùdo-Arnica DC. (*ye*) false Arnica *A'rnica marítima* L.	Siberia	....	——	H	♃	Hook. fl. b. am. 1. t. 113.

64	Tournefórtii DC. (*ye*) Peach-leaved *persicæfòlius* Ram.	Pyrenees	1817.	7. 8.	H	♃		Ram. bul. ph. t. 11. f. 3.
65	racemòsus DC. (*ye*) racemose *Cinerària racemòsa* M.B. *cáspica* P.S. *glabràta* Led. *auriculàta* Led.	Caucasus	——	——	H	♃		Led. ill. t. 94.
66	crispàtus DC. (*ye*) curled *Cinerària crispa* L.	Austria	1818.	6. 8.	H	♃		Jacq. aust. 2. t. 178.
67	rivulàris DC. (*ye*) rivulet *Cinerària rivulàris* W. et K.	Hungary	1822.	——	H	♃		W. et K. hung. t. 239.
68	cróceus DC. (*ye*) coppery	Austria	——	——	H	♃		Tratt. arch. 1. t. 48.
69	oviriénsis DC. (*ye*) thick-leaved *Cinerària crassifòlia* Kit.	Carinthia	1825.	——	H	♃		Rchb. ic. crit. f. 217.
70	alpéstris DC. (*ye*) rough-leaved	N. Europe	1826.	——	H	♃		Jacq. aust. t. 179.
71	spathulæfòlius DC. (*ye*) spathulate-ld.	Germany	1820.	——	H	♃		Rchb. pl. cr. 2. f. 240.
72	pappòsus DC. (*ye*) long-chaffed	Galicia	1828.	——	H	♃		
73	praténsis DC. (*ye*) field	———	——	——	H	♃		Rchb. pl. cr. 2. f. 218.
74	palústris DC. (*ye*) marsh	England	....	4. 7.	H	♃		Eng. bot. v. 3. t. 151.
75	aurantiacus DC. (*or*) orange-coloured	Switzerland	1818.	5. 7.	H	♃		Swt. br. fl. gar. t. 256.
76	campéstris DC. (*ye*) mountain	N. Europe	....	——	H	♂		Jacq. aust. t. 180.
77	integrifòlius R.B. (*ye*) entire-leaved	England	....	——	H	♃		Eng. bot. v. 3. t. 152.
78	longifòlius G.D. (*ye*) long-leaved *brachychæ'tus* DC.	Austria	1792.	6. 8.	H	♃		Jacq. aust. 2. t. 181.
79	congéstus DC. (*ye*) close-headed *Cinerària congésta* R.Br.	Melville Isl.	1827.	5. 6.	H	♃		
Ser. 2. CHINE'NSES; *natives of China and Japan.*								
80	sabaudifórmis DC. (*ye*) jagged-leaved *japónicus* Th.	Japan	1774.	8.	H	♃		
81	speciòsus DC. (*re*) red-flowered	China	1789.	7. 8.	G	♃		Bot. reg. t. 41.
Ser. 3. AUSTRALA'SICI; *natives of New Holland.*								
82	odoràtus DC. (*ye*) sweet-scented *Cacàlia odoràta* Desf.	N. Holland	1820.	——	G	♃		
Ser. 4. CAPE'NSES; *species natives of extra-tropical South Africa.*								
83	dentàtus DC. (*ye*) toothed-leaved	C. B. S.	1823.	5. 8.	G	♃		Jacq. coll. 5. t. 6. f. 2.
84	squamòsus DC. (*ye*) scaly	———	1816.	——	G	♃		
85	telephifòlius DC. (*ye*) Telephium-ld.	———	1823.	——	H	⊙		Jacq. frag. 1. t. 1. f. 3.
86	eróeus DC. (*st*) crenate *Cinerària crenàta* S.S.	———	1828.	4. 7.	G	♃		
87	cinerascens DC. (*ye*) gray	———	1774.	5. 7.	G	♄		Jacq. schœn. 2. t. 150.
88	lánceus DC. (*ye*) spear-leaved	———	——	7.10.	G	♄		
89	opórinus Jacq. (*ye*) Jacquin's	———	....	——	G	♃		Jacq. schœn. 3. t. 304.
90	longifòlius W. (*ye*) long-leaved	———	1775.	8.11.	G	♄		Comm. hort. 2. t. 71.
91	halimifòlius DC. (*ye*) succulent-leav'd	———	1723.	7.	G	♄		Dill. elth. t. 104. f. 124.
92	ilicifòlius W. (*ye*) Ilex-leaved	———	1731.	6. 7.	G	♄		Comm. rar. t. 42.
93	rígidus DC. (*ye*) hard-leaved	———	1704.	6. 9.	G	♄		Comm. hort. 2. t. 75.
94	solidaginoìdes W. (*ye*) Golden-rod-like	———	1819.	——	G	♄		Hout. syst. 4. t. 32. f. 1.
95	hastàtus W. (*ye*) halbert-leaved	———	1722.	5. 8.	G	♃		Dill. elth. t. 152. f. 184.
96	pubígerus W. (*ye*) runcinate-leav'd	———	1816.	——	G	♄		Moris. s. 7. t. 18. f. 32.
97	rigéscens DC. (*ye*) stiff-leaved	———	1815.	——	G	♄		Jacq. coll. 5. t. 6. f. 1.
98	nervàtus S.S. (*pu*) nerved-leaved	———	1824.	7. 8.	G	♄		
99	peucedanifòlius W. (*w*) Peucedanum-ld. *Cacàlia peucedanifòlia* Jacq.	———	1816.	6. 8.	G	♄		Jacq. ic. 3. t. 581.
100	reclinàtus W. (*ye*) grass-leaved	———	1774.	——	G	♂		Jacq. ic. 1. t. 174.
101	cordifòlius DC. (*ye*) heart-leaved	———	1827.	7. 9.	G	♃		
102	arenàrius S.S. (*ye*) sand	———	1826.	——	G	♃		
103	rosmarinifòlius DC. (*ye*) Rosemary-ld.	———	....	7. 8.	G	♄		Jacq. ic. 3. t. 587.
104	ásper DC. (*ye*) rough	———	1774.	——	G	♄		
105	scándens DC. (*ye*) climbing *Cacàlia scándens* Th.	———	——	4.	G	♃	◡	
106	deltoídeus DC. (*ye*) deltoid *Eupatòrium auriculàtum* Lam. *scándens* L.en.	———	——	——	G	♃	◡	
107	angulàtus DC. (*ye*) angular *Cinerària læ'vis* S.S.	C. B. S.	1828.	4. 7.	G	♃		
108	purpùreus DC. (*pu*) purple	———	1774.	7. 9.	G	♃		Jacq. ic. 3. t. 580.
109	erubéscens DC. (*bk*) blush-coloured	———	——	6.10.	G	♂		
110	pseùdo-élegans DC. (*pu*) false-elegant *élegans* Th.	———	1830.	——	G	♄		Bot. mag. t. 238.
111	venústus H.K. (*re*) wing-leaved *grandiflòrus* DC.	———	1774.	5.11.	G	♄		Bot. reg. t. 901.
112	élegans DC. (*re.wh*) elegant	———	1700.	6. 8.	H	⊙		Comm. hort. 2. t. 30.

	α rùber	(*re*) *red-flowered*	C. B. S.	1700.	6. 8.	H	⊙	
	β álbus	(*wh*) *white-flowered*	———	——	——	H	⊙	
	γ plèno-álbus	(*wh*) *double-white*	———	——	4.11.	G	♄	
	δ plèno-rùber	(*re*) *double-red*	———	——	——	G	♄	
113	umbellàtus DC.	(*ye.pu*) umbel-flowered	———	1822.	6. 8.	G	♄	Pluck. m. t. 421. f. 6.
114	lilácinus S.S.	(*li*) lilac-coloured	———	1826.	6.12.	G	♄	Bot. reg. t. 1342.
	glastifòlius DC.							
Ser. 5. CANARIE'NSES; *natives of the Canaries, Azores, and Madeira.*								
115	L'Heritièri DC.	(*pu*) woolly	Canaries	1780.	5. 9.	G	♄	Bot. mag. t. 53.
	Cinerària lanàta L'Her.							
116	maderénsis DC.	(*pu*) purple-flower'd	Madeira	1777.	6. 7.	G	♄	Bot. mag. t. 1786.
	Cinerària aúrita L'Her.							
117	elàtior L.en.	(*wh*) tall	.....	....	2. 5.	G	♄	
118	cruéntus DC.	(*pu*) purple-leaved	Canaries	1777.	——	G	♃	Bot. mag. t. 406.
	Cinerària cruénta Mass. *aurìta* A.R. 24. *nec aliorum.*							
	β lácteus DC.	(*wh*) *cream-coloured*	Canaries	——	——	G	♃	Jacq. eclog. t. 165.
	Cinerària hy'brida W.en.							
119	pulchéllus Swt.	(*re*) bright red-flowered	——	1818.	——	G	♃	
120	populifòlius DC.	(*re*) Poplar-leaved	———	1780.	6. 9.	G	♄	Venten. malm. t. 100.
	Cinerària populifòlia L'Her. *Cacàlia appendiculàta* Poir.							
121	lácteus DC.	(*wh*) milk-coloured	Palma	1816.	——	G	♄	Vent. malm. t. 100.
	Cinerària populifòlia var. *leucántha* Vent. et DC.							
122	malvæfòlius DC.	(*li*) Mallow-leaved	Azores	1777.	——	G	♃	
123	Tussiláginis DC.	(*pu*) Coltsfoot-like	Teneriffe	1832.	8.11.	G	⊙	Bot. reg. t. 1550.
Ser. 6. CARIBÆ'I; *natives of the West India Islands, South America.*								
124	denticulàtus DC.	(*ye*) American	S. America	1823.	....	S	♄	
	Cinerària Americàna L.							
125	jamaicénsis DC.	(*ye*) hoary	Jamaica	——	6. 8.	S	♄	
	Cinerària incàna Swt.							
126	díscolor DC.	(*ye*) two-coloured	———	1822.	——	S	♄	
127	lùcidus DC.	(*ye*) glossy	W. Indies	——	——	S	♄	Plum. 2. ic. 154.
128	Swártzii DC.	(*ye*) smooth	———	1827.	4. 7.	S	♄	
	Cinerària glabràta Swartz.							
129	adenótricha DC.	(*ye*) stem-clasping	Chili	1826.	5. 7.	F	♃	Bot. reg. t. 1190.
	Adenótricha amplexicaúlis B.R.							
Ser. 7. CHILE'NSES; *natives of Chili.*								
130	glàber DC.	(*ye*) smooth	Chili	1836.	——	H	⊙	
Ser. 8. PATAGO'NICI; *natives of Patagonia, Cape Horn.*								
131	Smithii DC.	(*bh*) gigantic	Cape Horn	1801.	7. 8.	H	♃	Sm. exot. bot. 2. t. 65.
	Cinerària gigantèa Sm.							
Ser. 9. MEXICA'NI; *natives of Mexico, including California, Louisiana, and Texas.*								
132	ampullàceus DC.	(*ye*) ampullaceous	Texas	1832.	6. 8.	H	♃	Bot. mag. t. 3487.
133	angulifòlius DC.	(*ye*) angular-leaved	Mexico	1827.	12.1.	G	♃	
	Cinerària angulàta Mairet.							
134	petasìtes DC.	(*ye*) butter-bur-leav'd	Mexico	1812.	12.2.	G	♄	Bot. mag. t. 1536.
135	præ'cox DC.	(*ye*) early-flowering	———	1824.	2. 4.	G	♄	DC. pl. rar. gen. t. 7.
136	vérnus DC.	(*ye*) narrow-leaved	———	1825.	....	G	♄	
	Cinerària angustifòlia K.S.							
Ser. 10. BOREA'LI-AMERICA'NI; *natives of North America.*								
137	Balsamìtæ DC.	(*ye*) various-leaved	N. America	1819.	6. 8.	H	♃	
138	obovàtus DC.	(*ye*) obovate-leaved	———	——	——	H	♃	
139	aúreus DC.	(*ye*) golden	———	1758.	7. 8.	H	♃	
140	canadénsis DC.	(*ye*) Canadian	———	1818.	——	H	♃	
		Species not sufficiently known.						
141	spicàtus	(*ye*) spike-flowered	.....	1828.	6. 7.	H	♃	
142	foliòsus Salz.	(*ye*) leafy	S. Europe	1836.	——	H	♃	
143	obscùrus F.	(*ye*) obscure	Siberia	——	——	H	♃	
144	dahùricus F.	(*ye*) Dahurian	Dahuria	1821.	7.10.	H	♃	
145	dryàdeus Sieb.	(*ye*) Dryas-like	.....	1836.	——	H	♃	
146	valerianæfòlius Wolf.	(*ye*) Valerian-ld	.....	——	——	H	♂	
147	lyratifòlius S.S.	(*ye*) lyrate-leaved	S. Europe	1826.	5. 6.	H	♃	
148	fràgrans S.S.	(*ye*) fragrant	Siberia	——	6. 8.	H	♃	
149	Barreliéri W.	(*ye*) Barrelier's	Pyrenees	1824.	——	H	♃	Barrel. ic. 146.
150	mèdius W.K.	(*ye*) intermediate	Hungary	1818.	——	H	♃	
	Cinerària mèdia W.K.							
151	Aitoniànus G.D.	(*ye*) Aiton's	.....	....	——	G	♄	
	Cinerària Aitoniàna S.S.							
152	exsquàmatus M.	(*ye*) scaleless	Portugal	1827.	6. 8.	H	⊙	
153	thyrsoídeus G.D.	(*ye*) thyrse-flowered	Armenia	——	——	H	♃	
	Cinerària thysoídea F.							
154	[illegible]	[illegible]	[illegible]	1826.	6.10.	H	⊙	

155 vestìtus H.B.	(*ye*) clothed	C. B. S.	1824.	5.	6.	G	♃	
Cacàlia vestìta H.B.								
156 subalpìnus Koch.	(*ye*) subalpine	Germany	1831.	——		H	♃	

BRACHYRHY'NCHUS DC. BRACHYRHY'NCHUS. (βραχυς, short, and ῥυγχος, a beak.) Syng. Æq.

albicaúlis DC.	(*pu*) white-stemmed	C. B. S.	....	6.	8.	F	♃	

BEDFO'RDIA DC. BEDFO'RDIA. (Duke of Bedford.) Syngenesia Æqualis.

salícina DC.	(*ye*) yellow-leaved	V.Diem.Isl.	1820.	4.	6.	G	♄	Bot. reg. t. 923.
Cacàlia salícina Labill. *Culcítium calycìnum* S.S.								

EURI'OPS DC. EURI'OPS. (ευρυς, wide, and οψ, an eye; disk of flowers.) Syngen. Superfl.

1 linifòlius DC.	(*ye*) flax-leaved	C. B. S.	....	6.	7.	G	♄	Jacq. schœn. 3. t. 308.
Cinerària linifòlia L.								
2 tenuíssimus DC.	(*ye*) fine-leaved	———	1759.	4.	7.	G	♄	Jacq. schœn. 2. t. 239.
Othónna tenuíssima L.								
3 virgíneus DC.	(*ye*) fan-leaved	———	1822.	7.	9.	G	♄	Lodd. bot. cab. t. 728.
Othónna flabellifòlia Lodd.								
4 trifurcàtus DC.	(*ye*) three-forked	———	——	6.	9.	G	♄	
5 trífidus DC.	(*ye*) trifid-leaved	———	1823.	——		G	♄	
Othónna trífida L.								
6 pectinàtus DC.	(*ye*) Wormwood-leaved	C. B. S.	1731.	4.	6.	G	♄	Bot. mag. t. 306.
Othónna pectinàta L.								
7 Athanàsiæ DC.	(*ye*) Athanasia-like	———	1795.	11.	12.	G	♄	Jacq. schœn. t. 242.
8 abrotanifòlius DC.	(*ye*) Southernwood-ld.	———	1692.	1.	5.	G	♄	Bot. reg. t. 108.

Tribe V. *CYNA'REÆ.* DC. prod. 6. p. 449.

Subtribe I.—CALENDULA'CEÆ. DC. prod. 6. p. 451.

DIVISION I.—CALENDU'LEÆ. DC. prod. 6. p. 451.

CALE'NDULA DC. MARYGOLD. (*Calendæ*, first day of the month; flowering.) Syng. Neces.

1 arvénsis DC.	(*ye*) field	Europe	1597.	6.	9.	H	⊙	Schk. hand. 2. t. 265.
2 sícula DC.	(*ye*) Sicilian	Sicily	1816.	——		H	⊙	Viv. fl. lib. t. 20. f. 2.
ceratospérma Viv.								
3 stellàta DC.	(*ye*) stellate	Barbary	1795.	——		H	⊙	Schk. hand. 2. t. 265.
4 astèricas F.M.	(*ye*) starry	.....	1836.	——		H	⊙	
5 maritìma DC.	(*ye*) sea-side	Sicily	1826.	——		H	⊙	
6 marginàta DC.	(*ye*) marginate	Gibraltar	1820.	——		H	⊙	
7 pérsica DC.	(*ye*) Persian	Persia	1830.	——		H	⊙	
8 grácilis DC.	(*ye*) slender	———	1836.	——		H	⊙	
9 officinàlis DC.	(*ye*) common	S. Europe	1573.	——		H	⊙	Bot. mag. t. 3204.
β *plèna*	(*ye*) *double-flowered*	———	——	——		H	⊙	
10 ægyptìaca DC.	(*ye*) Egyptian	Egypt	1820.	——		H	⊙	
11 suffruticòsa DC.	(*ye*) suffrutescent	S. Europe	1823.	——		H	♄	
12 denticulàta DC.	(*ye*) toothed	Barbary	1821.	6.	8.	H	⊙	
13 síncta W.	(*ye*) pale-flowered	Levant	1731.	5.	9.	H	⊙	
14 incàna DC.	(*ye*) hoary	Barbary	1796.	6.	8.	H	⊙	Desf. atl. 2. t. 245.
tomentòsa Df. *non* L.								

DIPTERO'COME F.M. DIPTERO'COME. (δις, double, πτερον, a wing, and κομη, a head of hair.) Sy.Ne.

pusilla F.M.	(*ye*) least	Persia	1835.	5.	6.	H	⊙	

OLIGOCA'RPUS DC. OLIGOCA'RPUS. (ολιγος, few, and καρπος, a fruit; achenia.) Syng. Neces.

calendulàceus DC.	(*ye*) Marigold-like	C. B. S.	1823.	7.	8.	G	⊙	
Osteospérmum calendulàceum L.								

TRIPTERIS DC. TRI'PTERIS. (τρεις, three, and πτερον, a wing; achenia.) Syng. Superfl.

1 pallèscens DC.	(*ye*) pale	C. B. S.	1774.	8.		G	♄	
Calèndula opposìta H.K.								
2 arboréscens DC.	(*ye*) arborescent	———	——	3.	8.	G	♄	Jacq. icon. 3. t. 596.
Calèndula arboréscens Jacq. *muricàta* Th. *rígida* H.K.								
3 tomentòsa DC.	(*ye*) tomentose	C. B. S.	1828.	6.	8.	H	⊙	

Division II.—Osteospe'rmeæ. DC. prod. 6. p. 459.

OSTEOSPE'RMUM DC. Osteospe'rmum. (*οστεον*, a bone, and *σπερμα*, a seed.) Syng. Neces

1	spinòsum DC.	(*ye*) rough-leaved	C. B. S.	1700. 2.10.	G	♄		Com. hort. 2. t. 43.
2	spinéscens DC.	(*ye*) smooth-leaved	———	1793. 3. 6.	G	♄		Jacq. schœn. 3. t. 377.
3	pisíferum DC.	(*ye*) smooth	———	1757. 3. 5.	G	♄		Mill. ic. 2. t. 194. f. 1.
4	monilíferum DC.	(*ye*) Poplar-leaved	———	1714. 7. 8.	G	♄		Dill. elth. t. 68. f. 79.
5	hirsùtum DC.	(*ye*) hairy	———	1822. ——	G	♄		
6	ciliàtum DC.	(*ye*) fringed	———	1818. ——	G	♄		Burm. afr. t. 61. f. 2.
7	imbricàtum DC.	(*ye*) imbricated	———	1824. ——	G	♄		
8	ilicifòlium DC.	(*ye*) Holly-leaved	———	1816. ——	G	♄		Burm. afr. 172. t. 62.
9	rígidum DC.	(*ye*) rigid	———	1774. 4. 7.	G	♄		
10	corymbòsum DC.	(*ye*) corymbed	———	1820. 5. 8.	G	♄		
11	incànum W.	(*ye*) hoary-leaved	———	1816. 7. 8.	G	♄		
12	polygaloìdes DC.	(*ye*) Milkwort-leav'd	———	1759. ——	G	♄		Pluk. mant. t. 382.

Division III.—Otho'nneæ. DC. prod. 6. p. 458.

GYMNODI'SCUS DC. Gymnodi'scus. (*γυμνος*, naked, and *δισκος*, a disk.) Syngen. Neces.

	capillàris W.	(*ye*) capillary-stalked	C. B. S.	1822. 6. 9.	H	⊙		
	Othónna capillàris L.							

DO'RIA DC. Do'ria. (a name employed by the ancients.) Syngenesia Necessaria.

1	retrofrácta DC.	(*ye*) axillary-flowered	C. B. S.	1812. 6. 9.	G	♄		Jacq. schœn. 3. t. 376.
	Othónna retrofràcta Jacq.							
2	digitàta DC.	(*ye*) finger-leaved	———	1822. ——	G	♃		
	Othónna digitàta L.							
3	língua DC.	(*ye*) tongue-leaved	———	1787. 5. 9.	G	♃		Jacq. schœn. t. 238.

OTHO'NNA DC. Ragwort. (*οθονη*, linen; down, like.) Syngenesia Necessaria.

§ 1. *Shrubby; axils and cicatrices not bearded.*

1	ciliàta DC.	(*ye*) fringed-leaved	C. B. S.	1824. 5. 6.	G	♄		
2	quinquedentàta DC.	(*ye*)	———	1830. ——	G	♄		
3	coronopifòlia DC.	(*ye*) Buckshorn-ld.	———	1731. 7. 9.	G	♄		Comm. hort. 2. t. 70.
4	cheirifòlia DC.	(*ye*) Stock-leaved	Barbary	1752. 4. 6.	H	♄		Bot. reg. t. 266.
5	denticulàta DC.	(*ye*) tooth-leaved	C. B. S.	1774. 4. 7.	G	♄		Bot. mag. t. 1979.
6	parvifòra DC.	(*ye*) small-flowered	———	1704. 7. 8.	G	♄		Volk. norib. t. 226.
7	membranifòlia DC.	(*ye*) membrane-ld.	———	.... ——	G	♄		Mill. icon. t. 245. f. 2.
8	amplexicaúlis DC.	(*ye*) stem-clasping	———	1826. ——	G	♄		

§ 2. *Shrubby and fleshy; axils often bearded; roots thickened.*

9	cylíndrica DC.	(*ye*) cylindrical	C. B. S.	1818. 7. 8.	G	♄		DC. pl. grass. 1. t. 48.
	Cinerària filifòlia Th. *Othónna tenuíssima* H.B. *Cacàlia cylíndrica* Lam.							
10	carnòsa DC.	(*ye*) fleshy	C. B. S.	1816. 7. 8.	G	♄		
	Cinerària cacalioìdes L.							
11	frutéscens DC.	(*ye*) frutescent	———	—— ——	G	♄		Comm. hort. 2. t. 70.
12	arboréscens DC.	(*ye*) tree	———	1723. ——	G	♄		Dill. elth. t. 103. f. 123.
13	cacalioìdes DC.	(*ye*) tuberous	———	1774. 5. 9.	G	♄		
14	dentàta L.	(*ye*) toothed-leaved	———	.... ——	G	♄		Burm. afr. t. 59.
15	vestìta DC.	(*ye*) clothed	———	1827. ——	G	♄		
	Cinerària vestìta H.B.							

§ 3. *Herbaceous or fleshy; roots tuberous; necks and axils generally bearded.*

16	filicaúlis DC.	(*ye*) Yam-rooted	C. B. S.	1791. 4. 5.	G	♃		Jacq. schœn. 2. t. 241.
17	tuberòsa DC.	(*ye*) bulbous	———	1774. 5. 6.	G	♃		Breyn. cent. t. 66.
	bulbòsa W.							
18	amplexifòlia DC.	(*ye*) perfoliate	———	1789. 5. 7.	G	♃		Jacq. schœn. t. 240.
	perfoliàta Jacq.							
	β amplexicaúlis DC.	(*ye*) stem-clasping	———	—— ——	G	♃		Bot. mag. t. 1312.
19	linifòlia DC.	(*ye*) Flax-leaved	———	1825. ——	G	♃		
20	pinnatífida DC.	(*ye*) pinnatifid	———	1823. ——	G	♃		
21	pinnàta L.	(*ye*) wing-leaved	———	1759. 4. 6.	G	♃		Bot. mag. t. 768.
22	heterophy'lla W.	(*ye*) various-leaved	———	1812. 4. 7.	G	♃		

HE'RTIA DC. He'rtia. (probably the name of some bot.) Syngenesia Necessaria.

	crassifòlia DC.	(*ye*) thick-leaved	C. B. S.	1810. 9.10.	G	♄		Mill. ic. 2. t. 245. f. 2.
	Othónna crassifòlia L.							

Subtribe II. ARCTOTI'DEÆ DC. prod. 6. p. 484.

Division I.—Arcto'teæ. DC. prod. 6. 484.

ARCTO'TIS DC. Arcto'tis. (αρκτος, a bear, and ους, an ear; achenia.) Syngenesia Necessaria.

Sect. 1. Euarcto'tis; *achenia densely villous at the base; wings toothed.*

§ 1. *Stems very short; pedicles scapose, one-headed.*

1	cándida DC.	(*or.pi*) Sea-green-ld.	C. B. S.	1794.	5. 8.	G	♃	Jacq. schœn. 2. t. 170.
	glaucophy'lla Jacq.							
2	acaúlis DC.	(*ye*) dwarf	———	1759.	4. 7.	G	♃	Bot. reg. t. 122.
	β *tricolor* DC.	(*pu.wh*) *three-coloured*	———	1794.	5. 7.	G	♃	——— t. 131.
	γ *undulàta* DC.	(*or*) *wave-leaved*	———	1795.	4. 6.	G	♃	Jacq. schœn. 2. t. 160.
	δ *speciòsa* DC.	(*pu.ye*) *showy*	———	1812.	6. 8.	G	♃	Bot. mag. t. 2182.
3	adprémsa DC.	(*ye.re*) adpressed	———	——	——	G	♃	Jacq. schœn. 2. t. 158.
	acaúlis Jacq. not of Th.							

§ 2. *Stems more or less elongated, simple or branched.*

4	elongàta DC.	(*st.re*) elongated	C. B. S.	1774.	3. 5.	G	♃	
	grandiflòra H.K. not Jacq. *Massoniàna* S.S.							
5	angustifòlia DC.	(*or*) narrow-leaved	C. B. S.	1739.	7. 9.	G	♃	Jacq. schœn. 3. t. 381.
	decúmbens Jacq.							
6	amœ'na J.F.	(*wh.pu*) handsome	———	1822.	——	G	♃	Jacq. frag. t. 118.
7	bellidifòlia DC.	(*wh.cr*) panicled	———	——	——	G	♄	Jacq. schœn. 3. t. 380.
	paricàta Th. *paniculàta* Jacq.							
8	lævis DC.	(*or.cr*) great-flowered	———	1774.	3. 5.	G	♄	Jacq. schœn. 3. t. 378.
	denudàta Th. *glabràta* Jacq. schœnb. 2. t. 175. *squarròsa* Jacq. 2. t. 177. *grandiflòra* Jacq.							
9	decúrrens DC.	(*wh.pi*) decurrent	C. B. S.	1794.	6. 7.	G	♄	Jacq. schœn. 2. t. 165.
10	réptans DC.	(*st.br*) creeping	———	1795.	7. 9.	G	♃	——— 3. t. 382.
11	auriculàta DC.	(*ye.pu*) ear-leaved	———	——	6. 8.	G	♄	——— 2. t. 169.
	β *melanocìcla* W.	(*wh.re*) *various-colour'd*	———	1812.	——	G	♄	Jacq. ecl. 1. t. 51.
12	fastuòsa DC.	(*or.cr*) Orange-flower'd	———	1795.	5. 7.	G	♂	Jacq. schœn. 2. t. 166.
13	áspera DC.	(*wh.ro*) broad rough-ld.	———	1710.	7. 9.	G	♄	Burm. afr. t. 57. f. 1.
	hyràta W. *bícolor* W. en.							
	β *scàbra* DC.	(*st.pu*) *spotted*	———	1812.	5. 8.	G	♄	Bot. reg. t. 130.
	maculàta Jacq. *arboréscens* W.							
	γ *aurèola*	(*or*) narrow rough-ld.	———	1710.	——	G	♄	Bot. reg. t. 32.
	undulàta Th. *aurèola* B.R.							
	δ *arboréscens* W.	(*wh.pi*) *arborescent*	———	1818.	——	G	♄	Jacq. schœn. 2. t. 171.
	ε *càprea* W.	(*co.pu*) *copper-coloured*	———	1824.	7. 8.	G	♄	——— 2. t. 176.
14	elàtior DC.	(*ye.pu*) tall	———	1816.	——	G	♄	——— 2. t. 172.
15	revolùta DC.	(*ye.bk*) revolute-leaved	———	1824.	8.10.	H	⊙	——— 2. t. 173.
16	Cinerària DC.	(*ye.or*) black-eyed	———	1825.	——	G	♄	——— 2. t. 174.
17	stachadifòlia DC.	... Stachys-leaved	———	1799.	7. 9.	G	♄	
	β *decúmbens* DC.	(*ro*) Rose	———	1793.	——	G	♃	Jacq. schœn. 2. t. 162.
	decúmbens Th. *ròsea* Jacq.							
18	argéntea DC.	(*v*) silver-leaved	———	1774.	8.	G	♄	Jacq. ecl. 1. t. 52.
19	virgàta DC.	(*ye.pu*) slender-twigged	———	1816.	7. 9.	H	⊙	Jacq. schœn. 3. t. 307.
20	flámmea J.F.	(*or*) flame-coloured	———	1822.	——	G	♃	Jacq. frag. t. 47. f. 1.
21	purpùrea W. en.	(*pu*) purple	———	1827.	——	G	♄	

Sect. 2. Pseudarcto'tis; *achenia clothed with short pubescence all over; wings denticulated.*

22	flaccida DC.	(*wh.re*) bending-stalked	C. B. S.	1794.	5. 7.	G	⊙	Jacq. schœn. 2. t. 163.
23	spinulòsa W.	(*or.bk*) thorny-leaved	———	1795.	5. 8.	G	⊙	——— 2t t. 167.

VENI'DIUM DC. Veni'dium. (etymology not explained by author.) Syngenesia Superflua.

1	angustifòlium DC.	(*pu*) narrow-leaved	C. B. S.	1739.	6. 8.	G	♃	Jacq. schœn. 2. t. 168.
	Arctòtis angustifòlia Jacq.							
2	plantagíneum DC.	(*ye.pu*) Plantain-ld.	———	1768.	——	G	♃	
3	perfoliàtum DC.	(*ye*) perfoliate	———	1816.	5. 8.	G	♄	
4	discolor DC.	(*ye*) two-coloured	———	——	——	G	♄	
	Osteospérmum perfoliàtum Th. not L.							
5	Schradèri DC.	(*pu*) Schrader's	———	1832.	——	G	⊙	
	Cleìtria hirta Schrad.							

ARCTOTHE'CA DC. Arcothe'ca. (αρκτος, a bear, and θηκη, a sheath.) Syngenesia Frustranea.

1	rèpens DC.	(*ye*) creeping	C. B. S.	1793.	7. 8.	G	♃	Jacq. schœn. 3. t. 306.
2	hirta DC.	(*ye*) hairy	———	1818.	7. 9.	G	♃	
3	grandiflòra DC.	(*ye*) great-flowered	———	1833.	——	G	♃	

CRYPTOSTE'MMA DC. CRYPTOSTE'MMA. (κρυπτος, hidden, and στεμμα, a crown.) Syng. Frustr.

1 calendulàceum DC. (ye) Marygold-fld. C. B. S. 1752. 6. 8. H ⊙ Jacq. schœn. 2. t. 157.
β *lyràtum* DC. (ye) *lyrate* ——— —— —— H ⊙ Bot. mag. t. 2252.
calendulàcea B.M.
2 hypochondrìacum DC. (ye) divided-rayed ——— 1731. 7. 8. H ⊙
3 runcinàtum DC. (ye) Dandelion-leaved ——— 1794. —— H ⊙

MICROSTE'PHIUM DC. MICROSTE'PHIUM. (μικρος, small, and στεφος, a crown.) Syngen. Frust.

níveum DC. (ye) white-leaved C. B. S. 1820. 6. 8. G ♄
Osteospérmum níveum L.

HETERO'LEPIS DC. HETERO'LEPIS. (ἕτερος, variable, and λεπις, a scale.) Syngenesia Superflua.

decípiens DC. (ye) deceiving. C. B. S. 1821. 5. 8. G ♄ Jacq. schœn. 2. t. 154.
Œdèra aliòna L.

DIVISION II.—GORTERIE'Æ. DC. prodr. 6. p. 497.

CULLU'MIA DC. CULLU'MIA. (Sir Thom. Gery Cullum, English bot.) Syngenesia Frustranea.

1 ciliàris DC. (ye) ciliated C. B. S. 1774. 5. 6. G ♄ Burm. afr. t. 54. f. 1.
2 setòsa DC. (ye) recurved smooth-ld. —— 1780. 6. 8. G ♄ Comm. hort. 2. t. 28.
3 squarròsa DC. (ye) recurved awl-ld. ——— 1786. —— G ♄ Th. act. hafn. 3. t. 5.
4 sulcàta DC. (ye) furrowed ——— .... —— G ♄ Jacq. schœn. 3. t. 371.
Gortèria spinòsa Jacq.
5 pectinàta DC. (ye) pectinated ——— 1818. —— G ♄
Berckhèya pectinàta W.

GORTE'RIA DC. GORTE'RIA. (David Gorter, a Dutch bot.) Syngenesia Frustranea.

personàta DC. (ye) procumbent C. B. S. 1774. 7. 8. G ⊙ Jacq. coll. 4. t. 21. f. 1.

BERCKHE'YA DC. BERCKHE'YA. (John Lefranc de Berckhey, Dutch bot.) Syngen. Frustra.

1 cynaroìdes DC. (ye) Artichoke-cup'd C. B. S. 1789. 6. G ♃ Vahl. nat. hafn. 1. t. 8.
2 obovàta DC. (ye) smooth shrubby ——— 1794. 6. 8. G ♄ Hout. n. h. 6. t. 34. f. 2.
3 fruticòsa DC. (ye) hoary ——— 1739. 7. 8. G ♄ Jacq. ic. 3. t. 591.
incàna W.
4 cuneàta DC. (ye) wedge-leaved ——— 1812. 6. 8. G ♄ Th. act. hafn. 3. t. 10.
5 palmàta DC. (ye) palmated ——— 1800. —— G ♄ ——— 3. t. 13.
6 grandiflòra DC. (ye) large-flowered ——— 1812. —— G ♄ Bot. mag. t. 1844.
7 uniflòra DC. (ye) single-flowered ——— 1815. —— G ♄ Th. act. hafn. 3. t. 7.

DIDE'LTA DC. DIDE'LTA. (δις, double, and δελτα, a Greek letter.) Syngenesia Frustranea.

1 carnòsum DC. (ye) alternate-leaved C. B. S. 1774. 6. 7. G ♄ L'Her. stirp. t. 28.
2 spinòsum DC. (ye) opposite-leaved ——— —— —— G ♄ Wendl. obs. t. 4. f. 32.
3 cérnuum DC. (ye) drooping-flowered ——— —— 5. 7. G ♂ Meerb. ic. 1. t. 40.

GAZA'NIA DC. GAZA'NIA. (γαζα, a treasure; beauty of flowers.) Syngenesia Frustranea.

1 uniflòra DC. (ye) golden C. B. S. 1816. 7. 8. G ♄ Bot. mag. t. 2270.
2 rìgens DC. (ye.ve) great-flowered ——— 1755. 5. 9. G ♄ ——— t. 90.
3 heterophy'lla W. (ye.ve) various-leaved ——— 1812. —— G ♃ Willd. hort. ber. t. 97.
4 Pavònia DC. (ye.ve) Peacock ——— 1804. 6. 7. G ♃ Bot. reg. t. 35.
5 subulàta DC. (ye) awl-leaved ——— 1792. 7. 8. G ♃ Act. hafn. 4. t. 1.

STOBÆ'A DC. STOBÆ'A. (στιβας, a bed of leaves; used for.) Syngenesia Æqualis.

1 pinnàta DC. (ye) Carthamus-like C. B. S. 1812. 1.12. G ♄ Bot. mag. t. 1788.
Berckhèya pinnàta DC.
2 atractyloìdes DC. (ye) Atractylis-like ——— 1823. 7. 8. G ♃

Subtribe III. ECHINOPSI'DEÆ. DC. prod. 6. p. 522.

ECHI'NOPS DC. GLOBE-THISTLE. (εχινος, a hedgehog, and οψ, resemblance.) Syngen. Segreg.

§ 1. *Pappus coroniform; bristles combined even to their apices; scales of involucrum free, toothless.*

1 platy'lepis DC. (bl) broad-scaled .... 8.10. H ♃ Trautv. diss. t. 1.
taúricus Hort. *hùmilis* Rchb.
2 exaltàtus DC. (bl) exalted Russia 1822. —— H ♂ Bot. mag. t. 2457.
stríctus B.M. *Ritro* Schk. handb. t. 268. not L.

§ 2. *Bristles of pappus conferruminated into a fringed cup, that is, free at their apices.*

* *Scales of involucrum all distinct and free.*

3	humilis DC.	(*bl*) low	Siberia	1826. 6. 8.	H	♃	
	eriophorus Steph. *lanatus* Steph.						
4	dahuricus DC.	(*bl*) Dahurian	Dahuria	1827. ——	H	♃	Trautv. diss. t. 3.
	Gmelini Led.						
	β *angustilobus* DC.	(*bl*) *narrow-lobed*	Volhynia	.... ——	H	♃	
	ruthénicus Bess.						
5	sphærocéphalus DC.	(*wh*) great	Austria	1596. 7. 8.	H	♃	Flor. græc. t. 923.
6	ruthénicus DC.	(*bl*) Russian	Russia	1819. ——	H	♃	
7	Eitro DC.	(*bl*) small	Europe	1570. 7. 9.	H	♃	Bot. mag. t. 932.
	β *tenuifolia* DC.	(*bl*) fine-leaved	Siberia	1816. ——	H	♃	
	elegans Bertol. *tenuifolius* F.						
8	banáticus DC.	(*wh*) Hungarian	Hungary	1828. ——	H	♃	Roch. ban. t. 37. f. 78.
	ruthénicus Rchb. crit. t. 450.						
9	paniculàtus B.R.	(*bl*) panicled	Spain	1815. ——	H	♂	Bot. reg. t. 356.
10	taúricus W. en.	(*bl*) Taurian	Tauria	1816. ——	H	♃	
11	pérsicus DC.	(*wh*) Persian	Persia	1821. ——	H	♃	
	pungens Trautv.						
12	Tournefórtii DC.	(*wh*) Tournefort's	Levant	1830. ——	H	♃	
	strigosus M.B. *sphærocéphalus* var. M.B.						
13	glabérrimus DC.	(*bl*) quite-glabrous	Sinai	—— ——	H	♃	
	spinosus Bove. *Prescóttii* F.M.						
14	spinòsus DC.	(*wh*) thorny-headed	Egypt	1597. 7. 8.	H	♃	Flor. græc. t. 924.
15	viscòsus DC.	(*wh*) viscous	Caucasus	1823. ——	H	♂	

** *Inner scales of involucrum combined into a tube to the middle.*

16	hórridus DC.	(*wh*) horrid	Persia	1817. 7. 8.	H	♃	Schrad. diss. blum. t. 2. f. 2.
	orientàlis Trautv.						
17	lanuginòsus W.	(*bl*) woolly	Levant	1736. 6. 7.	H	♃	Flor. græc. t. 926.
	græcus DC.						

§ 3. *Bristles of pappus free to the base; scales of involucrum free.*

18	strigòsus DC.	(*wh*) annual	Spain	1729. 7. 9.	H	⊙	Bot. mag. t. 2109.

Subtribe IV. CARDOPA'TEÆ. DC. prod. 6. p. 527.

CARDO'PATUM DC. CARDO'PATUM. (etymology unknown.) Syngenesia Segregata.

	corymbòsum DC.	(*bl*) umbelled	S. Europe	1640. 6. 7.	H	♃	Flor. græc. t. 844.
	Brùtera corymbòsa W.						

Subtribe V. XERANTHEMEÆ. DC. prod. 6. p. 528.

XERA'NTHEMUM DC. XERA'NTHEMUM. (ξερος, dry, and ανθεμον, a flower.) Syngen. Superfl.

1	ánnuum D.D.	(*pu.wh*) common annual	S. Europe	1570. 7. 8.	H	⊙	Jacq. aust. 4. t. 388.
	radiàtum DC.						
	α *rùbrum*	(*ro*) *rose-coloured*	——	—— ——	H	⊙	
	β *álbum*	(*wh*) *white-flowered*	——	—— ——	H	⊙	
2	eréctum DC.	(*wh*) erect	Persia	1836. ——	H	⊙	
3	longepappòsum DC.	(*wh?*) long-feathered	——	—— ——	H	⊙	
4	inapértum D.D.	(*pu*) small-flowered	S. Europe	1620. ——	H	⊙	Rchb. cent. 7. t. 641.
	cylindràceum DC.						

CHARDI'NIA D.D. CHARDI'NIA. (M. Chardin, cel. trav. in the East.) Syngenesia Superflua.

	orientàlis D.D.	(*wh*) oriental	Levant	1713. 7. 8.	H	⊙	
	xeranthemoides Desf. *Xeránthemum orientàle* W.						

Subtribe VI. CARLI'NEÆ. DC. prodr. 6. p. 631.

SAUSSU'REA DC. SAUSSU'REA. (H. B. de Saussure, a Swiss botanist.) Syngenesia Æqualis.

Sect. 1. LAGUROSTE'MON; *scales of involucrum foliaceous, inappendiculate; tails of anthers bearded; pappus biseriate.*

1	liatroìdes DC.	(*pu*) large-headed	Siberia	1827.	7. 8.	H	♃	Led. ill. 1. t. 59.
	Serrátula pycnocéphala S.S.							
2	rígida DC.	(*pu*) rigid	———	——	——	H	♃	Led. ill. 1. t. 79.
3	pygmæ'a DC.	(*pu*) pigmy	Austria	1816.	——	H	♃	Jacq. aust. t. 440.
	Serrátula pygmæ'a Jacq. *Círcium pygmæ'um* Scop.							
4	salicifòlia DC.	(*re*) Willow-leaved	Siberia	1796.	——	H	♃	Gmel. sib. 2. t. 27.
5	élegans DC.	(*ro*) elegant	Caucasus	1820.	——	H	♃	Lin. trans. v. 11. t. 37.

Sect. 2. BENEDI'CTIA; *scales of involucrum inappendiculate; tails of anthers ciliated; pappus biseriate.*

6	Gmelìni Led.	(*pu*) Gmelin's	Siberia	1827.	7. 8.	H	♃	
7	elongàta DC.	(*pu*) elongated	———	1820.	——	H	♃	DC. diss. t. 6.
8	crassifòlia DC.	(*pu*) thick-leaved	Caucasus	1824.	——	H	♃	Gmel. sib. 2. t. 26.
	sálsa Led. *Serrátula sálsa* M.B.							
9	angustifòlia DC.	(*pu*) narrow-leaved	Siberia	1816.	——	H	♃	Gmel. sib. 2. t. 33.
10	díscolor DC.	(*pu.wh*) two-coloured	Europe	——	——	H	♃	Hall. helv. t. 6.
	β *lapathifòlia* DC. *Dock-leaved*		———	——	——	H	♃	Moris. s. 7. t. 22. f. 1.
11	serràta DC.	(*pu*) saw-leaved	———	——	——	H	♃	Led. ill. 1. t. 71.
12	alpìna DC.	(*pu*) Alpine	Britain	....	——	H	♃	Eng. bot. v. 9. t. 599.

Sect. 3. THEODO'REA; *scales of involucrum appendiculate at apex; tails of anthers ciliated.*

13	amàra DC.	(*pu*) bitter	Siberia	1820.	7. 8.	H	♃	Led. ill. 1. t. 67.
14	pulchélla DC.	(*pu*) purple-scaled	———	1823.	6. 7.	H	♃	Bot. mag. t. 2589.
15	alàta DC.	(*pu*) winged	———	——	——	H	♃	Led. ill. 1. t. 63.
16	laciniàta DC.	(*pu*) jagged-leaved	———	1827.	——	H	♃	——— 1. t. 64.

APLOTA'XIS DC. APLOTA'XIS. (απλοος, simple, and ταξις, a series; pappus.) Syngen. Æqua.

1	Frolòvii DC.	(*pu*) Frolov's	Siberia	1827.	6. 7.	H	♃	Led. ill. t. 352.
	Serrátula lyràta Led. *Saussùrea Frolòvii* Led.							
2	cándicans DC.	(*pu*) whitened	Nepaul	1820.	6.10.	H	♂	
	Cárduus heteromállus D.D.							

A'RCTIUM DC. A'RCTIUM. (αρκτος, a bear; heads.) Syngenesia Æqualis.

	lanuginòsum DC.	(*pu*) round-leaved	Italy	1791.	7. 8.	H	♃	Vill. dauph. 3. t. 22.
	Onopórdum rotundifòlium W. *Berárdia subacaúlis* Vill.							

STÆHELI'NA DC. STÆHELI'NA. (Benedict Stæhelin, a Swiss bot.) Syngenesia Æqualis.

1	dùbia DC.	(*pu*) Rosemary-ld.	S. Europe	1640.	6. 7.	H	♄	Lam. ill. t. 666. f. 4.
2	arboréscens DC.	(*re*) Storax-leaved	Candia	1739.	7. 9.	F	♄	Flor. græc. t. 345.

CARLI'NA DC. CARLINE-THISTLE. (Charlemagne.) Syngenesia Æqualis.

Sect. 1. HERACA'NTHA; *involucrum double; scales radiating and coloured, outer ones foliaceous.*

1	acaúlis DC.	(*wh*) dwarf	Italy	1640.	6.	H	♃	Knorr. thes. 2. t. c. 1.
	β *caulèscens* P.S.	(*wh*) *stalked*	———	——	——	H	♃	
	γ *simplex* P.S.	(*wh*) *single-flowered*	Hungary	1816.	6. 7.	H	♃	W. et K. hung. 2. t. 152.
	δ *aggregàta* W.	(*wh*) *clustered*	———	1804.	6. 9.	H	♃	
2	acanthifòlia DC.	(*wh*) Acanthus-leav'd	Pyrenees	1818.	6. 7.	H	♃	Allion. ped. t. 51.
3	vulgàris DC.	(*bh*) common	Britain	....	5. 9.	H	♂	Eng. bot. v. 16. t. 1144.

Sect. 2. MI'TINA; *involucrum as if it were triple; scales imbricated and pressed.*

4	nebrodénsis DC.	(*wh*) Nebrode	Sicily	1821.	6. 8.	H	♃	Rchb. pl. crit. t. 761.
	longifòlia Rchb.							
	β *glabriúscula* DC.	(*wh*) *smoothish*	———	——	——	H	♃	
	Biebersteinii Horn.							
5	racemòsa DC.	(*ye*) racemed	Spain	1658.	6. 8.	H	⊙	Desf. atl. 2. t. 224.
6	sícula DC.	(*wh*) Sicilian	Sicily	1828.	——	H	♃	
7	lanàta DC.	(*ro*) woolly	S. Europe	1683.	6. 7.	H	⊙	Garid. aix. t. 21.
8	corymbòsa DC.	(*ye*) corymbed	———	1640.	7. 8.	H	♃	Flor. græc. t. 837.

Sect. 3. CHAMÆ'LEON; *involucrum double; outer scales foliaceous, spiny-toothed; inner ones narrow, entire.*

9	gummífera DC.	(*pu*) gummy-rooted	S. Europe	1640.	6. 8.	H	♃	Cavan. ic. 3. t. 228.
	Acárna gummífera L. Flor. græc. t. 838.							

Sect. 4. CARLOWI'ZIA; *involucrum hemispheric, imbricated; inner scales scarious at apices, girded by spreading, spiny-serrated leaves.*

10	salicifòlia DC.	(*st*) Willow-leaved	Madeira	1784.	8.	G	♄	DC. comp. 2. t. 11.
	Cárthamus salicifòlius W. *Onobròma salicifòlium* L. en. *Carlowízia salicifòlia* DC.							
	Species hardly known.							
11	lyràta DC.	(*wh*) lyre-leaved	C. B. S.	1816.	8.	G	♂	

ATRA'CTYLIS DC. ATRA'CTYLIS. (ατρακτος, a spindle; stems.) Syngenesia Æqualis.

1 humilis DC.	(wh) dwarf	Spain	1759.	5. 7.	H ♃	Cav. ic. 1. t. 54.
2 serratuloides DC.	(pu) Sawwort-like	Palestine	1827.	6. 8.	H ♃	
Acárna serratuloides S.S.						
3 comòsa DC.	(pu) tufted	———	——	——	H ♃	
4 cancellàta DC.	(bi) netted	S. Europe	——	6. 7.	H ☉	Lam. ill. t. 662. f. 1.
Acárna cancellàta All. ped. Flor. græc. t. 839.						

COUSI'NIA DC. COUSI'NIA. (M. Cousin, a peer of France; bot. pat.) Syngenesia Æqualis.

1 carduiformis DC.	(pu) Thistle-like	Iberia	1804.	7.	H ♃	
Cárduus orientàlis M.B.						
2 tenélla F.M.	(pu) tender	America	1837.	6. 7.	H ☉	
3 hystrix F.M.	(pu) porcupine	Persia	——	——	H ☉	
4 Hohenakèri F.M.	(ye) Hohenaker's	Caucasus	1836.	——	H ♃	
5 cynaroides Mey.	(wh) Cynara-like	———	1823.	7. 8.	H ♂	
Cárthamus cynaroides M.B. *Onobròma cynaroides* S.S.						
6 macrocéphala Mey.	(st) large-headed	Caucasus	1823.	——	H ♂	
7 volgénsis DC.	(pu) Volga	Volga	1804.	7.	H ♃	
Cárduus volgénsis M.B.						

Subtribe VII. CENTAURIEÆ. DC. prod. 6. p. 557.

AMBERBO'A DC. AMBERBO'A. (from the name of a Spanish nat.) Syngenesia Frustranea.

1 muricàta DC.	(pu) muricated	Spain	1621.	7. 8.	H ☉	
Centaúrea muricàta L. *pubígera* F.S.						
2 crupinoides DC.	(sn) saffron-coloured	Barbary	1826.	——	H ☉	Viv. lib. t. 22. f. 2.
3 Líppii DC.	Lippi's	Egypt	1739.	——	H ☉	Isn. act. par. 1719. t. 10.
Centaúrea Líppii W.						
4 moschàta DC.	(li) sweet sultan	Persia	1629.	7. 10.	H ☉	Schkuhr. handb. t. 261.
Centaúrea moschàta L.						
5 odoràta DC.	(ye) yellow sultan	Levant	1683.	——	H ☉	Swt. brit. fl. gar. 1. t. 51.
Centaúrea suavèolens W.						
β *glaúca* W.	(pu) *glaucous*	Caucasus	1805.	6. 7.	H ☉	
Centaúrea glaúca W.						
6 spectábilis DC.	(ye) showy	Armenia	1830.	——	H ♃	Swt. br. fl. gar. s. 2. t. 355.
Centaúrea balsamita D.D.						

ZŒGEA DC. ZŒ'GEA. (J. Zœga, M.D., author of Flora Islandica.) Syngenesia Frustranea.

Leptaúrea DC.	(ye) yellow-flowered	Levant	1779.	7. 8.	H ☉	Jacq. ic. 1. t. 177.

CRUPI'NA Cas. STARRY SCABIOUS. (from *kruipin*, a Belgic word signifying to creep.) Syng. Frustr.

vulgàris Cas.	(re) black-seeded	Italy	1596.	6. 7.	H ☉	Colum. ecph. 1. t. 34.
Centaúrea crupìna W.						

MICROLO'NCHUS DC. MICROLO'NCHUS. (μικρος, small, and ογχος, a claw.) Syngen. Frustr.

salmánticus DC.	(wh.pu) Salmantic	S. Europe	1596.	7. 8.	H ♂	Jacq. vind. t. 64.
Centaúrea salmántica L. *tenélla* Hort. *tenuiflòra* Hort.						

CENTAU'REA DC. CENTAURY. (first used in medicine by the centaur Chiron.) Syng. Frustr.

Ser. 1. APLOLEPI'DEÆ; *scales of involucrum either exappendiculate or furnished with a scarious appendage.*

Sect. 1. *Scales of involucrum imbricate, with blunt membranous edges; achenia glabrous; pappus double.*

1 pulchélla DC.	(pu) neat	Persia	1836.	6. 7.	H ☉	Led. ill. t. 93.

Sect. 2. CENTAU'RIUM; *involucrum ovate-globose; scales ovate, adpressed, blunt; achenia glabrous; pappus double.*

2 tagàna DC.	(pu) Portugal	Portugal	1640.	7. 8.	H ♃	Brot. phyt. lus. t. 3.
3 africàna DC.	(ye) African	Africa	1825.	——	F ♃	
4 alpina DC.	(ye) Alpine	Italy	1640.	——	H ♃	Cornut. can. 69. t. 70.
5 Centaúrium DC.	(bi) great	———	1596.	——	H ♃	Blackw. herb. t. 293.
6 ruthénica DC.	(st) Russian	Russia	1806.	——	H ♃	Gmel. sib. 2. t. 41.

Sect. 3. MICRO'LOPHUS; *involucrum ovate-conical or ovate-oblong; scales adpressed, coriaceous, entire, acute, or mucronulate, 1 or 2 toothed at base, or palmately 5-7-awned.*

7 alàta DC.	(ye) winged-stalked	Tartary	1781.	8. 9.	H ♃	Venten. cels. t. 80.
8 Bèhen DC.	(ye) saw-leaved	Levant	1797.	7. 8.	H ♃	Rauw. itin. t. 288.
9 babylónica DC.	(pu) Babylonian	———	1710.	6. 9.	H ♃	Alp. exot. t. 282.
10 argùta DC.	(st) sharp-notched	Teneriffe	1829.	7. 9.	G ♄	Nees. hor. phys. t. 25.

Sect. 4. CHARTO'LEPIS; *involucrum ovate; scales adpressed, appendiculate; appendage cleft.*

11 glastifòlia DC. (*ye*) Woad-leaved Siberia 1731. 8. 9. H ♃ Bot. mag. t. 62.
12 macrocéphala DC. (*st*) large-headed Caucasus 1805. 6. 8. H ♃ ——— t. 1248.

Sect. 5. PHALO'LEPIS; *involucrum ovate or globose; scales appendiculate, with scarious margins and ending in a mucrone.*

13 nítens DC. (*pu*) glittering Caucasus 1823. 7. 8. H ⊙ Buxb. cent. 2. t. 15. f. 1.
14 margaratàcea DC. (*pu*) Taurian Tauria 1596. —— H ♃
spléndens M.B.
15 leucólepis DC. (*wh*) white-scaled Naples —— —— H ♃
spléndens L. not M.B.
16 álba DC. (*pu*) white Spain 1597. 6. 9. H ♃ Tab. icon. t. 153. f. 1.
spléndens Ten.
β *deústa* DC. (*wh.pu*) *brownish* Italy —— —— H ♃ Ten. fl. nap. t. 84.
γ *angustifòlia* DC. (*pu*) *narrow-leaved* ——— —— —— H ♃
17 incàna DC. (*pu*) hoary Naples 1827. —— H ♂
18 amàra DC. (*pu*) bitter S. Europe .... 7. 8. H ♃ Bocc. mus. 31. t. 17.

Ser. 2. JACEI'NEÆ; *middle scales of involucrum drawn out into a ciliately-serrated scarious appendage each.*

Sect. 6. JA'CEA; *involucrum ovate-globose; appendages of scales ciliated, dilated at the base; pappus wanting, or nearly so.*

19 Ja'cea DC. (*pu*) brown knapweed England .... 7. 9. H ♃ Eng. bot. v. 24. t. 1678.
β *décumbens* DC. (*pu*) *decumbent* France 1815. —— H ♃
γ *praténsis* DC. (*pu*) *field* ..... —— —— H ♃
δ *móllis* DC. (*pu*) *soft* Switzerland .... —— H ♃
móllis Schleich.
20 transalpìna DC. (*pu*) transalpine ——— 1819. —— H ♃
nigréscens Gand. *dùbia* Sut.
21 nigréscens DC. (*pu*) dark England .... 6. 8. H ♃
22 salicifòlia DC. (*pu*) Willow-leaved Caucasus 1816. —— H ♃
vochynénsis Bern.
23 spathulàta DC. (*bl*) spathulate-ld. Naples 1827. —— H ♃
24 nìgra DC. (*pu*) black knapweed Britain .... 5. 8. H ♃ Eng. bot. v. 4. t. 278.
β *decípiens* P.S. (*pu*) *deceived* France 1826. —— H ♃ Rchb. ic. crit. t. 985.

Sect. 7. PTERO'LOPHUS; *involucrum ovate-globose; scales imbricated, striated on the back; back of appendages brown or spotted; margins scarious, ciliated, terminated by a point or spine.*

25 pterólopha DC. (*wh*) wing-crested ..... 1817. 6. 8. H ♃
ovìna Hort.
26 spinulòsa DC. (*pu*) small-spined Hungary 1825. —— H ♃ Roch. pl. ban. t. 36. f. 76.

Sect. 8. LEPTERA'NTHUS; *middle and outer scales drawn out each into a linear pectinately ciliated appendage; inner ones scarious, subdentate.*

27 procúmbens DC. (*pu*) procumbent Italy 1821. 6. 8. H ♃ Balb. misc. alt. t. 1.
28 austrìaca DC. (*pu*) Austrian Austria 1815. 6. 10. H ♃ Rchb. ic. crit. 2. t. 376.
29 pectinàta DC. (*pu*) pectinated France 1727. 7. 10. H ♃ ———— 7. t. 642.
30 uniflòra DC. (*pu*) one-flowered S. Europe 1824. 6. 8. H ♃ Bocc. mus. 2. t. 2.
31 flosculòsa DC. (*pu*) flosculose Italy 1817. —— H ♃ Rchb. ic. crit. 4. t. 362.
32 nervòsa W. (*pu*) nerved S. Europe 1815. 6. 9. H ♃ ———— 2. t. 372.
phry'gia β, *mucronàta* DC.
33 linifòlia DC. (*pu*) Flax-leaved ——— 1826. —— H ♃ Barrel. ic. t. 139.
34 phry'gia DC. (*pu*) feathery-cupp'd Switzerland 1633. 6. 10. H ♃ Flor. dan. t. 520.
35 rivulàris P.S. (*br*) river-side Portugal 1812. 7. 9. H ♃
36 tricocéphala DC. (*pu*) downy-cupped Iberia 1805. 7. 8. H ♃ Gmel. sib. 2. t. 45. f. 1. 2.
37 hyssopifòlia DC. (*pu*) Hyssop-leaved Spain 1812. —— F ♄ Barrel. ic. 306.

Sect. 9. ÆTHEOPA'PPUS; *involucrum ovate-globose; inner scales scarious, ciliately jagged; middle ones drawn out into a ciliated appendage each; pappus of the rays almost wanting, of the disk simple, and bearded at the base.*

38 pulchérrima DC. (*pu*) beautiful Caucasus 1823. 7. 8. H ♃ Rchb. pl. crit. 8. t. 716.

Sect. 10. STIZO'LOPHUS; *involucrum ovate; scales imbricated, coriaceous, each drawn out into a lanceolate, acuminated, pectinately ciliated appendage; pappus of the disk double, but wanting in the ray.*

39 balsamìta DC. (*ye*) Balsam-scented Armenia 1834. 7. 8. H ♃ Swt. br. fl. gar. s. 2. t. 355.
40 coronopifòlia DC. (*ye*) Buck's-horn-ld. Iberia 1739. 6. 7. H ⊙

Sect. 11. PLECTOCE'PHALUS; *involucrum subglobose; outer scales drawn out into a scarious, pectinately-ciliated appendage each; pappus with homogeneous, scabrous, stiff, caducous bristles.*

41 americàna DC. (*li*) American Arkansas 1823. 6. 7. H ⊙ Swt. br. fl. gar. s. 2. t. 51.
Plectocéphalus americànus D.D.
42 chilénsis DC. (*li*) Chili Chili 1836. —— H ⊙

Sect. 12. PSEPHE'LLUS; *involucrum roundish; outer scales and middle ones drawn out each into a pectinately-ciliated appendage, inner ones into a nearly entire or erose one; pappus short.*

43 integrifòlia DC. (*pu*) entire-leaved Caucasus 1837. 7. 8. H ♃
44 Marschalliàna S.S. (*pu*) Marschall's ——— 1829. —— H ♃

45 declinàta DC. (*pu*) declining Caucasus 1827. 7. 8. H ♃
46 dealbàta DC. (*pu*) mealy ——— 1804. —— H ♃
47 cicutæfòlia H.H. (*pu*) Cicuta-leaved Europe 1824. —— H ♃
48 sibírica DC. (*pu*) Siberian Siberia 1782. —— H ♃ Gmel. sib. 2. t. 42. f. 2.
49 decúmbens DC. (*pu*) decumbent Caucasus 1837. —— H ♃
dealbàta β, M.B.

Sect. 13. CHEIRO'LOPHUS; *involucrum ovate, scales adpressed, coriaceous, with membranous entire edges, each drawn out into a scarious, usually palmately-ciliated appendage; pappus of the ray wanting, of the disk of many series of bristles.*

50 sempervìrens DC. (*pu*) evergreen Spain 1683. 7. 8. H ♃ Bocc. sic. t. 39. f. 3.
51 intybàcea DC. (*re*) Succory-leaved S. Europe 1778. 7. 9. H ♃ Barrel. ic. t. 1229.
52 canariénsis DC. (*wh*) Canary Teneriffe 1815. —— G ♄

Ser. 3. CYA'NEÆ; *middle scales with a more or less scarious appendage, which runs along the scale, rarely ending in a spine.*

Sect. 14. MELANOLO'MA; *scales lanceolate, edged with a black membrane, and drawn out into a pinnate recurved appendage; pappus double, but none in the ray.*

53 pallàta DC. (*br*) sad-coloured S. Europe 1714. 6. 7. H ♂ Mill. ic. 2. t. 152. f. 2.

Sect. 15. CY'ANUS; *scales girded by a serrately ciliated membranous margin; pappus double.*

54 Cy'anus DC. (*bl.va*) blue-bottle Britain .... 6. 8. H ⊙ Eng. bot. v. 4. t. 277.
Cy'anus segetum Mœnch.
55 Triumfétti DC. (*re*) Cenisian Mt. Cenis 1826. —— H ♃
56 montàna DC. (*bl*) mountain Austria 1596. —— H ♃ Bot. mag. t. 77.
57 ochroleùca W. (*st*) Caucasean Caucasus 1801. 7. 8. H ♃ ——— t. 1175.
montàna γ, *álbida* DC.
58 cheiranthifòlia W. (*ye*) Stock-leaved Caucasus 1829. —— H ♃
montàna δ, *cítrina* DC.
59 scusàna Vill. .. silvery-fringed S. Europe 1816. 6. 8. H ♃ Barrel. ic. 389.
axillàris W. *variegàta* Lam.
60 stricta W.K. (*bl*) upright Hungary 1826. —— H ♃ W. et K. hung. 2. t. 178.
61 deprèssa M.B. (*bl*) depressed Caucasus —— —— H ♃ Bot. mag. t. 3669.
62 lingulàta S.S. (*bl*) tongue-leaved Spain 1825. —— H ♃
63 Fischèri W.en. (*pu*) Fischer's Siberia 1816. —— H ♃
montàna β, *purpuráscens* DC.
64 móllis W. et K. (*bl*) soft Hungary 1816. —— H ♃ W. et K. hung. 2. t. 219.

Sect. 16. ODONTO'LOPHUS; *scales adpressed, with narrow white edges, terminated by an ovate, membranous, ciliately-denticulated appendage each; achenia pubescent; pappus of numerous imbricated bearded scales, but none in the ray.*

65 trinérvia DC. (*pu*) three-nerved Caucasus 1828. 7. 8. H ♃

Sect. 17. LOPHOLO'MA; *scales adpressed, with a decurrent, coriaceous, brown or black dentately-ciliated, apiculated appendage each; pappus double, inner short.*

66 rígida DC. (*pu*) rigid ..... 1824. 7. 8. H ♃
rigéscens Horn.
67 Cinerària DC. (*pu*) hoary-leaved Italy 1710. —— H ♃ Moris. s. 7. t. 26. f. 20.
68 cinèrea DC. (*pu*) gray ——— —— 6. 7. H ♃ Jacq. vind. 1. t. 92.
69 coriàcea W.K. (*re*) leathery-leaved Hungary 1804. —— H ♃ W. et K. hung. 2. t. 195.
70 Scabiòsa DC. (*pu*) greater-knapweed Britain —— 6. 8. H ♃ Eng. bot. v. 1. t. 56.
71 stereophy'lla DC. (*pu*) variable-leaved Poland 1828. —— H ♃ Rchb. pl. cent. 5. t. 444.
72 apiculàta DC. (*pu*) apiculated Tauria 1825. —— H ♃

Sect. 18. SPILA'CRON; *scales adpressed, ending in a shortly ciliated, membranous appendage each; paleæ of pappus subsetose.*

73 wolgénsis DC. (*pu*) Volga Volga 1821. 6. 8. H ⊙
arenária Stev.

Sect. 19. ACRO'LOPHUS; *scales imbricated, each terminated by an acute appendage, which is more or less ciliated; pappus short.*

74 arenària DC. (*pu*) sand Caucasus 1821. 6. 8. H ♃ Gmel. sib. 2. t. 44. f. 2.
75 Kartschiàna DC. (*pu*) Kartschi's Carniola 1836. —— H ♃ Scop. carn. 2. t. 55.
76 dissécta DC. (*pu*) cut-leaved Italy 1824. —— H ♃
maculòsa Guss.
77 ambígua DC. (*pu*) ambiguous Naples 1827. —— H ♃ Guss. pl. rar. t. 61.
dissécta β Ten.
78 leucophy'lla DC. (*pu*) white-leaved Caucasus 1824. 7. 8. H ♃
79 argéntea DC. (*ye*) silver-leaved Candia 1739. —— F ♄ Barrel. ic. t. 218.
80 Reichenbàchii DC. (*pu*) Reichenbach's ..... 1830. —— H ♃ Rchb. pl. crit. 5. t. 443.
arenária Rchb.
81 maculòsa DC. (*pu*) spotted-cupped Siberia 1816. —— H ♃ Gmel. sib. 2. t. 44. f. 1. 2.
82 ovìna W. (*ye*) small-flowered Iberia 1802. 7. 11. H ♃
83 paniculàta DC. (*pu*) panicled Europe 1640. 7. 8. H ♂ Jacq. aust. 4. 320.
84 cerulèscens DC. (*pu*) bluish Spain .... —— H ♃ Cav. ic. 3. t. 320.
virgàta Cav. *paniculàta* Lam.

85 Biebersteínii DC.(*pu*) Bieberstein's Caucasus 1821. 7. 8. H ☉ Gmel. itin. 1. t. 23. f. 1.
paniculàta M.B. *micrántha* Gmel.
86 tenuiflòra DC. (*pu*) fine-flowered Tauria 1820. —— H ♂ Gmel. sib. 2. t. 43.
ovìna M.B.
87 parviflòra DC. (*pu*) small-flowered S. Europe 1823. —— H ♃
88 Wiedemanniàna F.M.(*ro*)Wiedemann'sNatolia 1836. —— H ♃
89 squarròsa DC. (*pu*) squarrose Persia —— —— H ♃
90 spinòsa DC. (*wh*) prickly-branch'dCandia 1640. —— F ♄ Bot. mag. t. 2493.
91 hy'brida DC. (*pu.ye*) hybrid Italy 1821. —— H ♂

Sect. 20. ACROCE'NTRON; *scales adpressed, with the margins membranous and ciliated, and drawn out into a stiff spine, which is ciliated at the base.*

92 orientàlis DC. (*ye*) oriental Tauria 1759. 7. 8. H ♃ Rchb. pl. crit. 5. t. 445.
93 atropurpùrea W.K.(*pu*)dark purple Hungary 1802. 6. 8. H ♃ W. et K. hung. 2. t. 116.
calocéphala β, *atropurpùrea* DC.
94 calocéphala DC. (*ye*) smooth-stalked Levant 1816. —— H ♃ Rchb. pl. crit. 5. t. 446.
95 collìna DC. (*ye*) hill S. Europe 1596. 6. 7. H ♃ Clus. hist. 2. p. 8. f. 2.
cicutæfòlia Horn.
96 pubéscens DC. (*ye*) downy ..... 1804. 7. 8. H ♃
97 niceènsis S.S. (*ye*) Italian Italy 1827. —— H ♃
98 rupéstris DC. (*ye*) rock ——— 1804. —— H ♃ Column. ecph. 1. t. et f. 2.
arachnoìdea Viv. fl. it. fr. t. 8.
99 ceratophy'lla DC.(*ye*)Buckhorn-leav'dNaples 1820. —— H ♃
100 jacobeæfòlia DC.(*ye*)Jacobea-leaved ..... 1829. 6. 8. H ♃
101 argyrophy'lla DC.(*pu*)silvery-leaved Naples 1816. —— H ♃
102 refléxa DC. (*ye*) crook-spined Iberia 1801. 7. 8. H ♃
103 centauroìdes DC.(*ye*)lyre-leaved S. Europe 1739. 5. 7. H ♃ Column. ecphr. 1. t. 33.
104 ragusìna DC. (*ye*) white-leaved Dalmatia 1710. 6. 7. G ♄ Bot. mag. t. 494.
105 sórdida DC. (*pu.ye*) sordid ..... 1817. —— H ♃

Sect. 21. HYMENOCE'NTRON; *scales adpressed, palmately jagged; the outer ones drawn out into a spine each in the middle.*

106 dilùta DC. (*pu*) pale-flowered S. Europe 1781. 7. 8. H ♃
elongàta W.

Sect. 22. CROCODY'LIUM; *scales imbricated, coriaceous, with broad scarious margins drawn out each into a spine; achenia villous; pappus double.*

107 Crocody'lium DC.(*bh*)blush-flowered Levant 1777. 7. 8. H ☉ Barrel. rar. t. 503.
108 pùmila DC. (*li*) dwarf Candia .... —— H ☉ Vent. malm. t. 9.

Ser. 4. CALCITRA'PEÆ; *appendages of the scales of the involucrum horny and pungent, and furnished with pinnatifid spines.*

Sect. 23. VERUTI'NA; *scales imbricated; middle ones drawn out each into a long twiny spine, bearing* 1 *or* 2 *lateral spines on each side; inner ones mutic; achenia pubescent.*

109 Verùtum DC. (*ye*) dwarf yellow Levant 1780. 8. 9. H ☉ Jacq. ic. f. 178.

Sect. 24. MESOCE'NTRUM; *scales coriaceous, imbricated; middle ones drawn out into a long spine, having several small spines at its base on the sides; pappus double.*

110 eriòphora DC. (*ye*) woolly-headed Portugal 1714. 6. 10. H ☉
111 ápula DC. (*ye*) Apulian Sicily 1829. 6. 8. H ☉ Column. ecphr. 1. t. 31.
112 solstitiàlis DC. (*ye*) St. Barnaby's England .... 7. 8. H ☉ Eng. bot. v. 4. t. 243.
113 meliténsis DC. (*ye*) cluster-headed Malta 1710. —— H ☉ Bocc. sic. t. 35.
114 Adàmi DC. (*ye*) Adam's Siberia 1804. —— H ☉
115 sulphùrea DC. (*st*) straw-coloured ..... 1815. —— H ☉
116 sícula DC. (*st*) Sicilian Sicily 1710. —— H ☉ Bocc. sic. t. 8. f. 1.
117 Stevènii DC. (*ye*) Steven's Caucasus 1826. —— H ☉
118 fuscàta DC. (*ye*) brownish Sardinia 1830. —— H ☉
marginàta Ten.
119 ægyptìaca DC. (*wh*) Egyptian Egypt 1790. 6. 9. H ☉ Del. ægypt. no. 43. f. 2.
120 aúrea DC. (*go*) great golden S. Europe 1758. 7. 9. H ♃ Bot. mag. t. 421.
121 scopària DC. (*pu*) broom Levant 1829. —— H ♄

Sect. 25. CALCI'TRAPA; *middle scales drawn out into a spine each, with small pinnate spines at the base; inner ones scarious at top; achenia glabrous.*

122 decúrrens DC.(*ye.pu.*)decurrent .... 7. 8. H ♃
123 tenuifòlia DC. (*pu*) slender-leaved Spain 1829. —— H ♃ Barrel. ic. t. 177.
124 Calcítrapa DC. (*li*) Star-thistle Britain .... —— H ☉ Eng. bot. v. 2. t. 125.
125 calcitrapoìdes DC.(*li*)Phœnician Levant 1683. 6. 7. H ☉
126 ibérica DC. (*pu*) Iberian Iberia 1821. 7. 8. H ☉
127 myacántha DC.(*pu*) many-spined France —— —— H ☉
128 Torreàna DC. (*pu*) Torre's Naples 1830. —— H ☉

Ser. 5. SERIDIE'Æ; *scales adpressed, imbricated, drawn out each into a horny palmately-spinose appendage.*

Sect. 26. PHILOSTI'XUS; *outer and middle scales drawn out each into a spreading, very spinose appendage; terminal spine the largest; achenia downy.*

129 fèrox DC. (*re*) hedgehog Barbary 1790. 7. 9. F ♃ Desf. atl. 1. t. 242.

Sect. 27. SERI'DIA; *scales drawn out into a palmately-spinose appendage each; achenia glabrous.*

130	cruénta DC.	(*pu*) obovate-leaved	S. Europe	1816. 6. 8.	H ♃		
131	sonchifòlia DC.	(*pu*) Sow-thistle-ld.	———	1780. 8.10.	H ⊙		Pluk. phyt. 39. f. 1.
132	Séridis DC.	(*pu*) purple-flower'd	Spain	1686. 6. 8.	H ♃		Pluk. alm. t. 38. f. 1.
133	Zanònii S.S.	(*pu*) Zanoni's	———	1822. ——	H ♂		
134	Ismàrdi S.S.	(*li*) Jersey	Jersey	.... 7. 8.	H ♃		Eng. bot. v. 32. t. 2256.
	áspera β, *auriculària* DC.						
135	áspera DC.	(*pu*) rough	S. Europe	1772. 6.10.	H ⊙		Bocc. mus. 35. t. 26.
136	sphærocéphala DC.	(*pu*) globe-headed	———	1683. 6. 8.	H ⊙		Bot. mag. t. 2551.
137	auriculàta DC.	(*pu*) eared	———	1816. 7. 8.	H ⊙		
	sonchifòlia β, *auriculàta* DC.						
138	polyacántha S.S.	(*pu*) many-spined	Portugal	1804. ——	H ⊙		Viv. fl. lib. t. 24.
	sonchifòlia γ, *dimórpha* DC.						

Sect. 28. SERIDIOI'DES; *scales drawn out into a small palmately-spinose appendage.*

139	glomeràta DC.	(*st*) proliferous	Egypt	1816. 7. 8.	H ⊙		Vent. hort. cels. t. 16.
	stramínea W. hort. ber. t. 26. *prolífera* Vent.						

Sect. 29. PECTINA'STRUM; *scales adpressed, drawn out each into an orbicular, erect, pectinately-spinose appendage.*

140	napifòlia DC.	(*pu*) Turnip-leaved	Candia	1691. 7. 9.	H ⊙		Herm. parad. t. 189.

Species hardly known.

141	capillàta DC.	(*pu*) hairy-headed	Volga	1827. 6. 8.	H ♃		
142	tatárica W.	(*ye*) Tartarian	Tartary	1801. 7. 8.	H ♃		
143	Stœ'be DC.	(*pu*) wing-leaved	Austria?	1659. 6. 7.	H ♃		
144	ballàta Leh.	.. blistered	.....	1829.	H ♃ ?		
145	ucránica Ot.	.. Ukraine	Ukraine	——	H ♃ ?		
146	subspinòsa Leh.	(*pu*) somewhat spiny	Siberia	—— 7. 8.	H ♃		
147	sabulòsa DC.	(*wh*) gravel	———	1828. ——	H ♃		
148	peregrina DC.	(*pu*) soft-leaved	S. Europe	1749. ——	H ⊙		
149	multífida P.S.	(*st*) multifid	———	1824. ——	H ♃		
150	romàna L.	(*pu*) Roman	Italy	1739. 7. 9.	H ♂		Barrel. rar. t. 504.
151	Barrelièri S.S.	(*pu*) Barrelier's	Hungary	1826. ——	H ♃		Barrel. ic. 310.
152	leucántha Lam.	(*wh*) white-blossom'd	S. Europe	1826. ——	H ♃		——— 359.
153	xanthina S.S.	(*ye*) yellow	———	1836. ——	H ⊙ ?		

CNI'CUS DC. CNI'CUS. (κνικος, a name employed by Dioscorides.) Syngenesia Frustr.

benedíctus DC.	(*st*) blessed thistle	Spain	1548. 6.10.	H ⊙		Zorn. ic. t. 122.

Centaúrea benedícta L. *Cárduus benedíctus* Cam.

Subtribe VIII. CARTHA'MEÆ. DC. prod. 6. p. 609.

KENTROPHY'LLUM DC. KENTROPHY'LLUM. (κεντρον, a spur, and φυλλον, a leaf.) Sy. Fr.

Sect. 1. ATRAXY'LE; *inner leaves of involucrum nearly entire; inner series of pappus much shorter than the outer, truncate at apex.*

1	lanàtum DC.	(*ye*) woolly	S. Europe	1596. 7. 8.	H ⊙		Bot. mag. t. 2143.
	Cárthamus lanàtus B.M. *Centaúrea lanàta* DC. *Heracántha lanàta* L.en.						
2	taúricum L.en.	(*ye*) Taurian	Tauria	1818. 6. 7.	H ⊙		
	Cárthamus créticus W. *Heracántha taúrica* L.en.						
3	glaúcum DC.	(*pu*) glaucous	Iberia	1818. 6. 7.	H ⊙		
4	lasiocaúlon DC.	(*wh*) woolly-stemmed	Candia	1781. ——	H ⊙		Flor. græc. t. 842.
	Heracántha crética L.en.						

Sect. 2. THAMNACA'NTHA; *inner scales of involucrum lanceolate, quite entire; inner series of pappus hardly distinct from the rest.*

5	arboréscens DC.	(*ye*) tree	Spain	1731. 7. 8.	F ♄		Bot. mag. t. 3302.
	Cárthamus arboréscens W. *Onobròma arboréscens* S.S.						

CA'RTHAMUS DC. BASTARD SAFFRON. (*qortom*, Arab. to paint; used as dye.) Syn. Æq.

1	tinctòrius DC.	(*or*) common	Egypt	1551. 6. 7.	H ⊙		Bot. reg. t. 170.
2	oxyacánthus DC.	(*ye*) sharp-spined	Caucasus	1829. ——	H ⊙		

ONOBRO'MA DC. ONOBRO'MA. (ὄνος, an ass, and βρωμα, food; fit for.) Syngen. Æqualis.

armènum DC.	(*ye*) Armenian	Armenia	1816. 6. 7.	H ⊙		
Cárthamus armènus W.en.						

CARDUNCE'LLUS DC. CARDUNCE'LLUS. (a dim. of *Carduncúlus*, a cardoon.) Syng. Æqua.

1	monspeliénsium DC.	(*bl*) common	France	1776. 5. 6.	H ♃		Lob. ic. 2. p. 20.
	Cárthamus Carduncéllus W.						
2	mitissimus DC.	(*bl*) small	———	1734. 6. 7.	H ♃		

3 tingitànus DC. (*bl*) Tangier Barbary 1759. 6. 7. H ♃ Cavan. ic. 2. t. 128.
Cárthamus tingitànus W.
4 cœrùleus D.C. (*bl*) blue-flowered Spain 1640. —— H ♃ Bot. mag. t. 2293.
Cárthamus cœrùleus W. *Onobròma cœrùlea* S.S.

Subtribe IX. SILY'BEÆ. DC. prod. 6. p. 615.

SI'LYBUM DC. SI'LYBUM. (the Greek name of some plant.) Syngenesia Æqualis.
mariànum DC. (*pu*) milk-thistle Britain .... 7. H ♂ Eng. bot. v. 14. t. 976.
Cárduus mariànus E.B.
GALACTI'TES DC. GALACTI'TES. (γαλα, milk; white veins in leaves.) Syngen. Frustranea.
tomentòsa DC. woolly S. Europe 1738. 7. H ⊙ DC. ann. mus. 16. t. 16.
Centaúrea galactîtes W.
TYRI'MNUS DC. TYRI'MNUS. (not explained.) Syngenesia Æqualis.
leucógraphus DC. (*pu*) white-spotted Italy 1752. 6. 7. H ⊙ Jacq. vind. 3. t. 23.
Cárduus leucógraphis L.

Subtribe X. CARDUI'NEÆ. DC. prod. 6. p. 617.

ONOPO'RDUM DC. COTTON-THISTLE. (ὄνος, an ass, πέρδω; flatulent effects.) Syng. Æqua.
§ 1. *Stem erect, many-headed; outer scales spreading or reflexed, nearly the length of the inner ones.*
1 Acánthium DC. (*pu*) woolly Britain .... 7. 8. H ♂ Eng. bot. v. 14. t. 977.
2 taúricum W. (*pu*) Taurian Tauria 1800. —— H ♂
3 vìrens DC. (*pu*) green S. Europe 1822. —— H ♂ Flor. græc. t. 833.
elàtum Sm. *viscòsum* Horn.
4 macrocánthum DC. (*pu*) long-spined Barbary 1798. —— H ♂ Schousb. maroc. t. 5.
5 elongàtum DC. (*pu*) Illyrian S. Europe 1648. —— H ♂ Jacq. vind. 2. t. 148.
illy'ricum W.
§ 2. *Stem erect, many-headed; scales erect, or nearly so, imbricated; outer ones shorter.*
6 arábicum DC. (*pu*) Arabian S. Europe 1686. 7. H ♂ Bot. mag. t. 3299.
7 græ'cum DC. (*pu*) Grecian Greece 1799. 6. 7. H ♂ Gouan. ill. t. 25.
§ 3. *Stem short, 1-headed, or wanting; heads sessile.*
8 pyrenàicum DC. (*wh*) Pyrenean Pyrenees 1818. —— H ♂
9 acaúlon DC. (*wh*) dwarf ..... 1739. —— H ♂ Jacq. ic. 1. t. 167.
10 uniflòrum DC. (*wh*) one-flowered Spain 1826. —— H ♂ Cav. icon. t. 88.
CYNA'RA DC. ARTICHOKE. (κυον, a dog; spines like teeth of.) Syngenesia Æqualis.
1 Cardúnculus DC. (*bl*) Cardoon Candia 1658. 8. 9. H ♃ Bot. mag. t. 3241.
2 Scólymus DC. (*bl*) common S. Europe 1548. —— H ♃ Blackw. t. 458.
3 spinosíssima DC. (*bl*) very spiny Sicily 1824. —— H ♃
4 hórrida DC. (*bl*) very prickly Madeira 1778. —— G ♃ Flor. græc. t. 834.
5 hùmilis DC. (*bl*) dwarf Spain 1613. 7. 8. H ♃ Pluk. alm. t. 81. f. 2.
6 córsica Viv. (*bl*) Corsican Corsica 1825. —— H ♃
7 pygmæ'a DC. (*bl*) small Spain 1824. —— H ♃
CA'RDUUS D.P. THISTLE. (*ard*, a point, in Celt.; prickly habit.) Syngenesia Æqualis.
1 arábicus DC. (*pu*) Arabian Arabia 1789. 7. 8. H ⊙ Jacq. ic. 1. t. 166.
2 nùtans DC. (*pu*) musk Britain .... —— H ⊙ Eng. bot. v. 16. t. 1112.
3 macrocéphalus DC. (*pu*) large-headed Naples 1830. —— H ⊙
nùtans M.B. *hamulòsus* T.
4 carlinoìdes DC. (*pu*) Pyrenean Pyrenees 1784. —— H ♂ Gouan. ill. t. 23.
Carlìna pyrenàica L.
5 carlinæfòlius W. (*pu*) Carline-leaved ——— 1804. —— H ♂
6 acanthoìdes DC. (*li*) welted Britain .... 6. 7. H ⊙ Eng. bot. v. 14. t. 973.
7 hamulòsus DC. (*pu*) hooked Hungary 1802. —— H ⊙

8	crispus DC.	(li) curled	Europe	1804.	7. 8.	H	♂	Flor. dan. t. 621.
9	chrysacánthus DC.	(pu) golden-spined	Naples	1828.	——	H	♃	
10	onopordioìdes DC.	(pu) Onopordum-like	Iberia	1824.	——	H	♃	
11	argentàtus DC.	(pu) white Egyptian	Egypt	1789.	6. 8.	H	⊙	Jacq. vind. 2. t. 192.
12	arctioìdes DC.	(pu) pinnated	Hungary	1804.	7. 8.	H	♃	Scop. carn. t. 93.
13	dùbius DC.	(pu) doubtful	.....	1827.	——	H	♃	
14	seminùdus DC.	(pu) half-naked	Caucasus	——	——	H	♂	
15	uncinàtus DC.	(pu) crook-pointed	Volga	——	——	H	♂	
16	nigréscens DC.	(pu) blackish	Dauphiny	1819.	——	H	♂	Vill. dauph. 3. t. 20.
17	corymbòsus DC.	(pu) corymb-flower'd	Naples	1827.	——	H	⊙	
18	cinèreus DC.	(pu) gray	Caucasus	——	——	H	♂	
19	collìnus DC.	(pu) hill	Hungary	1828.	——	H	♂	W. et K. hung. 3. t. 232.
20	Argemòne DC.	(pu) Argemone-ld.	Pyrenees	1816.	——	H	♃	
21	mèdius DC.	(pu) intermediate	——	——	——	H	♃	Gouan. ill. t. 24.
22	affìnis DC.	(pu) allied	Naples	1830.	——	H	♃	Guss. pl. rar. t. 57.
23	myriacánthus DC.	(pu) many-spined	N. Africa	1836.	——	H	♂	Nocc. et Balb. fl. t. 12.
24	Candóllei DC.	(pu) De Candolle's	France	....	——	H	♂	
	litigiòsus Nocc.	*arenàrius* DC.						
25	cephalánthus DC.	(pu) head-flowered	Corsica	1835.	——	H	♂	
	pycnocéphalus S.S.	*congéstus* Guss.						
26	argyròa DC.	(pu) silvery	Sicily	1827.	——	H	⊙	
27	tenuiflòrus E.B.	(pu) slender-flowered	Britain	....	6. 7.	H	⊙	Eng. bot. t. 412.
	β *albìdus* DC.	(pu) *white-leaved*	Caucasus	1829.	7. 8.	H	⊙	
	γ *pycnocéphalus* DC.	(pu) *Italian*	S. Europe	1739.	7. 9.	H	⊙	Jacq. vind. 1. t. 34.
28	negléctus DC.	(pu) neglected	Naples	1833.	——	H	⊙	
29	defloràtus DC.	(pu) deflowered	Austria	1670.	——	H	♃	
	β *alpéstris* DC.	(pu) *alpine*	Hungary	1805.	7. 8.	H	♃	W. et K. hung. 3. t. 267.
	γ *circioìdes* DC.	(pu) *Circium-like*	Europe	——	——	H	♃	
	spinulòsus Bertol.							
	δ *transalpìnus* DC.	(pu) *transalpine*	Switzerland	——	——	H	♃	Jacq. aust. t. 89.
	glaucophyllus Hort. Jacq.							
	ε *crassifòlius* DC.	(pu) *thick-leaved*	.....	——	7.	H	♃	
	ι *sumànus* DC.	(pu) *Pollini's*	Italy	1823.	7. 8.	H	♃	
30	tenuifòlius DC.	(pu) fine-leaved	Switzerland	1819.	——	H	♃	
	pannónicus Schleich.	*crassifòlius* Horn.						
31	cándicans DC.	(pu) hoary	Hungary	1805.	7. 8.	H	♂	W. et K. hung. 1. t. 83.
32	personàtus DC.	(pu) cut-leaved	Austria	1776.	——	H	♂	Jacq. aust. 4. t. 358.

CLAVE'NA DC. CLAVE'NA. (Nicol. Clavena, who has written on Compositæ.) Syngenesia Æqualis.

1	canariénsis DC.	(pu) clubbed	Canaries	1827.	7. 8.	F	♂	
	Cárduus clavulàtus Lk.							
2	squarròsa DC.	(wh) squarrose	Madeira	——	——	F	♂	

PICNO'MON DC. PICNO'MON. (not explained.) Syngenesia Æqualis.

	Acárna DC.	(pu) yellow	Spain	1683.	7. 9.	H	⊙	Cavan. ic. 1. t. 53.

Cnìcus Acárna L. *Círcium Acárna* Mœnch. *Carlìna Acárna* M.B.

CI'RSIUM DC. HORSE-THISTLE. (κιρσος, varicose veins; supp. to heal.) Syngenesia Æqualis.

Sect. 1. LOPHIO'LEPIS; *involucrum hardly girded by bracteæ; scales imbricated, adpressed, ending in a subulate spine, and with the margins spinulously serrated; marginal flowers usually male; heads large, roundish.*

1	ciliàtum DC.	(pu) ciliated	Siberia	1787.	8.	H	♃	Murr. com. got. 6. t. 5.
2	Ukránicum DC.	(pu) Ukraine	——	1820.	7. 8.	H	♃	
	serrulàtus var. M.B.							
3	fimbriàtum DC.	(pu) fringed	Caucasus	1816.	——	H	♃	

Sect. 2. ERIO'LEPIS; *scales imbricated, ending each in an entire subulate spine; marginal flowers hermaphrodite; leaves tomentose beneath and scabrous above, sessile, rarely decurrent.*

* *Leaves decurrent.*

4	itàlicum DC.	(pu) Italian	Italy	1826.	7. 8.	H	♃	Dod. pempt. 738. f. 2.
5	lanceolàtum DC.	(pu) common	Britain	....	6. 9.	H	♃	Eng. bot. v. 2. t. 107.
	Cárduus lanceolàtus E.B.	*Cnìcus lanceolàtus* W.						
6	sorocéphalum DC.	(pu) aggregate-headed	Caucasus	1836.	7. 8.	H	♂	
7	gigantèum DC.	(pu) giant	Sicily	1820.	——	H	♂	Desf. atl. 2. t. 221.
8	pazcuarénse DC.	(pu) Pazcuaro	Mexico	1827.	——	H	♂	H. B. amer. 4. t. 310.
9	echinàtum DC.	(pu) hedgehog	Barbary	1824.	——	H	♂	
10	eriòphorum DC.	(pu) woolly-headed	Britain	....	——	H	♂	Eng. bot. v. 6. t. 386.
	Cárduus eriòphorus E.B.	*Cnìcus eriòphorus* W.						
11	férox DC.	(wh) fierce	S. Europe	1683.	——	H	♂	All. ped. 1. t. 50.
12	díscolor DC.	(pu) two-coloured	N. America	1803.	——	H	♂	
13	lappàceum DC.	(pu) Burdock-like	Caucasus	1826.	——	H	♂	
14	serrulàtum DC.	(pu) serrulated	——	1820.	——	H	♂	

15 cérnuum DC. (*pu*) drooping — Mexico — 1827. 7. 8. H ♃
Cnìcus lappàceus Hort. par.
16 laniflòrum DC. (*pu*) woolly-flowered — Caucasus — 1823. —— H ♂
17 arachnoídeum DC. (*pu*) cobweb — ——— — —— H ♃ — Rchb. pl. crit. 4. t. 331
18 hórridum DC. (*pu*) very spiny — ——— — 1820. —— H ♂
19 munìtum DC. (*pu*) armed — ——— — 1816. —— H ♂
20 altíssimum DC. (*pu*) giant — N. America — 1726. 8. 9. H ♃ — Dill. elth. t. 69. f. 80.

** *Leaves stem-clasping, not decurrent.*

21 strigòsum DC. (*pu*) strigose — Caucasus — 1818. 7. 8. H ♂

Sect. 3. ORTHOCE'NTRON; *scales oval-oblong, often ciliated, imbricated, usually ending in straight subulate spine; corollas equally 5-cleft.*

22 polyánthemum DC. (*pu*) many-flowered — Rome — 1739. 6. 7. H ♂ — Triumf. obs. t. 103.
elàtius L. en. *Cárduus polyánthemus* L.
23 elòdes DC. (*pu*) marsh — Caucasus — .... —— H ♂
24 sículum DC. (*pu*) Sicily — Sicily — 1828. 7. 8. H ♂
β *púngens* S.S. (*pu*) *pungent* — Levant — —— —— H ♂

Sect. 4. CEPHALO'NOPLOS; *heads diœcious; scales imbricate, lanceolate, adpressed; outer ones rather spinose at tops: filaments rather scabrous.*

25 arvénse DC. (*li*) corn or way — Britain — .... 7. H ♃ — Eng. bot. v. 14. t. 973.
Serrátula arvénsis W. *Cárduus arvénsis* E.B. *Cnìcus arvénsis* Ph.
26 incànum DC. (*pu*) hoary — Caucasus — 1829. 6. 7. H ♃ — Gmel. itin. t. 36. f. 2.
27 setòsum DC. (*pu*) setose — Tauria — 1823. 7. 8. H ♃ — Gmel. sib. 2. t. 22.

Sect. 5. ORNO'TROPHE; *scales ending in a mucrone; corollas irregularly 5-cleft; filaments rather hairy.*

* *Leaves more or less decurrent.*

28 uliginòsum DC. (*pu*) swamp — Caucasus — 1820. 7. 8. H ♃
29 cànum DC. (*pu*) hoary — Austria — 1633. —— H ♃ — Jacq. aust. 1. t. 42-43.
30 monspessulànum DC. (*pu*) Montpelier — Montpelier — 1596. 6. 7. H ♃ — Lob. ic. t. 581. f. 2.
β *pyrenàicum* DC. (*pu*) *Pyrenean* — Pyrenees — 1818. 7. 8. H ♃ — Jacq. obs. 4. t. 95.
γ *disséctum* DC. (*pu*) *dissected* — ..... — —— —— H ♃
31 pannónicum DC. (*pu*) Hungarian — Hungary — 1816. 7. 9. H ♃ — Jacq. aust. 3. t. 5.
32 praténse DC. (*pu*) field — France — .... —— H ♃ — Mor. ox. s. 7. t. 29. f. 28.
Cárduus tuberòsus L. *praténsis* Lam.
33 subalpìnum DC. (*pu*) subalpine — Pyrenees — 1816. —— H ♃
β *lácteum* DC. (*st*) *milk-coloured* — Switzerland — 1819. —— H ♃
Cnìcus lácteus Schleich.
34 palústre DC. (*li.wh*) marsh — Britain — .... 7. 8. H ♂ — Eng. bot. v. 14. t. 974.
Cárduus palústris E.B. *Cnìcus palústris* W.
35 hy'bridum DC. (*pu*) hybrid — ..... — 1819. —— H ♃
36 chìum DC. (*pu*) Chio — Chio — 1824. —— H ♃ — Jacq. vind. 3. t. 5.
37 semidecúrrens DC. (*pu*) panicled — Pyrenees — 1827. —— H ♃
paniculàtum S.S.
38 semipectinàtum DC. (*w*) semipectinate — Siberia — 1828. —— H ♃
39 parviflòrum DC. (*wh*) small-flowered — S. Europe — 1781. 6. 7. H ♃
Cárduus parviflòrus L.

** *Leaves not decurrent.*

40 oleràceum DC. (*wh*) pale-flowered — Europe — 1570. 7. 8. H ♃ — Flor. dan. 860.
41 ruféscens DC. (*wh*) rufescent — Carniola — 1792. —— H ♃ — Scop. carn. 1005. t. 54.
carniolìca Scop.
42 rìgens DC. (*wh*) upright alpine — Switzerland — 1775. —— H ♃ — Jacq. aust. 1. t. 90.
tatáricum DC.
43 spinosíssimum DC. (*wh*) feathery-headed — Switzerld. — 1759. 6. 8. H ♃ — Bot. mag. t. 1366.
44 tatáricum L. *wh*) Tartarian — Tartary — 1829. —— H ♃
angustifòlium DC.
45 Bertolònii DC. (*wh*) Bertoloni's — Italy — 1828. —— H ♃
46 ochroleùcum D.C. (*st*) pale yellow — Switzerland — 1801. 7. H ♃ — Jacq. aust. 4. t. 310.
Erisíthales Jacq.
47 glutinòsum DC. (*st*) clammy — France — 1752. 6. 8. H ♃
Cnìcus Erisíthales L.
48 pauciflòrum DC. (*pu*) few-flowered — Hungary — 1816. —— H ♂ — W. et K. hung. 2. t. 161.
49 trichocephalòdes DC. (*pu*) river — ——— — 1804. 7. 8. H ♃ — All. pedem. t. 35.
salisburgénse DC.
β *rivulàre* DC. (*pu*) *rivulet* — Austria — —— —— H ♃ — Jacq. austr. 1. t. 91.
Cnìcus rivulàris W.
50 montànum DC. (*pu*) mountain — Hungary — .... —— H ♃
51 bulbòsum DC. (*pu*) tuberous — England — .... 8.10. H ♃ — Eng. bot. v. 36. t. 2562.
Cnìcus tuberòsus E.B. *Cárduus tuberòsus* L.
52 a'nglicum DC. (*pu*) English — Britain — .... 6. 7. H ♃ — ——— v. 3. t. 177.
Cárduus praténsis E.B. *heterophy'llus* Lightf. not L. Eng. bot. t. 675. *Cnìcus praténsis* W.

53 Fórsteri, Sm. (*pu*) Forster's — England .... 7. 8. H ♃
54 obvallàtum DC. (*pu*) crowded-fld. — Caucasus 1816. —— H ♃
55 acaúle DC. (*pu*) dwarf — Britain .... —— H ♃ — Eng. bot. v. 3. t. 161.
Cárduus acaúlis E.B. *Cnìcus acaúlis* W.
β *caulécens* F.S. (*pu*) *stalked* — Britain .... —— H ♃
γ *Gmelíni* F. (*pu*) *Gmelin's* — Baical 1829. —— H ♃
56 serratuloìdes DC. (*pu*) Sawwort-like — Siberia 1752. 6.10. H ♃ — Jacq. aust. 2. t. 127.
57 ambíguum DC. (*pu*) ambiguous — S. Europe 1823. —— H ♃
58 orgyàle DC. (*pu*) tall — ..... —— H ♃
59 dealbàtum DC. (*pu*) mealy-leaved — Caucasus 1828. —— H ♃
60 heterophy'llum DC. (*pu*) various-leav'd — Britain —— —— H ♃ — Eng. bot. t. 675.
Cárduus polymórphus Lap. *helenoìdes* L.
β *incìsum* DC. (*pu*) *cut* — Europe .... —— H ♃ — All. pedem. t. 34.
heterophy'llum L.

Species not sufficiently known.

61 mìte DC. (*pu*) soft — Siberia 1818. 7. 8. H ⊙
62 mèdium S.S. (*pu*) middle — Italy 1829. —— H ♃
63 squarròsum DC. (*pu*) squarrose — Siberia —— —— H ♃
64 neglèctum DC. (*pu*) neglected — ——— —— —— H ♃
65 desertòrum DC. (*pu*) desert — ——— 1823. —— H ♃
66 elàtum L. en. (*pu*) tall — ——— —— —— H ♃
67 créticum S.S. (*wh*) Cretan — Crete 1827. —— H ♃

ERYTHROLÆ'NA. ERYTHROLÆ'NA. (*ερυθρος*, red, and *κλαινα*, a cloak.) Syngenesia Æqualis.
conspícua B.F.G. (*sc*) conspicuous — Mexico 1824. 9.10. F ♂ — Swt. br. fl. gar. t. 134.

CHAMÆPEU'CE DC. CHAMÆPEU'CE. (*χαμαι*, on the ground, and *πευκη*, a pine.) Syng. Æqualis.
Sect. 1. PILOSTE'MON; *scales drawn out into a narrow appendage; corollas obringent; filaments plumose.*
1 mùtica DC. (*re*) Pine-leaved — Candia 1640. 7.11. F ♄ — Flor. græc. t. 347.
Stæhelina Chamæpeùce L.
2 gnaphalòdes DC. (*pu*) woolly — Calabria .... —— F ♄ — Cyr. pl. rar. 1. t. 9.
Cárduus gnaphalòdes Cyr.
Sect. 2. LAMY'RA; *scales ending each in a lanceolate spinose appendage, which is more or less tumid inside at the base; corollas nearly equal; filaments hairy.*
3 Casabònæ DC. (*pu*) fish-bone — S. Europe 1714. 6. 8. F ♂ — Schmidt ic. t. 51-52.
Cárduus Casabònæ L.
4 stellàta DC. (*pu*) starry — Italy 1665. 6. 7. H ⊙ — Flor. græc. t. 830.
Cárduus stellàtus L. *Círcium stellàtum* All.
5 stricta DC. (*pu*) straight — Naples 1820. —— H ♃
Cnìcus stríctus Ten.
Sect. 3. PLATYRA'PHIUM; *scales ending each in a broad lanceolate spinose appendage, which is rather tumid at the base; corolla obringent; filaments hairy.*
6 Diacántha DC. (*pu*) two-spined — Barbary 1800. 6. 7. F ♂ — Lab. ic. pl. syr. 1. t. 3.
7 àfra DC. (*pu*) Africa — ——— 1802. —— F ♂ — Jacq. schœnb. 2. t. 145.
Cárduus àfer Jacq.
8 echinocéphala DC. (*pu*) spiny-headed — Caucasus 1823. —— H ♃
9 cynaroìdes DC. (*pu*) Artichoke-like — Crete 1828. —— H ♃ — Desf. cor. t. 35.
Cárduus cynaroìdes Lam.
10 nívea DC. (*pu*) snowy-leaved — Sicily —— —— H ♃
Cnìcus àfer Ten. *Círcium níveum* S.S.
11 hórrida DC. (*wh*) Bætian — Spain 1825. —— H ♃
Círcium hórridum Lag. *bæ'ticum* S.S.

NOTOBA'SIS DC. NOTOBA'SIS. (*νωτος*, the back, and *βασις*, the base.) Syngenesia Necessaria.
syríaca DC. (*wh*) Syrian — Levant 1771. 7. 8. H ⊙ — Flor. græc. t. 831.
Cárduus syrìacus L.

ECHENA'IS DC. ECHENA'IS. (*εχινος*, a hedgehog; prickly habit.) Syngenesia Æqualis.
carlinoìdes DC. (*wh*) hard-flowered — Caucasus 1824. 7. 8. H ♂
Círcium sclerànthon M.B. *Carlìna Echìnus* M.B.
β *nùtans* DC. (*wh*) *drooping* — Caucusus —— —— H ♂ — DC. hort. gen. t. 22.
Círcium carlinoìdes F. *Cnìcus carlinoìdes* Schrank.

LA'PPA DC. BURDOCK. (*laphath*, Hebrew, a bur; heads.) Syngenesia Æqualis.
1 minor DC. (*pu*) smooth-headed — Britain .... 7. 8. H ♂ — Eng. bot. v. 18. t. 1228.
Á'rctium Láppa E.B.
2 tomentòsa DC. (*pu*) woolly-headed — ——— .... —— H ♂ — Eng. bot. v. 35. t. 2478.
Á'rctium Bardàna W. *Láppa* β L. *tomentòsum* Schkuhr. hand. t. 227.
3 major DC. (*pu*) larger — Europe .... 7. 8. H ♂ — Lam. ill. t. 665.
Á'rctium Láppa W. *Láppa* α L. *màjus* Schkuhr.

Subtribe XI. SERRATU'LEÆ. DC. prodr. 6. p. 662.

ACRO'PTILON DC. ACRO'PTILON. (ακρος, the summit, and πτιλον, a feather.) Syngen. Æqu

1 rèpens DC. (ye) creeping Levant 1739. 6. 8. H ♃
Centaúrea rèpens L.

2 Pícris DC. (ye) Picris Caucasus 1822. —— H ♃
Centaúrea Pícris W. *Serrátula Pícris* M.B. *amàra* Pall.

RHAPO'NTICA DC. RHAPO'NTICA. (*rha*, rhubarb, and *Ponticus*, of Pontus.) Syngen. Frus

Sect. 1. STEMMACA'NTHA; *scales ending each in a long much-acuminated appendage, with scari edges.*

1 atriplicifòlium DC. (pu) Siberian Siberia 1784. 8. H ♃
Onopórdon deltoìdes H.K. *Sílybum atriplicifòlium* F.

2 cynaroìdes DC. (pu) Cynara-like Pyrenees 1818. —— H ♃ Mor. ox. s. 7. t. 25. f.
Cnìcus cynaroìdes DC. *inérmis* W. *centauroìdes* L. *Círcium inérme* L. en.

Sect. 2. EURHAPO'NTICUM; *outer scales ending each in a large oblong or roundish scario appendage; inner ones narrow, pointed.*

3 scariòsum DC. (pu) common Switzerland 1640. 7. 8. H ♃ Bot. mag. t. 1752.

4 uniflòrum DC. (pu) one-flowered Siberia 1796. —— H ♃ Gmel. sib. 2. t. 38.
Cnìcus uniflòrus W. *Serrátula uniflòra* S.S.

5 púlchrum DC. (pu) fair Caucasus 1836. —— H ♃

6 doronicæfòlium F. (pu) Doronicum-ld. Siberia 1825. 6. 8. H ♃

7 dahùricum F. (pu) Dahurian Dahuria 1829. —— H ♃

Sect. 3. CESTRI'NUS; *scales oblong, expanded each into an oval, scarious, jagged appendage at apa*

8 acaûle DC. (bi) Carthamus-like Barbary 1799. 7. H ♃ Desf. atl. 2. t. 223.
Cynàra acaúlis W. *Serrátula acaúlis* DC. *Cestrìnus carthamoìdes* Cass.

LEU'ZEA DC. LEU'ZEA. (M. de Leuze, a friend of De Candolle.) Syngenesia Frustrana

Sect. 1. RHACO'MA; *fruit subtuberceled; scales expanded into an orbicular subconcave appendag each; inner ones narrow.*

1 conífera DC. (pu) cone S. Europe 1683. 6. 9. H ♃ DC. ann. mus. 16. t. 1
Centaúrea conífera W.

2 austràlis DC. (pu) New Holland N. Holland 1821. 8. 9. H ♃ Gaud. in Freyc. t. 92.

Sect. 2. FORNI'CIUM; *fruit smooth, crowned with a manifest crenated border; scales expand each into entire lanceolate or subulate flat appendage each.*

3 salìna DC. (pu) salt-marsh Siberia 1804. 7. H ♃ Gmel. sib. 2. t. 37.
Círcium salìnum M.B. *simplex* Horn.

4 altàica DC. (pu) Altay Altay 1827. 7. 8. H ♃
Holócharis altàica F.

5 carthamoìdes DC. (pu) Carthamus-like Siberia 1823. —— H ♃
Cnìcus carthamoìdes W. *Leùzea carthamoìdes* DC. *Holócharis carthamoìdes* M.B.

ALFRE'DIA DC. ALFRE'DIA. (evidently from the name of a bot.) Syngenesia Æqualis.

cérnua DC. (wh) nodding Siberia 1755. 6. 7. H ♃ Mill. ic. 2. t. 248.
Cnìcus cérnuus W. *Sílybum cérnuum* G.

SERRA'TULA DC. SAWWORT. (a dim. of *serra*, a saw; serrated leaves.) Syngenesia Æquali

Sect. 1. SARRE'TA; *flowers diocìæus.*

1 tinctòria DC. (pu) common Britain .... 7.10. H ♃ Eng. bot. v. 1. t. 38.

Sect. 2. MASTRU'CIUM; *ray-flowers few, female, exceeding those of the disk, 3-4-cleft, beari 3-4 barren filaments.*

2 coronàta DC. (pu) lyre-leaved Italy 1739. 7. 8. H ♃ Gmel. sib. 2. t. 20.

Sect. 3. KLA'SEA; *flowers equal, all hermaphrodite.*

3 quinquefòlia DC. (pu) five-leaved Persia 1804. 7. 8. H ♃ Bot. mag. t. 1871.

4 nítida DC. (pu) glossy Siberia 1821. —— H ♃

5 centauroìdes DC. (pu) Centaury-like ——— 1804. —— H ♃ Gmel. sib. 2. t. 40.

6 radiàta DC. (pu) rayed Hungary 1800. —— H ♂ W. et K. hung. 1. t. 1

7 xeranthemoìdes DC. (pu) everlasting-fld. Caucasus 1804. —— H ♃ Gmel. sib. 2. t. 47. f.

8 heterophy'lla DC. (pu) Horehound-ld. France 1823. —— H ♃ Vill. delph. 3. t. 19.
lycopsifòlia Vill.

9 pinnatífida DC. (pu) pinnatifid Spain .... —— H ♃ Cav. icon. 1. t. 83.
Cárduus pinnatífidus Cav.

10 cichoràcea DC. (pu) Succory-like Italy 1824. 7. 9. H ♂ Till. pis. p. 84. t. 27.
Centaúrea cichoràcea L. Cyr. pl. rar. 2. t. 7.

11 nítida DC. (pu) glossy Hungary 1806. 7. 8. H ♃ W. et K. hung. 1. t. 8

12 nudicaúlis DC. (pu) naked-stalked S. Europe 1739. —— H ♃ Cav. ic. 3. t. 226.
Cárduus cerinthoìdes W. *glaúcus* Cav. *Centaúrea nudicaúlis* L. *Serrátula nudicaúlis* DC.

13 leucántha DC. (wh) white-flowered Spain 1825. 7. 8. H ⊙ Cavan. icon. 2. t. 163.
Cárduus leucánthus Cav.

Sect. 4. OLIGOCHÆ'TA; *ray-flowers hermaphrodite, often destitute of pappus; pappus of few bristles; style undivided.*

14 divaricàta F.M. (*pu*) divaricate — Persia — 1836. 5. 7. H ⊙
15 áspera L. en. (*pu*) rough — Nepaul — 1820. —— H ⊙

JURI'NEA DC. JURI'NEA. (M. Jurin, a cel. French nat.) Syngenesia Æqualis.

1 linearifòlia DC. (*pu*) linear-leaved — Siberia — 1827. 5. 7. H ♃ — Gmel. sib. 2. t. 28.
Serrátula linearifòlia DC. *multiflòra* L.en.
2 stæchadifòlia DC. (*pu*) woolly-headed — Tauria — 1820. —— H ♃ — Bieb. pl. rar. ruth. 1. t. 39.
Serrátula stæchadifòlia S.S.
3 alàta DC. (*pu*) winged-stalked ..... — 1812. 6. 8. H ♂ — Swt. br. fl. gar. t. 103.
Serrátula alàta Desf. *Cárduus alàtus* D.D.
4 poly'clonos DC. (*pu*) Siberian — Siberia — 1823. 7. 8. H ♃
Serrátula poly'clonos DC.
5 argùta L. en. (*pu*) sharply-toothed — ——— — —— H ♃
Serrátula argùta L. en.
6 cyanoìdes DC. (*pu*) blue-bottle-ld. — ——— — 1778. —— H ♃ — Gmel. sib. 2. t. 15.
7 mòllis DC. (*pu*) one-flowered — Caucasus — 1817. —— H ♃ — Bot. mag. t. 2482.
Serrátula simplex DC. *Cárduus mòllis* L.
8 deprèssa DC. (*pu.wh*) depressed — Caucasus — 1820. 6. 8. H ♃ — Linn. trans. v. 11. t. 38.
Serrátula deprèssa Stev.
9 hùmilis DC. (*pu*) humble — Pyrenees — 1826. —— H ♃ — Desf. atl. 2. t. 220.
Serrátula hùmilis Desf.
β *Boccòni* DC. (*pu*) *Bocconi's* — Sicily — —— —— H ♃ — Bocc. mus. t. 109.
Serrátula Boccòni Guss.
10 moschàta DC. (*pu*) musky — Naples — —— —— H ♃
Cárduus moschàtus Guss.
11 spectábilis DC. (*pu*) showy — Somchetia — 1837. —— H ♃
12 subcaúlis F.M. (*pu*) stemless — Caucasus — —— —— H ♃

Suborder II. LABIATIFLO'RÆ. DC. prod. 7. p. 1.

Tribe VI. *MUTISIACEÆ*. DC.

Subtribe I. MUTISIE'Æ. DC.

MUTI'SIA DC. MUTI'SIA. (Celestine Mutis, an American bot.) Syngenesia Æqualis.

1 speciòsa B.M. (*pu*) handsome — Brazil — 1825. 9. 11. G ♄ ◡ — Bot. mag. t. 2705.
arachnoìdea Martius.
2 latifòlia DC. (*re*) broad-leaved — Chili — 1832. —— G ♄ — Swt. br. fl. g. s. 2. t. 288.
3 ilicifòlia DC. (*re*) holly-leaved — ——— — —— —— G ♄ — Hook. bot. misc. 1. t. 4.

CHUQUIRA'GA DC. CHUQUIRA'GA. (Peruvian name of the plant.) Syngenesia Æqualis.

1 insígnis DC. (*ye*) large-flowered — S. America — 1824. .... G ♄ — Lam. ill. t. 691.
Johénnia insígnis W.
2 spinòsa DC. (*ye*) spiny — Peru — 1825. 4. 5. F ♄
Becària spinòsa p. 280. ed. prior.

PRI'NTZIA DC. PRI'NTZIA. (Printz, a German nat.) Syngenesia Necessaria.

Bérgii DC. (*vi*) Bergeus's — C. B. S. — 1812. 6. 7. G ♄
Áster pappòsus W. *I'nula cærùlea* L. *Leyssèra polifòlia* Th.

GERBE'RIA DC. GERBE'RIA. (T. Gerber, a trav. in Russia.) Syngenesia Superflua.

asplenifòlia DC. (*ye.pu*) Spleenwort-ld. C. B. S. — 1822. 4. 6. G ♃ — Burm. afr. 155. t. 26. f. 1.
Árnica Gerbèra L. *Dorónicum asplenifòlium* Lam.

LYCO'SERIS DC. LYCO'SERIS. (λυκος, a wolf, and σερις, hiccory.) Syngenesia Superflua.

mexicàna DC. (*wh*) Mexican — Mexico — 1828. .... F ♄ — Smith. ic. ined. 3. t. 66.
Onóseris mexicàna W. *Atra'ctylis mexicàna* L.

CHÆTANTHE'RA DC. CHÆTANTHE'RA. (χαιτη, a bristle, and ανθηρα, an anther.) Sy. Su.

1 ciliàta DC. (*ye*) ciliated — Chili — 1822. 7. 8. H ⊙
2 lineàris DC. (*ye*) linear — ——— — 1837. —— H ⊙
3 chilénsis DC. (*ye*) Chili — ——— — —— —— F ♃ — Swt. br. fl. gar. s. 2. f. 214.
spatulàta Poeppig. *serràta* D.D.
4 tenuifòlia DC. (*ye*) fine-leaved — ——— — —— —— F ♃ — Deless. ic. sel. 4. t. 81.

ONO'SERIS DC. ONO'SERIS. (ονος, an ass, and σερις, succory.) Syngenesia Æqualis.
1 purpuràta DC. (pu) purple S. America 1827. 7. 9. F ♃ Smith. ic. ined. t. 65.
Atráctylis purpuràta Smith.
2 Cummíngii DC. (wh) Cumming's Peru 1832. —— H ⊙
3 odoràta DC. (re) sweet-scented Chili 1830. 8. 9. G ⊙
Chætachlæ'na obovata DD.
CENTROCLI'NIUM. DD. CENTROCLI'NIUM. (κεντρον, a spur, and κλινη, a bed.) Syn. Æqu.
1 reflèxum B.M. (ro) reflexed Peru 1830. 8. S ♄ Bot. mag. t. 3114.
Onóseris refléxa DC.
2 adprèssum B.M. (ro) adpressed ——— —— 6. S ♄ Bot. mag. t. 3115.
ANA'NDRIA DC. ANA'NDRIA. (α priv., and ανηρ, a male; anthers.) Syngenesia Superflua.
1 bellidiástrum DC. (wh) Daisy-like Siberia 1825. 6. 8. H ♃ Gmel. sib. 2. t. 68. f. 2.
Perdícium Anándria R.Br. *Tussilàgo lyràta* W.
β *autumnàle* DC. (wh) *autumnal* Siberia 1759. 8. 9. H ♃ Gmel. sib. 2. t. 68. f. 1.
Tussilàgo Anándria L.

Subtribe II. LERIE'Æ. DC. prod. 7. p. 40.

LE'RIA DC. LE'RIA. (M. Leri, a French bot.) Syngenesia Superflua.
nùtans DC. (wh) drooping-flowered W. Indies 1793. 6. 7. S ♃ Plum. ic. t. 41. f. 1.
Tussilàgo nùtans W.
2 álbicans DC. (wh) woolly-leaved Jamaica 1821. —— S ♃
CHAPTA'LIA DC. CHAPTA'LIA. (M. Chaptal, a French chemist.) Syngenesia Necessaria.
tomentòsa DC. (bh) woolly N. America 1806. 5. 6. H ♃ Bot. mag. t. 2257.
Tussilàgo integrifòlia M.

Tribe VII. *NASSAUVIA'CEÆ.* DC. prod. 7. p. 48.

Subtribe I. NASSAUVIE'Æ. DC.

TRIPTI'LION DC. TRIPTI'LION. (τρεις, three, and πτιλον, a feather; pappus.) Syng. Æqu.
1 cordifòlium DC. (wh) heart-leaved Peru 1823. 6. 8. H ⊙ Bot. reg. t. 853.
2 spinòsum DC. (wh) spiny ——— 1830. —— H ⊙
POLYACHY'RUS DC. POLYACHY'RUS. (πολυ, many, and αχυρον, chaff; receptacle.) Sy. Æq.
Poeppígii DC. Poeppig's Chili 1830. .... F ♃ Deless. ic. sel. 4. t. 84.
auritus D.D.

Subtribe II. TRIXI'DEÆ. DC. prodr. 7. p. 54.

JU'NGIA DC. JU'NGIA. (Joachim Jungens, prof. bot. Hamburgh.) Syngenesia Æqualis.
ferrugínea DC. (ye) panicled Chili 1825. 7. 9. H ♃ DC. an. mus. 19. t. 7.
Dumerília paniculàta DC.
LEUCE'RIA DC. LEUCE'RIA. (λευκος, white; flowers.) Syngenesia Superflua.
senecioìdes DC. (wh) Ragwort-like Chili 1822. 8.10. F ♃ Hook. ex. flor. t. 101.
Trixis senecioìdes Hooker.

TRI'XIS DC. TRI'XIS. (τριξος, triple; capsule.) Syngenesia Superflua.
1 frutéscens DC. (wh) frutescent Jamaica 1826. 2. 4. S ♄ Lam. ill. t. 677. f. 2.
Perdícium radicàle L.
2 divaricàta DC. (wh) divaricate Brazil 1824. 4. 6. S ♄ Bot. mag. t. 2765.
auriculàta B.M. *Perdícium brasiliénse* Gr.
MOSCHA'RIA DC. MOSCHA'RIA. (μοσχος, musk; scent.) Syngenesia Æqualis.
pinnatífida DC. (wh) Turnep-leaved Chili 1826. 8.10. F ♂ Swt. br. fl. gar. t. 229.
Gastrocárpha runcinàta D.D.

Suborder III. LIGULIFLO'RÆ. DC. prod. 7. p. 74.

Tribe VIII. *CICHORA'CEÆ*. DC.

Subtribe I. SCOLY'MEÆ. DC. prodr. 7. p. 75.

SCO'LYMUS DC. GOLDEN THISTLE. (σκολος, spiny.) Syngenesia Æqualis.
1 maculàtus DC. (ye) annual S. Europe 1633. 7. 8. H ⊙ Flor. græc. t. 824.
2 hispánicus DC. (ye) Spanish ——— 1658. 7. 9. H ♃ ——— t. 825.
3 grandiflòrus DC. (ye) great-flowered Barbary 1820. —— H ♃ Desf. atl. 2. t. 218.

Subtribe II. LAPSA'NEÆ. DC. prod. 7. p. 76.

LAPSA'NA DC. NIPPLE-WORT. (λαπαζω, to purge; effects.) Syngenesia Æqualis.
1 commùnis DC. (ye) common Britain .... 6. 9. H ⊙ Eng. bot. v. 12. t. 844.
γ *pubescens* DC. (ye) *pubescent* Europe 1820. —— H ⊙
β *crispa* DC. (ye) *curled* ..... 1799. —— H ⊙
2 grandiflòra DC. (ye) lyrate Caucasus 1816. 7. 8. H ♂
lyràta W.en.
3 intermèdia DC. (ye) intermediate ——— 1823. —— H ⊙
RHAGADI'OLUS DC. RHAGADI'OLUS. (ραγος, a slit; calyx.) Syngenesia Æqualis.
1 stellàtus DC. (ye) starry S. Europe 1633. 6. 7. H ⊙ Flor. græc. t. 817.
β *edùlis* DC. (ye) *heart-leaved* Levant —— —— H ⊙ ——— t. 818.
Lapsàna Rhagadiolus L.
γ *intermèdius* DC. (ye) *intermediate* Naples 1826. —— H ⊙
2 Hedy'pnois F.M. (ye) Persian Persia 1837. —— H ⊙
KŒLPI'NIA DC. KŒLPI'NIA. (Kölpin, a German naturalist.) Syngenesia Æqualis.
lineàris DC. (ye) linear-leaved Levant 1788. 7. 8. H ⊙ Flor. græc. t. 819.
Lapsàna Kœlpínia L. *Rhagadiolus Kœlpínia* W.

Subtribe III. HYOSERI'DEÆ. DC. prod. 7. p. 78.

ARNO'SERIS DC. ARNO'SERIS. (αρνος, a lamb; σερις, succory.) Syngenesia Æqualis.
pusilla DC. (ye) small Britain .... 5. 7. H ⊙ Eng. bot. t. 94.
Hyóseris minima E.B.
HYO'SERIS DC. HYO'SERIS. (ὑς, a hog, and σερις, succory.) Syngenesia Æqualis.
1 scàbra DC. (ye) rugged Sicily 1789. 6. 8. H ⊙ Lam. ill. t. 654. f. 1.
microcéphala DC.

2 lùcida DC. (*ye*) shining Levant 1770. 6. 8. H ♃ Jacq. vind. t. 150.
3 radiàta DC. (*ye*) starry S. Europe 1640. —— H ♃ Pluk. alm. t. 37. f. 2.

HEDY'PNOIS DC. HEDY'PNOIS. (ἡδης, sweet, and πνεω, to breathe; scent.) Syng. Æqualis.
1 polymórpha DC. (*ye*) branching S. Europe 1683. 6. 7. H ☉ Cav. ic. 1. t. 43.
monspeliénsis, mauritiàna rhagadiolòides W. *crética* Cav.
2 crética DC. (*ye*) Cretan Crete 1731. —— H ☉ Flor. græc. t. 813.
3 tubæfórmis T.C. (*ye*) thick-tubed Italy 1823. —— H ☉
4 coronopifòlia DC. (*ye*) buck's-horn-ld. ——— —— —— H ☉
5 pérsica DC. (*ye*) Persian Persia 1822. 6. 9. H ☉
6 péndula DC. (*ye*) pendulous Barbary 1818. —— H ☉
7 arenària DC. (*ye*) sand Morocco 1800. 7. 8. H ☉
Hyóseris arenària Schousb.

APO'SERIS DC. APO'SERIS. (απος, danger, and σερις, succory; poisonous.) Syng. Æqualis.
foe'tida DC. (*ye*) stinking Italy 1722. 7. 8. H ♃ W. et K. hung. 1. t. 49.
Lapsàna fœ'tida W. *Hyóseris fœ'tida* P.S.

CATANA'NCHE DC. CATANA'NCHE. (καταναγκη, strong incentive.) Syngenesia Æqualis.
1 lùtea DC. (*ye*) yellow Candia 1640. 6. 7. H ☉ Flor. græc. t. 821.
2 cœrùlea DC. (*bl*) blue-flowered S. Europe 1596. 7.10. H ♃ Bot. mag. t. 293.

CICHO'RIUM DC. SUCCORY. (a name used by the Greeks.) Syngenesia Æqualis.
1 I'ntybus DC. (*bl*) common Britain .... 6.10. H ♃ Eng. bot. v. 8. t. 539.
β divaricàtum DC. (*bl*) *branching* Barbary 1798. 7. 9. H ☉
2 pùmilum DC. (*bl*) dwarf Levant 1790. —— H ☉ Flor. græc. t. 821.
3 Endívia DC. (*bl*) Endive E. Indies 1548. —— H ☉ Blackw. herb. t. 378.
α latifòlia (*bl*) *broad-leaved* ——— —— —— H ☉
β crispa (*bl*) *curled-leaved* ——— —— —— H ☉
γ leucophy'lla (*bl*) *white-leaved* ——— —— —— H ☉
4 spinòsum DC. (*bl*) prickly Candia 1633. 7. 8. F ♄ Flor. græc. t. 823.

CALA'IS DC. CALA'IS. (a mythological name.) Syngenesia Æqualis.
Lindlèyi DC. (*ye*) Lindley's N. America 1833. 5. 6. H ☉

TO'LPIS DC. TO'LPIS. (etymology unknown.) Syngenesia Æqualis.
1 barbàta DC. (*ye*) purple-eyed France 1620. 6. 9. H ☉ Bot. mag. t. 35.
Crèpis barbàta B.M. *Drepània barbàta* DC.
2 umbellàta DC. (*ye*) umbelled Italy 1818. 6. 7. H ☉ Biv. mon. t. 1.
quadriaristàta Biv.
3 altíssima DC. (*ye*) tall S. Europe —— —— H ☉ Desf. act. par. 38. t. 8.
virgàta Desf. *Drepània ambígua* DC. *Crèpis ambígua* Balbis.
4 coronopifòlia DC. (*ye*) fleshy-leaved Madeira 1777. 8. 9. H ☉ Desf. act. par. 38. t. 9.
Crèpis coronopifòlia W. *succulénta* H.K.
5 grandiflòra DC. (*ye*) great-flowered Naples 1830. 6. 9. H ☉
6 macrorhìza DC. (*ye*) large-rooted Madeira 1829. 7. 9. H ♃ Bot. mag. t. 2988.
Crèpis macrorhìza B.M.

ÆTHO'NIA. ÆTHO'NIA. (a mythological name.) Syngenesia Æqualis.
1 fruticòsa D.D. (*ye*) shrubby Madeira 1785. 6. 7. G ♄ Schrank. mon. 1. t. 46.
Hieràcium fruticòsum H.K.
2 filifórmis D.D. (*ye*) fine-leaved ——— 1777. —— G ♂
Crèpis filifórmis W.
3 lagópoda D.D. hare's-foot Canaries 1817. —— G ♂

KRI'GIA DC. KRI'GIA. (D. Krig, M.D., a German bot.) Syngenesia Æqualis.
virgínica DC. (*ye*) Virginian N. America 1811. 5. 7. H ☉

MICRO'SERIS DC. MICRO'SERIS. (μικρος, small, and σερις, succory.) Syngenesia Æqualis.
pygmæ'a DC. (*ye*) least Chili 1830. 5. 8. H ☉
Lepidonèma chilénse F.M.

CY'NTHIA D.D. CY'NTHIA. (a name of Diana.) Syngenesia Æqualis.
amplexicaúlis D.D. (*go*) stem-clasping N. America 1799. 7. 8. H ♃
virgínica DC. *Hyóseris amplexicaúlis* M. *Krígia amplexicaúlis* N. *Tróximon virgínicum* Ph.

Subtribe IV. HYPOCHŒRI'DEÆ. DC. prod. 7. p. 90.

HYPOCHŒ'RIS DC. CAT'S-EAR. (υπο, under; χοιρος, a pig; fond of.) Syngenesia Æqualis.
1 arachnoídea Biv. (*ye*) Cobweb Italy 1804. 7. 8. H ☉
2 glàbra DC. (*st*) smooth Britain .... —— H ☉ Eng. bot. v. 8. t. 575.
β mínima DC. (*ye*) *least* Barbary 1794. —— H ☉ Flor. græc. t. 816.
γ hirsùta DC. (*ye*) *hairy* Sicily 1836. —— H ☉

3 neapolitàna DC. (*ye*) Neapolitan Naples 1836. 7. 8. H ♃
dimórpha Ten.
4 radicàta DC. (*ye*) long-rooted Britain .... 6. 9. H ♃ Eng. bot. v. 12. t. 831.
5 Balbísii W.en. (*ye*) Balbis's S. Europe 1822. —— H ♃ Jacq. ic. rar. t. 160.
Scorzonèra taraxacifòlia Jacq.

ACHYRO'PHORUS DC. ACHYRO'PHORUS. (*αχυρον*, chaff, and *φορεω*, to bear.) Syn. Æqu.
1 maculàtus DC. (*ye*) spotted England .... 6. 7. H ♃ Eng. bot. v. 4. t. 225.
2 helvéticus DC. (*ye*) one-flowered Switzerland 1799. —— H ♃ Jacq. ic. 1. t. 165.
3 híspidus DC. (*ye*) bristly S. Europe 1804. 7. 8. H ♃ Willd. hort. ber. 1. t. 46.
4 oxyodóntos DC. (*ye*) sharp-toothed .... —— H ♃
Seriola creténsis Desf.
5 ambíguus DC. (*ye*) ambiguous .... —— H ♃
Crèpis pinnatífida Hort.
6 pinnatífidus DC. (*ye*) pinnatifid Naples 1827. —— H ♃
Hypochœ'ris pinnatífida Tenore. *Robértia pinnatífida* S.S.
7 apargioìdes DC. (*ye*) Apargia-like S. Europe 1829. —— H ⊙

AGENO'RA D.D. AGENO'RA. (a mythological name.) Syngenesia Æqualis.
lævigàta D.D. (*ye*) smooth Candia 1772. 7. 8. H ⊙ Desf. atl. 2. t. 216.
Seriola lævigàta W. *Rodígia lævigàta* S.S.

SERI'OLA DC. SERI'OLA. (*σερις*, succory; affinity.) Syngenesia Æqualis.
1 æthnénsis DC. (*ye*) rough Italy 1763. 7. 8. H ⊙ Jacq. obs. 4. t. 79.
2 glaúca DC. (*ye*) glaucous Sicily 1829. —— H ⊙
3 álbicans DC. (*ye*) whitish ——— —— —— H ⊙ Biv. sic. 1. t. 7.
alliàta Biv.
4 creténsis DC. (*ye*) Cretan Crete 1820. —— H ⊙ Biv. sic. 3. t. 4.
rubéscens Tineo. *úrens* L.

ROBE'RTIA DC. ROBE'RTIA. (M. Robert, a Corsican bot.) Syngenesia Æqualis.
taraxacoìdes DC. (*ye*) Dandelion-like Corsica 1824. 7. 8. H ♃ Lois. gal. 530. t. 28.

Subtribe V. RODIGIE'Æ. DC. prod. 7. p. 98.

RODI'GIA DC. RODI'GIA. (M. Rodig, a German bot.) Syngenesia Æqualis.
commutàta DC. (*ye*) Poppy-leaved Caucasus 1823. 6. 7. H ⊙
Crèpis rhœadifòlia M.B.

AMMOGETON DC. AMMOGE'TON. (*αμμος*, sand, and *γειτων*, near; habitat.) Syng. Æqua.
scorzonerifòlium DC. (*ye*) Scorzonera-ld. N. America 1834. 6. 7. H ♃

PACHY'LEPIS DC. PACHY'LEPIS. (*παχυς*, thick, and *λεπις*, a scale.) Syngenesia Æqualis.
Kálmii DC. (*ye*) Kalm's N. America 1794. 8. H ⊙
Hieràcium Kálmii L.

Subtribe VI.—SCOZONE'REÆ. DC. prod. 7. p. 99.

THRI'NCIA DC. THRI'NCIA. (*θρυγκος*, a battlement; pappus.) Syngenesia Æqualis.
1 tuberòsa DC. (*ye*) tuberous-rooted France 1683. 5. 7. H ♃ Flor. græc. t. 797.
Apárgia tuberòsa W. *Leóntodon tuberòsum* L.
2 Leyssèri DC. (*ye*) smooth Switzerland 1823. 7. 8. H ♃ Sckh. handb. t. 220.
glábra Schl.
3 hírta DC. (*ye*) simple-haired Britain .... —— H ♃ Eng. bot. v. 8. t. 555.
pilocàlyx Lag. ? *Hedy'pnois hírta* E.B.
4 nudicàlyx Lag. (*ye*) naked-calyxed Spain 1823. —— H ♃
hírta γ, arenària DC.
5 híspida DC. (*ye*) hispid S. Europe 1815. 6. 8. H ⊙ Vill. dauph. 3. t. 25.
6 maroccàna DC. (*ye*) Morocco Morocco 1799. 7. 8. H ⊙
7 pygmæ'a DC. (*ye*) small Madeira .... —— H ⊙
nudicaúlis Lowe. *Hyóseris pygmæ'a* W.

APA'RGIA DC. APA'RGIA. (a name used by the Greeks.) Syngenesia Æqualis.
Taráxaci DC. (*ye*) Dandelion-like Britain .... 7. 9. H ♃ Eng. bot. v. 16. t. 1109.
Hedy'pnois Taráxaci E.B. *Hieràcium Taráxaci* L. *Pìcris Taráxaci* All.

LEO'NTODON DC. Lion's Tooth. (λεων, a lion, and οδους, a tooth; leaves.) Syng. Æqualis.

1	ásperum DC.	(ye) hairy	Hungary	1805.	6. 7.	H	♃	W. et K. hung. 2. t. 110.
	Apárgia áspera W. et K.							
2	saxátile DC.	(ye) rock	Naples	1827.	——	H	♃	Ten. flor. neap. t. 72.
	Apárgia saxátilis Ten.							
3	hispidum DC.	(ye) rough	Britain	....	7.	H	♃	Eng. bot. v. 8. t. 554.
	Hedy'pnois hispida E.B. *Leóntodon hispidum* L. *Apárgia hispida* L. *Picris hispida* E.E.							
4	dubium DC.	(ye) tooth-leaved	Germany	1827.	7.	H	♃	
5	crispum DC.	(ye) curled	France	1803.	7. 8.	H	♃	Vill. dauph. 3. t. 25.
6	caucásicum DC.	(ye) Caucasean	Caucasus	1823.	——	H	♃	
7	coronopifòlium DC.	(ye) buck's-horn-ld.	Barbary	1820.	——	H	♃	Desf. atl. 2. t. 214.
8	incànum DC.	(ye) hoary	Europe	1784.	5. 6.	H	♃	Jacq. aust. 3. t. 287.
9	alpìnum DC.	(ye) alpine	Austria	1816.	6. 8.	H	♃	——— 1. t. 93.
10	Villársii DC.	(ye) Villars's	France	1818.	——	H	♃	Vill. dau. 3. p. 82. t. 25.
	biscutellæfòlium DC.							
11	hispánicum DC.	(ye) Spanish	Spain	1825.	——	H	♃	Cavan. icon. t. 149.
12	cròceum DC.	(sn) saffron-coloured	Hungary	1820.	5. 6.	H	♃	Poll. veron. 2. t. 2. f. 2.
	β *auranìacum* DC.	(or) *orange-coloured*	———	1816.	——	H	♃	
13	hástile DC.	(ye) shiny-leaved	S. Europe	1796.	7. 8.	H	♃	Jacq. aust. 2. t. 164.
14	tenuifòlium DC.	(ye) fine-leaved	Switzerland	1819.	——	H	♃	
15	Rosàni DC.	(ye) Rosani's	Naples	——	——	H	♃	
16	lùcidum DC.	(ye) shining	———	——	——	H	♃	

OPORI'NIA DC. Opori'nia. (οπωρινος, autumn; flowering time.) Syngenesia Æqualis.

1	autumnàlis DC.	(ye) autumnal	Britain	....	8. 9.	H	♃	Eng. bot. v. 12. t. 830.
	Hedy'pnois autumnàlis E.B. *Apárgia autumnàlis* W.							
2	praténsis DC.	(ye) field	Germany	....	——	H	♃	
	Apárgia praténsis LK.							

MILLI'NA DC. Milli'na. (from the name of some bot.) Syngenesia Æqualis.

	leontopodioìdes DC.	(ye) bunch-rooted	Naples	1828.	7. 8.	H	♃	Ten. flor. nap. t. 71.
	Apárgia fasciculàta Biv. *cichoràcea* Ten.							

PODOSPE'RMUM DC. Podospe'rmum. (πους, a foot, and σπερμα, a seed.) Syng. Æqua.

1	calcitrapifòlium DC.	(y) Calcitrapa-ld.	Levant	1729.	6. 8.	H	♃	Barr. ic. 800.
	resedifòlium DC.							
2	laciniàtum DC.	(ye) cut-leaved	S. Europe	1640.	6. 7.	H	♂	Jacq. aust. 4. t. 356.
	β *subulàtum* DC.	(ye) *grass-leaved*	France	1759.	——	H	♃	Jacq. obs. 4. t. 100.
	Scorzonèra graminifòlia F.G. 784. *pinifòlia* Gouan.							
	γ *muricàtum* DC.	(ye) *bristly*	Piedmont	1818.	——	H	♃	
3	octangulàre DC.	(ye) 8-angled	S. Europe	1820.	——	H	♂	Guss. pl. rar. t. 55. f. 2.
4	Tenòrii DC.	(ye) Tenore's	Naples	1830.	——	H	♂	——— t. 55. f. 3.
5	intermèdium F.M.	(ye) intermediate	Persia	....	——	H	♃	Buxb. cent. 2. t. 22.
6	Colúmnæ Guss.	(ye) Columna's	Calabria	1827.	——	H	♃	Guss. pl. rar. t. 54.
7	cànum F.M.	(ye) hoary	Russia	1838.	——	H	♃	

GEROPO'GON DC. Old-man's-beard. (γερων, an old man; πωγων, a beard.) Syng. Æqua.

	glàber DC.	(pi) smooth	Italy	1704.	7. 8.	H	⊙	Bot. mag. t. 479.

TRAGOPO'GON DC. Goat's-beard. (τραγος, a goat, and πωγων, a beard.) Syng. Æqua.

§ 1. *Peduncles obconical, and fistular at their apices.*

1	màjus DC.	(ye) great	Austria	1788.	5. 6.	H	♂	Jacq. aust. 1. t. 29.
	dùbius Scop.							
2	coloràtum DC.	(re) coloured	Caucasus	1836.	——	H	♂	
3	eriospérmum DC.	(pu) woolly-seeded	Naples	——	——	H	♂	
4	porrifòlium DC.	(pu) purple	England	....	——	H	♂	Eng. bot. v. 9. p. 638.
5	hirsùtum DC.	(ye) hairy	Provence	1759.	——	H	♂	Garid. aix. t. 105.
	Geropògon hirsùtum L.							

§ 2. *Peduncles terete.*

6	praténse DC.	(ye) yellow	Britain	....	5. 6.	H	♂	Eng. bot. v. 7. t. 434.
7	mutábile DC.	(va) changeable	Siberia	1816.	——	H	♂	Jacq. ic. 1. t. 157.
8	undulàtum DC.	(st) wave-leaved	Crimea	1790.	——	H	♂	——— 1. t. 158.
	β *orientàle* DC.	(ye) *oriental*	Levant	1787.	6. 7.	H	♂	
9	floccòsum DC.	(ye) woolly	Hungary	1816.	5. 6.	H	♂	W. et K. hung. 2. t. 112.
10	graminifòlium DC.	(ye) grass-leaved	.....	1836.	——	H	♂	
	caucásicum F.M.							
11	crocifòlium DC.	(vi) Crocus-leaved	Italy	1739.	6. 7.	H	♂	Flor. græc. t. 779.
12	angustifòlium DC.	(vi) narrow-leaved	———	1816.	——	H	♂	
13	villòsum DC.	(ye) hairy	Spain	1794.	5. 6.	H	♂	
14	campéstre DC.	(ye) field	Poland	1828.	——	H	♂	
15	rùbrum DC.	(ro) red-flowered	Volga	1827.	——	H	♂	Led. ill. t. 30.
	ròseum Biv.							
16	collìnum DC.	(re) hill	Caucasus	....	——	H	♂	
	ròseum Mey.							

Species not sufficiently known.

17 humile F.	..	dwarf	Caucasus	1829.	∴..	H	♂	
18 pheopáppum F.	..	glossy-chaff'd	Persia	——	....	H	♂	
19 cinum DC.	(ye)	hoary	Hungary	1822.	5. 6.	H	♂	

UROSPE'RMUM DC. SHEEP'S-BEARD. (*υρος*, a shoal, and *σπερμα*, a seed.) Syng. Æqual.

1 Dalechámpii DC.	(ye)	great-flowered	S. Europe	1739.	6.10.	H	♃	Bot. mag. t. 1623.
2 picroides DC.	(ye)	prickly-cupp'd	————	1683.	7. 8.	H	☉	Flor. græc. t. 781.
β *áspera* DC.	(ye)	*rough*	Montpelier	1774.	——	H	☉	———— t. 782.
γ *capense* DC.	(ye)	*Cape*	C. B. S.	1824.	6. 8.	G	♂	Jacq. ic. 3. t. 577.

SCORZONE'RA DC. VIPER'S-GRASS. (*scurzon*, the name of a viper in Catalanian.) Syng. Æqual.

Sect. 1. EUSCOZONE'RA; *achenia glabrous; pappus plumose; inner paleæ five, naked at apex, and longer than the rest; heads many-flowered.*

1 pusilla DC.	(st)	small	Volga	1827.	6. 8.	H	♃	Pall. it. 2. app. t. L.
2 tuberòsa DC.	(ye.pu)	tuberous	Siberia	1826.	7. 9.	H	♃	Pall. itin. t. v. f. 3.
3 deliciosa DC.	(pu)	delicious	Sicily	1825.	——	H	♃	
4 purpùrea DC.	(pu)	purple-flowered	Europe	1759.	5. 6.	H	♃	Jacq. aust. 1. t. 35.
5 rósea DC.	(ro)	rose-coloured	Hungary	1807.	7.	H	♃	W. et K. hung. 2. t. 121.
6 trachyspérma DC.	(pu)	rough-seeded	Calabria	1818.	7. 8.	H	♃	Guss. pl. rar. t. 58.
serrulàta Viv.								
7 angustifòlia DC.	(ye)	narrow-leaved	Switzerland	1759.	6. 8.	H	♃	W. et K. hung. 2. t. 122.
8 plantagínea Sch.	(ye)	Plantain-leaved	————	1816.	8.	H	♃	
9 hispánica DC.	(ye)	garden	Spain	1576.	6. 9.	H	♃	Lam. ill. t. 647. f. 5.
10 glastifòlia DC.	(ye)	Woad-leaved	Germany	1816.	——	H	♃	
11 taúrica M.B.	(ye)	Taurian	Tauria	1820.	——	H	♃	
12 rumicifòlia L.en.	(ye)	Dock-leaved	.....	1822.	——	H	♃	
13 macrorhìza DC.	(ye)	long-rooted	Switzerland	1819.	6. 7.	H	♃	
14 tenuifòlia DC.	(ye)	fine-leaved	Piedmont	——	——	H	♃	
15 humilis DC.	(ye)	dwarf	Europe	1597.	8.	H	♃	Jacq. aust. 1. t. 36.
β *austriàca* DC.	(ye)	*Austrian*	Austria	....	——	H	♃	
humilis Jacq. *non* W.								
16 crispa DC.	(ye)	curled	Tauria	1817.	6. 8.	H	♃	
17 parviflòra DC.	(ye)	small-flowered	Austria	1805.	6. 9.	H	♃	Jacq. aust. 4. t. 305.
cericifòlia Pall. itin. 3. app. j. 1. f. 1.								
18 mollis DC.	(ye)	soft	Volga	1829.	——	H	♃	
19 stricta DC.	(ye)	upright	————	1821.	——	H	♃	
villosa M.B. *nec* Scop.								
20 tomentòsa DC.	(ye)	white	Armenia	1789.	6. 7.	H	♃	
21 radiàta DC.	(ye)	rayed	Siberia	1820.	——	H	♃	Gmel. sib. 2. t. 1.

Sect. 2. GELA'SIA; *pappus unequal; bristles more or less scabrous to the middle, not plumose; achenia glabrous.*

22 villòsa DC.	(ye)	villous	Levant	1821.	6. 8.	H	♃	Scop. carn. t. 46.

Sect. 3. LASIO'SPORA; *bristles of pappus plumose, naked at apex, unequal, in many series; achenia very villous, almost woolly.*

23 eriospérma DC.	(ye)	woolly-seeded	Caucasus	1825.	6. 8.	H	♃	
Lasiospérmum angustifòlium F.								
24 hirsùta DC.	(ye)	hairy	S. Europe	1759.	——	H	♃	All. ped. t. 31. f. 33.
Geropògon calyculàtus L. Jacq. vind. 2. t. 106. *hirsùtus* All.								
25 ensifòlia DC.	(ye)	sword-leaved	Caucasus	1823.	6. 8.	H	♃	
26 lanàta DC.	(ye)	woolly	Iberia	——	——	H	♃	
27 latifòlia DC.	(ye)	broad-leaved	Persia	1836.	——	H	♃	

Species not sufficiently known.

28 graminifòlia DC.	(ye)	grass-leaved	Portugal	1759.	6. 8.	H	♃	
29 chondrilloìdes DC.	(ye)	Chondrilla-like	Spain	1818.	——	H	♃	

HYMENONE'MA DC. HYMENONE'MA. (*ὑμην*, a membrane, and *νημα*, a filament.) Syng. Æqualis.

áspera DC.	(ye)	rough	Levant	1822.	7. 8.	H	♃	Desf. an. mus. 1. t. 9.
Scorzonèra áspera Desf. *stylòsa* P.S.								

ASTERO'THRIX DC. ASTERO'THRIX. (*αστηρ*, a star, and *θριξ*, a hair; pappus.) Syng. Æqualis.

1 aspérrima DC.	(ye)	roughest	Galatia	1822.	8. 9.	H	♃	
Scorzònera aspérrima W. *hispida* M.B. *Apárgia strigòsa* M.B.								
2 hispánica DC.	(ye)	Spanish	Spain	....	8. 9.	H	♃	Cav. ic. 2. t. 149.
Leòntodon hispidum Cav. *Apárgia hispánica* W.								

MICRODE'RIS DC. MICRODE'RIS. (*μικρος*, small, and *δερη*, a neck.) Syngenesia Æqualis.

rigens DC.	(ye)	bristle-leaved	Azores	1778.	7. 8.	F	♃	
Crèpis rigens H.K.								

PICRIS DC. PI'CRIS. (*πικρος*, bitter; taste.) Syngenesia Æqualis.

Sect. 1. EUPI'CRIS; *pappus of achenia conform, plumose.*

1 hieracioìdes DC.	(ye)	Hawkweed-like	England	....	7. 8.	H	☉	Eng. bot. v. 3. t. 196.
2 strigòsa DC.	(ye)	strigose	Caucasus	1823.	——	H	♃	
rigida Led.								

3	Sprengeriàna DC.	(*ye*) Sprenger's	Europe	1783.	6. 8.	H ⊙		Jacq. schœnbr. t. 144.
	Crèpis rhagadioloìdes Lam.							
4	pauciflòra DC.	(*ye*) few-flowered	S. France	1818.	——	H ⊙		Gært. fr. 2. t. 158. f. 2.
5	dahúrica F.	(*ye*) Dahurian	Dahuria	1820.	——	H ⊙		
6	kamtschática Led.	(*ye*) Kamtschatka	Kamtschatka	1823.	——	H ⊙		
7	integrifòlia DC.	(*ye*) entire-leaved	Europe	1816.	——	H ⊙		
	Crèpis áspera Lam.							
8	laciniàta Vis.	(*ye*) jagged-leaved	Germany	....	——	H ⊙		
	Crèpis lappàcea Host. *hieracioìdes* Schkuhr. handb. t. 216.							

Sect. 2. SPITZE'LIA; *pappus of marginal achenia short and pilose, hardly plumose; hairs sometimes combined to the middle.*

9	altíssima DC.	(*ye*) tall	Egypt	1825.	6. 8.	H ⊙		
10	radicàta DC.	(*ye*) rooted	———	1817.	——	H ⊙		
	β *lyràta* DC.	(*ye*) *lyrate*	———	——	——	H ⊙		Del. ægypt. t. 40. f. 3.
11	híspida DC.	(*ye*) hispid	Levant	1789.	——	H ⊙		
12	barbaròrum B.R.	(*ye*) barbarian's	N. Holland	1837.	——	H ⊙		
13	aspérrima B.R.	(*ye*) very rough	———	——	——	H ⊙		

HELMI'NTHIA DC. OX-TONGUE. (ἕλμινθιον, a little worm; seeds like.) Syngenesia Æqualis.

1	echioìdes DC.	(*ye*) bristly	Britain	....	6. 7.	H ⊙		Eng. bot. v. 14. t. 972.
	Pìcris echioìdes B.B.							
2	humifùsa DC.	(*ye*) trailing	.....	....	——	H ⊙		
	Pìcris echioìdes β.							
3	aspleniòides DC.	(*ye*) Spleenwort-ld.	Barbary	1803.	7. 8.	H ⊙		L'Herit. stirp. t. 82.
	Pìcris aspleniòides L'her.							

Subtribe VII. LACTU'CEÆ. DC. prod. 7. p. 133.

LACTU'CA DC. LETTUCE. (*Lac*, milk; milking.) Syngenesia Æqualis.

Sect. 1. SCARI'OLA; *involucrum in* 2 *or* 3 *series, imbricated or calyculate; outer scales longest, beak often elongated.*

1	perénnis DC.	(*bl*) perennial	Germany	1596.	6. 8.	H ♃		Bot. mag. t. 2130.
2	cichoriifòlia DC.	(*bl*) Succory-leaved	France	1818.	——	H ♃		
3	tuberòsa DC.	(*bl*) tuberous	Persia	1820.	——	H ♃		Jacq. vind. 1. t. 47.
4	sonchifòlia DC.	(*bl*) sonchus-leaved	Tauria	1817.	7. 8.	H ♃		
5	segusiàna DC.	(*pu*) various-leaved	Italy	1823.	——	H ⊙		
6	tenérrima DC.	(*pu*) purple-flowered	S. Europe	1815.	——	H ♃		
7	undulàta DC.	(*pu*) waved	———	1837.	——	H ⊙		Balb. misc. t. 8.
8	crética DC.	(*ye*) Cretan	Candia	1818.	——	H ♂		Desf. ann. mus. t. 19.
9	Scarìola DC.	(*st*) prickly	Britain	....	——	H ♂		Eng. bot. v. 4. t. 268.
10	maculàta DC.	(*st*) spot-leaved	Europe	....	——	H ♂		
11	viròsa DC.	(*st*) strong-scented	Britain	....	7. 9.	H ♂		Eng. bot. v. 28. t. 1957.
12	augustàna DC.	(*st*) entire-leaved	Italy	1791.	7. 8.	H ⊙		All. ped. 1. t. 52. f. 1.
13	altíssima DC.	(*ye*) tall	Caucasus	1818.	——	H ♃		
14	sagittàta DC.	(*ye*) arrow-leaved	Hungary	1805.	——	H ♂		W. et K. hung. 1. t. 1.
15	salígna DC.	(*ye*) least	England	....	——	H ♂		Eng. bot. v. 10. t. 707.
16	índica DC.	(*ye*) Indian	E. Indies	1784.	8.10.	H ⊙		
17	quércina DC.	(*ye*) Oak-leaved	Europe	1686.	5. 7.	H ⊙		
18	Chaíxii DC.	(*ye*) Chaix's	Dauphiny	1818.	——	H ⊙		Vill. dauph. 3. t. 32.
19	strícta DC.	(*ye*) upright	Hungary	1805.	6. 7.	H ♂		W. et K. hung. 1. t. 48.
20	elongàta DC.	(*st*) elongated	Pensylvania	——	——	H ♂		
21	integrifòlia DC.	(*ye*) entire-leaved	N. America	1817.	——	H ♂		
22	satìva DC.	(*ye*) garden	.....	1562.	6. 9.	H ⊙		Rob. ic. pl. c. ic.
23	críspa DC.	(*ye*) curled	.....	1570.	6. 8.	H ⊙		Dod. pempt. 644. f. 2.
24	palmàta W.	(*ye*) jagged-leaved	.....	1683.	——	H ⊙		Lob. ic. 242. f. 1.
	laciniàta Roth.							
25	spectábilis F.	.... showy	Persia	1829.	....	H ⊙?		
26	pállida DC.	(*st*) pale-flowered	Canada	1704.	7. 9.	H ♃		Rob. ic. 148 et 151.
	Sónchus pállidus W.							
27	deltoídea DC.	(*ye*) deltoid-leaved	Iberia	1825.	7. 8.	H ♂		
	ambígua Hort. *Prenánthes deltoídea* M.B.							
28	híspida DC.	(*ye*) hispid	Iberia	1817.	——	H ♂		
	Prenánthes híspida M.B. *tuberòsa* Stev.							

Sect. 2. MYCE'LIS; *involucrum cylindrical, calyculate at the very base; beaks of achenia distinct.*

29 muràlis DC.	(*st*) wall	Britain	....	7. 8.	H ♃		Eng. bot. v. 7. t. 457.
Prenánthes muràlis E.B.							

CHONDRI'LLA DC. GUM SUCCORY. (χονδρος, a lump; gum.) Syngenesia Æqualis.

1 júncea DC.	(*ye*) common	France	1633.	9.10.	H ♃		Jacq. aust. 5. t. 427.
2 gramínea DC.	(*ye*) grass-leaved	Caucacus	1824.	7. 9.	H ♃		
3 latifólia DC.	(*ye*) broad-leaved	———	——	——	H ♂		
4 brevirústris DC.	(*ye*) short-beaked	Siberia	1837.	——	H ♂		
5 stricta DC.	(*ye*) straight	———	——	——	H ♃		Led. ill. t. 37.
6 prenanthoìdes DC.	(*ye*) Prenanthes-like	S. Europe	1817.	——	H ♃		Schr.acad.munch.4.t.17.
Prenánthes chondrilloìdes L.							

TARA'XACUM DC. DANDELION. (ταρασσω, to stir; diuretic.) Syngenesia Æqualis.

1 dens-leònis DC.	(*ye*) common	Britain	....	4. 7.	H ♃		Eng. bot. v. 8. t. 510.
Leòntodon Taráxacum L.							
2 corniculàtum DC.	(*ye*) horned	Europe	1827.	——	H ♃		
3 erythrospérmum DC.	(*ye*) red-seeded	Siberia	1820.	——	H ♃		
β *bessarábicum* DC.	(*ye*) *small-flowered*	S. Europe	1823.	6. 8.	H ♃		
4 ceratóphorum DC.	(*ye*) horn-bearing	Altaia	1837.	——	H ♃		Led. ill. t. 34.
5 alpinum DC.	(*ye*) Alpine	Europe	1827.	——	H ♃		
6 caucásicum DC.	(*ye*) Caucasean	Caucasus	——	——	H ♃		
7 serótinum DC.	(*ye*) late-flowered	Hungary	1816.	7. 9.	H ♃		W. et K. hung. 2. t. 114.
8 glaucéscens DC.	(*ye*) glaucescent	Caucasus	1820.	4. 7.	H ♃		
9 obovàtum DC.	(*ye*) obovate-leaved	Spain	1805.	7.	H ♃		Willd. hort. berl. t. 47.
10 eriópodum DC.	(*ye*) hairy-stalked	Nepaul	1818.	7. 8.	H ♃		
11 apennìnum DC.	(*ye*) Apennine	Apennines	....	4. 7.	H ♃		
12 bícolor DC.	(*ye*) two-coloured	Altaia	1836.	——	H ♃		Led. ill. t. 132.
13 Stevènii DC.	(*ye*) Steven's	———	1819.	6. 7.	H ♃		
14 palùstre DC.	(*ye*) marsh	Britain	....	——	H ♃		Eng. bot. v. 8. t. 553.
15 nígricans DC.	(*ye*) dark-leaved	Hungary	1823.	7.	H ♃		
16 lævigàtum DC.	(*ye*) smooth	Spain	——	——	H ♃		

WILLEMETIA DC. WILLEME'TIA. (P. R. Willemet, a botanical author.) Syngenesia Æqualis.

apargioìdes DC.	(*ye*) Apargia-like	Austria	....	....	H ♃		Jacq. austr. t. 293.
Hieràcium stipitàtum Jacq. *Crèpis Apárgia* P.S.							

IXE'RIS DC. IXE'RIS. (not explained.) Syngenesia Æqualis.

versícolor DC.	(*ye*) various-color'd	Dauria	1823.	7. 8.	H ♃		
Lagóseris versícolor Lk. *Barkhaúsia versícolor* S.S.							

MACRORHY'NCHUS DC. MACRORHY'NCHUS. (μακρος, long, and ρυγχος, a snout.) Syng. Æqualis.

1 pterocárpus DC.	(*ye*) wing-fruited	Chili	1836.	6. 7.	H ☉		
2 lævigàtus DC.	(*ye*) smooth	———	——	——	H ☉		
3 aurantiacus DC.	(*or*) orange-flower'd	———	1838.	——	H ☉		

BARKHAU'SIA DC. BARKHAU'SIA. (M. Borkhausen, a German bot.) Syngenesia Æqualis.

Sect. 1. PALE'YA; *achenia of the ray and disk equally beaked; involucrum imbricated.*

1 álbida DC.	(*ye*) whitish	Dauphiny	1781.	7.10.	H ♃		Vill. dauph. 3. t. 33.
Crèpis álbida Vill. Jacq. ic. 1. t. 164. *Picrídium álbidum* P.S.							

Sect. 2. LEPIDO'SERIS; *achenia all equally beaked; involucrum calyculate; scales with scarious margins.*

2 alpìna DC.	(*ye*) alpine	Italy	1739.	6. 8.	H ☉		Gmel. sib. 2. t. 5.
Crèpis alpìna W.							
3 vesicària DC.	(*ye*) bladdered	Crete	1828.	——	H ☉		
4 scariòsa DC.	(*ye*) scarious	Calabria	1826.	——	H ☉		Col. ecphr. t. 237.
5 spathulàta DC.	(*ye*) spathulate	Sicily	1829.	——	H ☉		
6 Marschállii DC.	(*ye*) Marschall's	Tauria	1836.	——	H ☉		
Crèpis taurinénsis M.B.							
7 purpùrea DC.	(*pu*) purple	Sicily	1827.	7. 9.	H ♃		Col. ecphr. t. 242.
8 raphanifòlia DC.	(*ye*) Radish-leaved	.....	1816.	6. 7.	H ♂		
9 taraxacifòlia DC.	(*ye*) Dandeleon-ld.	Europe	1815.	5. 8.	H ♂		Balb. misc. t. 9.
Crèpis taurinénsis W. *cinèrea* Desf. *biénnis* Lap.							
β *præcox* DC.	(*ye*) *early*	Europe	....	——	H ♂		Balb. misc. t. 9.
γ *intybàcea* DC.	(*ye*) *Succory-leaved*	Portugal	1816.	6. 7.	H ♂		
δ *hyemàlis* DC.	(*ye*) *winter*	Sicily	1829.	8.11.	H ♃		Biv. man. 1. t. 2.

Sect. 3. ÆGO'SERIS; *achenia all equally beaked; involucrum calyculate; outer scales linear-lanceolate.*

10 tenuifòlia DC.	(*ye*) fine-leaved	Tauria	1816.	5. 7.	H ♃		Rchb.ic.bot.1.f.19&20.
Crèpis pulchérrima Fisch. *graminifòlia* Led.							
11 bursifòlia DC.	(*ye*) pinnatifid	Sicily	1823.	7. 8.	H ♃		Bocc. m. 2. t. 106 & 112.
Crèpis bursifòlia L.							
12 macrophy'lla DC.	(*ye*) large-leaved	N. Africa	1819.	——	H ♂		

13 setòsa DC. (*ye*) hispid S. Europe 1798. 6. 8. H ☉ W. et K. hung. 1. t. 43.
Crèpis setòsa Hall. *hispida* W. et K. *bannática* W. en.
14 leontodontoìdes DC. (*ye*) Dandelion-like Italy 1804. 7. 8. H ♂
15 nàna DC. (*ye*) dwarf N. America 1827. 6. 8. H ♃ Hook. Parry. voy. ap. t. 1.
Prenánthes polymórpha Led.
16 senecioìdes DC. (*ye*) Senecio-like Egypt 1820. —— H ☉ Del. egypt. t. 42. f. 2.
17 bellidifòlia DC. (*ye*) Daisy-leaved Corsica 1826. —— H ☉ Lois. fl. gall. t. 18.
18 Suffreniàna DC. (*ye*) mealy-headed France 1825. —— H ☉
Crèpis cérnua Ten.

Sect. 4. ANISODE'RIS; *achenia of the rays beakless, or with very short beaks; those of the disk with long beaks; outer scales of involucrum small and narrow.*

19 rùbra DC. (*li*) lilac Italy 1632. 6. 8. H ☉ Flor. graec. t. 801.
20 gravèolens DC. (*ye*) strong-scented ..... 1824. —— H ☉
21 Candóllei DC. (*ye*) De Candolle's ..... 1817. —— H ☉
22 glandulòsa DC. (*ye*) glandular Sicily 1827. —— H ☉ Cup. panph. t. 119.
23 fœ'tida DC. (*ye*) fetid Britain .... —— H ♂ Eng. bot. t. 406.
Crèpis fœ'tida L. *amygdálina* Lag.
24 juvenàlis DC. (*ye*) juvenal Montpelier 1837. —— H ☉

ÆTHEORHI'ZA DC. ÆTHEORHI'ZA. (αιθω, to scorch, and ῥιζα, a root.) Syngenesia Æqualis.
bulbòsa DC. (*ye*) bulbous S. Europe 1823. 6. 8. H ♃ Lob. ic. t. 230. f. 2.
Leóntodon bulbòsum L. *Hieràcium bulbòsum* W. *stoloníferum* Viv. fragm. 1. t. 20.

CRE'PIS DC. CRE'PIS. (a name used by Pliny.) Syngenesia Æqualis.

Sect. 1. PHÆCA'SIUM; *heads few-flowered; outer scales of involucrum adpressed.*

1 púlchra DC. (*ye*) Hawkweed-ld. Scotland .... 6. 9. H ☉ Eng. bot. v. 33. t. 2325.
Prenánthes hieracifòlia W.

Sect. 2. BRACHYDE'REA; *heads many-flowered; outer scales of involucrum adpressed; recept. fringed a little.*

2 rígida DC. (*ye*) rigid Hungary 1805. 5. 7. H ♃ W. et K. hung. 1. t. 19.
latifòlia P.S.
3 làcera Ten. (*ye*) jagged Naples 1823. 6. 7. H ♂ Seb. pl. rom. fasc. 2. t. 5.
biénnis Seb. et Maur.

Sect. 3. EUCRE'PIS; *heads many-flowered; outer scales of involucrum rather loose; recept. naked.*

4 paucifiòra DC. (*ye*) few-flowered Egypt 1830. 6. 8. H ☉
5 lodomiriénsis DC. (*ye*) rough-headed Germany 1827. 6. 9. H ☉ Gmel. sib. 3. t. 11.
Gmelìni S.
6 neglécta DC. (*ye*) neglected ——— .... —— H ☉
7 scàbra DC. (*ye*) rough S. Europe 1829. —— H ♂
8 Lachenàlii DC. (*ye*) entire-leaved Europe .... 6. 9. H ☉
nicæénsis Balb.
9 agréstis S.S. (*ye*) field Hungary 1801. 7. 8. H ☉ W. et K. hung. 3. t. 220.
10 corymbòsa DC. (*ye*) corymbose Italy 1828. —— H ♂
11 parviflòra DC. (*ye*) small-flowered Levant 1829. —— H ☉
12 polymórpha DC. (*ye*) green Switzerland 1796. 6. 7. H ☉ Lobel. ic. 229. f. 2.
virens L.
β *stricta* DC. (*ye*) *straight* Europe —— —— H ☉ Scop. carn. t. 97.
γ *humilis* DC. (*ye*) *dwarf* ——— —— —— H ☉
δ *diffùsa* DC. (*ye*) *diffuse* ——— —— —— H ☉
13 ramosíssima DC. (*ye*) branched Archipelago 1828. 7. 8. H ☉
14 tectòrum DC. (*ye*) roof Britain .... —— H ☉ Eng. bot. t. 1111.
15 biénnis DC. (*ye*) biennial ——— .... —— H ♂ ——— t. 149.
16 Búngei DC. (*ye*) Bunge's Altaia 1837. —— H ♃ Gmel. sib. 2. t. 13. f. 1.
17 púngens DC. (*ye*) pungent ..... 1826. —— H ☉

Sect. 4. INTYBELLIOI'DES; *involucrum biseriate, calyculate at the base; achenia columnar; heads cylindrical.*

18 multicaúlis DC. (*ye*) many-stemmed Altaia 1837. 7. 8. H ♃ Led. ill. 1. t. 36.
19 Gmelìni DC. (*ye*) Gmelin's Siberia 1798. 6. 8. H ♃ Gmel. sib. 2. t. 8. f. 2.
Hieràcium Gmelìni L.
20 præmórsa DC. (*ye*) præmorse ——— 1820. —— H ♃ Gmel. sib. 2. t. 13.
Hieràcium præmórsum L.
21 incarnàta DC. (*fl*) flesh-coloured Carniola 1815. —— H ♃ Jacq. ic. t. 578.
Hieràcium incarnàtum Wulf.
22 Frœlichiàna DC. (*ye*) Frœlich's Switzerland 1819. 7. 8. H ♃
Hieràcium parviflòrum Schl.

Sect. 5. HIERACIOI'DES; *involucrum imbricated, in many series; fruit columnar.*

23 Colúmnæ DC. (*cop*) Columna's Naples .... 5. 7. H ♃ Ten. flor. nap. 2. t. 70.
Hieràcium Colúmnæ Ten. *Apárgia lùcida* Ten.
24 aúrea DC. (*go*) golden-flowered Italy 1769. —— H ♃ Jacq. aust. 3. t. 297.
Leóntodon aúreum Jacq. *Hieràcium aúreum* W. *Calliòpea aúrea* D.D.

25 pygmæ'a DC. (*ye*) pygmy Switzerland 1823. 6. 7. H ♃ All. ped. t. 15. f. 2.
Hieràcium prunellæfòlium Gouan.
26 lampsanoìdes DC. (*ye*) Lampsana-like Pyrenees 1812. 7. 8. H ♃ Gouan. ill. t. 21. f. 3.
Hieràcium lampsanoìdes Gouan.
27 lyràtum DC. (*ye*) lyrate Siberia 1777. —— H ♃ Gmel. sib. 2. t. 9.
28 hieracioìdes DC. (*ye*) Hawkweed-like Hungary 1816. —— H ♃ W. et K. hung. 1. t. 17.
Hieràcium mòlle Jacq. austr. t. 129.
29 chondrilloìdes DC. (*ye*) Gum-succory Austria 1640. 6. 8. H ♃ Jacq. austr. t. 429.
Hieràcium chondrilloìdes Jacq. vind. t. 7.
30 montàna DC. (*ye*) mountain Austria 1775. —— H ♃ Jacq. austr. t. 190.
Hieràcium montànum Jacq.
31 fœniculàcea DC. (*ye*) Chondrilla-like Carniola 1829. 6. 7. H ♃ Scop. carn. 2. t. 52.
Crèpis chondrilloìdes S.S. *Wibèlia chondrilloìdes* Hoppe. *Berìnia andryaloìdes* Brign.
32 succisæfòlia DC. (*ye*) Succisa-leaved Piedmont 1822. —— H ♃
Hieràcium succisæfòlium All.

HAPALOSTE'PHIUM D.P. HAPALOSTE'PHIUM. (ἁπαλος, soft, and στεφος, a crown.) Sy. Æq.
1 paludòsum D.P. (*ye*) Succory-leaved Britain .... 7. 8. H ♃ Eng. bot. t. 1094.
Hieràcium paludòsum E.B. *Crèpis paludòsa* Mœnch.
2 pyrenàicum D.P. (*ye*) Pyrenean Pyrenees 1723. —— H ♃ Jacq. austr. t. 441.
Hieràcium blattarioìdes P.S. *austrìacum* Jacq. *Crèpis blattarioìdes* DC.
3 pilòsum D.P. (*ye*) hairy Pyrenees 1723. 7. 8. H ♃ Herm. parad. t. 184.
4 sibìricum D.P. (*ye*) Siberian Siberia 1755. —— H ♃ Gmel. sib. 2. t. 10.
Crèpis sibìrica L. *Hieràcium sibìricum* W.
5 grandiflòrum (*ye*) large-flowered Idria 1824. 6. 8. H ♃ W. et K. hung. t. 31.
Crèpis grandiflòra L.
6 alpèstre DC. (*ye*) Alp Austria 1823. 5. 7. H ♃ Jacq. austr. 2. t. 191.
Hieràceum alpèstre Jacq. *Crèpis alpèstris* DC.
7 hieracioìdes DC. (*ye*) Hieraceum-like Scotland .... 7. 8. H ♃ Eng. bot. t. 2210.
Hieràceum mòlle Jacq. austr. t. 129. *Crèpis hieracioìdes* DC. W. et K. hung. 1. t. 70.
8 croàticum W.K. (*ye*) Hungarian Hungary 1820. —— H ♃
Hieràcium croàticum W. et K. hung. t. 218.

PHÆNO'PUS DC. PHÆNO'PUS. (φαινοπους, from the evident stipe.) Syngenesia Æqualis.
viminèus DC. (*st*) rushy-twigged Austria 1789. 7. 8. H ♂ Jacq. austr. 1. t. 9.
Prenànthes viminèa L. *Chrondrìlla viminèa* Lam.

BRACHYRA'MPHUS DC. BRACHYRA'MPHUS. (βραχυς, short, and ραμφος, a beak.) Syn. Æqu.
intybàceus DC. (*ye*) Endive-leaved S. America 1781. 6. 8. H ⊙ Jacq. ic. 1. t. 162.
Lactùca intybàcea Jacq.

CHORI'SMA D.D. CHORI'SMA. (χωρισμος, a separation.) Syngenesia Æqualis.
rèpens DD. (*bi*) creeping Siberia 1828. 7. 9. H ♃ Linn.am.ac.2.t.4.f.23.
Prenànthes rèpens L. *Chorìsis rèpens* DC.

ZACI'NTHA DC. ZACI'NTHA. (growing in the Island of Zante.) Syngenesia Æqualis.
verrucòsa DC. (*ye*) warted S. Europe 1633. 6. 7. H ⊙ Gært. sem. 2. t. 157. f. 7.
Lapsàna Zacy'ntha L.

HETERA'CIA DC. HETERA'CIA. (ἑτερος, variable.) Syngenesia Æqualis.
Szovítzii F.M. (*ye*) Szovitz's Persia 1836. 6. 7. H ⊙

ENDO'PTERA DC. ENDO'PTERA. (ενδον, within, and πτερον, a wing.) Syngenesia Æqualis.
1 Dioscòridis DC. (*ye*) Dioscorides' France 1772. 6. 7. H ⊙ Flor. græc. t. 808.
Crèpis Dioscòridis L. *heterospèrma* Schrad. *pàtula* Desf. *croàtica* Horn.
2 àspera DC. (*ye*) rough Sicily 1797. 7. 8. H ⊙ Flor. græc. t. 804.
Crèpis àspera L. *Barkhaùsia àspera* Rchb. *muricàta* S.S.

PTEROTHE'CA DC. PTEROTHE'CA. (πτερον, a wing, and θηκη, a sheath.) Syngenesia Æqualis.
nemausènsis DC. (*ye*) Palestine S. Europe 1794. 6. 7. H ⊙ Vill. delph. 3. t. 26.
Crèpis nemausènsis W. *nùda* Lam. *nudicaùlis* S.S.

INTYBE'LLIA DC. INTYBE'LLIA. (a dim. of *Intybus*.) Syngenesia Æqualis.
purpùrea DC. (*pu*) purple Tauria 1823. 6. 7. H ⊙
Lagòseris taùrica M.B. *Crèpis purpùrea* M.B. *Myòseris purpùrea* L.en.

MICRORHY'NCHUS DC. MICRORHY'NCHUS. (μικρος, small, and ρυγχος, a beak.) Syn. Æq.
nudicaùlis DC. (*ye*) naked-stemmed Arabia .... 6. 7. H ♃ Murr. com. gœt. 3. t. 4.
Chondrìlla nudicaùlis L. *Lactùca nudicaùlis* Murr. *Sònchus divaricàtus* Del.

PICRI'DIUM DC. PICRI'DIUM. (πικρος, bitter; taste.) Syngenesia Æqualis.
1 vulgàre DC. (*ye*) various-leaved France 1773. 6. 8. H ⊙ All. ped. 1. t. 16. f. 1.
Scorzonèra picroìdes L. *Sònchus picroìdes* W.
2 tingitànum DC. (*ye*) Tangier Barbary 1713. 6. 9. H ⊙ Bot. mag. t. 142.
Scorzonèra tingitàna B.M. *Sònchus tingitànus* W.
3 hispànicum DC. (*ye*) Spanish Spain 1816. —— H ⊙ Jacq. schœnb. 2. t. 143.

ZOLLIKOFE'RIA DC. ZOLLIKOFE'RIA. (C. T. Zollikofer, a German bot.) Syng. Æqualis.
1 pùmila DC. (*ye*) dwarf Spain 1822. 7. 9. H ♃ Cav. ic. 2. t. 1. 21. f. 2.
Scorzonèra pùmila Cav. *Sònchus scorzonerifòlius* Lag.

2 chondrilloìdes DC. (*ye*) Chondrilla-like Sicily 1826. 7. 9. H ♃ Bocc. sic. t. 7. A.
Sónchus chondrilloìdes Desf. *Boccòni* Jan. *Scorzonèra resedifòlia* L.

SO'NCHUS DC. SOW THISTLE. (*σομφος*, hollow; stems.) Syngenesia Æqualis.

1 squarròsus DC. (*ye*) shrubby Madeira 1777. 4. 7. G ♄ L'her. stirp. t. 81.
fruticòsus L. *non* Jacq.
2 Jacquìni DC. (*ye*) Jacquin's ——— —— —— G ♄ Jacq. ic. 1. t. 161.
fruticòsus Jacq. *non* L.
3 lævigàtus L.en. (*ye*) smooth ——— 1816. —— G ♄
β *lyràtus* L.en. (*ye*) *lyre-leaved* ——— —— —— G ♄
4 hyoserifòlius H.H. (*ye*) Hyoseris-leaved ——— 1818. —— G ♄
ustulàtus DC.
5 radicàtus DC. (*ye*) long-rooted Canaries 1780. 7. 8. G ♄
6 gummífer DC. (*ye*) gummy ——— 1816. —— G ♄
7 pinnàtus DC. (*ye*) wing-leaved Madeira 1777. 4. 7. G ♄
8 marítimus DC. (*ye*) sea-side Piedmont 1748. 7. 9. H ♃ All. ped. 1. t. 16. f. 2.
9 oleràceus DC. (*ye*) common-smooth Britain .... 6.12. H ☉ Eng. bot. v. 12. t. 843.
læ'vis L.enum. *oleràceus* α, *læ'vis* W.enum. *ciliàtus* DC.
10 làcerus W.en. (*ye*) torn-leaved Britain .... —— H ☉
11 ásper S.S. (*ye*) rough-leaved ——— .... —— H ☉ Schkuhr. handb. t. 256.
oleràceus γ, *ásper* L. *fállax* DC.
12 uliginòsus DC. (*ye*) marsh Caucasus 1823. 7. 9. H ♃
13 palústris DC. (*ye*) tall marsh Britain .... —— H ♃ Eng. bot. v. 13. t. 935.
14 arvénsis DC. (*ye*) corn-field ——— .... —— H ♃ ——— v. 10. t. 674.
15 hantoniénsis (*ye*) smooth-headed Hampshire .... —— H ♃
16 tenérrimus DC. (*ye*) clammy S. Europe 1691. 7. 8. H ☉ Flor. græc. t. 790.
17 caucásicus F. (*ye*) Caucasean Caucasus 1820. —— H ♃
18 flexuòsus Led. (*ye*) flexuose ——— 1822. —— H ♃
19 chinénsis F. (*ye*) Chinese China 1820. —— H ♃
20 tènax F. (*ye*) tough Siberia 1824. —— H ♃
21 longifòlius Trev. (*ye*) long-leaved ..... —— —— H ☉
22 setòsus Ehrenb. (*ye*) prickly .... 6. 7. H ☉
23 dulòsus F.M. (*ye*) sweet .... —— H ☉

ATALA'NTHUS D.D. ATALA'NTHUS. (*ατaλος*, soft, and *ανθος*, a flower.) Syngenesia Æqualis.

1 pinnàtus D.D. (*ye*) pinnated Canaries 1823. 6. 7. F ♄ Jacq. f. eclog. 1. t. 19.
Prenánthes pinnàta W. *Sónchus leptocéphalus* DC.
2 arbòreus Swt. (*ye*) arborescent Canaries —— 6. 8. F ♄
Prenánthes arbòrea W.enum. *Sónchus arbòreus* DC.
3 spinòsus D.D. (*ye*) prickly Barbary 1640. 3. 5. F ♄ Park. theatr. 804. f. 7.

PRENA'NTHES D.D. PRENA'NTHES. (*πρηνης*, drooping, and *ανθος*, a flower.) Syng. Æqua.

1 purpùrea W. (*pu*) purple-flowered Germany 1658. 7. 9. H ♃ Jacq. aust. 4. t. 317.
2 híspida S.S. (*ye*) hispid Siberia 1823. 6. 8. H ♃
3 diversifòlia S.S. (*ye*) various-leaved ——— 1827. —— H ♂
Crèpis baicalénsis DC.

LYGODE'SMIA D.D. LYGODE'SMIA. (*λυγος*, a twig, and *δεσμος*, a band; stems.) Syn. Æq.
júncea D.D. (*ro*) rush-like Missouri 1827. 5. 6. H ♃
Prenánthes júncea Ph.

Subtribe VIII. HIERACIE'Æ. DC. prod. 7. p. 198.

HIERA'CIUM DC. HAWKWEED. (*ιερax*, a hawk; sharpens sight.) Syngenesia Æqualis.
Ser. 1. COPHOLE'PIDA; *inner scales of involucrum obtuse.*
Sect. 1. DASYCE'PHALA; *involucrum more or less hairy, or glanduliferous.*
§ 1. PILOSE'LLÆ; *hairy, stoloniferous; scapes one-headed.*

1 Pilosélla DC. (*st*) Mouse-ear Britain .... 5. 7. H ♃ Eng. bot. v. 16. t. 1093.
2 pilosellæfórmeDC. (*st*) Pilosella-like Switzerland 1819. —— H ♃
Hoppeanum Schult.
3 dùbium DC. (*st*) branching Britain .... 7. 8. H ♃ Eng. bot. v. 33. t. 2332.
4 Aurícula DC. (*go*) umbell'd mouse-ear England .... —— H ♃ ——— v. 33. t. 2368.
sarmentòsum DC.
5 fállax DC. (*go*) hairy spear-leav'd ..... 1816. —— H ♃ Rchb. icon. t. 39. f. 82.
6 præáltum DC. (*ye*) tall Europe 1824. —— H ♃ Vill. voy. t. 2. f. 1.
florentìnum W.
7 cymòsum DC. (*ye*) small-flowered ——— 1739. 5. 6. H ♃ Vill. voy. t. 4. f. 2.
8 piloselloìdes DC. (*ye*) Mouse-ear-like France 1823. 5. 7. H ♃ Vill. delph. 3. p. 100. t. 27.

9	flagellàre DC. *stoloníferum* W. et K.	(*ye*) creeping	Hungary	1816.	5. 7.	H	♃	W. et K. hung. 3. t. 270.
10	bifúrcum DC. *collínum* Gunth.	(*ye*) two-forked	S. Europe	1822.	——	H	♃	
11	Pelleterianum DC.	(*ye*) Pelleter's	Europe	....	——	H	♃	
12	Tenoreanum DC. *pseùdo-pilosélla* Ten.	(*ye*) Tenore's	Abbruzo	....	——	H	♃	
13	brachiàtum DC. *collínum* Bess.	(*ye*) brachiate	Volyhnia	....	——	H	♃	
14	sphaerocéphalum DC. *dùbium* Hoppe. *hy'bridum* Vill. *stoloníferum* Desf. *furcàtum* Hopp.	(*ye*) round-headed	Switzerland	1819.	6. 8.	H	♃	Vill. voy. t. 2.
15	apícolum DC.	(*ye*) mountain	Switzerland	1825.	6. 8.	H	♃	
16	Bauhìni DC. *auricula* W.	(*ye*) Bauhin's	———	1820.	——	H	♃	
17	radiocaúle DC. *dùbium* Flor. dan. t. 1044.	(*ye*) root-stemmed	Denmark	....	——	H	♃	
18	collínum DC. *auricula* W. *cymòsum* S.S. *cymígerum* Rchb.	(*ye*) hill	Europe	1824.	——	H	♃	Cochn. cich. t. 1.
19	praténse DC. *Cochnàti* Mey. *dùbium* L. *cymòsum* W.	(*ye*) field	Europe	....	——	H	♃	
20	aurantìacum DC.	(*or*) orange-coloured	Scotland	....	6. 7.	H	♃	Eng. bot. v. 21. t. 1469.
	β *chloránthum* DC.	(*ye*) *pale-flowered*	Europe	....	——	H	♃	
	γ *rèpens* DC.	(*ye*) *creeping*	———	....	——	H	♃	
21	hy'bridum DC.	(*ye*) hybrid	Dauphiny	1825.	——	H	♃	
22	angustifòlium DC. *cymòsum* Schleich. *glaciàle* Reyn.	(*ye*) narrow-leaved	Switzerland	1819.	——	H	♃	Vill. voy. t. 3. f. 4.
23	brevíscapum DC. *pùmilum* Lap.	(*ye*) short-scaped	Pyrenees	....	——	H	♃	
24	echioìdes DC.	(*ye*) viper's-bugloss	Hungary	1802.	7. 8.	H	♃	W. et K. hung. 1. t. 85.

§ 2. PULMONARIÆ; *stems leafy, bearing one or more heads; hairy or glandular herbs.*

* *Hairs on leaves simple.*

25	alpìnum DC. *pùmilum* W. *hy'bridum* Vill. dauph. 3. t. 26.	(*ye*) Alpine	Britain	....	7. 8.	H	♃	Eng. bot. v. 16. t. 1110.
26	intybàceum DC. *álbidum* Vill.	(*ye*) Endive-leaved	Europe	1794.	——	H	♃	Jacq. aust. ap. t. 43.
27	Hallèri DC.	(*ye*) Haller's	———	1802.	——	H	♃	Vill. dauph. 3. t. 26.
28	sudéticum St.	(*ye*) Swedish	Sweden	1823.	——	H	♃	
29	píctum DC.	(*ye*) painted-leaved	Switzerland	——	——	H	♃	
30	nigréscens DC.	(*ye*) dark-coloured	Savoy	1801.	——	H	♃	Willd. hort. ber. t. 10.
31	picroìdes DC. *lanceolàtum* Schleich. *ochroleùcum* Schleich.	(*ot*) Picris-like	Switzerland	1819.	——	H	♃	Vill. voy. t. 1. f. 3.
32	prenanthoìdes DC.	(*ye*) rough-border'd	Scotland	....	6. 9.	H	♃	Eng. bot. v. 32. t. 2235.
33	elongàtum DC. *prenanthoìdes* ε, *elongàtum* DC.	(*ye*) elongated	Switzerland	1824.	——	H	♃	
34	denticulàtum E.B. *prenanthoìdes* γ, *denticulàtum* DC.	(*ye*) small-toothed	Scotland	....	7. 8.	H	♃	Eng. bot. v. 30. t. 2122.
35	canéscens L.en. *sylváticum* K. *canéscens* DC.	(*ye*) canescent	.....	1820.	——	H	♃	
36	cydoniæfòlium DC.	(*ye*) Quince-leaved	France	1816.	7. 8.	H	♃	
37	sylváticum DC. *denudàtum* S.S.	(*ye*) wood	Britain	....	8.	H	♃	Eng. bot. v. 29. t. 2031.
38	pulmonàrium DC.	(*go*) lungwort	Scotland	....	7. 8.	H	♃	——— v. 33. t. 2307.
39	speciosíssimum DC. *speciòsum* H.H.	(*ye*) handsome	S. Europe	1823.	——	H	♃	
40	compósitum DC.	(*ye*) compound	Pyrenees	——	——	H	♃	
41	Kálmii W. *canadénse* DC.	(*ye*) Kalm's	Pensylvania	1794.	8.	H	♃	
42	incànum DC.	(*ye*) hoary	Caucasus	....	7. 8.	H	♃	
43	hírtum DC.	(*ye*) hairy	.....	....	——	H	♃	
44	ciliàtum DC.	(*ye*) fringed	Crete	1823.	——	H	♃	
45	hùmile DC. *pùmilum* Jacq. *Jacquìni* Vill. delph. 3. t. 28.	(*ye*) low	S. Europe	1816.	6. 8.	H	♃	Jacq. aust. t. 189.
46	vulgàtum DC.	(*ye*) common	N. Europe	....	——	H	♃	
47	bífidum W.en.	(*ye*) bifid	Hungary	1818.	6. 7.	H	♃	
48	murùrum DC.	(*go*) wall	Britain	....	7.	H	♃	Eng. bot. v. 29. t. 2082.
49	maculàtum E.B. *murùrum* var. *maculàtum* DC.	(*ye*) stained-leaved	England	....	7. 8.	H	♃	——— v. 30. t. 2121.

** *Hairs on leaves plumose.*

50	rupéstre DC. *chondrilloìdes* Vill.	(*ye*) rock	Valais	1820.	6. 8.	H	♃	All. auct. t. 1. f. 2.

51 píctum DC. (*ye*) painted-leaved Switzerland 1819. 6. 8. H ♃
vulgàtum S.S.
52 míxtum DC. (*ye*) mixed Pyrenees .... —— H ♃ Vill. dauph. 3. t. 29.
barbàtum Lois. *saxátile* Vill.
53 lanàtum W. (*ye*) woolly Hungary 1823. 7. 8. H ♃ W. et K. hung. 2. t. 127.

Sect. 2. LEIOCE'PHALA; *scales of involucrum wholly glabrous, or only above.*

§ 1. PHYLLO'PODA; *radical leaves present at the time of flowering.*

* STENOTHE'CÆ; *heads small, subcylindrical, slender; involucrum calyculate at the base, hairy.*

54 venòsum DC. (*ye*) red-veined N. America 1790. 6. 8. H ♃
55 Gronòvii DC. (*ye*) Gronovius's ——— 1798. —— H ♃
56 mariànum W. (*ye*) Maryland ——— —— —— H ♃
Gronòvii Ph.

** ORTHOTHE'CA; *heads larger, ovate; scales of involucrum imbricated; herbs glaucous; peduncles scaly above.*

57 staticifòlium DC. (*ye*) thrift-leaved Europe 1804. 6. 7. H ♃ Vill. dau. 3. p. 116. t. 27.
58 gravèolens DC. (*ye*) strong-scented ——— 1826. 7. 8. H ♃
calyculàtum H.H.
59 porrifòlium DC. (*ye*) Leek-leaved Austria 1640. —— H ♃ Jacq. aust. 3. t. 286.
60 saxátile DC. (*ye*) rock ——— 1801. —— H ♃ Jacq. obs. 2. t. 50.
61 glaúcum DC. (*ye*) glaucous S. Europe 1807. 6. 7. H ♃ All. ped. t. 28. f. 3.
saxátile Jacq. ic. 1. t. 163.
62 graminifòlium DC. (*ye*) grass-leaved Switzerland .... —— H ♃
β *polyphy'llum* DC. (*ye*) *many-leaved* ——— .... —— H ♃
63 lævigàtum DC. (*ye*) smooth Bohemia 1804. 8. 9. H ♃ Willd. hort. ber. t. 16.
64 affìne DC. (*ye*) allied Switzerland 1819. 7. 8. H ♃
sabaúdum L. *vulgàtum* var. *tridentàtum* Fries.
65 ramòsum DC. (*ye*) branching Hungary 1805. —— H ♃ W. et K. hung. t. 216.
66 lanceolàtum DC. (*ye*) lance-leaved Italy .... —— H ♃ Vill. danph. 3. t. 33.

§ 2. APHYLLO'PODA; *radical leaves absent at the time of flowering; scales in many series; peduncles scaly.*

67 paniculàtum DC. (*ye*) panicled Canada 1800. 7. 8. H ♃
68 diffùsum DC. (*ye*) diffuse ..... 1820. —— H ♃
ambíguum Hort.
69 lùcidum DC. (*ye*) shining Sicily 1830. —— H ♃
70 racemòsum DC. (*ye*) racemed Hungary 1818. —— H ♃ W. et K. hung. 2. t. 193.
71 Ledeboúrii DC. (*ye*) Ledebour's ..... —— —— H ♃
72 umbellàtum DC. (*ye*) umbel-flowered Britain .... 8. 9. H ♃ Eng. bot. v. 25. t. 1771.
β *coronopifòlium* DC. (*ye*) Buckshorn-ld. ..... 1823. 7. 8. H ♃
73 auriculàtum DC. (*ye*) ear-leaved ..... 1826. —— H ♃
74 sylvéstre DC. (*go*) frutescent Britain .... —— H ♃ Eng. bot. v. 5. t. 349.
sabaúdum Smith.
75 sabaúdum DC. (*ye*) Savoy S. Europe .... —— H ♃ All. ped. t. 27. f. 2.
virgàtum Hort.
76 virgàtum DC. (*ye*) twiggy N. America 1816. —— H ♃
77 latifòlium DC. (*ye*) broad-leaved Pyrenees 1823. 6. 9. H ♃
croáticum Lap.
78 viròsum DC. (*ye*) leafy Hungary 1805. 7. 8. H ♃ W. et K. hung. 2. t. 145.
foliòsum W.
79 corymbòsum DC. (*ye*) corymbose ..... 1820. —— H ♃
80 prostràtum DC. (*ye*) prostrate S. Europe 1823. —— H ♃
81 eriophorum DC. (*ye*) woolly France .... —— H ♃ St. A. b. ph. No. 52. t. 2. f. 1.

Ser. 2. OXYLE'PIDA; *inner scales of involucrum acute or acuminated.*

§ 1. *Hairs on leaves simple.*

82 glanduliferum DC. (*ye*) glanduliferous Switzerland 1819. 7. 8. H ♃ All. ped. t. 14. f. 2.
alpìnum Flor. dan. t. 27.
83 eriophy'llum DC. (*ye*) villous ——— 1816. —— H ♃
84 villòsum DC. (*st*) shaggy alpine Scotland .... —— H ♃ Eng. bot. v. 34. t. 2379.
β *válde-pilòsum* (*ye*) very pilose Europe 1820. —— H ♃
85 Schradèri DC. (*ye*) Schrader's Switzerland 1823. —— H ♃
86 elongàtum DC. (*ye*) elongated Europe —— —— H ♃
válde-pilòsum Bauh. hist. 2. p. 1030. f. A.
87 flexuòsum DC. (*ye*) bending-stalk'd Hungary 1804. —— H ♃ W. et K. hung. t. 209.
88 amplexicaúle DC. (*ye*) heart-leaved Pyrenees 1739. —— H ♃ All. ped. 1. t. 15. f. 1.
89 grandifòrum DC. (*ye*) great-flowered Europe 1791. —— H ♃ W. et K. hung. 1. t. 99.
90 pilòsum DC. (*ye*) pilose Switzerland 1819. —— H ♃
91 longifòlium DC. (*ye*) long-leaved ——— 1823. —— H ♃
cerinthoìdes W.
92 decípiens DC. (*ye*) honeywort. Scotland .... 8. H ♃ Eng. bot. v. 34. t. 2378.
cerinthoìdes E.B.

93 pallèscens DC. (*st*) pale — Hungary — 1815. 6. 7. H ♃ — W. et K. hung. 3. t. 217.
94 rotundàtum Schreb. (*ye*) round-leaved — ——— — 1823. 7. 8. H ♃
pallèscens β, *Willdenòvii* DC.
95 Hoppeànum DC. (*ye*) Hoppe's — Switzerland — 1819. —— H ♃
incìsum Sturm.

** *Hairs on leaves plumose.*

96 Lapeyroùsii DC. (*ye*) Lapeyrouse's — Pyrenees — .... 7. 8. H ♃
β *villòsum* DC. (*ye*) *villous* — ——— — .... —— H ♃
γ *obovàtum* DC. (*ye*) *obovate* — ——— — .... —— H ♃
97 cerinthoìdes DC. (*ye*) Cerinthe-like — ——— — .... —— H ♃ — Gouan. obs. t. 22.
elàtum Lap. *scopulòrum* Lap.
98 Lawsòni DC. (*st*) Lawson's — Britain — .... 6. 8. H ♃ — Eng. bot. v. 29. t. 2083.
99 dasycéphalum DC. (*ye*) thick-headed — Dauphiny — 1820. —— H ♃ — Vill. dauph. 3. t. 29.
Liottàrdi Vill. *anchusæfòlium* S.S. *saxàtile* Balb.
100 undulàtum DC. (*ye*) wave-leaved — Spain — 1778. —— H ♃
101 andryaloìdes DC. (*ye*) Andryala-like — France — 1818. —— H ♃ — Vill. delph. 3. t. 29.
102 tomentòsum DC. (*ye*) woolly — Switzerland — 1819. —— H ♃
lanàtum Vill. *Lawsònii* W. *Andry'ala lanàta* L.
103 verbascifòlium P.S. (*ye*) Mullein-ld. — S. Europe — 1732. 5. 6. H ♃ — Mill. ic. 1. t. 146. f. 1.
Andry'ala lanàta S.S.

Species not well known.

104 calcàreum H.H. (*ye*) spurred — S. Europe — 1823. 7. 8. H ♃
105 sonchifòlium M.B. (*ye*) Sonchus-leav'd — Caucasus — 1828. —— H ♃
106 crassifòlium S. (*ye*) thick-leaved — ..... — 1823. —— H ♃
107 fasciculàtum Ph. (*ye*) bundled — Canada — .... —— H ♃
108 glutinòsum W. (*ye*) clammy — S. Europe — 1796. —— H ⊙
109 Millèri L. en. (*ye*) Miller's — ..... — .... —— H ♃
110 pilocéphalum L. en. (*ye*) hairy-headed — Europe — 1816. —— H ♃
111 trichocéphalum W. (*ye*) bristly-headed — ——— — 1823. —— H ♃
112 verruculàtum L. en. (*ye*) warted — ..... — —— —— H ♃
113 glabràtum W. (*ye*) smooth — Switzerland — —— 6. 8. H ♃
114 Sternbérgii L. en. (*ye*) Sternberg's — Hungary — 1828. —— H ♃
115 incìsum S.S. (*ye*) cut-leaved — ——— — 1823. 7. 8. H ♃
116 parvifòlium W. (*ye*) small-leaved — Austria — —— —— H ♃
117 boreàle S.S. (*ye*) northern — N. Europe — 1828. —— H ♃
118 bracteolàtum L. en. (*ye*) bracted — S. Europe — 1823. —— H ♃
119 virèscens Schl. (*gr*) greenish — Switzerland — 1820. —— H ♃
120 ovàtum Schl. (*ye*) oval-leaved — ——— — —— —— H ♃

NA'RBALUS DC. NA'RBALUS. (meaning not explained.) Syngenesia Æqualis.

§ 1. *Leaves palmately or trifidly lobed.*

1 altìssimus DC. (*ye*) tallest — N. America — 1696. 7. 8. H ♃ — Pluk. alm. t. 317. f. 2.
Prenánthes altìssima W. *Harpaly'ce altìssima* D.D.
2 serpentàrius DC. (*pu*) Lion's-foot — N. America — 1823. 8. 10. H ♃ — Pursh am. sept. 2. t. 24.
Prenánthes serpentària L. *Harpaly'ce serpentària* D.D.
3 trilobàtus DC. (*wh*) three-lobed — N. America — .... 8. 10. H ♃
4 Fraseri DC. (*wh*) Fraser's — Carolina — 1823. —— H ♃
Prenánthes álba Ell. *rubicúnda* W. *Harpaly'ce rubicúnda* D.D.

§ 2. *Leaves toothed, angular, or pinnatifid.*

5 suàvis DC. (*wh*) white-flowered — N. America — 1762. 7. 8. H ♃ — Bot. mag. t. 1079.
álbus Hook. *Prenánthes álba* B.M. *suàvis* Sal. par. lond. t. 85. *Harpaly'ce álba* D.D.
6 cordàtus DC. (*ye*) heart-leaved — N. America — 1816. 7. 8. H ♃ — Willd. hort. berl. t. 25.

§ 3. *Leaves quite entire.*

7 virgàtus DC. (*li*) tall slender — ——— — 1823. 8. 9. H ♃
8 racemòsus DC. (*pu*) racemed — Canada — 1822. —— H ♃ — Hook. fl. bor. amer. 1. t. 14.

ANDRY'ALA DC. ANDRY'ALA. (etymology unknown.) Syngenesia Æqualis.

Sect. 1. EUANDRY'ALA; *receptacle bractless; achenia all bearing pappi.*

1 ragusina DC. (*ye*) downy — Archipelago — 1753. 6. 8. F ♃ — Mill. ic. 1. t. 146. f. 1.
β *incàna* DC. (*ye*) *hoary* — Pyrenees — 1826. —— H ♃
γ *lyràta* DC. (*ye*) *lyrate* — ——— — —— —— H ♃ — Lob. icon. t. 231. f. 2.
Róthia argéntea Lap.
2 nígricans DC. (*ye*) dark-headed — Barbary — 1804. 7. 8. H ⊙
3 pinnatífida DC. (*ye*) wing-leaved — Madeira — 1778. —— F ♂
4 tenuifòlia DC. (*ye*) fine-leaved — Sicily — .... —— H ⊙

Sect. 1. VOI'GTIA; *margin of recept. paleaceous; paleæ shorter than the invol.; achenia of the ray bald; but the pappus is probably deciduous.*

5 Róthia DC. (*ye*) Spanish — Spain — 1810. 8. H ⊙ — Gært. sem. 2. t. 174.
Róthia andryaloìdes Roth.
6 vària DC. (*ye*) variable — Madeira — .... 6. 8. F ♃
candidìssima Desf.

β *cheiranthifòlia* DC. (*ye*) *various-ld.* Madeira 1777. 5.10. F ♃ L'Herit. stirp. 35. t. 18.
Andry'ala cheiranthifòlia L'Herit.
7 crithmifòlia DC. (*ye*) Samphire-leav'd Madeira 1778. 6. 8. F ♂
8 sinuàta DC. (*ye*) Stock-leaved Spain 1768. —— H ⊙
Róthia cheiranthifòlia Roth.
9 integrifòlia DC. (*ye*) hoary S. Europe 1711. 7. 8. H ♂
Róthia rancinàta Roth. *Andry'ala lanàta* Vill.

LASI'OPUS DD. LASI'OPUS (λασιος, hairy, and πους, a foot; peduncles.) Syngenesia Æqualis.
sonchoìdes D.D. (*ye*) Sonchus-like Amercia 1835. 7. 8. H ♃ Swt. br. fl.gar.s.2.t.346.
Dubyæ'a sonchoídea DC.

MULGE'DIUM DC. MULGE'DIUM. (*mulgeo*, to milk; milky.) Syngenesia Æqualis.
Sect. 1. EUMULGE'DIUM; *pappus white; invol. imbricated; corollas blue or purple.*
§ 1. *Leaves more or less pinnate, lobed.*
1 alpìnum DC. (*bl*) Lapland Lapland 1804. 7. 8. H ♃ Smith ic. ined. t. 21.
Sónchus lappónicus W. *Agathy'rsus alpinus* D.D.
2 coerùleum DC. (*bl*) blue-flowered Scotland .... —— H ♃ Eng. bot. v. 34. t. 2425.
Sónchus alpìnus W. *non* L. *Agathy'rsus cærùleus* D.D.
3 Plumièri DC. (*bl*) Plumier's Pyrenees 1794. —— H ♃
4 prenanthoìdes DC. (*bl*) Prenanthes-like Caucasus 1827. —— H ♃
Sónchus prenanthoìdes M.B. *Agathy'rsus prenanthoìdes* D.D.
5 macrophy'llum DC. (*bl*) large-leaved N. America 1820. 7. 8. H ♃
Sónchus macrophy'llus Ph.
6 azùreum DC. (*bl*) azure Altaia .... —— H ♃ Led. ill. t. 496.
7 tatáricum DC. (*bl*) Tartarian Tartary 1784. 6. 7. H ♃ Gmel. sib. 2. t. 3. f. C.
8 pulchéllum G.D. (*bl*) entire-leaved Missouri 1812. —— H ♃
Sónchus pulchellus Ph. *Lactùca integrifòlia* N. *Lactùca pulchélla* DC.
9 sonchifòlium DC. (*bl*) Sonchus-leaved Levant 1824. 6. 7. H ♂
Lactùca sonchifòlia W.
§ 2. *Leaves almost undivided, toothed.*
10 multiflòrum DC. (*bl*) many-flowered .... —— H ♃
11 albànum DC. (*bl*) Iberian Persia .... —— H ♃
Sónchus albànus Stev.
12 sibíricum DC. (*bl*) Siberian Siberia 1759. 7. 9. H ♃ Gmel. sib. 2. f. 3.
Sónchus sibíricus W. *Lactùca sibírica* D.P. *Agathy'rsus sibíricus* D.D.
13 floridànum DC. (*bl*) small-flowered N. America 1713. 7. 8. H ♂
14 acuminàtum DC. (*bl*) taper-pointed ——— 1812. 8. 9. H ♂ Jacq. schœnb. 3. t. 367.
Sónchus acuminàtus Ph.
Sect. 2. AGA'LMA; *pappus sordid; invol. calyculate or calyculately imbricate; corollas blue or purple.*
15 leucophæ'um DC. (*pa*) whitish-flower'd N. America 1820. 7. 8. H ♂
Sónchos leucophæ'us W. *Prenánthes autumnàlis* Walter. *Agathy'rsus spicàtus* D.D.
16 cacaliæfòlium DC. (*bl*) Cacalia-leaved Iberia 1826. 7. 8. H ♃
Sónchus cacaliæfòlius M.B. *Agathy'rsus cacaliæfòlius* D.D.

TRO'XIMON D.D. TRO'XIMON. (τροξιμος, eatable.) Syngenesia Æqualis.
1 glaúcum Ph. (*ye*) glaucous-leaved N. America 1811. 7. 8. H ♃ Bot. mag. t. 3462.
2 cuspidàtum Ph. (*ye*) cuspidate ——— —— 4. 6. H ♃ ——— t. 1667.
marginàtum N.

SOLDEVI'LLA Lag. SOLDEVI'LLA. (D. Soldevillo, a friend of Lagascas.) Syng. Æqua.
setòsa Lag. (*ye*) bristly Spain 1826. 7. 8. H ⊙
Hispidélla hispánica DC.

ORDER CXXXIII.

CAMPANULA'CEÆ. *Juss. gen. p.* 163.

Tribe I. *JASIO'NEÆ.* D.S. 3. p. 732.

JASI'ONE R.S. SHEEP'S SCABIOUS. (ιασιωνη, a name applied by Theophrastus.) Pent. Monog.
1 montàna DS. (*bl*) mountain Britain .... 6. 7. H ♃ Eng. bot. v. 13. t. 882.
2 perénnis DS. (*bl*) perennial France 1787. —— H ♃ Bot. reg. t. 505.
3 foliòsa DS. (*bl*) leafy S. Spain 1826. —— H ♃ Cavan. ic. 2. t. 148. f. 1.

4 hùmilis DS.	(*bl*) dwarf	S. France	1824.	6. 7.	H	♃	

LIGHTFOO'TIA DS. LIGHTFOO'TIA. (Rev. J. Lightfoot, author of Flora Scotica.) Pent. Monog.

1 oxycoccoìdes DS.	(*pa*) lance-leaved	C. B. S.	1787.	7.	G	♄	Sm. exot. bot. 2. t. 69.
2 Loddigèsii DS. *tenélla* B.C.	(*pa*) slender	———	1824.	6. 8.	G	♄	Lodd. bot. cab. t. 1038.
3 lanceolàta DC.	(*w.bl.*) spear-leaved	———	1826.	——	G	♃	
4 muscòsa DS.	(*wh.bl*) moss-like	———	——	——	G	♃	
5 subulàta DS.	(*bl*) awl-leaved	———	——	——	G	♃	L'Herit. s. angl. 4. t. 5.

CANARI'NA DS. CANARI'NA. (a native of the Canary Islands.) Hexandria Monogynia.

Campánula DS.	(*or*) Canary	Canaries	1696.	1. 3.	G	♃	Bot. mag. t. 444.

PLATYCO'DON DS. PLATYCO'DON. (πλατυς, broad, and κωδων, a bell.) Pentand. Monogy.

grandifìora DS.	(*bl*) great-flowered	Siberia	1782.	6. 8.	H	♃	Swt. br. fl. gar. s.2.t.208.

Campánula grandiflòra Jacq. *Wahlenbérgia grandiflòra* Schr.

WAHLENBE'RGIA DS. WAHLENBE'RGIA. (G. Wahlenberg, M.D. au. of Flora Lapponica.) Pen. Mo.

Sect. 1. EDRAIA'NTHA; *corolla and calyx* 5-*lobed*; *capsule* 2-3-*celled*; *seeds ovate, flat.*

1 graminifòlia DS.	(*bl*) grass-leaved	Sicily	1816.	5. 7.	H	♃	Fl. græc. t. 206.
2 Kitaibèlii DS.	(*vi*) Kitaibel's	Hungary	1823.	6. 8.	H	♃	W. et K. hung. 2. t. 154.

Campánula graminifòlia W. et K. hung. *non* Fl. græc.

3 tenuifòlia DS.	(*vi*) slender-leaved	Hungary	1820.	5. 9.	H	♃	

Sect. 2. AIKI'NIA; *corolla and calyx* 5-*lobed*; *capsule* 3-5-*celled*; *seeds ovate.*

4 capénsis DS.	(*vi*) Cape	C. B. S.	1803.	7.10.	H	⊙	Bot. mag. t. 782.

Campánula capénsis B.M. *Roella decúrrens* Bot. rep. 238.

5 diffusa DS.	(*bl*) diffuse	C. B. S.	1787.	6. 7.	H	⊙	
6 linearis DS.	(*wh*) linear-leaved	———	1822.	7.10.	H	⊙	
7 diversifòlia DS.	(*bl*) diverse-leaved	———	——	——	H	⊙	
8 procúmbens DS.	(*bl*) procumbent	———	1824.	——	H	⊙	
9 hederàcea DS.	(*pa.bl*) Ivy-leaved	England	....	5. 6.	H	♃	Eng. bot. v. 2. t. 73.

Campánula hederàcea E.B. *Aikínia hederàcea* Salisb.

10 arvática DS.	(*bl*) Spanish	Spain	1825.	5. 7.	H	♃	Pluk. phyt. t. 23. f. 1.

Campánula arvática L.G.

11 grácilis DS.	(*bl*) slender	N. S. W.	1794.	4. 8.	G	♂	Bot. mag. t. 691.

Campánula grácilis B.M.

12 stricta DS.	(*bl*) upright	———	——	——	G	♂	Sm. exot. bot. t. 45.

Campánula stricta Exot. bot. *non* Lin.

13 capillàris B.C.	(*bl*) capillary	N. Holland	1824.	——	G	♂	Lodd. bot. cab. t. 1406.
14 littoràlis DS.	(*bl*) sea-side	V.Diem.Isl.	1820.	——	G	♂	Lab. nov. hol. 1. t. 70.
15 quadrifida DS.	(*bl*) four-cleft	N. S. W.	1822.	——	G	♂	
16 saxícola DS.	(*bl*) small rock	V.Diem.Isl.	1825.	5.10.	G	♂	
17 Siebèri DS.	(*bl*) Sieber's	N. S. W.	1826.	——	G	♂	
18 dehiscens DS.	(*wh*) dehiscent	Bengal	1818.	——	H	⊙	
19 undulàta DS.	(*bl*) waved	C. B. S.	1822.	5. 7.	G	♃	

Campánula undulàta.

20 exilis DC.	(*bl*) slender	———	1836.	——	H	⊙	
21 cérnua DS.	(*bl.wh*) drooping	———	1804.	7. 9.	G	♂	Comm. hort. t. 87.
22 nutabúnda DS.	(*wh*) nodding-flower'd	Calabria	1830.	——	H	⊙	Guss. pl. rar. t. 18.
23 paniculàta DS.	(*bl*) panicled	C. B. S.	....	——	H	⊙	Th. mem. pet. 4. t. 7. f. 4.
24 hispídula DS.	(*bl.wh.*) hispid-calyxed	———	1816.	6. 9.	H	⊙	Comm. hort. 2. t. 37.

Campánula hispídula Th.

25 capillàcea DS.	(*wh*) capillary	———	1822.	5. 7.	H	♃	

Sect. 3. LOBELIOI'DES; *calyx and corolla* 3-5-*lobed*; *stamens* 3, *capsule* 2-*celled.*

26 lobelioìdes DS.	(*bh*) Lobelia-like	Canaries	1777.	7. 8.	H	⊙	Alph. DC. camp. t. 17.
27 rèpens	(*wh*) creeping	.....	1830.	6.10.	H	♃	

PRISMATOCA'RPUS L'H. PRISMATOCA'RPUS. (πρισμα, a prism, and καρπος, a fruit.) Pent. Mon.

1 fruticòsus D.S.	(*bl*) shrubby	C. B. S.	1787.	8.	G	♄	
2 Hookèri Swt.	(*w*) Hooker's	———	1823.	——	G	♄	Bot. mag. t. 2733.

Campánula Prismatocárpus B.M. *nec* L'Her.

3 diffùsus DS.	(*bl*) diffuse	———	1787.	7. 9.	G	♄	

Trachèlium diffùsum Ait.

4 nítidus DC.	(*bl*) shining	———	1823.	6. 8.	F	♃	L'Her. sert. ang. 2. t. 3.

Campánula Prismatocárpus W.

5 interrúptus DC.	(*bl*) interrupted	———	1820.	——	G	♄	

ROE'LLA DS. ROE'LLA. (W. Roell, prof. anat., Amsterdam.) Pentandria Monogynia.

1 ciliàta DS.	(*bl.wh*) ciliate	C. B. S.	1774.	6. 9.	G	♄	Bot. mag. t. 378.
2 pedunculàta DS.	(*bl*) peduncled	———	1827.	——	G	♄	
3 filifórmis DS.	(*bl*) filiform	———	1816.	——	G	♄	Lam. ill. t. 123. f. 2.
4 decúrrens DS.	(*bl*) decurrent	———	1787.	7. 9.	H	⊙	L'Her. sert. ang. 4. t. 6.
5 squarròsa DS.	(*bl*) trailing	———	——	7. 8.	G	♃	
6 muscòsa DS.	(*bl*) moss-like	———	1802.	8.10.	H	⊙	
7 spicàta DS.	(*wh*) spiked	———	1824.	——	G	♄	

Tribe II. *CAMPANULEÆ.* DS. 3. p. 746.

PHYTEU'MA D.S. PHYTEU'MA. (a name adopted from Dioscorides.) Pentandria Monogynia.

Sect. 1. SYNO'TOMA; *segments of corolla cohering at their apices; stigmas* 2; *capsule* 2-*celled.*

1	comòsum D.S.	(*da.bl*) tufted	Austria	1752.	6. 7.	H	♃	Jacq. aust. ap. t. 50.

Sect. 2. HYDRA'NTHUM; *segments of corolla cohering a long time at their apices, but at length becoming free; filaments expanded at their bases; stigmas* 2-3; *capsule* 2-*celled; flowers sessile.*

2	pauciflòrum D.S.	(*bl*) few-flowered	Germany	1823.	6. 8.	H	♃	Hegeta. reise. t. 13 & 15.
3	globulariæfòlium	D.S. (*bl*) Globularia-ld.	S. Europe	——	——	H	♃	Mor. ox. 2. s. 5. t. 5. f. 50.
4	hemisphæ'ricum	D.S. (*bl*) linear-leaved	Switzerland	1752.	7.	H	♃	Jacq. ic. 2. t. 333.
	Michèlii Lap.							
5	hùmilis DS.	(*bl*) humble	Valais	1825.	7. 8.	H	♃	Hegets. reise. t. 16.
6	orbiculàre D.S.	(*bl*) round-headed	England	....	6. 8.	H	♃	Eng. bot. v. 2. t. 142.
	cordàtum Vill. Bot. mag. t. 1466.							
	β *lanceolàtum* D.S.	(*bl*) *lanceolate*	France	1819.	——	H	♃	Vill. danph. 2. t. 12. f. 1.
	γ *gigantèum* D.S.	(*bl*) *giant*	——	1820.	——	H	♃	—— 2. t. 11. f. 3.
	ellipticum Vill.							
	δ *comòsum* D.S.	(*bl*) *tufted*	——	....	——	H	♃	
	ε *decipiens* D.S.	(*bl*) *deceiving*	Switzerland	1819.	——	H	♃	Hegets. reise. t. 34.
	brevifòlium Schleich.							
7	Charmèlii D.S.	(*bl*) long-bracted	Pyrenees	1819.	——	H	♃	Vill. delph. 2. t. 11. f. 3. A.
8	Siebèrii D.S.	(*bl*) Sieber's	Levant	1827.	7. 8.	H	♃	
9	Scheuchzèri D.S.	(*bl*) Scheuchzer's	Switzerland	1813.	5. 6.	H	♃	Bot. mag. t. 1797.
10	scorzonerifòlium D.S.	(*bl*) Scorzonera-ld.	Europe	1817.	——	H	♃	—— t. 2271.
	betonicæfòlium Bot. mag. t. 2066.							
11	Michèlii D.S.	(*bl*) Micheli's	Mt. Cenis	1822.	——	H	♃	Rchb. icon. bot. t. 348.
12	betonicæfòlium D.S.	(*bl*) Betony-leaved	Switzerland	1816.	6. 8.	H	♃	—— t. 250.
13	spicàtum D.S.	(*st*) spiked	Europe	1597.	——	H	♃	Flor. dan. t. 362.
14	Hallèri D.S.	(*pa.vi*) Haller's	Switzerland	1819.	——	H	♃	Bot. gard. t. 680.
	β *ovàtum* D.S.	(*pa*) *oval-spiked*	——	1814.	——	H	♃	
15	nìgrum D.S.	(*da.pu*) black-flowered	Bohemia	1820.	7. 8.	H	♃	
16	inæquàtum D.S.	(*bl*) unequal-leaved	Hungary	1826.	6. 7.	H	♃	

Sect. 3. PODA'NTHUM; *segments of corolla as in the preceding section, as well as the filaments; stigmas* 3; *capsule* 3-*celled; flowers pedicellated.*

17	limoniifòlium DS.	(*bl*) Limonium-leaved	Europe	1819.	6. 8.	H	♃	
	stríctum B.M. t. 2145. *stylòsum* Schrank. fasc. 5. t. 49. *virgàtum* Lodd. bot. cab. 667.							
18	collìnum D.S.	(*bl*) hill	Naples	....	6. 8.	H	♃	Guss. pl. rar. t. 19.
	Campánula virgàta Ten.							
19	lanceolàtum DS.	(*bl*) lanceolate-leav'd	Armenia	1826.	——	H	♃	Desf. ann. mus. 11. t. 5.
20	campanuloìdes D.S.	(*bl*) Campanula-like	Caucasus	1804.	——	H	♃	Bot. mag. t. 1015.
21	canéscens D.S.	(*li*) canescent	Hungary	——	——	H	♃	W. et K. hung. 1. t. 14.

PETROMA'RULA D.S. PETROMA'RULA. (πετρος, a rock, and μαρον, a bitter herb.) Pent. Mon.

	pinnàta D.S.	(*bl*) pinnate-leaved	Candia	1640.	8. 9.	F	♃	Swt. br. fl. gar. s. 2. t. 224.
	Phyteùma pinnàtum L. Vent. cels. t. 52.							

MICHAU'XIA DS. MICHAU'XIA. (And. Michaux, bot. to Louis XVI.) Octandria Monogynia.

1	campanuloìdes D.S.	(*li*) rough-leaved	Levant	1787.	6. 8.	G	♂	Bot. mag. t. 219.
2	lævigàta D.S.	(*li*) smooth	Persia	1829.	——	H	♂	—— t. 3128.
	decándra F.							

CAMPA'NULA DS. BELL-FLOWER. (*campana*, a bell; shape of flower.) Pentandria Monogynia.

Sect. 1. ME'DIUM; *the sinuses of the calyx furnished with reflexed appendages; capsule* 3-5-*celled, dehiscing by valves at base.*

§ 1. *Capsule* 5-*celled; stigmas* 5; *stems many-flowered; radical leaves on long petioles.*

1	lyràta D.S.	(*bl*) lyre-leaved	Levant	....	6. 8.	H	♃	Moris. 2. s. 5. t. 3. f. 51.
2	rupéstris D.S.	(*bl*) various-leaved	——	1827.	——	H	♂	Flor. græc. t. 213.
3	tomentòsa D.S.	(*bl*) woolly	——	1824.	——	H	♂	Willd. hort. berl. 1. t. 213.
	lanuginòsa W.							
4	Andrèwsii DS.	(*bl*) Andrews's	Greece	1788.	5. 8.	H	♃	Andr. reposit. t. 385.
	laciniàta Andr.							
5	betonicifòlia D.S.	(*bl*) Betony-leaved	Olympus	1823.	6. 9.	H	♂	Flor. græc. t. 210.
6	corymbòsa D.S.	(*bl*) corymbose	Candia	1820.	5. 8.	H	♂	Ann. mus. 11. t. 16.
7	Mèdium D.S.	(*bl*) Canterbury-bell	Germany	1597.	6. 9.	H	♂	Knor. delic. 1. t. 9.
	β *álbida*	(*wh*) *white-flowered*	——	....	——	H	♂	Garid. aix. p. 76. t. 18.

§ 2. *Capsule* 3-*celled; stigmas* 3; *flowers usually solitary, rarely many.*

8	Adàmi DS.	(*bl*) Adam's	Caucasus	1829.	6. 9.	H	♃	Bieb. cent. pl. ross. 1. t. 16.

9	Bieberstein'iàna D.S.	(*bl*)	Bieberstein's	Caucasus	1820.	7. 8.	H ♃	Schreb. dec. 3. t. 2.
	rupéstris M.B. *tridentàta* Schreb.							
10	Pallasiàna D.S.	(*bl*)	Pallas's	Siberia	1827.	——	H ♃	
11	Allìoni D.S.	(*p.bl*)	Allioni's	S. Europe	1818.	——	H ♃	All.ped.n. 418. t. 6. f. 3.
12	saxátilis D.S.	(*bl*)	rock	Candia	1768.	5. 8.	G ♃	Barrel. ic. t. 813.
13	dichótoma D.S.	(*bl*)	forked	Levant	1827.	7.10.	H ⊙	Swt. br. fl. gar. t. 280.
14	móllis D.S.	(*bl*)	soft	Syria	1788.	5. 8.	G ♃	Bot. mag. t. 404.
	velusìna Desf. atl. 1. t. 51.							
	β microphy'lla DS.	(*bl*)	*small-leaved*	Spain	1820.	——	H ♃	
15	affinis D.S.	(*bl*)	allied	———	1824.	7. 8.	H ♃	
16	stricta D.S.	(*bl*)	straight	Egypt	1827.	6. 8.	H ♃	Tour. an. mu. 11. t. 13.
17	alliariæfòlia R.S.	(*wh*)	Alliaria-leaved	Caucasus	1803.	8. 9.	H ♃	Sal. par. lond. t. 26.
	macrophy'lla B.M. t. 912. *lamifòlia* Bieb.							
18	sarmática D.S.	(*pa.bl*)	gum-bearing	Siberia	——	6. 8.	H ♃	Bot. reg. t. 237.
	gummífera R.S. *betonicæfòlia* M.B.							
19	sibírica D.S.	(*bl*)	Siberian	———	1783.	7. 9.	H ♃	Bot. mag. t. 659.
20	divérgens D.S.	(*bl*)	divergent	Hungary	1814.	6. 7.	H ♂	Swt.br.fl.gar.s.2.t.256.
	spathulàta W.K. hung. t. 258.							
21	violæfòlia D.S.	(*wh*)	Violet-leaved	Siberia	1827.	6. 8.	H ♃	
22	barbàta DS.	(*p.bl*)	bearded	Italy	1752.	——	H ♃	Swt.br.fl.gar.s.2.t.409.
23	punctàta D.S.	(*wh*)	dotted-flower'd	Siberia	1813.	5. 6.	H ♃	Bot. mag. t. 1723.
24	speciòsa D.S.	(*bl*)	showy	S. Europe	1820.	6. 9.	H ♃	Lapeyr. pyr. t. 6.
	longifòlia Lap.							
25	caucásica D.S.	(*bl*)	Caucasian	Caucasus	1804.	7. 8.	H ♃	
26	alpìna D.S.	(*pa.bl*)	Alpine	Switzerland	1779.	7.	H ♃	Bot. mag. t. 957.
27	cichoràcea D.S.	(*bl*)	Succory-leaved	Greece	1768.	7. 9.	F ♃	Flor. græc. t. 209.
	capitàta B.M. t. 811.							
28	lingulàta D.S.	(*vi*)	tongue-leaved	Hungary	1804.	7. 8.	H ♃	W. et K. hung. 1. t. 64.
29	ligulàris R.S.	(*bl*)	strap-leaved	Alps	1825.	——	H ♃	

Sect. 2. EUCO'DON; *sinuses of calyx not furnished with appendages; capsule 3-celled, dehiscing laterally by the valves, sometimes at the base and sometimes at the apex.*

§ 1. *Capsules erect, dehiscing at the base; flowers sessile, capitate, or spicate.*

30	foliòsa D.S.	(*bl*)	leafy	Italy	1820.	6. 9.	H ♃	Ten. fl. neap. t. 18.
31	petræ'a D.S.	(*bl*)	woolly-leaved	Mt. Baldo	1818.	——	H ♃	Mor.hist.2.s.5.t.4.f.44.
32	glomeràta D.S.	(*bl*)	clustered	Britain	....	6. 8.	H ♃	Eng. bot. v. 2. t. 90.
	β albiflòra	(*wh*)	*white-flowered*	———	....	——	H ♃	
33	elliptica R.S.	(*bl*)	elliptic-leaved	Hungary	1819.	——	H ♃	Bocc. mus. 70. t. 58.
34	cephalántha W.	(*p.bl*)	pale-flowered	Siberia	1824.	——	H ♃	
35	farinòsa Bes.	(*bl*)	mealy	Poland	——	——	H ♃	
36	aggregàta R.S.	(*bl*)	crowded-flower'd	Bavaria	——	——	H ♃	Lodd. bot. cab. t. 505.
37	speciòsa R.S.	(*bl*)	specious	Siberia	1819.	——	H ♃	Bot. mag. t. 2649.
	glomeràta β dahúrica Bot. reg. 620.							
38	niceénsis R.S.	(*bl*)	Nice	Italy	1820.	——	H ♃	All. ped. t. 39. f. 1.
39	cervicarioìdes R.S.	(*bl*)	intermediate	———	1819.	——	H ♃	
40	Cervicària D.S.	(*bl*)	wave-leaved	Germany	1768.	7.	H ♂	Lodd. bot. cab. t. 452.
41	spicàta D.S.	(*bl*)	spiked	Switzerland	1786.	——	H ♂	All. ped. 1. t. 46. f. 2.
42	multiflòra D.S.	(*vi*)	many-flowered	Hungary	1814.	6. 7.	H ♂	W. et K. hung. t. 263.
	macrostàchya W. en.							
43	thyrsoídea D.S.	(*st*)	long-spiked	Switzerland	1785.	6. 8.	H ♂	Bot. mag. t. 1290.

§ 2. *Capsules drooping, dehiscing at their bases; lobes of calyx entire; flowers pedicellated.*

44	latifòlia D.S.	(*bl*)	giant	Britain	....	7.	H ♃	Eng. bot. v. 5. t. 302.
	α cærùlea	(*bl*)	*blue-flowered*	———	....	——	H ♃	
	β álba	(*wh*)	*white-flowered*	———	....	——	H ♃	Flor. dan. t. 85.
45	macrántha L. en.	(*bl*)	great-flowered	Russia	1822.	6. 7.	H ♃	Bot. mag. t. 2553.
46	eriocárpa D.S.	(*bl*)	woolly-capsul'd	Caucasus	1824.	——	H ♃	
47	urticifòlia D.S.	(*bl*)	Nettle-leaved	Germany	1800.	8.	H ♃	
	β flore plèno	(*wh*)	*double-white*	———	....	——	H ♃	
48	Trachèlium D.S.	(*bl*)	throatwort	Britain	....	6. 8.	H ♃	Eng. bot. v. 1. t. 12.
	α cærùlea	(*bl*)	*blue-flowered*	———	....	——	H ♃	
	β álba	(*wh*)	*white-flowered*	———	....	——	H ♃	
	γ múltiplex	(*bl.wh*)	*double-flowered*	———	....	——	H ♃	
49	rapunculoìdes D.S	(*bl*)	creeping	England	....	6. 7.	H ♃	Eng. bot. v. 20. t. 1369.
	β ucránica DS.	(*bl*)	*Ukraine*	Ukraine	1819.	——	H ♃	Bot. mag. t. 2632.
	infundibulifórmis B.M. *crenàta* L. en. *neglécta* Bess.							
50	trachelioìdes D.S.	(*bl*)	Throatwort-like	Caucasus	1818.	6. 8.	H ♃	
51	bononiénsis D.S.	(*bl*)	panicled	Italy	1773.	8. 9.	H ♃	Moris. s. 5. t. 4. f. 38.
52	ruthénica D.S.	(*bl*)	Russian	Russia	1815.	6. 8.	H ♃	Bot. mag. t. 2653.
53	símplex D.S.	(*bl*)	simple-stalked	Italy	1823.	7. 8.	H ♃	
54	lychnìtis H.H.	(*bl*)	Lychnis-like	.....	——	——	H ♃	

55	obliquifòlia R.S.	(*bl*) oblique-leaved	Italy	1820.	7. 8.	H	♃	Ten. fl. neap. t. 17.
56	collìna D.S.	(*bl*) Sage-leaved	Caucasus	1803.	——	H	♃	Bot. mag. t. 927.
57	rhomboidàlis D.S.	(*bl*) Germander-ld.	Switzerland	1775.	7.	H	♃	Barrel. ic. 567.
	azùrea B.M. t. 551.							
58	trichocalycìna D.S.	(*bl*) long-pointed-calyx'd	Naples	1824.	7. 8.	H	♃	Ten. flor. nap. t. 16.
59	lanceolàta D.S.	(*bl*) spear-leaved	Piedmont	1827.	6. 8.	H	♃	All. ped. t. 47. f. 2.
60	linifòlia D.S.	(*bl*) Flax-leaved	Sweden	1816.	——	H	♃	Vill. delph. 1. t. 10.
	Schleichèri Sut. *virgàta* Raf.							
61	rotundifòlia D.S.	(*bl*) round-leaved	Britain	....	——	H	♃	Eng. bot. v. 13. t. 866.
	Scheuchzèri Lodd. bot. cab. t. 485.							
	α cærùlea	(*bl*) *blue-flowered*	———	....	——	H	♃	
	β albiflòra	(*wh*) *white-flowered*	———	....	——	H	♃	
62	Scheuchzèri D.S.	(*bl*) Scheuchzer's	Alps Europe	1813.	——	H	♃	Lodd. bot. cab. t. 485.
63	cæspitòsa D.S.	(*bl*) tufted	Switzerland	....	——	H	♃	Scop. carn. ed. 2. t. 4.
	pusilla Hænk. *pùmila* B.M. t. 512. *Bellárdi* All. ped. t. 85. f. 5.							
	β álba	(*wh*) *white*	Switzerland	——	6. 8.	H	♃	
64	pubéscens Schm.	(*bl*) pubescent	Bohemia	1813.	——	H	♃	Rchb. ic. bot. 1. t. 78.
65	púlla D.S.	(*d.pu*) dark-flowered	Austria	1779.	——	H	♃	Bot. mag. t. 2492.
66	excìsa D.S.	(*bl*) cut-flowered	Switzerland	1816.	——	H	♃	Lodd. bot. cab. t. 561.
67	Waldsteiniàna D.S.	(*vi*) Waldstein's	Hungary	1824.	——	H	♃	W. et K. hung. t. 136.
68	aparinoìdes D.S.	(*p.bl*) Aparine-like	N. America	1825.	7. 9.	H	⊙	
69	divaricàta DS.	(*bl*) divaricate	———	1827.	6. 8.	H	♃	
70	Erìnus DS.	(*pa.bl*) forked	S. Europe	1768.	7. 8.	H	⊙	Flor. græc. t. 214.
71	drabifòlia DS.	(*bl*) Draba-leaved	Athens	1823.	——	H	⊙	——— t. 215.
72	erinoìdes DS.	(*bl*) Erinus-like	Africa	——	——	H	⊙	Herm. lugd. t. 111
	§ 3. *Capsules erect, dehiscing at the base; flowers pedicellate.*							
73	Elátines DS.	(*pa.pu*) trailing-stalked	S. Europe	——	7. 9.	H	♃	All. ped. n. 422. t. 7. f. 1.
	gargánica B.R. t. 1768.							
74	gargánica DS.	(*bl*) Garganian	Italy	1832.	5. 10.	H	♃	Swt. br. fl. gar. s. 2. t. 252.
75	Portenschlagiàna DC.	(*bl*) Portenschlag's	Dalmatia	....	——	H	♃	Bot. reg. t. 1993.
76	Rainèri DS.	(*bl*) Rainer's	Italy	1825.	6. 8.	H	♃	
77	frágilis DS.	(*bl*) brittle	———	1818.	——	H	♃	Cyr. pl. rar. f. 1. t. 11. f. 2.
	β hirsùta B.R.	(*bl*) *hairy*	———	....	——	H	♃	Bot. reg. t. 1728.
78	Tenòrii D.S.	(*bl*) Tenore's	Naples	....	——	H	♃	
	corymbòsa Ten. *Rosàni* Ten. *Thomàsii* Ten.							
79	pyramidàlis DS.	(*bl*) pyramidal	Carniola	1596.	——	H	♃	Weim. phyt. t. 289.
	α cærùlea	(*bl*) *common blue*	———	——	——	H	♃	
	β albiflòra	(*wh*) *white-flowered*	———	1816.	——	H	♃	
80	versícolor DS.	(*bl*) various-colour'd	Greece	1788.	——	H	♃	Andr. reposit. t. 396.
	planiflòra W.en. *non* Lam. *Willdenowiàna* B.S.							
81	lactiflòra DS.	(*st*) milk-coloured	Caucasus	1814.	7. 9.	H	♃	Bot. reg. t. 241.
82	americàna DS.	(*bl*) American	N. America	1763.	7.	H	♂	Jacq. schœn. 3. t. 336.
	§ 4. *Capsule erect, dehiscing laterally towards the apex; flowers pedicellate.*							
	oblìqua Jacq. *asteroìdes* Lam.							
83	planiflòra D.S.	(*bl.wh*) glossy	———	1731.	7. 8.	H	♃	Dodart. mem. 4. t. 113.
	nìtida H.K.							
	α cærùlea	(*bl*) *blue-flowered*	———	——	——	H	♃	
	β álba	(*wh*) *white-flowered*	———	——	——	H	♃	
84	peregrìna D.S.	(*bl*) rough-leaved	Syria	1794.	6. 8.	G	♂	Bot. mag. t. 1257.
85	carpáthica D.S.	(*bl*) Carpathian	Carp. Alps	1774.	——	H	♃	——— t. 117.
86	dasycárpa D.S.	(*bl*) fleshy-podded	Hungary	1827.	——	H	♃	
87	Stevèniì D.S.	(*bl*) Steven's	Siberia	1828.	——	H	♃	
88	persicifòlia D.S.	(*va*) Peach-leaved	Europe	1596.	7. 9.	H	♃	Flor. dan. t. 1087.
	α cærùlea	(*bl*) *blue-flowered*	Scotland	....	——	H	♃	Flor. græc. t. 205.
	β álba	(*wh*) *white-flowered*	Europe	....	——	H	♃	
	γ máxima B.M.	(*bl*) *large-flowered*	———	....	——	H	♃	Bot. mag. t. 397.
	δ álbo-plèna	(*wh*) *double white*	———	....	——	H	♃	
	ε cærùleo-plèna	(*bl*) *double blue*	———	....	——	H	♃	
89	virgàta D.S.	(*bl*) twiggy	Syria	1823.	6. 8.	H	♃	Lab. syr. dec. 2. t. 6.
90	Rapúnculus D.S.	(*bl*) Rampion	Britain	....	7. 8.	H	♃	Eng. bot. v. 4. t. 283.
91	Hermìni DS.	(*bl*) Hermini's	Portugal	1823.	——	H	♃	H. et Lk. fl. port. 2. t. 72.
92	pátula D.S.	(*bl*) spreading	Britain	....	——	H	♂	Eng. bot. 1. t. 42.
	β neglécta D.S.	(*bl*) *neglected*	Europe	....	——	H	♂	
93	ramosíssima D.S.	(*bl*) much-branched	Greece	1820.	——	H	⊙	Flor. græc. t. 204.
94	Lòrei D.S.	(*bl.wh*) Pollini's	Mt. Baldo	1819.	6. 9.	H	⊙	Swt. br. fl. gar. s. 2. t. 332.
95	Loeflíngii D.S.	(*bl*) Loefling's	Spain	1818.	——	H	⊙	H. et Lk. fl. port. 2. t. 82.
	Broussonetiàna B.S.							
96	Zóysii D.S.	(*bl*) blunt-leaved	Carniola	1813.	6. 8.	H	♃	Jacq. ic. 2. t. 334.
97	cenísia D.S.	(*bl*) ciliated	Switzerland	1775.	6. 7.	H	♃	All. ped. 1. t. 6. f. 2.

98 uniflòra D.S. (*bl*) single-flowered Lapland 1827. 6. 7. H ♃ Linn. fl. lap. t. 2. f. 5. 6.
99 spathulàta DS. (*bl*) spathulate Greece 1824. 6. 8. G ♂ Flor. græc. t. 208.
Species not sufficiently known.
100 Alpìni D.S. (*bl*) Alpinus' Italy 1823. 7. 9. H ♃
101 Kitaibeliàna D.S. (*bl*) Kitaibel's Hungary 1828. 6. 7. H ♃
102 Ottoniàna D.S. (*bl*) Otto's C. B. S. 1822. 5. 7. G ♄

SPECULA'RIA D.S. VENUS' LOOKING-GLASS. (ancient name of one of the species.) Pent. Mon.
1 Spéculum D.S. (*bl*) common S. Europe 1596. 5. 8. H ⊙ Bot. mag. t. 102.
Primatocérpus Spéculum, L'her. *Campánula Spéculum* L.
β *álba* (*wh*) *white-flowered* S. Europe 1596. 5. 8. H ⊙
2 hirsùta D.S. (*bl*) hairy Italy 1822. —— H ⊙ Ten. fl. neap. t. 19.
3 falcàta D.S. (*bl*) falcate ——— —— —— H ⊙ ——— t. 20.
4 hy'brida D.S. (*bl*) corn England .... —— H ⊙ Eng. bot. v. 6. t. 375.
Campánula hy'brida L
5 pentagònia D.S. (*bl*) five-angled Turkey 1686. —— H ⊙ Bot. reg. t. 56.
Campánula pentagònia L.
6 perfoliàta D.S. (*bl*) perfoliate N. America 1680. —— H ⊙ Moris. s. 5. t. 2. f. 23.
Campánula perfoliàta R.S. *amplexicaùlis* M.
7 biflòra F.M. (*bl*) two-flowered Russia 1836. —— H ⊙

ADENO'PHORA D.S. ADENO'PHORA. (αδην, a gland, and φορεω, to bear.) Pent. Monog.
§ 1. *Leaves broader, ovate-lanceolate, more or less coarsely serrated.*
1 tricuspidàta D.S. (*bl*) three-toothed Dahuria 1822. 5. 7. H ♃ Swt. br. fl. gar. t. 116.
denticuláta F. *Campánula tricuspidàta* R.S.
2 verticillàta D.S. (*bl*) whorled Dahuria 1783. 6. 8. H ♃ Swt. br. fl.gar.s.2.t.150.
3 latifòlia F. (*bl*) broad-leaved Siberia 1827. 5. 7. H ♃
Campánula pereskiæfòlia R.S.
4 Lamárckii D.S. (*bl*) Lamarck's ——— 1826. —— H ♃ Gmel. sib. 3. n. 18. t.26.
5 liliifòlia D.S. (*p.bl*) lily-leaved ——— 1784. 5. 9. H ♃ Jacq. schœnb. 3. t. 335.
communis F. *Campánula liliifòlia* R.R.
β *suavèolens* R.S. (*p.bl*) *sweet-scented* Hungary 1818. —— H ♃ Bot. reg. t. 236.
γ *hy'brida* R.S. (*p.bl*) *upright-flower'd* ..... —— —— H ♃
6 stylòsa D.S. (*bl*) long-styled ——— 1820. —— H ♃ Gmel. sib. 3. n. 20. t.27.
7 reticuláta D.S. (*bl*) netted ——— 1829. —— H ♃
8 intermèdia Swt. (*p.bl*) intermediate Siberia 1820. —— H ♃ Swt.br.fl.gar.s.2.t.108.
Campánula intermèdia R.S.
9 periplocæfòlia D.S. (*bl*) Periploca-ld. ——— 1824. —— H ♃
10 coronopifòlia DS. (*bl*) Buckshorn-ld. Dahuria 1822. —— H ♃ Swt. br. fl. gar. t. 104.
§ 2. *Leaves narrower, linear, entire, or nearly so.*
11 marsupiflòra DS. (*bl*) bellied ..... 1815. 7. 8. H ♃ Bot. reg. t. 149.
Campánula coronàta B.R. *A. coronàta* A.DC.
12 Gmelini D.S. (*bl*) Gmelin's Dahuria 1823. 5. 8. H ♃ Gmel. sib. 3. t. 33.

SYMPHIA'NDRA D.S. SYMPHIA'NDRA. (συμφυω, to combine, and ανηρ, a male.) Monad. Pen.
1 péndula D.S. (*wh*) pendulous Caucasus 1818. 6. 8. H ♃ Swt. br. fl. gar. s. 2.t.66.
Campánula péndula M.B. *Vandèsii* G.D.
2 armèna D.S. (*bl*) Armenian Caucasus 1825. —— H ♃
Campánula Armèna Stev.

MU'SSCHIA D.S. MU'SSCHIA. (J. M. Mussche, bot. gard., Gand.) Pentandria Monogynia.
1 aùrea D.S. (*ye*) golden Madeira 1777. 7. 9. G ♄ Bot. reg. t. 57.
Campánula aùrea L. Vent. cels. t. 116.
α *latifòlia* D.S. (*ye*) *broad-leaved* ——— —— —— G ♄ Duh. ed. nov. t. 41.
β *angustifòlia* D.S. (*ye*) *narrow-ld.* ——— —— —— G ♄ Jacq. schœnb. 4. t. 472.

TRACHE'LIUM D.S. THROATWORT. (τραχηλος, the neck; cures.) Pentandria Monogynia.
cœruleum D.S. (*bl*) blue Italy 1640. 7. 9. H ♂ Bot. reg. t. 72.

ORDER CXXXIV.

LOBELIA'CEÆ. *Juss. ann. mus.* 18. *p.* 1.

SIPHOCA'MPYLUS DS. SIPHOCA'MPYLUS. (σιφων, a tube, and καμπυλος, a curve.) Pent. Monog.
1 surinamiénsis DS. (*bh*) Surinam Surinam 1786. 1. 7. S ♃ Bot. mag. t. 225.
Lobèlia surinamiénsis L.

	β rùbra Lodd.	(*re*)	*red-flowered*	Brazil	1820.	1. 4.	S	♃	Lodd. bot. cab. t. 749.
2	circiifòlius DS.	(*ye.gr*)	Circium-leaved	W. Indies	1825.	8.10.	S	♃	Plum. spec. 4. t. 116.
3	persicifòlius DS.	(*pu*)	Peach-leaved	———	1818.	6. 9.	S	♃	
4	Kraússii DS.	(*re*)	Krauss's	———	1828.	1. 2.	S	♃	Bot. mag. t. 3012.
5	acuminàtus DS.	(*st*)	acuminated	———	1822.	6. 9.	S	♄	Sloan. hist. 1. t. 95. f. 2.
6	gigantèus DS.	(*or*)	great	S. America	1828.	8.11.	S	♄	Cav. icon. 6. t. 513.
7	bícolor D.D.	(*sc.ye*)	two-coloured	N. America	1837.	6. 8.	F	♃	Swt. br. fl. gar. s. 2. t. 388.

TU'PA DS. Tu'pa. (Chili name of first species.) Pentandria Monogynia.

1	Feuíllei DS.	(*sc*)	Feuille's	Chili	1824.	9.10.	F	♃	Swt. br. fl. gar. s. 2. t. 284.
	Lobèlia Tùpa L. Bot. reg. t. 1612.								
2	salicifòlia DS.	(*or*)	Willow-leaved	———	1794.	10.11.	F	♃	Bot. mag. t. 1325.
	Lobèlia Tùpa H.K. *gigantèa* B.M.								
3	purpùrea DS.	(*pu*)	purple	———	1825.	8. 9.	F	♃	Bot. reg. t. 1325.
4	argùta DS.	(*ye*)	sharp-toothed	———	1824.	——	F	♃	——— t. 973.
5	Cavanillesiàna DS.	(*sc*)	Cavanilles's	———	1831.	7. 8.	F	♃	Bot. mag. t. 3207.
	Lobèlia mucronàta Cav. B.M. 3207.								
6	polyphy'lla DS.	(*pu*)	many-leaved	———	1832.	8. 9.	F	♃	Swt. br. fl. gar. s. 2. t. 242.
7	blánda D.D.	(*re*)	blush	———	1830.	——	F	♃	——— s. 2. t. 308.
8	persicifòlia DS.	(*re*)	Peach-leaved	S. America	1825.	6. 7.	G	♃	Cav. icon. 6. t. 518.
	Lobèlia salicif'òlia Cav. *Cavanillesiàna* DS.								
9	racemòsa DS.	(*gr*)	racemose	Brazil	1818.	7. 8.	S	♄	Bot. mag. t. 2137.
	Lobèlia racemòsa Hook.								
10	assúrgens DS.	(*pu*)	assurgent	Jamaica	1787.	6.10.	S	♃	Andr. bot. rep. t. 553.
	Lobèlia assúrgens L.								
11	robústa DS.	(*pu*)	robust	St. Domingo	1830.	8.	S	♃	Bot. mag. t. 3138.
	Lobèlia robústa Graham.								
12	decúrrens DS.	(*pu*)	decurrent-leav'd	Chili	1826.	6. 9.	F	♄	Swt. br. fl. gar. s. 2. t. 86.
	Lobèlia decúrrens Cav.								
13	Bridgèsii G.D.	(*pk*)	Bridges's	———	1837.	7. 8.	F	♃	Bot. mag. t. 3671.
	Lobèlia Bridgèsii B.M.								

LOBE'LIA DS. Lobe'lia. (M. Lobel, M.D., cel. bot.) Pentandria Monogynia.

1	lineàris DS.	(*bl*)	linear-leaved	C. B. S.	1791.	5. 8.	G	♄	
2	setàcea DS.	(*bl*)	bristle-leaved	———	1816.	——	G	♃	Act. Gorenk. 1811. f. 11.
3	commutàta DS.	(*bl*)	notch-leaved	———	——	——	G	♄	
4	símplex DS.	(*bl*)	simple-stalked	———	1794.	——	G	♂	
5	pinifòlia DS.	(*bl*)	Pine-leaved	———	1752.	——	G	♃	Andr. reposit. t. 240.
6	Kálmii DS.	(*bl*)	Kalm's	N. America	1820.	7. 9.	H	♂	Bot. mag. t. 2238.
7	Nuttálli DS.	(*bl*)	Nuttall's	———	——	——	H	♃	
	grácilis N. *nec aliorum.*								
8	pauciflòra DS.	(*bl*)	few-flowered	Mexico	1824.	——	F	♃	
9	chinénsis DS.	(*p.bl*)	Chinese	China	1822.	——	H	☉	
10	bellidifòlia DS.	(*bl*)	Daisy-leaved	C. B. S.	1790.	5. 8.	G	♃	
11	rhizophy'ta DS.	(*wh*)	rooting-branched	———	1814.	——	G	♃	Bot. mag. t. 2519.
12	decúmbens DS.	(*bl*)	decumbent	———	1820.	——	G	♃	——— t. 2277.
13	tríquetra DS.	(*bl*)	triangular	———	1774.	——	G	♃	
14	cinèrea DS.	(*wh*)	gray	———	1824.	6.10.	H	☉	
15	xalapénsis DS.	(*bl*)	Xalapa	Mexico	1826.	9.11.	F	♃	
16	tomentòsa DS.	(*bl*)	tomentose	C. B. S.	1816.	5. 8.	G	♃	
17	secúnda DS.	(*wh*)	side-flowering	———	1790.	——	G	♃	
18	trialàta DS.	(*bl*)	three-winged	Nepaul	1820.	——	G	♃	Hook. ex. flor. t. 44.
	micrántha H.K.F. *non* K.S.								
19	alàta DS.	(*bl*)	winged-stalked	N. S. W.	1804.	——	G	♃	Lab. nov. hol. 1. t. 72.
20	nicotianæfòlia DS.	(*st*)	Tobacco-leaved	E. Indies	1822.	6. 9.	S	♃	
21	Claytoniàna DS.	(*p.bl*)	Clayton's	N. America	1799.	6. 8.	H	♃	Willd. hort. ber. t. 30.
	goodenioìdes W. *pállida* Roth.								
22	pyramidàlis DS.	(*pu*)	pyramidal	Nepaul	1819.	7.10.	G	♃	Bot. mag. t. 2387.
23	fúlgens DS.	(*cr*)	fulgent	Mexico	1809.	5. 9.	F	♃	Bot. reg. t. 165.
24	spléndens DS.	(*sc*)	splendid	———	1814.	——	F	♃	——— t. 60.
25	speciòsa B.R.	(*pu*)	showy, Low's purp.	Hybrid	....	5.10.	F	♃	Swt. br. fl. gar. s. 2. t. 174.
	syphilítica var. *hy'brida* Bot. mag. t. 3604. *hy'brida* Bot. reg. t. 1445.								
26	cardinàlis DS.	(*sc*)	Cardinal-flower	Virginia	1629.	5. 9.	F	♃	Bot. mag. t. 320.
	β Millèri D.D.	(*pu*)	*Miller's*	———	....	——	H	♃	Swt. br. fl. gar. s. 2. t. 372.
27	syphilítica DS.	(*bl*)	blue cardinal	———	1665.	8.10.	H	♃	Bot. reg. t. 537.
28	coloràta DS.	(*bl*)	coloured	N. America	1825.	6.10.	H	♃	Swt. br. fl. gar. s. 2. t. 180.
29	cœléstis DS.	(*bl*)	heavenly blue	Mexico	——	5. 6.	F	♃	
	crispa Gr.								
30	fenestràlis B.R.	(*bl*)	windowed	———	1826.	7. 9.	F	♂	Bot. reg. s. 2. t. 47.
31	débilis DS.	(*bl*)	feeble	C. B. S.	1774.	4. 8.	H	☉	
32	grácilis DS.	(*bl*)	slender	N. S. W.	1801.	7.10.	G	☉	Bot. mag. t. 741.

33	purpuréscens DS.	(*pu*) purplish	N. S. W.	1809.	6. 8.	G	♃	
34	Cliffortiàna DS.	(*pu*) purple-flowered	S. America	1733.	7. 8.	H	⊙	Lin. h. clif. 426. t. 26.
35	Michaùxii N.	(*pu*) Michaux's	N. America	....	——	H	⊙	
	Cliffortiàna M. *non* L.							
36	inflàta DS.	(*bl*) bladder-podded	——	1759.	——	H	⊙	Swt. br. fl. gar. t. 99.
37	àcres DS.	(*bl*) acrid	England	....	6. 7.	H	♃	Eng. bot. v. 14. t. 953.
38	pubérula DS.	(*bl*) downy	N. America	1819.	——	H	♃	Bot. mag. t. 3292.
39	amœ'na DS.	(*bl*) bright blue	——	1812.	6. 8.	H	♃	Ann. mus. 18. t. 1. n. 1.
40	minùta DS.	(*bk*) small	C. B. S.	1772.	6. 9.	G	♃	Bot. mag. t. 2590.
41	mínima DS.	(*wh*) least	——	....	6.10.	G	♃	—— t. 2077.
42	Lauréntia DS.	(*bl*) Italian	Italy	1778.	7. 8.	H	⊙	Mich. gen. 18. t. 14.
43	tenélla DS.	(*vi*) slender-leaved	Sicily	1820.	6. 8.	H	⊙	
44	campanuloìdes DS.	(*bl*) campanulate	Japan	1819.	7. 9.	G	♃	Bot. reg. t. 733.
45	Erinus DS.	(*bl*) ascending	C. B. S.	1752.	6. 9.	G	♃	Bot. mag. t. 901.
46	Bréynii DS.	(*bl.wh*) Breynius's	——	1823.	——	G	♃	Breyn. cent. t. 89.
47	erinoìdes DS.	(*bl*) trailing	——	1759.	6. 8.	G	♂	Bot. mag. t. 3609.
48	bícolor DS.	(*bl.wh*) spotted	——	1795.	——	H	⊙	—— t. 514.
49	Schránkii Swt.	(*bl*) Schrank's	——	1824.	——	G	♃	Schrank h. mon. t. 31.
	secúnda Sck. *non* Thunb. *decúmbens* L. enum. *non* B.M.							
50	ilicifòlia DS.	(*wh.pu*) Holly-leaved	C. B. S.	1815.	5. 9.	G	♃	Bot. mag. t. 1896.
51	ínceps DS.	(*bl*) flat-edged	——	1824.	7.10.	H	⊙	
52	pubéscens DS.	(*wh*) downy-leaved	——	1780.	6. 8.	G	♃	Jacq. schœn. 2. t. 178.
53	hirsùta DS.	(*bl*) blue-flower'd hairy	——	1759.	5. 9.	G	♃	Burm. afr. t. 40. f. 2.
54	zeylánica DS.	(*pu*) Ceylon	E. Indies	1820.	——	S	♃	
55	coronopifòlia DS.	(*bl*) Buckshorn-ld.	C. B. S.	1752.	7. 8.	G	♃	Bot. mag. t. 644.
56	cerùlea D.S.	(*bl*) blue-flowered	——	1823.	5. 8.	G	♄	—— t. 2701.
57	Thunbérgii DS.	(*bl*) upright-raceme-fld.	——	1812.	7.10.	G	♃	
	coronopifòlia Th. *non* B.M.							
58	crenàta DS.	(*bl*) notched-leaved	——	1794.	4. 5.	G	♃	
59	Símsii DS.	(*bl*) long-peduncled	——	1819.	8.11.	G	♃	Bot. mag. t. 2251.
	pedunculàta B.M. *non* B.P.							
60	verbascifòlia Sm.	(*pu*) Mullein-leaved	Nepaul	1822.	5. 7.	G	♃	
61	heteromálla Jac.	(*bl*) woolly-leaved	.....	1829.	....	G	♃	
62	móllis DS.	(*pu*) soft	Dominica	1828.	5. 8.	S	♃	
63	heterophy'lla DS.	(*bl*) variable-leaved	N. Holland	1836.	9.10.	G	♃	Bot. reg. t. 2041.
64	cóncolor DS.	(*bl*) self-coloured	N. S. W.	1828.	5. 6.	G	♃	
65	inundàta DS.	(*bl*) inundated	——	1822.	5. 8.	G	*w* ♃	
66	pedunculàta DS.	(*bl*) long-stalked	——	——	——	G	♃	
67	dentàta DS.	(*bl*) toothed	——	1819.	——	G	♃	Cavan. ic. 6. t. 522.
68	gibbòsa DS.	(*bl*) gibbous	——	1824.	——	G	♃	Lab. nov. hol. 1. t. 71.
69	ramòsa Benth.	(*d.bl*) branched	Swan River	1838.	6.10.	G	♃	Botan. t. 93.

PRA'TIA DS. PRA'TIA. (M. Prat Bernon, accomp. Freycenet.) Monadelphia Pentandria.

1	begoniæfòlia DS.	(*pu*) Begonia-leaved	Nepaul	1827.	4.10.	F	♃	Bot. reg. t. 1373.
	Lobèlia begoniæfòlia Wall.							
2	rugulòsa DS.	(*wh*) wrinkled	N. Zealand	1828.	5. 8.	F	♃	
	Lobèlia rugulòsa Graham. *maculàta* Penny.							
3	corymbòsa DS.	(*re*) corymbose	C. B. S.	1824.	6. 7.	G	♃	Bot. mag. t. 2639.
	Lobèlia corymbòsa B.M.							

PARASTRA'NTHUS DS. PARASTRA'NTHUS. (παραστρεφω, to invert, and ανθος, a flower.) Pen.Mon.

1	simplex DS.	(*ye*) simple	C. B. S.	1774.	6. 7.	G	♃	Bot. mag. t. 1319.
	Lobèlia lùtea L.							
2	variifòlia DS.	(*ye*) various-leaved	——	1812.	——	G	♃	Bot. mag. t. 1692.
3	unidentàta DS.	(*bl*) unidentate	——	1794.	5. 8.	G	♃	—— t. 1484.
	Lobèlia unidentàta H.K. *bidentàta* Donn.							

DORTMA'NNA DS. DORTMA'NNA. (Dortmann, a Dutch apothecary, according to Clusius.) Pen.Mon.

1	lacústris DS.	(*bl*) lake	Britain	....	7.	H	*w* ♃	Eng. bot. t. 140.
	Lobèlia Dortmánna L.							
2	palústris DS.	(*bl*) marsh	N. America	1823.	——	H	*w* ♃	
	Lobèlia puhístris Nutt.							

HIPPO'BROMA DS. HIPPO'BROMA. (ἱππος, a horse, and βρομος, poison.) Pentand. Monogy.

	longiflòra DS.	(*wh*) long-flowered	W. Indies	1752.	5. 8.	S	♃	Bot. reg. t. 1200.
	Lobèlia longiflòra Jacq.							

MONO'PSIS DS. MONO'PSIS. (μονος, one, and οψις, resemblance; regular flowers.) Pentand. Monogy.

	conspícua DS.	(*bl*) conspicuous	C. B. S.	1812.	7. 8.	H	⊙	Bot. mag. t. 1499.
	Lobèlia Spéculum B.M.							

ISO'TOMA DS. ISO'TOMA. (ισος, equal, and τομα, a section; segments of corolla.) Pentand. Monogy.

1	axillàris DS.	(*bl*) axillary	N. S. W.	1824.	7.10.	G	♃	Bot. reg. t. 964.
	Lobèlia senecioìdes Cunningh.							
2	Brównii DS.	(*pu*) Brown's	——	1829.	10.	G	♃	Bot. mag. t. 3075.
	Lobèlia hypocraterifórmis R. Br.							

CLINTO'NIA DS. CLINTO'NIA. (De Witt Clinton, Gov. of State of N. York.) Pentand. Monog.

1 élegans DS.	(*bl*) elegant	Columbia	1827.	6. 9.	H	⊙		Bot. reg. t. 1241.
2 pulchélla B.R.	(*bl.wh*) neat	California	1832.	——	H	⊙		Swt. br. fl. gar. s. 2. t. 41

CY'PHIA DS. CY'PHIA. (κυφος, a curve; stigma gibbous.) Pentandria Monogynia.

1 volùbilis DS.	(*pi*) climbing	C. B. S.	1795.	6. 8.	S	♃	◡	
2 digitàta DS.	(*li*) finger-leaved	———	1820.	7.10.	G	♃		
3 incìsa DS.	(*bh*) cut-leaved	———	——	——	G	♃		
4 bulbòsa DS.	(*pi*) bulb-bearing	———	1791.	8. 9.	S	♃		Burm. afr. t. 38. f. 2.
5 Phyteùma DS.	(*pi*) Phyteuma-leaved	———	1820.	2. 5.	S	♃		Bot. reg. t. 625.
6 Cardámines DS.	(*bh*) Cardamine-leaved	———	——	——	S	♃		

ORDER CXXXV.

STYLI'DEÆ. *Brown prodr.* 1. *p.* 565.

STYLI'DIUM DS. STYLI'DIUM. (στυλος, a column; stamens and style.) Gynandria Diandria.

Sect. 1. VENTENA'TIA; *capsule ventricose, subovate, and sometimes spherical or oblong.*

1 hirsùtum DS.	(*re*) hairy	N. Holland	1830.	5. 6.	G	♃		Bot. mag. t. 3194.
2 graminifòlium DS.	(*ro*) grass-leaved	N. S. W.	1803.	4. 8.	G	♃		Bot. reg. t. 90.
3 linearе DS.	(*li*) linear-leaved	———	1820.	——	G	♃		Sm. exot. bot. 2. t. 67.
Ventenàtia minor Ex. b.								
4 júnceum DS.	(*re*) rushy	N. Holland	1830.	——	G	♃		
5 scándens DS.	(*re*) climbing	———	1803.	7. 8.	G	♃	◡	Bot. mag. t. 3136.
6 fruticòsum DS.	(*wh*) frutescent	———	——	5.10.	G	♄		Sal. par. lond. t. 77.
glandulòsum P.L.								
7 laricifòlium DS.	(*ro*) Larch-leaved	N. S. W.	1818.	——	G	♄		Bot. reg. t. 550.
tenuifòlium B.M. 2249.								

Sect 2. ANDERSO'NIA; *capsule linear or linear-lanceolate.*

8 fasciculàtum DS.	(*pk*) fascicled	N. Holland	1830.	8.	G	♂		Bot. reg. t. 1459.
9 adnàtum DS.	(*bh*) adnate	———	1824.	5.10.	G	♄		——— t. 914.

ORDER CXXXVI.

GOODENO'VIÆ. *Brown prodr.* 1. *p.* 573.

Tribe I. *GOODENIE'Æ.* DS. 3. p. 723.

GOODE'NIA. B.P. GOODE'NIA. (Dr. Goodenough, Bp. of Carlisle, an excel. Eng. bot.) Pent. Mon.

1 bellidifòlia B.P.	(*ye*) Daisy-leaved	N. S. W.	1823.	5. 9.	G	♃		
2 stellígera B.P.	(*ye*) starry-haired	———	1825.	——	G	♃		
3 paniculàta B.P.	(*ye*) panicled	———	——	——	G	♃		Cavan. ic. 6. t. 507.
4 grácilis B.P.	(*ye*) slender	N. Holland	1824.	5. 8.	G	♃		Lodd. bot. cab. t. 1032.
5 decúrrens B.P.	(*ye*) decurrent	N. S. W.	1825.	——	G	♃		
6 ovàta B.P.	(*ye*) oval-leaved	———	1793.	6.10.	G	♄		Andr. reposit. t. 68.
7 grandifiòra B.P.	(*ye*) large-flowered	———	1802.	6. 8.	G	♄		Bot. mag. t. 890.
8 heterophy'lla B.P.	(*ye*) variable-leaved	———	1826.	6.10.	G	♃		
9 hederàcea B.P.	(*ye*) Ivy-leaved	———	1823.	——	G	♃		

EU'THALES B.P. EU'THALES. (ευ, well, and θαλλω, to sprout.) Pentandria Monogynia.

trinérvis B.P.	(*ye.pu*) three-nerved	N. Holland	1803.	5. 9.	G	♃		Bot. mag. t. 1137.
Goodènia tenélla A.R. 466. *Vellèia trinérvis* Lab. n. hol. t. 77.								

VELLE'IA B.P, VELLE'IA. (Major Velley, Crypt. bot.) Pentandria Monogynia.

Sect. 1. MENO'CERAS; *calyx* 5-*leaved; corolla spurred at the base; spur persistent.*

1 paradóxa B.P.	(*ye*) paradoxical	N. S. W.	1823.	6. 8.	G	♃		Bot. reg. t. 971.

Sect. 2. VELLEI'Æ-VER'Æ; *calyx 3-leaved; corolla rather gibbous on one side at the base.*

2 lyrata B.P.	(*ye*) lyrate-leaved	N. S. W.	1819.	4. 6.	G	♃	Bot. reg. t. 551.
3 spathulata B.P.	(*ye*) spathulate	———	1823.	——	G	♃	

LECHENAU'LTIA B.P. LECHENAU'LTIA. (M. Lechenault, a French bot. and trav.) Pent. Mon.

1 formosa B.P.	(*sc*) handsome	N. Holland	1823.	6. 9.	G	♄	Swt. flor. aust. t. 26.
2 oblata S.F.A.	(*ye*) oblate-petalled	———	——	——	G	♄	——— t. 46.

Tribe II. *SCÆVO'LEÆ.* DS. 3. p. 727.

SCÆVOLA B.P. SCÆ'VOLA. (*scæva*, the left hand; form of corolla.) Pentandria Monogynia.

Sect. 1. SARCOCA'RPA; *drupe baccate, 2-celled; peduncles axillary, dichotomous, rarely 1-flowered; leaves alternate.*

1 Kœnigii D.S.	(*wh*) Konig's	E. Indies	1818.	8.10.	S	♄	Bot. mag. t. 2732.
2 Plumièri DS.	(*wh*) Plumier's	W. Indies	1724.	——	S	♄	Jacq. amer. t. 179. f. 88.

Lobèlia Plumièri Jacq.

3 ivæfòlia DS.	(*wh*) Iva-leaved	Trinidad	1820.	——	S	♄	
4 Táccada DS.	(*wh*) Indian	E. Indies	1818.	——	S	♄	Gært. fruct. 1. t. 25.

Sect. 2. XEROCA'RPA; *drupe dry, 1-4-celled; bracteas foliaceous; spikes terminal, rarely axillary.*

5 crassifòlia B.P.	(*bl*) thick-leaved	N. Holland	1805.	8.10.	G	♄	Lab. nov. hol. 1. t. 79.
6 cuneiformis B.P.	(*bl*) wedge-leaved	V.Diem.Isl.	1823.	——	G	♃	——— 1. t. 80.
7 microcárpa B.P.	(*bl*) small-fruited	N. S. W.	1790.	5. 9.	G	♃	Cavan. ic. 6. t. 509.

Goodènia lævigàta B.M. 287.

8 suavèolens B.P.	(*bl*) sweet-scented	———	1798.	——	G	♃	Andr. reposit. t. 22.

Goodènia calendulàcea A.R.

Sect. 3. POGONANTHE'RA; *drupe nearly dry; anthers bearded; peduncles axillary, 1-flowered.*

9 hispida B.P.	(*li*) branching	N. S. W.	1820.	5. 8.	G	♃	Cavan. ic. 6. t. 510.

Goodènia ramosissima Sm. new holl. 15. t. 5.

DAMPIE'RA B.P. DAMPIE'RA. (Capt. Will. Dampier, R.N., cel. circumnav.) Pentand. Monogy.

1 undulàta B.P.	(*bl*) wave-leaved	N. S. W.	1824.	5. 8.	G	♄	
2 ovalifòlia B.P.	(*pu*) oval-leaved	———	1823.	5. 9.	G	♄	
3 purpùrea B.P.	(*pu*) purple-flowered	———	1825.	——	G	♄	
4 stricta B.P.	(*bl*) upright	———	1814.	6. 8.	G	♃	

Tribe III. *BRUNONIE'Æ.* DS. 3. p. 731.

BRUNO'NIA B.P. BRUNO'NIA. (R. Brown, D.C.L. V.P.L.S.) Pentandria Monogynia.

australis B.P.	(*bl*) southern	V. D. Isl.	1834.	6. 8.	G	♃	Bot. reg. t. 1833.

ORDER CXXXVII.

ERICA'CEÆ. *D.S.* 3. *p.* 785.

Tribe I. *ERI'CEÆ.* D.S. 3. p. 786.

Subtribe I. ERI'CEÆ NORMA'LES. D.S. 3. p. 786.

CALLU'NA D.S. CALLU'NA. (καλλυνω, to adorn; moors.) Octandria Monogynia.

vulgàris D.S.	(*pi*) common	Britain	....	6. 8.	H	♄	Eng. bot. v. 15. t. 1013.

Erica vulgàris B.B.

a cárnea	(*pi*)	*flesh-coloured*	Britain	....	6. 8.	H	h	
β *álba*	(*wh*)	*white-flowered*	———	....	——	H	h	
γ *múltiplex*	(*pi*)	*double-flowered*	———	....	——	H	h	

ERI'CA W. HEATH. (ερεικω, to break, supposed to; the stone.) Octandria Monogynia.

1	absinthoìdes H.K.	(*pu*)	Wormwood-like	C. B. S.	1792.	3. 6.	G	h	
2	actæ'a L.en.	(*wh*)	cluster-leaved	———	1810.	——	G	h	
3	acuminàta A.H.	(*pi*)	pointed-leaved	———	1798.	5. 6.	G	h	Andr. heath. v. 3.
	β *pállida*	(*pa*)	*pale-flowered*	———	——	——	G	h	
4	acùta A.H.	(*re*)	pointed-cupped	———	1799.	5. 8.	G	h	Andr. heath. v. 2.
5	acutangulàris L.C.	(*re*)	acute-angled	———	1823.	——	G	h	Bot. cab. 1868.
6	adenóphora S.S.	(*wh*)	gland-haired	———	1810.	——	G	h	
7	aggregàta S.S.	(*li*)	clustered	———	——	——	G	h	Wendl. er. f. 13. n.
8	Aitoniàna H.K.	(*wh.re*)	Aiton's	———	1790.	6. 9.	G	h	Bot. mag. t. 429.
9	álbens H.K.	(*wh*)	pallid	———	1789.	3. 8.	G	h	——— t. 440.
10	álbidà L.C.	(*wh*)	white-flowered	———	1823.	5. 8.	G	h	
11	alopecuroìdes S.S.	(*li*)	fox-tail	———	1812.	——	G	h	Lodd. bot. cab. t. 87
12	ambígua S.S.	(*pi*)	ambiguous	———	1798.	——	G	h	Andr. heath. v. 1.
	cylíndrica A.H.	*non* Thunb.	*hy'brida* Hort.						
13	amœ'na H.K.	(*pu*)	feathery	C. B. S.	1795.	3. 7.	G	h	Wend. eric. 17. p. 73.
	plumòsa A.H.								
14	ampullàcea H.K.	(*bh*)	flask	———	1790.	6. 8.	G	h	Bot. mag. t. 303.
15	andromedæflòra H.K.	(*pi*)	Andromeda-fld.	———	1803.	3. 6.	G	h	——— t. 1250.
16	anthìna S.S.	(*pu*)	full-flowering	———	1811.	——	G	h	
	flórida Hort.	*non* W.							
17	apérta S.S.	(*re*)	open-flowered	———	——	——	G	h	
18	A'phanes S.S.	(*wh*)	Parsley-piert.	———	1820.	——	G	h	
19	arbòrea S.S.	(*wh*)	tree	S. Europe	1658.	2. 6.	H	h	
	β *stylòsa* P.S.	(*wh*)	*long-styled*	———	——	——	H	h	
20	arbúscula B.C.	(*re*)	little-tree	C. B. S.	1818.	4. 8.	G	h	Lodd. bot. cab. t. 842
21	arctàta L.C.	(*wh*)	arched	———	——	——	G	h	
22	Archeriàna H.K.	(*re*)	Lady Archer's	———	1796.	8.11.	G	h	Andr. heath. v. 2.
23	árdens H.K.	(*sc*)	ardent	———	1800.	4. 6.	G	h	Bot. reg. t. 115.
24	argentiflòra S.S.	(*wh*)	silvery-flowered	———	1816.	——	G	h	Andr. heath. v. 4.
25	aristàta H.K.	(*cr*)	awned	———	1801.	3. 8.	G	h	Bot. mag. t. 1249.
26	aristélla E.W.	(*re*)	small-awned	———	1806.	——	G	h	
27	assúrgens L.en.	(*wh*)	assurgent	———	1810.	5. 8.	G	h	
28	aúrea H.K.	(*ye*)	golden	———	1799.	7. 9.	G	h	Andr. heath. v. 2.
29	auriculàris L.T.	(*re*)	eared	———	1810.	3. 7.	G	h	
30	austràlis H.K.	(*re*)	Spanish	Spain	1769.	4. 7.	H	h	Andr. heath. v. 3.
31	axillàris W.	(*pu*)	axillary	C. B. S.	1798.	5. 7.	G	h	
32	azaleæfòlia L.T.	(*li*)	Azalea-leaved	———	——	5. 8.	G	h	
33	báccans H.K.	(*li*)	Arbutus-flowered	———	1774.	4. 7.	G	h	Bot. mag. t. 358.
34	Bandoniàna L.C.	(*bh*)	Lord Bandon's	———	1816.	5. 8.	G	h	Andr. heath. v. 4.
35	Bánskii H.K.	(*st*)	Banks's	———	1787.	2. 7.	G	h	——— v. 1.
36	barbàta H.K.	(*wh*)	bearded	———	1799.	5. 8.	G	h	——— v. 2.
37	Beaumóntiæ A.H.	(*wh*)	Mrs. Beaumont's	———	1820.	6. 8.	G	h	——— v. 4.
38	bélla S.S.	(*pu*)	pretty	———	——	——	G	h	
39	Bergiàna H.K.	(*re*)	Bergius's	———	1787.	4. 8.	G	h	Lodd. bot. cab. t. 939.
	quadriflòra A.H. v. 2.								
40	bícolor W.	(*re.gr*)	two-coloured	———	1790.	8. 3.	G	h	
	calathiflòra L.T.								
41	biflòra B.C.	(*wh*)	two-flowered	———	1820.	5. 8.	G	h	Lodd. bot. cab. t. 683.
42	blánda H.K.	(*pi*)	charming	———	1800.	4. 9.	G	h	Andr. heath. v. 3.
43	Blandfordiàna H.K.	(*ye*)	Blandford's	———	1803.	3. 6.	G	h	Bot. mag. t. 1793.
44	Bonplandiàna B.M.	(*wh*)	Bonpland's	———	1816.	——	G	h	——— t. 2126.
45	borboniæfòlia L.T.	(*wh*)	Borbonia-leaved	———	——	——	G	h	
46	Bowieàna B.C.	(*wh*)	Bowie's	———	——	3. 9.	G	h	Lodd. bot. cab. t. 842.
	Bauèria Andr. heath. v. 4.								
47	brachiàlis L.T.	(*re*)	armed	———	1792.	——	G	h	
48	bracteàta W.	(*re*)	red-bracted	———	1800.	5. 7.	G	h	
49	bracteolàris P.S.	(*wh*)	bracteate	———	——	3. 7.	G	h	
50	brevifòlia L.T.	(*wh*)	short-leaved	———	....	8. 1.	G	h	
51	Broadleyàna A.H.	(*pi*)	Broadley's	———	1810.	5. 7.	G	h	Andr. heath. v. 3.
52	bruniàdes W.	(*wh*)	Brunia-like	———	1790.	4. 7.	G	h	
53	bucciniflòra B.M.	(*li.wh*)	trumpet-flowered	———	1816.	5. 9.	G	h	Bot. mag. t. 2465.
54	cæ'sia L.T.	(*wh*)	grey	———	1795.	2. 5.	G	h	
55	cáffra A.H.	(*wh*)	sweet-scented	———	1774.	8.10.	G	h	Lodd. bot. cab. t. 196.
56	caledónica S.S.	(*ro*)	Caledonian	———	1816.	5. 9.	G	h	

7 callòsa S.S.	(li) callous-leaved	C. B. S.	1799.	6. 9.	G	♄	Andr. heath. v. 3.
canaliculàta β minor A.H.							
8 calóstoma B.C.	(fl) pretty-mouthed	Hybrid	1810.	5. 6.	G	♄	Bot. cab. t. 1759.
9 calycina W.	(pi) calycine	C. B. S.	1799.	6. 9.	G	♄	Lodd. bot. cab. t. 594.
10 calyculàta P.S.	(br) rusty-flowered	———	1800.	5. 7.	G	♄	
11 campanulàta H.K.	(ye) bell-flowered	———	1791.	4. 8.	G	♄	Andr. heath. v. 1.
12 campylophy'lla S.S.	(li) hook-leaved	———	1802.	3. 5.	G	♄	
incùrva A.H.							
13 canaliculàta H.K.	(li) channelled	———	1799.	8. 2.	G	♄	Andr. heath. v. 3.
14 canéscens H.K.	(li) canescent	———	1790.	5. 8.	G	♄	——— v. 2.
eriocéphala A.H. *non* Lam.							
15 càpax L.T.	(re.wh) capacious	———	1806.	——	G	♄	
16 capitàta H.K.	(st) downy-headed	———	1774.	3. 7.	G	♄	Andr. heath. v. 1.
17 carduifòlia L.T.	(li) Carduus-leaved	———	1806.	5. 7.	G	♄	
18 carinàta B.C.	(pi) keeled	———	——	6. 9.	G	♄	Lodd. bot. cab. t. 1071.
19 cárnea L.	(pi) early dwarf	Germany	1763.	1. 8.	H	♄	Jacq. aust. t. 32.
20 carnùla B.C.	(fl) flesh-coloured	C. B. S.	1816.	5. 8.	G	♄	Lodd. bot. cab. t. 926.
21 catervæfòlia L.T.	(li) huddle-leaved	———	1790.	4. 7.	G	♄	
22 Celsiàna L.C.	(re) Cels's	———	....	——	G	♄	
23 cephalòtes W.	(pu) purple-headed	———	1812.	3. 7.	G	♄	
24 cerinthoìdes H.K.	(sc) Honeywort-flower'd	——	1774.	5. 9.	G	♄	Bot. mag. t. 220.
α *glabriúscula*	(sc) *smoothish*	———	——	——	G	♄	
β *hispida*	(sc) *bristly*	———	——	——	G	♄	
25 cérnua H.K.	(bh) drooping-flowered	———	1791.	8.12.	G	♄	Mont. ac. ups. 2. t. 9. f. 3.
26 cervicifòra L.T.	(ye) Stag's-horn-flowered	——	....	3. 7.	G	♄	
inspérta Hort.							
27 chlamydifòra L.T.	(re) cloak-flower'd	———	1801.	5. 9.	G	♄	
28 chlorolòma BR.	(pu.gr) green-edged	———	....	10.11.	G	♄	Bot. reg. s. 2. t. 17.
29 ciliàris W.	(pi) ciliated	Portugal	1759.	7. 9.	H	♄	Bot. mag. t. 484.
30 ciliciflòra L.T.	(wh) fringe-flowered	C. B. S.	....	5. 8.	G	♄	
31 cinerúscens W.	(pu) greyish	———	....	——	G	♄	
32 cinèrea W.	(pu) fine-leaved	Britain	....	6. 9.	H	♄	Eng. bot. v. 15. t. 1015.
α *atropurpùrea*	(d.pu) *dark-purple*	———	....	——	H	♄	Lodd. bot. cab. t. 1409.
β *rùbra*	(re) *red-flowered*	———	....	——	H	♄	
γ *cárnea*	(fl) *flesh-coloured*	———	....	——	H	♄	
δ *pállida* L.C.	(bh) *pale-flowered*	———	....	——	H	♄	Lodd. bot. cab. t. 1505.
ε *álba*	(wh) *white-flowered*	———	....	——	H	♄	
33 cistifòlia L.en.	(wh) Cistus-leaved	C. B. S.	1799.	5. 8.	G	♄	Andr. heath. v. 2.
barbàta β minor A.H.							
34 clavæflòra H.K.	(gr) club-flowered	———	1779.	8.10.	G	♄	Andr. heath. v. 2.
sessiliflòra A.H. *non* L.							
35 clavàta S.S.	(gr) clubbed	———	1812.	——	G	♄	Andr. heath. ic.
36 Clintòniæ Lee.	(ro) Lady Clinton's	———	1816.	5. 8.	G	♄	
37 coarctàta S.S.	(li) close	———	....	——	G	♄	Wendl. eric. f. 19. n. 1.
38 cocínea H.K.	(sc) scarlet-flowered	———	1783.	1.12.	G	♄	Andr. heath. v. 1.
39 codonoìdes BR.	(re) bell-flowered	S. Europe	....	2. 6.	H	♄	Bot. reg. t. 1698.
40 colòrans B.R.	(wh) changing-coloured	———	1812.	1. 6.	G	♄	——— t. 601.
41 comòsa H.K.	(re.wh) tufted	———	1787.	4. 8.	G	♄	Ic. hort. kew. t. 18.
α *rùbra*	(re) *red-flowered*	———	——	——	G	♄	Wendl. eric. 12. p. 7. ic.
β *álba*	(wh) *white-flowered*	———	——	——	G	♄	Andr. heath. v. 2.
42 complanàta S.S.	(re) flattened	———	....	——	G	♄	
43 Comptoniàna S.S.	(re(Lady Northampton's	—	1820.	——	G	♄	Andr. heath. v. 4.
44 concàva B.C.	(pu) concave-flowered	———	1808.	2. 5.	G	♄	Lodd. bot. cab. t. 134.
45 concínna H.K.	(bh) blush	———	1773.	7.10.	G	♄	Andr. heath. v. 2.
46 cóncolor L.C.	(wh) self-coloured	———	....	3. 6.	G	♄	
47 conférta H.K.	(wh) crowded-flowered	———	1800.	10.2.	G	♄	Andr. heath. v. 2.
48 confertifòlia S.S.	(re) crowded-leaved	———	....	5. 8.	G	♄	
49 congésta S.S.	(wh) close-headed	———	1812.	——	G	♄	Wendl. eric. f. 17. n. 5.
100 cónica L.C.	(re) conical	———	1820.	——	G	♄	Lodd. bot. cab. t. 1179.
101 conspícua H.K.	(ye) conspicuous	———	1774.	——	G	♄	Andr. heath. v. 2.
102 constántia Lee.	(re) constant-flowered	———	1810.	——	G	♄	
103 cordàta H.K.	(wh) heart-leaved	———	1799.	4. 7.	G	♄	Andr. heath. v. 3.
104 corifòlia H.K.	(bh) Coris-leaved	———	1774.	8.12.	G	♄	Bot. mag. t. 422.
articulàris B.M. *calycìna* A.H.							
105 cory'dalis L.T.	(re) winged-anthered	———	1812.	2. 5.	G	♄	
106 costàta H.K.	(re) ribbed-flowered	———	1795.	2. 6.	G	♄	Andr. heath. v. 1.
β *supérba* A.H.	(bh) *superb*	———	1820.	4. 5.	G	♄	——— v. 4.
107 Coventryàna B.C.	(ro) Lord Coventry's	———	1808.	5. 6.	G	♄	Lodd. bot. cab. t. 423.
108 crassifòlia A.H.	(li) thick-leaved	———	1826.	——	G	♄	Andr. heath. v. 4.

109	crinìta B.C.	(*wh*) long-haired	C. B. S.	1825.	5. 9.	G	♄	Bot. cab. t. 1432.
110	cristæflòra L.T.	(*li*) crested	———	1803.	——	G	♄	
111	crossòta S.S.	(*wh*) fringed-calyxed	———	1820.	——	G	♄	
112	cruciformis S.S.	(*ye*) cross-like	———	1818.	——	G	♄	Andr. heath. v. 4.
113	cruénta H.K.	(*cr*) bloody-flowered	———	1774.	9. 5.	G	♄	——— v. 1.
114	cùbica H.K.	(*pu*) cube-flowered	———	1790.	4. 7.	G	♄	——— v. 1.
	β minor B.C.	(*pu*) *lesser cube-flowered*	———	——	——	G	♄	Lodd. bot. cab. t. 972
115	cumuliflòra L.T.	(*wh*) heap-flowered	———	1801.	5. 9.	G	♄	
116	curviflòra H.K.	(*ye*) curve-flowered	———	1774.	7.10.	G	♄	Andr. heath. v. 1.
117	curviróstris L.T.	(*li*) curve-styled	———	1790.	——	G	♄	
	declinàta Hort.							
118	Cushiniàna Lee.	(*re*) Cushin's	———	1816.	——	G	♄	
119	cuspidígera L.T.	(*li*) cuspidate	———	——	2. 5.	G	♄	
120	cylíndrica Th.	(*wh*) white cylindrical	———	1810.	3. 5.	G	♄	
121	cyrillæflòra L.T.	(*li*) Cyrilla-flowered	———	1800.	2. 8.	G	♄	
122	daphnæflòra B.C.	(*bh*) Daphne-flowered	———	1791.	4. 5.	G	♄	Lodd. bot. cab. t. 543.
123	daphnoìdes B.C.	(*ro*) Daphne-like	———	——	——	G	♄	——— t. 154.
124	decípiens S.S.	(*fl*) slender-woolly	———	1822.	——	G	♄	
125	decolòrans W.	(*ro.wh*) discoloured	———	1812.	——	G	♄	
126	decòra H.K.	(*li*) graceful	———	1790.	11.1.	G	♄	Andr. heath. v. 3.
127	defléxa L.C.	(*wh*) deflexed	———	1812.	5. 8.	G	♄	
128	demíssa L.C.	(*re*) low	———	1810.	——	G	♄	
129	dénsa S.S.	(*bh*) dense	———	——	——	G	♄	Andr. heath. ic.
130	densifòlia W.	(*re*) dense-leaved	———	1811.	3. 8.	G	♄	
131	denticulàta W.	(*wh*) tooth-calyxed	———	——	——	G	♄	Lodd. bot. cab. t. 1090
	fastigiàta A.H.	*nec aliorum.*						
132	deprèssa H.K.	(*wh*) depressed	———	1789.	6. 8.	G	♄	Andr. heath. v. 2.
	rupéstris A.H.							
133	dianthifòlia L.T.	(*re*) pink-leaved	———	1796.	3. 8.	G	♄	
134	diáphana S.S.	(*fl*) transparent	———	1800.	5, 8.	G	♄	Andr. heath. v. 4.
	transpàrens B.C. 177.	*non* Th.						
135	díchrus S.S.	(*re.gr*) Andrews' 2-color'd	———	1790.	8. 5.	G	♄	Andr. heath. v. 4.
	bícolor A.H.	*non* W.						
136	Dickensoniàna L.C.	(*va*) Mr. Dickenson's	———	1809.	——	G	♄	
	α álba	(*wh*) *white-flowered*	———	——	——	G	♄	
	β rùbra	(*re*) *red-flowered*	———	——	——	G	♄	
137	diosmæfòlia L.T.	(*li*) Diosma-leaved	———	1792.	3. 7.	G	♄	
138	diotæflòra L.T.	(*wh*) Diotis-flowered	———	1795.	3. 8.	G	♄	
139	díscolor H.K.	(*bh*) different-colour'd	———	1788.	10.3.	G	♄	Andr. heath. v. 1.
140	dístans S.S.	(*vi*) distant	———	1816.	——	G	♄	
141	Donniàna Lee	(*re*) Donn's	———	1812.	5. 9.	G	♄	
142	droseroìdes A.H.	(*pu*) Sundew-like	———	——	7.10.	G	♄	Andr. heath. v. 4.
	droseroìdes β minor A.H.							
143	dumòsa A.H.	(*re*) bushy	———	——	——	G	♄	Andr. heath. v. 4.
144	echiiflòra H.K.	(*pi*) Echium-flower'd	———	1798.	2. 7.	G	♄	——— v. 3.
	β purpùrea A.H.	(*pu*) *purple-flower'd*	———	1812.	——	G	♄	——— v. 4.
145	elàta H.K.	(*ye*) tall	———	1790.	7. 9.	G	♄	——— v. 2.
146	élegans H.K.	(*pi*) elegant	———	1799.	11.5.	G	♄	Bot. mag. t. 960.
147	elongàta B.C.	(*wh*) elongated	———	1820.	3. 6.	G	♄	Lodd. bot. cab. t. 738.
148	emarginàta A.H.	(*wh*) hairy cupped	———	1800.	6.10.	G	♄	Andr. heath. ic.
149	embothriifòlia L.T.	(*re*) Embothrium-ld.	———	——	2. 5.	G	♄	
150	empetrifòlia H.K.	(*re*) Crowberry-ld.	———	1774.	4. 7.	G	♄	Bot. mag. t. 447.
151	empetroìdes H.K.	(*pu*) close-flower'd	———	1788.	5. 8.	G	♄	Andr. heath. v. 2.
152	epistòmia L.C.	(*wh*) spiggot	———	1800.	——	G	♄	Lodd. bot. cab. t. 1186.
153	equisetifòlia L.T.	(*re*) Equisetum-leav'd	———	——	——	G	♄	
	articulàris Hort.							
154	eriocéphala B.C.	(*wh*) woolly-headed	———	1816.	6. 8.	G	♄	Lodd. bot. cab. t. 1278
155	eròsa B.C.	(*bh*) gnawed-petal'd	———	——	——	G	♄	——— t. 133.
156	erubéscens H.K.	(*bh*) reddish-flower'd	———	1800.	3. 8.	G	♄	Andr. heath. v. 3.
157	Eweràna H.K.	(*cr*) Ewer's	———	1793.	7.11.	G	♄	——— v. 2.
	α glàbra	(*cr*) *smooth-leaved*	———	——	——	G	♄	
	β longiflòra	(*cr*) *long-flowered*	———	——	——	G	♄	
	γ pilòsa	(*cr*) *hairy-leaved*	———	——	——	G	♄	
158	exígua L.T.	(*pu*) small downy	———	1790.	3. 9.	G	♄	
159	exímia L.C.	(*ro*) choice	———	1811.	——	G	♄	Lodd. bot. cab. t. 1105.
160	exsérta L.C.	(*wh*) exserted	———	1820.	——	G	♄	
161	expánsa L.C.	(*re*) expanded	———	1811.	——	G	♄	
162	expósita L.C.	(*re*) exposed	———	1820.	7.10.	G	♄	Lodd. bot. cab. t. 1521.
163	exprómta S.S.	(*re*) woolly-branched	———	1811.	3. 9.	G	♄	

164	exsèdens B.C. (*pi*) sweating	C. B. S.	1810.	8.10.	G	♄	Lodd. bot. cab. t. 287.
165	exsúrgens H.K. (*or.re*) quiver-formed	———	1792.	1.12.	G	♄	Andr. heath. v. 1.
166	fabrìlis L.T. (*re*) tiled-leaved	———	1791.	4. 8.	G	♄	
167	fallax L.T. (*wh*) viscous-flower'd	———	——	11.3.	G	♄	
168	fasciculàris H.K. (*ro.gr*) cluster-fld.	———	1787.	2. 7.	G	♄	Andr. heath. v. 1.
	coronàta A.H. *radiiflòra* L.T.						
169	fastigiàta W. (*bh*) crowded	———	1792.	——	G	♄	Andr. heath. v. 1.
	Walkèri A.H. v. 1. *nec* v. 4.						
170	fastìta L.T. (*re*) bristly-leaved	———	1795.	4. 6.	G	♄	
171	ferrugínea H.K. (*cr.bh*) rusty	———	1798.	5. 7.	G	♄	Andr. heath. v. 3.
172	fèsta L.T. (*bh*) angular-stalked	———	....	3. 5.	G	♄	
173	fìbula L.en. (*li*) button	———	1812.	5. 6.	G	♄	
174	filamentòsa H.K. (*re*) long-peduncled	———	1800.	1.12.	G	♄	Bot. reg. t. 6.
175	filifórmis L.T. (*re*) filiform	———	....	2. 5.	G	♄	
176	fìmbriàta A.H. (*re*) fringed	———	1800.	3. 7.	G	♄	Andr. heath. ic.
177	fìnitima L.C. (*pu*) related	———	....	——	G	♄	
178	fistulæflòra L.T. (*wh*) white slender-fld.	———	1800.	7.11.	G	♄	Andr. heath. v. 3.
	tenuiflòra β *álba* A.H. *Cliffordiàna* Lodd. bot. cab. t. 34.						
179	flaccida L.en. (*wh*) flaccid	C. B. S.	1810.	7.11.	G	♄	
180	flagellàris L. en. (*st*) whipcord	———	——	——	G	♄	
181	flagellifórmis A.H. (*re*) whipcord-like	———	1812.	——	G	♄	Andr. heath. v. 4.
182	flámmea H.K. (*ye*) flame-flowered	———	1798.	10.5.	G	♄	——— v. 2.
	lìbax L.T.						
183	flàva H.K. (*ye*) 3-leaved yellow	———	1795.	9. 4.	G	♄	Andr. heath. v. 2.
	β *imbricàta* B.M. (*ye*) *imbricated*	———	——	——	G	♄	Bot. mag. t. 1815.
184	flexicaúlis H.K. (*re*) crook-stalked	———	1800.	5. 1.	G	♄	Andr. heath. v. 2.
	glandulòsa A.H. *nec aliorum.*						
185	flexuòsa H.K. (*wh*) zigzag	———	1792.	4. 7.	G	♄	Andr. heath. v. 1.
186	floribúnda B.C. (*li*) many-flowered	———	1800.	11.3.	G	♄	Lodd. bot. cab. t. 176.
187	flórida H.K. (*pu*) florid	———	1803.	5. 8.	G	♄	Thunb. eric. n. 64. t. 6.
	β *campanulàta* B.M. (*pk*) *campanulate*	———	1834.	——	G	♄	Bot. mag. t. 3639.
188	foliàcea A.H. (*ye*) foliaceous	———	1822.	5. 7.	G	♄	Andr. heath. v. 4.
189	folliculàris H.K. (*ye*) yellow-pencilled	———	1794.	2. 7.	G	♄	——— v. 1.
	Petiveriàna A.H.						
190	formòsa W. (*va*) handsome	———	1795.	3. 8.	G	♄	Thunb. eric. n. 82. t. 3.
	α *álba* (*wh*) *white-flowered réflexa álba*	Hort.—	——	——	G	♄	Andr. heath. v. 4.
	β *rùbra* (*re*) *red-flowered reflexa rùbra*	Hort.—	——	——	G	♄	——— v. 4.
191	frágrans H.K. (*pu*) fragrant	C.B.S.	1803.	3. 7.	G	♄	Bot. mag. t. 2181.
192	fúgax L.T. (*pu*) fugacious	———	1800.	3. 5.	G	♄	
193	furfuròsa H.K. (*re*) columnar-threaded	———	1789.	8.12.	G	♄	Andr. heath. v. 1.
	monadélpha A.H. *non* B.M.						
194	gélida H.K. (*gr*) green verticillate	———	1790.	4. 7.	G	♄	Andr. heath. v. 2.
	silva W. *alveiflòra* L.T.						
195	gemmífera B.M. (*or*) jewel	———	1802.	7.10.	G	♄	Bot. mag. t. 2266.
196	genistæfòlia L.T. (*re*) Genista-leaved	———	....	10.5.	G	♄	
197	glàbra L.en. (*wh*) glabrous	———	1802.	5. 8.	G	♄	
198	glandulòsa Th. (*cr*) glandular-haired	———	1801.	——	G	♄	
199	glaúca H.K. (*pu*) glaucous-leaved	———	1792.	——	G	♄	Bot. mag. t. 580.
200	globòsa W. (*bh*) globular-flower'd	———	1789.	7. 9.	G	♄	Andr. heath. v. 4.
201	glomeràta S.S. (*li*) glomerate	———	1812.	——	G	♄	——— v. 4.
202	glomiflòra L.T. (*wh*) round-flowered	———	....	4. 9.	G	♄	
203	glutinòsa H.K. (*pu*) glutinous	———	1787.	7.10.	G	♄	Icon. hort. kew. t. 17.
	droseròides A.H.						
204	gnaphalòides W. (*wh*) Cudweed-like	———	1812.	2. 4.	G	♄	Pluk. m. 68. t. 346. f. 11.
205	grácilis H.K. (*re*) gracile	———	1794.	2. 6.	G	♄	Wend. eric. 8. p. 9. ic.
206	grandiflòra H.K. (*ye*) great-flowered	———	1775.	5. 9.	G	♄	Bot. mag. t. 189.
207	grandinòsa B.C. (*wh*) hail-flowered	———	1820.	——	G	♄	Lodd. bot. cab. t. 627.
208	halicácaba H.K. (*wh*) bladder-flowered	———	1780.	5. 8.	G	♄	Andr. heath. v. 2.
209	Hartnélli Roll. (*re*) Hartnell's	———	....	5.10.	G	♄	
210	helianthemifòlia L.T. plain-leaved	———	1796.	6. 9.	G	♄	
211	herbàcea L. (*fl*) trailing	S. Europe	1763.	1. 8.	H	♃	Bot. mag. t. 471.
212	Hibbertiàna H.K. (*cr.gr*) Hibbert's	C. B. S.	1800.	6. 9.	G	♄	Andr. heath. v. 3.
213	hirsùta B.C. (*wh.pu*) hairy	———	1812.	5. 8.	G	♄	Lodd. bot. cab. t. 754.
214	hírta W. (*re*) hairy-leaved	———	1795.	4. 7.	G	♄	Thunb. eric. n. 56. t. 2.
215	hirtiflòra B.M. (*li*) hairy-flowered	———	1790.	——	G	♄	Bot. mag. t. 481.
216	híspida S.S. (*re*) hispid	———	1791.	7. 9.	G	♄	Andr. heath. ic.
217	hispídula W. (*pu*) bristly-stemmed	———	——	6. 8.	G	♄	
218	holosericea L.T. (*wh*) velvety	———	....	2. 7.	G	♄	
219	horizontàlis B.K. (*wh*) horizontal-ld.	———	1800.	7. 9.	G	♄	Andr. heath. v. 2.

220	Humeàna B.C.	(*pi*) Sir A. Hume's	C. B. S.	1808.	5. 7.	G	♄	Lodd. bot. cab. t. 38[illegible]
221	humifùsa L.T.	(*pi*) low	———	....	6. 7.	G	♄	
222	hyacinthoìdes H.K.	(*pi*) Hyacinth-fld.	———	1798.	6. 8.	G	♄	Andr. heath. v. 3.
223	hyssopifòlia L.T.	(*re*) Hyssop-leaved	———	1800.	5. 9.	G	♄	
224	ignéscens H.K.	(*or.sc*) fiery	———	1792.	3. 7.	G	♄	Andr. heath. v. 2.
225	imbecílla Swt.	(*re*) feeble	———	1793.	6. 7.	G	♄	
	grácilis L.T. *nec aliorum.*							
226	imbricàta W.	(*pu*) imbricated	———	1786.	5. 8.	G	♄	Lodd. bot. cab. t. 12[illegible]
227	imperiàlis S.S.	(*ro*) imperial	———	1816.	——	G	♄	Andr. heath. v. 4.
228	incàna S.S.	(*wh.re*) hoary	———	——	——	G	♄	Wend. er. f. 18. n. 4.
229	incarnàta W.	(*fl*) flesh-coloured	———	1791.	——	G	♄	Andr. heath. v. 1.
230	incúrva W.	(*wh*) incurved	———	——	——	G	♄	
231	inflàta W.	(*ro*) inflated	———	1800.	5. 9.	G	♄	Thunb. dis. n. 67. t. 2. f. [illegible]
232	infundibulifórmis	(*ro.wh*) funnel-fld.	———	1812.	——	G	♄	Lodd. bot. cab. t. 58[illegible]
233	intertéxta B.C.	(*wh*) interwoven	———	1810.	——	G	♄	——— t. 103[illegible]
234	intervallàris L.T.	(*bh*) distant-leaved	———	——	5.11.	G	♄	
235	Irbyàna A.H.	(*bh*) Irby's	———	1800.	6.10.	G	♄	Andr. heath. v. 3.
236	jasminiflòra H.K.	(*wh*) Jasmine-fld.	———	1794.	——	G	♄	——— v. 1.
237	jubàta S.S.	(*re*) crest-flowered	———	1816.	——	G	♄	
238	Juliàna S.S.	(*re*) Julian's	———	1812.	5.10.	G	♄	Lodd. bot. cab. t. 79[illegible]
239	labiàlis L.T.	(*pi*) lipped	———	——	——	G	♄	
240	lachneæfòlia H.K.	(*pu*) Lachnea-ld.	———	1793.	5. 7.	G	♄	Andr. heath. v. 3.
241	lactiflòra B.C.	(*st*) milk-coloured	———	1816.	——	G	♄	Lodd. bot. cab. t. 90[illegible]
	tricolor S.S.							
242	læ'vis A.H.	(*wh*) smooth	———	1790.	3. 6.	G	♄	Andr. heath. v. 3.
243	Lambertiàna H.K.	(*wh*) Lambert's	———	1800.	5. 8.	G	♄	——— v. 2.
244	lanàta W.	(*sn*) woolly	———	1775.	2. 5.	G	♄	Wend. eric. f. 5. n. 2.
245	lanceòlata P.S.	(*wh*) spear-leaved	———	1791.	6.12.	G	♄	——— fasc. 8. p. 13. ic[illegible]
246	lanuginòsa H.K.	(*br*) large brown-fld.	———	1803.	9. 1.	G	♄	Andr. heath. v. 3.
247	larícina S.S.	(*pi*) Larch-leaved	———	1824.	6. 8.	G	♄	
248	lasiophy'lla S.S.	(*li*) downy-leaved	———	1816.	5. 8.	G	♄	
249	lateràlis H.K.	(*fl*) side-flowered	———	1791.	3. 7.	G	♄	Andr. heath. v. 1.
250	latifòlia H.K.	(*re*) broad-leaved	———	1800.	5. 8.	G	♄	——— v. 2.
251	lavandulæfòlia L.T.	(*re*) Lavender-ld.	———	1795.	——	G	♄	
252	Lawsòni B.M.	(*re*) red slender-fld.	———	1802.	4. 7.	G	♄	Bot. mag. t. 1720.
253	láxa H.K.	(*li*) loose-flowered	———	1800.	9. 2.	G	♄	Andr. heath. v. 3.
254	Leeàna H.K.	(*ye*) Lee's	———	1788.	8. 1.	G	♄	——— v. 1.
255	leptocárpha S.S.	(*re*) slender chaffed	———	1824.	4. 7.	G	♄	
256	leucántha L.en.	(*wh*) white-blossom'd	———	1803.	1. 5.	G	♄	Andr. heath. v. 2.
	leucanthèra A.H. *non* L.							
257	leucanthèra W.	(*wh*) white-tipped	———	——	2. 6.	G	♄	
258	Linnæàna H.K.	(*pu.wh.*) Linnæus's	———	1790.	1. 5.	G	♄	Andr. heath. v. 2.
	Linnæoìdes A.H.							
	β *supérba* A.H.	(*pu.wh*) *superb*	———	1822.	——	G	♄	Andr. heath. v. 4.
259	longiflòra B.C.	(*ye*) long-flowered	———	....	4. 8.	G	♄	Lodd. bot. cab. t. 983.
260	longifòlia W.	(*re*) long-leaved	———	1787.	2. 7.	G	♄	Wend. eric. t. 3.
	pìnea Wend.							
261	longipedunculàta	(*li*) long-stalked	———	1818.	3. 8.	G	♄	Lodd. bot. cab. t. 163.
262	lùcida H.K.	(*pi*) lucid	———	1800.	4. 1.	G	♄	Andr. heath. v. 2.
263	lùtea H.K.	(*ye*) yellow	———	1774.	2. 5.	G	♄	——— v. 1.
264	lyrígera L.T.	(*re*) lyre-bearing	———	1790.	——	G	♄	
265	magnífica S.S.	(*ro*) magnificent	———	1816.	4..8.	G	♄	Andr. heath. v. 4.
266	mammòsa W.	(*pu*) nipple	———	1762.	7.10.	G	♄	——— v. 1.
	α *purpùrea*	(*pu*) *purple-flowered*	———	——	——	G	♄	Lodd. bot. cab. t. 125.
	β *pàllida*	(*li*) *pale-flowered*	———	——	——	G	♄	——— t. 951.
267	margaritàcea H.K.	(*wh*) pearl-flowered	———	1775.	5. 9.	G	♄	Andr. heath. v. 1.
268	marifòlia H.K.	(*wh*) Marum-leaved	———	1773.	5. 7.	G	♄	——— v. 1.
269	Massòni H.K.	(*or.gr*) Masson's	———	1787.	7.10.	G	♄	Bot. mag. t. 336.
270	mediterrànea W.	(*re*) Mediterranean	Portugal	1648.	3. 5.	H	♄	——— t. 471.
271	melanthèra W.	(*li*) dark-anthered	C. B. S.	1803.	6. 8.	G	♄	Lodd. bot. cab. t. 867.
272	melástoma A.H.	(*ye*) black-anthered	———	1795.	4. 7.	G	♄	——— t. 333.
273	mellífera S.S.	(*pu*) honey-bearing	———	1816.	——	G	♄	
274	metulæflòra H.K.	(*re*) nine-pin	———	1798.	6. 8.	G	♄	Bot. mag. t. 612.
275	microphy'lla L.C.	(*re*) small-leaved	———	....	——	G	♄	
276	micróstoma S.S.	(*re*) aggregate-flower'd	———	1816.	——	G	♄	
277	minutæflòra A.R.	(*pu*) minute-flower'd	———	1822.	5. 7.	G	♄	Andr. heath. v. 4.
278	mirábilis A.H.	(*pu*) wonderful	———	——	3. 8.	G	♄	——— v. 4.
279	modésta L.T.	(*bh*) modest	———	....	——	G	♄	
280	molleàris P.S.	(*pu*) soft-leaved	———	1803.	4.10.	G	♄	
281	móllis S.S.	(*pu*) soft	———	1816.	——	G	♄	Andr. heath. v. 4.

182	mollíssima L.C	(wh) softest	C. B. S.	....	4.10.	G	h	
183	monadélpha B.M.	(wh) monadelphous	———	1789.	5. 7.	G	h	Bot. mag. t. 1370.
	Bánksia β purpùrea A.H.							
184	Monsòniæ H.K.	(wh) Lady Monson's	———	1787.	4. 9.	G	h	Bot. mag. t. 1915.
185	montàna L.C.	(li) mountain	———	1816.	——	G	h	
186	moschàta A.H.	(li) musky	———	1805.	5. 7.	G	h	Andr. heath. v. 4.
187	mucòsa H.K.	(pu) mucous	———	1787.	2. 4.	G	h	——— v. 1.
188	mucosoìdes L.C.	(li) mucous-like	———	1800.	3. 4.	G	h	Lodd. bot. cab. t. 1212.
189	mucronàta S.S.	(re) mucronate	———	1812.	4. 8.	G	h	Andr. heath. v. 4.
190	multiflòra H.K.	(bh) many-flowered	France	1731.	6.11.	H	h	——— v. 2.
191	múnda L.T.	(bh) neat-flowered	C. B. S.	....	5. 7.	G	h	
192	múndula B.C.	(pi) neat	———	1816.	3. 8.	G	h	Lodd. bot. cab. t. 114.
193	Muscàri H.K.	(st) musk	———	1790.	——	G	h	Andr. heath. v. 1.
194	mutábilis H.K.	(pu) mutable	———	1798.	2.10.	G	h	——— v. 3.
195	nàna L.T.	(ye) dwarf	———	1792.	5. 8.	G	h	——— v. 2.
	deprèssa A.H.							
196	nidiflòra L.T.	(bh) nest-flowered	———	....	10.5.	G	h	
197	nidulària B.C.	(pi) nest-like	———	1816.	5. 8.	G	h	Lodd. bot. cab. t. 764.
198	nígricans S.S.	(wh) black-stamened	———	——	——	G	h	
199	nigrìta H.K.	(wh) black-tipped	———	1790.	3. 7.	G	h	Andr. heath. v. 1.
200	nítida H.K.	(wh) shiping	———	1800.	7.10.	G	h	——— v. 3.
201	nivàlis A.H.	(wh) snowy-flowered	———	1820.	5. 6.	G	h	——— v. 4.
202	nívea S.S.	(wh) snowy	———	1816.	5. 9.	G	h	
203	Nivèni H.K.	(re) Niven's	———	1799.	2. 7.	G	h	Andr. heath. v. 2.
204	nolæflòra L.T.	(re) bell-shaped	———	....	2. 5.	G	h	
205	notábilis S.S.	(re) notable	———	1816.	3. 8.	G	h	
206	nudiflòra W.	(ye) small-bracted	———	1783.	7. 8.	G	h	
207	obbàta H.K.	(re.wh.) bottle	———	1796.	4. 7.	G	h	Andr. heath. v. 2.
208	obcordàta S.S.	(wh) obcordate	———	1812.	——	G	h	
209	obliqua H.K.	(pu) oblique-leaved	———	1789.	8.10.	G	h	Andr. heath. v. 1.
210	oblónga R.W.	(re) oblong	———	....	6. 9.	G	h	
211	obtùsa B.C.	(re) obtuse	———	1816.	5. 8.	G	h	Lodd. bot. cab. t. 1027.
212	octogòna L.C.	(re) eight-angled	———	——	——	G	h	
213	odoràta H.K.	(wh) perfumed	———	1804.	4. 7.	G	h	Andr. heath. v. 3.
214	ollúla S.S.	(ro) close smooth-leaved	———	1812.	——	G	h	——— v. 4.
215	onosmæflòra L.T.	(ye) Onosma-flowered	———	1789.	9. 5.	G	h	——— v. 1.
	glutinòsa A. H. *viscòsa* Wend.							
216	oppositifòlia A.H.	(wh) opposite-leaved	———	1804.	3. 5.	G	h	Andr. heath. c. ic.
	α álba	(wh) *white-flowered*	———	——	——	G	h	Lodd. bot. cab. t. 1343.
	β rùbra B.C.	(re) *red-flowered*	———	——	——	G	h	——— t. 1060.
217	ostrìna B.C	(sc) scarlet-flowered	———	1824.	3. 6.	G	h	——— t. 1218.
218	ovàta B.C.	(re) ovate	———	1791.	2. 5.	G	h	——— t. 417.
219	oxycoccifòlia L.T.	(bh) Cranberry-leaved	———	——	——	G	h	
220	pállens S.S.	(st) pale	———	1812.	3. 8.	G	h	Andr. heath. v. 4.
221	pállida B.C.	(pu) pallid	———	——	——	G	h	Lodd. bot. cab. t. 1355.
222	palliiflòra L.T.	(pa) pale-flowered	———	....	2. 8.	G	h	
223	pallústris H.K.	(bh) marsh	———	1799.	5.10.	G	h	Andr. heath. v. 2.
224	paniculàta W.	(pu) panicled	———	1774.	2. 8.	G	h	Lodd. bot. cab. t. 1194.
225	pannòsa L.T.	(wh) cloth-flowered	———	....	2. 6.	G	h	
226	pàrilis L.T.	(re) matched	———	1789.	5. 8.	G	h	
227	Parmentièri B.C.	(wh) Parmentier's	———	1816.	——	G	h	Lodd. bot. cab. t. 197.
	β rùbra L.C.	(ro) *rose-coloured*	———	——	——	G	h	
228	parviflòra L.T.	(pu) small-fld. downy	———	1790.	3. 9.	G	h	
229	Passerìna W.	(wh) sparrow-wort	———	1800.	11.5.	G	h	Petiv. gaz. t. 3. f. 7.
230	pàtens A.H.	(pu) spreading	———	——	3. 6.	G	h	Andr. heath. v. 3.
231	Patersòni H.K.	(ye) Paterson's	———	1791.	3. 8.	G	h	——— v. 1.
232	pavettæflòra L.T.	(wh) Pavetta-flowered	———	....	5. 8.	G	h	
233	pectinifòlia L.T.	(bh) pectinated	———	1800.	11.6.	G	h	
234	pedunculàta S.S.	(re) peduncled	———	1810.	5. 9.	G	h	
235	pellùcida A.H.	(wh) pellucid	———	1800.	10.6.	G	h	Andr. heath. v. 3.
	β rùbra A.H.	(re) *red-flowered*	———	1806.	——	G	h	——— v. 4.
236	peltàta A.H.	(gr.pu) peltate-stigma'd	———	1804.	4. 8.	G	h	——— v. 4.
237	péndula W.	(pu) pendulous	———	1791.	7. 8.	G	h	Lodd. bot. cab. t. 902.
238	penicillàta A.H.	(re) pencilled	———	1774.	4. 7.	G	h	Andr. heath. v. 2.
239	penicilliflòra L.T.	(wh) white-pencilled	———	1792.	5. 8.	G	h	Wend. eric. 4. p. 5. ic.
240	periplocæfòlia L.T.	(li) Periploca-leaved	———	——	8.12.	G	h	
241	persolùta H.K.	(re) garland	———	1774.	2. 5.	G	h	Bot. mag. t. 342.
242	perspícua H.K.	(wh) clear-flowered	———	1790.	3. 6.	G	h	Wend. eric. 1. p. 7. ic.
	β Linnæ'a A.H. v. 2.							

343	petiolàta H.K. (*wh*) Rosemary-leaved	C. B. S.	1774.	3. 7.	G	♄	Andr. heath. v. 3.
344	Petiveriàna H.K. (*ye*) Petiver's	——	——	——	G	♄	Lam. ill. t. 288. f. 3.
345	Pezìza B.C. (*wh*) button-flowered	——	....	5. 8.	G	♄	Lodd. bot. cab. t. 26[illegible]
346	phylicoìdes W. (*pu*) Phylica-like	——	1800.	4. 7.	G	♄	
347	physòdes H.K. (*wh*) sticky	——	1788.	3. 7.	G	♄	Bot. mag. t. 443.
348	pícta L.C. (*wh.ye*) painted	——	1800.	——	G	♄	
349	pilòsa S.S. (*gr*) pilose	——	——	——	G	♄	Lodd. bot. cab. t. 6[illegible]
350	pilulàris L.C. (*wh*) white-balled	——	1820.	10.2.	G	♄	—— t. 1[illegible]
351	pilulífera W. (*pu*) ball-bearing	——	1789.	4. 5.	G	♄	
352	pínea S.S. (*wh*) Pine-like	——	1790.	8.12.	G	♄	
	β purpùrea L.C. (*pu*) *purple*	——	——	——	G	♄	Lodd. bot. cab. t. 12[illegible]
353	pinifòlia A.H. (*re*) Pine-leaved	——	——	6.12.	G	♄	Andr. heath. v. 1.
	pityophy'lla S.S.						
	α coccínea A.H. (*sc*) *scarlet*	——	——	——	G	♄	Andr. heath. v. 1.
	β díscolor A.H. (*wh.pu*) *two-coloured*	——	1820.	——	G	♄	—— v. 4.
354	planifòlia A.H. (*re*) flat-leaved	——	——	——	G	♄	—— v. 3.
355	Plukenetiàna H.K. (*sc*) Plukenet's	——	1774.	4. 7.	G	♄	—— v. 1.
	β pállida L.C. (*pa*) *pale-flowered*	——	——	——	G	♄	
	γ álbens A.H. (*wh*) *white-flowered*	——	——	——	G	♄	Andr. heath. v. 4.
356	Pohlmánni LC. (*re*) Pohlmann's	——	1816.	5.	G	♄	Lodd. bot. cab. t. 18[illegible]
357	poly'tricha (*sc.gr*) many-haired	——	1804.	7.10.	G	♄	—— t. 111
	hírta Lodd. bot. cab. *nec aliorum, pilòsa* Hort.						
358	præ'cox L.C. (*li*) early dwarf	——	1805.	2. 5.	G	♄	Lodd. bot. cab. t. 16[illegible]
359	præ'gnans A.H. (*bh*) swelled	——	1796.	5. 7.	G	♄	Andr. heath. v. 3.
	β coccìnea (*sc*) *scarlet-flowered*	——	——	——	G	♄	—— v. 4.
360	præ'stans S.S. (*bh*) excelling	——	——	——	G	♄	—— v. 4.
361	primuloìdes A.H. (*re.wh*) Cowslip-flower'd	——	1802.	4. 7.	G	♄	Bot. mag. t. 1548.
362	prínceps H.K. (*pi*) fine red	——	1800.	——	G	♄	Andr. heath. v. 2.
363	pròcera S.S. (*ye*) lofty	——	1791.	——	G	♄	
364	procúmbens S.S. (*re*) procumbent	——	1816.	——	G	♄	Lodd. bot. cab. t. 19[illegible]
365	propéndens H.K. (*wh*) pendent	——	1800.	7. 8.	G	♄	Bot. mag. t. 2140.
366	protrùdens L.en. (*wh*) protruding	——	1816.	5. 8.	G	♄	
367	pseùdo-vestìta Benth. (*pk*) false-vestita	Hybrid	....	——	G	♄	Botan. t. 104.
368	pubéscens H.K. (*li*) pale downy	C. B. S.	1790.	2.12.	G	♄	
369	pubígera L.T. (*li*) pubescent-flowered	——	1792.	1. 5.	G	♄	
370	pudibúnda L.T. (*bh*) nodding	——	1812.	3. 8.	G	♄	Wend. eric. f. 3. p. 5.
	nùtans Wendland.						
371	pulchélla W. (*re*) neat	——	——	——	G	♄	Thunb. dis. n. 24. t. 4. f.
372	pulchérrima (*ro.wh*) beautiful	——	1820.	7.10.	G	♄	Andr. heath. v. 4.
	jasminiflòra β mìnor A.H. v. 4. *Irbyàna* Hort. *non* Andr.						
373	pulverulénta LC. (*wh*) powdered	C. B. S.	1820.	3. 8.	G	♄	
374	pulvinifórmis L.T. (*bh*) cushion	——	....	2. 5.	G	♄	
375	pùmila S.S. (*li*) short	——	1812.	3. 8.	G	♄	Andr. heath. v. 4.
376	pùra B.C. (*wh*) clear	——	——	5. 8.	G	♄	Lodd. bot. cab. t. 72.
377	purpùrea H.K. (*pu*) purple-flowered	——	1789.	1.12.	G	♄	Andr. heath. v. 2.
378	pusílla L.T. (*bh*) low	——	....	6. 7.	G	♄	
379	pyramidàlis H.K. (*bh*) pyramidal	——	1787.	2. 5.	G	♄	Bot. mag. t. 366.
380	pyramidifórmis S.S. (*bh*) pyramid-formed	——	1818.	——	G	♄	
381	pyrolæflòra L.T. (*wh*) Pyrola-flowered	——	1790.	5. 7.	G	♄	Andr. heath. v. 4.
	andromedæflòra β álba A.H. v. 4.						
382	quadræflòra L.T. (*re*) four-flowered	——	——	3. 8.	G	♄	
383	quadrangulàris A.H. (*fl.wh*) square-tubed	——	1812.	5. 8.	G	♄	Andr. heath. v. 4.
384	radiàta H.K. (*re*) rayed	——	1798.	8.11.	G	♄	—— v. 1.
	β díscolor A.H. (*re.wh*) *two-coloured*	——	1820.	——	G	♄	—— v. 4.
385	racemòsa W. (*fl*) racemed	——	1795.	4. 5.	G	♄	
386	racemífera H.K. (*re*) compact-flowered	——	1803.	4. 6.	G	♄	Andr. heath. v. 2
387	ramentàcea H.K. (*pu*) slender-branched	——	1786.	7.12.	G	♄	—— v. 1.
388	ramulòsa Viv. (*li*) Italian	Italy	1826.	5. 8.	H	♄	
389	recurvàta B.C. (*wh*) recurved	C. B. S.	1812.	——	G	♄	Bot. mag. t. 3427.
390	refléxa S.S. (*pu.wh*) reflexed	——	....	——	G	♄	
391	refúlgens A.H. (*ro.gr*) refulgent	——	1816.	5. 9.	G	♄	Andr. heath. v. 4.
392	regérminans W. (*li*) clustered-flowered	——	1791.	5. 8.	G	♄	
393	resinòsa H.K. (*or*) varnished	——	1803.	——	G	♄	Bot. mag. t. 1139.
	vérnix A.H. v. 3.						
394	retórta H.K. (*ro*) recurved-leaved	——	1787.	——	G	♄	Bot. mag. t. 362.
395	retrofléxa H.K. (*re*) jointed	——	——	7. 9.	G	♄	Andr. heath. v. 1.
	pulchélla A.H. *non* Th. *articulàris* Th. *non* L.						
396	rígida B.C. (*re*) rigid	——	1820.	5. 8.	G	♄	Lodd. bot. cab. t. 18[illegible]
397	rigidifòlia S.S. (*re*) rigid-leaved	——	1816.	6. 8.	G	♄	

398	Rollisòni	(*bh*) Rollison's	C. B. S.	1823.	5. 8.	G	h	Andr. heath. v. 4.
	exsúrgens β hybrida A.H. v. 4.							
399	ròsea H.K.	(*ro*) rose-coloured	———	1798.	6.10.	G	h	Andr. heath. v. 2.
400	rostélla B.W.	(*wh*) beaked	———	1810.	4. 6.	G	h	
401	rubélla B.M.	(*re*) reddish	———	1812.	5. 8.	G	h	Bot. mag. t. 2165.
402	rùbens H.K.	(*re*) red-flowered	———	1798.	6. 9.	G	h	
403	rùbida B.C.	(*re*) ruby	———	1820.	——	G	h	Lodd. bot. cab. t. 1166.
404	rubrosépala	(*re.wh*) red-calyxed	———	1825.	——	G	h	Andr. heath. v. 4.
	rùber-càlyx A.H. v. 4.							
405	rugòsa S.S.	(*ye.pi*) wrinkled	———	1812.	——	G	h	Andr. heath. v. 4.
406	Russelliàna B.C.	(*ro*) Duke of Bedford's	———	1824.	——	G	h	Lodd. bot. cab. t. 1013.
407	Sainsburyàna S.S.	(*ro*) Sainsbury's	———	1804.	7. 9.	G	h	Andr. heath. v. 4.
408	sàlax L.T.	(*ro*) broad-stigma'd	———	1796.	5. 9.	G	h	
409	Salisburyàna S.S.	(*ro*) Salisbury's	———	1815.	——	G	h	Andr. heath. v. 4.
410	sanguínea B.C.	(*cr*) bloody	———	....	3. 8.	G	h	Lodd. bot. cab. t. 36.
411	sanguinolénta B.M.	(*pu*) dark-flowered	———	1810.	——	G	h	Bot. mag. t. 2263.
	pygmæ'a Andr. heath. v. 4.							
412	Savileàna	(*re*) Savile's	———	1800.	6. 7.	G	h	Lodd. bot. cab. t. 96.
413	scabriúscula B.C.	(*wh*) roughish	———	——	——	G	h	——— t. 517.
414	scariòsa B.C.	(*li*) scariose	———	——	——	G	h	——— t. 477.
415	Schóllii B.C.	(*pu*) Scholl's	———	1790.	5. 9.	G	h	——— t. 538.
416	scopària W.	(*gr*) small green-fld.	S. Europe	1770.	4. 5.	F	h	Linn. eric. n. 14. f. fl.
417	Sebàna H.K.	(*re*) Seba's	C. B. S.	1774.	3. 6.	G	h	Andr. heath. v. 1.
	α fúsca Lod.	(*br*) *brown-flowered*	———	——	——	G	h	
	β lùtea Lod.	(*ye*) *yellow-flowered*	———	——	——	G	h	Lodd. bot. cab. t. 266.
	γ minor Lod.	(*or*) *smaller*	———	——	——	G	h	
418	selaginifòlia L.T.	(*re*) Selago-leaved	———	1801.	2. 6.	G	h	
419	serpyllifòlia B.C.	(*li*) Serpyllum-leaved	———	1812.	5. 8.	G	h	Lodd. bot. cab. t. 744.
420	serratifòlia H.K.	(*ye*) saw-leaved	———	1790.	8.12.	G	h	Andr. heath. v. 1.
421	serrulàta L.C.	(*ye*) sawed	———	1814.	6. 8.	G	h	
422	setàcea A.H.	(*bh*) bristly-leaved	———	1796.	2. 8.	G	h	Andr. heath. v. 1.
423	sexfària H.K.	(*wh*) six-angled	———	1774.	5. 8.	G	h	——— v. 2.
424	Shannoniàna A.H.	(*bh*) Earl Shannon's	———	1800.	6. 7.	G	h	Lodd. bot. cab. t. 168.
425	sicæfòlia L.T.	(*re*) dagger-leaved	———	1791.	2. 7.	G	h	
426	simpliciflòra H.K.	(*y.re*) single-flowered	———	1774.	3. 7.	G	h	Wend. eric. 17. p. 69. ic.
427	Smithiàna L.C.	(*re*) Smith's	———	1810.	——	G	h	
428	sociflòra L.T.	(*gr*) green-pencilled	———	1799.	4. 5.	G	h	Andr. heath. v. 1.
	Sebàna víridis A.H.							
429	Solándri H.K.	(*re*) Solander's	———	1800.	3. 9.	G	h	Andr. heath. v. 2.
430	sórdida H.K.	(*br*) sordid	———	1790.	8. 5.	G	h	——— v. 1.
	lanifòra Wend.							
431	Sparrmánni H.K.	(*ye*) Sparrman's	———	1794.	9. 3.	G	h	Andr. heath. v. 3.
	áspera A.H. *hystricifòra* L.T.							
432	spársa L.C.	(*li*) scattered	———	1800.	3. 8.	G	h	Lodd. bot. cab. t. 1467.
433	speciòsa H.K.	(*or.re*) specious	———	——	6. 9.	G	h	Andr. heath. v. 2.
434	spicàta H.K.	(*gr*) spiked	———	1789.	1.12.	G	h	——— v. 1.
435	spiràlis L.C.	(*wh*) spiral	———	1816.	5. 8.	G	h	
436	spléndens W.	(*sc*) splendid	———	1792.	4. 9.	G	h	Wend. eric. 8. p. 5. ic.
437	spumòsa H.K.	(*st*) spumous	———	1786.	5. 8.	G	h	Lodd. bot. cab. t. 566.
438	spùria H.K.	(*pi*) spurious	———	1796.	4. 8.	G	h	Andr. heath. v. 1.
439	squamæflòra L.T.	(*pi*) scaly-flowered	———	....	5.11.	G	h	
440	squamòsa H.K.	(*li*) scaly-cupped	———	1794.	4. 6.	G	h	Andr. heath. v. 3.
441	squarròsa L.T.	(*pu*) squarrose	———	....	3. 8.	G	h	
442	stagnàlis L.T.	(*bh*) stagnant	———	1790.	3. 6.	G	h	
443	stamínea A.H.	(*st*) reflex-stemmed	———	1799.	6. 9.	G	h	Andr. heath. v. 3.
444	stellàta B.C.	(*wh*) starry	———	1806.	——	G	h	Lodd. bot. cab. t. 893.
	solandroides Andr. heath. v. 4.							
445	stellífera S.S.	(*bh*) star-bearing	———	——	4. 8.	G	h	Andr. heath. v. 4.
446	stenántha	(*bh*) slender blush-flower'd	—	1820.	5. 8.	G	h	——— v. 4.
	tenuiflòra γ cárnea A.H. v. 4.							
447	stricta H.K.	(*li*) straight-branch'd	S. Europe	1765.	8.11.	H	h	Andr. heath. v. 2.
448	strigòsa H.K.	(*li*) dwarf downy	C. B. S.	1775.	3. 8.	G	h	
449	struthiolæflòra L.C.	(*wh*) Struthiola-flower'd	—	1812.	5. 8.	G	h	
450	stylàris S.S.	(*re*) prominent-styled	———	——	——	G	h	
451	stylòsa L.T.	(*li*) long-styled	———	1789.	1. 8.	G	h	
452	suavèolens L.C.	(*li*) sweet	———	1800.	5.11.	G	h	Lodd. bot. cab. t. 24.
453	subulàta S.S.	(*re*) awl-leaved	———	1818.	6. 8.	G	h	
454	sulphùrea B.M.	(*st*) sulphur-coloured	———	1812.	3. 5.	G	h	Bot. mag. t. 1984.
455	supérba	(*re*) superb	———	1795.	6. 9.	G	h	Andr. heath. c. ic.

	formòsa A.H. *nec aliorum.*							
	α coccínea (*sc*) *scarlet*	C. B. S.	1795.	6. 9.	G	h	Andr. heath. v. 1.
	β ròsea (*ro*) *rose-coloured*	———	——	——	G	h	——— v. 2.
	γ bícolor (*ye.gr*) *two-coloured*	———	——	——	G	h	——— v. 4.
456	Swainsoniàna S.S.(*pi*) Swainson's	———	1810.	6. 7.	G	h	——— v. 4.
457	tardifiòra L.T. (*li*) pubescent	———	1790.	3. 8.	G	h	Bot. mag. t. 480.
	pubéscens B.M. *non* L.						
458	taxifòlia H.K. (*bh*) yew-leaved	———	1788.	7.11.	G	h	Andr. heath. v. 1.
459	tegulæfòlia L.T.(*wh*)tiled	———	....	1. 5.	G	h	
460	Templèæ A.H. (*ro*) Lady Temple's	———	1820.	5. 8.	G	h	Andr. heath. v. 4.
461	tenélla H.K. (*re*) delicate	———	1791.	8. 5.	G	h	——— v. 2.
462	tenuiflòra A.H.(*st*) slender yellow-flower'd	—	1800.	4. 6.	G	h	——— v. 3.
463	tenuifòlia H.K. (*re*) slender-leaved	———	1794.	4. 8.	G	h	Seb. mus. 1. t. 73. f. 6.
464	ténuis L.T. (*wh*) slender	———	1790.	8. 2.	G	h	
465	tenuíssima S.S.(*re*) very slender	———	1803.	2. 8.	G	h	Wend. eric. 6. p. 9. ic.
466	tetragòna H.K. (*ye*) square-flowered	———	1789.	7. 9.	G	h	Andr. heath. v. 3.
467	Tétralix H.K. (*li*) cross-leaved	Britain	....	6. 8.	H	h	Eng. bot. v. 15. t. 1014.
	α rùbra (*re*) *red-flowered*	———	....	——	H	h	
	β cárnea (*li*) *flesh-coloured*	———	....	——	H	h	
	γ álba (*wh*) *white-flowered*	———	....	——	H	h	
468	teucriifòlia S.S.(*pu*) Teucrium-leaved	C. B. S.	1812.	5. 9.	G	h	
469	thalictriflòra S.S.(*wh*)meadow-rue-flowered	—	1810.	——	G	h	Lodd. bot. cab. t. 1294.
470	Thunbérgii H.K.(*or*)Thunberg's	———	1794.	5. 8.	G	h	Bot. mag. t. 1214.
471	thymifòlia H.K.(*re*) Thyme-leaved	———	1789.	——	G	h	Andr. heath. v. 2.
472	tiaræflòra H.K. (*re*) turban-flowered	———	1800.	——	G	h	——— v. 3.
473	togàta B.M. (*re*) large-cupped	———	1812.	6. 8.	G	h	Bot. mag. t. 1626.
474	tomentòsa L.T.(*wh*) woolly-flower'd	———	....	2. 8.	G	h	
475	tortuòsa L.C. (*wh*) twisted	———	1816.	3. 6.	G	h	
476	tótta S.S. (*wh*) bristly-branched	———	1822.	——	G	h	
477	tragulífera L.T. (*li*) broad-anthered	———	....	5. 8.	G	h	
478	translùcens Lee.(*bh*) translucent	———	1797.	——	G	h	
479	transpàrens Th.(*bh*)transparent	———	1800.	——	G	h	
480	tríceps B.C. (*wh*) three-headed	———	1809.	——	G	h	Lodd. bot. cab. t. 962.
481	trícolor H.S.L. (*or.r.gr*) three-coloured	———	1803.	6. 9.	G	h	Andr. heath. v. 3.
	aristàta mìnor A.H. *non trícolor* S.S.						
	β supérba Paxt. *superb*	C. B. S.	1836.	5. 2.	G	h	
482	triflòra H.K. (*wh*) three-flowered	———	1774.	3. 6.	G	h	Lodd. bot. cab. t. 1733.
483	triphy'lla L.en.(*re.ye*) three-leaved	———	1812.	——	G	h	
484	triúmphans B.C.(*wh*) triumphant	———	——	5.10.	G	h	Lodd. bot. cab. t. 257.
485	tróssula B.C.(*wh.pi*) dapper	———	——	——	G	h	——— t. 668.
486	tuberculàris L.T.(*pu*) tubercled	———	1790.	2. 8.	G	h	
487	tubiflòra H.K. (*pi*) tube-flowered	———	1775.	4. 7.	G	h	Andr. heath. v. 1.
488	tubiúscula B.C. (*re*) small-tubed	———	1822.	——	G	h	Lodd. bot. cab. t. 1157.
489	tùmida B.R. (*sc*) tumid	———	1812.	5. 9.	G	h	Bot. reg. t. 65.
490	turbiniflòra L.T.(*wh*) top-flowered	———	1793.	10.2.	G	h	
491	túrgida L.en. (*pi*) turgid	———	1800.	3. 6.	G	h	Andr. heath. v. 4.
	taxifòlia β màjor A.H. v. 4.						
492	turrígera L.T. (*li*) Cypress	———	1796.	6. 9.	G	h	
	cuprèssina Hort.						
493	umbellàta H.K.(*re*) umbelled	Portugal	1782.	5. 7.	F	h	Andr. heath. v. 2.
494	undulàta A.H. (*cr*) crumple-fld.	C. B. S.	1824.	5. 8.	G	h	——— v. 4.
495	ùnica S.S. (*bh*) one-flowered	———	1812.	5. 7.	G	h	——— v. 4.
	pedunculàta A.H. *nec aliorum.*						
496	urceolàris H.K.(*wh*)pitcher-flowered	———	1778.	——	G	h	Icon. hort. kew. t. 16.
497	ursìna Lee (*wh*) shaggy	———	1812.	4. 8.	G	h	
498	vàgans H.K. (*bh*) Cornish	Cornwall	....	7. 8.	H	h	Eng. bot. v. 1. t. 3.
499	*β álba* (*wh*) *white-flowering*	———	....	——	H	h	
500	vària B.C. (*va*) variable	C. B. S.	1820.	5. 8.	G	h	Lodd. bot. cab. t. 1325.
501	velitàris L.T. (*bh*) javelin-flower'd	———	1790.	1. 6.	G	h	
502	velleriflòra H.K.(*bh*)woolly-flowered	———	1774.	2. 6.	G	h	Andr. heath. v. 1.
	bruniàdes A.H.						
503	ventricòsa H.K.(*bh*) porcelain	———	1787.	4. 9.	G	h	Bot. mag. t. 350.
504	ventròsa (*wh*) tun-bellied	———	1822.	5. 8.	G	h	Andr. heath. v. 4.
	obbàta β umbellàta A.H. v. 4.						
505	verecúnda L.T. (*bh*) blushing	———	1791.	4. 9.	G	h	Andr. heath. v. 1.
	cérnua A.H. *non* Thunb.						
506	vernàlis B.C. (*pi*) vernal	———	1827.	3. 4.	G	h	Bot. cab. t. 1608.
507	vernicíflua L.T.(*wh*) viscous-leaved	———	1804.	3. 9.	G	h	
508	versícolor H.K.(*sc.or*)various-colored	———	1790.	11.5.	G	h	Andr. heath. v. 1.

509 verticillàta A.H.	(sc) verticillate	C. B. S.	1774.	7.10.	G	h	Andr. heath v. 1.
510 vesiculàris L.T.	(bh) bladdered	———	1796.	2. 8.	G	h	
511 vestíflua L.T.	(re) clothed	———	——	3. 6.	G	h	
512 vestita H.K.	(va) tremulous	———	1789.	1.12.	G	h	
α álba H.K.	(wh) white	———	——	——	G	h	Andr. heath. v. 1.
β incarnàta H.K.	(fl) flesh-coloured	———	——	——	G	h	——— v. 2.
γ purpùrea H.K.	(pu) purple-flowered	———	——	——	G	h	——— v. 1.
δ ròsea H.K.	(ro) rose-coloured	———	——	——	G	h	——— v. 2.
ε fúlgida H.K.	(sc) bright red	———	——	——	G	h	——— v. 2.
ζ coccínea H.K.	(sc) scarlet	———	——	——	G	h	——— v. 1.
η lùtea H.K.	(ye) yellow	———	——	——	G	h	——— v. 3.
513 villòsa H.K.	(wh) villous	———	1800.	2. 6.	G	h	——— v. 3.
514 virgàta S.S.	(wh) twiggy	———	1824.	——	G	h	
515 viridéscens B.C.	(gr) greenish	———	....	1. 6.	G	h	Lodd. bot. cab. t. 223.
516 viridiflòra A.H.	(gr) green-flowered	———	1820.	5. 8.	G	h	Andr. heath. v. 4.
517 viridipurpùrea W.	(gr) green&purple	Portugal	....	——	F	h	Linn. eric. n. 9. f. fl.
518 víridis H.K.	(gr) green-flowered	C. B. S.	1800.	——	G	h	Andr. heath. v. 2.
519 viscària H.K.	(li) clammy-flower'd	———	1774.	3. 7.	G	h	Icon. hort. kew t. 1.
520 Walkeriàna	(re) Walker's	———	1806.	6. 8.	G	h	Andr. heath. v. 4.
Walkèria β ròbra A.H. v. 4.							
521 xeranthemifòlia L.T.	Xeranthemum-ld.	———	1812.	5. 8.	G	h	
522 Zeyhèri S.S.	(li) Zeyher's	———	1824.	——	G	h	

GYPSOCA'LLIS DS. Gypsoca'llis. (γυψος, lime, and καλλιστος, most beautiful.) Oct. Mon.

vàgans D.S.	(re) common	England	....	6. 8.	H	h	Eng. bot. t. 3.

Erica vàgans L. *All* Eri'cæ *with globular, ovate or campanulate flowers, having the stamens exserted, belong to this genus.*

PACHY'SA D.S. Pachy'sa. (παχυς, thick; corolla.) Octandria Monogynia.

árdens D.S.	(or.re) ardent	C. B. S.	1800.	4. 6.	G	h	Lodd. bot. cab. t. 47.

Erica árdens Andr. *The Erica vérnix, Lambertiàna, physòdes, báccans, fasciculàris, and glomiflòra belong to this genus.*

CERA'MIA DS. Cera'mia. (κεραμιον, a pitcher; form of corolla.) Octandria Monogynia.

urceolàris D.S.	(wh) pitcher-flower'd	C. B. S.	1778.	5. 6.	G	h	Bauer. pl. kew. t. 16.

Erica urceolàris Berg. *The Erica marifòlia, planifòlia, thymifòlia, cordàta, latifòlia, obliqua, oxycoccifòlia, and serpyllifòlia belong to this genus.*

DE'SMIA DS. De'smia. (δεσμη, a fascicle; flowers.) Octandria Monogynia.

conférta D.S.	(wh) crowded-fld.	C. B. S.	1800.	10.2.	G	h	Lodd. bot. cab. 1334.

Erica conférta Andr.

EURY'LEPIS DS. Eury'lepis. (ευρυς, wide, and λεπις, a scale.) Octandria Monogynia.

Halicácaba D.S.	(ye.gr) kettle-flowd.	C. B. S.	1780.	5. 8.	G	h	Andr. eric. vol. 2.

Erica Halicácaba Th. *The Erica álbens, tetragòna, Thunbérgii, bracteàta, mucronàta, petiolàta, obcordàta, crossàta, fràgrans, sexfària, triflòra, and Monsòniæ belong to this genus.*

EURYSTE'GIA D.S. Euryste'gia. (ευρυς, wide, and στεγη, a cover.) Octandria Monogynia.

glaúca D.S.	(pu) glaucous	C. B. S.	1792.	5. 7.	G	h	Bot. mag. t. 580.

Erica glaúca Andr. *The Erica élegans, andromedæflòra, lanuginòsa, emarginàta, tríceps, triúmphans, and lachneæfòlia belong to this genus.*

LOPHA'NDRA D.S. Lopha'ndra. (λοφος, a crest, and ανηρ, a male; anthers.) Oct. Mon.

cùbica D.S.	(re) cube-flowered	C. B. S.	1790.	4. 9.	G	h	Andr. heath. vol. 1.

Erica cùbica Andr.

LAMPRO'TIS D.S. Lampro'tis. (λαμπροτης, splendour; calyx.) Octandria Monogynia.

calycina D.S.	(re) large-calyxed	C. B. S.	1799.	6. 9.	G	h	Lodd. bot. cab. 524.

Erica calycina L. *The Erica corifòlia, pállida, túrgida, spumòsa, flagellàris, flagelliformis, gnaphalòdes, modésta, paniculàta, taxifòlia, squammòsa, tenuifòlia, lùtea, biflòra, oppositifòlia, rubélla, and togàta belong to this genus.*

CALLI'STA D.S. Calli'sta. (καλλιστος, most beautiful; flowers.) Octandria Monogynia.

ventricòsa D.S.	(re) ventricose	C. B. S.	1787.	4. 9.	G	h	Bot. mag. t. 350.

Erica ventricòsa L. *The Erica muscàri, fastigiàta, hyacinthoìdes, præstans, múndula, moschàta, blánda, primuloìdes, Swainsònii, and many others, belong to this genus.*

EURYLO'MA D.S. Eurylo'ma. (ευρυς, wide, and λωμα, a margin; limb.) Octandria Monogynia.

Aitòni D.S.	(re.wh) Aiton's	C. B. S.	1790.	6. 9.	G	h	Bot. mag. t. 429.

Erica Aitòni Andr. *The Erica jasminiflòra, tricolor, ampullàcea, Shannoniàna, Irbyàna, prínceps, retórta, aristàta, and obbàta belong to this genus.*

CHO'NA D.S. Cho'na. (χωνη, a funnel; form of corolla.) Octandria Monogynia.

sanguínea D.S.	(re) bloody-flowered	C. B. S.	1799.	1.12.	G	h	Andr. heath. vol. 2.

Erica Nivènia Andr.

SYRINGO'DEA D.S. Syringo'dea. (συριγξ, a tube; form of corolla.) Octandria Monogynia.

Leeàna D.S.	(or.re) Lee's	C. B. S.	1788.	5. 1.	G	h	Lodd. bot. cab. 298.

Erica Leeàna Ait., *as well as all other Ericæ with long tubular flowers, belong to this genus.*

DASYA'NTHES D.S. Dasya'nthes. (δασυς, thick, and ανθος, a flower.) Octandria Monogynia.

Sparmánni D.S.	(ye) Sparmann's	C. B. S.	1788.	9. 2.	G	h	Andr. heath. vol. 3.

Erica Sparmánni L.

ECTA'SIS. D.S. ECTA'SIS. (εκτασις, extension; stamens protruding.) Octandria Monogynia.
Petivèrii D.S. (ye) Petiver's C. B. S. 1774. 3. 7. G ♄ Lodd. bot. cab. t. 144.
Erica Petivèrii L. *The Erica Plukenètii, bruniàdes, Banksiàna, Sebàna, monadélpha, folliculaeria, and stellàris belong to this genus.*

ERIODE'SMIA D.S. ERIODE'SMIA. (εριον, wool, and δεσμη, a bundle.) Octandria Monogynia.
capitàta D.S. (wh) capitate C. B. S. 1774. 7. 8. G ♄ Andr. heath. vol. 1.
Erica capitàta L.

OCTOPE'RA D.S. OCTOPE'RA. (οκτω, eight, and πηρα, a sack; capsule 8-celled.) Oct. Mon.
Bergiàna D.S. (re) Bergius's C. B. S. 1787. 4. 8. G ♄ Andr. heath. vol. 2.
Erica Bergiàna L.

ERE'MIA D.S. ERE'MIA. (ερημος, solitary; seeds in cells.) Octandria Monogynia.
tótta D.S. (re) Hottentot C. B. S. 1810. 6. 7. G ♄

BLÆ'RIA D.S. BLÆ'RIA. (Patrick Blair, M.D., F.R.S., author of Bot. Essays.) Tetrand Monog.

1	ericoides D.S.	(pu) heath-leaved	C. B. S.	1774. 8.10.	G	♄	Wendl. coll. 1. t. 25.
2	muscòsa D.S.	(wh) Moss-leaved	———	—— 6. 8.	G	♄	
3	fasciculàta D.S.	(wh) close-headed	———	1812. ——	G	♄	
4	paucifòlia D.S.	(fl) few-leaved	———	—— ——	G	♄	Wendl. coll. 2. t. 43.
5	articulàta D.S.	(bh) jointed	———	1795. 5. 6.	G	♄	——— 2. t. 44.
6	scàbra D.S.	(wh) rough	———	1806. ——	G	♄	——— 1. t. 31.
7	depréssa D.S.	(pu) depressed	———	1816. ——	G	♄	
8	purpùrea D.S.	(pu) purple-flowered	———	1791. ——	G	♄	
9	dumòsa D.S.	(ro) bushy	———	1806. 6. 8.	G	♄	Wendl. coll. 2. t. 38.
10	glabélla D.S.	(wh) smooth	———	1816. ——	G	♄	Seb. thes. 1. t. 20. f. 2.
11	ciliàris D.S.	(wh) fringed	———	1795. ——	G	♄	Wendl. coll. 2. t. 49.

SYMPIE'ZA D.S. SYMPIE'ZA. (συμπιεζω, to press; stamens to tube.) Tetrandria Monogynia.
capitellàta D.S. (pu) headed C. B. S. 1812. 6. 8. G ♄ Wendl. coll. 2. t. 37.
Blæ'ria bracteàta Wend.

Subtribe II. ANDROME'DEÆ. DS. 3. p. 828.

ANDRO'MEDA D.S. ANDRO'MEDA. (in mythol. daughter of Cepheus.) Decandria Monogynia.

1	polifòlia D.S.	(ro) wild rosemary	Britain	.... 6. 7.	H	♄	Eng. bot. v. 10. t. 713.
	β *glaucophy'lla*	L.en.(wh) *glaucous-ld*	N. America	.... 5. 9.	H	♄	
	γ *subulàta* P.S.	(ro) *awl-leaved*	Europe	.... ——	H	♄	
	δ *grandiflòra* B.C.	(pk) *large-flowered*	Ingria	1790. 4.	H	♄	Bot. cab. t. 1714.
	ε *revolùta* B.C.	(pk) *revolute-leaved*	N. Europe	1783. 4. 5.	H	♄	——— t. 1725.
2	rosmarinifòlia Ph.	(bh) Rosemary-ld.	N. America	.... 5. 9.	H	♄	Pall. ross. 2. t. 70. f. B.

CASSI'OPE DS. CASSI'OPE. (wife of Cepheus.) Decandria Monogynia.

1	hypnoìdes D.S.	(wh) Moss-like	Lapland	1798. 6. 7.	H	♄	Bot. mag. t. 2936.
	Andrómeda hypnoìdes L.						
2	tetragòna D.S.	(wh) four-sided	———	1810.	H	♄	Bot. mag. t. 3181.
	Andrómeda tetragòna L.						

CASSA'NDRA D.S. CASSA'NDRA. (daughter of Priamus and Hecuba.) Decandria Monogynia.

1	calyculàta D.S.	(wh) various-leaved	Russia	1748. 2. 4.	H	♄	Pall. ross. 2. t. 72. f. 1.
	Andrómeda calyculàta L.						
	α *ventricòsa* H.K.	(wh) *globe-flowered*	———	—— ——	H	♄	Bot. mag. t. 1286.
	β *nàna* B.C.	(wh) *dwarf*	.....	.... ——	H	♄	Lodd. bot. cab. t. 862.
	γ *latifòlia* H.K.	(wh) *broad-leaved*	Newfdld.	.... ——	H	♄	——— t. 530.
2	angustifòlia D.S.	(wh) narrow-leaved	N. America	.... ——	H	♄	
	crispa Link enum.						

ZENO'BIA D.S. ZENO'BIA. (Queen of Palmyra.) Decandria Monogynia.

	speciòsa D.S.	(wh) large-flowered	Carolina	1800. 6. 9.	H	♄	Swt. br. fl. gar. s. 2. t. 330.
	Andrómeda speciòsa L.						
	α *nítida* Ph.	(wh) *smooth-leaved*	———	—— ——	H	♄	Bot. mag. t. 970.
	cassinæfòlia B.M.						
	β *glaúca* W.D.	(wh) *glaucous-leaved*	———	—— ——	H	♄	Wats. dend. brit. t. 26.
	Andrómeda dealbàta Bot. reg. t. 1010.						
	β *pulveruléuta* Ph.	(wh) *mealy-leaved*	———	—— ——	H	♄	Bot. mag. t. 667.

LYO'NIA D.S. LYO'NIA. (John Lyon, collector of American plants.) Decandria Monogynia.

§ 1. *Leaves evergreen.*

1	ferrugínea D.S.	(wh) rusty-leaved	Georgia	1784. 6. 7.	G	♄	Venten. malm. t. 80.
	Andrómeda ferrugínea W.						

rígida D.S.	(wh)	rigid	Georgia	1774.	4.	5.	G	♄	Lodd. bot. cab. t. 430.
salicifòlia D.S.	(wh)	Willow-leaved	N. America	....	6.	7.	H	♄	Wats. dend. brit. t. 38.
		§ 2. *Leaves deciduous.*							
marginàta D.S.	(pk)	thick-leaved	N. America	1765.	6.	8.	H	♄	Bot. mag. t. 1095.
Andrómeda coriàcea L. *lùcida* Lam. *nítida* Mx. *Mariàna* Jacq. ic. 3. t. 79. *not* of others.									
racemòsa D.S.	(wh)	branching	N. America	1736.	7.		H	♄	L'her. stirp. 2. t. 13.
paniculàta D.S.	(wh)	panicled	———	1748.	5.	6.	H	♄	Wats. dend. brit. t. 37.
arbòrea D.S.	(wh)	Sorrel-tree	———	1752.	7.	9.	H	♄	Bot. mag. t. 905.
capreæfòlia DS.	(wh)	tendril-leaved	———	1812.	——		H	♄	Wats. dend. brit. t. 127.
multiflòra D.S.	(wh)	many-flowered	———	——	——		H	♄	——— t. 128.
frondòsa D.S.	(wh)	bristly-flower'd	———	1806.	5.	6.	H	♄	
fasciculàta D.S.	(wh)	bundle-flower'd	Jamaica	1822.	——		G	♄	
jamaicénsis D.S.	(wh)	Jamaica	———	1793.	——		G	♄	
mariàna D.S.	(bh)	Maryland	N. America	1736.	6.	7.	H	♄	Pluk. mant. t. 448. f. 6.
α *ovàlis*	(bh)	*oval-leaved*	———	——	——		H	♄	Bot. mag. t. 1579.
β *oblónga*	(bh)	*oblong-leaved*	———	——	——		H	♄	
LEUCOTHO'E D.S. Leucotho'e. (mythological name.) Decandria Monogynia.									
acuminàta D.S.	(wh)	acute-leaved	N. America	1765.	8.		H	♄	Sm. exot. bot. 2. t. 89.
Andrómeda acuminàta L.									
spinulòsa D.S.	(wh)	spiny-leaved	———	1793.	6.	7.	H	♄	Bot. mag. t. 1955.
Andrómeda Catesbæ'i W.									
axillàris D.S.	(wh)	axil-flowering	———	1765.	5.	8.	H	♄	Duham. ar. ed. nov. t. 39.
β *longifòlia*	(wh)	*long-leaved*	———	——	——		H	♄	Bot. mag. t. 2357.
floribúnda D.S.	(wh)	many-flowered	Georgia	1812.	5.	6.	H	♄	——— t. 1566.
spicàta D.S.	(wh)	spiked	N. America	....	6.	7.	H	♄	Wats. dend. brit. t. 36.
PIE'RIS D.S. Pie'ris. (one of the Muses.) Decandria Monogynia.									
japónica D.S.	(wh)	Japan	Japan	1806.	5.	6.	H	♄	Thunb. jap. 181. t. 22.
Andrómeda japónica Th.									
ovalifòlia D.S.	(bh)	oval-leaved	Nepaul	1823.	——		G	♄	Wall. as. res. 13. p. 39. ic.
sinénsis B.C.	(bh)	Chinese	China	1826.	——		G	♄	Bot. cab. 1648.
AGARI'STA D.S. Agari'sta. (a mythological name.) Decandria Monogynia.									
buxifòlia D.S.	(cr)	Box-leaved	Mauritius	1822.	4.	6.	G	♄	Bot. mag. t. 2660.
Andrómeda buxifòlia P.S.									
2 salicifòlia D.S.	(grh)	Willow-leaved	———	1828.	5.	6.	S	♄	Bot. mag. t. 3286.
PHYLLO'DOCE DS. Phyllo'doce. (mythological name.) Octandria Monogynia.									
1 taxifòlia DS.	(pu)	Yew-leaved	Scotland	....	6.	7.	H	♄	Eng. bot. t. 2169.
Menzièsia cærùlea Swartz.									
2 empetriformis DS.	(re)	Empetrum-like	N. America	1810.	——		H	♄	Bot. mag. t. 3176.
DABŒ'CIA DS. Dabœ'cia. (called St. Dabeoc's Heath in Ireland.) Octandria Monogynia.									
polifòlia DS.	(pu)	Irish	Ireland	....	6.	9.	H	♄	Eng. bot. v. 1. t. 35.
Erica Daboècia E.B. *Menzièsia polifòlia* Juss.									
β *nàna*	(pu)	*dwarf*	.....	....	——		H	♄	
γ *álba* D. Don.	(wh)	*white-flowered*	Ireland	....	——		H	♄	Swt. br. fl. gar. s. 2. t. 276.
ENKIA'NTHUS DS. Enkia'nthus. (εγκυος, pregnant, and ανθος, a flower.) Decand. Monogy.									
1 quinquefiòrus DS.	(pi)	Canton	China	1812.	10.	2.	G	♄	Bot. reg. t. 884.
2 reticulàtus DS.	(bh)	netted-leaved	———	1820.	——		G	♄	——— t. 885.
A'RBUTUS DS. Strawberry-tree. (*ar-boise*, Celt., an austere bush.) Decand. Monogy.									
1 Unedo DS.	(wh.re)	common	Ireland	....	9.	12.	H	♄	Eng. bot. v. 34. t. 2377.
β *rùbra*	(re)	*red-flowered*	———	....	——		H	♄	Lodd. bot. cab. t. 123.
γ *flòre plèno*	(wh)	*double-flowered*	———	....	——		H	♄	
δ *schizopétala*	(wh)	*jagged-petalled*	———	....	——		H	♄	
ε *integrifòlia*	(wh)	*entire-leaved*	———	....	——		H	♄	
ζ *crispa*	(wh)	*curled-leaved*	———	....	——		H	♄	
η *salicifòlia*	(wh)	*Willow-leaved*	———	....	——		H	♄	
2 canariénsis DS.	(ro)	long-leaved	Canaries	1796.	5.	6.	G	♄	Bot. mag. t. 1577.
3 hybrida DS.	(wh)	hybrid	Hybrid	....	——		H	♄	Bot. reg. t. 619.
serratifòlia B.C. 580. *andrachnoìdes* L. en.									
4 Millèri DS.	....	Miller's	Hybrid	1825.	....		H	♄	
5 Andráchne DS.	(wh)	oriental	Levant	1724.	3.	4.	H	♄	Bot. reg. t. 113.
6 procèra DS.	(wh)	tall	N. America	1825.	4.		H	♄	——— t. 1753.
7 Menzièsii DS.	(wh)	Mr. Menzies's	———	——	....		H	♄	
8 densiflòra DS.	(wh)	dense-flowered	Mexico	1826.	....		F	♄	
9 laurifòlia DS.	(wh)	Laurel-leaved	———	1825.	....		F	♄	
10 phillyreæfòlia DS.	(wh)	Phillyrea-leaved	Peru	1812.	....		G	♄	
11? pùmila DS.	(wh)	dwarf	Magellan	1824.	....		G	♄	
ARCTOSTA'PHYLOS DS. Arctosta'phylos. (αρκτος, a bear, and σταφυλη, a grape.) Dec. Mono.									
1 Uva-úrsi DS.	(bh)	Bear-berry	Britain	....	4.	6.	H	♄	Eng. bot. v. 10. t. 714.
A'rbutus Uva-úrsi E.B. *Mairània Uva-úrsi* Desv.									
2 alpìna DS.	(pi)	Alpine	Scotland	....	4.	5.	H	♄	Eng. bot. v. 29. t. 2030.

3 tomentòsa B.R. (*wh*) woolly N. America 1825. .... H ♄ Bot. mag. t. 3320.
A'rbutus tomentòsa Ph. Bot. reg. t. 1791.

PERNE'TTYA DS. PERNE'TTYA. (M. Pernetty, a traveller.) Decandria Monogynia.
1 mucronàta DS. (*wh*) mucronate Magellan .... 5. 6. H ♄ Bot. reg. t. 1675.
A'rbutus mucronàta L. B.M. t. 3093.
2 pilòsa DS. (*wh*) hairy Mexico 1830. 4. 5. H ♄ Bot. mag. t. 3177.

GAULTHE'RIA DS. GAULTHE'RIA. (M. Gaulther, a phys. and bot.) Decandria Monogynia.
1 procúmbens DS. (*bh*) trailing N. America 1762. 7. 9. H ♄ Andr. reposit. t. 116.
2 fragrantíssima DS. (*wh*) fragrant Nepaul 1824. .... H ♄ Wal. as. res. 13. p. 297. ia
3 Shállon DS. (*bh*) Shallon N. America 1827. 5. 6. H ♄ Bot. mag. t. 2848.

EPIGÆ'A DS. EPIGÆ'A. (*επι*, upon, and *γαια*, the earth; trailing.) Decandria Monogynia.
rèpens DS. (*wh*) creeping N. America 1736. 7. 8. H ♄ Bot. reg. t. 201.
β *rubicúnda* D.Don. (*re*) *red-flowered* .... 3. 4. H ♄ Swt. br. fl. gar. s. 2. t. 384.

PHALEROCA'RPUS DS. PHALEROCA'RPUS. (*φαληρος*, white, and *καρπος*, a fruit.) Octand. Monogy.
serpyllifòlia DS. (*pi*) Wild thyme-ld. N. America 1776. 5. 7. H ♄ Mich. amer. t. 23.
Vaccínium hispídulum W. *Oxycóccus hispídulus* P.S. *A'rbutus thymifòlia* L. *Gaulthèria serpyllifòlia* Ph.

CLE'THRA DS. CLE'THRA. (*κληθρα*, Greek name for alder; leaves like.) Decand. Monogy.
1 alnifòlia DS. (*wh*) Alder-leaved N. America 1731. 8. 10. H ♄ Lam. ill. t. 369.
2 tomentòsa DS. (*wh*) woolly-leaved —— —— —— H ♄ Wats. dend. brit. t. 39.
3 scàbra DS. (*wh*) rough-leaved Georgia 1806. —— H ♄
4 acuminàta DS. (*wh*) acute-leaved Carolina —— —— H ♄ Lodd. bot. cab. t. 1427.
5 paniculàta DS. (*wh*) panicled N. America 1770. —— H ♄
6 arbòrea DS. (*wh*) tree Madeira 1784. —— G ♄ Bot. mag. t. 1057.
β *variegàta* (*wh*) *variegated* —— —— —— G ♄
γ *minor* (*wh*) *dwarf* —— .... —— G ♄
7 ferrugínea DS. (*wh*) ferruginous S. America 1818. —— G ♄ Flor. per. 4. t. 380. f. b.
8 tinifòlia DS. (*wh*) Tinus-leaved Jamaica 1825. .... S ♄ Brown jam. t. 21. f. 1.

MYLOCA'RYUM W.en. BUCKWHEAT-TREE. (*μυλη*, a mill, and *καρυον*, a nut.) Decand. Monogy.
ligústrinum Ph. (*wh*) Privet-leaved Georgia 1786. 5. 6. G ♄ Bot. mag. t. 1625.
Clíftònia ligústrina S.S.

BROSSÆ'A L. BROSSÆ'A. (G. de la Brosse, French physician.) Pentandria Monogynia.
coccínea L. (*sc*) scarlet S. America .... S ♄ Lam. ill. t. 111. f. 3.

CYRI'LLA L. CYRI'LLA. (D. Cyrillo, M.D., a Neapolitan bot.) Pentandria Monogynia.
racemiflòra L. (*wh*) Carolina Carolina 1765. 6. 8. F ♄ Bot. mag. t. 2456.
carolinièna P.S. *I'tea Cyrílla* W.

Tribe II. *RHODO'REÆ*. DS. 3. p. 842.

RHODODE'NDRON DS. RHODODE'NDRON. (*ροδον*, a rose, and *δενδρον*, a tree.) Pent-Dec. Mono.
Sect. 1. PO'NTICUM; *calyx* 4-*lobed*; *corolla campanulate*; *stamens* 10; *ovarium* 5-*celled*; *leaves coriaceous, evergreen.*

1 pónticum DS. (*va*) common Gibraltar 1763. 5. 6. H ♄ Bot. mag. t. 650.
α *purpùreum* (*pu*) *purple* —— —— —— H ♄
β *ròseum* (*ro*) *rose-coloured* —— .... —— H ♄
γ *álbum* (*wh*) *white* —— .... —— H ♄
δ *variegàtum* (*li*) *variegated* —— .... —— H ♄
ε *marginàtum* (*li*) *silver-edged* —— .... —— H ♄
η *myrtifòlium* DS. (*pu*) *myrtle-leaved* —— .... 6. 8. H ♄ Lodd. bot. cab. t. 908.
ζ *Smíthii* DS. (*ro*) *Smith's* Hybrid .... 4. 5. H ♄ Swt. br. fl. gar. s. 2. t. 50.
ι *múltiplex* (*pu*) *double-blossom'd* —— .... 5. 6. H ♄
κ *obtùsum* DS. (*li*) *blunt-leaved* —— .... —— H ♄ Wats. dend. brit. t. 162.
2 azaleoìdes S.S. (*li*) Azalea-like —— .... —— H ♄ Andr. reposit. t. 379.
pónticum β, *subdecíduum* A.R.
3 hy'bridum B.R. (*li*) Herbert's hybrid —— .... —— H ♄ Bot. reg. t. 195.
máximum hy'bridum B.M. t. 3454.
4 Goweniànum B.F.G. (*pu*) Mr. Gowen's —— 1825. —— H ♄ Swt. br. fl. gar. t. 263.
5 máximum DS. (*bh*) large N. America 1736. 6. 8. H ♄ Bot. mag. t. 951.
β *álbum* Ph. (*wh*) *white-flowered* —— 1811. —— H ♄
6 purpùreum DS. (*pu*) purple-flowered —— .... —— H ♄
β *Russelliànum* DS. (*ro*) *Russell's* Hybrid .... —— H ♄ Swt. br. fl. gar. s. 2. t. 91
7 catawbiénse DS. (*ro*) Catawba N. America 1809. —— H ♄ Bot. mag. t. 1671.
β *altaclerénse* B.R. (*sc*) *Highclere* Hybrid .... —— H ♄ —— t. 3433.
8 Carnarvòni B.R. (*re*) Lord Carnarvon's Arb-catawb. — .... H ♄ Bot. reg. t. 1414.

9 chrysánthum DS. (*ye*) yellow		Siberia	1796.	6.	7.	H	♄	Sal. par. lond. t. 80.
officinàle P.L.								
10 caucásicum DS. (*ro.wh*) Caucasean		Caucasus	1803.	5.	7.	H	♄	Bot. mag. t. 1145.
β *stramíneum* B.M. (*st*) *straw-coloured*		———	....		——	H	♄	——— t. 3422.
γ *pulchérrimum* B.R. (*sc*) *very fair*		Hybrid	....		——	H	♄	Bot. reg. t. 1820.
δ *venústum* D.Don (*pk*) *showy*		———	1829.	3.	4.	H	♄	Swt. br. fl. gar. s. 2. t. 285.
11 Catesbæ'i DS.	(*ro*) Catesby's	N. America	....	5.	7.	H	♄	
12 punctàtum DS.	(*li*) dotted-leaved	———	1786.	6.	8.	H	♄	Andr. reposit. t. 36.
α *minus* DS.	(*li*) *smallest*	———	——		——	H	♄	Wats. dend. brit. t. 162.
β *majus* B.R.	(*li*) *larger*	———	1812.		——	H	♄	Bot. reg. t. 37.
13 ferrugíneum DS.	(*ro*) rusty-leaved	Switzerland	1752.	5.	7.	H	♄	Jacq. aust. 3. t. 255.
β *álbum* D.D.	(*wh*) *white-flowered*	Pyrenees	....		——	H	♄	Swt. br. fl. gar. s. 2. t. 258.
14 hirsùtum DS.	(*ro*) hairy-leaved	Switzerland	1656.		——	H	♄	Bot. mag. t. 1853.
15 setòsum DS.	(*pu*) bristly	Nepaul	1820.	....		G	♄	

Sect. 2. Boo'rans; *calyx* 5-*lobed*; *corolla campanulate*; *stamens* 10; *ovarium* 8-10-*celled*; *leaves coriaceous, evergreen.*

16 arbòreum DS.	(*sc*) tree	India	1817.	4.	6.	F	♄	Swt. br. fl. gar. t. 250.
β *ròseum*	(*ro*) *rose-coloured*	———	——		——	F	♄	——— s. 2. t. 339.
γ *undulàtum* D.D.	(*pu*) *undulated*	Hybrid	——		——	H	♄	——— s. 2. t. 341.
17 álbum DS.	(*wh*) snowy-white	India	——		——	F	♄	——— s. 2. t. 148.
arbòreum álbum Bot. reg. t. 1684.								
18 campanulàtum DS.	(*pk.wh*) bell-fid.	Nepaul	1824.	....		F	♄	——— s. 2. t. 241.
19 cinnamòmeum DS.	(*ro*) cinnamon-color'd	———	1826.	....		G	♄	Bot. reg. t. 1982.
arbòreum δ *cinnamòmeum* B.R.								
20 barbàtum DS.	(*re*) bearded	———	1837.	....		G	♄	

Sect. 3. Pogonanthe'ra; *calyx short*, 5-*lobed*; *corolla salver-shaped, with a cylindrical tube and a spreading limb*; *stamens* 8, *inclosed*; *ovarium* 5-*celled*; *leaves coriaceous, evergreen.*

21 anthopògon DS.	(*ro*) bearded-flower'd	Nepaul	1824.	....		G	♄	

Sect. 4. Lepi'pherum; *limb of calyx dilated*, 5-*lobed*; *corolla campanulate or rotate*; *stamens* 10; *ovarium* 5-*celled*; *leaves membranous, sometimes deciduous.*

22 lappónicum DS.	(*ro*) Lapland	Lapland	1827.	....		H	♄	Bot. mag. t. 3106.
Azàlea lappónica L.								
23 daúricum DS.	(*pu*) Daurian	Siberia	1780.	2.	4.	H	♄	Bot. mag. t. 636.
β *altàicum* DS.	(*li*) *Altay*	———	1824.		——	H	♄	
γ *sempervírens* DS.	(*d.pu*) *dark-green*	———	....		——	H	♄	Bot. reg. t. 194.

Sect. 5. Chamæci'stus; *limb of calyx foliaceous*, 5-*cleft*; *corolla rotate*; *stamens* 10; *ovarium* 5-*celled*; *leaves small, membranous.*

24 camtscháticum DS.	(*pi*) Kamtschatka	Kamtschatka	1802.	....		H	♄	Pall. ros. 1. t. 33.
25 chamæcístus DS.	(*pi*) Thyme-leaved	Siberia	1786.	5.	6.	H	♄	Bot. mag. t. 488.

Sect. 6. Tutsu'tsi; *limb of calyx foliaceous*, 5-*cleft*; *corolla campanulate*; *stamens* 10; *ovarium* 5-*celled*; *leaves membranous, evergreen, hispid.*

26 índicum DS.	(*va*) Indian	China	1808.	3.	5.	G	♄	
Azàlea índica B.M.								
α *puníceum*	(*pi*) *red-flowered*	———	——		——	G	♄	Bot. mag. t. 1480.
β *ignéscens* D.Don	(*sc*) *fiery*	———	....		——	G	♄	Swt. br. fl. gar. s. 2. t. 128.
γ *Smíthii* Swt.	(*sc*) *Smith's*	Hybrid	1826.	4.	7.	G	♄	——— s. 2. t. 117.
δ *purpùreum*	(*pu*) *double-purple*	China	1819.	3.	5.	G	♄	Bot. mag. t. 2509.
ε *lùteum*	(*ye*) *double-yellow*	———	1826.		——	G	♄	
η *variegàtum* B.R.	(*wh.re*) *variegated*	———	1832.		——	G	♄	Bot. reg. t. 1716.
ζ *speciòsum* Swt.	(*pu*) *showy*	Hybrid	1830.		——	G	♄	Swt. br. fl. gar. s. 2. t. 284.
27 macránthum DS.	(*ro*) large-flowered	Japan	1833.	5.	6.	G	♄	——— s. 2. t. 261.
Azàlea índica var. *laterítia* Bot. reg. 1700.								
28 reticulàtum DS.	(*re*) reticulated	Japan	——		——	G	♄	
29 Farreræ DS.	(*li*) Farrer's	China	1829.	3.	4.	G	♄	
30 phœníceum DS.	(*pu*) scarlet	———	1824.	3.	5.	G	♄	Swt. br. fl. gar. s. 2. t. 128.
índicum β *phœníceum* Swt. *púlchrum* Swt.								
β *splénden*s D.D.	(*sc*) *splendid*	Hybrid	——		——	G	♄	Swt. br. fl. gar. s. 2. t. 385.
31 ledifòlium DS.	(*wh*) white-flowered	China	1819.	3.	6.	G	♄	Bot. reg. t. 811.
Azàlea ledifòlia Bot. mag. t. 2901.								
32 decúmbens DS.	(*cr*) decumbent	———	1823.	2.	3.	G	♄	
33 sinénse DS.	(*ye*) Chinese	———	1824.	3.	5.	H	♄	
α *flámmeum* B.F.G.	(*or*) *flame-coloured*	———	——		——	H	♄	Lodd. bot. cab. t. 885.
β *flavéscens* B.F.G.	(*ye*) *pale-yellow*	———	1826.		——	H	♄	Swt. br. fl. gar. t. 290.

Sect. 7. Aza'lea; *limb of calyx short*, 5-*lobed*; *corolla funnel-shaped*; *stamens* 5; *ovarium* 5-*celled*; *leaves deciduous.*

34 flávum DS.	(*ye*) yellow	Turkey	1793.	5.	6.	H	♄	Bot. mag. t. 433.
Azàlea póntica B.M.								
β *cùpreum*	(*co*) *copper-coloured*	———	....		——	H	♄	
γ *glaúcum*	(*pa*) *glaucous*	———	....		——	H	♄	
pállidum	(*pa*) *pale*	———	....		——	H	♄	

ε	*albiflòrum*	(*wh*) *white-flowered*	Turkey	....	5. 6.	H	♄	Bot. mag. t. 2383.
η	*coronàrium* D. Don	(*ye*) *crown*	Hybrid	1834.	——	H	♄	Swt. br. fl. gar. s. 2. t. 331.
ζ	*versicolor* B.R.	(*pk.ye*) *party-coloured*	——	....	——	H	♄	Bot. reg. t. 1559.
θ	*árdens* D. Don	(*or.re*) *burning*	——	....	——	H	♄	Swt. br. fl. gar. s. 2. t. 306.
ι	*Seymourii* B.R.	(*ye*) *Seymour's*	——	....	——	H	♄	Bot. reg. t. 1975.
35	nudiflòrum DS.	(*va*) small-calyxed	N. America	1734.	——	H	♄	
	Azàlea nudiflòra W.							
α	*álbum*	(*wh*) *early white*	——	——	——	H	♄	
β	*álbo-plènum*	(*wh*) *double white*	——	....	——	H	♄	
γ	*blándum*	(*bh*) *blush-flowered*	——	....	——	H	♄	
δ	*cárneum*	(*fl*) *pale red*	——	1734.	——	H	♄	Bot. reg. t. 120.
ε	*caroliniànum*	(*fl*) *Carolina*	——	....	——	H	♄	
ζ	*coccíneum*	(*sc*) *scarlet*	——	....	——	H	♄	Bot. mag. t. 180.
η	*corymbòsum*	(*wh*) *corymb-flower'd*	——	....	——	H	♄	
θ	*crispum*	(*bh*) *curled*	——	....	——	H	♄	
ι	*cumulàtum*	(*wh*) *bundled*	——	....	——	H	♄	
κ	*díscolor*	(*re.wh*) *two-coloured*	——	....	——	H	♄	
λ	*fastigiàtum*	(*bh*) *crowded*	——	....	——	H	♄	
μ	*flóridum*	(*bh*) *abundant-flowered*	——	....	——	H	♄	
ν	*scintillans* B.R.	(*re.or*) *glittering*	Hybrid	....	——	H	♄	Bot. reg. t. 1461.
ξ	*Goweniànum* H.A.	(*pu*) *Gowen's*	——	....	——	H	♄	Swt. br. fl. gar. s. 2. t. 263.
ο	*globòsum*	(*bh*) *globose*	N. America	....	——	H	♄	
π	*glomeràtum*	(*bh*) *clustered*	——	....	——	H	♄	
ρ	*incànum*	(*wh*) *hoary-leaved*	——	....	——	H	♄	
σ	*incarnàtum*	(*fl*) *flesh-coloured*	——	....	——	H	♄	
τ	*mirábile*	(*re*) *wonderful*	——	....	——	H	♄	
υ	*montànum*	(*fl*) *mountain*	——	....	——	H	♄	
φ	*pállidum*	(*li.wh.*) *pale-flowered*	——	....	——	H	♄	
χ	*paludòsum*	(*li.wh*) *marsh*	——	....	——	H	♄	
ψ	*papilionàceum*	(*fl*) *Butterfly*	——	....	——	H	♄	
ω	*partìtum*	(*fl.wh*) *five-parted*	——	....	——	H	♄	
αα	*parviflòrum*	(*bh*) *small-flowered*	——	....	——	H	♄	
ββ	*proliferum*	(*bh*) *proliferous*	——	....	——	H	♄	
γγ	*pùmilum*	(*bh*) *dwarf*	——	....	——	H	♄	
δδ	*purpurascens*	(*fl*) *purplish*	——	....	——	H	♄	
εε	*purpùreum*	(*pu*) *purple*	——	....	——	H	♄	
ζζ	*purpùreo-plènum*	(*pu*) *double purple*	——	....	——	H	♄	
ηη	*ròseum*	(*ro*) *rosy*	——	....	——	H	♄	
θθ	*rubérrimum*	(*re*) *dark-red*	——	....	——	H	♄	
ιι	*rubéscens*	(*pi*) *reddish*	——	....	——	H	♄	
κκ	*rubicúndum*	(*re*) *rubicund*	——	....	——	H	♄	
λλ	*rùbrum* B.C.	(*re*) *red-flowered*	——	....	——	H	♄	Lodd. bot. cab. t. 51.
μμ	*rùbro-plènum*	(*re*) *double-red*	——	....	——	H	♄	
νν	*rùfum*	(*re*) *rufous*	——	....	——	H	♄	
ξξ	*rùtilans*	(*re*) *deep-red*	——	....	——	H	♄	
οο	*semidùplex*	(*wh*) *semidouble*	——	....	——	H	♄	
ππ	*stanínеum*	(*wh*) *long-stemmed*	——	....	——	H	♄	
ρρ	*stellàtum*	(*wh*) *starry*	——	....	——	H	♄	
σσ	*tricolor*	(*wh.re*) *three-coloured*	——	....	——	H	♄	
ττ	*variábile*	(*re.wh*) *variable*	——	....	——	H	♄	
υυ	*variegàtum*	(*std*) *variegated*	——	....	——	H	♄	
φφ	*versicolor*	(*re.wh*) *various-coloured*	——	....	——	H	♄	
χχ	*violàceum*	(*vi*) *violet*	——	....	——	H	♄	
ψψ	*Cartòni* B.R.	(*pu*) *Carton's*	Hybrid	....	——	H	♄	Bot. reg. t. 1449.
ωω	*exímium* D. Don.	(*cr*) *crimson*	——	....	——	H	♄	Swt. br. fl. gar. s. 2. t. 291.
36	viscòsum DS.	(*wh*) viscid	N. America	1734.	7. 8.	H	♄	Meerb. ic. 2. t. 9.
	Azàlea viscòsa Ph.							
α	*odoràtum*	(*wh*) *common white*	——	——	——	H	♄	
β	*crispum*	(*wh*) *curled*	——	——	——	H	♄	
γ	*dealbàtum*	(*wh*) *powdered*	——	——	——	H	♄	
δ	*vittàtum*	(*re.wh*) *striped-flowered*	——	——	——	H	♄	
ε	*penicillàtum*	(*re.wh*) *pencilled*	——	——	——	H	♄	
ζ	*variegàtum*	(*re.wh*) *variegated*	——	——	——	H	♄	
η	*rubéscens*	(*re*) *reddish-flower'd*	——	——	——	H	♄	Lodd. bot. cab. t. 1518.
θ	*pubéscens*	(*re.wh*) *pubescent*	——	——	——	H	♄	—— t. 441.
ι	*fissum*	(*re.*) (*wh*) *narrow-petalled*	——	——	——	H	♄	
κ	*ornàtum* DS.	(*re*) *ornamented*	Hybrid	....	——	H	♄	Swt. br. fl. gar. s. 2. t. 137.
37	calendulàceum DS.	(*ye*) yellow American	N. America	1806.	5. 6.	H	♄	Lodd. bot. cab. t. 1394.
	Azàlea calendulàcea M.							

α *crócum*	(*sn*) *saffron-coloured*	N. America	1806.	5.	6.	H	♄		Bot. mag. t. 1721.
β *chrysoléctum*	(*go*) *golden*	———	....	——		H	♄		
γ *grandiflórum*	(*or*) *large-flowered*	———	....	——		H	♄		
δ *cúpreum*	(*co*) *copper-coloured*	———	....	——		H	♄		
ε *splénden*s	(*co.ye*) *shining*	———	....	——		H	♄		
ζ *flámmeum*	(*co.ye*) *flame-coloured*	———	1812.	——		H	♄		Bot. reg. t. 145.
η *triúmphans*	(*co.ye*) *triumphant*	———	——	——		H	♄		
θ *ignécens*	(*co.ye*) *fiery-flowered*	———	——	——		H	♄		
ι *subcúpreum* B.R.	(*cop*) *rather coppery*	Hybrid	....	——		H	♄		Bot. reg. t. 1366.
κ *lépidum* B.R.	(*pk.ye*) *lepid*	———	....	——		H	♄		——— t. 1402.
λ *fúlgidum* B.M.	(*or.ye*) *fulgid*	———	....	——		H	♄		Bot. mag. t. 3439.
μ *Stapletonidnum* B.R.	(*pk.ye*) *Stapleton's*	———	....	——		H	♄		Bot. reg. t. 1407.
38 tricolor	(*ye.ro.wh*) three-coloured	———	1816.	——		H	♄		
39 Mortèrii DS.	(*fl.ye*) Morter's	———	1828.	——		H	♄		Swt. br. fl. gar. s. 2. t. 10.
α *cárneum*	(*fl*) *flesh-coloured*	———	——	——		H	♄		
β *pre'stans*	(*co.bh*) *handsome*	———	——	——		H	♄		
40 arborécens D.S.	(*re*) arborescent	N. America	1818.	5.	7.	H	♄		
Azàlea arborécens Ph.									
41 nítidum DS.	(*re.wh*) glossy-leaved	———	1812.	6.	8.	H	♄		Bot. reg. t. 414.
Azàlea nítida B.R.									
42 bícolor DS.	(*wh.re*) two-coloured	———	1734.	——		H	♄		Trew. ehret. t. 48.
Azàlea bícolor Ph.									
43 glaúcum DS.	(*wh*) glaucous dwarf	———	1784.	6.		H	♄		Wats. dend. brit. t. 5.
Azàlea glaúca Ph.									
44 híspidum DS.	(*wh*) tall glaucous	———	——	6.	8.	H	♄		Wats. dend. brit. t. 6.
Azàlea híspida Ph.									
45 canéscens DS.	(*ro*) canescent	———	1812.	——		H	♄		
46 speciòsum DS.	(*va*) large-calyxed	———	....	——		H	♄		Wats. dend. brit. t. 116.
α *majus*	(*sc*) *large scarlet*	———	....	——		H	♄		Lodd. bot. cab. 624.
β *crispum*	(*sc*) *curled*	———	....	——		H	♄		
γ *auránticum*	(*or*) *orange*	———	....	——		H	♄		
δ *oblíquum*	(*re*) *oblique-leaved*	———	....	——		H	♄		
ε *prunifólium*	(*re*) *Plum-leaved*	———	....	——		H	♄		
ζ *cucullàtum*	(*re*) *hollow-leaved*	———	....	——		H	♄		
η *revolùtum*	(*re*) *revolute*	———	....	——		H	♄		
θ *ciliàtum*	(*re*) *fringed*	———	....	——		H	♄		
ι *acutifólium*	(*re*) *acute-leaved*	———	....	——		H	♄		
κ *undulàtum*	(*re*) *wave-leaved*	———	....	——		H	♄		
λ *tortuifólium*	(*re*) *twisted-leaved*	———	....	——		H	♄		
47 albiflòrum B.M.	(*wh*) white-flowered	———	1837.	7.		H	♄		Bot. mag. t. 3670.

Sect. 8. RHODO'RA; *limb of calyx* 5-*toothed; limb of corolla bilabiate; upper lip* 2-3-*cleft, broadest, lower one bidentate; stamens* 10; *capsule* 5-*celled; leaves deciduous.*

48 Rhodòra DS.	(*pi*) Canadian	Canada	1767.	4.	5.	H	♄		Bot. mag. t. 474.
Rhodòra canadénsis W.									

BEJA'RIA DS. BEJA'RIA. (D. Bejar, a Spanish bot.) Decandria Monogynia.

1 racemòsa DS.	(*bh*) sweet-scented	Florida	1810.	6.	7.	G	♄		Vent. cels. t. 51.
paniculàta M. *Befária racemòsa* Ph.									
2 glaúca DS.	(*fl*) glaucous	Caràcas	1826.	——		G	♄		H.B. pl. æquin. 2. t. 177.

KA'LMIA DS. KA'LMIA. (Peter Kalm, prof. Abo, in Sweden.) Decandria Monogynia.

1 latifólia DS.	(*pi.wh*) broad-leaved	N. America	1734.	5.	7.	H	♄		Bot. mag. t. 175.
2 angustifólia DS.	(*re*) narrow-leaved	———	1736.	——		H	♄		——— t. 331.
β *variegàta*	(*li*) *variegated*	———	——	——		H	♄		
γ *minima*	(*re*) *least*	———	....	——		H	♄		
δ *nàna*	(*re*) *dwarf*	———	....	——		H	♄		
ε *pùmila*	(*re*) *small*	———	....	——		H	♄		
ζ *rósea*	(*re*) *rose-coloured*	———	....	——		H	♄		
η *rúbra* B.C.	(*re*) *red-flowered*	———	....	——		H	♄		Lodd. bot. cab. t. 502.
θ *ovàta* Ph.	(*re*) *oval-leaved*	New Jersey	....	——		H	♄		
3 glaúca DS.	(*re*) glaucous	N. America	1767.	4.	5.	H	♄		Bot. mag. t. 177.
β *rosmarinifólia* DS.	(*re*) *Rosemary-ld.*	———	1812.	——		H	♄		
4 hirsùta DS.	(*ro*) hairy	———	1786.	8.	9.	H	♄		Bot. mag. t. 138.
5 cuneàta DS.	(*bh*) cuneated	Carolina	1820.	4.	5.	H	♄		

MENZIE'SIA DS. (Achib. Menzies, comp. of Vancouver.) Octandria Monogynia.

1 ferrugínea D.S.	(*co*) ferruginous	N. America	1811.	5.	6.	H	♄		Sm. ic. ined. 1. t. 56.
2 globulàris DS.	(*co*) globular-flowered	———	1806.	——		H	♄		Sal. par. lond. t. 44
ferrugínea β, B.M. 1571.									

AZA'LEA DS. AZA'LEA. (αζαλεος, arid; habitat.) Pentandria Monogynia.

procúmbens DS.	(*ro*) trailing	Britain	....	4.	5.	H	♄		Eng. bot. v. 13. 65.
Loiseleùria procúmbens R.S. *Chamælèdon procúmbens* L.en.									

LEIOPHY'LLUM DS. LEIOPHY'LLUM. (λειος, smooth, and φυλλον, a leaf.) Decand. Mon

1	thymifòlium DS.	(wh) upright	N. America	1736.	4. 5.	H	♄	Bot. reg. t. 531.
	Lèdum buxifòlium W. *Ammy'rsine buxifòlia* Ph.							
2	Lyòni Swt.	(wh) spreading	Carolina	1812.	——	H	♄	

LE'DUM DS. LE'DUM. (ληδον, a name used by the ancients.) Decandria Monogynia.

1	palústre DS.	(wh) marsh	Europe	1762.	4. 6.	H	♄	Flor. dan. t. 1031.
	β *decúmbens* DS.	(wh) *decumbent*	Hudson'sBay	—	——	H	♄	
2	canadénse DS.	(wh) dwarf	Canada	1824.	——	H	♄	Lodd. bot. cab. t. 104
3	latifòlium DS.	(wh) broad-leaved	N. America	1763.	——	H	♄	Jacq. ic. 3. t. 464.

Tribe III. *VACCINIE'Æ*. DS. 3. p. 854.

VACCI'NIUM DS. WHORTLE-BERRY. (an ancient Latin name.) Oct-Decandria Monogynia.

§ 1. *Leaves deciduous.*

* *Pedicles one-flowered, usually solitary, rarely twin or in fascicles.*

1	Myrtíllus DS.	(bh) Blea-berry	Britain	....	4. 6.	H	♄	Eng. bot. 7. t. 456.
2	uliginòsum DS.	(ro) great Bilberry	——	....	4. 5.	H	♄	—— v. 9. t. 581.
3	angustifòlium (gr.re)	narrow-leaved	N. America	1776.	——	H	♄	Bot. mag. t. 3447.
	myrtilloìdes M.							
4	cæspitòsum DS.	(pk) tufted	——	1823.	——	H	♄	—— t. 3429.
5	salícinum DS.	(bh) Willow-like	——	1827.	6. 8.	H	♄	

** *Flowers in sessile tufts.*

6	galèzans DS.	(st) Gale-leaved	N. America	1806.	6. 8.	H	♄	
7	ligústrinum DS.	(pu.re) Privet-leaved	——	....	——	H	♄	
8	tenéllum DS.	(ro) Pensylvanian	——	1772.	——	H	♄	Bot. mag. t. 3434.
	pensylvánicum DS.							

*** *Flowers in racemes.*

9	pállidum DS.	(wh) pale	N. America	1772.	5. 6.	H	♄	
10	arbòreum DS.	(bh) tree	——	1765.	5.11.	H	♄	Bot. mag. t. 1607.
	diffùsum W.							
11	stamíneum DS.	(wh) long-stamened	——	1772.	5. 6.	H	♄	Andr. reposit. t. 263.
	álbum Ph.							
12	dumòsum DS.	(bh) bushy	——	1774.	——	H	♄	Bot. mag. t. 1106.
	hirtéllum H.K. *frondòsum* Mx. Andr. reposit. t. 140.							
	β *hùmile* W.D.	(wh) *dwarf*	N. America	1774.	——	H	♄	Wats. dend. brit. t. 32.
	γ *virgàtum* DS.	(pk) *twiggy*	——	1767.	4. 6.	H	♄	Bot. mag. t. 3522.
	δ *angustifòlium* DS.	*narrow-leaved*	——	1812.	——	H	♄	Wats. dend. brit. t. 34.
	Watsòni Swt.							
13	albiflòrum B.M.	(wh) white-flowered	——	....	5. 6.	H	♄	Bot. mag. t. 3428.
14	canadénse DS.	(pk) Canadian	——	1827.	5. 7.	H	♄	—— t. 3446.
15	corymbòsum DS.	(wh) corymbose	——	1806.	6. 7.	H	♄	—— t. 3433.
	ama'num B.R. t. 400.							
16	mariànum DS.	(wh) Maryland	——	1812.	5. 6.	H	♄	Wats. dend. brit. t. 124.
17	grandiflòrum DS.	(wh) great-flowered	——	——	7. 8.	H	♄	—— t. 125. A.
18	elongàtum DS.	(bh) elongated	——	——	——	H	♄	—— t. 125. B.
19	minutiflòrum DS.	(bh) minute-flowered	——	——	——	H	♄	—— t. 125. C.
20	glàbrum DS.	(re) smooth	——	——	——	H	♄	—— t. 125. D.
21	mucronàtum DS.	(wh) mucronate	——	....	5. 6.	H	♄	
22	fuscàtum DS.	(re) cluster-flowered	——	1770.	——	H	♄	Bot. reg. t. 302.
	formòsum A.R. 97.							
	β *angustifòlium* Ph.	(re) *narrow-leaved*	——	——	——	H	♄	
23	frondòsum W.	(wh) blunt-leaved	——	1761.	——	H	♄	
	β *venústum* H.K.	(wh) *red-twigged*	——	1770.	——	H	♄	
24	resinòsum W.	(st) clammy	——	1772.	——	H	♄	§ Wang. am. t. 30. f. 69.
	β *rubéscens*	(re) *red-flowered*	——	——	——	H	♄	Bot. mag. t. 1288.
25	parviflòrum A.R.	(re) small-flowered	——	1804.	——	H	♄	Andr. reposit. t. 125.
	resinòsum β, *lutéscens* Ph.							
26	Arctostáphylos DS.	(re) oriental	Levant	1777.	6. 8.	H	♄	Bot. mag. t. 974.
27	padifòlium DS.	(re) Madeira	Madeira	1810.	7. 2.	H	♄	
	maderénse L.en.							

§ 2. *Leaves evergreen.*

* *Flowers in racemes.*

28	meridionàle D.S.	(re) Jamaica	Jamaica	1778.	3. 6.	G	♄	

29	Vitis Idæ'a D.S	(*bh*)	Cow-berry	Britain	....	4. 6.	H	♄	Eng. bot. v. 9. t. 598.
	α *minus*	(*bh*)	*smaller*	———	....	——	H	♄	Lodd. bot. cab. t. 1023.
	β *majus*	(*ro*)	*larger*	N. America	....	——	H	♄	——— t. 616.
30	crassifòlium D.S.	(*pi*)	thick-leaved	Carolina	1787.	6. 7.	F	♄	Bot. mag. t. 1152.
31	myrtifòlium D.S.	(*pi*)	Myrtle-leaved	———	1812.	5. 7.	F	♄	
32	nítidum D.S.	(*pi*)	glossy-leaved	———	1794.	——	F	♄	Andr. rep. t. 480.
33	decúmbens D.S.	(*pi*)	decumbent	———	——	——	F	♄	Bot. mag. t. 1550.
34	buxifòlium D.S.	(*bh*)	Box-leaved	N. America	——	——	H	♄	——— t. 928.
35	ovàtum D.S.	(*bh*)	oval-leaved	———	1827.	——	H	♄	
			** *Flowers disposed in fascicles.*						
36	myrsinites D.S.	(*pu*)	Myrsine-leaved	Carolina	1794.	5. 7.	F	♄	
37	obtùsum D.S.	(*bh*)	blunt-creeping	N. America	1827.	——	H	♄	
			*** *Flowers solitary, pedicellate.*						
38	halleriæfòlium D.S.	(*wh*)	Halleria-leaved	N. America	....	5. 6.	H	♄	
39	humifùsum D.S.	(*wh*)	trailing	———	1827.	4. 5.	H	♄	

OXYCO'CCUS D.S. CRANBERRY. (*οξυς*, sharp, and *κοκκος*, a berry; taste.) Octan. Monog.

1	palústris D.S.	(*pi*)	common	Britain	....	5. 6.	H	♄	Eng. bot. v. 5. t. 319.
	Vaccínium Oxycóccos E.B. *Schóllera Oxycóccos* Roth.								
2	macrocárpus D.S.	(*pi*)	large-fruited	N. America	1760.	5. 8.	H	♄	Wats. dend. brit. t. 122.
3	eréctus D.S.	(*ro*)	upright	———	1806.	6. 8.	H	♄	——— t. 31.
	Vaccínium erythrocárpum M.								

AGAPETES D.S. AGAPE'TES. (*αγαπητος*, beloved; beauty.) Decandria Monogynia.

1	setígera D.S.	(*sc*)	bristle-bearing	E. Indies	1838.	....	G	♄	
	Thibaúdia setígera Wall.								
2	verticillàta D.S.	(*sc*)	verticillate	———	——	....	G	♄	
3	variegàta D.S.	(*sc*)	variegated	———	——	....	G	♄	

Tribe IV. *PYRO'LEÆ.* D.S. 3. p. 863.

PY'ROLA D.S. WINTER-GREEN. (a dim. of Pyrus, a pear-tree; leaves similar.) Dec. Mon.

1	unifòra D.S.	(*wh*)	single-flowered	Britain	....	6. 7.	H	♃	Eng. bot. t. 146.
	Monèses grandifòra Sal.								
2	secúnda D.S.	(*wh*)	serrated	———	....	——	H	♃	Eng. bot. t. 517.
3	mìnor D.S.	(*bh*)	lesser	———	....	——	H	♃	——— t. 158.
	β *ròsea* E.B.	(*ro*)	*rose-coloured*	England	....	7. 8.	H	♃	——— t. 2543.
4	mèdia D.S.	(*bh*)	intermediate	———	....	6. 7.	H	♃	——— t. 945.
5	dentàta D.S.	(*st*)	toothed	N. America	1827.	——	H	♃	
6	ellíptica D.S.	(*wh*)	elliptic-leaved	———	1826.	——	H	♃	Rad. diss. t. 5. f. 1.
7	occidentàlis D.S.	(*st*)	western	———	1827.	——	H	♃	
8	rotundifòlia D.S.	(*st*)	round-leaved	Britain	....	——	H	♃	Eng. bot. t. 213.
9	americàna D.S.	(*wh*)	American	N. America	....	——	H	♃	
	rotundifòlia Ph. *non* Eng. bot.								
10	asarifòlia D.S.	(*st*)	Asarum-leaved	———	1822.	——	H	♃	
11	chloràntha D.S.	(*st*)	cream-colour'd	———	——	——	H	♃	Rad. diss. t. 4. f. 1.

CHIMA'PHILA D.S. CHIMA'PHILA. (*χειμα*, winter, and *φιλεω*, to love.) Decand. Monog.

1	umbellàta D.S.	(*wh.re*)	umbelled	N. America	1752.	6. 8.	H	♃	Bot. mag. t. 778.
	corymbòsa Ph. *Py'rola umbellàta* L.								
2	maculàta D.S.	(*wh*)	spotted-leaved	———	——	——	H	♃	Bot. mag. t. 897.

Tribe V. *MONOTRO'PEÆ.* D.S. 3. p. 866.

MONO'TROPA D.S. MONO'TROPA. (*μονος*, one, and *τροπεω*, to turn.) Decand. Monogy.

	unifòra D.S.	(*st*)	one-flowered	N. America	1822.	6. 8.	H	♃	Hook. ex. flor. t. 85.

HYPO'PITYS D.S. YELLOW BIRD'S-NEST. (*υπω*, under, and *πιτυς*, a pine tree.) Dec. Mon.

	europæ'a D.S.	(*st*)	common	Britain	....	6. 7	H	♃	Eng. bot. v. 1. t. 69.
	Monótropa Hypópitys E.B.								

ORDER CXXXVIII.

EPACRI'DEÆ. *Brown prodr.* 1. *p.* 535.

Tribe I. *EPACRIE'Æ.* D.S. 3. p. 781.

DRACOPHY'LLUM B.P. DRACOPHY'LLUM. (δρακων, a dragon, and φυλλον, a leaf.) Pent. Mon.

1 secúndum B.P.	(*wh*) side-flowering	N. S. W.	1824.	4. 6.	G	♄	Bot. mag. t. 3264.
2 longifòlium B.S.	(*wh*) long-leaved	N. Zealand	——	——	G	♄	Fors.ch.gen.t.10.f.i-m.

SPHENO'TOMA S.F.A. SPHENO'TOMA. (σφην, a wedge, and τομη, a section.) Pentand. Monog.

1 grácilis S.F.A.	(*wh*) slender	N. Holland	1825.	5.10.	G	♄	Swt. flor. aust. t. 44.
2 capitàta R. Br.	(*wh*) headed	———	1830.	4.	G	♄	Bot. reg. t. 1515.

SPRENGE'LIA Sm. SPRENGE'LIA. (C. C. Sprengel, of Spandow, Brandenburgh.) Pent. Mon.

incarnàta B.P.	(*pi*) flesh-coloured	N. S. W.	1793.	4. 6.	G	♄	Bot. mag. t. 1719.

PONCELE'TIA B.P. PONCELE'TIA. (M. Poncelet, auth. of a treat. on wheat.) Pent. Mon.

sprengelioìdes B.P.	(*w*) marsh	N. S. W.	1826.	4. 6.	G	♄	

ANDERSO'NIA B.P. ANDERSO'NIA. (W. Anderson, Surgeon, acc. Capt. Cook.) Pent. Mon.

sprengelioìdes B.P.	(*w*) Sprengelia-like	N. Holland	1803.	3. 7.	G	♄	Bot. mag. t. 1645.

COSME'LIA B.P. COSME'LIA. (κοσμεω, to adorn; flowers.) Pentandria Monogynia.

rùbra B.P.	(*re*) red-flowered	N. Holland	1826.	4. 6.	G	♄	Bot. reg. t. 1822.

LYSINE'MA. B.P. LYSINE'MA. (λυσις, a freeing, and νημα, a filament; stamens.) Pent. Mon.

1 pentapétalum B.P.	(*w*) five-petaled	N. Holland	1826.	4. 6.	G	♄	
2 lasiánthum B.P.	(*wh*) woolly-flowered	———	1820.	——	G	♄	
3 conspícuum B.P.	(*wh*) conspicuous	———	1824.	....	G	♄	
4 púngens B.P.	(*wh*) pungent	N. S. W.	1804.	3. 6.	G	♄	Cav. ic. 4. t. 346.
E'pacris attenuàta Lodd. bot. cab. t. 38.							
5 ròseum B.C.	(*ro*) rose-coloured	N. S. W.	1804.	——	G	♄	Lodd. bot. cab. t. 863.
E'pacris ròsea B.C. *púngens* Bot. mag. t. 1199.							

E'PACRIS B.P. E'PACRIS. (επι, upon, and ακρος, the summit; tops of hills.) Pentan. Monog.

§ 1. *Leaves cordate.*

1 purpuráscens B.P.	(*li*) rigid-leaved	N. S. W.	1803.	2. 6.	G	♄	Bot. mag. t. 844.
púngens B.M.							
α lilácina	(*li*) *pale-flowered*	———	——	——	G	♄	Lodd. bot. cab. t. 237.
β rùbra	(*re*) *red-flowered*	———	——	——	G	♄	——— t. 876.
2 pulchélla B.P.	(*wh*) sweet-scented	———	1804.	3. 6.	G	♄	——— t. 170.
3 microphy'lla B.P.	(*wh*) small-leaved	———	1817.	——	G	♄	Bot. mag. t. 3658.
4 apiculàta D.S.	(*wh*) pointed	———	1823.	5. 8.	G	♄	
5 campanulàta D.S.	(*re*) campanulate	V.Diem.Isl.	——	——	G	♄	Lodd. bot. cab. t. 1925.
6 grandiflòra B.P.	(*cr*) crimson	N. S. W.	1803.	1. 6.	G	♄	Bot. mag. t. 982.

§ 2. *Leaves not cordate at the base.*

7 ruscifòlia B.P.	(*wh*) Ruscus-leaved	V.Diem. Isl.	1824.	3. 5.	G	♄	
8 imprèssa B.P.	(*ro*) impressed	———	——	2. 5.	G	♄	Swt. flor. aust. t. 4.
β parviflòra B.R.	(*re*) *small-flowered*	———	1836.	——	G	♄	Bot. reg. s. 3. t. 19.
9 ceræflòra D.S.	(*wh*) wax-flowered	———	1831.	3. 6.	G	♄	Bot. mag. t. 3243.
10 nivàlis D.S.	(*wh*) snowy	———	1829.	6. 7.	G	♄	——— t. 3253.
11 variábilis D.S.	(*re*) variable	———	——	1. 3.	G	♄	Lodd. bot. cab. t. 1818.
12 spársa B.P.	(*wh*) scattered-flower'd	N. S. W.	1825.	3. 5.	G	♄	
13 obtusifòlia B.P.	(*wh*) blunt-leaved	———	1804.	4. 6.	G	♄	Lodd. bot. cab. t. 293.
14 heteronèma B.P.	(*wh*) hairy-branch'd	V.Diem.Isl.	1824.	——	G	♄	Bot. mag. t. 3257.
15 paludòsa B.P.	(*wh*) marsh	N. S. W.	——	——	G	♄	
16 onosmæflòra D.S.	(*re*) Onosma-flowered	———	1823.	5. 8.	G	♄	
17 exsérta B.P.	(*wh*) exserted	V.Diem.Isl.	1812.	4. 6.	G	♄	
18 mucronulàta B.P.	(*wh*) short-pointed	———	1824.	——	G	♄	

Tribe II. *STYPHELIE'Æ.* D.S. 3. p. 774.

TROCHOCA'RPA B.P. TROCHOCA'RPA. (τροχος, a wheel, and καρπος, a fruit.) Pent. Monog.
laúrina B.P. (*wh*) Laurel-leaved N. S. W. 1820. .... G 5 Bot. mag. t. 3324.
Styphèlia cornifòlia L.T.

ACRO'TRICHE B.P. ACRO'TRICHE. (ακρος, the summit, and θριξ, a hair.) Pentand. Monog.
1 cordàta B.P. (*wh*) heart-leaved N. Holland 1825. 4. 6. G ♄ Labill. n. hol. 1. t. 63.
2 ovalifòlia B.P. (*gr.y*) oval-leaved ——— 1824. —— G ♄ Bot. mag. 3171.
3 serrulàta B.P. (*wh*) saw-leaved V.Diem.Isl. 1816. —— G ♄ Labill. n. hol. 1. t. 62.
Styphèlia serrulàta Labil.
4 divaricàta B.P. (*wh*) divaricate N. S. W. 1822. —— G ♄

MONO'TOCA B.P. MONO'TOCA. (μονος, one, and τοκος, a birth; fruit one-seeded.) Pent. Mo.
1 scopària B.P. (*wh*) broom N. S. W. 1823. 4. 7. G ♄ Smith new holl. 43.
Styphèlia scopària Smith.
2 lineàta B.P. (*wh*) lineated V.Diem.Isl. 1804. 5. 8. G ♄ Lab. nov. hol. 1. t. 61.
Styphèlia glaúca Labill.
3 álbens B.P. (*wh*) white-leaved N. S. W. 1823. —— G ♄
4 elliptica B.P. (*wh*) elliptic-leaved ——— 1802. —— G ♄ Smith new holl. 49.

LEUCOPO'GON. B.P. LEUCOPO'GON. (λευκος, white, and πωγων, a beard.) Pentan. Monog.
§ 1. *Spikes axillary, many-flowered; drupe baccate.*
1 lanceolàtus B.P.(*wh*) small-flowered N. S. W. 1790. 5. 8. G ♄ Swt. flor. aust. t. 47.
Styphèlia parviflòra Andr. reposit. t. 287. *Gnídium* Vent. malm. t. 23.
2 Richèi B.P. (*wh*) oblong-leaved N. S. W. 1824. —— G ♄ Bot. mag. t. 3251.
parviflòrus B.R. t. 1560. *polystàchyus* B.C. t. 1436.
3 interrúptus B.P.(*wh*) interrupted N. Holland 1825. 3. 6. G ♄ Lodd. bot. cab. t. 1451.
§ 2. *Spikes usually axillary; calyx and bracteas coloured; drupe nearly dry; leaves never cordate.*
4 mùticus B.P. (*wh*) awnless N. S. W. 1826. 5. 8. G ♄
5 ericoìdes B.P. (*wh*) heath-leaved ——— 1815. 4. 7. G ♄ Smith new holl. 48.
Epacris spùria Cavan. ic. 4. t. 347. f. 1.
6 obovàtus B.P. (*wh*) obovate-leaved N. S. W. 1824. —— G ♄ Lab. nov. hol. 1. t. 67.
7 polystàchyus B.P.(*wh*) many-spiked N. Holland 1825. 6. 7. G ♄
8 virgàtus B.P. (*wh*) twiggy N. S. W. 1815. 4. 7. G ♄ Lab. nov. hol. 1. t. 64.
9 attenuàtus F.T. (*wh*) attenuated ——— 1824. 4. 8. G ♄
10 collìnus B.P. (*wh*) hill V.Diem.Isl. 1822. 5. 6. G ♄ Lab. nov. hol. 1. t. 65.
§ 3. *Spikes axillary and terminal; leaves cordate; calyx and bracteas foliaceous.*
11 amplexicaúlis B.P.(*w*)stem-clasping N. S. W. 1815. 4. 8. G ♄ Linn. trans. 8. t. 8.
§ 4. *Spikes terminal; calyx and bracteas rather foliaceous; drupe dry; leaves not cordate.*
12 microphy'llus B.P.(*w*) small-leaved N. S. W. 1818. 4. 8. G ♄ Cavan. ic. 4. t. 349. f. 2.
Perojòa microphy'lla Cav.
13 striàtus B.P. (*wh*) striated N. Holland 1824. —— G ♄
§ 5. *Peduncles axillary, 1-2 flowered; drupe dry.*
14 biflòrus B.P. (*wh*) two-flowered N. S. W. 1826. —— G ♄
15 setíger B.P. (*wh*) bristle-pointed ——— 1824. —— G ♄
16 appréssus B.P. (*wh*) pressed-leaved ——— —— 4. 6. G ♄
17 juniperinus B.P.(*wh*) Juniper-leaved ——— 1804. —— G ♄ Lodd. bot. cab. t. 447.

LISSA'NTHE B.P. LISSA'NTHE. (λισσος, smooth, and ανθος, a flower.) Pentandria Monogynia.
§ 1. *Calyx bractless; pedicels bibracteate; racemes axillary; corolla naked inside.*
1 sápida B.P. (*wh*) recurved-flowered N.S.W. 1823. 11.1. G ♄ Bot. reg. t. 1275.
2 subulàta B.P. (*wh*) awl-leaved ——— —— 4. 7. G ♄
3 strigòsa B.P. (*wh*) strigose ——— —— —— G ♄ Sm. new holl. 48.
§ 2. *Calyx bibracteate; corolla villous inside; flowers axillary, solitary.*
4 daphnoìdes B.P.(*wh*) Daphne-leaved V.Diem.Isl. 1818. 6. 7. G ♄ Lodd. bot. cab. t. 466.
5 ciliàta B.P. (*wh*) fringed ——— 1823. —— G ♄

CYATHO'DES B.P. CYATHO'DES. (κυαθος, a cup, and οδους, a tooth; disk.) Pentan. Monog.
1 glaúca B.P. (*wh*) glaucous V.Diem.Isl. 1818. 4. 6. G ♄ Lab. nov. holl. 1. t. 81.
2 oxy'cedrus B.P. (*wh*) linear-leaved ——— 1822. 5. 8. G ♄ ——— 1. t. 69.
3 abiétina B.P. (*wh*) Fir-like ——— 1824. 8.12. G ♄ ——— 1. t. 68.

ME'LICHRUS B.P. ME'LICHRUS. (μελιχρος, honey-coloured; glands.) Pentand. Monog.
1 rotàtus B.P. (*re*) rotate-flowered N. S. W. 1822. 5. 8. G ♄ Cavan. ic. 4. t. 349. f. 1.
Ventenàtia procúmbens Cav.
2 mèdius F.T. (*re*) intermediate ——— 1823. —— G ♄

STENANTHE'RA B.P. STENANTHE'RA. (στενος, narrow, and ανθηρα, an anther.) Pen. Mon.
pinifòlia B.P. (*sc*) Pine-leaved N. S. W. 1811. 5. 7. G ♄ Bot. reg. t. 218.

ASTROLO'MA B.P. ASTROLO'MA. (ἄστρον, a star, and λωμα, a fringe; corolla.) Pent. Mon.

1 humifùsum B.P.	(sc) Juniper-leaved	N. S. W.	1807. 5.10.	G	♄	Bot. mag. t. 1439.
2 denticulàtum B.P.	(re) toothed	———	1825. ——	G	♄	

STYPHE'LIA B.P. STYPHE'LIA. (στυφελος, rough, or harsh; habit.) Pentand. Monogynia.

1 tubiflòra B.P.	(cr) crimson	N. S. W.	1802. 5. 8.	G	♄	Sm. new holl. 45. t. 14.
2 triflòra B.P.	(cr.gr) three-flowered	———	1796. ——	G	♄	Bot. mag. t. 1297.
3 viridiflòra B.P.	(gr) green-flowered	———	1791. 4. 6.	G	♄	Swt. flor. aust. t. 50.
4 latifòlia B.P.	(gr) broad-leaved	———	1823. ——	G	♄	
5 adscéndens B.P.	(gr) ascending	V.Diem.Isl.	1822. ——	G	♄	
6 læ'ta B.P.	(gr) fruitful	N. S. W.	—— ——	G	♄	
7 longifòlia B.P.	(gr) long-leaved	———	1807. ——	G	♄	Bot. reg. t. 24.

SUBCLASS III. *COROLLIFLO'RÆ.* DC.

ORDER CXXXIX.

SYMPLOCI'NEÆ. *Don prodr. p.* 144.

SY'MPLOCOS DS. SY'MPLOCOS. (συμπλοκη, connexion; stamens at base.) Polyadel. Polyand.

Sect. 1. ALSTO'NIA; *corolla* 8-10 *parted; stamens in* 3-4 *series; drupe* 3-4-*celled, half inferior.*

1 coccínea DS.	(sc) scarlet	Mexico	1825.	S	♄	H. et B. pl. æq. 1. t. 52.
2 tinctòria DS.	(ye) Laurel-leaved	Carolina	1780. 4. 6.	F	♄	Catesb. car. 1. t. 54.

Hòpea tinctòria Ph.

Sect. 2. PALU'RA; *corolla* 5-*parted; stamens in a triple series; ovarium inferior.*

3 sínica DS.	(wh) Chinese	China	1822. 4. 6.	F	♄	Bot. reg. t. 710.
4 cratægoìdes DS.	(wh) Hawthorn-like	Nepaul	1824.	G	♄	

ORDER CXL.

STYRACI'NEÆ. *DS.* 4. *p.* 3.

STY'RAX DS. STORAX. (στυραξ, from *assthirak*, Arabic name.) Decandria Monogynia.

1 officinàle DS.	(wh) officinal	Italy	1597. 7.	H	♄	Andr. reposit. t. 631.
2 grandifòlium DS.	(wh) great-leaved	N. America	1765. ——	H	♄	Wats. dend. brit. t. 129.
3 pulverulèntum DS.	(wh) powdered	———	1794. 6. 7.	H	♄	——— t. 41.
4 glàbrum DS.	(wh) smooth	———	1765. 7. 8.	H	♄	——— t. 40.

lævigàtum Bot. mag. t. 921.

ORDER CXLI.

HALESIA'CEÆ. DS. 4. *p.* 6.

HALE'SIA DS. SNOWDROP-TREE. (Stephen Hales, D.D. F.R.S.) Dodecandria Monogynia.

1 tetráptera DS.	(wh) four-winged	Carolina	1756. 4. 5.	H	♄	Bot. mag. t. 910.
2 parviflòra DS.	(wh) small-flowered	———	1812. 5.	H	♄	Bot. reg. t. 952.
3 díptera DS.	(wh) two-winged	N.America	1758. 4. 5.	H	♄	Lodd. bot. cab. t. 1172.

ORDER CXLII.

MYRSINEACEÆ. DS. 4. *p.* 7.

Tribe I. *MÆSEÆ.* DS. 4. p. 21.

MÆ'SA DS. MÆ'SA. (*maas*, the Arabic name of one species.) Pentandria Monogynia.

1 indica DS.	(*wh*)	Indian	E. Indies	1812.	2. 6.	S	♄	Bot. mag. t. 2052.
Bæbotrys indica F.I.								
2 tomentòsa DS.	(*wh*)	tomentose	Nepaul	1818.	——	S	♄	
3 argéntea DS.	(*wh*)	silvery-leaved	E. Indies	——	——	S	♄	
4 macrophy'lla DS.	(*wh*)	large-leaved	———	1823.	——	S	♄	
5 nemoràlis DS.	(*wh*)	grove	———	1830.	——	S	♄	Mart. choix. t. 6.

Tribe II. *ARDISIE'Æ.* DS. 4. p. 8.

ARDI'SIA DS. ARDI'SIA. (ἄρδις, a point; anthers.) Pentandria Monogynia.

Sect. 1. ARDI'SIÆ-VE'RÆ; *anthers free, longer than the filaments; style subulate, longer than the stamens; bracteas much shorter than the pedicles.*

§ 1. *Leaves entire, glabrous.*

1 acuminàta DS.	(*pi*)	acuminate	Guiana	1803.	7. 8.	S	♄	Bot. mag. t. 1678.
My'rsine Icacòrea R.S.								
2 tinifòlia DS.	(*pi*)	Tinus-leaved	Jamaica	1824.	——	S	♄	Sloan. hist. 2. t. 105.
3 thyrsifòra DS.	(*pi*)	Thyrse-flowered	Nepaul	——	4. 8.	S	♄	
4 lanceolàta DS.	(*pi*)	leathery-leaved	E. Indies	1818.	6. 9.	S	♄	
5 paniculàta DS.	(*ro*)	panicled	———	——	3. 8.	S	♄	Bot. reg. t. 638.
6 coloràta F.I.	(*ro*)	red-flowered	———	1816.	——	S	♄	Lodd. bot. cab. t. 465.
7 complanàta F.I.	(*pi*)	pubescent	Pinang	1824.	5. 9.	S	♄	
8 húmilis DS.	(*pi*)	umbel-flowered	E. Indies	1809.	6. 9.	S	♄	Lodd. bot. cab. t. 531.
littoràlis Andr. repos. t. 630. *umbellàta* F.I. S.S.								

§ 2. *Leaves crenated, toothed, or serrated, glabrous.*

9 solanàcea W.	(*ro*)	Nightshade-like	E. Indies	1798.	6. 9.	S	♄	Bot. mag. t. 1677.
10 pyramidàlis DS.	(*pi*)	pyramidal	Santa Cruz	1818.	4. 9.	S	♄	Lodd. bot. cab. t. 448.
11 macrocárpa F.I.	(*pi*)	large-fruited	Nepaul	1824.	5. 9.	S	♄	
12 serrulàta DS.	(*pi*)	saw-leaved	W. Indies	1820.	7. 8.	S	♄	Plum. ic. 80.
13 canaliculàta W.	(*pi*)	channelled	N.Granada	1824.	4. 8.	S	♄	Lodd. bot. cab. t. 1083.
14 crispa DS.	(*pi*)	crenated	E. Indies	1809.	7. 9.	S	♄	Andr. reposit. t. 623.
crenàta F.I. *élegans* Andr. rep.								
15 lentiginòsa B.R.	(*wh*)	freckled	China	——	3.12.	G	♄	Bot. reg. t. 533.
crenulàta B.C. 2. *non* Vent. *crenàta* Bot. mag. t. 1950.								
16 punctàta B.R.	(*pi*)	spotted-flower'd	China	1823.	6. 9.	S	♄	Bot. reg. t. 827.

§ 3. *Leaves pilose, crenated.*

17 odontophy'lla DS.	(*re*)	toothed-leaved	E. Indies	1830.	——	S	♄	Bot. reg. t. 1890.
18 crenulàta DS.	(*pi*)	crenated	W. Indies	1793.	——	S	♄	Venten. choix. t. 5.
laterifòra W.								

Sect. 2. HYMENA'NDRA; *anthers combined; style about equal in length to the stamens; stigma dot-formed; bracteas much shorter than the pedicles.*

19 glandulòsa DS.	(*wh*)	glandular	E. Indies	1827.	3.12.	S	♄	
20 hymenándra DS.	(*pk*)	membrane-anthered	Silhet	1828.	3. 7.	S	♄	Wall. pl. rar. 1. t. 175.

Sect. 3. MICRANTHE'RA; *filaments elongated; anthers free, much shorter than the filaments; style subulate, not longer than the stamens.*

21 coriàcea DS.	(*ro*)	leathery-leaved	W. Indies	1822.	4. 8.	S	♄	
22 excélsa DS.	(*gr*)	Laurel-leaved	Madeira	1784.	7. 8.	G	♄	Gært. sem. 1. t. 77. f. 1.
My'rsine Heberdènia R.S.								

EMBE'LIA DS. EMBE'LIA. (Ceylonese name of a species.) Pentandria Monogynia.

1 robústa DS.	(*gr.wh*)	robust	E. Indies	1823.	....	S	♄	
2 floribúnda DS.	(*ye.gr*)	sweet-scented	Nepaul	1826.	....	S	♄	

MY'RSINE DS. MY'RSINE. (μυρσινη, Greek name of myrrh.) Polygamia Diœcia.

§ 1. *Stigma fringed or lobed.*

1	africàna DS.	(*gr.pu*) African	C. B. S.	1691. 3. 5.	G	♄	Comm. hort. 1. t. 64.
2	retùsa DS.	(*gr.pu*) retuse-leaved	Azores	1778. 6.	G	♄	Venten. cels. t. 86.
3	rotundifòlia DS.	(*w.pr*) round-leaved	C. B. S.	1816. ——	G	♄	Pluk. alm. t. 18. f. 5.
4	semiserràta DS.	(*bh*) semiserrate	Nepaul	1822.	G	♄	
5	capitellàta DS.	(*gr*) axillary-headed	———	——	G	♄	Bot. mag. t. 3222.
6	bifària DS.	(*bh*) bifarious	———	——	G	♄	
7	subspinòsa DS.	(*wh*) spiny-leaved	———	1823.	G	♄	
8	variàbilis DS.	(*wh*) variable	N. S. W.	1820. 6. 9.	G	♄	
9	coriàcea DS.	(*wh*) leathery-leaved	Jamaica	1822.	S	♄	
	Samàra coriàcea Sw.						
10	Samàra DS.	(*wh*) ovál-leaved	C. B. S.	1770. 11.2.	G	♄	
	Samàra pentándra W.						
11	melanophlèos DS.	(*wh*) Laurel-leaved	———	1783. 3. 6.	G	♄	Jacq. vind. 1. t. 71.
	Sideróxylon melanophlèum W.						
12	mìtis DS.	(*wh*) pointed-leaved	———	.... 6. 9.	G	♄	Bot. mag. t. 1858.
	Sideróxylon mìte B.M. *Scleróxylum mìte* W. en. *Manglilla Millerièna* P.S.						
13	venulòsa DS.	(*wh*) veined-leaved	C. B. S.	1816. 6. 9.	G	♄	

§ 2. *Stigma simple.*

14	canariénse S.S.	(*wh*) Canary	Canaries	—— ——	G	♄	

Tribe III. *ÆGICE'REÆ.* DS. 4. p. 7.

ÆGI'CERAS DS. ÆGI'CERAS. (αἴξ, a goat, and κερας, a horn; fruit.) Pentandria Monogynia.

	fràgrans DS.	(*wh*) fragrant	N. Holland	1824.	G	♄	Kon. an. bot. 1. p. 129. in.

CORYNOCA'RPUS DS. CORYNOCA'RPUS. (κορυνη, a club, and καρπος, a fruit.) Pentand. Monogy.

	lævigàta DS.	(*wh*) smooth	N. Zealand	1823.	G	♄	Forst. gen. t. 16.

ORDER CXLIII.

THEOPHRA'STEÆ. DS. 4. *p.* 25.

THEOPHRA'STA DS. THEOPHRA'STA. (Theophrastus, the father of Nat. Hist.) Pentand. Monogy.

	Jussieùi DS.	(*wh*) Jussieu's	St. Domingo	1818. 1. 4.	S	♄	Lindl. coll. t. 26.
	americàna L.						

CLAVI'JA DS. CLAVI'JA. (J. Clavijo Faxardo, a Spanish natur.) Monadelphia Pentandria.

1	macrocárpa DS.	(*or*) large-fruited	Peru	1816.	S	♄	Flor. peruv. gen. t. 38.
2	longifòlia DS.	(*or*) long-leaved	———	——	S	♄	Nouv. ann. mus. 1. t. 14.
3	ornàta DS.	(*or*) showy	Caraccas	1828.	S	♄	Bot. reg. t. 1764.
	Theophrásta longifòlia Jacq.						

JACQUI'NIA DS. JACQUI'NIA. (Nich. Jos. de Jacquin, prof. bot., Vienna.) Pentand. Monogy.

1	arbòrea DS.	(*wh*) blunt-leaved	W. Indies	1820.	S	♄	
2	armillàris DS.	(*wh*) armed-leaved	———	1768. 4. 6.	S	♄	Jacq. amer. pict. t. 56.
3	aurantìaca DS.	(*or*) orange-coloured	Sandwich I.	1796. 4. 9.	S	♄	Bot. mag. t. 1639.
4	ruscifòlia DS.	(*or*) Ruscus-leaved	S. America	1729. ——	S	♄	Jacq. amer. pict. t. 57.
5	macrocárpa DS.	(*or*) large-capsuled	———	1820. ——	S	♄	Cavan. ic. 5. t. 483.

ORDER CXLIV.

SAPOTA'CEÆ. D.S. 4. *p.* 26.

INOCA'RPUS DS. OTAHEITE-CHESNUT. (*ινος*, a fibre, and *καρπος*, a fruit.) Decand. Monogy.

edùlis DS.	(*wh*) eatable	South-sea I.	1793.	....	S	♄	Roxb. corom. 3. t. 263.

BUME'LIA DS. BUME'LIA. (*βουμελια*, Greek name of Ash.) Pentandria Monogynia.

§ 1. *Armed shrubs and trees.*

1 lycioìdes DS.	(*wh*) Boxthorn-ld.	N. America	1758.	8.	H	♄	Duham. arb. 2. t. 68.
2 oblongifòlia D.S.	(*wh*) oblong-leaved	Mississippi	1818.	7. 8.	H	♄	
3 tènax D.S.	(*wh*) silvery-leaved	Carolina	1765.	——	H	♄	Wats. dend. brit. t. 10.
chrysophylloìdes W.D. *Sideróxylon tènax* L.							
4 lanuginòsa D.S.	(*wh*) woolly-leaved	Carolina	——	——	H	♄	
5 reclinàta D.S.	(*wh*) reclined	———	1806.	——	H	♄	Venten. choix. t. 22.
6 strigòsa D.S.	(*wh*) strigose	.....	....	——	G	♄	
Sideróxylon strigòsum W.en.							

§ 2. *Unarmed shrubs and trees.*

7 nìgra D.S.	(*wh*) black	W. Indies	1806.	6. 8.	S	♄	
8 salicifòlia D.S.	(*wh*) Willow-leaved	S. America	1758.	——	S	♄	Sloan. hist. 2. t. 206. f. 2.
9 fœtidìssima D.S.	(*wh*) fetid	W. Indies	....	5. 7.	S	♄	
10 cuneàta D.S.	(*wh*) cuneate-leaved	Jamaica	1823.	....	S	♄	
11 rotundifòlia D.S.	(*wh*) round-leaved	W. Indies	1816.	——	S	♄	

SERSALI'SIA D.S. SERSALI'SIA. (J. B. Sersalis, a Neapolitan ecclesiastic.) Pentan. Monog.

sericea D.S.	(*wh*) silky-leaved	N. Holland	1772.	5. 6.	G	♄	
Sideróxylon sericeum W.							

SIDERO'XYLON D.S. IRON-WOOD. (*σιδηρος*, iron, and *ξυλον*, wood.) Pentand. Monogynia.

1 inérme D.S.	(*wh*) smooth	C. B. S.	1692.	7. 8.	G	♄	Lam. ill. 2. t. 120. f. 1.
2 tomentòsum D.S.	(*wh*) tomentose	E. Indies	1818.	....	S	♄	Roxb. corom. 1. t. 28.
3 rugòsum D.S.	(*wh*) rugose	Jamaica	1828.	....	S	♄	

ARGA'NIA D.S. ARGA'NIA. (*Argan*, vernacular name of the tree.) Pentandria Monogynia.

Sideróxylum D.S.	(*ye*) spiny	Morocco	1711.	7. 8.	H	♄	Comm. hort. 1. t. 83.
Sideróxylum spinòsum L. *Elæodéndron A'rgan* W.							

CHRYSOPHY'LLUM D.S. STAR-APPLE. (*χρυσος*, gold, and *φυλλον*, a leaf.) Pentan. Monog.

1 Cainìto D.S.	(*wh*) broad-leaved	W. Indies	1737.	5. 6.	S	♄	Bot. mag. t. 3072.
β *jamaicénse*	(*wh*) *purple-fruited*	———	——	——	S	♄	Jacq. am. pict. t. 52.
γ *cærùleum*	(*wh*) *blue-fruited*	———	——	——	S	♄	Jacq. amer. t. 37.
δ *microphy'llum*	(*wh*) *small-leaved*	———	——	——	S	♄	Jacq. amer. pict. t. 53.
2 monopyrènum DC.	(*wh*) acute-leaved	———	1816.	——	S	♄	Bot. mag. t. 3303.
3 angustifòlium D.S.	(*wh*) narrow-leaved	St. Domingo	1819.	....	S	♄	
4 argénteum D.S.	(*wh*) silvery	Martinico	1758.	——	S	♄	Jacq. amer. pict. t. 51.
5 macrophy'llum D.S.	(*wh*) large-leaved	Sier. Leone	1822.	....	S	♄	
6 obovàtum D.S.	(*wh*) obovate	———	——	....	S	♄	
7 glàbrum D.S.	(*wh*) smooth-leaved	Martinico	1818.	4. 6.	S	♄	Jacq. amer. pict. t. 55.

NYCTERISI'TION D.S. NYCTERISI'TION. (*νυκτερις*, a bat, and *σιτιον*, food.) Pent. Mon.

ferrugìneum D.S.	(*wh*) ferruginous	S. America	1823.	....	S	♄	Flor. peruv. 2. t. 187.

A'CHRAS D.S. SAPOTA. (*αχρας*, Greek name of wild pear.) Hexandria Monogynia.

1 Sapòta D.S.	(*wh*) common	S. America	1731.	4. 6.	S	♄	Bot. mag. t. 3111, 3112.
β *Zapotilla* Jacq.	(*wh*) *Naseberry-tree*	———	——	——	S	♄	Jacq. amer. 57. t. 41. b.
2 austràlis B.R.	(*wh*) New Holland	N. S. W.	1823.	....	G	♄	

LUCU'MA D.S. LUCU'MA. (name of first species in Peru.) Pentandria Monogynia.

1 mammòsum D.S.	(*wh*) Mammee	S. America	1739.	5. 8.	S	♄	Jacq. amer. t. 182. f. 19.
2 Bonplándii D.S.	(*wh*) Bonpland's	Havannah	1822.	....	S	♄	
3 obovàtum D.S.	(*wh*) obovate-leaved	Peru	——	....	S	♄	Flor. peruv. 3. t. 239.
4 salicifòlium D.S.	(*wh*) Willow-leaved	Mexico	1823.	....	S	♄	

MIMU'SOPS D.S. MIMU'SOPS. (*μιμω*, an ape; *οψις*, resemblance; corolla.) Octand. Monog.

1 Elèngi D.S.	(*wh*) pointed-leaved	E. Indies	1796.	5. 7.	S	♄	Roxb. cor. 1. t. 14.
2 dissècta D.S.	(*wh*) oval-leaved	South Sea Isl	1804.	——	S	♄	
3 hexàndra D.S.	(*wh*) hexandrous	E. Indies	1816.	——	S	♄	Roxb. cor. 1. t. 15.
4 Kaùki D.S.	(*wh*) obtuse-leaved	———	1796.	5. 8.	S	♄	Rumph. amb. 3. t. 8.
5 cyanocàrpa Cun.	(*gr*) blue-fruited	N. Holland	1821.	9.	S	♄	

IMBRICA'RIA D.S. IMBRICA'RIA. (*imbrico*, to cover with tiles; use of wood.) Octand. Monogy.

borbònica D.S.	(*wh*) Bourbon	Bourbon	1820.	....	S	♄	Lam. ill. t. 300.

BA'SSIA. D.S. BA'SSIA. (Ferdin. Bassi, cur. bot. gard. Bologna.) Dodecandria Monogynia.

1	longifòlia D.S.	(*wh*) long-leaved	E. Indies	1811.	S	♄	Lam. ill. t. 398.
2	latifòlia D.S.	(*wh*) broad-leaved	———	1799.	S	♄	Roxb. cor. 1. t. 19.
3	butyràcea D.S.	(*wh*) butter-tree	Nepaul	1823.	S	♄	

ORDER CXLV.

EBENA'CEÆ. D.S. 4. p. 37.

MA'BA D.S. MA'BA. (vernacular name of *M. elliptica.*) Diœcia Hexandria.

	buxifòlia D.S.	(*wh*) Box-leaved	E. Indies	1810.	S	♄	Roxb. cor. 1. t. 45.
	Ferrèola buxifòlia Roxb.						

CARGI'LLIA D.S. CARGI'LLIA. (James Cargill, M.D., mentioned by C. Bauhin.) Polyg. Dic.

1	austràlis D.S.	(*wh*) southern	N. S. W.	1816.	G	♄	Bot. mag. t. 3274.
2	láxa D.S.	(*wh*) loose	N. Holland	1827.	G	♄	

DIOSPY'ROS D.S. DATE PLUM. (διος, divine, and πυρος, wheat.) Polygamia Diœcia.

1	virginiàna D.S. (*p.ye*)	Persimon	N. America	1629. 6. 7.	H	♄	Wats. dend. brit. t. 146.
2	pubéscens D.S. (*pa.ye*)	pubescent	———	1812. 4. 5.	H	♄	
3	reticulàta D.S.	(*wh*) netted	Mauritius	1823. ——	S	♄	
4	Ebenáster D.S.	(*wh*) Ebenus-like	E. Indies	1792. 6. 8.	S	♄	Rumph. amb. 1. t. 6.
5	melanóxylon D.S.	(*wh*) black-wooded	———	1817. ——	S	♄	Roxb. cor. 1. t. 46.
6	Ebènum D.S.	(*wh*) smooth	———	1792. ——	S	♄	Rotb. act. hafn. 2. t. 5.
7	montàna D.S.	(*wh*) mountain	———	1819. ——	S	♄	Roxb. cor. 1. t. 48.
8	Mabòla D.S.	(*st*) Mabola-tree	Philippines	1822. 4. 5.	S	♄	Bot. reg. t. 1139.
9	obovàta D.S.	(*wh*) four-seeded	W. Indies	1796. 5. 7.	S	♄	Jacq. schœn. 3. t. 312.
10	sylvática D.S.	(*wh*) wood	E. Indies	1812. ——	S	♄	Roxb. cor. 1. t. 47.
11	Embryópteris D.S. (*gr*)	glutiniferous	———	1796. 5. 8.	S	♄	Bot. reg. t. 499.
	Embryópteris glutinífera B.C. 1. t. 70.						
12	lobàta D.S.	(*wh*) lobed-fruited	China	1822. ——	G	♄	
13	vaccinioìdes D.S. (*wh*)	Vaccinium-like	———	—— ——	G	♄	Hook. ex. flor. t. 139.
14	edùlis L.C.	(*wh*) eatable	E. Indies	—— ——	S	♄	
15	Lòtus D.S.	(*pa.ye*) European	Italy	1596. 6. 7.	H	♄	Mill. ic. t. 116.
16	Kàki D.S.	(*wh*) Japan	Japan	1789. ——	G	♄	Kæmp. amœn. t. 806.
17	hirsúta D.S.	(*wh*) hairy	Ceylon	1816. ——	S	♄	
18	chloróxylon D.S.	(*wh*) cluster-flowered	E. Indies	1822.	S	♄	Roxb. cor. 1. t. 49.
19	cordifòlia D.S.	(*wh*) heart-leaved	———	1794. 5. 7.	S	♄	——— 1. t. 50.
20	rugulòsa D.S.	(*wh*) wrinkled	N. Holland	1823.	G	♄	

ROYE'NA D.S. ROYE'NA. (Adrian Van Royen, prof. bot., Leyden.) Decandria Digynia.

1	lùcida D.S.	(*wh*) shining-leaved	C. B. S.	1690. 5. 6.	G	♄	Lam. ill. t. 370. f. 1.
2	villòsa D.S.	(*wh*) heart-leaved	———	1774. 6. 7.	G	♄	
3	pállens D.S.	(*wh*) pale	———	1789. ——	G	♄	
4	myrtifòlia W.en.	(*wh*) Myrtle-leaved	———	1812. ——	G	♄	
5	glàbra D.S.	(*wh*) smooth	———	1731. 7. 9.	G	♄	Comm. hort. 1. t. 63.
6	cuneàta D.S.	(*wh*) pubescent	———	1752. ——	G	♄	Bot. reg. t. 500.
	pubéscens W.en.						
7	hirsùta D.S.	(*wh*) hairy-leaved	———	—— ——	G	♄	Lam. ill. t. 370. f. 2.
8	angustifòlia D.S.	(*wh*) willow-leaved	———	1789. 6. 7.	G	♄	
9	latifòlia D.S.	(*wh*) broad-leaved	———	1816. ——	G	♄	

DIPLONE'MA D.S. DIPLONE'MA. (διπλοος, double, and νημα, a filament.) Polyg. Diœcia.

1	ellíptica D.S.	(*wh*) elliptic-leaved	C. B. S.	1815. 6. 7.	G	♄	
	Royèna polyándra L.						
2	ambígua D.S.	(*wh*) ambiguous	———	1774. ——	G	♄	Vent. malm. t. 17.

VI'SNEA W. VI'SNEA. (A. M. de Vismes, of Lisbon.) Dodecandria Trigynia.

	Mocanèra W.	(*wh*) Canary	Canaries	1815. 8.12.	G	♄	

ORDER CXLVI.

OLE'INÆ. *Brown prod.* 1. *p.* 622.

Tribe I. *OLIE'Æ.* D.S. 4. p. 44.

LIGU'STRUM D.S. Privet. (*ligo*, to tie; flexible branches.) Diandria Monogynia.							
1 vulgàre D.S.	(*wh*) common	Britain	....	6. 7.	H	♄	Eng. bot. v. 11. t. 764.
β *variegàtum*	(*wh*) *striped-leaved*	———	....	——	H	♄	
γ *angustifòlium*	(*wh*) *narrow-leaved*	———	....	——	H	♄	
δ *leucocárpum*	(*wh*) *white-berried*	———	....	——	H	♄	
ε *xanthocárpum*	(*wh*) *yellow-berried*	———	....	——	H	♄	
ζ *itálicum* Mill.	(*wh*) *evergreen*	Italy	....	——	H	♄	
2 spicàtum D.S.	(*wh*) spiked	Nepaul	1823.	——	H	♄	Bot. mag. t. 2922.
3 lùcidum R.S.	(*wh*) Wax-tree	China	1794.	6. 9.	F	♄	Wats. dend. brit. t. 137.
PHILLY'REA D.S. Philly'rea. (φυλλον, a leaf; chief beauty.) Diandria Monogynia.							
1 paniculàta D.S.	(*wh*) panicled	China	1820.	4. 6.	H	♄	
O'lea chinénsis Swt.							
2 angustifòlia D.S.	(*wh*) narrow-ld Phillyrea	S. Europe	1597.	5. 6.	H	♄	Lam. ill. t. 8. f. 3.
α *lanceolàta*	(*wh*) *spear-leaved*	———	——	——	H	♄	
β *rosmarinifòlia*	(*wh*) *Rosemary-ld.*	———	——	——	H	♄	
γ *brachiàta*	(*wh*) *cross-branched*	———	——	——	H	♄	
3 mèdia D.S.	(*wh*) twiggy	———	——	——	H	♄	
β *buxifòlia* R.S.	(*wh*) *Box-leaved*	———	——	——	H	♄	
4 ligustrifòlia D.S.	(*wh*) Privet-leaved	———	——	——	H	♄	
5 péndula D.S.	(*wh*) pendulous	———	——	——	H	♄	
6 oleæfòlia D.S.	(*wh*) Olive-leaved	———	——	——	H	♄	Pluk. alm. t. 310. f. 5.
7 lævis D.S.	(*wh*) smooth-leaved	———	——	——	H	♄	Duham. arb. t. 125.
8 latifòlia DS.	(*wh*) broad-leaved	———	——	——	H	♄	Flor. græc. t. 2.
9 obliqua D.S.	(*wh*) oblique-leaved	———	——	——	H	♄	
10 spinòsa D.S.	(*wh*) Holly-leaved	———	——	——	H	♄	
ilicifòlia W. en.							
O'LEA D.S. Olive. (ελαια, an olive.) Diandria Monogynia.							
1 europæ'a D.S.	(*wh*) European	S. Europe	1570.	6. 8.	H	♄	
α *Oleáster* R.S.	(*wh*) *spiny-branched*	Portugal	....	——	H	♄	Flor. græc. 1. t. 3.
β *longifòlia* D.S.	(*wh*) *long-leaved*	S. Europe	....	——	G	♄	Lodd. bot. cab. t. 456.
sativa D.S.							
γ *ferrugínea* D.S.	(*wh*) *ferruginous*	———	....	——	G	♄	
δ *latifòlia* D.S.	(*wh*) *broad-leaved*	———	....	——	G	♄	
ε *obliqua* D.S.	(*wh*) oblique-leaved	———	....	——	G	♄	
ζ *buxifòlia* D.S.	(*wh*) *Box-leaved*	———	....	——	G	♄	
2 verrucòsa D.S.	(*wh*) warted	C. B. S.	1814.	——	G	♄	
3 americàna D.S.	(*wh*) American	N. America	1758.	6.	G	♄	Catesb. car. 1. t. 61.
4 frágrans D.S.	(*wh*) fragrant	China	1771.	6. 8.	G	♄	Bot. mag. t. 1552.
5 líncea D.S.	(*wh*) lance-leaved	Mauritius	1818.	——	S	♄	
6 dioíca D.S.	(*wh*) diœcious	E. Indies	——	....	S	♄	
7 capénsis D.S.	(*wh*) Cape	C. B. S.	1730.	6. 9.	G	♄	Bot. reg. t. 613.
8 undulàta S.S.	(*wh*) wave-leaved	———	——	——	G	♄	Lodd. bot. cab. t. 379.
9 excélsa D.S.	(*wh*) Laurel-leaved	Madeira	1784.	5. 6.	G	♄	Jacq. schœn. 3. t. 251.
10 paniculàta D.S.	(*wh*) panicled	N. S. W.	1823.	4. 6.	G	♄	
11 Roxbúrghii D.S.	(*wh*) Roxburgh's	E. Indies	1828.	....	S	♄	
paniculàta F. I. *non* B.P.							
12 robústa D.S.	(*wh*) large Phillyrea	E. Indies	1818.	....	S	♄	
Philly'rea robústa F.I.							
NORO'NHIA D.S. Noro'nhia. (C. Noronha, a trav. in Madag.) Diandria Monogynia.							
1 cérnua D.S.	(*wh*) drooping	Mauritius	1816.	....	S	♄	
O'lea cérnua Vahl.							
2 emarginàta D.S.	(*wh*) emarginate	———	——	....	S	♄	Lam. ill. t. 8. f. 2.
CHIONA'NTHUS D.S. Fringe-tree. (χιων, snow, and ανθος, a flower; colour.) Diand. Monog.							
1 virgínica D.S.	(*wh*) smooth-leaved	N. America	1736.	5. 7.	H	5	Catesb. car. 1. t. 68.

2 marítima	(*wh*)	pubescent-leaved	N. America	1736.	5. 7.	H	5	Wats. dend. brit. t. 1.
virgínica β maritíma Ph. *virgínica β angustifòlia* W.D.								
3 axillàris D.S.	(*wh*)	axil-flowering	N. Holland	1810.	....	G	♄	

Tribe II. *SYRI'NGEÆ.* D.S. 4. p. 51.

SYRI'NGA D.S. LILAC. (*συριγξ*, a pipe; branches.) Diandria Monogynia.

1 vulgàris D.S.	(*va*)	common	Persia	1597.	5.	H	♄	Schk. hand. 1. t. 2.
α lilácina	(*li*)	*pale-flowered*	———	——	——	H	♄	Bot. mag. t. 183.
β purpùrea	(*pu*)	*purple-flowered*	———	——	——	H	♄	
γ violàcea	(*vi*)	*violet*	———	——	——	H	♄	
δ álba	(*wh*)	*white-flowered*	———	——	——	H	♄	
ε variegàta	(*li*)	*variegated-ld.*	———	——	——	H	♄	
2 Josikæ'a D.S.	(*pu*)	deep-fld. German	Germany	1833.	——	H	♄	Bot. mag. t. 3278.
3 chinénsis D.S.	(*pu*)	Siberian	China	1795.	——	H	♄	
4 pérsica D.S.	(*li*)	Persian	Persia	1640.	——	H	♄	Bot. mag. t. 486.
α lilácina	(*li*)	*pale-flowered*	———	——	——	H	♄	
β álba	(*wh*)	*white-flowered*	———	——	——	H	♄	
γ laciniàta	(*li*)	*cut-leaved*	———	——	——	H	♄	Schmidt arb. 2. t. 79.

FONTANE'SIA D.S. FONTANE'SIA. (M. René L. Desfontaines, cel. French bot.) Diand. Monog.

phillyræoìdes D.S.	(*wh*)	Phillyrea-ld.	Syria	1787.	6. 8.	H	♄	Wats. dend. brit. t. 2.

Tribe III. *NOTELIE'Æ.* D.S. 4. p. 51.

NOTELÆ'A D.S. NOTELÆ'A. (*νοτος*, the south, and *ελαια*, an olive.) Diandria Monogynia.

1 longifòlia D.S.	(*wh*)	long-leaved	N. S. W.	1790.	3. 6.	G	♄	Venten. choix. t. 25.
O'lea apétala A.R. 316.								
2 ovàta D.S.	(*wh*)	oval-leaved	———	1818.	——	G	♄	
3 punctàta D.S.	(*wh*)	dotted	N. Holland	1826.	——	G	♄	
4 ligústrina D.S.	(*wh*)	Privet-leaved	V. D. Island	1807.	7. 8.	G	♄	Venten. choix. t. 456.
5 rígida D.S.	(*wh*)	rigid-leaved	———	1820.	——	G	♄	

LINOCIE'RA D.S. LINOCIE'RA. (Geoffroy Linocier, a French bot.) Diandria Monogynia.

1 ligústrina D.S.	(*wh*)	Privet-like	W. Indies	1820.	....	S	♄	
2 cotinifòlia D.S.	(*wh*)	Cotinus-leaved	Ceylon	1818.	....	S	♄	Lam. ill. 1. t. 9. f. 2.
3 compácta D.S.	(*wh*)	Caribean	W. Indies	1793.	....	S	♄	Jacq. coll. 2. t. 6. f. 1.

Tribe IV. *FRAXINIE'Æ.* D.S. 4. p. 53.

FRA'XINUS D.S. ASH-TREE. (*φρασσω*, to hedge; used for.) Polygamia Diœcia.

1 excélsior D.S.	(*gr*)	common	Britain	....	4. 5.	H	5	Eng. bot. v. 24. t. 1692.
β argéntea	(*gr*)	*silver-striped*	———	....	——	H	5	
γ péndula	(*gr*)	*weeping*	———	....	——	H	5	
δ horizontàlis	(*gr*)	*horizontal*	———	....	——	H	5	
ε jaspídea	(*gr*)	*coloured branch'd*	———	....	——	H	5	
ζ eròsa	(*gr*)	*erose-leaved*	———	....	——	H	5	
2 aúrea W.en.	(*gr*)	yellow-barked	.....	....	——	H	5	
3 atrovìrens D.S.	(*gr*)	green curled-leaved	....	....	——	H	5	
4 nàna D.S.	(*gr*)	dwarf	.....	....	——	H	♄	
5 verrucòsa L.en.	(*gr*)	warted	.....	....	——	H	5	
6 heterophy'lla D.S.	(*gr*)	various-leaved	England	....	——	H	5	Eng. bot. v. 35. t. 2476.
simplicifòlia E.B.								

7	polemonifòlia D.S.	(gr)	Polemonium-ld.	N. America	....	4. 5.	H	5	
8	parvifòlia D.S.	(gr)	small-leaved	Levant	1816.	——	H	5	
9	lentiscifòlia S.S.	(gr)	Lentiscus-leaved	Aleppo	1710.	5. 6.	H	5	Pluk. alm. t. 182. f. 4.
10	argéntea D.S.	(gr)	silver-leaved	Corsica	1825.	....	H	5	
11	sambucifòlia D.S.	(gr)	Elder-leaved	N. America	1800.	....	H	5	
12	oxycárpa D.S.	(gr)	sharp-leaved	Tauria	1815.	5. 6.	H	5	
	oxyphy'lla M.B.								
13	pállida D.S.	(gr)	pale	N. America	1818.	....	H	5	
14	rúfa D.S.	(gr)	rufous	———	1822.	....	H	5	
15	fúsca D.S.	(gr)	brown-branched	———	——	....	H	5	
16	nigra D.S.	(gr)	black-twigged	———	1818.	4. 6.	H	5	
17	ellíptica D.S.	(gr)	elliptic-leaved	———	1824.	....	H	5	
18	ovàta D.S.	(gr)	oval-leaved	———	——	....	H	5	
19	Richárdi D.S.	(gr)	Richard's	———	——	....	H	5	
20	álba D.S.	(gr)	grey-branched	———	1825.	....	H	5	
21	cinèrea D.S.	(gr)	cinereous	———	1818.	....	H	5	
22	víridis D.S.	(gr)	green-branched	———	1816.	....	H	5	
23	longifòlia D.S.	(gr)	long-leaved	———	1825.	....	H	5	
24	tamariscifòlia R.S.	(gr)	Tamarisk-ld.	Levant	....	——	H	5	
25	mexicàna	(gr)	Mexican	Mexico	1825.	....	H	5	
26	rubicúnda D.S.	(gr)	red-veined	N. America	——	....	H	5	
27	pulverulénta D.S.	(gr)	powdered	———	——	....	H	5	
28	míxta D.S.	(gr)	mixed	———	——	....	H	5	
29	expánsa D.S.	(gr)	expanded	———	——	....	H	5	
30	platycárpa D.S.	(gr)	flat-seeded	———	1816.	4. 6.	H	5	Catesb. car. t. 80.
31	quadrangulàta D.S.	(gr)	four-sided	———	1811.	——	H	5	Mich. f. arb. ic.
32	epíptera D.S.	(gr)	dotted-stalked	———	——	——	H	5	——— t. 33.
	díscolor M.								
33	lánceа Bosc.	(gr)	lance-leaved	———	1823.	——	H	5	
34	pannòsa D.S.	(gr)	cloth-leaved	———	1818.	——	H	5	
35	pubéscens D.S.	(gr)	pubescent	———	1783.	5.	H	5	Du Roi. ed. 2. t. 1.
36	cúrvidens R.S.	(gr)	curved-toothed	Carolina	1811.	4. 5.	H	5	
37	carolinìàna D.S.	(gr)	Carolina	N. America	——	4. 6.	H	5	
38	juglandifòlia D.S.	(gr)	Walnut-leaved	———	1783.	——	H	5	
39	acuminàta D.S.	(gr)	taper-pointed	———	1723.	——	H	5	
40	americàna S.S.	(gr)	white	———	——	——	H	5	

O'RNUS D.S. FLOWERING ASH. (name of the Wild Ash.) Diandria Monogynia.

1	americàna D.S.	(wh)	American	N. America	1812.	5. 6.	H	5	
2	europæ'a D.S.	(wh)	European	Italy	1710.	——	H	5	Flor. græc. 1. t. 4.
	Fráxinus O'rnus W.								
3	rotundifòlia D.S.	(wh)	manna	———	1697.	4. 5.	H	5	Willd. baumz. t. 2. f. 1.
4	striàta R.S.	(wh)	streak-barked	.....	1818.	——	H	5	
	Fráxinus striàta S.S.								
5	floribúnda D.S.	(wh)	many-flowered	Nepaul	——	....	G	5	Wall. pl. rar. as. 3. t. 277.
	Fráxinus floribúnda P.I.								

ORDER CXLVII.

COLUMELLIE'ÆE. D.S. 4. *p.* 57.

BOLIVA'RIA D.S. BOLIVA'RIA. (Bolivar, liber. of S. America.) Diandria Monogynia.

trífida D.S.	(ye)	trifid	Chili	1828.	7.	G	♄

ORDER CXLVIII.

JASMI'NEÆ. *Brown prodr.* 1. *p.* 520.

NYCTA'NTHES D.S. Nycta'nthes. (νυξ, the night, and ανθος, a flower.) Diandria Monogynia.

	árbor trístis D.S. (*wh.ye*) square-stalked	E. Indies	1781.	6. 9.	S	♄			Bot. reg. t. 399.

JASMI'NUM D.S. Jasmi'ne. (ια, a violet, and οσμη, a smell; flowers.) Diandria Monogynia.

§ 1. *Leaves simple.*

1	Sámbac D.S. (*wh*) single Arabian	E. Indies	1665.	1.12.	S	♄	◡		Bot. reg. t. 1.
	β *múltiplex* (*wh*) *semidouble*	———	1700.	——	S	♄	◡		Andr. reposit. t. 497.
	γ *trifoliàtum* (*wh*) *Tuscan*	———	1730.	——	S	♄			Bot. mag. t. 1785.
2	undulàtum D.S. (*wh*) wave-leaved	———	1812.	2. 6.	S	♄	◡		Bot. reg. t. 436.
3	pubéscens D.S. (*wh*) hairy Indian	———	1759.	5.12.	S	♄	◡		Sm. ex. bot. 2. t. 118.
	multiflórum And. rep. t. 436. *hirsùtum* L. Bot. reg. t. 21.								
4	angustifòlium D.S. (*wh*) narrow-ld.	———	1816.	1.12.	S	♄	◡		Rheed. mal. 6. t. 53.
5	laurifòlium D.S. (*wh*) Laurel-leaved	———	——	——	S	♄	◡		Bot. reg. t. 521.
6	trinérve D.S. (*wh*) three-nerved	Java	1804.	4. 6.	S	♄	◡		——— t. 918.
7	glaúcum D.S. (*wh*) glaucous	C. B. S.	1774.	6. 8.	G	♄	◡		Bot. reg. t. 1213.
8	bracteàtum D.S. (*wh*) bracteate	Sumatra	1820.	——	S	♄	◡		
9	latifòlium D.S. (*wh*) broad-leaved	E. Indies	1817.	——	S	♄	◡		
10	arboréscens D.S. (*wh*) arborescent	———	1824.	....	S	♄	◡		
11	scándens D.S. (*wh*) scandent	———	——	....	S	♄	◡		
12	simplicifòlium D.S. (*wh*) simple-leaved	Society Isl.	....	3. 6.	S	♄	◡		Bot. mag. t. 980.
13	elongàtum D.S. (*wh*) long-branched	E. Indies	1823.	....	S	♄	◡		Berg. act. an. 1772. t. 11.
14	grácile D.S. (*wh*) slender	Norfolk Isl.	1791.	1.12.	G	♄	◡		Andr. reposit. t. 127.
15	acuminàtum D.S. (*wh*) acuminate	N. Holland	1820.	6. 9.	G	♄	◡		Bot. reg. t. 1296?
16	volùbile D.S. (*wh*) twisting	C. B. S.	1816.	4. 7.	G	♄	◡		Jacq. schœn. 3. t. 321.
	§ 2. *Leaves ternate, opposite.*								
17	auriculàtum D.S. (*wh*) auriculate	E. Indies	1790.	5. 9.	S	♄	◡		Bot. reg. t. 264.
18	paniculàtum D.S. (*wh*) variable-leaved	China	1812.	2.12.	S	♄	◡		——— t. 690.
19	fléxile D.S. (*wh*) acute 3-leaved	E. Indies	1820.	4. 8.	S	♄	◡		
20	tortuòsum D.S. (*wh*) twisting	C. B. S.	——	——	S	♄	◡		Jacq. schœn. 4. t 429.
	fléxile Jacq. *non* W.								
21	lanceolària D.S. (*wh*) lance-leaved	E. Indies.	1826.	——	S	♄	◡		
22	campanulàtum D.S. (*wh*) bell-shaped calyx'd....		1820.	——	S	♄	◡		
23	capénse D.S. (*wh*) Cape	C. B. S.	1816.	——	G	♄			
24	azóricum D.S. (*wh*) white Azorian	Madeira	1724.	4.11.	G	♄			Bot. reg. t. 89.
25	dispérmum D.S. (*wh*) two-seeded	Nepaul	1825.	....	G	♄	◡		
	§ 3. *Leaves ternate, alternate.*								
26	frùticans D.S. (*ye*) common yellow	S. Europe	1570.	4.10.	H	♄			Bot. mag. t. 461.
27	hùmile D.S. (*ye*) Italian	———	1656.	6. 9.	H	♄			Bot. reg. t. 350.
28	heterophy'llum D.S. (*ye*) variable-leaved	Nepaul	1820.	7. 8.	H	♄			
29	odoratissimum D.S. (*ye*) yellow Azorian	Madeira	1656.	5.11.	G	♄			Bot. mag. t. 285.
	§ 4. *Leaves pinnate, alternate.*								
30	revolùtum D.S. (*ye*) yellow Nepaul	Nepaul	1812.	3.10.	H	♄			Bot. reg. t. 178.
	chrysánthemum F.I.								
31	pubígerum D.S. (*ye*) pubescent	———	1828.	——	H	♄	◡		Bot. reg. t. 1409.
	Wallichiànum B.R.								
	§ 5. *Leaves pinnate, opposite.*								
32	officinàle D.S. (*wh*) common white	E. Indies	1548.	6.10.	H	♄	◡		Bot. mag. t. 31.
	β *leucophy'llum* (*wh*) *white-edged*	———	....	——	H	♄	◡		
	γ *chrysophy'llum* (*wh*) *yellow-edged*	———	....	——	H	♄	◡		
	δ *múltiplex* (*wh*) *double-blossomed*	———	1823.	——	H	♄	◡		
33	grandiflòrum D.S. (*wh*) Catalonian	———	1629.	——	G	♄	◡		Bot. reg. t. 91.

ORDER CXLIX.

STRYCHNA'CEÆ. D.S. 4. *p.* 64.

STRY'CHNOS DS. STRY'CHNOS. (*στρυχνος*, Greek name of Solanum.) Pentand. Monogy.

1 Núx-vómica DS.	(*wh*) Poison-nut	E. Indies	1778.	S	♄		Roxb. cor. 1. t. 4.
2 colubrìna DS.	(*gr.ye*) muricate-fruited	———	1818. 5. 8.	S	♄		Rheed. mal. 8. t. 24.
3 potatòrum DS.	(*wh*) clearing-nut	———	1794. 4. 6.	S	♄		Roxb. cor. 1. t. 5.
4 madagascariénsis DS.	(*wh*) Madagascar	Madagascar	1818.	S	♄		Pluck. phyt. t. 170. f. 4.
5 spinòsa DS.	(*gr.ye*) spiny	———	1824.	S	♄		
6 axillàris DS.	(*wh*) axillary-fld.	E. Indies	1818. 5. 7.	S	♄		Linn. trans. v. 12. t. 15

ORDER CL.

POTALIA'CEÆ. D.S. 4. *p.* 84.

ANTHOCLEI'STA DS. ANTHOCLEI'STA. (*ανθος*, a flower, and *κλειστος*, shut up.) Dodec. Monogy.

macrophy'lla DS.	(*wh*) large-leaved	SierraLeone	1820.	S	♄		

FAGRÆ'A DS. FAGRÆ'A. (Jonas Theodor. Fagræus, M.D.) Pentandria Monogynia.

1 zeylánica DS.	(*wh*) Ceylon	Ceylon	1824. 4. 7.	S	♄		Thunb. ac. hol. 1782. t. 4.
2 frágrans DS.	(*wh*) fragrant	China	1826. 5. 7.	S	♄		

ORDER CLI.

APOCI'NEÆ. D.S. 4. p. 70.

Tribe I. *ECHITIE'Æ.* D.S. p. 72.

ECHI'TES D.S. ECHI'TES. (*εχις*, a viper; twining.) Pentandria Monogynia.

1 longiflòra D.S.	(*wh*) long-flowered	Brazil	1816. 5. 8.	S	♄	◡	
2 rèpens D.S.	(*re*) creeping	St. Domingo	1824. 6. 8.	S	♄		Jacq. am. pict. t. 35.
3 biflòra D.S.	(*wh*) twin-flowered	W. Indies	1793. 7. 8.	S	♄	◡	Jacq. amer. 30. t. 21.
4 umbellàta D.S.	(*wh*) umbelled	Jamaica	1733. 7.	S	♄	◡	——— 30. t. 22.
5 torùsa D.S.	(*ye*) climbing	———	1778. 6. 8.	S	♄	◡	——— 33. t. 27.
6 diffórmis D.S.	(*ye*) deformed	Carolina	1806. 6. 7.	S	♄	◡	
7 domingénsis D.S.	(*ye*) St. Domingo	W. Indies	1820. 7. 8.	S	♄	◡	Jacq. ic. t. 53.
8 stellàris B.R.	(*fl*) starry	Brazil	.... 8.	S	♄	◡	Bot. reg. 1664.
9 frutéscens H.B.	(*wh*) frutescent	E. Indies	1816. 6. 7.	S	♄	◡	
10 paniculàta H.B.	(*wh*) panicled	———	—— ——	S	♄	◡	

CHONEMO'RPHA DS. CHONEMO'RPHA. (*χωνη*, a funnel, and *μορφη*, form.) Pentand. Monogy.

1 dichótoma DS.	(*wh*) forked	E. Indies	1818. 6. 7.	S	♄	◡	
Echites dichótoma Roth. *Hèynii* S.S.							
2 grandiflòra DS.	(*pi*) large-flowered	———	1823.	S	♄	◡	
Echites grandiflòra Roth. *macrántha* S.S.							

3 antidysentérica DS. (*pi*) medicinal — E. Indies — 1821. .... S ♄
4 pubéscens DS. (*wh*) pubescent — ——— — 1822. .... S ♄ — Rheed. mal. 1. t. 49?
5 reticulàta DS. (*wh*) netted-leaved — ——— — 1818. 6. 7. G ♄ ◡

AGANO'SMA DS. AGANO'SMA. (αγανης, mild, and οσμη, a smell.) Pentandria Monogynia.
1 caryophyllàta DS. (*ye*) clove-scented. — E. Indies — 1812. 10. S ♄ ◡
Echìtes caryophyllàta Blum.
2 Roxbúrghii DS. (*st*) Roxburgh's — ——— — —— 9.11. S ♄ ◡ — Bot. mag. t. 1919.
Echìtes caryophyllàta Roxb.

BEAUMO'NTIA DS. BEAUMO'NTIA. (late Mrs. Beaumont, Breton Hall, Yorkshire.) Pent. Monog.
1 grandifiòra DS. (*wh*) oval-leaved — E. Indies — 1812. 5. 7. S ♄ ◡ — Bot. reg. t. 911.
2 longifòlia L.C. (*wh*) long-leaved — ——— — 1818. .... S ♄ ◡

PACHYPO'DIUM DS. PACHYPO'DIUM. (παχυς, thick, and πους, a foot.) Pentandria Monogynia.
1 tuberòsum B.R. (*wh.re*) tuberous-rooted — C. B. S. — 1813. 4. 6. D G ♄ — Bot. reg. t. 1321.
2 glàbrum DS. (*fl*) glabrous — ——— — 1795. 7.11. D G ♄ — Bot. cab. t. 1676.
Echìtes bispinòsa Th.
3 tomentòsum DS. (*wh*) woolly — ——— — 1820. —— D G ♄ — Thunb. ac. pet. 14. t. 9. f. 2
Echìtes succulénta Th. Jacq. fragm. t. 117.

ICHNOCA'RPUS DS. ICHNOCA'RPUS. (ιχνος, a vestige, and καρπος, a fruit.) Pentand. Monog.
frutéscens DS. (*pu*) shrubby — E. Indies — 1759. 7. 8. S ♄ — Burm. zeyl. t. 12. f. 1.

PARSO'NSIA DS. PARSO'NSIA. (James Parsons, M.D., bot. author.) Pentandria Monogynia.
1 corymbòsa DS. (*re*) corymb-flower'd — W. Indies — 1820. 6. 8. S ♄ ◡ — Jacq. amer. pict. t. 37.
Echìtes corymbòsa Jacq.
2 floribúnda DS. (*wh*) many-flowered — Jamaica — —— —— S ♄
Echìtes floribúnda W.

VALLA'RIS DS. VALLA'RIS. (*vallo*, to enclose; used for fences.) Pentandria Monogynia.
Pergulànus DS. (*wh*) smooth-leaved — E. Indies — 1818. .... S ♄ ◡ — Rumph. am. 5. t. 29.
Pergulària glàbra W. *Emerícia Pergulària* R.S.

LYO'NSIA. DS. LYO'NSIA. (Israel Lyons, bot. author.) Pentandria Monogynia.
stramínea DS. (*st*) climbing — N. S. W. — 1820. 6. 8. S ♄ ◡

THENA'RDIA DS. THENA'RDIA. (L. J. Thenard, a cel. chemist.) Pentandria Monogynia.
floribúnda DS. (*gr*) abundant-fld. — Mexico — 1823. .... S ♄ — H. et B. 3. t. 240.

APO'CYNUM D.S. DOG'S-BANE. (απο, from, and κυων, a dog; poisons.) Pentandria Monogynia.
1 androssemifòlium DS. (*bh*) Tutsan-ld. — N. America — 1688. 7. 9. H ♃ — Bot. mag. t. 280.
2 cannábinum DS. (*gr*) Hemp-like — ——— — 1699. —— H ♃ — Moris. s. 15. t. 3. f. 14.
3 hypericifòlium DS. (*wh*) Hypericum-ld. — ——— — 1758. 6. 7. H ♃ — Jacq. vind. 3. t. 66.
4 venètum DS. (*re*) Venetian — Adriatic Isl. — 1690. —— H ♃ — Lob. ic. 372. f. 1. 2.
β *álbum* (*wh*) *white-flowered* — ——— — .... —— H ♃

AMSO'NIA R.S. AMSO'NIA. (Ch. Amson, an American trav.) Pentandria Monogynia.
1 latifòlia R.S. (*bl*) broad-leaved — N. America — 1759. 5. 6. H ♃ — Bot. reg. t. 151.
2 salicifòlia R.S. (*pa.bl*) Willow-leaved — ——— — 1812. —— H ♃ — Bot. mag. t. 1873.
3 angustifòlia R.S. (*bl*) hairy-stalked — ——— — 1774. —— H ♃ — Venten. choix. t. 29.

HÆMADI'CTYON DS. HÆMADI'CTYON. (αιμα, blood, and δικτυον, a net.) Pentand. Monog.
1 venòsum DS. (*ye*) red-veined — W. Indies — 1820. 4. 8. S ♄ ◡ — Bot. mag. t. 2473.
Echìtes nàtans B.M.
2 suberécta DS. (*ye*) Savanna-flower — ——— — 1759. 6. 8. S ♄ ◡ — Bot. mag. t. 1064.
Echìtes suberécta Swt.

PRESTO'NIA DS. PRESTO'NIA. (Charl. Preston, M.D., mentioned by Ray.) Pentand. Monog.
1 tomentòsa DS. (*ye*) tomentose — Brazil — 1820. 5. 8. S ♄ ◡
2 glabràta DS. (*ye*) smooth — S. America — 1823. —— S ♄ ◡

NE'RIUM DS. OLEANDER. (νηρος, humid; habitat.) Pentandria Monogynia.
1 Oleánder DS. (*ro*) common — S. Europe — 1596. 6.10. G ♄ — Flor. graec. t. 248.
β *álba* (*wh*) *white-flowered* — ——— — —— —— G ♄ — Lodd. bot. cab. t. 700.
γ *splèndens* (*ro*) *double-hybrid* — Hybrid — 1815. —— G ♄ — Bot. reg. t. 74.
δ *variegàta* (*ro*) *variegated-ld.* — S. Europe — —— —— G ♄ — Lodd. bot. cab. t. 666.
2 odòrum DS. (*ro*) sweet-scented — E. Indies — 1683. 6. 8. S ♄ — Rheed. mal. 9. t. 2.
β *cárneum* (*fl*) *flesh-coloured* — ——— — 1816. —— S ♄ — Bot. mag. t. 2032.
γ *flòre plèno* (*ro*) *double-flowered* — ——— — .... —— S ♄ — Rheed. mal. 9. t. 1.
3 flavéscens DS. (*st*) yellowish — ..... — 1816. —— S ♄

STROPHA'NTHUS DS. STROPHA'NTHUS. (στροφος, twisted, and ανθος, a flower.) Pentand. Monog.
1 dichótomus DS. (*ro*) forked — E. Indies — 1816. 2.10. S ♄ — Burm. ind. 68. t. 26.
Echìtes caudàta L.
2 divérgens DS. (*ye*) spreading — China — —— —— S ♄ — Bot. reg. t. 469.
dichótomus B.R. *non* DC.
3 sarmentòsus DS. (*re*) sarmentose — Sierra Leon. — 1822. .... S ♄ — Desf. an. mus. 1. t. 27.

CRYPTO'LEPIS DS. CRYPTO'LEPIS. (κρυπτος, hidden, and λεπις, a scale.) Pent. Monog.
élegans DS. .. elegant — E. Indies — 1823. .... S ♄ ◡

Tribe II. *WRIGHTIE'Æ.* D.S. 4. p. 85.

WRI'GHTIA DS.	**Wri'ghtia.**	**(W. Wright, M.D. F.R.S.)**			**Pentandria Monogynia.**		
1 antidysentérica DS.	(*wh*) oval-leaved	E. Indies.	1778.	....	S	♄	Burm. zeyl. t. 77.
2 scylánica DS.	(*wh*) spear-leaved	———	....	....	S	♄	——— t. 12. f. 2.
3 dùbia DS.	(*sc*) doubtful	———	....	5. 8.	S	♄	Bot. mag. t. 1646.
Camerària dùbia B.M.							
4 coccínea DS.	(*sc*) scarlet.	———	1820.	6. 8.	S	♄	Bot. mag. t. 2696.
Nèrium coccíneum Bot. cab. t. 894.							
5 tinctùria DS.	(*wh*) dyer's	———	1812.	——	S	♄	Bot. reg. t. 933.
6 pubéscens DS.	(*re*) pubescent	———	1830.	——	S	♄	Lodd. bot. cab. t. 1929.

Tribe III. *ALSTONIE'Æ.* D.S. 4. p. 86.

ALSTO'NIA DS.	**Alsto'nia.**	**(Dr. Alston, prof. bot. Edinb.)**			**Pentandria Monogynia.**		
1 scholàris DS.	(*wh*) whorl-leaved	E. Indies	1816.	....	S	♄	Rheed. mal. 1. t. 45.
2 spectábilis DS.	(*wh*) showy	Timor	1825.	....	S	♄	
3 venenàta DS.	(*wh*) poisonous	E. Indies	1823.	....	S	♄	

Tribe IV. *GELSEMIE'Æ.* D.S. 4. p. 87.

GELSE'MIUM D.S.	**Gelse'mium.**	(*gelsemino*, Ital. name for jasmine.)			**Pentandria Monogynia.**		
sempervìrens D.S.	(*ye*) evergreen	N. America	1640.	6. 7.	G	♄	◡ Catesb. car. 1. t. 53.
nitidum R.S. *Bignònia sempervìrens* W.							

Tribe V. *TABERNEMONTA'NEÆ.* D.S. 4. p. 87.

TABERNÆMONTA'NA DS.	**Tabernæmonta'na.**	**(J. Theodore, surn. Tabernæmontanus.)**			**Pent. Mo.**		
1 citrifòlia DS.	(*st*) Citron-leaved	Jamaica	1784.	5. 8.	S	♄	Plum. ic. t. 248. f. 2.
2 álba DS.	(*wh*) white-flowered	W. Indies	1780.	——	S	♄	Jacq. amer. t. 175. f. 13.
citrifòlia Jacq. *non* L.							
3 laurifòlia DS.	(*st*) Laurel-leaved	———	1768.	——	S	♄	Bot. reg. t. 716.
4 cymòsa DS.	(*wh*) cyme-flowered	S. America	1820.	——	S	♄	Jacq. amer. t. 181. f. 14.
5 grandifòra DS.	(*wh*) great-flowered	———	1823.	——	S	♄	Lam. ill. t. 170. f. 2.
6 amygdalifòlia DS.	(*wh*) Peach-leaved	———	1780.	4. 8.	S	♄	Bot. reg. t. 338.
7 díscolor DS.	(*st*) two-coloured	Jamaica	1822.	——	S	♄	
8 persicariæfòlia DS.	(*st*) Persicaria-ld.	Mauritius	1826.	——	S	♄	Jacq. icon. rar. t. 320.
9 arcuàta DS.	(*st*) arch'd-follicled	Peru	1820.	——	S	♄	Flor. peruv. 2. t. 143.
10 crispa DS.	(*wh*) wave-leaved	E. Indies	1818.	5. 10.	S	♄	Rheed. mal. 1. t. 46.
11 coronària DS.	(*wh*) broad-leaved	———	1710.	6. 10.	S	♄	Lodd. bot. cab. t. 406.
β *flòre plèno*	(*wh*) *double-flowered*	———	——	——	S	♄	Bot. mag. t. 1865.
Nèrium coronàrium B.M.							

12	recúrva DS.	(*st*) recurved	E. Indies	1824.	5. 9.	S	♄	Bot. reg. t. 1084.
	gratissima B.R.							
13	densiflòra DS.	(*wh*) close-flowered	Ceylon	——	6. 7.	S	♄	Bot. reg. t. 1273.
14	undulàta DS.	(*st*) waved	Trinidad	——	——	S	♄	
15	odoràta DS.	(*ye*) yellow-flowered	Cayenne	1793.	10.11.	S	♄	Aub. guian. 1. t. 102.
	Camerària lùtea W. *Camerària Tamaquarìna* Aublet.							
CAMERA'RIA DS. BASTARD MANGENEEL. (Joachim Camerarius, an ancient bot.) Pent. Monog.								
1	latifòlia DS.	(*wh*) broad-leaved	Havannah	1733.	8.	S	♄	Andr. reposit. t. 261.
2	augustifòlia DS.	(*wh*) narrow-leaved	S. America	1752.	9.	S	♄	Plum. ic. t. 72. f. 2.
CONOPHARY'NGIA DS. CONOPHARY'NGIA. (κονος, a cone, and φαρυγξ, the throat.) Pent. Monog.								
	longifòlia DS.	.. long-leaved	Madagascar	1816.	....	S	♄	
	Plumèria longifòlia Lam.							
PLUME'RIA DS. PLUME'RIA. (Charles Plumier, cel. bot.) Pentandria Monogynia.								
1	rùbra DS.	(*re*) red-flowered	Jamaica	1690.	7. 8.	S	♄	Bot. reg. t. 780.
2	purpùrea DS.	(*pu*) purple	Peru	1820.	——	S	♄	Flor peruv. 2. t. 137.
3	acuminàta DS.	(*wh*) acute-leaved	E. Indies	1790.	6. 9.	S	♄	Bot. reg. 114.
	acutifòlia R.S.							
4	obtùsa DS.	(*wh*) blunt-leaved	W. Indies	1733.	7. 8.	S	♄	Catesb. car. 1. t. 93.
5	álba DS.	(*wh*) white	Jamaica	——	——	S	♄	Jacq. amer. t. 174. f. 2.
6	incarnàta DS.	(*fl*) flesh-coloured	Peru	——	——	S	♄	Flor. peruv. t. 138.
7	carinàta DS.	(*wh.re*) keel-leaved	———	1824.	——	S	♄	
8	bícolor DS.	(*ye.wh*) two-coloured	S. America	1815.	6. 9.	S	♄	Bot. reg. t. 480.
9	trícolor DS.	(*wh.re*) three-coloured	———	——	——	S	♄	Flor. peruv. 2. t. 139.
10	Kérii DS.	(*wh.re*) Ker's	Mexico	1815.	7. 9.	S	♄	Bot. reg. t. 510.
	trícolor B.R. *not of* R. et P.							
11	Millèri DS.	(*fl*) Miller's	S. America	....	7. 8.	S	♄	
	incarnàta Mill. not *of* R. et P.							
12	lùtea DS.	(*ye*) yellow-flowered	———	——	——	S	♄	Flor. peruv. 2. t. 142.
13	aurántia DS.	(*or*) orange-flowered	———	1816.	——	S	♄	
14	pùdica DS.	(*st*) wax-flowered	———	——	——	S	♄	
15	tuberculàta DS.	(*wh*) tubercled	———	1820.	6. 8.	S	♄	Lodd. bot. cab. t. 681.
16	tenuifòlia L.C.	.. slender-leaved	———	....	....	S	♄	
17	Northiàna L.C.	.. North's	———	....	....	S	♄	
18	mexicàna DS.	(*wh*) Mexican	Mexico	....	6. 9.	S	♄	Lodd. bot. cab. t. 1024.
19	Lambérti DS.	(*wh*) Lambert's	———	1824.	——	S	♄	Bot. reg. t. 1378.
	Cowàni D. Don.							
20	Blandfordiàna L.C.	.. Blandford's	S. America	....	....	S	♄	
21	nívea L.C.	(*wh*) snowy white	———	....	6. 8.	S	♄	
22	conspícua L.C.	.. conspicuous	———	....	....	S	♄	
23	macrophy'lla L.C.	.. large-leaved	———	....	....	S	♄	
24	leucántha L.C.	(*wh*) white-blossomed	———	....	....	S	♄	
25	parvifòlia H.S.S.	(*wh*) small-leaved	W. Indies	1813.	7. 8.	S	♄	
VI'NCA DS. PERIWINKLE. (*vinco*, to conquer; kills other plants.) Pentandria Monogynia.								
1	herbàcea DS.	(*bl*) herbaceous	Hungary	1816.	6. 7.	H	♃	Bot. reg. t. 301.
2	mìnor DS.	(*bl*) lesser	Britain	....	3. 9.	H	♄	Eng. bot. v. 13. t. 917.
	α cærùlea	(*bl*) *blue-flowered*	———	....	——	H	♄	
	β álba	(*wh*) *white-flowered*	———	....	——	H	♄	
	γ atropurpùrea	(*pu*) *dark-purple*	———	....	——	H	♄	
	δ múltiplex	(*pu*) *double-flowered*	———	....	——	H	♄	
	ε variegàta	(*wh*) *variegated*	———	....	——	H	♄	
3	màjor DS.	(*bl*) greater	England	....	——	H	♄	Eng. bot. v. 8. t. 514.
	β múltiplex	(*bl*) *double-blue*	———	....	——	H	♄	
CATHARA'NTHUS DS. CATHARA'NTHUS. (καθαρος, pure, and ανθος, a flower.) Pent. Monog.								
1	pusíllus DS.	(*st*) small-flowered	E. Indies	1778.	8.	S	☉	Rheed. mal. 8. t. 33.
	Vinca pusílla L. *parviflòra* W.							
2	ròseus DS.	(*ro*) Madagascar	———	1756.	3.10.	S	♄	Bot. mag. t. 248.
	Vinca ròsea L.							
	β álba	(*wh*) *white-flowered*	———	——	——	S	♄	
	γ oscellàta	(*wh.re*) *red-eyed*	———	——	——	S	♄	

Tribe VI. *ALYXIE'Æ.* D.S. 4. p. 96.

ALY'XIA DS. ALY'XIA. (αλυξις, grief; gloomy appearance.) Pentandria Monogynia.

1 Forstèri DS.	(wh) Forster's	Norfolk Isl.	1831.	4. 6.	G	♄	
2 daphnoìdes DS.	(wh) Daphne-like	———	——	——	G	♄	Bot. mag. t. 3313.
3 ruscifòlia DS.	(wh) Ruscus-leaved	N. S. W.	1822.	——	G	♄	——— t. 3312.
Richardsòni Swt.							
β *pugionifòrmis* DS.	(wh) *dagger-ld.*	MoretonBay	1830.	9.	G	♄	

CE'RBERA DS. CE'RBERA. (from Cerberus; poisonous qualities.) Pentandria Monogynia.

1 Ahoùai DS.	(ye) oval-leaved	Brazil	1739.	6. 7.	S	♄	Bot. mag. t. 737.
2 ovàta DS.	(ye) ovate-leaved	N. Spain	....	——	S	♄	Cavan. ic. 3. t. 270.
3 thevetioìdes DS.	(ye) revolute-margin'd	N. Spain	1820.	....	S	♄	
4 Thevètia DS.	(ye) linear-leaved	S. America	1735.	....	S	♄	Jacq. amer. 48. t. 34.
5 cuneifòlia DS.	(ye) wedge-leaved	Mexico	1826.	4. 6.	S	♄	

TANGHI'NIA DS. TANGHI'NIA. (Tanghin, vernacular name of a species.) Pent. Monog.

1 Mánghas DS.	(wh) blunt-leaved	E. Indies.	1759.	4. 8.	S	♄	Flor. cab. 2. 133.
Cérbera Mánghas L.T.							
2 Odállam DS.	(wh.re) spear-leaved	———	——	6. 9.	S	♄	Bot. mag. t. 1845.
Cérbera Mánghas B.M. *non* L.T. *Odállam* L.T.							
3 lactària DS.	(wh) Milk-tree	E. Indies	....	——	S	♄	Rumph. amb. 2. t. 81.
Cérbera Mánghas G 2. t. 123 et 124. f. 1. *non* L.T. *lactària* L.T.							
4 venenéflua DS.	(bh.re) poison-nut	Madagascar	1826.	....	S	♄	Bot. mag. t. 2968.
Cérbera Tánghin B.M.							
5 laurifòlia DS.	(wh) Laurel-leaved	E. Indies	1819.	6. 9.	S	♄	Lodd. bot. cab. t. 989.
6 maculàta DS.	(wh.re) wave-leaved	Bourbon	1782.	6. 7.	S	♄	Andr. reposit. t. 130.
7 dichótoma DS.	(wh) forked	E. Indies.	1827.	——	S	♄	Lodd. bot. cab. t. 1516.
Cérbera dichótoma DC.							

DISSOLE'NA DS. DISSOLE'NA. (δις, twice, and σωλην, a tube.) Pentandria Monogynia.

verticillàta DS.	(wh) whorl-leaved.	China	1812.	....	S	♄	

RAUWO'LFIA DS. RAUWO'LFIA. (L. Rauwolf, physician at Augsburg.) Pentan. Monogy.

1 nítida DS.	(wh) shining	S. America	1752.	6. 9.	S	♄	Lodd. bot. cab. t. 339.
2 ternifòlia DS.	(wh) three-leaved	———	1822.	——	S	♄	Bot. mag. t. 2440.
3 canéscens DS.	(fl) hoary	Jamaica	1739.	——	S	♄	Jacq. amer. pict. f. 17.
4 tomentòsa DS.	(wh) woolly	S. America	1823.	——	S	♄	——— t. 46.
5 spinòsa DS.	(st) spiny	Peru	1827.	——	S	♄	Cavan. icon. 6. t. 526.

OCHRO'SIA DS. OCHRO'SIA. (ωχρος, pale yellow; flowers.) Pentandria Monogynia.

1 borbónica D.S.	(st) Bourbon	Bourbon	1823.	....	S	♄	
Cérbera borbónica S.S. *Ophióxylon Ochròsia* P.S.							
2 maculàta D.S.	(wh) spotted-leaved	Bourbon	1782.	6. 7.	S	♄	Andr. reposit. t. 130.

OPHIO'XYLON D.S. OPHIO'XYLON. (οφις, a snake; ξυλον, wood; twisted.) Polyg. Monœc.

serpentìnum D.S.	(wh) serpent-wood	E. Indies	1690.	5. 6.	S	♄	Bot. mag. t. 784.

VALLE'SIA D.S. VALLE'SIA. (T. Vallesio, phys. to Philip II. of Spain.) Pentand. Monogy.

1 cymbæfòlia D.S.	(wh) boat-leaved	S. America	1816.	6. 8.	S	♄	Cavan. ic. 3. t. 297.
Rauwólfia glábra W.							
2 dichótoma D.S.	(wh) forked	Peru	1822.	——	S	♄	Flor. peruv. 2. t. 151. f. 6.

Tribe VII. *KOPSIE'Æ.* D.S. 4. p. 100.

CALPICA'RPUM D.S. CALPICA'RPUM. (καλπις, an urn, and καρπος, a fruit.) Pent. Monogy.

Roxbúrghii D.S.	(re) Roxburgh's	Peru	1819.	3. 9.	S	♄	Bot. reg. t. 391.
Cérbera fruticòsa B.R.							

Tribe VIII. *MELODINEÆ.* D.S. 4. p. 101.

MELODI'NUS D.S. MELODI'NUS. (*μελον*, a melon, and *δινεω*, to turn.) Pentan. Mono-Di
1 scándens D.S. (*wh*) climbing N.Caledonia 1775. .... S ♄ ◡ Lam. ill. t. 179.
2 parvifòlius L.C. (*wh*) small-leaved E. Indies .... S ♄
3 undulàtus L.C. (*wh*) wave-leaved ——— .... S ♄
4 monógynus D.S. (*wh*) one-styled ——— 1816. 4. 8. S ♄ ◡ Bot. reg. t. 834.
CARPODI'NUS D.S. PISHAMIN. (*καρπος*, a fruit, and *δινεω*, to turn; form.) Pentan. Digy
1 dúlcis D.S. (*wh*) sweet Sierra Leone 1823. .... S ♄ ◡
2 ácidus D.S. (*wh*) sour ——— —— .... S ♄ ◡
WILLUGHBE'IA D.S. WILLUGHBE'IA. (Fr. Willughby, a pupil of Ray's.) Pentan. Mono
edùlis D.S. (*bh*) eatable E. Indies 1818. 6. 8. S ♄ ◡ Roxb. corom. 3. t. 2

Tribe IX. *ALLAMANDIE'Æ.* D.S. 4. p. 102

ALLAMA'NDA D.S. ALLAMA'NDA. (Fred. Allamand, of Stockholm; a bot. col.) Pent. Monog
1 Aublètii D.S. (*ye*) Willow-leaved Guiana 1785. 6. 7. S ♄ Bot. mag. t. 338.
cathártica Aubl.
2 Linnæ'i D.S. (*ye*) Linnæus's Antilles —— —— S ♄ Wend. sert. han. 1. t. 22.
cathártica L.
3 verticillàta D.S. .. whorl-leaved E. Indies 1812. .... S ♄
Nèrium tinctòrium Hort.

Tribe X. *CARANDIE'Æ.* D.S. 4. p. 103.

CARI'SSA D.S. CARI'SSA. (Khrishna, Sanscrit name of a species.) Pentandria Monogynia.
1 Carándas D.S. (*wh*) Jasmine-flower'd E. Indies 1790. 7. 8. S ♄ Roxb. cor. 1. t. 77.
2 spinàrum D.S. (*wh*) Box-leaved ——— 1809. 8. 12. S ♄ Lodd. bot. cab. t. 162.
3 ovàta D.S. (*wh*) oval-leaved N. Holland 1817. 6. 9. G ♄
4 lanceolàta D.S. (*wh*) lanceolate ——— 1822. 7. 8. G ♄
5 Xylópicron D.S. (*wh*) nerved-leaved Mauritius 1820. 6. 9. S ♄ Aub. Thou. obs. p. 24. ic.
ARDUI'NA D.S. ARDUI'NA. (M. Arduin, an ancient bot.) Pentandria Monogynia.
bispinòsa D.S. (*wh*) two-spined C. B. S. 1760. 3. 8. G ♄ Mill. ic. 2. t. 300.
Carissa Arduìna P.S.
MONE'TIA D.S. MONE'TIA. (J. B. A. de Monet, a bot. author.) Tetrandria Monogynia.
tetracántha D.S. (*wh*) four-spined E. Indies 1758. 7. S ♄ L'Her. stirp. t. 1.
barlerioìdes L'Her.

ORDER CLII.

ASCLEPIADEÆ. *Brown prodr.* 1. *p.* 458.

Tribe I. *ORTHOPHURAMIÆ.* D.S. 4. p. 109.

Subtribe I. STAPELIEÆ. D.S. 4. p. 109.

CEROPE'GIA D.S. CEROPE'GIA. (κηρος, wax, and πηγη, a fountain; pollen masses.) Pe. Di.

1	ephy'lla D.S.	(*st*) leafless	Canaries	1808.	S ♄	
2	stapeliæfórmis D.S.	(*br*) Stapelia-like	C. B. S.	1826. 7. 8.	D S ♄	Bot. mag. t. 3564.
3	torulòsa D.S.	.. straddling	———	1821.	D S ♄	
4	dichótoma D.S.	(*st*) forked	E. Indies	1806. 8.	D S ♄	
5	júncea D.S.	(*st.pu*) rushy	———	1820. 4. 6.	D S ♃ ◡	Roxb. cor. 1. t. 10.
6	élegans D.S.	(*pu*) elegant	———	1828. 8.10.	D S ♄ ◡	Bot. reg. t. 1706.
7	Wightii D.S.	(*pu.str*) Dr. Wight's	———	1832. ——	D S ♃ ◡	Bot. mag. t. 3267.
8	Líshii D.S.	(*gr.pu*) Lush's	———	1833. ——	D S ♃ ◡	——— t. 3300.
9	africàna D.S.	(*br*) African	C. B. S.	1821. 4.11.	D S ♃ ◡	Bot. reg. t. 626.
10	bulbòsa D.S.	(*pu*) bulbous-rooted	E. Indies	—— ——	D S ♃ ◡	Roxb. cor. 1. t. 7.
11	acuminàta D.S.	(*pu*) acuminated	———	1820. ——	D S ♃ ◡	——— 1. t. 8.
12	tuberòsa D.S.	(*pu*) tuberous-rooted	———	1821. ——	D S ♃ ◡	——— 1. t. 9.

HUE'RNIA D.S. HUE'RNIA. (Justus Huernius, early collector of Cape plants.) Pent. Dig.

1	reticulàta D.S.	(*d.pu*) netted	C. B. S.	1793. 7. 8.	D S ♄	Bot. mag. t. 1662.
	Stapèlia reticulàta B.M.					
	β *deformis* J.S.	(*wh.pu*) *deformed*	———	—— ——	D S ♄	Jacq. stap. c. ic.
2	campanulàta D.S.	(*st.pu*) bell-shaped	———	1795. 7.10.	D S ♄	Bot. mag. t. 1227.
3	clavígera D.S.	(*st.cr*) club-haired	———	—— ——	D S ♄	——— t. 1661.
	Stapèlia campanulàta B.M. *nec aliorum.*					
4	venústa D.S.	(*st.re*) showy	———	—— 6. 7.	D S ♄	Mass. stap. 10. t. 3.
5	lentiginòsa D.S.	(*st.pu*) freckled	———	—— 7.11.	D S ♄	Bot. mag. t. 506.
6	guttàta D.S.	(*st.cr*) red-spotted	———	—— 8.11.	D S ♄	Mass. stap. 10. t. 4.
7	hùmilis D.S.	(*st.pu*) humble	———	—— ——	D S ♄	——— 10. t. 5.
8	tubàta D.S.	(*st.re*) tube-flowered	———	1805. ——	D S ♄	Jacq. stap. c. ic.
9	duodecímfida J.S.	(*st.re*) eleven-cleft	———	—— ——	D S ♄	——— c. ic.
10	crispa D.S.	(*st.pu*) curled	———	—— ——	D S ♄	
11	barbàta D.S.	(*st.pu*) bearded	———	1795. ——	D S ♄	Mass. stap. 11. t. 7.
12	ocellàta D.S.	(*st.pu*) eyed	———	1816. ——	D S ♄	

PIARA'NTHUS D.S. PIARA'NTHUS. (πιαρ, fatness, and ανθος, a flower; fleshy.) Pent. Digy.

1	punctàtus D.S	(*fl*) purple dotted	C. B. S.	1795. 7.11.	D S ♄	Mass. stap. 18. t. 24.
2	pùllus D.S.	(*d.p*) many-flowered	———	1774. 8. 9.	D S ♄	Bot. mag. t. 1648.
3	ramòsus Swt.	(*pk*) branched	———	1795. 6. 8.	D S ♄	Mass. stap. 21. t. 32.
	Stapèlia ramòsa Mass.					
4	parvifìòrus D.S.	(*pu*) small-flowered	———	—— ——	D S ♄	Mass. stap. 22. t. 35.
5	Gussoneànus D.S.	(*ye.pu*) Gussone's	———	1832. 6. 7.	D S ♄	Bot. reg. t. 1731.
6	incarnàtus D.S.	(*fl*) flesh-coloured	———	1793. 4. 8.	D S ♄	Mass. stap. 22. t. 44.
7	àridus D.S.	(*ye.wh*) arid	———	1795. 8.	D S ♄	——— 21. t. 33.
8	pilíferus Swt.	(*pk*) hairy-tubercled	———	1799. ——	D S ♄	——— 17. t. 23.

HOO'DIA Swt. HOO'DIA. (Mr. Hood, a cult. of succulent plants.) Pentandria Digynia.

	Gordòni Swt.	(*br*) Gordon's	C. B. S.	1796.	D S ♄	Mass. stap. 24. t. 40.
	Stapèlia Gordòni Mass.					

STAPE'LIA D.S. CARRION-FLOWER. (Boderus a Stapel, Dutch bot.) Pentandria Digynia.

§ 1. *Branches of stem alately tetragonal.*

1	grandifìòra D.S.	(*d.p*) great-flowered	C. B. S.	1795. 9.12.	D S ♄	Mass. stap. 13. t. 11.
2	spectàbilis D.S.	(*d.p*) showy	———	1802. ——	D S ♄	Bot. mag. t. 585.
	grandiflòra B.M. *non* Mas.					
3	ambígua D.S.	(*re.pu*) ambiguous	———	1795. 6.11.	D S ♄	Mass. stap. 13. t. 12.
	β *fulva*	(*br*) *brown-flowered*	———	—— ——	D S ♄	Jacq. stap. c. ic.
	ambígua variétas Jacq.					
4	soròria D.S.	(*re.pu*) sister	———	1797. 6. 8.	D S ♄	Mass. stap. 23. t. 39.
5	elongàta Swt.	(*br*) long-branched	———	—— ——	D S ♄	Jacq. stap. c. ic.
	soròria variétas Jacq.					
6	lunàta Swt.	(*pu*) lunate-spotted	———	—— ——	D S ♄	Jacq. stap. c. ic.
	soròria variétas ália Jacq.					

7 pátula D.S. (*d.p*) spreading C. B. S. .... 6. 8. D S ♄ Jacq. stap. c. ic.
sordòria Jacq. *non* Mas.
8 defléxa B.M. (*ye.re*) reflexed ——— 1806. —— D S ♄ Bot. mag. t. 1890.
refléxa H.S. *Gonostèmon defléxum* S.S.
9 lùcida D.S. (*pu*) glossy ——— 1821. —— D S ♄
10 breviróstris W.en. (*br*) short-beaked ——— .... —— D S ♄
r §12. *Angles of stem 4, equal, flat, downy.*
11 Massòni D.S. (*d.p*) Masson's C. B. S. 1808. —— D S ♄
12 Astèrias D.S. (*d.p.ye*) Starfish ——— 1795. 5. 11. D S ♄ Bot. mag. t. 536.
13 stellàris D.S. (*br.p*) starry ——— 1804. 8. 10. D S ♄ Jacq. stap. c. ic.
14 hirsùta D.S. (*s.d.vi*) hairy ——— 1710. 6. 8. D S ♄ Jacq. misc. 1. t. 3.
β *àtra* B.R. (*da.pu*) *dark-flowered* ——— —— —— D S ♄ Bot. reg. t. 756.
15 lanífera D.S. (*d.br*) woolly-flowered ——— 1814. 6. 9. D S ♄
16 flavicomàta D.S. (*br*) yellow-haired ——— —— —— D S ♄
17 hamàta D.S. (*pu.re*) hooked ——— 1805. —— D S ♄ Lodd. bot. cab. t. 242
18 comàta D.S. (*d.p.ye*) very hairy ——— 1821. —— D S ♄
19 multifiòra D.S. (*pu.re*) many-flowered ——— —— —— D S ♄
20 rùfa D.S. (*bl.re*) rusty brown ——— 1795. 6. 11. D S ♄ Lodd. bot. cab. t. 238
21 pulvinàta D.S. (*r.p*) cushioned ——— —— —— D S ♄ Bot. mag. t. 1240.
22 fissiróstris D.S. (*gr.pu*) cloven-beaked ——— 1821. —— D S ♄ Jacq. stap. c. ic.
23 concínna D.S. (*br*) spruce ——— 1795. 6. 8. D S ♄ Mass. stap. 15. t. 18.
24 glandulífera D.S. (*y.br*) hairy-glanded ——— —— —— D S ♄
25 hispídula D.S. (*br*) hispid ——— 1821. —— D S ♄
26 glanduliflòra D.S. (*st*) gland-flowered ——— 1795. 8. 11. D S ♄ Mass. stap. 16. t. 19.
27 acuminàta D.S. (*d.p*) acuminated ——— —— 7. 9. D S ♄ ——— 15. t. 17.
† *Species hardly known.*
28? cordàta D.S. .... heart-shaped C. B. S. 1805. 6. 8. D S ♄
29? canéscens D.S. .... canescent ——— 1795. —— D S ♄
30? ophiúncula D.S. .... serpent-like ——— 1805. —— D S ♄

GONOSTE'MON D.S GONOSTE'MON. (γωνια, an angle, and στημων, a stamen.) Pentand. Digy.
1 divaricàtum D.S. (*fl*) divaricated C. B. S. 1793. 6. 11. D S ♄ Bot. mag. t. 1007.
Stapèlia divaricàta B.M.
2 stríctum D.S. (*fl*) upright ——— 1819. 10. 12. D S ♄ Bot. mag. t. 2037.
Stapèlia stricta B.M.
3 pállidum D.S. (*pa*) pale-flowered ——— —— —— D S ♄ Wendl. coll. 2. t. 51.
Stapèlia pállida Wendl.

PODA'NTHES D.S. PODA'NTHES. (πους, a foot, and ανθος, a flower; pedicelled.) Pentand. Digy.
1 púlchra D.S. (*st*) beautiful sulphur C. B. S. 1800. 8. 10. D S ♄
β *màjor* (*st.d.p*) *larger* ——— —— —— D S ♄ Bot. mag. t. 786.
Stapèlia verrucòsa B.M. *nec aliorum.*
2 irroràta D.S. (*st.cr*) dewy ——— 1795. 7. 9. D S ♄ Mass. stap. 12. t. 9.
3 verrucòsa D.S. (*st.br*) warted ——— —— 8. 10. D S ♄ ——— 11. t. 8.
4 roríflua D.S. (*st.cr*) dew-bearing ——— 1802. —— D S ♄ Jacq. stap. c. ic.
Stapèlia roríflua Jacq.
5 pulchélla D.S. (*st.cr*) beautiful ——— 1795. 5. 11. D S ♄ Mass. stap. 22. t. 36.
6 ciliàta D.S. (*ye*) ciliated ——— —— 10. 11. D S ♄ ——— 9. t. 1.

TRIDE'NTEA D.S. TRIDE'NTEA. (*tridens*, a trident; segments of outer corona.) Pentand. Digy.
1 gemmiflòra D.S. (*bk*) gem-flowered C. B. S. 1795. 10. 11. D S ♄ Mass. stap. 14. t. 15.
2 sty'gia D.S. (*bk*) Stygian ——— 1800. 8. 10. D S ♄ Bot. mag. t. 1839.
Stapèlia gemmiflòra β, B.M.
3 moschàta D.S. (*d.p*) musk-scented ——— 1799. 9. 11. D S ♄ Lodd. bot. cab. t. 1051.
Stapèlia hircòsa Jacq. stap. c. ic.
4 vétula D.S. (*d.p*) purple-smooth ——— 1793. 5. 11. D S ♄ Mass. stap. 15. t. 16.
5 Símsii D.S. (*d.p*) Sims's ——— 1800. —— D S ♄ Bot. mag. t. 1234.
Stapèlia vétula B.M. *non* Mass.
6 paniculàta D.S. (*re*) panicled ——— 1805. 6. 9. D S ♄
7 rugòsa D.S. (*pu.gr*) wrinkled ——— .... —— D S ♄
Stapèlia rugòsa W. en.
8 juvéncula H.S. (*d.br*) short-flowered ——— .... —— D S ♄ Jacq. stap. c. ic.
9 depréssa D.S. (*re.p*) depressed ——— .... —— D S ♄ ——— c. ic.

TROMO'TRICHE D.S. TROMO'TRICHE. (τρομος, tremour, and θριξ, a hair.) Pentandria Digynia.
1 fuscàta D.S. (*br*) brown-flowered C. B. S. 1814. 6. 10. D S ♄ Jacq. stap. c. ic.
Stapèlia fuscàta Jacq.
2 glaúca D.S. (*cr*) large-glaucous ——— 1799. 6. 11. D S ♄ Jacq. stap. c. ic.
3 revolùta D.S. (*cr*) revolute-flowered ——— 1790. 6. 9. D S ♄ Bot. mag. t. 724.
Stapèlia revolùta B.M.
4 pruinòsa D.S. (*bh*) frosted ——— 1795. 6. 8. D S ♄ Mass. stap. 24. t. 41.
5 oblìqua D.S. (*ye.vi*) oblique-flowered ——— 1805. 6. 9. D S ♄
6 mutábilis Swt. (*gr.br*) changeable ——— 1823. —— D S ♄ Jacq. stap. c. ic.

β variábilis (*st.re*) *variable* C. B. S. 1823. 6. 9. D S ♄ Jacq. stap. c. ic.
Stapèlia mutábilis varietas Jacq.

O'RBEA D.S. O'RBEA. (*orbis*, an orb; centre of flower.) Pentandria Digynia.

1 maculòsa D.S. (*y.r*) spotted C. B. S. 1804. 6. 9. D S ♄ Bot. mag. t. 1833.
2 míxta D.S. (*vi.ye*) mixed ——— 1795. —— D S ♄ Mass. stap. 23. t. 38.
Stapèlia míxta Mas.
3 quinquenérvia D.S. (*s.p*) five-nerved ——— 1810. 10. 12. D S ♄
4 trisúlca J.S. (*ye.pu*) trisulcate ——— 1806. —— D S ♄ Jacq. stap. c. ic.
5 bisúlca D.S. (*s.p.*) bisulcate ——— —— —— D S ♄
6 variegàta D.S. (*s.p*) variegated ——— 1727. 6. 10. D S ♄ Moris. s. 15. t. 3. f. 4.
Stapèlia variegàta L. *non* B.M.
7 Curtísii D.S. (*s.p*) Curtis's ——— 1787. —— D S ♄ Bot. mag. t. 26.
Stapèlia variegàta B.M. *non* L.
8 lépida D.S. (*st.cr*) pretty ——— 1805. 7. 8. D S ♄ Jacq. stap. c. ic.
9 orbiculàris D.S. (*br*) large orbed ——— 1799. 7. 11. D S ♄ Andr. reposit. t. 448.
10 bufònia D.S. (*y.bk*) toad-like ——— 1806. 8. 10. D S ♄ Bot. mag. t. 1676.
Stapèlia Bufònis B.M.
11 clypeàta D.S. (*y.p*) shield-flowered ——— 1799. 6. 11. D S ♄ Jacq. stap. c. ic.
12 planiflòra D.S. (*ye.bk*) flat-flowered ——— 1805. 7. 11. D S ♄ Lodd. bot. cab. t. 191.
13 inodòra D.S. (*s.p*) scentless ——— 1788. 6. 8. D S ♄
14 rugòsa S.S. (*gr.br*) rugged ——— 1805. 5. 8. D S ♄ Jacq. stap. c. ic.
15 Wendlandiàna D.S. (*s.br*) Wendland's ——— —— 6. 9. D S ♄ Wendl. coll. 2. t. 52.
Stapèlia rugòsa Wend. *non* Jacq.
16 marginàta D.S. (*s.vi*) margined ——— —— —— D S ♄
17 conspurcàta D.S. (*s.vi*) dirtied ——— 1795. 6. 10. D S ♄ Jacq. stap. c. ic.
18 normàlis D.S. (*s.p*) sulphur-coloured ——— 1821. —— D S ♄ Bot. reg. t. 755.
19 marmoràta D.S. (*s.da*) marbled ——— —— —— D S ♄
20 retùsa D.S. (*s.da*) retuse ——— 1808. 9. 10. D S ♄
21 anguínea D.S. (*y.da*) snake ——— 1806. 8. 9. D S ♄ Lodd. bot. cab. t. 828.
22 pícta D.S. (*st.d.p*) painted ——— 1799. 6. 9. D S ♄ Bot. mag. t. 1169.
23 Woodfordiàna D.S. (*s.p*) Woodford's ——— 1805. —— D S ♄

OBE'SIA D.S. OBE'SIA. (*obesus*, fat; flowers.) Pentandria Digynia.

1 serrulàta D.S. (*st.br*) sawed C. B. S. 1805. 6. 8. D S ♄ Jacq. stap. c. ic.
Stapèlia serrulàta Jacq.
2 geminàta D.S. (*ye.br*) twin-flowered ——— 1795. 5. 11. D S ♄ Bot. mag. t. 1326.
Stapèlia geminàta B.M.
3 decòra D.S. (*ye.pu*) neat ——— —— —— D S ♄ Mass. stap. 19. t. 26.

DUVA'LIA D.S. DUVA'LIA. (H. A. Duval, a French bot.) Pentandria Digynia.

§ 1. *Corollas ciliated.*
1 reclinàta D.S. (*pu.ye*) reclined C. B. S. 1795. 8. 10. D S ♄ Bot. mag. t. 1397.
2 élegans D.S. (*d.pu*) elegant ——— —— —— D S ♄ ——— t. 1184.
Stapèlia élegans B.M.
3 hirtélla D.S. (*d.pu*) hairy ——— —— —— D S ♄ Jacq. stap. c. ic.
Stapèlia hirtélla Jacq.
4 cæspitòsa D.S. (*d.pu*) tufted ——— 1790. 8. 11. D S ♄ Mass. stap. 20. t. 29.
5 mastòdes D.S. (*d.pu*) teated ——— 1821. 8. 10. D S ♄ Jacq. stap. c. ic.
6 Jacquiniàna D.S. (*d.pu*) Jacquin's ——— 1802. 7. 9. D S ♄ ——— t. 37.
Stapèlia radiàta Jacq. *non* B.M.
7 tuberculàta D.S. (*d.p*) tubercled ——— 1774. 7. 11. D S ♄
§ 2. *Corollas naked.*
8 radiàta D.S. (*d.pu*) radiated ——— 1795. 9. 11. D S ♄ Bot. mag. t. 619.
9 replicàta D.S. (*br.pu*) replicate ——— 1806. 8. 10. D S ♄ Jacq. stap. c. ic.
Stapèlia replicàta Jacq.
10 lævigàta D.S. (*d.p*) smooth ——— 1808. 7. 11. D S ♄
11 glomeràta D.S. (*d.p*) clustered ——— —— —— D S ♄
12 compácta D.S. (*d.p*) compact ——— 1800. 8. 11. D S ♄

CARUNCULA'RIA D.S. CARUNCULA'RIA. (*caruncula*, a fleshy protuberance.) Pentand. Digy.

1 Símsii Swt. (*re.bk*) Sims's C. B. S. 1790. 6. 11. D S ♄ Sims bot. mag. t. 793.
Stapèlia pedunculàta B.M. *pedunculàta Símsii* Jacq. stap. c. ic.
2 Massòni Swt. (*br*) Masson's C. B. S. 1790. 6. 11. D S ♄ Mass. stap. p. 17. t. 21.
Stapèlia pedunculàta Mass. *pedunculàta Massòni* Jacq. stap. c. ic.
3 Jacquíni Swt. (*co*) Jacquin's C. B. S. 1790. 6. 11. D S ♄ Jacq. stap. c. ic.
Stapèlia pedunculàta Jacq.
4 pendulifiòra Swt. (*br*) pendulous-flowered ——— —— —— D S ♄ Jacq. stap. c. ic.
Stapèlia pedunculàta alia. Jacq.
5 apérta Swt. (*p.pu*) open-flowered ——— 1795. 7. 8. D S ♄ Mass. stap. 23. t. 37.
Stapèlia apérta Mass.

PECTINA'RIA D.S. PECTINA'RIA. (*pecten*, a comb; inner corona.) Pentandria Digynia.
1 mammillàris (*br.re*) prickly — C. B. S. 1774. 6. 8. D S ♄ — Burm. afr. p. 27. t. 11.
Stapèlia mammillàris W.
2 articulàta D.S. (*d.r*) jointed — ——— —— 8. 9. D S ♄ — Mass. stap. 20. t. 30.
Stapèlia articulàta Mas.

CARALLU'MA DS. CARALLU'MA. (*Carallum* is the Telinga name of first species.) Pent. Dig.
1 adscéndens D.S. (*pu*) ascending — E. Indies 1804. 7.11. D S ♄ — Roxb. cor. 1. t. 30.
2 fimbriàta D.S. (*pu*) fringed — ——— 1824. —— D S ♄ — Wall. pl. as. rar. t. 8.

BOUCERO'SIA D.S. BOUCERO'SIA. (βοκερως, furnished with horns.) Pentandria Digynia.
1 umbellàta D.S. (*fl*) umbellate — E. Indies 1804. 7.11. D S ♄ — Roxb. cor. 1. t. 241.
Carallùma umbellàta H.S. *Stapèlia umbellàta* Roxb.
2 crenulàta D.S. (*ye.pu*) crenulated — E. Indies 1829. —— D S ♄ — Wall. pl. as. rar. t. 7.
Carallùma crenulàta Wall.

BRACHYSTE'LMA D.S. BRACHYSTE'LMA. (βραχυς, short, and στελμα, a crown.) Pent. Dig.
1 tuberòsum B.R. (*pu*) tuberous-rooted — C. B. S. 1820. 4.10. S ♃ ◡ — Bot. reg. t. 722.
2 spathulàtum B.R. (*br*) spatulate-leaved — ——— 1824. 8.10. D G ♃ — ——— t. 1113.
3 críspum D.S. (*br.ye*) curled — ——— 1829. —— D G ♃ — Bot. mag. t. 3016.

FISCHE'RIA D.S. FISCHE'RIA. (F. E. L. Fischer, M.D., bot. gard. Petersburgh.) Pent. Dig.
scándens D.S. (*gr.ye*) climbing — S. America 1826. .... S ♄ ◡ — DC. hort. mon. ined. t. 67.

Subtribe II. HOYA'CEÆ. D.S. 4. p. 125.

HO'YA D.S. HO'YA. (Thomas Hoy, late gard. at Sion House.) Pentandria Digynia.
1 crassifòlia D.S. (*wh*) large-leaved — China 1817. 10.1. D S ♄ ◡
2 carnòsa D.S. (*bh*) fleshy-leaved — ——— 1802. 7.10. D G ♄ ◡ — Bot. mag. t. 788.
3 pállida D.S. (*bh*) pale — ——— 1820. —— D S ♄ ◡ — Bot. reg. t. 951.
acùta H.R.
4 Póttsii D.S. (*bh*) Potts's — ——— 1822. —— D S ♄ ◡ — B. mag. t. 3425.
5 trinérvis D.S. (*bh*) three-nerved — ——— 1824. —— D S ♄ ◡
6 austrèlis D.S. (*wh*) Southern — N. Holland 1820. —— D G ♄ ◡
carnòsa B.P.
7 lanceolàta D.S. (*bh*) spear-leaved — Nepaul 1825. —— D G ♄
8 viridiflòra D.S. (*gr*) green-flowered — E. Indies —— .... D S ♄ — Rheed. mal. 9. t. 15.
9 coriàcea D.S. (*wh*) coriaceous — Moluccas 1837. —— D S ♄ — Bot. reg. s. 3. t. 18.

TYLO'PHORA D.S. TYLO'PHORA. (τυλος, a swelling, and φορεω, to bear; pollen masses.) Pe. Dig.
1 grandiflòra D.S. (*br.gr*) great-flowered — N. S. W. 1822. 6. 8. G ♄ ◡
2 barbàta D.S. (*gr.br*) bearded — ——— —— G ♄ ◡
3 exìlis D.S. (*pu*) slender — E. Indies 1823. —— S ♄ ◡ — Linn. trans. 12. t. 16.

MARSDE'NIA D.S. MARSDE'NIA. (W. Marsden, F.R.S., author of Hist. Sumatra.) Pe. Dig.
1 suavèolens D.S. (*wh*) sweet-scented — N. S. W. 1816. 3. 8. G ♄ ◡ — Bot. reg. t. 489.
2 erécta D.S. (*wh*) upright — Syria 1597. 7. 8. G ♄ — Jacq. vind. 1. t. 38.
3 flavéscens D.S. (*yeh.*) yellowish-fld. — N. Holland .... 4. 8. G ♄ ◡ — Bot. mag. t. 3289.
4 tenacíssima D.S. (*ye*) very tough — E. Indies 1806. .... S ♄ ◡ — Roxb. corom. 3. t. 240.

PERGULA'RIA D.S. PERGULA'RIA. (*pergula*, an arbour; plants fit for.) Pentand. Digynia.
1 odoratíssima D.S. (*st*) large — E. Indies 1784. 6. 7. S ♄ ◡ — Bot. reg. t. 412.
2 mìnor D.S. (*st*) smaller — ——— 1790. 5. 8. S ♄ ◡ — Bot. mag. t. 755.
3 sanguinolénta D.S. (*st*) bloody-juiced — Sierra Leone 1822. 8. 9. S ♄ ◡ — ——— t. 2532.

DISCHI'DIA D.S. DISCHI'DIA. (δις, twice, and σχιζω, to cut; corona.) Pentandria Digynia.
bengalénsis D.S. (*st*) Bengal — E. Indies 1818. 6.10. S ♄ ◡ — Bot. mag. t. 2916.

GYMNE'MA D.S. GYMNE'MA. (γυμνος, naked, and νημα, a filament.) Pentandria Digynia.
1 sylvéstre D.S. (*wh*) netted-leaved — Ceylon 1816. 6. 8. S ♄ ◡ — Willd. phyt. 1. t. 5. f. 3.
2 tíngens D.S. (*ye*) pointed-leaved — E. Indies 1823. —— S ♄ ◡ — Roxb. corom. 3. t. 239.
Asclèpias tíngens R.C.

SARCO'LOBUS D.S. SARCO'LOBUS. (σαρξ, flesh, and λοβος, a pod; follicles.) Pent. Digynia.
1 globòsus D.S. (*wh*) globular-fruited — E. Indies 1823. .... S ♄ ◡ — Wall. as. res. 12. t. 4.
2 carinàtus D.S. (*gr.ye*) keeled-fruited — ——— —— .... S ♄ ◡ — ——— 12. t. 5.

Tribe II. *GONOLOBEÆ.* D.S. 4. p. 136.

GONO'LOBUS D.S. GONO'LOBUS. (γονια, an angle, and λοβος, a pod.) Pentandria Digynia.

1	marítimus D.S.	(*gr.p*)	sea-side	Caraccas	1823.	6.10.	S	♄	◡ Bot. reg. t. 931.
2	suberòsus D.S.	(*pu*)	cork-barked	America	1732.	7. 9.	S	♄	◡ Dill. elt. 229. f. 296.
3	crispiflòrus D.S	(*wh.gr*)	curled-flowered	S. America	1741.	7. 8.	S	♄	◡ Plum. ic. t. 216. f. 1.
4	planiflòrus D.S.	(*rust*)	flat-flowered	Trinidad	1818.	——	S	♄	◡
5	guianénsis D.S.	(*gr*)	green-flowered	Guiana	1826.	7. 9.	S	♄	◡
	viridiflòrus R.S. *non* Nutt. *Cynánchum viridiflòrum* Meyr.								
6	grandiflòrus D.S.	(*ye*)	large-flowered	S. America	1825.	8.10.	G	♄	◡ Bot. reg. t. 1053.
7	rostràtus D.S.	(*gr*)	beaked-petal'd	Trinidad	1823.	——	S	♄	◡
8	nìger D.S.	(*bk*)	black-flowered	Mexico	1825.	9.11.	G	♃	◡ Bot. mag. t. 2799.
	Cynánchum nìgrum Cav. ic. 2. t. 159.								
9	uniflòrus D.S.	(*pu*)	solitary-flowered	———	——	——	S	♄	◡ H. et. B. 3. t. 238.
10	carolinénsis D.S.	(*d.p*)	blunt-flowered	N. America	1820.	7. 9.	H	♃	◡ Jacq. ic. 2. t. 342.
11	hirsùtus D.S.	(*d.pu*)	hairy	———	1806.	6. 9.	H	♃	◡ Swt. br. fl. gar. t. 1.
12	macrophy'llus D.S.	(*p.pu*)	large-leaved	———	1822.	——	H	♃	◡
13	díscolor D.S.	(*d.pu*)	Virginian	———	1809.	7. 9.	H	♃	◡ Bot. mag. t. 1273.
	Cynánchum díscolor B.M.								
14	obliquus D.S.	(*pu*)	oblique-flower'd	Carolina	1818.	——	H	♃	◡ Jacq. ic. 2. t. 341.
15	Baldwyniànus	(*st*)	Baldwyn's	Savannah	1822.	7. 9.	H	♃	◡ Lodd. bot. cab. t. 365?
	hirsùtus L. bot. cab. ? *nec aliorum, caroliniànus* N. *non* Jacq.								
16	hírtus D.S.	(*pu*)	hairy-leaved	America	....	7. 9.	S	♄	◡ Moris.his.3.s.15.t.3.f.61
17	undulàtus D.S.	(*br.pu*)	wave-leaved	S. America	1814.	——	S	♄	◡ Jacq. amer. 85. t. 58.
18	viridiflòrus N.	(*gr*)	Nuttall's	Mississippi	1822.	——	H	♃	◡
	Nuttalliànus S.S.								
19	lævis R.S.	(*d.pu*)	smooth	———	1806.	6. 7.	H	♃	◡
20	diademàtus D.S.	(*st*)	red-crowned	Mexico	1812.	9.10.	S	♄	◡ Bot. reg. t. 252.
21	barbàtus D.S.	(*ye*)	bearded	———	1826.	——	G	♄	◡ H. et B.n. gen. 3. t. 239.
22	mucronàtus	(*br.re*)	sharp-pointed	Trinidad	1804.	7. 8.	S	♄	◡ Andr. reposit. t. 515.
	Cynánchum mucronàtum A.R. *non* K.S.								

Tribe III. *ASCLEPIEÆ.* D.S. 4. p. 139.

ASCLE'PIAS D.S. SWALLOW-WORT. (Æsculapius, god of medicine; powerful effects.) Pe. Di.

§ 1. *Leaves opposite.*

1	syriàca D.S.	(*li*)	Syrian	Astracan	1629.	7. 8.	H	♃	◡ Blackw. t. 521.
	Beid el Ossar Veslingius. Linn. trans. v. 14. p. 239.								
2	obovàta R.C.	(*pu*)	obovate-leaved	Carolina	1826.	——	H	♃	
3	tomentòsa R.C.	(*pu*)	woolly	———	——	——	H	♃	
4	exaltàta D.S.	(*pu*)	tall	N. America	....	——	H	♃	
5	phytolaccoìdes D.S.	(*pu*)	Phytolacca-like	———	1812.	——	H	♃	
6	débilis D.S.	(*wh*)	weak	———	1818.	——	H	♃	
7	parviflòra D.S.	(*wh*)	small-flowered	———	1774.	7.10.	H	♃	Jacq. f. ecl. t. 28.
8	salicifòlia D.S.	(*wh*)	Willow-leaved	S. America	1816.	6. 9.	G	♃	Lodd. bot. cab. t. 272.
9	angustifòlia R.S.	(*fl*)	narrow-leaved	Mexico	1824.	——	F	♃	
10	curassávica D.S.	(*or*)	Curassavian	S. America	1692.	6.10.	S	♃	Bot. reg. t. 81.
11	nívea D.S.	(*wh*)	Almond-leaved	N. America	1730.	7. 9.	H	♃	Bot. mag. t. 1181.
12	virgàta D.S.	(*li*)	slender	Mexico	1825.	——	F	♃	Swt. br. fl. gar. s. 2.t.85.
13	incarnàta D.S.	(*pu*)	flesh-coloured	N. America	1710.	7. 8.	H	♃	Bot. reg. t. 250.
14	púlchra D.S.	(*pu*)	hairy	———	——	——	H	♃	Swt. br. fl. gr. s. 2. t.18.
15	amœ'na D.S.	(*pu*)	oval-leaved	———	1732.	——	H	♃	——— t. 82.
16	purpurascens D.S.	(*pu*)	purple	———	——	——	H	♃	Dill. elt. t. 28. f. 31.
17	citrifòlia D.S.	(*wh*)	Citron-leaved	Florida	1812.	——	F	♃	Jacq. icon. t. 345.
18	variegàta D.S.	(*wh.re*)	variegated	———	1597.	——	H	♃	Bot. mag. t. 1182.
19	obtusifòlia D.S.	(*pu*)	blunt-leaved	———	1823.	——	H	♃	
20	amplexicaúlis R.S	(*re*)	stem-clasping	———	1812.	——	H	♃	
21	laurifòlia D.S.	(*pu*)	Laurel-leaved	———	1823.	——	H	♃	Pluk. amal. t. 358.
	periplocæfòlia N.								

22 Greeniàna N. (*wh*) Green's N. America 1828. 6. 8. H ♃
23 acuminàta D.S. (*wh.pu*) taper-pointed Florida 1812. 7. 8. H ♃
24 cinèrea D.S. (*wh*) grey Carolina 1825. —— H ♃
Enslènia cinèrea S.S.
25 paupércula D.S. (*re*) remote-leaved Florida 1812. 6. 7. H ♃
26 pedicellàta D.S. (*gr.ye*) dwarf ——— —— —— H ♃
27 ròsea D.S. (*ro*) rose-coloured Mexico 1824. 7. 9. G ♃
28 linifòlia D.S. (*wh*) Flax-leaved ——— —— —— G ♄
§ 2. *Leaves verticillate.*
29 quadrifòlia D.S. (*bh*) four-leaved N. America 1823. 8. 9. H ♃ Jacq. obs. 2. t. 33.
30 verticillàta D.S. (*bh*) whorl-leaved ——— 1759. 8.10. H ♃ Swt. br. fl. gar. t. 144.
31 mexicàna D.S. (*wh*) Mexican Mexico 1823. 7. 9. G ♄ Cavan. ic. 1. t. 58.
§ 3. *Leaves alternate.*
32 Linària D.S. (*wh*) toadflax-leaved ——— 1802. —— G ♃ ——— 1. t. 57.
33 rùbra D.S. (*re*) red-flowered N. America —— —— H ♃
34 tuberòsa D.S. (*or*) tuberous-rooted ——— 1690. —— H ♃ Bot. reg. t. 76.
35 decúmbens D.S. (*or*) decumbent ——— 1731. —— H ♃ Swt. br. fl. gar. s.2. t.24.

POLYO'TUS D.S. POLYO'TUS. (πολυ, many, and ους, an ear; corona auricled.) Pentand. Digynia.
longifòlius D.S. (*p.pu*) long-leaved N. America 1816. 7. 8. H ♃
Asclèpias longifòlia R.S. *Gomphocárpus longifòlius* S.S. *Aceràtes longifòlia* E.C.

ENSLE'NIA D.S. ENSLE'NIA. (Aloysius Enslen, an American bot.) Pentandria Digynia.
álbida D.S. (*st*) straw-coloured Virginia 1828. 7. 9. H ♃ ◡

GOMPHOCA'RPUS D.S. GOMPHOCA'RPUS. (γομφος, a club, and καρπος, a fruit.) Pent. Digyn.
1 arboréscens D.S. (*wh*) broad-leaved C. B. S. 1714. 12. G ♄ Jacq. schœnb. 1. t. 50.
2 críspus D.S. (*pu*) curled-leaved ——— 1774. 7. G ♄ Comm. rar. t. 17.
3 fruticòsus D.S. (*wh*) Willow-leaved ——— 1714. 6. 9. G ♄ Bot. mag. t. 1628.
Asclèpias fruticòsa W.

OXYSTE'LMA D.S. OXYSTE'LMA. (οξυς, sharp, and στελμα, a crown; corona.) Pentand. Digyn.
esculéntum D.S. (*wh.ro*) esculent E. Indies 1816. .... S ♃ ◡ Roxb. corom. 1. t. 11.

ANA'NTHERIX D.S. ANA'NTHERIX. (α priv., and ανθεριξ, an awn; corona without.) Pent. Dig.
víridis D.S. (*gr*) green-flowered N. America 1812. 8.10. H ♃

STYLA'NDRA D.S. STYLA'NDRA. (στυλος, a column, and ανηρ, a male.) Pentandria Digynia.
pùmila D.S. (*st*) dwarf Carolina 1812. 7. 8. G ♃
Podostigma pubéscens S.S. *Asclèpias pedicellàta* Ph.

XYSMALO'BIUM D.S. XYSMALO'BIUM. (ξυσμα, a thread, and λοβος, a pod.) Pentand. Digyn.
1 undulàtum D.S. (*gr*) waved-leaved C. B. S. 1783. 7. 8. G ♄ Comm. rar. t. 16.
2 grandifiòrum D.S. (*pu*) large-flowered ——— 1823. —— G ♄

CALO'TROPIS D.S. CALO'TROPIS. (καλος, beautiful, and τροπις, a keel; flowers.) Pent. Digyn.
1 procèra D.S. (*wh*) bell-flowered Persia 1714. 7. 9. S ♄ Bot. reg. t. 1792.
Asclèpias gigantèa A.R.
2 gigantèa D.S. (*p.pu*) curled-flowered E. Indies 1690. —— S ♄ Bot. reg. t. 58.

OXYPE'TALUM D.S. OXYPE'TALUM (οξυς, sharp, and πεταλον, a petal.) Pentandria Digynia.
1 appendiculàtum D.S. appendaged Brazil 1824. 6. 8. S ♄ ◡ Mart. n. pl. bras. t. 30.
2 Bánksii D.S. Banks's ——— 1826. —— S ♄ ◡ ——— t. 29.

SCHUBE'RTIA D.S. SCHUBE'RTIA. (H. B. Schubert, prof. bot. Erlang.) Pentandria Digynia.
1 grandifiòra D.S. (*wh*) great-flowered Brazil 1837. 6. 9. S ♄ ◡
2 gravèolens B.R. (*st*) strong-scented ——— —— —— S ♄ ◡

ARAU'JIA D.S. ARAU'JIA. (Ant. de Araujo; patron bot.) Pentandria Digynia.
álbens D.S (*wh*) white-flowered Brazil 1836. 7. 8. S ♄ ◡ Bot. reg. t. 1759.
Physiánthus álbens Mart. B.M. t. 3201.

MORRE'NIA B.R. MORRE'NIA. (Professor Ch. Morren, of Liege.) Pentandria Digynia.
odoràta B.R. (*gr*) sweet-scented B. Ayres 1837. 6. 8. G ♄ ◡

DIPLO'LEPIS D.S. DIPLO'LEPIS. (διπλοος, double, and λεπις, a scale; corona.) Pent. Digynia.
1 vomitòria H.T. (*st*) dull-leaved China 1820. 6. 9. S ♄ ◡
2 apiculàta D.S. (*st*) glossy-leaved ——— —— —— S ♄ ◡

CYNA'NCHUM D.S. CYNA'NCHUM. (κυων, a dog, and αγχω, to strangle.) Pentandria Digynia.
§ 1. *Pollen masses fixed beneath their apices; follicles cylindrical, divaricate; leaves cordate.*
1 acùtum D.S. (*wh*) acute-leaved Europe 1596. 7. H ♃ ◡ Flor. græc. t. 250.
2 excélsum D.S. (*wh*) tall Barbary 1816. —— H ♃
3 monspeliacum D.S. (*bh*) Montpelier S. Europe 1596. 8. 9. H ♃ ◡ Flor. græc. t. 251.
§ 2. *Pollen masses fixed by their apices; stigma ending in a bifid point; leaves subcordate.*
4 pauciflòrum D.S. (*gr.w.*) few-flowered E. Indies 1822. 5. 8. S ♄ ◡ Will.phy.l.n.23.t.5.f.3.
Periploca tunicàta W.
§ 3. *Pollen masses fixed by their apices; stigma ending in an entire point.*
5 ròseum D.S. (*ro*) rosy Dahuria 1816. 7. 8. H ♃ Gmel. sib. 4. t. 42.
Asclèpias davúrica W.
§ 4. *Pollen masses fixed beneath their apices; stigma ending in an entire short point; follicles smooth.*
6 nìgrum D.S. (*bk*) black. S. Europe 1596. 5. 8. H ♃ ◡ Bot. mag. t. 2390.

7 mèdium D.S. (*br*) middle .... 5. 8. H ♃ ◡
8 Vincetóxicum D.S.(*w*)officinal Europe 1596. —— H ♃ Flor. dan. t. 849.
Asclèpias Vincetóxicum W.
9 fuscàtum D.S. (*st*) yellow-flowered ——— —— —— H ♃
§ 5. *Pollen masses fixed beneath their apices; umbels sessile, or nearly so.*
10 sibíricum D.S. (*st*) Siberian Siberia 1775. 7. 8. H ♃ Murr. gott. 2. t. 7.
11 pilòsum D.S. (*wh*) hairy C. B. S. 1726. 6. 9. G ♄ ◡ Bot. reg. t. 111.
Periploca africàna A.R. 557.
12 crassifòlium D.S.(*gr.w.*) thick-leaved ——— 1816. .... G ♄ ◡
13 capénse D.S. (*wh*) Cape ——— 1820. .... G ♄ ◡
14 fœ'tidum D.S. (*st*) fetid Mexico 1823. 7. 8. G ♄ ◡ Cavan. ic. 2. t. 158.
15 fimbriàtum D.S.(*wh*) fringed S. America 1826. —— S ♄ ◡ H.B.etK.n.g.3.t.234.
Species not sufficiently known.
16 viridifiòrum B.M.(*gr.re*)green-flower'd E. Indies 1814. 10.12. S ♄ ◡ Bot. mag. t. 1929.
17 undàtum A.R. (*gr*) wave-leaved ——— 1803. 7. 8. S ♄ ◡ Andr. reposit. t. 410.
18 oleæfòlium D.S.(*gr.wh*)olive-leaved Egypt 1831. 6. G ♄ Del. Egypt. t. 2. f. 20.
A'rghel Del.
HARRISO'NIA D.S. HARRISO'NIA. (Mr. Harrison of Ægburg, near Liverpool.) Pent. Dig.
loniceroìdes D.S.(*cr*) Honeysuckle Brazil 1824. 9.10. S ♄ Bot. mag. t. 2699.
DÆ'MIA D.S. DÆ'MIA. (altered from the Arabic name of a species.) Pentandria Digynia.
1 exténsa D.S. (*st*) smooth-leaved E. Indies 1778. 7. 8. S ♄ ◡ Jacq. ic. 1. t. 54.
2 bícolor Swt. (*gr.pu*) two-coloured ——— 1806. —— S ♄ ◡ Andr. reposit. t. 562.
Cynánchum bícolor A.R.
3 guineénsis D.S. (*wh*) Guinea Guinea 1824. —— S ♄ ◡ Beauv. fl. d'ow. 1. t. 56.
Asclèpias scándens Beauv.
SARCOSTE'MMA D.S. SARCOSTE'MMA. (σαρξ, flesh, and στεμμα, a crown; corona.) Pent.Dig.
1 viminàle D.S. (*wh*) twisting E. Indies 1731. 7. S ♄ ◡
2 Swartziànum D.S. (*wh*) Swartz's W. Indies .... S ♄ ◡ Sloan. hist. 1. t. 131. f. 1.
TWEE'DIA B.M. TWEE'DIA. (Mr. Tweedie, of Buenos Ayres.) Pentandria Digynia.
versícolor B.M. (*bl*) party-coloured B. Ayres 1836. 7. 8. F ♃ ◡ Bot. mag. t. 3630.
cærùlea Swt. br. fl. gar. s. 2. t. 407.
PHILIBE'RTIA D.S. PHILIBE'RTIA. (J. C. Philibert, a French bot.) Pentandria Digynia.
grácilis D.D. (*st.pu*) great-flowered B.Ayres 1836. 6. 8. G ♃ ◡ Swt.br.fl.gar.s.2.t.403.
grandiflòra B.M. t. 3618.
EUSTE'GIA D.S. EUSTE'GIA. (ευ, well, and στεγω, to cover; triple corona.) Pentandria Digynia.
hastàta D.S. (*gr.wh*) halberd-leaved C. B. S. 1816. 6. 8. G ♄ Spr. n. ent. t. 1. f. 5-10.
Apócynum hastàtum W.
METASTE'LMA D.S. METASTE'LMA. (μετα, instead, and στελμα, a crown.) Pentandria Digynia.
parviflòrum D.S.(*wh*) small-flowered W. Indies 1826. 5. 6. S ♄ ◡ Plum. ic. 215. f. 1.
MICROLO'MA D.S. MICROLO'MA. (μικρος, small, and λωμα, a fringe.) Pentandria Digynia.
1 sagittàtum D.S. (*sc*) arrow-leaved C. B. S. 1775. 7. 8. G ♄ ◡ Jacq. schœn. 1. t. 38.
2 lineàre D.S. (*cr*) linear-leaved ——— 1816. —— G ♄ ◡ Pluk.man.17.t.335.f.5.
ASTE'PHANUS D.S. ASTE'PHANUS. (α priv., and στεφανος, a crown; absent.) Pentand. Digyn.
1 triflòrus D.S. (*wh*) three-flowered C. B. S. 1816. 7. 9. G ♃ ◡
2 lineàris D.S. (*wh*) panicled ——— —— —— G ♃ ◡
3 lanceolàtus D.S.(*wh*) spear-leaved ——— 1822. —— G ♃ ◡

Tribe IV. *SECAMO'NEÆ.* D.S. 4. p. 159.

SECAMO'NE D.S. SECAMO'NE. (*squamoun*, Arabic name *S. emética.*) Pentandria Digynia.
1 emética D.S. (*wh*) narrow-leaved India 1816. .... S ♄ ◡ Willd. phyt. 1. t. 5. f. 2.
2 ægyptìaca D.S. (*wh*) Egyptian Egypt 1752. 7. G ♄ ◡ Alp. ægyp. t. 134.
Alpini R.S. *Periploca Secamòne* W.
3 mauritiàna D.S.(*pu*) long-leaved Mauritius 1823. .... S ♄ ◡ Rheed. mal. 9. t. 11.

Tribe V. *PERIPLO'CEÆ.* D.S. 4. p. 161.

PERI'PLOCA D.S. PERI'PLOCA. (περιπλεκω, to wrap about; stems.) Pentandria Digynia.
1 græ'ca D.S. (*pu*) Virginian-silk Syria 1597. 7. 8. H ♄ ◡ Bot. reg. t. 803.
2 lævigàta D.S. (*ye*) smooth Canaries 1779. 6. 8. G ♄ ◡ Cavan. ic. 3. t. 217.
punicæfòlia Cav. icon.

HEMIDE'SMUS R.S. HEMIDE'SMUS. (ἡμισυς, half, and δεσμος, a tie; filaments.) Pentand. Digy.
índicus R.S. (gr) Indian Ceylon 1796. .... S ♄ Burm. zeyl. t. 83. f. 1.
CRYPTOSTE'GIA D.S. CRYPTOSTE'GIA. (κρυπτος, concealed, and στεγω, to cover.) Pentand. Digy.
grandiflòra D.S. (ro) large-flowered E. Indies 1812. 6. 8. S ♄ ◡ Bot. reg. t. 435.

ORDER CLIII.

GENTIA'NEÆ. *Brown prodr.* 1. *p.* 449.

Tribe I. *GENTIANIE'Æ.* D.S. 4. p. 175.

Subtribe I. GENTIA'NEÆ. D.S. 4. p. 175.

SWE'RTIA D.S. FELWORT. (Iman Swert, a cult. of bulbs in Holland.) Tetr-Pentandria Digynia.
1 perénnis D.S.(br.pu) marsh England .... 7. 8. H ♃ Eng. bot. v. 21. t. 1441.
2 dichótoma D.S.(gr.re)forked Siberia 1827. 7. 9. H ♂ Pall. ross. 2. t. 91.
HALE'NIA D.S. HALE'NIA. (meaning not explained.) Tetra-Pentandria Digynia.
1 sibírica D.S. (gr) Siberian Siberia 1817. 7. 9. H ⊙ Pall. ross. 2. t. 90. f. 1.
Swértia corniculàta L.
2 Michauxiàna D.S.(gr.ye)Michaux's Canada 1824. —— H ♂
GENTIANE'LLA D.S. GENTIANE'LLA. (a dim. of Gentiana.) Tetrandria Digynia.
1 ciliàta D.S. (bl) fringe-flowered S. Europe 1759. 8. 9. H ♃ Jacq. aust. t. 113.
Gentiàna ciliàta L.
2 fimbriàta D.S. (bl) fimbriate Caucasus 1824. 7. 9. H ♃ Column. ecphr. 221. f. 1.
3 crinìta D.S. (bl) jagged-flowered N. America 1804. 7.10. H ♂ Swt. br. fl. gar. t. 139.
Gentiàna fimbriàta Andr. rep. t. 509. *non* W.
4 barbàta D.S. (bl) bearded Siberia .... 8. 9. H ♂ Bot. mag. t. 639.
Gentiàna ciliàta B.M. *nec aliorum.*
FRASE'RA D.S. FRASE'RA. (John Fraser, a collector of plants.) Tetrandria Monogynia.
Waltèri D.S. (ye) Walter's N. America 1795. 7. 8. H ♂
carolinénsis Walt.
GENTIA'NA D.S. GENTIA'NA. (Gentius, King of Illyria.) Pentandria Digynia.
1 quinqueflòra D.S.(pu)five-flowered N. America 1823. 7. 9. H ♂
amarelloìdes M.
2 aúrea D.S. (wh.ye) large involucred Norway —— —— H ♂ Flor. dan. t. 344.
quinquef'ìlia F.D. *involucràta* Rottb. ac. havn. 10. p. 434. t. 1. f. 2. A.B.
3 umbellàta D.S.(pa.bl) umbel-flowered Caucasus 1823. 8.10. H ⊙
4 cæspitòsa D.S.(gr.bl) tufted N. America 1829. 6. 7. H ♃
5 macrophy'lla D.S.(bl) long-leaved Siberia 1796. 7. 8. H ♃ Bot. mag. t. 1414.
ASTE'RIAS D.S. GENTIAN-ROOT. (αστηρ, a star; flowers.) Pentandria Digynia.
1 lùtea D.S. (ye) yellow Alps Europe 1596. 6. 7. H ♃ Mill. ic. t. 139.
Gentiàna lutèa L.
2 hy'brida D.S. (ye.re) hybrid Switzerland 1825. —— H ♃
COILA'NTHA D.S. COILA'NTHA. (κοιλος, concave, and ανθος, a flower; form.) Pentand. Digynia.
1 purpùrea D.S. (pu) purple Switzerland 1768. 6. 7. H ♃ Andr. reposit. t. 117.
Gentiàna purpùrea L.
2 pannónica D.S.(pa.pu)round-petaled ——— .... —— H ♃ Jacq. aust. 2. t. 136.
β *albiflòra* (wh) *white-flowered* ——— 1826. —— H ♃
3 punctàta D.S. (st.pu) dotted-flowered ——— 1775. —— H ♃ Jacq. aust. 5. t. ap. 28.
4 campanulàta D.S.(ye) bell-flowered ——— 1824. —— H ♃ ——— ap. t. 29.
5 bíloba D.S. (bl) two-lobed France 1820. —— H ♃ DC. icon. gall. t. 15.
6 Bursèri D.S. (st) Burser's Pyrenees —— 7. 8. H ♃
7 asclepiàdea D.S. (bl)swallowwort-ld. Austria 1629. —— H ♃ Bot. mag. t. 1078.
EURYTHA'LIA D.S. EURYTHA'LIA. (meaning unknown.) Pentandria Digynia.
1 uniflòra D.S. (vi) one-flower'd Carpathian m. 1828. 7. 8. H ♂ Rœm. ar. 1. p. 23. t. 2. f. 4.
Gentiàna uniflòra W.
2 germánica D.S. (vi) German Germany 1825. 8. 9. H ♂ Mayrh. fl. mon. t. 278.
3 Amarélla D.S. (vi) autumnal Britain .... 8.10. H ♂ Eng. bot. v. 4. t. 236.
4 uliginòsa D.S. (bl) marsh Germany 1827. —— H ♂
5 obtusifòlia D.S.(bl.st) blunt-leaved Switzerland 1828. —— H ♂ Rœm. ar. 1. p. 22. t. 2. f. 3.

6 pratènsis D.S. (*vi*) meadow Siberia 1824. 8.10. H ♂
7 caucàsica D.S. (*bl*) Caucasian Caucasus 1804. 7. 8. H ♂ Bot. mag. t. 1038.
8 campéstris D.S. (*vi*) field Britain .... 8.10. H ♂ Eng. bot. v. 4. t. 237.
9 angustifòlia D.S. (*bl*) slender-leaved N. America 1820. 8. 9. H ♂
10 glaciàlis D.S. (*bl*) northern N. Europe 1826. .... H ♂ Sch. rom. arc. 1. t.2. f.5.
11 conférta F. (*bl*) crowded Altay 1827. —— H ♂
12 Geblèri Led. (*bl*) Gebler's ——— —— —— H ♂ Reich. ic. t. 271.

PLEURO'GYNA D.S. PLEURO'GYNA (πλευρα, a side, and γυνη, a female.) Pentandria Digynia.
rotàta D.S. (*bl*) rotate-flowered Siberia 1827. 8. 9. H ⊙ Pall. ross. 2. t. 89. f.1.
Gentiàna rotàta Froel. *Swértia rotàta* L.

ERI'CALA D.S. ERI'CALA. (meaning unknown.) Pentandria Digynia.
1 alpìna D.S. (*bl*) Alpine Switzerland 1818. 3. 6. H ♃ Lodd. bot. cab. t. 476.
Gentiàna alpìna L.
2 altàica D.S. (*bl*) Altay Siberia 1826. —— H ♃ Pall. ross. 2. t. 97. f. 1.
3 pyrenàica D.S. (*bl*) Pyrenean Pyrenees 1825. —— H ♃ W. et K. hung. t. 207.
4 pùmila D.S. (*bl*) small Switzerland —— —— H ♃ Jacq. obs. 2. t. 49.
5 lineàris D.S. (*bl*) linear-leaved N. America 1816. 8. 9. H ♃
6 vérna D.S. (*bl*) spring England .... 3. 6. H ♃ Eng. bot. v. 7. t. 493.
7 æstiva D.S. (*bl*) summer Germany 1826. —— H ♃ Rœm. arch. 1. t. 3. f. 8.
8 bavàrica D.S. (*bl*) Bavarian ——— 1775. 7. H ♃ Vill. delph. 2. t. 10.
9 imbricàta D.S. (*bl*) imbricated Switzerland 1825. —— H ♃ Barrel. ic. 101. f. 2.
10 angulòsa D.S. (*bl*) angular-calyx'd Caucasus 1826. 4. 6. H ♃ Marsch. cent. rar. 1. t.47.
11 cruciàta D.S. (*bl*) Crosswort Austria 1596. 6. 7. H ♃ Jacq. austr. 4. t. 372.
12 utriculòsa D.S. (*bl*) bladdered Caucasus 1826. 7. 9. H ♂ W. et K. hung. t. 206.
13 nivàlis D.S. (*bl*) small alpine Scotland .... 8. 9. H ⊙ Eng. bot. v. 13. t. 896.
14 aquàtica D.S. (*bl*) water-side Dahuria 1827. 7. 9. H ♂
15 hùmilis R.S. (*pa.bl*) dwarf Caucasus —— —— H ♂ Pall. ross. 2. t. 97. f. 2.

PNEUMONA'NTHE D.S. CALATHIAN VIOLET. (πνευμων, the lungs, and ανθος, a flower.) Pt.Dg.
§ *Anthers combined.*
1 vulgàris D.S. (*bl*) common England .... 8. 9. H ♃ Eng. bot. t. 20.
Gentiàna Pneumonánthe L.
β *guttàta* D.S. (*bh.wh*) *spotted* .... —— H ♃ Bot. mag. t. 1101.
2 acaùlis D.S. (*bl*) stemless Wales .... 3. 6. H ♃ Eng. bot. t. 1594.
Gentiàna acaùlis L.
§ 2. *Anthers free, incumbent or erect. This section is probably nearest allied to Ericala.*
3 adscéndens D.S. (*bl*) ascending Siberia 1799. 6. 7. H ♃ Bot. mag. t. 705.
β *decúmbens* R.S. (*bl*) *decumbent* ——— —— —— H ♃ ——— t. 723.
4 frígida D.S. (*wh*) frigid Carpathian m. 1816. —— H ♃ Frœl. gent. n. 13. ic.
5 septémfida D.S. (*bl*) crested Levant 1804. —— H ♃ Bot. mag. t. 1229.
β *guttàta* (*bl.wh*) *spotted* ——— —— —— H ♃ ——— t. 1410.
6 álgida D.S. (*st.bl*) narrow-leaved Siberia 1808. —— H ♃ Pall. ros. 2. t. 95.
7 gélida D.S. (*st*) cream-coloured Caucasus 1816. —— H ♃
8 pseùdo-pneumonánthe D.S. (*bl*) Canadian N. America 1828. —— H ♃
Gentiàna Pneumonánthe Ph.
9 triflòra D.S. (*p.bl*) three-flowered Siberia 1807. 6. 7. H ♃ Pall. ross. 1. t. 93. f. 1.
10 Saponària D.S. (*bl*) barrel-flowered N. America 1776. 8. 9. H ♃ Bot. mag. t. 1039.
11 Catesbæ'i D.S. (*bl*) Catesby's ——— —— 6. 8. H ♃ Andr. reposit. t. 418.
12 intermèdia D.S. (*pu*) intermediate ——— 1820. 8. 9. H ♃ Bot. mag. t. 2303.
13 incarnàta D.S. (*fl*) flesh-coloured ——— 1812. 9.11. H ♃ ——— t. 1856.
14 ochroleùca D.S. (*st*) pale-flowered ——— 1803. 8. 9. H ♃ ——— t. 1551.

TA'CHIA D.S. TA'CHIA. (*Tachi*, Guiana name of one species.) Pentandria Monogynia.
1 longifòlia D.S. (*ye*) long-leaved Jamaica 1793. 7. 9. S ♄ Bot. reg. t. 880.
Lisiánthus longifòlius L.
2 cordifòlia D.S. (*ye*) heart-leaved ——— 1816. 6. 8. S ♄ Brown. jam. 2. t. 9. f. 2.
3 Swartzii D.S. (*ye*) Swartz's ——— 1793. 7. 9. S ♄
Lisiánthus exvértus Swz.

CHLO'RA D.S. YELLOW-WORT. (χλωρος, pale; flowers.) Octandria Monogynia.
1 imperfoliàta D.S. (*ye*) sessile-leaved Italy 1826. 6. 7. H ⊙
2 perfoliàta D.S. (*ye*) perfoliate Britain .... —— H ⊙ Eng. bot. v. 1. t. 60.

HI'PPION D.S. HI'PPION. (ἵππος, a horse, and ιον, a violet.) Pentandria Monogynia.
viscòsum D.S. (*ye*) clammy Canaries 1781. 6. 7. G ♂ Sm. ic. fas. 3. t. 18.
Exacum viscòsum Sm. *Gentiàna viscòsa* Bot. mag. t. 2135.

CANSCO'RA CANSCO'RA. (*kanajan-cora*, Malabar name.) Tetrandria Monogynia.
1 diffusa D.S. (*ro*) diffuse E. Indies 1820. 7. 8. H ⊙ Hook. bot. misc. 3. t.25.
Plúdera virgàta Roxb.
2 decussàta D.S. (*wh*) decussate ——— 1816. 6. 8. H ⊙ Bot. mag. t. 3066.
Plúdera decussàta Roxb.

VOHI'RIA D.S. VOHI'RIA. (*voyria*, Guiana name of a species.) Pentandria Monogynia.
1 rùsea D.S. (*ro*) rose-coloured Trinidad 1822. 6. 8. S ♃ Aubl. guian. 1. t. 83. f.1
Lìta rùsea W.

2	cœrùlea D.S.	(*bl*) blue-flowered	Trinidad	1824.	6. 8.	S	♃	Aubl. guian. 1. t. 83. f. 2.
3	unifiòra D.S.	(*ye*) one-flowered	W. Indies	——	——	S	♃	Jacq. amer. 87. t. 60. f. 3.

Subtribe II. COUTOU'BEÆ. D.S. 4. p. 200.

COUTOU'BEA D.S. COUTOU'BEA. (Guiana name.) Tetrandria Monogynia.

1	spicàta D.S.	(*wh*) spiked	S. America	1823.	7. 8.	S	⊙	Aubl. guian. 1. t. 27.
2	ramòsa D.S.	(*wh*) branched	———	——	6.10.	S	⊙	——— 1. t. 28.
	E'xacum ramòsum R.S.							

Subtribe III. CHIRONIE'Æ. D.S. 4. p. 202.

CHIRO'NIA D.S. CHIRO'NIA. (Centaur Chiron.) Pentandria Monogynia.

1	jasminoìdes D.S.	(*ro*) Jasmine-like	C. B. S.	1812.	4. 7.	G	♄	Bot. reg. t. 197.
2	lychnoìdes D.S.	(*pu*) Lychnis-flowered	———	1816.	——	G	♄	
3	nudicaùlis D.S.	(*pu*) naked-stalked	———	——	——	G	♄	Linn. trans. 7. t. 12. f. 3.
4	linoìdes D.S.	(*pi*) flax-leaved	———	1787.	7. 9.	G	♄	Bot. mag. t. 511.
5	tetragòna D.S.	(*pu*) four-sided	———	1822.	——	G	♄	Linn. trans. 7. t. 12. f. 2.
6	pedunculàris B.R.	(*pu*) peduncled	———	....	7.10.	G	♄	Bot. reg. t. 1803.

ROSLI'NIA D.S. ROSLI'NIA. (meaning unknown.) Pentandria Monogynia.

1	baccífera D.S.	(*pi*) berry-bearing	C. B. S.	1759.	6. 7.	G	♄	Bot. mag. t. 233.
	Chirònia baccífera L.							
2	angustifòlia D.S.	(*ro*) narrow-leaved	———	1800.	6. 8.	G	♄	Bot. mag. t. 818.
3	frutéscens D.S.	(*ro*) frutescent	———	1756.	6. 9.	G	♄	——— t. 37.
	β *albifiòra*	(*wh*) *white-flowered*	———	....	——	G	♄	
4	decussàta D.S.	(*ro*) cross-leaved	———	1789.	——	G	♄	Bot. mag. t. 707.

ERYTHRÆ'A D.S. ERYTHRÆ'A. (ερυθρος, red; flowers.) Tetrandria Monogynia.

1	Centaúrium D.S.	(*ro*) common	Britain	....	7. 8.	H	⊙	Eng. bot. v. 6. t. 417.
2	Cahanlahùan D.S.	(*re*) Cahanlahuan	Chile	1825.	——	H	⊙	Feuill. per. 2. t. 36.
	Chirònia chilénsis W.							
3	latifòlia D.S.	(*ro*) broad-leaved	Lancashire	....	——	H	⊙	
4	pulchélla D.S.	(*ro*) dwarf-branching	England	....	8. 9.	H	⊙	Eng. bot. v. 7. t. 458.
5	littoràlis D.S.	(*ro*) simple dwarf	Britain	....	6. 8.	H	⊙	——— v. 33. t. 2305.
6	conférta D.S.	(*ro*) close-flowered	Spain	1818.	5.11.	H	♃	
7	spicàta D.S.	(*ro*) spiked	S. Europe	....	——	H	♂	Flor. græc. t. 238.
	β *albifiòra*	(*wh*) *white-flowered*	———	....	——	H	♂	Matth. comm. p. 488. f. 2.
8	austràlis D.S.	(*ro*) New Holland	New Holland	1823.	5. 8.	G	♂	
9	uliginòsa D.S.	(*ro*) marsh	Hungary	1825.	6. 8.	H	♂	W. et K. pl. hung. t. 238.
10	aggregàta D.S.	(*ro*) cluster-branch'd	Nepaul	1824.	3.11.	H	♃	Swt. br. fl. gar. t. 137.
11	marítima D.S.	(*ye*) sea-side	S. Europe	1777.	7. 8.	H	⊙	Flor. græc. t. 237.
12	Massòni Swt.	(*ye*) Masson's	Azores	——	——	F	♃	
	marítima H.K. *nec aliorum* vid. obs. in Flor. Græc.							
13	lùtea D.S.	(*ye*) yellow-flowered	S. Europe	....	——	H	⊙	Barrel. ic. 468.

SABBA'TIA D.S. SABBA'TIA. (L. Sabbati, a cel. Italian bot.) Pentandria Monogynia.

1	grácilis D.S.	(*ro*) slender	N. America	....	7. 9.	H	♂	Sal. par. lond. t. 32.
2	stellàris D.S.	(*ro.ye*) starry	———	1827.	6. 8.	H	♂	Bartr. ic. ined. t. 13.
3	angulàris D.S.	(*pu*) angular-stalked	———	1823.	7. 8.	H	♂	
4	calycòsa D.S.	(*ro*) dichotomous	———	1812.	6. 8.	H	♂	Bot. mag. t. 1600.
5	chloroìdes D.S.	(*ro*) Chlora-like	———	1817.	8. 9.	H	♂	
6	paniculàta D.S.	(*wh*) panicled	———	——	——	H	♃	

Subtribe IV. LISIA'NTHEÆ. D.S. 4. p. 207.

LISIA'NTHUS D.S. LISIA'NTHUS. (λυσις, dissolution, and ανθος, a flower.) Pentan. Monogy.

1 grandiflòrus D.S.	(*st*) large-flowered	Trinidad	1820.	7. 9.	S	⊙	Aubl. guian. 1. t. 79.
2 alàtus D.S.	(*gr.wh*) winged	Cayenne	1824.	——	S	⊙	———— 1. t. 80.
3 latifòlius D.S.	(*ye*) broad-leaved	W. Indies	1822.	....	S	♄	
4 umbellàtus D.S.	(*ye*) umbel-flowered	————	——	....	S	♄	
5 acutángulus D.S.	(*ye*) acute-angled	Peru	1820.	6. 8.	S	♃	Flor. per. 2. t. 122. f. a.
6 angustifòlius D.S.	(*gr*) narrow-leaved	S. America	1824.	7.10.	S	⊙	

EUSTOMA D.S. EU'STOMA. (ευστομος, a beautiful mouth; corolla.) Pentandria Monogynia.

1 silenifòlium D.S.	(*pu*) Silene-leaved	Providence Isl.	1804.	7.	S	♃	Sal. par. lond. t. 241.
Lisiánthus glaucifòlius Jacq. ic. 1. t. 33.							
2 Russelliànum G.D.	(*pu*) Russell's	Texas	1835.	8. 9.	H	⊙	Bot. mag. t. 3626.
Lisiánthus glaucifòlius Nutt. *Russelliànus* B.M.							

Tribe II. *EXACIE'Æ*. D.S. 4. p. 211.

SEBÆ'A D.S. SEBÆ'A. (Alb. Seba, a Dutch bot.) Tetr-Pentandria Monogynia.

1 ovàta D.S.	(*st*) oval-leaved	N. S. W.	1820.	8.10.	G	⊙	Lab. nov. hol. 1. t. 52.
2 álbens D.S.	(*wh*) white-flowerd	C. B. S.	——	——	G	⊙	Burm. afr. t. 74. f. 4.
3 cordàta D.S.	(*ye*) heart-leaved	————	1815.	7. 8.	H	⊙	———— t. 74. f. 5.

CICE'NDIA Adans. CICE'NDIA. (meaning unknown.) Tetrandria Monogynia.

filifórme Swt.	(*ye*) slender-stalked	Britain	....	7. 8.	H	⊙	Eng. bot. v. 4. t. 235.
Exacum filifórme E.B. *Microcàle filifórme* Lk.							

EXACUM D.S. E'XACUM. (*ex*, out, and *ago*, to drive; expels poison.) Tetrandria Monogynia.

tetragònum D.S.	(*ye*) square-stalked	Nepaul	1820.	8.10.	H	⊙	

ORDER CLIV.

SPIGELIA'CEÆ. D.S. 4. *p.* 169.

MITRASA'CME D.S. MITRASA'CME. (μιτρα, a mitre, and ακμη, a point; capsule.) Tetr. Monog.

1 polymórpha D.S.	(*wh*) variable	N. S. W.	1822.	6. 8.	G	♃	
2 canéscens D.S.	(*wh*) canescent	————	1820.	——	G	♃	
3 serpyllifòlia D.S.	(*wh*) creeping	————	1826.	——	G	♃	

HOUSTO'NIA R.S. HOUSTO'NIA. (Dr. Houston, cel. bot. collector.) Tetrandria Monogynia.

1 cærùlea R.S.	(*pa.bl*) blue-flowered	N. America	1785.	5. 8.	H	♃	Bot. mag. t. 370.
2 serpyllifòlia R.S.	(*wh*) Thyme-leaved	————	1827.	——	H	♃	———— t. 2822.
3 tenélla R.S.	(*pu*) slender	Carolina	1812.	——	H	♃	
4 albifòra N.	(*wh*) white-flowered	N. America	1828.	——	H	♃	
5 purpùrea R.S.	(*li*) purple-flowered	————	1800.	——	H	♃	
6 longifòlia Gæ.	(*bh*) long-leaved	.....	....	....	H	♃	Bot. mag. t. 3099.

SPIGE'LIA D.S. WORM-GRASS. (Adrian Spigelius, prof. bot. Padua.) Pentandria Monogynia.

1 Anthélmia D.S.	(*bh*) annual	W. Indies	1759.	7.	S	⊙	Bot. mag. t. 2359.
2 marylándica D.S.	(*sc*) perennial	N. America	1694.	7. 8.	H	♃	———— t. 80.

ORDER CLV.

LOGANIA'CEÆ. D.S. 4. *p.* 164.

LOGA'NIA D.S. LOGA'NIA. (James Logan, a Scotch bot.) Pentandria Monogynia.

1	latifòlia D.S.	(*wh*) broad-leaved	N. Holland	1816.	4. 6.	G ♄	Lab. nov. hol. 1. t. 61.
	E'xacum vaginàle Lab.						
2	floribúnda D.S.	(*wh*) many-flowered	N. S. W.	1797.	4. 5.	G ♄	Andr. reposit. t. 520.
	Euósma albiflòra A.R.						
3	revolùta D.S.	(*wh*) revolute-leaved	———	1822.	4. 6.	G ♄	

ORDER CLVI.

MENYANTHA'CEÆ. D.S. 4. *p.* 167.

VILLA'RSIA R.S. VILLA'RSIA. (D. Villars, a cel. French bot.) Pentandria Monogynia.

1	nymphoìdes D.S.	(*ye*) common	England	....	6. 7.	H *w* ♃	Eng. bot. v. 4. t. 217.
	Menyánthes nymphoìdes B.B.						
2	índica D.S.	(*ye*) Indian	E. Indies	1790.	6. 8.	S *w* ♃	Hook. bot. misc. 3. t. 38.
3	Símsii D.S.	(*ye*) Sims's	Nepaul	1792.	5. 8.	S *w* ♃	Bot. mag. t. 658.
4	sarmentòsa D.S.	(*ye*) sarmentose	N. S. W.	1806.	——	G *w* ♃	——— t. 1323.
	Menyánthes sarmentòsa B.M.						
5	lacunòsa D.S.	(*wh*) smooth-flowered	N. America	1812.	6. 7.	G *w* ♃	Venten. choix. 9.
6	renifórmis L.S.	(*ye*) kidney-leaved	N. S. W.	1820.	——	G *w* ♃	Bot. reg. t. 1533.
7	parnassiifòlia D.S.	(*ye*) tall	———	1805.	6. 10.	G *w* ♃	Bot. mag. t. 1029.
	Menyánthes exaltàta B.M. *Swértia parnassifòlia* Lab. n. hol. t. 97.						
8	ovàta D.S.	(*ye*) oval-leaved	C. B. S.	1786.	5. 7.	G *w* ♃	Bot. mag. t. 1909.

MENYA'NTHES D.S. BUCK-BEAN. (μην, a month, and ανθος, a flower.) Pentan. Monogy.

1	trifoliàta D.S.	(*li*) common	Britain	....	6. 7.	H *w* ♃	Eng. bot. v. 7. t. 495.
2	americàna	(*li*) American	N. America	....	4. 6.	H *w* ♃	
	trifoliàta β *minor* P.S.						

ORDER CLVII.

BIGNONIA'CEÆ. *Brown prodr.* 1. *p.* 470.

Tribe I. *BIGNONIE'Æ.* D.S. 4. p. 216.

BIGNO'NIA. D.S. TRUMPET-FLOWER. (Abbé Bignon, librarian to Louis XIV.) Didyn. Angiosp.

§ 1. *Leaves simple.*

1	pállida D.S.	(*li*) pale	St. Vincent	1823.	7. 8	S ♄	Bot. reg. t. 965.

§ 2. *Leaves conjugate, with a tendril in the middle.*

2	U'nguis D.S.	(*ye*) Barbadoes	W. Indies	1759.	....	S ♄ ◡	Plum. amer. t. 94.

4	stamínea D.S.	(*ye.pu*)	long-stamened	Hispaniola	1820. 6. 9.	S	♄	◡	Plum. ic. 56. f. 2.
5	capreolàta D.S.	(*ye.pu*)	four-leaved	N. America	1710. 6. 8.	H	♄	◡	Bot. mag. t. 864.
6	pubéscens D.S.	(*ye*)	downy	New Spain	1759. 6. 7.	S	♄	◡	
7	æquinoctiàlis D.S.	(*ye*)	equinoctial	W. Indies	1768. 6. 8.	S	♄	◡	Plum. ic. t. 55. f. 1.
8	Chamberla'ynii D.S.	(*ye*)	Chamberlayne's	S. America	1818. ——	S	♄	◡	Bot. mag. t. 2148.
9	chrysoleùca D.S.	(*ye.wh*)	yellow&white	————	1824. ——	S	♄	◡	
10	alliàcea D.S.	.....	garlick-scented	W. Indies	1790.	S	♄	◡	
11	spectábilis D.S.	(*pu*)	showy	S. America	1820.	S	♄	◡	
12	pícta D.S.	(*wh*)	flat-stemmed	————	——	S	♄	◡	
13	oblíqua D.S.	(*re*)	oblique-leaved	Caracas	1828. ——	S	♄	◡	
14	laurifòlia D.S.	(*li*)	Laurel-leaved	Guiana	1804.	S	♄	◡	
15	lactifòra D.S.	(*wh*)	milk-coloured	Trinidad	1822. 4. 6.	S	♄	◡	Vahl. symb. 3. t. 66.
16	villòsa D.S.	(*pu*)	villous	S. America	1820.	S	♄	◡	
17	ophthálmica A.	(*ye*)	Anderson's	St. Vincent	1812.	S	♄	◡	
18	rigéscens D.S.	(*fl.ye*)	rigid-leaved	S. America	1816. 6. 8.	S	♄	◡	Jacq. schœn. 2. t. 210.
19	grandifòlia D.S.	(*ye*)	large-leaved	————	—— 4. 7.	S	♄	◡	Bot. reg. t. 418.
20	latifòlia D.S.	(*ye*)	broad-leaved	Cayenne	1824.	S	♄	◡	
21	elongàta D.S.	(*ye*)	long-racemed	S. America	1820.	S	♄	◡	Vahl. ecl. 2. t. 16.
22	mollíssima D.S.	(*pu*)	soft-leaved	Caracas	1812.	S	♄	◡	
23	diversifòlia D.S.	....	different-leaved	Mexico	1824.	S	♄	◡	
24	floribúnda D.S.	....	abundant-fld.	————	——	S	♄	◡	
25	cándicans S.S.	(*pu*)	white-leaved	Trinidad	1822. 9.12.	S	♄	◡	
26	quadrangulàris D.L.		square-stalked	————	——	S	♄	◡	
27	coloràta D.S.	(*ye*)	coloured-calyx'd	————	1824.	S	♄	◡	
28	crucígera D.S.	(*or*)	cross-bearing	S. America	1759. 6. 8.	S	♄	◡	Plum. ic. t. 58.
	§ 2. *Lower leaves ternate; upper ones conjugate, and furnished with tendrils.*								
29	Cherère D.S.	(*or*)	various-leaved	Guiana	1820. 6.10.	S	♄	◡	Bot. reg. t. 1301.
	heterophy'lla W.								
30	venústa D.S.	(*or*)	comely	S. America	1816, 9.12.	S	♄	◡	Bot. reg. t. 249.
31	incarnàta D.S.	(*ro*)	flesh-coloured	Guiana	1818. 6. 9.	S	♄	◡	Aub. gui. 3. t. 261.
32	echinàta D.S.	(*bh*)	echinated	————	1804.	S	♄	◡	———— 2. t. 264.
	§ 3. *Leaves ternate or trifoliate, without tendrils.*								
33	móllis D.S.	(*ye*)	soft	Guiana	1818.	S	♄	◡	Vahl. ecl. 2. t. 10.
	tomentòsa Rich. *non* Th.								
34	littoràlis D.S.	(*re*)	sea-side	Mexico	1824.	S	♄	◡	
35	viridiflòra B.C.	(*gr*)	green-flowered	S. America	1820. 6. 9.	S	♄		Lodd. bot. cab. t. 1026.
36	triphy'lla D.S.	(*wh*)	three-leaved	Mexico	1733. ——	S	♄		
	§ 4. *Leaves digitate, destitute of tendrils.*								
36	fluviátilis D.S.	(*wh*)	marsh	S. America	1818. 7. 8.	S	♄		Aub. gui. 2. t. 267.
37	Leucóxylon D.S.	(*pi*)	white-wooded	W. Indies	1759. 6. 7.	S	♄		Andr. reposit. t. 43.
38	chrysántha D.S.	(*ye*)	golden-flower'd	Caracas	1822.	S	♄		Jacq. schœnb. 2. t. 211.
39	lepidòta D.S.	(*ro*)	silver-spotted	Cuba	1828.	S	♄		
40	æsculifòlia D.S.	(*or*)	Æsculus-ld.	Mexico	1824.	S	♄		
	§ 5. *Leaves abruptly pinnate or bipinnate, tendrilled.*								
41	Chíca D.S.	(*vi*)	Chica	S. America	1819.	S	♄	◡	Humb.et Bpl.pl.æ.1.t.31.
42	bijuga D.S.	.....	Madagascar	Madagascar	1822.	S	♄	◡	
43	Clématis D.S.	(*wh.ye*)	Clematis-leaved	Caracas	——	S	♄	◡	
44	jasminifòlia D.S.	.....	Jasmine-leaved	S. America	1824.	S	♄	◡	
	§ 6. *Leaves decompound.*								
45	variábilis S.S.	(*gr.ye*)	variable-leaved	Caracas	1820. 6. 8.	S	♄	◡	Jacq. schœnb. 2. t. 212.
46	crenàta L.C.	.....	crenated	.....	1825.	S	♄	◡	
47	decípiens L.C.	....	doubtful	.....	——	S	♄		
48	lúcida L.C.	.....	glossy	S. America	1824.	S	♄	◡	
49	álba D.S.	(*wh*)	white-flowered	Guiana	1823.	S	♄	◡	Aub. gui. 2. t. 266.
50	purpúrea L.C.	(*pu*)	purple	S. America	1822.	S	♄		
51	tomentòsa Th.	....	tomentose	Japan	1823.	S	♄		Kæmpf. amœn. t. 860.
52	spicàta D.L.	.....	spiked-flowered	Trinidad	1822.	S	♄	◡	
	§ 7. *Leaves impari-pinnate.*								
53	multijuga D.S.	(*y.pk*)	many-leaved	E. Indies	1826.	S	♄		Wall.pl.rar.as.t.95-96.
54	amœ'na D.S.	(*ye*)	handsome	————	1823.	S	♄		————t.2.t.183.

SPATHO'DEA D.S. SPATHO'DEA. (σπαθη, a spath; form of calyx.) Didynamia Angiospermia.

§ 1. *Leaves conjugate.*

1 uncàta D.S. (*ye*) hooked Guiana 1804. 6. 9. S ♄ ◡ Bot. mag. t. 1511.

Bignònia uncàta B.M.

§ 2. *Leaves impari-pinnate.*

2 corymbòsa D.S. (*ye*) corymb-flower'd Trinidad 1823. .... S ♄

3 Rheèdii D.S. (*wh*) Rheede's E. Indies 1794. .... S ♄ Roxb. cor. 2. t. 144.

Bignònia spathàcea B.C.

4 Roxbúrghii D.S.(*ro*)Roxburgh's E. Indies 1820. .... S ♄ Roxb. cor. v. 2. t. 145.
Bignònia quadriloculàris Roxb.
5 longiflòra D.S. (*ye*) long-flowered Malabar 1816. .... S ♄ Rheed. mal. 6. t. 29.
Bignònia chelonoìdes L! *longiflòra* W.
6 lævis D.S. (*pu*) smooth Guinea 1825. .... S ♄ Beauv. fl. d'ow. 1. t. 21
7 crispa D.S. (*wh*) curled E. Indies 1822. .... S ♄
Bignònia crispa Roxb. *atrovìrens* S.S.
8 stipulàta D.S..... stipulated E. Indies 1825. .... S ♄
Bignònia stipulàta Roxb.
9 fraxinifòlia D.S. (*ye*) Ash-leaved Caracas 1821. .... S ♄ ◡
Bignònia fraxinifòlia S.S.

TE'COMA D.S. TE'COMA. (*Tecomaxochitl*, Mexican name of the species.) Didynamia Angiosp.
§ 1. *Leaves simple.*
1 undulàta D.S. (*or*) waved E. Indies 1827. .... S ♄
2 spléndida D.S. (*or*) splendid Brazil 1826. .... S ♄
§ 2. *Leaves digitate.*
3 pentaphy'lla D.S.(*wh*)five-leaved Jamaica 1733. .... S ♄ Marc. bras. t. 118.
4 digitàta D.S. ..... digitate-leaved S. America 1818. .... S ♄
5 serratifòlia D.S. (*ye*) serrated-leaved Trinidad 1822. .... S ♄
Bignònia serratifòlia Vahl.
§ 3. *Leaves impari-pinnate.*
6 austràlis D.S. (*bh*) broad-leaved N. S. W. 1793. 4. 7. G ♄ ◡ Bot. mag. t. 865.
Bignònia Pandòræ B.M.
7 meonántha D.S. (*bh*) narrow-leaved ——— 1815. —— G ♄ ◡
Bignònia meonántha L. en.
8 jasminoìdes D.S.(*bh*) jasmine-like N. Holland 1830. 7. 8. G ♄ Bot. reg. t. 2002.
9 móllis D.S. (*ye*) soft-leaved Mexico 1824. .... S ♄
10 diversifòlia D.S..... diverse-leaved N. Holland 1830. .... F ♄ ◡
11 suavèolens D.S. (*cr*) sweet-scented E. Indies 1825. .... S ♄
Bignònia suaveòlens Roxb.
12 radìcans D.S. (*or*) Ash-leaved N. America 1640. 7. 8. H ♄ ◡
α mâjor (*or*) *great* ——— —— —— H ♄ ◡ Bot. mag. t. 485.
β mìnor D.S. (*or*) *smaller* ——— —— —— H ♄ ◡ Catesb. car. 1. t. 65.
13 grandiflòra D.S. (*or*) large-flowered China 1800. 6. 9. G ♄ ◡ Bot. mag. t. 1398.
Bignònia grandiflòra B.M. *Incarvíllea grandiflòra* S.S.
14 capénsis D.S. (*or*) Cape C. B. S. 1824. 4. 8. G ♄ ◡ Bot. reg. t. 1117.
15 stáns D.S. (*ye*) upright-ash-ld S. America 1730. 7. 9. S ♄ Bot. mag. 3191.
16 sambucæfòlia D.S.(*ye*) Elder-leaved Peru 1824. —— S ♄
17 incìsa D.S. (*ye*) cut-leaved Trinidad —— —— S ♄
§ 4. *Leaves decompound.*
18 xylocárpa D.S. (*wh*) woody-fruited E. Indies 1825. .... S ♄
Bignònia xylocárpa Robx.

JACARA'NDA D.S. JACARA'NDA. (a name of Brazilian origin.) Didynamia Angiospermia.
1 tomentòsa D.S. (*pu*) tomentose Brazil 1824. .... S ♄
2 mimosifòlia D.S. (*bl*) Mimosa-leaved ——— 1818. 4. 5. S ♄ Bot. reg. t. 631.
ovalifòlia Bot. mag. t. 2327.
3 bahaménsis D.S. (*bl*) Bahama Bahama Isl. 1724. 7. 8. S ♄ Catesb. car. 1. t. 42.
Bignònia cærùlea W.
4 Brasiliàna D.S. (*ye*) Brazilian Brazil 1820. .... S ♄
5 Copeìa D.S. (*bl*) Box-leaved Guiana 1793. .... S ♄ Aub. gui. 2. t. 265.
Bignònia procèra W.
6 rhombifòlia Mey.(*pu*)rhomb-leaved Surinam 1823. .... S ♄
filicifòlia D.S.

AMPHILO'PHIUM D.S. AMPHILO'PHIUM. (*αμφιλοφος*, crested on all sides.) Didynam. Angiosp.
paniculàtum D.S.(*pu*) panicled S. America 1788. .... S ♄ ◡ Jacq. amer. t. 116.
Bignònia paniculàta Jacq.

CHILO'PSIS D.S. CHILO'PSIS. (*χειλος*, a lip, and *οψ*, resemblance.) Didynamia Angiospermia.
salígna D.S. (*ro*) linear-leaved Mexico 1825. .... S ♄ Cavan. ic. 3. t. 269.
Bignònia? lineàris Cav.

PLATYCA'RPUM D.S. PLATYCA'RPUM. (*πλατυς*, broad, and *καρπος*, a fruit.) Pentand. Monog.
orinocénse D.S. (*ro*) Orinoco Orinoco 1829. .... S ♄ H. et B. pl. æq. 2. t. 104.

CALOSA'NTHES D.S. CALOSA'NTHES (*καλος*, beautiful, and *ανθος*, a flower.) Pentand. Monog.
índica D.S. (*re*) Indian E. Indies 1775. 6. 7. S ♄ Rheed. mal. 1. t. 43.
Bignònia índica L. *Spathòdea pentándra* Bot. mag. t. 3081.

MILLINGTO'NIA. D.S. MILLINGTO'NIA. (Thomas Millington, an English bot.) Didy. Ang.
horténsis D.S. (*wh*) cork-barked E. Indies 1818. .... S ♄ Roxb. corom. 3. t. 214.
Bignònia suberòsa Roxb.

CATA'LPA. CATA'LPA. (Indian name of first species.) Diandria Monogynia.
1 syringifòlia D.S. (*wh*) common N. America 1726. 6. 8. H ♄ Bot. mag. t. 1094.
Bignònia Catálpa L.

longissima D.S. (wh.pu) wave-leaved	W. Indies	1777.	S	♄	Plum. ic. t. 57.
microphylla D.S. (bh) small-leaved	Hispaniola	1820.	S	♄	——— t. 55.

Tribe II. *TOURRETIEÆ.* D.S. 4. p. 231.

ALAMPELIS D.S. CALA'MPELIS. (καλος, beautiful, and αμπελος, a vine.) Didynam. Angiosp.

scàbra D.S. (or) rough-podded	Chili	1823. 7.11.	H	♄	◡	Swt. br. fl. gar. s. 2. t. 30.

Eccremocárpus scàber Bot. reg. t. 939.

ECCREMOCA'RPUS D.S. ECCREMOCA'RPUS. (εκκρεμης, pendant, and καρπος, a fruit.) Didy. Ang.

longiflòrus D.S. (ye) long-flowered	Peru	1824.	G	♄	◡	H. et B. pl. æq. 1. t. 65.

TOURRE'TIA D.S. TOURRE'TIA. (M. A. L. Claret la Tourrete, a friend of Rousseau.) Did. Ang.

Lappàcea D.S. (vi) Burdock	Peru	1788. 6. 8.	H	⊙	◡	Sal. stirp. 5. t. 3.

Dombèya Lappàcea L'her.

Tribe III. *CRESCENTIEÆ.* D.S. 4. p. 231.

CRESCE'NTIA D.S. CALABASH-TREE. (Pietro Crescentio, an Italian writer on agricul.) Did. Ang.

1 Cujète D.S. (var) common	W. Indies	1690.	S	♄		Bot. mag. t. 3430.
2 acuminàta D.S. (li) acuminate	Cuba	1822.	S	♄		
3 cucurbitina D.S. (var) Gourd-fruited	W. Indies	1733.	S	♄		Plum. icon. t. 109.
4 alàta D.S. (li) winged-leaved	Mexico	1825.	S	♄		

TANÆ'CIUM D.S. TANÆ'CIUM. (ταναηκης, long; elongated stems.) Didynamia Angiospermia.

parasìticum D.S. (wh) parasitical	Jamaica	....	S	♄	◡	Jacq. schonb. 1. t. 115.

TRIPINNA'RIA D.S. TRIPINNA'RIA. (leaves tripinnate.) Didynamia Angiospermia.

africàna D.S. (pu) African	Mauritius	1823.	S	♄	Jacq. coll. 3. t. 18.

Tanæ'cium pinnàtum W. *Crescéntia pinnàta* Jacq.

ORDER CLVIII.

COBŒA'CEÆ. D.S. 4. *p.* 236.

COBŒ'A D.S. COBŒ'A. (B. Cobo, a Spanish bot.) Pentandria Monogynia.

scàndens D.S. (bl) climbing	Mexico	1792. 5.10.	G	♄	◡	Bot. mag. t. 851.

ORDER CLIX.

PEDALI'NEÆ. D.S. 4. *p.* 233.

PEDA'LIUM D.S. PEDA'LIUM. (πηδαλιον, the rudder of a ship; angles of fruit.) Didy. Angios.

Murex D.S. (ye) prickly-fruited	E. Indies.	1778. 8. 9.	S	⊙	Lam. ill. t. 538.

MARTY'NIA D.S. MARTY'NIA. (John Martyn, F.R.S., prof. bot., Cambridge.) Didy. Ang.

1	diándra D.S.	(*re*) two-stamened	New Spain	1731.	7. 8.	S	⊙		Bot. reg. t. 2001.
2	proboscídea D.S.	(*li*) horn-capsuled	America	1738.	6. 8.	G	⊙		Bot. mag. t. 1056.
	ánnua L.								
3	lùtea D.S.	(*ye*) yellow	S. America	1824.	7. 9.	H	⊙		Bot. reg. t. 934.
4	longifiòra D.S.	(*pu*) long-flowered	C. B. S.	1781.	7. 8.	G	⊙		Meerb. ic. 1. t. 7.

CRANIOLA'RIA D.S. CRANIOLA'RIA. (*κρανιον*, the skull; capsule like.) Didynamia Agiospermia.

	ánnua D.S.	(*wh.sp*) annual	S. America	1733.	7. 8.	S	⊙		Jacq. amer. t. 110.
	Marty'nia Craniolària W.								

SE'SAMUM D.S. OILY-GRAIN. (*sempsen*, Egyptian name of a species.) Didynamia Agiospermia.

1	orientàle D.S.	(*bh*) oriental	E. Indies	1731.	7. 8.	S	⊙		Rheed. mal. 9. p. 54.
2	índicum D.S.	(*bh*) Indian	———	——	——	S	⊙		Bot. mag. t. 1788.
3	lùteum D.S.	(*ye*) yellow	———	1825.	——	S	⊙		

ORDER CLX.

POLEMONIA'CEÆ. D.S. 4. *p.* 237.

POLEMO'NIUM D.S. GREEK VALERIAN. (*πολεμος*, war.) Pentandria Monogynia.

1	cœrùleum D.S.	(*bl*) common	Britain	....	6.	H	♃		Eng. bot. t. 1.
	β álbum	(*wh*) *white-flowered*	———	....	——	H	♃		
	γ maculàtum S.S.	(*sp.*)*spot-flowered*	———	....	——	H	♃		
	δ pilíferum D.S.	(*bl*) *piliferous*	N. America	....	——	H	♃		Bot. reg. t. 1363.
2	grácile D.S.	(*wh*) slender	Dahuria	1818.	6. 7.	H	♃		
3	mexicànum D.S.	(*bl*) Mexican	Mexico	1817.	4. 6.	H	♃		Bot. reg. t. 460.
4	pulchérrimum D.S.	(*bl*)bright-blue	N. America	1827.	7. 8.	H	♃		Bot. mag. t. 2979.
5	réptans D.S.	(*bl*) creeping	———	1758.	4. 5.	H	♃		——— t. 1887.
6	villòsum D.S.	(*bl*) dwarf hairy	Siberia	1827.	6. 9.	H	♃		Swt. br. fl. gar. t. 266.
7	Richardsòni D.S.	(*bl*) Richardson's	N. America	——	——	H	♃		Bot. mag. t. 2808.
8	moschàtum Gr.	(*bl*) musk-scented	———	——	——	H	♃		
9	hùmile D.S.	(*bl*) dwarf	———	——	——	H	♃		Bot. reg. t. 1304.
10	sibíricum D.S.	(*wh*) bipinnate	Siberia	1800.	6.	H	♃		Swt. br. fl. gar. t. 182.

DIAPE'NSIA D.S. DIAPE'NSIA. (ancient Greek name of Sanicle.) Pentandria Monogynia.

1	lappónica D.S.	(*wh*) Lapland	Lapland	1801.	2. 3.	F	♃		Swt. br. fl. gar. s. 2. 251.
2	cuneifòlia D.S.	(*wh*) wedge-leaved	Carolinas	1806.	6. 7.	F	♃		Sal. par. t. 104.
	Pyxidanthèra barbulàta Mx. fl. bor. amer. 1. t. 17.								

PHLO'X D.S. LYCHNIDEA. (*φλοξ*, a flame; colour of flowers.) Pentandria Monogynia.

§ 1. *Leaves broad; barren stems none.*

1	dísticha Sab.	(*re*) two-rowed	N. America	1826.	7.10.	H	♃		
2	involucràta Nut.	(*li*) involucred	———	1830.	6.	H	♃		
3	paniculàta D.S.	(*pu*) panicled	———	1732.	8. 9.	H	♃		Dill. eth. t. 166. f. 203.
	β álba	(*wh*) *white-flowered*	———	1813.	——	H	♃		
4	undulàta D.S.	(*pu*) wave-leaved	———	1759.	7. 8.	H	♃		
5	acuminàta D.S.	(*pu*) cross-leaved	———	1812.	6. 8.	H	♃		Bot. mag. t. 1880.
	decussàta Lyon. *latifòlia* Hort. *non* M.								
6	virgínica L.C.	(*pu*) Virginian	———	——	——	H	♃		
7	intermèdia L.C.	(*pu*) intermediate	———	....	7. 9.	H	♃		
8	læ'ta Penny	(*re*) mild	Hybrid	....	——	H	♃		
9	excélsa Penny	(*re*) tall	———	....	——	H	♃		
10	penduliflòra D.S.	(*pu*)drooping-fld	N. America	1824.	——	H	♃		Swt. br. fl. gar. s. 2. t. 46.
11	corymbòsa D.S.	(*li*) corymb-flower'd	———	——	——	H	♃		
12	acutifòlia D.S.	(*pu*) sharp-leaved	———	1825.	——	H	♃		
13	odoràta D.S.	(*re*) sweet-scented	———	1824.	——	H	♃		Swt. br. fl. gar. t. 224.
14	scàbra D.S.	(*li*) rough-leaved	———	1812.	——	H	♃		——— t. 248.
	Sicknánni Lehman.								
15	maculàta D.S.	(*pu*) spotted-stalked	———	1740.	7. 8.	H	♃		Jacq. vind. 2. t. 147.
16	pyramidàlis D.S.	(*li*) pyramidal	———	1800.	6. 8.	H	♃		Swt. br. fl. gar. t. 233.
17	latifòlia D.S.	(*pu*) broad-leaved	———	1812.	——	H	♃		
18	carolìna D.S.	(*re.pu*) rough-stemmed	———	1728.	7. 9.	H	♃		Bot. mag. t. 1344.

| nitida D.S. (*re*) shining Carolina 1818. 7. 9. H ♃
suffruticòsa Herb.
| cordàta D.S. (*li*) heart-leaved Carolina 1826. 6. 9. H ♃ Swt. br. fl. gar. s. 2. t. 13.
| excélsa H.E. (*pu*) tall upright N. America 1824. —— H ♃
| Wheelerìàna B.F.G. (*pi*) Wheeler's Hybrid —— —— H ♃
| Shephérdii H.E. (*re*) Shepherd's ——— —— —— H ♃
| Drummóndi D.S. (*re*) Drummond's Texas 1835. 8. 9. H ⊙ Swt. br. fl. gar. s. 2. t. 316.
| glabérrima D.S. (*pu*) smooth-stalked N. America 1725. 6. 8. H ♃ ——— s. 2. t. 36.
| triflòra D.S. (*bh*) flesh-coloured ——— 1816. 7. 9. H ♃ ——— t. 29.
cárnea Bot. mag. t. 2155.
| suavèolens D.S. (*wh*) white-flowered ——— 1766. 7. 8. H ♃
| longiflòra D.S. (*wh*) long-flowered ——— 1827. 7. 10. H ♃ Swt. br. fl. gar. s. 2. t. 31.
tardiflòra Penny.
| reflèxa B.F.G. (*d.pu*) reflexed-leaved ——— 1824. 6. 9. H ♃ Swt. br. fl. gar. t. 232.
| suffruticòsa B.R. (*d.pu*) glossy-leaved ——— 1790. 7. 9. H ♃ Bot. reg. t. 68.

§ 2. *Leaves broad; barren stems present.*

| Listoniàna D.S. (*pu*) Liston's N. America 1816. 5. 7. H ♃
| ovàta D.S. (*pu*) ovate-leaved ——— 1759. —— H ♃ Bot. mag. t. 528.
| stolonífera D.S. (*bl*) creeping ——— 1800. 6. 9. H ♃ ——— t. 563.
réptans M. *stolonífera* has the right of priority.
| prostràta D.S. (*re*) prostrate N. America 1792. 4. 5. H ♃ Swt. br. fl. gar. s. 2. t. 293.
crassifòlia Lodd. bot. cab. t. 1596. *stolonífera* β, *crassifòlia* D.D.
| pilòsa D.S. (*p.bl*) hairy-leaved N. America 1759. 5. 6. H ♃ Bot. mag. t. 1307.
aristàta M. Lodd. bot. cab. t. 1731.
| smæ'na D.S. (*ro*) Frazer's hairy ——— 1809. 6. 7. H ♃ Bot. mag. t. 1308.
pilòsa β, R.S.
| canadénsis D.S. (*pa.bl*) Canadian Canada 1826. 5. 7. H ♃ Swt. br. fl. gar. t. 221.
| divaricàta D.S. (*pa.bl*) early-flowering N. America 1746. 4. 6. H ♃ Bot. mag. t. 163.

§ 3. *Leaves linear or subulate.*

| procúmbens D.S. (*bl*) procumbent N. America 1829. 5. 6. H ♃ Swt. br. fl. gar. s. 2. t. 7.
| speciòsa D.S. (*pu*) showy Columbia 1826. 5. 7. H ♄ Bot. reg. t. 1351.
| subulàta D.S. (*li.pu*) awl-leaved N. America 1786. 4. 6. H ♄ Bot. mag. t. 411.
| nivàlis D.S. (*wh*) snowy white ——— 1820. —— H ♄ Swt. br. fl. gar. t. 185.
| setàcea D.S. (*pi*) bristle-leaved ——— 1786. 4. 5. H ♄ Bot. mag. t. 415.

COLLO'MIA D.S. COLLO'MIA. (κολλα, glue; seeds gluey.) Pentandria Monogynia.

1 grandiflòra D.S. (*bf*) large-flowered N. America 1827. 6. 7. H ⊙ Bot. reg. t. 1174.
2 lineàris D.S. (*fl*) linear-leaved ——— —— —— H ⊙ ——— t. 1156.
3 grácilis D.S. (*ro*) slender ——— —— 5. 7. H ⊙ Bot. mag. t. 2924.
Gilia grácilis B.M.
4 coccínea D.S. (*sc*) scarlet Chili 1832. 6. 10. H ⊙ Bot. reg. t. 1622.
Cavanillèsii Hook. et Arn. *laterítia* Swt. fl. gar. s. 2. t. 206.
5 gilioìdes D.S. (*re*) Gilia-like California 1833. —— H ⊙
6 glutinòsa D.S. (*re*) clammy ——— —— —— H ⊙
7 heterophy'lla D.S. (*ro*) various-leaved N. America 1827. 5. 8. H ⊙ Bot. mag. t. 2895.

HUGE'LIA D.S. HUGE'LIA. (Baron Ch. de Hugel, of Vienna.) Pentandria Monogynia.

1 densiflòra D.S. (*bl*) dense-flowered California 1833. 6. 7. H ⊙
2 elongàta D.S. (*bl*) elongated ——— —— —— H ⊙
3 virgàta D.S. (*bl*) twiggy ——— —— —— H ⊙
4 lùtea D.S. (*ye*) yellow ——— —— —— H ⊙

LINA'NTHUS D.S. LINA'NTHUS. (λινον, flax, and ανθος, a flower.) Pentandria Monogynia.

dichótomus D.S. (*ye*) dichotomous California 1833. 6. 7. H ⊙

LEPTOSI'PHON D.S. LEPTOSI'PHON. (λεπτος, slender, and σιφων, a tube.) Pentan. Monogy.

1 grandiflòrus D.S. (*ye.pu*) great-flowered California 1833. 6. 10. H ⊙
2 androsàceus D.S. (*wh.bl*) Androsace-like ——— —— —— H ⊙ Bot. reg. t. 1710.
3 lùteus D.S. (*ye*) yellow-flowered ——— —— —— H ⊙
4 parviflòrus D.S. (*ye*) small-flowered ——— —— —— H ⊙
5 densiflòrus D.S. (*pu.wh*) dense-flowered ——— —— —— H ⊙ Bot. reg. t. 1725.

FEN'ZLIA D.S. FEN'ZLIA (Dr. Fenzle, of Vienna.) Pentandria Monogynia.

dianthiflòra D.S. (*pu.ye*) pink-flowered California 1833. 6. 8. H ⊙

GI'LIA D.S. GI'LIA. (P. S. Gilio, a Spanish bot.) Pentandria Monogynia.

Sect. 1. DACTYLOPHY'LLUM; *lower leaves opposite, sessile, and palmately cut; flowers solitary, on long peduncles; corolla with a short tube and a spreading limb.*

1 liniflòra D.S. (*wh*) flax-flowered California 1833. 6. 8. H ⊙
2 pharnacoìdes D.S. (*wh*) Pharnaceum-like ——— —— —— H ⊙

Sect. 2. IPOMO'PSIS; *leaves alternate, pinnate, or pinnatifid; flowers solitary, and sometimes glomerate; tube of corolla elongated.*

3 coronopifòlia D.S. (*sc*) Buckhorn-ld. Carolina 1726. 8. 9. H ♂ Swt. br. fl. gar. s. 2. t. 289.
Cántua coronopifòlia W. Andr. bot. rep. t. 415. *Ipomópsis pícta* Hort. *élegans* Mx.

4 aggregàta D.S. (*sc*) aggregate Columbia 1827. 8. 9. G ♂ Bot. reg. t. 1281.
pulchélla Doug. *élegans* B.R. *Cántua aggregàta* Ph.
5 tenuiflòra D.S. (*ro*) fine-flowered California 1833. 6. 8. H ⊙ Bot. reg. t. 1858.
6 arenària D.S. (*bl*) sand ——— —— —— H ⊙
Sect. 3. EUGI'LIA; *leaves alternate, pinnatifid, or pinnate; flowers almost solitary, but general glomerate; tube of corolla rather shorter than the calyx.*
7 parviflòra D.S. (*bl*) small-flowered N. America 1793. 9.11. H ⊙ Bot. mag. t. 2883.
Ipomópsis inconspícua Smith exot. bot. 1. t. 14. *Gília inconspícua* Doug.
8 trícolor D.S.(*ye.pu.wh*)tricoloured California 1833. 6. 9. H ⊙ Bot. reg. t. 1704.
9 laciniàta D.S. (*pu*) jagged-leaved Chili 1831. 7. H ⊙ R.etP.fl.per.2.t.123.f.b
10 multicaúlis D.S. (*bl*) many-stemmed California 1833. 6. 9. H ⊙
11 achilleæfòlia D.S.(*bl*) Millefoil-leaved ——— —— 8.12. H ⊙ Swt.br.fl.gar.s.2.t.28
12 capitàta D.S. (*bl*) capitate-flower'dN. America 1826. 6. 9. H ⊙ Bot. reg. t. 1170.
ÆGOCHLO'A D.S. ÆGOCHLO'A. (αὶξ, a goat, and χλοα, a green herb.) Pentand. Monogy.
1 intertéxta D.S. (*bl*) interwoven California 1833. 6. 8. H ⊙
2 púngens D.S.(*wh.bl*) pungent ——— —— —— H ⊙ Bot. mag. t. 2977.
3 eryngioìdes D.S.(*wh.bl*)Eryngo-like Chili —— —— H ⊙
Gília mucronàta Lehm.
BONPLA'NDIA Cav. BONPLA'NDIA. (Aimé Bonpland, companion of Humboldt.) Pent. Monog
geminiflòra Cav. (*bl*) twin-flowered New Spain 1813. 5.12. S ⊙ Bot. reg. t. 92.
Caldàsia heterophy'lla W. *non Caldàsia* DC.
LŒSE'LIA D.S. LŒSE'LIA. (John Lœsel, author of Flora Prussica.) Pentandria Monogynia.
1 coccínea D.S. (*sc*) scarlet Mexico 1826. 5. 7. G ♄ Cavan. ic. 4. t. 365.
Hoítzia coccínea Cav.
2 cœrùlea D.S. (*bl*) blue-flowered ——— 1827. —— G ♄ Cavan. ic. 4. t. 366.
3 glandulòsa D.S. (*re*) glandular ——— 1825. —— G ♄ ——— 4. t. 367.
4 mexicàna D.S. (*re*) Mexican ——— 1837. .... G ♄

ORDER CLXI.

HYDROLEA'CEÆ. D.S. 4. *p.* 249.

HYDRO'LEA D.S. HYDRO'LEA. (ὕδωρ, water, and ελαια, an olive.) Pentandria Digynia.
1 spinòsa D.S. (*bl*) thorny S. America 1791. 7. 8. S ♄ Bot. reg. t. 566.
2 quadriválvis D.S.(*bl*) four-valved Carolina 1824. —— G ♃
WIGA'NDIA D.S. WIGA'NDIA. (John Wigand, a Prussian bot.) Pentandria Digynia.
1 ùrens D.S. (*vi*) stinging Mexico 1827. 4. 6. G ♃ Flor. peruv. 3. t. 243.
2 Kúnthii D.S. (*bl*) Kunth's ——— 1837. .... G ♃
ùrens Kunth, *not* of R. et P.
3 caracasàna D.S. (*bl*) Caracas Caracas 1825. —— S ♃ Bot. reg. t. 1966.
NA'MA D.S. NA'MA. (ναμα, a stream; habitat.) Pentandria Digynia.
1 jamaicénsis D.S.(*wh.bl*)Jamaica Jamaica 1812. 6. 9. S ⊙ Lam. ill. t. 184.
2 undulàta D.S. (*vi*) wave-leaved Mexico 1826. —— G ♃
CO'DON D.S. CO'DON. (κωδων, a bell; form of corolla.) Decandria Monogynia.
Royènii D.S. (*wh.pu*) Royen's. C. B. S. 1801. 9. F ⊙ Andr. bot. repos. t. 325.

ORDER CLXII.

RETZIA'CEÆ D.S. 4. p. 306.

RE'TZIA D.S. R'ETZIA. (A. J. Retzius, prof. nat. hist. Lund.) Pentandria Monogynia.
spicàta D.S. (*br*) spicate C. B. S. .... 5. 6. G ♄ Lam. ill. t. 103.

ORDER CLXIII.

CONVOLVULA'CEÆ. *Brown prodr.* 1. *p.* 481.

Tribe I. *ARGYRIE'Æ.* D.S. 4. p. 253.

RI'VEA D.S. RI'VEA. (Aug. de la Rive, a physician of Geneva.) Pentandria Monogynia.
1 tiliæfòlia D.S. (*wh*) Tilia-leaved E. Indies 1812. 5. 8. S ♄ ◡
Ipomœ'a gangètica Swt.
2 hypocrateriformis D.S. (*wh*) Salver-shaped —— 1817. 6. 9. S ♄ ◡
Lettsòmia uniflòra Roxb.
3 ornàta D.S. (*wh*) adorned ——— 1824. .... S ♄ ◡ Choisy mem. gen. 6. t. 3.
Lettsòmia ornàta Roxb.
4 Bona-nóx D.S. (*wh*) good night ——— 1799. 7.10. S ♄ ◡
ARGYRE'IA D.S. ARGYRE'IA. (αργυρειος, silvery; under sides of leaves.) Pentandria Monogynia.
Sect. 1. PTYCHA'NTHUS; *corolla almost entire, with* 5 *plaits at top; stamens enclosed.*
1 spléndens D.S. (*ro*) glossy-leaved E. Indies 1814. 11.1. S ♄ ◡ Bot. mag. t. 2628.
Ipomœ'a spléndens B.M. *Lettsòmia spléndens* F.I.
2 speciòsa D.S. (*pu*) broad-leaved E. Indies 1778. 7. 9. S ♄ ◡ Bot. mag. t. 2446.
Ipomœ'a speciòsa B.M. *Convólvulus speciòsus* W. *Lettsòmia nervòsa* F.I.
3 argéntea D.S. (*pi*) silvery-leaved E. Indies 1820. .... S ♄ ◡
Lettsòmia argéntea F.I.
4 ellíptica D.S. (*ro*) elliptic-leaved ——— 1822. 5. 8. S ♄ ◡
Ipomœ'a laurifòlia Swt.
5 cuneàta D.S. (*d.pu*) wedge-leaved ——— 1817. 6. 9. S ♄ ◡ Bot. reg. t. 661.
Lettsòmia cuneàta F.I. *Ipomœ'a atrosanguínea* B.M. 2170.
6 pomàcea D.S. (*pi*) Apple-fruited E. Indies 1828. .... S ♄ ◡ Gae. fr. 2. 178.
7 Roxbúrghii D.S. (*ro*) Roxburgh's ——— 1816. 6. 8. S ♄ ◡
Ipomœ'a Roxbúrghii Swt. *amœ'na* Bl.
8 Malabárica D.S. (*pk*) Malabar ——— 1823. —— S ♄ ◡ Rheed. mal. 11. t. 51.
9 capitàta L.S. (*ro*) capitate ——— —— —— S ♄ ◡
Lettsòmia strigòsa Roxb. *Ipomœ'a capitàta* R.S.
Sect. 2. SCHIZA'NTHUS; *corolla* 5-*cleft or* 5-*parted; stamens exserted.*
10 cymòsa D.S. (*li*) cyme-flowered E. Indies 1823. .... S ♄ ◡
Lettsòmia cymòsa F.I.
11 setòsa D.S. (*pi*) bristly-stemmed ——— 1820. .... S ♄ ◡
12 virgàta .... slender-twigged ——— 1825. .... S ♄ ◡

Tribe II. *CONVOLVU'LEÆ.* D.S. 4. p. 258.

QUAMO'CLIT D.S. QUAMO'CLIT. (κυαμος, a kidney-bean, and κλιτος, dwarf.) Pent. Monogy.
1 phœnícea D.S. (*sc*) scarlet E. Indies 1713. 6. 9. S ⊙ ◡
Ipomœ'a coccínea Andr. reposit. t. 449.
2 Ruizìana D.S. (*sc*) Ruiz's Peru —— .... S ⊙ ◡ Flor. per. 2. t. 120. f. b.
Ipomœ'a angulàta Ort.
3 coccínea D.S. (*sc*) scarlet W. Indies —— —— S ⊙ ◡ Bot. mag. t. 221.
Ipomœ'a coccínea L.
4 luteòla D.S. (*or*) yellowish Guatemala 1759. —— S ⊙ ◡ Jacq. ic. rar. 1. t. 35.
5 serótina D.S. (*or*) late ..... 1824. —— S ⊙ ◡ DC. icon. t. 27.
6 hederæfòlia D.S. (*vi*) Ivy-leaved W. Indies 1773. —— S ⊙ ◡ Plum. icon. t. 93. f. 2.
7 tríloba D.S. (*vi*) three-lobed S. America 1752. 6. 7. S ⊙ ◡
Ipomœ'a tríloba L.
8 hastígera D.S. (*fl*) halbert-bearing Mexico 1824. 5. 7. S ♃ ◡
9 sanguínea D.S. (*cr*) bloody W. Indies 1812. 2.11. S ♄ ◡ Bot. reg. t. 9.

10 longiflòra D.S. (*wh*) long-flowered Cuba 1803. 5. 7. S ♄ ◡
11 grandiflòra D.S. (*sc*) great-flowered Mexico 1826. 1.12. S ♃ ◡
Morenòa grandiflòra La Llave.
12 globòsa D.S. (*sc*) globose ——— 1827. —— S ♃ ◡
Morenòa globòsa La Llave.
13 digitàta D.S. (*sc*) digitate-leaved S. America .... 8.10. S ⊙ ◡ Plum. icon. t. 92. f. 1.
14 vulgàris D.S. (*sc*) common E. Indies 1629. 7. 9. S ⊙ ◡ Bot. mag. t. 244.
Ipomœ'a Quamóclit L.
β *albiflòra* D.S. (*wh*) *white-flowered* ——— .... —— S ⊙ ◡

LEPTOCA'LLIS D.S. LEPTOCA'LLIS. (λεπτος, slender, and καλλος, pretty; plants.) Pent. Mona.
armàta D.S. (*re.vi*) armed-calyxed Mexico 1824. 7.10. S ⊙ ◡ Cavan. ic. 5. t. 478. f. 2.
Ipomœ'a armàta B.S. *muricàta* Cav. *non* Jacq.

BATA'TAS D.S. BATA'TAS. (Malay name.) Pentandria Monogynia.
1 edùlis D.S. (*wh.pu*) sweet potatoe E. Indies 1597. 6. 9. S ♃ ◡ Rheed. mal. 7. t. 50.
Ipomœ'a Batàtas W.
2 paniculàta D.S. (*pu*) panicled E. Indies 1799. 6. 9. S ♃ ◡ Bot. reg. t. 62.
3 insígnis D.S. (*pu*) showy ——— 1814. —— S ♃ ◡ ——— t. 75.
Ipomœ'a gossypifòlia W. en.
4 heterophy'lla D.S. (*fl*) variable-leaved S. America 1817. 7.10. S ♃ ◡ Jacq. fragm. t. 12. f. 4.
5 Willdenòviæ D.S. (*pu*) Willdenow's ..... 1823. 7. 8. S ♃ ◡
6 senegalénsis D.S. (*pu*) Senegal Senegal —— —— S ♃ ◡
7 macrorhìzos D.S. (*sc*) large-rooted St. Domingo 1817. 7.10. S ♃ ◡ Burm. amer. t. 90. f. 1.
8 bignonioìdes D.S. (*pu*) Bignonia-like Cayenne 1823. 7. 8. S ♃ ◡ Bot. mag. t. 2645.
Ipomœ'a bignonioìdes
9 venòsa D.S. (*pu*) veined-leaved Mauritius 1820. —— S ♃ ◡
10 pentaphy'lla D.S. (*st*) five-leaved E. Indies 1739. 8. 9. S ♃ ◡ Jacq. icon. rar. 2. t. 310.
11 Cavanillèsii D.S. (*bh*) Cavanilles's S. America 1815. —— S ♃ ◡ Cavan. ic. 3. t. 256.
Ipomœ'a pentaphy'lla Cav. not. L.
12 ternàta D.S. (*wh*) ternate-leaved ——— 1824. 6. 8. S ♃ ◡ Jacq. schœn. 1. t. 37.
13 glaucifòlia D.S. (*pu*) glaucous-leaved Mexico 1732. 5. 7. S ♃ ◡ Dill. elth. t. 87. f. 108.
14 bonariénsis B.M. (*pk*) Buenos Ayrean B. Ayres 1826. 8. 9. G ♃ ◡ Bot. mag. t. 3665.

PHARBI'TIS D.S. PHARBI'TIS. (φαρβη, colour; flowers.) Pentandria Monogynia.
§ 1. *Leaves cordate, entire.*
1 híspida D.S. (*pu*) hispid America 1629. 6. 9. H ⊙ ◡ Bot. mag. t. 113.
Convólvulus purpùreus L.
β *incarnàta* (*fl*) *flesh-coloured* ——— —— —— H ⊙ ◡
γ *leucánthа* (*wh*) *white-flowered* ——— —— —— H ⊙ ◡
δ *vària* B.M. (*var*) *variable* ——— —— —— H ⊙ ◡ Bot. mag. t. 1682.
ε *elàtior* B.M. (*wh.bl*) *taller* ——— —— —— H ⊙ ◡ ——— t. 1005.
díscolor Jacq.
2 barbígera D.S. (*bl*) beard-bearing ——— 1824. 7.10. H ⊙ ◡ Swt. br. fl. gar. t. 86.
§ 2. *Leaves* 3-5 *lobed.*
3 Níl D.S. (*bl*) blue S. America 1597. —— H ⊙ ◡ Bot. reg. t. 272.
4 hederàcea D.S. (*bl*) Ivy-like ——— 1729. 8.10. H ⊙ ◡ ——— t. 85.
Ipomœ'a barbàta Roth.
5 vària D.S. (*bl*) variable-leaved ——— 1816. 5.10. S ♃ ? ◡
6 Púrshii D.S. (*bl*) Pursh's N. America 1597. 7. 9. H ⊙ ◡ Bot. mag. t. 188.
Ipomœ'a Níl Ph. *not* L.
7 scábrida D.S. (*wh*) scabrous S. America 1824. 5.10. H ⊙ ◡
8 Forskæ'lii (*wh*) Forskal's Egypt 1804. —— H ⊙ ◡
Ipomœ'a scàbra Forsk.
9 diversifòlia B.R. (*pu*) diverse-leaved Peru .... —— H ⊙ ◡ Bot. reg. 1988.
10 cuspidàta D.S. (*pu*) cuspidate ——— 1732. 6. 7. H ⊙ Flor. per. 2. t. 119. f. 2.
11 Dillènii D.S. (*bl*) Dillenius's Guinea .... —— H ⊙ ◡ Dill. elth. t. 81. f. 93.
12 cærùlea D.S. (*bl*) blue E. Indies 1815. 7. 9. H ⊙ ◡ Bot. reg. t. 276.
13 punctàta D.S. (*pu*) dotted-calyxed India .... 7.11. H ⊙ ◡ Dill. elth. t. 83. f. 96.
14 cæruléscens D.S. (*bl*) light-blue ——— 1820. 6. H ⊙ ◡

CALONY'CTION D.S. CALONY'CTION. (καλος, beautiful, and νυξ, night.) Pentandria Monogynia.
1 speciòsum D.S. (*wh*) showy S. America 1773. 7. 9. S ♂ ◡ Bot. mag. t. 752.
Ipomœ'a bòna-nóx L. *Argyrèia bòna-nóx* Swt.
2 Roxbúrghii D.S. (*wh*) Roxburgh's E. Indies 1799. —— S ♂ ◡ Rheed. mal. 11. t. 50.
Ipomœ'a grandiflòra Roxb. *longiflòra* W. en.
3 muricàtum D.S. (*pu*) muricated E. Indies 1777. —— S ⊙ ◡ Jacq. schœnb. 3. t. 322.
Ipomœ'a muricàta Jacq.
4 pseudomuricàtum D.S. (*pu*) smaller ——— 1827. —— S ♄ ◡
5 grandiflòrum D.S. (*wh*) great-flowered W. Indies .... S ♃ ◡ Andr. bot. rep. t. 463.
Convólvulus grandiflòrus L. *Ipomœ'a latiflòra* B.S.
6 noctolùcum G.D. (*wh*) night-flowered E. Indies 1811. 9.10. S ♄ ◡ Bot. reg. t. 889.
Ipomœ'a noctolùca B.R.

XOGO'NIUM DS. EXOGO'NIUM. (εξω, without, and γωνια, an angle.) Pentand. Monogy.

filifórme D.S. (*pu*) filiform W. Indies 1823. 9.11. S ♄ ◡ Jacq. amer. t. 19.
Ipomœ'a filifórmis Jacq. *Convólvulus filifórmis* Desr.

repándum D.S. (*sc*) repand W. Indies 1793. 2.11. S ♄ ◡ Sal. par. lond. t. 81.
Ipomœ'a repánda Jacq.

'OMŒ'A D.S. IPOMŒ'A. (ιψ, bindweed, and ομοιος, similar.) Pentandria Monogynia.

sect. 1. ERPIPOMŒ'A; *stems creeping, not climbing.*

réptans D.S. (*li*) creeping E. Indies 1806. 5. 6. S ♃ Rumph. am. 5. t. 155. f. 1.

pés-càpræ D.S. (*pu*) single-flowered ——— 1770. 6. 7. S ♃ Bot. reg. t. 319.
marítima B.R. *Convólvulus pés-càpræ* F.I.

Beladámboe D.S. (*wh*) whipcord E. Indies 1809. 7. 9. S ♃ Rheed. mal. 11. t. 58.
rugòsa D.S. *Convólvulus flagellifórmis* F.I.

renifórmis D.S. (*ye*) kidney-leaved E. Indies 1825. —— S ♃ Burm. ind. t. 30. f. 1.

bilobàta D.S. (*pu*) two-lobed ——— 1809. 6. 7. S ♃ Rumph. amb. 5. t. 159. f. 1.

brasiliénsis D.S. (*pu*) three-flowered Brazil 1726. —— S ♃ Plum. amer. 89. t. 104.
Convólvulus brasiliénsis W.

sect. 2. ORTHIPOMŒ'A; *stems erect or diffuse, never climbing.*

tridentàta D.S. (*st*) trifid E. Indies 1778. 7. 8. S ☉ Rheed. mal. 2. t. 65.

filicaúlis D.S. (*ye*) thread-stemmed ——— —— —— S ☉ Bot. reg. t. 317.
angustifòlia Jacq. ic. rar. t. 317. *filifórmis* Th. *mèdium* Lour. *denticulàta* R. Br.

arborèscens D.S. (*wh.pu*) tree Mexico 1818. .... S ♄

stáns D.S. (*vi*) Mexican ——— 1824. 7. 8. S ♃ ◡ Cavan. icon. 3. t. 250.

sect. 3. STROPHIPOMŒ'A; *stems twining.*

§ 1. *Leaves entire, usually cordate; capsules generally large; anthers usually twisted.*

Turpèthum D.S. (*wh*) square-stalked Ceylon 1752. 3. 6. S ♃ ◡ Bot. reg. t. 279.

tríquetra D.S. (*pu*) triquetrous Santa Cruz .... 7.10. S ♄ ◡

campanulàta D.S. (*pu.w*) bell-flowered E. Indies 1800. 8. 9. S ☉ ◡ Rheed. mal. 2. t. 56.

§ 2. *Leaves cordate, entire; capsules and sepals middle-sized; flowers capitately aggregate.*

involucràta D.S. (*ro*) involucred SierraLeone 1822. 8.10. S ☉ ◡ Beauv. fl. d'ow. 2. t. 89.

tamnifòlia D.S. (*bl*) Tamus-leaved Carolina 1732. 7. H ☉ ◡ Dill. elth. t. 318. f. 410.

atropurpùrea D.S. (*d.pu*) dark purple Nepaul 1824. 7. 9. H ☉ ◡ Wall. pl. rar. as. 1. t. 43.

sessilifòra D.S. (*ro*) sessile-flowered E. Indies 1816. —— S ☉ ◡
Ipomœ'a sphærocéphala Swt. *Convólvulus sessilifòrus* S.S.

polyánthes D.S. (*ye.gr*) umbel-flowered W. Indies 1739. 6. 7. S ♃ ◡ Plum. amer. 88. t. 102.
Convólvulus umbellàtus W.

§ 3. *Leaves cordate, hastately cordate or hastate, with entire edges.*

* *Peduncles one-flowered.*

albivènia D.S. (*wh*) white-veined Algoa Bay 1825. 9.10. S ♄ ◡ Bot. reg. t. 1116.
Convólvulus albivènius B.R.

ochràcea D.S. (*ye*) pale yellow Benin 1826. 8.10. S ☉ ◡ Bot. reg. t. 1060.

solanifòlia D.S. (*ro*) Nightshade-ld. America 1759. 7. 8. S ♂ ◡ Plum. ic. 94. f. 1.

leucántha D.S. (*wh*) white-flowered S. America 1823. 8.10. H ☉ ◡ Jacq. ic. 2. t. 318.

sibírica D.S. (*wh*) Siberian Siberia 1779. 7. 8. H ☉ ◡ Pall. it. 3. p. 723. t. K.

sagittifòlia D.S. (*ro*) arrow-leaved Carolina 1819. 6. 9. G ♃ ◡ Bot. reg. t. 437.
Convólvulus sagittifòlius R.S.

jálapa D.S. (*pu*) jalap Mexico 1733. 7. 8. S ♃ ◡
Ipomœ'a Schiedeàna Zucc. *Púrga* Schiede.

** *Peduncles many-flowered.*

sidæfòlia D.S. (*wh*) Sida-leaved S. America 1812. 6. 8. S ♄ ◡

cymòsa D.S. (*wh*) fair-flowered ——— 1820. .... S ♄ ◡
bífida Roth. *Convólvulus blándus* F.I.

β pilòsa D.S. (*wh*) *hairy* E. Indies 1824. 5. 8. S ♃ ◡
Ipomœ'a pentagòna Swt.

cándicans D.S. (*wh*) hoary N. America .... 6. 8. G ♃ ◡ Bot. mag. t. 1603.
Convólvulus cándicans B.M.

sepiària D.S. (*ro*) hedge E. Indies 1817. 5. 7. S ♄ ◡ Rheed. mal. 11. t. 53.

bogoténsis D.S. (*pu*) Bogota S. America 1820. 5. 8. S ♄ ◡

cárnea D.S. (*fl*) flesh-coloured ——— 1799. 8. 9. S ♃ ◡ Jacq. amer. 26. t. 18.

violàcea D.S. (*vi*) purple-flower'd ——— 1732. —— S ☉ ◡ Plum. ic. t. 93. f. 1.

corymbòsa D.S. (*wh*) corymbose India 1823. —— S ♄ ◡ ——— 89. f. 2.

multifiòra D.S. (*pu*) many-flowered Jamaica .... —— S ♃ ◡ Pluk. phyt. t. 167. f. 1.

rùbro-cærùlea B.M. (*re.bl*) red-blue Mexico 1830. 7. 8. S ♄ ◡ Bot. mag. t. 3297.
Hookèri D.S.

Schiedeàna B.R. (*bl*) Schiede's ——— 1838. 7.10. S ♄ ◡

*** *Peduncles three-flowered.*

obscùra D.S. (*wh.pu*) hairy E. Indies 1732. 6. 8. S ☉ ◡ Bot. reg. t. 239.

§ 4. *Leaves cordate at the base, often three-lobed, with toothed or repand edges.*

tyrianthìna B.R. (*pu*) purple-flowered Mexico 1838. 10. S ♄ ◡

stipulàcea D.S. (*wh*) stipuled E. Indies 1805. 8.10. S ♃ ◡
Convólvulus stipulàceus F.I.

40 fastigiàta D.S. (*pu*) crowded E. Indies 1816. 5. 8. S ♃ ◡ Feuill. per. 3. t. 1.
platanifòlia R.S. *Convólvulus fastigiàtus* F. I.
41 pudibúnda D.S. (*ro*) modest W. Indies 1825. 7.10. S ☉ ◡ Bot. reg. t. 999.
42 pilòsa D.S. (*pi*) various-ld. hairy E. Indies 1815. 5.10. S ☉ ◡
Convólvulus pilòsus F.I.
43 Aitònii D.S. (*pu*) Aiton's .... 4.10. S ♃ ◡ Bot. reg. t. 1794.
44 chryseìdes D.S. (*ye*) golden China 1817. 6.10. S ♃ ◡ Bot. reg. t. 270.
Convólvulus dentàtus F.I.
45 sagittàta D.S. (*ro*) sagittate S. Europe 1826. 7. 9. H ♃ ◡ Cavan. icon. 2. t. 107.
46 lacunòsa D.S. (*wh.pu*) starry N. America 1640. 7. 8. H ☉ ◡ Dill. elth. t. 87. f. 102.
47 panduràta D.S. (*w.re*) Virginian ——— 1732. 6. 9. G ♃ ◡ Bot. reg. t. 588.
Convólvulus panduràtus B.M. 1939.
48 Púrshii G.D. (*ro*) Pursh's Jalap S. America 1733. 8.11. S ♄ ◡ Bot. mag. t. 1572.
Jálapa β ròsea B.R. 621. *Convólvulus Jálapa* B.M.
49 Michaúxii D.S. (*wh.bh*) Michaux's Georgia 1815. —— G ♃ ◡ Bot. reg. t. 342.
Jálapa α B.R. *macrorhìza* M. *non* R.S.
50 mutábilis D.S. (*bl*) changeable S. America 1812. 5. 9. S ♄ ◡ Bot. reg. t. 39.
51 acuminàta D.S. (*pu*) taper-pointed ——— .... —— S ♃ ◡
52 trichocárpa D.S. (*li*) hairy-capsuled N. America .... —— H ☉ ◡ Dill. elth. t. 84. f. 96.
commutàta R.S. *carolìnus* Ph. *Convólvulus carolìnus* M. *non* L.
53 gemélla D.S. (*wh*) twin-flowered E. Indies 1827. 7. 9. S ♃ ◡ Burm. ind. t. 21. f. 1.
§ 4. *Leaves palmately, digitately, or pedately lobed; rarely trifid or three-lobed.*
54 Horsfálliæ D.S. (*re*) Horsfall's Africa? 1833. 12.1. S ♃ ◡ Bot. mag. t. 3315.
55 tyriántha B.R. (*pu*) cut-leaved Mexico 1837. 10. S ♄ ◡
56 carolìna D.S. (*pu*) Carolina Carolina 1732. 7. 8. G ♃ ◡ Dill. elth. t. 84. f. 98.
57 pulchélla D.S. (*vi*) neat E. Indies 1824. 5. 8. S ♃ ◡
58 vitifòlia D.S. (*ye*) vine-leaved ——— 1820. 6. 9. S ♄ ◡ Burm. ind. t. 18. f. 1.
59 dissécta D.S. (*wh*) cut-leaved Tropics 1813. —— S ♃ ◡ Willd. phyt. 1. t. 2. f.
60 tuberòsa D.S. (*st.pu*) tuberous-rooted W. Indies 1731. 8.10. S ♃ ◡ Bot. reg. t. 768.
61 hepaticifòlia D.S. (*bl*) Hepatica-leav'd E. Indies 1759. 8. 9. S ☉ ◡ Burm. ind. t. 20. f. 2.
62 parvifiòra D.S. (*pu*) small-flowered Santa Cruz 1822. 7.10. S ☉ ◡ Sloan. hist. 1. t. 97. f.
63 umbellàta D.S. (*sc*) umbellated S. America 1739. 6. 8. S ♃ ◡ Bourm. amer. t. 92. f.
64 péndula D.S. (*pu*) pendulous-fid. N. S. W. 1808. 5.10. G ♄ ◡ Bot. reg. t. 632.
65 dasyspérma D.S. (*ye.pu*) warted E. Indies 1815. 8. 9. G ☉ ◡ ——— t. 86.
tuberculàta B.R. *non* R.S. *Convólvulus pedàtus* F.I.
66 cóptica D.S. (*wh*) palmate-leaved E. Indies 1824. 8.10. S ☉ ◡
67 sinuàta D.S. (*wh*) sinuated N. America 1813. 6. 9. G ♃ ◡ Jacq. vind. t. 159.
dissécta Ph. *non* W. *Convólvulus disséctus* M.
68 tuberculàta D.S. (*li*) tubercled Bourbon 1818. —— S ♄ ◡ Jacq. schœn. 2. t. 198.
stipulàcea Jacq.
69 pés-tígridis D.S. (*bh*) palmated E. Indies 1732. 8.10. S ☉ ◡ Dill. elth. t. 318. f. 411.
70 platénsis D.S. (*pu*) Plata S. America 1817. 6. 9. S ♃ ◡ Bot. reg. t. 333.
71 setòsa D.S. (*pu*) bristly-stalked Brazil —— 8.10. S ♄ ◡ ——— t. 335.
72 palmàta D.S. (*pu*) jagged-leaved Egypt 1680. 6. 9. S ♄ ◡ Bot. mag. t. 699.
caírica Swt. *Convólvulus caíricus* B.M.
73 pulchélla D.S. (*pu*) finger-leaved E. Indies 1815. 6. 8. S ♄ ◡
Convólvulus digitàtus F.I.
74 poly'tricha D.S. (*wh*) many-haired ——— 1826. 6.10. S ☉ ◡
Convólvulus hirsùtus F.I.
75 heptaphy'lla D.S. (*pi*) seven-leaved ——— 1827. .... S ♄ ◡
† *Species hardly known.*
76 máxima D.S. (*pu.re*) great Ceylon Ceylon 1799. 7. 8. S ♄ ◡ Rheed. mal. 2. t. 53.
77 hirsútula D.S. (*wh*) hairy-stemmed S. America 1828. —— S ☉ Jacq. f. eclog. t. 44.
78 bícolor D.S. (*ye.pu*) two-coloured E. Indies 1815. 7. 8. S ♃ ◡
Convólvulus bícolor F.I.
79 scrobiculàta D.S. (*wh.pu*) furrowed Trinidad 1822. 3. 6. S ♄ ◡ Bot. reg. t. 1076.
80 salicifòlia D.S. (*wh*) Willow-leaved E. Indies 1816. 5. 7. S ♂ ◡

CONVO'LVULUS B.P. Bindweed. (*Convolvo*, to entwine; habit.) Pentandria Monogynia.
Sect. 1. Orthocau'los; *stems erect or prostrate, never twining.*
1 sículus D.S. (*bl*) small-flowered S. Europe 1640. 6. 8. H ☉ Bot. reg. t. 445.
2 pseudosículus D.S. (*wh*) long-peduncl'd Canaries 1815. 7. 8. H ☉ ——— t. 498.
elongàtus W. enum.
3 Forskæ'lii Del. (*bl*) Forskäl's Egypt 1837. —— H ☉
4 Imperàti D.S. (*st*) trailing Naples 1824. 6. 9. H ♃ Cyr. pl. rar. fasc. 1. t.
5 Sibthórpi D.S. (*bh*) Sibthorp's Samos 1823. 7. 8. H ♃ Flor. græc. t. 193.
sagittifòlius F.G.
6 hírtus D.S. (*bl*) hairy-stalked E. Indies 1806. 6. 8. S ☉
7 platycárpos D.S. (*li*) flat-podded Mexico 1827. 8.10. F ♃ Cavan. ic. 5. t. 482.

8 multífidus D.S. (*bh*) multifid C. B. S. 1822. 6. 8. G ♃
9 pérsicus D.S. (*wh*) Persian Persia 1829. —— H ♃ Gmel. iter. 3. t. 7.
10 tríolor D.S. (*bl.ye*) three-coloured S. Europe 1629. 7. 9. H ☉ Bot. mag. t. 27.
β albiflòrus (*wh*) *white-flowered* ——— —— —— H ☉
11 meonánthus D.S. (*bl.ye*) pale blue Portugal 1827. —— H ☉
12 strictus D.S. (*ro*) straight Egypt 1822. 6. 8. H ☉
13 pentapetaloìdes D.S. (*bl*) Majorca Majorca 1789. 6. 7. H ☉ Flor. græc. t. 197.
14 lineàtus D.S. (*bh*) dwarf S. Europe 1714. —— H ♃ ——— t. 199.
15 Gerárdi D.S. (*bh*) Gerard's ——— .... —— H ♃ Barrel. ic. t. 311.
16 undulàtus D.S. (*wh.re*) waved ——— 1816. 6.10. H ☉ Cavan. ic. 3. t. 277. f. 1.
hùmilis Jacq. col. 4. t. 22. f. 3. *evolvuloìdes* F.G. t. 189. *ciliàtus* P.S.
17 lanàtus D.S. (*wh*) woolly-leaved Levant 1829. 5. 6. G ♄ Flor. græc. t. 202.
18 intermèdius D.S. (*bh*) intermediate S. Europe 1825. 6. 7. H ♃
19 Cneòrum D.S. (*bh*) silvery-leaved Levant 1640. 5. 9. G ♄ Bot. mag. t. 459.
20 saxátilis D.S. (*bh*) rock S. Europe 1796. 6. 8. F ♃ Bocc. mus. 138. t. 96.
21 floridus D.S. (*bh*) many-flowered Teneriffe 1779. 8. 9. G ♄ Jacq. ic. 1. t. 34.
22 Cantábricus D.S. (*fl*) flax-leaved S. Europe 1680. 5. 9. H ♃ Jacq. aust. 3. t. 296.
23 salvifòlius L.en. (*bh*) Sage-leaved Palestine 1825. —— H ♃
24 lineàris D.S. (*wh.re*) narrow-leaved S. Europe 1770. —— G ♄ Bot. mag. t. 289.
25 suffruticòsus D.S. (*bh*) suffrutescent Levant 1827. 6. 8. F ♄ Desf. atl. 1. t. 48.
26 Dory'cnium D.S. (*ro*) silky-leaved ——— 1806. 6. 7. H ♄ Flor. græc. t. 201.
27 holosericeus D.S. (*st*) silky Tauria 1824. —— H ♃
28 scopàrius D.S. (*wh*) broom Canaries 1733. 8. 9. G ♄ Venten choix. t. 24.
29 terréstris D.S. (*wh*) small Altay 1828. 7. 9. H ♃
Sect. 2. STROPHOCAU'LOS; *stems twining.*
§ 1. *Leaves sagittate, hastate, or cordate.*
30 arvénsis D.S. (*pi.wh*) small Britain .... 6. 9. H ♃ ◡ Eng. bot. v. 5. t. 312.
31 chinénsis D.S. (*pi*) Chinese China 1816. —— H ♃ ◡ Bot. reg. t. 322.
32 Malcólmi D.S. (*wh*) Malcolm's Persia 1824. 7.10. H ♃ ◡
33 emarginàtus D.S. (*re*) emarginate ..... —— 6. 9. H ♃ ◡
34 bicuspidàtus D.S. (*bh*) two-pointed Davuria —— —— H ♃ ◡
35 Scammònia D.S. (*st.bh*) Scammony Levant 1596. 7. 8. H ♃ ◡ Swt. br. fl. gar. s. 2. t. 173.
36 erubéscens D.S. (*bh*) maiden blush N. S. W. 1803. 7. 9. G ♂ ◡ Bot. mag. t. 1067.
37 geniculàtus D.S. (*re*) jointed Australia 1826. 7. 8. G ☉ ◡
38 quinqueflorus R.S. (*bh*) five-flowered Mauritius —— —— S ♄ ◡
39 pannifòlius D.S. (*bl*) cloth-leaved Canaries 1805. 6. 9. G ♄ ◡ Bot. reg. t. 222.
40 canariénsis D.S. (*pi*) Canary ——— 1690. —— G ♄ ◡ Bot. mag. t. 1228.
41 Massòni D.S. (*wh*) Masson's ——— 1788. —— G ♄ ◡ Bot. reg. t. 133.
Dryándri S.S. *suffruticòsus* B.R.
42 bonariénsis D.S. (*std*) stripe-flowered B. Ayres 1827. 6. 8. G ♃ ◡ Cavan. icon. 5. t. 48. f. 2.
43 tiliàceus D.S. (*wh*) Lime-tree-ld. Brazil 1820. —— S ♃ ◡
44 ciliàtus D.S. (*bh*) fringed-leaved Cayenne —— —— S ♄ ◡
45 pentánthus D.S. (*bl*) five-flowered W. Indies 1808. 4.10. S ♄ ◡ Bot. reg. t. 439.
46 farinòsus D.S. (*bh*) mealy-stalked Madeira 1777. 5. 6. G ♄ ◡ Bot. reg. t. 1323.
47 Hermánniæ D.S. (*wh*) Peruvian Peru 1799. 8. 9. G ♃ ◡ L'Herit. stirp. t. 33.
§ 2. *Leaves oblong not cordate.*
48 tenéllus D.S. (*wh*) slender N. America 1812. 6. 8. H ☉ ◡ Pluk. alm. t. 166. f. 4.
49 aquáticus D.S. (*wh*) water-side ——— —— —— H ☉ ◡
50 guianénsis D.S. (*bh*) Guiana Guiana 1820. 6. 8. S ♃ ◡ Aub. gui. 1. t. 52.
§ 3. *Leaves quinate, pedate, palmate, or jagged.*
51 tennissimus D.S. (*li*) slender-leaved Levant .... 6.10. G ♃ ◡ Flor. græc. t. 195.
52 althæoìdes D.S. (*li*) Althæa-leaved ——— 1597. 6. 9. F ♃ ◡ ——— t. 194.
53 bryoniæfòlius D.S. (*pu*) Bryony-leaved China 1802. 7. 8. G ♃ ◡ Bot. mag. t. 943.
54 itálicus D.S. (*pi*) Italian Italy .... —— F ♃ ◡ Ten. fl. neap. 1. t. 15.
hirsùtus T.N. *non* M.B.
55 hirsùtus D.S. (*pu.ye*) hairy Tauria 1824. —— H ♃ ◡
56 alceifòlius D.S. (*st.pu*) Hollyhock-leav'd C. B. S. 1823. —— G ♃ ◡
57 macrocárpus D.S. (*pu*) long-fruited S. America 1752. —— S ☉ ◡ Burm. amer. t. 91. f. 1.
58 quinquefòlius D.S (*w.pu*) five-leaved Vera Cruz .... —— S ☉ ◡ Pluk. alm. t. 167. f. 6.
59 glàber D.S. (*wh*) smooth Cayenne 1806. .... S ♄ ◡ Aub. gui. 1. t. 53.

ANISE'IA D.S. ANISE'IA. (ανισος, unequal; sepals.) Pentandria Monogynia.
1 calycina D.S. (*wh*) large-calyxed E. Indies 1816. 5. 8. S ♄ ◡
Ipomœ'a calycìna Roxb. *Hardwíckii* S.S.
2 salicifòlia D.S. (*wh*) Willow-leaved St. Domingo —— —— S ♃ ◡
Ipomœ'a salicif'òlia Desr.

CALYSTE'GIA D.S. BEARBIND. (καλυξ, a calyx, and στεγω, to cover; bracteas.) Pent. Mon.
1 sèpium D.S. (*wh*) great hedge Britain .... 6. 9. H ♃ ◡ Eng. bot. v. 5. t. 313.
2 sylvéstris D.S. (*wh*) wood Hungary 1815. —— H ♃ ◡ W. et K. hung. t. 261.
Convólvulus sylvéstris W.en.

3 inflàta Df. (*re*) inflated N. America .... 6. 9. H ♃ ◡ Bot. mag. t. 732.
sèpium Ph. *Convólvulus sèpium β incarnàta* B.M.
4 dahùrica D.S. (*pi*) Dahurian Dahuria 1820. 7. 8. H ♃ ◡ Bot. mag. t. 2609.
5 Catesbiàna D.S. (*ro*) Catesby's Carolina 1816. 7. 9. H ♃ ◡
6 marginàta D.S. (*wh*) margined N. S. W. 1824. 7. 8. F ♃ ◡
7 stáns D.S. (*wh*) woolly N. America 1818. 6. 7. H ♃ ◡
tomentòsa Ph. *Convólvulus stáns* M.
8 spithamæ'a D.S. (*wh*) small upright ——— 1696. 7. 8. H ♃ Hook. ex. flor. t. 97.
9 Soldanélla D.S. (*pi*) sea-side Britain .... 6. 7. H ♃ Eng. bot. v. 5. t. 314.
Convólvulus Soldanélla E.B.
10 renifórmis D.S. (*pi*) kidney-leaved N. S. W. 1822. 6. 8. F ♃ Swt. br. fl. gar. v. 2. t. 181.
11 hederàcea D.S. (*ro*) Ivy-leaved Nepaul 1826. —— F ♃ ◡

SHUTERE'IA D.S. SHUTERE'IA. (Dr. Shuter, Irish bot.) Pentandria Monogynia.
bícolor D.S. (*bl*) Mr. Ker's Mauritius 1818. 6. 9. S ⊙ Bot. reg. t. 318.
Calystègia Keriàna Swt. *Conv. involucràtus* B.R. *non* Beau. *Conv. bícolor* B.M. 2205. *nec aliorum.*

SKINNE'RIA D.S. SKINNE'RIA. (Capt. T. Skinner, a trav. in the East.) Pentand. Monogy.
cæspitòsa D.S. (*st*) tufted E. Indies 1827. 5. 8. S ♂
Ipomœ'a cæspitòsa Roxb.

PORA'NA W. PORA'NA. (πορευω, to extend; climbing.) Pentandria Digynia.
1 racemòsa D.S. (*wh*) cluster-flowered Nepaul 1823. 7.11. H ⊙ ◡ Swt. br. fl. gar. t. 127.
Dinètus racemòsus Swt.
2 paniculàta D.S. (*wh*) panicled E. Indies —— .... S ♄ ◡ Roxb. corom. 3. t. 233.
3 volùbilis D.S. (*wh*) climbing ——— —— .... S ♄ — Burm. ind. t. 21. f. 1.

BREWE'RIA D.S. BREWE'RIA. (Sam. Brewer, mentioned by Dillenius.) Pentand. Digynia.
Roxbúrghii D.S. (*wh*) Roxburgh's E. Indies 1826. .... S ♄
Convólvulus semidígynus Roxb. *Ipomœ'a semidígyna* Swt.

CRE'SSA D.S. CRE'SSA. (appertaining to the Isle of Crete.) Pentandria Digynia.
crética D.S. (*wh*) Cretan Levant 1822. 7. 9. H ⊙ Flor. græc. t. 256.

EVO'LVULUS. D.S. EVO'LVULUS. (*evolvo*, to turn; twining.) Pentandria Digynia.
1 nummulàrius D.S. (*bl*) round-leaved Jamaica 1816. 10. S ⊙ Jacq. amer. t. 260. f. 23.
2 alsinoìdes D.S. (*bl*) Chickweed-leaved E. Indies 1733. 6. 7. S ♃ Rheed. mal. 11. t. 64.
3 hirsùtus D.S. (*pa.bl*) hairy Cumana 1825. 6. 8. S ♃ Lam. ill. t. 216. f. 2.
4 lanceolàtus D.S. (*pa.bl*) spear-leaved S. America 1818. —— S ♃
5 linifòlius D.S. (*bl*) flax-leaved Jamaica 1782. 8. 9. S ⊙ Brown. jam. t. 10. f. 2.
6 seríceus D.S. (*wh*) silky ——— 1827. 8.10. S ⊙ ——— t. 10. f. 3.
7 incànus D.S. (*bl*) hoary Peru 1824. —— S ♃ R. et P. fl. p. 3. t. 252. f. 1.
8 Nuttalliànus D.S. (*ye*) Nuttall's Missouri 1821. 5. 6. H ♃
argénteus N.
9 latifòlius D.S. (*wh*) broad-leaved Brazil 1819. 6. 7. S ♃ Bot. reg. t. 401.

Tribe III. *DICHO'NDREÆ*. D.S. 4. p. 302.

DICHO'NDRA D.S. DICHO'NDRA. (δις, double, and χονδρος, a grain; capsule.) Pent. Digy.
1 rèpens D.S. (*wh*) creeping N. S. W. 1803. 6. 8. G ♃ Sm. ic. ined. 1. t. 8.
2 rotundifòlia D.S. (*wh*) round-leaved Persia 1816. —— H ♃
3 caroliniàna D.S. (*gr*) Carolina Carolina 1812. —— G ♃
4 seríceа D.S. (*wh*) silky W. Indies 1793. —— S ♃ Swartz. ic. t. 10.
5 argéntea D.S. (*wh*) silvery New Spain 1818. —— S ♃ Willd. hort. ber. t. 81.

FA'LKIA D.S. FA'LKIA. (Peter Falck, a Swedish bot.) Pentandria Digynia.
rèpens D.S. (*wh*) creeping C. B. S. 1774. 5. 8. G ♄ Andr. reposit. t. 257.

Tribe IV. *CUSCU'TEÆ*. D.S. 4. p. 303.

CUSCU'TA D.S. DODDER. (*Kechout*, Arabic name.) Pentandria Digynia.
1 europæ'a D.S. (*wh*) great England .... 8. 9. H ⊙ ◡ Eng. bot. v. 6. t. 378.

2 Epithymum D.S.	(wh) lesser	Britain	....	7.10.	H	♃	◡	Eng. bot. v. 1. t. 55.
3 epilinum D.S.	(wh) Flax	———	....	——	H	⊙	◡	
4 monogyna D.S.	(wh) one-styled	Levant	——	——	H	⊙	◡	Flor. græc. t. 257.
5 lupulifórmis D.S.	(wh) rough dotted	Silesia	1824.	——	H	⊙	◡	Krock. siles. t. 36.
6 macrocárpa D.S.	(wh) large-podded	Siberia	1827.	——	H	⊙	◡	
7 chinénsis D.S.	(wh) Chinese	China	1803.	——	G	⊙	◡	
8 austràlis D.S.	(wh) New Holland	N. Holland	1818.	——	G	♃	◡	
9 chilénsis D.S.	(wh) Chili	Chili	1821.	1.12.	G	♃	◡	Bot. reg. t. 603.
10 odoràta D.S.	(wh) sweet-scented	Lima	1820.	——	H	♃	◡	
11 verrucòsa D.S.	(wh) warted-calyxed	Nepaul	1822.	9.11.	H	♃	◡	Swt. br. fl. gar. t. 6.
12 Hookèri Swt.	(wh) Hooker's	E. Indies	1823.	——	H	⊙		Hook. ex. flor. t. 150.

reflèxa var. *verrucòsa* H.E.F. *excl. synon.*

ORDER CLXIV.

BORAGI'NEÆ. *Brown prodr.* 1. *p.* 492.

Tribe I. CYNOGLO'SSEÆ. D.S.

MATTIA D.S. MA'TTIA. (etymology unknown.) Pentandria Monogynia.

§ 1. *Achenia compressed, smooth; stamens exserted.*

1 umbellàta D.S.	(re.ye) umbel-flowered	Hungary	1818.	6. 7.	H	♃		W. et K. hung. 2. t. 148.

§ 2. *Achenia compressed; stamens enclosed.*

2 lanàta D.S.	(ro) Magella	Levant	1800.	——	G	♃		Tourn. an. mus. 10. t. 37.

Cynoglóssum lanàtum W.

3 magellénsis D.S.	(vi) woolly	Italy	1823.	5. 7.	H	♃		

Cynoglóssum magellénse Tenore.

4 cristàta D.S.	(pu) crested	Armenia	1829.	——	H	♂		
5 Colúmnæ D.S.	(pu) Columna's	Europe	1824.	——	H	♂		Column. ecphr. 1. t. 178.

Cynoglóssum Colúmnæ Biv.

RINDE'RA D.S. RINDE'RA. (Dr. Rinder, of Moscow.) Pentandria Monogynia.

lævigàta D.S.	wh) smooth	Siberia	1824.	6. 7.	H	♃		Pall. ross. 2. t. 88.

tetráspis Pall. *Cynoglóssum Rindèra* Pall. *Cynoglóssum lævigàtum* W.

CYNOGLO'SSUM D.S. HOUND'S-TONGUE. (κυων, a dog, and γλωσσα, a tongue.) Pent. Mon.

1 officinàle D.S.	(ro) common	Britain	....	6. 7.	H	♂		Eng. bot. v. 13. t. 921.
2 Hæ'nkii D.S.	(pu) rough-leaved	Hungary	1815.	——	H	♂		
3 sylváticum D.S.	(pu) green-leaved	Britain	....	——	H	♂		Eng. bot. v. 23. t. 1642.
4 Dioscóridis D.S.	(bl) Dioscorides	Dauphiny	1818.	——	H	♂		
5 bícolor D.S.	(wh.re) two-coloured	Germany	——	——	H	♂		
6 píctum D.S.	(re.bl) Madeira	Madeira	1658.	8.	G	♂		Clus, hist. 2. p. 162. f. 2
7 lanceolàtum D.S.	(wh.bl) spear-leaved	Africa	1806.	7. 8.	H	⊙		
8 virgínicum D.S.	(bl.wh) stem-clasping	N. America	1812.	6. 7.	H	♃		

amplexicaúle M.

9 latériflòrum Lam.	(pu) side-flowered	Europe	1836.	——	H	♂		
10 divaricàtum D.S.	(pu) divaricate	Siberia	——	——	H	♂		
11 clandestìnum D.S.	(vi) hidden-flower'd	Barbary	1823.	——	G	♂		Desf. atl. 1. t. 42.
12 canéscens D.S.	(bl) canescent	E. Indies	1815.	7.10.	G	⊙		Jacq. schœnb. 4. t. 489.
13 *racemòsum* F.I.								
14 grandiflòrum Benth.	(bl.wh) great-fld.	Cashmere	1837.	——	H	♂		
15 apenninum D.S.	(vi) Apennine	Italy	1731.	4. 7.	H	♂		Sabb. hort. rom. 2. t. 36.
16 tomentòsum D.S.	(vi) woolly-leaved	———	1823.	5. 8.	H	♃		
17 holoseríceum D.S.	(vi) silky	Caucasus	1827.	5. 9.	H	♂		
18 diffùsum D.S.	(wh) spreading	E. Indies	1820.	7.10.	H	⊙		
19 austràle D.S.	(vi) New Holland	N. S. W.	——	5. 7.	G	♃		
20 cheirifòlium D.S.	(pu) silvery-leaved	Levant	1596.	6. 7.	H	♂		

Anchùsa lanàta D.S.

ECHINOSPE'RMUM D.S. ECHINOSPE'RMUM. (εχινος, a hedgehog, and σπερμα, a reed.) Pt. Mn.

§ 1. *Fruit drooping or deflexed; racemes almost bractless.*

1 zeylánicum D.S.	(bl) Ceylon	Ceylon	1826.	6. 9.	S	⊙		

2 virginiànum D.S.(*pa*) Virginian Virginia 1699. 6. 7. H ♂ Moris. s. 11. t. 30. f. 9
Myosòtis virginiàna W. *Rochèlia virginiàna* R.S.
3 defléxum D.S. (*bl*) deflexed Hungary 1823. 6. 7. H ♂ Wahl. a. holm. 1810. t. 4.
§ 2. *Fruit erect; racemes leafy.*
4 Láppula D.S. (*bl*) common Europe 1656. 4. 8. H ☉ Flor. dan. t. 692.
5 pátulum D.S. (*bl*) squarrose Siberia 1802. —— H ☉
squarròsum L.en.
6 Redówskii D.S. (*bl*) Redowski's Russia 1821. 6. 7. H ♂
7 barbàtum D.S. (*bl*) bearded Tauria 1819. —— H ☉
8 marginàtum D.S.(*bl*) margined Astracan —— —— H ☉
9 heteracánthum D.S.(*bl*)various-spined Siberia 1826. —— H ☉
10 macránthum D.S.(*bl*) large-flowered ——— 1827. —— H ☉ Led. ill. t. 29.
11 intermèdium D.S.(*bl*)intermediate Altaia 1836. —— H ☉ ——— t. 180.
12 stríctum D.S. (*bl*) straight ——— —— —— H ☉ ——— t. 27.
13 Vahliànum D.S. (*bl*) Vahl's Egypt —— —— H ☉
14 leiocárpum F.M. (*bl*) smooth-fruited Persia —— —— H ☉
15 Szowvítzii F.M. (*bl*) Szowvits's ——— —— —— H ☉

ROCHE'LIA D.S. ROCHE'LIA. (Anth. Rochel, cur. bot. gard. Pest.) Pentandria Monogynia.
stellulàta D.S. (*bl*) starry Siberia 1835. 6. 7. H ☉

OMPHALO'DES D.S. OMPHALO'DES. (*ομφαλος*, the navel, and *ειδος*, like.) Pentand. Monog.
1 nítida D.S. (*bl*) shining Portugal 1812. 4. 6. H ♃ Bot. mag. t. 2529.
Cynoglóssum nítidum B.M. *Picòtia nítida* R.S.
2 vérna D.S. (*bl*) Comfrey-leaved S. Europe 1633. 3. 5. H ♃ Bot. mag. t. 7.
Cynoglóssum Omphalòdes B.M. *Picòtia vérna* R.S.
3 brassicæfòlia D.S.(*wh*) stem-clasping Spain 1824. 6. 8. H ☉ Lehm. m. ber. 8. 2. t. 6.
amplexicaúlis Lehm. *Picòtia brassicæfòlia* R.S.
4 littoràlis D.S. (*wh*) sea-side France 1827. —— H ☉
5 linifòlia D.S. (*wh*)Venus Navelwort Portugal 1648. —— H ☉ Barrel. ic. 1234.
6 scorpioìdes D.S. (*bl*) variable-leaved Bohemia 1823. 6. 8. H ☉ Lehm. m. ber. 8. 2. t. 7.
7 sempervìrens D.S.(*bl*) evergreen Britain .... 5. 6. H ♃ Eng. bot. v. 1. t. 45.
Anchùsa sempervìrens E.B.
8 myosotoìdes D.S.(*bl*) Myosotis-like Candia 1828. 4. 6. H ♃ Lab. syr. dec. 2. t. 2.
9 intermèdia D.S. (*bl*) intermediate Arabia 1836. —— H ♂

ASPERU'GO D.S. GERMAN MADWORT. (*asper*, rough; asperity of plant.) Pentandria Monogynia.
procúmbens D.S. (*bl*) procumbent Britain .... 4. 5. H ☉ Eng. bot. v. 10. t. 661.

TRICHODE'SMA D.S. TRICHODE'SMA. (*θριξ*, a hair, and *δεσμος*, a bond.) Pentand. Monog.
1 índicum D.S. (*bl*) Indian E. Indies 1759. 6.10. H ☉ Pluk. alm. 30. t. 76. f. 3.
Boràgo índica L.
2 africànum D.S. (*bl*) African C. B. S. —— 7. 8. H ☉ Isn. act. par. 1718. t. 11.
3 zeylánicum D.S. (*bl*) Ceylon E. Indies 1799. —— S ☉ Jacq. ic. 2. t. 314

SOLENA'NTHUS D.S. SOLENA'NTHUS. (*σωλην*, a tube, and *ανθος*, a flower.) Pentand. Monog.
circinnàtus D.S.(*pu*) circinnate Altaia 1837. 6. 8. H ♃ Led. ill. t. 26.

Tribe II. *BORAGIE'Æ.* D.S.

Subtribe I. BORA'GEÆ. D.S. 4. p. 307.

BORA'GO D.S. BORAGE. (*cor*, the heart, and *ago*, to affect; cordial.) Pentand. Monog.
1 officinàlis D.S. (*bl*) common Britain .... 6. 9. H ☉ Eng. bot. v. 1. t. 36.
β albiflòra (*wh*) *white-flowered* ——— .... —— H ☉
2 laxiflòra D.S. (*bl*) bell-flowered Corsica 1813. 5. 8. H ♂ Bot. mag. t. 1798.
3 crassifòlia D.S. (*fl*) thick-leaved Persia 1824. —— H ♃ Venten. cels. t. 100.
4 longifòlia D.S. (*bl*) long-leaved Numidia 1825. —— H ♃ Desf. atl. 1. t. 44.

TRACHYSTE'MON D.S. TRACHYSTE'MON. (*τραχυς*, rough, and *στημων*, a stamen.) Pent. Monog.
1 orientàlis D.S. (*bl*) oriental Turkey 1752. 3. 5. H ♃ Bot. reg. t. 288.
Boràgo orientàlis L.
2 crética D.S. (*bh*) Cretan Greece 1823. 5. 6. H ♃ Flor. græc. t. 176.
Boràgo crética W.

Subtribe II. SYMPHYTEÆ. D.S. prod. 4. p. 312.

SYMPHYTUM D.S. COMFREY. (*συμφυω*, to make unite, and *φυτον*, a plant.) Pentand. Monog.

§ 1. *Roots tuberous or fleshy.*

1 officinàle D.S.	(*wh*) common	Britain	....	5. 7.	H	♃	Eng. bot. v. 12. t. 817.
β purpurascens	(*pu*) *purplish*	———	....	——	H	♃	
2 bohémicum D.S.	(*cr*) red-flowered	Bohemia	....	——	H	♃	Swt. br. fl. gar. s. 2. t. 304.
3 tuberòsum D.S.	(*st*) tuberous-rooted	Scotland	....	5. 10.	H	♃	Eng. bot. v. 23. t. 1502.
4 bulbòsum D.S.	(*ye*) bulbous-rooted	Levant	1829.	5. 7.	H	♃	Reich. icon. t. 220.
5 cordàtum D.S.	(*st*) heart-leaved	Hungary	1813.	——	H	♃	W. et K. hung. 6. t. 7.

§ 2. *Roots fibrous.*

6 orientàle D.S.	(*wh*) eastern	Turkey	1752.	——	H	♃	Bot. mag. t. 1912.
7 bullàtum D.S.	(*wh*) blistered	Tauria	1806.	——	H	♃	Bot. mag. t. 1787.
taúricum B.M.							
8 caucásicum D.S.	(*bl*) Caucasean	Caucasus	1816.	——	H	♃	Bot. mag. t. 3182.
9 aspérrimum D.S.	(*bl*) roughest	———	1799.	5. 9.	H	♃	——— t. 929.
10 echinàtum D.S.	(*pu*) bristly	.....	1824.	——	H	♃	
11 peregrìnum D.S.	(*wh*) oblique-leaved	Poland	1816.	5. 7.	H	♃	

ONO'SMA D.S. ONO'SMA. (*ονος*, an ass, and *οσμη*, smell; grateful to.) Pentand. Monogy.

§ 1. *Hairs or bristles stellate, rising from tubercles.*

1 gigantèum D.S.	(*ye*) gigantic	Tauria	1818.	3. 6.	H	♃	
2 rígidum D.S.	(*ye*) stiff	———	1826.	7. 8.	H	♃	Led. ill. t. 238.
3 stellulàtum D.S.	(*ye*) starry-haired	Hungary	1816.	3. 7.	H	♃	W. et K. hung. 2. t. 173.
4 taúricum B.M.	(*go*) golden-flowered	Tauria	1801.	4. 6.	F	♃	Bot. mag. t. 889.
stellulàtum β, taúricum D.S.							

§ 2. *Hairs or bristles solitary.*

5 echioìdes D.S.	(*ye*) hairy	S. Europe	1683.	3. 6.	H	♃	Flor. græc. t. 172.
6 montànum D.S.	(*ye*) mountain	Levant	1827.	——	H	♃	Colum. ecphr. p. 183. f. 2.
7 arenàrium D.S.	(*ye*) sand	Hungary	1804.	3. 7.	H	♃	W. et K. hung. 3. t. 279.
8 tinctòrium D.S.	(*st*) dyer's	Volga	1828.	4. 6.	H	♃	
9 rupéstre D.S.	(*ye*) rock	Caucasus	1823.	——	H	♃	
10 erèctum D.S.	(*ye*) upright	Crete	1828.	——	F	♃	Flor. græc. t. 173.
11 orientàle D.S.	(*st*) oriental	Levant	1752.	5. 6.	G	♃	Lehm. nov. act. haf. 2. t. 2.
12 divaricàtum D.S.	(*st*) spreading	Caucasus	1818.	4. 6.	H	♃	Pall. it. 2. app. t. 50.
13 simplicìssimum D.S.	(*st*) linear-leaved	Siberia	1768.	——	H	♃	Bot. mag. t. 2248.
14 trinérvium D.S.	(*st*) three-nerved	Mexico	1825.	——	G	♃	
15 Gmelìni D.S.	(*ye*) Gmelin's	Altaia	1829.	4. 8.	H	♃	Led. ill. t. 280.
16 polyphy'llum D.S.	(*ye*) many-leaved	———	——	7. 8.	H	♃	——— t. 24.
17 sericeum D.S.	(*ye*) silky-leaved	Levant	1752.	6. 7.	F	♃	
18 synanthèrum F.	(*ye*) connected	Altay	1827.	——	H	♃	

ONOSMO'DIUM D.S. ONOSMO'DIUM. (from similarity to *Onósma*.) Pentandria Monogynia

1 hispìdum D.S.	(*st*) hispid	N. America	1759.	6.	H	♃	Moris. s. 11. t. 28. f. 3.
2 móllе D.S.	(*wh*) soft	———	1812.	6. 8.	H	♃	Mich. amer. t. 15.

PULMONA'RIA D.S. LUNGWORT. (remedy for disorders in the lungs.) Pentandria Monogynia.

1 azùrea D.S.	(*bl*) azure	Hungary	1823.	5.	H	♃	Moris. his. s. 11. t. 29. f. 5.
2 angustifòlia D.S.	(*pu*) narrow-leaved	Britain	....	4. 5.	H	♃	Eng. bot. v. 23. t. 1628.
3 tuberòsa D.S.	(*pu*) tuberous-rooted	Hungary	1824.	5.	H	♃	
4 móllis D.S.	(*pu*) soft-leaved	———	1816.	——	H	♃	Bot. mag. t. 2422.
5 officinàlis D.S.	(*pu*) common	England	....	——	H	♃	Eng. bot. v. 2. t. 118.
6 saccharàta L. en.	(*wh*) white-flowered	Germany	1816.	——	H	♃	Moris. s. 11. t. 29.
7 grandiflòra D.S.	(*pu*) large-flowered	.....	....	——	H	♃	DC. ic. ined. t. 64.
8 oblongàta Schr.	(*pu*) oblong-leaved	Germany	1820.	——	H	♃	
angustifòlia β, oblongàta D.S.							

MERTE'NSIA D.S. MERTE'NSIA. (Prof. Mertens, of Bremen.) Pentandria Monogynia.

1 davùrica D.S.	(*bl*) Daurian	Dauria	1812.	5. 6.	H	♃	Swt. br. fl. gar. t. 121.
Pulmonària davùrica B.M. 1743. *Lithospérmum dahùricum* Lehm.							
2 denticulàta D.S.	(*pu*) toothed	N. America	1801.	5. 6.	H	♃	
3 sibírica D.S.	(*pu*) Siberian	Siberia	——	6. 7.	H	♃	Led. ill. t. 207.
4 marítima D.S.	(*bl*) sea-side	Britain	....	——	H	♃	Eng. bot. v. 6. t. 368.
Pulmonària marítima B.B. *Lithospérmum marítimum* Lehm.							
5 parvifòra D.S.	(*bl*) small-flowered	N. America	1824.	6. 7.	H	♃	
6 pulmonarioìdes D.S.	(*bl*) Virginian	———	1699.	3. 5.	H	♃	Bot. mag. t. 160.
Pulmonària virgínica B.M. *Lithospérmum púlchrum* Roth.							
7 paniculàta D.S.	(*pu*) panicled	Hudson's Bay	1778.	5. 6.	H	♃	Bot. reg. t. 146.
Pulmonària paniculàta B.B.							

8 marginàta D.S. (*bl*) margined Louisiana 1813. 5. 6. H ♃
Pulmonària lanceolàta Ph. *marginàta* N.
9 simplicíssima D.S. (*bl*) simple-stalked Siberia 1829. —— H ♃

CERI'NTHE D.S. HONEYWORT. (κηρος, wax, and ανθος, a flower; bees collect from.) Pent. Mon.

§ 1. *Corolla 5-toothed; teeth reflexed or conniving.*

1 major D.S. (*ye.pu*) great S. Europe 1596. 7. 8. H ☉
2 áspera D.S. (*pu.ye*) rough ——— 1633. —— H ☉ Flor. græc. t. 170.
3 retórta D.S. (*pu.ye*) bent-topped Levant 1828. 7. 8. H ☉ Flor. græc. t. 171.
4 alpìna D.S. (*pu.ye*) alpine M.Carpathian 1827. 6.10. H ☉

§ 2. *Corolla 5-cleft, with conniving segments.*

5 mìnor D.S. (*ye*) small Austria 1570. —— H ☉ Jacq. aust. 2. t. 124.
6 maculàta D.S. (*ye.pu*) spotted Tauria 1804. —— H ♂

Subtribe III. LITHOSPE'RMEÆ. D.S. 4. p. 321.

LITHOSPE'RMUM D.S. GROMWELL. (λιθος, a stone, and σπερμα, a seed; hard.) Pentand. Monog.

1 fruticòsum D.S. (*re*) shrubby S. Europe 1683. 5. 6. H ♄
2 rosmarinifòlium B.R. (*pu*) Rosmary-ld. Naples —— 5. 6. H ♄ Bot. reg. t. 1736.
fruticòsum β major Lehm. *fruticòsum* Flor. græc. t. 161.
3 prostràtum D.S. (*pu*) prostrate S. Europe 1825. —— H ♄ Lois. fl. gall. add. 1. t. 4.
4 divaricàtum S.S. (*st*) spreading Africa 1829. 7. 9. H ♃
5 hispídulum D.S. (*bl*) bristly Greece 1828. —— F ♄ Flor. græc. t. 162.
6 arvénse D.S. (*st*) corn Britain .... 5. 6. H ☉ Eng. bot. v. 2. t. 123.
7 officinàle D.S. (*ye*) officinal ——— .... 5. 8. H ♃ ——— v. 2. t. 134.
8 latifòlium D.S. (*st*) broad-leaved America 1816. —— H ♃
9 orientàle D.S. (*ye*) yellow-flowered Levant 1713. —— H ♃ Bot. mag. t. 515.
10 lineàtum D.S. (*st*) lined ..... 1816. —— H ♃
11 ápulum D.S. (*ye*) small S. Europe 1768. 6. 7. H ☉ Flor. græc. t. 158.
12 crassifòlium D.S. (*st*) thick-leaved Levant 1825. 5. 8. H ♃
13 decúmbens D.S. (*st*) decumbent Persia —— 7. 9. H ☉ Vent. cels. t. 37.
14 villòsum D.S. (*pu*) villous S. Europe 1820. 6. 7. H ♃
15 tinctòrium D.S. (*st*) dyer's ——— 1596. 6.10. H ♃ And. repos. t. 576.
16 purpùreo-cœrùleum (*bl*) creeping England .... 5. 6. H ♃ Eng. bot. v. 2. t. 117.
17 graminifòlium D.S. (*bl*) grass-leaved S. Europe 1826. —— H ♄ Viv. frag. ital. t. 5.
18 tenuiflòrum D.S. (*wh*) slender-flowered Egypt 1796. —— H ☉ Jacq. ic. 2. t. 313.
19 dispérmum D.S. (*li*) two-seeded Spain 1799. 6. 7. H ☉ Linn. dec. 1. t. 7.
20 setòsum F.M. (*li*) bristly Persia 1836. —— H ☉

BA'TSCHIA D.S. BA'TSCHIA. (G. J. G. Batsch, a German botanist.) Pentandria Monogynia.

1 Gmelìni D.S. (*ye*) Carolina Carolina 1812. 5. 7. H ♃
carolinièna R.S. *Lithospérmum hírtum* S.S.
2 serícea D.S. (*ye*) silky N. America 1824. —— H ♃ Moris. ox. 3. s. 11. t. 28. f. 4.
Lithospérmum seríceum Lehm. *Anchùsa virgínica* L.
3 dísticha D.S. (*st*) distich Mexico 1806. —— G ♃ Jacq. fragm. t. 48. f. 3.
Lithospérmum dístichum Ort.
4 canéscens D.S. (*ye*) canescent N. America .... 5. 7. H ♃ Mich. amer. 1. t. 14.
5 longiflòra D.S. (*ye*) long-flowered Missouri 1812. —— H ♃
6 decúmbens D.S. (*ye*) decumbent N. America 1826. —— H ♃
7 conspícua D.S. (*ye*) conspicuous ——— 1827. —— H ♃

MO'LTKIA D.S. MO'LTKIA. (Count Gadske Moltke, a Danish prince.) Pentand. Monogy.

cœrùlea D.S. (*bl*) blue-flowered Persia 1829. 4. 6. H ♃

E'CHIUM D.S. VIPER'S-BUGLOSS. (εχις, a viper; cures bite of.) Pentandria Monogynia.

§ 1. *Shrubby; stamens exserted; natives of the Canaries.*

1 gigantèum D.S. (*wh*) gigantic Canaries 1779. 7.11. G ♄ Vent. malm. t. 71.
2 aculeàtum D.S. (*st*) prickly ——— 1815. 5. 8. G ♄
3 mólle D.S. (*wh*) soft-leaved ——— —— —— G ♄
4 nervòsum D.S. (*bl*) sinewy-leaved Madeira 1777. 6. 8. G ♄
5 bìfrons D.S. (*bh*) two-fronted Canaries 1815. —— G ♄ DC. ic. mons. ined. t. 19.
6 ambíguum D.S. (*bh*) ambiguous ——— —— 5. 7. G ♄ ——— t. 20.
7 viréscens D.S. (*pa.bl*) green-leaved ——— —— —— G ♄
8 cándicans D.S. (*bl*) hoary tree Madeira 1777. 5. 6. G ♄ Bot. reg. t. 44.
9 cynoglossòides D.S. (*bl*) hound's-tongue-ld. Canaries 1816. —— G ♄
10 densiflòrum D.S. (*li*) dense-flowered ——— —— —— G ♄ DC. ic. m. ined. [illegible]
11 fastuòsum D.S. (*bl*) fastuous ——— 1779. 4. 8. G ♄ Jacq. f. ecl[illegible]
12 strìctum D.S. (*bl*) upright ——— —— 5.12. G ♄ Jacq. [illegible]

13	lineàtum D.S.	(*bh*) lined	Canaries	1815.	5. 6.	G	♄	Jacq. f. eclog. t. 42.
14	macrophy'llum D.S.	(*bl*) large-leaved	.....	1812.	——	G	♄	
15	foliòsum D.S.	(*wh*) leafy	.....	——	——	G	♄	
16	símplex D.S.	(*wh*) simple-stalked	Canaries	——	5.12.	G	♄	DC. ic. m. ined. t. 21.
17	brachyánthum D.S.	(*w*) short-flowered	Madeira	1820.	5. 7.	G	♄	
	§ 2. *Shrubby; stamens exserted or inclosed; natives of C. B. S.*							
18	fruticòsum D.S.	(*wh.bh*) frutescent	C. B. S.	1759.	5. 6.	G	♄	Bot. reg. t. 86.
19	híspidum D.S.	(*wh*) hispid-leaved	———	1816.	——	G	♄	
20	verrucòsum D.S.	(*wh*) warted	———	1820.	5. 7.	G	♄	
21	lævigàtum D.S.	(*wh*) smooth-stalked	———	1774.	6. 7.	G	♄	
22	glaucophy'llum D.S.	(*bl*) glaucous-ld.	———	1792.	6. 8.	G	♄	Jacq. ic. t. 312.
23	glàbrum D.S.	(*wh*) smooth	———	1791.	5. 6.	G	♄	
24	paniculàtum D.S.	(*wh*) panicled	———	1815.	——	G	♄	
25	grandiflòrum D.S.	(*ro*) great-flowered	———	1787.	6. 7.	G	♄	Bot. reg. t. 124.
	formòsum P.S.							
26	ferocíssimum D.S.	(*bl*) prickly-stalked	———	1794.	——	G	♄	Andr. reposit. t. 39.
27	spicàtum D.S.	(*wh*) spiked dwarf	———	1799.	3. 5.	G	♅	
28	candàtum D.S.	(*re*) tailed	———	1815.	6. 9.	G	♅	
29	capitàtum D.S.	(*re*) headed	———	1822.	——	G	♄	
30	sphærocéphalon D.S.	(*w*) round-headed	———	1824.	——	G	♄	
31	argénteum D.S.	(*bl*) silvery	———	1789.	6. 7.	G	♄	Andr. reposit. t. 154.
32	lasiophy'llum D.S.	(*w*) woolly-leaved	.....	1819.	——	G	♄	
33	Swártzii D.S.	(*bl*) Swartz's	C. B. S.	1816.	——	G	♄	
34	incànum D.S.	(*bl*) hoary	———	——	4. 6.	G	♅	
35	strigòsum D.S.	(*vi*) strigose	———	1819.	6. 7.	G	♅	
36	scàbrum R.S.	(*bl*) rough	———	1820.	5. 7.	G	♄	
	§ 3. *Stems herbaceous.*							
37	petræ'um D.S.	(*bl*) rock	Dalmatia	1828.	6. 7.	H	♂	
38	calycìnum D.S.	(*bl.ye*) large-calyxed	S. Europe	1829.	6. 8.	H	☉	Viv. frag. ital. 1. t. 4.
39	plantagíneum D.S.	(*pu*) Plantain-ld.	Italy	1776.	7.10.	H	☉	Flor. græc. t. 179.
40	lusitánicum D.S.	(*bl*) Portugal	S. Europe	1731.	7. 8.	H	♃	
41	plantaginoìdes D.S.	(*bl*) Plantain-like	———	1825.	——	H	☉	Jacq. vind. 1. t. 45.
42	prostràtum D.S.	(*re*) prostrate	Egypt	1824.	——	H	♃	
43	macránthum D.S.	(*vi*) large-flowered	Barbary	——	7.10.	H	☉	Desf. atl. 1. t. 46.
	grandiflòrum Desf. *non* Andr.							
44	austràle D.S.	(*re.pu*) oval-leaved	S. Europe	1824.	——	H	☉	Swt. br. fl. gar. t. 101.
45	Símsii D.S.	(*re.bl*) Sims's	———	1816.	——	H	☉	Bot. mag. t. 1934.
	créticum B.M. *non* Flor. græc.							
46	marítimum D.S.	(*bl*) sea-side	Italy	1815.	——	H	☉	Bocc. mus. 2. t. 78.
47	itálicum D.S.	(*wh*) white	Jersey	....	7. 8.	H	♂	Eng. bot. v. 29. t. 2081.
48	pyrenàicum D.S.	(*bl*) Pyrenean	Pyrenees	1815.	——	H	♂	
49	aspérrimum D.S.	(*bl*) roughest	Caucasus	1826.	——	H	♂	
50	thyrsoídeum D.S.	(*bl*) bunch-flowered	.....	1823.	——	H	♂	
51	rùbrum D.S.	(*re*) red-flowered	Hungary	1791.	——	H	♃	Bot. mag. t. 1822.
52	vulgàre D.S.	(*bl*) common	Britain	....	——	H	♂	Eng. bot. v. 3. t. 181.
	β *álbum*	(*wh*) *white-flowered*	———	....	——	H	♂	
53	tuberculàtum D.S.	(*bl*) tubercled	S. Europe	1826.	——	H	♂	
54	violàceum D.S.	(*vi.bl*) violet-flowered	England	1658.	——	H	☉	Eng. bot. t. 2798.
55	parviflòrum D.S.	(*bl*) small-flowered	Barbary	1798.	——	H	☉	
	micránthum R.S.							
56	ténue D.S.	(*bl*) slender	———	1824.	——	H	☉	
57	Sibthórpii D.S.	(*ro*) Sibthorp's	Naples	——	——	H	♂	Flor. græc. t. 181.
	híspidum F.G. nec aliorum. *élegans* Lehm.							
58	diffùsum D.S.	(*re*) spreading	Crete	1827.	7. 9.	H	☉	Flor. græc. t. 182.
59	créticum D.S.	(*pu*) Cretan	Levant	1683.	——	H	☉	——— t. 183.
60	orientàle D.S.	(*pu*) oriental	———	1780.	7. 8.	H	☉	Tourn. it. 2. f. 107.
61	dahùricum D.S.	(*bl*) Dahurian	Dahuria	1827.	——	H	♂	
62	angustifòlium D.S.	(*bl*) narrow-leaved	Spain	1826.	——	H	☉	
63	Lagascànum D.S.	(*li*) Lagasca's	———	——	——	H	♃	
64	salmánticum D.S.	(*pu*) long-stamened	———	1824.	——	H	☉	
65	arenàrium Guss.	(*pu*) sand	Calabria	1826.	——	H	☉	

NO'NEA D.S. No'NEA. (J. P. None, a German botanist.) Pentandria Monogynia.

1	violàcea D.S.	(*vi*) violet-coloured	S. Europe	1686.	5. 7.	H	☉	Moris. s. 11. t. 26. f. 11.
	Lycópsis vesicària W. *Nònea decúmbens* Mœnch.							
2	nigricans D.S.	(*d.pu*) black-flowered	———	....	——	H	☉	Zanon. hist. 56. t. 38.
3	púlla D.S.	(*d.pu*) dark-flowered	Germany	1648.	6. 7.	H	♃	Jacq. aust. 2. t. 188.
4	ciliàta D.S.	(*ye*) fringed	Levant	1804.	——	H	☉	
5	ròsea D.S.	[illegible]	[illegible]	1824.	——	H	☉	Bieb. cent. ro[illegible]

6 setòsa D.S. (*ye*) bristly Iberia 1826. 6. 7. H ⊙
7 versícolor D.S. (*bl.wh*) various-coloured ——— 1820. —— H ⊙ Bot. mag. t. 3477.
Anchùsa versícolor R.S.
8 obtusifòlia D.S. (*bl*) blunt-leaved Chio 1818. —— H ⊙
9 álba D.S. (*wh*) white France .... —— H ⊙
10 flavéscens D.S. (*ye*) yellowish Caucasus 1836. —— H ⊙ Bot. gard. t. 678
11 lùtea D.S. (*ye*) pale yellow S. Europe 1805. —— H ⊙ Nocc. hort. tran. t. 3.
Anchùsa lùtea R.S. *Lycópsis lùtea* S.S.
12 pícta D.S. (*bl.std*) painted Tauria 1818. —— H ⊙
Anchùsa picta M.B. *Lycópsis picta* S.S.
13 alpéstris D.S. (*st*) Alp Caucasus 1829. 7.10. H ♃ Linn. trans. 11. t. 32.
Anchùsa alpéstris Stev.
14 echioìdes D.S. (*ye*) Bugloss-like Caucasus 1820. 6. 7. H ⊙ Buxb. cent. t. 1.
Lycópsis echioìdes L.
15 sórdida F.M. (*ye*) dirty-yellow ——— 1835. —— H ⊙

PLAGIO'BOTHRYS. D.S. PLAGIO'BOTHRYS. (πλαγιος, transverse, and βοθρυς, a pit.) Pent. Mon.
rufescens D.S. (*wh*) rufescent Chili 1836. 6. 7. H ⊙

CRYPTA'NTHA D.S. CRYPTA'NTHA. (κρυπτος, hidden, and ανθος, a flower.) Pentand. Monog.
1 glomeràta D.S. (*bl.wh*) glomerated Chili 1836. 6. 7. H ⊙
2 microcárpa D.S. (*bl*) small-fruited ——— —— —— H ⊙

AMSI'NCKIA D.S. AMSI'NCKIA. (Dr. Amsinck, German bot.) Pentandria Monogynia.
1 lycopsoìdes D.S. (*ye*) Lycopsis-like Chili 1836. 6. 7. H ⊙
2 angustifòlia D.S. (*ye*) narrow-leaved ——— —— —— H ⊙
3 intermèdia D.S. (*ye*) intermediate California —— —— H ⊙
4 spectábilis D.S. (*ye*) showy ——— —— —— H ⊙

LYCO'PSIS D.S. WILD-BUGLOSS. (λυκος, a wolf, and οψις, resemblance.) Pentand. Monog.
1 arvénsis D.S. (*bl*) common Britain .... 5. 8. H ⊙ Eng. bot. v. 14. t. 938.
2 orientàlis D.S. (*bl*) oriental Caria 1820. —— H ⊙ Buxb. cent. 5. t. 30.
Anchùsa ovàta Lehm.
3 variegàta D.S. (*bl.wh*) variegated-ld. Italy 1683. —— H ⊙ Flor. græc. t. 179.
Anchùsa variegàta Lehm.

Subtribe IV. ANCHU'SEÆ. D.S. 4. p. 339.

ANCHU'SA D.S. BUGLOSS. (αγχουσα, a paint for the skin; former use.) Pentandria Monogynia.
§ 1. *Calyx 5-parted, erect in the fruit-bearing state; corollas unequal.*
1 Barrelièri D.S. (*bl*) Barrelier's Italy 1815. 6. 7. H ♃ Barrel. ic. 333.
Myosòtis obtùsa W. et K. hung. 1. t. 100.
2 paniculàta D.S. (*bl*) panicled S. Europe 1597. 6.10. H ♃ Bot. reg. t. 483.
itálica B.R.
3 Millèri D.S. (*ro*) Miller's Levant 1718. —— H ⊙
4 myosotidiflòra D.S. (*bl*) Myosotis-fld. Caucasus 1828. —— H ♃ M. B. cent. pl. rar. t. 14.
5 stylòsa D.S. (*bl*) long-styled Tauria 1824. —— H ⊙ M.B. cent. pl. rar. t. 23.
6 tinctòria D.S. (*bl*) dyer's Levant 1596. 6.10. H ♃ Flor. græc. t. 166.
7 parviflòra D.S. (*bl*) small-flowered ——— 1827. —— H ⊙
8 aggregàta D.S. (*bl*) clustered ——— —— —— H ⊙ Flor. græc. t. 167.
parviflòra Flor. græc. *non* W.
9 híspida D.S. (*vi*) hispid Egypt 1823. —— H ♃
10 tenélla D.S. (*wh*) slender China 1816. —— H ⊙ Jacq. f. ecl. t. 29.
zeylánica Jacq.
11 cæspitòsa D.S. (*bl*) tufted Levant 1828. —— H ♃ Flor. græc. t. 169.
12 latifòlia D.S. (*bl*) broad-leaved .... 5. 8. H ♂
13 arvàlis F.M. (*bl*) corn .... —— H ⊙
§ 2. *Calyx 5-cleft or deeply 5-toothed, campanulate when in fruit, and more or less inflated and drooping; corollas equal.*
14 procèra D.S. (*bl*) tall Poland 1822. 6.10. H ♃
15 lycopsoìdes D.S. (*vi*) Lycopsis-like ..... —— —— H ♃
16 officinàlis D.S. (*vi*) common Britain .... —— H ♃ Eng. bot. v. 10. t. 662.
17 incarnàta D.S. (*fl*) flesh-coloured Europe .... —— H ♃
18 undulàta D.S. (*pu*) wave-leaved S. Europe 1739. 6. 8. H ♃ Bot. mag. t. 2119.
19 ochroleùca D.S. (*st*) pale-flowered Caucasus 1810. 7. 8. H ♃ ——— t. 1608.

20	leptophy'lla D.S. *angustifólia* B.M.	(*bl*) slender-leaved	S. Europe	1640.	7. 8.	H	♃	Bot. mag. t. 1897.
21	crispa D.S.	(*bl*) curled	Corsica	1835.	——	H	♃	
22	angustifòlia D.S.	(*bl*) narrow-leaved	Europe	1640.	5. 6.	H	♃	Flor. græc. t. 164.
23	capénsis D.S.	(*vi*) Cape	C. B. S.	1800.	7. 8.	G	♂	Andr. reposit. t. 336.
24	hy'brida D.S.	(*pu*) villous	Naples	1818.	7.10.	H	⊙	Ten. fl. neap. t. 11.
25	Gmelìni D.S.	(*bl*) Gmelin's	Siberia	1829.	——	H	♃	
26	Agárdhii D.S.	(*pu*) tubercle-leaved	———	1823.	7. 9.	H	♃	
27	verrucòsa D.S. *Asperùgo ægyptiaca* Jacq.	(*wh*) warted	Egypt	——	7.10.	H	⊙	Jacq. vind. 3. t. 21.
28	rupéstris D.S. *Myosòtis rupéstris* W.	(*bl*) rock	Siberia	1802.	6. 8.	H	♃	Pall. it. 3. ap. t. E. f. 3.

MYOSO'TIS D.S. SCORPION-GRASS. (*μυς*, a mouse, and *ους*, an ear; leaves.) Pentand. Monog.

1	palústris D.S. *scorpioìdes* W.	(*bl.ye*) Forget-me-not	Britain	....	6. 9.	H *w*	♃	Eng. bot. v. 28. t. 1973.
2	rèpens D.S.	(*bl.ye*) creeping	Britain	....	——	H *w*	♃	Eng. bot. t. 2703.
3	collìna D.S.	(*bl.ye*) hill	———	....	4. 5.	H	⊙	——— t. 2558.
4	cæspitòsa D.S.	(*bl*) tufted	———	....	5. 7.	H *w*	♃	——— t. 2661.
5	sylvática D.S. *intermèdia* D.S.	(*bl.ye*) wood	———	....	6. 8.	H	♃	Raii syn. t. 9. f. 2.
6	commutàta D.S.	(*bl*) changed	Europe	....	——	H	♂	
7	alpéstris D.S. *rupícola* E.B.	(*bl*) rock	Scotland	....	——	H	♃	Eng. bot. v. 36. t. 2559.
8	lithospermifòlia D.S.	(*bl*) Gromwell-ld.	Caucasus	1823.	——	H	♃	
9	suavèolens D.S.	(*bl*) sweet-scented	Europe	——	——	H	♃	
10	serícea D.S.	(*bl*) silky-leaved	Siberia	1802.	——	H	♃	
11	villòsa D.S.	(*bl*) villous	———	1828.	——	H	♃	Led. ill. t. 215.
12	sparsiflòra D.S.	(*wh*) loose-flowered	Europe	1818.	——	H	⊙	
13	stricta D.S.	(*bl ye*) upright	———	——	——	H	⊙	
14	arvénsis D.S.	(*bl*) corn	Britain	....	6. 9.	H	⊙	Eng. bot. v. 36. t. 2629.
15	versicolor D.S.	(*bl.ye*) various-colour'd	———	....	4. 6.	H	⊙	——— t. 480. f. 1.
16	littoràlis D.S.	(*bl.ye*) sea-shore	Caspia	1836.	——	H	⊙	
17	intermèdia D.S.	(*bl.ye*) intermediate	Britain	....	——	H	⊙	Drev. et Heyn. bild. 2. t. 51.
18	califórnica F.M.	(*bl.ye*) Californian	California	1836.	——	H	⊙	
19	pusílla D.S.	(*bl.ye*) least	Corsica	1820.	——	H	⊙	Desv. journ. 2. t. 8. f. 1.
20	nàna D.S.	(*bl*) dwarf	Britain	....	6. 8.	H	♃	Hacq. pl. alp. car. t. 2. f. 6.
21	pedunculàris D.S.	(*bl*) peduncled	Astracan	1822.	——	H	⊙	
22	clavàta D.S.	(*bl*) clavate	Siberia	1829.	——	H	⊙	
23	austràlis D.S.	(*bl*) southern	N. S. W.	1824.	——	H	⊙	
24	ungulàta D.S.	(*bl*) clawed	Siberia	1822.	——	H	⊙	

BOTHRIOSPE'RMUM D.S. BOTHRIOSPE'RMUM. (*βοθριον*, a small pit, and *σπερμα*, a seed.) Pt. Mn.

1	bicarínulum F.M.	(*bl*) two-keeled	Persia	1837.	5. 8.	H	⊙	
2	tenéllum F.M.	(*bl*) tender	.....	——	——	H	⊙	

Tribe III. *HELIOTRO'PEÆ*. D.S. 4. p. 357.

HELIOTRO'PIUM D.S. TURNSOLE. (*ηλιος*, the sun, and *τροπη*, a turning; spikes.) Pent. Mon.

1	peruviànum D.S. *β hybridum*	(*wh*) Peruvian *More's hybrid*	Peru Hybrid	1757. 1815.	5. 9. ——	G G	♄ ♄	Bot. mag. t. 141.
2	corymbòsum D.S. *grandiflórum* L.en.	(*bl*) large-flowered	———	1808.	——	G	♄	Bot. mag. t. 1609.
3	maroccànum D.S.	(*wh*) Morocco	Morocco	1821.	——	G	♄	
4	parviflòrum D.S.	(*wh*) small-flowered	India	1732.	7. 9.	S	♂	Dill. elth. t. 146. f. 175.
5	europæ'um D.S.	(*wh*) European	S. Europe	1562.	6.10.	H	⊙	Jacq. aust. 3. t. 207.
6	commutàtum D.S.	(*wh*) smaller	———	....	——	H	⊙	
7	oblongifòlium D.S.	(*w*) oblong-leaved	———	1827.	——	H	⊙	
8	suavèolens D.S.	(*wh*) sweet-scented	Caucasus	1823.	——	H	⊙	
9	obovàtum D.S.	(*wh*) obovate-leaved	Nepaul	1825.	——	H	⊙	
10	ægyptìacum D.S.	(*wh*) Egyptian	Egypt	1824.	——	H	⊙	
11	Bocconii D.S.	(*wh*) Bocconi's	S. Europe	....	——	H	⊙	

12 ellípticum Led. (*wh*) elliptic-leaved Caspia 1838. 6.10. H ⊙
13 lasiocárpum F.M.(*wh*) woolly-fruited ——— —— —— H ⊙
14 coromandeliànum D.S.(*w*)Coromandel E. Indies 1812. 7.10. S ♂
15 curassávicum D.S.(*wh*)glaucous S. America 1731. 6. 7. S ♂ Bot. mag. t. 2669.
β chenopodioìdes D.S.(*w*)*smooth-ld.* ——— 1820. —— S ♂ Pluk. alm. t. 36. f 63.
16 zeylánicum D.S. (*wh*) Ceylon Ceylon 1815. —— S ♂ Burm. ind. t. 16. f. 2.
17 linifòlium D.S. (*wh*) flax-leaved C. B. S. —— —— G ♄
Myosòtis fruticòsa W.
18 capénse D.S. (*wh*) Cape ——— 1824. —— G ⊙
19 demíssum D.S. (*wh*) dwarf S. America 1752. 5. 6. S ♄ Plum. ic. 227. f. 2.
hùmile Lam. *Tournefórtia hùmilis* W.

TIARI'DIUM D.S. TIARI'DIUM. (*τιαρα*, a Persian diadem, and *ειδος*, like; capsule.) Pent. Mon.
1 índicum D.S. (*li*) Indian W. Indies 1713. 6. 8. S ⊙ Bot. mag. t. 1837.
Heliotròpium índicum B.M.
2 velutìnum D.S. (*wh*) villous-stalked E. Indies .... —— S ⊙ Rheed. mal. 10. t. 48.
3 anisophy'llum D.S.(*wh*) African Africa 1822. —— S ⊙ Beau. fl. d'ow. 2. t. 94.
Heliotròpium anisophy'llum Beauv.

PIPTOCLAI'NA D.S. PIPTOCLAI'NA. (*πιπτω*, to fall, and *κλαινα*, a cloak; calyx.) Pent. Mon.
supìna D.S. (*wh*) trailing S. Europe 1640. 6. 7. H ⊙ Flor. græc. t. 157.
Heliotròpium supìnum L.

COLDE'NIA D.S. COLDE'NIA. (Conwall. Colden, an American bot.) Tetrandria Tetragynia.
procúmbens D.S.(*wh*)procumbent E. Indies 1699. 7. 8. S ⊙ Lam. illus. t. 89.

TOURNEFO'RTIA D.S. TOURNEFO'RTIA. (Jos. Pitton de Tournefort, cel. bot.) Pent. Mon.
Sect. 1. PITTO'NIA; *limb of corolla plicately* 5-*cleft; berry containing two* 2-*celled* 1-*seeded nuts.*
1 cymòsa D.S. (*fl*) broad-leaved Jamaica 1777. 7. S ♄ Jacq. ic. 1. t. 31.
2 fœtidíssima D.S. (*fl*) Tobacco-leaved ——— 1739. 9. S ♄ Plum. ic. 226. t. 230.
3 bícolor D.S. (*wh.gr*) two-coloured ——— 1812. .... S ♄
4 suffruticòsa D.S.(*wh*) hoary-leaved ——— 1759. 6. 9. S ♄ Sloan. hist. 2. t. 162. f. 4.
5 mutábilis D.S. (*wh*) changeable Java 1820. —— S ♄ Venten. choix. t. 3.
6 maculàta D.S. (*st*) spotted-fruited Carthagena 1828. —— S ♄
7 argéntea D.S. (*wh*) silvery-leaved E. Indies 1822. —— S ♄ Rumph. amb. 4. t. 55.
Sect. 2. MESSERSCHMI'DTIÆ-ANTIQUÆ; *corolla funnel-shaped, having the limb swollen towards the top; berry depressed, girded by five prominent teeth in a circle, divisable into two* 2-*seeded nuts.*
8 fruticòsa D.S. (*wh*) shrubby Canaries 1779. 6.10. G ♄ Bot. reg. t. 464.
Messerschmídtia fruticòsa W.
9 angustifòlia D.S.(*pa.bl*)narrow-leaved ——— .... —— G ♄
10 sibírica D.S. (*wh*) herbaceous Siberia 1780. —— H ♃ Gmel. it. 2. t. 27.
Argùzia montàna Amm. *Messerschmídtia Argùzia* L.
Sect. 3. HELIOTROPIOI'DES; *the species have the habit of Heliotropium, but nothing peculiar in character.*
11 gnaphalodes D.S.(*wh*)Gnaphalium-like W. Indies 1820. 6. 8. S ♄ Jacq. amer. t. 173. f. 11.
Heliotròpium gnaphalòdes W.
12 heliotropioìdes B.M.(*pa.pu*)Turnsole-like B. Ayres 1829. 5.10. F ♃ Bot. mag. t. 3096.

MESSERSCHMI'DTIA D.S. MESSERSCHMIDTIA. (D. G. Messerschmidt, a trav. in Siberia.) Pt. Ms.
1 caracasàna D.S. (*wh*) Caracas Caracas 1828. 5. 9. S ♄
2 hirsutíssima D.S.(*wh*)very hairy S. America 1818. 5. 8. S ♄
Tournefórtia hirsutíssima W.
3 volùbilis D.S. (*gr*) climbing Jamaica 1752. 7. 8. S ♄ ◡ Sloan. hist. 1. t. 143. f. 2.
Tournefórtia volùbilis W.
4 scándens D.S. (*gr*) scandent S. America 1816. —— S ♄ ◡ Flor. peruv. 2. t. 148.
5 laurifòlia D.S. (*st*) Laurel-leaved W. Indies 1823. .... S ♄ ◡ Venten. choix. t. 2.
6 velutìna D.S. (*wh*) velvetty Mexico 1826. 6. 9. G ♄ H. et B. am. 3. t. 201.
Tournefórtia velutìna K.S.
7 umbellàta D.S. (*wh*) umbel-flowered ——— —— —— G ♄ ——— 3. t. 202.

ORDER CLXV.

CORDIACEÆ. *D.S.* 4. *p.* 374.

Tribe I. *CORDIEÆ.* D.S. 4. p. 374.

CO'RDIA D.S. Co'rdia. (Euricius Cordius, an ancient German bot.) Pentandria Monogynia.

Sect. 1. Sebeste'næ: *fruit and calyx smooth; flowers corymbose or panicled, large; throat of corolla naked.*

1 Dillènii D.S.	(*or*) Dellenius's	Bahamas	1728.	6.	8.	S	♄	Dill. elth. t. 255. f. 331.
Sebestèna W.								
2 Sebestèna D.S.	(*or*) rough-leaved	W. Indies	——	7.	8.	S	♄	Bot. mag. t. 794.
3 lævis D.S.	(*bh*) smooth-leaved	Caracas	1816.	4.	8.	S	♄	Jacq. schœn. 1. t. 40.
4 Collocócca D.S.	(*gr*) long-leaved	Jamaica	1759.	3.	4.	S	♄	Sloan. hist. 2. t. 203. f. 2.
5 tetraphy'lla D.S.	(*wh*) four-leaved	Trinidad	1823.	4.	7.	S	♄	Aubl. guian. 1. t. 88.
6 nodòsa D.S.	(*wh*) hairy	Guiana	1803.	6.	7.	S	♄	———— 1. t. 86.
hirsùta W. *Collocóccus* Aubl. *non* L.								
7 ellíptica D.S.	(*wh*) elliptic-leaved	W. Indies	1804.	6.	8.	S	♄	

Sect. 2. Micra'nthæ; *character as in the preceding section; but the flowers are small.*

8 flavéscens D.S.	(*wh*) yellow-fruited	Guiana	1818.	6.	7.	S	♄	Aub. gui. 1. t. 89.
9 macrophy'lla D.S.	(*wh*) long-leaved	W. Indies	1752.	——		S	♄	Sloan. hist. 2. t. 221. f. 1.
10 reticulàta D.S.	(*wh*) netted-leaved	E. Indies	1820.	4.	6.	S	♄	
angustifòlia F.I.								
11 latifòlia D.S.	(*wh*) broad-leaved	————	1824.	6.	8.	S	♄	Rumph. amb. 2. t. 75.
12 My'xa D.S.	(*wh*) smooth-leaved	————	1640.	....		S	♄	Rheed. mal. 4. t. 37.
13 monoíca D.S.	(*wh*) Birch-leaved	————	1799.	3.	4.	S	♄	Roxb. corom. 1. t. 58.
14 serràta D.S.	(*wh*) saw-leaved	————	1824.	....		S	♄	
15 grándis D.S.	(*wh*) great	————	1818.	....		S	♄	
16 poly'gama D.S.	(*wh*) polygamous	————	1812.	6.	8.	S	♄	
17 campanulàta D.S.	(*ye*) bell-flowered	————	1824.	....		S	♄	Rumph. amb. 2. t. 75.
18 spinéscens D.S.	(*wh*) spiny	————	1818.	6.	7.	S	♄	

Sect. 3. Gerasca'nthus; *calyx* 10-*striped or* 10-*ribbed; flowers large, corymbose.*

19 grandifòra B.R.	(*wh*) great-flowered	S. America	1827.	8.		S	♄	Bot. reg. t. 1491.
20 geraschanthoìdes D.S.	(*w*) taper-leaved	Cuba	1824.	4.	7.	S	♄	
21 Geraschánthus D.S.	(*w*) Spanish Elm	W. Indies	1789.	5.		S	♄	Jacq. amer. t. 175. f. 16.
22 dentàta D.S.	(*wh*) toothed	Caracas	1823.	....		S	♄	
23 dichótoma R.S.	(*wh*) forked	N. Holland	1824.	....		S	♄	
24 scabérrima K.S.	(*wh*) rough	Peru	——	....		S	♄	
25 micrántha D.S.	(*gr*) small-flowered	Jamaica	1822.	....		S	♄	

Sect. 4. Varro'nia; *flowers small, glomerate, capitate, or spicate; 5-parted, pentandrous, and hermaphrodite.*

§ 1. Cymo'sæ; *cymes glomerate in the flower bearing state; calycine teeth acute.*

26 álba D.S.	(*wh*) white-flowered	Carthagena	1818.	....		S	♄	Comm. hort. t. 80.
27 bifurcàta D.S.	(*wh*) forked	Peru	——	....		S	♄	Flor. peruv. 2. t. 146. f. a.
Varrònia dichótoma R.P. *parviflòra* P.S.								

§ 2. Dasyce'phala; *spikes capitate or globose; throat of corolla hairy.*

* *Teeth of calyx acute.*

28 corymbòsa D.S.	(*wh*) single-seeded	Caracas	1820.	5.	7.	S	♄	Jacq. schœn. 1. t. 39.
monospérma Jacq.								
29 lineàta D.S.	(*wh*) round-spiked	W. Indies	1793.	6.	9.	S	♄	Brown. jam. t. 13. f. 2.
Varrònia lineàta W.								

** *Teeth of calyx subulately setaceous.*

30 globòsa D.S.	(*wh*) globe-headed	Cuba	1820.	7.	8.	S	♄	Sloan. his. 2. t. 194. f. 2.
bullàta R.S.								
31 mirabiloìdes D.S.	(*wh*) jointed	Hispaniola	1798.	9.		S	♄	Jacq. amer. t. 33.

§ 3. Spica'tæ; *spikes elongated; teeth short, acute; throat of calyx hairy.*

32 angustifòlia D.S.	(*wh*) narrow-leaved	Santa Cruz	1808.	6.	8.	S	♄	
33 curassávica D.S.	(*wh*) long-spiked	S. America	1759.	——		S	♄	Centur. amer. 41. t. 56.
Varrònia curassávica W.								
34 martinicénsis R.S.	(*wh*) Martinico	Martinico	1795.	8.	9.	S	♄	Jacq. amer. 41. t. 32.

PATAGO'NULA D.S. PATAGO'NULA. (native of Patagonia.) Pentandria Monogynia.
americàna D.S. (*wh*) spear-leaved S. America 1732. 6. 8. G ♄ Dill. elth. t. 226. f. 293
Córdia Patagònula W.

Tribe II. *EHRETIA'CEÆ.* D.S. 4. p. 387.

EHRE'TIA D.S. EHRE'TIA. (G. B. Ehret, a French artist.) Pentandria Monogynia.
1 serràta D.S. (*wh*) saw-leaved Nepaul 1812. 6. 9. G ♄
2 tinifòlia D.S. (*wh*) Tinus-leaved Jamaica 1734. 6. 7. S ♄ Trew Ehret. t. 24.
3 acuminàta D.S. (*wh*) acuminate N. S. W. 1820. —— G ♄
4 internòdis D.S. (*wh*) axillary-flower'd Mauritius 1821.* —— S ♄ L'Herit. stirp. 1. t. 24.
BEURRE'RIA D.S. BEURRE'RIA. (M. Beurrer, an apothec. of Nuremberg.) Pent. Monogy.
1 succulénta D.S. (*wh*) oval-leaved W. Indies 1758. 5. 7. S ♄ Jacq. obs. 2. t. 26.
2 exsúcca D.S. (*wh*) dry-fruited ——— 1804. —— S ♄ Jacq. amer. t. 173. f. 17.
3 læ'vis D.S. (*wh*) smooth E. Indies 1816. .... S ♄ Roxb. corom. t. 56.
Ehrètia læ'vis Roxb.
4 áspera D.S. (*wh*) rough-leaved E. Indies 1795. 4. 6. S ♄ Roxb. corom. 1. t. 55.
Ehrètia áspera Roxb.
5 divaricàta D.S. (*wh*) divaricate Havannah 1820. —— S ♄
6 láxa D.S. (*wh.gr*) loose-flowered Mauritius 1821. 6. 7. S ♄ Jacq. schœn. 1. t. 41.
Ehrètia láxa Jacq.
CARMO'NA D.S. CARMO'NA. (B. S. Carmona, an artist, comp. of Lœfling.) Pent. Monogy.
1 heterophy'lla D.S. (*wh*) Box-leaved E. Indies 1816. .... S ♄ Roxb. corom. 1. t. 57.
Ehrètia buxifòlia Roxb.
2 microphy'lla D.S. (*wh*) small-leaved Nepaul 1818. 6. 8. S ♄ Pluk. phyt. t. 31. f. 1.
Ehrètia microphy'lla Lam.

ORDER CLXVI.

HYDROPHY'LLEÆ. *Brown.*

HYDROPHY'LLUM D.S. WATER-LEAF. (ὕδωρ, water, and φυλλον, a leaf.) Pentand. Monogy.
1 virgínicum D.S. (*wh.bl*) Virginian N. America 1739. 5. 6. H ♃ Bot. reg. t. 331.
2 canadénse D.S. (*wh*) Canadian Canada 1759. —— H ♃ ——— t. 242.
3 appendiculàtum D.S. (*pa.bl*) panicled N. America 1812. —— H ♃
Nemóphila paniculàta S.S.
ELLI'SIA D.S. ELLI'SIA. (John Ellis, F.R.S., auth. of a Treat. on Corollines.) Pent. Monogy.
1 Nyctelèa D.S. (*wh*) cut-leaved Virginia 1755. 4. 8. H ⊙ Trew pl. select. t. 99.
2 ambígua D.S. (*wh*) ambiguous N. America 1825. 4. 6. H ⊙
NEMO'PHILA D.S. NEMO'PHILA. (νεμος, a grove, and φιλεω, to love; habitat.) Pent. Monogy.
1 phacelioìdes D.S. (*bl*) Phacelia-like N. America 1822. 6. 9. H ⊙ Swt. br. fl. gar. t. 32.
2 parviflòra D.S. (*bl*) small-flowered Columbia 1826. —— H ⊙
3 aurìta D.S. (*pu*) eared California 1831. —— H ⊙ Swt. br. fl. gar. s. 2. t. 338.
4 insígnis D.S. (*bl.wh*) showy ——— 1822. —— H ⊙ ——— t. 329.
5 liniflòra F.M. (*bl*) flax-flowered ——— 1838. —— H ⊙
6 atomària D.S. (*wh.pu*) atom ——— 1836. —— H ⊙ Swt. br. fl. gar. s. 2. t. 376.
EU'TOCA D.S. EU'TOCA. (ευτοκος, fruitful; numerous seeds.) Pentandria Monogynia.
1 Menzièsii D.S. (*pu*) many-flowered N. America 1826. 5. 6. H ⊙ Swt. br. fl. gar. s. 2. t. 334.
multiflòra B.R. 1180.
2 Franklínii D.S. (*pu*) Franklin's Mississippi 1827. —— H ⊙ Bot. mag. t. 2985.
3 parviflòra D.S. (*bl*) small-flowered N. America 1826. —— H ⊙ Pluk. alm. t. 245. f. 5.
Phacèlia parviflòra Pursh.
4 serícea D.S. (*bl*) silky ——— 1827. 5. 8. H ⊙ Bot. mag. t. 3003.
pulchélla Lehm.

5 viscida D.S.	(*bl*) viscid	California	1833.	5. 8.	H	⊙	Swt. br. fl. gar. s. 2. t. 368.
6 Wrangeliàna D.S.	(*bl*) Wrangel's	———	1836.	——	H	⊙	——— t. 362.
7 divaricàta B.R.	(*bl*) divaricate	———	1833.	——	H	⊙	Bot. reg. t. 1784.

PHACE'LIA D.S. PHACE'LIA. (φακελος, a fascicule; flowers.) Pentandria Monogynia.

1 bipinnatífida D.S	(*bl*) bipinnatifid	N. America	1827.	5. 6.	H	♃	Mich. amer. 1. t. 16.
2 circinnàta D.S.	(*wh*) woolly	Magellan	1816.	6.10.	H	♃	Jacq. f. ecl. t. 91.

Hydrophy'llum magellánicum Lam. *Aldèa circinnàta* W. en. *Aldèa pinnàta* R. et P. 2. t. 14.

3 congésta D.S.	(*bl*) crowded	Texas	1835.	6.10.	H	⊙	Swt. br. fl. gar. s. 2. t. 327.
4 tanacetifòlia D.S.	(*bl*) tansy-leaved	California	1833.	——	H	⊙	——— t. 360.

ORDER CLXVII.

SOLA'NEÆ. D.S. 4. *p.* 397.

Tribe I. *SOLA'NEÆ.* D.S. 4. p. 400.

SOLA'NUM R.S. NIGHT-SHADE. (a name given by Pliny.) Pentandria Monogynia.

Sect. 1. *Unarmed shrubs or herbs.*

§ 1. POTATOE; *leaves impari-pinnate, pinnatifid, ternate, or entire; flowers corymbose or racemose, terminal, lateral, or axillary.*

* *Leaves impari-pinnate; racemes corymbose, terminal.*

1 tuberòsum D.S.	(*bl.wh*) Potatoe	Peru	1597.	6. 8.	H	♃		Plenck. off. t. 121.
2 appendiculàtum D.S.	(*wh*) appendaged	Mexico	1823.	——	S	♄	◡	Dunal solan. ed. 2. t. 84.
3 etuberòsum D.S.	(*pu*) tuberless	Chili	1833.	——	H	♃		Bot. reg. t. 1712.
4 Commersònii D.S.	(*wh*) Commerson's	Monte Video	1822.	——	H	♃		Hort. trans. 5. t. 10.
5 runcinàtum D.S.	(*bl*) runcinate	Peru	1832	9.10.	H	♃		Swt. br. fl. gar. s. 2. t. 177.

** PTEROI'DEA; *leaves impari-pinnate or ternate; leaflets quite entire, acuminated; peduncles axillary, aggregate, racemose.*

6 Seaforthiànum D.S.	(*pi*) Seaforth's	Barbadoes	1804.	7. 9.	S	♄		Andr. reposit. t. 504.

*** *Leaves pinnatifid and entire.*

7 laciniàtum D.S.	(*bl*) cut-leaved	N. Hollund	1772.	7. 8.	G	♄		Bot. mag. t. 349.
α *fruticòsum*	(*bl*) *frutescent*	N. S. W.	——	——	G	♄		
β *herbàceum*	(*bl*) *herbaceous*	V. Diem. Isl.	——	——	H	⊙		
8 quercifòlium D.S.	(*vi*) Oak-leaved	Peru	1787.	6. 7.	H	♃		Feuil. per. 2. t. 15?
9 radicans D.S.	(*li*) rooting	———	1771.	7. 8.	G	♃		Linn. dec. 1. t. 10.
10 reclinàtum D.S.	(*bl*) reclining	———	....	——	S	♄		Lam. ill. t. 145. f. 4.

**** *Leaves ternate or simple, ovate.*

11 betàceum D.S.	(*bl*) Beet-leaved	New Spain	1803.	6. 7.	S	♄		Andr. rep. t. 511.
12 muricàtum D.S.	(*wh.vi*) warted	Peru	1785.	7. 8.	S	♄		Feuil. peruv. 2. t. 26.
13 diversifòlium D.S.	(*wh*) different-leaved	Caracas	1824.	——	S	♄		Dunal. solan. ed. 2. t. 88.
14 Bulbocástanum D.S.	(*wh*) tuberous-rooted	Mexico	1826.	6. 9.	H	♃		——— t. 3.
15 oligánthum D.S.	(*wh*) climbing	Orinoco	1824.	7. 8.	S	♄	◡	——— t. 90.
16 Herbertiànum Paxt.	(*pu.ye*) Herbert's	S. America	1833.	6. 8.	S	♄		Paxt. mag. 5. p. 269.

§ 2. *Leaves lobed, sinuated, angular, toothed, or entire.*

17 pérsicum D.S.	(*bl*) Persian	Persia	1829.	6. 9.	H	♄	◡	
18 corymbòsum D.S.	(*vi*) corymb-flower'd	Peru	1786.	7. 8.	S	♃	◡	Jacq. ic. 1. t. 40.
19 Dulcamàra D.S.	(*bl*) bitter-sweet	Britain	....	6. 8.	H	♄	◡	Eng. bot. v. 8. t. 565.
β *álbum*	(*wh*) *white-flowered*	———	....	——	H	♄	◡	
γ *variegàtum*	(*pa*) *variegated*	———	....	——	H	♄	◡	
20 crispum D.S.	(*bl*) *curled*	Chili	1826.	——	S	♄	◡	Bot. reg. t. 1516.
21 littoràle D.S.	(*bl*) sea-side	Europe	....	——	H	♄		
22 Tegòre D.S.	(*gr*) hairy-stemmed	Guiana	1820.	——	S	♄		Aubl. guian. 1. t. 84.
23 varnicàtum B.R.	(*ye*) varnished	Buenos Ayres	1837.	——	H	♃		
24 pygmæ'um D.S.	(*bl*) pygmy	———	1819.	——	H	⊙		Cav. ic. 5. t. 439. f. 2.
25 Tweediànum D.S.	(*bl*) Tweedie's	———	1833.	——	G	♃		Bot. mag. t. 3385.
26 quiténse D.S.	(*wh.pu*) Lima	Lima	1825.	——	G	♄		Bot. mag. t. 2739.
27 macrocárpon D.S.	(*bl*) large-fruited	Peru	1759.	5. 9.	S	♄		Mill. ic. 2. t. 294.
28 calycìnum D.S.	(*bl*) large-calyxed	Mexico	1825.	——	S	♄		Dunal solan. ed. 2. t. 29.
29 pent[illegible]n D.S.	(*bl*) five-fingered	Trinidad	1818.	——	S	♄		

30 racemiflòrum D.S.(*bl*)racemed S. America 1818. 7. 9. H ⊙ Jacq. sch3.t.3
scàbrum Jacq. *non* Vahl.
31 æthiópicum D.S.(*wh*) Ethiopian Ethiopia 1597. —— H ⊙ Jacq. vind. 1. t. 12.
32 Zuccagniànum D.S.(*wh*)Zuccagni's ..... 1818. —— H ⊙ Dunal solan. t. 11.
33 pseùdo-cápsicum(*wh*)Winter-cherry Madeira 1596. 6. 9. G ♄ Sabb. h. rom. t. 59.
34 tríquetrum D.S. (*wh*) triquetrous N. Spain 1820. —— S ♄ Cavan. ic. 3. t. 259.
§ 3. MORE'LLA; *leaves acuminated at both ends; racemes short panicled, intra-foliaceous pedicels subumbulate or panicled, drooping; berries small, globose; flowers small.*
35 nodiflòrum D.S. (*wh*) knot-flowered Guiana 1815. 8. 9. G ⊙ Jacq. ic. 2. t. 326.
36 Dillènii D.S. (*wh*) Dillenius's Hungary .... —— H ⊙ Dill. elth. t. 275. f. 3
37 guineénse D.S.(*gr.wh*)large-berried Guinea .... —— H ⊙ —— t. 274. f. 3
38 fistulòsum D.S. (*wh*) fistulous-stalkedMauritius 1826. —— H ⊙
39 nìgrum D.S. (*wh*) black-berried Britain .... —— H ⊙ Eng. bot. v. 8. t. 566.
40 oleràceum D.S. (*wh*) cultivated W. Indies .... —— H ⊙ Piso lib. 4. c. 50. f. 3
41 pterocaúle D.S.(*wh.vi*)wing-stalked America .... —— H ⊙ Dill. elth. t. 275. f. 2
42 judàicum D.S. (*wh*) rough-stalked Europe .... —— H ⊙
43 suffruticòsum D.S.(*wh*) suffrutescent Barbary 1804. 5. 9. G ♄
44 quadrangulàre D.S.(*wh*)quadrangular C. B. S. 1812. —— H ⊙
45 triangulàre D.S.(*wh*) three-sided E. Indies .... 6. 9. S ⊙
46 rùbrum D.S. (*wh*)red-berried S. America .... —— H ⊙
47 incértum D.S. (*wh*) uncertain E. Indies 1810. —— H ⊙
β miniàtum R.S.(*wh*)*pubescent-stalk'd*Europe .... —— H ⊙
48 hùmile D.S. (*wh*) small S. Europe .... —— H ⊙
49 flàvum D.S. (*st*) yellow-berried Hungary 1816. —— H ⊙
ochroleùcum Dun.
50 villòsum D.S. (*wh*) villous annual S. Europe .... —— H ⊙ Dill. elth. t. 274. f. 3
51 hirsùtum D.S. (*wh*) hairy annual Egypt .... —— H ⊙
52 Kitaibèli D.S. (*wh*) Kitaibel's Hungary 1822. —— H ⊙
53 Bessèri D.S. (*wh*) Besser's America 1824. —— H ⊙
§ 4. HOLOPHY'LLA; *leaves quite entire, solitary; calyx 5-parted; stamens equal.*
* *Racemes terminal.*
54 pátulum D.S. (*vi*) spreading Peru 1818. 6.10. S ♄ Flor. per. 2. t. 164. f.
55 cestrifòlium D.S.(*wh*) Cestrum-leaved ..... 1826. 4. 7. S ♄
56 longiflòrum D.S. (*bl*) long-flowered Guiana 1823. 6. 8. S ♄ Dunal solan. t. 9.
longifòlium Dun.
57 bombénse D.S. (*wh*) Bomba S. America 1818. —— S ♄ Jacq. f. eclog. t. 24.
58 pubígerum D.S. (*wh*) downy Mexico 1823. —— S ♄ Dunal. sol. t. 6.
Cervantèsii Lag.
59 pyrifòlium D.S. (*wh*) Pear-leaved W. Indies 1824. 6. 8. S ♄ Dun. sol. ed. 2. t. 34
60 macranthèrum D.S.(*vi*)large-anthered Mexico 1826. —— G ♄ ◡ H. et B. gen. am. 3. t.
61 laurifòlium D.S.(*wh*) Laurel-leaved S. America 1820. —— S ♄ Dunal sol. t. 8.
62 verbascifòlium D.S.(*w*)Mullein-leaved W. Indies 1749. —— S ♄ Jacq. vind. 1. t. 13.
63 auriculàtum D.S. (*vi*) ear-leaved Madagascar 1773. .... S ♄ Scop. del. 3. t. 8.
64 salicifòlium D.S.(*wh*) Willow-leaved Trinidad 1822. 6. 9. S ♄
** *Racemes opposite the leaves, or nearly so, tomentose downy, or dotted, with leprous-like powdery down.*
65 pubéscens D.S. (*pu*) pubescent E. Indies 1816. 6. 8. S ♄ Willd. phyt. 1. t. 3.
66 argénteum D.S. (*wh*) silvery Brazil —— —— S ♄ Dunal. sol. ed. 2. t.
*** *Peduncles axillary, one-flowered, solitary or twin, or many together.*
67 Hookeriànum D.S.(*bl*) Hooker's Mexico 1825. 6. 9. G ♄ Bot. mag. t. 2708.
coriàceum Bot. mag. *nec aliorum.*
68 havanénse D.S. (*bl*) Havannah W. Indies 1793. 7. 8. S ♄ Jacq. amer. pict. t. 4
§ 5. GEMINA'TA; *leaves entire, twin, and sometimes solitary on the same branch, rarely opposite; calyx 5-parted; stamens equal.*
* *Peduncles axillary, aggregate; leaves aggregate.*
69 aggegàtum D.S. (*li*) crowded Guinea 1793. 7. 8. S ♄ Jacq. ic. 2. t. 323.
** *Racemes simple, cymose, opposite the leaves.*
70 nùdum D.S. (*wh*) naked Mexico 1824. 3. 6. S ♄
71 diphy'llum D.S.(*wh*) two-leaved W. Indies 1699. 6. 7. S ♄ Jacq. ic. 2. t. 322.
72 arbòreum D.S. (*wh*) tree Cumana 1819. —— S ♄ Dunal. sol. ed. 2. t. 198
73 spiràle D.S. (*wh*) spiral-racemed E. Indies 1820. 4. 6. S ♄
74 tríste D.S. (*wh*) sad Martinico —— 6. 7. S ♄ Jacq. amer. pict. t. 49.
§ 6. *Branches spinescent; leaves solitary, entire; peduncles axillary, solitary, one-flowered; calyx 5-toothed; stamens unequal; seeds bony.*
75 lycioìdes D.S. (*li*) spiny Peru 1791. 5. 6. S ♄ Jacq. ic. 1. t. 46.
§ 7. POLY'MERIS; *leaves entire, solitary, or twin; calyx 10-toothed or 10-cleft; peduncle 1-flowered, axillary, or suprafoliaceous.*
* *Leaves twin: corolla plicate, 5-angled; stamens unequal.*
76 uniflòrum D.S. (*bl*) one-flowered St.Domingo1820. 5. 7. S ♄ Dun. solan. ed. 2. t. 42

7 monánthum D.S. (*fl*) one-flowered	New Spain	1816.	5. 6.	S	♃		
8 decendentàtum D.S. (*wh*) ten-toothed	China	1826.	6. 9.	H	⊙		
9 Rámphii R.S. (*wh*) Rumphius's	E. Indies	....	——	H	⊙		Rumph. amb. 6.t.26.f.1.
10 neglèctum D.S. (*wh*) neglected	W. Indies	1824.	——	S	♄		Burm. amer. t. 245. f. 4.
11 crassipétalum D.S. (*li*) thick-petalled	Nepaul	——	4. 7.	G	♄		
12 lysimachioìdes D.S. (*w*) Loosestrife-like	E. Indies	1823.	6. 9.	S	♃		

*** *Leaves solitary: corolla plicate, 5-angled; stamens unequal.*

13 fugax D.S. (*wh.ye*) fugacious	Caracas	1816.	5. 6.	S	♄		Jacq. ic. 2. t. 324.
14 stellàtum D.S. (*bl*) starry	S. America	——	——	S	♄		——— 2. t. 325.
15 virgàtum D.S. (*vi*) twiggy	W. Indies	1819.	——	S	♄		Dunal sol. ed. 2. t. 40.
16 léntum D.S. (*vi*) climbing woolly	New Spain	1823.	6. 8.	S	♄	◡	Cavan. ic. 4. t. 308.

*** *Leaves solitary, rarely twin; corolla 5-parted; stamens equal.*

17 scándens D.S. (*pu*) climbing	W. Indies	1822.	....	S	♄	◡	

Sect. 2. ACULEA'TA; *plants prickly, or furnished with prickles.*

§ 1. *Leaves entire, repand, or sinuately angular; peduncles or racemes simple, or nearly so.*

* LEPRO'PHORA; *stems and leaves white from leprous tomentum; racemes lateral, seldom axillary or opposite the leaves, few-flowered; prickles straight, acerose.*

18 elæagnifòlium D.S. (*bl*) Elæagnus-leaved	Chili	1823.	6. 8.	S	♄		Cavan. ic. 3. t. 243.
19 stellìgerum D.S. (*li*) starry-haired	N. Holland	1820.	——	S	♄		Sm. exot. bot. 2. t. 88.
20 obtusifòlium D.S. (*bl*) blunt-leaved	Mexico	1826.	——	G	♄		Dunal sol. ed. 2. t. 119.
21 dealbàtum D.S. (*wh*) white-leaved	Chili	——	10.11.	G	♄		Bot. mag. t. 2697.

seponàceum B.M. *non Dunal.*

** PERSICA'RIA; *leaves entire or repand; racemes simple, elongated, extrafoliaceous; pedicels secund, erect in the flower-bearing state, but drooping in the fruit-bearing state; corollas 5-parted.*

22 racemòsum D.S. (*wh*) wave-leaved	W. Indies	1781.	7. 8.	S	♄		Jacq. amer. pict. t. 50.
23 ígneum D.S. (*wh*) red-spined	S. America	1714.	3.11.	S	♄		Jacq. vind. 1. t. 14.
24 subarmàtum D.S. (*wh*) partly armed	———	1823.	——	S	♄		
25 bahaménse D.S. (*wh.vi*) Bahama	Bahama	1732.	6. 7.	S	♄		Dill. elth. t. 271. f. 350.
26 mólle D.S. (*wh*) soft-leaved	Caracas	1826.	——	G	♄		

*** POLY'GAMUM; *flowers small, bisexual ones solitary, on short peduncles, male ones racemose; leaves entire or repand.*

27 polyacánthum D.S. (*wh*) many-spined	Dominica	1821.	6.10.	S	♄		Cavan. ic. 3. t. 236.
28 Aquártia D.S. (*wh*) Aquarti's	St. Domingo	1819.	——	S	♄		Jacq. amer. t. 15.

Aquártia aculeàta Jacq.

29 reticulàtum D.S. (*wh*) reticulated	———	1820.	——	S	♄		Dunal sol. ed. 2. t. 48.

**** ERIOPHY'LLA; *leaves repand, angular, or sinuated, woolly on both surfaces; peduncles solitary, many-flowered, or aggregate and one-flowered; flowers small.*

100 hírtum D.S. (*wh*) hairy-calyxed	Trinidad	1823.	6. 7.	S	♄		Vahl ic. rar. d. 2. t. 21.
101 tomentòsum D.S. (*bl*) tomentose	S. America	1662.	——	S	♄		Bocc. sic. 8. t. 5.
102 hy'bridum D.S. (*pa.bl*) hybrid	Guinea	1815.	——	S	♄		Jacq. vind. 2. t. 113.
103 coccíneum D.S. (*bh*) scarlet-fruited	.....	1820.	——	S	♄		Jacq. ic. 1. t. 43.
104 jamaicénse D.S. (*li*) Jamaica	Jamaica	——	——	S	♄		
105 cuneifòlium D.S. (*wh*) wedge-leaved	W. Indies	....	——	S	♄		Dunal sol. t. 22.
106 heterótrichum D.S. (*wh*) variable-hair'd	S. America	1824.	——	S	♄		——— t. 20.

***** MICRACA'NTHA; *prickles small, short, recurved; leaves lanceolate, entire or sinuately angular, having the midrib prickly beneath; racemes simple, cymose, extra-axillary.*

107 heterophy'llum D.S. (*bh*) variable-ld.	Guiana	1823.	7. 9.	S	♄		Dunal. sol. ed. 2. t. 62.
108 volùbile D.S. (*bl*) twining	Hispaniola	——	——	S	♄	◡	Plum. Mss. t. 4. f. 32.
109 lanceæfòlium D.S. (*wh*) lance-leaved	S. America	....	——	S	♄	◡	Jacq. ic. 2. t. 329.
110 coriàceum D.S. (*bl*) leathery-leaved	Trinidad	1824.	6. 9.	S	♄	◡	Dun. sol. p. 197. t. 14.
111 umbròsum D.S. .. shaded	S. America	1825.	——	S	♄		Dunal. rol. ed. 2. t. 126.
112 rubiginòsum D.S... rusty	Cayenne	1821.	——	S	♄		Vahl. icon. t. 13.

§ 2. SUBINE'RMIA; *stems prickly at the base; leaves sinuately angular or entire; racemes many-parted, pedicles cymose; flowers numerous, many abortive, corolla 4-5 cleft; berries 4-celled; anthers unequal.*

113 bonariénse D.S. (*wh*) Buenos Ayres	B. Ayres	1727.	6. 9.	H	♄		Dill. elth. t. 272. f. 351.
114 fastigiàtum D.S. (*pa.bl*) fastigiate	S. America	1820.	——	S	♄		Jacq. f. eclog. t. 6.
115 opórinum D.S. (*bl*) large-leaved	———	——	——	S	♄		Dunal sol. t. 16.

macrophy'llum Dun.

116 subinérme D.S. (*bl*) spear-leaved	W. Indies	1752.	7. 8.	S	♄		Jacq. amer. t. 40. f. 3.
117 lanceolàtum D.S. (*bl*) lanceolate	New Spain	....	6. 7.	S	♄		Cavan. ic. 3. t. 245.
118 astroìtes Jacq. (*bl*) Aster-like	S. America	1823.	——	S	♄		Jacq. f. eclog. t. 65.
119 glutinòsum D.S. (*bl*) glutinous	.....	1818.	6. 8.	S	♄		Dunal. sol. ed. 2. t. 54.
120 Brównii D.S. (*vi*) Brown's	N. S. W.	1820.	——	S	♄		

violàceum B.P. *non* Jacq.

121 fràgrans B.M. (*pu*) fragrant	Brazil	1835.	6. 8.	F	♄		Bot. mag. t. 3684.
122 elàtum D.S. (*bl*) tall	.....	1824.	6. 9.	S	♄		
123 ochroneùrum Lem. (*bl*) rusty-brauched	Brazil	——	6. 8.	S	♄		

§ 3. To'rvum; *prickly; leaves entire, sinuated or lobed; flowers corymbose or panicl anthers equal.*

124	gigantèum D.S.(*wh.vi*) tall	C. B. S.	1792.	6. 8.	G	♄	Bot. mag. t. 1921.
125	tórvum D.S. (*wh*) curved-prickled	W. Indies	1816.	——	S	♄	
126	ferrugíneum D.S.(*wh*) ferruginous	.....	——	——	S	♄	Jacq. schœn. 3. t. 334.
127	Lichtensteínii D.S... Lichtenstein's	C. B. S.	1824.	....	G	♄	
128	saponàceum D.S.(*bl.vi*) soapy	Chili	1825.	6. 7.	G	♄	Flor. per. 2. t. 175. f. a
	Sodtrum R. et P.						

4. Melonge'na; *leaves sinuated, angular or lobed; berries 2-3-celled; corolla 5-cl peduncles 1-flowered or bifid, the lower part bearing a fertile flower, and the upper part bea ing many usually sterile-flowers.*

129	esculéntum D.S. (*li*) eatable	Tropics	1597.	6. 9.	G	⊙	Dunal. sol. t. 3. f. E.
130	ovígerum D.S.(*pa.bl*) Egg-plant	Arabia	——	——	G	⊙	Blackw. t. 549.
	α violàceum (*pa.bl*) *violet-fruited*	——	....	——	G	⊙	
	β álbum (*pa.bl*) *white-fruited*	——	....	——	G	⊙	
	γ lùteum (*pa.bl*) *yellow-fruited*	——	....	——	G	⊙	
	δ rùber (*pa.bl*) *red-fruited*	——	....	——	G	⊙	
131	lóngum D.S. (*vi*) long-fruited	E. Indies	1816.	——	S	♄	
132	insànum D.S (*pu*) insane	——	1815.	8.10.	S	♄	Pluk. alm. t. 226. f. 3.
133	melanóxylon D.S.(*vi*)black-wooded	.....	1825.	7.10.	S	⊙	
134	undàtum D.S.(*pa.bl*) waved	E. Indies	1818.	6. 9.	S	♄	Rheed. mal. 2. t. 37.
135	fuscàtum D.S. (*vi*) brown-branched	America	....	7. 8.	G	⊙	Jacq. ic. 1. t. 42.
136	sodomèum D.S.(*pu*) black-spined	Africa	1688.	6. 7.	G	♄	Flor. græc. t. 235.
137	incànum D.S. (*re*) hoary	Mauritius	1823.	——	S	♄	Scop. del. 1. t. 1.
138	índicum D.S. (*bl*) Indian	India	1732.	7.	S	♄	Dill. elth. t. 270. f. 34
139	coágulans D.S. (*bl*) scollop-leaved	Arabia Felix	1802.	——	S	♄	Jacq. schœn. 4. t. 469.
140	sánctum D.S.(*bl.pu*) oblique-leaved	Egypt	——	——	S	♄	
141	marginàtum D.S.(*li*)white-margined	Africa	1775.	6. 9.	G	♄	Bot. mag. t. 1928.
142	congénse D.S. (*bl*) Congo	——	1815.	——	G	♄	
143	campechiénse D.S.(*li*)purple-spined	America	1732.	7.	G	♄	Dill. elth. t. 268. f. 347.
144	Tróngum D.S. (*pu*) Trongum	E. Indies	1818.	6. 9.	S	⊙	Rumph. amb. 5. t. 86. f. 1.

§ 5. Acantho'phora; *prickly; leaves sinuately angular, toothed or pinnatifid, ust glabrous, villous, or tomentose; racemes short, few-flowered; corollas 5-parted.*

* *Berries glabrous; leaves smooth or villous, from simple silky hairs.*

145	platanifòlium D.S.(*vi*)Plane-leaved	S. America	1822.	7. 9.	S	♄	Bot. mag. t. 2618.
146	myriacánthum D.S.(*w*)many-spined	——	——	——	S	♄	
147	aculeatíssimum D.S.(*w*)very prickly	——	1800.	——	S	♄	Jacq. ic. 1. t. 41.
148	spinosíssimum D.S.(*w*)very spiny	Trinidad	1820.	——	S	♄	
149	lívidum D.S. (*wh*) livid	Madagascar	1821.	——	S	♄	
150	lasiocárpum D.S(*wh*)four-celled	E. Indies	1824.	6. 8.	S	♂	Rheed. mal. 2. t. 35.
	hirsùtum F.I. non Dunal. *quadriloculàre* S.S.						
151	mammòsum D.S.(*pa.bl*)nipple	W. Indies	1699.	7. 8.	H	⊙	Merian. surin. t. 27.
152	ciliàtum D.S.(*pa.bl*) ciliated	.....	1816.	——	H	⊙	Dunal sol t. 18.

** *Leaves villous or tomentose, from usually stellate hairs.*

153	stramonifòlium D.S.(*bl*)broad-leaved	E. Indies	1778.	6. 9.	S	♄	Jacq. ic. 1. t. 44.
154	flavéscens D.S. (*wh*) yellowish	Trinidad	1822.	——	S	♄	
155	ferox D.S. (*li.pu*) Malabar	Malabar	1795.	8. 9.	S	♃	Dunal. sol. ed. 2. t. 68.
156	campanulàtum D.S.(*pu*)bell-flower'd	N. S. W.	1818.	——	G	⊙	Bot. mag. t. 3672.
157	armàtum D.S. (*pu*) armed	——	1819.	——	S	♃	Dunal sol. ed. 2. t. 6
158	pungètium D.S.(*vi*) pungent	——	1823.	——	G	⊙	—— ed. 2. t. 7
159	cinèreum D.S. (*wh*) grey	——	——	——	G	♃	

§ 6. Lathyroca'rpum; *prickly; leaves sinuated or lobed; racemes simple or almost corollas 5-cleft; berries small, globose.*

160	Millèri D.S. (*wh*) Miller's	C. B. S.	1762.	7. 8.	G	♄	Jacq. ic. 2. t. 330.
161	trilobàtum D.S.(*wh*) three-lobed	W. Indies	1759.	8.	S	♄	Pluk. alm. t. 316. f. 3
162	acetosæfòlium D.S.(*w*)Sorrel-leaved	E. Indies	——	——	S	♄	Burm. ind. t. 22. f. 2.
163	rigéscens D.S. (*vi*) rigid	C. B. S.	1815.	6. 8.	G	♄	Jacq. schœn. 1. t. 4
164	carolinénse D.S.(*w.bl*) Carolina	Carolina	1732.	7. 9.	G	♃	Jacq. ic. 2. t. 331.
165	Anguèvi D.S. (*bl*) Madagascar-potato	Madagas.	1818.	——	S	♄	Dunal sol. ed. 2. t. 7
166	violàceum D.S. (*bl*) violet	E. Indies	1823.	6. 9.	S	♄	Jacq. fragm. t. 133. f.
167	pyracánthum D.S.(*pu*)orange-thorn'd	Madagascar	1789.	8. 9.	S	♄	Sm. exot. bot. 2. t. 6
	β inérmis (*pu*) *smooth-calyxed*	——	——	——	S	♄	Bot. mag. t. 2547.
168	virginiànum D.S.(*vi*) Virginian	Virginia	1662.	5. 8.	H	⊙	Dill. elth. t. 267. f. 3
169	Jacquìni D.S.(*bl.pu*) Jacquin's	E. Indies	1804.	9.11.	S	⊙	Jacq. ic. 2. t. 332.
170	xanthocárpum D.S.(*bl*)yellow-fruited	Ethiopia	1828.	6.10.	H	⊙	Wend. s. han. 1. t. 2.

§ 7. Cryptoca'rpum; *leaves pinnatifid or bipinnatifid; corolla 5-cleft; berry covered by calyx, which is prickly.*

171	Balbísii D.S. (*wh*) Balbis's	S. America	1816.	4. 9.	S	♄	Bot. mag. t. 2568.
	decúrrens B.R. 140. *brancæfòlium* Jacq. f. ecl. t. 7. *viscòsum* DC.						
172	téctum D.S. (*ye*) villous-calyxed	Mexico	1826.	7.10.	G	♄	Cavan. icon. 4. t. 309.

Species not sufficiently known.

173	Plukenètii D.S.(*wh*)Plukenet's	S. America	....	6. 8.	S	♄	Pluk. phyt. t. 227. f. 2.
174	eriocályx D.S. (*wh*) woolly-calyxed	Carthagena	1731.	5. 8.	S	♄	
175	umbellàtum D.S.(*wh*) umbelled	S. America	——	——	S	♄	
176	americànum D.S.(*pu*)American	Virginia	1727.	7. 9.	H	☉	
177	axilliflòrum D.S.(*bl*)axil-flowered *scándens* Miller.	Vera Cruz	1728.	6. 9.	S	♄	◡
178	memphíticum D.S.(*wh*)tooth-stalked.....		1823.	——	S	♃	
179	pérsicum D.S. (*bl*) Persian	Persia	1829.	——	H	♄	◡
180	capsicástrum Ot.(*wh*)Capsicum-like.....		1827.	——	S	♄	
181	atrosanguíneum Sck.(*c*)dark crimson.....		——	....	S	♄	
182	capénse D.S. (*wh*) Cape prickly	C. B. S.	1816.	6.10.	G	♄	
183	Houstòni D.S. (*wh*) Houston's	Vera Cruz	1731.	——	S	♄	
184	Angùrium D.S. (*ye*) procumbent	——	——	——	S	♄	

NYCTE'RIUM V. NYCTE'RIUM. (νυκτερις, a bat, form of leaves of some species.) Pent. Mon.

Sect. 1. Corolla rather irregular, 5-cleft; segments acute, reflexed; berry globose, propped by the calyx; leaves cordate, entire, or sinuated.

1	cordifòlium V. (*vi*) Canary	Canaries	1779.	3. 4.	G	♄	Venten. malm. t. 85.
	Solànum vespertílio R.S.						
2	Amazònium B.M.(*bl*)Lambert's	Brazil	1814.	5. 9.	S	♄	Bot. mag. t. 1801.
	Solànum Amazònium Bot. reg. t. 71.						
3	pubescéns G.D. (*pu*) downy	E. Indies	1820.	6. 7.	S	♄	Willd. p. phyt. t. 3.
	Solànum pubéscens W.						

Sect. 2. Corolla 5-cleft, nearly regular; berry covered by the increased prickly calyx; leaves pinnate, pinnatifid or bipinnatifid.

4	cornùtum L.en. (*ye*) horned	S. America	1825.	5. 9.	S	♄	Juss. ann. mus. 3. t. 9.
5	lobàtum Swt. (*ye*) Missouri	Missouri	1813.	7. 9.	H	☉	Pursh fl. amer. 1. t. 7.
	Solànum heterándrum Ph. *Androcèra lobàta* N.						
6	rostràtum D.S. (*ye*) beaked	Mexico	1823.	——	H	☉	Dunal sol. t. 24.
7	Fontanesiànum D.S.(*ye*)Desfontaine's	Brazil	1813.	——	H	☉	Bot. reg. t. 177.
8	heterodóxum D.S. (*bl*)very prickly	Mexico	1824.	——	H	☉	Dunal sol. t. 25.

LYCOPE'RSICUM D.S. LOVE-APPLE. (λυκος, a wolf, and περσικον, a peach.) Pent. Mon.

1	pimpinellifòlium D.S.(*ye*)Pimpinella-ld.	S.America....		6. 8.	S	♃	
2	regulàre D.S. (*ye*) regular-leaved	——	....	6. 9.	G	☉	
3	peruviànum D.S. (*ye*) Peruvian	Peru	....	6. 8.	G	♃	Bot. mag. t. 2814.
	Solànum peruviànum Jacq. icon. t. 327.						
4	dentàtum D.S. (*ye*) tooth-leaved	S. America	....	——	H	☉	Dunal solan.2.ined.t.82.
5	Humbóldtii D.S. (*ye*) Humboldt's	——	1815.	——	H	☉	Willd. hort. ber. 1. t. 27.
6	pyriférme D.S. (*ye*) Pear-fruited	——	....	——	H	☉	Dunal solan. t. 26.
7	cerasiférme D.S. (*ye*) Cherry-fruited	Peru	1800.	7. 9.	H	☉	Jacq. vind. 1. t. 11.
	Solànum pseùdolycopérsicum Jacq.						
	α *rùber* (*ye*) *red-fruited*	——	——	——	H	☉	
	β *lùteum* (*ye*) *yellow-fruited*	——	——	——	H	☉	
8	esculéntum D.S. (*ye*) Tomato	S. America	1596.	——	H	☉	Dunal solan. t. 3. f. 3.
	α *erythrocárpum*(*ye*)*red-fruited*	——	——	——	H	☉	
	β *chrysocárpum*(*ye*) *yellow-fruited*	——	——	——	H	☉	
	γ *leucocárpum* (*ye*) *white-fruited*	——	——	——	H	☉	
9	procúmbens D.S.(*ye*) procumbent	——	....	——	H	☉	
10	commutàtum D.S.(*ye*)changed	——	....	——	H	☉	

CA'PSICUM D.S. CA'PSICUM. (καπτω, to bite; heat.) Pentandria Monogynia.

§ 1. *Peduncles solitary.*

* *Berries pendulous.*

1	ánnuum D.S. (*wh*) annual	India	1548.	6. 7.	G	☉	Rheed. mal. 2. t. 35.
2	lóngum D.S. (*wh*) long-fruited	.....	——	——	G	☉	Dodon. pemph. 716. f. 3.
3	cordifórme D.S. (*wh*) heart-shaped	India	1731.	——	G	☉	
4	tetragònum D.S.(*wh*) four-sided	——	——	——	G	☉	
5	angulòsum D.S. (*wh*) angular-fruited	.....	——	——	S	☉	
6	sphæ'ricum D.S. (*wh*) round-fruited	.....	1807.	4. 7.	S	☉	
7	ovàtum D.S. (*wh*) oval-fruited	.....	——	——	S	♄	
8	péndulum D.S. (*wh*) pendulous	.....	1804.	——	S	♄	
9	lùteum D.S. (*wh*) yellow-fruited	E. Indies	1820.	——	S	♄	
10	grósum D.S. (*wh*) various-fruited	India	1759.	5. 8.	S	♄	Beal. cyst. 2. t. 2. f. 1.
	α *globòsum* R.S.(*wh*)*globular-fruited*	——	——	——	S	♄	
	β *lùteum* R.S. (*wh*)*yellow oval-fruited*	——	——	——	S	♄	
	γ *bifidum* (*wh*) *cleft-fruited*	——	....	——	S	♄	
11	Millèri D.S. (*st*) Miller's	New Spain	1759.	——	S	♄	
	cerasiférme Mill. *non* W.						
12	havanénse K.S. (*wh*) Havannah	Havannah	1826.	——	S	♄	

** *Berries erect.*

13 ustulàtum Paxt.(*wh*) dark — Chili — 1837. 10.11. S ☉ — Paxt. mag. t. 197.
14 conoìdes D.S. (*st*) conical-fruited — India — 1728. 5. 8. S ♄
15 pyramidàle D.S.(*wh*) pyramidal — Egypt — 1732. —— S ♄
16 cerasifórme D.S. (*st*) Cherry-fruited — W. Indies — 1759. —— S ♄
17 purpùreum D.S.(*pu*) purple — E. Indies — 1824. —— S ♄
18 frutéscens D.S. (*wh*) shrubby — India — 1656. 6. 9. S ♄ — Rheed. mal. 2. t. 56.
β *torulòsum* (*wh*) *twisted* — ——— .... —— S ♄
19 bícolor D.S. (*pu*) purple-flowered — W. Indies — 1804. —— S ♄ — Bot. mag. t. 1835.
nìgrum W. en. *violàceum* DC.
20 cœruléscens D.S.(*pu*) bluish — ..... — 1827. —— S ♄
§ 2. *Peduncles generally twin.*

* *Berries erect.*

21 microcárpum D.S.(*wh*)small-fruited — S. America — 1824. 6. 9. S ♄
22 micránthum D.S.(*wh*) small-flowered — Brazil — —— —— S ♄
23 baccàtum D.S. (*wh*) Bird pepper — W. Indies — 1731. —— S ♄ — Sloan. j. 1. t. 146. f. 2
24 mínimum D.S. (*wh*) small-berried — E. Indies — 1728. —— S ♄

** *Berries pendulous.*

25 sinénse D.S. (*wh*) oval Chinese — China — 1807. —— S ♄ — Jacq. vind. 3. t. 67.

PHY'SALIS D.S. WINTER-CHERRY. (φυσα, a bladder; calyx.) Pentandria Monogynia.

Sect. 1. PHYSALODE'NDRON; *shrubby; flowers aggregate.*

1 somnífera D.S. (*st*) clustered — E. Indies — 1759. 7. 8. G ♄ — Jacq. ecl. 1. t. 23.
flexuòsa L. *Alpìni* Jacq.
β *tomentòsa* D.S. (*st*) *woolly* — Greece — 1596. —— G ♄ — Flor. græc. t. 233.
somnífera L.
2 arboréscens D.S. (*ye*) arborescent — Campeachy — 1733. 6. 8. S ♄ — Mill. ic. 2. t. 206. f. 1

Sect. 2. EUROSTORHI'ZA; *frutescent or herbaceous; roots strong; flowers solitary; buds whi closed large for the size of the flowers.*

3 viscòsa D.S. (*st*) clammy — America — 1732. 7. 9. H ♃ — Bot. mag. t. 2625.
β *Jacquìni* D.S. (*ye*) *Jacquin's* — N. America — .... —— H ♃ — Jacq. vind. 2. t. 136.
viscòsa Jacq. *pennsylvánica* L.
4 lanceolàta D.S. (*ye*) spear-leaved — ——— — 1780. —— H ♃
5 curassávica D.S. (*st*) Curassavian — S. America — 1699. 6. 9. S ♃ — Pluk. alm. t. 111. f. 5
6 Alkekéngi D.S. (*wh*) common — S. Europe — 1548. —— H ♃ — Flor. græc. t. 234.
7 tuberòsa D.S.(*ye.pu*) tuberous-rooted — ..... — 1816. .... S ♃
8 chenopodifòlia D.S.(*ye*)goose-foot-ld. — S. America — 1798. 7. 8. S ♄
9 peruviàna D.S.(*ye.pu*) Peruvian — Peru — 1773. —— S ♃
β *edùlis* D.S.(*ye.pu*) *eatable* — S. America — —— —— S ♃ — Bot. mag. t. 1068.

Sect. 3. EPETETIORHI'ZA; *annual; roots slender; flowers solitary; buds ovate, while closed and in comparison to the size of the corollas.*

10 pubéscens D.S.(*ye.pu*)pubescent — America — 1640. 7. 8. H ☉ — Feuil. per. 3. t. 1.
ramòsa M. *Rothiàna* Hort.
β *pruinòsa* D.S. (*ye*) frosted — ——— — 1726. —— H ☉ — Dill. elth. 10. t. 9. f. 9
barbadénsis Jacq. ic. 1. t. 39.
11 micrántha D.S. (*ye*) small-flowered — ——— — 1822. —— H ☉
12 fœ'tens D.S. (*ye.br*) strong-scented — Peru — 1827. —— H ☉
nodòsa Lam. *fœtidissima* Lag.
13 æquàta D.S. (*ye.br*) equal-calyxed — ..... — 1826. —— H ☉
ixocárpa Brot.
14 Linkiàna D.S. (*ye*) Link's — Brazil — 1819. —— H ☉ — Mor. ox. s. 13. t. 3. f. 21
dùbia Lk.
15 angulàta D.S. (*wh*) angular-branch'd — India — 1732. 6. 9. H ☉ — Dill. elth. t. 12. f. 12.
16 índica D.S. (*ye*) Indian — E. Indies — 1820. —— H ☉ — Rumph. amb. 4. t. 25. f. 1
parviflòra R. Br. *mínima* Roxb. *Nicándra índica* R.S.
17 mínima D.S. (*ye*) least — E. Indies — 1759. —— H ☉ — Rheed. mal. 10. t. 70.
Lagáscæ R.S. *villòsa* Roth.
18 pátula D.S. (*wh*) spreading — Vera Cruz — 1731. 7. 9. S ☉
19 villòsa D.S. (*st*) villous — ——— — —— —— S ☉
20 cordàta D.S. (*ye.gr*) heart-leaved — ——— — —— —— S ☉
21 máxima D.S. (*st*) large-annual — ——— — —— —— S ☉
22 abyssínica D.S. (*ye*) Abyssinian — Abyssinia — 1828. —— S ☉
23 prostràta D.S. (*bl*) trailing — Peru — 1782. —— H ☉ — Andr. reposit. t. 75.
24 philadélphica D.S.(*ye*)Philadelphian — N. America — 1798. —— H ☉ — Jacq. fragm. t. 85. f. 1
atriplicifòlia Jacq. *chenopodifòlia* N.

SA'RACHA D.S. SA'RACHA. (Isodore Saracha, a Benedictine monk.) Pentand. Monogy.

1 procúmbens D.S.(*st*) procumbent — Peru — 1822. 7. 9. H ♃ — Cavan. ic. 1. t. 72.
A'tropa procúmbens Cav. *Bellínia procúmbens* R.S.
2 umbellàta D.S. (*st*) umbel-flowered — Peru — —— —— H ♃ — Swt. br. fl. gar. t. 85.
3 viscòsa D.S. (*st.ol*) clammy — Mexico — 1835. 6.10. G ♄ — ——— s. 2. t. 33

WITHERI'NGIA D.S. WITHERI'NGIA. (W. Withering, M.D., English bot.) Tetra-Pentan. Monogy.

1 solanàcea D.S.	(st)	yellow-flowered	S. America	1742.	5. 9.	S	♃	L'Herit. sert. angl. t. 1.
2 stramonifòlia D.S.	(st)	Stramonium-ld.	Mexico	1823.	——	S	♄	
3 crassifòlia D.S.	(li)	thick-leaved	C. B. S.	1729.	——	G	♄	Dill. elth. t. 273. f. 352.
4 montàna D.S.	(wh.bl)	mountain	Peru	1822.	——	G	♃	Bot. mag. t. 2768.
5 phyllántha D.S.	(bl)	annual	————	——	7. 9.	H	⊙	Cavan. ic. 4. t. 359. f. 1.
6 pinnatífida D.S.	(li)	pinnatifid	————	——	6. 8.	G	♃	Flor. peruv. 2. t. 170. f. b.

MANDRA'GORA D.S. MANDRAKE. (Greek name of the mandrake.) Pentandria Monogynia.

1 præ'cox D.S.	(st.bh)	blister-leaved	Switzerland	1818.	3. 4.	H	♃	Swt. br. fl. gar. t. 198.
2 vernàlis S.S. officinàrum D.S.	(bh)	large-leaved	S. Europe	1652.	5. 6.	H	♃	Mill. fig. t. 173.
3 autumnàlis D.S.	(li)	autumn-flower'd	Levant	——	8. 9.	H	♃	Flor. græc. t. 232.
4 macrocárpa Bert. autumnàlis Swt. br. fl. gard.	(pu)	large-fruited	Italy	1830.	——	H	♃	Swt. br. fl. gar. s. 2. t. 325.

ATROPA D.S. A'TROPA. (Ατροπος, one of the Destinies; poisonous.) Pentand. Monogy.

1 frutéscens D.S. *Physalis frutéscens* Cav.	(ye)	frutescent	Spain	1737.	1. 3.	G	♄	Cavan. ic. 2. t. 102.
2 aristàta D.S *Physalis aristàta* Ait.	(ye)	bearded	Canaries	1779.	5. 8.	G	♄	

BELLADO'NNA Lam. BELLADO'NNA. (used as a wash for the face.) Pentandria Monogynia.

baccífera Lam. *Atropa belladónna* L.	(br.pu)	deadly nightshade	Britain	....	6. 7.	H	♃	Eng. bot. v. 9. t. 592.

ANISO'DUS D.S. ANISO'DUS. (ανισος, unequal; οδους, a tooth; calyx teeth.) Pentand. Monogy.

luridus D.S. *Whitlèya stramonifòlia* B.F.G.	(br)	lurid	Nepaul	1823.	8. 10.	H	♃	Swt. br. fl. gar. t. 125.

NICA'NDRA D.S. NICA'NDRA. (Nicander, of Colophon, priest of Apollo.) Pentand. Monogy.

physaloìdes D.S.	(bl)	American	America	1759.	7. 9.	H	⊙	Bot. mag. t. 2458.

NECTOU'XIA D.S. NECTOU'XIA. (H. Netoux, author of Diss. de Cassiis Ægyptiacis.) Pent. Mon.

formòsa K.S.	(ye)	pretty	Mexico	1826.	7. 10.	H	⊙	H. et B. n. g. am. 3. t. 193.

LI'CIUM D.S. BOX-THORN. (Lycia, in Asia Minor; hence λυκιον of Diosc.) Pent. Monog.

Sect. 1. EULY'CIUM; *calyx urceolate, irregularly 3-6-cleft; corolla tubularly funnel-shaped, with a 5-parted spreading or reflexed limb; flowers extra-axillary, solitary, twin or aggregate.*

1 europæ'um D.S.	(li)	European	S. Europe	1730.	5. 8.	H	♄	Flor. græc. t. 236.
2 ruthénicum D.S.	(ro)	Russian	Siberia	1804.	——	H	♄	Pall. ros. 1. t. 49.
3 bárbarum D.S.	(re)	Willow-leaved	Barbary	1696.	——	H	♄ ◡	Wats. dend. brit. t. 9.
4 Shàwii D.S.	(wh)	white-flowered	————	....	——	H	♄	Shaw afric. f. 349.
5 Trewiànum D.S. *chinénse* P.S. *non* Mill.	(pu)	Trew's	China	....	——	H	♄	Trew Ehret. t. 68.
6 chinénse D.S. *ovàtum* P.S. *bárbarum β chinénse* W.	(re)	Chinese	————	....	——	H	♄	Wats. dend. brit. t. 8.
7 lanceolàtum D.S.	(vi)	spear-leaved	S. Europe	....	——	H	♄	Duham. arb. nov. t. 32.
8 turbinàtum D.S.	(re)	top-shaped	China	1709.	——	H	♄	———— t. 31.

Sect. 2. ISODO'NTIA; *calyx urceolately campanulate, regularly 5-toothed; corolla tubularly campanulate, with an erect 5-cleft limb; stamens enclosed; thorny shrubs.*

9 àfrum D.S.	(vi)	African	N. Africa	1712.	6. 7.	H	♄	Swt. br. fl. gar. s. 2. t. 324.
10 ténue D.S.	(pu)	slender	C. B. S.	——	——	H	♄	
11 rígidum D.S. *carnòsum* P.S. *itálicum* Miller.	(vi)	rigid	————	1795.	——	H	♄	Trew Ehret. t. 24. f. 1.
12 microphy'llum D.S.	(vi)	small-leaved	————	——	——	H	♄	
13 cinèreum D.S.	(pu)	gray	————	1815.	6. 8.	H	♄	
14 hórridum D.S.	(wh)	succulent-leaved	————	1791.	7. 8.	H	♄	
15 tetrándrum D.S.	(pu)	tetrandrous	————	....	——	H	♄	

Species hardly known.

16 carolinìanum D.S.	(pu)	Carolina	Carolina	1806.	7. 9.	H	♄	
17 capsulàre D.S.	(pu)	capsular	Mexico	1730.	6. 8.	G	♄	

AGNI'STUS D.S. AGNI'STUS. (etymology unknown.) Pentandria Monogynia.

arboréscens D.S. *A'tropa arboréscens* L. *Ly'cium aggregàtum* R. et P. *Célstrum cauliflòrum* Jacq. schœnb. 3. t. 325.	(wh)	arborescent	Peru	1819.	6. 7.	G	♄	Flor. peruv. 2. t. 182. f. a.

JABORO'SA D.S. JABORO'SA. (*Jaborose*, Arabic for Mandrake.) Pentandria Monogynia.

integrifòlia D.S.	(wh)	entire-leaved	B. Ayres	....	....	G	♃	Bot. mag. t. 3489.

Tribe II. *NICOTIA'NEÆ.* D.S. 4. p. 462.

NICOTIA'NA R.S. TOBACCO. (Jean Nicot, of Nismes, introd. tob. to France.) Pentand. Monog.

Sect. 1. TA'BACUM; *leaves large; corollas funnel-shaped, with spreading acute limbs; tube inflated.*

1	chinénsis D.S.	(*ro*)	Chinese	China	1815.	6. 8.	G	♄	
2	fruticòsa D.S.	(*ro*)	frutescent	C. B. S.	1699.	7. 9.	G	♄	Mill. icon. t. 185. f 1.
3	álba Mil.	(*wh*)	white-flowered	Tobago	——	8.10.	H	☉	
4	latíssima DC. *macrophy'lla* D.S.	(*ro*)	broad-leaved	America	....	7. 9.	H	☉	
5	Tábacum D.S.	(*ro*)	Virginian	———	1570.	——	H	☉	Blackw. t. 146.
	α *attenuàta*	(*re*)	*slender*	———	....	——	H	☉	
	β *pallèscens*	(*bh*)	*pale-flowered*	———	....	——	H	☉	
	γ *álipes*	(*ro*)	*winged*	———	....	——	H	☉	
	δ *serótina*	(*ro*)	*late-flowered*	———	....	——	H	☉	
	ε *gracílipes*	(*ro*)	*slender-stalked*	———	....	——	H	☉	
	ζ *Vérdan*	(*ro*)	*Verdan*	———	....	——	H	☉	
	η *lingua*	(*ro*)	*tongue-leaved*	———	....	——	H	☉	
6	nepaléns Ot.	(*ro*)	Nepaul	Nepaul	1829.	——	H	☉	
7	brasiliéns Ot.	(*ro*)	Brazilian	Brazil	1825.	——	H	☉	
8	decúrrens Ag.	(*ro*)	decurrent	S. America	1820.	——	H	☉	
9	petiolàta Ag.	(*ro*)	petiolate	———	——	——	H	☉	
10	sanguínea Ot.	(*sc*)	scarlet-flowered	Brazil	1829.	——	H	☉	
11	lancifòlia D.S. *Ybarrénsis* Kth.	(*ro*)	lance-leaved	Quito	1823.	——	H	☉	

Sect. 2. RU'STICA; *corollas yellow, funnel-shaped, salver-shaped, or tubular; segments blunt or acute.*

12	viscòsa D.S.	(*gr*)	viscous	B. Ayres	1824.	7. 9.	H	☉	
13	pusílla D.S. *hùmilis* Ehrh.	(*gr*)	Primrose-leaved	Vera Cruz	1733.	8.	S	♂	Mill. ic. t. 185. f. 2.
14	rústica D.S.	(*gr*)	common	America	1570.	——	H	☉	Blackw. t. 437.
	α *asiática* D.S.	(*gr*)	*Asiatic*	.....	——	——	H	☉	
	β *brasília* R.S.	(*gr*)	*Brazil*	Brazil	——	——	H	☉	
	γ *pùmila* R.S.	(*gr*)	*dwarf*	S. America	——	——	H	☉	
15	hùmilis L. en.	(*gr*)	lesser	America	....	——	H	☉	
16	paniculàta D.S.	(*gr*)	panicled	Peru	1752.	——	H	☉	Flor. peruv. 2. t. 129. f. b.
17	cerinthoìdes D.S.	(*gr*)	honeywort	America	1816.	——	H	☉	Lehm. nicot. t. 2.
18	Langsdórffii D.S.	(*gr.ye*)	Langsdorff's	S. America	1824.	——	H	☉	Bot. mag. t. 2555.
19	glaúca D.S.	(*st*)	glaucous	B. Ayres	1827.	——	H	♄	——— t. 2837.

Sect. 3. PETUNIOI'DES; *corollas white, salver-shaped; tube sub-cylindrical.*

20	suavèolens D.S. *undulàta* Vent. malm. t. 10. *non* R.P.	(*wh*)	sweet-scented	N. S. W.	1800.	5. 9.	G	♃	Bot. mag. t. 673.
21	rotundifòlia B.R.	(*wh*)	round-leaved	Swan River	1838.	——	G	♃	
22	vincæflòra D.S.	(*wh*)	Vinca-flowered	S. America	1825.	8.10.	H	☉	
23	dilatàta D.S.	(*wh*)	dilated-leaved	———	——	——	H	☉	
24	noctiflòra D.S.	(*wh*)	night-flowering	Andes	1826.	7.10.	F	♃	Swt. br. fl. gar. t. 262.
25	acuminàta D.S.	(*wh*)	taper-pointed	BuenosAyres	——	——	F	♃	Bot. mag. t. 2919.
26	longiflòra D.S. *alàta* L.	(*wh*)	long-flowered	Chili	1832.	——	H	☉	Swt. br. fl. gar. s. 2. t. 196.
27	pérsica D.S.	(*wh*)	Persian	Persia	1832.	——	H	☉	Bot. reg. t. 1592.
28	angustifòlia D.S.	(*gr*)	narrow-leaved	Chili	1822.	——	H	☉	Flor. peruv. 2. t. 130. f. a.
29	repánda D.S. *lyràta* K.S.	(*bh*)	stem-clasping	Havannah	——	8.10.	H	☉	Bot. mag. t. 2484.
30	plumbaginifòlia D.S. *crispa* Jacq. fragm. t. 84.	(*wh*)	curled-leaved	America	1816.	5.10.	G	♃	Vivian. elench. t. 5.
31	pulmonarioìdes	D.S.	(*wh*) Pulmonaria-like	S. America	1828.	——	H	☉	
32	bonariénsis D.S.	(*wh*)	Buenos Ayres	BuenosAyres	1821.	——	H	☉	Lehm. nicot. n. 8. t. 1.

Sect. 4. POLYDI'CLIA; *corollas tubular, ventricose at the base, white inside, and livid outside; capsule 4 or many-celled; flowers axillary, solitary.*

33	nàna D.S.	(*wh*)	dwarf	S. America	1822.	8.10.	H	☉	Bot. reg. t. 833.
34	quadrivàlvis D.S.	(*wh*)	four-valved	N. America	1811.	7. 8.	H	☉	Bot. mag. t. 1778.
35	multivàlvis D.S	(*wh*)	many-valved	———	1826.	9.10.	H	☉	Bot. reg. t. 1057.

Species not sufficiently known.

36	auriculàta Hoffm...		auricled	.....	1838.	.10.	H	☉	
37	Berteriàna Hort...		Bertero's	.....	——	——	H	☉	
38	micrántha H.P. ..		small-flowered	.....	——	——	H	☉	

SAIRA'NTHUS D.S. SAIRA'NTHUS. (σαιρω, to clear, and ανθος, a flower.) Didyna. Angiosp.
glutinòsus D.S. (*or*) clammy Peru 1759. 7. 9. H ⊙ Swt. br. fl. gar. t. 107.
Nicotiàna glutinòsa L.

PETU'NIA D.S. PETU'NIA. (*petun*, name of tobacco in Brazil.) Pentandria Monogynia.
1 nyctaginiflòra D.S. (*wh*) large-flowered S. America 1824. 4. 10. F ♃ Swt. br. fl. gar. t. 119.
2 intermèdia D.S. (*ye.pu*) intermediate BuenosAyres 1832. 8. F ♃ ——— s. 2. t. 237.
Nierembérgia intermèdia Graham. *Salpiglóssis lineàris* B.M. 3256.
3 violàcea D.S. (*ro.pu*) violaceous BuenosAyres 1831. 7. 10. F ♃ Swt. br. fl. gar. s. 2. t. 193.
Nierembérgia punicea D.D.
β *Atkinsiànum* (*ro.pu*) *Atkinson's* Hybrid —— —— F ♃ Swt. br. fl. gar. s. 2. t. 268.

NIEREMBE'RGIA D.S. NIEREMBE'RGIA. (J. E. Nieremberg, a Spanish Jesuit.) Pent. Monog.
1 grácilis B.M. (*wh*) Toadflax-leaved Uraguay 1831. 7. G ⊙ Swt. br. fl. gar. s. 2. t. 172.
2 aristàta D.S. (*wh.pu*) awned BuenosAyres 1832. 7. 8. F ♃ ——— s. 2. t. 255.
3 filicaùlis D.S. (*wh.pu*) slender-stemm'd ——— —— 6. 9. G ♃ ——— s. 2. t. 243.
linarifòlia Graham.
4 calycìna D.S. (*wh*) large-flowered Uraguay 1832. 9. 10. G ♃ Bot. mag. t. 3371.

SALPIGLO'SSIS D.S. SALPIGLO'SSIS. (σαλπιγξ, a tube, and γλωσσα, a tongue.) Didy. Angios.
sinuàta D.S. (*pu*) purple Chili 1829. 6. 8. F ♃ Swt. br. fl. v. 3. t. 271.
atropurpùrea B.M. t. 2811.
β *straminea* D.S. (*st*) *straw-coloured* ——— 1826. 6. 9. F ♃ Swt. br. fl. gar. t. 231.
γ *picta* D.S. (*wh.bl*) *painted-flower'd* ——— —— —— F ♃ ——— v. 3. t. 258.

SCHIZA'NTHUS D.S. SCHIZA'NTHUS. (σχιζω, to cut, and ανθος, a flower.) Diand. Monogy.
1 pinnàtus D.S. (*li.pu*) winged-leaved Chili 1823. 7. 10. H ⊙ Swt. br. fl. gar. t. 63.
β *humilis* B.R. (*li.pu*) *humble* ——— 1832. —— H ⊙ Bot. reg. t. 1562.
2 pórrigens D.S. (*wh.pu*) spreading ——— 1823. —— H ⊙ Swt. br. fl. gar. t. 76.
3 Grahàmii D.S. (*pu.y*) Graham's ——— 1829. 5. 10. G ♂ Bot. mag. t. 3044.
4 retùsus D.S. (*pi.y*) notch-petalled ——— —— —— G ♂ Swt. br. fl. gar. s. 2. t. 201.
5 Hookèri D.S. (*ro*) Hooker's ——— —— —— G ♂ Bot. mag. t. 3070.

SCOPO'LIA D.S. SCOPO'LIA. (J. H. Scopoli, author of Flora Carniolica.) Pentand. Monogy.
carniólica D.S. Nightshade-ld. Carniola 1780. 4. 5. H ♃ Jacq. obs. 1. t. 20.
atropoìdes R.S. *Hyoscy'amus Scopòlia* Bot. mag. t. 1126.

PHYSOCHLAI'NA D.S. PHYSOCHLAI'NA. (φυσα, a bladder, and χλαινα, a cloak.) Pent. Monog.
1 physaloìdes D.S. (*d.pu*) purple-flower'd Siberia 1777. 3. 4. H ♃ Swt. br. fl. gar. t. 13.
Hyocy'amus physaloìdes L.
2 orientàlis D.S. (*li*) oriental Iberia 1815. —— H ♃ ——— t. 12.
Hyocy'amus orientàlis M.B.

HYOSCY'AMUS D.S. HENBANE. (ὑς, a hog, and κυαμος, a bean.) Pentandria Monogynia.
1 niger D.S. (*ye.bk*) common Britain .... 6. 7. H ♂ Eng. bot. v. 9. t. 591.
2 agréstis D.S. (*gr.pu*) field Hungary 1816. 6. 9. H ⊙ Swt. br. fl. gar. t. 27.
3 pállidus D.S. (*st*) pale-flowered ——— 1815. —— H ⊙
4 reticulàtus D.S. (*re*) Egyptian Egypt 1640. 7. 9. H ⊙ Camer. hort. 77. t. 22.
5 àlbus D.S. (*st.pu*) white Greece 1570. 7. 8. H ⊙ Flor. græc. t. 230.
major Mill.
6 Clusii D.S. (*wh*) Clusius's S. Europe —— —— H ⊙ Clus. hist. 2. p. 84. f. 1.
albus β *minor* R.S.
7 auriculàtus D.S. (*ye.pu*) auricled Naples 1823. —— H ⊙
8 Camerànii F.M. (*ye.pu*) Camerarius's S. Europe .... —— H ⊙
9 aúreus D.S. (*ye.pu*) golden Levant 1640. 3. 10. G ♄ Bot. mag. t. 87.
10 Seneciònis D.S. (*ye.pu*) yellow-flowered Egypt 1812. —— G ♃
11 canariénsis D.S. (*ye.pu*) various-leaved Canaries 1816. 1. 12. G ♂ Bot. reg. t. 180.
12 mùticus D.S. (*wh.pu*) three-coloured Egypt 1818. 5. 8. G ♂
13 Datòra D.S. (*ye.pu*) Egyptian ——— 1829. —— F ♃
14 pusíllus D.S. (*ye.bk.*) dwarf Persia 1691. 7. H ⊙ Pluk. alm. t. 37. f. 5.
15 micránthus D.S. (*st.pu*) small-flowered Siberia 1829. —— H ♂

Tribe III. *DATU'REÆ*. D.S. 4. p. 472.

DATU'RA D.S. THORN-APPLE. (corruption of *tatorah*, Arabic name.) Pentandria Monogynia.
Sect. 1. STRAMO'NIUM; *limb of calyx* 5-*angled*, 5-*lobed, or* 5-*toothed; corolla* 5-*angled*, 5-*toothed; stamens inclosed; capsule erect.*
1 inérmis D.S. (*wh*) smooth-fruited Africa 1780. 6. 10. H ⊙ Jacq. vind. 3. t. 82.
lævis L.

2 fèrox D.S.	(*wh*) Chinese	China	1731.	7.10.	H ⊙		Zaxon. hist. t. 162.
3 Stramònium D.S.	(*wh*) common	England	....	——	H ⊙		Eng. bot. v. 18. t. 1288.
β canéscens F.I.	(*st*) *canescent*	Nepaul	1824.	——	H ⊙		
4 Tátula D.S.	(*bl*) light blue	S. America	1629.	——	H ⊙		Swt. br. fl. gar. t. 83.
5 quercifòlia D.S.	(*li*) Oak-leaved	Mexico	1824.	——	H ⊙		

Sect. 2. Du'tra; *limb of calyx ventricose, angular, 5-lobed; margin of corolla 5-10-toothed; capsule nearly globose, more or less drooping, 2-celled at apex, and 4-celled at bottom.*

6 álba D.S.	(*wh*) white-flowered	E. Indies	....	7.10.	H ⊙		Rumph.amb.5.t.87.f.1.
Mètel Roxb. *not* L.							
7 fastuòsa D.S.	(*pu.wh*) purple	Egypt	1629.	——	H ⊙		Rumph.amb.5.t.243.f.2.
β flòre-plèno	(*pu.wh*) *double-flowered*	——	——	——	G ⊙		
8 dùbia D.S.	(*wh*) doubtful	.....	——	——	H ⊙		Rheed. mal. 2. t. 29.
9 muricàta D.S.	(*wh*) muricated	.....	1819.	——	H ⊙		Knor. del. 1. t. 12.
10 hy'brida D.S.	(*wh*) hybrid	Hybrid	1826.	6. 9.	F ♃		
11 Mètel D.S.	(*wh*) downy	Asia	1596.	6.10.	H ⊙		Bot. mag. t. 1440.
12 fruticòsa D.S.	(*wh*) frutescent	S. America	1825.	——	S ♄		
13 guayaquilénsis D.S.	(*wh*) Guayaquil	Guayaquil	1826.	——	H ⊙		Swt.br.fl.gar.s.2.t.380.

Sect. 3. Ceratocau'lis; *calyx terete, entire, dehiscing by a lateral fissure; limb of corolla 10-toothed; capsule pendulous.*

14 ceratocaúla D.S.	(*wh.pu*) horn-stalked	Cuba	1805.	8.10.	H ⊙		Bot. mag. t. 3352.

BRUGMA'NSIA D.S. Brugma'nsia. (S. J. Brugmans, a German bot.) Pentandria Monogynia.

1 cándida D.S.	(*wh*) downy-stalked	Peru	1818.	8. 9.	S ♄		Flor. peruv. 2. t. 128.
Datùra arbòrea L.							
2 suavèolens D.S.	(*wh*) smooth-stalked	S. America	1733.	——	S ♄		
Datùra arbòrea Hort. *suavèolens* W. enum.							
3 bícolor D.S.	(*or.sc.*) two-coloured	Peru	1836.	6.10.	G ♄		Swt.br.fl.gar.s.2.t.272.
sanguínea D.D. *Datùra sanguínea* R. et P.							

SOLA'NDRA D.S. Sola'ndra. (D. Solander, LL.D. comp. of Sir J. Banks.) Pent. Monogy.

1 grandifòra D.S.	(*li*) large-flowered	Jamaica	1781.	3. 8.	S ♄		Jacq. schœn. 1. t. 45.
2 nítida D.S.	(*st*) glossy-leaved	——	——	——	S ♄		Bot. mag. t. 1874.
grandifòra B.M. *non* Jacq.							
3 viridifòra D.S.	(*gr*) green-flowered	Brazil	1816.	5. 6.	S ♄		Bot. mag. t. 1948.
4 oppositifòlia D.S. ..	opposite-leaved	W. Indies	1824.	....	S ♄		
5 guttàta D.S.	(*ye.pu*) spotted	Mexico	....	5. 6.	S ♄		Bot. reg. t. 1155.

ULLO'A D.S. Ullo'a. (Ant. Ulloa, a Spanish nat.) Pentandria Monogynia.

parasítica D.S.	(*sc*) parasitic	Peru	1824.	....	S ♄		Flor. per. 2. t. 185.
Juanullòa parasítica R. et P.							

Tribe IV. *FRANCI'SCEÆ.* D.S. 4. p. 476.

BRUNFE'LSIA D.S. Brunfe'lsia. (Otho Brunfelsius, a Carthusian Monk.) Didyn. Angiosp.

1 undulàta D.S.	(*wh.bl*) large-flowered	Jamaica	1780.	6. 7.	S ♄		Bot. reg. t. 228.
2 americàna D.S.	(*wh.st*) American	W. Indies	1735.	——	S ♄		Bot. mag. t. 393.
α latifòlia	(*wh.st*) *broad-leaved*	——	——	——	S ♄		
β angustifòlia	(*wh.st*) *narrow-leaved*	——	——	——	S ♄		
3 violàcea D.S.	(*bl.wh*) purple-stalked	——	1820.	——	S ♄		Lodd. bot. cab. t. 792.

FRANCI'SCEA D.S. Franci'scea. (Francis I., Emperor of Austria.) Didynamia Angiospermia.

1 uniflòra D.S.	(*wh.bl*) single-flowered	Brazil	1827.	1.12.	S ♄		Bot. mag. t. 2829.
Hopeàna B.M. *Brunfélsia uniflòra* D.D.							

BROWA'LLIA D.S. Browa'llia. (John Browallius, Bishop of Aboa.) Didynamia Angiospermia.

1 elàta D.S.	(*bl.wh*) upright	Peru	1768.	6. 9.	G ⊙		Bot. mag. t. 34.
2 demíssa D.S.	(*bl.wh*) spreading	S. America	1735.	——	G ⊙		—— t. 1136.
3 grandifòra D.S.	(*pa.bl*) large-flowered	Peru	1829.	7.11.	G ⊙		—— t. 3069.
4 cordàta D.S.	(*bl*) cordate-leaved	——	——	7.10.	G ⊙		Bot. reg. t. 1384.
grandifòra B.R. not of B.M..							
5 elongàta D.S.	(*bl*) elongated	S. America	....	——	G ⊙		
láctea Hort.							

Tribe V. *ANTHOCE'RCEÆ.* D.S. 4. p. 478.

ANTHOCE'RCIS D.S. ANTHOCE'RCIS. (*ανθος*, a flower, and *κερκις*, a ray; form.) Didy. Angios.

1 littòrea D.S.	(*ye*) yellow	N. Holland	1803.	5. 8.	G ♄	Swt. flor. aust. t. 17.
2 álbicans D.S.	(*wh*) white-flowered	———	1823.	4. 6.	G ♄	——— t. 16.
3 viscòsa D.S.	(*wh*) viscous	———	——	——	G ♄	Bot. reg. t. 1624.
4 ilicifòlia D.S.	(*wh*) Holly-leaved	———	1829.	....	G ♄	

Tribe VI. *NOLANIE'Æ.* D.S. 4. p. 479.

NOLA'NA D.S. NOLA'NA. (*nola*, a little bell; form of corolla.) Pentandria Monogynia.

1 prostràta D.S.	(*bl*) trailing	Peru	1761.	7. 9.	H ⊙	Bot. mag. t. 731.
2 tenélla D.S.	(*bl*) slender	Chili	1824.	——	F ♄	——— t. 2604.
paradóxa Hook.						
3 paradóxa D.S.	(*bl*) violet-coloured	———	1822.	——	H ⊙	Bot. reg. t. 865.
4 atriplicifòlia D.S.	(*bl*) atriplex-leaved	Peru	1834.	6.10.	H ⊙	Swt. br. fl. gar. s. 2. t. 305.
grandifòra Lehm.						

TRIGUE'RA D.S. TRIGUE'RA. (D. Trigueros, Spanish botanist.) Pentandria Monogynia.

ambrosìaca D.S.	(*pu*) Ambrosiacal	Spain	1752.	7. 8.	H ⊙	Buxb. cent. 5. t. 17. f. 52.
Verbáscum Osbéckii L.						

GRABO'WSKIA D.S. GRABO'WSKIA. (H. Grabowski, M.D., German bot.) Pentand. Monogy.

boerhaaviæfòlia D.S.	(*pu*) glaucous-ld.	Peru	1780.	4. 5.	G ♄	Bot. reg. t. 1985.
Lýcium boerhaaviæfòlium L.						

Tribe VII. *CESTRI'NEÆ.* D.S. 4. p. 480.

CE'STRUM D.S. CE'STRUM. (*κεστρον*, Greek name for Betony.) Pentandria Monogynia.

§ 1. *Filaments toothless and naked, or sometimes villous at their insertion.*

* *Flowers solitary or aggregate, sessile.*

1 pendulìnum D.S.	(*wh*) pendulous	Caracas	1820.	3. 6.	S ♄	Jacq. schœnb. 3. t. 327.
2 vespertìnum D.S.	(*wh*) cluster-flowered	W. Indies	1759.	5. 7.	S ♄	——— 3. t. 328.
3 rùseum D.S.	(*ro*) rose-coloured	Mexico	1829.	....	G ♄	

** *Flowers spicate or racemose, axillary or terminal.*

4 fœtidíssimum D.S.	(*ye*) stinking	Jamaica	....	5. 8.	S ♄	Jacq. schœn. 3. t. 329.
5 bracteàtum D.S.	(*st*) large-bracted	S. America	1828.	12.2.	S ♄	Bot. mag. t. 2974.
6 acuminàtum D.S.	(*ye.gr*) tapering-ld.	Mexico	1824.	7.10.	F ♄	Swt. br. fl. gar. ser. 2.
7 fastigiàtum D.S.	(*wh*) Honeysuckle	W. Indies	....	10.12.	S ♄	Bot. mag. t. 1729.
8 odontospérmum D.S.	(*w*) smooth	S. America	1793.	7. 9.	S ♄	Jacq. schœn. 3. t. 331.
9 diúrnum D.S.	(*wh*) day smelling	W. Indies	1732.	10.11.	S ♄	Dill. elth. t. 154. f. 186.
10 tinctòrium D.S.	(*wh*) dying	Caracas	1823.	5. 6.	S ♄	Jacq. schœn. 3. t. 332.
11 latifòlium D.S.	(*st*) broad-leaved	Trinidad	1822.	——	S ♄	

*** *Racemes compound or panicled, or the peduncles are racemosely panicled.*

12 pàllidum D.S.	(*gr.ye*) pale-flowered	Jamaica	1732.	5. 6.	S ♄	Sloan. hist. 2. t. 204. f. 2.
13 paniculàtum D.S.	(*gr.ye*) panicled	Caracas	1819.	....	S ♄	

**** *Peduncles corymbose, axillary, or terminal.*

14 multiflòrum D.S.	(*gr*) many-flowered	S. America	1825.	5. 6.	S ♄	
15 thyrsoídeum D.S.	(*st*) bunch-flowered	Mexico	1826.	5. 7.	S ♄	
16 auriculàtum D.S.	(*wh*) eared-leaved	Peru	1774.	6. 7.	S ♄	L'Herit. s. nov. 1. t. 35.

§ 2. *Filaments furnished each with a sessile gland at the base.*

17 tomentòsum D.S.	(*st*) downy	S. America	1790.	6. 7.	S ♄	
18 Párqui D.S.	(*st*) Willow-leaved	———	1787.	——	G ♄	Bot. mag. t. 1770.

§ 3. *Filaments furnished each with a tooth or toothlet at their insertion.*

19 undulàtum D.S.	(*st*) waved-leaved	Peru	1823.	5. 6.	S ♄	Flor. peruv. 2. t. 155.

20	alaternoìdes D.S.	(gr.ye)	Alaternus-like	S. America	1820.	4. 6.	S ♄	Bot. mag. t. 2929.
21	hirsùtum D.S.	(st)	hairy-stalked	.....	1822.	5. 6.	S ♄	Jacq. schœn. 3. t. 324.
22	salicifòlium D.S.	(st)	Sallow-leaved	Caracas	....	3. 6.	S ♄	——— 3. t. 326.
23	laurifòlium D.S.	(ye)	Laurel-leaved	W. Indies	1691.	5. 8.	S ♄	Smith spicil. 2. t. 2.
24	macrophy'llum D.S.	(st)	large-leaved	———	1812.	——	S ♄	Venten. choix. t. 18.
25	noctúrnum D.S.	(gr.ye)	night-smelling	E. Indies	1732.	11.	S ♄	Dill. elth. t. 153. f. 185.
26	hírtum D.S.	(gr.wh)	hairy	Jamaica	1822.	5. 8.	S ♄	
27	suberòsum D.S.	(gr)	cork-barked	.....	1815.	6. 7.	S ♄	Jacq. schœn. 4. t. 452.
28	exstipulàtum D.S.	(gr)	exstipulate	S. America	1824.	——	S ♄	
29	angustifòlium D.S.	(st)	narrow-leaved	———	1820.	——	S ♄	Lodd. bot. cab. t. 618.

VE'STIA D.S. VE'STIA. (Dr. Vest, a German botanist.) Pentandria Monogynia.

	lycioìdes D.S.	(gr.ye)	Boxthorn-like	Chili	1815.	1.12.	G ♄	Bot. reg. t. 299.

ACOCANTHE'RA D.S. ACOCANTHE'RA. (ακωκη, a mucrone, and ανθηρα, an anther.) Pent. Monog.

1	venenàta D.S.	(st)	poisonous	C. B. S.	1787.	2. 4.	G ♄	
	Céstrum venenàtum Th. *citrifòlium* Retz.							
2	lycioìdes D.S.	(wh)	Lycium-like	C. B. S.	1824.	6.10.	G ♄	
	Céstrum lycioìdes Licht.							

ORDER CLXVIII.

VERBASCINÆ. D.S. 4. *p.* 488.

VERBA'SCUM D.S. MULLEIN. (*barbascum*, from bearded filaments.) Pentandria Monogynia.

§ 1. *Leaves decurrent; flowers disposed in dense spikes.*

1	Thápsus D.S.	(st)	Shepherd's club	Britain	....	7. 8.	H ♂	Eng. bot. v. 8. t. 549.
2	elongàtum D.S	(wh)	long-spiked	Europe	1813.	——	H ♂	Tabern. Kraeut. 956. ic.
3	thapsoìdes D.S.	(ye)	branching	Portugal	....	——	H ♂	Schrad. verb. t. 5. f. 2.
4	thapsifórme D.S.	(ye)	simple-stalked	Europe	....	——	H ♂	
5	índicum D.S.	(ye)	Indian	Nepaul	1827.	——	F ♂	
6	crassifòlium D.S.	(ye)	thick-leaved	S. Europe	1816.	——	H ♂	H. et Lk. fl. port. 1. t. 26.
7	cuspidàtum D.S.	(ye)	sharp-pointed	Austria	——	——	H ♂	Schrad. verb. t. 1. f. 1.
8	gossypìnum D.S.	(ye)	cottony	Iberia	1824.	6. 8.	H ♂	
9	níveum D.S.	(ye)	snowy	Naples	——	——	H ♂	Ten. fl. neap. t. 22.
10	candidíssimum D.S.	(ye)	very white-ld.	S. Europe	1825.	——	H ♂	
11	densiflòrum D.S.	(ye)	dense-flowered	Italy	——	——	H ♂	
12	macránthum D.S.	(ye)	large-flowered	Portugal	1823.	——	H ♂	H. et Lk. fl. port. t. 27.
13	austràle D.S.	(ye)	southern	S. Europe	1816.	——	H ♂	Schrad. verb. t. 2.
14	phlomoìdes D.S.	(ye)	woolly	Turkey	1739.	——	H ♂	Flor. græc. t. 224.
15	rugulòsum D.S.	(ye)	rugged-leaved	S. Europe	1820.	——	H ♂	
16	conocárpon D.S.	(ye)	conical-capsuled	Sardinia	1829.	——	H ♂	
17	condensàtum D.S.	(ye)	close-flowered	Austria	1818.	——	H ♂	Schrad. verb. t. 3.
18	nemoròsum D.S.	(ye)	wood	———	——	——	H ♂	——— t. 1. f. 2.
19	mucronàtum D.S.	(ye)	mucronate	Candia	1814.	——	H ♂	
20	hy'bridum D.S.	(ye)	hybrid	Hybrid	——	——	H ♂	
21	montànum D.S.	(st)	mountain	Switzerland	1816.	——	H ♂	
22	collìnum D.S.	(ye)	hill	Germany	1820.	——	H ♂	Schrad. verb. t. 5. f. 1.
23	versiflòrum D.S.	(br.re)	scattered-fld.	———	1815.	——	H ♃	
24	ramígerum D.S.	(ye)	small-branched	———	1824.	——	H ♂	Schrad. verb. t. 4.
25	Bastárdi D.S.	(ye)	Bastard's	S. France	——	——	H ♂	
26	auriculàtum D.S.	(ye)	eared-leaved	Levant	1826.	——	H ♂	Flor. græc. t. 225.
27	sinuàtum D.S.	(ye)	scollop-leaved	S. Europe	1570.	7. 8.	H ♂	——— t. 227.

§ 2. *Leaves not decurrent.*

28	undulàtum D.S.	(ye)	waved-leaved	Caucasus	1816.	——	H ♂	
29	plicàtum D.S.	(ye)	plaited-leaved	Greece	——	——	F ♃	Flor. græc. t. 226.
30	bipinnatífidum D.S.	(ye)	bipinnatifid	Tauria	1813.	——	H ♂	Bot. mag. t. 1777.
31	pinnatífidum D.S.	(ye)	pinnatifid	Archipelago	1788.	5. 6.	G ♃	Flor. græc. t. 228.
32	Chaíxi D.S.	(ye)	French	France	1816.	7. 8.	H ♂	Vill. delph. 2. t. 13.
33	Boerhaàvii D.S.	(ye)	annual	S. Europe	1731.	——	H ☉	Mill. ic. 2. t. 273.
34	compáctum D.S.	(ye)	compact-flower'd	Tauria	1824.	——	H ♂	
35	gnaphalòdes D.S.	(ye)	Gnaphalium-like	———	——	——	H ♂	

36	ovalifòlium D.S.	(*ye*) oval-leaved	Caucasus	1804.	7. 9.	H	♃	Bot. mag. t. 1037.
37	formòsum D.S.	(*ye.pu*) beautiful	Russia	1814.	7. 8.	H	♂	Bot. reg. t. 558.
38	Lychnitis D.S.	(*wh*) white	Britain	....	6. 8.	H	♂	Eng. bot. v. 1. t. 58.
39	austriàcum D.S.	(*st*) Austrian	Austria	1819.	——	H	♂	
40	pulverulèntum D.S.	(*ye*) powdered	England	....	——	H	♂	Eng. bot. v. 7. t. 487.
41	majàle D.S.	(*ye*) purple-stalked	Montpelier	1822.	5. 7.	H	♂	
42	Stevènii D.S.	(*ye*) Steven's	Siberia	1820.	6. 8.	H	♂	
43	fasciculàtum E.	(*ye*) clustered	MountSinai	1826.	5. 8.	F	♃	
44	æthiópicum E.	(*ye*) Ethiopian	————	1825.	——	F	♃	
45	pyramidàtum D.S.	(*ye*) pyramidal	Caucasus	1804.	7. 8.	H	♃	Swt. br. fl. gar. t. 31.
46	ovàtum D.S.	(*ye*) oval-leaved	Spain	——	——	H	♂	Schrad. h. gott. t. 15.
47	rotundifòlium D.S.	(*ye*) round-leaved	Naples	1826.	——	H	♂	Ten. fl. neap. t. 23.
48	floccòsum D.S.	(*ye*) wool-bearing	Hungary	1805.	6. 7.	H	♂	W. et K. hung. 1. t. 79.
49	leptostàchyum D.S.	(*ye*) slender-spiked	S. France	1824.	7. 9.	H	♂	
50	angustifòlium D.S.	(*ye*) narrow-leaved	Naples	1822.	——	H	♂	
51	longifòlium D.S.	(*ye*) long-leaved	————	——	——	H	♂	Ten. fl. neap. t. 21.
52	nìgrum D.S.	(*ye*) black-rooted	England	....	6. 8.	H	♃	Eng. bot. v. 1. t. 59.
53	orientàle D.S.	(*ye*) oriental	Caucasus	1820.	——	H	♃	
54	Alopécurus D.S.	(*ye*) fox-tail	France	1818.	——	H	♃	
55	virgàtum D.S.	(*ye*) slender	Britain	....	8.	H	♂	Eng. bot. v. 8. t. 550.
56	speciòsum D.S.	(*ye*) splendid	Austria	1820.	6. 8.	H	♃	Schrad. h. gott. t. 16.
57	grandiflòrum D.S.	(*ye*) great-flowered	.....	1816.	——	H	♃	———— t. 15.
58	monspessulànum D.S.	(*ye*) Montpelier	S. France	1824.	——	H	♂	Schrad. ver. p. 2. t. 2. f. 2.
59	lanàtum D.S.	(*ye*) woolly-leaved	S. Europe	1828.	——	H	♂	———— pars. 2. t. 2. f. 1.
60	hyoserifòlium D.S.	(*ye*) Hyoseris-leav'd	Levant	1829.	——	F	♃	———— pars. 2. t. 3. f. 1.
61	chrysèrium D.S.	(*ye*) golden	Palestine	1827.	——	F	♃	
62	Schottiànum D.S.	(*ye*) Schott's	Austria	1828.	——	H	♂	Schrad. ver. p. 2. t. 3. f. 2.
63	Weidemanniànum F.M.	(*ye*) Weidemann's	.....	——	——	H	♂	
64	Blattària D.S.	(*ye*) yellow moth	Britain	....	7. 9.	H	♂	Eng. bot. v. 6. t. 393.
65	glàbrum D.S.	(*wh*) white moth	.....	....	——	H	♂	
66	blattarioìdes D.S.	(*ye*) moth-like	S. Europe	1816.	——	H	⊙	
67	bannàticum D.S.	(*ye*) Hungarian	Hungary	1820.	——	H	♂	
68	repándum D.S.	(*ye*) waved	.....	1813.	7. 8.	H	♂	
69	hæmorrhoidàle D.S.	(*ye*) Madeira	Madeira	1777.	6. 8.	G	♂	
70	cùpreum D.S.	(*co*) copper-colour'd	Hybrid	1798.	5. 9.	H	♃	Bot. mag. t. 1226.
71	phoeníceum D.S.	(*d.pu*) purple-flowered	S. Europe	1596.	5. 8.	H	♃	———— t. 885.
72	puníceum D.S.	(*pi*) pink-flowered	————	1815.	——	H	♃	Schrad. h. gott. t. 14.
73	rubiginòsum D.S.	(*re.br*) brown-flower'd	Hungary	——	——	H	♂	W. et K. hung. 2. t. 197.
74	ferrugíneum D.S.	(*br*) rusty	S. Europe	1683.	——	H	♃	Trew Ehret. t. 16. f. 1.
75	tríste D.S.	(*da.br*) dark-flowered	Levant	1788.	——	H	♃	Andr. reposit. t. 162.
	ferrugíneum A.R. *nec aliorum.*							
76	spectàbile D.S.	(*ye*) showy	Tauria	1822.	6. 8.	H	♂	
77	betonicæfòlium D.S.	(*ye*) Betony-leav'd	Levant	1828.	——	F	♂	Desf. ann. mus. 11. t. 4.
78	urticæfòlium D.S.	(*ye.re*) spotted-fld.	.....	1827.	——	H	♂	
79	ceratophy'llum D.S.	(*ye*) buckshorn-ld.	Levant	1829.	——	H	♂	Schrad. verb. p. 2. t. 1. f. 2.
80	spinòsum D.S.	(*ye*) spiny	Candia	1824.	5. 8.	G	♄	Flor. græc. t. 229.

CE'LSIA D.S. CE'LSIA. (Olaus Celsius, D.D., prof. Greek, Upsal.) Didyna. Angiosper.

Sect. 1. ARCTU'RUS; *filaments all bearded; anthers fixed by their middles, 2-celled; cells confluent.*

1	orientàlis D.S.	(*ye*) oriental	Levant	1713.	7. 8.	H	⊙	Lam. ill. 532.
2	Arctùrus D.S.	(*ye*) scollop-leaved	Candia	1780.	7. 9.	F	♂	Bot. mag. t. 1962.
3	coromandelìna D.S.	(*ye*) Coromandel	E. Indies	1783.	7. 8.	S	⊙	
	β *heterophy'lla* D.S.	(*ye*) *variable-ld.*	————	1829.	——	S	⊙	
4	viscòsa D.S.	(*ye*) clammy	.....	1816.	——	F	⊙	
5	brachysépala Trant.	(*ye*) short-sepaled	Persia	1837.	——	H	⊙	
6	lyràta D.S.	(*ye*) lyrate-leaved	Spain	1816.	6. 8.	H	♂	
	Verbàscum lyràtum Lam.							

Sect. 2. PSEUDOTHA'PSUS; *two longer stamens glabrous, with adnate oblong anthers; the two shorter ones bearded, having the anthers fixed by their middles, with confluent cells.*

7	crética D.S.	(*ye.pu*) great-flowered	Crete	1752.	7. 9.	F	♂	Bot. mag. t. 964.
8	betonicæfòlia D.S.	(*ye*) Betony-leaved	Barbary	1824.	——	F	♂	

Sect. 3. NE'YFLEA; *filaments all bearded; anthers all terminal and one-celled, dehiscing by two ovate acute valves.*

9	sublanàta D.S.	(*ye*) woolly	.....	1818.	——	H	♃	Bot. reg. t. 438.
10	lanceolàta D.S.	(*ye*) spear-leaved	Levant	1816.	——	F	♂	Venten. cels. t. 27.

RAMO'NDA D.S. RAMO'NDA. (L. Ramond, a French bot.) Pentandria Monogynia.

	pyrenàica D.S.	(*pu*) Borage-leaved	Pyrenees	1731.	5.	H	♃	Bot. mag. 236.
	Verbàscum Mycòni B.M.							

ORDER CLXIX.

SCROPHULARINÆ. *Brown. prodr.* 1. *p.* 433.

Tribe I. *SCROPHULRAIE'Æ.* D.S. 4. p. 500.

DIGITA'LIS D.S. Foxglove. (*digitale*, finger of a glove; shape of corolla.) Didynam. Angios.

§ 1. *Corolla funnel-shaped, rather ventricose; upper segment bifid; stamens equal in length to the tube.*

1	laciniàta D.S.	(*ye*) cut-leaved	Malaga	1826.	6. 8.	H	♃	Bot. reg. t. 1201.
2	obscùra D.S.	(*or*) Willow-leaved	Spain	1778.	7. 8.	H	♃	Lind. digit. t. 26.
4	lùtea D.S.	(*st*) small yellow	France	1629.	——	H	♃	———— t. 23.
5	hy'brida D.S.	(*pi.wh*) hybrid	Hybrid	....	——	H	♃	Salv. nov. bull. 3. 337. t. 6.
	lùtea γ Lind. digit. t. 25.							
6	fucàta D.S.	(*pu*) painted	————	....	——	H	♃	
	lùtea δ. Lindl digit. t. 24.							
7	mèdia D.S.	(*ye*) middle-yellow	Germany	1816.	——	H	♃	
8	micrántha D.S.	(*st*) small-blossom'd	Switzerland	1824.	——	H	♃	Elm. mon. 46. t. 2.
9	tubiflòra D.S.	(*st*) tube-flowered	S. Europe	1816.	——	H	♃	Lind. digit. t. 22.
10	lutéscens D.S.	(*st*) pale yellow	————	——	——	H	♃	———— t. 21.
11	purpuráscens D.S.	(*pi*) blush-flowered	Italy	1776.	——	H	♃	———— t. 20.
	erubéscens H.K.							
12	rígida D.S.	(*pu.ye*) rigid	S. Europe	1824.	——	H	♃	Lind. digit. t. 19.
13	viridiflòra D.S.	(*gr*) green-flowered	Levant	1827.	——	H	♃	———— t. 18.
14	parviflòra D.S.	(*pu*) small-flowered	.....	1798.	6. 8.	H	♃	———— t. 17.

§ 2. *Corolla roundish-ventricose; lip length of tube; stamens equal in length to the tube.*

15	orientàlis D.S.	(*li.wh*) oriental	Levant	1818.	7. 8.	H	♃	Lind. digit. t. 554.
16	lanàta D.S.	(*wh.br*) woolly	Hungary	1789.	6. 7.	H	♃	Swt. br. fl. gar. t. 291.
17	leucophæ'a D.S.	(*wh.br*) broad-lipped	Greece	1788.	6.10.	H	♃	Lind. digit. t. 14.
18	aúrea D.S.	(*or*) golden	————	1815.	7. 8.	H	♃	———— t. 13.
19	ferrugínea D.S.	(*br*) iron-coloured	Italy	1597.	——	H	♃	———— t. 12.
20	sibírica D.S.	(*ye.re*) Siberian	Siberia	1820.	——	H	♃	———— t. 11.
21	lævigàta D.S.	(*ye*) shining-leaved	Hungary	1810.	——	H	♃	———— t. 10.
22	nervòsa Steud.	(*ye*) nerved	.....	1836.	——	H	♃	

§ 3. *Corolla oblong-ventricose; upper segment transverse; stamens shorter than the tube.*

23	fúlva D.S.	(*co*) tawny	S. Europe	1820.	6. 8.	H	♃	Lindl. digit. t. 9.
24	ambígua D.S.	(*ye*) greater yellow	Switzerland	1596.	7. 8.	H	♃	Bot. reg. t. 64.
	grandiflòra S.S.							
25	ochroleùca D.S.	(*st*) sulphur-color'd	Germany	1816.	——	H	♃	Lind. digit. t. 8.
26	fuscéscens D.S.	(*br*) netted-flowered	Hungary	1824.	——	H	♃	
27	mìnor D.S.	(*pu*) dwarf	Spain	1789.	6. 7.	H	♃	Lind. digit. t. 5. 6.
28	eriostàchya D.S	(*pu*) woolly-spiked	.....	1826.	——	H	♃	
29	tomentòsa D.S.	(*pu*) tomentose	Portugal	1820.	6. 8.	H	♃	Bot. mag. t. 2194.
30	Thápsi D.S.	(*pu*) Mullein	Spain	1752.	5. 8.	H	♃	Sm. exot. bot. 1. t. 43.
	β *álba*	(*wh*) *white-flowered*	————	....	——	H	♂	
31	purpùrea D.S.	(*pu*) common	Britain	....	6. 9.	H	♂	Eng. bot. v. 19. t. 1297.

ISOPLE'XIS D.S. Isople'xis. (ισος, equal, and πλεκω, to plait.) Didynamia Angiospermia.

1	Scéptrum D.S.	(*or*) Madeira shrubby	Madeira	1777.	7. 8.	G	♄	Sm. exot. bot. 2. t. 73.
	Digitàlis scéptrum L.							
2	canariénsis D.S.	(*ye*) Canary	Canaries	1698.	6. 7.	G	♄	Bot. reg. t. 48.
	Digitàlis canariénsis L.							

REHMA'NNIA B.R. Rehma'nnia. (not explained.) Didynamia Angiospermia.

	chinénsis B.R.	(*ór.pu*) Chinese	China	1835.	7. 8.	F	♃	Bot. reg. t. t. 1960.
	Digitàlis glutinòsa Gært.							

SCROPHULA'RIA D.S. Figwort. (named from its supposed use in the cure of scrofula.) Di. Ang.

Sect. 1. Veni'lla; *rudiment of fifth stamen wanting.*

§ 1. *Thyrse leafy.*

1	vernàlis D.S.	(*ye*) yellow	Britain	....	3. 5.	H	♂	Eng. bot. v. 8. t. 567.

§ 2. *Thyrse leafless.*

2	orientàlis D.S.	(*br.ye*) oriental	Levant	1710.	7. 8.	H	♃	Schk. hand. 2. t. 173.

Sect. 2. SARODO'NIA; *sterile stamen present, adnate at the base, but free at the apex, dilated and spatulate or emarginate and reniform; fertile anthers yellow.*

§ 1. *Thyrse leafy.*

3	grandiflòra D.S.(*br.ye*) large-flowered	S. America	1816.	7. 8.	H	♃	
4	sambucifòlia D.S.(*br.g*) Elder-like *mellifera* Vahl. Desf. atl. 2. t. 143.	Spain	1640.	7. 9.	H	♃	Mill. ic. 2. t. 231.
	β *hirsùta* D.S.(*br.gr*) *hairy sambucifòlia* W.en. *grandiflòra* Rchb.	Portugal	1786.	——	H	♃	Rchb. icon. cent. 1. t. 98.
5	peregrìna D.S. (*pu*) Nettle-leaved *argùta* Ait.	Italy	1640.	6. 8.	H	♂	Flor. græc. t. 597.
6	Scorodònia D.S.(*pu*) balm-leaved	Britain	....	7. 8.	H	♃	Eng. bot. v. 31. t. 2209.

§ 2. *Thyrse leafless.*

7	lanceolàta D.S. (*st*) spear-leaved	Pensylvania	1826.	——	H	♃	
8	marilándica D.S.(*g.br*) Maryland	N. America	1759.	5. 7.	H	♃	
9	nodòsa D.S. (*d.pu*) knotty-rooted	Britain	....	——	H	♃	Eng. bot. v. 22. t. 1544.
10	aquática D.S. (*d.pu*) water *Balbisii* Horn.	———	....	——	H	♃	——— v. 12. t. 854.
11	glabràta D.S. (*pu.ye*) smooth-leaved	Canaries	1779.	4. 5.	G	♂	Jacq. schœn. 2. t. 209.
12	biserràta D.S.(*pu.ye*) double-serrate	.....	1816.	5. 7.	H	♃	
13	Scopòlii D.S. (*br.ye*) Scopoli's *rugòsa* W.en.	Germany	——	6. 9.	H	♃	Scop. carn. 2. t. 32.
14	grandidentàta D.S.(*pu*) great-toothed *glandulòsa* W. et K. hung. t. 214.	Italy	1829.	6. 8.	H	♃	
15	altàica D.S. (*st*) white-flowered	Siberia	1786.	5. 6.	H	♃	Mur. com. got. 4. t. 2.
16	betonicæfòlia D.S.(*pu*) Betony-leaved	Spain	1752.	6. 8.	H	♃	Barrel. ic. 274.
17	Smíthii D.S. (*br.ye*) Smith's	Canaries	1815.	4. 8.	G	♃	
18	trifoliàta D.S. (*ye.br*) three-leaved *appendiculàta* Jacq.	Africa	1731.	5. 9.	H	♂	Jacq. schœn. 3. t. 286.
19	auriculàta D.S.(*br.ye*) ear-leaved	Spain	1772.	7. 8.	H	♃	
20	híspida D.S. (*br.ye*) hispid	Levant	1820.	7. 9.	H	♃	
21	tanacetifòlia D.S.(*br.ye*) Tansy-leaved	Tauria	1804.	——	H	♃	W. hort. ber. 1. t. 56.
22	lyràta D.S. (*br.pu*) lyrate-leaved	Portugal	1816.	——	H	♃	——— 1. t. 55.
23	variegàta D.S. (*pu.ye*) variegated	Caucasus	1816.	7. 8.	H	♃	
24	ebulifòlia D.S. (*ye.pu*) Elder-leaved	———	1824.	——	H	♃	
25	verbenæfòlia D.S.(*br.ye*) Vervain-ld. *laciniàta* W. et K.	Hungary	1806.	7.	H	♃	W. et K. hung. 2. t. 170.
26	incisa D.S. (*dk.pu*) cut-leaved	Altaia	1819.	7. 8.	H	♃	Led. ill. t. 156.
27	divaricàta D.S.(*ye.gr*) divaricate	Iberia	1826.	——	H	♃	——— t. 121.
28	micrántha D.S. (*pu*) small-flowered	Levant	1828.	——	H	♃	
29	rupéstris D.S. (*br.ye*) rock	Tauria	1826.	6. 9.	H	♃	Rchb. icon. cent. 3. t. 258.
30	lùcida D.S. (*br.ye*) shining-leaved	Levant	1596.	6. 8.	H	♃	W. hort. ber. 1. t. 57.
31	filicifòlia D.S. (*d.pu*) Fern-leaved	Crete	....	——	H	♃	Flor. græc. t. 600.
32	multífida D.S.(*br.ye*) multifid-leaved	.....	1816.	——	H	♃	W. hort. ber. 1. t. 58.
33	glaúca D.S. (*pu*) glaucous	Greece	1827.	——	H	♃	Flor. græc. t. 599.
34	pubéscens D.S. (*pu*) pubescent	.....	——	——	H	♃	
35	pállida F. (*pa*) pale-flowered	Iberia	——	——	H	♃	
36	obtusifòlia F. (*pu*) blunt-leaved	Hungary	1821.	——	H	♃	

Sect. 3. CANI'NA; *the fifth or sterile stamen deficient of an anther, that is to say the tip of the free part is acute.*

37	frutéscens D.S. (*br.ye*) shrubby	Portugal	1768.	6. 8.	F	♄	Herm. lugd. t. 547.
38	pinnatífida D.S.(*br.ye*) pinnatifid	———	1819.	——	F	♄	
39	heterophy'lla D.S.(*pu.ye*) various-ld.	Levant	1827.	7. 8.	G	♄	Flor. græc. t. 603.
40	canìna D.S. (*or.re*) wing-leaved	S. Europe	1683.	6. 8.	H	♂	Flor. græc. t. 598.
	β *chrysanthemifòlia*(*br.pu*) *Chrysanth.-ld.*	Tauria	1816.	——	H	♃	W. hort. ber. 1. t. 59.
41	ramosíssima D.S. .. much-branched *frutéscens* Df.	Corsica	1821.	——	H	♃	
42	elongàta Webb. (*re*) elongated	Teneriffe	1829.	7. 10.	F	♄	
43	cæ'sia D.S. (*ye.br*) grey	Levant	1828.	——	F	♂	Flora. græc. t. 604.
44	cretàcea D.S. (*ye*) narrow-leaved	Siberia	1828.	——	H	♃	
45	lànata F. (*br*) woolly	———	——	7. 11.	H	♃	

† *Species not sufficiently known.*

46	adscéndens D.S.(*br.ye*) ascending	.....	1816.	7. 8.	H	♃	
47	hirsùta D.S. (*pu.ye*) hairy	S. Europe	1822.	6. 8.	H	♃	
48	rivulàris D.S. (*pu*) rivulet	Sardinia	1830.	——	H	♃	
49	oblongifòlia D.S.(*pu*) oblong-leaved	Corsica	——	——	H	♃	
50	melissæfòlia D.S.(*pa*) Balm-leaved	Levant	1823.	7. 8.	H	♃	

ALONSO'A D.S. ALONSO'A. (Zanoni Alonso, Span. sec. for Santa Fe de Bogota.) Didy. Angios

1	incisifòlia D.S. (*sc*) Nettle-leaved *Célsia urticæfòlia* B.M. *Hemimeris urticæfòlia* W.	Chili	1795.	5. 10.	G	♄	Bot. mag. t. 417.
2	acutifòlia D.S. (*sc*) acute-leaved	Peru	1790.	——	G	♄	

3 intermèdia D.S.	(*or*) intermediate	———	....	5.10.	G	♄		Lodd. bot. cab. t. 1456
4 lineàris D.S.	(*sc*) linear-leaved	Chili	1790.	——	G	♄		Swt.br.fl.gr.s.2.t.240.
5 caulialàta D.S.	(*sc*) wing-stemmed	———	1823.	——	G	♃		

RUSSE'LIA D.S. Russe'lia. (Alex. Russel, auth. of nat. hist. Aleppo.) Didyn. Angiosp.

1 floribúnda D.S.	(*sc*) abundant-flowering	Mexico	1824.	6. 8.	S	♄		
2 multiflòra D.S.	(*sc*) many-flowered	———	1812.	——	S	♄		Bot. mag. t. 1528.
3 ternifòlia D.S.	(*sc*) tern-leaved	———	1818.	——	S	♄		
4 júncea B.R.	(*sc*) rushy	———	1830.?	——	S	♄		Bot. reg. t. 1773.

Tribe II. *ANTIRRHI'NEÆ.* D.S. 4. p. 514.

ANTIRRHI'NUM D.S. Snap-dragon. (ἀντι, like, and ῥυ, a snout.) Didynamia Angiospermia.

Sect. 1. Asari'na; *capsule membranous, subglobose, each cell opening by a broad irregular hole under the apex; leaves opposite, lobed, palmate-nerved.*

1 Asarìna D.S.	(*wh*) heart-leaved	Italy	1699.	7.	F	♃		Bot. mag. t. 902.

Sect. 2. Antirrhina'strum; *capsule woody or chartaceous, nearly pear-shaped, oblique at the base, incurved at the top, and opening by three holes; leaves lanceolate, entire, pinnate-nerved; lower ones opposite, upper ones alternate.*

§ 1. *Lobes of calyx much shorter than the corolla.*

2 mólle D.S.	(*wh*) soft-leaved	Spain	1752.	7.10.	F	♄		
3 sempervìrens D.S. *meonánthum* Lk.	(*re.pu.ye*) evergreen	S. Europe	1817.	6. 8.	H	♃		Lk. fl. port. 1. t. 56.
4 latifòlium D.S. *màjus β latifòlium* Duby.	(*ye*) broad-leaved	———	....	——	H	♃		Barrel. icon. t. 655.
β hybridum D.S. *latifòlium* Mill. fig. t. 26.	(*pu*) *tufted*	Pyrenees	....	——	H	♃		Lk. fl. port. 1. t. 50.
5 màjus D.S.	(*va*) great	England	....	6. 8.	H	♃		Eng. bot. v. 2. t. 129.
α albiflòrum	(*wh*) *white-flowered*	———	....	——	H	♃		
β ròseum	(*ro*) *rose-coloured*	———	....	——	H	♃		
γ coccíneum	(*sc*) *scarlet*	———	....	——	H	♃		
δ bicolor	(*re.wh*) *two-coloured*	———	....	——	H	♃		
ε múltiplex	(*sc*) *double-flowered*	.....	....	——	H	♃		
η mónte-vidénse D.S.	(*wh.ye*) *Montevidean*	Monte Video..		——	H	♃		
6 tortuòsum D.S.	(*pu*) twisted	Italy	....	——	H	♃		Sab. hort. rom. 3. t. 2.
7 sículum D.S.	(*st*) Sicilian	Sicily	1804.	7. 8.	H	♃		Chav. ant. t. 3. f. 24.
β glandulòsum D.S.	(*ye*) *glandular*	———	1830.	——	H	♃		Guss. fl. sic. t. 3/9. f. 2.
γ elàtum D.S. *angustifòlium* D'Urv.	(*pu.ye*) *tall*	Levant	1818.	——	H	♃		

§ 2. *Segments of the calyx exceeding the corolla, or about equal in length to it.*

8 Orántium D.S.	(*bh*) Calf's-snout	Britain	....	7. 9.	H	⊙		Eng. bot. v. 17. t. 1155.
9 calycìnum L.en. *Oróntium γ grandiflòrum* D.S.	(*wh*) long-calyxed	S. Europe	1810.	——	H	⊙		Lk. fl. port. 1. t. 52.
10 rytidocárpum D.S. *glandulòsum* B.R.	(*bl.pu*) rough-fruited	California	1836.	——	H	⊙		Bot. reg. t. 1893.

LINA'RIA D.S. Toad-flax. (λινον, flax; similarity in leaves.) Didynamia Angiospermia.

Sect. 1. Chænorrhi'num; *palate of corolla more or less depressed; upper lip drawn out in front, not erect; spur shorter than the corolla; seeds oblong-ovate, truncate, furrowed, foveolate, or echinated; herbs clothed with hairs; leaves quite entire; flowers lonely racemose, axillary.*

§ 1 *Capsule chartaceous; upper cell larger than the lower, and dehiscing by a valve at apex; lower cell dehiscing by a transverse chink towards the base or indehiscent.*

1 origanifòlia D.S.	(*bl*) Marjoram-leav'd	Europe	1785.	6. 9.	F	♃		Barrel. ic. 598.
2 villòsa D.S.	(*wh*) villous	Spain	1786.	7. 8.	F	♃		——— 597.
3 rubrifòlia D.S.	(*bl*) red-leaved	S. France	1824.	——	F	♃		

§ 2. *Capsule membranous, with equal cells; each cell dehiscing by three teeth at apex.*

4 mìnor D.S. *Antirrhìnum minus* E.B.	(*pu.ye*) little erect	England	....	6.11.	H	⊙		Eng. bot. v. 28. t. 2014.
5 littoràlis D.S. *pubéscens* P.S.	(*bl*) shore	Austria	1824.	——	H	⊙		

Sect. 2. Cymbala'ria; *corolla having the throat closed by the palate; spur blunt, much shorter than the corolla; capsule dehiscing by 6 valves at apex; seeds oblong, wrinkled; leaves palmate-nerved, usually lobed; flowers axillary.*

6 Cymbalària D.S.	(*bh*) Ivy-leaved	England	....	5.11.	H	♃		Eng. bot. v. 7. t. 502.
β acutángula D.S.	(*bh*) *acute-angled*	Naples	1820.	——	H	♃		Ten. fl. nap. 2. t. 50.

7 pallida D.S. (li) pale-flowered Italy 1824. 5.11. H ♃ Ten. fl. nap. 2. t. 159. f. 2.
pubéscens T.P. *non* P.S.
8 pilòsa D.S. (li) hairy-leaved ——— 1800. 6. 9. H ♃ Jacq. obs. 2. t. 48.
9 hepaticæfòlia D.S. (pu) Hepatica-leav'd Corsica 1828. —— F ♃
10 equitrîloba D.S. (d.pu) equal 3-lob'd Sardinia —— —— F ♃ Bot. mag. t. 2941.

Sect. 3. ELATINOI'DES; *corolla with a prominent palate and an acute spur; capsule almost spherical, dehiscing at the sides by two lids, or ovate and dehiscing by two valves at apex; seed ovate, truncate or roundish, pitted or tubercular; leaves feather-nerved, toothed, lobed, or entire; flowers axillary.*

§ 1. *Capsule nearly spherical, dehiscing by two circular lids at the sides.*

11 elatinoìdes D.S. (ye) Elatine-like Barbary 1821. 7. 9. H ⊙ Desf. atl. 2. t. 132.
12 Elàtine D.S. (bl) sharp-pointed England .... 7.11. H ⊙ Eng. bot. v. 10. t. 692.
13 cirrhòsa D.S. (bl.wh) cirrhose Egypt 1777. 7. 8. H ⊙ Jacq. vind. 1. t. 82.
14 spùria D.S. (ye.vi) round-leaved England .... 7. 9. H ⊙ Eng. bot. v. 10. t. 691.
Antirrhinum spùrium E.B.
15 lanìgera D.S. (st) woolly S. Europe 1820. —— H ⊙ Desf. atl. 2. t. 130.
16 dealbàta D.S. (ye) villous-leaved Portugal —— —— H ⊙ Lk. fl. port. t. 34.
17 ægyptìaca D.S. (ye) Egyptian Egypt 1771. 7. H ⊙ Viv. fl. lib. t. 27. f. 2.
18 fruticòsa D.S. (ye) shrubby Barbary 1822. 5. 6. G ♄ Desf. atl. 2. t. 135.

§ 2. *Capsule acute, dehiscing by two oblong valve-formed lids at apex.*

19 circinàta D.S. (ye) circinate-leaved Canaries 1824. 6. 8. F ♄ Swt. br. fl. gar. s. 2. t. 235.
20 spartioìdes D.S. (ye) Broom-like Teneriffe 1814. —— F ♄
scoparia Brouss.

Sect. 4. LINARIA'STRUM; *palate of corolla prominent; capsule dehiscing by 4 to 10 small valves or teeth at apex; seeds angular or discoid, girded by a membranous border, emarginate at the hylum; leaves feather-nerved, entire; flowers terminal, spicately racemose, and sometimes somewhat capitate.*

§ 1. *Leaves dilated, verticillate or alternate; flowers racemose or spicately racemose.*

* *Leaves usually three in a whorl; flowers usually verticillate.*

21 triornithóphora D.S. (pu) three bird's Portugal 1710. 6. 9. F ♃ Bot. mag. t. 523.

** *Leaves three in a whorl or opposite; the rest alternate.*

22 latifòlia D.S. (ye) broad-leaved Barbary 1800. 6. 7. H ⊙ Desf. atl. 2. t. 134.
23 triphy'lla D.S. (bl.ye) three-leaved Sicily 1596. 6. 9. H ⊙ Bot. mag. t. 324.
24 hìrta D.S. (ye) shaggy-leaved Spain 1759. —— H ⊙ Jacq. ic. 1. t. 117.
25 reflèxa D.S. (wh) reflexed-flower'd S. Europe 1824. —— H ⊙ Flor. græc. t. 593.
26 cretàcea L.S. (bl.ye) crowded-flower'd Siberia 1826. —— H ⊙
27 virgàta D.S. (bl) slender-stalked Barbary 1824. —— H ⊙ Desf. atl. 2. t. 135.
28 thymifòlia D.S. (ye) Thyme-leaved S. Europe —— —— H ⊙ Lois. fl. gall. 2. t. 10.
29 pedunculàta D.S. (bl) peduncled Spain 1810. —— H ⊙
transtagàna S.S.
30 flàva D.S. (ye) yellow Barbary 1820. —— H ⊙ Desf. atl. 2. t. 135.

*** *Leaves all alternate.*

31 lusitànica D.S. (ye) Portugal S. Europe 1820. 6. 7. H ♃ Lk. fl. port. t. 43.
32 grandiflòra D.S. (ye) great-flowered Armenia 1836. —— H ⊙ Buxb. cent. 1. t. 24.
33 dalmàtica D.S. (ye) Dalmatian Persia 1731. —— F ♃ Bot. reg. t. 1683.
34 genistifòlia D.S. (ye) Broom-leaved Austria 1704. 7. 8. H ♃ Flor. græc. t. 596.
β *procèra* D.S. (ye) *tall* Tauria .... —— H ♃ Bot. mag. t. 2183.
γ *silenifòlia* D.S. (ye) *Silene-leaved* Levant 1819. —— H ♃ Rchb. pl. crit. 5. t. 437.

§ 2. *Leaves narrow; flowers racemose, or spicately racemose; rather large.*

* *Seeds angular.*

35 linifòlia D.S. (ye) flax-leaved Italy 1824. 7. 8. H ♃ Rchb. pl. crit. 5. t. 422.

** *Seeds discoid, marginate.*

36 itàlica D.S. (ye) Italian Piedmont 1820. 6. 9. H ♃ Rch. pl. cr. 5. t. 421. f. 608.
37 vulgàris D.S. (ye) common Britain .... —— H ♃ Eng. bot. v. 10. t. 658.
Antirrhinum Linària E.B.
β *Peloria* (ye) *regular-flower'd* ——— .... —— H ♃ Eng. bot. v. 4. t. 260.
38 odòra D.S. (ye.bl) sweet-scented Caucasus 1827. —— H ♃ Rch. pl. cr. 5. t. 425. f. 612.
jùncea Rchb. *Loesèlii* S.S.
39 macroùra D.S. (ye) long-tailed ——— 1823. —— H ♃ Rch. pl. cr. 5. t. 432. f. 621.
β *Besseriàna* D.S. (ye) *Besser's* ——— —— —— H ♃ ——— 5. t. 433. f. 623.
macroùra Bieb. pl. rar. ross. 1. t. 27.

§ 3. *Leaves narrow, alternate, or verticellate; flowers disposed in racemes or spicate racemes; erect herbs, furnished with sterile leafy surculi.*

* *Style forked at top; seeds transversely corrugated.*

40 aparinoìdes D.S. (st) Aparine-like Levant 1728. 5. 8. H ⊙ Bocc. sic. t. 19. f. 1.
reticulàta Rch. *multicaùlis* Ten. *stricta* Flor. græc. t. 594. *heterophy'lla* Desf.
41 linocrìsea D.S. (li) flesh-coloured S. Europe 1826. 5. 8. H ⊙ Lk. fl. port. t. 41.
incarnàta S.S.
42 reticulàta D.S. (ye.pu) netted-flowered Algiers 1788. 5. 7. F ♃ Smith. ic. pict. t. 2.
43 versìcolor D.S. (ye.bl) various-colour'd France 1777. 7. 9. H ⊙ Jacq. ic. 1. t. 116.

44 viscòsa D.S. (*br.ye*) clammy Spain 1786. 7. H ⊙ Bot. mag. t. 368.
45 spártea D.S. (*ye*) branching ——— 1772. 6.10. H ⊙ Bot. mag. t. 200.
júncea Desf. *præcox* Lk. fl. port. t. 37.
46 júncea D.S. (*ye*) rush-stalked Spain 1780. 7. 8. H ⊙
meonántha Lk.
47 bipartìta D.S. (*bl*) cloven-flowered Barbary 1801. —— H ⊙ Swt. br. fl. gar. t. 3
speciòsa Jacq. fil. eclog. t. 95.

** *Style thickened at the apex; stigma emarginate; seeds angular, rather prismatic.*

48 chalepénsis D.S.(*wh*) white-flowered Levant 1680. 6. 7. H ⊙ Flor. græc. t. 592.
49 canadénsis D.S. (*vi*) Canadian N. America 1812. 6. 8. H ⊙ Bot. mag. t. 3473.
50 purpùrea D.S. (*pu*) purple S. Europe 1648. 7. 9. H ♃ Flor. græc. t. 589.
51 striàta D.S. (*std*) creeping-rooted England .... 7.10. H ♃ Eng. bot. v. 18. t. 12
rèpens H.K. *Ant. rèpens* L.
β *monspessulàna* D.S.(*bl*)*Montpelier* France .... —— H ♃ Tourn. inst. t. 163. f. 1
52 corifòlia D.S. (*pa*) Coris-leaved Levant 1835. 6. 8. H ♃ Desf. cor. Tourn. t. 1
*** *Style thickened at top; stigma somewhat emarginate; seeds discoid, with ciliated edge*
53 Pelisseriàna D.S.(*vi*) violet-coloured S. Europe 1640. 6. 9. H ⊙ Flor. græc. t. 591.

§ 4. *Leaves glabrous, narrow, lower ones verticillate, upper ones alternate; flowers usually subcapitate; erect herbs.*

* *Calyx glabrous; seeds ovate-oblong.*

54 álbifrons D.S. (*wh*) white-fronted Greece 1828. 6. 8. H ⊙ Flor. græc. t. 588.

** *Calyx downy; seeds discoid, marginate; disks smooth.*

55 símplex D.S. (*bl*) upright S. Europe 1816. 7. 8. H ⊙ Jacq. ic. 3. t. 499.
arvénsis β *símplex* D.S.
56 arvénsis D.S. (*bl*) corn ——— .... —— H ⊙ Flor. græc. t. 590.
57 micrántha D.S.(*pa.bl*) small-flowered Spain 1825. 5. 7. H ⊙ ——— t. 587.
parviflòra Desf. atl. 2. t. 137.

§ 5. *Leaves narrow, small; lower ones usually 4 in a whorl, upper ones alternate; flowers generally disposed in capitate racemes; bracteas usually deflexed; procumbent or diffuse herbs, furnished with numerous barren branches.*

* *Seeds discoid, girded by a broad membranous margin; disk smooth.*

58 trístis D.S. (*bk.br*) melancholy Spain 1727. 7. 8. G ♃ Bot. mag. t. 74.
59 supìna D.S. (*ye*) trailing ——— 1728. —— H ⊙ Flor. græc. t. 595.
β *pyrenàica* D.S.(*ye*) *Pyrenean* Pyrenees 1824. 6. 8. H ⊙ DC. ic. rar. gall. 1. t. 1
60 alpìna D.S. (*bl*) Alpine Austria 1570. 7.11. H ♃ Bot. mag. t. 205.

** *Seeds reniform, scrobiculate.*

61 Hælàva D.S. (*ye*) hairy-calyxed Egypt 1803. 7. 9. H ⊙

*** *Seeds obliquely oval, attenuated at the base, convex on one side and concave on the other, smooth or tubercled, girded by a narrow border.*

62 Candóllei D.S. (*ye*) De Candolle's France 1819. 6. 9. H ⊙ DC. ic. gall. rar. 5. t. 1
saxátilis DC. *not* Hoffm.
63 arenària D.S. (*ye*) sand Hungary 1825. 7. 9. H ⊙ DC. ic. gall. rar. 5. t. 1
64 saxátilis D.S. (*ye*) rock S. Europe 1827. 6. 8. H ♃ Lk. fl. port. 1. t. 46.
glutinòsa Lk. fl. port. 1. t. 39.

**** *Seeds discoid, orbicular, girded by a narrow border; disk tubercled.*

65 amethy'stina D.S.(*bl*) bright blue S. Europe 1816. 6. 8. H ⊙ Cavan. ic. 1. t. 33. f.
Antirrhinum bipunctàtum Cav. *nec aliorum.*
66 glaúca D.S. (*ye*) glaucous-leaved S. Europe 1800. —— H ⊙
β *bipunctàta* D.S.(*ye*)*two-spotted* ——— 1749. —— H ⊙ Cav. ic. 1. t. 33. f. 2
γ *multicaúlis* D.S.(*ye*)*many-stemmed* ——— 1728. —— H ⊙
67 diffùsa D.S. (*ye.bl*) spreading Portugal 1824. —— H ⊙ Lk. fl. port. 1. t. 4

Species not sufficiently known.

68 hìans D.S. (*ye*) toadflax-like S. Europe 1816. 5. 8. H ♃
linarioìdes S.S.
69 acutifòlia F. (*ye.bl*) sharp-leaved Levant 1826. 6. 8. H ⊙
70 fasciculàta Ot. (*ye*) clustered ..... 1829. —— H ⊙
71 caucásica D.S. (*bl*) Caucasian Caucasus 1818. —— H ⊙
72 procèra D.S. (*bl*) tall .... 7. 9. H ♃
73 delphinoìdes Gay ... Larkspur-like .... —— H ⊙
74 Perèzii Gay ... Perez's .... —— H ⊙
75 élegans D.S. (*bl*) elegant Spain 1812. 6. 9. H ⊙
76 acutíloba Fisch. ... acute-lobed Russia .... H ♃

ANARRHI'NUM D.S. ANARRHI'NUM. (*ανα*, without, and *ῥιν*, a snout; spur none.) Didy. Ang
1 durimínium D.S. (*bl*) pubescent MountSinai 1826. 5. 8. H ♃
pubéscens E.
2 bellidifòlium D.S.(*bl*) Daisy-leaved France 1629. 6. 8. H ♂ Bot. mag. t. 2056.
3 fruticòsum D.S. (*bl*) shrubby Barbary 1826. —— F ♄ Desf. atl. t. 142.

MAURA'NDIA D.S. MAURA'NDIA. (Dr. Maurandy, prof. bot. Carthagena.) Didyna. Angiosp
1 semperflòrens D.S.(*ro*)red-flowered Mexico 1796. 1.12. G ♄ ◡ Bot. mag. t. 460.
2 antirrhiniflòra D.S.(*bl*)blue-flowered ——— 1814. —— G ♄ ◡ ——— t. 1643.

Barclayàna D.S. (*bl*) Mr. Barclay's	Mexico	1826. 4.11.	G ♄ ◡	Bot. reg. t. 1108.

OPHOSPE'RMUM D.S. LOPHOSPE'RMUM. (λοφος, a crest, and σπερμα, a seed.) Didyn. Angiosp.

1 erubéscens D.S. (*ye*) blushing	Mexico	1830. 6. 8.	G ♄ ◡	Swt. br. fl. gar. s.2. t. 68.
scándens Bot. mag. t. 3037 and 3038. B.R. 1381.				
2 scándens D.S. (*re*) climbing	Mexico	1835. ——	G ♄	Swt. br. fl. gar. s. 2. t. 401.
3 atrosanguíneum D.S. (*dk.pu*) dark-purple	——	1832. 5. 8.	G ♄ ◡	——— s.2. t. 250.
Rhodochìton D.D. *Rhodochiton volùbile* B.R. t. 1755.				

NEME'SIA D.S. NEME'SIA. (a name applied by Dioscoides, from νεμησις, division.) Didyna. Angios.

1 chamædryfòlia D.S. (*w.bl*) Chamædrys-ld.	C.B.S.	1787. 4. 9.	G ♃	
Antirrhinum macrocárpum W.				
2 bicórne D.S. (*wh.bl*) horned	———	1774. 7. 8.	G ⊙	Burm. afr. t. 75. f. 3.
3 fœ'tens D.S. (*wh.bl*) fetid	———	1798. 4. 9.	G ♃	Venten. malm. t. 41.
4 linàris D.S. (*sa.ro*) linear-leaved	———	1822. ——	G ⊙	
5 frutéscens D.S. (*ye*) frutescent	———	1816. 5. 7.	G ♄	
Antirrhinum frutéscens Th.				
6 floribúnda B.R. (*wh.ye*) bundle-flower'd	———	.... 4. 9.	G ⊙	Bot. reg. s. 2. t. 39.
affinis Benth.				

Tribe III. *GRALIO'LEÆ.* D.S. 4. p. 534.

GRATIOLA D.S. HEDGE-HYSSOP. (*gratia*, grace; supp. med. properties.) Diand. Monogy.

1 latifòlia D.S. (*wh*) broad-leaved	N. S. W.	1822. 6. 8.	G ♃	
2 officinàlis D.S. (*wh*) officinal	Europe	1568. 5. 8.	H ♃	Flor. dan. t. 363.
3 virgínica D.S. (*st*) Virginian	Virginia	1759. 8.	H ♃	
4 aúrea D.S. (*ye*) golden pert	N. America	1826. 7. 9.	H ♃	Lodd. bot. cab. t. 1399.
5 quadridentàta D.S. ((*st*) four-toothed	———	—— 6. 8.	H ♃	Lam. ill. 1. t. 16. f. 2.
6 megalocárpa D.S. (*st*) sharp-pointed	———	1828. 7. 8.	H ♃	
acuminàta Ph.				
7 pilòsa D.S. (*wh*) hairy	———	1827. ——	H ♃	
8 tetragòna D.S. (*bl*) square-stemmed	B. Ayres	1830. ——	F ♃	Bot. mag. t. 3134.

BONNA'YA D.S. BONNA'YA. (H. Bonnay, a German botanist.) Diandria Monogynia.

1 brachiàta D.S. (*wh*) brachiate	E. Indies	1825. 6. 9.	H ⊙	Pl. sel. h. ber. t. 11.
2 brachycárpa D.S. (*vi*) short-capsuled	———	1829. ——	S ⊙	
3 veronicæfòlia D.S. (*vi*) Speedwell-ld.	———	1798. ——	S ♂	Roxb. corom. 2. t. 154.
Gratiola veronicæfòlia W.				
4 réptans D.S. (*li*) creeping	———	1820. ——	S ⊙	

LINDENBE'RGIA D.S. LINDENBE'RGIA. (J. B. Lindenberg, a German crypt. bot.) Didy. Angios.

urticæfòlia D.S. (*ye.pu*) nettle-leaved	E. Indies	1830. 6. 8.	H ⊙	Lk. et Ott. abbld. t. 95.

STEMO'DIA D.S. STEMO'DIA. (στημων, a stamen, and δις, double; anthers 2-lobed.) Didy. Angios.

1 suffruticòsa D.S. (*bl*) suffrutescent	S. America	1823. 5. 8.	S ♄	
2 viscòsa D.S. (*vi*) viscous	E. Indies	1818. 7.10.	S ⊙	Roxb. Corom. t. 163.
3 verticillàris D.S. (*pu*) whorled	Brazil	1822. ——	H ⊙	
4 parviflòra D.S. (*wh*) small-flowered	S. America	1759. 7. 8.	S ♃	H.B. nov. gen. t. 175.
5 marítima D.S. (*bl*) sea-side	Cuba	1822. ——	S ⊙	Jacq. amer. t. 174. f. 66.
6 chilénsis B.R. (*bl*) Chili	Chili	1830. 8.10.	F ♃	Bot. reg. t. 1470.

DODA'RTIA D.S. DODA'RTIA. (M. Dodart, memb. Acad. Sciences, Paris.) Didyna. Angios.

orientàlis D.S. (*d.pu*) oriental	Levant	1752. 7. 8.	H ♃	Swt. br. fl. gar. t. 147.

MA'ZUS D.S. MA'ZUS. (μαζος, a teat; mouth of corolla, tubercled.) Didynamia Angiospermia.

rugòsus D.S. (*wh*) China	China	1780. 5.10.	H ⊙	Swt. br. fl. gar. t. 36.
Lindérnia japónica Th. *Hornemánnia bícolor* W. en.				

HERPE'STIS D.S. HERPE'STIS. (ερπηστης, anything that creeps; stems.) Didynam. Angiosper.

1 stricta D.S. (*bl*) upright	Brazil	1823. 6. 8.	S ♃	
2 Monnièria D.S. (*wh*) thyme-leaved	S. America	1772. 7. 9.	S ♃	Roxb. corom. 2. t. 178.
portulacèea B.M. t. 2557. *cuneifòlia* Ph.				
3 rotundifòlia D.S. (*bl*) round-leaved	N. America	1824. ——	H ♃	
4 amplexicaúlis D.S. (*bl*) stem-clasping	Carolina	1822. 6. 8.	H ♃	
5 micrántha D.S. (*wh*) small-flowered	N. America	1827. 7. 8.	H ⊙	
6 semiserràta Ot. (*wh*) semiserrate	Mexico	1824. ——	G ♃	
7 chrysántha Ot. (*ye*) yellow-flowered	———	1829. ——	G ♃	

MATOU'REA D.S. MATOU'REA. (Guiana name.) Didynamia Angiospermia.

1 praténsis D.S. (*bl*) field	Trinidad	1824. 7. 8.	S ⊙	Aubl. guian. 2. t. 259.
2 dùbia B.M. (*bl*) doubtful	B. Ayres	1830. ——	G ♃	Bot. mag. t. 3134.

VANDE'LLIA D.S. VANDE'LLIA. (Dominico Vandelli; prof. nat. hist., Lisbon.) Didy. Angios.

1 diffùsa D.S. (*wh*) spreading	S. America	1824. 7. 9.	S ⊙	Marc. bras. 1. c. 15. f. 1.

2 crustàcea D.S. (*bl*) crustaceous E. Indies 1816. 6. 8. S ⊙ Roxb. corom. 3. t. 2[illegible]
Tittmánnia ovàta Rchb. *Hornemánnia ovàta* Lk. et ott. ab. bl. 1. t. 9.
3 viscòsa D.S. (*wh*) viscous E. Indies 1823. 5.10. S ⊙
Hornemánnia viscòsa W. en. *Tittmánnia viscòsa* S.S.

ARTENE'MA D.S. ARTENE'MA. (*αρταω*, to append, and *νημα*, a filament; stamens.) Did. Ang.
fimbriàta D.S. (*bl*) fringed N. Holland 1830. 6.10. G ♃ Swt.br.fl.gar.s.2.t.2[illegible]
Torènia scàbra Graham B.M. t. 3104. *fimbriàta* Graham.

TORE'NIA D.S. TORE'NIA. (Olof Toreen, a Swedish clergyman.) Didynamia Angiospermia.
1 cordifòlia B.R. (*li*) heart-leaved E. Indies 1811. 7. 9. H ⊙ Bot. mag. t. 3715.
2 asiàtica D.S. (*wh*) Asiatic ——— 1823. 6. 8. S ♃ Rheed. mal. 9. t. 53.
hirsùta W. *diffùsa* D.D. *Gratìola alàta* Roxb.

LINDE'RNIA D.S. LINDE'RNIA. (F. Balh, à Lindern, author of Hort. Alsaticus.) Did. Ang.
Pyxidària D.S. (*pu*) European S. Europe 1789. 6. 8. H ⊙ Lam. ill. t. 522.

LIMOSE'LLA D.S. MUDWORT. (dim. of *limus*, mud.; habitat.) Didynamia Angiospermia.
aquática D.S. (*fl*) water Britain .... 7. 9. H ⊙ Eng. bot. v. 5. t. 357.

MI'MULUS D.S. MONKEY-FLOWER. (*μιμω*, to ape; ringent corolla.) Didynamia Angiosperm[illegible]
§ 1. *Stems erect; leaves feather-nerved; calyx tubular.*
1 ríngens D.S. (*li*) gaping N. America 1759. 7. 8. H ♃ Bot. mag. t. 283.
2 alàtus D.S. (*li*) oval-leaved ——— 1783. —— H ♃ Lodd. bot. cab. t. 41[illegible]
§ 2. *Stems usually decumbent or creeping, rarely erect; leaves 3-5-nerved, toothed; ca[illegible] ovate or tubular usually inflated.*
3 Lewísii D.S. (*pa.pu*) Lewis's Missouri 1824. 8. H ♃ Pursh. amer. t. 28.
4 cardinàlis D.S. (*re*) cardinal California 1835. 6. 8. F ♃ Swt.br.fl.gar.s.2.t.33[illegible]
5 ròseus D.S. (*ro.ye*) rose-coloured ——— 1833. 6. 9. H ♃ ——— s. 2. t. 2[illegible]
6 lùteus D.S. (*ye*) yellow-flower'd Chili 1825. —— H ♃ Feuill. peruv. 2. t. 3[illegible]
β *rivulàris* B.R. (*ye.pu*) *dark-spotted* Columbia —— —— H ♃ Bot. reg. t. 1030.
γ *variegàtus* B.M. (*ye.re*) *variegated* Chili .... —— H ♃ Bot. mag. t. 3336.
variegàtus L. B.C.
δ *Youngiàna* B.M. (*ye.re*) *Mr. Young's* ——— .... —— H ♃ ——— t. 3363.
ε *Smithii* B.R. (*ye.sc*) *Smith's* Hybrid .... —— H ♃ Bot. reg. t. 1674.
η *Wilsoni* D.D. (*re.pu*) *Wilson's* ——— .... 7. 8. H ♃ Swt.br.fl.gar.s.2.t.40[illegible]
7 guttàtus D.S. (*ye*) spotted-flower'd America 1812. 6. 9. H ♃ Bot. mag. t. 1501.
lùteus B.M. *non* L.
8 floribúndus D.S. (*ye*) many-flowered Columbia 1826. 8.10. H ⊙ Bot. reg. t. 1125.
9 moschàtus D.S. (*ye*) musk-scented ——— —— 7.10. H ♃ ——— t. 1118.
10 parviflòrus D.S. (*st*) small-flowered Mexico 1824. 6. 9. H ⊙ ——— t. 874.
11 propínquus D.S. (*ye*) related N. America 1827. 4.10. H ♃ Bot. reg. t. 1330.

DIPLA'CUS Nutt. DIPLA'CUS. (*δις*, twice; and *πλαχος*, a placenta; double.) Didynam. Angio[illegible]
1 puníceus Nutt. (*sc*) scarlet California 1836. 1.12. G ♄ Bot. mag. t. 3655.
2 auránticus G.D. (*or*) orange ——— 1794. —— G ♄ ——— t. 354.
Mimulus glutinòsus B.M.

LEUCOCA'RPUS D.S. LEUCOCA'RPUS. (*λευκος*, white, and *καρπος*, a fruit.) Didynam. Angio[illegible]
alàtus D.S. (*ye*) winged-stalked Vera Cruz 1830. 10. F ♃ Swt. br. fl. gar. s. 2. t. 1[illegible]
Conòbea alàta Grah. *Mimulus perfoliàtus* B.M. 1367.

COLLI'NSIA D.S. COLLI'NSIA. (Zaccheus Collins, V.P. acad. nat. sc. Philadelphia.) Did. Ang.
1 vérna D.S. (*bl.pu*) spring N. America 1827. 4.11. H ⊙ Swt. br. fl. gar. t. 2[illegible]
2 grandiflòra D.S. (*pu.bl*) great-flower'd Columbia 1826. 5. 7. H ⊙ Bot. reg. t. 1107.
3 bícolor D.S. (*pu.wh*) two-coloured California 1833. 8.10. H ⊙ ——— t. 1734.
4 sparsiflòra D.S. (*vi*) scattered-fld. ——— 1836. 5. 5. H ⊙
5 parviflòra D.S. (*bl*) small-flowered N. America 1827. 6. 9. H ⊙ Bot. reg. t. 1062.
6 heterophy'lla Nutt. (*pu.wh*) various-ld. ——— 1837. 7. 8. H ⊙ Bot. mag. t. 3695.

Tribe IV. *GERARDIE'Æ.* D.S. 4. p. 556.

GERA'RDIA D.S. GERA'RDIA. (John Gerarde, author of Herbal.) Didynamia Angiospermia.
1 purpùrea D.S. (*pu*) purple N. America 1772. 7. 8. H ♂ Bot. mag. t. 2048.
2 tenuifòlia D.S. (*pu*) slender-leaved ——— 1812. —— H ♂ Bart. fl. amer. 3. t. 83.
3 marítima D.S. (*li*) sea-side ——— 1823. —— H ♂
4 flàva D.S. (*ye*) yellow ——— 1796. —— H ♃ Pluk. amal. t. 389. f. [illegible]
6 quercifòlia D.S. (*ye*) oak-leaved ——— 1812. —— H ♃ Pursh. amer. 1. t. 19.
7 Pediculàri D.S. (*ye*) variable ——— 1826. 6. 8. H ♂ Lam. ill. t. 529. f. 2.

PU'BIA D.S. SOPU'BIA. (*sopubi-swa* name in Nawarice.) Didynamia Angiospermia.

delphinifòlia D.S.	(*ro*)	Larkspur-leav'd	E. Indies	1800. 6. 7.	S ♃	Roxb. corom. 1. t. 90.

Gerárdia delphinifòlia D.P.

YME'RIA D.S. SEYME'RIA. (Henry Seymer, English nat.) Didynamia Angiospermia.

tenuifòlia D.S.	(*ye*)	slender-leaved	Carolina	.... 7. 9.	H ⊙	

Afzèlia cassioìdes Gmel. *Gerárdia Afzèlia* M.

pectinàta D.S.	(*ye*)	pectinated	Carolina	.... ——	H ⊙	

Tribe V. *VERONICEÆ.* D.S. 4. p. 563.

RO'NICA D.S. SPEEDWELL. (either from *ver*, the spring, or a Roman female saint.) Diand.Mon.

sf. 1. VERO'NICA; *capsule swollen; emarginate at top; seeds oblong, rather compressed.*

§ 1. *Leaves opposite or verticillate, serrated; racemes numerous, terminal.*

foliòsa D.S.	(*bl*)	leafy	Hungary	1805. 7. 9.	H ♃	W. et K. hung. 2. t. 102.
crenulàta D.S.	(*bl*)	notch-flowered	S. Europe	1804. ——	H ♃	Hoff. phyt. p. 95. t. E. f. 3.
marítima D.S.	(*bl*)	sea-side	———	1570. ——	H ♃	Schrad. ver. t. 1. f. 1.
ticinénsis D.S.	(*bl*)	Ticin	Italy	.... ——	H ♃	Tabern. n. kreut. 2. f. 4.

Hóstii D.S.

spùria D.S.	(*bl*)	spurious	Siberia	1731. 7. 9.	H ♃	Gmel. it. 1. t. 39.
paniculàta D.S.	(*bl*)	panicled	Tartary	1797. 6. 7.	H ♃	
β *leucántha* D.S.	(*wh*)	*white-flowered*	Siberia	1824. ——	H ♃	

leucántha Helm.

Stephaniàna D.S.	(*bl*)	Stephan's	Persia	1821. ——	H ♃	Hoff. phyt. p. 98. t. E. f. 4.
complicàta D.S.	(*bl*)	bundled	S. Europe	1812. 9. 10.	H ♃	
azùrea D.S.	(*bl*)	azure	.....	1818. 6. 9.	H ♃	
glábra D.S.	(*bl*)	smooth	S. Europe	1804. 7. 9.	H ♃	Schrad. ver. p. 25. t. 1. f. 4.
β *albiflòra*	(*wh*)	*white-flowered*	———	—— ——	H ♃	
brachyphy'lla D.S.	(*bl*)	short-leaved	.....	1818. ——	H ♃	

brevifòlia L. en.

elàtior D.S.	(*bl*)	tall	S. Europe	1808. ——	H ♃	Riv. mon. t. t. 97.
exaltàta D.S.	(*bl*)	lofty	Siberia	1816. ——	H ♃	
argùta D.S.	(*bl*)	sharp-notched	S. Europe	1812. ——	H ♃	Schrad. ver. n. 7. t. 2. f. 2.
nìtens D.S.	(*bl*)	glossy-leaved	.....	1816. ——	H ♃	
β *falcàta* D.S.	(*bl*)	*falcate-leaved*	.....	1820. 6. 7.	H ♃	
longibracteàta D.S.	(*bl*)	long-bracted	.....	1816. ——	H ♃	
β *latifòlia*	(*bl*)	*broad-leaved*	.....	—— ——	H ♃	
mèdia D.S.	(*bl*)	long-spiked	Germany	1804. ——	H ♃	Schrad. ver. n. 8. t. 1. f. 2.
persicifòlia D.S.	(*bl*)	Peach-leaved	.....	1819. ——	H ♃	
austràlis D.S.	(*bl*)	pubescent	S. Europe	1812. ——	H ♃	Schrad. ver. n. 9. t. 2. f. 3.
longifòlia D.S.	(*bl*)	long-leaved	———	1731. ——	H ♃	——— p. 26. t. 2. f. 1.
β *latifòlia* D.S.	(*bl*)	*stout*	S. Russia	1827. 6. 9.	H ♃	

grácea Mart.

γ *abbreviàta*	(*bl*)	*acute-leaved*	.....	1820. 7. 9.	H ♃	

acùta Mart.

§ 2. *Leaves opposite never verticillate, serrated or crenated; racemes numerous or solitary; sterile branches or surculi usually present.*

ambígua D.S.	(*bl*)	ambiguous	England	.... 7. 9.	H ♃	
neglécta D.S.	(*bl*)	canescent	Siberia	1797. ——	H ♃	Swt. br. fl. gar. t. 55.
angustifòlia D.S.	(*bl*)	narrow-leaved	———	1823. ——	H ♃	
incàna D.S.	(*bl*)	hoary	Russia	1759. ——	H ♃	Hoff. c. gott. 15. t. 6.
rìgens D.S.	(*bl*)	rigid	.....	1824. ——	H ♃	
élegans D.S.	(*ro*)	elegant	Italy	.... ——	H ♃	

incárnata G.D. *cárnea* Rœuch.

spicàta D.S.	(*bl*)	spiked	England	.... ——	H ♃	Eng. bot. v. 1. t. 2.
Clùsii D.S.	(*bl*)	Clusius's	N. Europe	.... ——	H ♃	Flor. dan. t. 52.
menthæfòlia D.S.	(*bl*)	Mint-leaved	Austria	1818. ——	H ♃	
Barrelièri D.S.	(*bl*)	Barrelier's	S. Europe	.... ——	H ♃	Barrel. ic. t. 682.
orchídea D.S.	(*bl*)	Orchis-like	Europe	.... ——	H ♃	
crassifòlia D.S.	(*vi*)	thick-leaved	Hungary	1818. ——	H ♃	
hy'brida D.S.	(*bl*)	Welsh	England	.... ——	H ♃	Eng. bot. v. 10. t. 673.
confùsa D.S.	(*bl*)	confused	.....	1819. 6. 7.	H ♃	
longiflòra D.S.	(*li*)	long-flowered	.....	1823. 7. 9.	H ♃	
ruthénica D.S.	(*bl*)	Russian	Russia	—— ——	H ♃	
grándis D.S.	(*wh*)	large white	Siberia	1826. ——	H ♃	

38	Pònæ D.S.	(*bl*) dwarf	Pyrenees	1823.	7.	9.	H	♃	Gouan. ill. t. 1. f. 1.
39	polystachya D.S.	(*bl*) many-spiked	.....	1819.	——		H	♃	
40	prælta L.C.	(*bl*) tall upright	.....	1817.	6.	8.	H	♃	
41	corymbòsa G.D.	(*bl*) corymbose	.....	——	6.	7.	H	♃	
42	melanchólica Df.	(*bl*) melancholy	.....	1820.	——		H	♃	
43	ascéndens D.S.	(*bl*) ascending	.....	1828.	——		H	♃	
44	villòsa D.S.	(*bl*) villous	S. Europe	1800.	——		H	♃	Schrad. ver. p. 13. t. 1. f. 1.
45	Waldsteiniàna D.S.	(*bl*) Waldstein's	.....	1819.	6.	8.	H	♃	

§ 3. *Leaves opposite, never verticillate, pinnate, and pinnatifid; racemes solitary or numerous.*

46	pinnàta D.S.	(*bl*) wing-leaved	Siberia	1776.	6.	8.	H	♃	Hoff. c. gott. 15. t. 10.
47	incìsa D.S.	(*bl*) cut-leaved	———	1779.	——		H	♃	Lodd. bot. cab. t. 1397.
48	laciniàta D.S.	(*bl*) jagged-leaved	———	1780.	——		H	♃	Jung. ic. rar. C. 1. f. 2.
49	sublaciniàta D.S.	(*bl*) sublaciniated	.....	——	——		H	♃	

Sàct. 2. GENTIANOI'DES; *capsule swollen, emarginate, seeds large, flat, oblique, somewhat scutiform shaped; leaves opposite connate, sheathing at the base, smooth and glossy; racemes solitary, terminal, loose, elongated.*

50	gentianoìdes D.S.	(*vi*) Gentian-like	Levant	1748.	5.	6.	H	♃	Flor. græc. 1. t. 5.
51	gentianifòlia	(*pa.bl*) Gentian-leaved	———	——	——		H	♃	Bot. mag. t. 1002.
	gentianoìdes B.M. *non* Flor. græc.								
52	pállida D.S.	(*pa*) pale	Levant	1816.	——		H	♃	

Sect. 3. SERPYLLIFO'LIA; *capsule ovate or obovate, compressed, emarginate; seeds compressed; leaves small, opposite; racemes terminal, elongated, or corymbose, few-flowered; small alpine, erect, creeping, or trailing plants.*

53	bellidioìdes D.S.	(*bl*) Daisy-leaved	Switzerland	1775.	6.	7.	H	♃	Hall. hist. t. 15. f. 1.
54	fruticulòsa D.S.	(*pu*) flesh-coloured	Scotland	....	6.	8.	H	♄	Eng. bot. v. 15. t. 1028.
55	saxátilis D.S.	(*bl*) blue rock	———	....	6.	7.	H	♃	——— v. 15. t. 1027.
56	Baumgartènii D.S.	(*pa.bl*) Baumgarten's	Transylv.	1826.	5.	6.	H	♃	
57	nummulària D.S.	(*bl*) moneywort	Pyrenees	1820.	6.	8.	H	♃	Gouan. ill. 1. t. 1. f. 2.
58	alpìna D.S.	(*bl*) Alpine	Scotland	....	5.	6.	H	♃	Eng. bot. v. 7. t. 484.
	α *acutifòlia*	(*bl*) *acute entire-ld.*	Europe	....	——		H	♃	
	β *pùmila* All.	(*bl*) *saw-leaved*	———	....	——		H	♃	Allion. ped. t. 22. f. 5.
	γ *obtusifòlia*	(*bl*) *blunt entire-ld.*	Scotland	....	——		H	♃	Eng. bot. v. 7. t. 484.
	δ *integrifòlia* W.	(*bl*) *entire-leaved*	Europe	....	——		H	♃	Krocker siles. t. 3.
	ε *heterophy'lla*	(*bl*) *various-leaved*	———	....	——		H	♃	
	ζ *rotundifòlia*	(*bl*) *round-leaved*	———	....	——		H	♃	Braun. salisb. n. 15. t. 2.
59	Wormskiòldii D.S.	(*bl*) Wormskiold's	Greenland	1819.	5.	6.	H	♃	Bot. mag. t. 2975.
60	grandifòlia D.S.	(*bl*) large-leaved	Italy	1828.	——		H	♃	
61	serpyllifòlia R.S.	(*bl.fl*) smooth	Britain	....	4.	7.	H	♃	Eng. bot. v. 15. t. 1073.
	α *ovàta*	(*bl.fl*) *common*	———	....	——		H	♃	
	β *tenélla* Schm.	(*bl*) *roundish-leaved*	Europe	....	——		H	♃	
	γ *neglécta* Schm.	(*pa*) *neglected*	———	....	——		H	♃	
	δ *quaternàta*	(*pa.li*) *four-leaved*	———	....	——		H	♃	
	ε *nummulariæfòlia*	(*pa*) *moneywort-leaved*	———	....	——		H	♃	
	ζ *humifùsa* L.T.	(*pa*) *trailing*	———	....	——		H	♃	
62	rèpens D.S.	(*pa.bl*) creeping	France	1830.	——		H	♃	Lois. fl. gall. t. 1.
	tenélla Viv.								
63	tenélla D.S.	(*pu*) slender	Pyrenees	1820.	5.	6.	H	♃	Allion. ped. t. 22. f. 1.
64	microphy'lla D.S.	(*pu*) small-leaved	Hungary	1824.	——		H	♃	
65	thymifòlia D.S.	(*bl*) thyme-leaved	Crete	1827.	5.	7.	H	♃	Flor. græc. v. 1. t. 6.

Sect. 4. HE'BE; *capsule ovate or oval, compressed; racemes lateral and axillary; leaves quite entire.*

66	parviflòra D.S.	(*bl*) small-flowered	N. Zealand	1822.	6.	8.	H	♃	
67	undulàta D.S.	(*wh*) wave-leaved	E. Indies	1827.	——		G	♃	
68	decussàta D.S.	(*wh*) cross-leaved	Falkland Isl.	1776.	——		F	♄	Bot. mag. t. 242.
69	perfoliàta D.S.	(*bl*) perfoliate	N. S. W.	1815.	7.	8.	G	♃	——— t. 1936.
70	grácilis D.S.	(*bl*) slender	———	1822.	6.	8.	G	♃	

Sect. 5. CHAMÆ'DRYS; *capsule compressed, emarginate or obcordate; seeds compressed, flat on one side, and convex on the other; racemes lateral and axillary.*

§ 1. *Leaves serrated, crenated, or denticulated.*

71	labiàta D.S.	(*pa.bl*) labiated	N. Holland	1802.	4.	7.	F	♃	Bot. mag. t. 3461.
	Derwéntia Andr. reposit. t. 531.								
72	Brównii D.S.	(*bl*) sharp-toothed	N. S. W.	1822.	6.	8.	G	♃	
73	plebèia D.S.	(*bl*) plebeian	———	——	——		G	♃	
	argùta R.S.								
74	dístans D.S.	(*bl*) distant	N. Holland	1825.	——		G	♃	
75	Alliònii D.S.	(*bl*) shining-leaved	S. Europe	1748.	——		H	♃	Allion. ped. 1. t. 46. f. 3.
76	officinàlis D.S.	(*bl*) officinal	Britain	....	4.	7.	H	♃	Eng. bot. v. 11. t. 765.

	β *rígida* Gr.	(*bl*) *rigid-leaved*	Scotland	....	4. 7.	H ♃		
	γ *albiflòra*	(*wh*) *white-flowered*	Britain	....	——	H ♃		
77	Mullerìana D.S.	(*bl*) Muller's	Styria	1825.	5. 7.	H ♃		
78	Tournefórtii D.S.	(*bl*) Tournefort's	S. France	1821.	5. 6.	H ♃		
79	hirsùta D.S.	(*pa*) bristly	Scotland	....	——	H ♃	Eng. bot. suppl. t. 2673.	
	setígera D.S.							
80	aphy'lla D.S.	(*bl*) naked-stalked	Italy	1775.	5.	H ♃	Seguier. ver. t. 3. f. 2.	
81	montàna D.S.	(*pa*) mountain	Britain	....	7. 8.	H ♃	Eng. bot. v. 11. t. 766.	
82	Chamæ'drys D.S.	(*bl*) Germander	———	....	5. 8.	H ♃	——— v. 9. t. 623.	
83	micrántha D.S.	(*wh.pu*) soft-leaved	Portugal	1819.	5. 6.	H ♃	Hoff. f. port. t. 57.	
	móllis Zea.	*mollissima* Hort.						
84	plicàta D.S.	(*bl*) plaited-leaved	Bohemia	1823.	——	H ♃	Pohl. tent. fl.b.p.15.f.1.	
85	pedunculàris D.S.	(*bl*) long-peduncled	Caucasus	1825.	6. 7.	H ♃		
86	petræ'a D.S.	(*pa.bl*) Caucasean-rock	———	1821.	——	H ♃		
87	umbròsa D.S.	(*bl*) shady wood	Tauria	1827.	——	H ♃	M.B. cent. ros. 1. t. 7.	
88	pilòsa D.S.	(*bl*) hairy	Bohemia	1819.	5. 6.	H ♃		
89	Púrshii D.S.	(*pa.bl*) kidney-leaved	Missouri	1827.	5. 8.	H ♃		
	renifórmis Ph.							
90	acutifòra D.S.	(*li*) acute-flowered	France	1821.	5. 6.	H ♃		
91	Michaúxii D.S.	(*bl*) Michaux's	Levant	——	——	H ♃		
92	depauperàta D.S.	(*re*) few-flowered	Hungary	1819.	——	H ♃	W. et K. hung. 3. t. 245.	
93	stolonífera D.S.	(*bl*) creeping	N. America	1827.	5. 8.	H ♃		
94	divaricàta D.S.	(*bl*) divaricate	Sweden	1828.	——	H ♃		
95	Vestiàna D.S.	(*bl*) Vest's	.....	1820.	——	H ♃		
96	máxima D.S.	(*pa.bl*) large	Iberia	1824.	——	H ♃	Buxb. cent. 1. t. 34.	
97	urticæfòlia D.S.	(*pa.bl*) Nettle-leaved	Austria	1776.	6. 7.	H ♃	Jacq. aust. 1. t. 59.	
98	Chaíxi D.S.	(*bl*) Chaix's	S. Europe	1825.	5. 7.	H ♃		
99	prostràta D.S.	(*bl*) trailing	Germany	1774.	5. 6.	H ♃	Bauh. hist. 3. p. 287. ic.	
100	melissæfòlia D.S.	(*bl*) balm-leaved	.....	1826.	——	H ♃		
101	latifòlia D.S.	(*bl*) broad-leaved	Austria	1748.	6. 7.	H ♃	Swt. br. fl. gar. t. 23.	
102	Teùcrium D.S.	(*bl*) saw-leaved	Europe	1596.	6. 8.	H ♃	Lodd. bot. cab. t. 425.	
103	crinìta D.S.	(*bl*) very hairy	Hungary	1826.	——	H ♃		
104	lutetiàna D.S.	(*pa.bl*) Portugal	Portugal	——	——	H ♃		
105	dentàta D.S.	(*bl*) tooth-leaved	S. Europe	1816.	——	H ♃		
106	Schmídtii D.S.	(*bl*) Schmidt's	Bohemia	1797.	6. 7.	H ♃		
	§ 2. *Leaves pinnatifid, bipinnatifid, or pectinately toothed.*							
107	pectinàta D.S.	(*bl*) pectinated	Levant	1820.	6. 8.	H ♃	Buxb. C. 1. t. 39. f. 1.	
108	orientàlis D.S.	(*bl*) various-leaved	———	1748.	——	H ♃	Sal. stirp. rar. 7. t. 4.	
109	trichocárpa D.S.	(*bl*) hairy-capsuled	———	1820.	——	H ♃		
	pilocárpa L.en.							
110	Jacquìni D.S.	(*bl*) Jacquin's	Austria	1748.	——	H ♃	Jacq. aust. 4. t. 329.	
	austrìaca Jacq. *non* L.							
111	austrìaca D.S.	(*bl*) Austrian	———	——	——	H ♃	Moris. h. s. 3. t. 23.f.12.	
	polymórpha W.en.							
112	tenuifòlia D.S.	(*bl*) slender-leaved	Iberia	1821.	6. 7.	H ♃		
113	pinnatífida D.S.	(*bl*) pinnatifid	.....	1817.	5. 6.	H ♃		
114	multífida D.S.	(*bl*) multifid-leaved	Siberia	1748.	6. 8.	H ♃	Bot. mag. t. 1679.	
115	caucásica D.S.	(*wh.bl*) Caucasean	Caucasus	1815.	——	H ♃	Lodd. bot. cab. t. 1395.	
116	taúrica D.S.	(*bl*) Taurian	Tauria	——	——	H ♃	——— t. 911.	
117	satureifòlia B.M.	(*bl*) Savory-leaved	.....	——	——	H ♃	Bot. mag. t. 3683.	
	Sect. 6. SACUTELLA'TA; *capsule orbicular, deeply two-lobed, compressed; seeds compressed on one side, and convex on the other; racemes loose, axillary.*							
118	scutellàta D.S.	(*li*) marsh	Britain	....	6. 8.	H *w* ♃	Eng. bot. v. 11. t. 782.	
119	Parmulària D.S.	(*li*) tooth-leav'd marsh	Austria	1816.	——	H *w* ♃	Trattin. fl. aust. t. 20.	
120	caroliniàna D.S.	(*bl*) Carolina	Carolina	1821.	6. 7.	H *w* ♃		
	Sect. 7. BECABU'NGA; *capsule inflated, entire or emarginate, subdidymous; seeds oblong or globose.*							
121	Beccabúnga D.S.	(*bl*) brook-lime	Britain	....	5. 6.	H *w* ♃	Eng. bot. v. 10. t. 655.	
122	Anagállis D.S.	(*pa.bl*) long-leaved water	———	....	6. 8.	H *w* ♃	——— v. 11. t. 781.	
123	anagalloìdes D.S.	(*pa.bl*) Anagallis-like	Calabria	1836.	——	H *w* ♃	Guss. pl. rar. t. 3.	
	Sect. 8. COCHLIDIOSPE'RMA; *capsule compressed, obcordate; seed navicular; peduncles axillary, one-flowered; floral leaves alternate.*							
124	vérna D.S.	(*pa.bl*) vernal	Britain	....	4. 5.	H ⊙	Eng. bot. v. 1. t. 25.	
125	digitàta D.S.	(*bl*) fingered	Spain	1805.	6. 7.	H ⊙	Reich. ic. t. 36.	
126	triphy'llos D.S.	(*bl*) variable-leaved	Britain	....	4. 5.	H ⊙	Eng. bot. v. 1. t. 26.	
127	hederifòlia D.S.	(*pa.bl*) Ivy-leaved	———	....	3.10.	H ⊙	——— v. 11. t. 784.	
128	Cymbalària D.S.	(*wh*) fleshy-leaved	Levant	1823.	4. 8.	H ⊙	Flor. græc. t. 9.	
129	peregrìna D.S.	(*pa*) knotgrass-leav'd	N. Europe	1680.	5. 6.	H ⊙	Flor. dan. t. 407.	

130 depréssa D.S. (*bl*) depressed Hungary 1826. 4. 8. H ⊙
131 glaúca D.S. (*bl*) glaucous Greece —— —— H ⊙ Flor. græc. v. 1. t. 7.
132 amœ'na D.S. (*bl*) fine blue Iberia 1823. 5. 6. H ⊙ MB. cent. ros. t. 1. f. 1.
133 bíloba D.S. (*wh*) two-lobed Levant 1819. 4. 6. H ⊙ Buxb. cent. 1. t. 36.
134 præ'cox D.S. (*bl*) early-flowered Europe —— 3. 5. H ⊙ Allion. ped. t. 1. f. 1.
135 acinifòlia D.S. (*pa.bl*) Basil-leaved S. Europe 1788. 4. 5. H ⊙ Poit. et Turp. par. 1. t. 23.
136 arvénsis D.S. (*bl*) wall Britain .... 4. 7. H ⊙ Eng. bot. v. 11. t. 734.
137 agréstis D.S. (*va*) field ———— .... 1.12. H ⊙ ———— sup. t. 2603.
pulchélla DC. *non* Bernhard. *versícolor* Fries.
138 opàca D.S. (*pa.bl*) dull-leaved Britain .... —— H ⊙ Reic. ic. C. 3. p. 67. t. 278.
139 polìta D.S. (*bl*) polished ———— .... —— H ⊙ Eng. bot. t. 703.
140 dídyma D.S. (*bl*) toothed-calyxed Naples 1827. —— H ⊙
141 pulchélla D.S. (*wh.ro*) neat ..... 1823. 3. 6. H ⊙
142 Buxbaúmii D.S. (*bl*) Buxbaum's Britain 1820. —— H ⊙ Eng. bot. t. 2769.
pérsica Poir.
143 filifórmis D.S. (*bl*) long-stalked Levant 1780. 5. H ⊙ Buxb. cent. 1. t. 40. f. 1.
144 ceratocárpa D.S. (*bl*) horn-fruited Caucasus 1835. 3. 6. H ⊙

DIPLOPHY'LLUM D.S. DIPLOPHY'LLUM. (διπλοος, double, and φυλλον, a leaf.) Dian. Mono.
veronicæfórme D.S. (*bl*) Speedwell-like Caucasus 1813. 4. 6. H ⊙ Linn. trans. v. 11. t. 31.
Verónica crísta gálli L.T.

LEPTA'NDRA D.S. LEPTA'NDRA. (λεπτος, slender, and ανηρ, a male; stamens.) Dian. Mon.
1 virgínica D.S. (*wh*) Virginian Virginia 1714. 7. 9. H ♃ Pluk. alm. t. 70. f. 2.
Verónica virgínica W.
β incarnàta D.S. (*li*) *lilac-flowered* ———— —— —— H ♃
2 sibírica D.S. (*wh*) Siberian Siberia 1779. 7. 8. H ♃ Amm. ruth. 20. t. 4.
3 Meyèri D.S. (*bl*) Meyer's Dahuria 1837. —— H ♃
Verónica tubiflòra F.M.

PÆDERO'TA D.S. PÆDERO'TA. (a name applied by the ancients.) Diandria Monogynia.
1 Agèria D.S. (*st*) sulphur-colour'd Italy 1823. 6. 7. H ♃ Jacq. viud. 2. t. 121.
2 Bonaròta D.S. (*vi*) violet-coloured Germany 1818. —— H ♃ Jacq. aust. 5. t. 39.

WULFE'NIA D.S. WULFE'NIA. (Rev. F. X. Wulfen, a German bot.) Diandria Monogynia.
carinthìaca D.S. (*bl*) blue-flowered Carinthia 1817. 6. 9. H ♃ Swt. br. fl. gar. t. 66.

Tribe VI. *BUCHNE'REÆ*. D.S. 4 p. 582.

BUCHNE'RA D.S. BUCHNE'RA. (J. G. Buchner, a German bot.) Didynamia Angiospermia.
1 americàna D.S. (*bl*) American N. America 1733. 6. 8. H ♃
2 urticæfòlia D.S. (*bl*) nettle-leaved N. Holland 1824. —— S ♃

NYCTERI'NIA D.S. NYCTERI'NIA. (νυκτερινος, belonging to the night.) Didyn. Angiosp.
Lychnidèa D.S. (*wh.pu*) Phlox-flower'd C.B.S. 1821. 3.10. G ♄ Swt. br. fl. gar. s. 2. t. 239.
Erìnus Lychnidèa L.

SPHENA'NDRA D.S. SPHENA'NDRA. (σφην, a wedge, and ανηρ, a male.) Didyn. Angiosp.
viscòsa D.S. (*re*) clammy C. B. S. 1773. 6.11. G ♄ Bot. mag. t. 217.
Buchnèra viscòsa B.M. *Manùlea viscòsa* W.

CHÆNO'STOMA D.S. CHÆNO'STOMA. (χαινω, to gape, and στομα, a mouth.) Did. Ang.
1 linifòlium D.S. (*wh*) flax-leaved C. B. S. 1820. 7. 8. G ♄
Manùlea linif'ólia Th.
2 híspidum D.S. (*wh*) hispid ———— 1816. 5.12. G ♄ Vent. malm. t. 15.
Manùlea oppositiflora Vent. *hispida* Th.
3 cordàtum D.S. (*wh*) cordate-leaved C. B. S. —— 6. 9. G ♃
4 foe'tidum D.S. (*wh*) fetid ———— 1794. —— G ⊙ Andr. reposit. t. 80.
Manùlea fœ'tida F.S. *Buchnèra fœ'tida* Andr.
5 villòsum D.S. (*wh*) villous C. B. S. 1783. 6. 7. G ⊙ Burm. afr. t. 50. f. 2.
Buchnèra capénsis W.

LYPE'RIA D.S. LYPE'RIA. (λυπηρος, sad; colour of flowers.) Didynamia Angiospermia.
1 trístis D.S. (*wh.pu*) sad C. B. S. 1825. 5. 6. G ♄
Erìnus tristis L.
2 frràgrans D.S. (*wh.pu*) fragrant ———— 1776. —— G ♄ Bot. reg. t. 748.
Erinus frràgrans Ait. *lychnidèus* Th.
3 violàcea D.S. (*vi*) violet-flowered ———— 1816. 5. 9. G ♄
Manùlea violàcea L. en. *chrystálina* Weinm.
4 argéntea D.S. (*wh*) silvery C. B. S. 1801. 7.11. G ⊙

5 pedunculàta D.S.(*wh*)solitary-flower'd C. B. S. 1790. 6.11. G ♄ Andr. reposit. t. 84.
Menùlea pedunculàta Andr.

MANU'LEA D.S. MANU'LEA. (*manus*, the hand; divisions of corolla.) Didynamia Angiospermia.
1 tomentòsa D.S. (*or*) tomentose C. B. S. 1774. 5.12. G ♄ Bot. mag. t. 322.
2 rùbra D.S. (*or*) narrow-leaved ——— 1790. —— G ♄ Pl. sel. hort. ber. t. 20.
angustifòlia L. en.
3 rhynchántha D.S.(*or*) wedge-leaved ——— 1816. 6. 9. G ♄
4 Cheiránthos D.S.(*ye*) Wallflower-like ——— 1795. 6. 8. G ♂ Comm. hort. 2. t. 42.
5 cœrùlea D.S. (*bl*) blue-flowered ——— 1822. —— G ♄

ERI'NUS D.S. ERI'NUS. (*ερινος*, a name employed by Dioscorides.) Didynamia Angiospermia.
1 alpìnus D.S. (*pu*) smooth-leaved Pyrenees 1739. 3. 4. H ♃ Bot. mag. t. 310.
2 hispánicus D.S. (*pu*) hairy-leaved Spain —— —— H ♃

Tribe VII. *BUDDLIE'Æ*. D.S. 4. p. 596.

BU'DDLEA D.S. BU'DDLEA. (Abraham Buddle, English bot.) Tetrandria Monogynia.
1 madagascariénsis D.S.(*or*)Madagascar Madagascar 1824. 9.10. S ♄ Bot. mag. t. 2824.
2 salígna D.S. (*wh*) Willow-like C. B. S. 1816. 8. 9. G ♄ Jacq. schœn. 1. t. 29
3 paniculàta D.S. (*wh*) panicled Nepaul 1823. —— G ♄
4 americàna D.S. (*ye*) American W. Indies 1824. 7.10. S ♄ Sloan. hist. 2. t. 173. f. 1.
5 occidentàlis D.S.(*wh*) occidental Peru 1730. .... G ♄ Flor. peruv. 1. t. 83.
6 salvifòlia D.S.(*wh.cr*) Sage-leaved C. B. S. 1760. 8. 9. G ♄ Jacq. schœn. 1. t. 28.
7 Neèmda D.S. (*wh*) Nepaul Nepaul 1822. —— G ♄
8 brasiliénsis D.S. (*or*) Brazilian Brazil —— 9.11. S ♄ Bot. mag. t. 2713.
9 heterophy'lla D.S.(*ye*)different-leaved S. America 1826. 1. 5. S ♄ Bot. reg. t. 1259.
10 globòsa D.S. (*ye*) round-headed Chili 1774. 5. 7. H ♄ Bot. mag. t. 174.
11 connàta D.S. (*or*) connate-leaved Peru 1826. 5. 6. G ♄ ——— t. 2853.
12 thyrsoídea D.S. (*ye*) Willow-leaved S. America 1823. .... S ♄
salicifòlia Vahl.
13 diversifòlia D.S.(*wh*)various-leaved Java —— .... S ♄

Tribe VIII. *CALCEOLARIE'Æ*. D.S. 4. p. 601.

CALCEOLA'RIA D.S. SLIPPERWORT. (*calceolus*, a little slipper; form of corolla.) Dian. Monog.
§ 1. *Leaves opposite, pinnate or pinnatifid; stems leafy.*
1 pinnàta D.S. (*st*) wing-leaved Peru 1773. 7. 9. H ⊙ Bot. mag. t. 41.
2 scabiosæfòlia D.S.(*st*) Scabious-leaved ——— 1823. —— G ♃ ——— t. 2405.
§ 2. *Leaves entire or toothed; radical ones usually rosulate; peduncles scape-formed; herbaceous plants.*
3 Fothergíllii D.S. (*pu*) Fothergill's FalklandIsl. 1777. 5. 8. G ♃ Bot. mag. t. 348.
4 plantagínea D.S. (*ye*) Plantain-leaved Chili 1826. 6. 9. F ♃ ——— t. 2805.
§ 3. *Leaves entire or toothed; radical ones broad, usually rosulate; stems few-leaved, corymbosely many-flowered; herbaceous plants.*
5 crenatifòra Cav.(*ye*) crenate-flowered Chiloe .... 5. 8. G ♃ Bot. mag. 3255.
péndula B.F.G. t. 155. *anómala* P.S.
β *knyperslièns*(*ye.pu*) *Knypersley* Hybrid .... —— G ♃ Swt. br. fl. gar. s. 2. t. 262.
6 corymbòsa D.S. (*ye*) corymb-flower'd Chili 1823. 4. 8. G ♃ Bot. reg. t. 723.
7 Gellaniàna (*wh*) Gellan's Hybrid 1830. .... G ♃
8 hìans (*ye*) gaping ——— —— 5.10. G ♃
9 Hopeàna (*ye*) Hope's ——— —— —— G ♃
10 Morrisòni (*o.ch*) Morrison's ——— —— —— G ♄
11 polyántha (*ye*) many-flowered ——— —— —— G ♃
12 Yoúngii (*ye*) Young's ——— —— —— G ♃ Bot. reg. t. 1448.
13 purpùrea D.S. (*pu*) purple-flowered Chili 1826. 6.10. F ♃ Bot. mag. t. 2775.
β *picta* D.S. (*wh.pu*) *painted* Hybrid .... —— F ♃ Swt. br. fl. gar. s. 2. t. 244.
§ 4. *Leaves toothed, crenated, or serrated, petiolate; petioles naked; stems leafy.*
* *Leaves opposite.*
14 Herbertiàna D.S.(*ye*) Herbert's Chili 1828. 5.10. G ♃ Bot. reg. t. 1313.
β *parviflòra* B.R.(*ye*)*small-flowered* ——— —— —— G ♃ ——— t. 1576.

** *Leaves opposite, and three in a whorl.*

15 bícolor D.S. (*wh.ye*) two-coloured Peru 1829. 8. 9. G ♄ Flor. per. 1. t. 25. f. b.
16 diffùsa D.S. (*w.ye*) spreading ——— —— 7.10. F ♃ Bot. reg. t. 1374.
bícolor B.M. t. 3036. *non* Flor. peruv.
17 angustifòlia D.S. (*ye*) narrow-flowered ——— 1830. 6. G ♃ Bot. reg. t. 1743.

§ 5. *Leaves serrated or toothed, petiolate; petioles furnished with membranous wings; stems leafy.*

18 arachnoídea D.S. (*pu*) cobweb Chili 1827. 6.10. F ♃ Bot. mag. t. 2874.
β *fúlgens* D.D. (*pu*) *shining* Hybrid .... —— F ♃ Swt. br. fl. gar. s.2. t.227.
19 petioalàris D.S. (*ye*) much-branched Chili 1827. 6. 9. G ♃ Bot. reg. t. 1214.
floribùnda B.R. *connàta*. Bot. mag. t. 2876.
20 ascéndens D.S. (*ye*) ascending Chili 1826. —— G ♄ Bot. reg. t. 1215.
21 polifòlia D.S. (*ye*) white-leaved ——— —— —— G ♃ Bot. mag. t. 2897.
22 rugòsa D.S. (*ye*) rugged-leaved ——— 1823. 6. 8. G ♄ Hook. ex. flor. t. 99.
crenàta Bot. reg. t. 790.
23 integrifòlia D.S. (*ye*) entire-leaved ——— —— —— G ♄ Bot. reg. t. 744.
rugòsa Bot. mag. t. 2523.
β *angustifòlia* D.S. (*ye*) *narrow-leav'd* ——— 1826. —— G ♄ Bot. reg. t. 1083.
γ *viscosíssima* D.S. (*ye*) *very clammy* ——— —— —— G ♄ Bot. mag. t. 3214.
24 chiloénsis D.S. (*ye*) Chiloe Chiloe 1831. 7.10. F ♄ Bot. reg. t. 1476.
25 Wheelèri D.S. (*pu*) Wheeler's Hybrid —— 5.10. F ♃ Swt. br. fl. gar. s.2. t.130.

§ 6. *Leaves sessile; stems leafy.*

26 thyrsiflòra D.S. (*ye*) tufted-flowered Chili 1827. 6. 8. G ♄ Bot. mag. t. 2915.

DIA'SCIA L.en. DIA'SCIA. (δις, two, ασκιον, a little bladder.) Didynamia Angiospermia.
Bergiàna L.en. (*re*) Bergius's C. B. S. 1816. 7.10. H ⊙ Pluk. phyt. 320. f. 5.
Hemímeris diffùsa W.

HEMI'MERIS D.S. HEMI'MERIS. (ἡμι, half, and μερις, a part.) Diandria Monogynia.
montàna D.S. (*re*) mountain C. B. S. 1816. 6. 8. G ♃ Lam. ill. t. 532.

ANGELO'NIA D.S. ANGELO'NIA. (*Angelon*, vernacular name.) Didynamia Angiospermia.
salicariæfòlia D.S. (*bl*) Salicaria-leav'd S. America 1818. 7.10. S ♄ Bot. reg. t. 415.

Tribe IX. *EUPHRASIEÆ*. D.S. 4. p. 609.

EUPHRA'SIA D.S. EYE-BRIGHT. (ευφραινω, to delight; curing blindness.) Didyn. Angiosp.
1 tricuspidàta D.S. (*w.pu*) three-pointed Italy 1828. 6. 9. H ⊙ Pluk. alm. t. 177. f. 1.
2 officinàlis D.S. (*wh.pu*) common Britain .... 7. 9. H ⊙ Eng. bot. v. 20. t. 1416.
β *alpìna* D.S. (*pu*) *Alpine* S. Europe 1823. —— H ⊙
γ *latifòlia* D.S. (*re*) *broad-leaved* ——— 1826. —— H ⊙ Magn. monsp. t. 94.
δ *minima* D.S. (*wh.pu*) *least* Switzerland 1828. —— H ⊙

ODONTITES D.S. ODONTI'TES. (οδους, a tooth; good in toothache.) Didynamia Angiospermia.
1 rùbra D.S. (*re*) red eyebright Britain .... 7. 8. H ⊙ Eng. bot. t. 1415.
Euphràsia odontites L.
2 linifòlia D.S. (*li*) flax-leaved S. France 1823. 7. 9. H ⊙
3 lùtea D.S. (*ye*) yellow S. Europe 1816. —— H ⊙ Jacq. aust. t. 398.
Euphràsia lùtea L.

BA'RTSIA D.S. BA'RTSIA. (John Bartsch, M.D., a Swedish bot.) Didynamia Angiospermia.
1 viscòsa D.S. (*ye*) yellow-viscid Britain .... 7. 8. H ⊙ Eng. bot. v. 15. t. 1045.
2 alpìna D.S. (*vi*) Alpine ——— .... —— H ⊙ ——— v. 6. t. 361.
3 Trixàgo D.S. (*ye*) simple-stalked S. Europe 1820. —— H ⊙ Flor. græc. t. 585.
Trixàgo rhinanthina L.enum.
4 purpùrea D.S. (*re.wh*) broad-leaved Greece 1827. 6. 9. H ⊙ Flor. græc. v. 5. t. 586.
latifòlia F.G.

CASTILLE'JA D.S. CASTILLE'JA. (D. Castillejo, a bot. of Cadiz.) Didynamia Angiospermia.
1 integrifòlia D.S. (*wh*) entire-leaved S. America 1825. .... G ♄ Sm. ic. ined. t. 39.
2 toluccénsis D.S. (*wh*) procumbent Mexico —— .... G ♄
3 pállida D.S. (*st*) pale-flowered Siberia 1782. 6. 9. H ♃ Gmel. sib. 3. t. 42.
septentrionàlis Bot. reg. t. 925. *Bártsia pállida* W.
4 coccínea D.S. (*or*) vermilion N. America 1787. 7. 9. H ⊙ Bot. reg. t. 1137.
Bártsia coccínea W. *Euchròma coccíneum* N.
5 sessiflòra D.S. (*bh*) sessile-flowered Louisiana 1811. 7. 8. H ♃
grandiflòra S.S. *Euchròma grandiflòrum* N.

Tribe X. *TEEDIE'Æ.* D.S. 4. p. 616.

TEE'DIA D.S. Tee'dia. (etymology unknown.) Didynamia Angiospermia.
1 lùcida D.S. (*pu*) shining C. B. S. 1774. 4. 7. G ♄ Bot. reg. t. 210.
Caprària lùcida W. *Baukhausènia lùcida* Roth.
2 pubéscens D.S. (*pu*) pubescent C. B. S. 1816. 5.10. G ♄ Bot. reg. t. 214.
FREYLI'NIA D.S. Freyli'nia. (name of some German bot.) Didynamia Angiospermia.
1 lanceolàta D.S. (*ye*) spear-leaved C. B. S. 1774. 5. 7. G ♄ Pl. sel. h. ber. t. 4.
oppositifòlia Spin. *cestroìdes* Coll. *Caprària lanceolàta* L.
2 undulàta D.S. (*ro*) wave-leaved C. B. S. 1774. 3. 7. G ♄ Bot. mag. t. 1556.
Caprària undulàta Ait.
APTO'SIMUM B.R. Apto'simum. (*a*, priv. and *πτωσιμος*, deciduous.) Didynamia Angiospermia.
depréssum B.R. (*bl*) depressed C. B. S. 1836. 10.12. G ♄ Bot. reg. t. 1882.

Tribe XI. *HALLERIE'Æ.* D.S. 4. p. 617.

HALLE'RIA D.S. Halle'ria. (Albert. Haller, M.D., author of Stirpes Helveticæ.) Didy. Angios
1 lùcida D.S. (*sc*) shining-leaved C. B. S. 1752. 6. 8. G ♄ Bot. mag. t. 1744.
2 elliptica D.S. (*sc*) elliptic-leaved ——— 1816. —— G ♄ Burm. afar. t. 84. f. 1.

ORDER CLXX.

RHINANTHA'CEÆ. D.S. 4. *p.* 618.

Tribe I. *RHINANTHIE'Æ.* D.S.

RHINA'NTHUS D.S. Yellow Rattle. (*ῥιν*, a snout, and *ανθος*, a flower.) Didyn. Angiosp.
1 Crista-gálli D.S. (*ye*) Cock's-comb Britain .... 6. 8. H ⊙ Eng. bot. v. 10. t. 657.
2 màjor D.S. (*ye*) larger England .... —— H ⊙ ——— t. 2737.
3 hirsùtus D.S. (*ye*) villous Germany 1816. —— H ⊙ Bull. herb. t. 125.
Alectorólophus L. en. *villòsus* P.S.
E'LEPHAS D.S. E'lephas. (upper lip resembles proboscis of elephant.) Didyna. Angiosper.
1 incúrva D.S. (*ye*) incurved Levant 1759. 7. 8. H ⊙ Tourn. itin. p. 126. icon.
Rhinánthus orientàlis L.
2 récta D.S. (*ye*) straight-beaked Caucasus —— —— H ⊙ Colum. ecphr. 1. t. 188.
orientàlis M.B. *Rhinánthus élephas* L.
MELAMPY'RUM D.S. Cow-wheat. (*μελας*, black, and *πυρος*, wheat.) Didynamia Angiospermia.
1 cristàtum D.S. (*ye.pu*) crested England .... 7. 8. H ⊙ Eng. bot. v. 1. t. 41.
2 arvénse D.S. (*ye.pu*) corn-field ——— .... 6. 7. H ⊙ ———v. 1. t. 53.
3 nemoròsum D.S. (*ye*) colour'd-bracted Europe 1823. —— H ⊙ Flor. dan. t. 305.
4 pratense D.S. (*ye*) common Britain .... 7. 8. H ⊙ Eng. bot. v. 2. t. 113.
5 sylváticum D.S. (*co*) wood ——— .... —— H ⊙ ———v. 12. t. 804.
TRIPHYSA'RIA D.S. Triphysa'ria. (*τρεις*, three, and *φυσα*, a bladder.) Didyna. Angiosper.
versícolor D.S. (*wh.re*) party-coloured California 1837. 6. 9. H ⊙
PEDICULA'RIS D.S. Lousewort. (*pediculus*, a louse; make sheep lousy.) Didyna. Angiosper.
Sect. 1. Persona'tæ; *leaves opposite, lower lip of corolla erect ex* Stev., *lips closed ex* Benth.
1 Scéptrum D.S. (*ye.cr*) sceptred Sweden 1793. 7. 8. H ♃ Flor. dan. t. 26.
2 striàta D.S. (*ye.cr*) stripe-flowered Dahuria 1826. 6. 7. H ♃ Pall. it. 3. a. n. 98. t. R. f. 2.
Sect. 2. Verticilla'tæ; *corolla ringent; leaves verticillate.*
3 spicàta D.S. (*pu*) spike-flowered Dahuria 1827. 7. 8. H ♃ Pall. it. 3. a. n. 100. t. 8. f. 2

4	myriophy'lla D.S.	(*ye*)	Milfoil-leaved	Dahuria	1816.	5. 7.	H	♃	Pall. it. 3. ap. t. 8. f. 1.
5	verticillàta D.S.	(*pu*)	whorled	Austria	1790.	5. 6.	H	♃	Jacq. aust. 3. t. 206.

Sect. 3. FAUCIDE'NTES; *corolla ringent, galea furnished with a tooth on both sides beneath the middle; leaves alternate.*

6	palústris D.S.	(*pu*)	marsh	Britain	....	6. 7.	H	♃	Eng. bot. v. 6. t. 309.

Sect. 4. ROSTRA'TÆ; *leaves alternate; corolla ringent; tube hardly exserted; galea toothless, falcate; beak straight.*

7	incarnàta D.S.	(*fl*)	flesh-coloured	Austria	1796.	6. 7.	H	♃	Jacq. aust. 2. t. 140.
8	rostràta D.S.	(*pu*)	beaked	S. Europe	1823.	——	H	♃	——— t. 205.
	asplenifòlia W.								
9	tuberòsa D.S.	(*ye*)	tuberous	Switzerland	1799.	7. 8.	H	♃	Hall. helv. n. 323. t. 10.
10	ascéndens Schl.	(*ye*)	ascending	———	1825.	——	H	♃	
11	gyrofléxa D.S.	(*pu*)	bending	———	——	——	H	♃	Vill. delph. 2. t. 9.
12	atrorùbens D.S.	(*d.re*)	dark-red	———	——	——	H	♃	
13	uncinàta D.S.	(*fl.ye*)	hooked-flower'd	Siberia	1815.	——	H	♃	Gmel. sib. 3. t. 45.
14	compácta D.S.	(*ye*)	close-headed	———	——	——	H	♃	
15	resupinàta D.S.	(*pu*)	resupinate	———	1816.	5. 7.	H	♃	Gmel. sib. 3. t. 44.
16	proboscídea D.S.	(*pu*)	proboscis-fld.	———	1827.	....	H	♃	
17	élegans D.S.	(*pu*)	elegent	———	——	6. 8.	H	♃	
18	speciòsa Led.	(*pu*)	beautiful	———	——	——	H	♃	

Sect. 5. BICUSPIDA'TÆ; *leaves alternate; galea short bidentate, without a beak; upper lip toothless.*

19	flàva D.S.	(*ye*)	yellow	Siberia	1828.	7. 8.	H	♃	Pall. it. 3. a. n. 97. t. R. f. 1.
20	canadénsis D.S.	(*ye*)	Canadian	N. America	1800.	——	H	♃	Swt. br. fl. gar. t. 37.
21	sylvática D.S.	(*ro*)	common	Britain	....	5. 7.	H	♃	Eng. bot. v. 6. t. 400.
22	euphrasioìdes D.S.	(*ye.re*)	eye-bright-ld.	Siberia	1816.	6. 7.	H	♃	Gmel. sib. 3. t. 43.
23	achillæfòlia D.S.	(*ye*)	Milfoil-leaved	———	1827.	7. 8.	H	♃	
24	comòsa D.S.	(*ye*)	spiked	Italy	1775.	——	H	♃	All. ped. 1. t. 4. f. 1.
25	pállida D.S.	(*st*)	pale yellow	N. America	1826.	——	H	♃	
26	rùbens D.S.	(*pu*)	red-flowered	Dauria	1827.	5. 7.	H	⊙	
27	sudética D.S.	(*pu*)	Swedish	N. Europe	——	——	H	♃	

Sect. 6. EDE'NTULÆ; *leaves alternate; corolla ringent; galea toothless, without a beak.*

28	recutìta D.S.	(*pu*)	jagged-leaved	Austria	1787.	7. 8.	H	♃	Jacq. aust. 3. t. 258.
29	foliòsa D.S.	(*ye*)	leafy	———	1786.	——	H	♃	——— 2. t. 139.
30	flámmea D.S.	(*ye.sc*)	upright	N. Europe	1775.	7.	H	♃	Hall. helv. t. 8. f. 3.
31	Oedèri D.S.	(*ye*)	Oeder's	———	1827.	——	H	♃	
32	versícolor D.S.	(*ye.br*)	various-colour'd	Switzerland	1825.	7. 8.	H	♃	
33	elàta D.S.	(*pu*)	lofty	Siberia	1826.	6. 8.	H	⊙	
34	exaltàta D.S.	(*pu*)	tall	———	1827.	——	H	♃	
35	ròsea D.S.	(*ro*)	rose-coloured	S. Europe	1825.	7. 8.	H	♃	Jacq. ic. 1. t. 115.

Tribe II. *CYMBARIE'Æ.* D.S. 4. p. 627.

CYMBA'RIA D.S. CYMBA'RIA. (κυμβη, a boat; form of fruit.) Didynamia Angiospermia.

	davùrica D.S.	(*ye*)	Daurian	Davuria	1796.	6. 7.	H	♃	Amm. ruth. t. 1. f. 2.

ORDER CLXXI.

OROBA'NCHEÆ. D.S. 4. *p.* 627.

OROBA'NCHE D.S. BROOM-RAPE. (οροβος, a vetch, and αγχω, to strangle; kills.) Didy. Angios.

1	caryophyllàcea D.S.	(*pu*)	clove-scented	England	....	7.	H	♃	Eng. bot. t. 2639.
2	màjor D.S.	(*br.pu*)	greater	Britain	....	6. 7.	H	♃	——— v. 6. t. 421.
3	elàtior D.S.	(*br*)	taller	———	....	7. 8.	H	♃	——— v. 8. t. 568.
4	mìnor D.S.	(*pa.pu*)	smaller	———	....	——	H	♃	——— v. 6. t. 422.
5	rùbra D.S.	(*pu.re*)	red	Ireland	....	8.	H	♃	——— v. 25. t. 1786.

PHELIPÆ'A D.S. PHELIPÆ'A. (illustrious family of Phelipeaux, patr. nat. sci.) Didyn. Angios.

1 cœrùlea D.S.	(*bl*) blue	Britain	....	7.	H	♃	Eng. bot. v. 6. t. 423.
Orobánche cœrùlea Vill.							
2 ramòsa D.S.	(*pu.bl*) branching	———	....	8. 9.	H	♃	Eng. bot. v. 3. t. 184.
Orobánche ramòsa L.							

LATHRÆ'A D.S. TOOTHWORT. (λαθραιος, clandestine; hidden.) Didynamia Angiospermia.

squamária D.S.	(*pu*) scaly	Britain	....	4.	H	♃	Eng. bot. v. 1. t. 50.

ORDER CLXXII.

CHELO'NEÆ. D.S. 4. *p.* 636.

CHELO'NE D.S. CHELO'NE. (χελωνη, a tortoise; back of upper lip compared to.) Didy. Ang.

1 glàbra D.S.	(*wh*) white-flowered	N. America	1730.	8.10.	H	♃	Trew pl. select. t. 88.
2 obliqua D.S.	(*pu*) red-flowered	———	1752.	——	H	♃	Bot. reg. t. 175.
3 Lyòni D.S.	(*re*) Lyon's	———	1812.	7. 9.	H	♃	Swt. br. fl. gar. t. 293.
major Bot. mag. t. 1864.							
4 nemoròsa D.S.	(*pu*) wood	———	1827.	——	H	♃	Bot. reg. t. 1211.

PENTSTE'MON D.S. PENTSTE'MON. (πεντε, five, and στημων, a stamen.) Didyn. Angiosper.

Sect. 1. GENTIANOI'DES; *sterile filament glabrous; anthers glabrous; leaves narrow, glaucous, entire; radical ones crowded; flowers panicled.*

1 barbàtus D.S.	(*sc*) scarlet	Mexico	1794.	6. 9.	H	♃	Bot. reg. t. 116.
Chelòne barbàta Cav.							
β *cárneus* B.R.	(*pa.re*) *flesh-coloured*	———	....	——	H	♃	Bot. reg. s. 3. t. 21.
2 centranthifòlius D.S.	(*sc*) centranthus-ld.	California	1832.	7.10.	H	♃	——— t. 1737.

Sect. 2. ERIANTHE'RA; *anthers ciliated or downy, not glabrous as in the following section.*

3 heterophy'llus D.S.	(*pu*) various-leaved	California	1834.	6. 9.	H	♃	Bot. reg. t. 1899.
4 Scoulèri D.S.	(*bl*) Scouler's	Columbia	1827.	5. 7.	H	♃	——— t. 1277.
5 glàber D.S.	(*bl*) blue-flowered	Louisiana	1811.	7. 9.	H	♃	Bot. mag. t. 1672.
Chelòne erianthèra Nutt.							
6 glandulòsus D.S.	(*pu*) glandular	N. America	1827.	6. 7.	H	♃	Bot. reg. t. 1262.
7 venústus D.S.	(*pu*) handsome	———	——	7. 9.	H	♃	——— t. 1309.
8 Richardsòni D.S.	(*pu*) Richardson's	———	1825.	7.10.	H	♃	——— t. 1121.

Sect. 3. VE'RÆ; *anthers glabrous.*

9 rùseus D.S.	(*ro*) rose-coloured	Mexico	——	——	H	♄	Swt. br. fl. gar. t. 230.
angustifòlius B.R. t. 1122.							
10 campanulàtus D.S.	(*ro*) bell-flowered	———	1794.	3.10.	F	♄	Bot. mag. t. 1878.
11 atropurpùreus D.S.	(*d.pu*) dark purple	———	1824.	——	H	♄	Swt. br. fl. gar. t. 235.
12 pulchéllus D.S.	(*pu*) pretty	———	1825.	5.10.	H	♄	Bot. reg. t. 1138.
13 Kúnthii D.S.	(*pu*) Kunth's	———	——	——	H	♄	Bot. reg. n. s. t. 3.
Chelòne angustifòlia Kth.							
14 gentianoìdes D.S.	(*pu*) Gentian-like	———	——	——	H	♄	Bot. reg. s. 2. t. 172.
Chelòne gentianoìdes Kth.							
15 lævigàtus D.S.	(*pi*) smooth	N. America	1776.	7. 9.	H	♃	Bot. mag. t. 1425.
16 hirsùtus D.S.	(*bl.pi*) narrow-ld. hairy	———	1758.	——	H	♃	Moris. s. 11. t. 21. f. 3.
17 pubéscens D.S.	(*bl.pu*) broad-ld. hairy	———	——	——	H	♃	Bot. mag. t. 1424.
18 grácilis D.S.	(*li*) slender	———	1825.	——	H	♃	——— t. 2945.
19 glaúcus D.S.	(*li*) glaucous	———	1827.	——	H	♃	Bot. reg. t. 1286.
20 digitàlis D.S.	(*wh*) foxglove-flower'd	Arkansa	1824.	6. 8.	H	♃	Swt. br. fl. gar. t. 120.
21 cristàtus D.S.	(*vi*) crested	Louisiana	1811.	7. 9.	F	♃	
22 cœrùleus D.S.	(*bl*) slender-blue	———	——	——	F	♃	
angustifòlius Fraser.							
23 grandifiòrus D.S.	(*pi.wh*) great-flowered	Louisiana	——	——	F	♃	
24 álbidus D.S.	(*wh*) dwarf	———	——	——	F	♃	
25 diffùsus D.S.	(*pu*) spreading	Columbia	1827.	6.10.	H	♃	Bot. reg. t. 1132.
26 ovàtus D.S.	(*bl.pu*) oval-leaved	N. America	——	6. 8.	H	♃	Swt. br. fl. gar. s. 2. t. 211.
27 deústus D.S.	(*wh*) blasted	———	——	——	H	♃	Bot. reg. t. 1318.
28 decussàtus D.S.	(*pu*) cross-leaved	———	——	——	H	♃	
29 acuminàtus D.S.	(*pu*) pointed-leaved	———	——	——	H	♃	Bot. reg. t. 1285.
30 attenuàtus D.S.	(*st*) taper-pointed	———	——	7. 9.	H	♃	——— t. 1295.
31 confértus D.S.	(*st*) crowded-flower'd	Columbia	——	——	H	♃	——— t. 1260.

32	pruinòsus D.S.	(*bl*) blue-leaved	N. America	1827.	6. 8.	H	♃		Bot. reg. t. 1280.
33	procèrus D.S.	(*vi*) tall	———	——	——	H	♃		Bot. mag. t. 2954.
34	speciòsus D.S.	(*bl*) beautiful	———	——	6. 9.	H	♃		Swt. br. fl. gar. s. 2. t. 259.
35	triphy'llus D.S.	(*li*) three-leaved	———	——	7. 9.	H	♃		Bot. reg. t. 1245.
36	serrulàtus D.S.	(*pu*) saw-leaved	———	——	——	H	♃		
37	suffruticòsus D.S.	(*pu*) suffrutescent	———	——	——	H	♄		
38	Murrayànus B.M.	(*sc*) Murray's	Texas	1834.	——	H	♃		Bot. mag. t. 3472.
39	Mackayànus Fl. cab.	(*pu.wh.ye*) Mackay's	Ohio	——	8. 9.	H	♃		Flor. cab. 2. p. 117.
40	Cobæ'a D.S.	(*pu.re*) Cobæa-flowered	N. America	1835.	5.10.	H	♃		Swt. br. fl. gar. s. 2. t. 348.
41	staticæfòlius D.S.	(*vi*) Statice-leaved	California	1833.	6.10.	H	♃		Bot. reg. t. 1770.
42	crassifòlius B.R.	(*li*) thick-leaved	N. America	1830.	7. 9.	H	♃		——— s. 2. t. 16.
43	breviflòrus B.R.	(*pu.st*) short-flowered	California	1833.	9.10.	H	♃		——— t. 1946.

ORDER CLXXIII.

SIBTHORPIA'CEÆ. D.S. 4. *p.* 641.

SIPTHO'RPIA L. SIBTHO'RPIA. (H. Sibthorp, M.D., prof. bot., Oxford.) Didyn. Angiosp.

	europæ'a L.	(*wh*) Cornish money-wort	England....		7. 8.	H	♃		Eng. bot. v. 10. t. 619.

DISA'NDRA L. DISA'NDRA. (δις, twice, and ανηρ, a male; 4 and 8.) Heptandria Monogynia.

	prostràta L.	(*ye*) trailing	Madeira	1771.	5. 8.	G	♃		Bot. mag. t. 218.

CAPRA'RIA S.S. GOAT-WEED. (*caper*, a goat; smell.) Didynamia Angiospermia.

1	cuneàta S.S.	(*ro*) wedge-leaved	S. America	1759.	6. 8.	S	♄		
2	biflòra S.S.	(*wh*) two-flowered	———	1752.	7. 8.	S	♄		Jacq. amer. t. 115.
3	hùmilis W.	(*ro*) dwarf	E. Indies	1781.	——	S	⊙		

SCOPA'RIA L. SCOPA'RIA. (*Scopa*, a broom; used as.) Tetrandria Monogynia.

1	dúlcis D.S.	(*wh*) sweet	S. America	1730.	6. 9.	S	⊙		Herm. parad. t. 241.
2	flàva D.S.	(*ye*) yellow	Brazil	1829.	——	S	♃		

ORDER CLXXIV.

GESNE'REÆ. D.S. 4. *p.* 643.

Tribe I. *GLOXINIE'ÆE.* D.S. 4. p. 645.

TREVIRA'NIA S.S. TREVIRA'NIA. (L. C. Treveranus, prof. bot. Bonn.) Didyn. Angiosp.

	pulchélla D.S.	(*sc*) scarlet	Jamaica	1778.	8.10.	S	♃		Bot. mag. t. 374.
	Cyrílla pulchélla B.M. *Achimènes coccínea* P.S.								

GESNE'RIA D.S. GESNE'RIA. (Conrad Gesner, of Zurich, fam. bot.) Didynam. Angiosperm.

	§ 1. *Peduncles radical.*								
1	tuberòsa D.S.	(*sc*) tuberous-rooted	Brazil	1834.	8. 9.	S	♃		Bot. mag. t. 3664.
	rupéstris Graham.								
2	acaúlis D.S.	(*sc*) stemless	Jamaica	1793.	5. 8.	S	♃		Sloan. jam. 1. t. 102. f. 1.
	§ 2. *Cymes terminal umbellate.*								
3	rupícola D.S.	(*sc*) rock	Brazil	....	....	S	♃		Mart. bras. 3. t. 213.
4	Douglásii D.S.	(*sp*) Douglas's	———	1825.	5. 8.	S	♃		Bot. reg. t. 1110.
	verticillàta Bot. mag. t. 2776. *non* Cavan.								
	β verticillàta B.M.	(*sp*) whorled	Brazil	——	——	S	♃		Bot. mag. t. 3612.

§ 3. *Peduncles axillary, two or many flowered, cymose.*

5 latifòlia D.S.	(*sc*) long-spiked	Brazil	1825.	7.10.	S	♃	Bot. reg. t. 1202.
macrostàchya B.R.							
6 aggregàta D.S.	(*sc*) clustered	———	1816.	6.10.	S	♃	Bot. reg. t. 329.
7 reflèxa Fl. cab	(*sc*) reflexed	Valparaiso	1837.	4. 6.	F	♃	Flor. cab. 61.
8 Coopèri Paxt.	(*sc*) Cooper's	Brazil	1835.	——	S	♃	Paxt. mag. icon.
bulbòsa Bot. mag. t. 3041.							
9 bulbòsa D.S.	(*sc*) bulbous-rooted	———	1816.	5. 8.	S	♃	Bot. reg. t. 343.
10 Sellòwii D.S.	(*sc*) Sello's	———	....	——	S	♃	
11 corymbòsa D.S.	(*ye*) corymbose	Jamaica	1793.	——	S	♄	
12 elongàta D.S.	(*sc*) elongated	Quito	1835.	9.	S	♃	Bot. gard. t. 27.
13 lasiántha D.S.	(*sc*) woolly-flowered	Mexico	....	——	S	♃	Zucc. ac. wiss. 1830. t. 13.
14 rupéstris Paxt.	(*pk*) rock	Brazil	1835.	7.12.	S	♃	Paxt. mag. 53.
§ 4. *Flowers verticillate.*							
15 scéptrum D.S.	(*re*) sceptre	Brazil	1836.	——	S	♃	Mart. bras. 3. t. 214.
β *ígnea* DS.	(*re.ye*) *fiery*	———	——	——	S	♃	Bot. mag. 3576.
16 allagophy'lla D.S.	(*sc*) changeable-leaved	———	1835.	5. 7.	S	♃	Bot. reg. t. 1767.
17 spicàta D.S.	(*pu*) spiked	Mexico	1831.	——	S	♃	Kth. nov. gen. 2. t. 188.
§ 5. *Peduncles axillary, one-flowered, solitary or aggregate.*							
18 prasinàta D.S.	(*gr*) green-flowered	Brazil	1816.	5. 6.	S	♃	Bot. reg. t. 428.
Codonóphora grandiflòra B.R.							
19 rùtila D.S.	(*sc*) brilliant	———	1826.	6.10.	S	♃	Bot. reg. t. 1158.
20 Lindlèi B.M.	(*cr*) Lindley's	———	——	——	S	♃	Bot. mag. t. 3602.
rùtila β, *astrosanguínea* B.R. 1279.							
21 hirsùta D.S.	(*pu*) hairy	S. America	——	——	S	♃	Kth. nov. gen. 2. t. 189.
22 Suttòni D.S.	(*sc*) Sutton's	Brazil	1833.	7. 8.	S	♃	Bot. reg. t. 1637.
23 laterítia B.R.	(*sc*) brick-coloured	———	——	6. 8.	S	♃	——— t. 1950.
Sellòi Hort.							
24 fauciàlis B.R.	(*sc*) large-throated	———	1836.	7. 8.	S	♃	Bot. reg. t. 1785.
25 tubiflòra D.S.	(*sc*) tube-flowered	S. America	1815.	2. 6.	S	♃	Cavan. ic. 6. t. 584.
26 pendulìna B.R.	(*sc*) drooping-flower'd	Brazil	1825.	6. 9.	S	♃	Bot. reg. t. 1032.

GLOXI'NIA D.S. Gloxi'nia. (B. P. Gloxin, of Colmar.) Didynamia Angiospermia.

Sect. 1. Eugloxi'nia; *calyx terete.*

1 hirsùta D.S.	(*bl*) hairy	Brazil	1825.	6. 8.	S	♃	Bot. reg. t. 1004.
2 speciòsa D.S.	(*bl*) many-flowered	———	1815.	6.11.	S	♃	——— t. 213.
β *álba*	(*wh*) *white-flowered*	———	1822.	——	S	♃	——— t. 3206.
3 caulèscens D.S.	(*vi*) caulescent	Pernambuca	1820.	8.10.	S	♃	Bot. reg. t. 1127.
4 máxima Paxt.	(*p.bl*) largest	Hybrid	1837.	7. 8.	S	♃	Paxt. mag. bot. v. p. 219.
5 maculàta D.S.	(*pu*) spotted-stalked	S. America	1739.	7.10.	S	♃	Bot. mag. t. 1191.

Sect. 2. Sinni'ngia; *calyx angular or winged, especially at the base.*

6 guttàta D.S.	(*gr.ye*) spotted-throated	Brazil	1825.	6. 8.	S	♄	Bot. reg. t. 1112.
Sinningia guttàta B.R.							
7 Schóttii D.S.	(*gr.ye*) Heller's	———	1824.	——	S	♄	Bot. reg. t. 997.
Sinningia Hellèri B.R.							
8 velutìna D.S.	(*gr.ye*) velvetty	———	——	——	S	♄	Lodd. bot. cab. t. 1398.
9 villòsa D.S.	(*gr.ye*) shaggy	———	1826.	——	S	♄	Bot. reg. t. 1134.

Tribe II. *CONRADIE'Æ.* D.S. 4. p. 650.

RHYTIDOPHY'LLUM D.S. Rhytidophy'llum. (ῥυτις, a wrinkle, and φυλλον, a leaf.) Di. An.

1 tomentòsum	(*gr.pu*) woolly	S. America	1752.	11.6.	S	♄	Bot. mag. t. 1023.
Gesnèria tomentòsa L. *Codonóphora lanceolàta* L.							
2 auriculàtum B.M.	(*re.ye*) auricled	Brazil	1834.	10.11.	S	♄	Bot. mag. t. 3562.

CONRA'DIA D.S. Conra'dia. (Conrad Gesner, see Gesneria.) Didynamia Angiospermia.

1 scàbra D.S.	(*re*) scabrous	Jamaica	1822.	6. 8.	S	♄	
Gesnèria scàbra Swz.							
2 ventricòsa D.S.	(*sc*) ventricose	———	1823.	——	S	♄	
Gesnèria ventricòsa Swz. *Pentaràphia longiflòra* B.R.							
3 calycìna D.S.	.. large-calyxed	Jamaica	1824.	——	S	♄	
Gesnèria calycìna Swz. *Sinningia calycìna* Hort.							

Tribe III. *BESLERIE'Æ.* D.S. 4. p. 651.

BESLE'RIA D.S. BESLE'RIA. (Paul Besler, auth. of Hortus Eystettensis.) Didyn. Angiosp.
1 incarnàta D.S. (*fl*) flesh-coloured Guiana 1823. 7. 8. S ♄ Aub. gui. 2. t. 256.
2 lùtea D.S. (*ye*) yellow-flowered ——— 1739. —— S ♄ Plum. ic. 49. f. 1.
3 hirtélla S.S. (*ye*) hairy-leaved Brazil 1823. —— S ♄
4 grandifòlia S.S. (*ye*) large-leaved ——— —— —— S ♄

COLU'MNEA D.S. COLU'MNEA. (Fabius Columna, an Ital. bot.) Didynamia Angiospermia.
1 scándens D.S. (*sc*) climbing W. Indies 1759. 8. 9. S ♄ Bot. reg. t. 805.
2 hirsùta D.S. (*or*) hairy ——— 1780. 8.11. S ♄ Bot. mag. t. 3081.
3 trifoliàta S.S. (*bl*) three-leaved S. America 1825. —— S ♄
4 rùtilans D.S. (*ye.re*) red-leaved Jamaica 1823. —— S ♄
5 híspida D.S. (*sc*) bristly ——— 1824. —— S ♄

DRYMO'NIA D.S. DRYMO'NIA. (δρυμος, an oak wood; growing in woods.) Didyn. Angiosp.
Jacquìnii D.S. (*wh.ye*) saw-leaved W. Indies 1806. 6. 7. S ♄ Bot. reg. n. s. t. 4.
bicolor B.R. *Beslèria serrulàta* Jacq.

ALLOPLE'CTUS D.S. ALLOPLE'CTUS. (αλλος, diverse, and πλεκω, to plait.) Didyn. Angios.
1 cristàtus D.S. (*ye*) crested W. Indies 1739. 6. 8. S ♄ ◡ Jacq. amer. t. 119.
Beslèria cristàta L.
2 coccìneus D.S. (*ye*) scarlet-calyxed Guiana 1824. 5. 8. S ♄ ◡ Aub. gui. 2. t. 255.
Beslèria coccínea Aubl.
3 Schóttii D.S. (*ye.re*) two-coloured Brazil 1823. —— S ♄ ◡
Bèsleria dichrous S.S.

EPI'SCIA D.S. EPI'SCIA. (επι, upon, and σκια, a shadow; grow in shade.) Didyn. Angiosp.
1 pulchélla D.S. (*or*) large-flowered W. Indies 1806. 5. 8. S ♃ Bot. mag. t. 1146.
Beslèria pulchélla B.M.
2 melittifòlia D.S. (*pu*) Balm-leaved Guiana 1739. 6. 7. S ♃ Sm. exot. bot. 1. t. 54.
Beslèria melittifòlia Smith.

ORDER CLXXV.

CYRTANDRA'CEÆ. D.S. 4. *p.* 656.

ÆSCHYNA'NTHUS D.S. ÆSCHYNA'NTHUS. (αισχυνω, to be ashamed, and ανθος, a flower.) Di. Ar.
1 grandiflòrus D.S. (*sc*) great-flowered E. Indies 1838. 8. 9. S ♄ ◡ Paxt. bot. mag. icon.
Incarvíllea parasítica Roxb. *Trichospérmum grandiflòrum* D.P.

STREPTOCA'RPUS D.S. STREPTOCA'RPUS. (στρεπτος, twisted, and καρπος, a fruit.) Didy. Ang.
Réxii D.S. (*p.bl*) Rex's C. B. S. 1824. 2.10. S ♃ Bot. reg. t. 1173.
Didymocárpus Réxii Hook. exot. fl. t. 227.

FIE'LDIA D.S. FIE'LDIA. (Baron Field, F.L.S.) Didynamia Angiospermia.
austràlis D.S. (*gr.wh*) southern N. Holland 1824. .... G ♄ Hook. exot. flor. t. 232.

AMPHICO'ME D.S. AMPHICO'ME. (αμφι, on both sides, and κομη, hair.) Didynam. Angiosp.
argùta D.S. (*re*) sharp-toothed Himalaya 1837. 6. 9. G ♄ Bot. reg. s. 2. t. 19.

ORDER CLXXVI.

LABIATÆ. D.S. 4. *p.* 665.

Tribe I. *OCYMOIDEÆ. Benth. lab.*

MOSCHO'SMA D.S. Moscho'sma. (*μοσχος*, musk, *οσμη*, smell.) Didynamia Gymnospermia.

1 ocymoìdes D.S. (*wh*) Basil-like ..... 1823. 6. 8. S ☉
Lamnitzera ocymoìdes S.S. *O'cymum poly'cladum* Link.

2 polystàchya D.S.(*wh*)many-spiked E. Indies 1783. 7. 8. S ☉ Murr. c. gott. 3. t. 3.

O'CYMUM D.S. Basil. (*οζω*, to smell; strong scented.) Didynamia Gymnospermia.

Sect. 1. Ocy'modon; *each of the upper filaments furnished with a toothlet at the base; whorls 6-flowered; pedicels reflexed.*

1 víride D.S. (*wh*) green E. Indies 1816. 7. 9. S ♄
febrífugum Bot. reg. t. 753.

2 suàve D.S. (*wh*) sweet-scented ——— —— —— S ♄

3 cànum D.S. (*wh*) hoary China 1822. —— H ☉ Bot. mag. t. 2452.
álbum Roxb. *americànum* L. *stamíneum* B.M. *adscéndens* D.S.

4 cristàtum D.S. (*wh*) crested E. Indies 1812. 7. 8. S ☉
filamentòsum D.S.(*wh*)great-flowered Abyssinia 1802. 9.10. G ♄ L'Herit. s. nov. t. 43.
grandiflòrum S.S.

5 mínimum D.S. (*wh*) bush Ceylon 1573. —— H ☉ Schk. handb. 2. t. 166.

6 gratíssimum D.S.(*wh*)shrubby E. Indies 1752. —— S ♄ Jacq. ic. 3. t. 495.

7 Basílicum D.S. (*wh*) common sweet India 1548. —— H ☉ Blackw. t. 104.
pilòsum W. en. *ciliàtum* Horn.
β *glabràtum* D.S.(*wh*)*glabrous* E. Indies 1817. 7. 8. S ☉
caryophyllàtum Roxb.
γ *álbum* D.S. (*wh*) *white* ——— 1789. —— S ☉ Jacq. vind. 3. t. 86.
álbum L. *americànum* Jacq.
δ *thyrsiflòrum* D.S.(*wh*)*thyrse-flower'd* ——— 1806. 7. 8. S ♂ ——— 3. t. 72.

8 Bojèri D.S. (*wh*) Bojer's Madagascar 1825. .... S ♄

Sect. 2. Hiero'cymum; *each of the upper filaments furnished with a fascicle of hairs at the base; whorls 6-flowered; pedicels spreading.*

9 carnòsum D.S. (*wh*) thick-leaved Monte Video 1828. 6. 8. H ☉

10 sánctum D.S. (*wh*) purple-stalked E. Indies 1758. —— S ☉ Rheed. mal. 10. t. 92.
monachòrum L.

11 tenuiflòrum D.S. (*li*) slender-spiked ——— 1768. —— S ♂ Rumph. amb. 5.t.82.f.2.

Sect. 3. Gymno'cymum; *filaments all naked and toothless; whorls 6-flowered, rarely 10-flowered.*

12 micrànthum D.S.(*wh*)small-flowered Caracas 1816. 7. 9. S ☉ Bot. mag. t. 2996.
montànum B.M.

GENIO'SPORUM D.S. Genio'sporum. (etymology unknown.) Didynamia Gymnospermia.

1 prostràtum D.S.(*pa.bl*)prostrate E. Indies 1812. 6. 9. S ☉ Rheed. mal. 10. t. 92?
O'cymum prostràtum W. *menthoìdes* Burm.

2 strobilíferum D.S.(*bl*)strobile-bearing Nepaul 1804. —— S ♄
Plectránthus coloràtus D.D.

ACROCE'PHALUS D.S. Acroce'phalus. (*ακρος*, the summit, and *κεφαλη*, a head.) Did. Gym.

1 capitàtus D.S. (*wh*) headed China 1806. 7. 9. H ☉
Lamnitzera capitàta S.S. *O'cymum capitellàtum* W.

2 villòsus D.S. (*wh*) villous E. Indies 1817. 7. 8. S ♃

ORTHOSI'PHON D.S. Orthosi'phon. (*ορθος*, straight, and *σιφων*, a tube.) Didynam. Gymnosp.

1 ásperus D.S. (*wh*) rough E. Indies 1827. 5. 8. S ♃
O'cymum ásperum Roth. *Plectránthus ásper* S.S.

2 rubicúndus D.S.(*pu*) reddish Nepaul 1826. 6. 9. G ♄
Plectránthus rubicúndus D.D.

3 virgàtus D.S. (*bl*) twiggy ——— —— —— G ♄

PLECTRA'NTHUS D.S. Plectra'nthus. (*πλεκτρον*, a cockscomb, and *ανθος*, a flower.) Di. Gy.

1 fruticòsus D.S. (*bl*) shrubby C. B. S. 1774. 6. 9. G ♄ L'Herit. stirp. 85. t. 41.

2 punctàtus D.S.(*wh.bl*)dotted Africa 1775. 1. 5. G ♂ ——— 1. t. 41.

3 rotundifòlius D.S.(*bl*)round-leaved Mauritius 1823. 6. 8. S ♃ Rheed. mal. 11. t. 25.

4 parviflòrus D.S. (*bl*) small-flowered N. Holland 1805. 6. 9. G ♄ W. hort. ber. 1. t. 65.
gravèolens B.P.

5 cordifòlius D.S. (*bl*) heart-leaved Nepaul 1823. 6. 9. G ♄
móllis S.S. *incànus* L. en. *secúndus* Roxb.
6 Coëtsa D.S. (*bl*) canesent Nepaul 1823. 6. 9. G ♃
7 ternifòlius D.S. (*bl*) three-leaved ——— 1825. —— G ♄
8 ternàtus D.S. (*bl*) Omime-root Madagascar 1820. 11. S ♃ Bot. mag. t. 2460.
9 austràlis D.S. (*bl*) New Holland N. Holland 1823. —— G ⊙ Bot. reg. t. 1098.

CO'LEUS D.S. Co'LEUS. (*κολεος*, a sheath; flamens connected.) Didynamia Gymnospermia.
1 barbàtus D.S. (*vi.wh*) Forskohl's Abyssinia 1806. 10.11. S ♄ Bot. mag. t. 2036.
Plectránthus Forskóhlii B.M. *barbàtus* Andr. reposit t. 594.
2 comòsus D.S. (*bl*) tufted Nepaul 1820. —— G ♄ Bot. mag. t. 2318.
3 scutellarioìdes D.S. (*bl.w*) Scullcap-like E. Indies 1764. 7. 8. S ⊙ ——— t. 1446.
4 aromáticus D.S. (*bl*) Amboyna ——— 1826. —— S ♄ Bot. reg. t. 1520.
amboínicus Lour.
5 galeàtus D.S. (*bl*) helmetted Nepaul 1820. 7. 8. S ⊙

ANISOCHI'LUS D.S. Anisochi'lus. (*ανισος*, unequal, *χειλος*, a lip; corolla.) Didyn. Gymn
carnòsus B.R. (*li*) thick-leaved E. Indies 1788. 6. 7. S ♂ Linn. amoen. ac. 10. t.
Lavándula carnòsa W. *Plectránthus dùbius* S.S. *strobilíferus* H.B.

ÆOLLA'NTHUS D.S. Æolla'nthus. (*αιολλω*, to vary, and *ανθος*, a flower.) Didyn. Gymn
suavèolens D.S. (*wh*) sweet-scented Brazil 1829. 7.10. S ⊙ Mart. am. bot. mon. 4. t.

PYCNO'STACHYS D.S. Pycno'stachys. (*πυχνος*, dense, and *σταχυς*, a spike.) Didyn. Gym.
cœrùlea D.S. (*bl*) blue-flowered Madagascar 1825. 8.10. F ⊙ Hook. ex. flor. t. 282.

MARSYPIA'NTHUS D.S. Marsypia'nthus. (*μαρσυπος*, a purse, and *ανθος*, a flower.) Did. Gy
hyptoìdes D.S. (*bl*) Hyptis-like Trinidad 1823. 7. 8. S ⊙

HY'PTIS D.S. Hy'ptis. (*ὑπτιος*, resupinate; corollas.) Didynamia Gymnospermia.
1 spiciféra D.S. (*wh*) spike-bearing Madagascar 1828. 6. 8. S ⊙ Sloan. hist. 1. t. 108. f.
Madagascariénsis Bojer.
2 suavèolens D.S. (*bl*) small-headed W. Indies 1778. 10.1. S ⊙ Poit. an. mus. 7. t. 29. f. 2.
ebracteàta R. Br. *Plumièri* Poit. *Ballòta suavèolens* Jacq. schœnb. 3. t. 42.
3 radiàta D.S. (*wh*) Carolina Carolina 1690. 6. 7. G ♃ Poit. an. mus. 7. t. 27. f. 2.
4 capitàta D.S. (*wh*) Jamaica W. Indies 1714. —— S ♂ Jacq. ic. 1. t. 114.
5 polyánthes D.S. (*wh*) many-flowered S. America 1819. —— S ⊙
6 brévipes D.S. (*li*) short-peduncled W. Indies 1822. —— S ⊙
7 recurvàta D.S. (*wh*) recurved Cayenne —— —— S ♃ Poit. an. mus. t. 4. f. 3.
8 álbida D.S. (*bl*) white-leaved Mexico 1825. —— S ♄
9 spicàta D.S. (*bl*) spiked S. America 1819. 7. 9. G ⊙ Poit. an. mus. t. 28. f. 1
10 verticillàta D.S. (*wh*) whorled ——— 1824. —— S ⊙ Jacq. icon. t. 113.
11 pectinàta D.S. (*ye*) pectinated W. Indies 1776. 12.1. S ♃ Poit. an. mus. 7. t. 30.
pérsica Poit. *Brotèra pérsica* Lin. trans. 6. t. 13.

LAVA'NDULA D.S. Lavender. (*lavo*, to wash; used in fomentations.) Didynam. Gymnosp
Sect. 1. Stœ'chas; *floral leaves* 3-5-*flowered, in dense spikes; upper ones sterile and* *upper tooth of calyx dilately appendiculate.*
1 Stœ'chas D.S. (*bl*) French S. Europe 1562. 5. 7. G ♄ Flor. græc. t. 549.
2 pedunculàta D.S. (*bl*) peduncled ——— —— —— F ♄ Ger. emac. p. 568. f. 4.
Stœ'chas β. L.
3 víridis D.S. (*bl*) Madeira Madeira 1777. —— G ♄ Hoff. et Lk. lus. 1. t. 4.
4 dentàta D.S. (*bl*) tooth-leaved Spain 1597. 6. 9. G ♄ Bot. mag. t. 400.
5 heterophy'lla D.S. (*bl*) various-leaved ..... 1816. 4. 8. G ♄
Sect. 2. Spi'ca; *floral leaves* 3-5-*flowered, in loose spikes; upper tooth of calyx dilately appendiculate.*
6 véra D.S. (*bl*) common S. Europe 1568. 7. 9. H ♄ Schk. hand. 2. t. 157.
Spìca L.
β *álba* (*wh*) *white-flowered* ——— —— —— H ♄
7 Spìca D.S. (*bl*) broad-leaved ——— —— —— H ♄ Ger. emac. p. 583. f. 1.
latifòlia L.
Sect. 3. Ptero'stachys; *floral leaves one-flowered, opposite, in loose spikes; upper lip of calyx tridentate; lower one bidentate.*
8 pinnàta D.S. (*bl*) pinnated Madeira 1777. 4. 8. G ♄ Bot. mag. t. 401.
9 formòsa D.S. (*bl*) handsome Canaries —— —— G ♄
pinnàta β, *pubéscens* Benth.
10 multífida D.S. (*bl*) cut-leaved ——— 1597. 7. 9. G ♂ Lobel. ic. 432.
11 abrotanoìdes D.S. (*bl*) Southernwood-ld. ——— 1699. 6. 9. G ♄ Comm. rar. t. 27.

Tribe II. *MENTHOI'DEÆ.* D.S. 4. p. 711.

POGOSTE'MON D.S. Pogoste'mon. (πωγων, a beard, and στημων, a stamen.) Didy. Gym.

plectranthoìdes D.S.	(w)	Plectranthus-like	Mauritius	1818.	6. 8.	S	♄	Bot. mag. t. 3238.

DYSOPHY'LLA D.S. Dysophy'lla. (δυσωδες, fetid, and φυλλον, a leaf.) Didyn. Gymnos.

1 quadrifòlia D.S.	(li)	four-leaved	Nepaul	1823.	6. 8.	G	♃	
2 cruciàta D.S.	(li)	cross-leaved	———	1820.	——	G	♃	
Mèntha quadrifòlia D.D. not Roxb.								
3 stellàta D.S.	(li)	starry-leaved	———	1816.	——	G	♃	
4 verticillàta D.S.	(li)	whorl-leaved	———	1828.	——	G	♃	
5 pùmila D.S.	(li)	dwarf	———	——	——	G	♃	Bot. mag. t. 2907.
Mèntha verticillàta B.M. *pùmila* Graham.								

ELSHO'LTZIA D.S. Elsho'ltzia. (J. S. Elsholtz, a Prussian bot.) Didynam. Gymnosp.

1 cristàta D.S.	(li)	crested	Siberia	1789.	5. 7.	H	⊙	Bot. mag t. 2560.
2 blánda D.S.	(wh)	agreeable	Nepaul	1820.	10.12.	G	♃	Bot. mag. t. 3091.
Mèntha blánda DC. *Aphanochìlus blándus* B.R.								
3 incìsa D.S.	(wh)	cut-leaved	Nepaul	1818.	6.10.	G	♃	DC. pl. rar. gen. t. 8.
Hyptis stachyoìdes L.en. *Mèntha blánda* H.C. *non* DC. *Aphanochìlus incìsus* B.R.								

COLEBROO'KIA D.S. Colebkoo'kia. (H. T. Colebrooke, F.R.S., cel. bot.) Didyn. Gym.

1 oppositifòlia D.S.	(wh)	opposite-leaved	Nepaul	1816.	6. 9.	S	♄	Sm. exot. bot. t. 115.
2 ternifòlia D.S.	(wh)	three-leaved	E. Indies	——	——	S	♄	Roxb. corom. 3. t. 245.

ISA'NTHUS M. Isa'nthus. (ισος, equal, and ανθος, a flower.) Didynamia Gymnospermia.

cerùleus M.	(bl)	blue	N. America	1732.	6. 8.	H	♂	Dill. elt. t. 285. f. 369.
Trichostèma brachiàta L.								

PERI'LLA D.S. Peri'lla. (etymology unknown.) Didynamia Gymnospermia.

1 ocymoìdes D.S.	(wh)	Basil-leaved	India	1770.	7. 8.	H	⊙	Arduin. spec. 2. t. 13.
2 fruticòsa D.S.	(wh)	frutescent	Nepaul	1818.	——	S	♄	

PRE'SLIA D.S. Pre'slia. (C. B. and J. S. Presl, of Prague.) Didynamia Gymnospermia.

cérvina D.S.	(wh)	Hyssop-leaved	S. France	1648.	6. 8.	H	♃	Moris. s. 3. t. 7. f. 7.
Mèntha cérvina L.								

MENTHA D.S. Mint. (μινθη, of Theophrastes.) Didynamia Gymnospermia.

1 víridis W.	(pu)	spear	Britain	....	8.	H	♃	Eng. bot. v. 34. t. 2424.
2 lævigàta W.en.	(pu)	smooth-leaved	Germany	....	6. 8.	H	♃	
3 balsámea W.en.	(pu)	Balsam-scented	Italy	1804.	7. 8.	H	♃	
4 crispàta W. en.	(pu)	crumpled	Europe	1807.	——	H	♃	
5 piperita E.B.	(pu)	pepper	England	....	8. 9.	H	♃	Eng. bot. v. 10. t. 687.
6 niliaca S.S.	(pu)	Egyptian	Egypt	1796.	7. 8.	H	♃	Jacq. vind. 3. t. 87.
7 tènuis M.	(wh)	slender	N. America	1826.	——	H	♃	
8 sylvéstris E.B.	(pu)	wild	Britain	....	7. 8.	H	♃	Eng. bot. v. 10. t. 686.
9 nemoròsa W. en.	(pu)	wood	———	....	——	H	♃	Flor. dan. t. 484.
10 hírta W. en.	(pu)	hairy	Europe	....	——	H	♃	
11 pubéscens W.en.	(pu)	pubescent	———	....	——	H	♃	
12 Auriculària W.	(li)	Indian	E. Indies	1796.	——	S	♃	Rumph. amb. 6. t. 16.
13 crispa W.	(pu)	curled	Siberia	1640.	——	H	♃	
14 pyramidàlis T.N.	(pu)	pyramidal	Naples	1824.	——	H	♃	
15 undulàta W.en.	(pu)	wave-leaved	Europe	1816.	——	H	♃	
16 incàna W.en.	(pu)	hoary	———	1790.	——	H	♃	
17 lavandulàcea W.en.	(pu)	Lavender-ld.	Spain	1825.	——	H	♃	
18 capénsis W.	(pu)	Cape	C. B. S.	1816.	——	G	♃	
19 rotundifòlia E.B.	(pu)	round-leaved	Britain	....	8. 9.	H	♃	Eng. bot. v. 7. t. 446.
β *variegàta*	(pu)	*variegated*	———	....	——	H	♃	
20 macrostàchya T.N.	(pu)	long-spiked	Naples	1820.	——	H	♃	
21 gratíssima W.	(pu)	oblong-leaved	Britain	....	7. 8.	H	♃	
22 citrìta S.S.	(pu)	Bergamot	England	....	——	H	♃	Eng. bot. v. 15. t. 1025.
odoràta E.B.								
23 hirsùta E.B.	(pu)	hairy water	Britain	....	7.9.	H	w ♃	Eng. bot. v. 7. t. 447.
24 acutifòlia E.B.	(pu)	acute-leaved	England	....	9.	H	w ♃	——— v. 34. t. 2415.
25 sativa E.B.	(re)	tall red	———	....	8.9.	H	w ♃	——— v. 7. t. 488.
26 rùbra E.B.	(re)	common red	Britain	....	9.	H	w ♃	——— v. 20. t. 1413.
27 géntilis E.B.	(re)	bushy red	———	....	7.8.	H	w ♃	——— v. 30. t. 2118.
28 grácilis H.K.	(re)	narrow-leaved	———	....	——	H	w ♃	——— v. 7. t. 449.
29 palústris S.M.	(pu)	marsh	———	....	9.	H	w ♃	
30 villòsa S.M.	(pu)	horse	———	....	7.8.	H	w ♃	
31 praténsis S.M.	(pu)	meadow	———	....	——	H	w ♃	Sole's Mints. t. 17.
32 rivàlis S.M.	(pu)	river	———	....	——	H	w ♃	
33 paludòsa S.M.	(pu)	brook	———	....	9.	H	w ♃	
34 arvénsis E.B.	(li)	corn	Britain	....	7. 9.	H	♃	Eng. bot. v. 30. t. 2119.

35	præ'cox S.M.	(*li*) early-flowering	———	....	6.	H	♃		Sole's Mints. ic.
36	agréstis E.B.	(*li*) field	———	....	7. 8.	H	♃		Eng.bot. v. 30. t. 21
37	austrìaca S.S.	(*pu*) Austrian	Austria	1818.	——	H	♃		
38	dentàta W.	(*pu*) toothed	Germany	1816.	——	H	♃		
39	canadénsis W.	(*pu*) Canadian	N. America	1801.	——	H	♃		
40	boreàlis M.	(*li*) northern	———	1824.	——	H	♃		
41	élegans S.S.	(*pu*) elegant	S. Europe	1828.	——	H	♃		
42	badénsis S.S.	(*pu*) Baden	Italy	——	——	H	♃		
43	rugòsa Roth.	(*pu*) rugged-leaved	Germany	1824.	——	H	♃		
44	glabràta S.S.	(*pu*) smooth	Egypt	1802.	——	H	♃		
45	Pulègium S.S.	(*li*) Pennyroyal	Britain	....	8. 9.	H	♃		Eng. bot. v. 15. t. 10
46	Requièni D.S.	(*pu*) Requien's	Corsica	1829.	5. 8.	H	♃		

Audibérta pusílla B.R. *Thy'mus parviflòrus* Req.

LYCO'PUS D.S. WATER-HOREHOUND. (λυκος, a wolf, and πους, a foot.) Diss. Mon

1	austràlis D.S.	(*wh*) New Holland	N. S. W.	1823.	5. 7.	G	♃		
2	europæ'us D.S.	(*wh*) European	Britain	....	7. 8.	H	♃		Eng. bot. v. 16. t. 1
3	intermèdius D.S.	(*wh*) intermediate	Europe	1816.	——	H	♃		
4	exaltàtus D.S.	(*wh*) tall	Italy	1739.	——	H	♃		Flor. græc. 1. t. 12.
5	virgínicus D.S.	(*wh*) Virginian	N. America	1760.	8. 9.	H	♃		
6	sinuàtus D.S.	(*wh*) sinuate-leaved	———	1812.	——	H	♃		
7	macrophy'llus D.S.	(*wh*) large-leaved	———	1700.	——	H	♃		

virgínicus β quercifòlius Ph.

MERIA'NDRA D.S. MERI'ANDRA. (μερις, a part, and ανηρ, a male.) Didyn. Gymnosp.

	bengalénsis D.S.	(*wh*) Bengal	E. Indies	1825.	6. 9.	S	♄		

Sálvia bengalénsis Roxb. *abyssínica* R. Br.

Tribe III. *MONA'RDEÆ.* D.S. 4. p. 667.

SA'LVIA D.S. SAGE. (*salvo*, to save; healing qualities.) Diandria Monogynia.

Sect. 1. EU'SPHACE; *calyx campanulate; tube of corolla wide, furnished with a ring of hai connective stretched out behind.*

1	crética D.S.	(*vi*) Cretan	Crete	1760.	6. 8.	F	♄		Rivin. monop. t. 12
2	officinàlis D.S.	(*bi*) garden	S. Europe	1597.	6. 7.	H	♄		Woodv. med. bot. t. 3

chromática Hg.

3	lavandulæfòlia D.S.	(*bi*) Lavender-leaved	Spain	——	——	H	♄		

rosmarinifòlia Hort. *teniìor* Desf. *hispanòrum* Lg.

4	grandiflòra D.S.	(*bi*) great-flowered	S. Europe	1616.	6. 9.	H	♄		Jacq. eclog. t. 36.
5	crassifòlia D.S.	(*bi*) thick-leaved	Barbary	1804.	——	F	♄		
6	confùsa D.S.	(*pu*) confused	S. Europe	....	——	F	♄		

aurìta Schultes.

7	trìloba D.S.	(*vi*) three-lobed	———	1596.	6. 7.	H	♄		Flor. græc. 1. t. 17.
8	Clùsii D.S.	(*wh*) Clusius's	Levant	1827.	6. 9.	F	♄		Jacq. schœn. 2. t. 1
9	incarnàta D.S.	(*fl*) flesh-coloured	———	1729.	——	G	♃		Pluk. phyt. t. 194. f.
10	interrúpta D.S.	(*wh.bi*) interrupted	Barbary	1825.	5. 6.	H	♄		Swt. br. fl. gar. t. 16
11	pinnàta D.S.	(*pu*) winged-leaved	Levant	1731.	7.	H	♂		Boer. lugd. 1. t. 167.
12	ríngens D.S.	(*li*) ringent	———	1827.	——	F	♃		Flor. græc. t. 18.
13	rosæfòlia D.S.	(*pu*) Rose-leaved	———	——	——	G	♄		Smith. ic. ined. 1. t. 1
14	scabiosæfòlia D.S.	(*wh.li*) Scabious-ld.	Tauria	1826.	——	H	♄		Jacq. f. ecl. t. 3.

vulnerariæfòlia W.

15	Hablizìana D.S.	(*w.re*) Taurian	———	1795.	8.	H	♄		Bot. mag. t. 1429.

Sect. 2. HYMENO'SPHACE; *calyx campanulate; tube of corolla ample, furnished with a ring hairs; connective drawn out behind.*

16	Linkiàna D.S.	(*bi*) hairy-flowered	Levant	1823.	6. 9.	G	♄		

pilántha L.en.

17	pomifera D.S.	(*li*) Apple-bearing	Candia	1699.	7. 8.	H	♃		Flor. græc. t. 15.
18	calycìna D.S.	(*li*) broad-calyxed	Greece	1823.	——	G	♄		——— t. 16.
19	canariénsis D.S.	(*li*) Canary	Canaries	1697.	6. 9.	G	♄		Trew. pl. rar. 2. t. 1
20	aúrea D.S.	(*br*) golden	C. B. S.	1731.	4.11.	G	♄		Bot. mag. t. 186.
21	dentàta D.S.	(*bi*) tooth-leaved	———	1774.	12.1.	G	♄		
22	paniculàta D.S.	(*pu*) panicled	———	1758.	——	G	♄		Mill. ic. t. 225. f. 1.
23	africàna D.S.	(*bi*) African	———	1731.	4. 6.	G	♄		Comm. hort. 2. t. 91.

coloràta Vahl.; Mill. fig. t. 225. f. 1.

Sect. 3. DRYMO'SPHACE; *calyx tubular or campanulate; tube of corolla exserted, furnished wi a ring of hairs inside; upper lip falcate; connective drawn out behind.*

24	glutinòsa D.S.	(*st*) glutinous	Europe	1596.	6. 9.	H	♃		Sabb. hort. rom. t. 3
25	nubícola D.S.	(*st*) Nepaul	Nepaul	1824.	8.10.	H	♃		Swt. br. fl. gar. t. 14

et. 4. Hormi'num; *calyx tubular; tube of corolla widened under the throat, without any ring of hairs inside; upper lip concave or falcate; connective deflexed behind and abruptly dilated.*

Hormìnum D.S.	(*pu*) annual Clary	S. Europe	1596.	6. 8.	H	⊙	Flor. græc. 1. t. 20.
α violàcea	(*bl*) *purple-topped*	S. Europe	1596.	6. 8.	H	⊙	
β rùbra	(*re*) *red-topped*	———	——	——	H	⊙	
víridis D.S.	(*li*) green topped	Italy	1759.	——	H	⊙	Flor. græc. 1. t. 19.
Forskòhlii D.S.	(*bl*) Forskohl's	Levant	1800.	——	H	♃	Bot. mag. t. 988.

et. 5. Æthi'opis; *calyx campanulate or tubular; tube of corolla widened under the throat, without any ring of hairs inside; upper lip falcate; connective deflexed behind, abruptly dilated and callous.*

índica D.S.	(*bl.wh*) Indian	India	1731.	5. 7.	H	♃	Bot. mag. t. 395.
syrìaca D.S.	(*wh*) Syrian	Levant	1759.	7.	G	♄	Arduin. spec. 1. t. 1.
candidíssima D.S.	(*p.bl*) hoary-leaved	———	1804.	6. 7.	G	♃	Flor. græc. t. 26.
crassifòlia F.G. *non* Cav.							
verbascifòlia D.S.	(*wh.ye*) Verbascum-ld.	Iberia	1825.	——	H	♃	
odoràta D.S.	(*wh*) sweet-scented	Bagdad	1804.	7.	F	♄	Jacq. f. ecl. t. 16.
compréssa D.S.	(*wh*) compressed	Levant	1816.	7. 8.	H	♃	Venten. cels. t. 59.
tingitàna D.S.	(*st*) Tangier	Barbary	1796.	7.	G	♄	Rivin. monop. 1. t. 52.
Sclàrea D.S.	(*bh*) common Clary	Italy	1562.	7. 9.	H	♂	Flor. græc. 1. t. 25.
Simsiàna D.S.	(*bl.wh*) Sims's	Syria	1788.	6. 7.	H	♄	Bot. reg. t. 1003.
bracteàta B.M. 2320.							
spinòsa D.S.	(*wh*) thorny-calyxed	Egypt	1789.	6.	G	♂	Jacq. ic. 1. t. 7.
ægyptìaca L. *Abyssínica* L.							
Æthìopis D.S.	(*wh*) woolly	Austria	1570.	5. 6.	H	♂	Jacq. aust. 3. t. 211.
argéntea D.S.	(*wh*) silvery	Crete	1759.	5. 7.	H	♂	Flor. græc. 1. t. 27.
pyramidàlis Petag. *pátula* Desf.							
præ'cox D.S.	(*pu*) early-flowered	N. Africa	1826.	3. 6.	F	♃	
phlomoìdes D.S.	(*pu*) Mullein-leaved	Spain	1805.	5. 6.	H	♂	Rœm. script. his. t. 1. f. 1.
canéscens D.S.	(*pu*) canescent	Caucasus	1837.	——	H	♂	Bot. reg. s. 2. t. 36.
ceratophy'lla D.S.	(*li*) stag's-horn-leav'd	Persia	1699.	7. 8.	H	♂	Pluk. alm. t. 194. f. 5.

et. 6. Plethio'sphace; *calyx ovate; tube of corolla widened under the throat, without any ring of hairs inside; upper lip concave or falcate; connective deflexed behind, abruptly dilated, callous and connate at the extremity.*

bícolor D.S.	(*bl.ye*) two-coloured	Barbary	1793.	6. 7.	H	♃	Bot. mag. t. 1774.
austrìaca D.S.	(*st*) Austrian	Austria	1776.	6. 7.	H	♃	Bot. reg. t. 1019.
limbàta D.S.	(*w.r.ye*) limbate	Caucasus	1838.	——	H	♃	
ceratophylloìdes D.S.	(*li*) branching	Egypt	1771.	6. 8.	H	♂	Arduin. spec. 2. t. 2.
praténsis D.S.	(*bl*) meadow	England	....	5.11.	H	♃	Eng. bot. v. 3. t. 153.
agréstis L. *hæmatòdes* L. *variegàta* W. et K.							
Tenòrii D.S.	(*bl*) Tenore's	Italy	1820.	5. 8.	H	♃	Swt. br. fl. gar. t. 26.
Barrelièri Ten. fl. nap. 1. t. 2.							
lusitánica D.S.	(*bl*) Portugal	S. Europe	1819.	6. 8.	H	♃	Jacq. f. eclog. 1. t. 38.
virgàta D.S.	(*wh.ro.bl*) long-branched	Armenia	1758.	7.11.	H	♃	Jacq. schœn. 1. t. 37.
rùbra S.S. *amplexicaúlis* Lam. *gigantèa* Desf.							
sclareoìdes D.S.	(*re*) blistered	Spain	1804.	7. 8.	H	♃	Jacq. f. ecl. t. 38.
lusitánica J.E. *elongàta* Spr. *bullàta* W.en.							
rugòsa D.S.	(*wh*) wrinkle-leaved	C. B. S.	1775.	——	G	♄	
viscòsa D.S.	(*wh.cr.*) clammy	Italy	1773.	5. 6.	H	♃	Jacq. ic. 1. t. 5.
disérmas D.S.	(*wh*) long-spiked	Syria	——	7	H	♃	Barrel. ic. 187.
nùtans D.S.	(*bl*) nodding	Russia	1780.	6. 8.	H	♃	Bot. mag. t. 2436.
péndula Bess.							
péndula D.S.	(*vi*) drooping	Transylvania....		——	H	♃	
Sibthórpii D.G.	(*li*) Sibthorp's	Levant	1829.	6. 9.	F	♃	Flor. græc. t. 22.
campéstris M.B. *móllis* Jacq. f. ecl. 1. t. 37.							
sylvéstris D.S.	(*bl*) wood	Germany	1759.	6.10.	H	♃	Jacq. aust. 3. t. 212.
nemoròsa Mill. Dict.							
verbenàca D.S.	(*bl*) wild clary	Britain	....	6.10.	H	♃	Eng. bot. v. 3. t. 154.
Spielmánii W.en.							
β oblongàta D.S.	(*bl*) *oblong-leaved*	Tauria	1720.	——	H	♃	Jacq. f. ecl. 1. t. 14.
clandestìna D.S.	(*li*) cut-leaved	Italy	1739.	4. 7.	H	♂	Flor. græc. 1. t. 24.
polymòrpha Lk. *obtusàta* Lk. *parviflòra* Lk.							
β multífida D.S.	(*pa.bl*) *multífid*	S. Europe	1823.	5. 6.	H	♃	Flor. græc. 1. t. 23.
laciniàta W.en.							
nùbia D.S.	(*bl*) Nubian	Africa	1784.	6. 7.	G	♃	Murr. c. gott. 1778. t. 3
parviflòra D.S.	(*st*) small-flowered	Syria	1816.	7.10.	F	♃	Lab. syr. dec. 4. t. 7.

et. 7. Micro'sphace; *calyx ovate; upper lip entire; corolla small; tube enclosed, without any ring of hairs inside; connective deflexed, combined longitudinally; lower lobe of style flattened, dilated, and rounded.*

occidentàlis D.S.	(*wh*) West Indian	W. Indies	1820.	6. 9.	S	♃	Flor. per. 1. t. 39. f. a.
procúmbens R. et P.							

Sect. 8. CALO'SPHACE; *calyx tubular or campanulate; upper lip entire; tube of corolla exserted or inclosed, without a ring of hairs inside; upper lip straight, concave; connective deflexed, connate lengthwise; lower lobe of style subulate.*

§ 1. MICRA'NTHÆ; *flowers hardly 3 lines long.*

66 tenélla D.S. (*bl*) slender Jamaica 1821. 6. 9. S ⊙ Swartz. icon. t. 2.
67 tiliæfòlia D.S. (*bl*) Lime-leaved S. America 1793. 6. 8. S ♃ Jacq. schœn. 3. t. 254
fimbriàta Kth. nov. gen. 2. t. 149.
68 serótina D.S. (*bl*) late-flowering Chio 1759. 8.10. G ♃ Jacq. ic. 1. t. 3.
dominica Vahl. Swartz's obs. t. 1. f. 1.
69 micrántha D.S. (*bl*) small-flowered Mexico 1818. 5. 6. S ⊙ Jacq. schœn. 4. t. 481.
bullàta Ort. Jacq. *serótina* Vahl.
70 lanceolàta D.S. (*bl*) lance-leaved S. America —— 7. 9. H ⊙ Jacq. f. ecl. t. 13.
trichostemmoìdes Ph. *aspidophy'lla* B.S. *refléxa* Horn.

§ 2. BRACHYA'NTHÆ; *flowers 4 lines, and often a little longer.*

71 angustifòlia D.S. (*bl*) narrow-leaved Mexico 1806. 6. 7. G ♃ Bot. reg. t. 1554.
réptans Jacq. schœn. t. 319.
72 azùrea D.S. (*bl*) azure-flowered Carolina 1806. —— F ♃ Bot. mag. t. 1728.
mexicàna Walt. *acuminàta* P.S. Vent. cels. t. 20. *longifòlia* Nutt.
73 chamædryoìdes D.S.(*re*)Germander-likeMexico 1795. 6. 9. G ♄ Bot. mag. t. 808.
74 urticifòlia D.S. (*bl*) Nettle-leaved N. America 1799. 6. 7. H ♃ Moris. his. 3. t. 13. f. 31
75 rhombifòlia D.S. (*bl*) Rhomb-leaved Mexico 1827. 1.12. G ⊙ Bot. reg. t. 1429.
foliòsa B.R.
76 hispánica D.S. (*bl*) Spanish ——— 1739. 6. 8. H ⊙ Bot. reg. t. 359.
prismática Cav. *tetragòna* Mœnch.
77 polystàchya D.S. (*bl*) many-spiked New Spain 1822. 9.12. G ♃ Cavan. ic. 1. t. 27.
lineatifòlia Lag.
78 scorodònia D.S. (*bl*) balm-scented Mexico 1826. 6. 8. G ♄
melissiodòra Lag. *hírta* Schrank.
79 amaríssima D.S. (*bl*) bitter ——— 1803. 7. 8. G ♃ Bot. reg. t. 347.
nepetoìdes Kth. nov. gen. 2, t. 150. *amàra* Jacq. schœn. 3. t. 255.

§ 3. BRACTEA'TÆ; *fòral leaves bractea-formed, clasping the flowers.*

80 hirsùta D.S. (*bl*) hirsute Mexico 1801. 5. 6. H ⊙ Jacq. schœn. 3. t. 252.
bracteàta Poir. *sederítides* Vahl. *phlomoìdes* Cav. icon. 4. t. 320.
81 leucántha D.S. (*wh*) white-flowered Mexico 1825. 7.10. G ♄ Cavan. ic. 1. t. 24.

§ 4. LONGIFLO'RÆ; *tube of corolla twice or thrice longer than the calyx.*

82 strctiiflòra D.S.(*ye.re*)strict-flowered Peru 1831. 1.12. S ♄ Bot. mag. t. 3135.
83 tubiflòra D.S. (*ye.sc*) tube-flowered ——— 1820. 9.10. S ♄ Smith. icon. ined. t. 26
biflòra R. et P. fl. per. 1. t. 38. f. a.
84 leonuroìdes D.S. (*sc*) shining-leaved ——— 1783. 4.10. G ♄ Lam. ill. t. 20. f. 3.
formòsa B.M. 376. *comòsa* L'her. stirp. 1. t. 21. *nodòsa* Flor. per. 1. t. 41. f. a.
85 Régla D.S. (*sc*)Regla Mexico 1828. 9.11. G ♄ Cavan. icon. 5. t. 455.
86 spléndens D.S. (*sc*) splendid Brazil 1823. 8. 3. S ♄ Bot. reg. t. 687.
brasiliénsis S.S.
87 involucràta D.S.(*pu*) large-bracted Mexico 1825. 8.11. G ♄ Bot. reg. t. 1205.
lævigàta Kth. nov. gen. 2. t. 147.
88 agglùtinans D.S. (*sc*) clammy-stalked N. Spain 1827. 6. 7. G ♄
89 confertiflòra D.S.(*or.re*)crowded-flower'dBrazil 1824. 8. 9. S ♄ Bot. reg. s. 3. t. 29.
90 Grahàmi D.S. (*pu*) Graham's Mexico 1829. 6. 7. F ♄ Bot. reg. t. 1370.
91 coccínea D.S. (*sc*) scarlet-flowered S. America 1774. 4.10. G ♄ Mirb. an. m. 15. t. 15. f. 8.
ròsea Vahl. *glaucéscens* Pohl. bras. 2. t. 192.
92 élegans D.S. (*cr*) elegant Mexico 1820. 7.10. G ♄ H. et B. pl. am. 2. t. 144
incàrnata K.S. *non* W.
93 pseudococcínea D.S.(*sc*)pale scarlet S. America 1797. 6. 8. S ♄ Bot. mag. t. 2864.
94 fúlgens D.S. (*sc*) glossy Mexico 1827. 1.12. G ♄ Swt. br. fl. gar. s. 2. t. 58
cardinàlis Kth. nov. gen. 2. t. 151.
95 pulchélla D.S. (*sc*) pretty S. America 1821. 8.12. G ♄ Coll. hort. rip. t. 16.
doliòstachys Lag.
96 pàtens D.S. (*bl*) spreading Mexico 1837. 7. 9. F ♃ Bot. reg. s. 3. t. 23.
spectábilis Kth. Cav. icon. 5. t. 454.
97 amethy'stina D.S.(*bl*) amethystine S. America 1824. 6. 9. S ♄ Smith ic. ined. 2. t. 27.
98 mexicàna D.S. (*bl*) Mexican Mexico 1724. 5. 7. G ♄ Cavan. ic. 1. t. 26.
melissæfòlia Desf.
β màjor D.S. (*bl*) *butterfly-like* N. Spain 1825. 7.10. S ♄ Cavan. ic. 4. t. 319.
papilionàcea Cav.
99 tubífera D.S. (*sc*) long-tubed Mexico 1824. 6.10. S ♃ Cavan. ic. 1. t. 25.
longiflòra W.
100 lamiiflòra D.S. (*bl*) Lamium-leaved W. Indies 1793. 6.12. S ♄ Jacq. schœn. 3. t. 318.
Boosiàna Jacq. f. ecl. t. 47. *amæ'na* B.M. t. 1294. *cyànea* Fisch. *violàcea* Donn. *latifòlia* Andrs.
101 purpùrea D.S. (*pu*) purple Mexico 1825. 5. 7. S ♃ Cavan. ic. 2. t. 166.

Sect. 9. HETERO'SPHACE; *floral leaves deciduous; calyx tubular; upper lip truncate and tridentate; tube of corolla furnished with a ring of hairs inside; upper lip short and straight; connective fixed by the middle, remote.*

102 nilótica D.S.	(*bl*) Nilotic	Egypt	1780.	6. 8.	H	♃	Jacq. vind. 3. t. 92.
elysinica Jacq. icon. rar. 1. t. 6. *applanàta* W.en.							
103 aurita D.S.	(*pu*) eared	C. B. S.	1795.	5. 7.	G	♃	
104 runcinata D.S.	(*bl*) runcinated	———	1795.	——	G	♄	Jacq. schœn. 1. t. 8.
erùsa Desf.							
105 scàbra D.S.	(*pu*) rough-leaved	———	1774.	4. 9.	G	♄	
106 lyràta D.S.	(*pu*) lyre-leaved	N. America	1728.	6. 9.	H	♃	Moris. s. 11. t. 13. f. 27.
107 ægyptìaca D.S.	(*bl*) Egyptian	Egypt	....	6. 7.	S	☉	Jacq. vind. 2. t. 108.

Sect. 10. HEMI'SPHACE; *calyx tubular; upper lip truncate and tridentate; tube of corolla furnished with a ring of hairs inside; upper lip arched; connective remote behind, deflexed, acute.*

108 verticillàta D.S.	(*li*) whorled	Germany	1659.	6.11.	H	♃	Mirb. an. m. 15. t. 15. f. 10.
β *parviflòra*	(*li*) *small-flowered*	———	——	——	H	♃	
109 napifòlia D.S.	(*li*) Rape-leaved	Italy	1776.	6. 7.	H	♃	Jacq. vind. 2. t. 262.

† *Species not sufficiently known.*

110 scordioìdes D.S.	(*bl*) glandular	.....	1824.	5. 8.	S	♃	
111 papillòsa D.S.	(*wh*) papillose	.....	1827.	6. 8.	G	♄	
112 cæ'sia D.S.	(*pa.bl*) grey	S. America	1813.	6. 9.	G	♄	
113 nepetifòlia D.S.	(*bl*) Catmint-leaved	.....	1823.	7. 8.	H	☉	
114 ròsea D.S.	(*ro*) rose-coloured	E. Indies	1816.	6. 9.	S	♄	
115 scorodoniæfòlia D.S.	villous	.....	1824.	——	F	♄	

AUDIBE'RTIA D.S. AUDIBE'RTIA. (M. Audibert, nurseryman at Tarascon.) Didyn. Gymnos.

incàna D.S.	(*bl*) hoary	N. America	1827.	7.10.	F	♄	Bot. reg. t. 1469.
Sibia incàna Doug.							

ROSMARI'NUS D.S. ROSEMARY. (*ros*, dew, *marinus*, of the sea; habitat.) Diandria Monogynia.

officinàlis D.S.	(*pa.bl*) common	S. Europe	1548.	1. 4.	H	♄	Flor. græc. 1. t. 14.
α *angustifòlius*	(*pu.bl*) *narrow-leaved*	———	——	——	H	♄	
β *latifòlius*	(*pa.bl*) *broad-leaved*	———	——	——	H	♄	
γ *argènteus*	(*pa.bl*) *silver-striped*	———	——	——	H	♄	
δ *aùreus*	(*pa.bl*) *gold-striped*	———	——	——	H	♄	

MONA'RDA D.S. MONA'RDA. (N. Monarda, a physician of Seville in 16th cent.) Diand. Monog.

Sect. 1. EUMONA'RDA; *style and stamens exserted.*

1 didyma D.S.	(*sc*) Oswego Tea	N. America	1752.	6. 8.	H	♃	Bot. mag. t. 546.
coccìnea Mx. *Kalmiàna* Ph. *purpùrea* Lam.							
β *purpurèa* D.S.	(*pu*) *crimson-flower'd*	N. America	1789.	6. 8.	H	♃	Bot. mag. t. 145.
2 fistulòsa D.S.	(*pu*) fistulous	———	1656.	6. 8.	H	♃	Mill. ic. t. 122. f. 2.
altìssima W. en. *rugòsa* Ait. *oblongàta* Ait. *affìnis* Lk. *clinipòdia* Ph.							
3 mèdia W.en.	(*da.pu*) purple-bracted	N. America	....	6. 9.	H	♃	Swt. br. fl. gar. t. 98.
4 mòllis L.	(*pa.pu*) soft	N. America	....	6. 7.	H	♃	Bot. mag. t. 2958.
menthæfòlia Graham. *fistulòsa* β, *mòllis* Benth.							
5 Russellìana D.S.	(*wh.re*) Russell's	N. America	1823.	——	H	♃	Swt. br. fl. gar. t. 166.
6 Bradburiàna D.S.	(*pa.re*) Bradbury's	———	....	——	H	♃	Bot. mag. t. 3310.
fistulòsa B.M.							
7 grácilis D.S.	(*st*) slender	———	1824.	7. 8.	H	♃	

Sect. 2. CHEILY'CTIS; *stamens shorter or equal in length to the upper lip of the corolla.*

8 punctàta D.S.	(*ye.re*) spotted	N. America	1714.	6.10.	F	♃	Bot. reg. t. 87.
9 aristàta D.S.	(*li*) Citron-scentad	Texas	1823.	——	F	♃	Bot. mag. t. 3526.
citriodòra Cerv.							

BLEPHI'LIA D.S. BLEPHI'LIA. (βλεφαρις, the eyelash; ciliated bracteas.) Diandria Monogynia.

1 ciliàta D.S.	(*bl*) blue-flowered	N. America	1798.	7. 8.	H	♃	Pluk. alm. t. 164. f. 3.
Monárda ciliàta L.							
2 hirsùta D.S.	(*li*) hairy	———	——	7. 9.	H	♃	
Monárda ciliàta Mx.							

ZIZI'PHORA D.S. ZIZI'PHORA. (*zizi*, Indian name, φορεω, to bear.) Diandria Monogynia.

1 clinopodioìdes D.S.	(*li*) headed	Siberia	1799.	7. 8.	H	♄	Rud. mem. p. 1819. t. 11.
Cunila capitàta L.							
2 acinoìdes D.S.	(*ro*) Thyme-leaved	———	1786.	——	H	☉	
3 capitàta D.S.	(*ro*) oval-leaved	Syria	1752.	——	H	☉	Flor. græc. 1. t. 13.
4 hispànica D.S.	(*li*) Spanish	Spain	1759.	6.	H	☉	Lam. ill. t. 18. f. 1.
5 tenuìor D.S.	(*li*) spear-leaved	Levant	1752.	6. 7.	H	☉	——— t. 18. f. 2.
6 taùrica D.S.	(*li*) Taurian	Tauria	1816.	7. 9.	♃	☉	M.B. cent. pl. rar. 2. t. 82.
7 serpyllàcea B.M.	(*li*) sweet-scented	Caucasus	1803.	7. 8.	H	♄	Bot. mag. t. 906?
mèdia L.en.							
8 dasyántha D.S.	(*li*) hairy-flowered	Siberia	——	6. 8.	H	♄	——— t. 1093.
Pouschkìni B.M.							

HORMI'NUM D.S. HORMI'NUM. (ὁρμαω, to excite; qualities.) Didynamia Gymnospermia.

pyrenàicum D.S.	(*bl*) Pyrenean	Pyrenees	1820.	6. 7.	H	♃	Swt. br. fl. gar. t. 252.

Tribe IV. *SATUREI'NEÆ.* D.S. 4. p. 761.

BYSTROPO'GON D.S. Bystropo'gon. (βυω, to close, and πωγων, a beard.) Didynam. Gymn.

1	origanifòlius D.S.	(*li*) Marjoram-leav'd	Teneriffe	1815.	7. 8.	G	♄	
2	plumòsus D.S.	(*li*) woolly-flowered	Canaries	1779.	6. 7.	G	♄	
3	canariénsis D.S.	(*li*) Canary	———	1714.	6. 8.	G	♄	Comm. hort. 2. t. 65.
4	punctàtus D.S.	(*li*) cluster-flower'd	Madeira	1775.	7. 9.	G	♄	L'Her. sert. ang. t. 23.

PYCNA'NTHEMUM D.S. Pycna'nthemum. (πυκνος, dense, and ανθος, a flower.) Didy. Gym.

1	linifòlium D.S.	(*wh*) Flax-leaved	N. America	1739.	7. 8.	H	♃	Herm. parad. t. 218.
2	lanceolàtum D.S.	(*wh*) spear-leaved	———	1812.	——	H	♃	
3	nùdum D.S.	(*wh*) naked	———	1824.	——	H	♃	
4	ovàtum West.	(*wh*) ovate-headed	———	1829.	7. 9.	H	♃	
5	aristàtum D.S.	(*wh*) awned	———	1752.	8.	H	♃	Mich. amer. 2. t. 33.
	verticillàtum Ph.							
6	incànum D.S.	(*bh*) hoary	———	1732.	7.10.	H	♃	Dill. elt. t. 74 f. 85.

MONARDE'LLA D.S. Monarde'lla. (a dim. of Monarda.) Didynamia Gymnospermia.

	carolinià na D.S.	(*li*) Carolinian	Carolina	1816.	7. 8.	H	♃	
	Pychnánthemum Monardélla Mx.							

AMARA'CUS D.S. Amara'cus. (Greek name of Dittany.) Didynamia Gymnospermia.

1	Dictámnus D.S.	(*li*) Dittany of Crete	Candia	1551.	6. 9.	F	♄	Bot. mag. t. 291.
	Oríganum Dictámnus L.							
2	Tournefórtii D.S.	(*ro*) Dittany of Amorgos	Amorgos	1788.	8. 9.	F	♄	Flor. græc. t. 569.

ORI'GANUM D.S. Marjoram. (ορος, a mountain, γανος, joy.) Didynamia Gymnospermia.

1	sipy'leum D.S.	(*ro*) Mount Sipylus	Levant	1699.	6. 9.	F	♄	Flor. græc. t. 570.
2	vulgàre D.S.	(*ro*) common	Britain	....	6.10.	H	♃	Eng. bot. v. 16. t. 1113.
	stoloníferum Bess.							
	β *prismáticum* D.S.	(*wh*) *prismatic*	Portugal	1596.	——	H	♃	Schk. handb. 2. t. 164.
	latifòlium Mill. *megastàchyum* L. en. *macrcostàchyum* L. enum. *crèticum* L.							
	γ *hùmile* D.S.	(*pu*) *dwarf*	Asia	1827.	——	H	♃	
	δ *vìrens* D.S.	(*ro*) *green*	Portugal	1816.	——	H	♃	Hoff. et Lk. fl. p. 1. t. 9.
	oblongàtum Lk.							
	ε *hìrtum* D.S.	(*wh*) *hairy*	S. Europe	1820.	——	H	♃	
3	heracleóticum D.S.	(*li*) winter, sweet	———	1640.	——	H	♃	Lobel. ic. 492.
	Smy'rneum Flor. græc. t. 571. *glanduldsum* Desf.							

MARJORA'NA D.S. Marjora'na. (*maryamych*, Arabic name of Margoran.) Didyn. Gymnosp.

1	horténsis D.S.	(*wh*) knotted	Portugal	1573.	6. 7.	F	♂	Woodv. med. bot. t. 165.
	Oríganum Marjoràna L. *marjoranoìdes* W.							
2	microphy'lla D.S.	(*li*) Lavender-scented	Crete	1822.	7.10.	F	♄	Bot. mag. t. 2602.
	Oríganum Máru. Flor. græc. t. 573.							
3	crassifòlia D.S.	(*pu*) thick-leaved	Levant	....	6. 7.	F	♄	
	Oríganum Màru L. *ægyptìacum* Hort.							
4	nervòsa D.S.	(*wh*) Indian-knotted	E. Indies	1820.	——	S	♂	Vest. fl. ægypt. t. 33.
	Oríganum indicum Alp. *syrìacum* L.							
5	Onìtes D.S.	(*wh*) pot	Sicily	1759.	7. 11.	H	♃	Flor. græc. t. 572.
	Oríganum onìtes L. *pállidum* Desf. *Smy'rneum* L.							
6	ægyptìaca D.S.	(*li*) Egyptian	Egypt	1731.	6. 8.	F	♄	Alp. ægypt. t. 95.

THY'MUS D.S. Thyme. (θυμος, courage; smell reviving.) Didynamia Gymnospermia.

Sect. 1. Mastichi'na; *calycine teeth all subulate.*

1	Mastichìna D.S.	(*li*) Mastick	Spain	1596.	7. 9.	F	♄	Blackw. t. 134.
2	tomentòsus D.S.	(*li*) elongated	———	1816.	——	F	♄	
	elongàtus L. en.							

Sect. 2. Serpy'llum; *upper teeth of calyx lanceolate.*

3	vulgàris D.S.	(*li*) common	S. Europe	1548.	5. 8.	H	♄	Woodv. med. bot. t. 109.
	β *latifòlius*	(*li*) *broad-leaved*	———	——	——	H	♄	
4	tenuifòlius D.S.	(*li*) fine-leaved	S. Spain	——	——	H	♄	
5	Piperélla D.S.	(*li*) strong-scented	Levant	1823.	——	F	♄	Flor. græc. t. 576.
	gravèolens Flor. græc.							
6	Hérba-Baròni D.S.	(*li*) Herb-Baron	Corsica	1820.	——	H	♄	Lois. fl. gall. t. 9.
	lùcidus Guss.							
7	Serpy'llum D.S.	(*li*) wild or mother of.	Britain	....	——	H	♄	Eng. bot. v. 22. t. 1514.
	collinus M.B. *lævigàtus* Vahl.							
	β *lanuginòsus* D.S.	(*li*) *woolly*	England	....	6. 8.	H	♄	
	γ *exèrens* D.S.	(*li*) *exserted*	———	....	——	H	♄	
	δ *citràtus* D.S.	(*li*) *Lemon*	———	....	——	H	♄	
	citriodòrus L. en.							

montànus D.S. (*li*) *mountain*		Hungary	1800. 6. 7.	H ♄		W. et K. hung. 1. t. 71.
nummulàrius M.B. Bot. mag. t. 2666. *Hedeòma thymoìdes* P.S.						
8 azùreus Maund (*bl*) azure		Europe	1830. 6. 7.	H ♄		Bot. gard. 604.
9 angustifòlius D.S. (*li*) narrow-leaved		———	1771. ——	H ♄		W. et K. hung. 2. t. 147.
odoratìssimus M.B. *Zy'gis* L. *aciculàris* W. et K. *spinulòsus* Ten. *Thy'mbra ciliàta* Ten.						
10 pannónicus D.S. (*li*) Hungarian		Hungary	1816. ——	H ♄		Lk. fl. port. 1. t. 17.
adcéndens Bernh. *glabréscens* Lk. *Marshallànus* W. *odoratìssimus* Mill.						
11 lanceolàtus D.S. (*pu*) lanceolate		Barbary	1823. 7. 8.	F ♄		Desf. atl. 2. t. 128.
12 hirsùtus D.S. (*li*) hairy		Hungary	1816. 6. 8.	H ♄		
13 striàtus D.S. (*pu*) striated		S. Europe	1771. 6. 9.	F ♄		Flor. græc. t. 574.
Zy'gis Flor. græc. *aciculàris* Guss.						
14 villòsus D.S. (*li*) hairy		Portugal	1759. 6. 7.	F ♄		Flor. græc. t. 578.
15 numídicus D.S. (*re*) Numidian		Numidia	1816. 7. 8.	F ♄		
16 capitàtus D.S. (*li*) headed		S. Europe	1823. 6. 7.	H ♄		Brot. phyt. t. 12.
crèticus Brot. *Marinòsa* Ten. *Saturèia capitàta* L. Flor. græc. t. 544.						
17 ericæfòlius W. en. (*li*) Heath-leaved		Spain	1806. 6. 8.	H ♄		
Sect. 3. PSEUDOTHY'MBRA; *floral leaves large coloured.*						
18 cephalòtus D.S. (*li*) great-headed		Portugal	1759. 7. 8.	H ♄		Hof. et Lk. fl. lus. t. 13.
19 ciliàtus D.S. (*vi*) ciliated		N. Africa	1824. ——	F ♄		Desf. atl. 2. t. 123.
Thy'mbra ciliàta Desf.						
20 azóricus L.C. (*li*) dwarf		Azores	1820. 6. 9.	H ♄		Lodd. bot. cab. t. 1530.
† *Species hardly known.*						
21 albicans D.S. (*li*) white-leaved		Portugal	1816. 6. 8.	H ♄		Lk. fl. port. t. 11.
SATURE'JA D.S. SAVORY. (*Ssatter*, Arabic name for Labiate plants.) Didynamia Gymnospermia.						
Sect. 1. SATURE'IA; *whorls few-flowered; bracteas small or wanting.*						
1 horténsis D.S. (*wh*) summer		Italy	1652. 6. 8.	H ⊙		Lam. ill. t. 504. f. 1.
2 montàna D.S. (*li*) winter		S. Europe	1562. 6. 7.	H ♄		Flor. græc. t. 543.
3 rupéstris D.S. (*wh*) rock		Carniola	1798. ——	H ♄		Jacq. ic. 3. t. 494.
Melìssa álba W. et K. hung. 3. t. 205. *Nèpeta croática* S.S.						
4 mùtica D.S. (*li*) mutic		Caucasus	1837. ——	H ♄		
5 virgàta D.S. (*li*) twiggy		Spain	1824. ——	H ♄		
obovàta D.S. *cuneifòlia* Ten.						
6 spinòsa D.S. (*wh*) spiny		Crete	1827. 5. 7.	H ♄		Flor. græc. t. 545.
7 móllis Webb. (*wh*) soft		Teneriffe	1829. 7. 10.	F ♄		
Sect. 2. TRAORI'GANUM; *whorls densely globose, remote, propped by bracteas.*						
8 Thy'mbra D.S. (*li*) whorl-flowered		Candia	1640. 5. 7.	F ♄		Flor. græc. t. 541.
Thy'mus traorìganum L.						
HYSSO'PUS D.S. HYSSOP. (*ezob*, Hebrew for Hyssop.) Didynamia Gymnospermia.						
1 officinàlis D.S. (*bl*) common		S. Europe	1548. 6. 9.	H ♄		Jacq aust. 3. t. 254.
2 orientàlis W. (*bl*) narrow-leaved		Caucasus	1816. ——	H ♄		Bot. mag. t. 2299.
angustifòlius M.B.						
3 Schleicheri D.S. (*bl*) Schleicher's		Switzerland	1819. ——	H ♄		
officinàlis β, *canéscens* D.S.						
4 discolor D.S. (*bl*) two-coloured		Siberia	1818. ——	H ♄		
5 septémfidus E. .... seven-cleft		Egypt	1827.	H ♄		
6 septemcrenàtus E... seven-notched		———	1829.	H ♄		
COLLINSO'NIA D.S. COLLINSO'NIA. (Peter Collinson, F.R.S., a prom. of bot.) Diand. Monog.						
1 canadénsis D.S. (*ye*) Nettle-leaved		N. America	1735. 8. 10.	H ♃		Linn. hort. clif. t. 5.
2 scabriúscula D.S. (*re.ye*) rough-stalked		Florida	1776. 7. 9.	H ♃		
3 ovàlis Ph. (*ye*) oval-leaved		Carolina	1812. 8.	H ♃		
4 tuberòsa D.S. (*ye*) tuberous		———	1806. ——	H ♃		
serótina R.S.						
5 anisàta D.S. (*ye*) Anise-scented		———	——10.	H ♃		Bot. mag. t. 1213.
CUNI'LA D.S. CUNI'LA. (a name employed by Pliny.) Diandria Monogynia.						
mariàna D.S. (*pu*) Mint-leaved		N. America	1759. 7. 9.	H ♃		Swt. br. fl. gar. t. 243.

Tribe V. *MELISSI'NEÆ.* D.S. 4. p. 775.

HEDEO'MA D.S. HEDEO'MA. (Greek name for mint.) Diandria Monogynia.

pulegioìdes D.S. (*wh.vi*) Pennyroyal-ld.		N. America	1777. 6. 8.	H ⊙		
MICROME'RIA D.S. MICROME'RIA. (*μικρος*, small, and *μερις*, a part.) Didynamia Gymnosper.						
1 Juliàna D.S. (*li*) linear-leaved		Italy	1596. 5. 9.	F ♄		Flor. græc. t. 540.
Saturèia juliàna L.						

	β *hirsùta* D.S.	(*li*) *hairy*	Sicily	1824.	5. 9.	F	♄	
2	græ'ca D.S.	(*li*) Grecian	Greece	1759.	6. 7.	F	♃	Flor. græc. t. 542.
	Saturèia græ'ca L.							
	β *densiflòra* D.S.	(*li*) *dense-flowered*	Italy	1820.	6. 7.	F	♄	
	tenuifòlia Ten. *congésta* Horn.							
3	approximàta DS.	(*li*) bundle-leaved	Sicily	1825.	5. 7.	F	♄	
	Thy'mus fruticulòsus Bert *Saturèia approximàta* Biv.							
4	nervòsa D.S.	(*li*) nerved	Sicily	1770.	6.10.	H	♄	Desf. alt. 2. t. 121. f. 2.
	Saturèia nervòsa Desf. *Thy'mus filifórmis* Ten.							
5	microphy'lla D.S.	(*pu*) small-leaved	S. Europe	....	6. 8.	F	♄	
	Saturèia Teneríffæ L.K. *Thy'mus Teneríffæ* Hort.							
6	filifòrmis D.S.	(*pu*) filiform	Majorca	1770.	6. 8.	F	♄	
	Thy'mus filifórmis Ait. *Piperélla filifórmis* Presl.							
7	Teneríffæ D.S.	(*li*) Teneriffe	Teneriffe	1815.	7. 8.	F	♄	
8	Piperélla D.S.	(*li*) oval-leaved	Hungary	1802.	7. 8.	H	♄	W. et K. hung. t. 156.
	Thy'mus croáticus W. et K. *Piperélla* All.							
9	obovàta D.S.	(*wh*) obovate-leaved	Jamaica	1783.	6. 8.	S	♄	Coll. hort. rip. t. 25.
	Saturèia viminea L. *incàna* Sw. *Xenópoma obovàtum* Coll.							
10	Pulègium D.S.	(*pu*) pennyroyal	Hungary	....	6. 8.	H	♃	W. et K. hung. 2. t. 262.
	Melissa subnùda W. et K.							
11	marifòlia D.S.	(*st*) marum-leaved	S. Europe	1800.	6. 9.	F	♄	Cavan. ic. 6. t. 576.
	Népeta marifòlia Cav. *Thy'mus crèticus* D.C. *marifòlius* L.							

MELI'SSA D.S. BALM. (μελισσα, a bee, from μελι, honey.) Didynamia Gymnospermia.

	officinàlis D.S.	(*bh*) common	S. Europe	1573.	6.10.	H	♃	Woodb. med. bot. t. 147.
	β *villòsa* D.S.	(*bh*) *villous*	———	....	——	H	♃	Flor. græc. t. 579.
	altissima Fl. græc. *cordifòlia* P.S. *hirsùta* Balb.							

CALAMINTHA D.S. CALAMINT. (καλος, beautiful, and μινθα, mint.) Didynamia Gymnospermia.

1	incàna D.S.	(*wh*) hoary	Levant	1788.	6. 7.	F	♃	Flor. græc. t. 577.
	Thy'mus incànus Smith.							
2	crética D.S.	(*pu*) Cretan	S. Europe	1596.	——	F	♄	Barrel. ic. 1166.
3	fruticòsa D.S.	(*pu*) shrubby	Spain	1752.	7. 9.	F	♄	
4	Népeta D.S.	(*li*) lesser	England	....	7.10.	H	♃	Eng. bot. v. 20. t. 1414.
	Melissa Népeta L. *Thy'mus Népeta* E.B.							
5	vulgàris D.S.	(*li*) common	England	....	7. 8.	H	♃	Eng. bot. v. 24. t. 1676.
	Melissa Calamintha L. *Thy'mus Calamintha* E.B.							
6	grandifiòra D.S.	(*ro*) great-flowered	Italy	1596.	6. 9.	H	♃	Bot. mag. t. 208.
	Melissa grandifiòra B.M.							
7	caroliniàna D.S.	(*li*) Carolina	Carolina	1804.	6. 7.	F	♄	Bot. mag. t. 297.
	Thy'mus grandifiòrus B.M.							

CLINOPO'DIUM D.S. WILD-BASIL. (κλινη, a bed, and πους, a foot.) Didynamia Gymnospermia.

	vulgàre D.S.	(*ro*) common	Britain	....	6. 8.	H	♃	Eng. bot. v. 20. t. 1401.
	ægyptìacum S.S. *atropurpùreum* H.H.							

A'CYNOS D.S. A'CYNOS. (Ακωνος, Gr. name of a balsamic plant.) Didynamia Gymnospermia.

1	vulgàris D.S.	(*vi*) Basil-leaved	Britain	....	6. 8.	H	⊙	Eng. bot. v. 6. t. 411.
	Thy'mus A'cinos E.B.							
2	gravèolens L. en.	(*vi*) strong-scented	Tauria	1823.	——	H	⊙	
3	exíguus F.G.	(*pu*) small	Levant	1828.	——	H	⊙	Flor. græc. t. 575.
4	villòsus D.S.	(*vi*) villous	Germany	1817.	——	H	⊙	
5	alpìnus D.S.	(*vi*) Alpine	Austria	1731.	6. 9.	H	♂	Bot. mag. t. 2152.
6	purpuráscens D.S.	(*pu*) purple	Spain	1820.	——	H	♂	
7	patavìnus D.S.	(*pu*) Marjoram-ld.	S. Europe	1776.	6. 8.	H	♂	Jacq. obs. 4. t. 87.
8	rotundifòlius D.S.	(*pu*) round-leaved	Spain	1820.	——	H	♄	

GARDO'QUIA D.S. GARDO'QUIA. (Don Diego Gardoqui, a promoter of botany.) Didy. Gym.

1	díscolor D.S.	(*pu*) two-coloured	Caracas	1827.	4. 7.	S	♄	
2	Hookèri D.S.	(*sc*) Hooker's	Florida	1834.	6.10.	G	♄	Swt. br. fl. gar. s. 2. t. 271.
3	Gilliésii D.S.	(*li*) Gillies's	Chili	1828.	——	G	♄	Bot. reg. t. 1812.
4	betonicoìdes Benth.	(*pu*) Betonica-like	Mexico	1837.	——	F	♃	
5	multifiòra D.S.	(*sc*) many-flowered	Chili	——	....	F	♄	

THY'MBRA D.S. THY'MBRA. (θυμβρα, name of a sweet-scented herb.) Didynamia Gymnospermia.

1	spicàta D.S.	(*re*) spiked-flower'd	Levant	1699.	6. 7.	G	♄	Flor. græc. t. 546.
2	verticillàta D.S.	(*re*) whorl-flowered	Spain	1702.	——	G	♄	

Tribe VI. *SCUTELLARI'NEÆ.* D.S. 4. p. 789.

PRUNE'LLA D.S. SELF-HEAL. (altered from the German die braune.) Didynamia Gymnosperm.

1 vulgàris D.S.	(*bl*) common	Britain	....	7. 8.	H	♃	Eng. bot. v. 14. t. 961.
β *álba*	(*wh*) *white-flowered*	———	....	——	H	♃	
2 austràlis Swt.	(*bl*) New Holland	N. S. W.	1826.	——	F	♃	
vulgàris B.P. *nec aliorum.*							
3 pensylvánica S.S.	(*bl*) Pensylvanian	N. America	1801.	7. 9.	H	⊙	W. hort. ber. 1. t. 9.
4 grandifòra D.S.	(*bl*) great-flowered	Austria	1596.	——	H	♃	Bot. mag. t. 2014.
5 intermèdia S.S.	(*bl*) intermediate	S. Europe	1790.	——	H	♃	——— t. 337.
grandiflòra B.M.							
6 incìsa Len	(*bl*) cut-leaved	———	....	——	H	♃	
7 laciniàta L.	(*ye*) yellow-flower'd	Austria	1713.	——	H	⊙	Lam. ill. t. 516. f. 2.
8 hastàta S.S.	(*bl*) halberd-leaved	Portugal	....	——	H	♃	
9 longifòlia P.S.	(*bl*) long-leaved	France	....	——	H	♃	
10 hyssopifòlia S.S.	(*pu*) hyssop-leaved	S. Europe	1731.	——	H	♃	Moris. s. 11. t. 5. f. 7.

CLEO'NIA D.S. CLEO'NIA. (altered from *Cleonícium* of Pliny.) Didynamia Gymnospermia.

lusitánica D.S.	(*pa.bl*) sweet-scented	Portugal	1710.	6. 7.	H	⊙	Mill. ic. 1. t. 70.

SCUTELLA'RIA D.S. SKULLCAP. (*scutella*, a little saucer: calyx.) Didynamia Gymnospermia.

Sect. 1. LUPULINA'RIA; *floral leaves usually membranous; flowers disposed in tetragonal spikes, or subracemose and scarcely secund.*

1 grandifòra D.S.	(*re.ye*) large-flowered	Siberia	1804.	7. 8.	H	♃	Bot. mag. t. 635.
2 orientàlis D.S.	(*ye*) yellow-flowered	Levant	1729.	7. 9.	H	♃	Flor. græc. t. 580.
3 altàica F.	(*bl.wh*) Altay	Siberia	1816.	——	H	♃	Swt. br. fl. gar. t. 45.
4 alpìna D.S.	(*bl*) Alpine	Hungary	1752.	6.10.	H	♃	——— t. 90.
variegàta S.S.							
β *sanguínea* S.S.	(*ro*) *blood-coloured*	.....	....	——	H	♃	———s.2.t.399.
5 lupulina D.S.	(*ye*) Tartarian	Tartary	1739.	6. 9.	H	♃	Bot. reg. t. 1493.
alpìna β, *lùtea* D.S. *vérna* Bess.							

Sect. 2. HETERANTHE'SIA; *floral leaves small, green; flowers racemose secund.*

6 purpurascens D.S.	(*pu*) purplish	W. Indies	1823.	6. 8.	S	♃	

Sect. 3. STACHYMO'RPHA; *floral leaves green, small, different in form from the cauline leaves; flowers racemose, secund opposite.*

7 altíssima D.S.	(*d.pu*) tall	Levant	1731.	7. 8.	H	♃	
8 álbida D.S.	(*wh*) hairy white	———	1771.	6· 7.	H	♃	Flor. grac. t. 581.
nigréscens S.S. *crética* Mill. *pállida* M.B.							
9 Colúmnæ D.S.	(*d.pu*) heart-leaved	Italy	1806.	7. 8.	H	♃	Swt. *br.* fl. gar. t. 52.
peregrìna Flora græc. t. 582.							
10 peregrìna D.S.	(*vi*) foreign	Tauria	1815.	——	H	♃	
rubicúnda H.H.							
11 commutàta D.S.	(*pu*) changed	Hungary	1683.	——	H	♃	W. et. K. hung. 2. t. 125.
peregrìna W. et. K.							
12 hírta D.S.	(*pu.wh*) hairy	Candia	1825.	——	H	♃	Flor. græc. t. 583.
13 macrántha F.	(*pu*) large-flowered	Dahuria	1827.	6. 9.	H	♃	
14 pilòsa D.S.	(*d.pu*) pilose	N. America	——	——	H	♃	Lam. ill. t. 515. f. 3.
carolinìana Mx.							
15 serràta D.S.	(*d.pu*) saw-leaved	———	1800.	——	H	♃	Andr. reposit. t. 941.
16 integrifòlia D.S.	(*bl*) entire-leaved	N. America	1731.	——	H	♃	Pluk. alm. t. 441. f. 6.
hyssopifòlia W.							

Sect. 4. GALERICULA'TA; *floral leaves green, similar to the cauline ones, but gradually smaller; flowers opposite secund, axillary, or the upper ones are somewhat racemose.*

17 scordifòlia D.S.	(*pu.wh*) Scordium-ld.	Siberia	1823.	6. 8.	H	♃	Amm. stirp. t. 55.
18 galericulàta D.S.	(*bl*) common	Britain	....	6. 9.	H	♃	Eng. bot. v. 8. t. 523.
19 hastifòlia D.S.	(*pu*) hastate-leaved	Germany	1798.	6. 7.	H	♃	Riv. mon. irr. t. 77. f. 2.
20 minor D.S.	(*ro*) lesser	Britain	....	7. 8.	H	♃	Eng. bot. v. 8. t. 524.
21 párvula D.S.	(*bl*) slender	N. America	1823.	——	H	♃	Hook. ex. flor. t. 106.
ambígua Nutt.							
22 havanénsis D.S.	(*wh.bl*) Havannah	Havannah	1793.	5. 6.	S	♃	Jacq. obs. 2. t. 29.
23 humilis D.S.	(*pu*) dwarf	N. S. W.	1822.	6. 8.	G	♃	
24 nervòsa D.S.	(*bl*) nerved-leaved	N. America	1827.	——	H	♃	

Sect. 5. MASCHALO'STACHYS; *floral leaves green, similar to the cauline ones; upper ones small bractea-formed; flowers opposite secund, disposed in axillary and terminal racemes.*

25 lateriflòra D.S.	(*pu*) Virginian	N. America	1752.	6. 9.	H	♃	
26 víscida D.S.	(*bl*) viscid	Iberia	1820.	7. 9.	H	♃	

PERILO'MIA D.S. PERILO'MIA. (περι, around; and λεμα, a fringe; seeds.) Didyn. Gym.
ocymoìdes D.S. (sc) Ocymum-like S. America .... 7. 9. G ♄ Bot. reg. t. 1394.

Tribe VII. *PROSTANTHE'REÆ.* D.S. 4. p. 798.

CHILO'DIA D.S. CHILO'DIA. (χειλος, a lip, and οδους, a tooth.) Didynamia Gymnospermia.
scutellarioìdes D.S.(pu)skull-cap-like N. S. W. 1828. 6. 8. G ♄ Bot mag. t. 3405.

PROSTANTHE'RA B.P. PROSTANTHE'RA. (προσθηκη, an appendage, and ανθηρα, an anther.) D.G.
1 lasiánthos D.S. (wh) villous-flowered N. S. W. 1808. 6. 7. G ♄ Bot. reg. t. 143.
2 cœrùlea D.S. (bl) blue-flowered ——— 1824. 4. 7. G ♄
3 prunelloìdes D.S.(pu) Prunella-like ——— 1826. —— G ♄
4 incísa D.S. (wh) cut-leaved ——— 1825. —— G ♄
5 lineàris D.S. (wh) linear-leaved ——— 1823. —— G ♄
6 denticulàta D.S. (wh) tooth-leaved ——— —— —— G ♄
7 marifòlia D.S. (wh) Marum-leaved ——— 1827. 4. 6. G ♄
8 saxícola D.S. (wh) rock ——— 1823. —— G ♄
9 violàcea D.S. (bl) violet-coloured ——— —— —— G ♄ Bot. reg. t. 1072.
10 rhómbea D.S. (re) rhomb-leaved ——— —— —— G ♄

WESTRI'NGIA D.S. WESTRI'NGIA. (J. P. Westring, phys. to the King of Sweden.) Did. Gym.
1 rosmarinifórmis D.S.(w)Rosemary-like N. S. W. 1791. 5. 8. G ♄ Andr. reposit. t. 214.
2 Dampièri D.S.(wh.re) Dampier's N. Holland 1803. 5. 7. G ♄ Bot. mag. t. 3308.
3 rigida D.S. (wh.re) stiff ——— 1823. —— G ♄
4 cinèrea D.S. (wh.re) grey ——— 1821. 8. 9. G ♄ Bot. mag. t. 3307.
5 angustifòlia D.S.(wh) narrow leaved V. Diem. I. 1823. 5. 7. G ♄
6 longifòlia D.S. (wh) long-leaved N. S. W. 1826. —— G ♄
7 eremícola Cun.(wh.re) Cunningham's ——— 1822. 10. 11. G ♄ Bot. reg. t. 1481.
longifòlia B.R. 1481.

HEMIGE'NIA D.S. HEMIGE'NIA. (ἡμι, half, and γενεα, offspring; anthers one-celled.) D.G.
purpùrea D.S. (pu) purple N. S. W. 1824. 4. 8. G ♄

Tribe VIII. *NEPE'TEÆ.* D.S. 4. p. 802.

LOPHA'NTHUS D.S. LOPHA'NTHUS. (λοφος, a crest, and ανθος, a flower.) Didynam. Gymnos.
Sect. 1. RESUPINA'RIA; *cymes axillary, pedunculate, few-flowered.*
1 chinénsis D.S. (ye) Mint-leaved Siberia 1752. 8. 9. H ♃ Jacq. vind. 2. t. 182.
Hyssòpus Lophánthus S.S.
Sect. 2. CHIASTA'NDRA; *whorls collected into terminal spikes.*
2 nepetoìdes D.S. (ye) square-stalked N. America 1692. 8. 10. H ♃ Jacq. vind. 1. t. 68.
3 scruphularifòlius D.S.(re)Figwort-ld. ——— 1800. 7. 8. H ♃ Herm. parad. t. 106.
4 anisàtus D.S. (bl) Anise-like ——— 1820. 7. 9. H ♃ Bot. reg. t. 1282.
5 urticifòlius D.S. (pu) Nettle-leaved ——— 1826. —— H ♃
6 rugòsus D.S. (bl) wrinkled China 1836. —— H ♄

NE'PETA D.S. CATMINT. (*nepa*, a scorpion, cures bites.) Didynamia Gynospermia.
Sect. 1. SCHIZONE'PETA; *whorls crowded, composed of sessile cymes; calyx tubular, stamens exserted, leaves dissected.*
1 botryoìdes D. (wh) annual Siberia 1779. 6. 7. H ⊙ Cavan. ic. 1. t. 49.
bipinnàta Cav.
2 lavandulàcea D.S.(wh) Lavender-like ——— 1797. 7. 8. H ♃ Gmel. sib. 3. t. 55.
multífida W. *Lophánthus multífidus* Benth.
Sect 2. PYCHNONE'PETA; *whorls crowded, composed of sessile cymes; calyx tubular.*
3 multibracteàta D.S.(vi)many-bracted Barbary 1823. 6. 8. H ♃ Desf. atl. 2. t. 123.
4 apùlea D.S. (vi) Apulean ——— —— —— H ♃
tuberòsa Desf. *ròsea* Salzm.
5 tuberòsa D.S. (vi) tuberous-rooted Spain 1683. —— H ♃ Barrel. ic. t. 602.
reticulàta Desf. atl. 2. t. 124. *lanàta* Jacq. obs. 3. t. 75.
6 Scordòtis D.S. (wh) sessile-spiked Crete 1823. —— G ♄ Alp. exot. t. 283.
hirsùta L.
7 supìna D.S. (bl) trailing Caucasus 1830. —— H ♃
Sect. 3. STEGIONE'PETA; *cymes condensed into many-flowered whorls, usually pedunculate; superior ones subspicate.*
8 Sibthórpi D.S.(wh.sp) Sibthorp's Greece 1640. 6. 8. H ♃ Flor. græc. t. 548.
itálica F.G.

9 itàlica D.S. (*re.wh*) Italian S. Europe 1640. 6. 8. H ♃ Jacq. vind. 2. t. 112.
teucrioìdes Lam. *marrubioìdes* W. en. *imbricàta* Lag.

Sect. 4. CATA'RIA; *cymes usually condensed into many-flowered whorls, lower ones pedunculate; racemes simple or panicled.*

10 macrùra D.S. (*li*) long-tailed Siberia 1818. 7. 8. H ♃
11 Catària D.S. (*wh*) common Britain .... 7. 9. H ♃ Eng. bot. v. 2. t. 137.
citriodòra Becker.
12 Nepetélla D.S. (*li*) small S. Europe 1758. 7. 8. H ♃ All. ped. 1. t. 2. f. 1.
amethystina Desf.
β *hùmilis* D.S. (*bl*) *dwarf* ——— 1798. —— H ♃ Rchb. icon. eur. 3. t. 261
gravèolens Vill. *angustifòlia* Vahl.
β *incàna* D.S. (*bl*) *hoary* Levant 1723. 8. H ♃
incàna Ait.
13 Mussìni D.S. (*bl*) scollop-leaved Siberia 1804. 5. 8. H ♃ Bot. mag. t. 923.
longiflòra B.M. *non* V.
14 grandiflòra D.S. (*bl*) large-flowered Caucasus 1806. 7. 8. H ♃ Rchb. icon. eur. 3. t. 279.
coloràta W. en.
15 melissæfòlia D.S. (*bl*) balm-leaved Candia 1752. —— H ♃ Desf. ann. mus. 10. t. 23.

Sect 5. MACRONE'PETA; *cymes pedunculate, few-flowered; racemes terminal, very loose, branched a little.*

16 macrántha D.S. (*bl*) large-flowered Siberia 1760. 6. 8. H ♃ Bot. mag. t. 2185.
Dracocéphalum sibìricum L.
17 longiflòra D.S. (*bl*) long-flowered Persia 1802. —— H ♃ Vent. cels. t. 66.
18 crispa D.S. (*bl*) curl-leaved Levant 1800. —— H ♃
19 septemcrenàta D.S. (*bl*) seven-notched Egypt 1836. —— H ♃
20 teucriifòlia D.S. (*bl*) Teucrium-leaved Armenia 1816. —— H ♃
21 lamiifòlia D.S. (*bl*) Lamium-leaved ——— 1806. —— H ♃
22 lophántha D.S. (*bl*) crested Altay 1821. —— H ♃

Sect. 6. ORTHONE'PETA; *cymes dense, on short peduncles; whorls distant; racemes usually panicled.*

23 latifòlia D.S. (*pu*) broad-leaved Pyrenees 1777. 5. 8. H ♃
cærùlea Ait.
24 nùda D.S. (*pu*) naked S. Europe 1710. 7. 8. H ♃ Flor. græc. t. 547.
violàcea Vill. *paniculàta* Crantz.
β *parviflòra* D.S. (*wh*) *small-flowered* Ukraine 1789. —— H ♃ Jacq. aust. 1. t. 24.
nùda Jacq. *pannónica* L. *ukránica* M.B.
25 pannónica D.S. (*li*) close-flowered Hungary 1683. 8. 10. H ♃ Jacq. aust. 2. t. 129.

Sect. 7. OXYNE'PETA; *flowers distinct or collected at the tops of the branches into corymbose panicles.*

26 parviflòra D.S. (*li*) small-flowered Tauria 1828. 6. 8. H ♃
27 ukránica D.S. (*bl*) Siberian Siberia 1804. 7. H ♃
sibìrica M.B.

* *Species hardly known.*

28 suavèolens Rœm. (*wh*) sweet-scented ..... 1804. 6. 8. H ♃
29 serpyllifòlia S.S. (*li*) Thyme-leaved Tauria 1826. —— H ♃

GLECHO'MA D.S. GROUND-IVY. (γλήχων, name of a kind of thyme.) Didynamia Gymnosper.

1 hederàcea D.S. (*bl*) common Britain .... 3. 5. H ♃ Eng. bot. v. 12. t. 853.
2 hirsùta D.S. (*pu*) hairy Hungary .... —— H ♃ W. et K. hung. t. 119.

DRACOCE'PHALUM D.S. DRAGON'S-HEAD. (δρακων, a dragon, and κεφαλη, a head.) Did. Gym.

Sect. 1. KEIMODRA'CON; *procumbent; leaves nearly orbicular, crenated, palmate, or pinnatifid; flowers in heads or in oblong spikes.*

1 chamædryoìdes D.S. (*bl*) Chamædrys-like..... 1828. 7. 8. H ♃
2 origanoìdes D.S. (*bl*) Marjoram-like Siberia 1827. 6. 7. H ♃
3 botryoìdes D.S. (*bl*) woolly-leaved Caucasus 1823. —— H ♃
4 palmàtum D.S. (*bl*) palmated Siberia 1815. 6. 8. H ♃
5 pinnàtum D.S. (*bl*) wing-leaved ——— 1827. —— H ♃ Led. ill. t. 445.

Sect. 2. CALODRA'CON; *stems thick at the base; floriferous branches erect, few-leaved; leaves nearly all radical, crenated, on long petioles, whorls in capitate or oblong spikes.*

6 grandiflòrum D.S. (*bl*) great-flowered Siberia 1759. 7. 8. H ♃ Swt. br. fl. gar. s. 2. t. 57.
altaiénse Laxm.
7 mexicànum Kth. (*bl*) Mexican Mexico 1832. —— H ♃
8 imbérbe D.S. (*bl*) beardless Siberia 1836. —— H ♃

Sect. 3. CRYPTODRA'CON; *stems erect; branches leafy; whorls disposed in capitate spikes.*

9 parviflòrum D.S. (*bl*) small-flowered N. America 1825. 7. 8. H ♃

Sect. 4. MOLDA'VICA; *stems erect or ascending, leafy; whorls distant subracemose.*

10 moldávicum D.S. (*bl*) Moldavian Moldavia 1596. 7. 8. H ⊙ Lam. ill. t. 513. f. 1.
11 canéscens D.S. (*bl*) hoary-headed Levant 1711. —— H ⊙ Swt. br. fl. gar. t. 38.
12 ibéricum D.S. (*bl*) Iberian Iberia 1827. —— H ⊙
13 peltàtum D.S. (*bl*) Willow-leaved Levant 1711. —— H ⊙ Lam ill. t. 513. f. 2.
14 thymiflòrum D.S. (*bl*) small-flowered Siberia 1752. 6. 9. H ⊙ Gmel. sib. 3. t. 50.

15 nùtans D.S. (*bl*) nodding Siberia 1731. 7. 8. H ⊙ Bot. reg. t. 841.
16 integrifòlium Led. (*bl*) entire-leaved ——— 1827. —— H ♄
17 peregrìnum D.S. (*bl*) prickly-leaved ——— 1759. 7. 8. H ♃ Bot. mag. t. 1084.
Sect. 5. RUYSCHIA'NA; *stems erect, leafy; whorls somewhat interruptedly spicate; anthers villous.*
18 Ruyschiàna D.S. (*bl*) Hyssop-leaved N. Europe 1699. 6. 9. H ♃ Flor. dan. t. 121.
19 austrìacum D.S. (*bl*) Austrian Austria 1597. 6. 7. H ♃ Jacq. ic. 1. t. 112.
20 argunénse D.S. (*bl*) Fischer's Siberia 1822. 7. 9. H ♃ Swt. br. fl. gar. t. 47.
CEDRONE'LLA D.S. CEDRONE'LLA. (a dim of κεδρος, a cedar.) Didynamia Gymnospermia.
1 cordàta D.S. (*bl*) cordate-leaved N. America 1824. 7. 8. H ♃
Dracocéphalum cordàtum Nutt.
2 triphy'lla D.S. (*pa.pu*) Balm of Gilead Canaries 1697. 7. 9. G ♄ Comm. hort. 2. t. 41.
Dracocéphalum canariénse L.

Tribe IX. *STACHY'DEÆ.* D.S. 4. p. 815.

MELI'TTIS D.S. BASTARD-BALM. (μελιττα, a bee.) Didynamia Gymnospermia.
1 Melissophy'llum D.S. (*pu*) common England .... 6. 8. H ♃ Eng. bot. v. 9. t. 577.
β alpìna (*pu.wh*) *Alpine* Switzerland .... —— H ♃
2 grandiflòra D.S. (*wh.vi.*) great-flowered England .... 5. H ♃ Eng. bot. v. 9. t. 636.
PHYSOSTE'GIA D.S. PHYSOSTE'GIA. (φυσα, a bladder, στεγω, to cover.) Didynam. Angiosper.
1 virginiàna D.S. (*cr*) Virginian N. America 1683. 7. 9. H ♃ Bot. mag. t. 467.
2 speciòsa B.F.G. (*ro*) beautiful ——— 1820. —— H ♃ Swt. br. fl. gar. t. 93.
Dracocéphalum speciòsum B.F.G.
3 denticulàta B.R. (*ro*) toothed ——— 1787. 8. 9. H ♃ Bot mag. t. 214.
Dracocéphalum denticulàtum B.M.
4 variegàta B.R. (*re.wh*) variegated ——— 1812. —— H ♃ Vent. cel. t. 44.
5 imbricàta D.S. (*ro*) imbricated ——— 1834. —— H ♃ Bot. mag. t. 3386.
SYNA'NDRA D.S. SYNA'NDRA. (συν, together, and ανηρ, a male; close anthers.) D. G.
grandiflòra D.S. (*st*) great-flowered N. America 1827. 6. 7. H ♃
MACBRI'DEA D.S. MACBRI'DEA. (James Macbride, M.D., S. Carolina.) Didyn. Gymnos.
púlchra D.S. (*re.std*) pretty Carolina 1804. 7. 9. G ♄
Thy'mbra caroliniàna. Walter.
ORVA'LA DC. ORVA'LA. (*Orval*, in France.) Didynamia Gymnospermia.
lamioìdes DC. (*pu.bh*) balm-leaved Italy 1596. 4. 7. H ♃ Bot. mag. t. 172.
Làmium Orvàla B.M.
LA'MIUM D.S. ARCHANGEL. (λαιμος, the throat; ringent flowers.) Didynam Gymnosp.
1 longiflòrum D.S. (*pu*) long-flowered S. Europe .... 4. 9. H ♃ Eng. bot. v. 36. t. 2559.
2 rugòsum D.S. (*pu*) rough Italy 1766. 7. 8. H ♃ Flor. græc. t. 555.
3 maculàtum F.G. (*pu*) spotted Greece .... 4. 5. H ♃ ——— t. 556.
4 álbum D.S. (*wh*) white Britain .... 4. 9. H ♃ Eng. bot. v. 11 t. 768.
5 striàtum D.S. (*wh.std*) striped-flower'd Levant 1829. —— H ♃ Flor. græc. t. 557.
6 bífidum D.S. (*wh*) bifid-helmetted Naples 1825. —— H ♃ Cyr. rar. fasc. 1 t. 7.
7 moschàtum D.S. (*wh*) musk-scented Levant 1739. 7. 9. H ♃
8 mólle D.S. (*wh*) Pellitory-leaved ..... 1683. 4. 5. H ♃
9 flexuòsum D.S. (*wh*) flexuose Naples 1824. 4. 8. H ♃ Ten. flor. nap. ic.
10 gargánicum D.S. (*pu*) woolly Italy 1729. 7. 8. H ♃ Sm. exot. bot. 1. t. 48.
11 lævigàtum D.S. (*pu*) smooth ——— 1711. 3.10. H ♃ Pluk. alm. t. 198. f. 1.
12 purpùreum D.S. (*pu*) purple Britain .... 2. 8. H ⊙ Eng. bot. v. 11. t. 769.
β álbidum (*wh*) *white-flowered* ——— .... —— H ⊙
13 intermèdium D.S. (*pu*) intermediate Scotland .... —— H ⊙ Rchb. bot. eur. t. 224.
14 incìsum D.S. (*li*) cut-leaved England .... 5. 7. H ⊙ Eng. bot. v. 27. t. 1933.
15 amplexicaúle D.S. (*pu*) Henbit Britain .... —— H ⊙ ——— v. 11. t. 770.
16 multífidum D.S. (*pu*) multifid-leaved Levant 1752. 4. 5. H ⊙ Comm. rar. t. 26.
GALEO'BDOLON E.B. DEAD-NETTLE. (γαλη, a weasel, and βδολος, fetid; smell.) Didy. Gymn.
lùteum E.B. (*ye*) yellow Britain .... 5. 6. H ♃ Eng. bot. v. 11. t. 787.
LEONU'RUS D.S. MOTHERWORT. (λεων, a lion, and ουρα, a tail.) Didynamia Gymnosperm.
Sect. 1. CARDI'ACA; *tube of corolla obliquely annulate inside, rather ventricose above; middle lobe of lower lip entire.*
1 Cardìaca D.S. (*li.wh*) common Britain .... 7. 8. H ♃ Eng. bot. v. 4. t. 286.
β villòsus D.S. (*li.wh*) *villous* Tauria 1824. —— H ♃
condensàtus H.H. *negléctus* Schranck. *lácerus* Lindl.
γ críspus D.S. (*li*) *curl-leaved* Siberia 1658. —— H ♃ Murr. c. gott. 8. t. 4.
2 glaucéscens D.S. (*li*) glaucous-leaved ——— 1827. 7. 9. H ♂ Led. ill. t. 179.

3 tatáricus D.S. (*li*) Tartarian Tartary 1756. 8.10. H ♂ Mill. ic. 1. t. 80.
altàicus S.S. *multifidus* Desf.

Sect. 2. CHAITU'RUS; *tube of corolla straight, naked inside; middle lobe of lower lip nearly entire.*

4 marrubiástrum D.S.(*re*) Horehound-like Europe 1710. 6. 8. H ⊙ Jacq. aust. 5. t. 405.

Sect. 3. PANZE'RIA; *tube of corolla straight, naked inside; middle lobe of lower lip obcordate or bifid.*

5 sibíricus D.S. (*ro*) Siberian Siberia 1759. 6. 8. H ♂ Swt. br. fl. gar. t. 204.
6 heterophy'llus D.S.(*ro*)various-leav'd S. America 1824. —— H ⊙ Swt. br. fl. gar. t. 197.
7 lanàtus D.S. (*st*) woolly Siberia 1752. —— H ♃ Gmel. sib. 3. t. 54.
Ballòta lanàta W.

ANISO'MELES D.P. ANISO'MELES. (*ανισος*, unequal, and *μελος*, a member.) Didynam. Gymn.

1 ovàta D.S. (*vi.wh*) broad-leaved E. Indies 1783. 7. 8. S ⊙ Burm. zeyl. t. 71. f. 1.
2 malabárica D.S. (*vi*) Malabar ——— 1817. —— S ♄ Bot. mag. t. 2071.

GALEO'PSIS D.S. HEMP-NETTLE. (*λαλη*, a weasel, and *οψις*, resemblance.) Didynam. Gymnos.

1 Ládanum D.S. (*ro*) red Britain .... 7. 9. H ⊙ Eng. bot. v. 13. t. 884.
canéscens Schultes. *angustifòlia* Erhr.
2 ochroleùca D.S. (*ye*) downy Britain .... 7. 8. H ⊙ Eng. bot. v. 33. t. 2353.
villòsa E.B.
3 Tetràhit D.S.(*wh.pu*)common ——— .... —— H ⊙ Eng. bot. v. 3. t. 207.
4 versícolor E.B.(*ye.vi*) various-colour'd——— .... —— H ⊙ ——— v. 10. t. 667.
cannábina W. *Tetràhit γ. grandiflòra* D.S.
5 pubéscens Bess.(*wh.re*)pubescent Galicia 1820. —— H ⊙
Tetràhit β. pubéscens D.S.

BETO'NICA L. BETONY. (*betonic*, celt name.) Didynamia Gymnospermia.

1 officinàlis D.S. (*pu*) wood Britain .... 7. 8. H ♃ Eng. bot. v. 16. t. 1142.
2 stricta S.S. (*pu*) Danish Denmark 1592. 6. 7. H ♃
3 incàna S.S. (*pi*) hoary Italy 1759. —— H ♃ Bot. mag. t. 2125.
4 orientàlis S.S. (*pu*) oriental Levant 1737. —— H ♃ Lam. ill. t. 507. f. 2.
5 alopecùros S.S. (*st*) Foxtail S. Europe 1759. 7. H ♃ Jacq. aust. 1. t. 78.
6 hirsùta S.S. (*pu*) hairy Italy 1710. 6. 7. H ♃ Mur. com. got. 2. t. 3.
7 grandiflòra S.S. (*pu*) great-flowered Siberia 1800. —— H ♃ Bot. mag. t. 700.
8 hírta Leyss. (*pu*) villous Europe 1830. —— H ♃

STA'CHYS D.S. HEDGE-NETTLE. (*σταχυς*, a spike; flowers.) Didynamia Gymnospermia.

Sect. 1. STACHYOTY'PUS; *whorls usually about 6-flowered; bracteas minute; calycine segments usually spinescent.*

1 sylvática D.S. (*pu*) common Britain .... 7. 8. H ♃ Eng. bot. v. 6. t. 416.
canariénsis Jacq. ic. 1. t. 108.
2 circinàta D.S. (*pu*) blunt-leaved Barbary 1777. 5. 7. H ♃ L'Herit. s. nov. t. 26.
velutina W. en. *latifòlia* Ait.
3 palústris D.S. (*pu*) Clown's all-heal Britain .... 8. H ♃ Eng. bot. v. 24. t. 1675.
4 ambígua D.S. (*pu*) ambiguous ——— .... 6. 7. H ♃ ——— v. 30. t. 2089.
5 áspera D.S. (*pu*) harsh-leaved N. America 1816. 7. 8. H ♃
hispida Ph.
6 albicaúlis D.S. (*re*) white-stemmed B. Ayres 1827. 7. 8. G ♃ Bot. reg. t. 1558.
7 grandidentàta D.S.(*re*)great-toothed Chili —— —— G ♃ ——— t. 1080.
8 nepetæfòlia D.S.(*pu*) Catmint-leaved Levant 1805. 6. 8. H ♃
9 arábica D.S. (*re*) Arabian Arabia 1820. —— H ⊙
10 æthiópica D.S. (*li*) Ethiopian C. B. S. 1770. 4. 7. G ♃ Jacq. obs. 4. t. 77.
11 córsica D.S. (*li*) Corsican Corsica 1825. —— H ♃ Rchb. icon. eur. t. 646.
12 arvénsis D.S. (*pu*) corn Britain .... 7. 8. H ⊙ Eng. bot. v. 17. t. 1154.

Sect. 2. OLI'SIA; *leaves ovate; whorls about 6-flowered; bracteas minute; calycine segments usually spinescent.*

13 ánnua D.S. (*ye*) annual S. Europe 1713. 6. 8. H ⊙ Jacq. aust. 4. t. 360.
14 hírta D.S. (*ye*) procumbent Spain 1725. —— H ⊙ All. ped. 1. t. 2. f. 3.
15 pubéscens D.S. (*ye*) pubescent Italy 1816. —— H ♃
Balbisii L.en. *decúmbens* W. en.
16 marítima D.S. (*ye*) sea-side S. Europe 1714. 7. H ♃ Jacq. vind. 1. t. 70.
betonicæfòlia P.S.
17 spinulòsa D.S. (*ye*) spiny Dalmatia .... 7. 8. H ⊙

Sect. 3. CHAMÆSIDERI'TIS; *leaves oblong or lanceolate; whorls 2-6-flowered, bracteas minute, subspinescent.*

18 récta D.S. (*ye*) upright S. Europe 1683. 6. 8. H ♃ Jacq. aust. 4. t. 359.
glutinòsa Smith.
19 arenària D.S. (*pu*) sand Barbary 1804. 6. 8. H ♃ Bot. mag. t. 1959.
iberica M.B. *diffùsa* Schw. *scordifòlia* W. en. *rùbra* Donn.
20 angustifòlia D.S. (*li*) narrow-leaved Tauria 1823. 6. 7. H ♃ Swt. br. fl. gar. 2. t. 180.
tenuifòlia L. en.

Sect. 4. AMBLE'IA; *whorls* 2-6-*flowered; bracteas small; teeth of calyx soft and minute.*

21 rugòsa D.S. (*st*) rough C. B. S. 1774. 7. 8. G ♄ Jacq. ic. 3. t. 493.
22 palestìna (*wh.pu*) Palestine Palestine 1820. 6. 8. G ♄ Barr. icon. t. 279.

Sect. 5. ZIETE'NIA; *bracteas small or few, whorls* 2-6-*flowerd; teeth of calyx spiny.*

23 lavandulæfòlia D.S.(*pu*)lavender-ld. ..... 1816. 5. 7. H ♄ Rchb. icon. cur. 1. t. 15.
Zietènia orientàlis P.S.
24 stenophy'lla D.S. (*ye*) linear-leaved S. Spain 1819. 6. 7. F ♄
25 orientàlis D.S. (*st*) oriental Levant 1768. —— H ♃ Flor. græc. t. 560.
26 spinòsa D.S. (*wh*) thorny Candia 1640. 7. F ♄ ——— t. 559.
27 glutinòsa D.S. (*wh*) clammy ——— 1729. 6. 7. H ♃ Moris. s. 11. t. 4. f. 17.
28 fruticulòsa D.S. (*pu*) frutescent Caucasus 1825. —— H ♄

Sect. 6. ERIO'STACHYS; *clothed with soft wool or villi whorls many-flowered; outer bracteas alone equalling the calyxes.*

29 heráclea D.S. (*pu*) Phlomis-leaved Italy 1816. 6. 7. H ♃ All. ped. t. 84. f. 1.
phlomoìdes W. en. *intermèdia* Ten.
β *lùtea* D.S. (*ye*) *yellow* Levant 1768. 6. 7. H ♃ Flor. græc. t. 560.
orientàlis Vahl. *obliqua* W. et. K. hung. 2. t. 134.
30 mollíssima W. en. (*li*) soft-leaved Corfu 1806. 7. 8. H ♃ W. hort. ber. t. 60.
31 itálica D.S. (*pu*) Italian Italy 1747. —— H ♂ Ten. fl. nap. 2. t. 53.
salviæfòlia Ten.
32 seríca D.S. (*li*) silky Nepaul 1830. 7. 9. H ♃
33 lanàta D.S. (*pu*) woolly Siberia 1782. 6. 9. H ♃ Jacq. ic. 1. t. 107.
34 germánica D.S. (*pu*) downy England .... 7. 8. H ♃ Eng. bot. v. 12. t. 829.
dasyántha Rafin. *biénnis* Roth.
35 polystàchya D.S.(*pu*) many-spiked Naples 1824. 6. 8. H ♃ Ten. fl. nap. 2. t. 53.
36 lusitánica D.S (*pu*) Portugal Portugal 1800. —— H ♃
Eriostèmon lusitánicum Lk.
37 exaltàta Ot. (*pu*) tall ..... 1820. 6. 8. H ♃
38 alpìna D.S. (*pu*) Alpine Germany 1597. —— H ♃ Lap. pyr. 1. t. 8.
β *intermèdia* D.S. (*pu*) *intermediate* Siberia 1640. —— H ♃ Swt. br. fl. gar. t. 100.
intermèdia Ait. *sibírica* Lk. *orientàlis* L.
39 crética D.S. (*pu*) Cretan Candia 1640. 6. 8. H ♃ Flor græc. t. 558.

Sect. 7. CALO'STACHYS; *stems furnished with obverse hairs on the angles; whorls about* 6-*flowered; bracteas minute; teeth of calyx spinescent; cells of anthers diverging.*

40 coccínea D.S. (*sc*) scarlet S. America 1798. 6. 8. F ♃ Bot. mag. t. 666.

Species not sufficiently known.

41 affi'nis Fres. (*pu*) allied Egypt 1836. .... H ♃
42 ramossíssima Rochel(*pu*)much-branch'd..... —— .... H ♃
43 setífera Meyer. (*pu*) bristle-bearing Caucasus —— .... H ♃

SPHA'CELE D.S. SPHA'CELE. (σφακος, sage; similarity.) Didynamia Gymnospermia.

1 Lindlèi D.S. (*li*) Lindley's Valparaiso 1825. 7. 9. G ♄ Bot. reg. t. 1226.
Stàchys Sálviæ B.R.
2 campanulàta D.S.(*w.bl*)bell-flowered Chili 1810. 7. 8. F ♄ Bot. reg. t. 1382.
Rosmarìnus chilénsis Mol.

LEPECHI'NIA D.S. LEPECHI'NIA. (John Lepechin, a Russian bot.) Didynam. Gymnosp.

spicáta D.S. (*st*) spiked Mexico 1800. 7. 8. H ♃ Bot. reg. t. 1292.

CRANIO'TOME D.S. CRANIO'TOME. (κρανειον, a helmet, and τομη, a section.) Didyn. Gymn.

versícolor D.S.(*re.wh*)various-color'd Nepaul 1823. 7. 8. G ♄
Ajùga furcàta L. enum. *Anisómeles nepaulénsis* S.S.

SIDE'RITIS D.S. IRONWORT. (a name employed by Pliny.) Didynamia Gymnospermia.

Sect. 1. MARUBIA'STRUM; *floral leaves green, entire, or crenated; whorls* 4-10-*flowered. interruptedly racemose.*

1 canariénsis D.S. (*ye*) Canary Canaries 1697. 5. 8. G ♄ Jacq. vind. 3. t. 30.
2 cándicans D.S. (*ye*) Mullein-leaved. Madeira 1714. 4. 7. G ♄ Comm. hort. 2. t. 99.
crética L.

Sect. 2. EMPEDO'CLEA; *floral leaves entire, clasping the sessile flowers.*

3 syrìaca D.S. (*ye*) Syrian Levant 1597. 6. 9. G ♄ Flor. græc. t. 550.
4 taúrica D.S. (*ye*) Taurian Tauria 1818. —— H ♄ Bieb. cent. ross. 1. t. 39.
5 sícula D.S. (*ye*) woolly Naples 1827. —— F ♄
brùtia T.S.
6 perfoliàta D.S. (*ye*) perfoliate Levant 1731. 8.11. H ♄
7 pullùlans D.S.(*wh.ye*) brownish ——— 1828. —— F ♄ Vent. cels. 1. t. 98.

Sect. 3. EUSIDERI'TIS; *floral leaves bractea-formed, sessile, cordate, clasping the flowers, with spiny-toothed edges; teeth of calyx spiny.*

8 spinòsa D.S. (*ye*) spiny Spain .... 6. 9. H ♄
9 ilicifòlia D.S. (*ye*) Holly-leaved Levant .... —— H ♄
10 scordioìdes D.S. (*ye*) scollop-leaved France 1597. 6.11. H ♄ Barrel. ic. t. 343.
subspinòsa Cavan. 1. t. 209.

β elongàta	(*ye*) *elongated*	Spain	1597.	6.11.	H	♄		
fœ'tida Poir. *hirsùta* Brot.								
γ alpìna D.S.	(*ye*) *alpine*	Pyrenees	1816.	——	H	♄		
pyrenàica Poir. *alpina* Vill.								
δ angustifòlia D.S.	(*ye*) narrow-leaved	——	1597.	——	H	♄	Schk. hand. 2. t. 158.	
hyssopifòlia L.								
11 leucántha D.S.	(*wh*) white-flowered	Spain	1828.	8.11.	F	♄	Cavan. ic. 2. t. 304.	
12 incàna D.S.	(*ye*) Lavender-ld.	——	1752.	7. 8.	H	♄	Desf. atl. 2. t. 126.	
virgàta Desf.								
13 angustifòlia D.S.	(*ye*) narrow-leaved	——	1825.	——	H	♄		
incàna Cavan. ic. 2. t. 186.								
14 chamædryfòlia D.S.	(*ye*) Germander-ld.	Pyrenees	——	6.11.	H	♃	Cavan ic. 4. t. 301.	
15 hirsùta D.S.	(*ye*) hairy	S. Europe	1731.	6. 7.	H	♃	—— 4. t. 302.	
16 crispàta D.S.	(*ye*) curled-leaved	Gibraltar	1816.	6. 9.	F	♃		
Sect. 4. HESIO'DIA; *floral leaves almost similar to the cauline ones, a little toothed; teeth mutic.*								
17 montàna D.S.	(*ye*) mountain	Austria	1752.	7. 8.	H	⊙	Flor. græc. t. 551.	
18 lanàta D.S.	(*bl*) dark-flowered	.....	1787.	7.	H	⊙	Murr. com. got. 1. t. 4.	
19 romàna D.S.	(*ye*) Roman	Italy.	1759.	6. 8.	H	⊙	Flor. græc. t. 552.	
élegans Muss.								
MARRU'BIUM D.S. HOREHOUND. (*marrob*, Hebrew; bitter juice.) Didynam. Gymnosp.								
1 Aly'ssum D.S.	(*pu*) plaited-leaved	Spain	1597.	7. 8.	H	♃	Ger. herb. 379. f. 1.	
2 astracánicum D.S.	(*bl*) Astracan	Levant	1816.	——	H	♃	Jacq. ic. 1. t. 109.	
3 peregrìnum D.S.	(*wh*) Sicilian	Sicily	1640.	7. 9.	H	♃	Jacq. aust. 2. t. 160.	
4 candidìssimum D.S.	(*wh*) woolly white	Levant	1732.	——	H	♃	Dill. elt. 274. f. 214.	
5 leonuroìdes D.S.	(*pu*) related	Siberia	1816.	——	H	♃		
affìne L.en.								
6 supìnum D.S.	(*wh*) procumbent	S. Europe	1714.	8.10.	H	♃	Bocc. mus. 2. t. 96.	
7 catariæfòlium D.S.	(*wh*) Catmint-leav'd	Levant	1823.	7. 9.	H	♃		
8 velutìnum D.S.	(*ye*) velvetty	——	1827.	——	F	♃	Flor. græc. t. 561.	
9 vulgàre D.S.	(*wh*) common	Britain	....	6. 9.	H	♃	Eng. bot. t. 6. f. 410.	
10 propìnquum F.M.	(*wh*) allied	.....	1836.	——	H	♃		
BALLO'TA D.S. STINKING-HOREHOUND. (βαλλω, to reject; by cattle.) Didyn. Gymn.								
nigra D.S.	(*pu*) strong-scented	Britain	....	7. 9.	H	♃	Eng. bot. v. 1. t. 46.	
fœ'tida Lk. *vulgàris* Lk.								
α nigra	(*pu*) *purple-flowered*	——	....	——	H	♃		
β álba	(*wh*) *white flowered*	——	....	——	H	♃		
BERINGE'RIA D.S. BERINGE'RIA. (M. Beringer, a French nat.) Didynamia Gymnospermia.								
1 cinèrea D.S.	(*li*) cinereous	S. Europe	1824.	6. 9.	H	♃		
Marrùbium cinèreum S.S. *Ballòta mollìssima* D.S.								
2 acetabulòsa B.R.	(*li*) saucer-leaved	Candia	1676.	6. 8.	F	♃	Barrel. icon. 129.	
3 pseùdo-dictámnus B.R.	(*li*) shrubby-white.	——	1596.	7. 8.	F	♄	Flor. græc. t. 562.	
Marrùbium pseùdo-dictámnus. F.G.								
4 africàna B.R.	(*li*) African	C. B. S.	1710.	7. 9.	G	♃	Comm. hort. 2. t. 90.	
5 crispa B.R.	(*li*) curled-leaved	S. Europe	1714.	7. 8.	H	♃	Herm. parad. t. 200.	
6 hispánica B.R.	(*li*) Spanish	Spain	——	——	H	♃	—— t. 201.	
7 hirsùta B.R.	(*li*) hairy	S. Europe	....	6. 7.	H	♃		
8 orientàlis B.R.	(*li*) oriental	Levant	1828.	——	H	♃		
ROYLEA D.S. RO'YLEA. (J. F. Royle M.D. prof. mat. med. K. C. London.) Did.Gym.								
élegans D.S.	(*wh.re*) elegant	Nepaul	1824.	7. 9.	G	♄	Wall. pl. as. rar. 1. t. 74.	
Ballòta cinèrea D.S.								
LEU'CAS D.S. LEU'CAS. (λευκος, white flowers.) Didynamia Gymnospermia.								
1 chinénsis D.S.	(*wh*) Chinese	China	1822.	6. 8.	S	♄		
2 zeylánica D.S.	(*wh*) Ceylon	E. Indies	1777.	6.10.	S	⊙		
3 linifòlia	(*wh*) Flax-leaved	——	1816.	——	S	⊙	Jacq. ic. 1. t. 111.	
4 cephalòtes D.S.	(*wh.pu*) large-headed	——	1811.	——	S	⊙	Desf. mem. mus. 11. t. 4.	
5 nùtans D.S.	(*wh*) nodding	——	1826.	——	S	⊙		
6 hírta D.S.	(*wh*) hairy	——	1824.	——	S	⊙		
7 áspera D.S.	(*wh*) rough	Persia	1823.	——	S	⊙		
8 índica D.S.	(*bh*) Indian	E. Indies	1789.	7. 8.	S	⊙		
9 urticæfòlia D.S.	(*wh*) Nettle-leaved	——	1810.	——	S	⊙		
10 martinicénsis D.S.	(*wh*) West Indian	W. Indies	1781.	——	S	⊙	Jacq. ic. 1. t. 110.	
Phlòmis martinicénsis W.								
11 bifòra D.S.	(*wh*) two-flowered	E. Indies	1820.	——	S	⊙	Burm. zeyl. t. 63. f. 1.	
LEONO'TIS D.S. LION'S-EAR. (λεων, a lion, and ους, an ear; corollas like.) Didyn. Gymnos.								
1 Leonùrus D.S.	(*or*) narrow-leaved	C. B. S.	1712.	10.12.	G	♄	Bot. mag. t. 478.	
Phlòmis Leonùrus W.								
2 ovàta D.S.	(*or*) dwarf shrubby	——	1713.	6. 7.	G	♄	Mill. ic. 2. t. 162. f. 1.	
3 intermèdia D.S.	(*or*) intermediate	S. Africa	1823.	——	G	♄	Bot. reg. t. 850.	
4 nepetifòlia D.S.	(*or*) Catmint-leaved	E. Indies	1778.	9.10.	S	⊙	—— t. 281.	

PHLO'MIS D.S. JERUSALEM-SAGE. (φλομος, of Diosc. from φλογος, a flame.) Didyn. Gymnos.

Sect. 1. EUPHLO'MIS; *galea large, tomentose, rarely villous; lateral segments of lower lip furnished each with a small appendage; the middle lobe large and emarginate.*

§ 1. LYCHNI'TIS; *floral leaves dilated at the base, clasping the flowers.*

1	Lychnìtes D.S.	(*ye*) lamp-wick	S. Europe	1658.	6. 8.	G	♄	Bot. mag. t. 999.

§ 2. GYMNOPHLO'MIS; *floral leaves narrowed at the base; whorls few-flowered; bracteas few, loose, or wanting; teeth of calyx soft and mutic.*

2	crinìta D.S.	(*ye*) haired	Spain	1820.	6. 8.	F	♃	Cavan. ic. 3. t. 247.
3	orientàlis D.S.	(*ye*) eastern	Syria	....	——	F	♃	
4	Nissòlii D.S.	(*ye*) Nissole's	Levant	1757.	6. 7.	F	♃	Mill. ic. 2. t. 204.
5	armenìaca D.S.	(*ye*) Armenian	Armenia	1829.	——	F	♃	Swt. br. fl. gar. s. 2. t. 364.

§ 3. DENDROPHLO'MIS; *whorls dense; bracteas adpressed, numerous, about equal in length to the calyxes, which are usually truncate and mucronate.*

6	fruticòsa D.S.	(*ye*) shrubby	Spain	1596.	6. 7.	H	♄	Flor. græc. t. 563.
7	ferrugìnea D.S.	(*ye*) ferruginous	Naples	....	——	H	♄	Ten. flor. nap. 2. t. 57.
	β crética D.S.	(*ye*) *Cretan*	Crete	1823.	——	G	♄	
8	lanàta D.S.	(*ye*) small shrubby	S. Europe	1596.	——	H	♄	
	microphy'lla Sieb.							
9	scariòsa D.S.	(*ye*) scariose-bracted	Italy	1823.	——	F	♄	
10	viscòsa D.S.	(*ye*) green shrubby	Levant	....	——	F	♄	
	vírens DC.							
11	purpùrea D.S.	(*pu*) purple	S. Europe	1661.	6. 8.	F	♄	Smith spicil. 6. t. 7.
	salviæfòlia Jacq. schœnb. 3. t. 359.							
12	itàlica D.S.	(*pu*) Italian	Italy	——	——	F	♄	Smith spicil. 1. t. 6.
13	angustifòlia D.S.	(*st*) narrow-leaved	Greece	1596.	——	F	♄	
	flavéscens Mill.							

§ 4. OXYPHLO'MIS; *whorls many-flowered, rarely so low as 6-flowered; bracteas very acute, with stiff, rather pungent tops.*

14	floccòsa D.S.	(*ye*) woolly	Egypt	1828.	8.11.	F	♄	Bot. reg. t. 1300.
15	bícolor D.S.	(*ye.pu*) two-coloured	Lybia	1714.	6. 7.	H	♄	Bot. mag. t. 1891.
	Sàmia B.M. *β bícolor* Viv.							
16	Sàmia D.S.	(*pu*) Samian	N. Africa	1714.	——	H	♃	Flor. græc. t. 564.
17	Russellìana D.S.	(*ye*) Russell's	Levant	1821.	——	H	♃	Russ. alep. 2. t. 16.
	lunarifòlia β Russellìana B.M. 2542.							
18	lunarifòlia D.S.	(*ye*) Lunaria-leaved	Greece	1818.	——	H	♃	
19	Hérba-vénti D.S.	(*pu*) rough-leaved	S. Europe	1596.	7. 9.	H	♃	Swt. br. fl. gar. s. 2. t. 74.
20	púngens D.S.	(*pu*) pungent	Levant	1818.	6. 8.	H	♃	——— t. 33.

Sect. 2. PHLOMIDO'PSIS; *galea erectish pilose; middle lobe of lower lip hardly longer than the lateral ones; whorls dense; bracteas adpressed.*

21	agrària D.S.	(*pu*) field	Siberia	1827.	6. 8.	H	♃	Led. ill. t. 346.
22	alpìna D.S.	(*pu*) Alpine	———	1802.	6. 9.	H	♃	Pall. act. pet. 2. t. 13.
23	tuberòsa D.S.	(*pu*) tuberous-rooted	———	1759.	6.10.	H	♃	Bot. mag. t. 1555.

EREMO'STACHYS D.S. EREMO'STACHYS. (ερημος, a desert, and σταχυς, a spike.) Didyn. Gymnos.

1	laciniàta D.S.	(*ye*) jagged-leaved	Caucasus	1731.	7.	H	♃	Swt. br. fl. gard. t. 24.
	Phlòmis laciniàta L.							
2	molucelloìdes D.S.	(*st*) Molucella-like	Siberia	1836.	——	H	♃	Led. ill. t. 437.
3	tuberòsa D.S.	(*st*) tuberous-rooted	———	1796.	——	H	♃	Pall. it. 3. app. t. T.
	Molucélla tuberòsa Pall.							

MOLUCCE'LLA D.S. MOLUCCA-BALM. (a dim. of Moluccas.) Didynamia Gymnospermia.

1	læ'vis D.S.	(*wh.re*) smooth	Syria	1570.	7. 8.	H	⊙	Bot. mag. t. 1852.
2	spinòsa D.S.	(*wh.re*) spiny	Levant	1596.	——	H	⊙	Flor. græc. t. 567.
	Chasmònia incìsa Presl. Bot. reg. t. 1244.							

HOLMSKIO'LDIA D.S. HOLMSKIO'LDIA. (Theod. Holmskiold, a Danish nat.) Didyn. Gymnos.

	sanguínea D.S.	(*re*) bloody	Silhet	1796.	7. 8.	S	♄	Smith exot. bot. 2. t. 88.
	Hastíngia coccínea Smith.							

HYMENOCRA'TER D.S. HYMENOCRA'TER. (υμην, a membrane, and κρατηρ, a dish.) Didy. Gymno.

	bituminòsus F.M.	(*vi*) bituminous	Persia	1836.	....	F	♄	

Tribe X. *PRASIE'Æ.* D.S. 4. p. 857.

PRA'SIUM D.S. PRA'SIUM. (πρασιον, a name given by Dioscorides.) Didyn. Gymnos.

	màjus D.S.	(*wh*) great	S. Europe	1699.	6. 8.	G	♄	Flor. græc. t. 584.
	minus L.							

Tribe XI. *AJUGOIDEÆ.* D.S. 4. p. 860.

AMETHY'STEA D.S. AMETHY'STEA. (*amethystine* colour of flowers.) Diandria Monogynia.
cœrùlea D.S. (*bl*) blue-flowered Siberia 1759. 6. 7. H ☉ Bot. mag. t. 2448.

TRICHOSTE'MA D.S. TRICHOSTE'MA. (θριξ, a hair, and στημων, a stamen.) Didyna. Gymnosp.
1 dichótomum D.S. (*bl*) Marjoram-ld. N. America 1759. 6. 7. H ☉ Lam. ill. t. 515.
2 linèare D.S. (*bl*) linear-leaved ——— —— —— H ☉ Dill. elth. t. 285. f. 369.

TEUCRIUM D.S. GERMANDER. (Teucer, son of Scamander.) Didynamia Gymnospermia.

Sect. 1. LEUCOSCE'PTRUM; *whorls many-flowered, spicate; calyx turbinate; corolla incurved; upper segment short, broad, truncate, erect.*
1 macrostàchyum D.S. (*wh*) large-spiked Nepaul 1825. 7. 9. F ♃ Smith exot. bot. t. 116.
Leucoscéptrum cànum Smith, *Clerodéndron leucoscéptrum* D.D

Sect. 2. TEUCRO'PSIS; *whorls 2-flowered, axillary, or in terminal racemes; calyx campanulate, declinate, the upper tooth broadest; corolla tomentose; the upper segment short, truncate.*
2 heterophy'llum D.S. (*li*) various-leaved Madeira 1759. 6. 7. G ♄
3 betónicum D.S. (*pu*) hoary ——— 1775. 5. 8. G ♄ Bot. mag. t. 1114.

Sect. 3. TEU'CRIS; *peduncles axillary, 1-flowered, or loosely cymose and many-flowered; calyx campanulate, erect; lower segment oblong and concave; achenia wrinkled.*
4 frùticans D.S. (*bl*) narrow-ld. shrubby Spain 1640. 6. 9. H ♄ Flor. græc. t. 527.
latifòlium Bot. mag. t. 245.
5 créticum D.S. (*pu*) Cretan Candia 1824. 7. 8. F ♄ Flor. græc. t. 529.
6 brevifòlium D.S. (*li*) short-leaved Crete —— 6. 9. H ♄ ——— t. 528.
7 orientàle D.S. (*bl*) great-flowered Levant 1752. 7. 8. H ♃ Bot. mag. t. 1279.
8 campanulàtum D.S. (*bh*) bell-flowered ——— 1728. —— H ♃
9 cubénse D.S. (*li*) Cuba Cuba 1733. 5. S ♂ Jacq. obs. 2. t. 30.
levigàtum Vahl.
10 bicolor D.S. (*bh*) Orchis-flowered Chili 1826. 8. 10. F ♄ Bot. reg. t. 1255.
heterophy'llum Cavan. icon. 6. t. 577. *non* L'Herit. *orchioìdes* B.R.
11 africànum D.S. (*re*) trifid-leaved C. B. S. 1791. 6. 8. G ♄
trífidum Retz.
12 pseudochamæ'pitys (*pu*) False ground pine S. Europe 1752. —— F ♄ Sabb. hort. rom. 3. t. 95.
nissolianum L.

Sect. 4. PYCHNO'BOTRYS; *whorls 4 or many-flowered, crowded; calyx inflated, declinate; lower segment of corolla broad and concave; achenia wrinkled.*
13 abutiloìdes D.S. (*ye*) Mulberry-leav'd Madeira 1777. 4. 5. G ♄ Jacq. schœn. 3. t. 358.

Sect. 5. STACHY'BOTRYS; *whorls 6 or more flowered, in terminal spikes; calyx campanulate, declinate; lower segment of corolla oblong, concave; achenia wrinkled.*
14 hyrcánicum D.S. (*pu*) Betony-leaved Persia 1763. 8. 10. H ♃ Bot. mag. t. 2013.
15 inflàtum D.S. (*pu*) thick-spiked Jamaica 1778. —— S ♃
16 canadénse D.S. (*pu*) Canadian N. America 1768. 5. 6. H ♃ Schkuhr. handb. 160.
virginicum L.
17 Arduìni D.S. (*wh*) Arduini's Levant 1827. —— H ♃ Flor. græc. t. 531.
18 bracteàtum D.S. (*pu*) bracted Barbary 1828. 7. 8. G ♃ Desf. atl. 2. t. 120.

Sect. 6. SCORODO'NIA; *whorls 2-flowered, secund, usually in branched racemes; calyx campanulate, declinate; upper segment of corolla oblong, declinate.*
19 Scorodònia D.S. (*st*) wood sage Britain .... 7. H ♃ Eng. bot. v. 22. t. 1543.
20 pseùdo-scorodònia D.S. (*ye*) false S. Europe 1818. —— H ♃ Desf. atl. 2. t. 119.
21 massiliénse D.S. (*li*) sweet-scented France 1731. 6. 7. H ♄ Jacq. vind. 1. t. 94.
22 lusitánicum D.S. (*pu*) Portuguese Portugal 1777. 6. 10. S ♄ ——— 1. t. 41.
asiáticum Hoffm.

Sect. 7. SCO'RDIUM; *whorls 2-6-flowered, distant, axillary; floral leaves similar to the cauline leaves; calyx tubular declinate, gibbous beneath at the base; upper segment of corolla declinate.*
23 spinòsum D.S. (*wh*) thorny Spain 1640. 5. 6. H ♄ Flor. græc. t. 539.
24 resupinàtum D.S. (*st*) resupinate Barbary 1801. 7. 8. H ☉ Desf. atl. 2. t. 117.
25 Scórdium D.S. (*pu*) water Europe 1816. —— Hw ♃
26 scordioìdes D.S. (*pu*) likened England —— —— H ♃ Eng. bot. t. 828.
Scórdium E.B.
27 Bòtrys D.S. (*pu*) cut-leaved S. Europe 1633. 7. 9. H ☉ Ger. emac. 525. f. 2.

Sect. 8. CHAMÆ'DRYS; *whorls 2-6-flowered, distinct, in loose racemes; calyx tubular, declinate, upper segment of corolla oblong, declinate.*
28 règium D.S. (*pu*) royal Spain 1699. 5. 10. F ♄ Pluk. alm. t. 65. f. 1.
29 multiflòrum D.S. (*pu*) many-flowered ——— 1731. 7. 9. H ♃ Bocc. mus. t. 117.
30 incìdum D.S. (*re*) shining S. Europe 1730. 6. 9. H ♃ Flor. græc. t. 532.
31 Chamæ'drys D.S. (*pu*) wall England .... 5. 8. H ♃ Eng. bot. v. 10. t. 680.
32 cànum F.M. (*pu*) hoary Caucasus 1836. —— H ♃

33	flàvum D.S.	(*st*) yellow-flowered	S. Europe	1640.	7. 9.	H	♄	Flor. græc. t. 533.
34	Màrum D.S.	(*pu*) Cat-thyme	Spain	——	——	F	♄	Park. theat. 17. f. 2.
35	subspìnosum D.S.	(*pu*) Minorca	Minorca	1816.	——	G	♄	
36	quadràtulum D.S.	(*ro*) many-branched	Levant	1828.	——	F	♄	Flor. græc. t. 530.

Sect. 9. Po'LIUM; *whorls few, condensed into heads; calyx tubular, subdeclinate; upper segment of corolla oblong, declinate; achenia much wrinkled.*

37	pyrenàicum D.S.	(*pu*) Pyrenean	Pyrenees	1731.	6. 8.	H	♃	Bocc. mus. 2. t. 61.
38	Laxmánni D.S.	(*ye.pu*) Laxmann's	Siberia	1800.	——	H	♃	
39	alpéstre D.S.	(*wh*) alpine	Levant	1821.	6. 9.	G	♄	Flor. græc. t. 538.
40	cuneifòlium D.S.	(*wh*) wedge-leaved	———	1828.	6. 8.	F	♄	——— t. 537.
41	pùmilum D.S.	(*re*) small	Spain	1816.	7. 8.	F	♄	Cavan. ic. 2. t. 118.
	Libanòtis S.S.							
42	montànum D.S.	(*st*) dwarf mountain	S. Europe	1710.	7.10.	F	♄	Flor. græc. t. 534.
	sùpinum L. Jacq. aust. t. 417.							
43	thymifòlium D.S.	(*pu*) Thyme-leaved	Spain	1816.	6.10.	F	♄	
44	angustíssimum D.S.	(*re*) narrow-leaved	———	1818.	6. 8.	H	♄	Barrel. rar. t. 1080.
45	Pòlium D.S.	(*wh*) Poley	S. Europe	1562.	7. 9.	F	♄	
	α flavéscens D.S.	(*wh*) *yellowish*	———	1731.	——	F	♄	Cavan. ic. 2. t. 117.
	aúreum Schreb. *flàvicans* Lam.							
	β vulgàre DS.	(*wh*) *common*	S. Europe	1562.	——	F	♄	Flor. græc. 535.
	pseudohyssòpus Schreb.							
	γ gnaphalòdes D.S.	(*re*) *woolly-headed*	.....	1826.	——	F	♄	Barrel. rar. t. 1083.
	δ purpurascens D.S.	(*pu*) *purple*	S. Europe	....	——	F	♄	
	ε angustifòlium DS.	(*re*) *narrow-leaved*	———	1731.	——	F	♄	Flor. græc. t. 536.
	capitàtum L. *pychnophy'llum* Schreb. *valentìnum* Schreb.							

A'JUGA D.S. BUGLE. (α priv., and ζυγος, a yoke; calyx not bilabrate.) Didynam. Gymnosp.

Sect. 1. BU'GULA; *whorls* 6 *or many-flowered.*

1	réptans D.S.	(*bl*) common	Britain	....	5. 6.	H	♃	Eng. bot. v. 7. t. 489.
	α cærùlea	(*bl*) *blue-flowered*	———	....	——	H	♃	
	β rùbra	(*pu*) *red-flowered*	———	....	——	H	♃	
	γ álba	(*wh*) *white-flowered*	———	....	——	H	♃	
2	alpìna D.S.	(*bl*) Alpine	England	....	5. 7.	H	♃	Eng. bot. v. 7. t 477.
3	genevénsis D.S.	(*bl*) Geneva	Switzerland	1656.	5. 6.	H	♃	Bull. herb. t. 361.
4	pyramidàlis D.S.	(*li*) pyramidal	Britain	....	——	H	♃	Eng. bot. v. 18. t. 1278.
5	orientàlis D.S.	(*bl*) oriental	Levant	1732.	——	H	♃	Swt. br. fl. gar. ser. 2.

Sect. 2. CHAMÆ'PITYS; *whorls* 2, *rarely* 4-*flowered; upper lip of corolla short and truncate*

6	Chamæ'pitys D.S.	(*ye*) ground pine	England	....	4. 7.	H	⊙	Eng. bot. v. 2. t. 77.
7	Chìa D.S.	(*ye*) Grecian	Levant	1828.	——	H	⊙	Flor. græc. t. 524.
8	salicifòlia D.S.	(*ye*) Willow-leaved	———	——	——	H	⊙	——— t. 526.
9	I'va D.S.	(*ye*) musky	S. Europe	1759.	7. 8.	H	⊙	Flor. græc. t. 525.
10	oblongàta D.S.	(*ye*) oblong-leaved	Caucasus	1829.	——	H	♃	
11	Laxmánni D.S.	(*ye*) Laxmann's	Europe	1800.	6. 8.	H	♃	W. et K. hung. 1. t. 68.
	Teùcrium Laxmánni L.							

ORDER CLXXVII.

SELAGI'NEÆ. *Choisy mem. fam. Selag.* 1823. *p.* 19.

POLYCE'NIA C.S. POLYCE'NIA. (πολυ, many, and κενος, empty; cells.) Didynam. Gymnosp.

	hebenstretioìdes C.S.	(*w*) spike-flowered	C. B. S.	1816.	8.10.	G	⊙	Chois. sel. t. 2. f. 1.

HEBENSTREITIA C.S. HEBENSTREI'TIA. (J. E. Hebenstreit, prof. bot. Leipsic.) Did. Ang.

1	dentàta W.	(*wh*) dwarf tooth-ld.	C. B. S.	1739.	5. 9.	G	⊙	Bot. mag. t. 483.
2	integrifòlia W.	(*ye*) golden	———	1792.	4. 6.	G	♄	Andr. reposit. t. 252.
	aúrea Andr.							
3	fruticòsa B.M.	(*wh*) frutescent	———	1816.	5.11.	G	♂	Bot. mag. t. 1970.
4	albiflòra L.en.	(*wh*) white-flowered	———	1815.	——	G	♄	
5	chamædryfòlia L.en.	Chamædrys-leav'd	——	1816.	——	G	♄	
6	tenuifòlia H.H.	(*wh*) slender-leaved	———	1826.	——	G	♂	
7	scàbra W.	(*wh*) rough-leaved	———	——	5. 9.	G	♄	
8	cordàta W.	(*wh.re*) heart-leaved	———	1774.	7. 8.	G	♄	

DISCHI'SMA C.S. DISCHI'SMA. (δις, twice, and σχισμα, a fissure.) Didynamia Angiospermia.

1 ciliàtum c.s.	(wh) ciliated	C. B. S.	1815. 5. 7.	G	♂	
2 erinoìdes	(wh) Erinus-leaved	———	1816. 5.11.	G	♂	
Hebenstreìtia erinoìdes W.						
3 hìspidum	(wh) long-spiked	———	1816. 5.11.	G	⊙	Burm. afr. 109. t. 41. f. 1.
Hebenstreìtia hìspida Lam.						
4 spicàtum c.s.	(wh) spiked	———	1815. 5. 7.	G	⊙	
5 capitàtum c. s.	(ye) headed	———	1822. ——	G	⊙	

AGATHE'LPIS C.S. AGATHE'LPIS. (αγαθις, a heap, and λεπις, a scale.) Diandria Monogynia.

1 angustifòlia c.s.	(wh) narrow-leaved	C. B. S.	1823. 5. 8.	G	♄	Burm. afr. t. 47. f. 3.
Eràthemum angustifòlium L. *Selàgo angustifòlia* W.						
2 parvifòlium c.s.	(wh) small leaved	C. B. S.	1816. ——	G	♄	Lam. ill. t. 17. f. 2.

MI'CRODON C.S. MI'CRODON. (μικρος, small, and οδους, a tooth.) Didynam. Gymnosper.

1 lìcidum c.s.	(wh) glossy	C. B. S.	1812. 6. 7.	G	♄	Venten. malm. t. 26.
2 ovàtum c.s.	(wh) oval-headed	———	1774. ——	G	♄	Bot. mag. t. 186.
Selàgo ovàta B.M.						

SELA'GO C.S. SELA'GO. (a name employed by the ancients.) Didynamia Gymnospermia.

1 micrántha c.s.	(ye) small-flowered	C. B. S.	1824. 5. 7.	G	♄	
2 divaricàta c.s.	(wh) spreading	———	1816. ——	G	♄	
3 fruticòsa c.s.	(wh) frutescent	———	1822. 6. 8.	G	♄	
4 minutìssima c.s.	(ye) small	———	1816. ——	G	♄	Chois sel. t. 3.
5 corymbòsa c.s.	(wh) fine-leaved	———	1699. 7. 9.	G	♄	Comm. hort. 2. t. 42.
6 cinèrea c.s.	(vi) cinereous	———	1816. ——	G	♄	Lodd. bot. cab. t. 391.
7 hìspida c.s.	(ye) hispid	———	1823. 6. 9.	G	♄	
8 adprèssa c.s.	(wh) close-flowered	———	1816. ——	G	♄	Chois. sel. t. 4.
9 canéscens s.s.	(wh) canescent	———	1812. 7.11.	G	♄	
10 Gìllii B.M.	(ro) Dr. Gill's	———	1829. 6. 9.	G	♄	Bot. reg. t. 1504.
11 Spìnea L.en.	(wh) reflex-leaved	———	1816. 7. 8.	G	♄	
12 diffùsa s.s.	(wh) diffuse	———	1807. ——	G	♄	
13 spicàta L.en.	(wh) spiked	———	1816. ——	G	♄	
14 teretifòlia L.en.	(wh) cylinder-leaved	———	1819. ——	G	♄	
15 rapunculoìdes s.s.	(vi) Rampion-like	———	1790. 7.11.	G	♄	Burm. afr. t. 42. f. 1.
16 fulvomaculàta L.en.	(vi) brown-spotted	———	1816. ——	G	♄	
17 spùria s.s.	(vi) linear-leaved	———	1779. 7.10.	G	♄	Burm. afr. t. 42. f. 3.
18 ramalòsa L.en.	(wh) branching	———	1815. 6. 9.	G	♄	
19 fasciculàta s.s.	(bl) cluster-flower'd	———	1774. ——	G	♄	Bot. reg. t. 184.
20 heterophy'lla s.s.	(wh) various-leaved	———	1829. ——	G	♄	
21 polystàchya s.s.	(wh) many-spiked	———	1823. 6. 8.	G	♄	
22 bracteàta s.s.	(wh) imbricated-bracted	———	1816. 6 9.	G	♄	
23 polygaloìdes s.s.	(vi) milkwort-like	———	1807. 7.11.	G	♄	
24 rotundifòlia s.s.	(wh) round-leaved	———	1816. 7. 9.	G	♄	
25 pterophy'lla Ot.....	winged-leaved	———	1828.	G	♄	
26 ciliàta c.s.	(wh) fringed	———	1824. ——	G	♄	Chois. sel. t. 5.

ORDER CLXXVIII.

VERBENA'CEÆ. *Brown prodr.* 1. *p.* 510.

CLERODE'NDRUM B.P. CLERODE'NDRUM. (κληρος, fortune, and δενδρον, a tree.) Did. Ang.

§ 1. *Calyx 5-toothed, unchanged.*

1 pubéscens B.R.	(wh) downy-leaved	W. Indies	1824. 7. 9.	S	♄	Bot. reg. t. 1035.
2 ligústrinum s.s.	(wh) Privet-leaved	Mauritius	1789. 8.11.	S	♄	Jacq. col. sup. t. 5. f. 1
3 inérme s.s.	(wh) smooth	E. Indies	1692. ——	S	♄	——— t. 4. f. 1.
4 angustifòlium s.s.	(wh) narrow-leaved	Jamaica	1823. ——	S	♄	Lam. ill. t. 544. f. 2.
5 coromandelìnum s.s.	(w) Coromandel	E. Indies	1824. ——	S	♄	
6 emirnense B.M.	(wh) small-flowered	Madagascar	1823. 6.12.	S	♄ ◡	Bot mag. t. 2925.

floribùndum Bot. reg. t. 1035. *non* B.P.

7	volùbile s.s.	(*wh*) climbing	Guinea	1822. 8.11.	S	♄	◡
8	buxifòlium s.s.	(*wh*) Box-leaved	.....	1818. 7. 8.	S	♄	
	Volkamèria buxifòlia W. en						
9	heterophy'llum s.s.	(*w*) various-leaved	Mauritius	1805. 8. 9.	S	♄	Andr. reposit. t. 554.
	Volkamèria angustifòlia A.R.						
10	macrophy'llum B.M.	(*st.bl*) large-ld.	———	1822. ——	S	♄	Bot. mag. t. 2536.
11	serràtum s.s.	(*wh*) saw-leaved	E. Indies	—— ——	S	♄	Rheed. mal. 4. t. 29.
12	lívidum B.R.	(*wh*) livid-bracted	China	1824. 9.11.	S	♄	Bot. reg. t. 945.
13	cérnuum Wal.	(*wh*) drooping	E. Indies	1822.	S	♄	
	§ 2. *Calyx 5-cleft, or 5-parted, increasing afterwards.*						
14	Siphonánthus s.s.	(*wh*) whorled-leaved	E. Indies	1796.	S	♄	Burm. ind. t. 43. f. 1.
	Siphonánthus índica et *Ovièda mìtis* L.						
15	verticillàtum D.P.	(*wh*) four-leaved	Nepaul	1818.	S	♄	
16	hastàtum B.R.	(*wh.pk*) halbert-leaved	E. Indies	1824. 7.11.	S	♄	Bot. reg. t. 1307.
17	ternifòlium D.P.	(*wh*) tern-leaved	Nepaul	1823.	G	♄	
18	helianthifòlium Wall.	(*wh*) sun-flower-ld.	E. Indies	1824.	S	♄	
19	odoràtum D.P.	(*re*) odoriferous	Nepaul	1820. 7. 8.	S	♄	
20	fœ'tidum D.P.	(*wh*) strong-scented	———	—— ——	S	♄	
21	cordàtum D.P.	(*wh*) heart-leaved	———	1826. ——	S	♄	
22	nùtans D.P.	(*wh*) nodding	———	——	S	♄	Bot. mag. t. 3049.
23	scándens s.s.	(*wh*) scandent	Guinea	1822. 7. 9.	S	♄	◡
24	trichótomum s.s.	(*wh*) three-forked	Japan	1800. ——	G	♃	Banks ic. Kæmp. t. 22
25	fortunàtum s.s.	(*wh*) spear-leaved	E. Indies	1784. 7. 8.	S	♄	Osb. it. t. 11.
26	attenuàtum B.P.	(*wh*) attenuated	N. S. W.	1824. 5. 8.	G	♄	
27	squamàtum s.s.	(*sc*) scarlet	China	1790. 6. 9.	S	♄	Paxt. mag. 3. p. 217.
	speciosissimum Paxt.						
28	tomentòsum s.s.	(*wh*) downy	N. S. W.	1794. 3. 5.	G	♄	Bot. mag. t. 1518.
29	infortunàtum s.s.	(*wh*) long-flowered	E. Indies	....	S	♄	
30	phlomoìdes s.s.	(*wh*) Phlomis-like	———	1820. 5. 7.	S	♄	Burm. ind. t. 45. f. 1.
31	fràgrans s.s.	(*wh*) fragrant	China	1790. 12.8.	S	♄	Bot. reg. s. 2. t. 41.
	β *múltiplex*	(*wh*) *double-flowered*	———	—— ——	S	♄	Bot. mag. t. 1834.
32	viscòsum s.s.	(*wh*) clammy	E. Indies	1796. 5. 8.	S	♄	——— t. 1805.
33	dentàtum H.B.	(*wh*) tooth-leaved	———	1826. ——	S	♄	
34	neriifòlium H.B.	(*wh*) Oleander-leav'd	———	1824. ——	S	♄	
35	paniculàtum s.s.	(*sc*) panicled	Java	1809. 7.10.	S	♄	Bot. reg. t. 406.
36	urticifòlium H.B.	(*wh*) Nettle-leaved	E. Indies	1822. ——	S	♄	
37	violàceum L.en.	(*vi*) violet-coloured	.....	——	S	♄	
38	japónicum	(*wh*) Japan	Japan	1823.	S	♄	
	Volkamèria japónica Th.						
39	costàtum B.P.	(*wh*) ribbed-leaved	N. S. W.	1823. 5. 8.	G	♄	
VOLKAME'RIA S.S.		VOLKAME'RIA.	(J. C. Volckamer, a German bot.)				Didynam. Angiosp.
	aculeàta s.s.	(*wh*) prickly	W. Indies	1739. 8.10.	S	♄	Brown. jam. t. 20. f. 2.
ÆGI'PHILA R.S.		ÆGI'PHILA.	(αιξ, a goat, and φιλεω, to love.)				Tetrandria Monogynia.
1	martinicénsis R.S.	(*st*) Martinico	W. Indies	1780. 11.1.	S	♄	Lodd. bot. cab. t. 132.
2	arboréscens R.S.	(*st*) arborescent	Trinidad	1820.	S	♄	Aub. gui. 1. t. 24.
3	læ'vis R.S.	(*ye*) smooth	Guiana	1824. 6. 7.	S	♄	——— 1. t. 25.
4	elàta R.S.	(*ye*) tall	W. Indies	1823. 7.11.	S	♄	Bot. reg. t. 946.
5	fœ'tida R.S.	(*ye*) fetid	———	1800. 6. 7.	S	♄	
6	trífida R.S.	(*wh*) trifid-flowered	Jamaica	1826. ——	S	♄	
7	diffùsa R.S.	(*st*) diffuse	W. Indies	1804. 7. 8.	S	♄	Andr. reposit. t. 578. f. 1.
8	obovàta R.S.	(*st*) oval-leaved	———	—— ——	S	♄	——— t. 578. f. 2.
CALLICA'RPA R.S.		CALLICA'RPA.	(καλλιστος, most beautiful, and καρπος, a fruit.)				Tet. Mon.
1	americàna R.S.	(*re*) American	Carolina	1724. 6. 7.	G	♄	Catesb. car. 2. t. 47.
2	càna R.S.	(*li*) hoary	E. Indies	1799. ——	S	♄	
3	lanàta R.S.	(*pu*) woolly	———	1788. ——	S	♄	Gært. fruct. 1. t. 94.
4	incàna F.I.	(*ro*) white-leaved	———	1816. 6.10.	S	♄	
5	macrophy'lla R.S.	(*ro*) large-leaved	———	1808. ——	S	♄	
6	lanceolària F.I.	(*pu*) lance-leaved	———	1816. ——	S	♄	
7	furrugínea R.S.	(*li*) rusty	Jamaica	1794. 6. 7.	S	♄	
8	reticulàta R.S.	(*wh*) netted leaved	———	1822. ——	S	♄	
9	longifòlia R.S.	(*wh*) long-leaved	China	—— ——	S	♄	Hook ex. flor. t. 133.
10	rubélla B.R.	(*re*) red-flowered	———	—— ——	S	♄	Bot. reg. t. 883.
11	purpùrea F.I.	(*pu*) purple-flowered	———	—— 7. 9.	S	♄	
12	arbòrea F.I.	(*p.pu*) tree	Nepaul	——	S	♄	
VITEX S.S.		CHASTE-TREE.	(*vitex*, a twig, pliant branches.)				Didynam. Angiosper.
	§ 1. *Leaves simple.*						
1	ovàta s.s.	(*bl*) oval-leaved	China	1796. 7. 8.	S	♄	
	§ 2. *Leaves ternate.*						
2	trifiòra s.s.	(*vi*) three-flowered	Cayenne	1823 ——	S	♄	

3 latifòlia s.s.	(*bl*) broad-leaved	E. Indies	1820.	——	S	♄	Rheed. mal. 5. t. 2.
4 altíssima s.s.	(*vi*) tall	Ceylon	1802.	....	S	♄	
§ 3. *Leaves ternately quinate.*							
5 alàta s.s.	(*vi*) winged	E. Indies	1818.	6. 8.	S	♄	
6 gigantèa K.S.	(*vi*) giant	Guayaquil	1826.	....	S	♄	
7 bicolor s.s.	(*bl.wh*) two-coloured	E. Indies	1810.	6. 8.	S	♄	
8 trifòlia s.s.	(*vi*) three-leaved	———	1759.	——	S	♄	Bot. mag. t. 2187.
9 Negúndo s.s.	(*bl*) Ash-leaved	———	....	——	S	♄	Rheed. mal. 2. t. 11.
§ 4. *Leaves quinate.*							
10 umbròsa s.s.	(*vi*) bushy	W. Indies	1824.	....	S	♄	
11 A'gnus-cástus W.	(*wh*) common	Sicily	1570.	9.	H	♄	Flor. græc. t. 506.
β *latifòlia*	(*wh*) broad-leaved	———	——	——	H	♄	
12 incisa s.s.	(*bl*) cut-leaved	China	1758.	7. 9.	G	♄	Bot. mag. t. 364.
Negúndo B.M.							
13 arbòrea H.B.	(*bl*) tree	E. Indies	1820.	....	S	♄	
14 bignonioìdes K.S.	(*bl*) trumpet-flow'd	Caracas	1826.	....	S	♄	
15 salígna H.B.	(*bl*) Willow-leaved	E. Indies	1823.	....	S	♄	
16 Doniàna Swt.	(*vi*) Don's	SierraLeon.	1824.	....	S	♄	
umbròsa H.T. *non* Sw.							
17 heterophy'lla H.B.	(*bl*) various-leaved	E. Indies	1820.	....	S	♄	
18 capitàta P.S.	(*bl*) headed-flowered	Trinidad	1822.	6. 8.	S	♄	Vahl. ecl. 2. t. 18.

WALLRO'THIA S.S. WALLRO'THIA. (F. W. Wallroth, a bot. of Halle.) Didynamia Angiosper.

Leucóxylon s.s.	(*pu*) white-wooded	Ceylon	1793.	....	S	♄	
Vitex Leucóxylon L.							

CHLOA'NTHES B.P. CHLOA'NTHES. (χλοη, green, and ανθος, a flower.) Didynam. Angiosper.

1 ste'chadis B.P.	(*st*) white-leaved	N. S. W.	1822.	6. 8.	G	♄	
2 glandulòsa B.P.	(*st*) glandular-leaved	———	1824.	——	G	♄	

PRE'MNA S.S. PRE'MNA. (πρεμνον, a stump of a tree; low.) Didynamia Angiospermia.

1 integrifòlia s.s.	(*wh*) entire-leaved	E. Indies	1822.	....	S	♄	Rumph. amb. 3. t. 133.
2 tomentòsa s.s.	(*wh*) woolly	———	1825.	....	S	♄	
3 reticulàta s.s.	(*wh*) netted-leaved	Jamaica	1826.	....	S	♄	
4 spinòsa H.B.	(*wh*) spiny	E. Indies	1822.	....	S	♄	
5 esculénta H.B.	(*wh*) esculent	———	1824.	....	S	♄	
6 latifòlia H.B.	(*wh*) broad-leaved	———	1827.	....	S	♄	
7 serratifòlia s.s.	(*wh*) saw-leaved	———	——	....	S	♄	

HOLMSKIO'LDIA. HOLMSKIO'LDIA. (T. Holmskiold, a Cryptog. bot.) Didynamia Angiospermia.

1 sanguínea s.s.	(*sc*) scarlet	E. Indies	1796.	10.4.	S	♄	Bot. reg. t. 692.
Hastíngia coccínea Sm. ex. bot. t. 80.							
2 scándens	(*pi*) climbing	———	1824.	——	S	♄	◡
Hastíngia scándens H.B.							

PETRÆ'A S.S. PETRÆ'A. (Lord Petre, a patron of bot.) Didynamia Angiospermia.

1 volùbilis s.s.	(*pu*) climbing	Vera Cruz	1733.	7. 8.	S	♄	◡ Bot. mag. t. 628.
2 rugòsa K.S.	(*pu*) rough-leaved	Caracas	1824.	....	S	♄	
3 érecta L.C.	(*pu*) upright	S. America	——	....	S	♄	
4 stapèliæ Paxt.	(*li*) Stapelia-like	———	——	6.	S	♄	◡

HO'STA Jacq. HO'STA. (N. T. Host, a German bot.) Diandria Monogynia.

1 cœrùlea Jacq.	(*bl*) blue-flowered	S. America	1733.	6. 9.	S	♄	Bot. reg. t. 1204.
Cornùtia punctàta B.M. 2611.							
2 latifòlia K.S.	(*vi*) broad-leaved	Mexico	1824.	——	S	♄	

CORNU'TIA P.S. CORNU'TIA. (James Cornut, M.D., trav. in Canada.) Diandria Monogynia.

pyramidàta P.S.	(*bl*) pyramidal	W. Indies	1733.	....	S	♄	Lam. ill. t. 541.

GMELI'NA S.S. GMELI'NA. (Gmelin, a German naturalist.) Didynamia Angiospermia.

1 arbòrea s.s.	(*br.ye*) tree	E. Indies	1812.	....	S	♄	Roxb. corom. 3. t. 246.
2 villòsa s.s.	(*ye*) villous	———	1818.	....	S	♄	
3 asiática s.s.	(*ye*) oval-leaved	———	1792.	....	S	♄	Lam. ill. t. 542.
4 parviflòra P.S.	(*ye*) small-flowered	———	1817.	....	S	♄	Roxb. corom. 1. t. 32.
parvif'òlia s.s.							
5 sinuàta L. en.	(*ye*) sinuated	———	1824.	....	S	♄	

CITHARE'XYLUM W. FIDDLE-WOOD. (κιθαρα, a fiddle; wood made into.) Didynam. Angiosp.

1 caudàtum s.s.	(*wh*) upright	Jamaica	1763.	....	S	♄	Jacq. ic. 3. t. 501.
erèctum Jacq.							
2 villòsum D.S.	(*wh*) hairy-leaved	W. Indies	1784.	....	S	♄	Jacq. ic. 1. t. 118.
3 subserràtum s.s.	(*wh*) subserrate	Hispaniola	1819.	....	S	♄	
4 quadrangulàre s.s.	(*w*) square-stalked	Jamaica	1759.	6. 8.	S	♄	Jacq. vind. 1. t. 22.
5 cinèreum s.s.	(*wh*) ash-coloured	W. Indies	1739.	——	S	♄	Jacq. amer. t. 118.
6 mólle s.s.	(*wh*) soft-leaved	.....	1822.	——	S	♄	
pentándrum s.s.	(*pu*) pentandrous	Portorico	1815.	——	S	♄	Vent. cels. t. 47.

DURA'NTA S.S. DURA'NTA. (C. Durante, M.D., an Italian bot.) Didynamia Angiospermia.

Plumièri B.R.	(*bl*) smooth	S. America	1733.	6.10.	S	♄	Bot. reg. t. 244.

2 Ellísia B.M. (*bl*) prickly W. Indies 1739. 8. S ♄ Bot. mag. t. 1759.
3 inérmis Mill. (*bl*) unarmed S. America .... —— S ♄
4 xalapénsis K.S. (*bl*) Mexican Mexico 1822. .... S ♄
5 Mutísii K.S. (*bl*) Mutis's S. America —— 6. 8. S ♄

AMASO'NIA S.S. Amaso'nia. (Th. Amason, an American trav.) Didynamia Angiospermia.
punícea S.S. (*ye*) puniceous Trinidad 1823. .... S ♄

LANTA'NA S.S. Lanta'na. (a name used by the ancients.) Didynamia Angiospermia.
§ 1. *Prickly shrubs.*
1 aculeàta S.S. (*or*) changeable-col'd W. Indies 1692. 4.11. S ♄ Bot. mag. t. 96.
2 purpùrea S.S. (*pu*) purple-flower'd S. America 1822. —— S ♄
3 scábrida S.S. (*or*) rough W. Indies 1774. 7.10. S ♄
4 místa W. (*st.li*) Nettle-leaved ———— 1732. 8.10. S ♄ Lodd. bot. cab. t. 68.
5 melissæfòlia S.S. (*ye*) Balm-leaved ———— —— 7. 9. S ♄ Dill. elt. t. 57. f. 66.
6 nívea S.S. (*wh*) snowy white E. Indies 1810. —— S ♄ Bot. mag. t. 1946.
β *mutábilis* B.M. (*ye.ro*) changeable .... 5. 6. S ♄ ———— t. 3110.
7 Lockhártii G.D. (*wh*) Lockhart's Trinidad 1820. 7.10. S ♄
8 híspida K.S. (*re*) hispid Mexico 1824. —— S ♄
9 stricta S.S. (*ro*) narrow-leaved Jamaica 1733. —— S ♄ Sloan. jam. 2. t. 195. f. 4.
§ 2. *Plants unarmed.*
10 Rádula W. (*pu*) Rasp-leaved W. Indies 1803. —— S ♄
11 salviæfòlia S.S. (*re*) Sage-leaved C. B. S. 1823. —— G ♄ Jacq. schœnb. 3. t. 285.
12 récta S.S. (*bh*) upright Jamaica 1758. 6. 8. S ♄ ———— 3. t. 360.
13 involucràta S.S. (*li*) round-leaved W. Indies 1690. 5. 7. S ♄ Pluk. alm. t. 114. f. 5.
14 odoràta S.S. (*wh*) sweet-scented ———— 1758. 5.11. S ♄ Plum. ic. 71. f. 2.
15 móllis Gr. (*ro*) soft Mexico 1826. 11.8. G ♄
16 Cámara S.S. (*ye*) various-colour'd W. Indies 1691. 4. 9. S ♄ Dill. elt. t. 56. f. 65.
17 trifòlia S.S. (*ro*) three-leaved ———— 1733. 6. 9. S ♄ Bot. mag. t. 1449.
18 ánnua S.S. (*ro*) annual S. America —— 7. 8. S ☉ ———— t. 1022.
19 fucàta S.S. (*ro*) painted Brazil 1822. —— S ♄ Bot. reg. t. 798.
20 lavandulàcea S.S. (*wh*) Lavender-like ..... —— —— S ♄ Jacq. schœn. t. 361.
21 cròcea L.en. (*or*) saffron-coloured Jamaica —— —— S ♄ ———— t. 473.
22 violàcea Desf. (*vi*) violet-coloured S. America 1824. .... S ♄
23 brasiliénsis L.en. (*wh*) Brazilian Brazil —— 7. 8. S ♄
24 álba L.en. (*wh*) white-flowered S. America .... —— S ♄
25 hírta Gr. (*wh*) hairy white ———— 1825. 8.11. S ♄
26 hórrida K.S. (*ye*) horrid Mexico —— 7. 8. S ♄
27 Sellowiàna L.O. (*ro*) Sello's Monte Video 1829. 12.4. S ♄ Bot. mag. t. 2981.

SPIELMA'NNIA S.S. Spielma'nnia. (J. R. Spielmann, a German bot.) Didynam. Angiosperm.
africàna S.S. (*wh*) African C. B. S. 1710. 2.11. G ♄ Bot. mag. t. 1899.

TECTO'NA W. Teak-wood. (altered from *tekka*, its Malabar name.) Pentandria Monogynia.
grándis W. (*wh*) great E. Indies 1777. .... S ♄ Roxb. corom. 1. t. 6.

STRE'PTIUM S.S. Stre'ptium. (στρεπτός, twisted; fruit.) Didynamia Angiospermia.
ásperum S.S. (*wh*) rough E. Indies 1799. 7. 8. S ♃ Roxb. corom. 2. t. 146.
Tórtula áspera W. *Prìva leptostàchya* P.S.

PRI'VA S.S. Pri'va. (etymology unknown.) Didynamia Angiospermia.
1 lappulàcea P.S. (*pu*) bristly-fruited S. America 1822. 6. 8. S ♃ Jacq. obs. 1. t. 24.
echinàta K.S.
2 mexicàna P.S. (*li*) Mexican Mexico 1726. 8. 9. G ♃ Dill. elth. t. 302. f. 389.
hispida K.S. *Verbèna mexicàna* L.

TAMO'NEA S.S. Tamo'nea. (name of the plant in Cayenne.) Diandria Monogynia.
1 verbenàcea S.S. (*bl*) thorny-fruited W. Indies 1733. 8. S ☉ Banks. vel. Hous. t. 2.
curassávica P.S. *Ghìnia spinòsa* W.
2 spicàta K.S. (*bl*) spiked Trinidad 1824. 8.10. S ☉ Aubl. guian. t. 268.

STACHYTA'RPHETA. Bastard Vervain. (σταχυς, a spike, and ταρφειος, dense.) Diand. Mon
1 angustifòlia R.S. (*vi*) narrow-leaved S. America .... 6. 9. S ☉ Jacq. obs. 4. t. 86.
2 elàtior R.S. (*vi*) tall Brazil 1821. 8.11. S ☉
3 índica R.S. (*vi*) Indian Ceylon 1732. 8. 9. S ☉
4 urticifòlia B.M. (*bl*) Nettle-leaved S. America .... 5. 9. S ♂ Bot. mag. t. 1848.
3 jamaicénsis R.S. (*bl*) Jamaica W. Indies 1714. 6. 9. S ♂ ———— t. 1860.
6 hírta K.S. (*vi*) hairy-leaved New Granada 1821. 5.10. S ♄
7 cayennénsis S.S. (*bl*) Cayenne Cayenne 1819. —— S ♄
8 umbròsa K.S. (*bl*) shade Cumana 1829. —— S ♄
9 prismática R.S. (*bl*) Germander-ld. W. Indies 1699. 5. 6. S ♂ Jacq. ic. 2. t. 208.
10 orùbica R.S. (*vi*) Orubian S. America —— 6. 8. G ♂ Ehr. pict. t. 5. f. 1.
11 mutábilis R.S. (*ro*) changeable-fld. ———— 1801. 3. 9. S ♄ Bot. mag. t. 976.
Verbèna mutábilis W. *Cymbìrus mutábilis* Par. lond. t. 49.
12 crassifòlia R.S. (*vi*) thick-leaved Brazil 1826. 6. 9. S ♄
13 Zuccágni R.S. (*ro.vi*) Zuccagni's ..... 1824. —— S ♄
14 hirsutíssima L.en. (*bl*) hairy Brazil 1821. —— S ♃

PHRY'MA S.S. PHRY'MA. (etymology unknown.) Didynamia Angiospermia.
leptostàchya S.S. (wh) slender-spike N. America 1802. 8. 9. H ♃ Lam. ill. t. 516.

ZAPA'NIA J. ZAPA'NIA. (P. A. Zappa, an Italian bot.) Didynamia Angiospermia.
1 stœchadifòlia P.S. (wh) oval-spiked W. Indies 1732. 8. 9. S ♃ Brown. jam. t. 3. f. 1.
2 nodiflòra B.P. (pi) knot-flowered America 1664. 7. 8. G ♃ Flor. græc. t. 533.
Verbèna nodiflòra L. *Líppia nodiflòra* S.S.
β *rùsea* D.D. (re) *rose-flowered* Chili 1832. 6. 8. F ♃ Swt. br. fl. gar. s. 2. t. 225.

ALO'YSIA P.S. ALO'YSIA. (Maria Louisa, mother of Ferd. VII. of Spain.) Didynam. Angiosper.
citrodòra P.S. (li) Lemon-scented Chili 1784. 5. 9. G ♄ Bot. mag. t. 367.
Verbèna tripy'lla B.M. *Líppia citrodòra* K.S.

VERBE'NA S.S. VERVAIN. (altered from *ferfaen*, its Celtic name.) Didynamia Angiospermia.
1 angustifòlia S.S. (bi) narrow-leaved N. America 1802. 6. 8. H ♃
rugòsa W.
2 paniculàta S.S. (pu) panicled ——— 1800. 7. 8. H ♃ Bot. reg. t. 1102.
3 bonariénsis S.S. (bi) cluster-flower'd B. Ayres 1732. 7. 10. H ♂ Dill. elt. t. 300. f. 387.
4 caroliniàna S.S. (pi) Carolina N. America —— 6. 9. H ♃ ——— t. 301. f. 388.
5 urticæfòlia S.S. (wh) Nettle-leaved ——— 1683. 7. 9. H ♃ Rob. ic. 26.
6 stricta S.S. (bi) upright ——— 1802. 7. 8. H ♃ Bot. mag. t. 1976.
7 polystàchya K.S. (re) many-spiked Mexico 1820. 8. 10. H ♃
8 lasiòstachys S.S. (bi) woolly-spiked California 1823. —— H ♃
9 bracteòsa S.S. (bi) long-bracted N. America 1812. 7. H ♃ Bot. mag. t. 2910.
10 Aublètia S.S. (ro) rose ——— 1774. 6. 8. F ♂ ——— t. 308.
11 Lambérti B.M. (ro) Lambert's Peru 1816. —— F ♃ Bot. reg. t. 2200.
β *rùsea* D.D. (ro) *rose-flowered* Louisiana 1836. 7. 8. F ♃ Swt. br. fl. gar. s. 2. t. 363.
Drummóndi Hook. *Aublètia* β, *Drummóndi* B.R. t. 1925.
12 chamædryfòlia P.S. (sc) scarlet-flower'd B. Ayres 1827. 4. 10. F ♃ Swt. br. fl. gar. ser. 2. t. 9.
Melíndres Bot. reg. t. 1184. *Erìnus peruviànus* L.
13 teucrioìdes B.M. (wh. pk) Germander-like ——— 1837. 8. F ♃ Bot. mag. t. 3694.
14 trifida K.S. (pu) trifid Mexico 1818. —— H ⊙
15 incìsa B.M. (ro) cut-leaved Santa Fe 1836. 7. 8. H ♃ Bot. mag. t. 3628.
16 Tweediàna B.M. (sc) Tweedie's S. America —— 4. 5. F ♃ Swt. br. fl. gar. s. 2. t. 391.
17 barbàta Gr. (li) bearded Mexico 1827. 9. 12. G ♄
18 hastàta S.S. (pu) halberd-leaved Canada 1710. —— H ♃ Herm. parad. t. 242.
19 scàbra S.S. (vi) rough Mexico 1822. —— H ♃
20 alàta B.F.G. (pu) winged-stalked Monte Video 1827. 7. 10. F ♃ Swt. br. fl. gar. ser. 2. t. 41.
21 officinàlis B.B. (li) common Britain .... 6. 9. H ♃ Eng. bot. v. 11. t. 769.
22 soròria D.P. (li) sister Nepaul 1823. 8. 10. H ♃ Swt. br. fl. gar. t. 202.
23 spùria S.S. (li) jagged-leaved N. America 1731. 7. 8. H ♂
24 rugòsa D.D. (pu) wrinkled B. Ayres 1837. —— F ♃ Swt. br. fl. gard. s. 2. t. 318.
25 multífida R.P. (ro) Erinus-like Peru 1820. 7. 8. H ⊙ Flor. peruv. 1. t. 33. f. c.
erinoìdes S.S.
β *Sabìni* D.D. (pu) Sabine's Chili 1830. —— H ⊙ Swt. br. fl. gar. s. 2. t. 347.
multífida var. *contrácta* B.R. t. 1766.
26 venòsa B.M. (ro) strong-veined B. Ayres —— 5. 9. F ♃ Swt. br. fl. gar. s. 2. t. 207.
27 pulchélla B.F.G. (li) pretty ——— 1827. 4. 10. F ♃ ——— t. 295.
28 sulphùrea B.R. (st) sulphur-coloured Chili 1834. 8. 9. F ♃ Swt. br. fl. gar. s. 2. t. 221.
29 canéscens S.S. (vi) canescent Mexico 1820. 7. 8. H ♃ H. et B. 2. t. 136.
30 hispida S.S. (pu) hispid Peru 1816. —— H ⊙
31 supina S.S. (li) trailing Spain 1640. 6. 7. H ⊙ Flor. græc. t. 554.
β *hirsùta* E. (li) *hairy* Egypt 1829. —— H ⊙
32 prostràta H.K. (li) prostrate N. America 1794. —— H ♃

LI'PPIA J. LI'PPIA. (Auguste Lippi, a French trav. and nat.) Didynamia Angiospermia.
purpùrea S.S. (pu) purple Mexico 1823. 6. 8. G ♄ Jacq. f. eclog. t. 85.

ORDER CLXXIX.

MYOPORINÆ. *Brown prodr. p.* 514.

SPARTOTHA'MNUS Cun. SPARTOTHA'MNUS. (σπαρτος, cordage, and θαμνος, a shrub.) D.A.
júnceus Cun. (wh) rushy N. Holland 1819. 8. 9. G ♄

MYO'PORUM B.P. Myo'porum. (μυω, to shut, and πορος, a pore; in leaves.) Didy. Angiosp.

1	ellípticum B.P.	(wh) smooth-leaved	N. S. W.	1789.	1. 3.	G	♄	Andr. reposit. t. 283.
	Pogònia glábra A.R.							
2	acuminàtum B.P.	(wh) acuminate	———	1812.	....	G	♄	
3	montànum B.P.	(wh) mountain	———	1822.	2. 6.	G	♄	
4	parvifòlium B.P.	(wh) small-leaved	N. Holland	1803.	3. 9.	G	♄	Bot. mag. t. 1691.
5	débile B.P.	(bl) procumbent	N. S. W.	1793.	5. 8.	G	♄	——— t. 1830.
6	diffùsum B.P.	(bl) diffuse	N. Holland	....	8. 2.	G	♄	
8	adscéndens B.P.	(wh) ascending	———	....	....	G	♄	
9	tuberculàtum B.P.	(wh) tubercled	———	1803.	5. 8.	G	♄	
10	insulàre B.P.	(wh) insular	N. S. W.	1800.	1. 4.	G	♄	
11	vicòsum B.P.	(wh) viscid	N. Holland	1803.	5. 8.	G	♄	
12	crassifòlium S.S.	(wh) thick-leaved	N. Zealand	1822.	——	G	♄	
13	oppositifolium S.S.	(wh) opposite-leaved	N. Holland	1803.	1.12.	G	♄	

STENOCHI'LUS B.P. Stenochi'lus. (στενος, narrow, and χειλος, a lip.) Didyn. Angiosp.

1	glàber B.P.	(sc) smooth-leaved	N. Holland	1803.	1.12.	G	♄	Bot. mag. t. 1942.
2	maculàtus B.R.	(cr.sp.) spotted-flowered	———	1820.	4, 8.	G	♄	Bot. reg. t. 647.
3	viscòsus B.M.	(ye) clammy	———	1825.	——	G	♄	Bot. mag. t. 2930.

BO'NTIA S.S. Bo'ntia. (James Bontius, M.D., a Dutch nat.) Didynamia Angiospermia.

	daphnoìdes S.S.	(st) Barbadoes	W. Indies	1690.	6.	S	♄	Dill. elth. t. 49. f. 57.

AVICE'NNIA B.P. Avice'nnia. (Avicennes, a Persian physician.) Didynamia Angiospermia.

	tomentòsa B.P.	(wh) downy-leaved	India	1793.	....	S	♄	Palisot. d'Owar. t. 47.

ORDER CLXXX.

ACANTHA'CEÆ. *Nees. in Wall. pl. rar. asiat.* 3. *p.* 70.

Tribe I. *THUNBERGIE'Æ.* Nees. l. c. p. 77.

THUNBE'RGIA S.S. Thunbe'rgia. (Ch. Peter Thunberg, cel. trav. and bot.) Didy. Ang.

1	grandifiòra S.S.	(bl) large-flowered	E. Indies	1822.	3. 8.	S	♄ ◡	Bot. reg. t. 495.
2	fràgrans S.S.	(wh) white Indian	———	1796.	5. 9.	S	♄ ◡	Bot. mag. t. 1881.
3	cordàta C.R.	(wh) heart-leaved	Brazil	1823.	3. 8.	S	♄ ◡	Coll. h. rip. t. 21.
4	capénsis S.S.	(st) Cape	C. B. S.	1816.	——	G	♄ ◡	Lodd. bot. cab. t. 1528.
5	alàta B.M.	(or) winged	Zanzebar	1825.	1.12.	S	♄ ◡	Bot. mag. t. 2591.
	β *albiflòra* B.M.	(wh) white-flowered	Mauritius	....	——	S	♄ ◡	——— t. 3512.
6	angulàta H.E.F.	(pu) angular-stalked	———	1824.	5. 8.	S	♄ ◡	Hook. ex. flor. t. 166.

MEYE'NIA Nees. Meye'nia. (J. F. Meyen, M.D., cel. phys. bot.) Didynam. Angiosper.

	Haytayneànum Nees.	(ye) Haytayne's	India	....	3. 8.	S	♄ ◡	Wall. pl. rar. as. 2. t. 164.
	Thunbérgia Haytaneànum Wall.							

HEXACE'NTRIS Nees. Hexace'ntris. (εξ, without, and κεντρον, a spur.) Didynam. Ang.

	coccínea Nees.	(sc) scarlet-flowered	Nepaul	1824.	6. 2.	S	♄ ◡	Hook. ex. flor. t. 195.
	Thunbérgia coccínea D.P.							

Tribe II. *NELSONIE'Æ.* Nees. l. c. 3. p. 79.

NELSO'NIA B.P. Nelso'nia. (David Nelson, a cel. bot. collector.) Diandria Monogynia.

	tomentòsa Nees.	(pu) Lamium-leaved	E. Indies	1824.	6. 8.	S	♃	
	lamiifòlia F.I.							

Tribe III. *ECHMATACA'NTHÆ.* Nees. l. c.

Subtribe I. HYGROPHI'LEÆ. Nees. l. c.

HEMIADE'LPHIS Nees. HEMIADE'LPHIS. (ἡμισυς, half, and αδελφος, brotherhood.) Di.An.
polyspérma Nees. (*bl*) many-seeded E. Indies 1821. 8.10. S ☉
Justícia polyspérma F.I.

HYGRO'PHILA B.P. HYGRO'PHILA. (ὑγρος, moist, and φιλεω, to love.) Didynam. Angios.
1 ríngens S.S. (*li*) gaping-flowered E. Indies 1807. 7. 8. S ♄
2 obovàta Nees (*pu*) obovate-leaved ——— 1820. 7.11. S ☉
Ruéllia obovàta H.B.
3 salicifòlia Nees. (*vi*) Willow-leaved ——— 1822. 6. 9. S ♄
Ruéllia salicifòlia Vahl.
4 longifòlia Nees. (*pu*) long-leaved ——— 1821. 6. 9. S ♄
Ruéllia longifòlia S.S.

Subtribe II. RUELLOI'DEÆ. Nees. l. c. p. 81.

DIPTERACA'NTHUS Nees. DIPTERACA'NTHUS. (διπτερος, two-winged, and ακανθος, Acanthus.) D.A.
1 ciliàtus Nees. (*li*) fringed E. Indies 1806. 7. 8. S ♄
Ruéllia ciliàta Horn.
2 pátulus Nees. (*vi*) spreading ——— 1774. —— S ♄ Jacq. ic. 1. t. 119.
Ruéllia pátula Jacq.

RUE'LLIA S.S. RUE'LLIA. (John Ruelle, M.D., a French bot.) Didynamia Angiospermia.
1 ocymoìdes S.S. (*bl*) Basil-like Mexico 1815. 7. 8. S ♄ Cavan. ic. 5. t. 456.
2 austràlis S.S. (*re*) New Holland N. S. W. 1820. 6. 9. G ♄ —— ic. 6. t. 586. f. 1.
3 fœ'tida S.S. (*vi*) strong-scented Mexico 1824. —— G ♄
4 bifòra S.S. (*bl*) two-flowered Carolina 1765. 7. G ♃
5 violàcea S.S. (*bl*) violet-flowered Guiana 1822. 6. 9. S ♃ Aub. gui. 2. t. 271.
6 ovàta S.S. (*bl*) oval-leaved Mexico 1800. 7. 8. S ♃ Cavan. ic. 3. t. 254.
7 brasìla Mart. (*vi*) Brazil Brazil 1828. 8. 9. S ♄
8 cérnua H.B. (*vi*) cernuous E. Indies 1821. 6. 9. S ♄
9 semitetrándra Jac. .. semitetrandrous ..... 1829. .... S ♄
10 élegans B.M. (*bl*) elegant E. Indies .... 6. 9. S ☉ Bot. mag. t. 3389.
11 ciliatifòra B.M. (*bl*) fringe-flowered B. Ayres 1838. —— G ♃ ——— t. 3718.
12 píeta B.R. (*bl*) painted St. Domingo 1826. 4. 8. S ♄ Bot. cab. t. 1448.
13 formòsa S.S. (*sc*) splendid Brazil 1808. 6. 9. S ♄ Bot. mag. t. 1400.
14 macrophy'lla S.S. (*re*) large-leaved S. America 1820. —— S ♄ Vahl. symb. 2. t. 39.
15 tuberòsa S.S. (*vi*) tuberous-root'd Jamaica 1752. 7. 8. S ♃ Sloan. jam. 1. t. 95. f. 1.
16 strèpens S.S. (*pa.bl*) whorl-flowered N. America 1726. —— G ♃ Schk. hand. 2. t. 177.
17 láctea S.S. (*li*) white Mexico 1796. 6. 8. G ♃ Cavan. ic. 3. t. 255.
18 clandestìna S.S. (*bl*) three-flowered Barbadoes 1728. 7. 8. S ♃ Dill. elth. t. 248. f. 320.
19 paniculàta S.S. (*li*) panicled W. Indies 1768. 8.10. S ♃ Bot. reg. t. 585.
20 undulàta S.S. (*vi*) wave-leaved E. Indies 1817. 7.11. S ♃
21 hírta S.S. (*vi*) hairy ——— —— —— S ♃ Vahl. symb. 3. t. 67.
22 pubéscens P.S. (*bl*) pubescent C. B. S. 1816. 5. 7. G ♄
23 tetragòna S.S. (*bl*) four-sided Brazil 1818. 6. 9. S ♃

STROBILA'NTHES Bl. STROBILA'NTHES. (στοβιλος, a strobile, and ανθος, a flower.) Did. Ang.
Sabiniàna Nees. (*vi*) Sabine's E. Indies 1827. 4. 8. S ♄ Bot. reg. t. 1238.
Ruéllia Sabiniàna B.R. Bot. mag. 3517.

GOLDFU'SSIA Nees. GOLDFU'SSIA. (Goldfuss, prof. Bonn.) Didynamia Angiospermia.
anisophy'lla Nees. (*bl*) unequal-leaved E. Indies 1823. 9. 4. S ♄ Bot. mag. t. 3404.
Ruéllia anisophy'lla Hook. exot. flor. t. 191. *persicifòlia* Bot. reg. t. 955.

GEISSOME'RIA B.R. GEISSOME'RIA. (γεισσον, the eaves of a house, and μερις, a part.) Di. An.
1 longifòra B.R. (*sc*) long-flowered Brazil 1825. 8.10. S ♄ Bot. reg. t. 1045.
2 fúlgida Swt. (*sc*) bright-flowered W. Indies 1804. 7. 8. S ♄ Andr. reposit. t. 527.
Ruéllia fúlgida A.R.

Subtribe III. BARLERIEÆ. Nees. l. c. p. 90.

ASTERACA'NTHA Nees. ASTERACA'NTHA. (*αστηρ*, a star, and *ακανθος*, a spine.) Didyn. Angios.
longifòlia Nees. (*vi*) long-leaved E. Indies 1781. 7. 9. S ♂ Pluk. alm. t. 133. f. 4.
Barlèria longifòlia L.

BARLE'RIA S.S. BARLE'RIA. (J. Barrelier, a cel. French bot.) Didynamia Angiospermia.
1 buxifòlia H.B. (*bl*) Box-leaved E. Indies 1763. 6. 7. S ♄ Rheed. mal. 2. t. 47.
2 Prionìtis S.S. (*ye*) thorny ——— 1759. 7. 8. S ♄ ——— 9. t. 41.
3 spicàta H.B. (*pu*) spiked-flowered ——— 1822. 4. 8. S ♄
4 lupulìna B.R. (*ye*) hop-headed ——— 1824. 8. S ♄ Bot. reg. t. 1483.
Declíptera spinòsa Lodd. bot. cab. t. 1244.
5 cristàta S.S. (*bl*) crested ——— 1796. 4. 9. S ♄ Bot. mag. t. 1615.
6 álba B.C. (*wh*) white-flowered ——— 1818. —— S ♄ Lodd. bot. cab. t. 360.
7 ciliàta H.B. (*pu*) fringed ——— 1822. 4.10. S ♄
8 tomentòsa S.S. (*bl*) woolly ——— 1825. —— S ♄
9 flàva S.S. (*ye*) yellow-flowered Arabia 1816. —— S ♄ Jacq. f. ecl. t. 46.
mìtis B.R. 191. *Justícia flàva* W. *Eránthemum flàvum* W. en.
10 longiflòra S.S. (*vi*) long-flowered E. Indies 1816. 6. 9. S ♄ Vahl. symb. 1. t. 16.
11 purpùrea B.C. (*pu*) purple ——— 1817. —— S ♄ Lodd. bot. cab. t. 344.
12 dichótoma H.B. (*pu*) forked ——— 1822. —— S ♄
13 cœrùlea H.B. (*bl*) blue-flowered ——— —— —— S ♄

LEPIDA'GATHIS W. LEPIDA'GATHIS. (*λεπις*, a scale, *αγαθις*, a heap.) Didynamia Angiospermia.
cristàta W. (*pu*) crested E. Indies 1817. 5. 8. S ♃

Subtribe IV. ACA'NTHEÆ. Nees l. c. p. 97.

BLE'PHARIS J. BLE'PHARIS. (*βλεφαρις*, cilia; ciliated bracteas.) Didynamia Angiospermia.
1 capénsis S.S. (*wh*) simple-spined C. B. S. 1816. 5. 9. G ♄
2 furcàta S.S (*wh*) fork-spined ——— —— 6. 8. G ♄
3 procúmbens S.S. (*wh*) procumbent ——— 1825. —— G ♄

ACA'NTHUS S.S. BEARS-BREECH. (*ακανθος*, a spine; full of.) Didynamia Angiospermia.
1 móllis W. (*wh*) soft-leaved Italy 1548. 7. 9. H ♃ Lam. ill t. 550.
2 nìger L. en. (*wh*) shining-leaved Portugal 1759. —— H ♃
3 spinòsus B.M. (*wh*) prickly-leaved S. Europe 1629. —— H ♃ Bot. mag. t. 1808.
4 spinosíssimus P.S. (*wh*) white-spined ——— —— —— H ♃
5 carduifòlius S.S. (*wh*) Cape C. B. S. 1816. —— G ♃

DILIVA'RIA Juss. DILIVA'RIA. (name in the Isle of Luçon.) Didynamia Angiospermia.
illicifòlia Nees. (*wh*) Holly-leaved E. Indies 1759. .... S ♄ Rheed. mal. 2. t. 48.
Acánthus illicifòlius L.

Subtribe V. JUSTICIE'Æ. Nees l. c. p. 98.

CROSSA'NDRA P.S. CROSSA'NDRA. (*κροσσος*, a fringe, and *ανηρ*, a male.) Didyna. Angiosper.
undulæfòlia P.L. (*sc*) wave-leaved E. Indies 1800. 6. 1. S ♄ Bot. reg. t. 69.
Ruéllia infundibulifórmis A.R. 542. *Harràchia speciòsa* Jacq. ecl. t. 21.

APHELA'NDRA B.P. APHELA'NDRA. (*αφελης*, simple, and *ανηρ*, a male.) Didyn. Angiosper.
cristàta S.S. (*sc*) dense-spiked W. Indies 1733. 6. 9. S ♄ Bot. reg. t. 1477.
Ruéllia cristàta A.R. 506. *Justícia pulchérrima* L.

PHLOGACA'NTHUS Nees. PHLOGACA'NTHUS. (*φλοξ*, a flame, and *ακανθος*, acanthus.) Didy. Angios.
1 thyrsiflòrus Nees (*or*) thyrse-flower'd E. Indies 1812. 5. 9. S ♄
Justícia thyrsiflòra F.I.
2 guttàtus Nees (*ye. sp*) spotted ——— 1828. 4. 8. S ♄ Bot. reg. t. 1334.
Justícia guttàta Wall.

CRYPTOPHRA'GMIUM Nees (CRYPTOPHRA'GMIUM. (κρυπτος, hidden, & φραγμος, a partition.) D.M.

venústum Nees (*pu*) beautiful — E. Indies 1828. 8.11. S ♄ — Bot. reg. t. 1380.
Justícia venústa B.R.

ROSTELLA'RIA Nees. ROSTELLA'RIA. (a dim. of *rostrum*, a snout.) Diandria Monogynia.

1 procúmbens Nees (*ro*) procumbent — E. Indies 1798. 7. 8. S ♃ — Pluk. alm. t. 56. f. 3.
Justícia procúmbens Vahl.
2 quinquangulàris Nees (*ro*) five-angled — ——— 1820. —— S ♃
Justícia quinquangulàris F.I.

GRAPTOPHY'LLUM Nees. GRAPTOPHY'LLUM. (γραπτος, written, and φυλλον, a leaf.) Diand. Mon.

horténse Nees (*cr*) painted — E. Indies 1780. 7. 8. S ♄ — Rheed. mal. 6. t. 60.
Justícia pícta L.
α *álba* (*cr*) *white-marked* — ——— —— —— S ♄ — Bot. reg t. 1227.
β *lìvido-sanguínea* (*pu*) *purple-leaved* — ——— 1815. —— S ♄ — Bot. mag. t. 1870.

BELOPE'RONE Nees BELOPE'RONE. (βελος, an arrow, and περονη, a clasp.) Diand. Monog.

1 oblongàta Nees (*re*) oblong-leaved — Java 1826. 9.10. S ♄ — Bot. reg. t. 1657.
Justícia oblongàta L.O.
2 plumbaginifòlia Nees (*re*) Plumbago-ld. — E. Indies 1819. 6. 9. S ♄ — Jacq. fil. eclog. t. 12.
Justícia plumbaginifòlia Jacq.

ADHA'TODA Nees. ADHA'TODA. (Ceylon name.) Diandria Monogynia.

1 Betónica Nees (*wh*) Betony-leaved — E. Indies 1739. 2. 4. S ♄ — Rheed. mal. 2. t. 21.
Justícia Betónica L.
2 ramosíssima Nees (*wh*) branching — ——— 1812. 8.12. S ♄
Justícia ramosíssima F.I.
3 vísica Nees (*wh.pu*) Malabar-nut — Ceylon 1699. 5. 7. S ♄ — Bot. mag. t. 861.
Justícia Adhátoda L.

GENDARU'SSA Nees. GENDARU'SSA. (Malay name.) Diandria Monogynia.

1 decussàta Nees (*li*) cross-leaved — E. Indies 1824. 2. 4. S ♄
Justícia decussàta F.I.
2 ventricòsa Nees (*sp*) hop-flowered — China 1825. 4. 6. S ♄ — Bot. mag. t. 2766.
Justícia ventricòsa B.M.
3 vulgàris Nees (*vi*) Willow-leaved — E. Indies 1800. 6. 7. S ♄ — Bot. reg. t. 635.
Justícia Gendarùssa L.
4 furcàta Nees (*vi*) forked — Peru 1795. 4. 8. S ♄ — Bot. mag. t. 430.
Justícia furcàta Jacq. *peruviàna* B.M. Cavan. ic. 1. t. 28.
5 tranquebariénsis Nees (*bh*) Tranquebar — E. Indies 1818. 4. 8. S ♃
Justícia tranquebarénsis L.

ERA'NTHEMUM R.S. ERA'NTHEMUM. (εαρ, the spring, and ανθεμον, a flower.) Diand. Monog.

1 variábile B.P. (*pu*) variable — N. S. W. 1820. 6. 9. G ♄
2 montánum F.I. (*bl*) mountain — E. Indies 1825. 7. 2. S ♄
3 pulchéllum F.I. (*bl*) nervose — ——— 1796. 1.10. S ♄ — Andr. reposit. t. 88.
Justícia nervòsa B.M. 1358.
4 racemòsum F.I. (*bh*) racemed — ——— 1826. 7. 2. S ♄
5 barlerioìdes F.I. (*pa.bl*) Barleria-like — ——— 1824. —— S ♄
6 stríctum F.I. (*bl*) upright — ——— 1822. —— S ♄ — Bot. reg. t. 867.
7 crenulàtum B.R. (*li*) crenulate — ——— 1824. 10.2. S ♄ — ——— t. 879.
8 bícolor S.S. (*wh.pu*) two-coloured — Philippines 1802. 5. 8. S ♄ — Bot. mag. t. 1423.
Justícia bícolor B.M.
9 spinòsum R.S. (*wh*) thorny — W. Indies 1733. 7. 8. S ♄ — Jacq. amer. 2. t. 2. f. 1.
10 fœcúndum B.R. (*pu*) fœcund — Brazil 1830. 9. S ♄ — Bot. reg. t. 1494.
11 acanthóphorum R.S. (*li*) spiny — China 1822. 7. 8. S ♄
12 ambíguum R.S. ... bunch-leaved — ..... 1823. .... S ♄
parviflórum L. enum. *nec aliorum.*

JUSTI'CIA R.S. JUSTI'CIA. (J. Justice, a Scotch horticulturist.) Diandria Monogynia.

1 híspida R.S. (*wh*) hispid — SierraLeone 1824. 4. 8. S ♄
2 Ecbòlium R.S. (*pa.bl*) long-spiked — E. Indies 1759. 3. 8. S ♄ — Bot. mag. t. 1847.
3 vitellína F.I. (*pi.ye*) reflex-leaved — ——— 1818. 5. 9. S ♄
4 álba F.I. (*wh*) white-flowered — ——— 1816. 4. 8. S ♄
5 coccínea R.S. (*sc*) scarlet — S. America 1770. 12.4. S ♄ — Bot. mag. t. 432.
6 calycótricha S.S. (*ye*) yellow-flowered — Brazil 1825. 1. 3. S ♄ — ——— t. 2816.
flavícoma Bot. reg. t. 1027.
7 quadrífida R.S. (*sc*) twiggy — Mexico 1795. 3. 9. S ♄ — Sal. par. lond. t. 50.
virgulàris P.L.
8 pùmila R.S. (*sc*) dwarf — S. America 1820. —— S ♄
9 nìgricans R.S. (*wh.re*) black-striped — China 1819. 6. 9. G ♄
10 nítida R.S. (*wh.sp*) glossy — W. Indies 1790. 3. 9. S ♄ — Andr. reposit. t. 570.
11 bracteolàta R.S. (*pu*) bracteolate — Caracas 1824. 6. 8. S ♄ — Jacq. ic. t. 205.
12 salícina R.S. (*re*) Willow-like — Peru 1819. 7. 8. S ♄
13 secúnda R.S. (*pu*) side-flowering — W. Indies 1793. 5. 9. S ♄ — Bot mag. t. 2060.
14 geniculàta B.M. (*sc*) jointed-stalked — ——— 1822. 7.10. S ♄ — ——— t. 2487.

15	nodòsa B.M.	(*cr.pu*) swollen-jointed	Brazil	1826.	8.10.	S	♄	Bot. mag. t. 2914.
16	ciliàris R.S.	(*wh*) ciliated	Cumana	1780.	7. 8.	S	☉	Jacq. vind. 2. t. 104.
17	lùcida R.S.	(*sc*) shining-leaved	W. Indies	1795.	——	S	♄	Bot. mag. t. 1014.
18	salviæflòra R.S.	(*sc*) Sage-flowered	Mexico	1823.	——	S	♄	
19	cárnea B.R.	(*fl*) flesh-coloured	Rio Janeiro	1827.	8. 9.	S	♄	Bot. reg. t. 1397.
20	amábilis Hook.	(*re*) lovely	S. America	....	....	S	♄	
21	carthaginénsis R.S.	(*sc*) Carthagenian	Carthagena	1792.	6. 7.	S	♄	Bot. reg. t. 797.
22	pedunculòsa R.S. *americàna* W.	(*pu*) long-peduncled	N. America	1759.	7. 8.	H	♃	Bot. mag. t. 2367.
23	quadrangulàris B.M. *aspérula* Wall. Lodd. bot. cab. 1681.	(*pu*) square-stalked	Mauritius	——	1. 3.	S	♄	Bot. mag. t. 2845.
24	comàta R.S.	(*li*) Balsam-herb	Jamaica	1795.	7. 8.	S	♃	Sloan. jam. 1. t. 103. f. 2.
25	eustachiàna R.S.	(*pu*) Eustachian	St. Eustachia	1799.	8. 9.	S	♄	Jacq. amer. pict. t. 5.
26	Keriàna *eustachiàna* B.R. Bot. mag. t. 2076. *non* Jacq.	(*sc.or*) Ker's	China	1815.	6. 9.	S	♄	Bot. reg. t. 309.
27	pectoràlis R.S.	(*pu*) Garden Balsam	W. Indies	1787.	5. 6.	S	♃	Bot. reg. t. 796.
28	periplocæfòlia R.S.	(*pu*) Periploca-ld.	S. America	1799.	6. 8.	S	♄	Jacq. coll. s. t. 7. f. 2.
29	lithospermifòlia	(*vi*) Gromwell-ld.	Peru	1796.	4. 8.	S	♄	Jacq. schoen. 1. t. 4.
30	caracasàna R.S.	(*vi*) Caracas	Caracas	1818.	——	S	♄	Jacq. ic. 2. t. 206.
31	leucántha R.S.	(*wh*) dirty white	Brazil	1824.	——	S	♄	
32	formòsa R.S.	(*pu*) handsome	.....	1819.	6. 9.	S	♄	
33	maculàta B.C.	(*pu*) spotted-leaved	W. Indies	1823.	——	S	♄	Lodd. bot. cab. t. 626.
34	divaricàta R.S.	(*wh*) divaricate	C. B. S.	1822.	3. 6.	G	♄	
35	pátula R.S.	(*wh*) spreading-branched	——	1824.	——	G	♄	
36	hyssopifòlia R.S.	(*st*) Hyssop-leaved	Canaries	1690.	3. 8.	G	♄	Mill. ic. 9. t. 13.
37	orchioìdes R.S.	(*bh*) Broom-leaved	C. B. S.	1774.	8.	G	♄	Vent. malm. t. 51.
RHINACA'NTHUS Nees.		Rhinaca'nthus. (ρυν, a snout, and ακανθος, Acanthus.) Dian. Mon.						
	commùnis Nees. *Justìcia nasùta* L.	(*wh*) white-flowering	E. Indies	1790.	2.10.	S	♄	Bot. mag. t. 325.

Subtribe VI. DICLIPLE'REÆ Nees. l. c. p. 109.

BLE'CHUM B.P.		Ble'chum. (βλεχον, name of ground ivy.) Didynamia Angiospermia.						
1	Brównei S.S.	(*li*) dense-spiked	W. Indies	1780.	6.	S	☉	Sloan. jam. 1. t. 109. f. 1.
2	laxiflòrum S.S.	(*wh*) loose-flowered	——	1822.	6. 8.	S	♃	
3	angustifòlium S.S.	(*bl*) narrow-leaved	——	1826.	7.10.	S	♃	
PHAYLO'PSIS W.		Phaylo'psis. (φαυλος, abject, οψις, appearance.) Didyn. Angiospermia.						
1	longifòlia B.M.	(*wh*) long-leaved	Sierra Leone	1822.	3. 5.	S	♄	Bot. mag. t. 2433.
2	imbricàta *Ætheilèma imbricàta* S.S.	(*wh*) imbricated	Mauritius	——	——	S	♄	
3	parviflòra W.	(*wh*) small-flowered	E. Indies	1825.	4. 8.	S	♃	
ELYTRA'RIA R.S.		Elytra'ria. (ελυτρον, an involucrum; scales of stem.) Dian. Monogy.						
1	crenàta R.S. *Justìcia acaúlis* F.I.	(*wh*) nothed-leaved	E. Indies	1819.	11.2.	S	♃	Roxb. corom. 2. t. 127.
2	lyràta R.S.	(*wh*) lyrate-leaved	E. Indies	1825.	11.2.	S	♃	
3	virgàta R.S.	(*wh*) twiggy	Carolina	1813.	7. 8.	H	♃	Mich. amer. 1. t. 1.
4	ramòsa K.S.	(*bl*) branching	Mexico	1825.	——	G	♃	
5	cauléscens R.S.	(*wh*) caulescent	Manilla	1828.	——	G	♃	
RU'NGIA Nees.		Ru'ngia. (Ferd Runge, prof. Breslaw.) Diandria Monogynia.						
1	pectinàta Ness. *Justìcia parviflòra* W. *Decliptera pectinàta* R.S.	(*bl*) pectinated	E. Indies	1801.	7. 9.	S	♃	Roxb. corom. 2. t. 153.
2	rèpens R.S. *Decliptera rèpens* L.	(*li*) creeping	——	1822.	——	S	♃	Roxb. corom. 2. t. 152.
3	retùsa R.S. *Decliptera retùsa* Juss.	(*pu*) retuse	Santa Cruz	1718.	7. 9.	S	♃	
DICLI'PTERA J.		Dicli'ptera. (δις, double, and κλειω to shut; fruit 2-valved.) Dia. Mon.						
1	spinòsa B.C.	(*ye*) spiny	Madagascar	1827.	4. 6.	S	♄	Lodd. bot. cab. t. 1244.
2	chinénsis R.S.	(*ro*) Chinese	China	1816.	8.12.	S	♄	Burm. ind. t. 4. f. 1.
3	bivàlvis R.S.	(*ro*) two-valved	E. Indies	1820.	....	S	♄	
4	multiflòra R.S.	(*vi*) many-flowered	Quito	1821.	6. 9.	S	♄	Flor. peruv. 1. t. 14. f. b.
5	congésta K.S.	(*pu*) crowded-flowered	Mexico	1825.	——	S	♃	
6	resupinàta R.S. *Justìcia sexangulàris* Cav. *non* L.	(*vi*) resupinate	N. Spain	1805.	5. 8.	S	♃	Cavan ic. 3. t. 203.

7 brasiliénsis R.S. (*pu*) Brazilian Brazil 1824. 5. 8. S ♃
8 scorpioìdes R.S. (*pu*) Scorpion-grass-ld. VeraCruz .... —— S ♄ Reliqu. Houst. t. 1.
9 semangulàris R.S. (*re*) chickweed-ld. S. America 1733. 7. S ⊙ Pluk. alm. t. 279. f. 6.
10 assúrgens R.S. (*sc*) assurgent W. Indies 1827. —— S ♃

PERI'STROPHE Nees. PERI'STROPHE. (περι, around, and στροφος, twisted.) Diand. Mon.
1 tinctòria Nees (*pi*) Roxburgh's E. Indies 1815. 6. 9. S ♄ Rumph.amb.6.t.22.f.1.
Justícia Roxburghiàna R.S. *tinctòria* F.I. *Báphica* S.S.
2 lanceolària Nees (*ro*) lance-leaved E. Indies 1818. 8.12. S ♄
Justícia lanceolària F.I.
3 speciòsa F.I. (*pu*) beautiful ———— 1823. 1.12. S ♃ Bot. mag. t. 2722.
Justícia speciòsa F.I.
4 bicalyculàta Nees (*li*) Malabar E. Indies 1785. 8.10. S ⊙ Cavan. ic. 1. t. 71.
Justícia bicalyculàta Vahl.

HYPOE'STES R.S. (ὑπο. under, and εστια, a house; involucum.) Diandria Monogynia.
1 purpùrea R.S. (*pu*) purple-flowered China 1822. 6. 8. S ♃
Justícia purpùrea L.
2 verticillàris R.S. (*bh*) whorl-flowered C. B. S. 1823. 4. 6. G ♃
3 sérpens R.S. (*li*) creeping-stalked Mauritius —— 6. 8. S ♃
4 involucràta R.S. (*wh*) involucred E. Indies 1811. 7. 8. S ♄

RHAPHIDOSPE'RMA Nees. RAPHIDOSPE'RMA. (ραφις, a needle, and σπερμα, a seed.) Dian.Mon.
1 glàbra F.I. (*ro.ye*) smooth E. Indies 1824. 6. 9. S ♃
Justícia glàbra F.I.
2 vestìta R.S. (*vi*) clothed ———— 1827. —— S ♃

Subtribe VII. ANDROGRAPHI'DEÆ. Nees. l.c. p. 115.

ANDROGRA'PHIS Nees. ANDROGRA'PHIS. (ανηρ, a male, and γραφις, a pencil.) Dian. Mon.
1 paniculàta Nees (*ro*) panicled E. Indies 1811. 7. 8. S ⊙ Jacq. f. eclog. t. 34.
Justícia paniculàta Burm.
2 echioìdes Nees. (*wh.pu*) Echium-like ———— 1812. 6. 9. S ⊙ Rheed. mal. 9 t. 46.
Justícia echioìdes L.

ORDER CLXXXI.

LENTIBULA'RIÆ. *Brown. prodr.* 1. *p.* 429.

PINGUI'CULA L. BUTTERWORT. (*pinguis*, fat; leaves.) Diandria Monogynia.
1 vulgàris S.S. (*vi*) common Britain .... 5. H *w* ♃ Eng. bot. v. 1. t. 70.
2 alpìna S.S. (*wh.st*) Alpine Europe 1794. 4. H *w* ♃ Flor. dan. t. 453.
3 grandiflòra S.S. (*bl*) great-flowered Ireland .... 5. 6. H *w* ♃ Eng. bot. v. 31. t. 2184.
4 lusitànica S.S. (*fl*) pale Britain .... 6. 7. H *w* ♃ ———— v. 3. t. 145.
5 lùtea R.R. (*ye*) yellow Carolina 1816. —— H *w* ♃ Bot. reg. t. 126.
6 edéntula H.R.F. (*ye*) toothless N. America 1821. 4. 5. H *w* ♃ Hook. ex. flor. t. 16.

UTRICULA'RIA L. HOODED MILFOIL. (*utriculus*, a little bladder; from roots.) Diand. Monog.
1 vulgàris R.B. (*ye*) common Britain .... 7. H ♃ Eng. bot. v. 4. t. 253.
2 intermèdia R.B. (*ye*) intermediate Ireland .... —— H ♃ ———— v. 35. t. 2489.
3 minor R.B. (*st*) lesser Britain .... —— H ♃ ———— v. 4. t. 254.

ORDER CLXXXII.

PRIMULA'CEÆ. *Brown prodr.* 4. *p.* 427.

CY'CLAMEN L.	CY'CLAMEN. (κυκλος, a circle; peduncles.) Pentandria Monogynia.							
1 còum R.S.	(*re*) green, round-ld.	S. Europe	1596.	1. 4.	H	♃	Bot. mag. t. 4.
2 vérnum B.F.G.	(*re*) spring	———	1814.	2. 5.	H	♃	Swt. br. fl. gar. t. 9.
3 europæ'um R.S.	(*li*) round-leaved	Europe	1596.	7. 8.	H	♃	——— t. 176.
Clùsii B.R.							
4 pérsicum R.S.	(*wh*) Persian	Cyprus	1731.	2. 4.	G	♃	Bot. mag. t. 44.
α *inodòrum*	(*wh.pu*) *scentless*	———	——	——	G	♃	
β *odoràtum*	(*wh.pu*) *sweet-scented*	———	——	——	G	♃	
γ *albiflòrum*	(*wh*) *pure white*	———	——	——	G	♃	
δ *laciniàtum* B.R.	(*wh.pu*) *jagged*	———	——	——	G	♃	Bot. reg. t. 1095.
5 hederæfòlium B.R.	(*li*) Ivy-leaved	Britain	....	6. 8.	H	♃	Eng. bot. v. 8. t. 548.
α *purpurascens*	(*li*) *purplish flower'd*	———	....	——	H	♃	
β *álbidum*	(*wh*) *white-flowered*	———	....	——	H	♃	
6 neapolitànum T.N.	(*re*) Neapolitan	Naples	1826.	——	H	♃	Ten. fl. nap. t. 118.
7 repándum F.G.	(*re*) angular-leaved	Greece	....	3. 4.	F	♃	Swt. br. fl. gar. t. 117.
8 ibéricum Goldie....	Georgian	Asiatic G.	1831.	....	H	♃	
9 latifòlium F.G.	(*li*) broad-leaved	Greece	1823.	4. 5.	F	♃	Flor. græc. t. 185.
DODECA'THEON L.	AMERICAN COWSLIP. (δωδεκα, twelve, and θεος, god.) Pentand. Monog.						
1 Mèadia R.S.	(*li*) Mead's	Virginia	1744.	4. 6.	H	♃	Bot. mag. t. 12.
α *lilácinum*	(*li*) *common lilac*	———	——	——	H	♃	Trew. ehret. t. 12.
β *albiflòrum*	(*wh*) *white-flowered*	.....	1820.	——	H	♃	Lodd. bot. cab. t. 1489.
γ *élegans* S.F.G.	(*ro*) *rose-coloured*	.....	1827.	4. 7.	H	♃	Swt. br. fl. gar. s. 2. t. 60.
δ *gigantèum*	(*li*) *gigantic*	.....	——	——	H	♃	
2 integrifòlium B.M.	(*vi*) entire-leaved	N. America	1829.	——	H	♃	Bot. mag. t. 3622.
SOLDANE'LLA R.S.	SOLDANE'LLA. (*solidus*, a shilling; round leaves.) Pentandria Monogynia.						
1 montàna R.S.	(*bl*) mountain	Bohemia	1816.	4.	H	♃	Swt. br. fl. gar. t. 11.
2 alpìna R.S.	(*bl*) Alpine	Switzerland	1656.	——	H	♃	Bot. mag. t. 49.
3 pusílla B.F.G.	(*vi*) lesser	S. Europe	1824.	——	H	♃	Swt. br. fl. gar. s. 2. t. 48.
4 mínima R.S.	(*bl*) least	Carp. mount	1820.	——	H	♃	——— s. 2. t. 53.
CORTU'SA L.	BEAR'S-EAR SANICLE. (James Ant. Cortusus; first found by.) Pentand. Monog.						
Mathìoli R.S.	(*li*) short-calyxed	Austria	1596.	4. 6.	H	♃	Bot. mag. t. 987.
PRI'MULA L.	PRIMROSE. (*Primus*, the first; flowering.) Pentandria Monogynia.						
1 prænìtens B.R.	(*pi*) glossy	China	1820.	1. 12.	F	♃	Bot. reg. t. 539.
sinénsis Lind. col. *non* Lour.							
α *ròsea*	(*ro*) *rose-coloured*	———	——	——	F	♃	Bot. mag. t. 2564.
β *albiflòra* B.F.G.	(*wh*) *white-flowered*	———	——	——	F	♃	Swt. br. fl. gar. t. 196.
γ *dentiflòra*	(*ro*) *jagged-flowered*	———	——	——	F	♃	Lindl. coll. bot. t. 7.
2 cortusoides R.S.	(*re*) Cortusa-leaved	Siberia	1794.	5. 7.	H	♃	Bot. mag. t. 399.
3 dentiflòra A.R.	(*re*) tooth-flowered	———	....	——	H	♃	Andr. reposit. t. 451.
4 suavèolens R.S.	(*ye*) sweet-scented	Naples	1826.	——	H	♃	Ten. fl. neap. 1. t. 13.
Colúmnæ T.N.							
5 inflàta R.S.	(*ye*) bellied-calyxed	Hungary	1824.	——	H	♃	Swt. br. fl. gar. s. 2.
6 brevístyla	(*st*) short-styled	France	——	——	H	♃	
β *versícolor*	(*va*) *various-colour'd*	———	....	——	H	♃	
7 vèris R.S.	(*ye*) Cowslip	Britain	....	5. 6.	H	♃	Eng. bot. v. 1. t. 5.
β *rùbra*	(*re*) *red cowslip*	———	....	——	H	♃	
8 microcàlyx Bng.	(*re*) small-calyxed	Altaia	1838.	——	H	♃	
9 acaúlis R.S.	(*st*) common	Britain	....	3. 5.	H	♃	Eng. bot. v. 1. t. 4.
vulgàris E.B.							
β *álbo-plèna*	(*wh*) *double-white*	.....	....	——	H	♃	
γ *sulphùreo-plèna*	(*st*) *double-sulphur*	.....	....	——	H	♃	
δ *cùpreo-plèna*	(*co*) *double-copper*	.....	....	——	H	♃	
ε *salmòneo-plèna*	(*pa*) *double-salmon*	.....	....	——	H	♃	
ζ *lilácino-plèna*	(*li*) *double-lilac*	.....	....	——	H	♃	Bot. mag. t. 229.
η *rùbro-plèna*	(*re*) *double-Scotch*	.....	....	——	H	♃	
θ *purpùrea-plèno*	(*d.pu*) *double dark purple*	..	....	——	H	♃	
10 elàtior R.S.	(*st*) Oxlip	Britain	....	——	H	♃	Eng. bot. v. 8. t. 518.

	β *polyántha*	(*va*) *Polyanthus*	.....	....	3. 5.	H	♃		
	γ *Flétcheri*	(*ve.ye*) *Fletcher's defiance*	....	....	——	H	♃		Swt. flor. guid. t. 49.
	δ *Burnardiàna*	(*ve.ye*) *Burnard's Formosa*	..	....	——	H	♃		——— t. 97.
	ε *Shadiàna*	(*pu.ye*) *Shad's telegraph*	.....	....	——	H	♃		——— t. 125.
	ζ *calycántha*	(*va*) *coloured-calyxed*	.....	....	——	H	♃		
12	amœ'na M.B.	(*pu*) pretty purple	Caucasus	....	——	F	♃		Bot. mag. t. 3252.
13	Perreiniàna R.S.	(*pu*) Perrein's	Spain	....	——	F	♃		Flugg. an. mus. 12. t. 37.
	Fluggeàna Lehm. mon. prim. p. 36. t. 2.								
14	Pallàsii R.S.	(*st*) Pallas's	Altay	1820.	——	H	♃		Bot. reg. t. 896.
15	Aurícula R.S.	(*va*) Auricula	Switzerland	1596.	4. 5.	H	♃		Jacq. aust. 5. t. 415.
	β *lùtea*	(*ye*) *yellow-flowered*	———	——	——	H	♃		
	γ *calycéntha*	(*ye*) *yellow-calyxed*	———	....	——	H	♃		
	δ *integérrima*	(*va*) *entire-leaved*	———	....	——	H	♃		Trattin. tabul. t. 431.
	ε *hortènsis*	(*va*) *garden*	.....	....	——	H	♃		——— t. 432.
	ζ *venústa*	(*pu*) *Howe's Venus*	.....	....	——	H	♃		Swt. flor. guid. t. 84.
	η *Redmàni*	(*bl*) *Redman's metropolitan*	..	....	——	H	♃		——— t. 69.
	θ *melanocy'cla*	(*bk.wh*) *Wild's black and clear*	..	....	——	H	♃		——— t. 63.
	ι *albifòlia*	(*pu.st*) *Taylor's glory*	.....	....	——	H	♃		——— t. 3.
	κ *Hedgeàna*	(*pu.st*) *Hedge's Britannia*	....	....	——	H	♃		——— t. 22.
	λ *dilécta*	(*pu.wh*) *Wood's delight*	.....	....	——	H	♃		——— t. 131.
	μ *Warrisiàna*	(*ve.gr*) *Warris's union*	.....	....	——	H	♃		——— t. 134.
	ν *Moreàna*	(*pu.gr*) *More's Navarino*	.....	....	——	H	♃		——— t. 58.
	ο *Quirogiàna*	(*pu.gr*) *Burnard's Gen. Quiroga*	....	....	——	H	♃		——— t. 129.
	π *Hilliàna*	(*pu.gr*) *Page's Lord Hill*	.....	....	——	H	♃		——— t. 118.
	ρ *violàcea*	(*vi.gr*) *Moore's Violet*	.....	....	——	H	♃		——— t. 105.
	σ *Oldenbúrghii*	(*ve.gr*) *Page's Duchess of Oldenb.*	....	....	——	H	♃		——— t. 2.
	τ *Alexándri*	(*ve.gr*) *Stretch's Alexander*	....	....	——	H	♃		——— t. 10.
	υ *undulàta*	(*ve.gr*) *Page's champion*	.....	....	——	H	♃		——— t. 15.
	φ *Grímesii*	(*ve.gr*) *Grimes's privateer*	.....	....	——	H	♃		——— t. 29.
	χ *Lawrieàna*	(*ve.gr*) *Lawrie's Hertfordshire Hero*	....	....	——	H	♃		——— t. 94.
	ψ *indépendens*	(*bk.gr*) *Booth's freedom*	.....	....	——	H	♃		——— t. 91.
	ω *obscùra*	(*pu.gr*) *Cockup's Eclipse*	.....	....	——	H	♃		——— t. 45.
	αα *Pollitiàna*	(*ve.gr*) *Pollit's highland boy*	..	....	——	H	♃		——— t. 52.
	ββ *Smithii*	(*ve.gr*) *Smith's Waterloo*	.....	....	——	H	♃		——— t. 76.
	γγ *gloriòsa*	(*ve.gr*) *Lawrie's glory of Cheshunt*		....	——	H	♃		——— t. 79.
16	Palinùri R.S.	(*ye*) unequal-bracted	Naples	1816.	——	H	♄		Swt. br. fl. gar. t. 8.
17	Balbísii R.S.	(*ye*) Balbis's	Italy	1826.	——	H	♃		Moret. fl. vicent. p. 7. ic.
18	marginàta B.M.	(*ro*) silver-edged	Switzerland	1777.	3. 4.	H	♃		Bot. mag. t. 191.
	crenàta R.S.								
19	longiflòra R.S.	(*li*) long-flowered	———	1818.	4. 6.	H	♃		Jacq. aust. 5. t. 46.
20	longifòlia B.M.	(*li*) long-leaved	Levant	1790.	4. 5.	H	♃		Bot. mag. t. 392.
	auriculàta R.S.								
21	sibírica R.S.	(*pk*) Siberian	Siberia	1818.	6. 7.	H	♃		Bot. mag. t. 3167.
	β *integerrima* B.M.	(*pk.*) *entire-leaved*	Altai	1836.	——	H	♃		——— t. 3445.
22	gigantèa R.S.	(*re*) giant	Siberia	1820.	5. 7.	H	♃		Lehm. prim. t. 6.
23	mistassínica R.S.	(*re*) Lake Mistassins	N. America	1818.	——	H	♃		——— t. 7.
24	farinòsa R.S.	(*re*) Bird's-eye	Britain	....	4. 7.	H	♃		Eng. bot. v. 1. t. 6.
	β *violàcea*	(*re*) *small red-fld.*	England	....	6. 7.	H	♃		Swt. br. fl. gr. ser. 2. t. 65. a.
	γ *lilácina*	(*pa.re*) *large pale-fld.*	———	....	——	H	♃		——— 2. t. 65b.
	δ *nívea*	(*wh*) *white-flowered*	———	....	——	H	♃		——— 2. t. 65. c.
25	scótica S.S.	(*pu*) Scotch bird's-eye	Scotland	....	7.	H	♃		Hook. fl. lond. t. 133.
26	stricta R.S.	(*li*) Horneman's	N. Europe	1822.	6. 7.	H	♃		Flor. dan. t. 1385.
	Hornemanniàna S.S.								
27	davùrica R.S.	(*ro*) Siberian bird's-eye	Davuria	1806.	5. 6.	H	♃		Bot. mag. t. 1219.
	intermèdia B.M.								
28	pusílla S.S.	(*li*) American bird's-eye	N. Amer.	1819.	——	H	♃		Swt. br. fl. gar. s. 2. t. 5.
29	altàica R.S.	(*li*) pale-flowered	Altay	1826.	3. 5.	H	♃		Lehm. prim. t. 5.
30	longíscapa Led.	(*li*) long-scaped	———	1837.	——	H	♃		Led. ill. t. 218.
31	finmárchica R.S.	(*vi*) Norwegian	Norway	1798.	——	H	♃		Flor. dan. t. 188.
32	nivàlis R.S.	(*pu*) snowy mountain	Davuria	1790.	4. 5.	H	♃		Pall. it. 3. app. t. 9. f. 2.
33	viscòsa R.S.	(*pu*) clammy	Piedmont	1792.	4.	H	♃		Trattin tabul. t. 434.
34	glutinòsa R.S.	(*vi*) glutinous	S. Europe	1820.	3. 6.	H	♃		Jacq. aust. t. 26.
35	carniólica R.S.	(*vi*) elliptic-leaved	Carniola	1826.	——	H	♃		Bot. gard. t. 651.
36	glaucéscens S.S.	(*pu*) glaucescent	Switzerland	——	——	H	♃		Swt. br. fl. gar. t. 254.
37	integrifòlia R.S.	(*pu*) entire-leaved	Pyrenees	——	6. 7.	H	♃		Bot. mag. t. 942.
38	Símsii Swt.	(*st*) Sims's	Switzerland	....	4. 6.	H	♃		——— t. 1161.
	villòsa β *flòre álbo* B.M.								
39	nívea V.	(*wh*) snowy white	Siberia	....	——	H	♃		
	nivàlis Hort. *nec aliorum.*								

40	helvética B.C.	(*pu*)	Swiss	Switzerland	1790.	4. 6.	H	♃	Lodd. bot. cab. t. 348.
41	venústa B.R.	(*pu*)	neat	.....	....	5. 6.	H	♃	Bot. reg. t. 1983.
42	pubéscens R.S.	(*pu*)	pubescent	Pyrenees	1768.	——	H	♃	Trattin. tabul. t. 427.
	villòsa B.M. 14. *non* Jacq.								
43	villòsa R.S.	(*pu*)	villous	S. Europe	——	——	H	♃	Swt. br. fl. gar. s. 2. t. 3[illegible]
44	ciliàta R.S.	(*pu*)	ciliated	Switzerland	....	——	H	♃	——— s. 2. t. 1[illegible]
	decòra Bot. mag. t. 1922.								
45	piedmontàna R.S.	(*pu*)	Piedmont	Piedmont	1826.	4. 6.	H	♃	
	β purpuràta D.D.	(*pu*)	*purplish-fld.*	———	....	——	H	♃	Swt. br. fl. gar. s. 2. t. 29[illegible]
46	mínima R.S.	(*pu*)	smallest	Switzerland	1819.	4. 5.	H	♃	Bot. reg. t. 581.
47	Allióni R.S.	(*re*)	Allioni's	France	1818.	4. 6.	H	♃	
48	involucràta L.O.	(*ye*)	involucred	Egypt	1826.	3. 4.	F	♃	Bot. mag. t. 2842.
	verticillàta B.M. *non* Vahl. *nec* Forsk.								

ANDRO'SACE L. ANDRO'SACE. (*ανηρ*, a male, and *σακος*, a buckler; leaves.) Pentand. Monog[illegible]

1	máxima R.S.	(*wh*)	oval-leaved	Austria	1597.	3. 6.	H	⊙	Jacq. aust. 4. t. 331.
2	elongàta R.S.	(*wh*)	cluster-flowered	———	1776.	4. 5.	H	⊙	——— 4. t. 330.
3	nàna R.S.	(*wh*)	dwarf	S. Europe	1825.	——	H	⊙	
4	septentrionàlis R.S.	(*wh*)	tooth-leaved	Russia	1755.	——	H	⊙	Bot. mag. t. 2021.
5	alismoìdes H.H.	(*wh*)	Alisma-like	Siberia	1827.	——	H	⊙	
6	coronopifòlia A.R.	(*wh*)	Buckshorn-ld.	———	1806.	6. 9.	H	♂	Andr. reposit. t. 647.
	lactifòra R.S.								
7	filiformis R.S.	(*wh*)	filiform	———	1823.	——	H	⊙	Gmel. sib. 4. t. 44. f. 4.
8	villòsa R.S.	(*bh*)	villous	Pyrenees	1790.	6. 7.	H	♃	Bot. mag. t. 743.
9	chamæjásme R.S.	(*bh*)	grass-leaved	Austria	1768.	6. 8.	H	♃	Lodd. bot. cab. t. 232.
10	carinàta Tor.	(*st*)	keeled	N. America	1827.	4. 7.	H	♃	
11	brevifòlia R.S.	(*wh*)	short-leaved	Siberia	——	6. 8.	H	♂	Vill. delph. 2. t. 15.
12	macrocárpa Led.	(*wh*)	large-capsuled	———	——	——	H	⊙	
13	láctea R.S.	(*wh*)	white-flowered	———	1752.	——	H	♃	Bot. mag. t. 868.
14	cárnea R.S.	(*ro*)	awl-leaved	Switzerland	1768.	7. 8.	H	♃	Lodd. bot. cab. t. 46.
15	lineàris Gr.	(*bh*)	linear-leaved	N. America	1827.	4. 7.	H	♃	
16	obtusifòlia R.S.	(*bh*)	blunt-leaved	Switzerland	1820.	7. 8.	H	♃	All. ped. 1. t. 46. f. 1.
17	albàna R.S.	(*bh*)	capitate	Caucasus	1827.	——	H	♃	Linn. trans. 11. t. 33.
18	acaúlis Ot.	(*wh*)	stalkless	Siberia	1825.	——	H	♂	

ARE'TIA W. ARE'TIA. (Benoit Aretius, prof., Berne.) Pentandria Monogynia.

1	helvética W.	(*st*)	imbricated	Switzerland	1775.	5. 6.	H	♃	Schk. hand 1. t. 32.
2	argéntea	(*st*)	silvery	———	1826.	——	H	♃	Lap. pyr. ic. ined. t. [illegible]
	Andrósace argéntea R.S.								
3	alpìna W.	(*pi*)	linear-leaved	———	1775.	——	H	♃	Jacq. aust. 5. app. t. [illegible]
4	pubéscens L.C.	(*pi*)	pubescent	———	1820.	——	H	♃	Lodd. bot. cab. t. 12[illegible]
5	Vitaliàna W.	(*ye*)	grass-leaved	Pyrenees	1787.	——	H	♃	——— t. 16[illegible]
	Prímula sedifòlia P.L. 107. *Andrósace Vitaliàna* R.S.								

DOUGLA'SIA B.R. DOUGLA'SIA. (David Douglas, coll. nat. hist.) Pentandria Monogynia.

	nivàlis B.R.	(*li*)	snowy	N. America	1835.	6. 7.	F	♄	Bot. reg. t. 1836.

TRIENTA'LIS W. WINTER-GREEN. (*triens*, 1-3rd, one 3rd of a foot in height.) Hept. Monog[illegible]

1	europæ'a W.	(*wh*)	oval-leaved	Britain	....	5. 6.	H	♃	Eng. bot. v. 1. t. 15.
2	americàna Ph.	(*wh*)	spear-leaved	N. America	1816.	7. 8.	H	♃	Bart. flor. amer. 2. t. 6[illegible]

CO'RIS L. CO'RIS. (a name employed by Dioscorides.) Pentandria Monogynia.

	monspeliénsis L.	(*vi*)	Montpelier	S. Europe	1640.	6. 7.	G	♂	Bot. reg. t. 536.

HOTTO'NIA L. WATER-VIOLET. (P. Hotton, prof. Leyden.) Pentandria Monogynia.

	palústris E.B.	(*pi*)	marsh	England	....	7. 8.	H *w*	♃	Eng. bot. v. 6. t. 364.

SCHWE'NCKIA R.S. SCHWE'NCKIA. (J. T. Schwenck, prof. med. Jena.) Diandria Monogyn[illegible]

1	americàna R.S.	(*vi*)	American	Cayenne	1781.	8. 9.	S	♂	Schw. h. m. haag. t. [illegible]
2	browallioìdes K.S.	(*gr.pu.*)	Browallia-like	Caracas	1824.	——	S	♃	H. et B. n. g. am. 2. t. 1[illegible]
3	Hilariàna DC.	(*gr.pu*)	St. Hilaire's	Brazil	1826.	——	S	⊙	DC. pl. rar. genev. t. [illegible]

LYSIMA'CHIA L. LOOSE-STRIFE. (Lysimachus, king of Sicily; first used it in med.) Pent. Mon[illegible]

* *Peduncles many-flowered.*

1	vulgàris R.S.	(*ye*)	common	Britain	....	7. 9.	H	♃	Eng. bot. v. 11. t. 76[illegible]
2	Ephémerum R.S.	(*wh*)	Willow-leaved	Spain	1730.	——	H	♃	Bot. mag. t. 2346.
3	atropurpùrea R.S.	(*d.pu*)	dark purple	Levant	....	——	H	⊙	Flor. græc. t. 187.
4	dùbia R.S.	(*li*)	pale purple	———	1759.	——	H	♂	——— t. 188.
5	stricta R.S.	(*ye*)	upright	N. America	1781.	7. 8.	H	♃	Bot. mag. t. 104.
	bulbífera B.M. *racemòsa* M.								
6	capitàta R.S.	(*ye*)	headed	———	1813.	5. 7.	H	♃	
7	thyrsifòra R.S.	(*ye*)	tufted	England	....	——	H	♃	Eng. bot. v. 3. t. 176.

** *Peduncles one-flowered.*

8	quadrifòlia R.S.	(*ye*)	four-leaved	N. America	1798.	7. 8.	H	♃	Lam. ill. 1. t. 101. f. 1
	hirsùta M.								
9	longifòlia R.S.	(*ye*)	long-leaved	———	——	——	H	♃	Bot. mag. t. 660.
	quadriflòra B.M.								

10 lanceolàta R.S.	(ye)	spear-leaved	N. America	1826.	7.	8.	H	♃	
11 verticillàta R.S.	(ye)	whorl-leaved	Hungary	1818.	6.	8.	H	♃	Swt. br. fl. gar. t. 21.
12 ciliàta R.S.	(ye)	ciliated	N. America	1732.	——	——	H	♃	Wachend. hort. t. 12.
13 punctàta R.S.	(ye)	punctated	S. Europe	1658.	7.	8.	H	♃	Jacq. aust. 4. t. 366.
14 angustifòlia R.S.	(ye)	narrow-leaved	N. America	1803.	7.	9.	H	♃	
15 hybrida R.S.	(ye)	hybrid	————	1806.	——	——	H	♃	
16 némorum R.S.	(ye)	wood	Britain	....	5.	7.	H	♃	Eng. bot. v. 8. t. 527.
17 azórica B.M.	(ye)	Azorian	Azores ?	....	——	——	F	♃	Bot. mag. t. 3273.
18 anagalloìdes F.G.	(ye)	Pimpernell-fld.	Crete	1789.	——	——	F	♃	Flor. græc. t. 198.
19 maculàta B.P.	(ye)	spotted	N. S. W.	1822.	——	——	G	♃	
20 Nummulària R.S.	(ye)	Moneywort	Britain	....	6.	7.	H	♃	Eng. bot. v. 8. t. 528.

LUBI'NIA S.S. LUBI'NIA. (M. de St. Lubin, a trav. in India.) Pentandria Monogynia.

atropurpùrea S.S.	(pu)	dark-purple	C. B. S.	1823.	7.	9.	H	♃	Swt. br. fl. gar. s. 2. t. 34.

ASTEROLI'NON Lk. ASTEROLI'NON. (αστηρ, a star, and λινον, flax.) Pentandria Monogynia.

stellàtum L.en.	(bh)	starry	Italy	1658.	6.	——	H	☉	Flor. græc. t. 189.

Lysimàchia Lìnum-stellàtum F.G.

TIRASE'KIA Schmidt. TIRASE'KIA. (meaning unknown.) Pentandria Monogynia.

tenélla G.D.	(re)	slender	Britain	....	7.	8.	H	♃	Eng. bot. v. 8. t. 530.

álpina Schmidt. *Anagállis tenélla* E.B.

ANAGA'LLIS L. PIMPERNELL. (αναγελαω, to laugh; effects.) Pentandria Monogynia.

1 arvénsis E.B.	(sc)	red-flowered	Britain	....	6.	9.	H	☉	Eng. bot. v. 8. t. 529.
phœnícea R.S.									
2 cárnea Schl.	(fl)	flesh-coloured	Switzerland	——	——	——	H	☉	
3 indica B.F.G.	(bl)	Indian	E. Indies	1824.	——	——	H	☉	Swt. br. fl. gar. t. 132.
4 cœrùlea R.S.	(bl)	blue-flowered	Britain	....	——	——	H	☉	Eng. bot. v. 26. t. 1823.
5 Webbiàna	(bl)	Webb's	Portugal	1828.	5.	11.	F	♃	
6 Wellsiàna	(re)	Wells's	Hybrid	1830.	——	——	F	♃	
7 *Marryáttæ* Swt.	(re)	Mrs. Marryatt's	————	1828.	——	——	F	♃	
8 latifòlia R.S.	(bl)	broad-leaved	Spain	1759.	5.	7.	G	♂	Bot. mag. t. 2389.
9 Monélli R.S.	(bl)	blue Italian	Italy	1648.	5.	9.	G	♃	———— t. 319.
β *Willmoreàna* B.M.	(bl)	*Willmore's*	Madeira	....	——	——	G	♃	———— t. 3380.
γ *lilácina* D.D.	(li)	*lilac*	S. Europe	....	——	——	G	♃	Swt. br. fl. gar. s. 2. t. 377.
δ *phœnícea* D.D.	(sc)	scarlet-fld.	Morocco	1803.	——	——	G	♂	Bot. mag. t. 831.

collìna R.S. *fruticòsa* B.M. *grandiflòra* Andr. repos. t. 367.

10 linifòlia R.S.	(bl)	Flax-leaved	Portugal	1796.	6.	7.	G	♃	Moris. s. 5. t. 26. f. 3.

CENTU'NCULUS L. BASTARD PIMPERNELL. (a name used by the Italians, deriv. from Cento.) Tet. Mo.

mínimus E.B.	(fl)	least	Britain	....	6.	7.	H	☉	Eng. bot. v. 8. t. 531.

SAMO'LUS B.P. BROOK-WEED. (originally from the Isle of Samos.) Pentand. Monogy.

1 Valerándi R.B.	(wh)	common	Britain	....	6.	8.	H	♃	Eng. bot. v. 10. t. 703.
2 littoràlis B.P.	(wh)	sea-side	N. S. W.	1806.	7.	9.	G	♃	Lab. n. holl. 1. t. 54.
3 campanuloìdes S.S.	(w)	Campanula-like	C. B. S.	1816.	——	——	G	♃	

Campánula poròsa W.

ORDER CLXXXIII.

GLOBULA'RIÆ. *Lam. et. DC. fl. fr. ed.* 3. *v.* 3. *p.* 42.

GLOBULA'RIA L. GLOBULA'RIA. (*globus*, a globe; flowers in heads.) Tetrandria Monogynia.

1 longifòlia W.	(bl)	Willow-leaved	Madeira	1775.	7.	8.	G	♄	Bot. reg. t. 685.
salicina R.S.									
2 Alypum R.S.	(pa. bl)	three-toothed	S. Europe	1640.	8.	9.	G	♄	Garid. aix. t. 42.
β *integrifòlia*	(pa. bl)	*entire-leaved*	————	....	——	——	G	♄	Rœm. et Ust. b. m. 7. t. 5.
3 linifòlia R.S.	(bl)	Flax-leaved	Spain	1818.	5.	6.	H	♃	
4 vulgàris R.S.	(bl)	common	Europe	1640.	——	——	H	♃	Swt. br. fl. gar. t. 20.
5 spinòsa R.S.	(bl)	prickly-leaved	Spain	——	——	——	F	♃	
6 cordifòlia R.S.	(bl)	wedge-leaved	Germany	1633.	6.	7.	H	♃	Swt. br. fl. gar. t. 34.
7 nàna R.S.	(li)	dwarf	S. France	1818.	——	——	H	♃	DC. ic. pl. gal. rar. 1. t. 3.
8 nudicaúlis R.S.	(bl)	naked-stalked	Germany	1629.	——	——	H	♃	Jacq. aust. 3. t. 230.
9 bellidifòlia R.S.	(bl)	Daisy-leaved	Italy	1824.	——	——	H	♃	
10 incanéscens R.S.	(pu)	hoary	————	1828.	——	——	H	♃	Viv. frag. it. 1. t. 3.

Subclass IV. *MONOCHLAMY'DEÆ.*

ORDER CLXXXIV.

PLUMBAGI'NEÆ. *Brown prodr.* 1. *p.* 425.

ARME'RIA R.S.		THRIFT. (a name used by the ancients.)							Pentandria Pentagynia.
1	vulgàris R.S.	(*pa.li*)	common	Europe	....	6. 8.	H	♃	Schk. handb. t. 87.
	Státice Armèria L.								
2	arenària R.S.	(*li*)	sand	France	....	5. 8.	H	♃	
3	alpìna R.S.	(*vi*)	flattish-stalked	Carinthia	....	——	H	♃	
4	littoràlis R.S.	(*vi*)	ciliate-leaved	Portugal	....	——	H	♃	
5	marítima Mill.	(*ro*)	sea-side	Britain	....	5. 7.	H	♃	Eng. bot. v. 4. t. 226.
6	hùmilis R.S.	(*li*)	dwarf	Portugal	....	——	H	♃	
7	juniperifòlia R.S.	(*li*)	Juniper-leaved	Spain	1818.	——	H	♃	Quer. hisp. 6. t. 15. f. 1.
8	pinifòlia R.S.	(*li*)	Pine-leaved	Portugal	....	——	H	♃	
9	púngens R.S.	(*li*)	pungent-leaved	———	....	——	H	♃	
10	alliàcea R.S.	(*wh*)	Garlic-leaved	Spain	1798.	5. 6.	H	♃	Flor. græc. t. 29.
11	scorzonerifòlia R.S.	(*li*)	spear-leaved	S. Europe	1816.	——	H	♃	
12	lusitánica R.S.	(*sc*)	large-leaved	———	1814.	——	F	♃	
13	latifòlia R.S.	(*li*)	broad leaved	Portugal	1740.	5. 7.	H	♃	Jacq. vind. 1. t. 42.
	cephalòtes H.K.								
14	plantagínea R.S.	(*li*)	Plantain-ld.	S. Europe	1816.	5. 6.	H	♃	
15	denticulàta R.S.	(*fl*)	tooth-leaved	Italy	——	——	H	♃	
16	dianthoìdes R.S.	(*li*)	Pink-like	S. Europe	1824.	5. 7.	H	♃	Swt. br. fl. gar. ser. 2.
17	hírta R.S.	(*li*)	hairy	Gibraltar	1818.	——	H	♃	
18	fasciculàta P.S.	(*bl*)	bundle-leaved	Portugal	....	4. 8.	H	♄	Venten. cels. t. 38.
	fruticòsa Lodd. bot. cab. t. 1587.								
STA'TICE L.		SEA-LAVENDER. (στατιζω, to stop; med. virtues.)							Pentan. Pentagyn.
1	graminifòlia R.S.	(*sc*)	Grass-leaved	Siberia	1780.	6. 7.	H	♃	
2	Limònium R.S.	(*bl*)	common	England	....	5. 8.	H	♃	Eng. bot. v. 2. t. 102.
	Taxánthema Limònium R.S.								
3	elàta S.S.	(*bl*)	tall	Siberia	1824.	——	H	♃	
4	Gmelìni R.S.	(*bl*)	Gmelin's	———	1796.	6. 8.	H	♃	Gmel. sib. 2. t. 90.
5	carolinìana R.S.	(*bl*)	Carolina	N. America	1824.	——	H	♃	
6	scopària R.S.	(*bl*)	Broom	Siberia	1796.	——	H	♃	
7	latifòlia R.S.	(*bl*)	broad-leaved	———	1791.	5. 7.	H	♃	Hoff. c. gott. 1796. t. 1.
8	purpùrata R.S.	(*pu*)	purple	C. B. S.	1800.	6. 7.	G	♃	
9	bellidifòlia R.S.	(*li*)	Daisy-leaved	Greece	1823.	——	G	♃	Flor. græc. t. 295.
10	globularisæfòlia R.S.	(*li*)	Globularia-ld.	S. Europe	——	——	F	♃	——— t. 296.
11	oleæfòlia R.S.	(*vi*)	Olive-leaved	Italy	1688.	5. 8.	H	♃	Lobel. ic. p. 295. f. 2.
12	Willdenowiàna R.S.	(*vi*)	Willdenow's	S. France	1804.	6. 8.	H	♃	Willd. h. ber. t. 63.
	spathulàta W. *non* Desf.								
13	auriculæfòlia R.S.	(*bl*)	Auricula-leaved	Barbary	1781.	7. 8.	F	♃	
14	incàna B.F.G.	(*re*)	hoary	Levant	1823.	——	H	♃	Swt. br. fl. gar. t. 272.
	α sanguínea	(*cr*)	crimson-flowered	———	——	——	H	♃	——— t. 272. f. 1.
	β ròsea	(*ro*)	rose-coloured	———	——	——	H	♃	——— t. 272. f. 2.
	γ álba	(*wh*)	white-flowered	———	——	——	H	♃	
15	spathulàta R.S.	(*bl*)	spatula-leaved	Barbary	1804.	6. 8.	F	♃	Bot. mag. t. 1617.
16	cordàta R.S.	(*bl*)	retuse-leaved	S. Europe	1752.	5. 7.	F	♃	Barrel. ic. 805.
17	emarginàta R.S.	(*bl*)	emarginate	Gibraltar	....	——	F	♃	
18	cáspia R.S.	(*pa.bl*)	Caspian	Siberia	....	7. 8.	H	♃	Gmel. sib. 2. t. 89. f. 2.
19	scàbra R.S.	(*bl*)	rough-branched	C. B. S.	1788.	5. 7.	G	♃	
20	tetragòna R.S.	(*bl*)	square-stalked	———	1816.	——	G	♃	

21	reticulàta R.S.	(*bl*) matted	England	....	7. 8.	H	♃		Eng. bot. v. 5. 328.
22	binervòsa R.B.	(*bl*) two-nerved	———	....	6. 9.	H	♃		——— t. 2663.
23	pubérula Webb.	(*pu.ye*) puberulous	Canaries	....	——	F	♃		Bot. reg. t. 1450.
24	imbricàta Webb.....	imbricated	Teneriffe	1829.	——	G	♃		
25	dichótoma R.S.	(*bl*) forked	Spain	1818.	7. 8.	H	♃		Cavan. ic. 1. t. 50.
26	virgàta R.S.	(*bl*) twiggy	———	....	——	H	♃		
27	vimínea R.S.	(*bl*) slender	.....	1823.	——	H	♃		
28	echioìdes F.G.	(*li*) rough-leaved	S. Europe	1752.	——	F	♃		Flor. græc. t. 299.
29	ròrida F.G.	(*pa.bl*) frosted	Levant	——	——	F	♃		——— t. 298.
	echioìdes Prodr. fl. græc. *non* L.								
30	articulàta R.S.	(*re*) jointed	S. Europe	1824.	——	H	♃		Lois. gal. 2. t. 6.
31	pubéscens R.S.	(*bl*) pubescent	S. France	1826.	——	H	♃		
32	palmàris F.G.	(*ro*) rosy-coloured	Levant	——	——	F	♃		Flor. græc. t. 297.
33	speciòsa B.F.G.	(*re*) Plantain-leaved	Russia	1776.	——	H	♃		Swt. br. fl. gar. t. 105.
34	conspícua R.S.	(*re*) conspicuous	———	1804.	——	H	♃		Bot. mag. t. 1629.
35	congésta Led.	(*re*) crowded	Altaia	1837.	——	H	♃		Led ill. t. 314.
36	tatárica B.F.G.	(*re*) Tartarian	Russia	1731.	6. 7.	H	♃		Swt. br. fl. gar. t. 37.
37	aceròsa M.B.	(*re*) needle-leaved	M. Ararat	1829.	——	F	♃		Buxb. cent. 2. p. 18. t. 10.
38	flexuòsa R.S.	(*ro*) zigzag	Siberia	1791.	7. 8.	H	♃		Gmel. sib. 2. t. 89. f. 1.?
39	minùta R.S.	(*li*) small	S. Europe	1658.	6. 7.	H	♃		Bocc. sic. t. 13. f. 3.
40	pectinàta R.S.	(*bl*) triangular-stalk'd.	Canaries	1780.	9. 10.	F	♃		
41	echìnus M.B.	(*re*) hedgehog	Caucasus	1813.	6. 8.	H	♃		Flor. græc. t. 300.
42	cinèrea R.S.	(*wh*) ash-coloured	C. B. S.	1822.	9. 10.	G	♃		
43	macrophy'lla S.S.	(*bl.w*) large-leaved	Canaries	1816.	7. 9.	F	♃		
44	suffruticòsa R.S.	(*li*) narrow-leaved	Siberia	1779.	5. 9.	H	♄		Gmel. sib. 2. t. 88. f. 2. 3.
45	monopétala R.S.	(*pu*) Sicilian shrubby	Sicily	1731.	7. 8.	F	♄		Bocc. sic. t. 16. 17.
46	arbòrea Brouss.	(*bl.wh*) tree	Teneriffe	1830.	——	G	♄		Bot. reg. s. 3. t. 6.
47	cylindrifòlia R.S.	(*vi*) round-leaved	N. Africa	1738.	——	G	♄		
48	ferulàcea R.S.	(*ye*) Fennel-like	Siberia	1796.	5.	H	♄		Moris. s. 15. t. 1. f. 23.
49	sinuàta R.S.	(*bl.ye*) scollop-leaved	Levant	1629.	5. 9.	F	♃		Bot. mag. t. 71.
50	Thouìni R.S.	(*bl.ye*) Thouin's	Africa	1738.	6. 10.	F	♃		Mart. cent. t. 84.
51	alàta R.S.	(*ye*) winged	.....	1806.	——	F	♃		
52	spicàta R.S.	(*wh*) spiked	Caucasus	1828.	8. 10.	H	☉		Gmel. sib. 2. t. 91. f. 2.
53	ægyptìaca R.S.	(*wh*) Egyptian	Egypt	1816.	6. 10.	F	♃		Bot. mag. t. 2363.
54	auriculàta R.S.	(*bl*) eared	Galicia	1817.	——	H	♃		
55	elàta F.	(*bl*) tall	Siberia	1820.	——	H	♃		
56	mucronàta R.S.	(*li*) curled	Barbary	1784.	——	F	♃		L'Herit. stirp. t. 13.
PLUMBA'GO L.		LEADWORT.	(*plumbum*, a disease of the eyes; cures.) Pentan. Monog.						
1	europæ'a R.S.	(*vi*) European	S. Europe	1596.	9. 10.	H	♃		Bot. mag. t. 2139.
2	lapathifòlia R.S.	(*wh*) Dock-leaved	Iberia	1824.	——	H	♃		
3	capénsis R.S.	(*bl*) blue-flowered	C. B. S.	1818.	9. 3.	S	♄		Bot. reg. t. 417.
4	tristis H.K.	(*br*) dark-flowered	———	1792.	5. 6.	G	♄		
5	zeylánica R.S.	(*wh*) Ceylon	E. Indies	1731.	4. 9.	S	♄		Rheed. mal. 10. t. 8.
6	occidentàlis	(*wh*) West Indian	W. Indies	1817.	——	S	♄		
	zeylánica β R. S. *scándens* Hort.								
7	mexicàna K.S.	(*vi*) Mexican	Mexico	1829.	4. 8.	S	♃		
8	rùsea R.S.	(*ro*) rose-coloured	E. Indies	1777.	3. 7.	S	♄		Bot. mag. t. 230.
9	scándens R.S.	(*wh*) climbing	W. Indies	1699.	7. 8.	S	♄	◡	Jacq. amer. pict. t. 13.
10	rhomboìdea B.M.	(*bl*) rhomboid-leaved	Mexico	1828.	8. 10.	G	♄		Bot. mag. t. 2917.
11	micrántha F.	(*pu*) small-flowered	Persia	1829.	6. 8.	H	☉		

ORDER CLXXXV.

PLANTAGI'NEÆ. *Juss. gen.* 89.

GLAU'X L.		BLACK SALTWORT.	(γλαυκος, sea-green.) Pentandria Monogynia.						
	marítima R.S.	(*li*) sea-side	Britain	....	5. 6.	H	♃		Eng. bot. v. 1. t. 13.

PLANTA'GO L. PLANTAIN. (*planta*, a plant, and *tango*, to touch; soft.) Tetr. Monog.

			* *Leaves broad, smoothish.*						
1	màjor R.S.	(*gr*)	greater	Britain	....	5. 7.	H	♃	Eng. bot. v. 22. t. 1558.
	β *ròsea*	(*gr*)	*rose-bracted*	———	....	——	H	♃	
2	asiática R.S.	(*li*)	broad-leaved	Siberia	1787.	7.	H	♃	Gmel. sib. 4. t. 37?
3	Cornùti R.S.	(*wh*)	Cornuti's	S. Europe	1801.	7. 8.	H	♃	Corn. canad. p. 163. ic.
	Gouàni S.S.								
4	Brùtia R.S.	(*wh*)	Calabrian	Calabria	1824.	——	H	♃	
5	gentianoìdes S.S.	(*wh*)	Gentian-like	Greece	1826.	5. 8.	H	♃	
6	exaltàta R.S.	(*wh*)	tallest	.....	1824.	7. 8.	H	♃	
7	cordàta R.S.	(*wh*)	heart-leaved	N. America	1818.	——	H	♃	Jacq. f. ecl. t. 72.
8	máxima R.S.	(*li*)	hollow-leaved	Siberia	1763.	——	H	♃	Jacq. ic. 1. t. 26.
9	crássa S.S.	(*wh*)	succulent	S. Europe	1793.	6. 7.	H	♃	Jacq. col. sup. 34. t. 16.
	crispa Jacq.								
10	mèdia R.S.	(*li*)	hoary	Britain	....	5. 7.	H	♃	Eng. bot. v. 22. t. 1559.
11	camtschática S.S.	(*wh*)	Kamtschatkan	Kamtschatka	1819.	——	H	♃	
12	lanceolàta R.S.	(*br*)	Rib-grass	Britain	....	——	H	♃	Eng. bot. v. 8. t. 567.
13	sibírica R.S.	(*wh*)	Siberian	Siberia	1823.	——	H	♃	
14	eriòphora R.S.	(*wh*)	woolly-leaved	Portugal	1825.	——	H	♃	
15	montàna R.S.	(*wh*)	mountain	S. Europe	1823.	——	H	♃	Lodd. bot. cab. t. 1581.
16	capénsis R.S.	(*wh*)	Cape	C. B. S.	1788.	5. 8.	G	♃	
17	altíssima R.S.	(*wh*)	tall	Italy	1774.	6. 7.	H	♃	Jacq. obs. 4. t. 83.
18	Schóttii R.S.	(*wh*)	Schott's	Dalmatia	1829.	——	H	♃	
19	Lagòpus R.S.	(*br*)	Hare's-foot	Spain	1683.	——	H	♃	Flor. græc. t. 144.
20	eriostàchya R.S.	(*wh*)	woolly-spiked	Naples	1825.	7. 8.	H	⊙	
21	sphærocéphala R.S.	(*w*)	round-headed	Austria	1774.	6. 7.	H	♃	Jacq. vind. 2. t. 125.
	alpìna Jacq. *non* L.								
22	lusitánica R.S.	(*st*)	Portugal	Portugal	1781.	7. 8.	H	♃	Barrel. ic. t. 745.
23	Cummingiàna F.M.	(*br*)	Cumming's	Chili	1836.	——	H	♃	
24	Eschscholtziàna F.M.	...	Eschscholtz's	N. America	——	——	H	♃	
25	pseùdo-lusitánica R.S.	...	five-nerved	Portugal	1819:	——	H	♃	
			** *Leaves narrower, pubescent, or whitish.*						
26	virgínica R.S.	(*gr*)	Virginian	N. America	1688.	6. 9.	H	⊙	Moris. s. 8. t. 15. f. 8.
27	deprèssa R.S.	(*br*)	depressed	———	1818.	——	H	♃	
28	sparsifiòra R.S.	(*bh*)	scattered-flowd.	———	——	——	H	⊙	
29	saxátilis R.S.	(*wh*)	rock	Iberia	1820.	6. 8.	H	♃	
30	hungárica R.S.	(*br*)	Hungarian	Hungary	1824.	——	H	♃	W. et. K. hung. 3. t. 263
31	serícea R.S.	(*wh*)	silky	———	1820.	——	H	♃	——— t. 151.
	argéntea DC.								
32	álbicans R.S.	(*br*)	woolly	S. Europe	1776.	6. 9.	H	♃	Flor. græc. t. 145.
33	mexicàna S.S.	(*wh*)	Mexican	Mexico	1820.	6. 7.	H	♃	
34	patagónica R.S.	(*wh*)	Patagonian	Patagonia	1793.	6. 9.	H	⊙	Jacq. ic. 2. t. 306.
35	victoriàlis R.S.	(*wh*)	Victoria	S. Europe	1824.	——	H	♃	
36	holoserícea R.S.	(*wh*)	hairy-scaped	Switzerland	——	——	H	♃	
37	microcéphala R.S.	(*wh*)	small-headed	.....	....	——	H	⊙	
38	Bellárdi R.S.	(*br*)	Bellardi's	S. Europe	1797.	——	H	⊙	Flor græc. t. 146.
39	crética R.S.	(*st*)	Cretan	Candia	1711.	6. 7.	H	⊙	——— t. 147.
			*** *Leaves linear, or grassy.*						
40	gramínea R.S.	(*wh*)	grass-leaved	France	1804.	6. 7.	H	♃	Dod. pempt. 108. ic.
41	marítima R.S.	(*gr*)	sea-side	Britain	....	7.	H	♃	Eng. bot. v. 3. t. 175.
42	sálsa R.S.	(*wh*)	saltwort	Tauria	1819.	——	H	♃	
43	crassifòlia R.S.	(*br*)	thick-leaved	Egypt	1824.	——	H	♃	
44	hirsùta R.S.	(*wh*)	hairy	C. B. S.	1801.	6. 7.	G	♂	Jacq. schœn. 3. t. 258.
45	Lessíngii F.M.	(*gr*)	Lessing's	Mongolia	1826.	——	H	⊙	
46	tùmida L.en.	(*wh*)	tumid-capsuled	Chili	1819.	——	H	⊙	
47	alpìna R.S.	(*li*)	Alpine	S. Europe	1774.	——	H	♃	
48	tenuifiòra R.S.	(*br*)	slender-flowered	Hungary	1819.	——	H	⊙	W. et K. hung. 1. t. 39.
49	bidentàta R.S.	(*wh*)	white-margined	Switzerland	1824.	——	H	♃	
50	serpentìna R.S.	(*wh*)	serpentine	S. France	1826.	——	H	♃	
51	recurvàta R.S.	(*wh*)	recurved-leav'd	S. Europe	1799.	——	H	♂	Murr. c. gott. 1780. t. 6
52	Wulfèni R.S.	(*wh*)	Wulfen's	Carinthia	1802.	——	H	♃	
53	subulàta R.S.	(*wh*)	awl-leaved	S. Europe	1596.	7.	H	♃	Lobel. ic. 429.
54	Holósteum R.S.	(*wh*)	Scopoli's	Carniola	1825.	7. 8.	H	♃	Jacq. coll. 1. t. 10.
55	elongàta R.S.	(*wh*)	long-spiked	Louisiana	1821.	——	H	♃	
56	humifùsa Ber.	(*wh*)	trailing	.....	1825.	——	H	♃	
57	canéscens Schr.	(*wh*)	canescent	.....	1826.	7. 9.	H	⊙	
58	micrántha Led.	(*gr*)	small-flowered	Siberia	1829.	6. 8.	H	♃	

**** *Leaves coarsely toothed, or subpinnatifid.*

59	Corónopus R.S.	(*gr*)	star of the earth	Britain	....	4. 9.	H	⊙	Eng. bot. v. 13. t. 892.
60	Jacquìni R.S. *Corsàti* Jacq.	(*wh*)	Jacquin's	S. Europe	1801.	7. 8.	H	♃	Jacq. ic. 1. t. 27.
61	Serrària R.S.	(*wh*)	saw-leaved	Barbary	1640.	6. 7.	H	♃	Moris. s. 8. t. 16. f. 19.
62	macrorhìza R.S.	(*br*)	large-rooted	Morocco	1798.	7. 8.	H	♃	Bocc. sic. t. 15. f. 2.
63	Lœflíngii R.S.	(*br*)	narrow-leaved	Spain	....	——	H	⊙	Jacq. vind. 2. t. 126.
64	amplexicaúlis R.S.	(*br*)	stem-clasping	————	1797.	6. 7.	H	⊙	Cavan. ic. 2. t. 125.
65	villòsa R.S.	(*gr*)	villous	Germany	1804.	——	H	⊙	
66	vaginàta R.S.	(*li*)	sheathed	Canaries	1816.	——	G	♄	Venten. cels. t. 29.
67	Cynops R.S.	(*gr*)	shrubby	S. Europe	1596.	5. 8.	H	♄	Jacq. fragm. t. 182.
68	àfra R.S.	(*wh*)	Barbary	Barbary	1640.	6.	F	♄	Moris. s. 8. t. 17. f. 4.
69	divaricàta R.S.	(*wh*)	spreading	.....	1824.	——	H	♃	
	β *cáspia* F.M.	(*br*)	*Caspian*	Caspia	1836.	——	H	♃	
70	squarròsa R.S.	(*wh*)	leafy-spiked	Egypt	1787.	8. 9.	H	⊙	Jacq. ic. 1. t. 28.
71	Psy'llium R.S.	(*bh*)	Fleawort	S. Europe	1562.	7. 8.	H	⊙	Flor. græc. t. 149.
72	arenària R.S.	(*wh*)	sand	Hungary	1804.	5. 8.	H	⊙	W. et K. hung. 1. t. 51.
73	stricta R.S.	(*bh*)	upright	Morocco	——	7. 8.	H	⊙	Moris. s. 8. t. 17. f. 2.
74	sícula R.S.	(*wh*)	Sicilian	Sicily	1820.	7.10.	H	⊙	
75	truncàta Cham.	(*br*)	truncate	Mexico	1836.	——	H	⊙	
	β *prostràta* F.M.	(*br*)	*prostrate*	————	——	——	H	⊙	
76	parviflòra R.S.	(*br*)	small-flowered	Barbary	1826.	——	H	⊙	
77	Ispaghul R.S.	(*wh*)	East Indian	E. Indies	1819.	7. 8.	S	⊙	
78	índica R.S.	(*wh*)	Indian	India	1780.	——	H	⊙	
79	pùmila R.S.	(*wh*)	dwarf	S. Europe	1790.	——	H	⊙	Murr. c. gott. 1778. t. 5.
80	nítida R.S.	(*bl*)	glossy	.....	1822.	7.10.	H	⊙	
81	Durvíllei F.M.	(*br*)	D'Urville's	.....	1836.	——	H	⊙	
82	brasiliénsis B.M.	(*wh*)	Brazilian	Brazil	1822.	——	S	♃	Bot. mag. t. 2616.

LITTORE'LLA L. SHORE-WEED. (*littus*, the sea-shore; habitat.) Monœcia Tetrandria.

	lacústris R.B.	(*gr*)	Plantain-leaved	Britain	....	6. 9.	H	♃	Eng. bot. v. 7. t. 468.

ORDER CLXXXVI.

NYCTAGI'NEÆ. *Juss. gen.* 90.

BOUGAINVILLÆ'A Commers. BOUGAINVILLÆ'A. (Bougainville, a cel. circumnav.) Oct. Mon.

	spectábilis Juss.	(*pk*)	showy	S. America	1829.	....	S	♃	◡ Lam. ill. t. 294.

OXY'BAPHUS R.S. UMBRELLA-WORT. (*ὀξυς*, sharp; *βαφη*, dye.) Triandria Monogynia.

1	viscòsus R.S.	(*pu*)	viscid	Peru	1793.	5. 9.	H	♃	Bot. mag. t. 434.
2	glabrifòlius R.S.	(*pu*)	smooth-leaved	New Spain	1811.	7. 8.	H	♃	Cavan. ic. 4. t. 379.
3	ovàtus R.S.	(*re*)	oval-leaved	Peru	1820.	——	H	♃	Flor. peruv. 1. t. 75. f. b.
4	Cervantèsii Lag.	(*pu*)	Cervantes'	Mexico	1822.	7.10.	H	♃	Swt. br. fl. gar. t. 84.
5	expánsus R.S.	(*pu*)	expanded	Lima	——	——	H	♃	Flor. peruv. 1. t. 75. f. a.
6	aggregàtus R.S.	(*re*)	aggregate	New Spain	1811.	——	H	♃	Cavan. ic. 5. t. 437.
7	nyctagíneus N. *Alliònia nyctagínea* M. *Calymènia nyctagínea* N.	(*re*)	heart-leaved	Missouri	1823.	7. 9.	H	♃	
8	álbidus N.	(*li*)	white-leaved	Carolina	1824.	——	H	⊙	
9	pilòsus N. *Calymènia pilòsa* N. *Alliònia ovàta* Ph.	(*re*)	pilose	Missouri	1812.	——	H	⊙	
10	hirsùtus N.	(*re*)	hairy	Louisiana	——	——	H	♃	
11	angustifòlius *Alliònia lineàris* Ph. *Calymènia angustifòlia* N.	(*li*)	narrow-leaved	————	——	——	H	♃	
12	decúmbens N.	(*li*)	decumbent	Missouri	1818.	——	H	♃	

MIRA'BILIS R.S. MARVEL OF PERU. (*mirabilis*, wonderful; flowers.) Pentand. Monogy.

1	dichótoma R.S.	(*re.wh*)	forked	Mexico	1640.	7. 8.	F	♃	Plenck. ic. off. t. 139.
	α *rùbra*	(*re*)	*red-flowered*	————	——	——	F	♃	
	β *álba*	(*wh*)	*white-flowered*	————	——	——	F	♃	

2	Jálapa R.S.	(*va*)	common	India	1596.	6. 9.	H	♃	Bot. mag. t. 371.
	α álba	(*wh*)	*white-flowered*	———	——	——	H	♃	
	β flàva	(*ye*)	*yellow-flowered*	———	——	——	H	♃	
	γ rùbra	(*re*)	*red-flowered*	———	——	——	H	♃	
	δ rùbro-flàva	(*re.ye*)	*red and yellow*	———	——	——	H	♃	
	ε rùbro-álba	(*re.wh*)	*red and white*	———	——	——	H	♃	
3	hy'brida R.S.	(*re*)	hybrid	Hybrid	1818.	——	H	♃	
4	longiflòra R.S.	(*wh*)	long-flowered	Mexico	1759.	——	H	♃	Sm. exot. bot. 1. t. 23.
5	suavèolens K.S.	(*wh*)	sweet-scented	———	1824.	——	H	♃	

ABRO'NIA R.S. ABRO'NIA. (*αβρος*, elegant.) Pentandria Monogynia.

1	umbellàta R.S.	(*bh*)	flesh-coloured	California	1823.	6. 8.	H	♃	Hook. ex. flor. t. 194.
2	mellífera B.M.	(*wh*)	honey-scented	———	1827.	5. 9.	H	♃	Bot. mag. t. 2879.

ALLIO'NIA K.S. ALLIO'NIA. (Charl. Allioni, a Piedmontese bot.) Tetrandria Monogynia.

1	violàcea K.S.	(*vi*)	violet-coloured	Cumana	1820.	7. 9.	H	⊙	
2	incarnàta K.S.	(*bh*)	flesh-coloured	———	——	——	H	⊙	L'Herit. stirp. t. 31.

BOERHAA'VIA L. HOGWEED. (Herm. Boerhaave, father of medicine.) Mono-Di-Tet. Mon.

1	erécta R.S.	(*wh*)	upright	W. Indies	1733.	7. 9.	S	♃	Jacq. vind. 1. t. 5. 6.
2	procúmbens F.I.	(*w.re*)	procumbent	E. Indies	....	——	S	♃	Rheed. mal. 7. t. 56.
3	diffùsa R.S.	(*sc*)	spreading	W. Indies	1690.	8. 9.	S	♃	
4	adscéndens R.S.	(*re*)	ascending	Guinea	1824.	6. 9.	S	♃	
5	hirsùta R.S.	(*sc*)	scarlet-trailing	Jamaica	1733.	5. 8.	S	♄	Jacq. vind. 1. t. 7.
6	plumbagínea R.S.	(*ro*)	Plumbago-leaved	Spain	1822.	——	S	♃	Cavan. ic. 2. t. 112.
7	díscolor K.S.	(*bh*)	two-coloured	Guayaquil	1825.	——	S	♃	
8	viscòsa K.S.	(*sc*)	viscous	———	——	——	S	♃	
9	scándens R.S.	(*gr*)	climbing	Jamaica	1691.	4. 9.	S	♄	Jacq. vind. 1. t. 4.
10	excélsa R.S.	(*pu*)	lofty	S. America	1820.	——	S	♄	

PISO'NIA L. PISO'NIA. (Will. Piso, M.D., trav. in Brazil.) Heptandria Monogynia.

1	grándis B.P.	(*wh*)	superb	N. Holland	1805.	....	G	♄	
2	hirtélla K.S.	(*wh*)	hairy	Mexico	1825.	....	G	♄	
3	frágrans S.S.	(*gr*)	fragrant	.....	——	....	S	♄	
4	macrophy'lla L.en.	(*w*)	long-leaved	.....	1820.	....	S	♄	
5	obovàta L.en.	(*gr*)	obovate-leaved	S. America	——	....	S	♄	
6	nígricans S.S.	(*wh*)	black	W. Indies	1806.	5. 7.	S	♄	
7	obtusàta S.S.	(*gr*)	blunt-leaved	———	1822.	....	S	♄	
8	mexicàna L.en.	(*ro*)	Mexican	Mexico	1825.	6. 8.	H	♄	
	Boerhaàvia arboréscens P.S.								
9	nítida W.en.	(*li*)	glossy	Madagascar	1824.	....	S	♄	
10	aculeàta S.S.	(*ye*)	prickly	Jamaica	1739.	3. 4.	S	♄	Lam. ill. t. 861.

BOLDO'A S.S. BOLDO'A. (D. Boldo, a Spanish bot.) Triandria Monogynia.

1	lanceolàta S.S.	(*re*)	lance-leaved	Mexico	1824.	5. 7.	G	♄	H. et B. pl. æq. 1. t. 44.
	Salpiánthus arenàrius K.S.								
2	purpuráscens Cav.	(*pu*)	purplish	Cuba	1820.	——	S	♃	Cav. hort. madr. t. 7.

ORDER CLXXXVII.

AMARANTHA'CEÆ. *Brown prodr. p.* 413.

AMARA'NTHUS L. AMARANTH. (*α* priv., and *μαραινω*, to wither, and *ανθος*, a flower.) M.T.P.

§ 1. *Flowers triandrous.*

* *Glomerules axillary, subcymose, or subspicate.*

1	tenuifòlius W.	(*gr*)	fine-leaved	E. Indies	1801.	7. 9.	H	⊙	
2	angustifòlius W.	(*gr*)	narrow-leaved	Levant	1723.	——	H	⊙	
3	pállidus S.S.	(*pa*)	pale	Tauria	1823.	——	H	⊙	
4	persicarioìdes S.S.	(*re*)	Persicaria-like	Nepaul	1818.	9.11.	H	⊙	
5	Acroglóchin S.S.	(*gr*)	spiny-bracted	———	1820.	——	H	⊙	
6	álbus W.	(*wh*)	white	N. America	1778.	7. 9.	H	⊙	W. amar. 9. t. 1. f. 2.
7	græcìzans W.	(*gr*)	Pellitory-leaved	———	1759.	——	H	⊙	——— 8. t. 4. f. 7.
8	poly'gamus W.	(*gr*)	hermaphrodite	E. Indies	1780.	——	H	⊙	Rumph. amb. 5. t. 82.
9	Blìtum R.S.	(*gr*)	wild	England	....	6. 8.	H	⊙	Eng. bot. v. 31. t. 2212.

10	víridis w.	(gr)	green	Brazil	1768.	8. 9.	H	⊙	W. amar. 18. t. 8. f. 16.
11	campéstris w.	(gr)	field	E. Indies	1818.	——	H	⊙	
12	polygonoìdes w.	(gr)	spotted-leaved	Jamaica	1778.	7. 8.	H	⊙	W. amar. 11. t. 6. f. 12.
13	melancholìcus w.	(pu)	melancholy	E. Indies	1731.	6. 9.	H	⊙	——— 15. t. 9. f. 18.
14	trícolor w.	(st)	three-coloured	———	1548.	——	H	⊙	Knor. thes. 2. t. A. 3. 5.
15	bícolor w.	(st)	two-coloured	———	1802.	7. 8.	H	⊙	
16	lineàtus B.P.	(gr)	line-leaved	N. Holland	1828.	——	H	⊙	
17	gangéticus w.	(gr)	oval-spiked	E. Indies	1778.	——	H	⊙	W. amar. 16. t. 6. f. 11.
18	mangostànus w.	(gr)	rhomb-leaved	———	1801.	——	H	⊙	——— 13. t. 12.
	** *Glomerules axillary and terminal, subspicate.*								
19	polystàchyus w.	(gr)	many-spiked	E. Indies	1816.	7. 9.	H	⊙	
20	trístis w.	(pu)	round-headed	China	1759.	6. 8.	H	⊙	W. amar. 21. t. 5. f. 10.
21	inamœ'nus w.	(gr)	inelegant	———	1816.	——	H	⊙	
22	incómptus W.en.	(gr)	slovenly	———	——	——	H	⊙	
23	lívidus w.	(br)	livid	N. America	1759.	7. 9.	H	⊙	W. amar. 20. t. 1. f. 1.
24	oleràceus w.	(li)	eatable	E. Indies	1764.	7. 8.	H	⊙	——— 17. t. 5. f. 9.
25	lanceæfòlius H. B.	(gr)	lance-leaved	———	1816.	8.10.	H	⊙	
26	atropurpùreus H.B.	(pu)	dark-purple	———	1821.	——	H	⊙	
27	grácilis S.S.	(gr)	oval-leaved	Guinea	1806.	7. 8.	H	⊙	Jacq. ic. 2. t. 344.
	Chenopòdium caudàtum Jacq.								
28	prostràtus w.	(gr)	trailing	France	1739.	7. 9.	H	⊙	
29	scándens w.	(gr)	climbing	S. America	1796.	7. 8.	H	⊙	
30	defléxus w.	(gr)	bending	.....	1805.	——	H	⊙	W. amar. 10. t. 10. f. 20.
31	fasciàtus H.B.	(gr)	fasciate	E. Indies	1820.	8.10.	H	⊙	
32	bullàtus S.S.	(gr)	blistered	.....	——	7. 9.	H	⊙	
33	Arardhànus	(gr)	Indian	E. Indies	1825.	——	H	⊙	
34	Berchthóldi H.	(pi.gr)	Berchthold's	S. Europe	1826.	——	H	⊙	
35	bahiénsis Lk.	(gr)	Bahia	Bahia	1823.	——	H	⊙	
36	sylvéstris Desf.	(pu)	wild	Europe	1830.	——	H	⊙	
37	adscéndens Lois.	(pu)	ascending	———	1836.	——	H	⊙	
38	purpuráscens Ot.	(pu)	purplish	.....	1828.	——	H	⊙	
39	littoràlis Ot.	(gr)	sea-side	.....	1823.	——	H	⊙	
40	rígidus S.	(gr)	rigid	.....	——	——	H	⊙	
41	tortuòsus H.H.	(gr)	twisted	.....	——	——	H	⊙	
42	laxifòlius Ot.	(gr)	loose-leaved	.....	——	——	H	⊙	
43	glomeràtus Ot.	(gr)	glomerate	.....	1829.	——	H	⊙	
44	spicàtus P.S.	(gr)	spiked	France	....	——	H	⊙	
	§ 2. *Flowers racemose, pentandrous.*								
45	pùmilus S.S.	(gr)	dwarf	N. America	1829.	6. 9.	H	⊙	
46	curvifòlius S.S.	(gr)	curved-leaved	Caucasus	1827.	——	H	⊙	
47	hy'bridus w.	(re)	clustered	———	1656.	——	H	⊙	W. amar. 26. t. 9. f. 17.
48	héctícus w.	(pi)	oval-spiked	.....	1796.	8. 9.	H	⊙	——— 25. t. 7. f. 13.
49	læ'tus w.	(re)	blunt-leaved	Italy	1799.	7. 9.	H	⊙	——— 28. t. 8. f. 15.
50	stríctus w.	(gr)	upright	———	1793.	——	H	⊙	——— 27. t. 3. f. 5.
51	paniculàtus w.	(re)	panicled	N. America	1798.	——	H	⊙	——— 32. t. 2. f. 4.
52	celosioìdes K.S.	(wh)	Spinach-like	S. America	1824.	9.11.	H	⊙	
53	caracasànus K.S.	(wh)	Caracas	Caracas	1821.	——	H	⊙	
54	retrofléxus w.	(gr)	hairy	N. America	1759.	7. 9.	H	⊙	W. amar. 33. t. 11. f. 21.
55	flàvus w.	(st)	pale yellow	India	——	——	H	⊙	——— 35. t. 3. f. 6.
56	chloróstachys w.	(ye)	nodding	———	1796.	——	H	⊙	——— 34. t. 10. f. 19.
57	parisiénsis S.S.	(gr)	Paris	France	1819.	——	H	⊙	
58	hypochondriacus w.	(re)	Prince's feather	Virginia	1684.	——	H	⊙	
59	sanguíneus w.	(re)	spreading	Bahama Isl.	1775.	——	H	⊙	W. amar. 31. t. 2. f. 3.
60	cruéntus w.	(cr)	various-leaved	China	1728.	6. 8.	H	⊙	
61	speciòsus D.P.	(sc)	showy	Nepaul	1819.	9.11.	H	⊙	Bot. mag. t. 2227.
62	caudàtus w.	(re)	Love lies bleeding	E. Indies	1596.	8. 9.	H	⊙	
	β *máximus*	(re)	*tree*	———	——	——	H	⊙	
63	spinòsus w.	(gr)	prickly	W. Indies	1683.	7. 9.	H	⊙	W. amar. 38. t. 4. f. 8.
64	frumentàceus H.B.	(gr)	cultivated	E. Indies	1819.	——	H	⊙	

TRICHI'NIUM B.P. TRICHI'NIUM. (τριχινος, composed of hairs; flowers.) Pentand. Monogy.

	alopecuroìdeum B.R.	(re.ye)	Foxtail-like	Swan River	1836.	6. 8.	F	⊙	Bot. reg. s. 3. t. 28.

LECANOCA'RPUS N.E. LECANOCA'RPUS. (λεκανη, a basin, and καρπος, a fruit.) Monœc. Pen.

	nepalénsis N.E.	(gr)	Nepaul	Nepaul	1816.	8.10.	H	⊙	Nees ab Ess. ic. sel. t. 2.
	Amaránthus caulifìòrus Lk.								

CELO'SIA R.S. COCK'S-COMB. (κηλεος, burnt; dry.) Pentandria Monogynia.

1	argéntea R.S.	(bh)	silvery-spiked	China	1714.	6. 9.	S	⊙	Mart. cent. t. 7.
	β *lineàris*	(bh)	*narrow-leaved*	E. Indies	——	——	S	⊙	Rheed. mal. 10. t. 39.
2	pyramidàlis R.S.	(wh)	pyramidal	———	——	——	S	⊙	Burm. ind. 65. t. 25. f. 1.
3	margarìtàcea R.S.	(wh.re)	pearl-flowered	India	....	——	S	⊙	Rheed. mal. 10. t. 38.

4	cristàta R.S.	(*re*) common	Asia	1570.	6. 9.	S	⊙		Rumph. amb. 5. t. 84.
	α elàta	(*re*) *tall red*	———	——	——	S	⊙		Knor. del. 1. t. H. 5. 6.
	β compácta	(*re*) *dwarf red*	———	——	——	S	⊙		
	γ flavéscens	(*st*) *yellow*	———	——	——	S	⊙		
5	comòsa R.S.	(*re*) tufted	E. Indies	1802.	——	S	⊙		
6	coccínea R.S.	(*sc*) scarlet	China	1597.	——	S	⊙		
7	castrénsis R.S.	(*re*) branched	E. Indies	1739.	——	S	⊙		Barrel. rar. t. 1195.
8	cérnua A.R.	(*sc*) drooping	———	1809.	7. 8.	S	⊙		Andr. reposit. t. 635.
9	Monsòniæ R.S.	(*bh*) downy	———	1778.	7. 9.	S	⊙		Pluk. alm. 11. t. 334. f. 4.
	Achyránthes Monsòniæ S.S. *Illécebrum Monsòniæ* L.								
10	nodiflòra R.S.	(*wh*) knotted	E. Indies	1780.	——	S	⊙		Jacq. vind. 1. t. 98.

LESTIBUDE'SIA R.S. LESTIBUDE'SIA. (F. G. Lestiboudois, a Dutch bot.) Pentan. Monog.

1	virgàta R.S.	(*gr*) wave-leaved	W. Indies	1815.	8.10.	S	♄		Jacq. ic. 2. t. 339.
	Celòsia virgàta Jacq.								
2	paniculàta R.S.	(*st*) panicled	Jamaica	1733.	6. 9.	S	♂		Sloan. hist. 1. t. 91. f. 2.
3	trígyna R.S.	(*wh*) oval-leaved	Senegal	1777.	8.10.	S	♂		Jacq. vind. 3. t. 15.

DEERI'NGIA R.S. DEERI'NGIA. (C. Deering, M.D., English bot.) Pentandria Trigynia.

1	índica S.S.	(*wh*) Berry-bearing	E. Indies	1804.	6. 9.	S	♂		
2	celosioìdes B.P.	(*wh*) Cockscomb-like	N. Holland	1822.	——	S	♄		

CHAMISSO'A K.S. CHAMISSO'A. (M. Chamisso, comp. of Freycenet.) Pentand. Monogy.

	altíssima K.S.	(*st*) tall	S. America	1819.	5. 6.	S	♄	◡	H. et B. n. gen. 2. t. 125.

CLADO'STACHYS D.P. CLADO'STACHYS. (κλαδος, a branch, and σταχυς, a spike.) Pe. Ma.

1	frutéscens D.P.	(*gr*) frutescent	E. Indies	1777.	8.11.	S	♄		Rumph. amb. 5. t. 83.
	Achyránthes muricàta L. *Chamissòa muricàta* S.S.								
2	alternifòlia	(*pu*) alternate-leaved	E. Indies	1789.	7. 8.	S	⊙		Pluk. alm. t. 260. f. 1.
	Achyránthes alternifòlia W. *Desmochæ'ta alternifòlia* DC.								

ACHYRA'NTHES R.S. ACHYRA'NTHES. (αχυρος, chaff, and ανθος, a flower.) Pentan. Mon.

1	argéntea R.S.	(*ro*) upright	Sicily	1713.	5.10.	H	♄		Flor. græc. t. 244.
2	áspera R.S.	(*gr*) rough	India	1751.	——	S	♄		Mill. ic. t. 11. f. 2.
3	obtusifòlia Lam.	(*gr*) blunt-leaved	———	....	——	S	♄		
4	crispa R.S.	(*gr*) curl-leaved	.....	1816.	——	S	♄		
5	virgàta R.S.	(*gr*) slender	Portorico	1823.	——	S	♄		
6	fruticòsa R.S.	(*wh*) shrubby	E. Indies	1816.	——	S	♄		
7	nívea R.S.	(*wh*) white	Canaries	1780.	5. 7.	G	♄		
8	pubéscens R.S.	(*wh*) pubescent	.....	1824.	——	S	♄		
9	brachiàta R.S.	(*wh*) armed	E. Indies	1829.	8.10.	S	⊙		Pluk. alm. 2. t. 334. f. 5.
10	globùlifera F.	(*wh*) globe-headed	.....	1828.	——	S	⊙		
11	austràlis B.P.	(*wh*) southern	N. Holland	1823.	——	S	♄		
12	dichótoma L.	(*re*) dichotomous	N. America	1820.	——	S	⊙		

DESMOCHÆTA R.S. DESMOCHÆ'TA. (δεσμος, a bond, and χαιτη, a bristle.) Pent. Monog.

1	atropurpùrea DC.	(*pu*) dark-purple	E. Indies	1759.	8.10.	S	♄		Rheed. mal. 10. t. 59.
	Achyránthes lappàcea L. *Pupàlia lappàcea* J.								
2	flavéscens DC.	(*st*) yellowish	E. Indies	....	——	S	♃		DC. h. mons. ined. t. 79.
3	pátula R.S.	(*wh*) spreading	———	1824.	——	S	♄		
4	prostràta DC.	(*pu*) prostrate	———	1793.	7. 8.	S	♃		Rumph. amb. 6. t. 11.
5	sanguinolénta Lk.	(*gr*) bloody-leaved	———	1824.	——	S	♄		——— t. 27. f. 2.

ALTERNANTHE'RA. ALTERNANTHE'RA. (anthers alternate.) Pentandria Monogynia.

1	sésilis R.S.	(*wh*) sessile-flowered	E. Indies	1778.	7.10.	S	♂		Rheed. mal. 10. t. 11.
2	ficoìdes R.S.	(*wh*) creeping-stalk'd	S. America	1819.	——	S	♃		Jacq. amer. pict. t. 90.
	Gomphrèna ficoìdea Jacq.								
3	spinòsa R.S.	(*st*) spiny	.....	——	——	S	♃		
	axillàris DC. *Achyránthes spinòsa* Horn.								
4	denticulàta B.P.	(*wh*) tooth-leaved	N. S. W.	1822.	——	G	♃		
5	tenélla DC.	(*wh*) slender	E. Indies	1828.	7. 9.	H	⊙		
6	Achyrántha R.S.	(*br*) creeping	B. Ayres	1732.	6. 8.	S	♃		Mart. pl. bras. 2. t. 152.
7	caracasàna K.S.	(*wh*) Caracas	Trinidad	1819.	6. 7.	S	♃		
8	sericea K.S.	(*wh*) silky	America	1825.	——	S	♃		
9	procúmbens K.S.	(*wh*) procumbent	Quito	1820.	——	S	♃		

BUCHO'LZIA M.P. BUCHO'LZIA. (Bucholz, a German bot.) Pentandria Monogynia.

1	polygonoìdes M.P.	(*w*) Persicaria-leav'd	S. America	1731.	6. 7.	G	♃		Herm. parad. t. 17.
	Illécebrum polygonoìdes W. *Alternanthèra polygonoìdes* R.S.								
2	frutéscens M.P.	(*wh*) frutescent	Peru	1822.	6. 7.	S	♄		L'Herit. stirp. 1. t. 37.

Æ'RUA J. Æ'RUA. (its Arabic name.) Pentandria Monogynia.

1	lanàta R.S.	(*wh*) woolly	E. Indies	1691.	4. 8.	S	♂		Mill. ic. 1. t. 11. f. 1.
	Illécebrum lanàtum L.								
2	javánica R.S.	(*wh*) spear-leaved	———	1786.	——	S	♄		Burm. ind. t. 65. f. 2.

PHILO'XERUS B.P. PHILO'XERUS. (φιλεω, to love, and ξηρος, arid; soil.) Pentan. Monog.

1	vermiculàris R.S.	(*wh*) creeping	S. America	....	4. 8.	S	♃		Herm. parad. t. 15.
2	aggregàtus R.S.	(*wh*) clustered	Cumana	1819.	——	S	♃		

MOGIPHA'NES M.P. MOGIPHA'NES. (etymology unknown.) Pentandria Monogynia.
1 brasiliénsis M.P. (*wh*) upright Brazil 1790. 7.10. S ♄ Mart. pl. bras. 2. t. 133.
Gomphrèna brasiliénsis Jacq. ic. 2. t. 346. *Philóxerus brasiliénsis* B.P.
2 stramínea M.P. (*st*) straw-coloured Brazil 1790. 7.10. S ♄ Mart. pl. bras. 2. t. 135.
GOMPHRE'NA R.S. GLOBE AMARANTH. ('γομφος, a club; flowers in heads.) Pent. Mon.
1 globòsa R.S. (*re*) annual India 1714. 5.10. S ☉ Bot. mag. t. 2815.
β *álba* (*wh*) *white-flowered* ——— —— —— S ☉
2 decúmbens R.S. (*pu.wh*) decumbent Mexico .... —— S ☉ Jacq. schœn. t. 482.
3 perénnis R.S. (*st*) perennial S. America 1732. 7.10. S ♃ Bot. mag. t. 2614.
4 arboréscens R.S. (*st*) tree ——— 1802. —— S ♄
5 villòsa S.S. (*st*) villous M. Video 1826. 6. 8. S ♄
6 nígricans M.P. (*bk*) dark-flowered Brazil 1827. —— S ♄ Mart. pl. bras. 2. t. 113.
7 callòsa S. ..... callous S. America 1829. .... S ♄
8 cárnea Jac. (*fl*) flesh-coloured ——— —— .... S ♄
9 lanàta R.S. (*wh*) woolly N. Holland 1824. 6. 8. S ☉
10 amaranthoìdes R.S. (*wh*) Amaranth-like E. Indies 1820. —— S ☉
OPLOTHE'CA N. OPLOTHE'CA. (οπλον, armour, and θηκη, a sheath; fruit.) Pent. Monog.
1 láctea M.P. (*wh*) milk-coloured S. America 1818. 7.10. S ♄ DC. h. mons. ined. t. 93.
2 interrúpta N. (*wh*) trailing W. Indies 1733. —— S ♂ Jacq. icon. 1. t. 51.
Gomphrèna interrúpta R.S.
3 floridàna N. (*wh*) Florida Florida 1823. 8.10. F ♃ Bot. mag. t. 2603.
BRANDE'SIA M.P. BRANDE'SIA. (from the name of a German bot.) Pentandria Monogynia.
1 pubérula M.P. (*wh*) pubescent Brazil 1825. 6. 9. S ♄
Achyránthes capituliflòra Colla hort. rip. t. 18.
2 villòsa M.P. (*wh*) villous Brazil 1826. —— S ☉ Mart. bras. 2. t. 128.
3 pórrigens M.P. (*re*) crimson-fld. Peru 1802. 4. 8. G ♄ Bot. mag. t. 830.
Achyránthes pórrigens B.M.
PFA'FFIA M.P. PFA'FFIA. (from the name of a German bot.) Pentandria Monogynia.
gnaphaloìdes M.P. (*w*) Cudweed-like Brazil 1822. 6. 8. S ♄
Celòsia gnaphaloìdes L.
IRESI'NE S.S. IRESI'NE. (ειρεσιονη, a name used by the Greeks.) Dicœcia Pentandria.
1 celosioìdes S.S. (*wh*) Florida America 1733. 7. 8. F ♃ Lam. ill. t. 313.
2 diffùsa S.S. (*wh*) spreading S. America 1812. 7. 9. S ♃
3 elongàta S.S. (*wh*) long-stalked ——— 1822. —— S ♃
RO'SEA M.P. RO'SEA. (etymology unknown.) Polygamia Monœcia.
elàtior M.P. (*st*) tall S. America 1820. 8.10. S ☉ Sloan. hist. 1. t. 90.
Iresìne elàtior W.

ORDER CLXXXVIII.

PHYTOLA'CEÆ. *Brown.*

PHYTOLA'CCA W. PHYTOLA'CCA. (φυτον, a plant, and *lacca*, lac.) Decandria Decagynia.
1 octándra W. (*wh*) white-flowered Mexico 1732. 7.11. G ♃ Dill. elt. t. 239. f. 308.
2 abyssínica W. (*wh*) African Africa 1775. 5. 6. S ♄ Hoff. c. gœt. t. 2.
3 heptándra S.S. (*wh*) 7-anthered ..... 1819. 7.10. G ♃
4 bogoténsis K.S. (*wh*) variable anther'd S. America 1823. —— G ♃
5 decándra W. (*bh*) Virginian poke Virginia 1615. 8. 9. H ♃ Bot. mag. t. 931.
6 dodecándra W. (*bh*) recurved-leaved .... 5. 6. S ♃
7 mexicàna Swt. (*wh*) Mexican Mexico 1824. 7.10. G ♃ Bot. mag. t. 2633.
icosándra B.M. *non* W.
8 icosándra W. (*wh*) red-stemmed E. Indies 1758. 7.11. S ♃ Mill. ic. t. 207.
9 dioíca W. (*wh*) tree S. America 1768. .... S ♄ L'Herit. st. nov. t. 70.
RIVI'NA R.S. RIVI'NA. (A. Q. Rivin, prof. med. and bot., Leipzic.) Tetrand. Monogy.
1 hùmilis R.S. (*wh*) downy W. Indies 1699. 1.10. S ♄ Bot. mag. t. 1781.
2 lævis R.S. (*bh*) smooth ——— 1733. 2. 9. S ♄ Lam. ill. t. 81. f. 2.
3 latifòlia R.S. (*pu*) broad-leaved Madagascar 1826. 7. 9. S ☉
4 brasiliénsis R.S. (*gr*) wave-leaved Brazil 1790. 6. 7. S ♄
5 purpuráscens R.S. (*pu*) purple W. Indies 1815. 5. 8. S ♄ Schrad. gen. nov. t. 5.
6 lanceolàta L.en. (*wh*) spear-leaved Brazil —— —— S ♄
7 octándra R.S. (*wh*) climbing W. Indies 1752. 5. 6. S ♄ ◡ Plum. ic. 2. 241.

8 tinctòria Ham.	(*wh*)	dyeing	Caraccas	1830.	....	S	♄	

MICROTE'A K.S. MICROTE'A. (*μικροτης*, smallness; plant.) Pentandria Digynia.

1 débilis K.S.	(*wh*)	slender	S. America	1824.	7. 9.	S	☉	
2 maypurénsis G.D.	(*wh*)	branching	———	1822.	5. 6.	H	☉	H. et B. pl. am. 2. t. 122.
Ancistrocárpus maypurénsis K.S.								

PETIVE'RIA W. PETIVE'RIA. (James Petiver, a cel. English bot.) Heptandria Monogynia.

1 alliàcea W.	(*wh*)	Garlic-scented	Jamaica	1759.	6. 7.	S	♄	Lodd. bot. cab. t. 148.
2 octándra W.	(*wh*)	dwarf	W. Indies	1737.	——	S	♄	Plum. ic. 213. t. 219.

GISE'KIA W. GISE'KIA. (P. D. Gieseke, a German botanist.) Pentandria Pentagynia.

pharnacioìdes W.	(*wh*)	trailing	E. Indies	1783.	6.	S	☉	Roxb. corom. 2. t. 183.

ORDER CLXXXIX.

CHENOPODEÆ. *Brown prodr. p.* 405.

BASE'LLA R.S. MALABAR-NIGHTSHADE. (Malabar name.) Pentandria Trigynia.

1 rùbra R.S.	(*re*)	red-flowered	E. Indies	1731.	7. 9.	S	♂ ◡	Rheed. mal. 7. t. 24.
2 álba R.S.	(*wh*)	white-flowered	———	1688.	7.11.	S	♂ ◡	Pluk. alm. t. 63. f. 1.
3 lùcida R.S.	(*wh*)	shining	———	1802.	——	S	☉ ◡	
4 cordifòlia R.S.	(*re*)	heart-leaved	———	——	——	S	☉ ◡	
5 tuberòsa R.S.	(*st*)	tuberous-rooted	S. America	1824.	——	S	♃ ◡	
6 ramòsa R.S.	(*re*)	branched	———	....	——	S	♃ ◡	
7 marginàta R.S.	(*wh*)	red-margined	———	1824.	——	S	♃ ◡	
8 japónica R.S.	(*bh*)	dwarf	China	1814.	——	G	☉	Burm. ind. t. 39. f. 4.

HABLI'TZIA M.B. HABLI'TZIA. (C. L. Hablitz, a Russian bot.) Pentandria Monogynia.

tamnoìdes M.B.	(*wh*)	Tamnus-like	Caucasus	1828.	7.10.	H	♃ ◡	

ANREDE'RA J. ANREDE'RA. (etymology unknown.) Pentandria Trigynia.

spicàta K.S.	(*bh*)	spiked	Cuba	1749.	7. 9.	S	♃ ◡	Sloan. hist. 1. t. 90. f. 1.
Basélla vesicària Lam. ill. t. 215. f. 1. *Polygonum scándens* W.								

ANA'BASIS L. ANA'BASIS. (a Greek name for Equisetum.) Pentandria Digynia.

1 aphy'lla R.S.	(*gr*)	leafless	Levant	1823.	5. 7.	F	♄	Buxb. cent. 1. t. 18.
2 flórida M.B.	(*wh*)	flowering	Persia	1829.	7.11.	H	☉	M.B. cent. pl. ros. 1. t. 17.
3 cretàcea R.S.	(*gr*)	long-rooted	Siberia	1828.	6. 8.	H	♃	Pall. it. 1. ap. n. 109. t. 1. N
4 spinosíssima R.S.	(*gr*)	spiny-branched	Iberia	1829.	——	H	♄	Delil. eg. n. 305. t. 21. f. 2.
5 tamariscifòlia R.S.	(*gr*)	Tamarisk-leav'd	Spain	1752.	6. 7.	F	♄	Cavan. ic. 3. t. 283.
6 foliòsa S.S.	(*gr*)	leafy	Volga	1828.	7.10.	H	☉	Pall. ill. 2. t. 23.
Salsòla clavifòlia M.B. *baccífera* Pall.								
7 ammodéndron Mey.	(*gr*)	Sand-tree	Caucasus	1836.	——	H	♄	

SALSO'LA R.S. SALTWORT. (*salsus*, salt; saline.) Pentandria Digynia.

§ 1. *Outside of calyx, drawn out into 5 scarious appendages after florescence.*

1 Kàli R.S.	(*fl*)	prickly	Britain	....	7. 8.	H	☉	Eng. bot. v. 9. t. 634.
2 Tràgus R.S.	(*ro*)	smooth	S. Europe	1816.	——	H	☉	Pall. ill. 2. t. 29. f. 2.
3 tamaríscina R.S.	(*br*)	Tamarisk-like	Tauria	1828.	7. 9.	H	☉	
4 crássa R.S.	(*re.wh*)	thick-leaved	Caucasus	1823.	8.10.	H	☉	Buxb. cent. 1. t. 14. f. 2.
5 rosàcea R.S.	(*pu*)	rose-coloured	Asia	1759.	7. 8.	H	☉	Schk. hand. 1. t. 57.
6 oppositifòlia R.S.	(*ro*)	opposite-leaved	Sicily	1829.	....	H	♄	
7 brachiàta R.S.	(*pu*)	armed	Tauria	1828.	7.10.	H	☉	Pall. ill. 2. t. 22.
8 glaúca R.S.	(*ro*)	glaucous	Armenia	1829.	....	H	♄	——— 2. t. 19.
9 vermiculàta R.S.	(*gr*)	suffruticose	Siberia	1759.	7. 8.	H	♄	Gmel. sib. 3. t. 18. f. 2.
10 microphy'lla R.S.	(*re*)	small-leaved	Spain	——	——	H	☉	Cavan. ic. 3. t. 287.
11 collìna Pall.	(*re*)	hill	Siberia	1837.	——	H	☉	
12 spíssa R.S.	(*ro*)	dwarf	Caucasus	1829.	7.10.	H	☉	Pall. ill. 2. t. 15.
13 verrucòsa R.S.	(*gr*)	warted	———	1822.	7. 8.	H	♄	——— 2. t. 16.
14 ericoìdes R.S.	(*br*)	Heath-like	———	1829.	....	H	♄	——— 2. t. 14.
15 laniflòra R.S.	(*re*)	woolly-flowered	Siberia	1797.	6. 8.	H	☉	——— 2. t. 21.
16 satìva R.S.	(*pi*)	cultivated	Spain	1783.	7. 8.	H	♃	Cavan. ic. 3. t. 291.
17 obtusifòlia Led.	(*br*)	blunt-leaved	Siberia	1827.	....	H	☉	
18 marginàta R.S.	(*gr*)	thick-margined	Armenia	1829.	....	H	♄?	

§ 2 *Calyx increased after florescence.*

19 Sòda R.S.	(*wh*) long fleshy-ld.	S. Europe	1683.	7.	8.	H	⊙	Jacq. vind. 1. t. 68.

KO'CHIA R.S. KO'CHIA. (C. Koch, a cel. German botanist.) Pentandria Digynia.

1 arenària R.S.	(*wh*) sand	Hungary	1819.	7.	9.	H	⊙	W. et K. hung. 1. t. 78.
2 dasyántha R.S.	(*wh*) woolly-flowered	Caucasus	1829.	——		H	⊙	Gmel. jun. it. 1. t. 137.
3 prostràta R.S.	(*gr*) trailing	S. Europe	1780.	6.	8.	F	♄	Jacq. aust. 3. t. 294.
Salsòla prostràta Jacq.								
4 trígyna L.en.	(*gr*) slender-leaved	Spain	1804.	7.	8.	H	⊙	Cavan. ic. 3. t. 289.
Salsòla altíssima Cav. *Chenopòdium trígynum* R.S.								
5 hyssopifòlia R.S.	(*gr.re*) Hyssop-leaved	Siberia	1801.	6.	8.	H	⊙	Pall. it. 1. ap. t. H. f. 1.
6 sedoìdes R.S.	(*gr*) Stonecrop-like	Tauria	1823.	——		H	♃	—— 3. t. M. f. 8.
7 muricàta R.S.	(*gr*) muricated	Egypt	1773.	——		H	⊙	
8 latifòlia Fres.	(*gr*) broad-leaved	———	1836.	——		H	⊙	
9 erióphora R.S.	(*gr*) woolly	Spain	1816.	——		H	⊙	Trattin. arch. t. 124.
10 scopària R.S.	(*gr*) Summer Cypress	Greece	1629.	6.	9.	H	♃	Buxb. cent. 1. t. 16.
Chenopòdium Scopària W.								

CHENO'LEA L. CHENO'LEA. (χην, a goose, and λεια, a prey.) Pentandria Monogynia.

diffùsa W.	(*wh*) silky	C. B. S.	1758.	8.	9.	G	♄	
Salsòla seríceа H.K. *Kòchia seríceа* R.S. *Chenopòdium seríceum* S.S.								

ENCHYLÆ'NA B.P. ENCHYLÆ'NA. (etymology unknown.) Pentandria Di-Trigynia.

tomentòsa B.P.	(*wh*) woolly	N. Holland	1824.	6.	8.	G	♄	

RHAGO'DIA B.P. RHAGO'DIA. (βαξ, a berry.) Polygamia Monœcia.

1 Billardièri B.P.	(*gr*) narrow-leaved	N. S. W.	1822.	6.	7.	G	♄	Lab. nov. hol. 1. t. 96.
2 hastàta B.P.	(*gr*) halberd-leaved	———	1803.	——		G	♄	Loud. enc. pl. f. 14270.
3 nùtans B.P.	(*gr*) nodding-branch'd	V. Diem. I.	1824.	7.	9.	G	♃	
4 parabólica B.P.	(*ye*) parabolic	N. S. W.	1823.	——		G	♄	

ACROGLO'CHIN Schr. ACROGLO'CHIN. (ακρος, the summit, and γλοχιν, a point.) Pent. Digy.

chenopodioìdes F.	(*gr*) Goose-foot-like	Siberia	1823.	5.	9.	H	⊙	

CHENOPO'DIUM R.S. GOOSE-FOOT. (χην, a goose, and πους, a foot.) Pentandria Digynia.

§ 1. *Leaves flat, angular.*

1 úrbicum E.B.	(*gr*) upright	Britain	....	8.		H	⊙	Eng. bot. v. 10. t. 717.
2 Atríplicis R.S.	(*cr*) purple	China	1780.	8.	9.	H	⊙	Jacq. vind. 3. t. 80.
3 punctulàtum R.S.	(*re*) white-spotted	.....	1820.	——		H	⊙	Scop. del. ins. 1. t. 11.
4 gigantèum D.P.	(*gr*) gigantic	Nepaul	——	9.	11.	H	⊙	
5 rùbrum R.S.	(*fl*) red	Britain	....	8.	9.	H	⊙	Eng. bot. v. 24. t. 1721.
6 chrysomelanospérmum R.S.	black-seeded	Galicia	1825.	——		H	⊙	
7 carthagenénse R.S.	(*gr.re*) Carthage	Carthage	1824.	6.	8.	H	⊙	
8 rhombifòlium R.S.	(*gr*) angular-leaved	N. America	1807.	7.	9.	H	⊙	
9 guineénse W.	(*gr*) Guinea	Guinea	1790.	8.	9.	H	⊙	Jacq. ic. 2. t. 345.
10 muràle E.B.	(*gr*) nettle-leaved	Britain	....	——		H	⊙	Eng. bot. v. 24. t. 1722
11 Quinòa R.S.	(*gr*) green Quinoa	Chili	1822.	7.	9.	H	⊙	Bot. mag. t. 3641.
β *rùbrum*	(*re*) *red Quinoa*	———	——		——	H	⊙	Feuil. per. ed. germ. t. 10.
12 serótinum R.S.	(*gr*) late-flowering	S. Europe	....	8.	9.	H	⊙	
13 ficifòlium E.B.	(*gr*) Fig-leaved	England	....	——		H	⊙	Eng. bot. v. 24. t. 1724.
14 álbum E.B.	(*gr*) white	Britain	....	6.	9.	H	⊙	——— v. 24. t. 1723.
β *subrotúndum*	(*gr*) *round-leaved*	———	....	——		H	⊙	Petiv. h. brit. t. 8. f. 4.
γ *víride* W.	(*gr*) *green*	———	....	——		H	⊙	
δ *integrifòlium*	(*gr*) *entire-leaved*	———	....	——		H	⊙	
ε *crassifòlium*	(*gr*) *thick-leaved*	———	....	——		H	⊙	
15 opulifòlium R.S.	(*gr*) Guelder-rose-ld.	S. Europe	....	——		H	⊙	Bast. j. bot. 1814. t. 3.
16 petiolàre R.S.	(*gr*) petiolar	S. America	1824.	——		H	⊙	
17 blitoìdes R.S.	(*gr*) Blitum-like	France	1820.	——		H	⊙	
18 Schraderiànum R.S.	(*gr*) Schrader's	Europe	1817	——		H	⊙	
19 hybridum E.B.	(*gr*) Maple-leaved	Britain	....	8.	9.	H	⊙	Eng. bot. v. 27. t. 1919.
20 Bòtrys R.S.	(*gr*) cut-leaved	S. Europe	1548.	6.	9.	H	⊙	Flor. græc. t. 253.
21 fœ'tidum W. en.	(*gr*) strong-scented	.....	1823.	6.	8.	H	⊙	
22 botryoìdes E.B.	(*re*) many-clustered	Britain	....	——		H	⊙	Eng. bot. v. 32. t. 2247.
23 ambrosioìdes R.S.	(*gr*) Mexican	Mexico	1640.	6.	10.	H	⊙	Moris. s. 5. t. 35. f. 8.
24 suffruticòsum R.S.	(*gr*) suffrutescent	———	1819.	——		G	♄	
25 anthelmínticum W.	(*gr*) American	America	1732.	7.	8.	G	♄	Dill. elt. t. 66. f. 76.
26 gravèolens R.S.	(*gr*) strong-scented	Mexico	1819.	8.	11.	H	⊙	
27 incìsum R.S.	(*gr*) jagged	.....	1826.	——		H	⊙	
28 glaúcum R.S.	(*gr*) Oak-leaved	England	....	7.	8.	H	⊙	Eng. bot. v. 21. t. 1454.
29 crassifòlium R.S.	(*cr*) fleshy-leaved	.....	1820.	——		H	⊙	
30 humifùsum R.S.	(*pu*) trailing	.....	1824.	——		H	⊙	
31 sèpium R.S.	(*re*) hedge	Bohemia	1822.	——		H	⊙	
32 radiàtum R.S.	(*gr*) rayed	N. America	1803.	6.	8.	H	⊙	W. hort. ber. 1. t. 28.

Kòchia dentàta W. *Salsòla platyphy'lla* M.

§ 2. *Leaves flat, entire.*

34	ólidum R.B.	(*gr*) stinking	Britain	....	7. 8.	H	⊙	Eng. bot. v. 15. t. 1034.
	fœ'tidum R.S. *Vulvària* W.							
35	polyspérmum R.S.	(*gr*) Allseed	———	....	——	H	⊙	Eng. bot. v. 21. t. 1480.
36	acutifòlium E.B.	(*gr*) acute-leaved	———	....	——	H	⊙	——— v. 21. t. 1481.
37	marginàtum R.S.	(*gr*) bony-edged	.....	1824.	——	H	⊙	
38	caudàtum R.S.	(*gr*) long-tailed	Guinea	1806.	——	G	⊙	Jacq. ic. 2. t. 341.
39	laterále R.S.	(*gr*) oblong leaved	.....	1781.	8. 9.	S	⊙	
40	stríctum R.S.	(*gr*) upright	E. Indies	——	9.11.	H	⊙	
41	lanceolàtum R.S.	(*gr*) spear-leaved	Pensylvania	1809.	7.	H	⊙	
	§ 3. *Leaves nearly terete.*							
42	fruticòsum R.S.	(*gr*) shrubby	England	....	8. 9.	H	♄	Eng. bot. v. 9. t. 635.
	Salsòla fruticòsa E.B.							
43	parvifòlium R.S.	(*gr*) small-leaved	Caucasus	1829.	....	H	♄	Pall. ill. 3. t. 44.
44	altíssimum R.S.	(*wh*) Grass-leaved	Russia	1775.	7. 8.	H	⊙	Schrad. d. hal. t. 1. f. 3.
	Salsòla altíssima W. *Suaèda altíssima* Pall. ill. t. 42.							
45	trígynum R.S.	(*gr*) trigynous	Spain	——	——	H	⊙	Cavan. icon. 3. t. 289.
46	hirsùtum R.S.	(*gr*) hairy	Denmark	1791.	——	H	⊙	Flor. dan. t. 187.
	Salsòla hirsùta F.D.							
47	sálsum R.S.	(*gr*) Saltwort	Astracan	1782.	8. 9.	H	⊙	Jacq. vind. 3. t. 83.
48	spicàtum R.S.	(*gr*) spiked	Spain	1816.	8.10.	H	⊙	Cavan. ic. 3. t. 290.
49	setígerum R.S.	(*gr*) setiferous	———	——	——	H	⊙	DC. h. mons. ined. t. 87.
50	marítimum R.S.	(*gr*) sea blite	Britain	....	8.	H	⊙	Eng. bot. v. 9. t. 633.

TELO'XIS Tand. Telo'xis. (τελος, at length, and οξις, sharp.) Pentandria Digynia.

	aristàta Tand.	(*gr*) awned	Siberia	1771.	6. 9.	H	⊙	Gmel. sib. 3. t. 15. f. 1.
	Chenopòdium aristàtum L.							

ROUBIE'VA Tand. Roubie'va. (G. Roubieu, prof. bot. Monsp.) Pentandria Digynia.

	multífida Tand.	(*gr*) multifid	B. Ayres	1732.	6.10.	H	♃	Dill. elth. t. 66. f. 77.
	Chenopòdium multífidum L.							

A'TRIPLEX R.S. Orache. (*ater*, black; seeds.) Polygamia Monœcia.

1	Hálimus R.S.	(*wh*) tall shrubby	Spain	1640.	7. 8.	H	♄	Park. theat. 724. f. 2.
2	portulacoìdes R.S.	(*gr*) dwarf shrubby	Britain	....	——	H	♄	Eng. bot. v. 4. t. 261.
3	verruciferum R.S.	(*gr*) warted-fruited	Caucasus	1827.	——	H	♄	
4	álbicans R.S.	(*bh*) white	C. B. S.	1774.	6. 7.	G	♄	
5	renifórme B.P.	(*gr*) reniform	N. Holland	1824.	——	G	♄	
6	glaúcum W.	(*gr*) glaucous	S. Europe	1732.	7. 8.	F	♄	Dill. elt. t. 40. f. 46.
7	linifòlium K.S.	(*gr*) Flax-leaved	S. America	1819.	——	G	♄	
8	poly'gamum R.S.	(*gr*) polygamous	N. Spain	1826.	——	F	♄	
9	coriàceum R.S.	(*gr*) leathery	Egypt	1828.	6. 9.	F	♄	
10	ròseum R.S.	(*gr*) rose-like	S. Europe	1739.	6. 7.	H	⊙	Schk. hand. 3. t. 350.
11	foliòsum R.S.	(*gr*) leafy	Portugal	1824.	——	H	⊙	
12	sibíricum R.S.	(*wh*) Siberian	Siberia	1783.	7. 8.	H	⊙	Schk. hand. 3. t. 350.
13	tatáricum R.S.	(*gr*) Tartarian	Tartary	1778.	——	H	⊙	—— 3. p. 539. t. 349.
14	parvifòlium R.S.	(*gr*) small-leaved	Mexico	1827.	——	H	⊙	
15	montevidénse S.S.	(*gr*) Monte Video	Monte Video	——	——	H	⊙	
16	bengalénse R.S.	(*gr*) Bengal	E. Indies	....	——	H	⊙	
17	horténse R.S.	(*gr*) garden	Tartary	1548.	——	H	⊙	Blackw. t. 99 et 552.
	β intermèdium	(*re*) *intermediate*	———	——	——	H	⊙	
	γ rùbrum	(*re*) *red-garden*	———	——	——	H	⊙	
18	nìtens R.S.	(*gr*) glossy	Hungary	1746.	——	H	⊙	Schkuhr. hand. t. 348.
19	acuminàtum R.S.	(*gr*) acuminate	———	1820.	——	H	⊙	W. et K. hung. t. 103.
20	venètum R.S.	(*gr*) Venetian	Venice	——	——	H	⊙	
21	incànum R.S.	(*gr*) hoary-leaved	Spain	1818.	——	H	⊙	
22	álbum R.S.	(*gr*) white-leaved	Italy	1826.	——	H	⊙	
23	incìsum M.B.	(*gr*) cut-leaved	Tauria	1829.	——	H	⊙	
24	laciniàtum R.S.	(*gr*) frosted sea	Britain	....	——	H	⊙	Eng. bot. v. 3. t. 165.
25	crassifòlium Meyer	(*gr*) thick-leaved	Caucasus	1836.	——	H	⊙	
26	Besseriànum R.S.	(*gr*) Besser's	Hungary	1825.	——	H	⊙	
27	hastàtum R.S.	(*gr*) halberd-leaved	Europe	....	——	H	⊙	Flor. dan. t. 1286.
28	prostràtum DC.	(*gr*) prostrate	———	....	——	H	⊙	
29	obtùsum R.S.	(*gr*) blunt-leaved	Siberia	1825.	——	H	⊙	
30	microspérmum R.S.	(*w*) small-seeded	Hungary	1800.	——	H	⊙	W. et K. hung. t. 250.
31	oblongifòlium R.S.	(*gr*) oblong-leaved	———	——	——	H	⊙	——— t. 221.
32	pátulum R.S.	(*gr*) spreading	Britain	....	6. 9.	H	⊙	Eng. bot. v. 13. t. 936.
33	angustifòlium R.S.	(*gr*) narrow-leaved	———	....	6. 8.	H	⊙	——— v. 25. t. 1774.
34	eréctum R.S.	(*gr*) upright	England	....	8.	H	⊙	——— v. 31. 2223.
35	littoràle E.B.	(*gr*) grass-leaved	Britain	....	8. 9.	H	⊙	——— v. 10. t. 708.
36	pedunculàtum R.S.	(*gr*) pedunculated	England	....	7. 9.	H	⊙	——— v. 4. t. 232.
37	oppositifòlium R.S.	(*gr*) opposite-ld.	France	1827.	——	H	⊙	

38 verticillàtum R.S.	(gr) whorl-leaved	Spain	1822.	7. 9.	H ⊙		Cavan. H.R.M. t. 21.
39 sulcàtum R.S.	(gr) sulcate	.....	——	——	H ⊙		

LONDE'SIA F.M. LONDE'SIA. (W. Londes, a German bot.) Monœcia Pentandria.

criántha F.M.	(gr) hairy-flowered	Caspia	1836.	6. 8.	H ⊙		

BETA R.S. BEET. (*bett*, red, in Celt; root.) Pentandria Digynia.

1 vulgàris R.S.	(gr) common	S. Europe	1548.	7. 9.	H ♂		Schk. hand. 1. t. 56.
α *viridis*	(gr) *green*	———	——	——	H ♂		Plenck. off. t. 169.
β *rùbra*	(gr) *red*	———	——	——	H ♂		
γ *lùtea*	(gr) *yellow*	———	——	——	H ♂		Kern. abbild t. 235.
δ *macrorhìza*	(gr) *mangold-wortzel*	———	....	——	H ♂		
2 Cìcla R.S.	(gr) white	Portugal	1570.	——	H ♂		Plenck. off. t. 170.
3 crispa R.S.	(gr) curled-leaved	.....	....	——	H ♂		
4 trígyna R.S.	(wh) Hungarian	Hungary	1796.	7. 8.	H ♃		W. et K. hung. 1. t. 35.
5 marítima E.B.	(gr) sea-side	Britain	....	6. 8.	H ♃		Eng. bot. v. 4. t. 285.
6 macrorhìza R.S.	(gr) large-rooted	Caucasus	1827.	——	H ♃		
7 orientàlis Roth. *foliòsa* E.	(gr) leafy	Egypt	1826.	7. 9.	H ⊙		
8 pátula R.S.	(gr) spreading	Madeira	1778.	8. 9.	G ♂		

AGATHOPHY'TUM Tand. AGATHOPHY'TUM. (αγαθος, good, and φυτον, a plant.) Pentand. Digy.

Bònus Henrìcus Tand. *Chenopòdium Bònus Henrìcus* L.	(gr) Eng. Mercury	Britain	....	5. 8	H ♃		Eng. bot. t. 1033.

SPINA'CIA W. SPINAGE. (*spina*, a spine; fruit.) Diœcia Pentandria.

oleràcea W.	(gr) common	.....	1568.	3.10.	H ⊙		Sck. hand. 3. t. 324.
α *spinòsa* W.	(gr) *prickly*	.....	——	——	H ⊙		
β *inérmis*	(gr) *round*	.....	——	——	H ⊙		

ACNI'DA W. VIRGINIAN HEMP. (α, priv., and κνιδη, a nettle; like.) Diœcia Pentandria.

1 cannábina W.	(gr) common	N. America	1640.	6. 7.	H ⊙		
2 ruscocárpa W.	(gr) rugged-capsuled	Virginia	1824.	——	H ⊙		Mich. fl. amer. 2. t. 50.

BO'SEA R.S. GOLDEN-ROD. (E. G. Bosse, of Leipsic.) Pentandria Digynia.

yervamòra R.S.	(br) tree	Canaries	1728.	6. 9.	G ♄		Jacq. f. eclog. t. 25.

CORISPE'RMUM L. TICK-SEED. (κορις, a bug, and σπερμα, a seed; like.) Monandria Digynia.

1 hyssopifòlium R.S.	(wh) Hyssop-leaved	Europe	1739.	7.	H ⊙		Flor. græc. 1. t. 1.
2 nítidum R.S.	(wh) glossy	Hungary	1827.	8. 9.	H ⊙		
3 Redówskii R.S.	(wh) Redowski's	Caucasus	1828.	——	H ⊙		
4 spicàtum R.S.	(wh) spiked	.....	——	——	H ⊙		
5 canéscens R.S.	(wh) canescent	Hungary	1822.	7. 9.	H ⊙		
6 intermèdium R.S.	(wh) intermediate	Prussia	——	——	H ⊙		
7 ténue L.en.	(wh) slender	.....	1823.	——	H ⊙		
8 squarròsum R.S.	(wh) rough-spiked	Russia	1759.	8. 9.	H ⊙		Pall. ross. 2. t. 99.
9 bracteàtum Viv.	(wh) bracteated	Africa	1835.	——	H ⊙		
10 Pallàsii Stev.	(wh) Pallas's	Siberia	——	——	H ⊙		
11 polygaloìdes F.M.	(wh) Milkwort-like	.....	——	——	H ⊙		
12 Marschállii R.S.	(wh) Marschall's	Caucasus	1829.	——	H ⊙		
13 latifòlium Lk.	(wh) broad-leaved	———	1826.	——	H ⊙		
14 sabulòsum Led.	(wh) gravel	Siberia	1827.	——	H ⊙		

BLI'TUM R.S. STRAWBERRY-BLITE. (*blith*, sweet; Celtic.) Monandria Digynia.

1 capitàtum R.S.	(re) berry-headed	Austria	1633.	5. 8.	H ⊙		Poit. et T. fl. p. 1. t. 2.
2 virgàtum R.S.	(re) slender	S. Europe	1680.	5. 9.	H ⊙		Bot. mag. t. 276.
3 petiolàre L.en.	(re) petiolate	.....	1818.	——	H ⊙		
4 chenopodioìdes R.S.	(gr) Goosefoot-like	.....	1826.	——	H ⊙		
5 marítimum N.	(gr) sea-side	N. America	1823.	——	H ⊙		

CERATOCA'RPUS L. CERATOCA'RPUS. (κερας, a horn, and καρπος, a fruit.) Monœc. Monand.

arenàrius L.	(gr) sand	Tartary	1757.	6. 7.	H ⊙		Buxb. in act. pet. 1. t. 9.

BOUSSINGA'LTIA K.S. BOUSSINGA'LTIA. (M. Boussingalt, cel. nat. and trav.) Monœc. Mon.

baselloìdes Kth.	(wh) Basella-like	B. Ayres	1835.	6. 8.	G ♃		Bot. mag. t. 3620.

SALICO'RNIA L. GLASSWORT. (Salicor, in Languedoc.) Monandria Monogynia.

1 herbàcea S.S.	(gr) marsh	Britain	....	8. 9.	H ⊙		Eng. bot. v. 6. t. 415.
2 procúmbens E.B.	(gr) procumbent	England	....	——	H ⊙		——— v. 35. t. 2475.
3 radìcans E.B.	(gr) rooting	Britain	....	9.	H ♃		——— v. 24. t. 1691.
4 pygmæ'a R.S.	(gr) small	Caucasus	1827.	——	H ⊙		
5 perénnans R.S.	(gr) perennial	Siberia	1823.	8. 9.	H ♃		Pall. it. 1. ap. T. D. f. 1.
6 fruticòsa E.B.	(gr) shrubby	Britain	....	——	H ♄		Eng. bot. v. 35. t. 2467.
7 arábica R.S.	(gr) Arabian	Arabia	1758.	——	G ♄		Moris. s. 2. t. 33. f. 7.
8 foliòsa R.S.	(gr) leafy	Siberia	1827.	——	H ♄		

HALOCNE'MUM M.B. HALOCNE'MUM. (ἁλς, the sea, and κνημη, a knee.) Monandria Digynia.

caspícum R.S.	(gr) Caspian	Caucasus	1827.	7. 8.	H ♄		Pall. it. 1. ap. t. A. f. 2.

POLYCNE'MUM R.S. POLYCNE'MUM. (πολυ, many, and κνημη, a knee; joints.) Trian. Mon.

1 arvénse R.S.	(wh) trailing	S. Europe	1640.	7.	H ⊙		Jacq. aust. 4. t. 365.
2 recúrvum R.S.	(wh) recurved-ld.	Switzerland	1824.	7. 8.	H ⊙		

HALIMOCNE'MIS Led. HALIMOCNE'MIS. (ἅλς, the sea, and κνημη, a knee.) Triandria Digynia.

1 volvox Mey.	(*gr*) saltwort	Tartary	1828. 7. 8.	H ⊙		Pall. ill. t. 50.
Polycnèmum sáltum M.B.						
2 sibíricum R.S.	(*wh*) Siberia	Siberia	1829. ——	H ⊙		Pall. ill. t. 51.
3 oppositifòliumR.S.	(*wh*) opposite-ld.	Tartary	1820. ——	H ⊙		Pall. it. ap. T. E. f. 2.
4 crassifòlium R.S.	(*wh*) thick-leaved	Astracan	1828. ——	H ⊙		Pall. ill. t. 55.
5 sclerospérmum R.S.	(*w*) hard-seeded	———	1821. ——	H ⊙		——— t. 56.
6 pubéscens Led.	(*wh*) pubescent	Siberia	1827. ——	H ⊙		

CAMPHORO'SMA L. CAMPHORO'SMA. (smelling of camphor.) Tetrandria Monogynia.

1 monspeliacum W.	(*wh*) hairy	S. Europe	1640. 8. 9.	G ♄		Schk. hand. 1. t. 26.
perénne Pall. ill. pl. imp. cogn. t. 57.						
2 ovàtum R.S.	(*wh*) Hungarian	Hungary	1823. ——	H ⊙		W. et K. hung. 1. t. 63.

PANDE'RIA F.M. PANDE'RIA. (C. H. Pander, a naturalist.) Pentandria Digynia.

pilòsa F.M.	(*gr*) hairy	Caucasus	1836. 6. 8.	H ⊙		

GALE'NIA W. GALE'NIA. (C. Galenus, a cel. physician.) Octandria Digynia.

africàna W.	(*pa*) African	C. B. S.	1752. 6. 8.	G ♄		Lam. ill. t. 314.

A'XYRIS W. A'XYRIS. (αξυρος, rough.) Monœcia Triandria.

1 amaranthoìdes W.	(*gr*) simple-spiked	Siberia	1758. 6. 7.	H ⊙		Gmel. sib. t. 2. f. 2.
2 hy'brida W.	(*gr*) bastard	———	1780. 6. 8.	H ⊙		——— t. 4. f. 1.
3 prostràta W.	(*gr*) trailing	———	1798. 7. 8.	H ⊙		——— t. 3. f. 2.

DIO'TIS W. DIO'TIS. (δις, twice; ους, an ear.) Monœcia Tetrandria.

ceratoìdes W.	(*wh*) shrubby	Siberia	1780. 8.	H ♄		Jacq. ic. 1. t. 189.
A'xyris ceratoìdes Jacq. *Ceratospérmum pappòsum* P.S.						

ORDER CXC.

BEGONIA'CEÆ. *Ventenat. et Don prodr. p.* 223.

BEGO'NIA L. BEGO'NIA. (Michel Begon, a promoter of bot.) Monœcia Polyandria.

1 nítida S.S.	(*bh*) shining-leaved	Jamaica	1777. 5.12.	S ♄		Sal. par. lond. t. 72.
2 dichótoma S.S.	(*wh*) forked	Caracas	1800. 7. 8.	S ♄		Jacq. ic. 3. t. 619.
3 renifórmis S.S.	(*wh*) kidney-leaved	Brazil	1823. ——	S ♄		Bot. mag. t. 3225.
4 spathulàta S.S.	(*wh*) spatula-ld.	W. Indies	1813. 8.10.	S ♄		Lodd. bot. cab. t. 17.
5 odoràta S.S.	(*wh*) sweet-scented	S. America	1823. 6. 8.	S ♄		
6 sanguínea B.M.	(*pi*) bloody	Brazil	1828. 6.10.	S ♃		Bot. mag. t. 3520.
7 Sellòii L.O.	(*wh*) Sello's	———	—— ——	S ♄		
8 lóngipes B.M.	(*wh*) long-stalked	Mexico	—— 3. 8.	S ♄		Bot. mag. t. 3001.
9 undulàta B.M.	(*wh*) wave-leaved	Brazil	1825. 8.12.	S ♄		——— t. 2723.
10 semperflòrens B.C.	(*w*) ever-blowing	Mexico	1829. 1.12.	S ♄		Lodd. bot. cab. t. 1439.
11 Hookèri Swt.	(*pi*) Hooker's	.....	1827. ——	S ♄		Bot. mag. t. 2920.
semperflòrens B.M. *non* B.C.						
12 dísticha S.S.	(*wh*) distichous	S. America	1820. 6. 8.	S ♄		
13 macrophy'lla S.S.	(*bh*) large-leaved	Jamaica	1793. 5. 9.	S ♄		
14 hirtélla S.S.	(*wh*) fringed	W. Indies	1818. ——	S ♄		
15 Evansiàna A.R.	(*pi*) Evans's	China	1804. ——	S ♃		Bot. mag. t. 1473.
discolor H.K. *published* 1813. *Evansiàna* A.R. *published* 1811. B.M. 1812.						
16 pícta Sm.	(*pi*) painted	Nepaul	1823. 5. 9.	S ♃		Bot. mag. t. 2962.
17 heracleifòlia S.C.	(*wh*) Heracleum-ld.	Mexico	1831. 4. 5.	S ♃		Bot. reg. t. 1668.
18 palmàta D.P.	(*pi*) palmated	Nepaul	1825. 5. 9.	S ♃		
19 vitifòlia L.O.	.. Vine-leaved	Brazil	1829.	S ♄		
20 platanifòlia L.O.	(*wh*) Plane-leaved	———	—— 5. 9.	S ♄		Bot. mag. t. 3591.
21 diversifòlia B.M.	(*pi*) various-leaved	Mexico	1827. 9.12.	S ♄		——— t. 2966.
22 villòsa B.R.	(*wh*) villous	Brazil	—— 8.10.	S ♄		Bot. reg. t. 1252.
23 paucifòra B.R.	(*bh*) few-flowered	W. Indies	1816. 5. 9.	S ♄		——— t. 471.
24 pátula H.S.S.	(*bh*) spreading	Brazil	1811. ——	S ♄		
25 geraniifòlia B.M.	(*re*) Geranium-ld.	Lima	1833. 9.	S ♃		Bot. mag. t. 3387.
26 multibulbillòsa Mart.	bulbillose	Brazil	1830. 5. 9.	S ♃		——— t. 3444.
27 bulbífera L.O.	(*pi*) bulb-bearing	———	1829. 9.11.	S ♃		
28 monóptera L.O.	(*wh*) one-winged	———	1826. ——	S ♃		Bot. mag. t. 3564.

29	tuberòsa S.S.	(*pi*) tuberous	Amboyna	1810.	7. 9.	S	♃	Rumph.am.5.t.169.f.2.
30	acutifòlia S.S.	(*wh*) acute-leaved	W. Indies	1822.	——	S	♄	Sloan. jam. t. 127.f.1.2.
31	acuminàta S.S.	(*wh*) pointed-leaved	Jamaica	1790.	5.12.	S	♄	Bot. reg. t. 364.
32	lùcida H.R.	(*wh*) polished	Trinidad	1820.	——	S	☉	
33	argyrostígma B.R. *maculàta* S.S.	(*pi*) silver-spotted	Brazil	1819.	7. 9.	S	♄	Bot. reg. t. 666.
34	petalòdes B.R.	(*wh*) petaloid	——	1832.	4. 5.	S	♃	Bot. reg. t. 1757.
35	dipétala B.M.	(*pi*) two-petalled	E. Indies	1826.	4. 8.	S	♄	Bot. mag. t. 2849.
36	papillòsa B.M.	(*pi*) papillose	S. America	1823.	——	S	♄	—— t. 2846.
37	Fischeri B.M.	(*wh*) Fischer's	Brazil	1835.	2. 3.	S	♄	—— t. 3532.
38	Meyèrii H. Berl.	(*wh*) Meyer's	——	1838.	——	S	♄	
39	castaneæfòlia H.Berl.	(*bh*) Chesnut-ld.	——	——	——	S	♄	
40	fagifòlia H.Berl.	(*bh*) Beech-leaved	——	——	——	S	♄	
41	Drègii H. Berl.	(*bh*) Drege's	——	——	——	S	♄	
42	insígnis B.M.	(*pi*) handsome	——	1828.	1.12.	S	♄	Bot. mag. t. 2900.
43	incarnàta L.O.	(*pi*) flesh-coloured	——	1829.	——	S	♄	
44	Martiàna L.O.	(*pi*) Martius's	——	——	——	S	♄	
45	octopétala B.M.	(*wh*) eight-petalled	Lima	1835.	10.11.	S	♃	Bot. mag. t. 3559.
46	suavèolens B.C.	(*wh*) fragrant	W. Indies	1816.	5. 9.	S	♄	Lodd. bot. cab. t. 69.
47	hùmilis H.R.P.	(*wh*) dwarf	——	1788.	10.	S	♂	Hook. ex. flor. t. 17.
48	hirsùta R.S.	(*wh*) shaggy-leaved	——	1789.	5. 6.	S	♂	Aub. gui. 2. t. 348.
49	ulmifòlia S.S.	(*bh*) Elm-leaved	S. America	1820.	6. 1.	S	♄	Hook. ex. flor. t. 57.
50	scándens S.S.	(*gr*) climbing	Jamaica	1824.	7. 8.	S	♄ ◡	Aub. gui. 2. t. 349.
51	Sinuàta B.M.	(*wh*) sinuated	Brazil	1836.	5. 7.	S	♄	Bot. mag. t. 3731.

ORDER CXCI.

POLYGO'NEÆ. *Brown prodr. p.* 419.

COCCO'LOBA L. SEASIDE-GRAPE. (κοκκος, a berry, and λοβος, a pod.) Octandria Trigynia.

1	uvífera S.S.	(*wh*) round-leaved	W. Indies	1690.	....	S	♄	Bot. mag. t. 3130.
2	pubéscens S.S.	(*wh*) downy	——	——	....	S	♄	—— t. 3166.
3	excoriàta S.S.	(*wh*) oval-leaved	——	1733.	....	S	♄	Plum. ic. t. 146. f. 1.
4	nívea S.S.	(*st*) snowy	Jamaica	1826.	....	S	♄	
5	punctàta S.S.	(*wh*) spear-leaved	W. Indies	1733.	....	S	♄	Jacq. amer. 144. t. 77.
6	laurifòlia W.en.	(*wh*) Laurel-leaved	S. America	1816.	8. 9.	S	♄	
7	diversifòlia S.S.	(*wh*) different-ld.	Hispaniola	——	——	S	♄	Hook. ex. flor. t. 102.
8	obtusifòlia S.S.	(*wh*) blunt-leaved	S. America	1823.	....	S	♄	Jacq. amer. t. 74.
9	microstàchya S.S.	(*wh*) small-spiked	W. Indies	——	....	S	♄	
10	vìrens B.R.	(*ye*) green	——	——	8.	S	♄	Bot. reg. t. 1816.
11	barbadénsis S.S.	(*wh*) Barbadoes	Barbadoes	1790.	....	S	♄	Jacq. obs. 1. t. 8.
12	latifòlia S.S.	(*wh*) broad-leaved	S. America	1812.	....	S	♄	Lam. ill. t. 316. f. 4.
13	acuminàta K.S.	(*wh*) sharp-pointed	——	1824.	....	S	♄	
14	longifòlia L.en.	(*wh*) long-leaved	——	1818.	....	S	♄	
15	tenuifòlia S.S.	(*wh*) small-leaved	Jamaica	1824.	....	S	♄	Brown. jam. 210. f. 3.

SARCO'GONUM G.D. SARCO'GONUM. (on account of fleshy berries.) Polygamia Monœcia.

	adprésum G.D.	adpressed	N. S. W.	1822.	5. 9.	G	♄ ◡	Bot. mag. t. 3145.

Poly'gonum adprésum B.P.

BRUNNI'CHIA S.S. BRUNNI'CHIA. (M. T. Brunnich, a Danish nat.) Decandria Trigynia.

	cirrhòsa S.S.	(*gr*) Carolina	Carolina	1787.	....	G	♄ ◡	Gært. s. 1. t. 48. f. 2.

POLY'GONUM L. PERSICARIA. (πολυ, many, and γονυ, a knee; joints.) Tetr-Oct. Di-Trig.

§ 1. *Flowers octandrous, trigynous, spicate.*

1	Bistórta W.	(*pi*) Snake-weed	Britain	....	5. 9.	H	♃	Eng. bot. v. 8. t. 509.
2	bistortoìdes Ph.	(*bh*) Snakeweed-like	N. America	1828.	6. 7.	H	♃	
3	amplexicaúle D.P.	(*re*) stem-clasping	Nepaul	1837.	——	H	♃	
4	injucúndum B.R.	(*st*) unattractive	.....	1825.	5. 6.	G	♄	Bot. reg. t. 1250.
5	vivíparum E.B.	(*pi*) alpine bistort	Britain	....	5. 9.	H	♃	Eng. bot. v. 10. t. 669.
6	petiolàtum D.P.	(*pi*) petiolate	Nepaul	1823.	——	H	♃	
7	macrophy'llum D.P.	(*pu*) large-leaved	——	1822.	——	H	♃	
8	affi'ne D.P.	(*so*) related	——	1823.	——	H	♃	

§ 2. *Flowers octandrous, trigynous, racemose.*

9	mìte P.S.	(*li*) tasteless	N. America	1818.	6. 9.	H	⊙		
10	hydropiperoìdes Ph.	(*w*) acrid	———	1824.	——	H	⊙		
11	tenuiflòrum S.S.	(*li*) slender-flower'd	Sicily	1826.	——	H	♃		
12	scándens W.	(*pi*) climbing	N. America	1749.	7. 9.	H	♃	◡	Pluk. alm. t. 177. f. 7.
13	Fagopy'rum W.	(*pi*) Buck-wheat	England	....	7. 8.	H	⊙		Eng. bot. v. 15. t. 1044.
14	emarginàtum W.	(*pi*) Indian buck-wheat	Nepaul	1796.	——	H	⊙		Bot. reg. t. 1065.
15	tatáricum W.	(*gr*) Tartarian	Siberia	1759.	——	H	⊙		Gmel. sib. 3. t. 13. f. 1.
16	Convólvulus W.	(*bh*) common climbing	Britain	....	5. 9.	H	⊙	◡	Eng. bot. v. 15. t. 941.
17	dumetòrum W.	(*li*) bush	England	....	——	H	⊙	◡	——— t. 2811.

§ 3. *Flowers octandrous, trigynous, glomerate.*

18	sagittàtum W.	(*wh*) arrow-leaved	N. America	1759.	7. 8.	H	⊙		Bart. fl. amer. t. 101.
19	pàtens D.P.	(*pi*) spreading	Nepaul	1823.	——	H	♃		

§ 4. *Flowers octandrous, trigynous, panicled.*

20	élegans S.S.	(*wh*) elegant	Naples	1824.	——	H	♄		
21	alpinum W.	(*wh*) Alpine	Italy	1816.	——	H	♃		Bocc. mus. 2. t. 27.
22	undulàtum W.	(*wh*) wave-leaved	Siberia	1789.	6. 7.	H	♃		Gmel. sib. 3. t. 10.
23	divaricàtum W.	(*wh*) divaricated	———	1759.	7. 8.	H	♃		——— 3. t. 11. f. 1.
24	salígnum W.	(*wh*) Willow-like	———	1816.	5. 8.	H	♃		
25	acídulum W.	(*wh*) narrow-leaved	———	——	6. 7.	H	♃		
26	cymòsum S.S.	(*wh*) cyme-flowered	Naples	1827.	7. 9.	H	♃		

§ 5. *Flowers octandrous, trigynous, axillary.*

27	aviculàre E.B.	(*ro*) Knot-grass	Britain	....	4.10.	H	⊙		Eng. bot. t. 1252.
28	Ràii E.B.	(*re*) Ray's	England	....	——	H	⊙		——— t. 2805.
29	Dryándri S.S.	(*bh*) Dryander's	E. Indies	1796.	4. 8.	H	⊙		

élegans H.K. *nec aliorum.*

30	arenàrium W.K.	(*pu*) sand	Hungary	1807.	5. 8.	H	⊙		W. et K. hung. t. 67.
31	ramòsum L.en.	(*wh*) branching	Siberia	1822.	6. 8.	H	♃		
32	littoràle L.en.	(*wh*) sea-side	S. Europe	1816.	5. 8.	H	♄		
33	Bellárdi P.S.	(*wh*) Bellardi's	———	1822.	——	H	♃		All. ped. t. 90. f. 2.
34	pátulum M.B.	(*wh*) spreading-branch'd	Tauria	——	——	H	♃		
35	marítimum W.	(*wh*) sea-shore	England	....	6. 8.	H	♄		Eng. bot. t. 2804.
36	alpéstre Mey	(*wh*) alp	Caucasus	1836.	——	H	⊙		
37	acetòsum M.B.	(*li*) Sorrel-leaved	Astracan	1823.	——	H	♃		
38	eréctum W.	(*wh*) upright	N. America	1792.	7. 8.	H	♃		
39	linifòlium B.A.	(*bh*) Flax-leaved	———	1824.	6. 8.	H	⊙		Bart. fl. amer. 3. t. 95. f.
40	herniarioìdes S.S.	(*wh*) Egyptian	Egypt	1822.	——	F	♄		

§ 6. *Flowers octandrous, digynous.*

41	pensylvánicum W.	(*ro*) Pensylvanian	N. America	1819.	7. 8.	H	⊙		

§ 7. *Flowers heptandrous, digynous.*

42	orientàle W.	(*re*) common	E. Indies	1707.	7.10.	H	⊙		Bot. mag. t. 213.
	β *álbum*	(*wh*) *white-flowered*	———	....	——	H	⊙		

§ 8. *Flowers heptandrous, trigynous.*

43	barbàtum S.S.	(*re*) bearded	China	1822.	6. 9.	F	♃		Rheed. mal. 12. t. 77
44	decípiens B.P.	(*ro*) decipient	N. S. W.	——	7. 8.	G	♃		
45	plebèium B.P.	(*bh*) linear-leaved	———	——	——	G	♃		
46	Persicària	(*li*) spotted	Britain	....	——	H	⊙		Eng. bot. v. 11. t. 7
47	lapathifòlium S.S.	(*gr*) Dock-leaved	———	....	7.10.	H	⊙		——— v. 20. t. 13
48	láxum E.B.	(*gr*) loose	England	....	——	H	⊙		Eng. bot. t. 2822.
49	incànum W.en.	(*li*) hoary	Germany	1804.	——	H	⊙		Schrank. bav. 1. t. 3.
50	persicarioìdes K.S.	(*w*) Mexican	Mexico	1825.	——	H	♃		
51	Hydrópiper E.B.	(*gr*) Water pepper	Britain	....	7. 9.	H	⊙		Eng. bot. v. 14. t. 9
52	glàbrum W.	(*gr*) smooth	E. Indies	1822.	——	S	♃		
53	mìnus E.B.	(*li*) slender	England	....	——	H	⊙		Eng. bot. v. 15. t. 1
54	rèpens	(*wh*) rooting-branch'd	Fulham	....	8.10.	H	⊙		
55	tortuòsum D.P.	(*wh*) twisting	Nepaul	1824.	7.10.	F	♃		
56	equisetifórme S.S.	(*wh*) Equisetum-like	Britain	....	——	H	⊙		Flor. græc. t. 364.
57	oxyspérmum Led.	(*w*) sharp-seeded	Siberia	1827.	——	H	♃		
58	arifòlium W.	(*bh*) Arum-leaved	N. America	1816.	5.10.	H	⊙		Bart. fl. amer. t. 10

§ 9. *Flowers pentandrous, trigynous.*

59	ocreàtum W.	(*bh*) spear-leaved	Siberia	1780.	6. 9.	H	♃		Gmel. sib. 3. t. 8.

§ 10. *Flowers pentandrous, digynous.*

60	virginiànum W.	(*pa*) Virginian	N. America	1640.	8. 9.	H	♃		Park. theat. 857. f.
61	amphíbium W.	(*ro*) amphibious	Britain	....	6. 8.	H	*w* ♃		Eng. bot. v. 7. t. 4

§ 11. *Flowers tetrandrous.*

62	grácile B.P.	(*pi*) slender-stalked	N. S. W.	1822.	——	G	♃		
63	acetosæfòlium P.S.	(*re*) Brazilian	Brazil	——	——	S	♄	◡	Venten. cels. t. 86.

AMPELY'GONUM B.R. Ampely'gonum. (*αμπελος*, a vine, and *γονυ*, a joint.) Decand. Trigy.

1	chinénse B.R.	(*st*) Chinese	China	1795.	7. 8.	H	⊙ ◡	Burm. ind. t. 30. f. 3.
	Poly'gonum chinénse Meisner.							
2	tinctòrium B.R.	(*re*) dyers	———	1776.	——	H	♂ ◡	

TRAGOPY'RUM M.B. Tragopy'rum. (*τραγος*, a goat, and *πυρος*, wheat.) Octandria Trigynia.

1	lanceolàtum M.B.	(*pi*) spear-leaved	Siberia	1770.	7. 8.	H	♄	Bot. reg. t. 255.
	Poly'gonum frutéscens B.R.							
2	buxifòlium M.B.	(*pi*) Box-leaved	Caucasus	1800.	——	H	♄	Bot. mag. t. 1065.
	Poly'gonum críspulum B.M.							

ATRAPHA'XIS L. Atrapha'xis. (*α* priv. and *τρεφω*, to nourish.) Hexandria Digynia.

1	spinòsa S.S.	(*gr*) prickly	Levant	1732.	8.	H	♄	L'Herit. stirp. 1. t. 14.
2	undulàta S.S.	(*gr*) waved-leaved	C. B. S.	——	6. 7.	G	♄	Dill. elt. t. 32. f. 36.

OXY'RIA Sm. Mountain Sorrel. (*οξυς*, sharp; taste.) Hexandria Digynia.

	renifórmis Sm.	(*gr*) kidney-leaved	Britain	....	6. 7.	H	♃	Eng. bot. v. 13. t. 910.
	Rùmex dìgynus E.B.							

RU'MEX L. Dock. (*rumo*, to suck; sorrel.) Hexandria Trigynia.

§ 1. *Flowers hermaphrodite; valves marked by a granule.*

1	Hydrolápathum S.S.	(*gr*) great-water	Britain	....	7. 8.	H	*w* ♃	Eng. bot. v. 30. t. 2104.
	aquáticus E.B.							
2	Británnica S.S.	(*gr*) Virginian	N. America	....	6. 7.	H	♃	
3	máximus S.S.	(*gr*) great	Europe	....	——	H	♃	
4	acùtus E.B.	(*gr*) sharp	Britain	....	——	H	♃	Eng. bot. v. 11. t. 724.
5	Nemolápathum W.	(*gr*) flat-valved	Europe	1816.	——	H	♃	
6	nemoròsus W.en.	(*gr*) wood	———	——	——	H	♃	
7	sanguíneus E.B.	(*gr*) bloody-veined	England	....	——	H	♃	Eng. bot. v. 22. t. 1533.
8	condylòdes M.B.	(*gr*) spreading	Caucasus	1823.	——	H	♃	
9	crispus E.B.	(*gr*) curled	Britain	....	——	H	♃	Eng. bot. v. 28. t. 1998.
10	Patiéntia W.	(*gr*) Patience	Italy	1573.	——	H	♃	
11	confértus W.en.	(*gr*) close-leaved	———	1816.	——	H	♃	
12	brasiliénsis L.en.	(*gr*) Brazilian	Brazil	1823.	——	G	♃	
13	verticillàtus S.S.	(*gr*) whorled	N. America	1818.	——	H	♃	
14	spathulàtus P.S.	(*gr*) spatulate-leaved	C. B. S.	1824.	8. 2.	G	♃	
15	purpùreus P.S.	(*gr*) purple-veined	Europe	....	6. 7.	H	♃	
16	lineàris S.S.	(*gr*) linear-leaved	C. B. S.	1824.	8.12.	G	♃	
17	salicifòlius S.S.	(*gr*) Willow-leaved	California	1821.	7.10.	F	♃	
18	lævigàtus S.S.	(*gr*) smooth	.....	1828.	——	H	♃	
19	sylvéstris S.S.	(*gr*) wood	Germany	1826.	6. 8.	H	♃	
20	obtusifòlius E.B.	(*gr*) broad-leaved	Britain	....	——	H	♃	Eng. bot. v. 28. t. 1999.
21	nepalénsis S.S.	(*gr*) Nepalese	Nepaul	1823.	——	H	♃	
22	palústris E.B.	(*ye*) yellow marsh	England	....	7. 8.	H	♃	Eng. bot. v. 27. t. 1932.
23	marítimus E.B.	(*ye*) sea-side	Britain	....	——	H	♃	——— v. 11. t. 725.
24	divaricàtus W.	(*gr*) divaricate	Italy	1793.	——	H	♃	Till. pis. t. 37. f. 2.
25	stríctus L.en.	(*gr*) upright	.....	1824.	——	H	♃	
26	reticulàtus Bess.	(*gr*) reticulated	Podolia	——	——	H	♃	
27	persicarioìdes W.	(*gr*) Persicaria-like	N. America	1773.	6. 7.	H	♃	
28	dentàtus W.	(*gr*) dentated	Egypt	1732.	7. 8.	H	⊙	Dill. elt. t. 158. f. 191.
29	ægyptìacus W.	(*gr*) Egyptian	———	1734.	6. 7.	H	⊙	Till. pis. t. 37. f. 1.
30	ucránicus S.S.	(*gr*) Ukraine	Ukraine	1820.	——	H	⊙	
31	crispátulus M.	(*gr*) curled-leaved	N. America	——	——	H	⊙	
32	cristàtus DC.	(*gr*) crested	.....	——	——	H	♃	
33	púlcher E.B.	(*gr*) fiddle	Britain	....	6. 8.	H	♃	Eng. bot. v. 22. t. 1576.

§ 2. *Flowers hermaphrodite; valves destitute of a granule.*

34	aquáticus S.S.	(*gr*) water	Europe	1818.	6. 8.	H	*w* ♃	
35	scutàtus W.	(*gr*) French sorrel	France	1596.	6. 7.	H	♃	Jacq. ic. 1. t. 67.
36	hastifòlius M.B.	(*gr*) hastate-leaved	Caucasus	1816.	——	H	♃	
37	vesicàrius W.	(*gr*) bladder	Africa	1656.	7. 8.	H	⊙	Moris. s. 5. t. 28. f. 7.
38	tingitànus W.	(*gr*) Tangier	Barbary	1680.	6. 8.	H	♃	Zanon. hist. 9. t. 6.
39	longifòlius K.S.	(*gr*) long-leaved	S. America	1827.	7.10.	F	♃	
40	sarcorhìzus L.en.	(*gr*) fleshy-rooted	C. B. S.	1824.	8.12.	G	♃	
41	Burchéllii S.S.	(*gr*) Burchell's	———	1816.	8.10.	G	♄	
42	Lanària W.	(*gr*) tree	Canaries	1698.	6. 7.	G	♄	Pluk. alm. t. 252. f. 3.
43	orientàlis Bern.	(*gr*) oriental	Levant	1821.	7. 9.	H	♃	
44	conspérsus Ot.	(*gr*) scattered	.....	1824.	——	H	♃	
45	domésticus S.S.	(*gr*) various-leaved	Sweden	1823.	——	H	♃	
46	ròseus W.	(*gr*) rose	Egypt	1737.	7. 8.	H	⊙	
47	làcerus S.S.	(*gr*) torn-leaved	———	1825.	——	H	⊙	
48	bucephalóphorus	(*gr*) Basil-leaved	Italy	1683.	6.	H	⊙	Cavan. ic. 1. t. 41. f. 1.
49	fimbriàtus S.S.	(*gr*) fringe-valved	C. B. S.	1816.	7. 9.	G	♃	

50	Brównii s.s.	(gr)	Brown's fringed	N. S. W.	1824.	7. 9.	G	♃	
	§ 3. *Flowers bisexual.*								
51	Acetòsa e.b.	(gr)	common Sorrel	Britain	....	6. 8.	H	♃	Eng. bot. v. 2. t. 127.
52	Acetoséllа e.b.	(st)	sheep's Sorrel	———	....	5. 7.	H	♃	——— v. 24. t. 1674.
53	abyssínicus Jacq.	(gr)	Abyssinian	Abyssinia	1823.	——	G	♄	Jacq. vind. 3. t. 98.
54	tuberòsus w.	(gr)	tuberous-rooted	S. Europe	1752.	6. 8.	H	♃	
55	arifòlius s.s.	(gr)	Arum-leaved	Africa	1775.	12.4.	G	♄	
56	triangulàris dc.	(gr)	triangular-ld.	S. Europe	1824.	——	F	♃	
57	amplexicaúlis s.s.	(gr)	stem-clasping	Pyrenees	1816.	6. 8.	H	♃	
58	luxùrians s.s.	(gr)	luxuriant	S. Europe	....	——	H	♃	
59	alpìnus w.	(gr)	alpine	France	1597.	6. 7.	H	♃	Zorn ic. 261.
60	frutéscens s.s.	(gr)	frutescent	Tristan d'Ac.	1816.	6. 9.	G	♄	
61	gigantèus h.k.	(gr)	tall	Sandwich I.	1796.	6. 8.	G	♃	

E'MEX S.S. E'MEX. (etymology unknown.) Hexandria Trigynia.

	spinòsus s.s.	(gr)	spiny-seeded	Candia	1656.	6. 7.	H	⊙	
	Rùmex spinòsus w.								

PTEROSTE'GIA Fch. PTEROSTE'GIA. (πτερον, a wing, and στεγος, a covering.) Hexand. Trigy.

	drymarioìdes f.m.	(gr.wh)	Drymaria-like	California	1835.	6. 8.	H	⊙	

PODO'PTERUS K.S. PODO'PTERUS. (πους, a foot, and πτερον, a wing.) Hexandria Trigynia.

	mexicànus k.s.	(wh)	Mexican	Mexico	1825.	....	G	♄	H. et B. pl. am. 2. t. 107.

TRI'PLARIS K.S. TRI'PLARIS. (*triplex*, triple; parts of flower.) Dicœcia Enneandria.

	americàna k.s.	(ro.pu)	American	S. America	1823.	5. 8.	S	♄	Jacq. amer. 13. t. 173. f. 5.

RHE'UM L. RHUBARB. (Rha, the Volga; first brought from there; or ρεω, to flow.) Enneand. Trigy.

1	Rhapónticum w.	(wh)	common	Asia	1573.	5. 6.	H	♃	Sabb. hort. 1. t. 34.
2	undulàtum w.	(wh)	wave-leaved	China	1734.	——	H	♃	L. amœn. acad. 3. t. 4.
3	críspum And.	(wh)	curl-leaved	.....	1820.	——	H	♃	
4	compáctum w.	(wh)	thick-leaved	Tartary	1758.	——	H	♃	Mill. ic. 2. t. 218.
5	tatáricum w.	(wh)	Tartarian	———	1793.	——	H	♃	
6	hy'bridum w.	(wh)	bastard	Asia	1778.	——	H	♃	Murr. c. gott. t. 1.
7	austrìacum And.	(wh)	Austrian	Austria	1819.	——	H	♃	
8	sibíricum And.	(wh)	Siberian	Siberia	——	——	H	♃	
9	leucorhìzum f.	(st)	white-rooted	———	1827.	——	H	♃	
10	fenestràtum f.	(wh)	windowed	.....	1760.	——	H	♃	
11	rotundifòlium And.	(w)	round-leaved	.....	....	——	H	♃	
12	nùtans f.	(wh)	nodding	Asia	1824.	——	H	♃	
13	Rìbes w.	(wh)	warted-leaved	Levant	1724.	——	H	♃	Ann. mus. 1. t. 49.
14	palmàtum w.	(wh)	palmated	China	1763.	4. 5.	H	♃	Linn. fasc. 7. t. 4.
15	austràle d.p.	(d.pu)	Nepaul	Nepaul	1826.	——	H	♃	Swt. br. fl. gar. t. 288.
	Emòdi Wall.								

ORDER CXCII.

ERIOGO'NEÆ. *Bentham Lin. trans.*

ERIO'GONUM M. ERIO'GONUM. (εριον, wool, and γονυ, a knee.) Enneandria Trigynia.

1	tomentòsum m.	(wh)	woolly	Carolina	1811.	5. 6.	H	♃	Mich. amer. v. 1. t. 24.
2	flàvum n.	(ye)	silky	Missouri	——	7.	H	♃	
	sericeum. Ph.								
3	paucifiòrum Ph.	(wh)	few-flowered	Louisiana	1812.	——	H	♃	
4	compósitum b.r.	(wh)	compound	N. Albion	1834.	——	H	♃	Bot. reg. t. 1774.
5	longifòlium n.	(wh)	long-leaved	Arkansa	1824.	——	H	♃	

CALLI'GONUM W. CALLI'GONUM. (καλλιστος, most beautiful, and γονυ, a knee.) Dodec. Tet.

1	Pallàsii w.	(wh.gr)	Caspian	Caspian shores	1780.	8.	H	♄	Pall. ros. 2. t. 177. 78.
2	Pandèri w.	(gr.wh)	Fischer's	———	1824.	7. 9.	H	♄	
3	comòsum p.s.	(gr.wh)	tufted	Persia	1829.	....	H	♄	

KŒNI'GIA W. KŒNI'GIA. (Emmanuel Kœnig, prof. at Bâle.) Triandria Trigynia.

	islándica w.	(gr)	Iceland	Iceland	1773.	4.	H	⊙	Lam. ill. gen. t. 51.

ORDER CXCIII.

LAURINÆ. *Brown prodr. p.* 401.

LAU'RUS W. LAU'RUS. (*blawr*, green, Celt.; evergreen.) Enneandria Monogynia.

1 nóbilis W.	(*gr.ye*) Sweet Bay	S. Europe	1561.	4. 5.	H	♄	Flor. græc. t. 365.
β *undulàta*	(*gr.ye*) *wave-leaved*	———	——	——	H	♄	
γ *salicifòlia*	(*gr.ye*) *Willow-leaved*	———	——	——	H	♄	
δ *variegàta*	(*gr.ye*) *variegated*	———	——	——	H	♄	
ε *latifòlia*	(*gr.ye*) *broad-leaved*	———	——	——	H	♄	
η *crispa*	(*gr.ye*) *curled*	———	——	——	H	♄	
ι *flòre-plèna*	(*gr.ye*) *double-flowered*	———	——	——	H	♄	
2 coriàcea S.S.	(*gr.ye*) leathery-leaved	Jamaica	1822.	....	S	♄	
3 salicifòlia S.S.	(*gr*) Willow-leaved	W. Indies	——	....	S	♄	
4 Catesbæ'i P.S.	(*wh*) Catesby's	Florida	1811.	4. 6.	F	♄	Catesb. car. 1. t. 28.
5 carolinénsis M.	(*gr.ye*) Carolina	N. America	1806.	——	F	♄	——— 1. t. 63.
α *glàbra*	(*gr.ye*) *smooth-leaved*	———	——	——	F	♄	
β *pubéscens*	(*gr.ye*) *downy*	———	——	——	F	♄	
γ *obtùsa*	(*gr.ye*) *blunt-leaved*	———	——	——	F	♄	
6 Borbònia W.	(*gr.ye*) Bourbon	S. America	1739.	——	F	♄	Plum. gen. 4.
7 thyrsiflòra S.S.	(*gr.ye*) bunch-flowered	Madagascar	1824.	....	S	♄	
8 índica W.	(*gr.ye*) royal bay	Madeira	1665.	10.3.	G	♄	Pluk. alm. t. 304. f. 1.
9 fœ'tens W.	(*gr.ye*) Madeira or Til.	———	1760.	——	G	♄	
10 canariénsis W.en.	(*st*) Canary	Canaries	1815.	——	G	♄	
11 aggregàta B.M.	(*wh*) clustered	China	1812.	——	S	♄	Bot. mag. t. 2497.
12 Chloróxylon W.	(*gr.ye*) Cogwood-tree	Jamaica	1778.	....	S	♄	Brown. jam. t. 7. f. 1.
13 péndula W.	(*gr.ye*) pendulous	———	1822.	....	S	♄	
14 bullàta Burc.	(*gr*) blistered African oak	C. G. H.	1823.	6.	G	♄	

BENZO'IN Nees. BENZO'IN. (*ben*, in Arabic, perfume.) Enneandria Monogynia.

1 odorífera Nees.	(*ye.gr*) Benjamin-tree	N. America	1683.	4. 5.	H	♄	Comm. hort. 1. t. 97.
Laúrus Benzòin L.							
2 Diospy'rus Nees.	(*gr.ye*) twiggy	———	1810.	——	H	♄	Bot. mag. t. 1470.
Laúrus Diospy'rus Mx.							
3 geniculàta G.D.	(*ye.gr*) kneed	———	1759.	——	H	♄	Bot. mag. t. 1471.
Laúrus geniculàta Mx.							
4 æstivàlis Nees.	(*gr.ye*) veined-leaved	———	1765.	——	H	♄	
Laúrus æstivàlis L.							

SA'SSAFRAS Nees. SA'SSAFRAS. (*Salsafras*, a name given by the Spaniards.) Enneand. Monog.

1 officinàrum Nees.	(*gr.ye*) officinal	N. America	1633.	5. 6.	H	♄	Catesb. car. 1. t. 55.
Laúrus Sássafras L.							
2 álbida G.D.	(*gr.ye*) white	———	....	——	H	♄	
Laúrus álbida Nutt.							

PE'RSEA G. ALLIGATOR-PEAR. (a name used by Theophrastus.) Enneandria Monogynia.

gratíssima G.	(*st*) common	W. Indies	1739.	4. 6.	S	♄	Bot. reg. t. 1258.
Laúrus Pérsea W.							

CINNAMO'MUM B.P. CINNAMON. (Amomum of China.) Enneandria Monogynia.

1 Cássia S.S.	(*gr*) pubescent	E. Indies	1768.	5. 9.	S	♄	Andr. reposit. t. 596.
Laúrus Cinnamòmum A.R. *Pérsea Cássia* S.S. *Cinnamòmum officinàrum* Nees.							
2 vèrum	(*gr*) true	Ceylon	1763.	6. 9.	S	♄	Bot. mag. t. 1636.
Laúrus Cássia B.Mt *Pérsea Cinnamòmum* S.S.							
3 dúlce S.S.	(*gr.wh*) sweet	E. Indies	1824.	....	S	♄	
4 nítidum H.E.F.	(*gr*) glossy-leaved	Sumatra	——	6. 9.	S	♄	Hook. ex. flor. t. 176.
5 obtusifòlium Nees.	(*gr*) square-branch'd	E. Indies	1805.	....	S	♄	
Laúrus Bejolghòta L.T.							
6 Culitlàban Nees.	(*gr*) three-flowered	Moluccas	....	....	S	♄	Rumph. amb. 2. t. 14.
Laúrus Culitlàban H.B.							
7 encalyptoìdes Nees.	(*gr* Eucalyptus-like	E. Indies	1805.	....	S	♄	
Laúrus malabáthrica H.B.							
8 grácile Hort.	(*gr*) slender	———	——	....	S	♄	

CA'MPHORA Neês. CAMPHOR. (altered from Kafier.) Enneandria Monogynia.
1 officinàrum Nees.(*wh*)officinal Japan 1727. 3. 6. G ♄ Bot. mag. t. 2658.
Laúrus Cámphora L.
2 glaúca G.D. (*wh*) glaucous ——— 1806. —— G ♄
Laúrus glaúca W.

OCO'TEA K.S. OCO'TEA. (etymology unknown.) Dodecandria Monogynia.
psychotrioìdes K.S.(*gr*)spear-leaved Mexico 1828. .... G ♄

CRYPTOCA'RYA B.P. CRYPTOCA'RYA. (*κρυπτος*, hidden, and *καρυον*, a nut.) Dodec. Monog.
1 glaucéscens B.P. (*gr*) glaucous-leaved N. S. W. 1820. .... G ♄
2 obovàta B.P. (*gr*) obovate-leaved ——— 1823. .... G ♄

TETRANTHE'RA B.P. TETRANTHE'RA. (*τετρας*, four, and *ανθηρα*, an anther.) Dicœcia Enneand.
1 laurifòlia B.B.(*gr.wh*)Laurel-leaved Japan 1823. 1. 5. G ♄ Bot. reg. t. 893.
2 apétala B.P. (*gr.wh*) petalless E. Indies —— —— G ♄ Roxb. corom. 2. t. 147.
3 dealbàta B.P. (*gr*) white-leaved N. S. W. 1824. .... G ♄

TETRADE'NIA. Nees. TETRADE'NIA. (*τετρας*, four, and *αδην*, a gland.) Dicœcia Enneandria.
involucràta Nees (*gr.ye*) involucrated E. Indies 1820. 1. 5. S ♄ Roxb. corom. 2. t. 187.
Laúrus involucràta Roxb.

CASSY'THA L. CASSY'THA. (Greek name for Dodder; like.) Dodecandria Monogynia.
1 filifórmis L. (*wh*) slender C. B. S. .... 5. 8. G ♃ ◡ Rumph.amb.5.t.184.f.4.
2 glabélla B.P. (*wh*) smooth N. S. W. 1822. —— G ♃ ◡
3 paniculàta B.P. (*wh*) panicled ——— 1824. —— G ♃ ◡

ORDER CXCIV.

ILLIGE'REÆ. *Blume.*

YROCA'RPUS B.P. GYROCA'RPUS. (*γυρος*, a circle, and *καρπος*, a fruit.) Polygamia Monœcia.
1 americànus W. (*ye*) American W. Indies 1816. .... S ♄ Jacq. amer. t. 178. f.88.
2 asiáticus W. (*ye*) Asiatic E. Indies 1812. .... S ♄ Roxb. corom. 1. t. 1.
Jacquìni R.C.

ORDER CXCV.

HERNANDIA'CEÆ. *Blume.*

HERNA'NDIA L. JACK IN A BOX. (F. Hernandes, a trav. in Mexico.) Monœcia Triandria.
1 sonòra W. (*wh*) peltate-leaved W. Indies 1693. .... S ♄ Rumph. emb. 2. t. 85.
2 guianénsis W. (*wh*) Guiana Guiana 1823. .... S ♄ Aub. gui. 2. t. 309.
3 ovígera W. (*wh*) oval-leaved E. Indies 1820. .... S ♄ Rumph. amb. 3. t. 12

ORDER CXCVI.

MYRISTI'CÆÆ. *Brown prodr. p.* 399.

MYRI'STICA W. NUTMEG. (*μυρρα*, myrrh.) Diœcia Monadelphia.

1 **moschàta** W.	(*ye*) true	E. Indies	1795.	....	S	♄	Hook.ex.flor.t.155-156.
officinàlis H.B.F. *aromática* Lam.							
2 **sebífera** S.S.	(*ye*) woolly-fruited	S. America	1829.	....	S	♄	
3 **fàtua** S.S.	(*ye*) tasteless	Surinam	1812.	....	S	♄	Pluk. alm. t. 250. f. 6.

ORDER CXCVII.

BREXIA'CEÆ. D.S. *vol.* 2.

BRE'XIA. B.R. BRE'XIA. (*βρεξις*, rain; shelters from.) Pentandria Monogynia.

1 **spinòsa** B.R.	(*wh*)spiny-leaved	Madagascar	1815.	7. 8.	S	♄	Bot. reg. t. 872.
2 **madagascariénsis**	(*wh*)Madagascar	———	——	——	S	♄	——— t. 730.
Venàna madagascariénsis Lamarck.							
3 **chrysophy'lla**	(*wh*) golden-leaved	———	1820.	....	S	♄	

ORDER CXCVIII.

PROTEA'CEÆ. *Brown Linn. trans.* 10. *p.* 46.

AU'LAX P.L. AU'LAX. (*αυλαξ*, a furrow; leaves.) Diœcia Tetrandria.

1 **pinifòlia** L.T.	(*ye*) Pine-leaved	C. B. S.	1780.	7. 9.	G	♄	Andr. reposit. t. 76.
Pròtea pinifòlia A.R.							
2 **umbellàta** L.T.	(*ye*) umbelled	———	1774.	6. 8.	G	♄	Andr. reposit. t. 248.

LEUCADE'NDRON L.T. LEUCADE'NDRON. (*λευκος*, white, and *δενδρον*, a tree.) Diœc. Tetrand.

§ 1. *Nut swollen; calyx and style remaining.*

1 **argénteum** L.T.	(*st*) Silver-tree	C. B. S.	1693.	6. 8.	G	♄	Bot. reg. t. 979.
Pròtea argéntea W.							
2 **plumòsum** L.T.	(*ye*) feathered	———	1774.	——	G	♄	Thunb. diss. 40. t. 4.
Pròtea parvifòra Th.							
3 **retùsum** L.T.	(*ye*) retuse-leaved	———	1825.	——	G	♄	
4 **spathulàtum** L.T.	(*ye*)spathulate	———	1812.	——	G	♄	

§ 2. *Nut ventricose or lenticular, wingless; style deciduous; calyx persistent.*

5 **angustàtum** L.T.	(*ye*) narrow-leaved	C. B. S.	1824.	6. 8.	G	♄	
6 **imbricàtum** L.T.	(*ye*) imbricated	———	1790.	——	G	♄	
7 **buxifòlium** L.T.	(*ye*) Box-leaved	———	1812.	——	G	♄	Wend. h. herr. t. 14?
8 **Levisànus** L.T.	(*ye*) short-leaved	———	1774.	4. 6.	G	♄	——— t. 1.
9 **linifòlium** L.T.	(*ye*) Flax-leaved	———	1809.	——	G	♄	Jacq. schœn. 1. t. 26.

10	stéllàtum	(*ye*) starry	C. B. S.	1809.	5.	6.	G	♄	Bot. mag. t. 881.
	Prôtea stellàris B.M. *squarrôsa* K.P.								
11	fusciflòrum L.T.	(*br*) brown-flowered	———	1812.	——		G	♄	Jacq. schœnb. 1. t. 27.
12	tórtum L.T.	(*ye*) twisted-leaved	———	1790.	3.	5.	G	♄	Bot. reg. t. 826.
13	cinèreum L.T.	(*ye*) grey-leaved	———	1774.	7.	8.	G	♄	
14	corymbòsum L.T.	(*ye*) corymbed	———	1790.	4.	7.	G	♄	Bot. reg. t. 402.
	§ 3. *Nut smooth; style and calyx deciduous; scales distinct.*								
15	decòrum L.T.	(*ye*) decorous	C. B. S.	1790.	5.	8.	G	♄	
16	squarrôsum L.T.	(*ye*) squarrose	———	1812.	——		G	♄	Boerh. lug. 2. p. 197. c. ic.
	Prôtea strobilìna L.								
17	cóncolor L.T.	(*ye*) one-coloured	———	1774.	3.	6.	G	♄	Andr. reposit. t. 307.
	Prôtea globôsa B.M. 878. *strobilìna* Schrad. s. han. 1. t. 1.								
18	grandiflòrum L.T.	(*ye*) great-flowered	C. B. S.	1789.	4.	6.	G	♄	Sal. par. lond. t. 105.
19	ovàle L.T.	(*ye*) oval-leaved	———	1818.	——		G	♄	
20	venòsum L.T.	(*ye*) veined-leaved	———	1815.	——		G	♄	
21	decúrrens L.T.	(*ye*) decurrent	———	1812.	6.	8.	G	♄	
22	glábrum L.T.	(*ye*) smooth	———	——	3.	6.	G	♄	
23	stríctum L.T.	(*ye*) upright	———	1795.	4.	6.	G	♄	Sal. par. lond. t. 75.
	Eurysperm̃um salicifòlium P.L. *Prôtea conífera* Andr. rep. t. 541.								
24	virgàtum L.T.	(*ye*) slender	C. B. S.	....	4.	6.	G	♄	
25	adscéndens L.T.	(*ye*) ascending	———	1774.	6.	8.	G	♄	Pluk. mant. t. 229. f. 6.
26	concínnum L.T.	(*ye*) neat	———	1800.	——		G	♄	
7	salígnum L.T.	(*ye*) Willow-leaved	———	1774.	4.	6.	G	♄	Boer. lugd. 2. p. 204. ic.
28	ulignòsum L.T.	(*ye*) swamp	———	1795.	——		G	♄	Breyn. cent. 21. t. 9.
29	flóridum L.T.	(*ye*) florid	———	——	——		G	♄	Pluk. phyt. t. 229. f. 4.
	Prôtea salígna mas. *et* fem. Andr. rep. t. 572 ?								
	§ 4. *Scales of strobile connate; samara foliaceous, smooth.*								
30	platyspérmum L.T.	(*ye*) flat-seeded	C. B. S.	1818.	4.	6.	G	♄	
31	comòsum L.T.	(*ye*) tufted	———	1812.	5.	8.	G	♄	
32	æ'mulum L.T.	(*ye*) related	———	1789.	6.	9.	G	♄	
	Prôtea incurva Andr. rep. t. 429.								
33	abiétinum L.T.	(*ye*) Pine-leaved	———	——	7.	9.	G	♄	Andr. reposit. t. 461.
	Prôtea teretifòlia Andr. reposit. t. 461.								
34	scàbrum L.T.	(*ye*) rough	———	1812.	4.	6.	G	♄	
35	seríceum L.T.	(*ye*) silky-leaved	———	1818.	——		G	♄	
36	Globulària L.T.	(*ye*) globe-headed	———	1810.	——		G	♄	Lam. ill. 1. t. 53.
37	pubéscens L.T.	(*ye*) pubescent	———	1822.	——		G	♄	
38	ericifòlium L.T.	(*ye*) Heath-leaved	———	——	——		G	♄	
39	infléxum L. en.	(*ye*) inflexed	———	1812.	——		G	♄	
40	caudàtum L. en.	(*ye*) tailed	———	——	——		G	♄	
41	marginàtum L. en.	(*ye*) villous-margined	———	1818.	——		G	♄	
42	crassifòlium L.T.	(*ye*) thick-leaved	———	1816.	——		G	♄	
43	cartilagíneum L.T.	(*ye*) bony-margined	———	——	——		G	♄	

PETRO'PHILA L.T. PETRO'PHILA. (πετρος, a rock, and φιλεω, to love.) Tetrand. Monogyn.

	§ 1. *Lower joint of stigma glabrous, upper one tomentose.*								
1	rígida L.T.	(*wh*) rigid	N. S. W.	1823.	4.	6.	G	♄	
2	teretifòlia L.T.	(*wh*) round-leaved	N. Holland	1824.	....		G	♄	
3	filifòlia L.T.	(*wh*) thread-leaved	———	——	....		G	♄	
	§ 2. *Stigma inarticulate, rather hispid.*								
4	aciculàris L.T.	(*pk.ye*) needle-leaved	———	——	....		G	♄	Bot. mag. t. 3469.
5	pulchélla L.T.	(*wh*) Fennel-leaved	N. S. W.	1790.	7.	8.	G	♄	——— t. 796.
6	canéscens Cun.	canescent	N. Holland	1830.	....		G	♄	
7	pedunculàta L.T.	(*st*) peduncled	N. S. W.	1824.	4.	8.	G	♄	
8	fastigiàta L.T.	(*wh*) fastigate	N. Holland	1820.	——		G	♄	
9	diversifòlia L.T.	(*wh*) various-leaved	———	1803.	4.	6.	G	♄	
	§ 3. *Scales of strobile distinct.*								
10	trífida L.T.	(*wh*) trifid-leaved	———	1824.	....		G	♄	

ISOPO'GON L.T. ISOPO'GON. (ισος, equal, and πωγων, a beard.) Tetrandria Monogynia.

	§ 1. *Strobile globose; scales imbricated, slowly deciduous.*								
1	teretifòlius L.T.	(*wh*) round-leaved	N. Holland	1824.	4.	8.	G	♄	
2	anethiifòlius L.T.	(*wh*) Dill-leaved	N. S. W.	1796.	3.	6.	G	♄	Cavan. ic. 6. t. 549.
3	formòsus L.T.	(*li*) handsome	N. Holland	1805.	——		G	♄	Bot. reg. t. 1288.
4	anemonifòlius L.T.	(*st*) Anemone-leaved	N. S. W.	1791.	7.	9.	G	♄	Bot. mag. t. 697.
5	divaricàtus A.R.	(*ye*) spreading	———	——	——		G	♄	Andr. rep. t. 465.
6	trílobus L.T.	(*wh*) three-lobed	N. Holland	1803.	5.	6.	G	♄	
7	Loudòni B.M.	(*re*) Loudon's	———	1830.	——		G	♄	Bot. mag. t. 3421.
8	spathulàtus L.T.	(*pk*) spathulate	———	1836.	——		G	♄	
	β *lineàris* B.M.	(*pk*) *linear-leaved*	———	——	——		G	♄	Bot. mag. t. 3450.
9	Báxteri R.Br.	(*pk*) Baxter's	———	1830.	3.	4.	G	♄	——— t. 3539.
0	longifòlius L.T.	(*ye*) long-leaved	———	1820.	——		G	♄	Bot. reg. t. 900.

11 propínquus M.C.(*ye*) related — N. Holland 1824. .... G ♄

§ 2. *Common receptacle flattish; paleæ deciduous.*

12 attenuàtus L.T. (*wh*) attenuated — N. Holland 1824. 5. 6. G ♄
13 polycéphalus L.T.(*wh*)many-headed — ——— —— .... G ♄
14 axillàris L.T. ..... axillary — ——— —— .... G ♄

PROTEA L.T. PRO'TEA. (a mythological name.) Tetrandria Monogynia.

§ 1. *Heads terminal.*

1 cynaroìdes L.T. (*re*) Artichoke fld. — C. B. S. — 1774. 11.3. G ♄ — Bot. mag. t. 770.
2 latifòlia L.T. (*pu*) ray-flowered — ——— — 1806. 7. 9. G ♄ — ——— t. 1717.
α *coccínea* (*sc*) *scarlet-flowered* — ——— —— —— G ♄ — Andr. reposit. t. 646.
β *viridiflòra* (*gr*) *green-flowered* — ——— —— —— G ♄ — ——— t. 646.
3 compácta L.T. (*pu*) compact — ——— — 1810. —— G ♄
4 longiflòra L.T. (*st*) long-flowered — ——— — 1795. 1. 4. G ♄ — Sm. exot. bot. 2. t. 81.
ochroleùca Sm. *lacticolor* Par. lond. t. 27.
5 coccínea L.T. (*sc*) scarlet-flowered — ——— — 1810. 5. 6. G ♄
6 speciòsa L.T. (*wh.br*)splendid — ——— — 1786. 3. 6. G ♄ — Knight's prot. c. ic.
7 obtùsa Swt. (*pa.pi*) obtuse — ——— —— —— G ♄ — Andr. reposit. t. 110.
speciòsa B.M. 1183. *Erodéndrum obtùsum* K.P.
8 macrophy'lla L.T.(*wh*)large-leaved — C. B. S. — 1810. —— G ♄
9 formòsa L.T. (*sc*) handsome — ——— — 1789. 5. 6. G ♄ — Bot. mag. t. 1713.
coronàta A.R. 469. *Erodéndrum formòsum* Par. lond. t. 76.
10 melaleùca L.T. (*bk*) black-fringed — C. B. S. — 1786. 3. 7. G ♄ — Andr. reposit. t. 103.
11 Lepidocárpon L.T.(*bk*)crested — ——— — 1806. —— G ♄ — Wein. phyt. 4. t. 895.
12 neriifòlia L.T. (*pu*) Oleander-leaved — ——— —— 2. 4. G ♄ — Bot. reg. t. 208.
13 pulchélla L.T. (*pu*) wave-leaved — ——— — 1795. 3. 8. G ♄ — ——— t. 20.
α *ciliàta* (*pu.bk*) *fringe-leaved* — ——— —— —— G ♄ — Andr. reposit. t. 270.
β *glàbra* (*pu.bk*) *smooth-leaved* — ——— —— —— G ♄ — ——— t. 277.
γ *speciòsa* (*pu.bk*) *specious* — ——— —— —— G ♄ — ——— t. 442.
14 pàtens L.T. (*st.bk*) spreading — ——— — 1789. 3. 6. G ♄ — ——— t. 543.
15 magnífica A.R.(*pu.bk*)magnificent — ——— —— —— G ♄ — ——— t. 438.
16 incómpta L.T. (*wh*) villous-branched — ——— — 1807. 5. 7. G ♄
17 longifòlia L.T. (*st.bk*) long-leaved — ——— — 1798. 3. 8. G ♄ — Bot. reg. t. 47.
18 umbonàlis (*st.pu*) embossed — ——— —— —— G ♄ — Andr. reposit. t. 144.
longifòlia var. *cuno turbinato* A.R. *Erodéndrum umbonàle* K.P.
19 ligulæfòlia (*st.pu*) strap-leaved — C. B. S. — 1798. 3. 8. G ♄ — Andr. reposit. t. 133.
longifòlia ferruginòso-purpùrea A.R. *Erodéndrum ligulæfòlium* K.P.
20 mellífera L.T.(*ro.wh*) honey-bearing — C. B. S. — 1774. 12.5. G ♄ — Bot. mag. t. 346.
β *álba* (*wh*) *white-flowered* — ——— —— —— G ♄ — Andr. reposit. ic.
21 grandiflòra L.T.(*ro.w*)great-flowered — ——— — 1787. 5. 6. G ♄ — Bot. mag. t. 2447.
β *marginàta* (*ro.wh*) *red-margined* — ——— —— —— G ♄ — Bot. reg. t. 569.
22 Scólymus L.T.(*ro.wh*)small-flowered — ——— — 1780. —— G ♄ — Bot. mag. t. 698.
23 mucronifòlia L.T.(*wh.ro*)dagger-ld — ——— — 1803. 7.12. G ♄ — Andr. rep. t. 500.
24 nàna L.T. (*cr*) dwarf — ——— — 1787. 4. 7. G ♄ — Sm. exot. bot. 1. t. 44.
rosàcea Sm. *acuifòlia* Par. lond. t. 2.
25 péndula L.T. (*wh.gr*) pendulous — ——— — 1806. 3. 6. G ♄
26 tènax L.T. (*st*) tough — ——— — 1801. 2. 5. G ♄ — Sal. par. lond. t. 70.
27 caniculàta L.T. (*pi*) channel-leaved — ——— — 1800. 12.2. G ♄ — Andr. reposit. t. 437.
28 acuminàta B.M. (*cr*) sharp-pointed — ——— — 1809. 3. 6. G ♄ — Bot. mag. t. 1694.
29 acaúlis L.T. (*st.br*) short-stalked — ——— — 1802. 5. 9. G ♄ — Wein. phyt. 4. t. 898.
30 glaucophy'lla P.L.(*st.br*)glaucous-ld. — ——— —— 7. 9. G ♄ — Sal. par. lond. t. 11.
31 elongàta L.T. (*st.br*) elongated — ——— — 1810. —— G ♄
32 angustàta L.T. (*st*) narrow-leaved — ——— — 1809. —— G ♄
33 revolùta L.T. (*wh*) revolute-leaved — ——— — 1818. —— G ♄
34 tenuifòlia L.T.(*wh.br*)slender-leaved — ——— — 1816. —— G ♄
35 læ'vis L.T. (*ro.gr*) smooth-leaved — ——— — 1806. 5. 7. G ♄ — Bot. mag. t. 2439.
longifòlia Par. lond. t. 37.
36 scàbra L.T. (*wh.br*) rough-leaved — ——— — 1809. —— G ♄
37 répens L.T. (*re.wh*) creeping — ——— — 1800. 6. 8. G ♄ — Wein. phyt. 4. t. 897. a.
38 lòrea D.T. (*wh*) thong-leaved — ——— — 1812. —— G ♄
39 turbiniflòra L.T. (*ro*) turfy — ——— — 1803. 4. 5. G ♄ — Sal. par. lond. t. 103.
40 Scolopéndrium L.T.(*w.b*)Hart's-tongue — ——— — 1802. —— G ♄

§ 2. *Flowers lateral.*

41 cordàta L.T. (*cr*) heart-leaved — C. B. S. — 1790. 3. 5. G ♄ — Andr. reposit. t. 289.
42 amplexicaúlis L.T.(*re*)stem-clasping — ——— — 1802. 1. 3. G ♄ — Sal. par. lond. t. 67.
43 hùmilis L.T. (*pu*) low-flowering — ——— —— 6. 8. G ♄ — Andr. reposit. 532.
44 aceròsa L.T. (*cr*) Pine-leaved — ——— — 1803. 3. 5. G ♄ — Bot. reg. t. 351.

LEUCOSPE'RMUM L.T. LEUCOSPE'RMUM. (λευκος, white, and σπερμα, a seed.) Tetr. Mon.

§ 1. *Heads amentaceous; proper bracteas persistent, indurated.*

1 lineàre L.T. (*ye*) linear-leaved — C. B. S. — 1774. 8. 9. G ♄ — Thunb. dis. n. 35. t. 4.

2	attenuàtum L.T.	(*ye*) attenuated	C. B. S.	1810.	8. 9.	G	♄	
3	Tóttum L.T.	(*ye*) smooth-bracted	———	1774.	6. 8.	G	♄	
4	mèdium L.T.	(*ye*) oval-leaved	———	1794.	——	G	♄	Andr. reposit. t. 17?
	Prôtea formòsa A.R.?							
5	ellípticum L.T.	(*ye*) elliptic	———	1803.	5. 8.	G	♄	
6	conocárpum L.T.	(*go*) many-toothed	———	1774.	——	G	♄	Boer. lugd. 2. p. 196. ic.
7	grandiflòrum L.T.	(*go*) great-flowered	———	1800.	5. 7.	G	♄	Sal. par. lond. t. 116.
	Leucadéndron grandiflòrum P.L.							
8	pùberum L.T.	(*ye*) downy-leaved	———	1774.	5. 8.	G	♄	
9	buxifòlium L.T.	(*ye*) Box-leaved	———	1822.	——	G	♄	
10	pátulum L.T.	(*ye*) spreading	———	1816.	——	G	♄	
11	spathulàtum L.T.	(*ye*) spathulate	———	1810.	——	G	♄	
12	tomentòsum K.P.	(*ye*) cottony	———	1789.	8. 9.	G	♄	
13	párile K.P.	(*ye*) matched	———	1790.	——	G	♄	
14	cándicans	(*or*) Rose-scented	———	——	——	G	♄	Andr. reposit. t. 294.
	Prôtea cándicans A.R.							
15	Hypophy'llum L.T.	(*ye*) trifid-leaved	———	1787.	——	G	♄	Pluk. mant. t. 440. f. 3.
	§ 2. *Receptacle flattish; proper bracteas narrow, deciduous.*							
16	crinìtum L.T.	(*ye.li*) villous-bracted	C. B. S.	1824.	....	G	♄	
17	oleæfòlium L.T.	(*ye*) Olive-leaved	———	1822.	4. 6.	G	♄	
18	diffùsum L.T.	(*ye*) diffuse	———	1823.	——	G	♄	

MIMETES L.T. Mime'tes. (μιμητης, a mimic.) Tetrandria Monogynia.

	§ 1. *Heads axillary.*							
1	hírta L.T.	(*ye.cr*) hairy	C. B. S.	1774.	6. 8.	G	♄	Wein. phyt. 4. t. 899. f. a.
2	capitulàta L.T.	(*re*) small-headed	———	1822.	——	G	♄	
3	pauciflòra L.T.	(*re*) few-flowered	———	1816.	——	G	♄	
4	palústris K.P.	(*re*) marsh	———	1802.	——	G	♄	Boer. lugd. 2. p. 194. ic.
5	cucullàta L.T.	(*re*) three-toothed	———	1789.	....	G	♄	Pluk. alm. t. 304. f. 6.
	Prôtea cucullàta W.							
6	Hartògii L.T.	(*re*) woolly-leaved	———	1810.	....	G	♄	Wein. phyt. 4. t. 906. a.
	§ 2. *Heads terminal.*							
7	divaricàta L.T.	(*wh*) divaricate	———	1795.	6. 9.	G	♄	
8	vacciniifòlia	(*re.wh*) Vaccinium-ld.	———	1800.	——	G	♄	
	Diastélla vacciniifòlia K.P.							
9	purpùrea L.T.	(*pu*) Heath-leaved	———	1789.	11.12.	G	♄	

SERRU'RIA L.T. Serru'ria. (J. Serrurier, M.D., a German bot.) Tetrandria Monogynia.

	§ 1. *Heads simple; peduncles undivided or wanting.*							
1	acrocárpa L.T.	(*li*) sharp-fruited	C. B. S.	1822.	4. 6.	G	♄	
2	elevàta L.T.	(*li*) sandy-hill	———	1821.	——	G	♄	
3	Aitòni L.T.	(*li*) Aiton's	———	1823.	——	G	♄	
4	diffùsa L.T.	(*li*) diffuse	———	1810.	6. 8.	G	♄	
5	abrotanifòlia K.P.	(*li*) Southernwood-ld.	———	1803.	——	G	♄	Andr. reposit. t. 522.
	Prôtea abrotanifòlia hírta A.R.							
6	millefòlia K.P.	(*li*) thousand-leaved	———	——	——	G	♄	Andr. reposit. t. 337.
7	artemisiæfòlia K.P.	(*li*) Wormwood-ld.	———	1789.	——	G	♄	——— t. 264.
8	pinnàta L.T.	(*li*) slender	———	1803.	——	G	♄	——— t. 512.
9	arenària L.T.	(*li*) sand	———	——	——	G	♄	
10	cyanoìdes L.T.	(*li*) trifid-leaved	———	——	——	G	♄	Pluk. mant. t. 345. f. 6.
11	scariòsa L.T.	(*li*) scaly-bracted	———	1816.	5. 7.	G	♄	
12	pedunculàta L.T.	(*li*) woolly-headed	———	1789.	5. 8.	G	♄	Andr. reposit. t. 264.
	Prôtea glomeràta A.R.							
13	scopària L.T.	(*li*) Broom	———	1809.	——	G	♄	
14	Nivèni L.T.	(*li*) Niven's	———	1800.	——	G	♄	Andr. reposit. t. 349.
	Prôtea decúmbens A.R. *non* Th.							
15	villòsa L.T.	(*li*) villous	———	1810.	4. 7.	G	♄	
16	fœniculàcea L.T.	(*li*) Fennel-leaved	———	1816.	——	G	♄	
17	ciliàta L.T.	(*li*) ciliated	———	1803.	——	G	♄	
18	congésta L.T.	(*li*) crowded	———	1816.	——	G	♄	
19	squarròsa L.T.	(*li*) squarrose	———	1810.	——	G	♄	
20	phylicoìdes L.T.	(*li*) Phylica-flower'd	———	1788.	——	G	♄	Andr. reposit. t. 507. f. 4.
	Prôtea abrotanifòlia A.R.							
21	æ'mula L.T.	(*li*) grey-branched	———	1803.	——	G	♄	
22	párilis K.P.	(*li*) matched	———	——	——	G	♄	Andr. reposit. t. 507.
23	odoràta	(*li*) sweet-scented	———	——	——	G	♄	——— t. 545.
	Prôtea abrotanifòlia odoràta A.R.							
24	emarginàta	(*li*) emarginate	———	1800.	——	G	♄	Andr. reposit. t. 536.
	arenària K.P. *non* Br. *abrotanifòlia minor* A.R.							
	§ 2. *Heads compound; partial ones aggregate.*							
25	decúmbens L.T.	(*li*) decumbent	C. B. S.	1816.	——	G	♄	Thunb. diss. 1. t. 1.

26 flagellàris L.T. (*li*) procumbent C. B. S. 1816. 4. 7. G ♄
27 glomeràta L.T. (*li*) many-headed ——— 1789. —— G ♄ Burm. afr. t. 99. f. 2.
28 decípiens L.T. (*li*) decipient ——— 1806. —— G ♄
29 Roxbúrghii L.T. (*li*) Roxburgh's ——— —— —— G ♄
30 Burmánni L.T. (*li*) Burmann's ——— 1786. —— G ♄ Burm. afr. t. 99. f. 1.
Prótea Serrùria L.
31 triternàta L.T. (*wh*) silvery-flowered ——— 1802. —— G ♄ Andr. reposit. t. 447.
Prótea argentifòra A.R.
32 elongàta L.T. (*li*) long-peduncled ——— 1800. —— G ♄
33 crithmifòlia L.T. (*li*) Samphire-ld. ——— 1816. —— G ♄

NIVE'NIAL. T. NIVE'NIA. (James Niven, a cel. bot. collector.) Tetrandria Monogynia.
§ 1. *Superior leaves undivided, broader.*
1 Scéptrum L.T. (*pu*) sceptre-like C. B. S. 1790. 5. 6. G ♄ Sparm. a. st. 1777. t. 1.
2 spathulàta L.T. (*pu*) maiden hair-ld. ——— —— 7. 8. G ♄ Thunb. dis. n. 58. t. 5.
3 parvifòlia L.T. (*pu*) small-leaved ——— 1810. —— G ♄ Thunb. t. 5. quoad. fig.
§ 2. *Leaves all pinnatifid.*
4 spicàta L.T. (*pu*) spiked ——— 1786. 6. 8. G ♄
5 crithmifòlia L.T. (*pu*) Samphire-leaved ——— 1797. —— G ♄ Andr. reposit. t. 243.
Prótea Lagòpus A.R. *non* Thunb.
6 mèdia L.T. (*bh*) middle ——— 1803. —— G ♄ Andr. reposit. t. 234?
Prótea spicàta A.R.?
7 Lagòpus L.T. (*pu*) Hare's-foot ——— 1810. —— G ♄

SOROCE'PHALUS L.T. SOROCE'PHALUS. (σορος, a heap, and κεφαλη, a head.) Tetrand. Mon.
1 setàcea L.T. (*pu*) setaceous C. B. S. 1823. 6. 8. G ♄
2 imbérbis L.T. (*pu*) smooth ——— 1806. —— G ♄
3 spatalloìdes L.T. (*pu*) club-bearing ——— 1803. —— G ♄
4 tenuifòlia L.T. (*pu*) slender-leaved ——— 1802. —— G ♄
5 lanàtus L.T. (*pu*) woolly ——— 1790. 6. 9. G ♄ Thunb. dis. n. 30. t. 3.
6 imbricàtus L.T. (*ro*) imbricated ——— 1794. 4. 7. G ♄ Andr. reposit. t. 517.
7 diversifòlius L.T. (*pu*) various-leaved ——— 1807. —— G ♄

SPATA'LLA L.T. SPATA'LLA. (σπαταλη, wantonness.) Tetrandria Monogynia.
§ 1. *Involucrum one-flowered; stigma concave, shell-shaped; calyx unequal.*
1 pedunculàta L.T. (*pu*) long-peduncled C. B. S. 1822. 4. 8. G ♄
2 móllis L.T. (*pu*) soft ——— 1826. —— G ♄
3 nívea L.T. (*li*) snowy-bearded ——— 1806. —— G ♄
4 ramulòsa L.T. (*pu*) branching ——— 1812. —— G ♄
5 bracteàta L.T. (*pu*) bracteate ——— —— 5. 9. G ♄
6 prolífera L.T. (*pu*) proliferous ——— 1800. 6. 8. G ♄ Thunb. dis. n. 27. t. 4.
7 pyramidàlis L.T. (*pu*) pyramidal ——— 1821. —— G ♄
§ 2. *Involucrum 3-4 flowered; stigma rather convex; calyx nearly equal.*
8 incúrva L.T. (*pu*) incurved-leaved C. B. S. 1789. 5. 6. G ♄ Thunb. dis. n. 22. t. 3.
9 caudàta L.T. (*pu*) tailed ——— 1812. —— G ♄ ——— sec. ic. t. 2.
10 Thunbérgii L.T. (*pu*) Thunberg's ——— 1806. —— G ♄
11 brevifòlia L.T. (*pu*) short-leaved ——— 1823. —— G ♄

ADENA'NTHOS L.T. ADENA'NTHOS. (αδην, a gland, and ανθος, a flower.) Tetrandria Monogynia.
1 obovàta L.T. (*li*) obovate-leaved N. Holland 1824. .... G ♄ Lab. n. hol. 1. t. 37.
2 cuneàta L.T. (*li*) wedge-leaved ——— —— .... G ♄ ——— v. 1. t. 36.
3 seríceа L.T. (*li*) silky-leaved ——— —— .... G ♄ ——— v. 1. t. 38.

SI'MSIA L.T. SI'MSIA. (John Sims, M.D., an English bot.) Tetrandria Monogynia.
anethifòlia L.T. (*ye*) Dill-leaved N. Holland 1825. .... G ♄ Labil. n. hol. 1. 37.

CONOSPE'RMUM L.T. CONOSPE'RMUM. (κονος, a cone, and σπερμα, a seed.) Tetrand. Monog.
1 ellípticum L.T. (*wh*) elliptic-leaved N. S. W. 1822. 5. 7. G ♄
2 taxifòlium L.T. (*st*) Yew-leaved ——— 1823. 4. 6. G ♄ Bot. mag. t. 2724.
3 ericifòlium L.T. (*bh*) Heath-leaved ——— 1820. —— G ♄ ——— t. 2850.
4 longifòlium L.T. (*wh*) long-leaved ——— 1824. .... G ♄ Sm. exot. bot. 2. t. 82.
5 acinacifòlium Gr. (*wh*) scymeter-ld. ——— —— 4. 6. G ♄
6 tenuifòlium L.T. (*wh*) slender-leaved ——— —— —— G ♄
7 coerùleum L.T. (*bl*) blue N. Holland 1830. .... G ♄
8 triplinérvium R.Br. (*bl*) three-nerved ——— —— .... G ♄

AGA'STACHYS L.T. AGA'STACHYS. (αγαστος, admirable, and σταχυς, a spike.) Tetrand. Monog.
odoràta L.T. (*ye*) sweet-scented V.Diem.Isl. 1824. 4. 7. G ♄

PERSOO'NIA. L.T. PERSOO'NIA. (H. Persoon, a celebrated bot.) Tetrandria Monogynia.
1 teretifòlia L.T. (*ye*) round-leaved N. Holland 1824. 5. 6. G ♄
2 pinifòlia L.T. (*ye*) Pine-leaved N. S. W. 1818. 5. 7. G ♄ Linn. trans. 10. t. 16. f. 1.
3 junipérina L.T. (*ye*) Juniper-leaved V.Diem.Isl. 1823. —— G ♄ Lab. n. holl. 1. t. 45.
4 hirsùta L.T. (*ye*) hairy N.S.W. 1800. —— G ♄ Lodd. bot. cab. t. 327.
5 móllis L.T. (*ye*) soft ——— 1818. —— G ♄
6 lineàris L.T. (*ye*) linear-leaved ——— 1794. 7. 8. G ♄ Bot. mag. t. 760.

7	pállida Gr.	(*st*) pale	N. S. W.	1824.	9.10.	G	♄	
8	lùcida L.T.	(*ye*) shining	———	——	6. 8.	G	♄	
9	flexifòlia L.T.	(*ye*) bending-leaved	———	1822.	——	G	♄	Lodd. bot. cab. 922.
10	chamæ'pitys F.T.	(*ye*) ground-pine	N. S. W.	1624.	——	G	♄	
11	scàbra L.T.	(*st*) rough	N. Holland	——	——	G	♄	
12	nùtans L.T.	(*ye*) nodding	N. S. W.	1821.	——	G	♄	
13	pruinòsa M.C.	(*ye*) frosted	N. Holland	——	——	G	♄	
14	lanceolàta L.T.	(*st*) spear-leaved	———	1791.	6. 7.	G	♄	Andr. reposit. t. 74.
	β latifòlia	(*st*) *broad-leaved*	———	——	——	G	♄	——— t. 280?
15	latifòlia B.C.	(*st*) broad-leaved	N. S. W.	1822.	——	G	♄	Lodd. bot. cab. t. 1509.
16	salícina L.T.	(*st*) Willow-leaved	N. Holland	1795.	——	G	♄	Cavan. ic. 4. t. 389?
17	spatulàta L.T.	(*ye*) spatulate	———	1824.	——	G	♄	
18	ferrugínea L.T.	(*ye*) ferruginous	———	1818.	——	G	♄	Sm. exot. bot. 2. t. 83.

ANADE'NIA L.T. ANADE'NIA. (*ανα*, without, and *αδην*, a gland.) Tetrandria Monogynia.

1	pulchélla L.T.	(*ye*) neat	N. Holland	1824.	6. 7.	G	♄	
2	Manglèsii Gr.	(*ye*) Mangles's	Swan River	1836.	4. 5.	G	♄	

BRABE'JUM L.T. AFRICAN ALMOND. (*βραβηιον*, a sceptre; spikes.) Polygamia Monœcia.

	stellatifòlium L.T. ..	common	C. B. S.	1731.	3. 4.	G	♄	Hon.n.h.par.2.t.6.f. 27.

GREVI'LLEA L.T. GREVI'LLEA. (C. F. Greville, a promoter of nat. hist.) Tetrandria Monog.

§ 1. LISSO'STYLIS; *leaves entire, flowers fascicled, style glabrous; follicles ribless.*

1	punícea L.T.	(*sc*) scarlet-flowered	N. S. W.	1822.	4. 9.	G	♄	Bot. reg. t. 1319.
2	dùbia L.T.	(*ro*) doubtful	———	——	——	G	♄	
3	serícea L.T	(*ro*) silky	———	1790.	——	G	♄	Bot. mag. t. 802.
4	lineàris L.T.	(*li*) linear-leaved	———	——	——	G	♄	Andr. reposit. t. 272.
	α incarnàta B.M.	(*pi*) *flesh-coloured*	———	——	——	G	♄	Bot. mag. t. 2661.
	β álba B.C.	(*bh*) *white-flowered*	———	——	——	G	♄	Lodd. bot. cab. t. 858.
5	stricta L.T.	(*li*) upright	———	1822.	——	G	♄	
6	ripària L.T.	(*li*) river-side	———	1791.	——	G	♄	
7	planifòlia B.R.	(*ro*) flat-leaved	N. Holland	1823.	4. 5.	G	♄	Bot. reg. t. 1383.
	concínna Lindl. *Seymoúriæ* Swt.							
8	rosmarinifòlia F.T.	(*li*) Rosemary-ld.	N. S. W.	1824.	——	G	♄	Swt. flor. aust. t. 30.
9	parviflòra L.T.	(*st*) small-flowered	———	——	——	G	♄	
10	junipérina L.T.	(*gr.st*) Juniper-like	———	1821.	——	G	♄	Lodd. bot. cab. t. 1003.
11	concínna L.T.	(*st.ro*) pretty	N. Holland	1824.	3. 8.	G	♄	Swt. flor. aust. t. 7.

§ 2. PTYCHOCARPA; *leaves all entire; flowers in fascicles or short racemes; style hairy or tomentose.*

12	arenària L.T.	(*li*) sand	N. S. W.	1803.	4. 9.	G	♄	Bot. mag. t. 3285.
13	montàna L.T.	(*gr*) mountain	———	——	——	G	♄	
14	acuminàta L.T.	(*gr*) acute-leaved	———	1805.	——	G	♄	Swt. flor. aust. t. 55.
15	cinérea L.T.	(*gr*) grey	———	1821.	——	G	♄	Lodd. bot. cab. t. 857.
16	mucronulàta L.T.	(*gr*) mucronulate	———	1809.	——	G	♄	Swt. flor. aust. t. 38.
17	Bauèri L.T.	(*bh*) Bauer's	———	1823.	4. 8.	G	♄	Hook. ex. flor. t. 216.
	pubèscens Hooker, et Lodd. bot. cab. t. 1229.							
18	sulphùrea F.T.	(*st*) sulphur-coloured	———	1823.	——	G	♄	

§ 3. ERIO'STYLIS; *leaves entire; flowers fascicled; style woolly, pedicellate; follicles ribless.*

19	sphacelàta L.T.	(*br*) sphacelate	N. S. W.	1825.	4. 8.	G	♄	
20	phylicoìdes L.T.	(*br*) Phylica-like	———	——	——	G	♄	
21	mucronifòlia Cun	(*vi*) mucrone-leaved	———	1824.	——	G	♄	
22	collína K.P.	(*br*) hill	———	1812.	——	G	♄	
23	buxifòlia L.T.	(*pu*) Box-leaved	———	1790.	2. 9.	G	♄	Bot. reg. t. 443.
24	podalyriæfòlia C.C.	(*pu*) Podalyria-ld.	N. Holland	1821.	5. 8.	I	♄	
25	podocarpifòlia	Podocarpus-ld.	———	1823.	....	I	♄	
26	berberifòlia C.C.....	Berberry-leaved	———	——	——	I	♄	

§ 4. GREVI'LLEÆ-VE'RÆ; *flowers racemose; leaves pinnatifid; rarely undivided.*

27	acanthifòlia F.T.	(*gr*) Acanthus-ld.	———	1823.	——	I	♄	Bot. mag. t. 2807.
28	Gaudichaúdii B.	(*ye*) Gaudichaud's	———	——	....	I	♄	Freycen. voy. t. 46.
29	trifurcàta C.C.	three-forked	———	——	....	I	♄	
30	asplenifòlia L.T.	(*st*) Spleenwort-ld.	N. S. W.	1806.	....	I	♄	
31	Cáleyi R.B.	(*or*) Caley's	Moreton Bay	1830.	——	G	♄	Bot. mag. t. 3133.
	blechnifòlia Cun. Mss.							
32	robústa Cun.	(*or*) robust, or Silk Oak	P. Jackson	1829.	6. 9.	G	5	Bot. mag. t. 3184.
33	Flindérsii Cun. ..	Flinders's	N. Holland	1823.	....	I	♄	
34	gibbòsa L.T.	gibbous	N. S. W.	....	....	I	♄	
35	aquifòlia Ait. ...	Holly-leaved	N. Holland	1820.	....	G	♄	
36	ferrugínea Sieb. ...	rusty	N. S. W.	1837.	....	G	♄	
37	bipinnatífida R.Br...	bipinnatifid	Swan River	——	....	G	♄	
38	canéscens B.R.	(*var*) canescent	N. S. W.	1824.	....	G	♄	Bot. mag. t. 3185.

HA'KEA L.T. HA'KEA. (Baron Hake, a patron of bot.) Tetrandria Monogynia.

§ 1. *Leaves all filiform.*

* *Capsule ecalcarate near the apex.*

1	pugionifórmis L.T.	(*wh*)	dagger-fruited	N. S. W.	1796.	5. 6.	G	♄	Lodd. bot. cab. t. 353.
2	párilis K.P.	(*wh*)	matched	V.Diem.Isl.	——	——	G	♄	
3	epiglóttis L.T.	(*wh*)	curved-fruited	———	1822.	——	G	♄	Lab. nov. hol. 1. t. 40.
4	nodòsa L.T.	(*wh*)	knot-podded	N. Holland	1824.	——	G	♄	
5	fléxilis L.T.	(*wh*)	bending	———	——	——	G	♄	
6	oblìqua L.T.	(*wh*)	oblique-flower'd	———	1803.	6. 9.	G	♄	
7	subulàta Cun.	(*wh*)	awl-leaved	———	1824.	——	G	♄	
8	ulícina Cun.	(*wh*)	Furze-like	N. S. W.	——	——	G	♄	
9	petrophiloìdes ψ	(*wh*)	Petrophila-like	N. Holland	1825.	——	G	♄	

** *Capsule bicalcarate near the apex.*

10	lissospérma L.T.	(*wh*)	smooth-seeded	V.Diem.Isl.	1824.	6. 9.	G	♄	
11	gibbòsa L.T.	(*st*)	gibbous-fruited	N. S. W.	1790.	5. 6.	G	♄	Cavan. ic. 6. t. 534.
12	aciculàris L.T.	(*wh*)	needle-leaved	———	——	——	G	♄	Venten. malm. t. 111.
	Cónchium aciculàre V.								
13	suavèolens L.T.	(*wh*)	sweet-scented	N. Holland	1803.	11.1.	G	♄	
14	Lambérti N.F.L.	(*wh*)	Lambert's	———	1823.	——	G	♄	

§ 2. *Leaves some filiform and some flat.*

15	microcárpa L.T.	(*wh*)	small-fruited	V.Diem.Isl.	1818.	4. 8.	G	♄	Bot. reg. t. 475.
16	trifurcàta L.T.	(*wh*)	trifurcate	N. Holland	1824.	——	G	♄	
17	vària L.T.	(*wh*)	variable	———	1825.	——	G	♄	
18	echinàta ψ	(*wh*)	bristly-podded	———	——	——	G	♄	

§ 3. *Leaves all flat.*

19	angustifòlia ψ	(*wh*)	narrow-leaved	———	1824.	——	G	♄	
20	lineàris L.T.	(*wh*)	linear-leaved	———	——	——	G	♄	Swt. flor. aust. t. 43.
21	flórida L.T.	(*wh*)	many-flowered	———	1803.	5. 6.	G	♄	Bot. mag. t. 2579.
22	ilicifòlia L.T.	(*wh*)	Holly-leaved	———	——	7. 9.	G	♄	
23	nítida L.T.	(*wh*)	glossy	———	——	6. 8.	G	♄	Bot. mag. t. 2246.
24	amplexicaúlis L.T.	(*wh*)	smooth-stalked	———	——	....	G	♄	
25	prostràta L.T.	(*wh*)	pubescent	———	——	....	G	♄	
26	ceratophy'lla L.T.	(*wh*)	horn-leaved	———	——	....	G	♄	
27	acanthophy'lla L.en.	(*w*)	Acanthus-ld.	———	——	....	G	♄	
28	undulàta L.T.	(*wh*)	wave-leaved	———	——	6. 8.	G	♄	
29	repánda B.P.	(*wh*)	repand	———	1820.	——	G	♄	
30	propínqua F.T.	(*wh*)	related	———	1823.	——	G	♄	
31	oleifòlia L.T.	(*wh*)	Olive-leaved	———	1794.	6. 7.	G	♄	
32	salígna L.T.	(*wh*)	Willow-leaved	———	1791.	3. 7.	G	♄	Swt. flor. aust. t. 27.
33	marginàta L.T.	(*wh*)	marginate	———	1824.	4. 7.	G	♄	
34	ruscifòlia L.T.	(*st*)	Ruscus-leaved	———	——	——	G	♄	Lab. nov. holl. 1. t. 39.
35	cinèrea L.T.	(*wh*)	hoary-leaved	———	1803.	6. 7.	G	♄	
36	canéscens L.en.	(*wh*)	canescent	N. S. W.	1800.	6. 8.	G	♄	
37	dactyloìdes L.T.	(*wh*)	nerved-leaved	———	1790.	——	G	♄	Cavan. ic. 6. t. 535.
38	ellíptica L.T.	(*wh*)	oval-leaved	N. Holland	1794.	——	G	♄	
39	ferrugínea S.F.A.	(*wh*)	rusty-stemmed	———	1824.	4. 8.	G	♄	Swt. flor. aust. t. 45.
40	cucullàta B.P.	(*wh*)	hollow-leaved	———	——	——	G	♄	
41	clavàta L.T.	(*wh*)	clavate	———	——	——	G	♄	Lab. nov. holl. 1. t. 41.
42	laúrina R. Br.	(*wh*)	laurel-leaved	———	1830.	....	G	♄	
43	Báxteri R. Br.	(*wh*)	Baxter's	———	——	....	G	♄	
44	tuberculàta R.Br.	(*wh*)	tubercled	———	——	....	G	♄	

EMBO'THRIUM Lab. EMBO'THRIUM. (εν, in, and βοθριον, a little pit; anthers.) Tetrand. Monogy.

	strobilìnum Lab.	(*st*)	cone-flowered	N. Holland	1824.	3. 6.	G	♄	Lab. nov. holl. 2. t. 265.

LAMBE'RTIA L.T. LAMBE'RTIA. (A. B. Lambert, F.R.S. V.P.L.S.) Tetrandria Monogynia.

1	uniflòra L.T.	(*re*)	single-flowered	N. Holland	1824.	....	G	♄	Bauer. ic. ined. h. Lamb.
2	inérmis L.T.	(*or*)	unarmed	———	——	....	G	♄	——— ic. ined. h. Lamb.
3	formòsa L.T.	(*ro*)	handsome	N. S. W.	1788.	6. 8.	G	♄	Bot. reg. t. 528.
4	echinàta L.T.	(*ro*)	lobe-leaved	N. Holland	1824.	....	G	♄	Bauer. ic. ined. h. Lamb.
5	propínqua R.Br.	...	related	———	1830.	....	G	♄	
6	ericifòlia R.Br.	...	Heath-leaved	———	——	....	G	♄	

XYLOME'LUM L.T. WOODEN-PEAR-TREE. (ξυλον, wood, and μηλον, an apple.) Tetr. Monog.

	pyrifórme L.T.	(*wh*)	prickly-leaved	N. S. W.	1789.	6. 8.	G	♄	Cavan. ic. 6. t. 536.

RHOPA'LA L.T. RHOPA'LA. (vernacular name.) Tetrandria Monogynia.

1	montàna L.T.	(*st*)	mountain	Guiana	1823.	4. 6.	S	♄	Aub. gui. 1. t. 32.
2	nítida L.T.	(*st*)	glossy	———	1826.	....	S	♄	Rudge pl. gui. 1. t. 39.
3	dentàta L.T.	(*st*)	tooth-leaved	———	1802.	5. 8.	S	♄	
4	sessilifòlia L.T.	(*st*)	sessile-leaved	———	1803.	——	S	♄	Rudg. gui. 1. t. 31.

QUA'DRIA L.T. QUA'DRIA. (A. de. La Quadra, a Spanish bot.) Tetrandria Monogynia.

	heterophy'lla R.A.P.	...	variable-leaved	Chili	1826.	....	G	♄	R. et P. fl. per. 1. t. 99. f. b.

Guevìna Avellàna Mol.

TELOPE'A L.T.		WARATAH.	(τηλωπος, seen afar; flowers.) Tetrandria Monogynia.						
speciosíssima L.T.	(cr)	splendid	N. S. W.	1789.	5. 7.	G	♄		Bot. mag. t. 1128.
Embóthrium speciosissimum B.M.									
LOMA'TIA L.T.		LOMA'TIA.	(λωμα, a border; seeds.) Tetrandria Monogynia.						
1 silaifòlia L.T.	(wh)	cut-leaved	N. S. W.	1792.	6. 8.	G	♄		Bot. mag. t. 1272.
2 tinctòria L.T.	(st)	various-leaved	V.Diem.Isl.	1822.	——	G	♄		Lab. n. holl. 1. t. 42-43.
3 polymórpha L.T.	(st)	variable	———	1823.	——	G	♄		
4 ilicifòlia L.T.	(st)	Holly-leaved	N. Holland	1824.	——	G	♄		
5 longifòlia L.T.	(wh)	long-leaved	N. S. W.	1816.	5. 8.	G	♄		Bot. reg. t. 442.
6 dentàta L.T.	(st)	tooth-leaved	Chili	1824.	——	G	♄		Flor. peruv. 1. t. 94. a.
STENOCA'RPUS L.T.		STENOCA'RPUS.	(στενος, narrow, and καρπος, a fruit.) Tetrand. Monogy.						
salígnus L.T.	(wh)	sweet-scented	N. S. W.	1815.	6. 9.	G	♄		Bot. reg. t. 441.
BOTRY'CERAS W.		BOTRY'CERAS.	(βοτρυς, a raceme, and κερας, a horn.) Tetrand Monogy.						
laúrinum W.	(gr)	Laurel-like	N. Holland	1820.	6. 9.	G	♄		W.m.b.1811. t.10.f.18.
BA'NKSIA L.T.		BA'NKSIA.	(Sir Jos. Banks, P.R.S. &c.) Tetrandria Monogynia.						
1 pulchélla L.T.	(st)	small-flowered	N. Holland	1803.	2. 8.	G	♄		
2 sphærocárpa L.T.	(st)	round-fruited	———	——	....	G	♄		
3 nùtans L.T.	(st)	nodding-fid.	———	——	4. 6.	G	♄		
4 ericifòlia L.T.	(st)	Heath-leaved	N. S. W.	1788.	1.12.	G	♄		Bot. mag. t. 738.
5 spinulòsa L.T.	(st)	spiny-leaved	———	——	12.5.	G	♄		Andr. reposit. t. 457.
6 collìna L.T.	(st)	hill	———	1800.	....	G	♄		
7 elàtior L.T.	(ye)	taller	N. Holland	1824.	....	G	♄		
8 occidentàlis L.T.	(re)	west-coast	———	1803.	4. 8.	G	♄		Bot. mag. t. 3533.
9 littoràlis L.T.	(ye)	sea-side	———	——	4. 7.	G	♄		——— t. 3060.
10 marginàta L.T.	(gr)	various-leaved	N. S. W.	1804.	5. 8.	G	♄		——— t. 1947.
11 Brówni Baxt.Mss...		Brown's	N. Holland	1830.	....	G	♄		
12 austràlis L.T.	(gr)	southern	V.Diem.Isl.	1816.	5. 8.	G	♄		Bot. reg. t. 787.
marcéscens Hooker bot. mag. 2803. *nec aliorum.*									
13 Goòdii R.Br.	...	Good's	N. Holland	1830.	....	G	♄		
14 insulàris L.T.	(gr)	Island	V.Diem.Isl.	1823.	....	G	♄		
15 ledifòlia Cun.	(st)	Cunningham's	N. Holland	1822.	5. 8.	G	♄		
Cunninghàmii S.S.									
16 integrifòlia L.T.	(st)	entire-leaved	N. S. W.	1788.	5. 8.	G	♄		Bot. mag. t. 2770.
17 Báxteri R.Br.	...	Baxter's	N. Holland	1830.	....	G	♄		
18 compár L.T.	(st)	related	———	1823.	....	G	♄		
19 verticillàta L.T.	(st)	whorl-leaved	———	1794.	7.11.	G	♄		Hook. ex. flor. t. 96.
20 Solándri R.Br.	...	Solander's	———	1830.	....	G	♄		
21 coccínea L.T.	(sc)	scarlet-flowered	———	1803.	....	G	♄		Bauer. n. holl. ic.
22 paludòsa L.T.	(st)	marsh	N. S. W.	1805.	1. 4.	G	♄		Bot. reg. t. 697.
23 mèdia B.P.	(st)	intermediate	N. Holland	1824.	....	G	♄		Bot. mag. t. 3120.
24 oblongifòlia L.T.	(st)	oblong-leaved	N. S. W.	1788.	5. 8.	G	♄		Lodd. bot. cab. t. 241.
25 Bauèri R.Br.	...	Bauer's	N. Holland	1830.	....	G	♄		
26 latifòlia L.T.	(st)	broad-leaved	N. S. W.	1802.	5. 8.	G	♄		Cavan. ic. 6. t. 543.
27 marcéscens L.T.	(st)	short-leaved	N. Holland	1794.	1.12.	G	♄		Swt. flor. aust. t. 14.
præmórsa Andr. rep. t. 258. *asplenifòlia* K.P.									
28 attenuàta L.T.	(st)	attenuated, smooth-fid.	N. Holland	1794.	1.10.	G	♄		
29 Calèyi R.Br.	...	Caley's	———	1830.	....	G	♄		
30 serràta L.T.	(st)	saw-leaved	N. S. W.	1788.	7. 9.	G	♄		Andr. reposit. t. 82.
undulàta Bot. reg. t. 1316.									
31 æ'mula L.T.	(st)	deeply-sawed	———	1788.	1. 6.	G	♄		Bot. reg. t. 688.
32 dentàta L.T.	(st)	tooth-leaved	N. Holland	1822.	....	S	♄		
33 quercifòlia L.T.	(st)	Oak-leaved	———	1805.	....	G	♄		Bot. reg. t. 1430.
34 dryandroìdes S.F.A.	(br)	Dryandra-like	———	1824.	3. 6.	G	♄		Swt. flor. aust. t. 56.
35 speciòsa L.T.	(ye)	long-leaved	———	1805.	5. 8.	G	♄		Bot. mag. t. 3052.
36 grándis L.T.	(st)	great-flowered	———	1794.	....	G	♄		
37 prostràta B.P.	(or)	prostrate	———	1824.	....	G	♄		Bot. reg. t. 1572.
38 rèpens L.T.	(st)	creeping	———	1803.	....	G	♄		Lab. voy. 1. t. 23.
39 ilicifòlia L.T.	(sc)	Holly-leaved	———	1824.	....	G	♄		
DRYA'NDRA L.T.		DRYA'NDRA.	(Jonas Dryander, LL.D. comp. of Sir J. Banks.) Tetr. Monog.						
1 floribúnda L.T.	(ye)	many-flowered	N. Holland	1803.	1.12.	G	♄		Bot. mag. t. 1581.
2 foliolàta R.Br.	...	leafleted	———	1830.	....	G	♄		
3 cuneàta L.T.	(st)	wedge-leaved	———	1803.	11.2.	G	♄		
α *brevifòlia*	(st)	*short-leaved*	———	——	——	G	♄		
β *longifòlia*	(st)	*long-leaved*	———	——	——	G	♄		
4 armàta L.T.	(ye)	acute-leaved	———	——	1.12.	G	♄		Bot. mag. t. 3236.
5 falcàta L.T.	(ye)	falcate-leaved	———	1824.	....	G	♄		
6 formòsa L.T.	(or)	Apricot-scented	———	1803.	1.12.	G	♄		Swt. flor. aust. t. 53.
7 arctotoìdes R.Br....		Arctotis-like	———	1830.	....	G	♄		
8 mucronulàta L.T.	(ye)	pointed-leaved	———	1824.	....	G	♄		

9	plumòsa L.T.	(ye)	feathered	N. Holland	1803.	1. 8.	G	♄	
10	calophy'lla R.Br....		beautiful-leaved	———	1830.	....	G	♄	
11	obtùsa L.T.	(ye)	blunt-leaved	———	1803.	....	G	♄	
12	nívea L.T.	(ye)	white-leaved	———	——	7. 9.	G	♄	Lab. voy. 1. t. 24.
13	longifòlia L.T.	(ye)	long-leaved	———	1805.	1.12.	G	♄	Swt. flor. aust. t. 3.
14	Báxteri B.P.	(ye)	Baxter's	———	1824.	....	G	♄	
15	tenuifòlia L.T.	(ye)	slender-leaved	———	1803.	3. 5.	G	♄	
16	nervòsa S.F.A.	(ye)	nerved-leaved	———	1824.	3.12.	G	♄	Swt. flor. aust. t. 22.
17	pteridifòlia L.T.	(ye)	Pteris-leaved	———	——	——	G	♄	Bot. mag. t. 3500.
	blechnifòlia Cun.								

HEMICLI'DIA R.Br. HEMICLI'DIA. (ἡμισυς, half, and κλειω, to shut up.) Tetrand. Monogy.

	Báxteri R.Br.	(ye)	Baxter's	Lucky Bay		6.	G	♄	Bot. reg. t. 1455.
	Dryándra falcàta R.Br.								

ORDER CXCIX.

THYMELÆ'Æ. *Brown prodr. p.* 358.

DI'RCA W. LEATHER-WOOD. (διρκα, a fountain; habitat. near.) Octand. Monogy.

	palústris W.	(ye)	marsh	Virginia	1750.	3. 4.	H	♄	Bot. reg. t. 292.

LAGE'TTA J. LACE-BARK. (name in Jamaica.) Octandria Monogynia.

	linteària J.	(wh)	Jamaica	Jamaica	1793.	12.1.	S	♄	Lam. ill. t. 289.

DA'PHNE W. DA'PHNE. (Greek name of the Laurel.) Octandria Monogynia.

1	Mezèreum W.	(re.wh)	Mezereon	England	....	2. 4.	H	♄	Eng. bot. v. 20. t. 1381.
	α *álbum*	(wh)	*white-flowered*	———	....	——	H	♄	
	β *rùbrum*	(re)	*red-flowered*	———	....	——	H	♄	
	γ *autumnàle*	(re)	*autumnal-flowered*	———	....	8.12.	H	♄	
2	Laurèola W.	(gr)	spurge-laurel	Britain	....	1. 3.	H	♄	Eng. bot. v. 2. t. 119.
3	póntica W.	(gr.ye)	Pontic	Pontus	1759.	4. 5.	H	♄	Bot. mag. t. 1282.
	β *variegàta*	(ye)	*variegated-leaved*	———	——	——	H	♄	
4	tinifòlia W.	(st)	Bonace-bark	Jamaica	1733.	5. 7.	S	♄	
5	Gnìdium W.	(wh)	Flax-leaved	Spain	1597.	6. 8.	H	♄	Lodd. bot. cab. t. 150.
6	índica L.	(wh)	Indian	China	1800.	5. 7.	G	♄	
7	papyràcea Wall.	(wh)	paper	Nepaul	1824.	4. 6.	G	♄	As. res. 13. p. 315. ic.
8	odòra W.	(bh)	sweet-scented	China	1771.	12.3.	G	♄	Bot. mag. t. 1587.
	β *rùbra* D.D.	(re)	*red-flowered*	———	....	——	G	♄	Swt. br. fl. gar. s. 2. t. 320.
	γ *variegàta*	(bh)	*variegated-leaved*	———	....	——	G	♄	
9	hy'brida B.F.G.	(ro)	Dauphin	Hybrid	1826.	1. 6.	F	♄	Swt. br. fl. gar. t. 200.
10	alpìna W.	(wh)	Alpine	Italy	1759.	5. 7.	H	♄	Lodd. bot. cab. t. 66.
11	altàica W.	(wh)	Altaic	Siberia	1796.	4. 5.	H	♄	Bot. mag. t. 1875.
12	Cneòrum W.	(ro)	trailing	Austria	1752.	4. 9.	H	♄	——— t. 313.
13	striàta S.S.	(pi)	streaked	Hungary	....	——	H	♄	
14	collìna S.S.	(re)	hairy	Italy	1752.	1. 6.	H	♄	Bot. mag. t. 428.
15	austràlis B.R.	(pu)	Southern	Naples	....	——	H	♄	Bot. reg. s. 2. t. 56.
16	seríceа S.S.	(li)	silky-leaved	Levant	1818.	——	H	♄	
17	oleoìdes S.S.	(li)	Olive-leaved	Crete	1815.	1.12.	H	♄	Bot. mag. t. 1917.
18	napolitàna B.C.	(re)	Neapolitan	Italy	1823.	1. 6.	H	♄	Lodd. bot. cab. t. 719.
	collìna β, *neapolitàna* B.R. 822.								
19	Thymelæ'a W.	(st)	smooth-leaved	Spain	1815.	2. 4.	H	♄	Pluk. alm. t. 229. f. 2.
20	Tárton-ràira W.	(st)	silvery-leaved	France	1640.	5. 7.	H	♄	——— t. 318. f. 6.
21	pubéscens L.	(ye)	downy	Austria	1810.	4. 6.	H	♄	Fl. pis. 49. t. 2.

GNI'DIA L. GNI'DIA. (an ancient name of *Thymelæ'a*. Octandria Monogynia.

1	pinifòlia W.	(wh)	Pine-leaved	C. B. S.	1768.	5. 6.	G	♄	Bot. reg. t. 19.
2	radiàta B.C.	(wh)	radiate	———	1818.	——	G	♄	Lodd. bot. cab. t. 29.
3	imbérbis H.K.	(st)	smooth-scaled	———	1792.	8. 4.	G	♄	Bot. mag. t. 1463.
4	símplex H.K.	(ye)	Flax-leaved	———	1786.	5. 6.	G	♄	——— t. 812.
5	juniperifòlia W.	(wh)	Juniper-leaved	———	1822.	——	G	♄	
6	capitàta W.	(wh)	purple-twigged	———	1788.	6. 7.	G	♄	
7	bifòra Th.	(ye)	two-flowered	———	1806.	——	G	♄	

8	strícta Wk.	(*ye*) straight	C. B. S.	1818.	6. 7.	G	♄		
9	imbricàta w.	(*st*) imbricated	———	1822.	4. 8.	G	♄		Bot. reg. t. 757.
	denudàta B.R.								
10	oppositifòlia H.K.	(*ye*) opposite-leaved	———	1783.	5. 7.	G	♄		Bot. reg. t. 2.
11	tomentòsa S.S.	(*st*) tomentose	———	1822.	——	G	♄		
12	sericea w.	(*ye*) silky	———	1786.	——	G	♄		Andr. reposit. t. 225.
	oppositifòlia A.R. *nec aliorum.*								
13	lævigàta Th.	(*ye*) smooth	———	1822.	——	G	♄		
LACHNÆ'A W.		LACHNÆ'A. (λαχνη, wool flowers.)		Octandria Monogynia.					
1	buxifòlia Lam.	(*wh*) green box-ld.	C. B. S.	1800.	5. 7.	G	♄		Bot. mag. t. 1657.
2	glaúca H.K.	(*wh*) glaucous	———	——	——	G	♄		——— t. 1658.
3	purpùrea w.	(*pu*) purple-flowered	———	——	——	G	♄		——— t. 1594.
4	eriocéphala w.	(*wh*) woolly-headed	———	1793.	6. 7.	G	♄		——— t. 1295.
5	conglomeràta w.	(*wh*) clustered	———	1773.	——	G	♄		
PASSERI'NA W.		SPARROW-WORT. (*passer*, a sparrow; seeds.)		Octandria Monogynia.					
1	uniflòra w.	(*wh*) one-flowered	C. B. S.	1759.	4. 7.	G	♄		Wend. obs. t. 2. f. 18.
2	láxa w.	(*wh*) loose	———	1804.	6. 7.	G	♄		Lodd. bot. cab. t. 755.
3	tenuiflòra w.	(*st*) slender-flowered	———	1812.	——	G	♄		
4	filifórmis w.	(*st*) filiform	———	1752.	6. 8.	G	♄		Wend. obs. t. 2. f. 15.
5	capitàta w.	(*wh*) headed	———	1789.	6.10.	G	♄		——— t. 2. f. 17.
6	hirsùta w.	(*st*) hairy	S. Europe	1759.	——	G	♄		Bot. mag. t. 1949.
7	striàta Lam.	(*wh*) striate	C. B. S.	1822.	——	G	♄		
8	ericoìdes w.	(*st*) Heath-like	———	——	——	G	♄		
9	ciliàta w.	(*wh*) fringed	———	1819.	——	G	♄		Seb. mus. 2. t. 12. f. 9.
10	rígida w.	(*wh*) stiff	———	1817.	——	G	♄		
11	grandiflòra w.	(*wh*) great-flowered	———	1789.	5. 6.	G	♄		Bot. mag. t. 292.
12	spicàta w.	(*wh*) spiked	———	1787.	5. 7.	G	♄		Lodd. bot. cab. t. 311.
13	anthylloìdes w.	(*st*) Anthyllus-like	———	1816.	——	G	♄		
STELLE'RA W.		STELLE'RA. (G. W. Steller, a collect. of Siberian plants.)		Octand. Monog.					
1	Passerìna w.	(*ye*) Flax-leaved	S. Europe	1759.	7. 8.	H	⊙		Jacq. ic. 1. t. 68.
	Passerìna ánnua S.S.								
2	altàica P.S.	(*wh*) Altay	Altay	1824.	——	H	⊙		
3	dichótoma F.	(*wh*) forked	Dahuria	——	——	H	⊙		
DA'IS L.		DA'IS. (etymology unknown.)		Decandria Monogynia.					
	cotinifòlia w.	(*pi*) Cotinus-leaved	C. B. S.	1776.	6. 7.	G	♄		Bot. mag. t. 147.
STRUTHI'OLA L.		STRUTTI'OLA. (στρουθιον, a sparrow; seeds.)		Tetrandria Monogynia.					
1	virgàta H.K.	(*re*) twiggy	C. B. S.	1779.	4. 8.	G	♄		Andr. reposit. t. 139.
2	ciliàta A.R.	(*st*) ciliated	———	——	——	G	♄		——— t. 149.
3	lateriflòra R.S.	(*wh*) side-flowering	———	1816.	——	G	♄		
4	pubéscens R.S.	(*re*) downy	———	1790.	——	G	♄		Bot. mag. t. 1212.
5	longiflòra R.S.	(*wh*) long-flowered	———	1824.	——	G	♄		Lam. ill. t. 78.
6	glàbra R.S.	(*wh*) upright smooth	———	1798.	4. 9.	G	♄		Wendl. obs. t. 2. f. 10.
	erécta w. *strícta* Donn.								
7	juniperìma R.S.	(*wh*) drooping	———	1758.	——	G	♄		Bot. mag. t. 222.
	erecta B.M. *nec aliorum.*								
8	angustifòlia R.S.	(*st*) narrow-leaved	———	1816.	——	G	♄		
9	incàna B.C.	(*ye*) hoary	———	1802.	7. 8.	G	♄		Lodd. bot. cab. t. 11.
10	imbricàta R.S.	(*ye*) tiled-leaved	———	1794.	4. 8.	G	♄		Andr. reposit. t. 113.
11	ovàta R.S.	(*wh*) oval-leaved	———	1792.	2. 6.	G	♄		——— t. 119.
12	tomentòsa R.S.	(*wh*) downy-leaved	———	1799.	8. 9.	G	♄		——— t. 334.
PIMELE'A B.P.		PIMELE'A. (πιμελη, fatness.)		Diandria Monogynia.					
1	linifòlia B.P.	(*wh*) flax-leaved	N. S. W.	1793.	2. 8.	G	♄		Bot. mag. t. 891.
2	cérnua Fl. cab.	(*ye*) drooping	N. Holland	1835.	7.	G	♄		Flor. cab. 2. p. 113.
3	paludòsa B.P.	(*wh*) marsh	N. S. W.	1826.	2. 8.	G	♄		
4	glaúca B.P.	(*wh*) glaucous-leaved	———	1822.	——	G	♄		Linn. trans. 10. t. 13. f. 2.
5	hypericina B.M.	(*ye*) Hypericum-ld.	N. Holland	1830.	3. 6.	G	♄		Bot. mag. t. 3330.
6	intermèdia B.R.	(*wh*) intermediate	K.G.'s Sound	1830.	3.	G	♄		Bot. reg. t. 1439.
7	diosmæfòlia B.C.	(*ro*) Diosma-ld.	N. Holland	1826.	....	G	♄		Bot. cab. t. 1708.
8	sylvéstris B.P.	(*pk*) wood	N. S. W.	1830.	....	G	♄		Bot. reg. t. 1582.
9	ligústrina B.P.	(*wh*) Privet-like	———	1823.	2. 8.	G	♄		——— t. 1827.
10	decussàta B.P.	(*re*) cross-leaved	———	——	4. 8.	G	♄		Swt. flor. aust. t. 8.
	ferruginea Lab.								
11	Hendersònii Gr.	(*pk*) Henderson's	N.Holland	1837.	——	G	♄		Bot. mag. t. 3721.
12	ròsea B.P.	(*ro*) rose-coloured	———	1800.	3. 9.	G	♄		——— t. 1458.
13	híspida B.R.	(*re*) hispid	———	1833.	——	G	♄		Bot. reg. t. 1572.
14	lanàta B.P.	(*wh*) woolly	V. D. L.	1834.	4. 5.	G	♄		Botan. t. 61.
15	crinìta B.R.	(*wh*) hairy	Swan River	1837.	——	G	♄		
16	linoìdes F.T.	(*wh*) flax-like	N. S. W.	1824.	3. 9.	G	♄		
17	filamentòsa L.T.	(*wh*) filamentose	N. Holland	1826.	——	G	♄		Linn. trans. 10. t. 14. f. 1.
18	pauciflòra B.P.	(*ye*) few-flowered	V.Diem.Isl.	1812.	——	G	♄		Lodd. bot. cab. t. 179.

19 arenària Cun.	(*wh*) sand	N. Zealand	1827.	6. 8.	G	♄	Bot. mag. t. 3270.
20 hùmilis B.P.	(*wh*) dwarf	V. D. L.	1825.	6. 9.	G	♄	Bot. reg. t. 1268.
21 clavàta B.P.	(*ye*) clubbed	N. Holland	1826.	3. 6.	G	♄	
22 longiflòra B.P.	(*wh*) long-flowered	———	1830.	5. 7.	G	♄	Bot. mag. t. 3281.
23 gracilifiòra B.M.	(*wh*) slender-flowered	———	——	——	G	♄	———t. 3288.
24 incàna B.P.	(*wh*) hoary	V.Diem.Isl.	1824.	4. 8.	G	♄	Bot. reg. s. 2. t. 24.
nivea Flor. cab.							
25 drupàcea B.P.	(*wh*) drupe-bearing	———	1820.	——	G	♄	Swt. flor. aust. t. 52.
26 spicàta B.P.	(*wh*) spiked	N. S. W.	1824.	——	G	♄	Linn. trans. 10. t. 14. f. 2.
26 prostràta	(*wh*) prostrate	N. Zealand	1839.	——	G	♄	

ORDER CC.

OSYRIDEÆ. *Brown.*

OSY'RIS W. Poet's Cassia. (a name used by Pliny.) Diœcia Triandria.

álba W.	(*wh*) white	S. Europe	1739.	....	G	♄	Lam. ill. t. 802.

EXOCA'RPOS B.P. Exoca'rpos. (εξω, outside, and καρπος, a fruit.) Pentandria Monogynia.

1 cupressifórmis B.P.	(*wh*) Cypress-like	N. Holland	1820.	....	G	♄	Labill. voy. 1. t. 14.
2 humifùsa B.P.	(*gr*) low-procumbent	V. D. Isl.	1822.	....	G	♄	
3 stricta B.P.	(*gr*) upright	N. S. W.	——	....	G	♄	

ORDER CCI.

PENÆACEÆ.

PENÆ'A R.S. Penæ'a. (Peter Pena, a bot. in the time of Lobel.) Tetrandria Monogynia.

1 myrtoìdes W.	(*ye*) Myrtle-like	C. B. S.	1816.	5. 7.	G	♄	
2 fruticulòsa R.S.	(*re*) blunt-leaved	———	1822.	——	G	♄	
3 mucronàta R.S.	(*re*) sharp-pointed	———	1787.	——	G	♄	Vent. malm. t. 87.
4 squamòsa R.S.	(*re*) scaly	———	——	——	G	♄	Bot. reg. t. 106.
5 imbricàta B.M.	(*re*) imbricate	———	1823.	4. 6.	G	♄	Bot. mag. t. 2809.
6 acùta R.S.	(*re*) acute-leaved	———	1824.	——	G	♄	
7 Sarcocólla R.S.	(*ye*) rhomb-leaved	———	1816.	5. 7.	G	♄	Th. m. n. c. ber. 1. t.? f. 1.
8 marginàta R.S.	(*wh*) thick-edged	———	——	——	G	♄	

ORDER CCII.

SANTALACEÆ. *Brown prodr. p.* 350.

SA'NTALUM B.P. Sandal-wood. (*Seandal*, Arabic name.) Tetrandria Monogynia.

1 álbum F.I.	(*ye.pu*) white	E. Indies	1804.	....	S	♄	Bot. mag. t. 3235.
2 myrtifòlium F.I.	(*li*) Myrtle-leaved	———	1819.	....	G	♄	Roxb. corom. 1. t. 2.
3 obtusifòlium B.P.	.. blunt-leaved	N. S. W.	1823.	....	G	♄	

FUSA'NUS B.P. Fusa'nus. (from the French name of Spindle-tree.) Tetrandria Monogynia.

compréssus H.K.	(*gr*) flat-stalked	C. B. S.	1776.	....	G	♄	Berg. cap. 38. t. 1. f. 1.

LEPTOME'RIA B.P. LEPTOME'RIA. (λεπτος, slender, and μερις, a part.) Pentand. Monogy.

1	ácida B.P.	(wh) acid	N. S. W.	1823.	....	G	♄	
2	Billardièri B.P.	(wh) Labillardiere's	———	——	....	S	♄	Lab. nov. hol. 1. t. 93.
	Thèsium drupàceum Lab.							

THE'SIUM R.S. THE'SIUM. (formed the crown which Thesee gave to Arian.) Pentan. Monog.

1	linophy'llum R.S.	(gr) common	England	....	6. 7.	H	♃	Eng. bot. v. 4. t. 247.
2	intermèdium R.S.	(wh) intermediate	Germany	1818.	——	H	♃	Schkuhr. hand. t. 51.
3	montànum R.S.	(wh) mountain	Europe	....	——	H	♃	Hayn. sc. j. t. 119.
4	alpìnum R.S.	(wh) Alpine	———	1814.	——	H	♃	Jacq. aust. 5. t. 416.
5	ramòsum R.S.	(wh) branching	———	1824.	——	H	♃	Hayn. sc. j. p. 30. t. 7.
6	ebracteàtum R.S.	(gr) blunt-leaved	Germany	——	——	H	♃	—— l. c. t. 7.
7	? amplexicaúle R.S.	(gr) stem-clasping	C. B. S.	1787.	——	G	♄	

COMA'NDRA N. COMA'NDRA. (κομη, hair, and ανηρ, a male.) Pentandria Monogynia.

	umbellàta N.	(wh) umbelled	N. America	1782.	6.	H	♃	Pluk. mant. t. 342. f. 1.
	Thèsium umbellàtum W.							

HAMILTO'NIA W. OIL-NUT. (M. Hamilton, an American bot.) Polygamia Diœcia.

	oleífera W.	(gr.ye) Olive-bearing	N. America	1800.	....	G	♄	Pursh. amer. 1. t. 13.
	Pyrulària pùbera M.							

NY'SSA R.S. TUPELO. (a water nymph.) Polygamia Diœcia.

1	villòsa R.S.	(gr) hairy-leaved	N. America	1806.	5.	H	♄	Mich. arb. 2. t. 21.
2	aquática R.S.	(gr) water	———	1739.	4. 5.	H	♄	——— 2. t. 22.
	bifòra W.							
3	cándicans R.S.	(gr) Ogechee-lime	———	1812.	....	H	♄	Mich. arb. 2. t. 20.
4	capitàta H.K.	(gr) headed	Carolina	1806.	....	H	♄	
5	tomentòsa R.S.	(gr) tomentose	———	1812.	....	H	♄	Mich. arb. 2. t. 19.
	grandidentàta Mx.							
6	denticulàta R.S.	(gr) toothed	N. America	1795.	5. 6.	H	♄	Catesb. car. 1. t. 60.

ORDER CCIII.

ELÆA'GNEÆ. *Don prodr. p.* 67.

IPPO'PHAE L. SEA-BUCKTHORN. (ἵππος, a horse, and φαω, to clear; eyes.) Diœc. Tet.

1	rhamnoìdes W.	(st) common	England	....	4. 5.	H	♄	Eng. bot. t. 425.
	β *angustifòlia* A.B.	(st) *narrow-leaved*	Europe	....	——	H	♄	
	γ *sibírica* A.B.	(st) *Siberian*	Siberia	....	——	H	♄	
2	salicifòlia D.P.	(st) Willow-leaved	Nepaul	1819.	....	H	♄	

SHEPHE'RDIA N. SHEPHE'RDIA. (W. Shepherd, cur. bot. gard. Liverpool.) Diœc. Octand.

1	argéntea N.	(st) silvery	Missouri	1818.	....	H	♄	Arb. brit. 1208.
	Hippóphae argéntea Ph.							
2	canadénsis N.	(st) Canadian	———	1759.	4. 5.	H	♄	Arb. brit. 1209.
	Hippóphae canadénsis W.							

ELÆA'GNUS L. OLEASSER. (ελαια, an olive, and *agnus-castus*, the chaste tree.) Te.Mo.

1	angustifòlia R.S.	(wh) narrow-leaved	S. Europe	1633.	7.	H	♄	Bot reg. t. 1156.
	β *horténsis* M.B.	(st) *garden*	Caucasus	1827.	——	H	♄	
2	songárica F.	(st) Fischer's	Siberia	1821.	——	H	♄	
3	orientàlis R.S.	(wh) oriental	Levant	1748.	7. 8.	G	♄	Pall. ros. 1. t. 5.
4	spinòsa R.S.	(wh) spiny	Egypt	1826.	——	F	♄	
5	argéntea Ph.	(wh) silvery	N. America	1813.	——	H	♄	Wats. dend. brit. t. 16.
6	arbòrea F.I.	(wh) tree	Nepaul	1819.	....	H	♄	
7	conférta F.I.	(st) close-flowered	———	——	....	H	♄	
8	latifòlia R.S.	(wh) broad-leaved	E. Indies	1712.	7. 8.	S	♄	Burm. zeyl. t. 39. f. 2.
9	triflòra F.I.	(wh) three-flowered	Nepaul	1825.	....	H	♄	——— t. 39. f. 1.
10	umbellàta D.P.	(wh) umbelled	———	1829.	....	H	♄	Thunb. jap. t. 14.

ORDER CCIV.

ASARINÆ. *Kunth synops.* 1. *p.* 442.

A'SARUM L.		ASARABACCA. (α priv. and σειρα, a tie; unfit for garlands.) Dod. Mon.						
1 europæ'um s.s.	(*pu*)	common	England	....	5.	H	♃	Eng. bot. v. 16. t. 1083.
2 canadénse s.s.	(*pu*)	Canadian	Canada	1713.	4. 7.	H	♃	Swt. br. fl. gar. t. 95.
3 virgínicum w.	(*pu*)	Virginian	Virginia	1759.	4. 5.	H	♃	——— t. 18.
4 arifòlium s.s.	(*pu*)	Arum-leaved	Carolina	1818.	5. 6.	H	♃	Hook. ex. flor. t. 40.
HETERO'TROPA M.D.		HETERO'TROPA. (ἑτερος, variable, and τροπος, a thong.) Dod. Mon.						
asaroìdes M.D.	(*pu*)	Asarum-like	Japan	1837.	2. 6.	F	♃	
ARISTOLO'CHIA W.		BIRTH WORT. (αριστος, very best, and λοχια, parturition.) Gyn. Hex.						
1 bilobàta w.	(*pu*)	two-lobed	W. Indies	1822.	6. 8.	S	♄ ◡	Plum. amer. t. 106.
2 trilobàta w.	(*ye.br*)	three-lobed	S. America	1775.	6. 7.	S	♄ ◡	Bot. reg. t. 1399.
3 surinaménsis w.	(*pu.ye*)	Surinam	Surinam	1823.	——	S	♄ ◡	Jacq. obs 1. t. 3.
4 ríngens w.	(*br*)	gaping	S. America	1820.	——	S	♄ ◡	Vahl. symb. 2. t. 47.
5 brasiliénsis Mart. *ríngens* Lk.	(*ye.br*)	Brazilian	Brazil	——	——	S	♄ ◡	
6 labiòsa B.R.	(*br*)	lipped	S. America	——	5. 9.	S	♄ ◡	Bot. reg. t. 689.
7 caudàta B.R.	(*ld*)	tailed-lipped	Brazil	1828.	6.	S	♄ ◡	——— t. 1453.
8 ciliòsa Benth.	(*pu.gr*)	ciliated	N. Patagonia	1836.	5. 9.	F	♄ ◡	Botan. t. 96.
9 fœ'tens B.R.	(*ye.pu*)	fetid	S. America	....	——	S	♄ ◡	Bot. reg. t. 1824.
10 cymbífera B.R.	(*ye.pu*)	boat-bearing	Brazil.	1830.	——	S	♄ ◡	——— t. 1543.
11 pentándra w.	(*pu*)	pentandrous	Cuba.	1828.	....	S	♄ ◡	Jacq. ic. pict. t. 224.
12 pandurifórmis w.	(*pu*)	fiddle-leaved	Caracas	1823.	....	S	♄ ◡	
13 saccàta Wall.	(*pu*)	saccate	Silhet	1829.	9.10.	S	♄ ◡	Bot. mag. t. 3640.
14 máxima w.	(*pu*)	great	New Spain	1759.	7.	S	♄ ◡	Jacq. amer. t. 146.
15 Sipho w.	(*br*)	broad-leaved	N. America	1763.	6. 7.	H	♄ ◡	Bot. mag. t. 534.
16 tomentòsa B.M.	(*ye*)	downy	———	1799.	——	H	♄ ◡	——— t. 1369.
17 odoratíssima w.	(*pu*)	sweet-scented	Jamaica	1737.	7.	S	♄ ◡	Sloan. jam. 1. t.104.f.1.
18 barbàta w.	(*pu*)	bearded	Caracas	1796.	6. 8.	S	♄ ◡	Jacq. ic. 3. t. 608.
19 bilabiàta w.	(*pu*)	two-lipped	Cuba	1829.	....	S	♄ ◡	
20 índica w.	(*pu*)	Indian	E. Indies	1780.	6. 7.	S	♄ ◡	Rheed. mal. 8. t. 25.
21 acuminàta w.	(*pu*)	taper-pointed	Mauritius	1820.	....	S	♄ ◡	
22 fœ'tida K.S.	(*pu*)	fetid	Mexico	1822.	6. 8.	S	♄ ◡	H. et B. 2. t. 114.
23 hastàta K.S.	(*pu*)	halberd-leaved	Havannah	——	....	S	♄ ◡	——— 2. t. 116.
24 hyperbòrea Hort.	(*pu*)	northern	India	1836.	6. 8.	G	♄ ◡	Paxt. mag. 6. p. 53.
25 chilénsis B.R.	(*pu*)	Chili	Chili	1837.	——	G	♄ ◡	Bot. reg. t. 1680.
26 bœ'tica w.	(*pu*)	Spanish	Spain	1596.	5. 6.	H	♄ ◡	Moris. s. 12. t. 17. f. 6.
27 glaúca w.	(*ye*)	glaucous	Barbary	1785.	6. 8.	G	♄ ◡	Bot. mag. t. 1115.
28 sempervìrens w.	(*pu*)	evergreen	Candia	1727.	5. 6.	G	♄ ◡	——— t. 1116.
29 lónga w.	(*pu*)	long-rooted	S. Europe	1548.	6.10.	H	♃	Mill. ic. t. 51. f. 2.
30 microphy'lla W.en.	(*pu*)	small-leaved	.....	1826.	——	G	♃	
31 Serpentària w.	(*pu*)	Snake-root	N. America	1632.	6. 7.	H	♃	Jacq. schœn. 3. t. 385.
32 sagittàta Muhl.	(*pu*)	arrow-leaved	———	1819.	——	H	♃	
33 bracteàta w.	(*pu*)	bracteate	E. Indies	1793.	7.	S	♃	
34 Pistolòchia w.	(*pu*)	small	S. Europe	1597.	6. 7.	H	♃	
35 rotúnda w.	(*pu*)	round-rooted	———	1596.	3.10.	G	♃	
36 pállida w.	(*pa*)	pale-flowered	Italy	1640.	5. 8.	H	♃	Moris. s. 12. t. 18. f. 2.
37 hírta w.	(*pu*)	hairy	Chio	1759.	5. 6.	G	♃	Tourn. 1. it. t. 147.
38 Clematìtis w.	(*ye*)	common	England	....	5. 8.	H	♃	Eng. bot. v. 6. t. 398.
39 arboréscens w.	(*pu.ye*)	tree	America	1737.	6. 7.	G	♄	

ORDER CCV.

CYTI'NEÆ. *Brogniart.*

NEPE'NTHES L.		PITCHER-PLANT. (νη, priv. and πενθες, grief.) Diœcia Monadelphia.						
1 distillatòria w.	(*gr*)	cylindrical	Ceylon	1789.	4.5.	S *w*	♃	Burm. zeyl. 42. t. 17.
2 Phyllámphora w.	(*gr*)	ventricose	China	1822.	6.8.	S *w*	♃	Bot. mag. t. 2629.

ORDER CCVI.

CEPHALO'TEÆ. *R. Br.*

CEPHALO'TUS Lab. CEPHALO'TUS. (κεφαλη, a head, and ους, an ear.) Dodecand. Hexagyn.
folliculàris Lab. (*wh*) follicular N. Holland 1822. 6. 8. G ♃ Bot.mag.t.3118 & 3119.

ORDER CCVII.

STACKHOU'SEÆ. *Brown.*

STACKHOU'SIA. Lab. STACKHOU'SIA. (John Stackhouse, Cryptogamic bot.) Pent. Trigyn.
1 linariifòlia F.T. (*st*) Linaria-leaved N. S. W. 1823. 3. 6. G ♄
2 spathulàta S.S. (*wh*) spathulate-leaved ——— 1825. 4. 6. G ♄
3 monógyna B.R.(*wh.re*)monogynous N. Holland .... —— G ♄ Bot. reg. t. 1917.

ORDER CCVIII..

EUPHORBIA'CEÆ. *Juss. gen.* 384.

MERCURIA'LIS W. MERCURY. (Mercury disc. its virtue.) Diœcia Enneandria.
1 perénnis w. (*gr*) perennial Britain .... 4. 5. H ♃ Eng. bot. v. 26. t. 1872.
2 ambígua w. (*gr*) doubtful England .... 7. 8. H ⊙ Engl. bot. t. 2816.
3 ánnua w. (*gr*) annual Britain .... 7. 9. H ⊙ Eng. bot. v. 8. t. 559.
4 ellíptica w. (*gr*) oval-leaved Portugal 1802. 5. 7. G ♄ Venten. cels. t. 12.
5 tomentòsa w. (*gr*) woolly Spain 1640. 7. 9. H ♄
PEDILA'NTHUS Neck. SLIPPER-SPURGE. (πεδιλον, a slipper, and ανθος, a flower.) Dod. Trig.
1 tithymaloìdes B.R.(*sc*)Myrtle-leaved S. America 1699. 6. 7. D S ♄ Bot. reg. t. 837.
myrtifòlius L.en. *Crepidària myrtifòlia* H.S.S.
2 carinàtus Swt. (*sc*) keel-leaved W. Indies 1809. —— D S ♄ Bot. mag. t. 2514.
Euphórbia carinàta B.M. *Crepidària carinàta* H.S.S.
3 subcarinàtus H.R.(*sc*) small-keeled W. Indies 1819. —— D S ♄
4 canaliculàtus (*sc*) channelled-ld. ——— —— —— D S ♄ Lodd. bot. cab. t. 727.
Euphórbia canaliculàta B.C.
5 padifòlius H.S. (*sc*) Padus-leaved ——— 1699. —— D S ♄ Dill. elt. t. 288. *f.* 372.
6 cordellàtus Swt. (*sc*) small-heart-ld. ——— 1795. —— D S ♄
Crepidària cordellàta H.S.
EUPHO'RBIA W. SPURGE. (Euphorbus, physician to Juba, King of Mauritania.) Dod. Trig.
§ 1. *Stems thick, fleshy, naked, or with a few leaves.*
* *Prickly.*
1 uncinàta DC. (*gr.ye*) twin-spined C. B. S. 1795. 6. 8. D G ♄ DC. plant. gras. t. 151.
Scolopéndria H.S. *procúmbens* Meerb. ic. rar. t. 55. *ex* H.P.
2 squarròsa H.P. (*gr.ye*) squarrose C. B. S. 1825. 6. 8. D G ♄
3 trigòna H.S. (*gr.ye*) upright 3-sidedE. Indies 1768. 7. 8. D S ♄
4 antiquòrum H.S.(*gr.ye*) spreading 3-sided —— 1688. —— D S ♄ Comm. hort. 1. t. 12.

5	láctea H.S.	(*gr.ye*) marbled	———	1804.	——	D S ♄		
6	grándidens H.P.	(*gr.ye*) large-toothed	C. B. S.	1820.	——	D G ♄		
7	canariénsis W.	(*br.re*) Canary	Canaries	1697.	3. 4.	D G ♄		DC. plant. gras. t. 140.
8	cæruléscens H.P.	(*st*) blue-stemmed	C. B. S.	1825.	——	D G ♄		
9	tetragòna H.P.	(*gr.ye*) four-sided	———	——	——	D G ♄		
10	heptagòna W.	(*br.re*) seven-angled	———	1731.	7.11.	D G ♄		Bradl. suc. 2. t. 13.
	α nigra H.S.	(*br.re*) *black-spined*	———	——	——	D G ♄		
	β rùbra H.S.	(*br.re*) *red-spined*	———	——	——	D G ♄		
11	pentagòna H.P.	(*gr.ye*) five-sided	———	1825.	——	D G ♄		
12	enneagòna H.S.	(*gr.ye*) nine-angled	———	1790.	7.10.	D G ♄		
13	mammillàris W.	(*gr.ye*) warty-angled	———	1759.	7. 8.	D G ♄		Comm. præl. t. 9.
14	cereifórmis W.	(*gr.ye*) naked	———	1731.	6. 7.	D G ♄		Burm. afr. t. 9. f. 3.
15	officinàrum W.	(*ye*) officinal	Africa	1597.	——	D G ♄		DC. plant. gras. t. 77.
16	odontophy'lla W.en.	(*gr*) white-spined	C. B. S.	1824.	——	D G ♄		
17	stellæspìna H.P.	(*gr.ye*) starry-spined	———	——	——	D G ♄		
18	polygòna H.S.	(*gr.ye*) many-angled	———	1790.	7. 9.	D G ♄		Lodd. bot. cab. t. 1334.
19	nereifòlia W.	(*re*) Oleander-leaved	India	1690.	6. 7.	D S ♄		DC. plant. gras. t. 46.
20	Hy'strix W.	(*st*) Porcupine	C. B. S.	1695.	——	D G ♄		Jacq. schœn. 2. t. 207.
	loricàta P.S.	*Treìsia Hy'strix* H.S.						
21	vàrians H.S.	(*gr.ye*) variable-stemm'd	E. Indies	1800.	6. 9.	D S ♄		
22	grandifòlia H.S.	(*gr.ye*) great-leaved	S. Leone	1798.	——	D S ♄		
23	eròsa W.en.	(*gr.ye*) erose	.....	1818.	....	D S ♄		
24	tribuloìdes S.S.	(*wh*) Caltrops-like	Canaries	1816.	6. 9.	D G ♄		
25	Míllii Desm.	(*sc*) splendid	Madagascar	1828.	——	D S ♄		Bot. mag. t. 2902.
	splèndens B.M.	ann. 1829. *Millii* Desm. ann. 1826.						
26	fúlgens Karw.	(*sc*) fulgent	Mexico	1836.	7. 9.	D S ♄		Paxt. mag. 4. p. 31.
	jacquiniflòra Hort.							
	β pulchérrima Karw.	(*sc*) *very fair*	———	1838.	——	D S ♄		
27	Bojèri B.M.	(*sc*) Bojer's	Mauritius	....	6. 7.	D S ♄		Bot. mag. t. 3527.
28	cucumérina W.	(*gr*) Cucumber-like	C. B. S.	....	5. 9.	D G ♄		Vail. it. t. 5.
		** *Unarmed.*						
29	melofórmis W.	(*ye*) Melon-like	C. B. S.	1774.	——	D G ♄		Andr. reposit. t. 617.
30	clàva W.	(*gr*) club	———	——	3.12.	D G ♄		Jacq. ic. 1. t. 85.
	Treìsia tuberculàta H.S.S.							
31	Hawórthii Swt.	(*gr*) Haworth's	———	——	——	D G ♄		
	Treìsia clàva H.S.	*excl. syn.* W.						
32	bupleurifòlia W.	(*ye*) cone-shaped	———	1791.	6. 7.	D G ♄		Bot. mag. t. 3476.
33	Càput medùsæ W.	(*gr*) great Medusa's head	Africa	1731.	8.	D G ♄		Lodd. bot. cab. t. 1315.
	Medùsea màjor H.S.							
	β hùmilis	(*gr*) *dwarfer*	———	1768.	——	D G ♄		Burm. afr. t. 8.
34	tessellàta H.S.	(*gr*) chequer'd M'-head		1788.	——	D G ♄		
35	fructus-pìni H.S.	(*gr*) small M'-head	C. B. S.	1731.	——	D G ♄		DC. plant. gras. t. 150.
	β geminàta	(*gr*) *twin-branched*	———	——	——	D G ♄		Burm. afr. 18. t. 9. f. 1.
36	procúmbens H.S.	(*gr*) least M'-head	———	1768.	——	D G ♄		——— t. 10. f. 1.
37	pátula Mill.	(*br.gr*) spreading	———	——	——	D G ♄		
	Dactylánthes pátula H.S.							
38	anacántha W.	(*br.gr*) scaly	———	1727.	9.10.	D G ♄		Bot. mag. t. 2520.
39	globòsa B.M.	(*br.gr*) roundish-jointed	———	1822.	6.11.	D G ♄		——— t. 2624.
	Dactylánthes globòsa H.P.							
40	tuberculàta W.	(*wh*) tuberculate	———	1805.	6. 8.	D G ♄		Jacq. schœn. 2. t. 208.
41	hamàta H.S.	(*br.gr*) hooked	———	1795.	——	D G ♄		Burm. afr. t. 6. f. 3.
42	Commelìni DC.	(*br.gr*) Commelin's	Africa	....	——	D S ♄		
43	Ornithopus W.en.	(*w*) Bird's-foot	———	1816.	——	G ♄		Jacq. fragm. t. 120.
44	clandestina S.S.	(*gr*) clandestine	———	1824.	——	D G ♄		
45	lophogòna W.	(*gr*) curl-winged	Madagascar	——	——	D S ♄		DC. plant. gras. ic.
46	péndula L.en.	(*gr*) pendulous	.....	1808.	——	D S ♄		
	Tithy'malus péndulus H.							
47	Tirucálli W.	(*wh*) Indian tree	India	1690.	....	D S ♄		Rheed. mal. 2. t. 34.

§ 2. *Stem uniform, frutescent, erect; flowers scattered or aggregate, not umbellately involucrated.*

48	mauritánica W.	(*ye*) Barbary	Africa	1732.	6. 8.	D G ♄		Dill. elt. t. 289. f. 373.
49	Lamárckii H.S.L.	(*gr*) Lamarck's	Africa	1808.	6. 8.	D G ♄		
	mauritánica Lam.	*nec aliorum virgàta* P.S. *non* W.K.						
50	aphy'lla W.en.	(*gr*) leafless	Teneriffe	1815.	——	D G ♄		
51	atropurpùrea W.en.	(*pu*) dark purple	———	——	——	D G ♄		Bot. mag. t. 3321.
52	piscatòria W.	(*gr.ye*) smooth spear-ld.	Canaries	1777.	——	D G ♄		
53	balsamífera W.	(*gr.ye*) balsam	———	1779.	——	D G ♄		
54	laurifòlia P.S.	(*gr.ye*) Laurel-leaved	Peru	1820.	——	D G ♄		

55	bracteàta s.s.	(*gr*)	bracteated	.....	1809.	6. 8.	D	S	♄	Jacq. schœnb. t. 276.
56	dendroìdes w.	(*ye*)	tree-like	Italy	1768.	——	H		♄	Barrel. ic. 910.
57	læ'ta w.	(*st*)	Mezereon-ld.	S. Europe	1758.	6. 8.	D	G	♄	Jacq. ic. 1. t. 87.
58	punícea w.	(*cr*)	scarlet-flower'd	Jamaica	1778.	1. 9.	D	S	♄	Bot. reg. t. 190.
59	heterophy'lla w.	(*sc*)	various-leaved	W. Indies	1690.	4. 9.	D	S	♄	Plum. ic. t. 251. f. 3.
60	cyathóphora w.	(*ye.pi*)	coloured	S. America	1806.	7. 8.	D	S	♄	Jacq. ic. 3. t. 480.
61	repánda Swt.	(*gr.ye*)	waved	E. Indies	1808.	8.	D	S	♄	
	Tithy'malus repándus H.S.									
62	biglandulòsa H.S.	(*gr*)	twin-glanded	Isl. Bourbon	——	9.	D	S	♄	
63	geniculàta P.S.	(*st*)	jointed	Cuba	1823.	7.10.	S		⊙	Jacq. schœn. 3. t. 277.
	prunifòlia H.K. *Tithy'malus prunifòlius* H.S.									
64	nudiflòra S.S.	(*st*)	naked-flowered	Jamaica	1800.	8.	D	S	♄	Jacq. ic. 3. t. 470.
65	verticillàta S.S.	(*gr*)	whorled	W. Indies	1826.	——	D	S	♄	
66	cotinifòlia w.	(*wh*)	Cotinus-leaved	S. America	1690.	7. 8.	D	S	♄	Hook. ex. flor. t. 59.
67	petiolàris H.K.	(*ye*)	long-stalked	W. Indies	1800.	5. 6.	D	S	♄	Bot. mag. t. 883.
68	mellífera w.	(*pu.gr*)	honey-bearing	Madeira	1784.	4. 5.	G		♄	——— t. 1305.
69	glabràta S.S.	(*gr.ye*)	smooth-leaved	W. Indies	1824.	——	D	S	♄	
70	toxicària L.en.	(*gr*)	poisonous	.....	1825.	——	D	S	♄	
	§ 3. *Herbaceous; flowers solitary or aggregate, not umbellate.*									
71	pícta w.	(*gr*)	painted	S. America	1789.	5. 7.	S		♃	Jacq. ic. 3. t. 477.
72	silenifòlia Swt.	(*gr.ye*)	Silene-leaved	C. B. S.	1821.	——	G		♃	
	Tithy'malus silenifòlius H.R.									
73	crispa H.R.	(*gr.ye*)	curl-leaved	———	——	——	G		♃	
74	tuberòsa w.	(*gr.ye*)	tuberous	Ethiopia	1800.	10.12.	G		♄	Burm. afr. 9. t. 4.
75	uniflòra G.D.	(*ye*)	one-flowered	S. America	1827.	7. 8.	G		♄	
	Tithy'malus uniflòrus Haw.									
76	affìnis D.C.	(*gr.re*)	affined	.....	1823.	6. 8.	G		♄	
77	linarifòlia w.	(*ye*)	toad-flax-leaved	.....	1794.	——	S		♄	Jacq. ic. 1. t. 86.
78	linifòlia w.	(*ye*)	Flax-leaved	W. Indies	——	——	S		♄	
79	angustifòlia Lockh.	(*ye*)	narrow-leaved	Trinidad	1827.	....	S		♄	
80	ocymoídea w.	(*ye*)	Basil-leaved	S. America	1733.	——	S		⊙	
81	dentàta M.	(*ye*)	dentated	N. America	1806.	6. 7.	H		⊙	
82	hypericifòlia w.	(*wh*)	Hypericum-ld.	America	1727.	6. 9.	H		⊙	Hook. ex. flor. t. 36.
83	Humbóldtii W.en.	(*gr*)	Humboldt's	S. America	1809.	7.10.	S		♂	
84	prostràta w.	(*pu*)	trailing-red	W. Indies	1758.	——	S		⊙	
85	ròsea w.	(*ro*)	rosy	E. Indies	1808.	8.	S		⊙	
86	maculàta w.	(*ye*)	spotted	S. America	1660.	7.	H		⊙	Jacq. vind. 2. t. 186.
87	humifùsa W.en.	(*ye*)	trailing	.....	1824.	6. 8.	H		⊙	
88	pilulífera w.	(*gr*)	globular	E. Indies	1800.	——	S		♃	Jacq. ic. 3. t. 478.
89	hyssopifòlia w.	(*gr*)	Hyssop-leaved	W. Indies	1787.	8. 9.	S		⊙	
90	scordifòlia S.S.	(*wh*)	Scordium-ld.	S. America	1826.	6. 8.	S		♄	Jacq. icon. t. 476.
91	tannénsis S.S.	(*gr*)	Tanna	N. Hebrides	——	——	G		♄	
92	thymifòlia w.	(*wh*)	Thyme-leaved	India	1699.	7. 8.	S		⊙	Pluk. alm. t. 113. f. 2.
93	parviflòra w.	(*wh*)	small-flowered	E. Indies	1818.	——	S		⊙	Burm. zeyl. t. 105. f. 2.
94	variegàta B.M.	(*wh*)	variegated	Louisiana	1811.	6. 8.	H		⊙	Bot. mag. t. 1747.
95	canéscens w.	(*wh.re*)	canescent	Spain	1818.	7. 8.	H		⊙	Cavan. ic. 1. t. 63.
96	Chamæ'syce w.	(*wh*)	scollop-leaved	S. Europe	1752.	——	H		⊙	Moris. s. 10. t. 2. f. 19.
97	Péplis w.	(*ye*)	purple	Devonshire	....	——	H		⊙	Eng. bot. v. 28. t. 2002.
98	polygonifòlia w.	(*st*)	knotgrass-ld.	N. America	1704.	6. 7.	H		⊙	Jacq. col. sup. t. 13. f. 3.
99	Ipecacuánhæ w.	(*gr*)	Ipecacuanha	———	1812.	——	H		♃	Bot. mag. t. 1494.
	§ 4. *Flowers umbellate, involucrated.*									
				* *Umbels trifid.*						
100	Péplus w.	(*gr*)	petty	Britain	....	7. 8.	H		⊙	Eng. bot. v. 14. t. 959.
101	peploìdes D.C.	(*gr*)	least	S. Europe	1800.	7. 9.	H		⊙	
	E'sula mínima H.S.									
102	dictyospérma F.M.	(*gr.ye*)	net-fruited	California	1836.	——	H		⊙	
103	falcàta w.	(*ye*)	sickle-leaved	S. Europe	1699.	6. 8.	H		⊙	Jacq. aust. 2. t. 121.
104	acuminàta M.B.	(*gr*)	acuminate	Iberia	1823.	——	H		⊙	
105	exígua w.	(*gr*)	dwarf	Britain	....	7.	H		⊙	Eng. bot. v. 19. t. 1336.
106	diffùsa w.	(*gr.ye*)	diffuse	Austria	1798.	7. 9.	H		⊙	Jacq. ic. 1. t. 88.
107	undulàta M.B.	(*wh*)	undulate	Caucasus	1820.	——	H		♃	
108	micrántha w.	(*gr*)	small-flowered	Persia	1803.	7. 9.	H		⊙	
109	Lagascàna S.S.	(*gr*)	Lagasca's	Spain	1827.	7.10.	H		⊙	
				** *Umbels quadrifid or quinquefid.*						
110	Láthyris w.	(*gr*)	Caper	England	....	5.10.	H		♂	Eng. bot. v. 32. t. 2255.
111	terrácina w.	(*ye*)	retuse-leaved	S. Europe	1818.	7.10.	H		⊙	
112	valentìna P.S.	(*ye*)	Spanish	Spain	1804.	7. 8.	H		⊙	
113	A'pios w.	(*ye*)	pear-rooted	Candia	1596.	6. 7.	H		♃	

114	genistoìdes W.	(*ye*)	Genista-like	C. B. S.	1808.	7. 8.	G	♄	
115	condensàta S.S.	(*ye*)	tufted	Iberia	1828.	6. 8.	H	♃	
116	spinòsa W.	(*ye*)	prickly	Levant	1710.	6. 7.	F	♄	Wats. dend. brit. t. 45.
117	fruticòsa L.en.	(*ye*)	shrubby	Sicily	1825.	——	F	♄	Biv. pl. sic. cent. 1. 35.
118	epithymoìdes W.	(*ye*)	broad-leaved	Austria	1805.	5. 6.	H	♃	Andr. reposit. t. 616.
119	villòsa W.K.	(*sn*)	villous	Hungary	1818.	6. 9.	H	♃	W. et K. hung t. 93.
120	tenuifòlia S.S.	(*ye*)	slender-leaved	S. Europe	1827.	——	H	☉	
121	echinocárpa S.S.	(*ye*)	prickly-podded	Crete	1828.	——	H	♂	
122	condylocárpa M.B.	(*ye*)	warted-fruited	Caucasus	1824.	——	H	♃	
123	obtusàta Ph.	(*ye*)	blunt-bracted	N. America	1826.	——	H	♃	
124	merculiàna Ph.	(*ye*)	Mercury-like	————	1824.	——	H	♃	
125	marginàta Ph.	(*wh*)	white-margined	————	1816.	——	H	☉	
126	dúlcis W.	(*pu*)	sweet	S. Europe	1759.	5. 6.	H	♃	Jacq. aust. 3. t. 213.
127	ambígua W.K.	(*ye*)	ambiguous	Hungary	1824.	——	H	♃	W. et K. hung. t. 135.
128	carniólica W.	(*ye*)	Carniolian	Carniola	1795.	8.	H	♃	Scop. carn. t. 21.
129	angulàta W.	(*ye*)	angular-stalked	Austria	1819.	7. 8.	H	♃	Jacq. ic. t. 481.
130	nummulariæfòlia	(*ye*)	moneywort-ld.	.....	1800.	7.	G	♄	
131	erythrìna L.en.	(*gr*)	purple-margined	C. B. S.	1816.	6. 8.	G	♃	
132	neapolitàna T.N.	(*wh*)	Neapolitan	Naples	1825.	7. 8.	H	♃	Ten. fl. neap. t. 42.
133	Pithyùsa W.	(*gr*)	Juniper-leaved	S. Europe	1741.	6. 7.	F	♄	Bocc. sic. t. 5.
134	portlándica W.	(*ye*)	Portland	Britain	....	5. 9.	H	♃	Eng. bot. v. 7. t. 441.
135	saxátilis W.	(*ye*)	rock	Austria	1816.	6. 8.	H	♃	Jacq. aust. t. 345.
136	glareòsa M.B.	(*ye*)	stony	Caucasus	1819.	——	H	♃	
137	Paràlias W.	(*ye*)	sea	England	....	7. 9.	H	♃	Eng. bot. v. 3. t. 195.
	β suffruticòsa	(*ye*)	*shrubby sea*	.....	....	——	F	♄	
138	júncea W.	(*ye*)	rushy	Madeira	1779.	7. 8.	G	♃	Jacq. schœn. 1. t. 107.
139	congésta W.en.	(*ye*)	fiddle-leaved	Spain	1817.	——	H	♃	
140	aléppica W.	(*ye*)	Aleppo	Crete	1739.	——	F	♃	Alp. exot. t. 64.
141	taurinénsis W.en.	(*ye*)	Italian	Italy	1818.	——	H	♃	All. ped. 2. t. 83. f. 2.
142	segetàlis W.	(*ye*)	corn	S. Europe	1699.	——	H	☉	Jacq. aust. 5. t. 450.
143	grácilis S.S.	(*ye*)	slender	Ukraine	1826.	——	H	♃	
144	cæspitòsa T.N.	(*ye*)	tufted	Naples	——	——	H	♃	
145	pínea S.S.	(*ye*)	Pine-leaved	————	——	——	H	♃	
	linifòlia T.N. *non* W.								
146	biumbellàta D.C.	(*ye*)	double-umbel'd	Barbary	1780.	8.	H	☉	Poir. it. ed. germ. t. 1.
147	angustifòlia	(*ye*)	narrow-leaved	.....	——	7. 8.	H	♃	
	E'sula angustifòlia H.S.								
148	multicorymbòsa	(*ye*)	many-flowered	.....	1805.	——	H	♃	
149	provinciàlis W.	(*ye*)	linear-leaved	S. Europe	1800.	8. 11.	H	☉	
150	juncoìdes H.S.	(*ye*)	Rush-like	————	——	7. 8.	H	☉	
151	helioscòpia W.	(*ye*)	Wartwort	Britain	....	——	H	☉	Eng. bot. v. 13. t. 883.
152	stellulàta Sn.	(*ye*)	starry	Europe	1823.	——	H	☉	
153	bialàta L.en.	(*ye*)	two-winged	.....	1819.	——	H	☉	
154	serràta W.	(*ye*)	narrow-notch-ld.	S. Europe	1710.	7.	G	♃	Jacq. ic. 3. t. 483.
155	uralénsis F.	(*ye*)	Fischer's	Tauria	1824.	——	H	♃	
156	crética W.	(*ye*)	Cretan hoary	Levant	1768.	——	H	♃	
157	rìgens Swt.	(*ye*)	stiff	.....	1795.	7. 8.	H	♄	
	Galarhæ'us rígidus H.S.								
158	verrucòsa W.	(*ye*)	warted	France	1800.	6.	H	♃	Moris. s. 10. t 3. f. 3.
159	corollàta W.	(*wh*)	great-flowered	N. America	1803.	7. 9.	H	♃	Lodd. bot. cab. t. 390.
160	spathulæfòlia H.S.	(*gr*)	spatula-leaved	.....	1800.	8.	G	♄	
161	corallioìdes W.	(*ye*)	Coral-stalked	England	....	6. 9.	H	♃	Eng. bot. 2837.
	pilòsa Hook.								
162	móllis Gm.	(*ye*)	soft	S. Europe	1823.	——	H	♃	
163	androsæmifòlia H.S.	(*ye*)	Tutsan-ld.	Hungary	1804.	7. 9.	H	♃	
164	pilòsa W.	(*ye*)	hairy	Siberia	1758.	5. 8.	H	♃	Gmel. sib. 2. t. 93.
165	orientàlis W.	(*st*)	oriental	Levant	1739.	6. 7.	H	♃	
166	fragífera L.en.	(*ye*)	Strawberry-like	Italy	1825.	——	H	♃	
167	virgàta W.K.	(*ye*)	twiggy	Hungary	1807.	7.	H	♃	W. et K. hung. t. 162.
168	platyphy'lla H.S.	(*ye*)	annual warted	England	....	7. 8.	H	☉	Jacq. aust. t. 376.
169	Kúnzei Lehm.	(*ye*)	Kunze's	Europe	1829.	6. 7.	H	☉	
170	strícta R.B.	(*ye*)	upright warted	England	....	7. 8.	H	☉	Eng. bot. v. 5. t. 333.
171	literàta W.	(*st*)	blotch-leaved	.....	1790.	8.	H	☉	Jacq. ic. 3. t. 482.
172	crispàta L.en.	(*ye*)	crisp-leaved	.....	1819.	7. 9.	H	♃	
173	pubéscens S.S.	(*ye*)	pubescent	Barbary	1827.	——	H	♃	Jacq. f. ecl. t. 66.
174	lutéscens Led.	(*ye*)	yellowish	Siberia	——	——	H	♃	
175	Ehrenbérgii	(*ye*)	Ehrenberg's	Egypt	1826.	6. 9.	H	☉	
	heterophy'lla Ehr. *non* W.								

176 trigonoscárpa F.(*ye*) three-sided podded Russia 1821. 6. 9. H ⊙
177 retùsa C.I. (*gr*) notch-leaved S. Europe —— —— H ⊙ Cavan. ic. t. 34. f. 3.

*** *Umbels six or more cleft.*

178 E'sula W. (*gr*) leafy-branched Britain .... 5. 7. H ♃ Eng. bot. v. 20. t. 1399.
179 Gerardiàna W. (*ye*) Gerard's Germany 1801. 7. H ♃ Jacq. aust. t. 436.
180 Cyparíssias W.(*ye*) Cypress England .... 5. 9. H ♃ Eng. bot. v. 12. t. 840.
181 nicæénsis W. (*ye*) sharp-leaved Spain 1809. —— F ♃ Jacq. ic. 3. t. 485.
182 myrsinìtes W. (*ye*) glaucous S. Europe 1570. 4. 6. H ♃
183 rígida M.B. (*ye.re*) rigid Tauria 1819. 6. 8. H ♃ Bot. reg. s. 2. t. 43.
184 imbricàta W. (*ye*) imbricated Portugal 1804. 8. 9. F ♄
185 glaucéscens W.en.(*ye*)glaucescent ..... 1819. —— H ♃
186 agrària M.B. (*ye*) field Tauria —— 6. 8. H ♃
187 palústris W. (*ye*) marsh Sweden 1570. 5. 8. H ♃ Flor. dan. t. 866.
188 pállida W. (*ye*) pale Hungary 1818. 6. 8. H ♃
189 lùcida W.K. (*ye*) glossy ———— 1820. —— H ♃ W. et K. hung. t. 55.
190 procèra M.B. (*ye*) tall Terek 1824. 6. 8. H ♃
191 ceratocárpa T.N.(*ye*)horn-capsuled Naples —— —— H ♃ Ten. fl. neap. t. 43.
192 emarginàta W. (*ye*) freckled Italy 1758. 7. 8. H ♃
193 hibérna K.B. (*ye*) Irish Ireland .... 5. 6. H ♃ Eng. bot. v. 19. t. 1337.
194 salicifòlia W. (*ye*) Willow-leaved Hungary 1804. —— H ♃ Lodd. bot. cab. t. 973.
195 sylvática W. (*pi*) wood S. Europe 1768. 7. 9. F ♄ Jacq. aust. t. 375.
196 macróceras F.M.(*gr.ye*)long-horned Caucasus 1837. —— H ♃
197 amygdaloìdes W.(*st*)Almond-leaved England .... 3. 6. H ♄ Eng. bot. v. 4. t. 256.
198 Charàcias W.(*ye.pu*)upright red ———— .... —— H ♄ ———— v. 7. t. 442.
199 venèta L.en. (*ye*) venomous Europe 1824. —— H ♄ Bot. reg. n. s. t. 6.
200 Bonplándii (*wh*) Bonpland's N. Spain 1823. 4. 6. S ♃
marginàta K.S. *non* Nutt.

POINSE'TTIA B.M. POINSE'TTIA. (M. Poinsett.) Dodecandria Trigynia.
pulchérrima (*ye.wh*) scarlet-bracted N. America 1834. 3. 6. G ♄ Bot. mag. t. 3493.
Euphórbia Poinséttia Hort.
β *álbida* Benth. (*or*) *white-bracted* Mexico 1834. .... G ♄ Botan. t. 70.

CI'CCA L. C'ICCA. (Peter Cicca, who wrote in 1553. Monœcia Tetrandria.
dísticha W. (*gr*) long-leaved E. Indies 1796. 4. 6. S ♄ Jacq. schœn. 2. t. 194.

BU'XUS W. BOX-TREE. (altered from πυξος, Greek name.) Monœcia Tetrandria.
1 chinénsis L.en. (*ye*) China China 1812. 4. 8. H ♄
2 baleárica W. (*ye*) Minorca Minorca 1780. 7. H ♄ Arb. bri. 1220 & 1221.
3 sempervìrens W. (*ye*) common England .... 4. H ♄ Eng. bot. v. 19. t. 1341.
α *arbórescens* Mill.(*ye*)*tree* ———— .... —— H ♄
† *argéntea* (*ye*) *silvery-leaved* .... —— H ♄
‡ *aúrea* (*ye*) *golden-leaved* .... —— H ♄
‖ *marginàta* (*ye*) *margined* .... —— H ♄
β *angustifòlia* Mill.(*ye*)*narrow-leaved* .... —— H ♄
† *variegàta* (*ye*) *variegated* .... —— H ♄
γ *myrtifòlia* Mill.(*ye*)*myrtle-leaved* .... —— H ♄
δ *suffruticòsa* (*ye*) *dwarf* .... —— H ♄

SARCOCO'CCA B.R. SARCOCO'CCA. (σαρξ, fleshy, and κοκκος, a berry.) Monœcia Tetrandria.
coriàcea Swt. (*wh*) leathery Nepaul 1820. 4. 6. G ♄ Bot. reg. t. 358.
prunifórmis B.R. *Pachysándra coriàcea* Hook. ex. flor. t. 148.

PACHYSA'NDRA M. PACHYSA'NDRA. παχυς, thick, and ανηρ, a male.) Monœcia Tetrandria.
procúmbens M. (*bh*)procumbent N. America 1800. 3. 4. H ♃ Bot. reg. t. 33.

ACIDO'TON W. ACIDO'TON. (ακιδωτος, pointed; stinging hairs.) Monœcia Polyandria.
ùrens W. (*gr*) stinging Jamaica 1793. 4. 6. S ♄ Sloan. jam. 1. t. 83. f. 1.

PLUKENE'TIA W. PLUKENE'TIA. (Leonard Plukenet, a cel. Eng. bot.) Monœcia Monadelphia.
1 volùbilis W. (*gr*) twining W. Indies 1739. 7. 8. S ♄ ◡ Plum. ic. t. 226.
2 corniculàta S.S. (*gr*) horned E. Indies 1827. —— S ♄ ◡ Rumph. amb. 1. t. 79. f. 2.

DALECHA'MPIA W. DALECHA'MPIA. (James Dalechamp, a cel. French bot.) Mon. Monad.
1 scándens W. (*gr*) climbing W. Indies 1739. 6. 7. S ♄ ◡ Jacq. amer. 252. t. 160.
2 brasiliénsis W. (*gr*) Brazilian Brazil 1820. —— S ♄ ◡
3 fimbriàta K.S. (*gr*) fringed Mexico 1829. —— S ♄ ◡

ACA'LYPHA W. ACA'LYPHA. (α priv, καλος, pleasant, and αφη, touch; harsh.) Mon. Monad.
§ 1. *Spikes of distinct sexes.*
1 diversifòlia W. (*gr*) various-leaved Caracas 1824. 6. 8. S ♄
2 hernandifòlia S.S.(*gr*)Hernandia-ld. Jamaica 1825. .... S ♄
3 alopecuroídea W.(*gr*)Fox-tail Venezuela 1804. 7. 9. H ⊙ Jacq. ic. 3. t. 620.
4 anemioìdes K.S. (*gr*) Anemia-like Mexico 1829. .... S ♄
5 purpuráscens K.S.(*pu*)purple-bracted ———— 1827. .... S ♄
6 ellíptica S.S. ‖ (*gr*) elliptic-leaved Jamaica 1825. .... S ♄
7 lævigàta W. (*gr*) smooth ———— 1819. 7. 9. S ♄

8	virgàta w.	(gr)	twiggy	Jamaica	1822.	7. 9.	S ♄	Brown. jam. t. 36. f. 2.
9	macrostàchya w.	(gr)	long-spiked	Caracas	1824.	——	S ♄	Jacq. schœn. 2. t. 245.
10	polystàchya w.	(gr)	many-spiked	.....	——	——	S ♄	——— 2. t. 246.
11	scabròsa w.	(gr)	rough	Jamaica	1822.	——	S ♄	
12	integrifòlia s.s.	(gr)	entire-leaved	Madagascar	1823.	....	S ♄	
	§ 2. *Spikes androgynous.*							
13	virgínica w.	(gr)	Virginian	N. America	1759.	7. 8.	H ⊙	Schk. hand. 3. t. 311.
14	corolinìàna w.	(gr)	Carolina	———	1811.	——	H ⊙	Lam. ill. t. 780. f. 2.
15	ciliàta w.	(gr)	ciliated	E. Indies	1799.	——	S ⊙	Vahl. symb. 1. t. 20.
16	réptans w.	(gr)	creeping	Jamaica	1822.	——	S ♄	Sloan. hist. 1. t. 82. f. 3.
17	índica w.	(gr)	Indian	E. Indies	1759.	7. 9.	S ⊙	Rheed. mal. 10. t. 81.
18	híspida w.	(gr)	hispid	———	1820.	——	S ⊙	
19	cuspidàta w.	(gr)	cuspidate	Caracas	——	....	S ♄	Jacq. schœn. 2. t. 243.
20	cordàta Th.	(gr)	cordate	C. B. S.	1836.	——	S ⊙	
21	rùbra W.en.	(re)	red	S. America	1823.	6. 9.	S ⊙	
22	brachystàchya W.en.	(gr)	short-spiked	China	1816.	7. 8.	H ⊙	
23	pauciflòra W.en.	(gr)	few-flowered	———	——	——	H ⊙	

OMALA'NTHUS J. OMALA'NTHUS. (ὅμαλος, smooth, and ἄνθος, a flower.) Monœcia Monad.

	populifòlius B.M.	(wh)	Poplar-leaved	N. Holland	1824.	6. 8.	G ♄	Bot. mag. t. 2780.

CAPERO'NIA Hilar. CAPERO'NIA. (etymology unknown.) Monœcia Monadelphia.

1	castaneæfòlia s.s.	(gr)	Chestnut-ld.	S. America	1827.	7.10.	S ⊙	Bot. mag. t. 2794.
	Croton castaneifolius B.M.							
2	palústris s.s.	(gr)	marsh	Vera Cruz	1731.	——	S ⊙	Mart. dec. 4. t. 88.
	Croton palustris W.							

CRO'TON W. CRO'TON. (κροτον, a tick; seeds like.) Monœcia Monadelphia.

1	variegàtus w.	(gr)	variegated	E. Indies	1804.	6. 9.	S ♄	Rheed mal. 6. t. 61.
	α *latifòlius* H.B.	(gr)	*broad-leaved*	———	——	——	S ♄	
	β *crispus* H.B.	(gr)	*curl-leaved*	———	....	——	S ♄	Rumph.amb.4.t.26.f.2.
	γ *mèdius* H.B.	(gr)	*narrow-leaved*	———	1820.	——	S ♄	——— 4. t. 25.
2	lineàris s.s.	(gr)	Willow-leaved	W. Indies	1733.	7.	S ♄	Jacq. amer. t. 162. f. 4.
3	rosmarinifòlius	Cun...	Rosemary-ld.	N. Holland	1824.	6. 8.	G ♄	
4	Cascarílla s.s.	(gr)	Cascarilla	S. America	1778.	7. 8.	S ♄	Catesb. car. 2. t. 46.
5	marítimus s.s.	(gr.wh)	sea-side	Carolina	1786.	——	G ♄	
6	grácilis K.S.	(gr)	slender	Mexico	1824.	——	S ♄	
7	glabéllus s.s.	(gr.wh)	Laurel-leaved	Jamaica	1778.	5. 8.	S ♄	Sloan. jam. 2. t. 174. f. 2.
8	hírtus s.s.	(gr.wh)	hairy	Trinidad	1821.	——	S ⊙	L'Herit. stirp. 17. t. 9.
9	argénteus s.s.	(gr)	silvery-leaved	S. America	1733.	7. 8.	S ⊙	
10	Tíglium w.	(wh)	purging	E. Indies	1796.	8. 9.	S ♄	Rheed. mal. 2. t. 33.
11	glandulòsus s.s.	(gr)	glandular	W. Indies	1818.	——	S ⊙	Jacq. ic. 1. t. 194.
12	sublùteus s.s.	(gr.ye)	yellowish	Trinidad	1822.	——	S ♄	Aubl. guian. 2. t. 339.
13	populifòlius s.s.	(gr.wh)	Poplar-leaved	Jamaica	1824.	——	S ♄	
14	tiliæfòlius P.S.	(gr.wh)	Lime-tree-ld.	St. Vincent	1825.	——	S ♄	Plum. mss. 4. t. 123.
15	Elutèria s.s.	(gr.wh)	sea-side Balsam	Jamaica	1748.	——	S ♄	Sloan. hist. 2. t. 174. f. 2.
16	lùcidus s.s.	(gr.wh)	shining	———	1822.	7. 9.	S ♄	
17	mìcans s.s.	(gr.ye)	glittering	———	1815.	——	S ♄	Pluk. alm. t. 220. f. 5.
18	nìtens s.s.	(wh.gr)	nitent	———	1818.	——	S ♄	
19	làcerus s.s.	(wh.gr)	jagged	.....	1822.	——	S ♄	
20	púngens s.s.	(gr.ye)	pungent	Caracas	1791.	——	S ♄	Jacq. ic. 3. t. 622.
21	penicillàtus s.s.	(gr)	pencilled	Cuba	1799.	7. 8.	S ♄	Venten. choix. t. 12.
22	flàvens s.s.	(ye.gr)	pale yellow	W. Indies	1822.	——	S ♄	
23	macrophy'llus s.s.	(wh)	large-leaved	Jamaica	——	——	S ♄	
24	aromáticus s.s.	(wh)	aromatic	Ceylon	1793.	——	S ♄	Rumph. amb. 3. t. 126.
25	hùmilis s.s.	(wh.gr)	humble	Jamaica	1799.	——	S ♄	
26	farinòsus s.s.	(wh)	mealy	Madagascar	1826.	....	S ♄	
27	Astroítes w.	(gr.wh)	woolly-leaved	W. Indies	1782.	7. 8.	S ♄	
28	lobàtus s.s.	(wh)	various-leaved	Vera Cruz	1730.	——	S ⊙	Mart. dec. 5. t. 46.
29	hibiscifòlius H.K.	(gr.wh)	Hibiscus-ld.	Mexico	1810.	——	S ♄	
	flabellifòlius Lod. cat. *digitàta* Hort.							
30	gossypifòlius s.s.	(wh)	Cotton-leaved	Trinidad	1823.	——	S ♄	Vahl. symb. t. 49.
31	tomentòsus L. en ..		tomentose	.....	——	....	S ♄	

CODIÆ'UM J. CODIÆ'UM. (not explained.) Monœcia Monodelphia.

	píctum J.	(gr)	painted-leaved	E. Indies	1733.	7.	S ♄	Bot. mag. t. 3051.
	Croton pictus L.							

CROZO'PHORA J. CROZO'PHORA. (etymology not explained.) Monœcia Pentandria.

1	plicàta J.	(wh.gr)	plaited	E. Indies	1824.	6. 8.	G ⊙	Burm. ind. t. 62. f. 1.
2	tinctòria J.	(wh.gr)	officinal	S. Europe	1570.	7. 8.	H ⊙	Niss. act. par. 1712. t. 17.
	Croton tinctorium W.							
3	verbascifòlia J.	(wh.gr)	Mullein-leaved	Greece	1826.	——	H ⊙	

ROTTLE'RA W. ROTTLE'RA. (Rev. Dr. Rottler, Danish missionary.) Diœcia Icosandria.
1 braziliénsis S.S. (gr) Brazilian Brazil 1820. .... S ♄
2 tintòria S.S. (gr) dyer's E. Indies 1810. .... S ♄ Roxb. corom. 2. t. 16[illegible]
GELO'NIUM W. GELO'NIUM. (etymology unknown.) Diœcia Icosandria.
1 bifàrium W. (gr) oval-leaved E. Indies 1793. 6. 8. S ♄
2 lanceolàtum H.B.(gr) spear-leaved ——— 1825. —— S ♄
3 fasciculàtum ROX.(ye)cluster-fld. ——— .... —— S ♄ Bot. mag. t. 3231.
TRE'WIA W. TRE'WIA. (C. J. Trew, a cel. Germ. bot.) Diœcia Polyandria.
nudiflòra W. (gr) naked-flowered E. Indies 1796. .... S ♄ Rheed mal. 1. t. 42.
HYÆNA'NCHE H.K. HYÆNA-POISON. (poisons hyænas.) Diœcia Dodecandria.
globòsa H.K. (gr.wh) Cape C. B. S. 1783. 4. 9. G ♄ Lamb. cinch. 52. t. 10.
EUCLE'A W. EUCLE'A. (ευκλεια, glory; foliage.) Diœcia Dodecandria.
1 racemòsa W. (wh) round-leaved C. B. S. 1722. 11. 12. G ♄ Jacq. fragm. 3. t. 1. f. 3.
2 undulàta W. (wh) wave-leaved ——— 1794. 6. 10. G ♄
JA'TROPHA W. PHYSIC-NUT (ιατρον, remedy, and φαγω, to eat.) Monœc. Monadelph.
1 gossypifòlia W. (sc) Cotton-leaved W. Indies 1690. 5. 8. S ♄ Bot. reg. t. 746.
2 panduræfòlia W. (sc) fiddle-leaved Cuba 1800. —— S ♄ Bot. mag. t. 604.
3 integérrima W. (sc) spicy ——— 1809. —— S ♄ ——— t. 1464.
4 Cúrcas W. (gr) angular-leaved S. America 1731. .... S ♄ Jacq. vind. 3. t. 63.
5 multífida W. (sc) multifid ——— 1696. 6. 8. S ♄ Sal. par. lond. t. 91.
6 coccínea L. en. (sc) scarlet ..... 1822. —— S ♄
CNIDO'SCOLOS P.B. CNIDO'SCOLOS. (κνιδη, a nettle, σκολος, a spine.) Monœcia Monadelphia.
1 ùrens P.B. (wh) stinging Brazil 1690. 5. 7. S ♄ Jacq. vind. 1. t. 21.
Játropha ùrens Jacq.
2 stimulòsus Ph. (wh) stimulous N. America 1812. —— F ♄ Pluk. alm. t. 220. f. 3.
Játropha stimulòsa Ph.
3 napæifòlius W. (wh) Napæa-leaved Antilles 1823. 7. 8. S ♄
4 fràgrans K.S. (wh) fragrant Cuba 1822. 6. 8. S ♄
5 herbàceus W. (wh) annual Vera Cruz 1759. 7. 8. S ⊙ Reliq. houst. 6. t. 15.
6 Marcgràvii P.B.(wh) Marcgrave's Brazil 1823. —— S ♄ Pohl. flor. bras. 1. t. 50.
7 vitifòlius P.B. (wh) Vine-leaved ——— —— —— S ♄ ——— 1. t. 52.
MA'NIHOT P.B. MA'NIHOT. (altered from Mandioca, name in Brazil.) Monœc. Decand.
1 fœ'tida P.B. (bl.br) strong-scented Mexico 1824. 7. 8. S ♄
2 Jánipha P.B.(br.gr.) Lœfling's S. America —— —— S ♄ Jacq. amer. t. 162. f. 1.
Játropha carthaginénsis Jacq. *Jánipha* W. *Jánipha Lœflingii* K.S.
3 grácilis P.B. (br.gr) slender Brazil 1822. 7. 8. S ♄ Pohl. pl. bras. 8. t. 16.
4 anómala P.B. (br) anomalous ——— —— —— S ♄ ——— 1. t. 21.
5 pruinòsa P.B. (bl.br) frosted ——— 1824. —— S ♄ ——— 1. t. 22.
6 digitifórmis P.B.(bl.br)finger-formed ——— 1826. —— S ♄ ——— 1. t. 27.
7 digitàta Swt. ..... finger-leaved N. S. W. 1810. .... G ♄
Cròton digitàtum F.
8 diversifòlia ..... different-leaved N. Holland 1822. .... G ♄
9 tenuifòlia P.B.(bl.br) slender-leaved Brazil —— 6. 8. S ♄ Pohl. pl. bras. 1. t. 29.
10 angustifòlia P.B. (br) narrow-leaved ——— 1829. .... S ♄
11 æsculifòlia K.S.(bl.br)Æsculus-leaved S. America 1825. 5. 8. S ♄ H. et. B. 2. t. 109.
12 utilíssima P.B.(bl.br) Cassava ——— 1739. 7. 8. S ♄ Bot. mag. t. 3071.
Játropha Mánihot W. *Jánipha Mánihot* K.S
13 caricæfòlia P.B.(bl.br)Papaw-leaved Brazil 1822. —— S ♄ Pohl. pl. bras. 1. t. 32.
14 Dalechampiæfórmis P.B (br)Dalechampia-like — 1818. —— S ♄ ——— 1. t. 36.
15 sinuàta P.B. (br) sinuate-leaved ——— 1824. —— S ♄ ——— 1. t. 41.
ALEURITES W. ALEURI'TES. (αλευριτης, mealy; leaves.) Monœcia Monadelphia.
1 tríloba W. (wh) three-lobed Society I. 1793. .... S ♄
2 Ambìnux P.S. (wh) Molucca Ceylon 1803. .... S ♄
Cròton moluccànum W.
RI'CINUS W. PALMA-CHRISTI. (the Latin for a tick; form of seeds.) Monœc. Monadelph.
1 commùnis W. (re.st) Castor-oil plant E. Indies 1548. 7. 8. H ⊙ Lam. ill. t. 792.
2 Kráppa L.O. (wh.fl) Krappa ..... 1827. 8. 11. H ⊙
3 leucocárpus L.O.(wh.bh) white-capsuled ..... —— —— F ⊙
4 macrophy'llus L.O.(w.r)large-leaved ..... —— —— F ⊙
5 paniculàtus L.O.(re.wh)panicled ..... 1824. 8. 10. F ⊙
6 rùtilans L.O. (re.wh) red-stalked ..... 1827. —— F ⊙
7 undulàtus L.O.(re.wh) wave-leaved ..... —— —— F ⊙
8 víridis W. (bh.wh) green E. Indies 1802. 8. H ⊙ W. hort. ber. 1. t. 49.
9 africànus W. (re.wh) African Africa .... 7. 8. G ♄
10 lívidus W. (re.wh) livid-leaved C. B. S. 1795. —— G ♄ Jacq. ic. 1. t. 196.
11 inérmis W. (re.st) smooth-capsuled India 1758. —— S ♂ ——— 1. t. 195.
12 armàtus A.R.(re.wh) rough-capsuled Malta 1807. 7. 8. S ♂ Andr. reposit. t. 430.
MA'PPA J. MA'PPA. (Marc Mappus, an Alsatian bot.) Monœcia Monadelphia.
1 moluccàna S.S. (wh) Molucca Moluccas 1828. .... S ♄

2 Tanària s.s. (*wh*) scollop-leaved E. Indies 1810. 7. 9. S ♄ Rumph. amb. 3. t. 121.
Ricinus Tanàrius w.

OMPHA'LEA W. OMPHA'LEA. (*ομφαλος*, the navel.) Monœcia Monadelphia.
triándria w. (*wh*) long-leaved Jamaica 1763. 6. 7. S ♄ Lodd. bot. cab. t. 519.

HIPPO'MANE W. MANCHINEEL-TREE. (*ἵππος*, a horse, and *μανια*, madness.) Mon. Mona.
1 Mancinélla w. (*gr*) common W. Indies 1690. .... S ♄ Catesb. car. 2. t. 95.
2 spinòsa s.s. (*gr*) spiny ——— 1820. .... S ♄ Plum. ic. 171. f. 1.
Sàpium ilicifòlium w.

SA'PIUM W. SA'PIUM. (*sap*, fat, Celt.; yields.) Monœcia Monadelphia.
1 aucupàrium s.s. single-spiked W. Indies 1692. .... S ♄ Jacq. amer. t. 158.
2 Hippómane s.s. (*gr*) two-glanded ——— 1824. .... S ♄
3 índicum w. (*gr*) Indian E. Indies 1817. .... S ♄

SIPHO'NIA W. ELASTIC-GUM-TREE. (*σιφων*, a tube; gum formed into.) Monœc. Monad.
Cahùchu w. (*gr*) common S. America 1823. .... S ♄ Lam. ill. t. 790.
elástica P.S.

AGYNE'JA W. AGYNE'JA. (*α*, priv, and *γυνη*, a female; no style.) Monœcia Monad.
1 impùbes w. (*gr*) smooth China 1820. 7. 9. H ☉
2 pùbera w. (*gr*) woolly ——— 1823. .... S ♄

STILLI'NGIA W. STILLINGIA. (Benj. Stillingfleet, an English bot.) Monœcia Monadelphia.
1 sylvática w. (*ye*) wood Carolina 1787. 7. 8. G ♄
2 ligústrina w. (*st*) Privet-leaved N. America 1812. —— G ♄
3 sebífera w. (*st*) Tallow-tree China 1703. 9. S ♄ Pluk. amal. t. 390. f. 2.
4 popúlnea w. (*st*) Poplar-like Ceylon 1823. —— S ♄

HU'RA W. SAND BOX-TREE. (vernacular name.) Monœcia Monadelphia
1 strèpens W. en. (*gr*) unequal-toothed S. America .... 7. 9. S ♄
2 crépitans W.en. (*gr*) equal-toothed ——— 1733. —— S ♄ Lam. ill. t. 793.

BRADLE'JA W. BRADLE'JA. (Rich. Bradley, prof. bot. Cambridge.) Monœcia Monad.
1 sínica w. (*wh*) Chinese China 1816. 7. 9. S ♄ Gært. sem. 2. t. 109. f. 1.
2 nítida H.B. (*wh*) glossy E. Indies 1820. —— S ♄
3 multiloculàris s.s. (*wh*) multilocular ——— —— —— S ♄

PHYLLA'NTHUS W. PHYLLA'NTHUS. (*φυλλον*, a leaf, and *ανθος*, a flower.) Mon. Monad.
1 obovàtus w. (*wh*) annual N. America 1803. 7. 8. H ☉
2 maderaspaténsis w. (*gr*) Madras E. Indies 1783. —— S ♄
3 grácilis H.B. (*gr*) slender ——— 1820. —— S ♃
4 longifòlius w. (*gr*) long-leaved Isl. Bourbon 1822. —— S ♄ Lam. ill. t. 156. f. 1.
5 lanceolàtus w. (*gr*) spear-leaved ——— —— 6. 8. S ♄
6 nùtans w. (*bh.st*) nodding Jamaica —— —— S ♄ Jacq. schœn. 2. t. 193.
7 grandifòlius w. (*gr*) great-leaved Portorico 1771. —— S ♄
8 virùsus w. (*gr*) venomous E. Indies 1802. —— S ♄
9 turbinàtus B.M. (*gr*) shining-leaved China .... 7. 9. S ♄ Bot. mag. t. 1862.
10 Conàmi w. (*gr*) Brazilian Brazil 1791. —— S ♄ Aub. gui. 2. t. 354.
11 obcordàtus H.B. (*gr*) obcordate E. Indies 1818. —— S ♃
12 retùsus H.B. (*gr*) retuse-leaved ——— 1822. —— S ♃
13 reticulàtus B.C. (*bh*) netted ——— 1818. 8. 9. S ♄ Lodd. bot. cab. t. 577.
14 lùcens w. (*gr*) thick-veined China 1822. 7. 9. S ♄
15 cantoniénsis L.en. (*gr*) Canton ——— 1819. 7. 8. H ☉
16 cuneàtus W.en. (*gr*) wedge-leaved ——— —— —— H ☉
17 Niruri w. (*gr*) Indian E. Indies 1692. 6. 9. S ☉ Rheed. mal. 10. t. 15.
18 Urinària w. (*gr*) stinging ——— 1819. —— S ☉ Rumph. amb. 6. t. 17. f. 2.
19 microphy'llus K.S. (*gr*) small-leaved S. America 1824. —— S ♄
20 polyphy'llus w. (*gr*) many-leaved E. Indies 1805. 7. 9. S ♄
21 mimosoìdes w. (*gr*) Mimosa-like W. Indies 1820. —— S ♄ Lodd. bot. cab. t. 721.
22 rhamnoìdes w. (*gr*) Rhamnus-like E. Indies —— —— S ♄
23 stríctus H.B. (*gr*) upright ——— 1823. —— S ♄
24 fraxinifòlius B.C. (*gr*) Ash-leaved ..... 1818. —— S ♄ Lodd. bot. cab. t. 731.
25 juglandifòlius W.en. (*gr*) Walnut-leav'd New Spain —— 6. 9. S ♄
26 scándens Roxb. (*gr*) climbing E. Indies 1803. —— S ♄

E'MBLICA L.T. E'MBLICA. (Molucca name.) Monœcia Syngenesia.
1 officinàlis L.T. (*st*) officinal E. Indies 1768. 6. 9. S ♄ Lodd. bot. cab. t. 548.
2 racemòsa s.s. (*st*) racemed ——— 1793. 7. 8. S ♄
Phyllánthus racemòsus w.

KIRGANE'LIA J. KIRGANE'LIA. (Malabar name.) Monœcia Monadelphia.
élegans J. (*gr*) elegant Mauritius 1820. 6. 9. S ♄
Phyllánthus Kirganèlia w.

XYLO'PHYLLA W. XYLO'PHYLLA. (*ξυλον*, wood, and *φυλλον*, a leaf.) Monœcia Monadelphia.
§ 1. *Bearing flowers on the edges of the leaves.*
1 longifòlia w. (*re*) long-leaved E. Indies 1816. 1. 12. S ♄ Rumph. amb. 7. t. 12.
Phyllánthus cerámica P.S.
2 latifòlia w. (*wh*) Seaside Laurel S. America 1783. 8. 10. S ♄ Bot. mag. t. 1021.

3	speciòsa	(*wh*)	handsome	Jamaica	1818.	——	S	♄	Jacq. ic. 3. t. 616.
	arbúscula w. *Phyllánthus speciòsus* Jacq.								
4	angustifòlia w.	(*wh*)	narrow-leaved	Jamaica	1789.	7. 8.	S	♄	Lodd. bot. cab. t. 577.
5	lineàris P.S.	(*re*)	linear-leaved	———	1822.	——	S	♄	
6	elongàta B.C.	(*re*)	elongated	———	——	——	S	♄	Lodd. bot. cab. t. 1091.
7	montàna w.	(*or*)	mountain	———	1820.	11.4.	S	♄	Bot. mag. t. 2652.
8	falcàta w.	(*re*)	falcate-leaved	Bahama Isl.	1699.	7. 9.	S	♄	Bot. reg. t. 373.
	§ 2. *Bearing flowers on the branches.*								
9	ramiflòra w.	(*wh*)	oval-leaved	Siberia	1785.	7. 8.	H	♄	Pall. it. 3. t. E. f. 2.
10	obovàta W.en.	(*wh*)	obovate-leaved	———	....	——	H	♄	

ANDRA'CHNE W. BASTARD ORPINE. (Greek name of Purslane.) Monœcia Gynandria.

	telephioìdes w.	(*wh*)	annual	Italy	1732.	7. 8.	H	⊙	Lam. ill. t 797.

BRIDE'LIA W. BRIDE'LIA. (Prof. Bridel, cel. Cryptogamic bot.) Polygamia Monœcia.

1	scándens w.	(*wh*)	climbing	E. Indies	1804.	7. 9.	S	♄ ◡	Roxb. corom. 2. t. 173.
2	montàna S.S.	(*st*)	mountain	———	1825.	——	S	♄	——— v.2.t.171.
3	fruticòsa P.S.	(*st*)	frutescent	———	1827.	——	S	♄	——— v.2.t.172.

CLU'YTIA W. CLU'YTIA. (O. Cluytius, a Dutch bot.) Diœcia Gynandria.

1	collìna w.	(*st*)	hill	E. Indies	1807.	....	S	♄	Roxb. corom. 2. t. 169.
2	pátula w.	(*st*)	spreading	———	1812.	....	S	♄	——— 2. t. 170.
3	pulchélla w.	(*st*)	broad-leaved	C. B. S.	1739.	1. 6.	G	♄	Bot. mag. t. 1945.
4	heterophy'lla w.	(*st*)	various-leaved	———	1816.	2. 4.	G	♄	
5	tomentòsa w.	(*st*)	tomentose	———	1812.	4. 6.	G	♄	
6	pubéscens w.	(*st*)	pubescent	———	1817.	——	G	♄	
7	polifòlia w.	(*wh*)	Poley-leaved	———	1790.	——	G	♄	Jacq. schœn. 2. t. 50.
8	ericoìdes w.	(*wh*)	Heath-leaved	———	——	——	G	♄	Bot. reg. t. 779.
9	daphnoìdes w.	(*wh*)	Daphne-like	———	1731.	5. 6.	G	♄	W. hort. ber. t. 52.
10	polygonoìdes	(*wh*)	Polygonum-like	———	1790.	12.3.	G	♄	——— t. 51.
11	alaternoìdes w.	(*wh*)	narrow-leaved	———	1692.	——	G	♄	Bot. mag. t. 1321.

EXCŒCA'RIA W. EXCŒCA'RIA. (*excæco*, to blind; juice causing.) Diœcia Monadelphia.

1	lùcida	(*wh*)	shining-leaved	Jamaica	1824.	4. 6.	S	♄	
2	glandulòsa S.S.	(*wh*)	glandular	———	——	——	S	♄	Sloan. hist. 2. t. 158. f. 2.
3	Agallócha S.S.	(*gr.ye*)	Indian	E. Indies	1823.	....	S	♄	Rumph. amb. 2. t. 79. 80.
4	serràta H.K.	(*wh*)	saw-leaved	Chili	1796.	11.2.	G	♄	

ADE'LIA W. ADE'LIA. (*a* priv. and *δηλος*, visible; minute flowers.) Diœcia Monadel.

1	Bernárdia w.	(*gr.wh*)	villous-leaved	Jamaica	1768.	7. 8.	S	♄	
2	Ricinélla w.	(*gr.wh*)	smooth-leaved	———	——	6. 8.	S	♄	
3	Acidòton w.	(*gr.wh*)	Box-leaved	———	——	6. 7.	S	♄	

LOURE'IRA W. LOURE'IRA. (John de Loureiro, a Portuguese missionary.) Diœc. Monad.

1	cuneifòlia w.	(*bh*)	wedge-leaved	Mexico	1824.	6. 8.	G	♄	Cavan. ic. 5. t. 429.
	Mozinna spathulàta Ort. dec. 8. t. 13.								
2	glandulòsa w.	(*bh*)	glandulous	———	1799.	——	G	♄	Cavan. ic. 5. t. 430.

BO'RYA W. BO'RYA. (Bory de St. Vincent, trav. in Mauritius.) Diœcia Diandria.

1	porulòsa w.	(*gr.wh*)	Florida	Florida	1806.	7. 8.	H	♄	
2	ligústrina w.	(*gr.wh*)	Privet-leaved	N. America	1812.	——	H	♄	
3	prinoìdes W.en.	(*gr.wh*)	Prinos-like	———	1816.	——	H	♄	
4	nítida W.en.	(*gr.wh*)	glossy-leaved	———	——	——	H	♄	
5	retùsa W.en.	(*gr.wh*)	retuse-leaved	———	1812.	——	H	♄	
6	acuminàta w.	(*gr.wh*)	pointed	———	——	——	H	♄	Mich. amer. 2. t. 48.
	Adèlia acuminàta M.								
7	distichophy'lla N.	(*gr.wh*)	distich-leav'd	———	....	——	H	♄	

SECURINE'GA J. SECURINE'GA. (*securis*, a hatchet, and *nego*, to refuse.) Monœc. Pentand.

	nítida P.S.	(*wh*)	OtaheiteMyrtle	Otaheite	1793.	3. 8.	S	♄	Lindl. collect. t. 9.

TRA'GIA W. TRA'GIA. (J. Bock, commonly called Tragus.) Monœcia Triandria.

1	volùbilis w.	(*gr*)	twining	W. Indies	1739.	6. 7.	S	♄ ◡	Trew. pl. rar. 2 t. 15.
2	involucràta w.	(*gr*)	involucred	E. Indies	1759.	——	S	⊙ ◡	Jacq. ic. 1. t. 190.
3	mercuriàlis w.	(*gr*)	Mercury-like	———	1818.	——	S	⊙	Rheed. mal. 10. t. 82.
4	urticæfòlia S.S.	(*gr*)	nettle-leaved	N. America	1812.	——	H	⊙	
5	hirsùta D.L.	(*gr*)	hairy	Trinidad	1820.	——	S	⊙	
6	ùrens w.	(*gr*)	stinging	Virginia	1699.	8.	H	⊙	Pluk. alm. t. 107. f. 5.
7	infésta S.S.	(*gr*)	troublesome	Brazil	....	——	S	⊙	
8	cannábina w.	(*gr*)	Hemp-leaved	———	1699.	6. 7.	S	♃	Burm. ind. t. 63. f. 1.

MICRO'STACHYS J. MICRO'STACHYS. (*μικρος*, small, and *σταχυς*, a spike.) Monœcia Triandria.

1	corniculàta	(*gr*)	two-horned	Trinidad	1820.	6. 7.	S	⊙	
	Tràgia corniculàta Vahl. *Cnemidóstachys Váhlii* S.S.								
2	Chamælèa J.	(*gr*)	lance-leaved	E. Indies.	1793.	——	S	⊙	Rheed. mal. 2. t. 34.

ORDER CCIX.

EMPE'TREÆ. *D. Don on the affinities of the Empetreæ p.* 3.

E'MPETRUM D.D.		E'MPETRUM. (*εν*, in, *πετρος*, a rock; habitat.) Diœcia Triandria.						
1 **nìgrum** W.	(*gr*)	black-berried	Britain	....	4. 5.	H	♄	Eng. bot. v. 8. t. 526.
2 **rùbrum** B.R.	(*re*)	red	N.America?....		——	H	♄	Bot. reg. t. 1783.
CORE'MA D.D.		CORE'MA. (*κορημα*, a broom; growth.) Diœcia Triandria.						
álbum D.D.	(*gr*)	white-berried	Portugal		1774. 4. 6.	H	♄	
Empètrum álbum W.								
CERATI'OLA M.		CERATI'OLA. (*κερατιον*, a little horn; stigma.) Monœcia Diandria.						
ericoìdes M.	(*st*)	Heath-like	N. America		1810. 4. 6.	H	♄	Bot. mag. t. 2758.

ORDER CCX.

GNE'TEÆ. *Blume.*

GNE'TUM W.		GNE'TUM. (altered from *Gnemon*, vernacular name.) Monœcia Monadel.						
gnèmon W.	(*gr*)	Indian	India		1815.	S	♄	Rumph. amb. 1. t. 71.
E'PHEDRA.		E'PHEDRA. (*επι*, upon, and *υδωρ*, water) Diœcia Monadelphia.						
1 **distàchya** W.	(*st*)	great	France		1570. 6. 7.	H	♄	Schk. hand. 3. t. 339.
2 **monostàchya** W.	(*st*)	small	Siberia		1772. 9.11.	H	♄	Wats. dend. brit. t. 142.
3 **altìssima** W.	(*st*)	tall	Barbary		1823.	H	♄	Desf. atl. 2. t. 253.
4 **mìnor** Jacq.	(*st*)	smaller	.....		1838.	H	♄	

ORDER CCXI.

ANTIDE'SMEÆ.

ANTIDE'SMA W.		ANTIDE'SMA. (*αντι*, like, and *δεσμα*, a tie; bark used as.) Dicec. Pentand.						
1 **alexitèria** W.	(*gr*)	Laurel-leaved	E. Indies		1793. 5. 6.	S	♄	Rheed. mal. 5. t. 11.
2 **pubéscens** W.	(*gr*)	pubescent	———		1818. ——	S	♄	Roxb. corom. 2. t. 167.
3 **paniculàta** W.	(*gr*)	panicled	———		1800. ——	S	♄	
4 **zeylánica** Lam.	(*gr*)	Ceylon	Ceylon		1821.	S	♄	Burm. zeyl. t. 10.
STILA'GO W.		STILA'GO. (etymology unknown.) Diœcia Triandria.						
1 **Bùnius** W.	(*gr*)	Laurel-leaved	E. Indies		1757. 8.10.	S	♄	Rheed. mal. 4. t. 56.
2 **diándra** W.	(*gr*)	diandrous	———		1800. ——	S	♄	Roxb. corom. 2. t. 166.
PUTRANJI'VA Wall.		PUTRANJI'VA. (Indian name.) Diœcia Tetrandria.						
índica Wall.	(*gr*)	Indian	E. Indies		1822. 2. 4.	S	♄	
Nageìa Putranjìva H.B.								
GA'RRYA B.R.		GA'RRYA. (N. Garry, Sec. Huds. Bay Comp.) Diœcia Tetrandria.						
ellíptica B.R.	(*wh*)	elliptic-leaved	California		1828. 10.2.	H	♄	Bot. reg. t. 1686.

ORDER CCXII.

ARTOCA'RPEÆ. *R. Brown.*

FICUS L. FIG-TREE. (etymology unknown.) Polygamia Diœcia.

§ 1. *Leaves quite entire, cordate at the base.*

1	religiòsa R.S.	(gr) Poplar-leaved	E. Indies	1731.	....	S	♄	Rheed. mal. 1. t. 27.
2	superstitiòsa L.en.	(gr) superstitious	———	....	....	S	♄	
3	nymphæifòlia R.S.	(gr) Water-lilly-ld.	E. Indies	1659.	....	S	♄	
4	cordàta R.S.	(gr) heart-leaved	C. B. S.	1802.	4. 6.	S	♄	Thunb. fic. p. 8. c. ic.
5	urophy'lla Wall.	(gr) tail-leaved	India	1829.	6.	S	♄	Bot. cab. t. 1697.
6	oblongàta L.en.	(gr) oblong-leaved	C. B. S.	1816.	....	S	♄	
7	crassinérvia R.S.	(gr) thick-nerved	S. America	——	....	S	♄	
8	rubrinérvia L.en.	(gr) red-nerved	Brazil	1824.	....	S	♄	
9	rubiginòsa R.S.	(gr) ferrugineous	N. S. W.	1789.	3. 6.	G	♄	Venten. malm. t. 114.
	austràlis W.							
10	costàta R.S.	(gr) rib-leaved	E. Indies	1763.	....	S	♄	
11	lævigàta R.S.	(gr) smooth	W. Indies	1822.	....	S	♄	
12	lentiginòsa R.S.	(gr) veined-leaved	———	1826.	....	S	♄	
13	citrifòlia R.S.	(gr) Citron-leaved	———	1824.	....	S	♄	
14	coronàta R.S.	(gr.re) red-crowned	N. S. W.	1807.	3. 6.	G	♄	Colla hort. rip. t. 8.
15	lùcida R.S.	(gr) shining-leaved	E. Indies	1772.	4. 6.	S	♄	
16	scándens R.S.	(gr) climbing	S. America	1816.	——	S	♄	
17	stipulàta R.S.	(gr) trailing	China	1771.	——	G	♄	
18	peduncalàta R.S.	(gr) Willow-leaved	S. America	1776.	5. 7.	S	♄	Pluk. alm. t. 178 f. 4.
19	venòsa R.S.	(gr) vein-leaved	E. Indies	1763.	6. 8.	S	♄	Rheed. mal. 3. t. 64.
20	leucótoma R.S.	(gr) white-spotted	———	....	——	S	♄	W. hort. ber. 1. t. 36.
	venòsa W. *non* H.K.							
21	tinctòria R.S.	(gr) Otaheite	Society Isl.	1783.	5. 6.	S	♄	
22	séptica R.S.	(gr) rough	E. Indies	1826.	....	S	♄	Rumph. amb. 3. t. 96.
23	benjamìna R.S.	(gr) oval-leaved	———	1757.	....	S	♄	Rheed. mal. 1. t. 26.
24	padifòlia K.S.	(gr) Padus-leaved	Mexico	1826.	....	S	♄	
25	complicàta K.S.	(gr) complicated	———	——	....	S	♄	
26	glabràta K.S.	(gr) smooth	Teneriffe	1816.	....	G	♄	
27	benghalénsis R.S.	(gr) Bengal	E. Indies	1690.	4. 5.	S	♄	Rheed. mal. 1. t. 28.
28	microcárpa R.S.	(gr) small-fruited	Guinea	1823.	——	S	♄	
29	americàna R.S.	(gr) American	Jamaica	1822.	....	S	♄	Plum. spec. t. 132. f. 2.
30	racemòsa R.S.	(gr) clustered	E. Indies	1759.	4. 6.	S	♄	Rheed. mal. 1. t. 25.
31	pertùsa R.S.	(gr) Laurel-leaved	S. America	1780.	——	S	♄	
32	terebràta R.S.	(gr) obovate-leaved	Mauritius	1822.	——	S	♄	Bory it. t. 17.
33	pùmila R.S.	(gr) dwarf	China	1759.	——	G	♄	Kæmp. amœn. t. 804.
34	comòsa R.S.	(gr) tufted	E. Indies	1825.	....	S	♄	Bot. mag. t. 3305.
35	glomeràta R.S.	(gr) crowded	———	1818.	....	S	♄	Roxb. corom. 2. t. 123.
36	Hookèri Swt.	(gr) Hooker's	W. Indies	1816.	1. 4.	S	♄	Hook. ex. flor. t. 111.
	nítida H.E.F. *nec aliorum.*							
37	nítida R.S.	(gr) glossy-leaved	E. Indies	1786.	3. 6.	S	♄	Rheed. mal. 3. t. 55.
38	ciliolòsa R.S.	(gr) fringe-stipuled	.....	1816.	——	S	♄	
39	rùbra R.S.	(gr) vermilion-fruited	E. Indies	1826.	....	S	♄	Rumph. amb. 3. t. 85.?
40	cotinifòlia K.S.	(gr) Cotinus-leaved	Mexico	1824.	3. 6.	S	♄	
41	obtusifòlia K.S.	(gr) blunt-leaved	———	——	....	S	♄	
42	coriàcea R.S.	(gr) leathery-leaved	E. Indies	1772.	....	S	♄	
43	popúlnea R.S.	(gr) Poplar-leaved	———	....	....	S	♄	
44	macrophy'lla R.S.	(gr) large-leaved	N. Holland	1816.	4. 6.	G	♄	
45	elástica H.B.	(gr) Indian rubber	E. Indies	1815.	....	G	♄	
46	Afzèlii G.D.	(gr) Afzelius's	Sierra Leone	1822.	....	S	♄	
47	lasiophy'lla L.en.	(gr) downy-leaved	.....	1816.	....	S	♄	
48	glaucophy'lla R.S.	(gr) glaucous-leaved	S. America	1824.	....	S	♄	

§ 2. *Leaves quite entire, narrowed at the base.*

49	insipída R.S.	(gr) insipid	Caracas	1829.	....	S	♄	
50	retùsa R.S.	(gr) retuse-leaved	E. Indies	1793.	4. 6.	S	♄	
51	laurifòlia R.S.	(gr) Laurel-leaved	W. Indies	1759.	——	S	♄	Sloan. jam. 2. t. 223.
	martinicénsis W.							

52	calyculàta R.S.	(gr) calyculate	Vera Cruz	1760.	4. 6.	S	♄	
53	braziliénsis L.en.	(gr) Brazilian	Brazil	1820.	——	S	♄	
54	cuneàta R.S.	(gr) wedge-leaved	———	1826.	....	S	♄	
55	índica R.S.	(gr) Banyan-tree	E. Indies	1759.	....	S	♄	Rheed. mal. 3. t. 63.
56	salicifòlia R.S.	(gr) Willow-leaved	Arabia	1818.	....	S	♄	
57	Logàni G.D.	(gr) Logan's	Caracas	1824.	....	S	♄	
58	aurantìaca Lod.	(or) orange-coloured	.....	1818.	....	S	♄	
59	péndula L.en.	(gr) pendulous	.....	1824.	5. 7.	S	♄	
60	myrtifòlia L.en.	(gr) Myrtle-leaved	.....	——	....	S	♄	
61	pubéscens R.S.	(gr) pubescent	E. Indies	——	....	S	♄	
62	nervòsa R.S.	(gr) strong-nerved	———	1826.	....	S	♄	
63	ellíptica K.S.	(gr) elliptic-leaved	S. America	1824.	....	S	♄	
64	acuminàta Ham.	(or) acuminate	E. Indies	——	....	S	♄	Bot. mag. t. 3282.
65	longifòlia L.C.	(gr) long-leaved	.....	——	....	S	♄	
66	caudàta L.C.	(gr) tailed	.....	——	....	S	♄	
67	dumòsa L.C.	(gr) bushy	.....	——	....	S	♄	
68	viscifòlia L.C.	(gr) Viscum-leaved	.....	——	....	S	♄	
69	lanceolàta H.B.	(gr) spear-leaved	E. Indies	1820.	....	S	♄	
	§ 3. *Leaves serrated.*							
70	Brássii H.T.	(gr) Brass's	SierraLeone	1822.	....	S	♄	
71	obtusàta L.en.	(gr) obtuse-toothed	.....	1820.	....	S	♄	
72	múntia L.en.	(gr) rough-leaved	N. Holland	1818·	....	S	♄	
73	ulmifòlia R.S.	(gr) Elm-leaved	Philippine	1825.	....	S	♄	
74	capénsis R.S.	(gr) Cape	C. B. S.	1816.	....	G	♄	
75	exasperàta R.S.	(gr) very rough	Guinea	1822.	....	S	♄	Willden. fic. t. 2.
	scàbra W. *non* Forst.							
76	híspida R.S.	(gr) opposite-leaved	E. Indies	1802.	....	S	♄	Roxb. corom. 2. t. 124.
	oppositifòlia Rox. *scàbra* Jacq. schœn. 3. t. 315.							
77	Lichtensteínii L.en.	(gr) Lichtenstein's	C. B. S.	1824.	....	G	♄	
	§ 4. *Leaves divided.*							
78	aquática W.	(gr) water	E. Indies	1758.	4. 6.	S	♄	
79	heterophy'lla R.S.	(gr) various-leaved	———	1816.	.....	S	♄	Rheed. mal. 3. t. 62.
80	rèpens R.S.	(gr) creeping-stemmed	———	1805.	....	S	♄	
81	querifòlia L.C.	(gr) Oak-leaved	E. Indies	1827.	5. 8.	S	♄	Lodd. bot. cab. t. 1540.
82	virgàta H.B.	(gr) twiggy	———	1817.	....	G	♄	
83	Cárica R.S.	(gr) common	S. Europe	1548.	6. 7.	H	♄	Trew-Ehret. t. 73. 74.

BRO'SIMUM W. BREAD-NUT. (βρωσιμος, good to eat; fruit.) Polygamia Diœcia.

1	Alicástrum W.	(gr) Jamaica	Jamaica	1776.	....	S	♄	Sw. fl. ind. oc. 1. t. 1. f. 1.
2	spùrium W.	(gr) Milkwood	———	1789.	....	S	♄	
3	Galactodéndron D.D.	(gr) Cow-tree	Caracas	1829.	....	S	♄	Bot. mag. t. 2723, & 2724.
	Galactodéndron ùtile K.S. Palo de Vacca. *Humboldt.*							

CECRO'PIA W. SNAKE-WOOD. (Cecrops, King of Athens.) Diœcia Diandria.

1	peltáta W.	(gr) peltated	Jamaica	1778.	....	S	♄	Lam. ill. t. 800.
2	palmàta W.	(gr) palmated	Brazil	1823.	....	S	♄	
3	cóncolor W.	(gr) self-coloured	———	——	....	S	♄	

ARTOCA'RPUS W. BREAD-FRUIT. (αρτος, bread, and καρπος, a fruit.) Monœcia Monandria.

1	incisa W.	(gr) true	S.Sea. Isles.	1793.	....	S	♄	Rumph. amb. 1. t. 33.
	α *nucífera*	(gr) *nut-bearing*	———	——	....	S	♄	
	β *apyrèna*	(gr) *seedless*	———	——	....	S	♄	Rumph. amb. 1. t. 32.
2	integrifòlia W.	(gr) Jaca-tree	E. Indies	1778.	6.	S	♄	Rheed. mal. 3. t. 26-28.
	β *heterophy'lla* Lam.	*various-leaved*	———	——	——	S	♄	Rumph. amb. 1. t. 30.

TRO'PHIS W. RAMOOM-TREE. (τρεφω, to nourish. fodder.) Diœcia Tetrandria.

1	americàna W.	(gr) American	W. Indies	1789.	4. 5.	S	♄	Brown. jam. t. 37. f. 1.
2	áspera W.	(gr) rough-leaued	E. Indies	1802.	——	S	♄	
3	spinòsa S.S.	(rg) spiny	———	1826.	——	S	♄	

MACLU'RA N. MACLU'RA. (W. Maclure, American geologist.) Diœcia Tetrandria.

1	aurantiaca N.	(gr) Osage apple	Missouri	1824.	....	H	♄	Lamb. pin. v. 2. ap. t. 12.
2	tinctòria D.D.	(gr) Fustick-wood	W. Indies	1739.	....	S	♄	Plum. ic. t. 204.
	Mòrus tinctòria W. *Broussanètia tinctòria* K.S.							

BROUSSONE'TIA W. PAPER MULBERRY. (P. N. V. Broussonet, a French nat.) Diœc. Tet.

	papyrífera W.	(gr.br) common	Japan	1751.	4. 7.	H	♄	Andr. reposit. t. 488.

MO'RUS W. MULBERRY. (μορεα, Greek name of Mulberry.) Monœcia Tetrandria.

1	álba W.	(gr) white	China	1596.	6.	H	♄	Schk. hand. 3. t. 290.
	β *multicaúlis* A.B.	(gr) *many-stemmed*	———	....	——	H	♄	
	γ *Morettiàna* A.B.	(gr) *Moretti's*	———	....	——	H	♄	
	δ *macrophy'lla* A.B.	(gr) *long-leaved*	———	....	——	H	♄	
	ε *romàna* A.B.	(gr) *Roman*	———	....	——	H	♄	
	θ *nervòsa* A.B.	(gr) *nerved*	———	....	——	H	♄	
	ι *itálica* A.B.	(gr) *Italian*	———	....	——	H	♄	

	κ *rósea* A.B.	(*gr*) *rose*	China	....	6.	H	♄	
	λ *columbassa* A.B.	(*gr*) *columbassa*	———	....	——	H	♄	
	μ *membranàcea* A.B.	(*gr*) *membranous*	———	....	——	H	♄	
2	tatárica W.	(*gr*) Tartarian	Tartary	1784.	——	H	♄	Pall. ros. 2. t. 52.
3	itálica W.	(*gr*) Italian	Italy	....	6.	H	♄	
4	constantinopolitàna	(*gr*) Constantinople	Constantinople		——	H	♄	
5	nìgra W.	(*gr*) common	Italy	1548.	——	H	5	Wats. dend. brit. t. 158.
6	rùbra W.	(*gr*) red	N. America	1629.	6. 7.	H	5	Waugh. amer. t. 15. f. 35.
	canadénsis Lam.							
7	scàbra W.en.	(*gr*) rough	———	1812.	——	H	♄	
8	pennsylvánica L.C.	(*gr*) Pennsylvanian	———	——	——	H	♄	
9	pùmila L.C.	(*gr*) dwarf	.....	——	——	H	♄	
10	índica W.	(*gr*) Indian	E. Indies	1820.	....	S	♄	Rheed. mal. 1. t. 49.
11	sinénsis L.C.	(*gr*) Chinese	China	——	....	G	♄	
12	mauritiàna W.	(*gr*) Mauritius	Mauritius	——	....	S	♄	Jacq. ic. 3. t. 617.

CONOCE'PHALUS B.J. CONOCE'PHALUS. (κονος, a cone, and κεφαλη, a head.) Mon. Tetra.

	nauclei flòrus B.R.	(*ye*) Nauclea-flowered	E. Indies	1816.	10.4.	S	♄	Bot. reg. t. 1203.

ORDER CCXIII.

URTICA'CEÆ. *Juss.*

BŒHME'RIA W. BŒHMERIA. (G. H. Bœhmer, a Germ. bot.) Monœcia Tetrandria.

1. *Leaves opposite.*

1	caudàta W.	(*gr*) tailed	W. Indies	1822.	4. 8.	S	♄	
2	cylíndrica W.	(*gr*) cylindrical	Virginia	1759.	6. 8.	H	♃	Sloan. jam. 1. t. 82. f. 2.
3	macrophy'lla D.P.	(*gr*) large-leaved	Nepaul	1820.	——	G	♄	
4	rotundifòlia D.P.	(*gr*) round-leaved	———	1819.	——	G	♃	
5	platyphy'lla D.P.	(*gr*) rough-leaved	———	1818.	6.10.	G	♄	
6	spicàta S.S.	(*gr*) spiked	Japan	1824.	——	H	♃	Hout. syst. 10. t. 72. f. 2.

§ 2. *Leaves alternate.*

7	ramiflòra W.	(*gr*) branch-flowering	W. Indies	1822.	——	S	♄	Lam. ill. t. 763.
	Catùrus ramiflòrus L. *Pròcris ramiflòrus* Lam.							
8	elongàta L. en.	(*gr*) elongated	Brazil	——	7. 9.	H	☉	
9	lateriflòra W.	(*gr*) side-flowering	N. America	1816.	6. 8.	H	♃	
10	interrúpta W.	(*gr*) interrupted	E. Indies	——	8.10.	S	♃	
11	rubéscens W.	(*gr*) tree	Canaries	1779.	2. 5.	G	♄	Jacq. frag. n. 30. t. 5. f. 1.
12	*Urtica arbòrea* L'Her. stirp. t. 20.							
	salicifòlia D.P.	(*gr*) Willow-leaved	Nepaul	1826.	7.10.	G	♄	
13	castaneæfòlia Cun.	(*gr*) Chestnut-leaved	Norfolk I.	1831.	11.	G	♄	
14	frondòsa D.P.	(*gr*) frondose	Nepaul	1818.	7.10.	G	♄	
15	ternifòlia D.P.	(*gr*) three-leaved	———	1827.	——	G	♄	
16	frutéscens W.	(*gr*) frutescent	———	1819.	——	G	♄	

URTI'CA W. NETTLE. (*uro*, to burn; stings.) Monœcia Tetrandria.

§ 1. *Leaves opposite.*

1	pilulífera W.	(*gr*) Roman	England	....	6. 8.	H	☉	Eng. bot. v. 3. t. 148
2	baleárica W.	(*gr*) Balearic	Balearic I.	1731.	6. 7.	H	☉	Blackw. t. 321. f. 1.
3	Dodártii W.	(*gr*) Dodart's	S. Europe	1683.	7. 8.	H	☉	
4	pùmila W.	(*gr*) dwarf	N. America	1817.	——	H	☉	
5	crassifòlia W.	(*gr*) thick-leaved	S. America	1822.	——	S	♄	
6	grandifòlia W.	(*gr*) great-leaved	Jamaica	1793.	——	S	♄	Sloan. jam. 1. t. 83. f. 2.
7	photeinophy'lla Cun.	shining-leaved	Moreton B.	1830.	....	G	5	
8	gìgas Cun.	(*gr*) giant	N. Holland	1823.	....	G	♄	
9	moroìdes Cun.	(*gr*) mulberry-like	———	——	....	G	♄	
10	fèrox Forst.	(*gr*) fierce	N. Zealand	——	....	G	♄	
11	reticulàta W.	(*gr*) net-leaved	Jamaica	1793.	6. 8.	S	♄	
12	involucràta B.M.	(*gr*) embossed	W. Indies	1809.	10.11.	S	♃	Bot. mag. t. 2481.

13 diffùsa w.	(gr) spreading	W. Indies	1809.	8.10.	S	♄		
14 rùfa w.	(gr) rusty	Jamaica	1793.	6. 9.	S	♄		
15 scabréllа L. en.	(gr) rough	E. Indies	1815.	10.12.	G	♄		
16 scrípta D.P.	(gr) black-lined	Nepaul	1823.	6. 8.	H	♃		
17 rupéstris S.S.	(gr) rock	Sicily	1828.	——	H	♄		
18 convéxa H.H.	(gr) convex-leaved	.....	1824.	6. 9.	H	☉		
19 ùrens W.	(gr) small	Britain	....	6.10.	H	☉	Eng. bot. v. 18. t. 1236.	
20 dioíca W.	(gr) common	———	....	7. 9.	H	♃	——— v. 25. t. 1750.	
21 chamædryoìdes Ph.	(gr) Germander-like	Georgia	1813.	——	H	☉		
22 membranàcea W.	(gr) membranaceous	S. Europe	1818.	——	H	♃		
23 angustifòlia P.	(gr) narrow-leaved	Russia	1824.	——	H	♃		
24 árdens L.en.	(gr) burning	Nepaul	1819.	8.11.	H	☉		
25 cannábina W.	(gr) Hemp-leaved	Siberia	1749.	7. 9.	H	♃	Amm. ruth. 249. t. 25.	
26 rugòsa W.	(gr) rough-leaved	Jamaica	1793.	5. 7.	S	♂		
27 grácilis W.	(gr) slender-stalked	Hudson's B.	1782.	6. 8.	H	♃		
28 Parietària W.	(gr) Pellitory-leaved	Jamaica	1793.	7. 9.	S	♄	Sloan. j. 1. t. 93. f. 1.	
29 ciliàta W.	(gr) ciliated	———	1815.	——	S	♄		
30 radìcans S.S.	(gr) rooting	———	1809.	——	H	♄		
31 nummularifòlia W.	(gr) moneywort-ld.	———	1822.	——	S	♄	Sloan. hist. 1. t. 131. f. 4.	
32 deprèssa W.	(gr) depressed	———	——	——	S	♃		
33 microphy'lla W.	(gr) small-leaved	W. Indies	1793.	4. 5.	S	♃	Sloan. j. 1. t. 93. f. 2.	
34 trianthemoìdes P.S.	(gr) branching	———	1824.	——	S	♃		
35 serrulàta S.S.	(gr) saw-leaved	Jamaica	——	——	S	♃		
36 lùcida S.S.	(gr) glossy-leaved	———	1808.	——	S	♄		
37 recúrva H.H.	(gr) recurved	.....	1826.	6. 9.	H	☉		
38 macrostàchya Wal.	(gr) long-spiked	E. Indies	1824.	....	S	♄		
39 pulchélla L.en.	(gr) neat	———	1816.	....	S	♄		
§ 2. *Leaves alternate.*								
40 æ'stuans W.	(gr) Surinam	Surinam	1803.	6. 7.	S	♂	Jacq. schœn. 3. t. 388.	
41 capitàta W.	(gr) headed	N. America	1820.	——	H	♃		
42 canadénsis W.	(gr) Canadian	Canada	1656.	8.10.	H	♃	Pluk. alm. t. 239. f. 2.	
43 nívea W.	(gr) white-leaved	China	1739.	8. 9.	H	♃	Jacq. vind. 2. t. 166.	
44 caracasàna W.	(gr) Caracas	Caracas	1820.	....	S	♄	Jacq. schœn. 3. t. 386.	
45 caravellàna L.en.	(gr) pointed-leaved	S. America	——	8.10.	H	☉		
46 baccífera W.	(gr) berry-bearing	———	1793.	7. 8.	S	♄	Andr. reposit. t. 454.	
47 elongàta W.	(gr) elongated	Philippines	1823.	——	S	♄		
48 capitellàta S.S.	(gr) small-headed	Java	1816.	4. 8.	S	♄		
49 ferocíssima	(gr) ferocious	Nepaul	1805.	8.10.	H	☉		
hórrida L.en. *non* KS.								
50 pentándra H.B.	(gr) pentandrous	E. Indies	——	——	S	♃		
51 arboréscens L.en.	(gr) arborescent	Manila	1822.	....	S	♄		
52 diversifòlia L.en.	(gr) different-leaved	E. Indies	1820.	....	S	♄		
53 heterophy'lla D.P.	(gr) various-leaved	Nepaul	1823.	6. 8.	H	♃		

FORSKO'HLEA L. FORSKO'HLEA. (P. Forskœhl, prof. bot. Copenhagen.) Monœc. Monan.

1 fruticòsa W.	(gr) frutescent	Teneriffe	1816.	6. 8.	G	♄		
2 tenacíssima W.	(gr) clammy	Egypt	1767.	7. 8.	H	☉	Jacq. vind. 1. t. 48.	
3 cándida W.	(gr) rough	C. B. S.	1774.	6. 7.	G	♃		
4 víridis E.	(gr) green	Arabia	1828.	——	G	☉		
5 angustifòlia W.	(gr) narrow-leaved	Teneriffe	1779.	7. 8.	H	☉	Murr. c. gott. p. 24. t. 2.	

PARIETA'RIA W. PELLITORY. (*paries*, a wall; habitat.) Polygamia Monœcia.

1 índica W.	(gr) Indian	E. Indies	1790.	4. 5.	S	♃		
2 officinàlis W.	(gr) common	Britain	....	6. 9.	H	♃	Eng. bot. v. 13. t. 879.	
3 judàica W.	(gr) Basil-leaved	Germany	1728.	——	H	♃	Schkuh. hand. 3. t. 34.	
4 pensylvánica W.	(gr) Pensylvanian	N. America	1816.	——	H	☉		
5 floridàna N.	(gr) Florida	Florida	1827.	——	H	☉		
6 urticæfòlia W.	(gr) Nettle-leaved	Isl. Bourbon	1700.	——	S	☉		
7 lusitánica W.	(gr) Chickweed-ld.	Spain	1710.	7. 8.	H	☉	Bocc. sic. t. 24. f. 13.	
8 crética W.	(gr) Cretan	Crete	1818.	——	H	☉		
9 prostràta L.en.	(gr) prostrate	.....	1823.	——	H	♃		
10 polygonoìdes W.	(gr) Polygonum-ld.	Armenia	1728.	——	H	☉	Mart. cent. pl. rar. t. 8.	

PI'LEA L. col. PI'LEA. (πίλος, a cap; perianth.) Monœcia Tetrandria.

muscòsa L. col.	(gr) mossy	W. Indies	1793.	4. 5.	S	♃	Lindl. col. t. 4.	

THELY'GONUM W. DOG'S-CABBAGE. (θηλυς, a woman, and γονυ, a knee.) Monœc. Polyan.

Cynocrámbe W.	(gr) common	S. Europe	1710.	7.	H	☉	Schk. hand. 3. t. 299.	

GUNNE'RA W. GUNNE'RA. (Ernest Gunner, a Danish bot.) Gynandria Diandria.

perpénsa W.	(gr) Marsh-marigold-ld.	C.B.S.	1688.	4. 6.	G	♃	Bot. mag. t. 2376.	

DORSTE'NIA W. DORSTE'NIA. (Theodore Dorsten, a German bot.) Monœcia Diandria.

1 cordifòlia W.	(gr) heart-leaved	W. Indies	1822.	5. 8.	S	♃	Swart. obs. t. 7. f. 2.	
2 brasiliénsis W.	(gr) Brazilian	S. America	1792.	3. 4.	S	♃		

3	Houstòni w.	(*gr*) Houstoun's	S. America	1747.	6.	7.	S	♃	Bot. mag. t. 2017.
4	arifòlia w.	(*gr*) Arum-leaved	Brazil	1823.	——		S	♃	Lodd. bot. cab. t. 999.
5	Contrayérva w.	(*gr*) Contrayerva root	S. America	1748.	5.	8.	S	♃	Jacq. ic. 3. t. 614.
6	Drakèna w.	(*gr*) round-rooted	Vera Cruz	1729.	——		S	♃	Lodd. bot. cab. t. 667.
7	tubícina B.M.	(*gr*) tubed	Trinidad	1824.	7.	9.	S	♃	Bot. mag. t. 2804.
8	ceratosánthes B.P.	(*gr.pu*) horned	S. America	——	4.	6.	S	♃	Lodd. bot. cab. t. 1216.

ORDER CCXIV.

CANNABI'NEÆ. *Endl.*

CA'NNABIS W. HEMP. (*can*, a reed, and *ab*, small; Celt.) Diœcia Tetrandria.

sativa w.	(*gr*) common	India	....	6.	7.	H	⊙	Schk. hand. 3. t. 325.

HU'MULUS W. HOP. (*humus*, the earth; lies on.) Diœcia Tetrandria.

Lùpulus w.	(*gr*) common	Britain	....	6.	8.	H	♃	Eng. bot. v. 6. t. 427.

ORDER CCXV.

ULMA'CEÆ.

MERTE'NSIA K.S. MERTE'NSIA. (F. T. Mertens, prof., Bremen.) Polygamia Monœcia.

1	lævigàta K.S.	(*ye*) Mexican	Mexico	1825.	....		S	♄	H. et B. n. gen. 2. t. 103.
2	iguànea R.S.	(*ye*) Jamaica	Jamaica	1791.	4.	6.	S	♄	
	Rhámnus iguàneus L. *Zizyphus iguànea* P.S. *Céltis aculeàta* W.								
3	rhamnoìdes R.S.	(*ye*) Rhamnus-like	Jamaica	1791.	4.	6.	S	♄	Cavan. ic. 3. t. 294.

SPO'NIA Juss. SPO'NIA. (etymology unknown.) Polygamia Monœcia.

1	micrántha Juss.	(*gr*) smooth	Jamaica	1739.	8.	9.	S	♄	Plum. ic. t. 206. f. 1.
	Céltis micrántha W.								
2	orientàlis w.	(*gr*) oriental	E. Indies	1820.	——		S	♄	Rheed. mal. 4. t. 40.
3	pùmila Ph.	(*gr*) dwarf	N. America	1812.	5.		H	♄	
4	crassifòlia w.	(*gr*) heart-leaved	———	——	5.	6.	H	5	Duham. arb. 2. t. 9.
5	occidentàlis w.	(*gr*) American	———	1656.	4.	5.	H	5	Wats. dend. brit. t. 147.
	β *cordàta* R.S.	(*gr*) *heart-leaved*	———	....	——		H	5	
	γ *scabriúscula* R.S.	(*gr*) *rough-leaved*	———	....	——		H	5	
6	Willdenowiàna R.S.	(*gr*) Willdenow's	China	....	——		H	5	
7	sinénsis R.S.	(*gr*) Chinese	———	....	....		H	5	
8	lævigàta R.S.	(*gr*) smooth	Louisiana	1812.	4.	5.	H	5	

CE'LTIS K.S. NETTLE-TREE. (a name given to the cel. Lotus by the ancients.) Polyg. Mon.

1	Tournefórtii w.	(*gr*) Tournefort's	Levant	1738.	....		H	5	Tourn. it. 2. t. 41.
2	austràlis w.	(*gr*) European	S. Europe	1796.	5.		H	5	Wats. dend. brit. t. 166.

PLANE'RA M. PLANE'RA. (J. J. Planer, a German bot.) Tetrandria Digynia.

1	Richárdi M.	(*br. gr*) Richard's	N. America	1766.	4.	5.	H	5	
	U'lmus nemoràlis H.K.								
2	carpinifòlia W.D.	(*gr*) Hornbeam-ld.	Siberia	——	——		H	5	Wats. dend. brit. t. 166.
3	parvifòlia	(*gr*) small-leaved	Caucasus	....	——		H	5	Jacq. schœnb. t. 262.
	U'lmus parvifòlia Jacq.								
4	Gmelìni M.	(*br.gr*) Gmelin's	N. America	1816.	——		H	5	Michx. arb. t. 7.
	aquática N.								

U'LMUS R.S. ELM-TREE. (Elm, its Anglo-Saxon name.) Pentandria Digynia.

1	campéstris E.B.	(*pu*) common English	Britain	....	4.	5.	H	5	Eng. bot. v. 27. t. 1896.
	β *latifòlia* A.B.	(*pu*) *broad-leaved*	.....	....	——		H	5	
	γ *álba* A.B.	(*pu*) *white*	.....	....	——		H	5	
	δ *acutifòlia* A.B.	(*pu*) *acute-leaved*	.....	....	——		H	5	
	ε *stricta* A.B.	(*pu*) *English*	.....	....	——		H	5	
	η *virens* A.B.	(*pu*) *Kidbrook*	England	....	——		H	5	
	θ *cornubiénsis* A.B.	(*pu*) *Cornish*	Cornwall	....	——		H	5	
	stricta Lindl.								

	ι *sarniénsis* A.B.	(*pu*) *Jersey*	Jersey	....	——	H	5		
	λ *tortuòsa* A.B.	(*pu*) *twisted*	.....	....	——	H	5		
	ω *variegàta* A.B.	(*pu*) *variegated*	.....	....	——	H	5		
	ν *betulæfòlia* A.B.	(*pu*) *Birch-leaved*	.....	....	——	H	5		
	ο *viminàlis* A.B.	(*pu*) *twiggy*	.....	....	——	H	5		
	π *planifòlia* A.B.	(*pu*) *flat-leaved*	.....	....	——	H	5		
	ρ *cucullàta* A.B.	(*pu*) *hooded-leaved*	.....	....	——	H	5		
	σ *concavæfòlia*	(*pu*) *concave-leaved*	.....	....	——	H	5		
2	suberòsa E.B.	(*pu*) cork-barked	Britain	....	3. 4.	H	5	Eng. bot. v. 31. t. 2161.	
	β *variegàta* A.B.	(*pu*) *variegated*	.....	....	——	H	5		
	γ *álba* A.B.	(*pu*) *white*	.....	....	——	H	5		
	δ *erécta* A.B.	(*pu*) *erect*	.....	....	——	H	5		
	ε *hertfordiénsis*	(*pu*) *Hertfordshire*	England	....	——	H	5		
3	glàbra E.B.	(*pu*) smooth	———	....	——	H	5	——— v. 32. t. 2248.	
	β *vegèta* A.B.	(*pu*) *vegeta*	———	....	——	H	5		
	γ *scampstoniénsis* A.B.	(*pu*) *Scampston*	———	....	——	H	5		
	δ *màjor* A.B.	(*pu*) *larger*	———	....	——	H	5		
	ε *glandulòsa* A.B.	(*pu*) *glandular*	———	....	——	H	5		
	η *latifòlia* A.B.	(*pu*) *broad-leaved*	———	....	——	H	5		
	θ *microphy'lla* A.B.	(*pu*) *small-leaved*	———	....	——	H	5		
	ι *péndula* A.B.	(*br*) *weeping*	———	....	——	H	5		
	λ *variegàta* A.B.	(*gr*) *variegated*	———	....	——	H	5		
	μ *ramulòsa* A.B.	(*gr*) *branched*	———	....	——	H	5		
4	màjor E.B.	(*br*) declining-branch'd	——	....	——	H	5	Eng. bot. v. 36. t. 2542.	
5	montàna E.B.	(*gr*) Wych	———	....	——	H	5	——— v. 27. t. 1887.	
	β *rugòsa* A.B.	(*gr*) *wrinkled*	———	....	——	H	5		
	γ *màjor* A.B.	(*gr*) *larger*	———	....	——	H	5		
	δ *minor* A.B.	(*gr*) *smaller*	———	....	——	H	5		
	ε *cevennénsis* A.B.	(*gr*) *Cevennes*	———	....	——	H	5		
	η *nigra* A.B.	(*gr*) *black-Irish*	———	....	——	H	5		
	θ *austràlis* A.B.	(*gr*) *southern*	———	....	——	H	5		
	ι *pendula* A.B.	(*gr*) *weeping*	———	....	——	H	5		
	λ *fastigiàta* A.B.	(*gr*) *fastigiated*	———	....	——	H	5		
	μ *crispa* A.B.	(*gr*) *curled*	———	....	——	H	5		
6	effùsa W.	(*gr*) spreading-flow.	———	....	——	H	5	Schk. hand. t. 57.	
7	álba W.	(*br*) white	Hungary	1816.	——	H	5		
8	crispa W.	(*br*) curl-leaved	N. America	....	——	H	5		
9	americàna W.	(*gr*) large-leaved	———	1752.	——	H	5		
	β *rùbra* A.B.	(*gr*) *red-American*	———	....	——	H	5		
	γ *péndula* A.B.	(*gr*) *weeping-American*	——	....	——	H	5		
	δ *incìsa* A.B.	(*gr*) *cut-American*	———	....	——	H	5		
	ε *álba* A.B.	(*gr*) *white-American*	———	....	——	H	5		
10	péndula W.en.	(*gr*) pendulous	———	....	——	H	5		
11	fúlva M.	(*br*) slippery	———	....	——	H	5	Mich. arb. 3. t. 6.	
12	scàbra Mill.	(*br*) rough	.....	....	——	H	5		
13	pùmila W.	(*br*) dwarf	Siberia	1771.	——	H	♄	Pall. ros. 1. t. 48.	
14	microphy'lla P.S.	(*br*) jagged-leaved	———	....	——	H	♄	Pall. r. 1. t. 48. f. A.B.C.	
15	parvifòlia Jacq.	(*gr*) small-leaved	Siberia	....	....	H	♄		
16	hùmilis A.B.	(*br*) humble	———	....	....	H	♄		
17	carpinifòlia A.B.	(*br*) Hornbeam-ld.	England	....	——	H	5		
18	alàta M.	(*br*) winged	N. America	1816.	——	H	5	Mich. arb. 3. t. 5.	
19	chinénsis P.S.	.... Chinese	China	....	....	G	♄		
20	integrifòlia Roxb.	.. entire-leaved	E. Indies	1822.	....	G	♄		

ORDER CCXVI.

JUGLA'NDEÆ. *D.C. theor. ed. p.* 215.

JU'GLANS N. WALNUT-TREE. (abbreviation of *jovis glans.*) Monœcia Polyandria.

1	règia W.	(*gr*) common	Persia	1562.	4. 5.	H	5	Lam. ill. t. 781.	
	β *máxima* P.S.	(*gr*) *double-fruited*	———	——	——	H	5		

	γ *serótina* P.S.	(*gr*) *late-fruited*	Persia	1562.	4. 5.	H	5	
	δ *ténera* A.B.	(*gr*) *Titmouse*	———	....	——	H	5	
	ε *laciniàta* A.B.	(*gr*) *jagged-leaved*	———	....	——	H	5	
2	nìgra W.	(*gr*) black	N. America	1629.	——	H	5	Wats. dend. brit. t. 158.
3	cinèrea W.	(*gr*) shell bark	———	1656.	——	H	5	——— v. 1. t. 192.
	cathártica Mich. arb. 1. t. 2.							
4	fraxinifòlia S.S.	(*gr*) Ash-leaved	———	——	——	H	5	

PTEROCA'RYA Kth. PTEROCA'RYA. (πτερον, a wing, and καρυον, a nut.) Monœcia Polyandria.

	caucásica Kth.	(*gr*) Caucasian	Caucasus	1828.	....	H	5	
	Júglans pterocárpa S.S. *Rhús obscùrum* M.B.							

CA'RYA N. HICKORY NUT. (καρυον, a nut.) Monœcia Tetr-Hexandria.

1	olivæfórmis N.	(*gr*) Pecan nut	N. America	....	4. 5.	H	5	Mich. arb. 1. t. 3.
2	angustifòlia H.K.	(*gr*) narrow-leaved	———	1766.	——	H	5	
3	sulcàta N.	(*gr*) shell-bark	———	1804.	——	H	5	Mich. arb. 1. t. 8.
4	álba N.	(*gr*) shag-bark	———	1730.	——	H	5	——— 1. t. 7.
	Júglans compréssa W.							
5	tomentòsa N.	(*gr*) mocker-nut	———	1629.	——	H	5	Mich. arb. 1. t. 6.
	Júglans álba W. *non* M.							
	β *máxima* N.	(*gr*) *large-fruited*	———	1824.	——	H	5	
6	pubéscens L.en.	(*gr*) pubescent	———	....	——	H	5	
7	microcárpa N.	(*gr*) small-fruited	———	1824.	——	H	5	
8	amàra N.	(*gr*) bitter nut	———	1800.	5.	H	5	
9	porcìna N.	(*gr*) Pig nut	———	1812.	4. 5.	H	5	Mich. arb. 1. t. 9. f. 3-4.
	Júglans obcordàta W.							
10	glábra W.	(*gr*) smooth-leaved	———	1799.	....	H	5	Mich. arb. 1. t. 9. f. 1 2.
	Júglans porcìna β *ficifórmis* M.							
11	aquática N.	(*gr*) water	Carolina	1826.	....	H	5	Mich. arb. 1. t. 5.
12	integrifòlia S.S.	(*gr*) entire-leaved	Louisiana	——	....	H	5	
	Hicòrius integrifòlius Rafin.							

ORDER CCXVII.

CUPULIFERÆ. *Kth. synops.* 1. *p.* 353.

QUE'RCUS W. OAK. (*quer*, fine, and *cuez*, a tree; Celt.) Monœcia Polyandria.

§ 1. *Leaves quite entire.*

1	Phéllos W.	(*y.gr*) Willow-leaved	N. America	1723.	5. 6.	H	5	Mich. arb. 1. t. 12.
	β *humilis* Ph.	(*y.gr*) *dwarf*	———	1812.	——	H	♄	Catesb. car. 1. t. 22.
2	marítima W.	(*y.gr*) sea	———	1811.	——	H	♄	Mich. querc. t. 13. f. 1.
3	seríca W.	(*y.gr*) running	———	1724.	——	H	♄	Mich. arb. 2. t. 15.
4	vìrens W.	(*y.gr*) live	———	1739.	5.	H	5	——— 2. t. 11.
5	cinèrea W.	(*y.gr*) ash-coloured	———	1789.	5. 6.	H	5	——— 2. t. 14.
6	imbricària W.	(*y.gr*) tile-cupped	N. America	1786.	5. 6.	H	5	Mich. arb. 2. t. 13.
7	laurifòlia W.	(*y.gr*) Laurel-leaved	———	——	5.	H	5	Mich. querc. t. 17.
	β *obtùsa* Ph.	(*y.gr*) *blunt-leaved*	———	——	——	H	5	——— t. 18.
8	lùtea W.	(*y.gr*) yellow-leaved	Mexico	1825.	....	H	5	

§ 2. *Leaves toothed.*

9	glaúca W.	(*y.gr*) glaucous	Japan	1822.	....	H	5	Banks. ic. Kæmp. t. 17.
10	gramúntia W.	(*y.gr*) Holly-leaved	S. France	1730.	6.	H	♄	Arb. brit. 1787-1788.
11	Ballòta W.	(*y.gr*) Barbary	Barbary	1818.	——	H	♄	——— 1784.
12	rotundifòlia W.	(*y.gr*) round-leaved	Spain	——	——	H	♄	
13	I'lex W.	(*y.gr*) evergreen	S. France	1581.	5. 6.	H	♄	Wats. dend. brit. t. 90.
	α *integrifòlia* H.K.	(*y.gr*) *entire-ld.*	———	——	——	H	♄	
	β *serràta* H.K.	(*y.gr*) *saw-leaved*	———	——	——	H	♄	Duham. arb. 1. t. 123.
	γ *oblónga* H.K.	(*y.gr*) *long-leaved*	———	——	——	H	♄	——— 1. t. 124.
	δ *fagifòlia* L.C.	(*y.gr*) *Beech-leaved*	———	....	——	H	♄	
	ε *crispa* L.C.	(*y.gr*) *curl-leaved*	———	....	——	H	♄	
	η *latifòlia* A.B.	(*y.gr*) *broad-leaved*	———	....	——	H	♄	
	θ *longifòlia* A.B.	(*y.gr*) *long-leaved*	———	....	——	H	♄	
14	variifòlia	(*y.gr*) different-leaved	S. Europe	....	——	H	♄	
	heterophy'lla Lam. non *Ph.*							
15	crenàta Lam.	(*y.gr*) crenated	Portugal	....	——	H	♄	
16	lusitánica Lam.	(*y.gr*) Portugal	———	1824.	——	H	♄	Cavan. icon. 2. t. 129.

17	calycìna Poir.	(y.gr) calycine	S. Europe	....	5. 6.	H	♄	
18	expánsa Poir.	(y.gr) spreading	———	....	——	H	♄	
19	Lezermiàna Poir.	(y.gr) glossy-leaved	———	....	——	H	♄	
20	castellàna Bosc.	(y.gr) subdeciduous	———	....	——	H	♄	
21	Sùber w.	(y.gr) Cork-tree	S. France	1699.	6.	H	♄	Wats. dend. brit. 89.
22	coccífera w.	(y.gr) Kermes	———	1683.	5.	H	♄	——— t. 91.
23	prasìna Bosc.	(y.gr) glaucous-ld.	Spain	1824.	——	H	♄	
24	hùmilis P.S.	(y.gr) low	S. Europe	....	——	H	♄	Lobel. ic. 2. p. 157.
25	infectòria w.	(y.gr) Levant	Levant	1812.	....	H	♄	
26	Turnèri W.en.	(y.rr) Turner's	———	——	....	H	5	
27	Prìnus w.	(y.gr) Chestnut-ld.	N. America	1730.	5. 6.	H	5	Mich. arb. 2. t. 7.
28	bícolor w.	(y.gr) two-coloured	———	1811.	5.	H	5	
29	montàna w.	(y.gr) rock Chestnut	———	1800.	——	H	5	Mich. arb. 2. t. 8.
30	Michaúxii N.	(y.gr) swamp white	———	1812.	....	H	5	——— 2. t. 6.
	Prìnos discolor M.							
31	Castànea w.	(y.gr) yellow Chestnut	———	1816.	5.	H	5	Mich. arb. 2. t. 9.
32	laúrina K.S.	(y.gr) Laurel-like	Mexico	1837.	....	G	♄	
	ellíptica w.							
33	prinoìdes w.	(y.gr) dwarf Chestnut	———	——	——	H	♄	——— 2. t. 10.
	Chinquapin Ph.							
34	agrifòlia w.	(y.gr) spiny-leaved	———	1827.	....	H	5	Pluk. phyt. t. 196. f. 3.
	§ 3. *Leaves lobed at apex.*							
35	heterophy'lla Ph.	(y.gr) various-ld.	———	....	——	H	5	Mich. arb. 2. t. 16.
36	aquática Ph.	(y.gr) water	———	1723.	——	H	5	——— 2. t. 17.
37	nàna w.	(y.gr) dwarf	———	1738.	——	H	♄	Abb. ins. 2. t. 59.
38	trìloba w.	(y.gr) three-lobed	———	1800.	——	H	5	Mich. querc. t. 26.
39	nìgra w.	(y.gr) black	———	1739.	——	H	♄	Mich. arb. 2. t. 18.
	§ 4. *Leaves sinuated; lobes mucronate.*							
40	hemispæ'rica w.	(y.gr) hemispherical	———	1816.	——	H	5	Mich. querc. t. 20. f. 2.
41	tinctòria w.	(y.gr) dyer's	———	1800.	——	H	5	Mich. querc. t. 24.
42	díscolor w.	(y.gr) two-coloured	———	1763.	——	H	5	——— t. 25.
43	dealbàta Lindl.	.... whitish	Nepaul	1828.	....	H	5	
44	lanuginòsa D.P.	(y.gr) Nepaul	———	1818.	....	H	5	
45	annulàta Smith.	(y.gr) slender-pointed	———	1824.	....	H	5	
	Phullàta D.P.							
46	coccínea w.	(y.gr) scarlet	N. America	1691.	5.	H	5	Mich. arb. 2. t. 23.
47	ambígua M.	(y.gr) gray	———	1800.	——	H	5	——— 2. t. 24.
48	rùbra w.	(y.gr) champion	———	1739.	——	H	5	——— 2. t. 26.
49	Catesbæ'i w.	(y.gr) barren scrub	———	1820.	——	H	♄	——— 2. t. 20.
50	falcàta M.	(y.gr) downy-leaved	———	1763.	——	H	5	——— 2. t. 21.
	elongàta w.							
51	palústris w.	(y.gr) marsh	———	1800.	——	H	5	Mich. arb. 2. t. 25.
52	Banistèri M.	(y.gr) Banister's	———	——	——	H	♄	——— 2. t. 19.
	ilicifòlia w.							
53	stellàta w.	(y.gr) starred	———	——	——	H	5	Mich. arb. 2. t. 4.
	obtusiloba M.							
54	macrocárpa w.	(y.gr) overcup white	———	1800.	——	H	5	Mich. arb. 2. t. 3.
55	pseùdo-sùber w.	(y.gr) cork-like	Spain	1818.	——	H	♄	Sant. itin. 156. t. 4.
56	Æ'gilops w.	(y.gr) Velanida	S. Europe	1731.	....	H	5	Mill. dict. n. 7. t. 215.
	§ 5. *Leaves sinuated; lobes mutic*							
57	álba w.	(y.gr) white	N. America	1724.	5.	H	5	Mich. arb. 2. t. 1.
58	repánda L.en.	(y.gr) repand	———	....	——	H	5	Mich. querc. t. 5. f. 2.
59	E'sculus w.	(y.gr) Italian	S. Europe	1739.	——	H	5	Arb. brit. t. 1699 & 1700.
60	Ròbur w.	(y.gr) sessile-fruited	Britain	....	4. 5.	H	5	Eng. bot. v. 26. t. 1845.
	sessiliflòra E.B.							
	β *heterophy'lla* A.B.	(gr) jagged-ld.	———	....	——	H	♄	Arb. brit. 1569-1570.
	γ *variegàta* A.B.	(gr) variegated-ld.	———	....	——	H	5	
	δ *purpùrea* A.B.	(gr) purple	———	....	——	H	5	
	ε *Hodgínsii* A.B.	(gr) Hodgins's	———	....	——	H	5	
61	pedunculàta w.	(y.gr) common	———	....	——	H	5	Eng. bot. v. 19. t. 1342.
	Ròbur E.B. *non* w.							
62	pubéscens w.	(y.gr) Durmast	England	....	——	H	5	Mart. fl. rust. t. 12.
63	fastigiàta Lam.	(y.gr) Cypress	Pyrenees	1822.	....	H	5	
64	conglomeràta P.S.	(y.gr) clustered	Europe	....	4. 5.	H	5	
	apennìna Lam.							
65	olivæfórmis M.	(y.gr) mossy-cup	N. America	1811.	5.	H	5	Mich. arb. 2. t. 2.
66	lyràta w.	(y.gr) lyre-leaved	———	1786.	——	H	5	——— 2. t. 5.
67	fagínea P.S.	(y.gr) Beech-like	S. Europe	1824.	....	H	5	
68	haliphlèos P.S.	(y.gr) hispid-cupped	France	....	4. 5.	H	5	

69	Taùxin P.S. (*y.gr*) soft jagged-ld.	S. Europe	....	4. 5.	H	5	Duh. arb. 7. t. 56.
	pyrenàica W.						
	β *laciniàta* Desv. (*y.gr*) *cut-leaved*	———	....	——	H	5	
	γ *digitàta* Desv. (*y.gr*) *fingered*	———	....	——	H	5	
70	Cérris W. (*ŷ.gr*) Turkey	Turkey	1735.	——	H	5	Wats. dend. brit. t. 92.
	α *frondòsa* H.K. (*y.gr*) *common*	———	——	——	H	5	
	β *bullàta* H.K. (*y.gr*) *rough-leaved*	———	——	——	H	5	
	γ *sinuàta* H.K. (*y.gr*) *narrow-leaved*	———	——	——	H	5	
	? δ *dentàta* W.D. (*y.gr*) *Fulham*	———	....	6.	H	5	Wats. dend. brit. t. 93.
	fulhaménsis A.B.						
	ε *péndula* A.B. (*ye.gr*) *drooping*	———	1800.	——	H	5	
	η *càna* A.B. (*ye.gr*) *hoary*	———	....	——	H	5	
	θ *Rágnal* A.B. (*y.gr*) *Ragnal*	———	——	——	H	5	
	ι *crispàta* A.B. (*gr.ye*) *curled*	.....	....	....	H	5	
	κ *suberòsa* A.B. (*gr.ye*) *corky*	.....	....	....	H	5	
	λ *heterophy'lla* (*gr.y*) *variable-leaved*	.....	....	——	H	5	
71	Lucombeàna (*y.gr*) Lucombe's	Levant	....	5. 6.	H	5	
	exoniénsis L.C.						
72	austrìaca W.en. (*y.gr*) Austrian	Austria	....	4. 5.	H	5	Clus. hist. 1. p. 20. c. ic
	§ 6. MEXICANA; *Mexican Oaks.*						
73	mexicàna K.S. (*y.gr*) Mexican	Mexico	1824.	....	G	♄	H. et B. pl. æq. 2. t. 82
74	Xalapénsis K.S. (*y.gr*) Xalapa	———	1837.	....	G	♄	
75	spicàta K.S. (*y.gr*) spiked	———	1824.	....	G	♄	H. et B. pl. æq. 2. t. 83
76	Bonplandiàna (*y.gr*) Bonpland's	———	——	....	G	♄	——— 2. t. 93
	ambigua K.S. *non* M.						

FA'GUS W. BEECH. (φαγω, to eat; nuts.) Monœcia Polyandria.

1	americàna (*y.gr*) white	N. America	....	5	H	5	Mich. arb. 2. t. 8.
	sylvática β *americàna* N.						
2	sylvática W. (*y.gr*) common	Britain	....	4. 5.	H	5	Eng. bot. v. 26. t. 1840
	β *purpùrea* H.K. (*pu*) *dark purple*	Germany	....	——	H	5	
	γ *péndula* A.B. (*y.gr*) *drooping*	Europe	....	——	H	5	
3	ferrugínea W. (*y.gr*) ferruginous	N. America	1796.	5. 6.	H	5	Mich. arb. 2. t. 9.
4	comptoniæfòlia Df. (*y.gr*) Fern-leaved	.....	....	——	H	♄	
	sylvática γ *aspleniifòlia* H.S.L.						
	β *cristàta* A.B. (*y.gr*) *crested*	.....	....	——	H	♄	
5	betuloìdes Mir. (*y.gr*) Birch-like	Magellan	1830.	....	H	♄	
	Bétula antárctica Forst. an. mus. 14. t. 25.						
6	antárctica Forst. (*y.gr*) antarctic	Magellan	——	....	H	♄	

CASTA'NEA G. CHESTNUT. (native of Castanea in Thessaly.) Monœcia Polyandria.

1	americàna P.S. (*y.gr*) American	N. America	....	5. 6.	H	♄	Mich. arb. 2. t. 6.
	vésca β *americàna* N.						
2	vésca W. (*y.gr*) common	England	....	——	H	5	Eng. bot. v. 13. t. 886
	β *variegàta* (*y.gr*) *striped-leaved*	———	....	——	H	5	
	γ *aspleniifòlia* (*y.gr*) *fern-leaved*	.....	....	——	H	♄	
	δ *cochleàta* A.B. (*y.gr*) *hooded-leaved*	.....	....	——	H	5	
	ε *glàbra* A.B. (*y.gr*) *glabrous*	.....	....	——	H	5	
	η *glaúca* A.B. (*y.gr*) *glaucous*	.....	....	——	H	5	
3	pùmila W. (*y.gr*) dwarf	N. America	1699.	7.	H	♄	Mich. arb. 2. t. 7.
4	índica ROX. ... Indian	E. Indies	1827.	....	S	5	

CO'RYLUS W. NUT-TREE. (κορυς, a helmet; calyx.) Monœcia Polyandria.

1	Avellàna W. (*y.re*) common Hazel	Britain	....	2. 4.	H	5	Eng. bot. v. 11. t. 723.
	β *álba* H.K. (*y.re*) *white Filbert*	.....	....	——	H	5	
	γ *rùbra* H.K. (*y.re*) *red Filbert*	.....	....	——	H	5	
	δ *ovàta* Lam. (*y.re*) *oval-fruited*	.....	....	——	H	5	
	ε *barcelonénsis* L.C. (*y.re*) *Barcelona*	Spain	....	——	H	5	
	ζ *grándis* H.K. (*y.re*) *Cob-nut*	.....	....	——	H	5	
	η *glomeràta* H.K. (*y.re*) *clustered*	.....	....	——	H	5	
	θ *crispa* A.B. (*y.re*) *curled Filbert*	.....	....	——	H	5	Com. mag. t. 70.
	ι *ténuis* A.B. (*y.re*) *Cosford-nut*	.....	....	——	H	5	——— t. 55.
	κ *purpùrea* A.B. (*y.re*) *purple-leaved*	.....	....	——	H	♄	
2	tubulòsa W. (*y.re*) Lambert's	S. Europe	1759.	3. 4.	H	5	Lam. ill. t. 780.
3	heterophy'lla F. (*y.re*) various-leaved	Danube	1829.	....	H	♄	
4	americàna W. (*st.re*) Cuckold	N. America	1798.	3. 4.	H	5	Wang. amer. t. 29. f. 63.
5	hùmilis W. (*st.re*) dwarf cuckold	———	....	——	H	♄	
6	rostràta W. (*st.re*) common cuckold	———	1745.	——	H	5	Willd. arb. t. 1. f. 2.
7	Colúrna W. (*st.re*) Constantinople	Constantinople	1665.	——	H	5	Wats. dend. brit. t. 99.
	β *intermèdia* A.B. (*st.re*) *intermediate*	.....	....	——	H	5	
	γ *arboréscens* A.B. (*st.re*) *arborescent*	Siberia	....	——	H	5	

ORDER CCXVIII.

BETULI'NEÆ. *Kth. synops.* 1. *p.* 363.

O'STRYA W.		HOP-HORNBEAM. (*οστρυον*, a scale; catkins.) Monœcia Polyandria.						
1 vulgàris w.	(*gr*)	common	Italy	1724.	5.	H	5	Wats. dend. brit. t. 143.
2 virgínica w.	(*gr*)	American	N. America	1692.	5. 6.	H	5	Abb. ins. 2. t. 75.
CARPI'NUS W.		HORNBEAM. (*car*, wood; *pin*, head; Celt.: made into yokes.) Monœ. Poly.						
1 Bétulus w.	(*gr*)	common	Britain	....	3. 5.	H	5	Eng. bot. v. 29. t. 2032.
β *variegàta*	(*gr*)	*striped-leaved*	———	....	——	H	5	
γ *incìsa* H.K.	(*gr*)	*cut-leaved*	.....	....	——	H	5	
δ *quercifòlia* Desf.	(*gr*)	*Oak-leaved*	.....	....	——	H	5	
2 americàna w.	(*gr*)	American	N. America	1812.	——	H	5	Wats. dend. brit. t. 157.
3 orientàlis w.	(*gr*)	eastern	Levant	1739.	5. 6.	H	5	——— t. 98.
BETULA W.		BIRCH. (*Betu*, name in Celt.) Monœcia Polyandria.						
1 álba w.	(*gr*)	common	Britain	....	4. 6.	H	5	Eng. bot. v. 31. t. 2198.
β *verrucòsa* Ehr.	(*gr*)	*warted*	———	....	——	H	5	
γ *pendula* Roth.	(*gr*)	*weeping*	———	....	——	H	5	
δ *dalecárlica* L.	(*gr*)	*palmate-leaved*	.....	....	——	H	5	
ε *macrocárpa*	(*gr*)	*large-fruited*	.....	....	——	H	5	
2 póntica Df.	(*gr*)	eastern	Asia	....	——	H	5	Wats. dend. brit. t. 94.
3 pubéscens P.S.	(*gr*)	pubescent	Europe	....	——	H	5	
4 populifòlia w.	(*gr*)	Poplar-leaved	N. America	1750.	7.	H	5	Wats. dend. brit. t. 151.
β *laciniàta* A.B.	(*gr*)	*jagged*	.....	....	——	H	5	
γ *pendùla* A.B.	(*gr*)	*drooping*	.....	....	——	H	5	
5 excélsa w.	(*gr*)	tall	N. America	1767.	5.	H	5	Wats. dend. brit. t. 95.
6 davùrica w.	(*gr*)	Daurian	Dauria	1786.	7.	H	5	Pall. ros. 1. t. 39.
7 nìgra w.	(*gr*)	black	N. America	1736.	7. 8.	H	5	Wats. dend. brit. t. 153.
8 lùtea M.	(*gr*)	yellow	———	1816.	5. 6.	H	5	
9 lanulòsa M.	(*gr*)	woolly	———	1812.	——	H	5	Willd. arb. t. 2. f. 1.
rùbra Mich. arb. 2. t. 3.								
10 papyràcea w.	(*gr*)	paper	———	1750.	——	H	5	Wats. dend. brit. t. 151.
β *fúsca* A.B.	(*gr*)	*fuscous*	Carolina	....	——	H	5	
γ *trichóclada* A.B.	(*gr*)	*hairy-branch'd*	———	....	——	H	5	
δ *platyphy'lla* A.B.	(*gr*)	*broad-leaved*	———	....	——	H	5	
11 lénta w.	(*gr*)	soft	N. America	1759.	7.	H	5	Wats. dend. brit. t. 144.
12 carpinifòlia W.en.	(*gr*)	Hornbeam-ld.	———	1825.	——	H	5	
13 carpáthica Kit.	(*gr*)	Carpathian	Carpathian mt.	——	——	H	5	
14 ovàta w.	(*gr*)	oval-leaved	Europe	....	6. 7.	H	♄	Wats. dend. brit. t. 96.
víridis Vill. *A'lnus víridis* DC.								
15 fruticòsa w.	(*gr*)	shrubby	Siberia	1816.	——	H	♄	Wats. dend. brit. t. 154.
16 glandulòsa M.	(*gr*)	glandular	N. America	——	5.	H	♄	
17 pùmila w.	(*gr*)	hairy dwarf	———	1762.	4. 5.	H	♄	Wats. dend. brit. t. 97.
18 nàna w.	(*gr*)	smooth dwarf	Scotland	....	5.	H	♄	Eng. bot. v. 33. t. 2326.
β *macrophy'lla* Sch.	(*gr*)	*large-leaved*	Switzerland	1823.	——	H	♄	
19 trístis L.en.	(*gr*)	dark	Kamtschatka	1824.	....	H	♄	
A'LNUS W.		ALDER. (*al*, near; *lan*, edge of a river; habitat.) Monœcia Tetrandria.						
1 glutinòsa w.	(*gr*)	common	Britain	....	3. 4.	H	5	Eng. bot. v. 21. t. 1508
β *emarginàta*	(*gr*)	*emarginate*	———	....	——	H	5	
γ *incìsa* w.	(*gr*)	*cut-leaved*	———	....	——	H	5	
δ *laciniàta* w.	(*gr*)	*jagged-leaved*	———	....	——	H	5	
ε *quercifòlia*	(*gr*)	*Oak-leaved*	———	....	——	H	5	
η *oxyacanthifòlia* L.C.	(*gr*)	*Hawthorn-ld.*	....	1812.	....	H	♄	
θ *macrocárpa* A.B.	(*gr*)	*large-fruited*	.....	....	....	H	5	
2 incàna w.	(*gr*)	hoary-leaved	Europe	1780.	6.	H	5	
β *angulàta* H.K.	(*gr*)	*angular-leaved*	———	——	——	H	5	
γ *pinnàta*	(*gr*)	*pinnated*	———	....	——	H	5	
3 oblongàta w.	(*gr*)	oblong-leaved	S. Europe	1730.	7.	H	5	
β *elliptica*	(*gr*)	*elliptic-leaved*	———	——	——	H	5	
4 undulàta w.	(*gr*)	undulate	N. America	1782.	5. 6.	H	♄	
crispa Ph. *Bétula crispa* H.K.								
5 glaúca S.S.	(*gr*)	glaucous	———	1812.	3. 4.	H	5	
6 serrulàta w.	(*gr*)	notch-leaved	———	1769.	3.	H	♄	Abb. ins. 2. t. 92.
7 rugòsa S.S.	(*gr*)	rugged-leaved	———	....	——	H	♄	

8	sibírica F.	(gr) Siberian	Siberia	1820.	....	H	♄	
9	barbàta Mey.	(gr) bearded	Caucasus	1838.	——	H	♄	
10	obcordàta Mey.	(gr) obcordate	——	——	——	H	♄	
11	cordifòlia T.P.	(gr) heart-leaved	Naples	1820.	3. 4.	H	♄	Ten. flor. nap. t. 99.
12	macrophy'lla Df.	(gr) large-leaved	.....	——	....	H	♄	
13	rùbra Df.	(gr) red	.....	——	....	H	♄	
14	pùmila L.C.	(gr) dwarf	.....	——	....	H	♄	
15	subrotúnda Df.	(gr) roundish-leaved	.....	1822.	....	H	♄	

ORDER CCXIX.

SALI'CEÆ. *Kth. synops.* 1. *p.* 364.

SA'LIX W. WILLOW. (*sal*, near; *lis*, water, Celt.; habitat.) Diœcia 1-2-3-5-andra-Monadel.

* *Leaves glabrous.*

1	dapnoìdes Vill. (g.ye) early *præ'cox* W.	Europe	....	2. 3.	H	5		Salic. woburn. t. 26.
2	stylàris Ser. (gr.y) long-styled *Ammaniàna* Bor.	Britain	....	——	H	♄		Eng. bot. suppl. t. 2725.
3	pomerànica W.en. (g.ye) Pomeranian	Pomerania	1816.	3. 5.	H	5		
4	cinèrea E.B. (g.ye) gray	Britain	....	5.	H	5		Eng. bot. v. 27. t. 1897.
5	angustàta Ph. (g.ye) narrow-leaved	Pensylvania	1811.	3. 4.	H	5		
6	Wulfeniàna S.S. (br.st) Wulfen's	Scotland	——	4. 5.	H	5		Salic. woburn. t. 48.
7	silesìaca S.S. (g.ye) Silesian	Silesia	1820.	——	H	5		
8	Ammanniàna S.S. (g.ye) Amman's	Carinthia	——	——	H	5		Hoffm. salic. 1. t. 17. f. 2.
9	acutifòlia S.S. (g.ye) acute-leaved	Caucasus	1824.	2. 3.	H	5		
10	hastàta W. (g.ye) halberd-leaved	Lapland	1780.	5.	H	5		Salic. woburn. t. 35.
11	malifòlia E.B. (g.ye) Apple-leaved	England	....	4.	H	5		Eng. bot. v. 23. t. 1617.
12	serrulàta W. (g.ye) saw-leaved *hastàta* F.D.	Lapland	1820.	5.	H	5		Flor. dan. t. 1238.
13	Pontederàna W. (g.ye) Pontedera's	Germany	1818.	——	H	5		Salic. woburn. t. 43.
14	phylicifòlia E.B. (g.ye) Tea-leaved	Scotland	....	——	H	♄		Eng. bot. v. 28. t. 1958.
15	Andersoniàna E.B. (g.ye) Anderson's	——	....	——	H	♄		—— v. 33. t. 2343.
16	bícolor Ehrh. (g.ye) slender-leaved *tenuifòlia* E.B.	Britain	....	5. 6.	H	♄		Eng. bot. v. 31. t. 2186.
17	propínqua Bor. (y.gr) allied	——	....	——	H	♄		Eng. bot. suppl. 2729.
18	corúscans W. (g.ye) glittering *Arbúscula* Jacq. *non* E.B.	Switzerland	1824.	——	H	5		Jacq. aust. t. 408.
19	frágilis E.B. (g.ye) cracked	Britain	....	4. 5.	H	5		Eng. bot. v. 26. t. 1807.
20	Russelliàna E.B. (g.ye) Bedford	England	....	——	H	5		—— v. 26. t. 1808.
21	Treviràni L.en. (g.ye) Treviranus's	Germany	1825.	——	H	5		
22	hippophæfòlia L.en. (g.ye) Sea-buckthorn-ld.	—	1823.	——	H	5		
23	viréscens S.W. (g.ye) greenish	Switzerland	——	——	H	5		Salic. woburn. t. 7.
24	triándra E.B. (g.ye) long-leaved	Britain	....	5. 8.	H	5		Eng. bot. v. 20. t. 1435.
25	amygdálina E.B. (g.ye) Almond-leaved	——	....	4. 5.	H	5		—— v. 27. t. 1936.
26	Hoppeàna W. (g.ye) Hoppe's	Switzerland	1817.	——	H	5		
27	ambígua Ph. (g.ye) ambiguous	N. America	1813.	3. 4.	H	5		
28	decípiens E.B. (g.ye) varnished	England	....	5.	H	5		Eng. bot. v. 27. t. 1937.
29	vitellìna E.B. (g.ye) yellow-twigged	——	....	3. 5.	H	5		—— v. 20. t. 1389.
30	álba E.B. (g.ye) common white	Britain	....	4. 5.	H	5		—— v. 34. t. 2430.
31	cœrùlea E.B. (gr.ye) blue-leaved	England	....	5. 8.	H	5		—— v. 34. t. 24 11.
32	pedicellàris S.S. (gr.ye) pedicellated *pensylvánica* Salic. woburn. t. 95?	N. America	1811.	4. 5.	H	5		
33	babylónica W. (g.st) weeping *Napoleòna* Hort. (gr.st) *Napoleon's*	Levant	1692.	5. 6.	H	5		Salic. woburn. t. 22.
		St. Helena	....	....	H	5		
34	annulàris E.B. (g.st) annular-leaved	.....	1823.	——	H	5		Salic. woburn. t. 21.
35	myricoìdes S.S. (g.ye) Myrica-like	N. America	1811.	4.	H	5		Ann. bot. 2. t. 5. f. 1.
36	lùcida S.S. (g.ye) shining *Forbèsii* Swt.	——	——	5.	H	5		—— 2. t. 5. f. 7.
37	rígida S.S. (g.ye) rigid	——	——	4. 5.	H	5		—— 2. t. 5. f. [illegible]
38	cordàta S.S. (gr.ye) heart-leaved	——	——	——	H	♄		—— 2. t. 5. f. 8.
39	nìgra S.S. (g.ye) black	——	——	5.	H	5		—— 2. t. 5. f. 5.
40	ripària W. (g.ye) rivulet	Europe	1820.	——	H	5		
41	incàna DC. (g.ye) hoary	——	——	4.	H	5		Salic. woburn. t. 90.

42	incanéscens Sch.(*g.ye*)incanescent	Switzerland	1823.	3. 4.	H	5		Salic. woburn. t. 120.
43	lanàta E.F. (*gr.ye*) woolly	Scotland	——	——	H	♄		——— t. 71.
44	pentándra E.B.(*gr.ye*)Bay-leaved	Britain	....	5. 6.	H	♄		Eng. bot. v. 26. t. 1805.
45	Meyeriàna S.S.(*g.st*) Meyer's	Germany	1823.	4. 5.	H	♄		Salic. woburn. t. 33.
46	tetraspérma W.(*g.ye*) four-seeded	E. Indies	1796.	——	S	♄		Roxb. corom. 1. t. 97.
47	gariepìna B.T. (*g.ye*) Cape	C. B. S.	1816.	——	G	♄		
48	Humboldtiàna W.(*bl*) Humboldt's	Peru	1821.	....	G	♄		H. et. B. 2. t. 99, 100.
49	Bonplandiána K.S.(*br*)Bonpland's	Mexico	——	....	G	♄		——— 2. t. 101, 102.
50	Houstoniàna Ph.(*gr.ye*)Houston's	America	1812.	4. 5.	H	♄		Salic. woburn. t. 11.
51	Lyòni S.W. (*g.ye*) Lyon's	Switzerland	1816.	——	H	♄		——— t. 10.
52	finmárchica S.S.(*g.ye*) Finmark	Sweden	1821.	——	H	♄		Flor. dan. t. 1051.
53	cæ'sia W. (*g.ye*) grey	Europe	....	——	H	♄		
54	Villarsiàna W. (*g.ye*) Villars's	S. France	1818.	5. 6.	H	♄		Salic. woburn. t. 17.
55	myrtilloìdes S.S.(*br.ye*)Myrtle-leaved	Sweden	1772.	4. 8.	H	♄		
56	retùsa W. (*g.ye*) blunt-leaved	Italy	1763.	——	H	♄		Salic. woburn. f. 139.
57	serpyllifòlia W.(*gr.ye*)Thyme-leaved	Switzerland	1818.	——	H	♄		——— t. 65.
58	Kitaibeliàna W.(*g.ye*)Kitaibel's	Carpathian m.	1816.	—	H	♄		——— t. 64.
59	Uva-úrsi S.S. (*g.ye*) Bearberry-like	Labrador	1811.	4. 5.	H	♄		——— f. 151.
60	berberifòlia W.(*g.ye*) Barberry-leaved	Davuria	1824.	——	H	♄		Pall ros. 2 t. 82.
61	herbàcea E.B. (*g.ye*) least	Britain	....	6.	H	♄		Eng. bot. v. 27. t. 1907.
62	monándra And.(*g.ye*) monandrous	Europe	....	3. 4.	H	♄		
63	Woolgariàna E.B.(*gr.ye*)Woolgar's	England	....	4.	H	♄		Eng. bot. t. 2651.
	monándra Sal. wob. 4.							
64	purpùrea E.B. (*g.ye*) bitter purple	England	....	3.	H	♄		Eng. bot. v. 20. t. 1388.
65	Hèlix E.B. (*g.ye*) Rose	Britain	....	3. 4.	H	♄		——— v. 19. t. 1343.
66	Lambertiàna E.B.(*g.ye*)Boyton	England	....	——	H	♄		——— v. 19. t. 1359.
67	rùbra E.B. (*g.ye*) red-stemmed	———	....	4. 5.	H	♄		——— v. 16. t. 1145.
	** *Leaves villous or downy.*							
68	Forbiàna E.B. (*g.ye*) basket osier	England	....	4.	H	♄		——— v. 19. t. 1344.
69	viminàlis E.B. (*g.ye*) common osier	Britain	....	4. 5.	H	♄		——— v. 27. t. 1898.
70	mollíssima S.S.(*g.ye*) softest	Germany	....	3. 4.	H	♄		
71	Smithiàna S.S.(*g.ye*) Smith's	England	....	——	H	♄		Salic. woburn. t. 134.
	mollíssima Eng. bot. v. 21. t. 1509. *nec aliorum.*							
72	acuminàta E.B.(*g.ye*) acuminate	Britain	....	4.	H	5		Eng. bot. v. 20. t. 1434.
73	holoserícea W. (*g.ye*) holosericeous	Germany	1822.	——	H	5		
74	aurìta W. (*g.ye*) eared	Britain	....	4. 5.	H	5		Hoff. sal. 1. t. 22. f. 1.
75	uliginòsa W.an.(*g.ye*)marsh	———	....	4. 6.	H	5		Eng. bot. v. 21. t. 1487.
	aurìta E.B. *non* W.							
76	paludòsa L.en.(*g.ye*) fen	Germany	....	——	H	5		
77	aquática E.B. (*g.ye*) water	Britain	....	4.	H	5		Eng. bot. v. 20. t. 1437.
78	spatulàta W.en.(*g.ye*)spatulate	Germany	....	——	H	5		
79	càprea E.B. (*g.ye*) great-round-ld.	Britain	....	4. 5.	H	5		Eng. bot. v. 21. t. 1488.
80	sphacelàta E.B.(*g.ye*) withered-pointed	Scotland	....	——	H	♄		——— v. 33. t. 2333.
81	laúrina W. (*g.ye*) Laurel-leaved	England	....	——	H	♄		——— v. 26. t. 1806.
	bícolor E.B. *non* Ehr.							
82	bícolor W. (*g.ye*) two-coloured	Germany	1818.	——	H	♄		
83	Forsteriàna E.B.(*g.ye*)Forster's	Scotland	....	——	H	5		Eng. bot. v. 33. t. 1403.
84	nígricans E.B. (*g.ye*) dark broad-ld.	England	....	4.	H	5		——— v. 17. t. 1213.
85	acutifòlia W. (*g.ye*) violet	Russia	....	3. 4.	H	5		Andr. reposit. t. 581.
	violàcea S.S.							
86	confórmis S.W.(*gr.ye*)uniform-leaved	.....	....	2. 3.	H	5		Salic. woburn. t. 24.
87	Forbesiàna Bor.(*gr.ye*)long-styled	Silesia	1820.	——	H	5		——— t. 51.
	Weigeliàna. S.W.							
88	Weigeliàna W.(*gr.ye*) Weigel's	Scotland	....	——	H	♄		Eng. bot. suppl. 2795.
89	cotinifòlia E.B.(*g.ye*) Quince-leaved	Britain	....	4.	H	5		——— v. 20. t. 1403.
90	conífera S.S. (*g.ye*) cone-bearing	N. America	1800.	5.	H	5		Wang. amer. t. 31. f. 72.
91	prinoìdes S.S. (*g.ye*) Prinos-like	———	1811.	3. 4.	H	5		Salic. woburn. t. 40.
92	fuscàta S.S. (*g.ye*) brown-stemmed	———	——	——	H	5		
93	recurvàta S.S. (*g.ye*) recurve-flower'd	———	——	4.	H	♄		
94	tristis S.S. (*g.ye*) linear-leaved	———	1765.	3. 4.	H	♄		Salic woburn. f. 150.
95	Muhlenbergiàna(*re.ye*)Muhlenberg's	———	1811.	4.	H	♄		Ann. bot. 2. t. 5. f. 9.
96	grìsea W.en (*br.ye*) grey	———	1816.	——	H	♄		
97	lanceolàta E.B.(*g.ye*) sharp-leaved	England	....	4. 5.	H	♄		Eng. bot. v. 20. t. 1436.
98	stipulàris E.B. (*g.ye*) auricled	Britain	....	2.	H	♄		——— v. 17. t. 1214.
99	undulàta S.S. (*g.ye*) wave-leaved	Germany	1819.	4. 5.	H	♄		Salic. woburn. t. 13.
100	holoserícea W. (*gr.y*) whole-silky	Britain	....	——	H	♄		Hayne. abbild. 253.
101	hippophæefòlia Thuill.(*g.y*)Hippophae-ld.	Europe	..	——	H	♄		
	undulàta Trev.							
102	virgàta S.W. (*g.ye*) twiggy	.....	....	5. 6.	H	♄		Salic. woburn. t. 12.

103	Hoffmanniàna(*g.ye*) Hoffmann's	Switzerland	....	5.	H	♄	Salic. woburn. t. 16.
104	montàna w. (*g.ye*) mountain	———	....	5. 6.	H	5	——— t. 19.
105	monspeliénsis s.w.(*g.ye*)Montpelier	Montpelier	....	4. 5.	H	♄	——— t. 30.
106	pátens s.w. (*g.ye*) spreading	.....	....	5. 8.	H	♄	——— t. 39.
107	Willdenowiàna s.w.(*g.ye*)Willdenow's	.....	....	4. 8.	H	♄	——— t. 41.
108	críspa s.w. (*g.st*) curled	.....	....	3.	H	♄	——— t. 42.
109	nìtens s.w. (*g.ye*) glossy	Scotland	....	4. 5.	H	♄	——— t. 44.
110	Borreriàna s.w.(*g.st*)Borrer's	———	....	——	H	♄	——— t. 45.
111	tenùior Bor. (*g.ye*) slender	———	....	——	H	♄	Eng. bot. supp. 2650.
112	laxifòra Bor.(*gr.ye*)loose-flowered	———	....	——	H	♄	——— t. 2749.
113	ambígua B. (*gr.ye*) ambiguous	Britain	....	——	H	♄	——— supp. 2733.
	β *spatulàta* A.B.(*gr.ye*) *spatulate*	———	....	——	H	♄	
	γ *màjor* A.B.(*gr.ye*) *larger*	———	....	——	H	♄	
	δ *undulàta* A.B.(*gr.ye*)*undulated*	———	....	——	H	♄	
114	Davalliàna s.w.(*br.st*)Davall's	Scotland	....	——	H	♄	Salic. woburn. t. 47.
115	petiolàris E.B.(*br.st*)dark long-leaved	Britain	....	4.	H	♄	Eng. bot. v. 16. t. 1147.
116	pátula s.s. (*g.ye*) spreading	Italy	1818.	——	H	♄	
117	oleifòlia E.B. (*g.ye*) Olive-leaved	Britain	....	3.	H	5	Eng. bot. v. 20. t. 1402.
118	cándida s.s. (*r.st*) hoary	N. America	1811.	2. 3.	H	♄	Salic. woburn. t. 91.
119	díscolor s.s. (*g.ye*) brown-branched	———	——	4.	H	♄	Ann. bot. 2. t. 5. f. 1.
120	arenària E.B. (*g.ye*) sand	Scotland	....	5.	H	♄	Eng. bot. v. 26. t. 1809.
121	rèpens E.B. (*br.ye*) creeping	Britain	....	——	H	♄	——— v. 3. t. 183.
122	incubàcea w. (*bh.ye*)trailing	———	1775.	——	H	♄	Salic. woburn. t. 79.
123	rosmarinifòlia E.B.(*g.ye*)Rosemary-ld	——	....	4. 5.	H	♄	Eng. bot. v. 19. t. 1365.
124	angustifòlia Bor.(*g.ye*)little tree	Scotland	....	4.	H	♄	——— v. 19. t. 1366.
	arbúscula E.B.						
125	fúsca E.B. (*g.st*) brown	Britain	....	5.	H	♄	——— v. 28. t. 1960.
126	parvifòlia E.B.(*g.ye*)small-leaved	England	....	4. 5.	H	♄	——— v. 28. t. 1961.
127	adscéndens E.B.(*g.ye*)ascending	———	....	5.	H	♄	——— v. 28. t. 1962.
128	prostràta E.B.(*g.ye*) prostrate	Britain	....	——	H	♄	——— v. 28. t. 1959.
129	canéscens W.en.(*g.ye.*)canescent	Germany	1815.	4. 5.	H	♄	
130	leucophy'lla W.en.(*g.ye*)white-leav'd	———	——	——	H	♄	
131	elæagnoìdes L.en.(*g.ye*)Elæagnus-like	Switzerl.	1823.	4. 8.	H	♄	Salic. woburn. t. 69.
132	argéntea E.B. (*g.ye*) silky sand	Britain	....	5.	H	♄	Eng. bot. v. 19. t. 1364.
133	procúmbens s.w.(*g.ye*)procumbent	Scotland	....	——	H	♄	Salic. woburn. t. 61.
134	ramifúsca s.w.(*g.ye*)brown-branched	Britain	....	4. 7.	H	♄	——— t. 53.
135	floribúnda s.w.(*g.ye*)many-flowered	———	....	——	H	♄	——— t. 54.
136	versifòlia s.s.(*g.ye.*)various-leaved	N. Europe	1824.	5.	H	♄	
137	prunifòlia E.B.(*g.ye*)Plum-leaved	Scotland	....	4. 5.	H	♄	Eng. bot. v. 19. t. 1361.
138	Dicksoniàna E.B.(*g.ye*)Dickson's	———	....	5.	H	♄	——— v. 20. t. 1390.
139	phyllyreæfòlia Bor.(*gr.ye*)phillyrea-ld.	———	....	——	H	♄	Eng. bot. supp. t 2660.
140	hùmilis W.en.(*g.ye*)humble	.....	1824.	——	H	♄	
141	myrsinìtes L.(*y.gr*) Myrtle-like	Scotland	....	——	H	♄	Flor. dan. t. 1054.
	arbutifòlia W.						
142	formòsa w. (*g.ye*) handsome	Switzerland	1820.	——	H	♄	
143	betulifòlia Forst.(*g.ye*)Whortle-leaved	Scotland	....	——	H	♄	Eng. bot. v. 19. t. 1360.
	myrsinìtes E.B.						
144	venulòsa E.B.(*g.ye*)veiny-leaved	———	....	4. 5.	H	♄	Eng. bot. v. 19. t. 1362.
145	vacciniifòlia E.B.(*g.ye*)Bilberry-leaved	———	....	——	H	♄	——— v. 33. t. 2341.
146	carinàta E.B. (*g.ye*) folded-leaved	———	....	——	H	♄	——— v. 19. t. 1363.
147	rupéstris E.B.(*g.ye*) rock	———	....	4.	H	♄	Eng. bot. v. 33. 2342.
148	lappònum w. (*g.ye*) Lapland	Lapland	....	——	H	♄	Salic. woburn. t. 73.
149	helvética Vil.(*g.ye*) Swiss	Switzerland	1824.	4. 8.	H	♄	
150	leucophy'lla w.(*g.ye*) white-leaved	———	——	——	H	♄	
151	lívida s.s. (*g.ye*) livid	Lapland	——	4.	H	♄	
152	polàris s.s. (*g.ye*) polar	———	——	4. 7.	H	♄	Salic. woburn. t. 63.
153	longifòlia s.s.(*g.ye*) long-leaved	N. America	1819.	4. 5.	H	♄	Ann. bot. 2. t. 5. f. 6.
154	glaúca E.B. (*g.ye*) glaucous	Scotland	....	5.	H	♄	Eng. bot. v. 26. t. 1810.
155	serícea w. (*wh.ye*) silky	Alps Europe	1816.	——	H	♄	Salic. woburn. t. 74.
156	Stuartiàna E.B.(*w.ye*)Stuart's	Scotland	....	7. 8.	H	♄	Eng. bot. v. 36. t. 2586.
157	reticulàta E.B. (*re*) wrinkled	Britain	....	6. 7.	H	♄	——— v. 27. t. 1908.
158	hírta E.B. (*g.ye*) hairy-branched	England	....	4. 5.	H	♄	——— v. 20. t. 1404.
159	Croweàna E.B.(*g.ye*)Crowe's	———	....	——	H	♄	——— v. 16. t. 1146.
160	fagifòlia w. (*g.ye*) Beech-leaved	Hungary	1819.	——	H	♄	
161	cordifòlia Ph.(*g.ye*) heart-shaped	N. America	1811.	——	H	♄	Salic. woburn. f. 143.
162	planifòlia Ph.(*g.ye*) flat-leaved	Labrador	——	——	H	♄	
163	falcàta Ph. (*g.ye*) sickle-leaved	N. America	——	——	H	♄	Salic. woburn. f. 148.
164	angustàta Ph.(*gr.y*) narrowed	———	——	——	H	♄	
165	tetrápla L.en.(*g.ye*) elegant	Scotland	1824.	4.	H	♄	Salic. woburn. t. 49.

166	obtùsa L.en. (*g.ye*) blunt-leaved	Switzerland	1820.	4.	H	♄		
167	eriántha L.en.(*g.ye*)woolly-flowered	——	——	——	H	♄		
168	cæ'sia Vill. (*g.ye*) cæsious	N. Europe	——	4. 5.	H	♄	Vill.delph.3.t.50.f.11.	
	myrtilloìdes w. Salic. woburn. t. 66.							
169	ulmifòlia W.en.(*g.ye*)Elm-leaved	Switzerland	——	4.	H	♄		
170	foliòsa w. (*g.ye*) leafy	Lapland	1818.	——	H	♄		
171	obtusifòlia w.(*g.ye*)obtuse-leaved	——	——	——	H	♄		
172	atrovìrens w. (*g.ye*) dark-green	Switzerland	1824.	——	H	♄	Salic. woburn. t. 108.	
173	austràlis s.w.(*g.ye*) southern	——	——	5.	H	♄	——	t. 103.
174	carpinifòlia s.w.(*g.ye*)Hornbeam-ld.	Germany	——	3. 4.	H	♄		
175	cydoniifòlia Sch.(*g.ye*)Cydonia-ld.	Switzerland	——	——	H	♄		
176	subalpìna s.w.(*g.ye*)subalpine	——	——	4. 5.	H	♄	Salic. woburn. t. 93.	
177	proteæfòlia s.w.(*g.ye*)Protea-leaved	——	1820.	——	H	♄	——	t. 75.
178	strépida s.w. (*g.ye*) creaking	——	——	3. 4.	H	♄	——	t. 100.
179	pyrenàica s.s.(*g.ye*) Pyrenean	Pyrenees	1823.	4.	H	♄		
180	Jacquiniàna w.(*g.ye*)Jacquin's	Austria	1818.	——	H	♄	Jacq. aust. t. 409.	
	fúsca Jacquin. *nec aliorum.*							
181	Waldsteiniàna w.(*gr.y*)Waldstein's	Tyrol	1822.	——	H	♄		
182	Schraderiàna w.(*g.ye*)Schrader's	Germany	1820.	——	H	♄		
183	finmárchica w.(*g.ye*)Swedish	Sweden	1825.	4. 5.	H	♄		
184	serrulàta w. (*g.ye*) serrulate	Lapland	1822.	——	H	♄		
185	versícolor s.w.(*g.ye*)various-coloured	Switzerland	——	5.	H	♄	Salic. woburn. t. 77.	
186	Doniàna E.F.(*br.ye*)Mr. Don's	Scotland	....	4. 5.	H	♄	——	t. 88.
187	lineàris s.w. (*br.st*) linear-leaved	Switzerland	1820.	——	H	♄	——	t. 89.
188	villòsa s.w. (*g.ye*) villous	.....	....	——	H	♄	——	t. 92.
189	refléxa s.w. (*g.ye*) reflexed	.....	....	3.	H	♄	——	t. 94.
190	petræ'a s.w. (*g.ye*) rock-side	Britain	....	4.	H	♄	——	t. 97.
191	tenuifòlia L. (*gr.y*) thin-leaved	——	....	——	H	♄	Eng. bot. suppl. t. 2795.	
192	grisonénsis s.w.(*g.ye*)Grisons	Grisons	1820.	3. 4.	H	♄	Salic. woburn. t. 99.	
193	sórdida s.w. (*g.st*) sordid	Switzerland	——	4.	H	♄	——	t. 101.
194	glabràta Sch.(*g.ye*) smooth	——	1823.	4. 5.	H	♄		
195	decúmbens s.w.(*gye*)decumbent	——	——	5.	H	♄	Salic. woburn. t. 88.	
196	heterophy'lla Deb.(*g.ye*)different-ld.	.....	——	——	H	♄		
197	murìna Sch. (*g.ye*) wall	Switzerland	1824.	3. 4.	H	♄		
198	nervòsa Sch. (*g.ye*) nerved	——	——	——	H	♄		
199	pannòsa s.w. (*g.ye*) cloth-leaved	——	——	4. 5.	H	♄	Salic. woburn. t. 123.	
200	palléscens Sch.(*g.st*)pallid	——	——	——	H	♄		
201	pállida s.w. (*g.ye*) pale	——	——	5.	H	♄	Salic. woburn. t. 96.	
202	alaternoìdes s.w.(*ye*)Alaternus-like	Switzerland	1823.	4. 5.	H	♄	——	t. 102.
203	albéscens Sch.(*g.st*)whitish	——	——	——	H	♄		
204	rivulàris s.w.(*g.ye*) rivulet	——	1824.	5.	H	♄	Salic. woburn. t. 76.	
205	rotundàta s.w.(*g.ye*) rounded-ld.	——	——	4. 5.	H	♄	——	t. 104.
206	dùra s.w. (*g.ye*) hardy	——	——	——	H	5	——	t. 105.
207	fírma s.w. (*g.ye*) firm	——	——	3. 4.	H	♄	——	t. 106.
208	Ansoniàna s.w.(*g.ye*)Anson's	——	——	——	H	♄	——	t. 107.
209	coriàcea s.w. (*g.ye*) leathery	——	1822.	3.	H	♄	——	t. 112.
210	crassifòlia s.w.(*g.ye*)thick-leaved	.....	....	4. 5.	H	♄	——	t. 115.
211	vaudénsis s. w.(*g.ye*)Vaudois	Switzerland	1824.	3. 4.	H	♄	——	t. 117.
212	latifòlia s.w. (*g.ye*) broad-leaved	——	——	3.	H	♄	——	t. 118.
213	ferrugínea s.w.(*br.st*)ferruginous	Britain	....	4.	H	♄	——	t. 128.
214	geminàta s.w.(*g.ye*)twin-flowered	——	....	3.	H	♄	——	t. 129.
215	macrostipulàcea s.w.(*g.y*)large-stipul'd	Switzerl.	1822.	4. 5.	H	5	——	t. 130.
216	Micheliàna s.w.(*g.ye*)Michel's	——	——	4.	H	5	——	t. 135.
217	atropurpùrea s.w.(*g.ye*)dark-purple	——	1824.	——	H	♄		
218	damascèna s.w.(*g.ye*)Damask	——	——	3. 4.	H	♄		
219	mutábilis s.w.(*g.ye*)changeable	——	——	——	H	♄		
220	cerasifòlia Sch.(*g.ye*)Cherry-ld.	——	——	4.	H	♄		
221	cinnamòmea Sch.(*g.ye*)Cinnamon-scented	—	——	4. 5.	H	♄		
222	clethræfòlia Sch.(*g.ye*)Clethra-ld.	——	——	——	H	♄		
223	grisophy'lla s.w.(*g.ye*)gray-leaved	——	——	4.	H	♄	Salic. woburn. t. 119.	
224	lacústris s.w.(*g.ye*) lake	——	——	3.	H	♄	——	t. 116.
225	mespilifòlia Sch.(*g.ye*)Mespilus-ld.	——	——	4. 5.	H	♄		
226	obtuseserràta Sch.(*g.ye*)bluntly-sawed	——	——	——	H	♄		
227	pyrifòlia Sch.(*g.ye*)Pear-leaved	——	——	——	H	♄		
228	Schleicheriàna s.w(*g.ye*)Schleicher's	——	——	——	H	♄	Salic. woburn. t. 98.	
229	alnifòlia A.B.(*ye.gr*)Alder-leaved	Europe	1830.	——	H	♄		
230	betúlina A.B. (*gr.y*) Birch-like	——	....	——	H	♄		
231	candídula A.B.(*gr.y*)whitish	——	1830.	——	H	♄		
232	septentrionàlis A.B.(*gr.ye*)northern	——	....	——	H	♄		

233	vaccinoìdes A.B.	(*gr.y*)	whortleberry-ld.	Europe	....	4. 5.	H ♄	
234	tetrándra A.B.	(*gr.ye*)	tetandrous	———	....	——	H ♄	
235	thymelæoìdes A.B.	(*gr.ye*)	Thymelæa-like	——	....	——	H ♄	
236	recurvàta A.B.	(*gr.y*)	recurved	———	1811.	——	H ♄	
237	velutìna W.en.	(*g.ye*)	velvetty	.....	1826.	3. 4.	H ♄	
228	Starkeàna w.	(*g.ye*)	Starke's	Silesia	1820.	4. 5.	H ♄	

POPULUS L. POPLAR. (*populus*, the people; planted near houses.) Diœcia Octandria.

1	álba E.B.	(*fl*)	Abele-tree	Britain	....	3. 4.	H 5	Eng. bot. v. 23. t. 1618.
2	canéscens E.B.	(*fl*)	gray	England	....	——	H 5	——— v. 23. t. 1619.
	β *hybrida* A.B.	(*fl*)	*hybrid*	Caucasus	....	——	H 5	
	γ *acerifòlia* A.B.	(*fl*)	*Maple-leaved*	.....	....	——	H 5	
	δ *arémbergica* A.B.	(*fl*)	*Arembergh*	Germany	1836.	——	H 5	
	ε *bélgica* A.B.	(*fl*)	*Belgian*	Continent	——	——	H 5	
	η *cándicans* A.B.	(*fl*)	*whitened*	.....	——	....	H 5	
	θ *ægyptìaca* A.B.	(*fl*)	*Egyptian*	Egypt	....	....	H 5	
3	nívea w.	(*fl*)	snowy	Europe	....	3. 4.	H 5	
4	trépida w.	(*fl*)	trembling	N. America	1812.	——	H 5	Mich. arb. 3. t. 8. f. 1.
5	trémula w.	(*fl*)	Aspen	Britain	....	——	H 5	Eng. bot. v. 27. t. 1909.
	β *péndula* A.B.	(*fl*)	*drooping*	.....	....	——	H ♄	
	γ *supìna* A.B.	(*fl*)	*hailing*	.....	....	——	H ♄	
6	lævigàta w. *canadénsis* Mx.	(*fl*)	smooth	N. America	1769.	4. 5.	H 5	Mich. arb. 3. t. 11.
7	tremuloìdes M.	(*fl*)	trembling-like	———	1811.	——	H 5	Duham. arb. 2. t. 53.
8	græ'ca w.	(*fl*)	Athenian	Archipelago	1779.	——	H 5	——— 184. t. 54.
9	nìgra w.	(*fl*)	black	Britain	....	——	H 5	Eng. bot. v. 27. t. 1910.
	β *víridis* A.B.	(*fl*)	*green*	.....	....	——	H 5	
	γ *salicifòlia* A.B.	(*fl*)	*Willow-leaved*	.....	1834.	——	H 5	
10	acladésca Lindl.	(*re*)	black Italian	N. America	....	5.	H 5	
11	hudsónica M. *betulifòlia* Ph.	(*fl*)	American black	———	....	——	H 5	Mich. arb. 3. t. 10. f. 1.
12	dilatàta w. *fastigiàta* Desf.	(*sc*)	Lombardy	Italy	1758.	——	H 5	Arb. brit. t. 1519-1520.
13	vimínea Df.	(*fl*)	slender-twigged	N. America	1824.	4. 5.	H 5	
14	monilífera w.	(*fl*)	Canadian	Canada	1772.	3. 5.	H 5	Wats. dend. brit. t. 102.
	β *Lindleyàna* A.B.	(*fl*)	*Lindley's*	.....	....	——	H 5	
	γ *variegàta* A.B.	(*fl*)	*variegated*	.....	....	——	H 5	
15	angulàta w.	(*fl*)	Carolina	Carolina	1738.	3.	H 5	Mich. arb. 3. t. 12.
16	grandidentàta M.	(*fl*)	large-toothed	N. America	1812.	4.	H 5	Mich. sylv. t. 99. f. 2.
	β *péndula* N.	(*fl*)	*weeping*	———	1820.	——	H 5	
17	balsamífera w.	(*gr*)	Tacamahac	———	1692.	——	H 5	Mich. arb. 3. t. 13. f. 1.
	β *virminàlis* A.B. *longifòlia* Pall.	(*gr*)	*twiggy*	Altaia	....	——	H 5	Pall. ross. t. 41.
	γ *latifòlia* A.B.	(*gr*)	*broad-leaved*	.....	....	——	H 5	
	δ *intermèdia* A.B.	(*gr*)	*intermediate*	Dahuria	....	——	H 5	Pall. ross. t. 41. A.
	ε *suavèolens* A.B.	(*gr*)	*sweet-scented*	———	....	——	H ♄	
	η *variegàta* A.B.	(*gr*)	*variegated-ld.*	.....	——	——	H ♄	
18	cándicans w.	(*gr*)	heart-leaved	———	1772.	3.	H 5	Catesb. car. 1. t. 34.
19	heterophy'lla w.	(*gr*)	various-leaved	———	1765.	4. 5.	H 5	Mich. arb. 3. t. 9.
20	laurifòlia Led.	(*fl*)	Laurel-leaved	Altay	1827.	....	H 5	

ORDER CCXX.

PLATA'NEÆ.

PLA'TANUS W. PLANE-TREE. (πλατυς, broad; leaves.) Monœcia Polyandria.

1	orientàlis w.	(*gr*)	oriental	Levant	1548.	4. 5.	H 5	Wats. dend. brit. t. 101.
2	cuneàta w.	(*gr*)	wave-leaved	———	1739.	——	H 5	
3	acerifòlia w.	(*gr*)	Maple-leaved	———	1724.	....	H 5	
4	occidentàlis w.	(*gr*)	American	N. America	1640.	4. 5.	H 5	Wats. dend. brit. t. 100.
5	mexicàna	(*gr*)	Mexican	Mexico	1826.	....	F 5	

ORDER CCXXI.

BALSAMIFLU'ÆE. *Blume.*

LIQUIDA'MBAR. W. Sweet-gum-tree. (*liquidum*, liquid, and *ambar*, amber.) Monœc. Polyan.

1	Styracíflua w.	(*gr.wh*) Maple-leaved	N. America	1683.	3. 4.	H	5	Catesb. car. 2. t. 65.
2	imbérbe w.	(*gr.wh*) oriental	Levant	1759.	....	H	5	

ORDER CCXXII.

MYRI'CEÆ. *Kth. synops* 1. *p.* 361.

COMPTO'NIA. Compto'nia. (Henry Compton, Bishop of London, prom of bot.) Monœc. Triand.

	aspleniifòlia w.	(*br*) Fern-leaved	N. America	1714.	3. 5.	H	♄	Wats. dend. brit. t. 166.

MYRI'CA W. Candleberry-myrtle. (*μυρω*, to flow; growing on banks of rivers.) Dicec. Tet.

1	Gàle w.	(*br*) Sweet Gale	Britain	....	5.	H	♄	Eng. bot. v. 8. t. 562.
2	cerífera w.	(*br*) common	N. America	1699.	5. 6.	H	♄	Catesb. car. 1. t. 69.
3	carolinénsis Ph.	(*br*) broad-leaved	———	1730.	5.	H	♄	——— 1. t. 13.
4	pensylvánica Ph.	(*br*) Pensylvanian	———	....	——	H	♄	Duham. arb. ed. n. 2. t. 55.
5	Fáya w.	(*br*) Azorian	Azores	1777.	6. 7.	F	♄	——— 2. t. 56.
6	mexicàna W.en.	(*br*) Mexican	Mexico	1821.	6. 8.	G	♄	
7	esculénta D.P.	(*br*) eatable	Nepaul	——	....	G	♄	
8	segregàta w.	(*br*) netted-leaved	S. America	——	....	G	♄	Jacq. ic. 3. t. 625.
9	æthiópica w.	(*br*) African	C. B. S.	1795.	6. 7.	G	♄	Pluk. alm. t. 48. f. 8.
10	serràta w.	(*br*) saw-leaved	———	1793.	8.	G	♄	Burm. afr. t. 98. f. 1.
11	laciniàta W.en.	(*br*) smooth Oak-ld.	———	1752.	6. 7.	G	♄	Jacq. frag. 2. t. 1. f. 4.
12	quercifòlia W.en.	(*br*) hairy Oak-ld.	———	——	——	G	♄	
13	cordifòlia w.	(*br*) heart-leaved	———	1759.	5. 7.	G	♄	Pluk. alm. t. 319. f. 7.
14	integrifòlia H.B.	(*br*) entire-leaved	E. Indies	1824.	....	S	♄	

NAGE'IA W. Nage'ia. (*Nagi*, Japanese name.) Diœcia Tetrandria.

	japónica w.	(*gr*) Japan	Japan	1812.	2. 4.	G	♄	

Búxus dioíca Hort. *Myrìca Nàgi* Thunb.

CASUARI'NA W. Shrubby Horsetail. (*Cassowary;* branches like feathers off.) Monœc. Mon.

1	equisetifòlia w.	(*br.re*) Horsetail-ld.	S. Sea Island	1793.	....	S	♄	Rumph. amb. 3. t. 57.
2	nodiflòra w.	(*br.re*) knotted-flower'd	———	1818.	....	S	♄	
3	glaúca S.S.	(*br.re*) glaucous	N. S. W.	1818.	11.4.	G	♄	
4	paludòsa S.S.	(*br.re*) marsh	———	1822.	——	G	♄	
5	stríata w.	(*br.re*) upright	———	1775.	11.2.	G	♄	Andr. reposit. t. 346.
6	dístyla w.	(*br.re*) two-styled	———	1812.	——	G	♄	Vent. dec. pl. nov. t. 62.
7	quadrivàlvis P.S.	(*br.re*) four-valved	N. Holland	——	——	G	♄	Lab. nov. hol. 2. t. 218.
8	torulòsa w.	(*br.re*) cork-barked	N. S. W.	1772.	4. 6.	G	♄	
9	muricàta L.en.	(*br.re*) muricate	E. Indies	1816.	....	S	♄	
10	tenuíssima S.S.	(*br.re*) slender	N. S. W.	1824.	4. 6.	G	♄	
11	nàna S.S.	(*br.re*) dwarf	———	——	——	G	♄	

ORDER CCXXIII.

CONI'FERÆ. *Juss. gen.* 411.

Suborder I. TAXI'NÆ. Richard.

SALISBU'RIA R. Maidenhair-tree. (R. A. Salisbury, a cel. English bot.) Monœc. Polyan.

	adiantifòlia L.T.	(*g.st*) Japan	Japan	1754.	4. 5.	H	5	Wats. dend. brit. t. 168.

Gíngko bíloba L.

PHYLLO'CLADUS R. PHYLLO'CLADUS. (φυλλον, a leaf, and κλαδος, a branch.) Monœ. Mon.

rhomboidàlis R.	(ye)	Fern-leaved	V.Diem.Isl.	1825.	4.	G	♄	Rich. conif. pl. 3.
Podocárpus asplenifòlia Labill. nov. holl. 2. t. 221.								

PODOCA'RPUS L'H. PODOCA'RPUS. (πους, a foot, and καρπος, a fruit; stalked.) Mon. Mon.

1 Chilinus R.	(ye)	sharp-leaved	C. B. S.	1774.	7.	G	♄	Rich. conif. pl. 1. f. 1.
2 elongàtus R.	(ye)	Chinese	China	——	5. 7.	H	♄	——— pl. 1. f. 2.
Táxus chinénsis H.B.								
3 coriàceus R.	(ye)	leathery-leaved	———	1824.	——	G	♄	Rich. conif. pl. 1. f. 3.
4 verticillàtus	(ye)	whorl-leaved	Japan	1812.	....	G	♄	
5 macrophy'llus L.en.	(ye)	large-leaved	China	1804.	7. 8.	G	♄	Kæmpf. ic. t. 24.
6 nereifòlius L.P.	(ye)	Wax-Dammar	P.WalesIsl.	1809.	....	S	♄	Rumph. amb. 3. t. 26.
7 latifòlius Wall.	....	broad-leaved	Pundua	1828.	....	G	♄	Wal. pl. as. rar. t. 30.
8 Yácca G.D.	(ye)	Yacca	W. Indies	1818.	....	G	♄	
taxifòlius Kth.								
9 spinulòsus S.S.	(ye)	spinulose	N. Holland	1820.	....	G	♄	

TA'XUS W. YEW-TREE. (τοξον, a bow; made of the wood.) Diœcia Monadelphia.

1 baccàta W.	(ye)	common	Britain	....	2. 4.	H	5	Eng. bot. v. 11. t. 746.
2 hibérnica	(ye)	Irish	Ireland	....	——	H	♄	
3 canadénsis W.	(ye)	Canadian	Canada	1818.	——	H	5	
4 nucífera W.	(ye)	Acorn-bearing	China	1764.	....	G	♄	Kæmpf. amœn. t. 815.
5 Harringtòneæ Knght.		Harrington's	Penang	1837.	4. 5.	G	♄	
6 Macoyæ Low.		Mackoy's	Japan	1838.	....	H	♄	

DACRY'DIUM L.P. DACRY'DIUM. (δακρυ, a tear; resin.) Monœcia Monadelphia.

1 cupréssinum L.P.	(ye)	N. Zealand spruce	N.Zealand	1825.	....	G	♄	Lamb. pin. v. 1. t. 41.
Thalàmia cupréssina S.S.								
2 elàtum Wall.	..	lofty	Pulo Penang	1830.	....	G	5	
Juníperus elàta Roxb.								

Suborder II. CUPRESSI'NÆ. Richard.

CA'LLITRIS R. CA'LLITRIS. (καλλιστος, most beautiful; habit.) Monœcia Monadelphia.

1 quadriválvis R.	(ye)	jointed	Barbary	1815.	2. 5.	F	♄	Lodd. bot. cab. t. 844.
Thùja articulàta Vahl. symb. 2. t. 48.								
2 arenòsa Swt.	(ye)	sand	N. Holland	1824.	....	F	♄	
3 pyramidàlis Swt.	(ye)	pyramidal	———	——	....	F	♄	
4 cupressifórmis V.	(ye)	Cupressus-like	———	1826.	....	F	♄	
5 austràlis Swt.	(ye)	southern	N. S. W.	....	4. 5.	F	♄	
Cupréssus austràlis P.S.								
6 oblónga R.	(ye)	oblong-scaled	———	1822.	——	G	♄	Rich. conif. pl. 18. f. 2.
7 rhomboídea R.	(ye)	rhomboid-scal'd	N.Holland	——	——	G	♄	——— pl. 18. f. 1.

THU'JA W. ARBOR-VITÆ. (θυω, to sacrifice; used in sacrifices.) Monœcia Monadelphia.

1 occidentàlis W.	(ye)	American	N. America	1596.	5.	H	♄	Wats. dend. brit. t. 150.
2 pyramidàlis T.P.	(ye)	pyramidal	.....	1824.	——	H	♄	
3 orientàlis W.	(ye)	Chinese	China	1752.	2. 3.	H	♄	Wats. dend. brit. t. 149.
β *stricta* A.B.	(ye)	*strict*	———	....	——	H	♄	
γ *tatárica* A.B.	(ye)	*Tartarian*	Tartary	....	——	H	♄	
4 plicàta L.P.	(ye)	Nees's	Nootka Sound	1796.	——	H	♄	Lamb. pin. v. 2. p. 19. t.
5 cupressoìdes W.	(ye)	African	C. B. S.	1799.	....	G	♄	Arb. brit. t. 2316.
6 dolabràta W.	(ye)	ovate-leaved	China	1822.	——	H	♄	Lamb. pin. app. t. 1.
7 péndula L.P.	(ye)	weeping	Tartary	1810.	2. 5.	H	♄	Lamb. pin. v. 2. t. 51.
8 nepalénsis Lodd.		Nepaul	Nepaul	1824.	....	F	♄	

CUPRE'SSUS W. CYPRESS. (Κυπρος, the Isle of Cyprus; abundant there.) Monœ. Monad.

1 sempervìrens W.	(ye)	common	Candia	1548.	5.	H	♄	Wats. dend. brit. t. 155.
α *stricta*	(ye)	*upright*	———	——	——	H	♄	
β *horizontàlis*	(ye)	*horizontal*	———	——	——	H	♄	
2 thyoìdes W.	(ye)	White Cedar	N. America	1736.	4. 5.	H	♄	Wats. dend. brit. t. 156.
Thùja sphæroídea Rich.								
3 austràlis P.S.	(ye)	southern	N. Holland	....	....	G	♄	
4 expánsa A.B.	(ye)	expanded	.....	1834.	....	H	♄	
5 thurífera A.B.	(ye)	thuriferous	.....	....	....	H	♄	
6 torulòsa D.P.	(ye)	twisting	Nepaul	1826.	....	H	♄	
7 lusitánica W.	(ye)	Cedar of Goa	Goa	1683.	4. 5.	F	♄	Lamb. pin. 95. t. 49.
8 péndula Th.	(ye)	pendulous	Japan	1818.	....	F	♄	——— t. 50.
9 baccifórmis W.en.	(ye)	berry-like	.....	——	4. 5.	H	♄	

10 juniperoìdes w.	(ye) African	C. B. S.	1756.	4. 5.	G	♄	
Schubértia capénsis s.s.							
TAXO'DIUM Rich.	TAXO'DIUM.	(τοξον a bow; see Taxus.)			Monœcia Monadelphia.		
dístichum Rich.	(ye) deciduous	America	1640.	5.	H	5	Lamb. pin. ed. 2. t. 63.
Cupréssus dísticha w. *Schubértia* Mirb.							
α *pátens* H.K.	(ye) *spreading*	———	——	——	H	5	
β *nùtans* H.K.	(ye) *long-leaved*	———	——	——	H	5	
δ *excélsum* A.B.	(ye) *tall*	———	....	....	H	5	Arb. brit. t. 2338.
ε *sinénse* A.B.	(ye) *China*	China	1827.	....	H	5	
η *pénduluṁ* A.H.	(ye) *drooping*	———	....	....	H	♄	
JUNI'PERUS W.	JUNIPER.	(Jeneprus, rough, Celt; prickly.)			Diœcia Monadelphia.		
1 thurífera w.	(ye) Spanish	S. Europe	1752.	5. 6.	H	♄	
2 barbadénsis w.	(ye) Barbadoes	Barbadoes	1811.	——	G	♄	Pluk. alm. t. 197. f. 4.
3 bermudiàna w.	(ye) Bermudas Cedar	Bermudas	1683.	——	F	♄	Herm. lugd. t. 347.
4 chinénsis w.	(ye) Chinese	China	1804.	——	H	♄	Arb. brit. t. 2373.
5 excélsa w.	(ye) tall	Siberia	1806.	——	H	♄	——— t. 2370.
6 Hermánni s.s.	(ye) Hermann's	.....	....	——	H	♄	
7 Sabìna w.	(ye) Savin	S. Europe	1548.	——	H	♄	
β *variegàta*	(ye) *variegated*	———	——	——	H	♄	
8 tamariscifòlia H.K.	(ye) Tamarisk-leaved	S. Europe	1548.	5. 6.	H	♄	
Thùja capénsis A.B.							
9 alpìna E.B.	(ye) alpine	Scotland	....	——	H	♄	Arb. brit. t. 2362.
10 prostràta P.S.	(ye) prostrate	N. America	....	——	H	♄	
11 daúrica A.B.	(ye) Daurian	Dauria	1791.	6. 8.	H	♄	Andr. reposit. t. 534.
12 virginiàna w.	(ye) red Cedar	N. America	1664.	5. 6.	H	♄	Mich. arb. 3. t. 5.
β *hùmilis* A.B.	(ye) *dwarf*	———	....	——	H	♄	
γ *carolinàna* A.B.	(ye) *Carolina*	Carolina	....	——	H	♄	
13 glaúca W.en.	(ye) glaucous	China	1814.	——	H	♄	
14 squamàta D.P.	(ye) scaly-branched	Nepaul	1824.	....	H	♄	
15 recúrva D.P.	(ye) recurve-branch'd	———	1822.	5. 6.	H	♄	Arb. brit. 2371.
16 uvífera D.D.	(ye) grape-bearing	Cape Horn	1800.	——	H	♄	
17 Smíthii A.B.	(ye) Smith's	Nepaul	....	——	H	♄	
18 commùnis w.	(ye) common	Britain	....	——	H	♄	Eng. bot. v. 16. t. 1100.
β *pendùla* A.P.	(ye) *drooping*	Europe	....	——	H	♄	Arb. brit. t. 2345.
γ *canadénsis* A.B.	(ye) *Canadian*	Canada	....	——	H	♄	——— t. 2347.
deprèssa Ph.							
19 suécica Mill.	(ye) Swedish	N. Europe	....	——	H	♄	
20 nàna w.	(ye) dwarf	Siberia	1815.	——	H	♄	Pall. ros. 2. t. 54.f.A.B.
sibírica Burgsd. *communis* γ, H.K.							
21 hemisphæ'rica s.s.	(ye) hemispherical	Sicily	1828.	....	H	♄	
22 oblónga M.B.	(ye) oblong	Armenia	1829.	....	H	♄	
23 Oxy'cedrus w.	(ye) brown-berried	Spain	1739.	——	H	♄	Duham. arb. 2. t. 128.
24 macrocárpa Smith	(ye) long-fruited	Naples	1830.	....	H	♄	Arb. brit. t. 2353.
25 phœnícea w.	(ye) Phœnician	S. Europe	1683.	——	H	♄	Pall. ros. 2. t. 57.
26 ly'cia w.	(ye) Lycian	———	1693.	——	H	♄	——— 2. t. 56.
27 capénsis Lam.	(ye) Cape	C. B. S.	1816.	....	G	♄	
28 drupàcea Lab.	(ye) drupaceous	.....	——	....	H	♄	Lab. pl. syr. 2. t. 8.

Suborder III. ABIETI'NÆ. Richard.

DA'MMARA. L.P.	DAMMAR PINE.	(Amboyna, name of one species.)			Monœcia Monadelphia.		
1 austràlis L.P.	(ye) Cowrie-tree	N. Zealand	1823.	....	G	♄	Lamb. pin. 2. p. 14. t.6.
2 orientàlis L.P.	(ye) Amboyna pitch-tree	Amboyna	1804.	..	S	♄	—— v. 1. t. 38. v. 2. p. 16.
loranthifòlia L.en. *Pìnus Dámmara* w. *A'gathis loranthifòlia* Sal.							
ARAUCA'RIA J.	ARAUCA'RIA.	(*Araucanos*, Chili name.)			Diœcia Monadelphia.		
1 imbricàta w.	(ye) Chili Pine	Chili	1796.	....	H	5	Lamb. pin. 2. p. 9. t. 4. B.
2 brasiliàna L.P.	(ye) Brazil Pine	Brazil	1816.	....	G	♄	——— 2. p. 12. t. 5.
EUTA'SSA Sal.	EUTA'SSA.	(ευ, well, and ταασω, to dispose; leaves.)			Diœcia Monadelphia.		
1 heterophy'lla Sal.	(ye) Norfolk Island	Norfolk Isl.	1793.	....	G	♄	Lamb. pin. 1. t. 39, 40.
Dombèya excélsa L.P. *Araucària excélsa* H.K.							
2 Cunninghámii	(ye) Cunningham's	Moreton Bay	1827.	....	G	♄	Lamb. pin. 3. t. 96.
BE'LIS L.T.	BE'LIS.	(βελος, a spear; leaves.)			Monœcia Monadelphia.		
lanceolàta Swt.	(ye) spear-leaved	China	1804.	12. 1.	G	♄	Lamb. pin. 1. t. 34.
jaculifòlia L.T. *Pìnus lanceolàta* L.P. *Cunninghàmia lanceolàta* Bot. mag. t. 2743. *sinénsis* Rich.							

PINUS W.	Pine or Fir. (*pin*, Celt., a mountain; habitat.)							Monœcia Monadelphia.
Sect. 1. Pinus; *Pine-tree; leaves by pairs.*								
1 sylvéstris W.	(*ye*) Scotch	Scotland	....	5.	H	5		Lamb. pin. 1. t. 1.
β *horizontàlis* A.B.	(*ye*) *Highland*	———	....	——	H	5		
γ *uncinàta* A.B.	(*ye*) *hooked-coned*	———	....	——	H	5		
δ *haguénsis* A.B.	(*ye*) *Haguenan*	Haguenan	....	——	H	5		
ε *rigénsis* A.B.	(*ye*) *Riga*	Lithuania	....	——	H	5		
ζ *genevénsis* A.B.	(*ye*) *Geneva*	Geneva	....	——	H	½		
η *monophy'lla* A.B.	(*ye*) *one-leaved*	Britain	....	——	H	5		
θ *intermèdia* A.B.	(*ye*) *Russian*	Russia	....	——	H	½		
ι *altàica* Led.	(*ye*) *Altaian*	Altaia	....	——	H	5		
κ *tortuòsa* A.B.	(*ye*) *twisted*	Scotland	....	——	H	½		
2 Larício P.S.	(*ye*) Corsican	Corsica	1814.	4. 5.	H	5		Lamb. v. 2. p. 28. t. 9.
β *corsicàna* A.B.	(*ye*) *Corsican*	———	....	——	H	5		
γ *cerámica romàna* A.B.	(*ye*) *Ceramian*	.....	....	——	H	½		
δ *calábrica* A.B.	(*ye*) *Calabrian*	Calabria	....	——	H	5		
ε *austrìaca* A.B.	(*ye*) *Austrian*	Austria	....	——	H	5		
η *taúrica* A.B.	(*ye*) *Taurian*	Tauria	....	——	H	5		
3 pyrenàcia Lap.	(*ye*) Pyrenean	Pyrenees	....	——	H	5		
4 austrìaca A.B.	(*ye*) Austrian	Austria	....	——	H	5		
5 uncinàta DC.	(*ye*) hooked	Pyrenees	1820.	——	H	5		
6 Pumilio W.	(*ye*) upright-coned	Carniola	1779.	——	H	5		Lamb. pin. p. 5. t. 2.
7 Múghus W.	(*ye*) nodding-coned	Austria	....	——	H	5		Jacq. ic. 1. t. 193.
8 púngens M.	(*ye*) prickly-coned	N. America	1804.	....	H	5		Mich. arb. 1. t. 5.
9 Banksiàna Ph.	(*ye*) Hudson's Bay	Hudson's Bay	1785.	5. 6.	H	5		Lamb. pin. p. 7. t. 3.
10 Pallasiàna L.P.	(*ye*) Pallas's	Crimea	1804.	——	H	5		——— v. 2. p. 1. t. 1.
11 Pináster W.	(*ye*) cluster	S. Europe	1596.	4. 5.	H	5		——— v. 1. p. 9. t. 4. 5.
β *escarénsis* A.B.	(*ye*) *Escaren*	Italy	1825.	——	H	5		
γ *Lemoniànus* A.B.	(*ye*) *Lemon's*	.....	....	——	H	5		Arb. brit. t. 2101.
δ *minor* A.B.	(*ye*) *smaller*	.....	....	——	H	5		——— t. 2104.
ε *variegàtus* A.B.	(*ye*) *variegated*	.....	....	——	H	5		
ξ *marítimus* A.B.	(*ye*) *sea-side*	.....	....	——	H	5		
η *chinénsis* A.B.	(*ye*) *China*	China	....	——	H	5		
θ *nepalénsis* A.B.	(*ye*) *Nepaul*	Nepaul	1837.	——	H	5		
ι *nòvæ-hollándiæ* A.B.	(*ye*) *N. Holland*	N. Holland	1816.	——	H	5		
κ *helénicus* A.B.	(*ye*) St. Helena	St. Helena	1837.	——	H	5		
λ *Massoniànus* A.B.	(*ye*) *Masson's*	China	....	——	H	5		Lamb. pin. 1. t. 8.
μ *neglécta* A.B.	(*ye*) *neglected*	Austria	....	——	H	5		
12 Pinea W.	(*ye*) stone	S. Europe	1548.	5.	H	5		Lamb. 1. t. 6. 7. 8.
β *frágilis* A.B.	(*ye*) *brittle*	Naples	....	——	H	5		
γ *crética* A.B.	(*ye*) *Cretan*	Crete	....	——	H	5		
δ *americàna* A.B.	(*ye*) *American*	America	....	——	H	5		
13 marítima W.	(*ye*) maritime	S. Europe	1759.	5. 6.	H	5		Lamb. v. 2. p. 30. t. 10.
14 halepénsis W.	(*ye*) Aleppo	Levant	1683.	5.	H	5		—— v. 1. p. 15. t. 11.
15 Brùtia A.B.	(*ye*) Brutian	Naples	....	——	H	5		
16 ínops Ph.	(*ye*) Jersey	N. America	1739.	——	H	5		Lamb. v. 1. p. 18. t. 13.
17 resinòsa Ph. *mìtis* Mx.	(*ye*) pitch	———	1756.	——	H	5		—— v. 1. p. 20. t. 14.
18 variábilis Ph.	(*ye*) 2 and 3-leaved	———	1739.	5. 6.	H	5		Lamb. v. 1. p. 22. t. 15.
Sect. 2. Tæ'da; *leaves by threes.*								
19 canariénsis DC.	(*ye*) Canary	Canaries	1815.	3. 4.	G	5		Lamb. pin. ed. 2. t. 28.
20 insígnis A.B.	(*ye*) showy	California	1833.	....	H	½		
21 sinénsis L.P.	(*ye*) China	China	1825.	....	H	5		
22 Teocòte L.P.	(*ye*) Teocote	Mexico	1826.	....	H	5		
23 pàtula L.P.	(*ye*) spreading	———	——	....	H	5		
24 Tæ'da Ph.	(*ye*) frankincense	N. America	1713.	5. 6.	H	5		Lamb. v. 1. p. 23. t. 16. 17.
β *alopecuroídea* L.P.	(*ye*) *Fox-tail*	.....	....	——	H	½		
25 lùtea Walt.	(*ye*) yellow	N. America	....	....	H	5		
26 serótina Ph.	(*ye*) late	———	1713.	5. 6.	H	5		Lamb. pin. ed. 2. t. 18.
27 rígida Ph.	(*ye*) three-leaved	———	1759.	——	H	5		Lamb. pin. p. 25. t. 18. 19.
28 ponderòsa D.	(*ye*) ponderous	———	1827.	....	H	5		Arb. brit. t. 2135.
29 Sabineàna A.B.	(*ye*) Sabine's	———	1832.	....	H	5		Lamb. pin. ed. 2. t. 80.
30 Coultèri A.B.	(*ye*) Coulter's	California	1833.	....	H	5		——— t. 83.
31 palústris Ph. *austràlis* Mx.	(*ye*) swamp	N. America	1730.	....	H	5		——— p. 27. t. 20.
32 longifòlia W.	(*ye*) long-leaved	E. Indies	1801.	....	S	5		Lamb. p. 29. t. 21.
33 Gerárdi Wal.	(*ye*) Gerard's	Nepaul	1824.	....	H	5		——— ed. 2. t. 79.
34 Califórnica A.B.	(*ye*) Californian	California	1833.	....	H	5		

36 timoriénsis A.B.	(ye)	Timor	Timor	1820.	....	H	♄	
36 Llaveàna Schied.	(ye)	Llave's	Mexico	1830.	....	H	5	Arb. brit. t. 2180, 2181.
37 oocárpa Schied.	(ye)	ovate-fruited	———	——	....	H	5	
38 adúnca Bosc.	(ye)	crooked	.....	1822.	....	H	5	
39 romàna H. Bel.	(ye)	Roman	Italy	——	....	H	5	
Sect. 3. STRO'BUS; *Weymouth Pine*; *leaves by fives.*								
40 Cémbra W.	(ye)	Siberian-stone	Siberia	1746.	5.	H	5	Lamb. pin. p. 34. t. 23, 24.
β *sibírica* Dut.	(ye)	*Siberian*	———	1822.	....	H	5	
41 pygmæ'a F.	(ye)	pigmy	———	1816.	....	H	♄	
γ *helvética* A.B.	(ye)	*Swiss*	Switzerland	1746.	——	H	5	
42 occidentàlis W.	(ye)	West Indian	W. Indies	1820.	....	S	♄	Lamb. pin. ed. 2. t. 23.
43 Stròbus W.	(ye)	Weymouth	N. America	1705.	4.	H	5	——— p. 31. t. 22.
β *álba* A.B.	(ye)	*white*	———	....	——	H	5	
γ *brevifòlia* A.B.	(ye)	*short-leaved*	———	....	——	H	5	
δ *compréssa* A.B.	(ye)	*compressed*	———	....	——	H	5	
44 leiophy'lla A.B.	(ye)	smooth-leaved	Mexico	1830.	....	H	5	Lamb. pin. ed. 2. t. 21.
45 Lambertiàna L.P.	(ye)	Lambert's	California	1827.	....	H	5	——— ed. 2. t. 34.
46 excélsa D.P.	(ye)	Bhotan	Nepaul	1822.	....	H	5	——— ed. 2. t. 33.
47 montícola L.P.	(ye)	mountain	California	1831.	....	H	5	Lamb. pin. ed. 2. vol. 2.
CE'DRUS Barrl.		CEDAR. (κηδρον, a brook in Judea.) Monœcia Monadelphia.						
1 Lebàni Barrl.	(ye)	Cedar of Lebanon	Levant	1683.	5.	H	5	Lamb. pin. v. 1. p. 59. t. 37.
Pinus Cèdrus L.								
β *argenteus* A.B.	(ye)	*variegated*	———	....	——	H	5	
γ *nànus* A.B.	(ye)	*dwarf*	———	....	——	H	5	
2 Deodàra L.P.	(ye)	Indian Cedar	Nepaul	1822.	....	H	5	Lamb. v. 2. p. 8. t. 4.
LA'RIX		LARCH. (*lar*, fat, Celt.; resin.) Monœcia Monadelphia.						
1 péndula W.	(ye.re)	black Larch	N. America	1739.	5.	H	5	Lamb. pin. v. 1. p. 56. t. 36.
americàna MX.								
β *péndula* A.B.	(ye.re)	*drooping*	———	....	——	H	5	
γ *prolífera* A.B.	(ye.re)	*proliferous*	———	....	——	H	5	
2 microcárpa W.	(ye.re)	red Larch	Germany	1760.	3. 4.	H	5	Lamb. pin. p. 58. t. 37.
3 Europæ'a D.C.	(ye.re)	common Larch	———	1629.	——	H	5	——— p. 53. t. 35.
Pinus Làrix W.								
β *láxa* A.B.	(ye.re)	*loose*	Europe	....	——	H	5	
γ *compácta* A.B.	(ye.re)	*compact*	———	....	——	H	5	
δ *péndula* A.B.	(ye.re)	*drooping*	———	....	——	H	5	
ε *rèpens* A.B.	(ye.re)	*creeping*	———	....	——	H	5	
ζ *flòre-rùbro* A.B.	(re)	*red-flowered*	———	....	——	H	5	
η *flòre-álbo* A.B.	(wh)	*white-flowered*	———	....	——	H	5	
θ *sibírica* A.B.	...	*Siberian*	Siberia	....	——	H	5	
ι *dahùrica* A.B.	(ye.re)	*Dahurian*	Dauria	....	——	H	5	
κ *intermèdia*	(ye.re)	*intermediate*	Altay	....	——	H	5	
4 dahùrica F.	(ye.re)	Dahurian	Dahuria	1827.	....	H	5	
5 intermèdia F.	(ye.re)	intermediate	Altay	1828.	....	H	5	
PI'CEA B.		SILVER-FIR. (πιος, pitch.) Monœcia Monadelphia.						
1 dumòsa D.P.	(ye)	bushy	Nepaul	1820.	....	H	5	
2 taxifòlia Ph.	(ye)	Yew-leaved	Columbia	1822.	....	H	5	Lamb. pin. p. v. 1. p. 51. t. 33.
3 spectábilis D.P.	(ye)	purple-coned	Nepaul	1825.	....	H	5	——— v. 2. p. 3. t. 2.
4 pectinàta A.B.	(ye)	Silver Fir	Germany	1603.	5.	H	5	——— 1. p. 36. t. 40.
Pinus Pìcea W.								
β *tortuòsa* A.B.	(ye)	*twisted*	Europe	....	....	H	5	
γ *variegàta* A.B.	(ye)	*variegated*	———	....	....	H	5	
δ *cinèrea* A.B.	(ye)	grey	———	....	....	H	5	
5 Píchta F.	(ye)	Fischer's	Altay	1824.	....	H	♄	Led. ill. t. 499.
6 Balsàmea W.	(ye)	Balm of Gilead	N. America	1696.	5.	H	5	Lamb. pin. v. 1. p. 48. t. 31.
7 Frasèri Ph.	(ye)	double Balsam	Pensylvania	1811.	....	H	5	——— ed. 2. t. 42.
8 grándis Doug.	(ye)	great	N. America	1831.	....	H	5	——— p. ed. 2. t. v. 3. t. 94.
9 amábilis Doug.	(ye)	showy	———	——	....	H	5	Arb. bot. t. 2247.
10 nóbilis Doug.	(ye)	noble	———	——	....	H	5	Lamb. pin. ed. 2. v. 3.
11 Webbiàna Wall.	(ye)	Webb's	Nepaul	1822.	....	H	5	——— ed. 2. v. 2. t. 44.
12 Píndrow Royle	(ye)	Pindrow	Himalaya	1837.	....	H	5	Lamb. ed. 2. v. 3. t. 92.
A'BIES D.D.		SPRUCE FIR. (αξιος, a pear-tree; shape of cones.) Monœcia Monadelphia.						
1 nigra Ph.	(ye)	black Spruce	N. America	1700.	5.	H	5	Lamb. pin. v. 1. p. 41. t. 27.
2 rùbra Ph.	(ye)	red Spruce	———	1755.	——	H	5	——— v. 1. p. 43. t. 28.
3 Smithiàna A.B.	(ye)	Smith's	Himalaya	1818.	....	H	5	——— ed. 2. t. 88.
4 Douglàsii A.B.	(ye)	Douglas's	N. America	1826.	....	H	5	——— ed. 2. t. 90.
β *taxifòlia* A.B.	(ye)	*Yew-leaved*	———	——	....	H	5	Arb. brit. 2230.
5 Menzièsii A.B.	(ye)	Menzies's	———	1831.	....	H	5	Lamb. pin. ed. 2. t. 89.
6 Clanbrassiliàna L.	en. (ye)	dwarf	———	1810.	....	H	5	——— ed. 2. t. 38.

7	álba Ph.	(*ye*) white Spruce	N. America	1700.	5. 6.	H	5		Lamb. pin. v. 1. p. 39. t. 28.
8	excélsa A.B.	(*ye*) Norway Spruce	N. Europe	1548.	4.	H	5		——— v. 1. p. 37. t. 25.
	Pìnus A'bies W.								
	β *nìgra* A.B.	(*ye*) *black*	Norway	——	——	H	5		
	γ *Carpática* A.B.	(*ye*) *Carpathian*	Carpath. Mounts.	1828.	——	H	5		
	δ *péndula* A.B.	(*ye*) *drooping*	Europe	....	——	H	5		
	ε *variegàta* A.B.	(*ye*) *variegated*	———	....	——	H	5		
	ζ *Clanbrassilàna* A.B.	(*ye*) *Clanbrassil's*	.....	1810.	——	H	5		
	η *pygmæ'a* A.B.	(*ye*) *pygmy*	Europe	....	——	H	♄		
	θ *tenuifòlia* A.B.	(*ye*) *fine-leaved*	———	....	——	H	5		
	ι *gigantèa* A.B.	(*ye*) *giant*	———	....	——	H	5		
	κ *monstròsa* A.B.	(*ye*) *monstrous*	———	....	——	H	5		
8	orientàlis W.	(*ye*) oriental	Levant	1824.	....	H	5		——— v. 1. p. 45. t. 29.
9	cephalónica A.B.	(*ye*) Cephalonian	Cephalonia	1825.	....	H	5		Arb. brit. 2235 & 2236.
10	Pinsàpo Bois.	(*ye*) Pinsapo	St. Bermeja	1838.	....	H	5		
11	canadénsis W.	(*ye*) hemlock Spruce	N. America	1736.	5.	H	5		Lamb. pin. ed. 2. t. 45.

CLASS II.

MONOCOTYLEDO'NEÆ SEU ENDO'GENÆ.

* *Subclass* I. *PHANEROGA'MEÆ.* DC.

ORDER CCXXIV.

CYCA'DEÆ. *Brown prodr.* 346.

ZA'MIA W. Za'mia. (ζαμια, loss; fructification.) Diœcia Polyandria.

1	angustifòlia Jac.	(*br*) narrow-leaved	Bahama Isl.	....	6. 8.	S	♄		Jacq. ic. 3. t. 636.
2	ténuis W.	(*br*) slender-leaved	———	1823.	——	S	♄		
3	mèdia W.	(*br*) intermediate	W. Indies	....	——	S	♄		Bot. mag. t. 1838.
4	débilis W.	(*br*) weak	———	1777.	——	S	♄		Comm. hort. 1. t. 58.
5	integrifòlia W.	(*br*) dwarf	———	1768.	——	S	♄		Bot. mag. t. 1851.
6	pygmæ'a B.M.	(*g.br*) least	———	....	5.	S	♃		——— t. 1741.
7	furfuràcea W.	(*br*) chaffy	———	1691.	7. 8.	S	♄		Trew. ehret. t. 61.
8	spiràlis B.P.	(*br*) spiral	N. S. W.	1796.	——	G	♃		

ENCEPHALA'RTUS Lehm. Encephala'rtus. (εν, in; κεφαλη, a head; αρτιος, perfect.) Diœc. Polyan.

1	púngens W.	(*br*) needle	C. B. S.	1775.	6. 8.	G	♄		Till. pis. 129. t. 45.
	Zàmia púngens W.								
2	cycadifòlia W.	(*br*) Cycas-leaved	———	——	——	G	♄		Jacq. frag. 1. t. 25, 26.
3	tridentàta W.	(*br*) three-toothed	———	1820.	——	G	♄		
4	longifòlia W.	(*br*) long-leaved	———	——	6. 7.	G	♄		Jacq. frag. 1. t. 29.
5	cáffra Th.	(*br*) Caffrarian	———	1837.	——	G	♄		
6	lanuginòsa W.	(*br*) woolly	———	....	——	G	♄		Jacq. frag. 1. t. 30, 31.
7	Cycàdis W.	(*br*) Cycas-like	———	1775.	5. 6.	G	♄		Thunb. act. ups. 2. t. 6.
8	hórrida W.	(*br*) glaucous spiny	———	1800.	6. 8.	G	♄		Jacq. frag. t. 27, 28.
9	latifòlia L.C.	(*br*) broad-leaved	.....	....	——	G	♄		
10	prunífera L.C.	(*br*) Plum-like	.....	....	——	S	♄		
11	pùmila L.C.	(*ye*) small	.....	1812.	——	S	♃		Bot. mag. t. 2006.
12	repánda L.C.	(*br*) repand	.....	....	——	S	♄		

CY'CAS W. Cy'cas. (a name employed by Theophrastus.) Diœcia Polyandria.

1	circinàlis W.	(*br*) broad-leaved	E. Indies	1700.	5. 6.	S	♄		Bot. mag. t. 2826, 2827.

2 glaùca L.en.	(*br*) glaucous-leaved	E. Indies	1814.	S ♄			
3 revolùta W.	(*br*) narrow-leaved	China	1737. 7. 8.	S ♄			Linn. trans. 6. t. 29.
4 squamòsa L.C.	(*br*) scaly	.....	....	S ♄			

ORDER CCXXV.

HYDROCHARI'DEÆ. *Brown prodr.* 344.

VALLISNE'RIA L. VALLISNE'RIA. (A. Vallisneri, an Italian bot.) Diœcia Diandria.

spiràlis L.	(*wh*) spiral	S. Europe	1818.	G *w* ♃			Mich. n. g. 12. t. 10. f. 1, 2.

HYDRO'CHARIS L. FROG-BIT. (ὕδωρ, water, and χαρις, grace; beauty.) Diœcia Enneandria.

Mórsus-ràna L.	(*wh*) common	Britain	.... 6. 7.	H *w* ♃			Eng. bot. v. 12. t. 808.

DAMASO'NIUM W. DAMASO'NIUM. (δαμαω, to subdue; disease.) Hexandria Polygynia.

1 índicum W.	(*wh*) Indian	E. Indies	1800. 7. 9.	S *w* ♃			Bot. mag. t. 1201.
2 ovalifòlium B.P.	(*wh*) oval-leaved	N. S. W.	1820. ——	G *w* ♃			

STRATIO'TES W. WATER-SOLDIER. (στρατος, an army; sword-like leaves.) Diœc. Dodec.

aloìdes W.	(*wh*) Aloe-like	England	.... 6. 7.	H *w* ♃			Eng. bot. v. 6. t. 379.

ORDER CCXXVI.

ALISMA'CEÆ. *Kth. synops.* 1. *p.* 261.

SAGITTA'RIA W. ARROW-HEAD. (*sagitta*, an arrow; form of leaves.) Monœc. Polyand.

§ 1. *Leaves sagittate or hastate.*

1 sagittifòlia W.	(*wh*) common	England	.... 6. 8.	H *w* ♃			Eng. bot. v. 2. 4. t. 84.
2 latifòlia Ph.	(*wh*) broad-leaved	N. America	1816. ——	H *w* ♃			
β *flore plèno*	(*wh*) *double-flowered*	———	—— ——	H *w* ♃			
3 sinénsis B.M.	(*wh*) Chinese	China	1812. 9. 11.	G *w* ♃			Bot. mag. t. 1731.
4 obtusifòlia S.S.	(*wh*) blunt-leaved	———	1804. 7. 8.	G *w* ♃			Rheed. mal. 11. t. 45.
5 Doniàna Swt.	(*wh*) Don's	Nepaul	1820. ——	G *w* ♃			
hastàta D.P. *non* Ph.							
6 hastàta Ph.	(*wh*) hastate-leaved	N. America	1816. ——	H *w* ♃			
7 obtùsa Ph.	(*wh*) obtuse-leaved	———	1822. 6. 9.	H *w* ♃			
8 heterophy'lla Ph.	(*wh*) various-leaved	———	—— 6. 8.	H *w* ♃			

§ 2. *Leaves lanceolate, or subcordate.*

9 lancifòlia W.	(*wh*) lance-leaved	W. Indies	1787. 6. 7.	G *w* ♃			Bot. mag. t. 1792.
10 angustifòlia B.R.	(*wh*) narrow-leaved	———	1827. 4. 8.	S *w* ♃			Bot. reg. t. 1141.
11 acutifòlia L.	(*wh*) acute-leaved	S. America	1815. ——	S *w* ♃			
12 falcàta Ph.	(*wh*) falcate-leaved	Carolina	1811. 6. 7.	H *w* ♃			
13 rígida B.M.	(*wh*) brittle-leaved	N. America	1806. ——	H *w* ♃			Bot. mag. t. 1632.
14 gramínea Ph.	(*wh*) grass-leaved	Carolina	1812. 7. 8.	H *w* ♃			
15 nàtans M.	(*wh*) floating	———	—— ——	H *w* ♃			

ACTINOCA'RPUS B.P. ACTINOCA'RPUS. (ακτιν, a ray, and καρπος, a fruit.) Hexan. Hex-Oct.

1 minor B.P.	(*wh*) small	N. S. W.	.... 5. 8.	G *w* ♃			
2 Damasònium	(*wh*) common	England	.... 6. 8.	H *w* ♃			Eng. bot. t. 1615.
Alisma Damasònium E.B. *Damasònium stellàtum* F.S.							

ALI'SMA B.P. WATER-PLANTAIN. (*alis*, water, Celt. habitat.) Hexand. Polygynia.

1 Plantàgo W.	(*wh*) greater	Britain	.... 6. 7.	H *w* ♃			Eng. bot. t. 837.
2 lanceolàta With.	(*wh*) spear-leaved	.....	.... ——	H *w* ♃			
3 parviflòra Ph.	(*wh*) small-flowered	N. America	1816. ——	H *w* ♃			
4 cordifòlia L.	(*wh*) heart-leaved	W. Indies	1810. ——	S *w* ♃			
5 triviàlis Ph.	(*wh*) blunt-leaved	N. America	1816. ——	H *w* ♃			
6 parnassifòlia W.	(*wh*) Parnassia-ld.	Italy	1824. ——	H *w* ♃			
7 nàtans E.B.	(*wh*) floating	Wales	.... 7. 8.	H *w* ♃			Eng. bot. t. 775.
8 ranunculoìdes E.B.	(*w*) lesser	Britain	.... 8.	H *w* ♃			——— t. 326.
9 rèpens E.F.	(*wh*) creeping	Wales	.... 9. 10.	H *w* ♃			Cavan. ic. 1. t. 55.

ORDER CCXXVII.

BUTO'MEÆ. *Kth. synops.* 1. *p.* 260.

BU'TOMUS L.		FLOWERING RUSH. (βους, an ox, and τεμνω, to cut.) Enneand. Hexg.					
1 umbellàtus L.	(*ro*)	umbelled	Britain	....	6. 7.	H *w* ♃	Eng. bot. v. 10. t. 651.
2 latifòlius D.P.	(*wh*)	broad-leaved	Nepaul	1823.	——	H *w* ♃	
LIMNO'CHARIS K.S.		LIMNO'CHARIS. (λιμνος, a lake, and χαιρω, to delight.) Polyan. Polygy.					
1 Plumièri K.S.	(*ye*)	Plumier's	S. America	1822.	6.10.	S *w* ♂	Bot. mag. t. 2525.
emarginàta H. et B. pl. æq. 1. t. 34. *Alisma flàva* L.							
2 Humbóldtii Rich.	(*ye*)	Humboldt's	Buenos Ay.	1834.	4. 6.	S *w* ♂	Bot. mag. t. 3248.

ORDER CCXXVIII.

JUNCAGI'NEÆ. *Kth. synops.* 1. *p.* 258.

SCHEUCHZE'RIA L.		SCHEUCHZE'RIA. (ded. to three bot. of the name of Scheuchzer.) Hex. Tr.					
palústris E.B.	(*br.gr*)	marsh	England	....	5. 6.	H *w* ♃	Eng. bot. v. 26. t. 1801.
TRIGLO'CHIN L.		ARROW-GRASS. (τρεις, three, and γλοχις, a point.) Hexand. Trigyn.					
1 elàtum N.	(*gr*)	long-spiked	N. America	1820.	5. 8.	H *w* ♃	
2 marítimum E.B.	(*gr*)	sea-side	Britain	....	——	H *w* ♃	Eng. bot. v. 4. t. 255.
3 palústre E.B.	(*gr*)	marsh	———	....	7. 8.	H *w* ♃	——— v. 6. t. 366.
β *Dicksònii* G.D.	(*gr*)	*Dickson's*	England	....	——	H *w* ♃	
4 decípiens B.P.	(*gr*)	New Holland	N. S. W.	1820.	——	G *w* ♃	
5 Barrelièri S.S.	(*gr*)	Barrelier's	Italy	1825.	——	H *w* ♃	
6 bulbòsum B.M.	(*pu.ye*)	bulbous-rooted	C. B. S.	1806.	10.	G *w* ♃	Bot. mag. t. 1445.

ORDER CCXXIX.

FLUVIA'LES. *Kth. synops.* 1. *p.* 131.

POTAMOGE'TON L.		POND-WEED. (Ποταμος, a river, and γειτον, near.) Tetrand. Tetragyn.					
1 nàtans E.B.	(*br*)	broad-leaved	Britain	....	7. 8.	H *w* ♃	Eng. bot. v. 26. t. 1822.
2 heterophy'llum E.B.	(*br*)	various-ld.	———	....	7. 9.	H *w* ♃	——— v. 18. t. 1285.
3 perfoliàtum E.B.	(*br*)	perfoliate	———	....	7. 8.	H *w* ♃	——— v. 3. t. 168.
4 dénsum E.B.	(*br*)	close-leaved	———	....	5. 7.	H *w* ♃	——— v. 6. t 397.
5 flùitans E.B.	(*br*)	long-leaved	———	....	7. 9.	H *w* ♃	——— v. 18. t. 1286.
6 lùcens E.B.	(*br*)	shining	———	....	6. 8.	H *w* ♃	——— v. 6. t. 376.
7 lanceolàtum E.B.	(*br*)	spear-leaved	England	....	7. 8.	H *w* ♃	——— v. 28. t. 1985.
8 prælóngum Hook.	(*br*)	long-leaved	Scotland	....	7.	H *w* ♃	
9 ruféscens E.B.	(*br*)	rufescent	England	....	——	H *w* ♃	Eng. bot. t. 1286.
10 críspum E.B.	(*br*)	curled	Britain	....	6. 7.	H *w* ♃	——— v. 15. t. 1012.
11 compréssum E.B.	(*br*)	flat-stalked	———	....	——	H *w* ♃	——— v. 6. t. 418.
12 cuspidàtum E.F.	(*br*)	sharp-pointed	———	....	7.	H *w* ♃	Loes. prus. t. 66.
13 gramíneum E.B.	(*br*)	Grass-leaved	———	....	7. 8.	H *w* ♃	Eng. bot. v. 32. t. 2253.
14 pusíllum E.B.	(*br*)	small	———	....	——	H *w* ♃	——— v. 3. t. 215.
15 pectinàtum E.B.	(*br*)	Fennel-leaved	———	....	6. 7.	H *w* ♃	——— v. 5. t. 323.
16 oblóngum Viv.	(*br*)	oblong	Britain	....	7.	H ♃	
17 acutifòlium E.B.	(*br*)	acute-leaved	England	....	——	H *w* ♃	Eng. bot. t. 2609.

18 zosteræfòlium E.B.	(*br*)	Zostera-ld.	Britain	.... 7.	H *w* ♃		Eng. bot. t. 2685.
RU'PPIA L.		Ru'ppia. (H. B. Ruppius, a German bot.) Tetrandria Tetragynia.					
marítima E.B.	(*br*)	sea	Britain	.... 8. 9.	H *w* ♃		Eng. bot. v. 2. t. 136.
APONOGE'TON L.		Aponoge'ton. (*απο*, near, and *γειτον*, near.) Hex-Dodec. Tri-Tetra.					
1 monostàchyon W.	(*wh*)	simple-spiked	E. Indies	1803. 8.10.	S *w* ♃		Andr. reposit. t. 406.
2 distàchyon W.	(*wh*)	broad-leaved	C. B. S.	1788. 5. 7.	G *w* b		Bot. mag. t. 1293.
3 angustifòlium W. *graminifòlium.*	(*wh*)	narrow-leaved	———	—— 4. 9.	G *w* b		——— t. 1268.
NA'JAS L.		Na'jas. (*Naias*, a water nymph.) Monœcia Tetrandria.					
monospérma W.	(*gr*)	single-seeded	Europe	1816. 7. 9.	H *w* ⊙		Mich. N. gen. 11. t. 8. f. 2.
ZANNICHE'LLIA L.		Water-weed. (J. J. Zannichelli, a Venetian bot.) Monœcia Monand.					
palústris E.B.	(*gr*)	horned	Britain	.... 7. 9.	H *w* ⊙		Eng. bot. v. 26. t. 1844.
ZOSTE'RA W.		Sea Matweed. (*ζωστηρ*, a riband; shape of leaves.) Monand. Monog.					
marìna W.	(*gr*)	common	Britain	.... 8. 9.	H *w* ♃		Eng. bot. v. 7. t. 467.
LE'MNA L.		Duck-weed. (*λεπις*, a scale; plants.) Monœcia Diandria.					
1 trisúlca E.B.	(*wh*)	Ivy-leaved	Britain	.... 5. 6.	H *w* ⊙		Eng. bot. v. 13. t. 926.
2 mìnor E.B.	(*wh*)	lesser	———	.... 6. 7.	H *w* ⊙		——— v. 16. t. 1095.
3 gíbba E.B.	(*wh*)	thick-leaved	———	.... ——	H *w* ⊙		——— v. 18. t. 1233.
4 polyrrhìza E.B.	(*wh*)	greater	———	.... 7. 8.	H *w* ⊙		——— v. 35. t. 2458.

ORDER CCXXX.

PANDA'NEÆ. *Brown prodr.* 340.

PANDA'NUS L.		Screw-pine. (*Pandang*, Malay name.) Diœcia Monandria.					
1 le'vis Lour.	(*wh*)	entire-leaved	China	1823.	S ♄		
2 odoratíssimus W.	(*wh*)	green-spined	———	1771.	S ♄		Roxb. corom. 1. t. 94--6.
3 ùtilis W.en.	(*wh*)	red-spined	———	....	S ♄		
4 hùmilis W.	(*wh*)	dwarf	Mauritius	....	S ♄		Jacq. fragm. t. 14. f. 2.
5 latifòlius L.C.	(*wh*)	broad-leaved	E. Indies	1820.	S ♄		
6 fœ'tidus H.B.	(*wh*)	strong-scented	———	1822.	S ♄		
7 marginàtus H.B.	(*wh*)	red-margined	Mauritius	1823.	S ♄		
8 furcàtus H.B.	(*wh*)	forked	E. Indies	——	S ♄		Rheed. mal. 2. t. 8.
9 pedunculàtus B.P.	(*wh*)	peduncled	N. Holland	1825.	S ♄		
10 spiràlis B.P.	(*wh*)	spiral	———	1805.	S ♄		
11 candelàbrum P.B.	(*wh*)	chandelier	Guinea	1822.	S ♄		Beauv. fl. owar. 1. t. 21.
12 sèssilis Boj.	(*wh*)	sessile-fruited	Pembu	1825.	S ♄		
13 élegans S.S.	(*wh*)	elegant	Isle France	1826.	S ♄		
14 muriàtus S.S.	(*wh*)	oblong-leaved	Madagascar	——	S ♄		
15 edùlis S.S.	(*wh*)	eatable	———	1825.	S ♄		
16 amaryllifòlius H.B.	(*wh*)	Amaryllis-ld.	E. Indies	1820.	S ♄		
17 inérmis H.B.	(*wh*)	spineless	———	——	S ♄		
18 integrifòlius Lour.	(*wh*)	entire-leaved	———	1822.	S ♄		
19 álbus L.C.	(*wh*)	white-spined	———	1823.	S ♄		
20 refléxus L.C.	(*wh*)	reflexed-leaved	———	1820.	S ♄		
21 longifòlius L.C.	(*wh*)	long-leaved	———	1823.	S ♄		
22 turbinàtus L.C.	(*wh*)	top-shaped	———	——	S ♄		

ORDER CCXXXI.

CYCLA'NTHEÆ. *Schott. and Endl. Meletom. p.* 14.

PHYTE'LEPHAS S.M.		Phyte'lephas. (*φυτον*, a plant, and *ελεφας*, an elephant.) Diœc. Polyd.					
macrocárpa S.M.	(*wh*)	large-fruited	Peru	1822.	S ♄		

CARLUDO'VICA S.M. CARLUDO'VICA. (Charles IV. of Spain, and Luisa, his queen.) Mon. Fo

1	palmàta S.M.	(*br*) palmate	S. America	1818.	....	S	♄	
	Sálmia palmàta R.S. *Ludòvia palmàta* P.S.							
2	latifòlia R.P.	(*br*) broad-leaved	Peru	1819.	4. 6.	S	♄	Bot. mag. t. 2950, 295
3	angustifòlia R.P.	(*br*) narrow-leaved	———	——	——	S	♄	
4	palmæfòlia R.S.	(*br*) Palm-leaved	St. Domingo	1826.	....	S	♃	Plum. ic. t. 39.
	Sálmia palmæfòlia W.							
5	jamaicénsis L.C.	(*br*) Jamaica	Jamaica	1823.	....	S	♄	

CYCLA'NTHUS S.M. CYCLA'NTHUS. (κυκλος, a circle, and ανθος, a flower.) Monœcia Monan

1	Plumièri S.S.	(*gr*) Plumier's	W. Indies	1820.	....	S	♃	
2	bipartìtus S.S.	(*gr*) cleft-leaved	Trinidad	——	....	S	♃	

ORDER CCXXXII.

AROIDEÆ. *Juss. gen. p.* 23.

Suborder I. ANDROGYNA'NTHEÆ. *Schott. et Endl. meletom. p.* 16.

Tribe I. *AMBROSINIE'Æ.* Schott. et Endl. l. c.

CRYPTOCO'RYNE F. CRYPTOCO'RYNE. (κρυπτος, hidden, and κορυνη, a club.) Monœc. Monan

1	ciliàta F.	(*gr.pu*) fringed-spathed	E. Indies	1824.	....	S	♃	
	Ambrosinia ciliàris S.S.							
2	spiràle F.	(*pu*) spiral	———	1816.	4. 6.	S	♃	Bot. mag. t. 2220.
	A'rum spiràle W.							

AMBROSI'NIA S.M. AMBROSI'NIA. (B. Ambrosinus, cur. bot. gard. Bologne.) Monœc. Monan

	Bássii S.M.	(*gr.pu*) flat oval-leaved	S. Europe	1823.	6. 8.	H	♃	Lam. ill. t. 737.

Tribe II. *DRACUNCULI'NEÆ.* Schott. l. c. p. 16.

Subtribe I. ARISA'REÆ. Schott. l.c. p. 16.

ARISA'RUM Schott. ARISA'RUM (αρις, and αρον of the Greeks.) Monœcia Polyandria.

1	proboscídeum S.M.	(*w.pu*) proboscis-like	Apennines	1825.	5. 7.	H	♃	Bocc. mus. 2. t. 50.
	A'rum proboscídeum W.							
2	vulgàre S.M.	(*gr*) Friar's Cowl	S. Europe	1596.	4. 6.	F	♃	Jacq. schœn. 2. t. 192.
	Arùm Arisàrum L.							

ARISCE'MA Mart. ARISCE'MA. (a Greek name.) Monœcia Polyandria.

1	triphy'llum S.M.	(*std*) three-leaved	N. America	1664.	5. 6.	H	♃	Lodd. bot. cab. t. 820.
	Arùm triphy'llum W.							
	β *zebrìnum* B.M.	(*std*) *striped*	———	——	——	H	♃	Bot. mag. t. 950.
2	ríngens S.M.	(*pu*) gaping	Japan	1822.	5. 6.	G	♃	
3	Dracóntium S.M.	(*gr*) green Dragon	N. America	1759.	6.	H	♃	Bot. reg. t. 668.
4	ternàtum S.M.	(*pu*) Japan	Japan	1774.	5. 7.	F	♃	

Subtribe II. EUAROI'DEÆ. Schott. l. c. p. 17.

BIA'RUM S.M. BIA'RUM. (βις, twice, and αρον.) Monœcia Polyandria.

1	tenuifòlium S.M.	(*d.pu*) thin-leaved	S. Europe	1570.	4. 6.	H	♃	Bot. reg. t. 512.
	Arùm tenuifòlium L.							
2	gramíneum S.M.	(*pu*) grass-leaved	S. Europe	1824.	4. 6.	H	♃	

A'RUM S.M. A'RUM. (αρον of the Greeks.) Monœcia Polyandria.

1	maculàtum S.M.	(*gr*) common	Britain	....	5. 7.	H	♃	Eng. bot. v. 19. t. 1290.

2 orientàle S.M. (*br*) oriental	Caucasus	1818. 5. 7.	H	♃		
3 itálicum S.M. (*gr*) Italian	Italy	1683. ——	H	♃		Bot. mag. t. 2432.
4 vivíparum L.C. (*gr*) viviparous	.....	1817. ——	S	♃		Lodd. bot. cab. t. 281.
5 píctum W. (*d.pu*) white-veined	S. Europe	1820. 5. 6.	H	♃		
6 polyphy'llum L.en.(*pu*)many-leaved	.....	1818. ——	S	♃		
7 atrorùbens W. (*d.re*)purple-stalked	N. America	1758. 6. 7.	H	♃		Pluk. alm. t. 77. f. 5.
8 divaricàtum W. (*gr*) divaricated	E. Indies	1759. ——	S	♃		Rheed. mal. 11. t. 20.
9 venòsum W. (*ye.pu*) purple-flower'd	.....	1774. 3.	S	♃		Bot. reg. t. 1017.
10 obtusílobum L.en.(*pu*)blunt-lobed	.....	1816. 5. 6.	S	♄		
11 índicum Lour. (*pu*) Indian	China	—— ——	S	♄		
12 ramòsum L.en. (*pu*) branching	.....	——	S	♄		
13 flagellifórme B.C.(*pu*)whip-cord	E. Indies	1824. 4. 6.	S	♃		Lodd. bot. cab. t. 396.

TYPHO'NIUM S.M. TYPHO'NIUM. (τυφω, to burn.) Monœcia Polyandria.

1 trilobàtum S.M. (*pu*) three-lobed	Ceylon	1714. 5. 6.	S	♃		Bot. mag. t. 339.
A'rum trilobàtum L.						
β *auriculàtum* B.M.(*pu*)*eared*	———	.... ——	S	♃		——— t. 2324.
2 orixénse S.M. (*re*) Orixian	E. Indies	1802. 8.10.	S	♃		Bot. reg. t. 450.
3 minùtum S.M. (*re*) small	———	1812. 5. 7.	S	♃		Rheed. mal. 11. t. 17.
4 crenàtum S.M. (*re*) crenated	———	.... ——	S	♃		

SAUROMA'TUM S.M. SAUROMA'TUM. (σαυρα, a lizard.) Monœcia Polyandria.

1 pedàtum S.M.(*bl.ye*) pedate-leaved	S. America	1815. 5. 6.	S	♃		Pl. sel. hort. ber. t. 8.
A'rum pedàtum W.en.						

Subtribe III. DRACUNCU'LEÆ. Schott. meletom. p. 17.

DRACU'NCULUS S.M. DRACU'NCULUS. (δρακων, a dragon.) Monœcia Polyandria.

1 crinìtum S.M.(*d.pu*)hairy-sheathed	Minorca	1777. 3. 4.	F	♃		Bot. reg. t. 831.
2 vulgàre S.M. (*pu*) common Dragon	S. Europe	1548. 6. 7.	H	♃		Moris. s. 13. t. 5. f. 46.
A'rum Dracúnculus L.						

CANDA'RUM S.M. CANDA'RUM. (East Indian name.) Monœcia Polyandria.

1 Roxbúrghii S.M.(*pu*)bell-flowered	E. Indies	1816. 4. 6.	S	♃		
A'rum campanulàtum Roxb.						
2 Hookèri S.M. (*pu*) Hooker's	Mauritius	1826. 7. 8.	S	♃		Bot. mag. t. 2812.
A'rum campanulàtum Hook. *Tácca phalífera* Boj.						

PYTHO'NIUM S.M. PYTHO'NIUM. (Python, the name of a serpent.) Monœcia Polyandria.

1 bulbíferum S.M.(*st.br*)bulb-bearing	E. Indies	1813. 3. 6.	S	♃		Bot. mag. t. 2508.
A'rum bulbíferum Roxb.						
2 guineénse G.D.(*st.br*)Guinea	Guinea	1824. ——	S	♃		

Tribe III. *CALADIE'Æ.* Schott. l. c. p. 18.

Subtribe I. COLOCASIE'Æ. Schott. l. c.

REMUSA'TIA S.M. REMUSA'TIA. (meaning unknown.) Monœcia Polyandria.

1 vivíparum S.M. (*wh*) viviparous	E. Indies	1816. 5. 6.	S	♃		Lodd. bot. cab. t. 281.
Caládium vivíparum Nees.						

COLOCA'SIA S.M. COLOCA'SIA. (*culcas*, Arabic name.) Monœcia Polyandria.

1 antiquòrum S.M.(*br*)Egyptian	Levant	1551. 6. 8.	G	♃		Rumph. amb. 5. t. 109.
A'rum Colocàsia L.						
2 esculéntum S.M.(*g.pu*)esculent	America	1739. 6. 8.	S	♃		Sloan. jam. 1. t. 106. f. 1.

ALOCA'SIA S.M. ALOCA'SIA. (altered from Colocasia.) Monœcia Polyandria.

1 macrorhìzon W.(*wh*)long-rooted	E. Indies	1803.	S	♃		Herm. parad. t. 73.
Arùm macrorhìzon L.						
2 cucullàtum P.S. (*gr*) hooded	China	1816.	S	♄		

CALA'DIUM V. CADA'DIUM. (a name employed by Rumphius.) Monœcia Polyandria.

1 bícolor W. (*wh*) two-coloured	Brazil	1773. 6. 7.	S	♃		Bot. mag. t. 2543.
2 petiolàtum B.M.(*pu*)petiolate	FernandoPo	1832. ——	S	♃		——— t. 3728.
3 pedàtum H.K.F. (*ye*) pedate-leaved	Brazil	1824. 6. 8.	S	♄		Hook. ex. flor. t. 206.
4 aculeàtum S.S. (*wh*) prickly	Surinam	1822.	S	♄	⌣	
5 odòrum B.R. (*gr*) odoriferous	E. Indies	1818. 5. 7.	S	♃		Bot. reg. t. 641.

6 nymphæifolium w.(*sn*)Water-lily-ld. E. Indies 1800. .... S ♃ Rheed. mal. 11. t. 22.
7 pinnatífidum w.(*pu*)pinnatifid Caracas 1817. 6. 7. S ♃ Jacq. schœn. 2. t. 187.

PELTA'NDRA S.M. PELTA'NDRA. (πελτη, a buckler, and ανηρ, a male.) Monœcia Polyandria.
1 virgínica s.m. (*st*) Virginian N. America 1759. 6. 7. H ♃ Hook. ex. flor. t. 182.
Arùm virgínicum w.

XANTHO'SOMA S.M. XANTHO'SOMA. (ξανθος, yellow root.) Monœcia Polyandria.
1 Jacquìni s.m. (*st*) yellow-rooted S. America 1816. 4. 8. S ♄ Jacq. schœn. 2. t. 188.
A'rum xanthorhìzum Jacq.
2 sagittifòlia s.m. (*wh*)arrow-leaved W. Indies 1710. —— S ♃ Jacq. vind. 2. t. 157.

ACO'NTIAS S.M. ACO'NTIAS. (not explained.) Monœcia Polyandria.
1 helleborifòlium s.m.(*wh*)Hellebore-ld. Caracas 1796. 6. 7. S ♃ Jacq. ic. 3. t. 613.
Calàdium helleborifòlium.
2 hastifòlium s.m.(*wh*) halbert-leaved S. America 1824. 4. 6. S ♃
A'rum sagittæfòlium L.en.
3 lùridum G.D. (*pu*) lurid Brazil 1827. 1. 2. S ♃ Bot. cab. t. 1590.
Calàdium lùridum L.C.

SYNGO'NIUM S.M. SYNGO'NIUM. (συν, together, and γωνια, an angle; leaves.) Monœc. Polyan.
aurìtum s.m. (*wh*) ear-leaved S. America 1739. 6. 8. S ♄ Jacq. schœnb. 2. t. 191.
Calàdium aurìtum Vent.

DENHA'MIA S.M. DENHA'MIA. (Major Denham, trav. in Africa.) Monœcia Polyandria.
scándens s.m. (*wh*) climbing Guinea 1822. .... S ♄ Beauv. fl. owar. t. 3.
Culcàsia scándens Beauv.

Subtribe II. PHILODE'NDREÆ. Schott. mel. p. 19.

PHILODE'NDRON S.M. PHILODE'NDRON. (φιλεω, to love, and δενδρον, a tree.) Mon. Poly.
1 crassinérvium B.M.(*gr.ye*)thick-nerv'd S. America 1796. 4. 6. S ♄ Bot. mag. t. 3621.
Pòthos crassinérvia B.S.
2 grandifòlium s.m.(*wh*) large-leaved Caracas 1803. 3. 7. S ♄ Bot. mag. t. 2643.
Calàdium grandifòlium w.
3 arboréscens s.m. (*wh*) tree W. Indies 1759. 6. 7. S ♄ Plum. amer. 44. t. 60.
4 lácerum s.m. (*gr*) torn-leaved Caracas 1822. .... S ♄
5 tripartìtum s.m. (*wh*) ternate-leaved ——— 1816. .... S ♄ Jacq. schœn. 2. t. 190.
6 fragrantíssimum B.M.(*re.wh*) very fragrant Demer. 1834. 3. 6. S ♄ Bot. mag. t. 3314.
7 Símsii Hook. (*wh*) Sims's Caracas 1803. 3. 7. S ♄ ——— t. 2643.
Calàdium grandifòlium Sims.
8 hederàceum s.m. (*pu*) Ivy-leaved W. Indies 1793. 5. 6. S ♄ Jacq. amer. t. 152.
A'rum hederàceum w.
9 cannæfòlium s.m.(*wh*) Canna-leaved ——— 1785. 4. 5. S ♄ Bot. mag. t. 603.

Tribe IV. *ANAPO'REÆ.* Schott. mel. p. 20.

SPATHICA'RPA Hook. SPATHICA'RPA. (σπαθη, a spath, and καρπος, a fruit.) Monœc. Poly.
hastifòlia B.M. (*wh*) hastate-leaved S. America .... S ♃ Hook. bot. misc. icon.

DIEFFENBA'CHIA S.M. DIEFFENBA'CHIA. (from the name of a German bot.) Mon. Poly.
1 seguìnum s.m. (*gr*) Dumb Cane America 1759. 5. S ♄ Hook. ex. flor. t. 1.
Calàdium seguìnum L.
2 maculàtum B.C. (*gr*) spotted Trinidad 1820. 4.12. S ♄ Lodd. bot. cab. t. 608.
Calàdium seguìnum β, maculàtum Bot. mag. t. 2606.

HOMALONE'MA S.M. HOMALONE'MA. (ὁμαλος, equal, and νημα, a filament.) Mon. Poly.
1 occúlta s.m. (*wh*) hidden-spiked China 1817. 5. 7. G ♃ Lodd. bot. cab. t. 12.
Cálla occúlta Lour.
2 aromática s.m. (*wh*) aromatic E. Indies —— 4. 6. S ♃ Bot. mag. t. 2279.
Cálla aromática B.M.
3 cordàta s.m. (*wh*) heart-leaved China 1820. 6. 8. G ♃ Bot. mag. t. 2731.
Houttùynia cordàta P.S.

AGLAONE'MA S.M. AGLAONE'MA. (αγλαος, splendid and νημα, a filament.) Monœc. Poly.
integrifòlia s.m. (*gr*) entire-leaved S. America 1820. .... S ♄
A'rum integrifòlium L.en.

RICHA'RDIA S.M. RICHA'RDIA. (L. C. Richard, cel. French bot.) Heptandria Monogynia.
æthiópica S.M. (*wh*) Ethiopian C. B. S. 1731. 1. 5. G ♃ Bot. mag. t. 832.
Cálla æthiópica B.M.

Suborder II. HERMAPHRODITA'NTHEÆ. Schott. l. c. p. 21.

Tribe I. *CALLA'CEÆ.* Schott. l. c.

CA'LLA S.M. CA'LLA. (καλλαιον, the beard of a shell.) Heptandria Monogynia.
palústris S.M. (*wh*) marsh N. Europe 1768. 7. 8. H*w* ♃ Bot. mag. t. 1831.

MONSTE'RA S.M. MONSTE'RA. (etymology unknown.) Heptandria Monogynia.
1 Adansònii S.M. (*st*) perforated W. Indies 1752. 4. 6. S ♃ Jacq. schœn. 2.t. 184.5.
Dracóntium pertùsum Jacq.
2 lingulàta S.M. (*ye*) tongue-leaved ——— 1793. —— S ♄ Plum. ic. 26. t. 37.
Arum lingulàtum W.
3 cannæfòlia S.M. (*wh*) Canna-leaved Guiana 1819. —— S ♄ Rudge. guian. t. 33.
Pòthos cannæfòlia Rudge.

SCINDA'PSUS S.M. SCINDA'PSUS. (σκινδαψος, a plant like ivy.) Tetrandria Monogynia.
1 pertùsus S.M. (*gr*) perforated E. Indies 1824. .... S ♄ ◡ Rheed. mal. 12. t. 20. 21.
Pòthos pertùsa F.I.
2 caudàtus S.M. (*gr*) tailed ——— 1824. .... S ♄ ◡
3 pinnàtus S.M. (*gr*) wing-leaved ——— 1820. .... S ♄ ◡ Rumph. am. 5. t. 183. f. 2.
4 decúrsivus S.M. (*gr*) pinnatifid-ld. ——— 1824. .... S ♄ ◡
5 pinnatífidus S.M. (*gr*) pinnatifid ——— 1825. .... S ♄ ◡
6 officinàlis S.M. (*st*) officinal ——— 1820. 4. 7. S ♄ ◡
7 Peèpla S.M. (*st*) Peeplee ——— —— —— S ♄ ◡
8 gigantèus S.M. (*pu.ye*) gigantic ——— 1824. .... S ♄ ◡

Tribe II. *ORONTIACEÆ.* Schott. l. c. p. 21.

PO'THOS S.M. PO'THOS. (name of a species in Ceylon.) Tetrandria Monogynia.
scándens S.M. (*gr*) climbing E. Indies 1818. 4. 6. S ♄ ◡ Rheed. mal. 7. t. 40.

LA'SIA S.M. LA'SIA. (λασιος, bristly; plant.) Tetrandria Monogynia.
1 aculeàta S.M. (*re*) prickly E. Indies 1819. .... S ♄ ◡
Pòthos Làsia F.I.
2 heterophy'lla S.M. (*pu*) various-leaved ——— 1822. .... S ♄ ◡
Pòthos heterophy'lla F. I.

ANTHU'RIUM S.M. ANTHU'RIUM. (ανθος, a flower, and ουρα, a tail.) Tetrandria Monogynia.
1 acaúle S.M. (*cr*) stemless W. Indies 1790. 4. 6. S ♃ Lodd. bot. cab. t. 483.
Pòthos acaúlis L.
2 crassinérvium S.M. (*gr*) thick-nerved S. America 1796. 4. 6. S ♃ Jacq. icon. 3. t. 609.
Pòthos crassinérvia R.S.
3 digitàtum R.S. (*pu*) fingered Caracas 1823. .... S ♄ Jacq. ic. 3. t. 611.
4 palmàtum R.S. (*g.pu*) palmated S. America 1803. 6. 7. S ♃ Plum. amer. t. 64, 65.
5 pentaphy'llum R.S. (*bl*) five-leaved Cayenne —— 10. 11. S ♄ Bot. mag. t. 1375.
6 rubrinérvium L.en. (*pu*) red-nerved S. America 1820. .... S ♃
7 microphy'llum B.M. (*br*) small-leaved Brazil —— 8. 10. S ♃ Bot. mag. t. 2953.
8 grácile R.S. (*gr*) slender Trinidad 1826. 4. 6. S ♃ Rudg. pl. gui. t. 32.
9 violàceum R.S. (*g.wh.*) blue-fruited Jamaica 1793. —— S ♃ Hook. exot. fl. t. 55.
10 cordàtum R.S. (*gr*) heart-leaved S. America 1770. 4. S ♃ Plum. ic. 26. t. 38.
11 sagittàtum B.M. (*g.br*) arrow-leaved W. Indies 1800. 8. S ♃ Bot. mag. t. 1584.
12 macrophy'llum R.S. (*gr*) large-leaved ——— 1794. 5. 6. S ♃ Jacq. ic. 3. t. 610.
13 obtusifòlium R.S. (*g.br*) blunt-leaved Barbadoes 1790. —— S ♃
14 coriàceum H.E.F. (*g.br*) leathery Brazil 1824. 6. S ♃ Hook. ex flor. t. 210.
15 Harrísii H.E.F. (*gr.br*) Harris's ——— —— —— S ♃ ——— t. 211.
16 longifòlium R.S. (*br*) long-leaved ——— 1828. 9. 10. S ♃
17 refléxum Ot. (*br*) reflexed ——— —— —— S ♃
18 réptans Ot. (*br*) creeping ——— —— —— S ♃ ◡

19 rubéscens Ot. (*br*) reddish Brazil 1828. 9.10. S ♃
20 lanceolàtum R.S. (*vi*) lance-leaved Barbadoes 1790. 4. 7. S ♃ Plum. amer. 47. t. 62.

DRACO'NTIUM S.M. DRAGON. (*δρακων*, a dragon.) Heptandria Monogynia.
1 polyphy'llum S.M. (*d.pu*) purple-stalked India 1759. 3. 6. S ♃ Bot. reg. t. 700.
2 spinòsum S.M. (*d.pu*) prickly Ceylon —— 4. 5. S ♃

SYMPLOCA'RPUS S.M. SCUNKWEED. (*συμπλοκη*, connexion, and *καρπος*, a fruit.) Te. Mo.
fœ'tidus S.M. (*d.pu*) fetid N. America 1735. 3. 5. H*w* ♃ Swt. br. fl. gar. t. 57.
Pòthos fœ'tida B.M. 836. *Dracóntium fœ'tidum* W.

ORO'NTIUM S.M. ORO'NTIUM. (*ορον τιον*, the name of a plant.) Hexandria Monogynia.
aquáticum S.M. (*st*) aquatic N. America 1775. 6. H*w* ♃ Hook. ex. flor. t. 19.

RO'HDEA S.M. RO'HDEA. (M. Rohde, a German bot.) Hexandria Monogynia.
japónica S.M. (*ye*) Japan Japan 1783. 1. 4. H ♃ Bot. mag. t. 898.
Orónticum japónicum B.M.

TUPI'STRA S.M. TUPI'STRA. (a dim. of *τυπις*, a mallet; form of flower.) Hexand. Monogy.
1 squálida S.M. (*br*) brown-floweredE. Indies 1810. 4. 6. S ♃ Bot. reg. t. 704.
2 nùtans S.M. (*br*) nodding-flowered ——— 1818. 11.12. S ♃ ——— t. 1223.

ASPIDI'STRA B.R. ASPIDI'STRA. (*ασπιδισιον*, a small shield; form of flower.) Oct. Mon.
1 lùrida B.R. (*br.pu*) brown-floweredChina 1820. 2. 4. S ♃ Bot. reg. t. 628.
punctàta B.R. 977.
2 elàtior L.H. (*pu*) taller Japan 1835. 10.11. S ♃
β *variegàta* (*pu*) *variegated* ——— —— —— S ♃

ORDER CCXXXIII.

ACOROI'DEÆ. *Schott. l. c. p. 22.*

A'CORUS L. SWEET-FLAG. (*α* priv. and *κορη*, pupil of the eye; cures.) Hexandria Monogy.
1 Cálamus S.S. (*gr*) common Britain .... 6. 7. H*w* ♃ Eng. bot. v. 5. t. 356.
2 terréstris S.S. (*gr*) Chinese China 1822. —— H*w* ♃
3 gramíneus S.S. (*gr*) grass-leaved ——— 1786. 2. H*w* ♃ Smith spic. 15. t. 17.

GYMNO'STACHYS B.P. GYMNO'STACHYS. (*γυμνος*, naked, and *σταχυς*, a spike.) Tet. Mo.
ánceps B.P. (*gr*) flat-stemmed N. S. W. 1820. 6. 8. G ♃

ORDER CCXXXIV.

TACCA'CEÆ.

TA'CCA W. TA'CCA. (Malay name.) Hexandria Monogynia.
1 pinnatífida W. (*pu*) Salep E. Indies 1793. 6. 8. S ♃ Lodd. bot. cab. t. 692.
2 áspera H.B. (*pu*) rough-stemmed ——— 1820. .... S ♃
3 lævis H.B. (*pu*) smooth ——— —— .... S ♃
4 integrifòlia (*pu*) entire-leaved ——— 1810. 5. 7. S ♃ Bot. mag. t. 1488.

ORDER CCXXXV.

PIPERA'CEÆ. *Kth. synops. 1. p. 103.*

SAURU'RUS W. LIZARD'S-TAIL. (*σαυρα*, a lizard, and *ουρα*, a tail.) Heptand. Tetrag.
1 cérnuus W. (*wh*) drooping Virginia 1759. 9. H*w* ♃ Lam. ill. t. 1.

2	lùcidus S.S. (wh) shining	N. America	1791.	8.10.	H w ♃		Jacq. ecl. t. 18.
3	chinénsis Hort. (wh) Chinese	China	1819.	——	H w ♃		

PIPER R.P. PEPPER. (πεπερι, from πεπτω, to digest; qualities.) Diand. Trigyn.

§ 1. *Leaves veined.*

1	coriàceum R.S. (gr) coriaceous	E. Indies	1815.	7. 8.	S	♄	Lodd. bot. cab. t. 128.
2	nìtidum R.S. (wh) glossy	Jamaica	1793.	5. 6.	S	♄	
3	macrophy'llum R.S. (gr) broad-leaved	W. Indies	1800.	....	S	♄	Sloan. hist. 1. t. 88. f. 1.
4	geniculàtum R.S. (gr) jointed	———	1826.	....	S	♄	
5	adúncum R.S. (gr) hooked	Jamaica	1748.	5.	S	♄	Jacq. ic. 2. t. 210.
6	hirsùtum R.S. (br) hairy-leaved	———	1793.	7.	S	♄	
7	híspidum R.S. (gr) hispid	S. America	——	——	S	♄	
8	tuberculàtum R.S. (gr) tuberculate	———	1816.	....	S	♄	Jacq. ic. 2. t. 211.
9	ovàtum R.S. (gr) oval-leaved	Trinidad	1824.	....	S	♄	

§ 2. *Leaves nerved.*

10	Amalàgo R.S. (wh) rough-leaved	Jamaica	1759.	....	S	♄	Sloan. hist. 1. t. 87. f. 1.
11	Bètle R.S. (gr) Betle	E. Indies	1804.	....	S	♄	Bot. mag. t. 3132.
12	nìgrum R.S. (r) black	———	1790.	....	S	♄	——— t. 3139.
13	peltàtum R.S. (r) peltated	W. Indies	1748.	....	S	♃	Plum. amer. t. 74.
14	umbellàtum R.S. (gr) umbelled	———	——	5. 7.	S	♄	Flor. peruv. 1. t. 59. f. a.
15	triofcum F.I. (gr) glaucous-leaved	E. Indies	1818.	....	S	♄	
16	reticulàtum R.S. (gr) netted	W. Indies	1748.	8.	S	♄	Plum. amer. t. 75.
17	decumànum R.S. (gr) great	Carthagena	1768.	....	S	♄	Jacq. ic. 2. t. 215.
18	Siribòa R.S. (gr) Siriboa	E. Indies	——	....	S	♄	Rumph. am. 5. t. 117. f. 2.
19	lóngum R.S. (gr) long	———	1788.	....	S	♄	Rheed. mal. 7. t. 14.
20	glàbrum H.S.S. (gr) smooth	Campeachy	1768.	....	S	♄	
21	laurifólium H.S.S. (gr) Laurel-leaved	Jamaica	——	....	S	♄	
22	racemòsum H.S.S. (gr) racemed	Campeachy	——	....	S	♄	
	Staphy'le R.S.						
23	acutifólium R.S. (gr) acute-leaved	Peru	1823.	....	S	♄	Flor. per. 1. t. 64. f. a.
24	colubrìnum L.en. (gr) spotted-stalked	Brazil	1820.	....	S	♄	
25	plantagíneum R.S. (gr) Plantain-leav'd	W. Indies	——	....	S	♄	Jacq. ic. 1. t. 8.
	mèdium Jacq.						
26	marginàtum L.en. (gr) purple-edged	S. America	1811.	....	S	♄	Jacq. ic. 2. t. 215.
27	unguiculàtum R.S. (gr) claw-pointed	Peru	1822.	....	S	♄	Flor. per. 1. t. 57. f. b.
	glaucéscens Jacq. ecl. 1. t. 76.						
28	hùmile Mill. (gr) humble	Jamaica	1768.	....	S	♄	
29	tomentòsum H.S.S. (r) oval-leaved downy	Vera Cruz	——	....	S	♄	
30	sidæfólium L.en. (gr) Sida leaved	S. America	1821.	5. 7.	S	♄	Lk. et Ot. ic. sel. 1. t. 6.

PEPERO'MIA R.P. PEPERO'MIA. (a dim. of *piper*.) Diandria Trigynia.

* *Leaves alternate.*

1	brachyphy'lla (gr) short-leaved	.....	1818.	....	S	♄	
	Piper brachyphy'llum R.S.						
2	amplexicaúlis R.S. (gr) stem-clasping	W. Indies	1793.	6. 9.	S	♃	
3	magnoliæfólia R.S. (gr) Magnolia-ld.	———	——	1. 3.	S	♃	Jacq. ic. 2. t. 213.
4	obtusifólia R.S. (gr) blunt-leaved	S. America	1729.	4. 7.	S	♃	Trew ehret. 54. t. 96.
5	clusiæfólia B.M. (gr) Clusia-leaved	———	1739.	——	S	♄	Bot. mag. t. 2943.
6	cuneifólia R.S. (gr) wedge-leaved	Caracas	1809.	——	S	♃	Jacq. ic. 2. t. 214.
7	macrostàchya R.S. (gr) long-spiked	Trinidad	1824.	——	S	♃	
8	tenélla R.S. (gr) tender	Jamaica	1828.	——	S	♃	
9	tristàchya K.S. (gr) three-spiked	W. Indies	——	——	S	♃	H. et B. no. gen. 1. t. 6.
10	renifórmis H.E.F. (gr) reniform	St. Vincent	1824.	——	S	♃	Hook. ex. flor. t. 164.
11	ovalifólia H.E.F. (gr) oval-leaved	———	——	——	S	♃	——— t. 165.
12	alàta R.P. (gr) winged	S. America	1812.	....	S	♄	Flor. per. 1. t. 48. f. b.
13	acuminàta R. (gr) acuminate	W. Indies	——	4. 9.	S	♃	Bot. mag. t. 1882.
14	maculòsa R.S. (gr) spot-stalked	St. Domingo	1790.	9.	S	♄	Hook. ex. flor. t. 92.
15	pellùcida K.S. (gr) pellucid	S. America	1748.	4. 9.	S	⊙	Plum. amer. t. 72.
16	concínna K.R. (gr) small-heart-ld.	Jamaica	1821.	——	S	♄	
17	rotundifólia K.S. (gr) round-leaved	S. America	1823.	....	S	♃	Plum. amer. t. 69.
18	hispídula R.S. (gr) annual-hispid	Jamaica	1818.	8.10.	S	⊙	Swart. icon. t. 4.
19	nummularifólia K.S. (gr) money-wort-ld.	———	——	4. 9.	S	♃	
20	talinifólia K.S. (gr) Talinum-leaved	S. America	——	4. 8.	S	♄	H. et B. n. gen. t. 8.

** *Leaves opposite or verticillate.*

21	pulchélla R.S. (gr) small-leaved	Jamaica	1778.	7.10.	S	♃	Lodd. bot. cab. t. 574.
22	pereskiæfólia K.S. (gr) Pereskia-leaved	S. America	1820.	5. 6.	S	♃	Hook. ex. flor. t. 67.
23	subrotúnda H.S.S. (gr) small-Clusia-ld.	.....	1811.	——	S	♃	
24	rèpens K.S. (gr) creeping	S. America	1823.	——	S	♃	
25	sérpens R.S. (gr) trailing	Jamaica	——	——	S	♃	
26	incàna H.E.F. (gr) great-downy	Brazil	1814.	2. 6.	S	♄	Hook. ex. flor. t. 66.
27	amplexifólia L.en. (gr) clasping-leaved	Jamaica	1822.	——	S	♄	
28	pubéscens R.S. (gr) pubescent	.....	1818.	4. 9.	S	♃	

29	blánda K.S.	(*gr*) villous	Caracas	1802.	5.11.	S	♃	Hook. ex. flor. t. 21.
30	verticillàta R.S.	(*gr*) whorl-leaved	Jamaica	1816.	6.10.	S	⊙	
31	polystàchya H.E.F.	(*gr*)many-spiked	W. Indies	1775.	6. 7.	S	♃	Hook. ex. flor. t. 23.
32	quadrifòlia H.E.F.	(*gr*)four-leaved	Santa Cruz	1818.	5.10.	S	♃	——— t. 22.
33	Hawórthii Swt.	(*gr*) Haworth's	India	1809.	9.10.	S	♃	
	Piper pubéscens H.S. *non* Vahl.							
34	inæqualifòlia R.P.	(*gr*)unequal-leaved	Peru	1800.	8.10.	S	♃	Flor. peruv. 1. t. 46. f. a.
35	stellàta R.S.	(*gr*) starry	Jamaica	1802.	5. 7.	S	♃	Jacq. vind. 2. t. 217.
36	rubicaúlis L.en.	(*gr*) red-stalked	W. Indies	1815.	——	S	♃	Nees. hort. ber. t. 8.
37	rubélla H.E.F.	(*gr*) red-leaved	Jamaica	1820.	——	S	♃	Hook. ex. flor. t. 58.
38	trifòlia R.S.	(*gr*) three-leaved	S. America	1802.	6. 8.	S	♃	Plum. amer. t. 68.
39	distàchya R.S.	(*gr*) two-rowed	W. Indies	1793.	——	S	♃	——— t. 67.
40	díscolor R.S.	(*gr*) two-coloured	Jamaica	1821.	7. 8.	S	♄	Lod. bot. cab. t. 610.
41	capénsis R.S.	(*gr*) Cape	C B. S.	1816.	——	G	♄	
42	tricarinàta H.S.S.	(*gr*) triple-keeled	.....	1817.	——	S	♄	

ORDER CCXXXVI.

ORCHI'DEÆ. *Brown prod. p.* 309.

Tribe I. *MALAXI'DEÆ.* Lindl. orch. 1. p. 13.

Subtribe I. PLEUROTHA'LLEÆ. Lindl. l. c.

PLEUROTHA'LLIS H.K. PLEUROTHA'LLIS. (πλευρα, a side, & θαλλεω, to flower.) Gyn. Mon.

1	ruscifòlia H.K.	(*st*) Ruscus-leaved	W. Indies	1791.	5. 6.	S	♃	Hook. ex. flor. t. 197.
2	racemifòra H.E.F.	(*st*)racemed	———	1822.	7. 8.	S	♃	——— t. 123.
3	prolífera B.R.	(*ro*) proliferous	Brazil	1825.	1.12.	S	♃	Bot. reg. t. 1298.
4	saurocéphala B.C.	(*gr.pu*)lizard-flowd.	Rio Janiero	1829.	5.	S	♃	——— t. 1968.
5	Lanceàna B.C.	(*ye.gr*) Lance's	Surinam	1831.	8.	S	♃	Bot. cab. t. 1767.
6	Gròbyi B.R.	(*ye*) Lord Grey's	Demerara	1834.	4. 6.	S	♃	Bot. reg. t. 1797.
7	vittàta B.R.	(*pu*) ribband	Mexico	1837.	——	S	♃	
8	punctàta B.R.	.... dotted	Brazil	....	....	S	♃	
9	pícta B.R.	(*ye.pu*) painted	Demerara	1833.	3. 4.	S	♃	Bot. reg. t. 1825.
10	bicarinàta B.R.	(*gr*) two-keeled	Brazil	1837.	——	S	♃	
11	pectinàta	(*gr.pu*) pectinated	———	——	——	S	♃	
12	strupiifòlia B.R.	(*pu.wh*)Strupium-ld.	———	——	....	S	♃	
13	ciliàta K.W.	(*br*) ciliated	Demerara	1834.	....	S	♃	Flor. cab. 19.
14	occúlta K.W.	(*br*) hidden	Brazil	1837.	....	S	♃	
15	muscoídea B.K.	(*pu.ye*)moss-like	———	——	....	S	♃	
16	stenopétala B.R.	(*gr*) narrow-petalled	———	——	....	S	♃	
17	circumpléxa B.R.	(*br.ye*)interwoven	Mexico	——	2. 3.	S	♃	
18	ophiocéphala B.R.	(*br.ye*)snake-headed	———	——	....	S	♃	
19	marginàta B.R.	(*ye*) marginated	Guatemala	1836.	....	S	♃	
20	aphthòsa B.R.	(*ye*) aphthose	Mexico	....	....	S	♃	

SPECKLI'NIA L.O. SPECKLI'NIA. (Rudolph Specklin, a wood engraver.) Gynand. Monand.

1	atropurpùrea L.O.	(*dk.pu*)dark-purple	Jamaica	1834?	....	S	♃	
2	emarginàta L.O.	(*pu*) emarginate	———	1822.	7.	S	♃	Hook exot. fl. t. 109.
	Epidéndrum monophy'llum Hook.							
3	ciliàris B.R.	(*gr.pu*) ciliated	Mexico	1836.	——	S	♃	
4	orbiculàris B.R.	(*gr.pu*)orbicular	Demerara	——	——	S	♃	

OBERO'NIA B.R. OBERO'NIA. (etymology not explained.) Gynandria Monandria.

1	Wightiàna B.R.	(*gr*) Wight's	Bombay	1837.	6. 8.	S	♃	
2	recúrva B.R.	(*gr*) recurved	———	——	——	S	♃	

OCTOME'RIA H.K. OCTOME'RIA. (οκτω, eight, and μερις, a part.) Gynandria Monandria.

1	graminifòlia H.K.	(*st*) Grass-leaved	W. Indies	1793.	4. 7.	S	♃	Bot. mag. t. 2764.
2	Bauèri L.O.	(*wh.ye*) Bauer's	———	1816.	——	S	♃	
3	serratifòlia B.M.	(*wh.ye*)saw-leaved	Brazil	1826.	10.12.	S	♃	Bot. mag. t. 2823.
4	tridentàta B.R.	(*ye*) tridentate	Demerara	1839.	....	S	♃	
5	grácilis B.R.	(*ye*) slender	Brazil	1838.	....	S	♃	

6. teretifòlia Bate. (*ye*) teretè-leaved Brazil 1836. 3. 5. S ♃
grácilis Lodd.

STE'LIS H.K. STE'LIS. (στηλις, a Greek name for a plant.) Gynandria Monandria.
1 ophioglossoìdes H.K. (*st*) Adder's-tongue W. Indies 1791. 5. 6. S ♃ Bot. reg. t. 935.
2 micrántha H.K. (*st*) small-flowered Jamaica 1805. 11.12. S ♃ Hook ex. flor. t. 158.
3 trístyla B.R. (*st*) three-styled Brazil .... 4. 5. S ♃

PHYSOSI'PHON B.R. PHYSOSI'PHON. (φυσα, a bladder, and σιφων, a pipe.) Gynand. Monan.
1 Loddigèsii B.R. (*or*) tube-flowered N. Spain 1828. 3. 5. S ♃ Bot. cab. t. 1601.
Stèlis tubàta B.C.
2 carinàtus B.R. (*or*) keeled Mexico 1837. —— S ♃

CIRRHOPE'TALUM B.R. CIRRHOPE'TALUM. (κιρρος, tawny, & πεταλον, a petal.) Gyn. Mon.
1 Thouársii B.R. (*ye*) Petit Thouars' Manilla 1837. 7. S ♃ Bot. reg. s. 2. t. 11.
2 cæspitòsum B.R. (*ye*) tufted E. Indies 1836. .... S ♃
3 cornùtum B.R. (*pu*) horned ——— 1837. .... S ♃
4 Wallíchii B.R. (*ful*) Wallich's Nepaul .... S ♃ Bot. reg. t. 1980.

EMPU'SA B.R. EMPU'SA. (not explained.) Gynandria Monandria.
paradóxa B.R. (*st*) paradoxical Nepaul .... S ♃ Bot. reg. t. 825.
Meláxis lancifòlia Smith.

MICRO'STYLIS N. MICRO'STYLIS. (μικρος, small, and στυλος, a column.) Gynand. Monand.
1 ophioglossoìdes N. (*gr*) Adder's-tongue N. America 1820. 4. 5. H b ♃ Lodd. bot. cab. t. 1146.
β mexicàna B.R. (*gr*) Mexican Mexico 1828. —— H ♃ Bot. reg. t. 1290.
2 excavàta B.R. (*gr*) excavated ——— 1837. —— G ♃

MALA'XIS Rich MALA'XIS. (μαλαξις, softness.) Gynandria Monandria.
paludòsa E.B. (*ye*) marsh England .... 7. H b ♃ Eng. bot. v. 1. t. 47.

DIE'NIA B.R. DIE'NIA. (etymology unknown.) Gynandria Monandria.
cordàta B.R. (*gr*) cordate Mexico 1837. 11.12. S ♃

BRYO'BIUM B.R. BRYO'BIUM. (βρυω, to sprout, and βιω, to live.) Gynandria Monandria.
pubéscens B.R. (*gr*) downy E. Indies 1836. .... S ♃

ACIA'NTHUS B.P. ACIA'NTHUS. (ακις, a point, and ανθος, a flower.) Gynand. Monand.
1 fornicàtus B.P. (*br*) enclosed N. S. W. 1822. 4. 6. F b ♃
2 exsértus B.P. (*br*) exserted ——— —— —— F b ♃
3 caudàtus B.P. (*br*) long-awned ——— 1826. —— F b ♃

TRI'AS B.R. TRI'AS. (τριας, three; triangular flower.) Gynandria Monandria.
oblónga B.R. (*br*) oblong E. Indies .... 11.12. S ♃

LI'PARIS Rich. LI'PARIS. (λιπαρος, unctuous.) Gynandria Monandria.
1 foliòsa B.R. (*y.gr*) leafy Mauritius 1823. 9. S ♃ Bot. reg. t. 882.
2 refléxa B.R. (*gr*) reflexed N. Holland 1820. 6. 7. G b ♃
3 elàta B.R. (*br.pu*) tall Brazil —— —— S ♃ Bot. reg. t. 1175.
4 bituberculàta B.R. (*gr.br*) two-warted Nepaul 1822. 2. 3. S ♃ Hook. ex. flor. t. 116.
5 Loesèlii B.R. (*ye*) Loesel's Britain .... 7. H b ♃ Eng. bot. v. 1. t. 47.
Maláxis Loesèlii E.B.
6 guineénsis B.R. (*gr*) Guinea Sierra Leone 1832. 8. 9. S ♃ Bot. reg. t. 1671.
7 péndula B.R. (*gr*) drooping India 1837. .... S ♃
8 Walkèriæ Gr. (*gr*) Walker's Ceylon 1834. .... S ♃
9 longifòlia B.A. (*gr*) long-leaved N. America 1827. 7. H b ♃ Bart. flor. amer. t. 75.
10 Correàna N. (*ye.gr*) two-leaved ——— 1823. 5. 6. H b ♃
11 liliifòlia B.R. (*pa.bl*) Lily-leaved ——— 1758. 6. 7. H b ♃ Bot. mag. t. 2004.
Maláxis liliifòlia B.M. *O'phrys liliifòlia* A.R. 65.

CÆ'LIA L.O. CÆLIA. (*cœlia*, the stomach.) Gynandria Monandria.
Bauerièna L.O. .. Bauer's Jamaica .... S ♃ Smith. ic. pict. t. 14.
Epidéndrum trípterum Smith.

PHOLIDO'TA B.R. PHOLIDO'TA. (φολις, a scale; bracteas.) Gynandria Monandria.
1 pállida B.R. (*br.wh*) pale Nepaul 1824. 2. 8. S ♃ Bot. reg. t. 1213.
2 imbricàta B.R. (*br.ye*) imbricated ——— 1834. —— S ♃ ——— t. 1777.
3 aculeàta B.R. (*ye*) prickly E. Indies 1837. —— S ♃
4 articulàta B.R. (*wh*) jointed ——— —— —— S ♃
5 Gardneriàna Wall. (*wh.ye*) Gardner's ——— —— —— S ♃ Paxt. mag. 6. p. 73.

CŒLO'GYNE B.R. CŒLO'GYNE. (κοιλος, a hollow, and γυνη, a female.) Gynand. Monand.
1 fimbriàta B.R. (*st*) fringed China 1824. 9. S ♃ Bot. reg. t. 868.
2 nítida L.O. (*ye*) shining-leaved E. Indies 1822. .... S ♃
occellàta L.O.
3 punctulàta L.O. (*ye*) dot-flowered ——— —— .... S ♃
4 ovàlis B.R. (*st*) oval ——— 1837. .... S ♃
5 fláccida Lindl. (*wh*) drooping ——— 1832. 9. S ♃ Bot. mag. t. 3318.
6 Wallichiàna B.R. (*ro*) Wallich's India 1838. .... S ♃
7 prolífera B.R. (*br.ye*) proliferous E. Indies 1836. .... S ♃
8 Gardneriàna B.R. (*wh.pu*) Gardner's ——— .... S ♃
9 cristàta B.R. (*wh*) crested Nepaul .... S ♃
10 maculàta B.R. (*spot*) spotted-flower'd Pundua .... S ♃

Subtribe II. DENDROBIE'Æ. Lindl. orch. p. 45.

MEGACLI'NIUM B.R. MEGACLI'NIUM. (μεγας, large, and κλινη, to bed.) Gynand. Monan.

1	falcàtum B.R. (*ye.re*) falcate	Sierra Leone	1824.	6. 9.	S	♃	Bot. reg. t. 989.
2	máximum B.R. (*gr.sp*) largest	———	1836.	——	S	♃	——— t. 1959.
3	oxy'pterum B.R. (*gr*) sharp-winged	———	....	....	S	♃	

BOLBOPHY'LLUM B.R. BOLBOPHY'LLUM. (βολβος, a bulb, φυλλον, a leaf.) Gyn. Mon.

1	Careyànum S.S. (*br.pu*) Carey's	Nepaul	1823.	8.10.	G	♃	Hook. ex. flor. t. 149.
	Anisopetàlum Careyànum Hook.						
2	recúrvum L.O. (*gr*) pendulous-spiked	S. Leone	1822.	6.11.	S	♃	Bot. reg. t. 963.
	Tribràchia péndula B.R.						
3	tetragònum L.O. tetragonal	———	——	——	S	♃	
4	barbígerum B.R. (*gr.pu*) beard-bearing	———	1835.	6. 7.	S	♃	Bot. reg. t. 1942.
5	cocoínum B.R. (*pk.wh*) cocoa-nut	———	——	1. 3.	S	♃	——— t. 1964.
6	saltatòrium B.R. (*pu*) dancing	———	——	12.3.	S	♃	——— t. 1970.
7	cùpreum B.R. (*co*) copper-coloured	Manilla	1837.	5.	S	♃	
8	fúscum B.R. (*br*) brown flow.	Sierra Leone	——	....	S	♃	
9	setígerum B.R. (*pu*) bristle-bearing	Demerara	——	....	S	♃	
10	bracteolàtum B.R. (*pu.ye*) bracteolate	———	1836.	8. 9.	S	♃	Bot. reg. s. 2. t. 57.
11	umbellàtum L.O. (*ye*) umbellate	E. Indies	1837.	——	S	♃	
12	apíferum Bate. (*d.re*) bee-bearing	Gambia	1835.	5. 6.	S	♃	
13	leopardìnum B.R. (*spot*) Leopard	E. Indies	....	....	S	♃	

E'RIA B.R. E'RIA. (εριον, wool; flowers.) Gynandria Monandria.

1	stellàta B.R. (*st*) starry	Nepaul	1818.	5. 6.	S	♃	Bot. reg. t. 904.
2	pubéscens B.R. (*ye*) pubescent	E. Indies	1820.	3. 4.	S	♃	Hook. ex. flor. t. 124.
	flàva Lindl. *Dendròbium pubéscens* H.E.F.						
3	ròsea B.R. (*bh*) rose-coloured	China	1824.	10.	S	♃	Bot. reg. t. 978.
4	pùmila B.R. (*pk*) dwarf	E. Indies	1838.	——	S	♃	
5	ferrugínea B.R. (*pk*) rusty	———	1837.	——	S	♃	Bot. reg. s. 3. t. 35.
6	bícolor L.O. (*wh*) two-coloured	Ceylon	....	....	S	♃	
7	paniculàta L.O. (*wh*) panicled	E. Indies	....	....	S	♃	Bot. reg. t. 1971.
8	densifiòra L.O. .. dense-flowered	Java	....	....	S	♃	

A'PORUM B.L. A'PORUM. (α priv., and πορος, a pore.) Gynandria Monandria.

	ánceps L.O. (*st*) two-edged	E. Indies	1826.	2. 9.	S	♃	Bot. reg. t. 1239.
	Dendròbium ánceps. Swz.						

PAXTO'NIA B.R. PAXTO'NIA. (Joseph Paxton, gard. to the Duke of Devonshire.) Gy. Mo.

	ròsea B.R. (*ro*) rosy	Manilla	1837.	....	S	♃	Bot. reg. s. 2. t. 60.

POLYSTA'CHIA H.E.F. POLYSTA'CHIA. (πολυς, many, and σταχυς, a spike.) Gyn. Mon.

1	lutèola H.E.F. (*y.gr*) smooth	W. Indies	1818.	7. 8.	S	♃	Hook. ex. flor. t. 103.
	Dendròbium polystàchyum W.						
2	pubérula B.R. (*y.gr*) downy	Sierra Leone	1821.	7. 8.	S	♃	Bot. reg. t. 851.
3	affi'nis L.O. (*ye.gr*) allied	———	1839.	8.	S	♃	
4	zeylánica B.R. (*y.gr*) Ceylon	Ceylon	....	——	S	♃	
	Dendròbium polystàchyum Pet. Th.						
5	ramulòsa B.R. (*ye*) branched	Sierra Leone	1837.	9.10.	S	♃	
6	grandifiòra B.M. (*gr.pu*) great-flowered	———	——	——	S	♃	Bot. mag. t. 3707.

LEPA'NTHES B.R. LEPA'NTHES. (λεπις, a scale, and ανθος, a flower.) Gynandria Monandria.

	tridentàta B.R. (*ye.pu*) tridentate	Jamaica	1833.	1. 2.	S	♃	Bot. reg. t. 1762.

DENDRO'BIUM H.K. DENDRO'BIUM. (δενδρον, a tree, and βιω, to live; grow on.) Gy. Mo.

1	speciòsum B.P. (*bh.re*) showy	N. S. W.	1801.	6. 8.	G	♃	Bot. mag. t. 3074.
2	æ'mulum B.P. (*wh*) rival	———	1822.	4. 2.	G	♃	——— t. 2906.
3	rígidum B.P. .. rigid	N. Holland	1824.	....	S	♃	
4	linguifórme B.P. (*w.st*) tongue-leaved	N. S. W.	1810.	4. 8.	G	♃	Sm. exot. bot. 1. t. 11.
5	teretifòlium B.P. (*pu*) filiform-leaved	———	1823.	——	G	♃	
6	longicórnu B.R. (*bh*) long-spurred	E. Indies	1828.	4. 6.	S	♄	Bot. reg. t. 1315.
7	secúndum B.R. (*ro*) secund	Sumatra	——	——	S	♄	——— t. 1291.
8	Pierárdi H.E.F. (*bh.ye*) Pierard's	E. Indies	1815.	12.6.	S	♄	Bot. reg. t. 1756.
	cucullàtum B.R. 548.						
9	Calceolària H.E.F. (*re.y*) hollow-lipped	———	1820.	——	S	♄	Hook. ex. flor. t. 184.
10	fimbriàtum H.E.F. (*ye*) fringed	———	1818.	4. 6.	S	♄	——— t. 71.
11	chrysánthum B.R. (*ye*) yellow-flower'd	Nepaul	1828.	2. 4.	S	♄	Bot. reg. t. 1299.
12	crumenàtum W. (*wh*) pouched	Java	1822.	4. 6.	S	♄	——— s. 3. t. 22.
13	monilifórme W. (*pu*) glassy	China	——	6.12.	S	♄	——— t. 1314.
14	macrostàchyum Lindl. (*ye*) long-spiked	Ceylon	1829.	6. 7.	S	♃	——— t. 1865.
15	cùpreum B.R. (*ye.pu*) coppery	E. Indies	1835.	——	S	♃	——— t. 1779.

16	moschàtum Wal.	(ye)	musk-scented	Pegu	1828.	....	S ♃	
17	denùdans B.R.	(gr.wh)	denuding	Nepaul	1838.	6. 7.	S ♃	
18	densiflòrum Lindl.	(ye)	many-flowered	———	1833.	3.	S ♃	Bot. reg. t. 1828.
19	sulcàtum B.R.	(ye)	furrowed	India	1837.	3. 5.	S ♄	——— s. 2. t. 65.
20	aggregàtum B.R.	(ye)	aggregate	E. Indies	1828.	3. 4.	S ♃	——— t. 1685.
21	Heyneànum L.O.		Heyne's	Bombay	——	——	S ♃	
22	macrophy'llum B.R.	(ro)	long-leaved	Manilla	1836.	——	S ♃	
23	aúreum L.O.	(wh.ye)	golden	Ceylon	1837.	——	S ♃	Bot. reg. s. 2. t. 20.
	β pállidum B.R.	(wh.ye)	*pale*	———	——	——	S ♃	
24	formòsum Wall.	(wh.ye)	showy	E. Indies	——	4. 6.	S ♃	Wall. pl. rar. as. 1. t.39.
25	stupòsum B.R.	(wh)	stupose	———	——	——	S ♃	
26	Paxtòni B.R.	(or.ye)	Paxton's	———	——	——	S ♃	
27	cærulèscens Wall.	(pu)	bluish	———	——	——	S ♃	Sert. orch. t. 18.
28	Gibsòni Paxt.	..	Gibson's	———	——	——	S ♃	Paxt. mag. 5. 169.
29	nóbile S.O.	..	noble	———	——	——	S ♃	Sert. orch. t. 3.
30	cándidum Wall.	(wh)	white	———	1836.	——	S ♃	
31	pulchéllum B.C.	(re.w.ye)	neat	———	1830.	2. 4.	S ♃	Bot. cab. t. 1935.
32	cassythoìdes R. Cun.	(ye)	Cassytha-like	N. S. W.	....	9.10.	S ♃	
33	heterocárpum B.R.	..	various-fruited	.....	....	....	S ♃	
34	ámplum B.R.	..	ample	.....	....	....	S ♃	
35	Jenkínsii B.R.	(ye)	Jenkins's	E. Indies	1837.	8.10.	S ♃	Bot. reg. s. 3. t. 37.

Tribe II. *EPIDE'NDREÆ.* Lindl. orch. p. 95.

EPIDE'NDRUM H.K. EPIDE'NDRUM. (*επι*, upon, and *δενδρον*, a tree; growing on.) Gy. Mo.

1	cochleàtum W.	(d.pu)	shell-flowered	W. Indies	1786.	1.12.	S ♃	Bot. mag. t. 572.
2	fràgrans W.	(st)	sweet-scented	———	1778.	10.	S ♃	——— t. 1669.
3	glumàceum B.R.	(wh)	glumaceous	Brazil	1838.	....	S ♃	
4	floribúndum L.O.	(wh.gr)	bundle-flow.	Mexico	1833.	10.11.	S ♃	Bot. mag. t. 3637.
5	secúndum W.	(re)	pale-flowered	W. Indies	1793.	6. 7.	S ♃	Jacq. amer. t. 137.
	ciliàre β, M. t. 463.							
6	verrucòsum W.	(st)	warted	———	1824.	——	S ♃	Lodd. bot. cab. t. 1084.
7	nùtans W.	(gr)	nodding	———	1794.	——	S ♃	Hook. ex. flor. t. 50.
8	umbellàtum W.	(st)	umbelled	Jamaica	1793.	——	S ♃	Bot. reg. t. 80.
9	diffùsum W.	(gr)	diffuse	W. Indies	1818.	4. 5.	S ♃	Bot. mag. t. 3565.
10	noctúrnum W.	(gr)	night-smelling	———	1820.	4. 6.	S ♃	——— t. 3298.
	β latif'ò lium B.R.	(gr.wh)	*broad-ld.*	Martinique	1835.	9.10.	S ♃	Bot. reg. 1961.
11	pallidiflòrum B.M.	(st)	pale-flowered	W. Indies	1828.	5. 6.	S ♃	——— t. 2980.
12	fuscàtum W.	(br)	brown	———	1790.	6. 7.	S ♃	Bot. reg. t. 67.
13	elongàtum W.	(re)	long-stalked	Caracas	1798.	5. 8.	S ♄	Bot. mag. t. 611.
14	ellípticum H.E.F.	(sc)	elliptic-leaved	Brazil	1824.	3. 8.	S ♄	Hook. ex. flor. t. 207.
15	odoratíssimum B.R.	(gr)	sweet-scented	Brazil	1824.	5.	S ♃	Bot. reg. t. 1415.
	Ency'clia pàtens Bot. mag. t. 3013.							
16	grácile B.R.	(ye.pu)	slender	Bahamas	1833.	9.10.	S ♃	Bot. reg. t. 1765.
17	crassifòlium L.O.	(li)	thick-leaved	St. Vincent	1824.	——	S ♃	Bot. mag. t. 3543.
	ellípticum Lodd. cab. 1216. not Graham.							
18	conópseum H.K.	(st)	Florida	Florida	1775.	8.	S ♃	Bot. mag. t. 3457.
19	ciliàre B.R.	(wh)	fringed	W. Indies	1790.	6.10.	S ♃	Bot. reg. t. 784.
20	cuspidàtum B.R.	(wh)	pointed	———	1808.	——	S ♃	——— t. 783.
21	pàtens B.C.	(wh)	spreading	———	1824.	10.11.	S ♃	Lodd. bot. cab. 1537.
22	coriàceum B.M.	(st.pu)	coriaceous	Demerara	——	——	S ♃	Bot. mag. t. 3595.
23	rígidum W.	(st)	rigid	Dominica	1826.	4.10.	S ♃	Lod. bot. cab. t. 1600.
24	bicornùtum B.M.	(wh)	two-horned	Trinidad	1834.	4.	S ♃	Bot. mag. 3332.
25	ochràceum B.R.	(st)	ochraceous	Guatemala	1836.	7. 8.	S ♃	
26	Schombúrgkii	(sc)	Schomburgk's	Guaiana	——	——	S ♃	
27	fuscàtum B.R.	(br)	brown	Cuba	1835.	——	S ♃	
28	bífidum B.R.	(pu.ye.gr)	bifid	W. Indies	1834.	7. 8.	S ♃	Bot. reg. t. 1879.
29	clavàtum B.R.	(wh.ye)	clavate	Cumana	——	——	S ♃	——— t. 1870.
30	armeniàcum B.R.	(ye)	Apricot-coloured	Brazil	——	——	S ♃	——— t. 1867.
31	chloroleùcum B.M.	(wh.gr)	greenish white	Demer.	1835.	9.10.	S ♃	Bot. mag. t. 3557.
32	Harrisòniæ B.M.	(gr)	Mrs. Harrison's	Brazil	....	....	S ♃	——— t. 3209.
33	pygmæ'um Hook.	(re.gr)	dwarf	———	1831.	....	S ♃	——— t. 3233.
34	Skinnèri B.R.	(pu)	Skinner's	Guatemala	1835.	1. 3.	S ♃	Bot. reg. t. 1818.
35	æ'mulum B.R.	(wh.pu)	emulous	Para	1834.	2. 4.	S ♃	——— t. 1898.
36	oncidioìdes B.R.	(ye.br)	Oncidium-like	S. America	1823.	6. 7.	S ♃	——— t. 1623.

37	stenopétalum B.M. (*re*) narrow-petalled	Jamaica	1834.	3. 4.	S	♃	Bot. mag. t. 3410.
38	unifiòrum B.R. (*ye.gr*) one-flowered	Mexico	1837.	....	S	♃	
39	calamàrium B.R. (*ye.gr*) Reed	Brazil	——	3. 4.	S	♃	
40	variegàtum B.R. (*gr.pu*) variegated	———	——	....	S	♃	Bot. reg. s. 3. t. 11.
41	pastòris Llave. (*ye.gr*) Shepherd	Mexico	....	3. 4.	S	♃	
42	Boothiànum B.R. (*ye.gr*) Booth's	Cuba	1835.	9.10.	S	♃	
43	papillòsum B.R. (*gr.wh*) papillose	Guatemala	1836.	6. 7.	S	♃	Bot. mag. t. 3631.
44	tessellàtum B.R. (*br.gr.*) tessellated	———	——	....	S	♃	——— t. 3638.
45	aurantìacum B.R. (*or*) orange	———	——	....	S	♃	
46	tibíçinum B.R. (*li*) tibicine	Honduras	——	....	S	♃	
47	lácerum B.R. (*pk*) jagged	Mexico	1835.	3. 4.	S	♃	
48	chloránthum B.R. (*gr*) green-flowered	Demerara	....	10.12.	S	♃	
49	ásperum B.R. (*ye*) rough	Mexico	1836.	....	S	♃	
50	varicòsum Bate. (*br*) varicose	Guatemala	....	....	S	♃	
51	pachyánthum B.R. (*gr*) thick-flowered	Guiana	1837.	....	S	♃	
52	píctum B.R. (*ye*) painted	Demerara	——	....	S	♃	
53	smaragdìnum B.R. (*gr*) green	———	——	....	S	♃	
54	cucullàtum B.R. (*wh*) cucullate	Para	....	....	S	♃	
55	altíssimum Bate. .. tallest	Bahamas	1836.	....	S	♃	
56	longicólle B.R. (*ye*) long-necked	Demerara	....	....	S	♃	
57	sellígerum Bate. (*pu.wh*) Batemann's	Guatemala	1835.	....	S	♃	
58	equìtans B.R. (*br*) equalling	Vera Cruz	1836.	——	S	♃	
59	tridáctylum B.R. (*ye*) three-fingered	Brazil	1837.	——	S	♃	
60	cauliflòrum B.R. (*st*) stem-flowering	———	——	——	S	♃	
61	ionósmum B.R. (*re.gr*) violet-scented	Essequibo	——	——	S	♃	
62	vesicàtum B.R. (*gr.wh*) bladdered	———	——	——	S	♃	
63	lívidum B.R. (*pu*) livid	S. America	——	——	S	♃	
64	dichótomum B.R. .. dichotomous	Demerara	1838.	——	S	♃	
65	víridi-purpùreum B.R. (*gr.pu*) green.pur.	Jamaica	1837.	——	S	♃	Bot. mag. t. 3669.
66	pùmilum B.R. (*pk*) dwarf	E. Indies	——	——	S	♃	
67	viréscens B.C. (*gr.ye*) greenish	Dominica	1829.	7. 8.	S	♃	Bot. cab. t. 1857.
68	aromáticum Bate. (*ye*) aromatic	Guatemala	1835.	5. 6.	S	♃	Batem. orch. t. 10.
69	coriàceum Parker (*gr.pu*) coriaceous	Demerara	....	——	S	♃	Bot. mag. t. 3595.
70	macrochìlum B.M. (*ye.re.* long-lipped	Mexico	1836.	6. 7.	S	♃	——— t. 3534.
71	rhizóphorum Bate. — root-bearing	Guatemala	——	——	S	♃	
72	Candóllei B.R. (*br*) De Candolle's	Mexico	1839.	——	S	♃	

DINE'MA L.O. DINE'MA. (δις, double, and νημα, a filament.) Gynandria Monandria.

polybúlbon L.O. (*wh*) many-bulbed	W. Indies	1822.	6.7.	S	♃	Hook. ex. flor. t. 112.

Epidéndrum polybúlbon Swz.

PONE'RA B.R. PONE'RA. (πονηρος, miserable.) Gynandria Monandria.

graminifòlia B.R. — grassy-leaved	Mexico	1838.	6. 7.	S	♃	Flor. cab. 127.

Nemacònia graminifòlia K.W.

PHYSI'NGIA B.R. PHYSI'NGIA. (φυσα, a bladder.) Gynandria Monandria.

prostràta B.R. (*gr.pu*) prostrate	Demerara	1837.	6. 7.	S	♃	

ENCY'CLIA B.M. ENCY'CLIA. (εγκυκλιω, to wrap round; lip.) Gynandria Monandria.

1	viridiflòra B.M. (*gr*) green-flowered	Brazil	1826.	2. 6.	S	♃	Bot. mag. t. 2831.
2	pàtens B.M. (*br*) spreading-flow.	Brazil	1829.	4. 8.	S	♃	Bot. mag. t. 3013.

ARPOPHY'LLUM Llave. ARPOPHY'LLUM. (αρπη, a sickle, and φυλλον, a leaf.) Gyn. Mon.

spicàtum Llave. (*pk*) spiked	Mexico	1839.	2. 6.	S	♃	

ISOCHI'LUS H.K. ISOCHI'LUS. (ισος, equal, and χειλος, a lip; to sepals.) Gynandria Monandria.

1	lineàris H.K. (*re*) linear-leaved	W. Indies	1791.	5. 7.	S	♃	Bot. reg. t. 745.

Epidéndrum lineàre Jacq. amer. t. 131. f. 1. *Cymbídium lineàre* W.

2	prólifer H.K. (*wh*) proliferous	W. Indies	1793.	6.11.	S	♃	Bot. reg. t. 825.
3	fusifórmis L.O. (*wh*) fusiform	Trinidad	....	——	S	♃	
4	livìdum B.R. (*liv.*) livid	Mexico	1839.	——	S	♃	

CHY'SIS B.R. CHY'SIS. (χυσις, an effusion; pollen masses.) Gynandria Monandria.

aúrea B.R. (*ye*) golden	Venezuela	1834.	4. 7.	S	♃	Bot. reg. t. 1937.

BRASSAVO'LA H.K. BRASSAVO'LA. (A. M. Brassavolo, an Italian bot.) Gynandria Monandria.

1	cucullàta H.K. (*wh*) single-flowered	W. Indies	1793.	6. 7.	S	♃	Bot. mag. t. 543.
2	tuberculàta B.M. (*wh.st*) tuberculated	Brazil	1826.	6. 9.	S	♃	——— t. 2878.
3	nodòsa L.O. (*wh*) many-flowered	W. Indies	1824.	10.	S	♃	Bot. reg. t. 1465.
4	cordàta (*wh.gr*) cordate	Brazil	1835.	1. 3.	S	♃	——— t. 1914.
5	Perrínii B.R. (*wh.gr.*) Perrin's	———	....	9.10.	S	♃	Bot. mag. t. 3711.
6	grandiflòra B.R. (*wh*) great-flowered	Honduras	1838.	——	S	♃	Bot. reg. t. 1561.
7	Martiàna B.R. (*wh.gr*) Martin's	Brazil	——	....	S	♃	——— s. 3. t. 5.
8	glaúca B.R. (*ye*) glaucous	Mexico	1837.	....	S	♃	
9	angustàta B.R. (*gr.ye*) narrowed	Demerara	——	....	S	♃	
10	élegans B.M. ... elegant	Antigua	....	....	S	♃	Bot. mag. t. 3098.
11	cuspidàta B.M. (*wh*) cuspidate	Trinidad	1838.	....	S	♃	——— t. 3722.

CA'TTLEYA L. col. CA'TTLEYA. (W. Cattley, a bot. amateur.) Gynandria Monandria.

1	labiàta L.col.	(*vi*) great-lipped	S. America	1818. 4.10.	S	♃	Bot. reg. t. 1859.
2	Perrínii B.R.	(*li.pu*) Perrin's	Brazil	.... ——	S	♃	——— s. 2. t. 2.
3	Loddigèsii H.R.F.	(*vi*) Loddiges'	S. America	1810. ——	S	♃	Hook. ex. flor. t. 186.
	Epidéndrum violàceum Lodd. bot. cab. t. 337.						
4	bícolor B.R.	(*ol.vi*) two-coloured	———	1837. ——	S	♃	Sert. orch. t. 5. f. 1.
5	Forbèsii B.R.	(*ye*) yellow	Brazil	1823. 9.	S	♃	Bot. reg. t. 953.
6	crispa B.R.	(*wh.pu*) curled-lipped	Trinidad	1820. ——	S	♃	——— t. 1172.
7	intermèdia B.M.	(*ro*) intermediate	Brazil	1824. 3. 5.	S	♃	Bot. mag. t. 2851.
	β *pállida* B.R.	(*pa.re*) *pale-red*	———	1833. ——	S	♃	Bot. reg. t. 1919.
8	elàtior L.O.	(*ye.re*) taller	———	1827. ——	S	♃	
9	supérba B.R.	(*ro*) superb	Guiana	1838. ——	S	♃	Lindl. sert. orch. t. 22.
10	guttàta B.R.	(*var*) spotted	———	1829. 4.10.	S	♃	Bot. reg. t. 1406.
	β *Russelliàna* B.M.	*Russell's*	———	—— ——	S	♃	Bot. mag. t. 3693.
11	Harrisoniàna B.R....	Harrison's	———	.... ——	S	♃	
12	cítrina B.R.	(*ye*) citron-coloured	Mexico	.... 3. 5.	S	♃	
13	Móssiæ B.M.	(*pu*) Moss's	La Guayra	1836. 6. 8.	S	♃	Bot. mag. t. 3669.
15	pùmila B.M.	(*ro.pk*) dwarf	Essequebo	1836. 6. 8.	S	♃	——— t. 3656.
16	Skinnèri Bate.	(*ro*) Skinner's	Guatemala	—— 8.10.	S	♃	
17	odoratíssima Bate	(*pu*) sweet-scented	Demerara	—— 6. 8.	S	♃	

LÆ'LIA B.R. LÆ'LIA. (a vestal virgin.) Gynandria Monandria.

1	ánceps B.R.	(*re.pu*) two-edged	Mexico	1834. 6.10.	S	♃	Bot. reg. t. 1751.
	β *Barkeriàna* B.R.	(*li*) *Barker's*	———	1835. ——	S	♃	——— t. 1947.
2	furfuràcea B.R.	(*pk*) scurfy	———	1838. 10.11.	S	♃	——— s. 3. t. 26.
3	autumnàlis B.R.	(*re*) autumnal	———	1836. 9.10.	S	♃	——— s. 3. t. 27.
4	majàlis B.R.	(*vi*) showy	———	1839. ——	S	♃	
5	álbida B.R.	(*wh*) white-flowered	———	1838.	S	♃	
6	cinnabárina Bate	(*ve*) cinnabar-fld.	Brazil	1836. 5. 6.	S	♃	
7	Perrínii Bate.	(*li*) Perrin's	———	1835. 9.10.	S	♃	

BROUGHTO'NIA H.K. BROUGHTO'NIA. (Arth. Broughton, English bot.) Gynandria Monandria.

1	sanguínea H.K.	(*cr*) blood-coloured	Jamaica	1793. 6. 7.	S	♃	Bot. mag. t. 3076.
2	nítida W.H.	(*re*) glossy	E. Indies	1824. ——	S	♃	

HARTWE'GIA B.R. HARTWE'GIA. (Theod. Hartweg, coll. Hort. Soc.) Gynandria Monandria.

purpùrea B.R.	(*pu*) purple	Mexico	1836.	S	♃		

PESOME'RIA B.R. PESOME'RIA. (πησοω, to mutilate, and μερις, a part.) Gynandria Monandria.

tetragòna B.R.	(*ye.re*) tetragonal	Mauritius	1837. 12.	S	♃		
Epidéndrum tetragònum Pet. Th.							

LEPTO'TES B.R. LEPTO'TES. (λεπτος, slender.) Gynandria Monandria.

bícolor B.R.	(*wh.re*) two-coloured	Brazil	1830. 4. 5.	S	♃	Bot. reg. t. 1625.	
β *glaucophy'lla* B.M.	(*wh.re*) *glaucous-ld.*	———	—— ——	S	♃	Bot. mag. t. 3734.	

BLETIA H.K. BLE'TIA. (Louis Blet, a Spanish botanist.) Gynandria Monandria.

1	pállida B.C.	(*li*) pale-flowered	China	1820. 4. 8.	S	♃	Lodd. bot. cab. t. 629.
2	flórida H.K.	(*pu*) purple	W. Indies	1786. 7. 8.	S	♃	Bot. reg. t. 1401.
	Limodòrum purpùreum R.L.						
3	grácilis B.R.	(*ye.re*) slender	Mexico	1832. ——	S	♃	Bot. reg. t. 1681.
4	acutipétala B.M.	(*ro*) acute-petalled	Carolina	....	S	♃	Bot. mag. t. 3217.
5	Shephérdi B.M.	(*pu*) Shepherd's	Jamaica	.... 1. 3.	S	♃	——— t. 3319.
6	reflèxa B.R.	(*gr.pu.ye*) reflexed	Mexico	1833. 10.11.	S	♃	Bot. reg. t. 1760.
7	guineénsis G.D.	(*pu*) Guinea	Guinea	1822.	S	♃	
8	verecúnda H.K.	(*pu*) tall	W. Indies	1733. 1. 5.	S	♃	Bot. mag. t. 930.
	Limodòrum áltum B.M. *Cymbídium verecúndum* W.						
9	hyacínthina H.K.	(*pu*) hyacinthine	China	1802. 3. 9.	G	♃	Bot. mag. t. 1492.
	Cymbídium hyacinthinum B.M.						
10	capitàta H.K.	(*pu*) capitate	W. Indies	1795. 5. 7.	S	♃	
11	havanénsis B.R.	(*pk*) Havana	———	1835. 3. 4.	S	♃	
12	pátula B.M.	(*pu*) spreading	St. Domingo	1830. ——	S	♃	Bot. mag. t. 3518.

PHA'JUS Lour. PHA'JUS. (θαιος, brown; flowers.) Gynandria Monandria.

1	grandifòlius Lour.	(*wh.pu*) Ld. Tankerville's	China	1778. 3. 4.	S	♃	Bot. mag. t. 1924.
	Blètia Tankervílliæ H.K. *Limodòrum Tankervílliæ* W.						
2	maculàtus L.O.	(*ye.or*) Woodford's	Nepaul	1820. 4. 8.	S	♃	Bot. mag. t. 2719.
	Blètia Woodfórdii B.M.						
3	álbus B.R.	(*wh*) white-flowered	———	1836. 7. 8.	S	♃	Bot. reg. s. 2. t. 33.
4	Wallíchii B.R.	(*wh.pu*) Wallich's	———	1837. ——	S	♃	Wall. pl. rar. asiat. t. 150.

Tribe III. *VA'NDEÆ.* Lindl. orch. p. 135.

NANO'DES B.R. NANO'DES. (*ναννώδης*, pygmy.) Gynandria Monandria.
díscolor B.R. (*pu*) discoloured Brazil 1828. 8. 9. S ♃ Bot. reg. t. 1541.
TRIZEU'XIS L.col. TRIZEU'XIS. (*τρεις*, three, and *ζευξις*, a union; 3 sepals.) Gynand. Monand.
falcàta L.col. (*gr*) falcate Trinidad 1820. 2. 6. S ♃ Lindl. coll. t. 2.
ORNITHI'DIUM H.K. ORNITHI'DIUM. (*ορνιθος*, a bird, and *ειδος*, like.) Gynandria Monandria.
1 coccíneum H.K. (*sc*) scarlet-flowered W. Indies 1790. 1.12. S ♃ Hook. ex. flor. t. 38.
Cymbídium coccíneum Bot. mag. t. 1437.
2 refléxum Gr. (*sc*) reflexed W. Indies 1825. 9.12. S ♃
3 álbum B.M. (*wh*) white Trinidad 1832. 10.11. S ♃ Bot. mag. t. 3306.
TRICHOPI'LIA B.R. TRICHOPI'LIA. (*θριξ*, a hair, and *πιλιον*, a cap.) Gynandria Monandria.
tórtilis B.R. (*wh.pu.ye*) twisted Mexico 1835. 6. 8. S ♃ Bot. reg. t. 1863.
ORNITHOCE'PHALUS BIRD'S-HEAD. (*ορνιθος*, a bird, and *κεφαλη*, a head.) Gynand. Monand.
1 gladiàtus H.E.F. (*gr*) sword-leaved Trinidad 1822. 5. 8. S ♃ Hook. ex. flor. t. 127.
2 trichorhìzus Bate (*st*) hairy-root ——— 1835. 3. 4. S ♃
CIRRHÆ'A B.R. CIRRHÆ'A. (*κιρρος*, yellow; flowers.) Gynandria Monandria.
1 Loddigèsii B.R. (*ye*) pendent China 1824. 6. 8. S ♃ Bot. reg. t. 1538.
Cymbídium depéndens Bot. cab. t. 936.
2 viridipurpùrea B.R. (*gr.pu*) green&purple Brazil 1827. 6. 8. S ♃ Bot. mag. t. 2978.
Gongòra viridipurpùrea B.M.
3 obtusàta B.R. (*ye.sp.*) bluntish ——— 1835. 3. 4. S ♃ Bot. reg. t. 2005.
4 trístis B.R. (*pu.gr*) dark Mexico 1834. 6. 7. S ♃ ——— t. 1887.
5 Warreàna B.C. (*ye.gr*) Warre's Brazil .... S ♃ Bot. cab. t. 1999.
6 fúsco-lùtea B.R. (*d.ye*) brownish-yellow ——— 1834. 5. 6. S ♃
SARCOCHI'LUS B.P. SARCOCHI'LUS. (*σαρξ*, flesh, and *χειλος*, a lip; labellum.) Gynand. Monand.
1 falcàtus B.P. (*wh*) falcate N. S. W. 1821. 5. 8. G ♃ Bot. reg. t. 1832.
2 olivàceus B.R. (*ye.or*) olive-flowered N. Holland 1839. —— S ♃
3 parviflòrus B.R. (*gr.pu*) small-flowered ——— 1836. —— S ♃
MAXILLA'RIA R.P. MAXILLA'RIA. (maxillæ of insects; lip like.) Gynandria Monandria.
1 pallidiflòra B.M. (*st*) pale-flowered St. Vincent's 1826. 8.11. S ♃ Bot. mag. t 2806.
2 Barringtòniæ B.R. (*gr*) Barrington's W. Indies 1790. 6. 8. S ♃ Bot. reg. t. 1206.
ciliàta B.R. *Dendròbium Barringtòniæ* Hook. ex. flor. t. 119.
3 Harrisòniæ B.R. (*st.pu*) Mrs. Harrison's Brazil 1820. 4. 8. S ♃ Bot. mag. t. 2927.
Còlax Harrisòniæ Bot. reg. t. 897.
4 Parkèri B.M. (*wh.pu*) Parker's W. Indies 1826. —— S ♃ ——— t. 2729.
5 párvula H.E.F. (*st.pu*) small Brazil 1824. 3. 5. S ♃ Hook. ex. flor. t. 217.
6 pùmila B.M. (*br*) dwarf Demerara .... 4. 5. S ♃ Bot. mag. t. 3613.
7 aromática H.E.F. (*ye*) aromatic Brazil 1825. 5. S ♃ Bot. reg. t. 1871.
8 stapelioìdes L.P. (*gr.pu*) Stapelia-like ——— 1828. 9. S ♃ ——— s. 3. t. 17.
Cymbídium stapelioìdes Lk. et Ot.
9 pícta B.M. (*ye.pu*) painted ——— .... 8.10. S ♃ Bot. mag. t. 3154.
10 cròcea B.R. (*ye.pu*) copper-coloured ——— 1833. —— S ♃ Bot. reg. s. 2. t. 179.
11 ochroleùca B.C. (*st*) cream-coloured ——— 1830. 10.11. S ♃ Lodd. bot. cab. icon.
12 álba L.O. (*wh*) white-flowered W. Indies .... S ♃ Hook. exot. flor. t. 142.
Dendròbium álbum Hook.
13 Henchmánni B.M. (*pu*) Henchmann's Mexico 1835. —— S ♃ Bot. mag. t. 3614.
14 tetragòna B.R. (*gr.pu*) tetragonal Brazil 1827. 6. S ♃ Bot. reg. t. 1428.
15 víridis B.R. (*gr.pu*) green-flowered ——— 1828. 5. 6. S ♃ ——— t. 1510.
placanthèra B.M. t. 3173.
16 cristàta B.R. (*cr.wh*) crested Trinidad 1834. 6. 8. S ♃ Bot. reg. t. 1811.
17 Déppei B.C. (*wh.pu*) Deppe's Mexico 1828. 6. S ♃ Bot. mag. 3395.
18 subulàta L.O. (*br.re*) subulate Brazil 1818. 10.11. S ♃
19 Collèyi Batem. (*br*) Colley's Mexico 1836. .... S ♃
20 palmifòlia L.O. (*wh*) palm-leaved Jamaica .... S ♃
Epidéndrum palmifòlium Swz. *Colàx palmifòlius* B.R.
21 Warreàna B.C. (*ye*) Warre's Brazil .... S ♃ Lodd. bot. cab. icon. incl.
22 racemòsa B.C. (*ye.gr*) racemose ——— 1825. 6. 8. S ♃ Bot. reg. t. 1566.
23 ruféscens B.R. (*ye*) rufescent Trinidad 1833. 10.12. S ♃ ——— t. 1848.
24 squàlens B.R. (*ye*) squalid Brazil 1822. 7. 8. S ♃ ——— t. 732.
Dendròbium squàlens B.R. *Xylòbium squàlens* Bot. mag. t. 2955.
25 décolor L.O. (*st*) cream-flowered Jamaica 1836. 1. 2. S ♃ Bot. reg. t. 1549.
26 vitellìna B.R. (*ye*) yellow Brazil 1838. .... S ♃ ——— s. 3. t. 12.
27 aúreo-fúlva B.R. (*or*) golden-brown Brazil 1837. .... S ♃ Bot. mag. t. 3269.
28 tenuifòlia B.R. (*sc.ye*) fine-leaved Mexico —— —— S ♃ Bot. reg. s. 3. t. 87.
29 Steèlii B.M. (*ye.pu*) Steel's Demerara 1834. 6.10. S ♃ ——— t. 1986.

30 Rollinsònii B.R.(*pa.ye*)Rollinson's Brazil 1836. 8. 9. S ♃ Bot. reg. s. 2. t. 40.
31 acicularis B.R. (*pu*) acicular ——— —— .... S ♃
32 uncàta B.R. ... hooked Demerara —— .... S ♃
33 chlorántha B.R.(*gr.ye*)green-flowered ——— —— .... S ♃
34 variábilis B.R. (*pu*) variable Mexico —— .... S ♃
β *unipunctàta* B.R.(*ye.gr*)*single-spotted* —— —— .... S ♃
35 gramínea B.R.(*ye.pu*) grassy Demerara 1834. 1. 2. S ♃
36 dénsa B.R. (*wh.re*) dense Mexico .... 1. 2. S ♃ Bot. reg. t. 1804.
37 foveàta B.R. (*st*) pitted Demerara 1838. .... S ♃
38 porrécta B.R. (*bf*) stretched Brazil 1837. .... S ♃
39 macrophy'lla B.R.(*st*) even-leaved Mexico —— .... S ♃
40 costàta B.R. ... ribbed ——— —— .... S ♃
41 psittácina Bate.(*re.ye*)parrot beaked Mexico 1835. 9.10. S ♃
42 sinuòsa Bate. (*st*) sinuous Demerara 1834. —— S ♃
43 punctàta B.C.(*wh.pu*)spotted Brazil 1828.11.12. S ♃ Bot. cab. t. 1914.
44 madida B.M. (*ye*) moist ——— .... S ♃
45 Boòthii B.R. (*ye*) Booth's Guatemàla 1836. 4. 5. S ♃
46 pùmila B.M. (*pu*) dwarf Demerara 1835. —— S ♃ Bot. mag. t. 3613.
47 atropurpùrea B.C.(*pu*)dark-purple ——— 1828. 7. 8. S ♃ Bot. cab. t. 1877.
48 grácilis B.C. (*re*) slender ——— .... —— S ♃ ——— t. 1837.

TRIGONI'DIUM B.R. Trigoni'dium. (three corned flower, &c.) Gynandria Monandria.
1 tènue B.R. (*pu*) slender Demerara 1837. 7. 8. S ♃
2 obtùsum B.R.(*or.gr.ye*)blunt-sepalled ——— 1834. 8. 9. S ♃ Bot. reg. t. 1923.
3 Egertoniànum B.M.(*pu*)LordEgerton'sHonduras 1836. 1.12. S ♃
4 acuminàtum B.R.(*st*) acuminated Demerara 1834. —— S ♃

BURLINGTO'NIA B.R. Burlingto'nia. (Countess of Burlington.) Gynandria Monandria.
1 cándida B.R. (*wh*) white-flowered Demerara 1834. 4. 5. S ♃ Bot. reg. t. 1927.
2 rígida B.R. ... stiff Brazil .... S ♃

BIFRENA'RIA L.O. Bifrena'ria. (double frenum that connects pollen masses.) Gynan. Monan.
1 atropurpùrea L.O.(*dk.pu*)dark-purple Brazil .... S ♃ Lodd. bot. cab. t. 1877.
Maxillària atropurpùrea Lodd.
2 aurantìaca B.R. (*ye*) orange-flowered Demerara 1834. 10.11. S ♃ Bot. reg. t. 1835.
3 longicórnis B.R. (*or*) long-horned ——— 1837. .... S ♃

STE'NIA B.R. . Ste'nia. (στενος, narrow; pollen masses.) Gynandria Monandria.
pállida B.R. (*pa*) pale-flowered Demerara 1834 ? .... S ♃ Bot. reg. ico.

HUNTLE'YA Bate. Huntle'ya. (Rev. J. T. Huntley, F.L.S.) Gynandria Monandria.
1 sessilifòra Bate. ... sessile-flowered Guiana .... S ♃
2 Meleágris B.R.(*ye.wh*)Guinea-fowl Brazil 1837. 6. 7. S ♃ Bot. reg. s. 3. t. 14.
3 violàcea B.R. (*vi*) violaceous ——— —— —— S ♃ Lindl. sert. orch. t. 26.

ASPA'SIA B.R. Aspa'sia. (ασπαζομαι, to embrace; column by labellum.) Gynand. Monand.
1 variegàta B.R. (*var*) variegated S. America 1836. 2. 3. S ♃ Bot. reg. t. 1907.
2 epidendroìdes W.K.(*var*)Epidendrum-likePanama 1833. —— S ♃ Birm. bot. gard. t. 8.

AGANI'SIA B.R. Agani'sia. (αγανος, sweet.) Gynandria Monandria.
pulchélla B.R. (*st*) neat Demerara 1837. .... S ♃

DICRY'PTA L.O. Dicry'pta. (δις, twice, and κρυπτω, to hide.) Gynandria Monandria.
1 Banèri L.O. (*ye*) thick-leaved Jamaica 1823. 6. 8. S ♃ Bot. reg. t. 1028.
Heterotáxis crassifòlia B.R.
2 bícolor Bate. (*ye.bk*) two-coloured Demerara 1834. 1.12. S ♃
3 iridifòlia Bate. (*var*) Iris-leaved Trinidad 1835. —— S ♃

GOVE'NIA B.C. Gove'nia. (J. R. Goven, a horticulturist.) Gynandria Monandria.
1 supérba B.C. (*or.re*) superb Mexico 1828. 8. 9. S ♃ Bot. reg. t. 1795.
Maxillària supérba Llav. et Lexar.
2 Gardnèri B.R. (*wh*) Gardner's Brazil 1838. .... S ♃ Bot. mag. t. 3660.
3 liliàcea B.R. (*wh*) liliaceous Mexico 1837. .... S ♃ Bot. reg. s. 2. t. 13.
4 lagenóphora B.R.(*wh*)pitcher-bearing ——— —— —— S ♃

CYCNO'CHES B.C. Cycno'ches. (κυκνος, a swan, and αυχην, a neck.) Gynand. Monand.
1 Loddigèsii B.C.(*gr.br*)Loddiges's Surinam 1830. 6. 7. S ♃ Bot. reg. t. 1742.
2 chlorochìton S.O.(*gr*) green-lipped Demerara 1838. 6. 7. S ♃ Sert. orch. t. 16.
3 ventricòsus Bate.(*gr.wh*)ventricose Guatemala 1835. —— S ♃ Batem. orch. t. 5.

MORMO'DES B.R. Mormo'des. (μορμω, a goblin.) Gynandria Monandria.
1 atropurpùrea B.R.(*pu*)dark-purple SpanishMain1834. 10.12. S ♃ Bot. reg. t. 1861.
2 pardìna Bate. (*spot*) Leopard Mexico .... S ♃

MYA'NTHUS B.R. Mya'nthus. (μυια, a flag, and ανθος, a flower.) Gynandria. Monandria.
1 cérnuus B.R. (*gr.pu*) drooping Brazil 1832. 5. 6. S ♃ Bot. reg. t. 1721.
2 deltoídeus B.R.(*pu.gr*)deltoid Demerara 1834. 8.12. S ♃ ——— t. 1896.
3 barbàtus B.R.(*re.gr*) bearded ——— —— 2. 4. S ♃ ——— t. 1778.

CATASE'TUM K.S. Catase'tum. (κατα, downwards, and seta, a bristle.) Gynand. Monand.
1 tridentàtum H.B.P.(*ye*)three-toothed Trinidad 1823. 8.12. S ♃ Bot. mag. t. 2559.

	β *Clavérings* B.R. (*y.pu*) *Clavering's*	Brazil	1823. 8.12.	S	♃	Bot. reg. t. 840.
	γ *floribúndum* H.E.F. (*y.pu*) *many-fld.*	———	—— ——	S	♃	Hook. ex. flor. t. 151.
2	semiapértum H.E.F. (*gr*) greenish-fld.	———	1825. 5.	S	♃	Bot. reg. t. 1708.
3	Hookèri L.col. (*y.pu*) Hooker's	———	1816. ——	S	♃	Lindl. coll. t. 40.
4	cristàtum B.R. (*g.wh*) crested	———	1823. ——	S	♃	Bot. reg. t. 966.
5	atràtum B.R. (*gr.pu*) dark	———	1837. ——	S	♃	——— s. 2. t. 63.
6	maculàtum K.S. (*gr.pu*) spotted-fld.	S. America	1836.	S	♃	Bate. orch. t. 2.
7	viridiflòrum B.M. (*gr*) green-flowered	Demerara	....	S	♃	Bot. mag. t. 3262.
8	pùrum B.M. (*ye*) pure	Brazil	1824.	S	♃	——— t. 3388.
9	lùridum L.O. (*gr.pu.ye*) lurid	———	1832. 6.10.	S	♃	Bot. reg. t. 1667.
10	poríferum B.R. (*gr.pu*) pore-bearing	Demerara	1837.	S	♃	
11	Millèri B.R. (*ol.v*) Miller's	Brazil	——	S	♃	

MONACA'NTHUS B.R. MONACA'NTHUS. (*μονος*, one, and *ακανθος*, a spine.) Gynand. Monand.

1	víridis B.R. (*gr*) green-flowered	Brazil	1830. 8.12.	S	♃	Bot. reg. t. 1752.
	cristàtus B.R. t. 1951.					
2	díscolor B.R. (*pu.ye*) two-coloured	Demerara	1838. 10.11.	S	♃	Bot. reg. t. 1735.
	β *viridiflòra* B.M. (*gr*) *green-flowered*	———	.... ——	S	♃	Bot. mag. t. 3601.
	γ *Bushnàni* B.M. (*ye.gr.*) *Bushnan's*	———	.... ——	S	♃	——— t. 3601. A.
3	fimbriàtus B.M. (*gr.wh*) fringed	Brazil	1837. 10.11.	S	♃	——— t. 3708.

BATEMA'NNIA B.R. BATEMA'NNIA. (J. Batemann, a cel. bot.) Gynandria Monandria.

	Collèyi B.R. (*re.wh*) Colley's	Demerara	1834. 8. 9.	S	♃	Bot. reg. t. 1714.

ACANTHOPHI'PPIUM B.R. ACANTHOPHI'PPIUM. (etymology unknown.) Gynand. Monand.

1	bícolor B.R. (*pu.ye*) two-coloured	Ceylon	.... 6. 7.	S	♃	Bot. reg. t. 1730.
2	striàtum B.R. (*wh*) striated	Nepaul	1836. ——	S	♃	
3	sylheténse B.R. (*wh.fl*) Sylhet	Sylhet	....	S	♃	

GRO'BYA B.M. GRO'BYA. (Lord Grey, of Groby.) Gynandria Monandria.

	Amhérstiæ B.R. (*pu.ye*) Amherst's	Brazil	1829. 9.10.	S	♃	Bot. reg. t. 1740.

PHALÆNO'PSIS B.R. PHALÆNO'PSIS. (*φαλαινα*, a moth, and *οψις*, resemblance.) Gynand. Monand.

	amábilis B.C. (*wh*) lovely	Manilla	1837. 5. 6.	S	♃	Bot. reg. s. 2. t. 34.

STANHO'PEA B.M. STANHO'PEA. (Earl Stanhope, Pres. Med. Bot. Soc.) Gynand. Monand.

1	grandiflora L.O. (*wh*) large-flowered	Trinidad	1827· 3. 8.	S	♃	Lodd. bot. cab. t. 1414.
	Ceratochìlus grandiflòrus B.C.					
2	insígnis B.M. (*st.pu*) splendid	S. America	1818. 9. 4.	S	♃	Bot. mag. t. 2948, 2949.
	Anguìda grandiflòra K.S.					
3	tigrìnum Bate. (*var*) tiger-spotted	Mexico	1836.	S	♃	Bot. reg. s. 3. t. 1.
4	ebúrnea B.R. (*wh*) white-flowered	Brazil	1830. 6. 7.	S	♃	——— t. 1529.
5	oculàta L.O. (*ye.pu*) eyed	———	1829. 6.	S	♃	——— t. 1800.
	Lindlèyi Bate. *Ceratochìlus oculàtus* B.R.					
6	quadricórnis B.R. (*ye*) four-horned	Spanish Main....	——	S	♃	Bot. reg. s. 2. t. 5.
7	Wárdii S.O. (*ye.br*) Ward's	Mexico	1836. 7.10.	S	♃	Sert. orch. t. 20.
8	Devoniénsis S.O. (*var*) Devon's	.....	....	S	♃	——— t. 1.
9	Cavendíshii Lindl. (*wh.pu*) D. of Devon.'s	Peru	1833. 6. 8.	S	♃	

GONGO'RA R.P. GONGO'RA. (A. C. Gongora, a friend of Mutis.) Gynandria Monandria.

	atropurpùrea H.E.F. (*d.pu*) dark-fld.	Trinidad	1824. 6. 7.	S	♃	Bot. mag. t. 3220.

CORYA'NTHES Hook. HELMET-FLOWER. (*κορυς*, a helmet, and *ανθος*, a flower.) Gynand. Monand.

1	maculàta B.M. (*ye.pu*) spotted-lipped	Demerara	1829. 6.	S	♃	Bot. reg. t. 1793.
2	speciòsa B.M. (*ye.or*) beautiful	Brazil	1826. 4. 6.	S	♃	Bot. mag. t. 2755.
3	macrántha B.M. (*ye.or*) large-flowered	Caracas	—— 6.	S	♃	Bot. reg. t. 1841.

PERISTE'RIA B.R. PERISTE'RIA. (*περιστερα*, a dove; form of column.) Gynand. Monand.

1	elàta B.M. (*wh*) tall	Panama	....	S	♃	Bot. mag. t. 3116.
2	cerìna B.R. (*ye*) waxen	Spanish Main	1834. 6. 7.	S	♃	Bot. reg. t. 1953.
3	guttàta K.W. (*re.ye*) spotted	S. America	1837. 8.	S	♃	Flor. cab. 2. 99.
4	péndula B.M. (*wh*) pendulous	Demerara	1835. 1. 2.	S	♃	Bot. mag. t. 3479.
5	Barkèri Bate. (*ye*) Barker's	Mexico	1837. 3. 6.	S	♃	

CYMBI'DIUM H.K. CYMBI'DIUM. (*κυμβη*, a boat; shape of lip.) Gynandria Monandria.

§ 1. EUCYMBI'DIUM; *stemless and bulbless; leaves usually ensiform; flowers galeate; labellum with a double lamella.*

1	aloifòlium H.K. (*d.pu*) Aloe-leaved	China	1789. 5. 6.	S	♃	Bot. mag. t. 387.
2	bícolor B.R. (*pu.cr*) two-coloured	Ceylon	1837. ——	S	♃	
3	sinénse H.K. (*d.pu*) Chinese	China	1793. 9.10.	S	♃	Bot. mag. t. 888.
4	lancifòlium H.E.F. (*y.re*) lance-leaved	E. Indies	1823. 5. 8.	S	♃	Hook. ex. flor. t. 51.
5	ensifòlium H.K. (*st.br*) sword-leaved	China	1780. 6.10.	S	♃	Bot. mag. t. 1751.
	β *estriàtum* B.R. (*va*) *streakless*	———	....	S	♃	Bot. reg. t. 1976.
6	xiphiifòlium B.R. (*gr*) Xiphium-leaved	———	1814. 5. 8.	S	♃	Bot. reg. t. 529.
7	suàve B.P. (*gr.br*) sweet-scented	N. S. W.	1826. ——	G	♃	
8	trípterum W. (*wh*) triangular-fruited	Jamaica	1790. 6. 7.	S	♃	Sm. ic. pict. t. 14.
9	viréscens B.R. (*gr.ye*) greenish	Japan	.... 4. 5.	S	♃	

§ 2. CAMARI'DIUM; *caulescent; axils pseudobulbiferous; flowers not galeate.*

10 ochroleùcum L.O.(*st*)pale-flowered Trinidad 1823. 7.10. S ♃ Bot. reg. t. 844.
Dendròbium? álbum H.E.F. t. 142. *Camarídium ochroleùcum.* B.R.

§ 3. BOLBI'DIUM; *rhizoma creeping, pseudobulbous, bearing one or two leaves.*

11 diúrnum L.O. ... day-flowered Bahamas .... S ♃ Jacq. icon. rar. t. 603.
12 marginàtum B.R.(*ye*) marginate Brazil 1829. 10.12. S ♃ Bot. reg. t. 1530.
Maxillària grácilis Lodd. bot. cab. t. 1837.
13 gigantèum B.R. (*var*) giant C. B. S. .... S ♃

SCHOMBU'RGKIA B.R. SCHOMBU'RGKIA. (J. H Schomburgk, a trav. in Guiana.) Gyn. Mon.
marginàta B.R.(*re.ye*)marginate Surinam 1834. 8. 9. S ♃ Sert. orch. t. 13.
β *immarginàta* B.M.(*re.ye*)*immarginate* ——— —— —— S ♃ Bot. mag. t. 3729.

QUEKE'TTIA B.R. QUEKE'TTIA. (E. J. Quekett, F.L.S.) Gynandria Monandria.
microscópica B.R.(*gr.pu*)microscopic ..... 1839. .... S ♃

ACROPE'RA L.O. ACROPE'RA. (*ακρος*, the summit, and *περα*, beyond.) Gynandria Monandria.
Loddigèsii L.O.(*ye.br*)Loddiges's Mexico 1828. 8. S ♃ Bot. mag. t. 3563.
Maxillària galeàta B.C. 1645.

GRAMMATOPHY'LLUM B.R. LETTER PLANT. (*γραμμα*, a writing, and *φυλλον*, a leaf.) Gyn. Mon.
multiflòrum B.R. ... many-flowered Manilla 1837. .... S ♃

GEODO'RUM H.K. GEODO'RUM. (*γη*, the earth, and *δωρον*, a gift; beauty.) Gynand. Monand.
1 purpùreum H.K.(*pu*)purple E. Indies 1800. 6. 8. S ♃ Roxb. cor. 1. t. 40.
Limodòrum nùtans R.C.
2 cítrinum H.K. (*st*) Lemon-coloured——— —— 10.12. S ♃ Andr. reposit. t. 626.
3 dilatàtum H.K. (*pi*) shovel-lipped ——— —— 5. 8. S ♃ Bot. reg. t. 675.
Limodòrum recúrvum B.C. 1. t. 39.
4 fuscàtum B.R. (*pi*) brownish Ceylon 1832. —— S ♃ Bot. reg. t. 1687.

CALY'PSO H.K. CALY'PSO. (*καλυπτω*, to conceal; habitat.) Gynandria Monandria.
americàna H.K. (*pu*) American N. America 1805. 5. 6. H b ♃ Bot. mag. t. 2763.
boreàlis H.E.F. t. 12.

CHEIRO'STYLUS B.R. CHEIRO'STYLUS. (*χειρ*, the hand, and *στυλος*, a style.) Gynand. Monand.
parvifòlia B.R. (*wh*) small-leaved Ceylon 1838. .... S ♃

EULO'PHIA B.R. EULO'PHIA. (*ευ*, well, and *λοφος*, a crest; middle lobe of lip.) Gynan. Monand.
1 vìrens B.R. (*gr*) green E. Indies 1823. 6. 8. S ♃ Roxb. corom. 1. t. 38.
Limodòrum vìrens R.C.
2 guineénsis B.R. (*pi*) Guinea SierraLeone 1822. 11.2. S ♃ Bot. reg. t. 686.
3 macrostàchya(*ye.pu*) long-spiked Ceylon 1836. 1.12. S ♃ ——— t. 1972.
4 lùrida B.R. (*pu.ye*) lurid SierraLeone 1833. 12.6. S ♃ ——— t. 1821.
5 ensàta B.R. (*st*) sword-leaved C. B. S. 1826. 7. 8. G ♃ ——— t. 1147.
6 tríatis B.R. (*da*) dark-flowered ——— 1825. 5. 6. G ♃
7 longicórnis B.R. (*ye*) long-spurred ——— —— 6. 8. G ♃
8 barbàta B.R. (*ye*) bearded ——— 1822. —— G ♃

DIPO'DIUM B.P. DIPO'DIUM. (*δις*, twice, and *πους*, a foot.) Gynandria Monandria.
punctàtum B.P. (*pu*) spotted N. S. W. 1822. 6. 8. G ♃ Bot. reg. t. 1980.
Dendròbium punctàtum Sm,

BARKE'RIA K.W. BARKE'RIA. (G. Barker, a patron of bot.) Gynandria Monandria.
élegans K.W. (*li*) elegant Mexico 1836. .... S ♃ Flor. cab. p. 40.

BRAVO'A Llave. BRAVO'A. (Bravo, a Mexican bot.) Gynandria Monandria.
geminiflòra Llave(*or*) twin-flowered Mexico 1838. .... S ♃

HEXO'PEA Bate. HEXO'PEA. (*ἑξ*, six, and *οπη*, a cell; number of pollen masses.) Gynan. Monand.
crurígera Bate. (*wh*) leg-bearing Guatemala 1836. 4. 5. S ♃

EPITHE'CIA K.W. EPITHE'CIA. (*επι*, upon, and *θηκη*, a sheath.) Gynandria Monandria.
glaúca K.W. (*gr.pu*) glaucous Mexico 1837. 6. 7. S ♃ Flor. cab. 87.

GALEA'NDRA L.O. GALEA'NDRA. (*γαλη*, a weasel, and *ανηρ*, a male.) Gynand. Monand.
grácilis L.O. (*gr*) slender SierraLeone 1822. 6. 9. S ♃ Bot. reg. t. 742.
Eulòphia grácilis B.R.

ZYGOPE'TALON B.M. ZYGOPE'TALON. (*ζυγος*, a yoke, and *πεταλον*, a petal.) Gynand. Monand.
1 Mackàii B.M. (*gr.bl*) Mackay's Brazil 1825. 2. 5. S ♃ Bot. mag. t. 2748.
Eulòphia Mackaiàna Bot. reg. t. 1433.
β *crinìtum* L.O. ... hairy-lipped Brazil 1829. 8. 9. S ♃ Bot. mag. t. 3402.
2 rostràtum B.M.(*wh.pu*)beaked Demerara 1825. 9.11. S ♃ ——— t. 2819.
3 maxillàre B.C. (*vi*) Maxillary Brazil 1829. 8. S ♃ Lodd. bot. cab. t. 1776.
4 Murrayànum B.M.*gr.ye*)Murray's ——— 1837. 10.11. S ♃ Bot. mag. t. 3674.
5 cochleàre B.R.(*st.pu*) shell Trinidad 1834. 8. 9. S ♃ Bot. reg. t. 1857.
6 stenochìlum B.C.(*spot*)narrow-lipped Brazil 1828. 9.10. S ♃ Bot. cab. 1923.

CYRTOPO'DIUM B.R. CYRTOPO'DIUM. (*κυρτος*, a curve, and *πους*, a foot.) Gynandria Monandria.
1 Andersònii H.K. (*ye*) Anderson's W. Indies 1804. 4. 8. S ♃ Bot. mag. t. 1800.
2 glutinòsum Mey.(*ye*) gummy S. America 1825. .... S ♃
3 flavéscens B.R. (*ye*) yellowish Mexico 1830. 6. 7. S ♃ Bot. reg. t. 1627.
4 flàvum L.O. (*ye*) yellow ..... 1831. .... S ♃
5 Willmòrei K.W.(*gr.ye*)Willmore's Venezula 1834. 6. 7. S ♃ Birm. bot. gard. 4.

CYRTOPE'RA L.O. CYRTOPE'RA. (κυρτος, convex, and πηρα, a pouch.) Gynandria Monandria.
Woodfórdii L.O. (pu) Woodford's E. Indies 1814. 10. S ♃ Bot. mag. t. 1814.
Cyrtopòdium Woodfórdii B.R. 1508.

LISSOCHI'LUS B.R. LISSOCHI'LUS. (λισσος, smooth, and χειλος, a lip.) Gynandria Monandria.
1 speciòsus B.R. (ye) showy C. B. S. 1818. 5. 6. S ♃ Bot. reg. t. 573.
2 streptopétalus L.O. (ye) twisted-petalled —— 1822. 12. 6. S ♃ —— t. 1002.
Eulòphia streptopétala B.R.
3 parviflòrus B.R. (re) small-flowered Algoa Bay —— 10. 12. S ♃

NOTY'LIA B.R. NOTY'LIA, (νωτος, the back, and τυλος a hump; stigma.) Gynand. Monand.
1 punctàta B.R. (wh) dotted Trinidad 1823. 7. 8. S ♃ Bot. reg. t. 759.
Pleurothállis punctàta B.R. *Gomèza tenuiflòra* Lod. bot. cab. t. 806.
2 incúrva B.R. (wh) incurved Trinidad .... S ♃
3 Barkèri B.R. (wh) Barker's Mexico 1836. .... S ♃
4 ténuis B.R. (wh) slender Demerara —— .... S ♃
5 micrántha B.R. (wh) small-flowered —— —— .... S ♃

IONO'PSIS K.S. IONO'PSIS. (ιον, a violet, and οψις, resemblance. Gynandria Monandria.
1 utricularioìdes L.col. (w) pale-flowered Trinidad 1822. 6. 9. S ♃ Lindl. col. t. 39. A.
2 ténera B.R. ... tender Cuba 1835. 3. 6. S ♃ Bot. reg. t. 1904.
3 tères B.R. (li) terete Demerara .... —— S ♃

SCAPHYGLO'TTIS B.R. SCAPHYGLO'TTIS. (σκαφος, a ditch, and γλωττα, a tongue.) Gynan. Monan.
1 violàcea B.R. (vi) violaceous Demerara .... 2. 4. S ♃ Bot. reg. t. 1901.
2 refléxa B.R. (ye) reflexed —— 1837. .... S ♃
3 stellàta B.R. (pu) starry —— —— .... S ♃
4 pallidiflòra B.R. (wh) pale-flowered Trinidad 1822. 6. 9. S ♃ Hook. ex. flor. t. 113.

MASDEVA'LLIA B.M. MASDEVA'LLIA. (Joseph Masdevall, M.D., a Spanish bot.) Gynan. Monan.
infrácta B.R. (st) infracted Brazil .... 4. 5. S ♃

RODRIGUE'ZIA R.P. RODRIGUE'ZIA. (Eman. Rodriguez, a Spanish physician.) Gynan. Monan.
1 secúnda K.S. (re) side-flowering S. America 1819. 6. 12. S ♃ Bot. reg. t. 930.
2 recúrva B.M. (ye) recurved Brazil 1825. 5. 6. S ♃ Bot. mag. t. 1748.
Gomèza recúrva B.M.
3 planifòlia L.O. (ye) flat-leaved —— 1811. 5. 6. S ♃ Lodd. bot. cab. t. 668.
Gomèza recúrva B.C.
4 suavèolens L.O. (st.ye) sweet-scented —— 1825. 2. 6. S ♃ Bot. mag. t. 2746.
Pleurothállis foliòsa B.M.
5 laxiflòra B.R. (gr) loose-flowered —— 1835. 1. 3. S ♃ Bot. mag. t. 3494.
6 Barkèri B.R. (ye.gr) Barker's —— —— 1.12. S ♃

MILTO'NIA B.R. MILTO'NIA. (Lord Fitzwilliam.) Gynandria Monogynia.
1 spectábilis B.R. (re.st) showy Brazil .... 6. 8. S ♃ Bot. reg. t. 1992.
Macrochìlus Fryànus Fl. cab. p. 45.
2 cándida B.R. (wh) white-flowered ..... 1837. —— S ♃

MACRADE'NIA B.R. MACRADE'NIA. (μακρος, long, and αδην, a gland.) Gynandria Monandria.
1 lutéscens B.R. (ye) yellowish Trinidad 1821. 12. 2. S ♃ Bot. reg. t. 612.
2 triándra B.R. (cr.gr) triandrous Surinam 1834. 5. 6. S ♃ —— t. 1815.
3 mùtica B.R. (wh.ye) mutic Trinidad —— 8. 9. S ♃

CRYPTARRHE'NA B.R. CRYPTARRHE'NA. (κρυπτος, hidden, and αρρην, a male.) Gynand. Monand.
lunàta B.R. (ye) crescent-lipped W. Indies 1815. 5. 8. S ♃ Bot. reg. t. 153.

ONCI'DIUM H.K. ONCI'DIUM. (ογκος, a tubercle; two on lip.) Gynandria Monandria.
1 altíssimum W. (ye) sharp-petalled W. Indies 1793. 8. 9. S ♃ Bot. reg. t. 1651 & 1851.
β *Bauèri* B.R. (ye) *Bauer's* S. America .... S ♃ Lindl. sert. t. 7.
2 carthagenénse W. (g.br) spread-eagle W. Indies 1791. 5. 6. S ♃ Bot. mag. t. 777.
Epidéndrum undulàtum B.M.
3 lùridum B.R. (g.br) lurid Trinidad 1818. 2. 6. S ♃ Bot. reg. t. 727.
β *guttàtum* B.R. (ye.or) *epotted* Jamaica 1837. —— S ♃ —— s. 3. t. 16.
4 variegàtum W. (wh.pu) variegated —— 1825. 7. 8. S ♃ Sloan. hist. 1. t. 148. f. 2.
5 divaricàtum B.R. (br.y.re) spreading Brazil 1826. 9. 11. S ♃ Bot. reg. t. 1050.
6 pùbes B.R. (br.re) pubescent —— 1824. 3. 6. S ♃ —— t. 1007.
bicornùtum B.M. 3109.
7 ornithorhy'nchum K.S. (ye) long-beaked Mexico 1826. 8. 10. S ♃ H. et B. n. gen. 1. t. 86.
8 Papílio B.R. (y.or.pu) Butterfly Trinidad 1823. 4. 6. S ♃ Bot. reg. t. 910.
β *limbàtum* B.M. (ye.or.pu) *limbate* —— —— —— S ♃ Bot. mag. t. 3733.
9 ampliàtum B.R. (ye) wide S. America .... 3. 4. S ♃ Bot. reg. t. 1699.
10 Lemoniànum B.R. (ye) Lemon's Cuba 1835. 5. 6. S ♃ —— t. 1789.
11 crispum B.C. (ful) curled Brazil 1831. 4. 5. S ♃ —— t. 1920.
12 cornígerum B.R. (ye) horn-bearing —— 1820? —— S ♃ —— t. 1542.
13 hiàns B.R. (ye) gaping —— 1837. .... S ♃
14 fimbriàtum L.O. (ye) fringed —— .... S ♃
15 ciliàtum L.O. (ye) ciliated —— .... S ♃ Bot. reg. t. 1660.
16 cítrinum B.R. (ye) citron Trinidad .... 10. 11. S ♃ —— t. 1758.

17 flexuòsum B.M. (*ye*) zig zag	Brazil	1818.	6. 7.	S	♃	Bot. mag. t. 2203.
18 barbàtum L.col. (*ye*) bearded	S. America	——	4. 5.	S	♃	Lindl. coll. t. 27.
19 pùmilum B.R. (*ye*) dwarf	Brazil	1824.	6. 7.	S	♃	Bot. reg. t. 920.
20 bifòlium H.K. (*ye*) two-leaved	S. America	1811.	7. 8.	S	♃	Bot. mag. t. 1491.
21 pulchéllum B.M. (*bh.or*)elegant	Demerara	1825.	6. 7.	S	♃	——— t. 2773.
22 tríquetrum H.K.(*re.wh*)triangular-ld.	Jamaica	1793.	7. 8.	S	♃	——— t. 3393.
23 tetrapétalum W.(*wh.ye*)four-petalled	———	1824.	——	S	♃	Jacq. amer. t. 142.
24 Cebollèta W. (*ye.br*) awl-leaved	Carthagena	——	——	S	♃	Bot. reg. t. 1994.
25 nùdum B.R. (*ye.b*) naked	Caracas	....	——	S	♃	
26 Harrisonianum B.R.(*ye.pu*)Harrison's	Brazil	1830.	——	S	♃	Bot. reg. t. 1569.
27 lunàtum B.R.(*ye.or.wh*)lunate	Demerara	1835.	6. 7.	S	♃	Bot. reg. t. 1929.
28 leucochìlum Bate.(*gr.wh*)white-lipped	Mexico	1835.	8. 9.	S	♃	Baten. orch. t. 1.
29 reflèxum B.R. (*ye*) reflexed	———	1836.	....	S	♃	
30 raníferum B.R. (*ye*) frog-bearing	Brazil	——	....	S	♃	Bot. reg. s. 2. t. 48.
31 deltoídeum B.R. (*ye*) deltoid	Peru	....	....	S	♃	——— t. 2006.
32 Russellianum B.R.(*br.pu*)Russell's	Brazil	1835.	8. 9.	S	♃	——— t. 1830.
33 Lanceànum B.R.(*or.pu*)Lance's	Surinam	1834.	——	S	♃	——— t. 1887.
34 iridifòlium B.R. (*ye*) Iris-leaved	Mexico	——	——	S	♃	——— t. 1911.
35 stramíneum Batem.(*st*)straw-colour'd	Vera Cruz	1836.	——	S	♃	
36 pulvinàtum B.R.(*ye*) cushioned	Brazil	——	——	S	♃	
37 intermèdium K.W.(*ye*)intermediate	Cuba	——	——	S	♃	Flor. cab. p. 60.
38 Forbèsii B.M. (*sc.ye*) Forbes's	Brazil	1837.	9.10.	S	♃	Bot. mag. t. 3705.
39 confragòsum B.R.(*st*) straw-coloured	Mexico	....	....	S	♃	
40 sanguíneum B.R.(*st.cr*)bloody	La Guayra	....	....	S	♃	
41 Cavendishiànum Bate.(*ye.gr*)Devon's	Guatemala	1836.	6. 7.	S	♃	Batem. orch. t. 3.
42 Doniànum Bate.(*ye.bk*)Don's	———	——	11.3.	S	♃	
43 Tayleùrii Bate. (*br*) Tayleur's	Mexico	——	7.10.	S	♃	
44 unicórne B.R. (*ye*) one-horned	Brazil	1837.?	5. 6.	S	♃	

FERNANDE'SIA R.P. FERNANDE'SIA. (G. G. Fernandez, a Spanish bot.) Gynand. Monand.

1 élegans B.C. (*st.pu*) elegant	Trinadad	1822.	4.10.	S	♃	Lodd. bot. cab. t. 1212.
Lockhártia elegáns Bot. mag. t. 2715.						
2 acùta B.R. (*ye*) acute	———	1835.	6. 7.	S	♃	——— t. 1806.

COMPARE'TTIA B.R. COMPARE'TTIA. (Andr. Comparetti, prof. Padua.) Gynan. Monand.

coccínea B.R. (*ye*) scarlet	Brazil	1837.	8. 9.	S	♃	Bot. reg. s. t. 68.

DICHÆ'A L.O. DICHÆ'A. (meaning not explained) Gynandria Monandria.

graminoìdes L.O. (*st*) grass-like	W. Indies	1823.	5. 7.	S	♃	Hook. ex. flor. t. 196.
Isochilus graminoides Hook.						

BRA'SSIA H.K. BRASSIA. (W. Brass, coll. plants in Guinea.) Gynandria Monandria.

1 maculàta H.K.(*w.st.pu*)spotted	Jamaica	1806.	6. 7.	S	♃	Bot. mag. t. 1691.
2 caudàta B.R.(*g.ye.re*)long-tailed	W. Indies	1823.	——	S	♃	Bot. reg. t. 832.
3 Lanceàna B.R.(*ye.br*)Lance's	Surinam	1833.	4. 3.	S	♃	——— t. 1754.
4 macrostàchya B.R.(*gr.br*)long-spiked	Demerara	1835.	——	S	♃	Lind. sert. t. 6.
5 cochleàta K.W.(*gr.br*)shell	———	1834.	4. 6.	S	♃	Flor. cab. 53.

TRICHORHI'ZA Ly. TRICHORHI'ZA. (θριξ, a hair, and ῥιζα, a root.) Gynandria Monandria.

teretifòlia L.C.(*br.pu*)round-leaved	E. Indies	1819.	10.	S	♄	Hook. ex. flor. t. 72.
Vanda? trichorhiza H.B.F.						

VA'NDA B.R. VA'NDA. (East Indian name.) Gynandria Monandria.

1 cruénta L.C. (*cr*) red-flowered	China	1819.	....	S	♄	
2 multifiòra L.col. (*ye*) many-flowered	———	1800.	6.10.	S	♄	Lindl. coll. t. 38.
3 Roxbúrghii B.R.(*w.pu*)Roxburgh's	E. Indies	1816.	10.12.	S	♄	Bot. reg. t. 506.
4 tères B.R. (*wh.re.y*) terete	Silhet	1828.	——	S	♃	——— t. 1809.
5 lamellàta B.R. (*pu*) lamellate	Manilla	1837.	——	S	♃	
β *únicolor* B.M. (*br*) *one-coloured*	.....	....	9.12.	S	♄	Bot. mag. t. 3416.

RENANTHE'RA B.R. RENANTHE'RA. (ρην, a kidney, and ανθηρα, an anther.) Gynan. Monan.

coccínea B.R. (*sc*) scarlet-flowered	China	1816.	8. 4.	S	♄	Bot. reg. t. 1131.

ODONTOGLO'SSUM B.R. ODONTOGLO'SSUM. (οδους, a tooth, and γλωσσα, a tongue.) Gy. Mo.

cordàtum B.R.(*bl.pu*)cordate-leaved	Mexico	1837.	....	S	♃	Flor. cab. 100.

CYRTOCHI'LUM K.S. CYRTOCHI'LUM. (κυρτος, convex, and στυλος, a column.) Gy. Mon.

1 bictoniénse Bate..... Bicton	Guatemala	1837.	10.11.	S	♃	Batem. orch. t. 6.
2 maculàtum K.W.(*ye.pu*)spotted	Mexico	1838.	——	S	♃	Flor. cab. t. 57.
3 stellàtum B.R. (*wh*) starry	Brazil	1839.	2. 4.	S	♃	Bot. reg. t. 1627.
4 mystácinum B.R.(*ye*) Mystach	Peru	1836.	10.11.	S	♃	

CLEISO'STOMA B.R. CLEISO'STOMA. (κλειω, to close, and στομα, a mouth.) Gynan. Monan.

1 ròsea B.R. (*re.st*) rose-coloured	Manilla	1838.	....	S	♃	
2 tridénta B.R. (*re.wh*) three-toothed	N. Holland	....	....	S	♃	

SACCOLA'BIUM Bl. SACCOLA'BIUM. (*saccus*, a sack, and *labium*, a lip; form.) Gynand. Monand.

1 guttàtum L.O.(*pi.wh*)spotted	E. Indies	....	....	S	♃	Bot. reg. t. 1443.
Sarcánthus guttàtus B.R.						

2 papillòsum B.R.(*ye.wh*)papillose Malabar .... 8.10. S ♃ Bot. reg. t. 1552.
3 micránthum L.O. (*vi*) small-flowered E. Indies 1837. .... S ♃
4 gemmàtum B.R. (*pu*) gem ——— —— 5. 6. S ♃
5 densiflòrum B.R.(*br.ye*)dense-floweredManilla 1838. .... S ♃
6 bífidum B.R. (*st.wh*) bifid ——— —— 10.12. S ♃
7 calceolàre L.O. (*ye*) slipper E. Indies 1837. —— S ♃ Paxt. mag. 6. p. 97.

SARCA'NTHUS L. col. SARCA'NTHUS. (σάρξ, flesh, and ανθος, a flower.) Gynandria Monandria.
1 paniculàtus L. col.(*ye*)panicled China 1812. 5. 8. S ♄ Bot. reg. t. 220.
2 succìsus B.R. (*ye.br*) bitten ——— 1824. —— S ♄ ——— t. 1014.
3 rostràtus B.R.(*ye.or.li*)rostrate ——— 1819. 6.12. S ♄ ——— t. 981.
4 teretifòlius B.R.(*pu.ye*)round-leaved ——— —— —— S ♄ ——— t. 676.
Vánda teretifòlia B.R.

TRICHOCE'NTRUM B.R. TRICHOCE'NTRUM. (θριξ, a hair, and κεντρον, a spur.) Gynan. Mon.
1 fúscum B.R. (*br.wh.re*)brown Mexico 1835. 6. 8. S ♃ Bot. reg. 1951.
2 iridifòlium B.R.(*pa.ye*) Iris-leaved Demerara 1837. —— S ♃

ŒCEO'CLADES B.R. ŒCEO'CLADES. (οικεω, to inhabit, and κλαδος, a branch.) Gynand Monand.
1 falcàta L.O. (*wh*) falcate China 1815. 10. S ♃ Bot. reg. t. 283.
Limodòrum falcàtum B.R. *Angræ'cum falcàtum* L. coll.
2 maculàta L.O. (*fl*) spotted S. America 1819. 10.12. S ♃ Bot. reg. t. 618.
Angræ'cum maculàtum B.R.

LUI'SIA B.R. LUI'SIA. (not explained.) Gynandria Monandria.
alpìna B.R. (*gr.pu*) Alpine E. Indies 1837. .... S ♃

AE'RIDES H.K. AIR-PLANT. (αερ, air; live on.) Gynandria Monandria.
1 odoràtum H.K.(*wh.pi*)fragrant China 1800. 6. 7. S ♃ Bot. reg. t. 1485.
cornùtum B.R.
2 arachnìtes W. (*br.pu*) common Japan 1793. .... S ♃ Kæmpf. jap. t. 869. f. 1.
3 tessellàtum L.O.(*pu.ye*)tessellated E. Indies 1816. .... S ♃ Roxb. cor. 1. t. 42.
Vánda tessellàta L.C. *Cymbídium tessellàtum* Roxb.
4 guttàtum W.H. (*sp*) spotted-floweredE. Indies 1824. .... S ♃
5 costàtum W.H. .... ribbed ——— —— .... S ♃
6 affi'ne Wall. (*pk*) allied ——— 1838. 8. 9. S ♃ Sert. orch. t. 15.

AERA'NTHES B.R. AERA'NTHES. (αερ, air, and ανθος, a flower.) Gynandria Monandria.
1 grandifiòra B.R. (*st*) large-leaved Madagascar 1823. 7. 8. S ♃ Bot. reg. t. 817.
2 sesquipedàlis Ly.(*wh*)long-flowered ——— —— .... S ♃

ANGRÆ'CUM L. col. ANGRÆ'CUM. (*angree*, Malay name.) Gynandria Monandria.
1 ebúrneum Pet.Th.(*wh.gr*)ivory Madagascar 1826. 1. S ♃ Bot. reg. t. 1522.
2 caudàtum B.R.(*wh.gr*)tailed SierraLeone1836. —— S ♃ ——— t. 1844.
3 micránthum B.R.(*wh*)small-flowered ——— .... 2. 3. S ♃ ——— t. 1772.
4 clandestìnum B.R .. clandestine ——— .... S ♃
5 teretifòlium B.R .... terete-leaved ——— .... S ♃
6 dístichum B.R. (*wh*) distich ——— .... 10.11. S ♃ Bot. reg. t. 1781.

CALA'NTHE B.R. CALA'NTHE. (καλος, beautiful, and ανθος, a flower.) Gynand. Monand.
1 veratrifòlia B.R.(*wh*) Veratrum-ld. E. Indies 1819. 1. 9. S ♃ Bot. reg. t. 720.
2 sylvática Ly. (*wh*) loose-spiked Madagascar 1823. 6. 7. S ♃
3 densiflòra B.R. (*ye*) dense-flowered Sihlet 1833. 10.11. S ♃ Bot. reg. t. 1646.
4 díscolor B.R.(*br.wh*) discoloured Japan 1838. .... S ♃
5 bícolor B.R. (*ye*) two-coloured ——— —— .... S ♃
6 furcàta Bate. (*wh*) forked Luzon 1837. .... S ♃

Tribe IV. *OPHRY'DEÆ.* L. O. p. 257.

O'RCHIS B. P. O'RCHIS. (ορχις, testis; form of roots.) Gynandria Monandria.
§ 1. MA'SCULÆ; *lateral sepals reflexed or spreading.*
1 latifòlia W. (*pu*) broad-leaved Britain .... 5. 6. H b ♃ Eng. bot. 33. t. 2308.
2 sambucìna W. (*ye*) Elder-scented Europe 1825. 4. 5. H b ♃ Swt. br. fl. gar. t. 299.
3 pállens L. (*st*) pale-yellow S. Europe 1823. 5. 6. H b ♃ Bot. mag. t. 2569.
sulphùrea B.M.
4 Schleichèri B.F.G.(*re*)Schleicher's Switzerland1825. 4. 5. H b ♃ Swt. br. fl. gar. t. 199.
sambucìna β rùbra Sch. *non* Jacq. *sambucìna β flóribus purpùreis* L.O.
5 maculàta W. (*li.pu*) spotted-palmate Britain .... 6. 7. H b ♃ Eng. bot. v. 9. t. 632.
6 foliòsa B.R. (*pu*) leafy Madeira .... —— G ♃ Bot. reg. t. 1701.
7 pseudosambucìna T.N.(*pu*)Elder-smellingItaly 1828. —— H b ♃ Ten. flor. nap. t. 86.
β lutéscens T.N.(*ye*) *pale yellow* ——— —— —— H b ♃ ——— t. 86.f.b.

8 **provinciàlis** Balb.(*ye*)provincial — Naples — 1825. 6. 7. H b ♃ — Ten. fl. nap. t. 87.
Cyrílli T.N.
β *pauciflòra* T.N.(*ye*) *few-flowered* — Italy — 1825. 6. 7. H b ♃ — Ten. fl. nap. t. 88.
9 **máscula** W. (*pu*) early-purple — Britain — .... 4. 5. H b ♃ — Eng. bot. v. 9. t. 631.
10 **laxiflòra** Lam. (*pu*) loose-flowered — Jersey — .... —— H b ♃ — ———— t. 2828.
palústris Jacq. icon. 1. t. 181.

§ 2. MILITA'RES; *sepals conniving into the form of a galea.*

11 **Mòrio** W. (*pu*) meadow — Britain — .... 4. 6. H b ♃ — Eng. bot. v. 29. t. 2059.
12 **longicórnu** W. (*pu*) flat-spurred — Barbary — 1815. —— H b ♃ — Swt. br. fl. gar. t. 249.
13 **acuminàta** Desf.(*pu*) small-flowered — Italy — —— —— H b ♃ — Bot. mag. t. 1932.
parviflòra T.N.
14 **ustulàta** W. (*pu*) dwarf — England — .... 5. 6. H b ♃ — Eng. bot. v. 1. t. 18.
15 **militàris** E.B. (*ro.pa*) Smith's — ———— — .... —— H b ♃ — ———— v. 27. t. 1873.
Rivìni Swt. br. fl. gar. t. 162.
β *galeàta* Lam. (*pu*) *helmeted* — Switzerland — 1825. 4. 6. H b ♃ — Swt. br. fl. gar. t. 163.
militàris Swt.
16 **fúsca** W. (*br.re*) brown — England — .... 5. 6. H b ♃ — Jacq. aust. 4. t. 307.
17 **Simia** P.S. (*pa.bh*) Ape — ———— — .... —— H b ♃
18 **undulatifòlia** B.R. (*li*) wave-leaved — Italy — 1818. —— H b ♃ — Bot. reg. t. 375.
19 **tephrosánthos** W.(*pa*)ash-coloured — England — .... —— H b ♃ — Bot. mag. t. 3426.
β *densifòlia* B.M.(*pu*)*dense-leaved* — Europe — .... 5. H b ♃ — ———— t. 2426.
20 **variegàta** W. (*li.wh*) variegated — Switzerland — 1825. 4. 6. H b ♃ — Bot. reg. t. 367.
21 **globòsa** W. (*pu*) round-spiked — ———— — 1792. 6. 7. H b ♃ — Jacq. aust. 3. t. 265.
22 **coriòphora** W. (*pu*) strong-scented — S. Europe — 1825. 5. 6. H b ♃ — Swt. br. fl. gar. t. 219.
23 **Robertiàna** P.S. (*pu*) long-bracted — ———— — 1818. —— H b ♃ — Ten. fl. nap. t. 91.
longibracteàta β *gállica* L.O.
24 **longibracteàta** S.S.(*pu*)long-bracted — ———— — —— —— H b ♃ — Bot. reg. t. 357.
25 **saccàta** T.N. (*pu*) saccate — Sicily — 1828. —— H b ♃
26 **rùbra** Jacq. (*pu*) papilionaceous — S. Europe — 1788. 6. 7. H b ♃ — Bot. reg. t. 1155.
papilionàcea W.
27 **spectábilis** (*wh.pu*) showy-American — N. America — 1801. —— H b ♃ — Swt. br. fl. gar. t. 65.
28 **màcra** L.O. (*pu*) lean — England — .... 4. 6. H b ♃
tephrosánthos Bichen.

ANACA'MPTIS R.O. ANACA'MPTIS. (ανακαμπτω, to bend back; pollen.) Gynandria Monandria.
1 **pyramidàlis** R.O. (*cr*) pyramidal — Britain — .... 6. 7. H b ♃ — Eng. bot. v. 2. t. 110.
Orchis pyramidàlis E.B.
2 **quadripunctàta** T.N.(*pu*) four-spotted — Italy — 1828. 5. 6. H b ♃ — Ten. flor. nap. t. 89.

GYMNADE'NIA H.K. GYMNADE'NIA. (γυμνος, naked αδην, a gland; pollen.) Gynan. Mon.
1 **conópsea** H.K. (*ro*) fragrant — Britain — .... 6. 7. H b ♃ — Eng. bot. v. 1. t. 10.
Orchis conópsea E.B.
2 **odoratíssima** R.O.(*li*) sweet-scented — Switzerland — 1824. —— H b ♃ — Jacq. aust. 3. t. 264.
3 **hùmilis** L.O. (*pu*) dwarf — Naples — 1825. —— H b ♃ — Ten. fl. nap. t. 90.
Orchis Necodèmi T.N.
4 **tridentàta** L.O. .... three-toothed — N.America — 1819. 4. 6. H b ♃ — Hook. ex. flor. t. 81.
Habenària tridentàta H.E.F. *Orchis clavellàta* MX.

PERULA'RIA B.R. PERULA'RIA. (not explained.) Gynandria Monandria.
fucéscens L.O. (*pu*) fucescent — Siberia — .... 4. 6. H b ♃ — Gmel. sib. 31. t. 4. f. 2.
Orchis fucéscens L.

NIGRITE'LLA R.O. NIGRITELLA. (a dim. of *niger*, black; flowers.) Gynandria Monandria.
angustifòlia R.O.(*d.pu*)dark-flowered — N. Europe — 1759. 6. 7. H b ♃ — Jacq. aust. t. 368.
Saty'rium nìgrum L. *Orchis nìgra* Sw. *Habenària nìgra* H.K.

A'CERAS H.K. A'CERAS. (α priv. and κερας, a horn; no spur.) Gynandria Monandria.
1 **anthropóphora** H.K.(*gr*)green-man — England — .... 6. H b ♃ — Swt. br. fl. gar. t. 168.
2 **hircìna** L.O. (*gr.pu*) lizard — ———— — .... 6. 7. H b ♃ — Eng. bot. v. 1. t. 34.
Saty'rium hircínum E.B. *Orchis hircínia* R.Br.
3 **secundiflòra** B.R.(*gr*) side-flowered — Italy — .... 4. 5. H b ♃ — Bot. reg. t. 1525.

GLOSSA'PSIS L.O. GLOSSA'PSIS. (γλωσσα, a tongue and αψις, connexion.) Gynand. Monan.
tentaculàta L.O. (*gr*) horned — China — 1824. 5. 6. F b ♃ — Bot. reg. t. 862.
Glóssula tentaculàta B.R.

PLATANTHE'RA R.O. PLATANTHE'RA. (πλατυς, broad, and ανθηρα, an anther.) Gyn. Monan.
1 **bifòlia** R.O. (*wh*) Butterfly — Britain — .... 5. 6. H b ♃ — Eng. bot. t. 2806.
Orchis bifòlia L. *Habenària bifòlia* H.K.
2 **chlorántha** Rchb.(*gr.wh*)green-flowd. — England — .... —— H b ♃ — Eng. bot. t. 22.
bifòlia B.C. t. 1653. *Orchis bifòlia* E.B. *viréscens* Gaud.
3 **Hookèri** L.O. (*st*) round-leaved — N. America — 1823. 7. 8. H b ♃ — Hook. ex. flor. t. 145.
Habenària orbiculàta Hook.
4 **hyberbòrea** H.K. (*gr*) northern — N. Europe — 1805. 6. 7. H b ♃ — Retz. obs. 4. t. 3.
Habenària hyperbòrea H.K.

5 herbìola H.K. (*gr*) American N. America 1789. 6. 7. H b ♃ Lodd. bot. cab. t. 1748.
Habenària herbìola H.K. *O'rchis fucéscens* B.C.
6 dilatàta H.R.F. (*wh*) dilated N. America 1822. 7. 8. H b ♃ Hook. ex. flor. t. 95.
7 ciliàris H.K. (*ye*) yellow-fringed ——— 1796. 6. 7. H b ♃ Bot. mag. t. 1688.
8 blephariglóttis S.S. (*w*) white-fringed ——— 1822. —— H b ♃ Hook. ex. flor. t. 87.
9 cristàta H.K. (*ye*) yellow-crested ——— 1806. 9. H b ♃
10 psycòdes S.S. (*ye*) yellow-jagged ——— 1823. 6. 8. H b ♃
O'rchis psycòdes W.
11 lácera B.C. (*st*) torn-flowered ——— 1818. 7. H b ♃ Swt. br. fl. gar. t. 73.
12 fimbriàta H.K. (*pu*) purple-fringed ——— 1777. —— H b ♃ Bot. reg. t. 405.

PERI'STYLUS L.O. PERI'STYLUS. (περι, around, and στυλος, the style.) Gynand. Monand.
1 cordàtus L.O. (*gr*) cordate Madeira 1830. —— G b ♃ Bot. mag. t. 3164.
Habenària cordàta B.R. 1499.
2 bracteàtus L.O. (*gr*) bracteate N. America 1805. 5. 6. H b ♃ Swt. br. fl. gar. t. 62.
Habenària bracteàta H.K.
3 víridis L.O. (*gr*) frog Britain .... 6. 7. H b ♃ Eng. bot. t. 94.
Gymnadènia víridis R.O. *Saty'rium víride* E.B. *O'rchis víridis* H.K.
4 álbidus L.O. (*wh*) white-flowered Britain .... H b ♃ Eng. bot. t. 505.
Saty'rium álbidum E.B. *Gymnadènia álbida* R.O.
5 plantagíneus L.O. (*gr*) Plantain-ld. Ceylon .... 6. 7. S b ♃ Bot. reg. t. 1499.
Herminium plantagíneum B.R.

HERMI'NIUM H.K. HERMI'NIUM. (ermine.) Gynandria Monandria.
1 Monòrchis H.K. (*st*) musk England .... 6. 7. H b ♃ Eng. bot. v. 1. t. 71.
O'phrys Monórchis E.B.
2 alpìna L.O. (*wh*) Alpine Switzerland 1825. —— H b ♃ Jacq. vind. 1. t. 9.
Chamærèpes alpìna S.S. *O'phrys alpìna* Jacq. *Chamórchs alpìna* R.O.
3 cordàtum B.R. (*ye*) Heath-leaved Africa 1830. 3. 4. G b ♃ Bot. reg. t. 1499.
Habenària cordàta B.M. t. 3164.

HABENA'RIA H.K. HABENA'RIA. (*habena*, a thong; long spur.) Gynandria Monandria.
1 leptóceras B.M. (*gr.ye*) slender-spurred S. America 1825. 10. S b ♃ Bot. mag. t. 2726.
2 macróceras W. (*g.wh*) long-horned Jamaica 1828. 9.10. S b ♃ ——— t. 2947.
3 procèra B.R. (*wh.gr*) tall Sierra Leone 1834. 8.10. S b ♃ Bot. reg. t. 1858.
4 goodyeroìdes B.R. (*wh*) Goodyera-like E. Indies —— 10.11. S ♃ Bot. mag. t. 3397.
5 longicaúda B.M. (*gr.wh*) long-tailed Demerara .... —— S b ♃ ——— t. 2957.
6 marginàta Hook. (*ye*) marginate E. Indies 1822. 7. S b ♃ Hook. ex. flor. t. 136.
7 flàva B.P. (*ye*) yellow-flowered N. Holland 1823. 6. 7. G b ♃
8 ochroleùca B.P. (*st*) cream-flowered ——— —— 7. G b ♃
9 gigantèa B.M. (*wh*) giant Bombay 1834. 6. 7. S b ♃ Bot. mag. t. 3374.

BONA'TEA W. BONA'TEA. (S. Bonato, prof. bot., Padua.) Gynandria Monandria.
speciòsa W. (*gr.wh*) handsome C. B. S. 1820. 7. 9. G b ♃ Lodd. bot. cab. t. 284.

BARTHOLI'NA H.K. BARTHOLI'NA. (Th. Bartholini, M.D., a Danish bot.) Gynan. Monan.
pectinàta H.K. (*pu*) pectinated C. B. S. 1787. 10. G b ♃ Bot. reg. t. 1653.
O'rchis Burmanniàna Sw. *pectinàta* W.

CYNO'RCHIS B.R. CYNO'RCHIS. (κυων, a dog; ορχις.) Gynandria Monandria.
fastigiàta B.R. (*gr.re*) fastigate Mauritius 1835. 4. 5. S b ♃ Bot. reg. t. 1998.

SATY'RIUM. H.K. SATY'RIUM. (*satyrus*, a satyr; aphrodis. properties.) Gynand. Monand.
1 cucullàtum H.K. (*g.ye*) cucullate C. B. S. 1787. 6. 9. F b ♃ Bot. reg. t. 416.
2 parviflòrum Sw. (*g.bh*) small-flowered ——— —— 5. 6. F b ♃ Jacq. schœnb. 2. t. 170.
3 membranàceum W. (*g.y*) membranaceous —— 1822. —— F b ♃
4 coriifòlium W. (*ye.or*) leather-leaved ——— 1819. 5. 6. F b ♃ Swt. br. fl. gar. s. 2. t. 8.
cuculàtum Lodd. bot. cab. t. 104.
5 foliòsum S.S. (*pu*) leafy ——— 1828. 7. 8. F b ♃
6 cárneum H.K. (*bh*) great-flowered ——— —— 7. 9. F b ♃ Bot. mag. t. 1512.
7 eréctum Lindl. (*ye*) erect ——— 1838. 2. 3. F b ♃ Botan. 117.
8 cándidum B.R. (*wh*) white-flowered ——— —— —— F b ♃
9 papillòsum B.R. (*ro*) papillous ——— —— —— F b ♃

DI'SA W. DI'SA. (etymology unknown.) Gynandria Monandria.
1 grandifloìra W. (*sc*) large-flowered C. B. S. 1823. 7. 8. F b ♃ Bot. reg. t. 926.
2 cornùta W. (*bh*) horned ——— 1805. 6. 7. F b ♃
3 longicórnis W. (*bl*) long-spurred ——— 1824. 5. 7. F b ♃
4 Dracònis W. (*wh.pu*) Dragon ——— 1823. —— F b ♃
5 ferrugínea W. (*br*) ferruginous ——— 1816. 6. 7. F b ♃
6 chrysostàchya W. (*ye*) golden-spiked ——— 1826. —— F b ♃
7 bracteàta W. (*gr*) small-flowered ——— 1818. —— F b ♃ Bot. reg. t. 324.
8 spathulàta W. (*li*) spathulate ——— 1805. —— F b ♃ Journ. sc. v. 4. t. 8. f. 3.
9 physòdes W. (*pu*) nodding ——— 1824. —— F b ♃

MONADE'NIA L.O. MONADE'NIA. (μονος, one, and αδην, a gland.) Gynandria Monandria.
prasinàta L.O. (*gr.pu*) green-flowered C. B. S. 1815. 6. 7. F b ♃ Bot. reg. t. 209.
Disa prasinàta Ker.

SCHIZO'DIUM L.O. SCHIZO'DIUM. (σχιζω, to cut, and οδους, a tooth.) Gynand. Monand.
1 flexuòsum L.O. (st) flexuose C. B. S. 1822. 6. 7. Fb ♃
Disa flexuòsa Swt.
2 maculàtum L.O. (bl) spotted ——— 1816. —— Fb ♃
Disa maculàta L.
HERSCHE'LIA L.O. HERSCHE'LIA. (Sir J. Herschel, cel. astr.) Gynandria Monandria.
graminifòlia L.O. (bl) grass-leaved C. B. S. 1822. 6. 7. Fb ♃ Journ. sc. bot. 46. t. 1. f. 2.
Disa graminifòlia Ker.
CERATA'NDRA L.O. CERATA'NDRA. (κερας, a horn, and ανηρ, a male; anthers.) Gyn. Mon.
ochroleùca L.O. (st) cream-coloured C. B. S. 1826. 6. 7. Fb ♃
Pterygòdium atràtum Swt. *O'phrys atràta* L.
OMMATO'DIUM L.O. (ομμα, the eye, and οδους, a tooth.) Gynandria Monandria.
volùcris L.O. (ye) arrow-lipped C. B. S. 1797. 6. 7. Fb ♃
Pterygòdium volùcris Swz. *O'phrys volùcris* L.
PTERYGO'DIUM W. PTERYGO'DIUM. (πτερυγωδες, wing-like; flowers.) Gynand. Monand.
1 alàtum S.S. (ye) winged C. B. S. 1821. 6. 8. Fb ♃
2 cathólicum S.S. (ye) large-flowered ——— 1826. —— Fb ♃
CORY'CIUM W. CORY'CIUM. (κορυς, a helmet; flower.) Gynandria Monandria.
1 orobanchoìdes W. (ye) Orobanche-like C. B. S. 1825. 6. 8. Fb ♃ Bot. reg. s. 2. t. 45.
2 críspum W. (ye) curled-leaved ——— —— 5. 6. Fb ♃ Buxb. cent. 3. t. 11.
DISPE'RIS W. DISPE'RIS. (δις, two, and πηρα, a pouch; flower.) Gynandria Monandria.
1 capénsis W. (cr) Cape C. B. S. 1816. 5. 6. Fb ♃
2 cucullàta W. (li) cucullate ——— 1822. 6. 7. Fb ♃
3 secúnda W. (st) side-flowering ——— 1797. —— Fb ♃
O'PHRYS H.K. O'PHRYS. (οφρυς, the eyebrow; cilia on sepals.) Gynandria Monandria.
§ 1. *Labellum mutic at the base.*
1 aranífera W. (d.br) common Spider England .... 4. 5. Hb ♃ Eng. bot. v. 1. t. 65.
limbàta B.R. (da) *dark-limbed* S. Europe 1826. —— Hb ♃ Bot. reg. t. 1197.
2 arachnoìdes A.R. (br.bk) Spider-like Italy 1805. —— Hb ♃ Andr. reposit. t. 470.
3 ciliàta T.N. (br.wh) fringe-flowered ——— 1826. —— Hb ♃ Ten. flor. nap. t. 95.
4 Spéculum B.R. (br.bl) looking-glass S. Europe 1818. —— Hb ♃ Bot. reg. t. 370.
5 lùtea H.E.F. (ye) yellow ——— 1821. —— Hb ♃ Swt. br. fl. gar. t. 206.
6 scólopax Cav. (pu) woodcock Italy 1825. —— Hb ♃ Cavan. ic. 2. t. 161.
7 exaltàta T.N. (bk.br) tall ——— 1826. —— Hb ♃ Ten. flor. nap. t. 96.
8 muscífera B.R. (pu.bl) Fly England .... 5. 6. Hb ♃ Eng. bot. v. 1. t. 64.
myòdes W.
9 fúsca B.R. (br.ye) dull purple S. Europe 1826. 3. 4. Hb ♃ Bot. reg. t. 1071.
§ 2. *Labellum spurred on both sides at the base.*
10 atràta B.R. (gr.pu) dark-flowered Rome —— —— Hb ♃ Bot. reg. t. 1087.
11 apífera W. (bk) Bee England .... 6. 7. Hb ♃ Eng. bot. v. 6. t. 383.
12 tenthredinífera W. (re.y) Saw-fly S. Europe 1815. 4. 5. Hb ♃ Bot. reg. t. 205.
β minor B.R. (br.ye) *lesser* ——— 1826. —— Hb ♃ ——— t. 1093.
13 grandifòra T.N. (re.y.br.) large-flowered Italy 1828. —— Hb ♃ Ten. flor. nap. t. 94.
14 tabanífera W. (br.ye) Roman Rome 1826. —— Hb ♃ Seb. et Maur. c. 13. t. 2. f. 2.
hiúlca S.M.
15 arachnìtes W. (bk.br) black Spider Switzerland 1805. —— Hb ♃ Bot. mag. t. 2516.
16 fuscífera Hall. (br.ye) fly-bearing England .... —— Hb ♃ Eng. bot. s. t. 2596.
arachnìtes E.B.
SERA'PIAS H.K. SERA'PIAS. (Serapis, an Egyptian divinity.) Gynandria Monandria.
1 Língua W. (re) tongue-lipped S. Europe 1786. 5. 6. Fb ♃ Hook. ex. flor. t. 11.
2 longipétala Swt. (st) long-flowered Italy 1825. —— Hb ♃ Bot. reg. t. 1189.
Hellebórine longipétala Ten. fl. nap. t. 98.
3 cordígera W. (pu) heart-lipped S. Europe 1806. 7. 8. Fb ♃ Andr. reposit. t. 475.

Tribe V. *GASTRODIE'Æ.* R. Br.

PRESCO'TIA H.E.F. PRESCO'TIA. (John Prescot, a cel. bot.) Gynandria Monandria.
1 plantaginifòlia H.E.F. (gr) Plantain-ld. Rio Janeiro 1822. 9. 4. S ♃ Hook. ex. flor. t. 115.
2 lanceæfòlia .. spear-leaved Brazil 1831. —— S ♃
3 colòrans B.R. (gr) colouring ——— 1833. 1. 3. S ♃ Bot. reg. t. 1916.
VANI'LLA W. VANI'LLA. (Vaynilla, a pod; Spanish.) Gynandria Monandria.
1 aromática H.K. (wh) aromatic S. America 1739. 6. 8. S ♄ ◡ Plum. ic. 183. t. 188.
2 planifòlia H.K. (wh) flat-leaved W. Indies 1800. 4. 6. S ♄ ◡ Andr. reposit. t. 538.
3 bícolor B.R. (st) two-coloured Guiana 1837. 4. 5. S ♄ ◡
GASTRO'DIA B.P. GASTRO'DIA. (γαστηρ, a belly, and οδους, a tooth; column.) Gyn. Mon.
sesamoìdes B.P. (wh) Sesamum-like N. Holland 1826. 4. 5. S ♃

Tribe VI. *ARETHU'SEÆ.* Lindl.

ARETHU'SA H.K. ARETHU'SA. (nymph of Diana; grows near fountains.) Gynand. Monand.
1 bulbòsa H.K. (*pu*) bulbous N. America .... 5. 6. Hb ♃ Bot. mag. t. 2204.
2? plicàta A.R. (*pu*) plaited E. Indies 1806. 6. 8. Sb ♃ Andr. reposit. t. 321.
CALOPO'GON H.K. CALOPO'GON. (καλος, beautiful, and πωγων, a bean.) Gynand. Monand.
pulchéllus H.K. tuberous-rooted N. America 1771. 7. 8. Hb ♃ Swt. br. fl. gar. t. 115.
Limodòrum tuberòsum B.M. 116. *Cymbídium pulchéllum* W.
CRY'BE B.R. CRY'BE. (κρυβεις, concealed; column.) Gynandria Monandria.
ròsea B.R. (*re*) rose-coloured Mexico 1834. 6. 8. S ♃ Bot. reg. t. 1872.
GU'NNIA B.R. GU'NNIA. (Mr. Gunn, of Van Diemen's Land.) Gynandria Monandria.
pícta B.R. (*pu.wh*) painted N. S. W. .... G ♃
POGO'NIA H.K. POGO'NIA. (πωγων, a beard; fringed.) Gynandria Monandria.
1 divaricàta H.K. (*pi*) Lily-leaved N. America 1787. 6. 7. H ♃ Catesb. car. 1. t. 58.
2 ophioglossoìdes B.R. (*pi*) Adder's-tongue ——— 1816. —— H ♃ Bot. reg. t. 148.
3 péndula B.R. (*pi*) drooping ——— 1824. —— H ♃ ——— t. 966.
Arethùsa péndula W. *parviflòra* M. *Tríphora péndula* W.
MICRO'TIS B.P. MICRO'TIS. (μικρος, and ους, an ear; append. to anther.) Gynand. Monand.
1 parviflòra B.P. (*gr*) small-flowered N. S. W. 1826. 4. 6. Fb ♃ Bot. mag. t. 3377.
2 mèdia B.P. (*gr*) middle-sized ——— 1823. —— Fb ♃ ——— t. 3378.
CYRTO'STYLIS B.P. CYRTO'STYLIS. (κυρτος, curved, and στυλος, a style.) Gynan. Monan.
renifórmis B.P. (*br*) kidney-leaved N. S. W. 1824. 4. 5. F ♃
CHILOGLO'TTIS B.P. CHILOGLO'TTIS. (χειλος, a lip, and γλωττα, a tongue.) Gyn. Mon.
diphy'lla B.P. (*br*) two-leaved N. S. W. 1826. 4. 6. Fb ♃
ERIOCHI'LUS B.P. ERIOCHI'LUS. (εριον, wool, and χειλος, a lip.) Gynandria Monandria.
autumnàlis B.P. (*bh*) autumnal N. S. W. 1823. 9.10. Gb ♃ Lab. n. holl. 2. t. 211. f. 2.
Epipáctis cucullàta Lab.
CALADE'NIA B.P. CALADE'NIA. (καλος, pretty; αδην, a gland; disk of lip.) Gynan. Monan.
1 álba B.P. (*wh*) white N. S. W. 1810. 7. 8. Gb ♃
2 cárnea B.P. (*fl*) flesh-coloured ——— 1826. 6. 7. Gb ♃
3 cœrùlea B.P. (*bl*) blue-flowered ——— —— —— Gb ♃
4 alàta B.P. (*li*) winged ——— 1823. 6. 8. Gb ♃
5 testàcea B.P. .. fringe-flowered ——— 1826. .... Gb ♃
6 Patersònii B.P. .. Paterson's ——— .... —— Gb ♃
7 dilatàta B.P. .. dilated ——— .... —— Gb ♃
8 grácilis Ait. .. slender ——— .... —— Gb ♃
9 clavígera Ait. .. club-bearing ——— .... —— Gb ♃
LYPERA'NTHUS B.P. LYPERA'NTHUS. (λυπη, sadness, and ανθος, a flower.) Gynan. Monan.
1 suavèolens B.P. (*d.br*) sweet-scented N. S. W. 1822. 5. 7. Fb ♃
2 ellípticus B.P. (*d.br*) elliptic-leaved ——— 1826. —— Fb ♃
3 nígricans B.P. (*bk*) heart-leaved ——— —— —— Fb ♃
GLOSSO'DIA B.P. GLOSSO'DIA. (γλωσσα, a tongue, and οδους, a tooth.) Gynand. Monand.
1 màjor B.P. (*bl*) larger N. S. W. 1810. 6. 8. Fb ♃
2 mìnor B.P. (*bl*) lesser ——— 1826. —— Fb ♃
PTERO'STYLIS B.P. PTERO'STYLIS. (πτερον, a wing, and στυλος, a style.) Gynan. Monan.
§ 1. *Scapes naked; radical leaves stellate; appendages of lip pencilled at apex.*
1 concínna B.P. (*br*) neat N. S. W. 1826. 4. 6. Fb ♃ Bot. mag. t. 3400.
2 ophioglóssa B.P. (*st*) adder's-tongue ——— —— —— Fb ♃
3 cúrta B.P. (*gr.st*) short-lipped ——— 1822. —— Fb ♃ Bot. mag. t. 3086.
4 acuminàta B.P. (*st*) taper-pointed ——— 1826. —— Fb ♃ ——— t. 3401.
5 cucullàta B.P. (*st*) hooded V. Diem. Isl. 1823. 5. 7. Fb ♃
6 nùtans B.P. (*st*) nodding N. S. W. 1826. —— Fb ♃ Bot. mag. t. 3085.
§ 2. *Stems leafy; appendage of labellum pencilled at top.*
7 obtùsa B.P. (*gr.wh*) blunt-lipped N. S. W. 1810. 7. 8. Fb ♃
8 refléxa B.P. (*st*) reflexed ——— 1826. 4. 6. Fb ♃
9 grandiflòra B.P. (*st*) large-flowered ——— —— —— Fb ♃
§ 3. *Stems scaly; appendage of labellum naked at top.*
10 longifòlia B.P. (*st*) long-leaved ——— 1823. 6. 8. Fb ♃
11 gibbòsa B.P. (*st*) gibbous ——— 1826. 5. 6. Fb ♃
12 Bánksii B.M. (*gr.st*) Banks's N. Zealand 1827. —— Fb ♃ Bot. mag. 3172.
SOPHRONI'TIS B.R. SOPHRONI'TIS. (σωφρων, modest.) Gynandria Monandria.
1 cérnua B.R. (*ro*) drooping Brazil 1826. 11.12. S ♃ Bot. reg. t. 1129.
2 grandiflòra B.M. (*sc*) great-flowered ——— 1837. —— S ♃ Bot. mag. t. 3709.
EPIPA'CTIS H.K. EPIPA'CTIS. (a name given by the Greeks.) Gynandria Monandria.
1 latifòlia W. (*pu*) broad-leaved Britain .... 7. 8. H ♃ Eng. bot. v. 4. t. 269.
Seràpias latifòlia E.B.
2 palústris W. (*pu.wh*) marsh ——— .... —— H ♃ Eng. bot. v. 4. t. 270.

3 **pállens** W. (*wh*) white Britain .... 6. H ♃ Eng. bot. v. 4. t. 271.
Serápias grandiflóra B.B. *Cephalanthèra pállens* Rich.
4 **ensifólia** W. (*wh*) narrow-leaved Britain .... —— H ♃ Eng. bot. v. 7. t. 494.
5 **rùbra** W. (*pu.wh*) purple —— .... 6. 7. H ♃ —— v. 7. t. 437.
6 **purpuràta** Sm. .. purpled England .... 6. H ♃

CORALLORRHI'ZA H.K. CORALLORRHI'ZA. (*κοραλλιον*, coral, and *ῥιζα*, a root.) Gy. Mo.
1 **innàta** H.K. (*st*) spurless Scotland .... 6. 7. H ♃ Eng. bot. v. 22. t. 1547.
2 **multiflòra** H.F.F.) *st*) many-flowered N. America 1824. 5. 6. H ♃ Hook. ex. flor. t. 174.
3 **odontorhìza** N. (*w.pu*) tooth-rooted —— —— 6. 7. H ♃

APLE'CTRUM N. APLE'CTRUM. (*a* priv. and *πληκτρον*, a spur; none.) Gynandria Monond.
hyemàle N. (*br*) winter N. America 1827. .... H ♃
Corallorrhìza hyemalis Nut.

CA'LEYA H.K. CA'LEYA. (George Caley, cel. bot. collector.) Gynandria Monandria.
1 **màjor** H.K. (*br.gr*) smooth-lipped N. S. W. 1810. 6. 7. F b ♃
2 **minor** (*br.gr*) tubercle-lipped —— 1822. —— F b ♃
Caleàna minor B.P.

CORYSA'NTHES B.P. CORYSA'NTHES. (*κορυς*, a helmet, and *ανθος*, a flower.) Gyn. Mon.
1 **fimbriàta** B.P. (*br*) fringed N. S. W. 1822. 5. 7. F b ♃
2 **unguiculàta** B.P. (*br*) pendulous-fld. —— —— —— F b ♃
3 **bicalcaràta** B.P. (*br*) two-spurred —— —— —— F b ♃ Sal. par. lond. t. 83?
Córybus aconitiflórus P.L.!

Tribe VII. *NEOTTIE'Æ.* Lindl.

ANŒCTOCHI'LUS B.R. ANŒTOCHI'LUS. (*ανοικτος*, open, and *χειλος*, a lip.) Gynand. Mon.
setàceus B.R. (*wh.re*) setaceous Ceylon 1836. 5. 6. Bot. reg. t. 2010.

GOODYE'RA H.K. GOODY'ERA. (John Goodyer, a British bot.) Gynandria Monandria.
1 **rèpens** H.K. (*wh*) creeping Scotland .... 7. 8. H ♃ Eng. bot. v. 5. t. 289.
Saty'rium rèpens B.B. *Neóttia rèpens* W.
2 **tessellàta** B.C. (*wh*) tessellated N. America 1823. 6. 7. H ♃ Lodd. bot. cab. t. 952.
Neóttia rèpens Ph. *Goodyèra pubéscens β mìnor* B.M. 2540.
3 **pubéscens** H.K. (*wh*) downy N. America 1802. 6. 7. H ♃ Swt. br. fl. gar. s. 2. t. 47.
4 **procèra** H.B.F. (*wh*) Nepaul Nepaul 1821 7. 12. G ♃ Hook. ex. flor. t. 39.
Neóttia procèra B.R. 639.
5 **díscolor** B.R. (*wh*) red-leaved S. America 1815. 10. 12. S ♃ Bot. reg. t. 271.

THELY'MITRA B.P. THELY'MITRA. (*θηλυς*, a woman, and *μιτρα*, a mitre.) Gyn. Monan.
1 **ixioìdes** B.P. (*bl.sp*) spotted blue N. S. W. 1810. 4. 6. F b ♃ Sm ex. bot. 1. t. 29.
2 **mèdia** B.P. (*bl*) middle —— 1820. —— F b ♃
3 **pauciflòra** B.P. (*bl*) few-flowered —— 1826. —— F b ♃
4 **angustifòlia** B.P. (*bl*) narrow-leaved —— —— 5. 6. F b ♃
5 **cárnea** B.P. (*fl*) flesh-coloured —— 1823. —— F b ♃
6 **venòsa** B.P. (*wh*) veined —— 1826. 3. 5. F b ♃
7 **Forstèri** B.P. .... Forster's N. Zealand 1824. —— F b ♃
8 **longifòlia** B.P. .... long-leaved V. D. L. —— —— F b ♃

ÆTHE'RIA B.R. ÆTHE'RIA. (*æther*, the air) Gynandria Monandria.
occúlta B.R. (*wh.gr*) hidden Mauritius 1838. —— S b ♃
Goodyèra occúlta Pet. Th.

DIU'RUS B.P. DIU'RUS. (*δις*, twice, and *ουρα*, a tail; double.) Gynandria Monandria.
1 **maculàta** B.P. (*ye.sp*) spotted N. S. W. 1823. 3. 5. F b ♃ Bot. mag. t. 3156.
2 **aúrea** B.B. (*go*) golden-flowered —— 1810. 4. 5. F b ♃ Sm. exot. bot. 1. t. 9.
3 **pedunculàta** B.P. (*ye*) peduncled —— 1822. 2. 4. F b ♃
4 **sulphùrea** B.P. (*st*) sulphur-coloured —— 1826. —— F b ♃
5 **elongàta** B.P. (*pu*) elongated —— —— —— F b ♃
6 **longifòlia** B.P. (*pu*) long-leaved —— 1824. —— F b ♃
7 **álba** B.P. (*wh*) white-flowered —— —— —— F b ♃

ORTHO'CERAS B.P. ORTHO'CERAS. (*ορθος*, straight, and *κερας*, a horn.) Gynan. Monand.
stríctum B.P. .... upright N. S. W. 1826. .... F b ♃

CRYPTO'STYLIS B.P. CRYPTOS'TYLIS. (*κρυπτος*, hidden, and *στυλος*, a style.) Gynan. Monan.
1 **erécta** B.P. (*br*) upright N. S. W. 1826. 4. 6. F b ♃
2 **longifòlia** B.P. (*br*) long-leaved —— 1822. 5. 6. F b ♃ Lab. n. holl. 2. t. 212.
Malaxis subulàta Lab.

PONTHIE'VA H.K. PONTHIE'VA. (M. de Ponthieu, a French bot.) Gynandria Monandria.
1 **glandulòsa** H.K. (*gr*) glandular W. Indies 1800. 1. 3. S ♃ Bot. mag. t. 842.
2 **petiolàta** B.B. (*br*) stalked —— 1823. 7. 8. S ♃ Bot. reg. t. 760.

PRASOPHY'LLUM B.P. PRASOPHY'LLUM. (*πρασον*, a leek, and *φυλλον*, a leaf.) Gynan. Mon
1 **elàtum** B.P. .... tall N. S. W. 1826. .... F b ♃
2 **flàvum** B.P. (*ye*) yellow —— —— 4. 6. F b ♃
3 **striàtum** B.P. (*std*) streaked —— —— .... F b ♃

4 fúscum B.P. (*br*) brown N. S. W. 1826. 5. 6. F b ♃
5 pàtens B.P. .... spreading ——— —— .... F b ♃
6 rùfum B.P. (*br*) rufous ——— —— 5. 6. F b ♃
7 fimbriàtum B.P..... fringed ——— —— .... F b ♃

CALOCHI'LUS B.P. CALOCHI'LUS. (καλος, beautiful and χειλος, a lip.) Gynand. Monand.
1 campéstris B.P.(*gr.ye.bl*)field N. S W. 1826. 4. 6. F b ♃ Bot. mag. t. 3187.
2 paludòsus B.P. (*wh*) marsh ——— —— —— F b ♃

NEO'TTIA H.K. NEO'TTIA. (νεοττια, a bird's nest; roots like.) Gynandria Monandria.
1 micrántha (*wh*) great-flowered W. Indies 1827. 3. 6. S ♃ Bot. mag. t. 2956.
Neóttia? grandiflòra B.M. t. 2956. *non* t. 2730.
2 grandiflòra B.M. (*gr*) large-flowered Brazil 1825. 2. 5. S ♃ Bot. mag. t. 2730.
Spiránthes grandiflòra Bot. reg. t. 1043.
3 bícolor B.R. (*wh*) two-coloured W. Indies 1821. 7. 8. S ♃ Bot. reg. t. 794.
4 elàta W. (*wh*) tall ——— 1790. 4. 6. S ♃ Bot. mag. t. 2026.
5 bracteòsa B.R.(*wh.ye*)bracteate Brazil 1834. —— S ♃ Bot. reg. t. 1934.
6 calcaràta B.M.(*wh.gr*)spurred Jamaica —— —— S ♃ Bot. mag. t. 3403.
7 diurética B.R.(*gr.wh*) diuretic Valparaiso 1837. .... S ♃
8 pícta H.K. (*wh*) painted-leaved Trinidad 1805. 2. 4. S ♃ Bot. mag. t. 1562.
9 cérnua H.K. (*wh*) nodding-flowered N.America 1796. 8.10. H ♃ Swt. br. fl. gar. t. 42.
10 tórtilis W. (*wh*) twisting-spiked W. Indies 1822. 6. 7. S ♃
11 æstivàlis M. (*wh*) summer Britain .... —— H ♃ Eng. bot. t. 2817.
tórtilis Ph. *non* Sw.
12 spiràlis H.K. (*wh*) Ladies-traces ——— .... 8. 9. H b ♃ Eng. bot. v. 8. t. 541.
O'phrys spiràlis E.B.
13 gemmípara Sm.(*wh*) bud-bearing Ireland .... 7. H ♃ Bart. fl. amer. t. 39.
14 pùdica (*bh*) modest China 1819. 9.12. H b ♃ Lindl. coll. t. 30.
austràlis β B.R. to 602. *Spiránthes pùdica*. Lindl. coll.
15 austràlis B.P. (*wh*) southern N. S. W. 1826. —— F b ♃

LISTE'RA H.K. LISTE'RA. (Martin Lister, M.D. cel. nat.) Gynandria Monandria.
1 ovàta H.K. (*gr*) Tway-blade Britain .... 5. 6. H ♃ Eng. bot. v. 22. t. 1548.
O'phrys ovàta E.B. *Epipáctis ovàta* W.
2 cordàta H.K. (*br.gr*) heart-leaved Britain .... 6. 7. H ♃ Eng. bot. v. 5. t. 358.
3 convallarioìdes N.(*br.gr*)small-green N. America 1826. 5. 6. H ♃ Bart. fl. amer. t. 39. f. 1.
4 Nìdis àvis (*br*) Bird's-nest Britain .... 5. H ♃ Eng. bot. v. 1. t. 48. f. 1.
O'phrys Nìdus àvis E.B. *Epipáctis Nìdis àvis* E.F. *Neóttia Nìdus àvis* R.O.

STENORHY'NCHUS R.O. STENORHY'NCHUS. (στενος, narrow, and ρυγχος, a snout.) Gyn. Mon.
1 speciòsus R.O. (*sc*) showy W. Indies 1790. 3. 6. S ♃ Bot. mag. t. 1374.
Neóttia speciòsa Hook. ex. flor. t. 39.
2 orchioìdes R.O. (*pu*) frosted-flowered Jamaica 1806. —— S ♃ Bot. reg. t. 701.
3 plantagíneus H. (*pu*) Plantain-leaved W. Indies 1825. —— S ♃ Hook. ex. flor. t. 226.
Neóttia plantagínea Hooker.
4 aphy'lla Swt. (*br.li*) leafless Trinidad —— —— S ♃ Bot. mag. 2797.
Neóttia aphylla B.M.

CHLORÆ'A L.O. CHLORÆ'A. (χλωρος, green.) Gynandria Monandria.
longibracteàta Benth.(*wh.ye*)long-bracted Chili 1837. 9.10. G ♃ Botan. 94.

SAUROGLO'SSUM B.R. SAUROGLO'SSUM. (σαυρα, a lizard, and γλωσσα, a tongue.) Gyn. Mon.
elàtum B.R. (*wh*) tall Brazil 1832. 3. 4. S ♃ Bot. reg. t. 1618.

PELE'XIA B.R. PELE'XIA. (πηλης, a helmet; size.) Gynandria Monandria.
spiranthoìdes B.R.(*gr*)decurrent-lipped W. Indies 1823. 3. S ♃ Bot. reg. t. 985.
Neóttia adnàta Sw.

Tribe VIII. *CYPREPEDIEÆ.*

CYPRIPE'DIUM W. LADIES'-SLIPPER. (κυπρις, Venus, and ποδιον, a slipper.) Gyn. Dian.
1 Calceòlus W. (*ye*) common England .... 5. 7. H ♃ Eng. bot. v. 1. t. 1.
2 parviflòrum W. (*ye*) small-flowered N.America 1759. —— H ♃ Swt. br. fl. gar. t. 80.
3 pubéscens W. (*ye*) yellow-downy ——— 1790. —— H ♃ ——— t. 71.
4 guttàtum W. (*ye*) spotted Siberia 1829. 4. 5. H ♃ Amman. ruth. p. 133. t. 22.
5 macránthos W.(*d.pu.*)great-flowered ——— —— —— H ♃ Bot. mag. t. 2938.
6 ventricòsum (*d.pu*) bellied ——— —— —— H ♃ Swt. br. fl. gar. s. 2. t. 1.
7 spectábile W.(*pu.wh*) showy N. America 1731. 6. 7. H ♃ Bot. reg. t. 1666.
álbum Bot. mag. t. 216.
α *incarnàtum* B.F.G.(*w.pu*)*flesh coloured* —— —— —— H ♃ Swt. br. fl. gar. t. 240. B.
β *álbum* B.F.G. (*wh*) *white-flowered* ——— 1827. —— H ♃ ——— t. 240. A.
8 hùmile W. (*pu.wh*) two-leaved ——— 1786. —— H ♃ Bot. mag. t. 192.

9	arietìnum W.	(*re*) ram's-head	N. America	1808. 5. 6.	H	♃	Swt. br. fl. gar. t. 213.
10	venústrum B.R.	(*pu.gr*) handsome	Nepaul	1816. 7.10.	S	♃	Bot. reg. t. 788.
11	insígne L. col.	(*gr.pu*) noble	———	1819. ——	S	♃	Bot. mag. 3412.
12	purpuràtum B.R.	(*pu*) purplish	Malay Isl.	1835. 9.12.	S	♃	Bot. reg. t. 1991.

ORDER CCXXXVII.

SCITAMI'NEÆ. *Brown prodr.* 1. *p.* 305.

GLO'BBA L. GLO'BBA. (Malay name of one of the species.) Monandria Monogynia.

1	marantìna W.	(*ye*) marantine	E. Indies	1800. 7. 8.	S	♃	Exot. bot. 2. t. 103.
2	bulbífera F.I.	(*ye*) bulb-bearing	———	1818. ——	S	♃	
3	orixénsis F.I.	(*or*) Orixian	———	1819. ——	S	♃	
4	versícolor Ex.B.	(*y.vi*) various-colour'd	———	1820. ——	S	♃	Sm. ex. bot. 2. t. 117.
	Hùra F.I.						
5	erécta DC.	(*wh*) erect	———	1820. ——	S	♃	Red. liliac. t. 174.
6	péndula F.I.	(*ye*) pendulous-fld.	———	1822. 6. 8.	S	♃	
7	Careyàna F.I.	(*ye*) Carey's	———	1821. ——	S	♃	Rosc. scit. t. 110.
8	sessiliflòra B.M.	(*ye*) sessile-flowered	———	1807. ——	S	♃	Bot. mag. t. 1428.

MANTI'SIA B.M. MANTI'SIA. (resemblance in flowers to the Mantis.) Monand. Monogy.

1	saltatòria B.M	(*bl.ye*) Opera-girl's	E. Indies	1808. 6.	S	♃	Bot. mag. t. 1320.
	Glóbba subulàta F.I. *purpùrea* A.R. 615. *saltatòria* R. scit. t. 111.						
2	spathulàta R.S.	(*bl.ye*) spathulate	E. Indies	1822. 6. 8.	S	♃	
	Glóbba spathulàta F.I.						

CURCU'MA W. TURMERIC. (*Kurkum*, Arabic name.) Monandria Monogynia.

1	aromática P.L.	(*ye.pi*) aromatic	E. Indies	1797. 4. 8.	S	♃	Sal. par. lond. t. 96.
	Zerúmbet F.I. Rheed. mal. v. 11. t. 7.						
2	Zedoària B.M.	(*ye.pi*) silky-leaved	———	—— ——	S	♃	Bot. mag. t. 1546.
3	zanthorrhìza F.I.	(*re.cr*) yellow-rooted	Amboyna	1819. 4. 5.	S	♃	
4	latifòlia R.Sc.	(*ye.pi*) broad-leaved	E. Indies	—— ——	S	♃	Rosc. scitam. t. 108.
5	elàta F.I.	(*ye.pu*) tall	———	—— ——	S	♃	——— t. 104.
6	cæ'sia F.I.	(*ye.re*) clouded-leaved	———	—— 5. 6.	S	♃	
7	æruginòsa F.I.	(*ye.re*) verdigrease	———	1807. 4. 8.	S	♃	Rosc. scitam. t. 106.
8	ferrugínea F.I.	(*ye.re*) rusty	———	1819. ——	S	♃	——— t. 105.
9	rubéscens F.I.	(*re.ye*) red	———	—— 4. 6.	S	♃	——— t. 107.
10	comòsa F.I.	(*ye.pi*) close-flowered	———	—— ——	S	♃	
11	parviflòra Wal.	(*wh.v*) small-flowered	Prome	1828. 9. 2.	S	♃	Wall. pl. as. rar. t. 57.
12	leucorrhìza F.I.	(*y.ro*) white-rooted	E. Indies	1819. 4. 6.	S	♃	Rosc. scitam. t. 102.
13	angustifòlia F.I.	(*y.pu*) narrow-leaved	———	1822. ——	S	♃	
14	lónga F.I.	(*st.bh*) long-rooted	———	1759. 6. 8.	S	♃	Bot. reg. t. 886.
15	Amàda F.I.	(*st.li*) Mango-ginger	———	1819. ——	S	♃	Rosc. scitam. t. 99.
16	viridiflòra F.I.	(*gr.st*) green-flowered	———	1820. ——	S	♃	
17	montàna F.I.	(*ye.ro*) mountain	———	1823. 4. 6.	S	♃	Roxb. corom. 2. t. 151.
18	reclinàta F.I.	(*pi*) reclining	———	1824. ——	S	♃	
19	petiolàta F.I.	(*ye.pu*) petiolate	———	1822. ——	S	♃	Rosc. scitam. t. 100.
20	rubricaúlis L.T.	(*re.ye*) red-stalked	———	1818. ——	S	♃	
21	amaríssima R.Sc.	(*re.ye*) bitter	———	1822. ——	S	♃	Rosc. scitam. t. 101.

KÆMPFE'RIA L. KÆMPFE'RIA. (Engelbert Kæmpfer, M.D., trav. in the East.) Mon.Monog.

1	Galánga W.	(*pu.wh*) officinal	E. Indies	1724. 6. 9.	S	♃	Bot. mag. t. 850.
2	rotúnda W.	(*pu.bh*) round-rooted	———	1768. 7. 8.	S	♃	——— t. 920.
3	latifòlia S.S.	(*wh*) broad-leaved	———	1803. 4. 7.	S	♃	
4	Roscoeàna B.R.	(*wh*) Roscoe's	Ava	1828. ——	S	♃	Bot. reg. t. 1212.
5	angustifòlia F.I.	(*pu.w*) narrow-leaved	E. Indies	1797. ——	S	♃	Rosc. scitam. t. 94.
6	élegans Wal.	(*pu*) elegant	Pegu	1828.	S	♃	Wall. pl. as. rar. t. 27.
7	pandurà̀ta F.I.	(*ro*) fiddle-lipped	E. Indies	1812. 4. 7.	S	♃	Bot. reg. t. 173.
8	ovalifòlia F.I.	(*pu.wh*) oval-leaved	———	1819. ——	S	♃	Rosc. scitam. t. 95.
9	marginàta R.S.	(*pu*) red-margined	———	1820. ——	S	♃	——— t. 93.

ROSCO'EA L.T. ROSCO'EA. (cel. W. Roscoe.) Monandria Monogynia.

1	purpùrea L.T.	(*pu*) purple-flowered	Nepaul	1819. 7. 8.	S	♃	Rosc. scitam. t. 64.
2	grácilis L.T.	(*pu*) slender	———	1820. ——	S	♃	
3	elàtior L.T.	(*pu*) tall	———	—— ——	S	♃	
4	spicàta L.T.	(*pu*) spiked	———	1821. ——	S	♃	
5	capitàta L.T.	(*pu*) headed	———	1819. ——	S	♃	

ZI'NGIBER L.T. GINGER. (Indian name.) Monandria Monogynia.

1	officinàle F.I.	(*pu.st*)	narrow-leaved	E. Indies	1605.	6. 8.	S ♃	Rosc. scitam. t. 83.
2	Zerúmbet F.I.	(*st*)	broad-leaved	———	1690.	9.11.	S ♃	Sm. exot. bot. 2. t. 112.
3	Cassumùnar B.M.	(*wh*)	downy-leaved	———	1796.	8.	S ♃	Bot. mag. t. 1426.
	purpùreum L.T. *Amòmum Cliffórdiæ* And. repos. t. 555.							
4	ròseum F.I.	(*ro.st*)	rose-coloured	E. Indies	1822.	6. 8.	S ♃	Roxb. corom. 2. t. 126.
5	ligulàtum F.I.	(*pi.ye*)	ligulate	———	——	——	S ♃	
6	rùbens F.I.	(*re*)	red-flowered	———	1820.	5.11.	S ♃	Rosc. scitam. t. 88.
7	squarròsum F.I.	(*wh*)	squarrose	———	——	——	S ♃	——— t. 89.
8	panduràtum F.I.	(*st.re*)	fiddle-leaved	———	1819.	5. 8.	S ♃	
9	Mióga L.T.	(*pi*)	Japanese	Japan	1796.	——	S ♃	Kæmpf. ic. Banks. t. 1.
10	chrysánthum R.Sc.	(*ye*)	yellow-fld.	Nepaul	1821.	——	S ♃	Rosc. scitam. t. 86.
11	capitàtum F.I.	(*ye*)	headed	E. Indies	1820.	6. 9.	S ♄	——— t. 90.
12	elàtum F.I.	(*ye*)	tall	———	——	——	S ♃	——— t. 91.

AMO'MUM F.I. AMO'MUM. (*a* priv. and *μωμος*, impurity.) Monandria Monogynia.

1	Afzèlii L.T.	(*pi*)	sweet-scented	SierraLeone	1795.	5. 6.	S ♃	Ann. bot. 1. t. 13.
2	latifòlium Afz.	(*re*)	broad-leaved	———	——	——	S ♃	
3	grandiflòrum R.S.	(*pi.w*)	large-flower'd	———	——	6. 7.	S ♃	Sm. exot. bot. t. 3.
4	sylvéstre R.S.	(*ye*)	wood	Jamaica	1804.	5. 7.	S ♃	Sloan. hist. 1. t. 105. f. 2.
5	Cardamòmum F.I.	(*ye*)	bastard Cardamon	E. Indies	1820.	4. 6.	S ♃	Rumph. amb. 5. t. 65. f. 1.
6	angustifòlium F.I.	(*re.y*)	narrow-leaved	Madagascar	——	——	S ♃	Sonnerat. it. 2. f. 137.
7	aculeàtum F.I.	(*or.cr*)	bristly-capsuled	E. Indies	1823.	6. 8.	S ♃	
8	máximum F.I.	(*re.ye*)	great	———	——	——	S ♃	Bot. reg. t. 929.
9	dealbàtum F.I.	(*wh*)	insipid-seeded	———	1819.	——	S ♃	
10	subulàtum F.I.	(*ye*)	subulate-bracted	———	——	5. 7.	S ♃	
11	aromáticum F.I.	(*st*)	aromatic	———	1823.	——	S ♃	
12	seríceum F.I.	(*wh.pi*)	silky-leaved	———	1819.	6. 8.	S ♃	
13	gràna-paradìsi W.	(*re*)	Grains of Paradise	Madagascar....		2. 4.	S ♃	Blackw. t. 385.

CO'STUS F.I. CO'STUS. (*gosth*, the Arabic name of a species.) Monandria Monogynia.

1	speciòsus F.I.	(*wh*)	large-flowered	E. Indies	1794.	8. 9.	S ♃	Jacq. ic. 1. t. 1.
2	nepalénsis R.Sc.	(*wh*)	Nepaul	Nepaul	1818.	——	S ♃	Rosc. scitam. t. 80.
	speciòsus β Bot. reg. 665.							
3	cylíndricus R.S.	(*wh.re*)	cylindrical-spiked	Brazil	1822.	5. 9.	S ♃	Rosc. scitam. t. 78.
	Pisònis Bot. reg. t. 899.							
4	àfer B.R.	(*wh*)	African	SierraLeone	——	——	S ♃	Bot. reg. t. 683.
5	díscolor R. Sc.	(*wh*)	two-coloured	Maranham	1823.	——	S ♃	Rosc. scitam. t. 81.
6	maculàtus R.Sc.	(*wh*)	spotted-stalked	SierraLeone	1822.	——	S ♃	——— t. 82.
7	lanàtus L.C.	(*wh*)	woolly	.....	——	——	S ♃	
8	spicàtus L.T.	(*ye*)	spiked	S. America	1793.	6.	S ♃	Rosc. scitam. t. 77.
9	comòsus L.T.	(*re.ye*)	tufted	———	1815.	——	S ♃	Jacq. ic. 3. t. 202.
	Alpínia comòsa Jacq.							
10	spiràlis L.T.	(*re*)	spiral	———	——	5. 7.	S ♃	Jacq. schœn. 1. t. 1.
11	píctus B.R.	(*ye.re*)	painted	Mexico	....	8. 9.	S ♃	Bot. reg. t. 1594.
12	villosíssimus R.S.	(*ye*)	villous	W. Indies	1823.	——	S ♃	Jacq. fragm. t. 80.
13	arábicus L.T.	(*wh*)	Arabian	Arabia	1752.	8.	S ♃	

HELLE'NIA B.P. HELLE'NIA. (C. N. Hellenius, prof. Abo.) Monandria Monogynia.

	cœrùlea B.P.	(*bh*)	blue-berried	N. Holland	1820.	5. 6.	G ♃	Rosc. scitam. t. 76.

ALPI'NIA L.T. ALPI'NIA. (Prosper Alpinus, prof. bot. Bologna.) Monandria Monogynia.

1	Allúghas F.I.	(*wh.re*)	glossy-leaved	E. Indies	1796.	2. 3.	S ♃	Rosc. scitam. t. 67.
	Hellènia Allúghas Andr. reposit. t. 501.							
2	racemòsa L.T.	(*wh*)	clustered	W. Indies	1752.	7. 9.	S ♃	Plum. ic. 11. t. 20.
3	Galánga F.I.	(*g.wh*)	Galanga-major	E. Indies	1818.	6.10.	S ♃	Rumph. amb. 5. t. 63.
4	Roxbúrghii	(*w.cr*)	Roxburgh's	———	1820.	——	S ♃	
	bracteàta F.I. *non* T.L.							
5	malaccénsis F.I.	(*w.y.cr*)	woolly-leaved	———	1799.	4. 6.	S ♃	Bot. reg. t. 328.
6	nùtans F.I.	(*re.ye*)	nodding-fld.	———	1792.	——	S ♃	Bot. mag. t. 1903.
	Renealmia nùtans A.R. 360.							
7	cérnua B.M.	(*y.wh.pu*)	drooping	———	1790.	——	S ♃	Bot. mag. t. 1900.
8	auriculàta R.Sc.	(*y.re*)	eared	———	1815.	——	S ♃	Rosc. scitam. t. 74.
9	diffíssa L.T.	(*ye*)	cloven	China	——	——	S ♃	——— t. 71.
10	mùtica F.I.	(*ye.re*)	spurless	E. Indies	1811.	4. 9.	S ♃	——— t. 69.
11	calcaràta F.I.	(*re.ro*)	upright spiked	China	1804.	9.	S ♃	Andr. reposit. t. 421.
12	spicàta F.I.	(*wh.pu*)	spiked	E. Indies	1823.	6. 9.	S ♃	
13	striàta L.en.	(*std.*)	striated	———	1818.	——	S ♃	
14	bracteàta L.T.	(*ye.re*)	bracted	China	1823.	5. 8.	S ♃	Rosc. scitam. t. 70.
	Roscoeàna R.S.							
15	magnífica R.Sc.	(*sc*)	magnificent	Madagascar	1826.	....	S ♃	Bot. mag. t. 3192.

RENEA'LMIA R.Sc. RENEA'LMIA. (Paul Reneaulme, a French bot.) Monandria Monogynia.

1	antillàrum R.S.	(*ff*)	Antilles	Antilles	1826.	5. 8.	S ♃	Sloan. jam. t. 105. f. 2.

2 occidentàlis (*pa*) occidental Jamaica 1793. 5. 7. S ♃ Gært. fruct. 1. t. 12.
Alpínia occidentàlis L.T.
3 exaltàta R.Sc. (*re*) tubular-flower'd Demerara 1820. 7. 8. S ♃ Rosc. scitam. t. 65.
Alpínia tubulàta Bot. reg. t. 777.
4 punícea (*cr*) bright red E. Indies —— —— S ♃
Alpínia punícea F.I.
5 Cardamòmum mèdium (*re*) 9-winged ——— —— —— S ♃
6 linguifórmis F.I. (*re*) tongue-lipped ——— 1825. .... S ♃

ELETTA'RIA L.T. CARDAMON. (not explained.) Monandria Monogynia.
Cardamòmum L.T. (*w.pu*) true E. Indies 1815. .... S ♃ Lin. trans. 10. t. 4. 5.
Alpínia Cardamòmum F.I. *Amòmum Cardamòmum* L.

HEDY'CHIUM F.I. GARLAND-FLOWER. (ἡδυς, sweet, and χιων, snow.) Monandria Monogynia.
1 angustifòlium R.Sc. (*sc*) narrow-leaved E. Indies 1815. 5.12. S ♃ Rosc. scitam. t. 60.
2 aurantìacum R.Sc. (*or*) orange-colour'd ——— —— —— S ♃ ——— t. 61.
angustifòlium B.R. 157. *non* Roxb.
3 coccíneum R.Sc. (*sc*) scarlet Nepaul 1818. —— S ♃ Rosc. scitam. t. 59.
angustifòlium B.M. *non* Roxb.
4 longifòlium R.Sc. (*sc*) long-leaved E. Indies 1819. 6.11. S ♃ Rosc. scitam. t. 58.
5 cárneum R.Sc. (*re*) flesh-coloured ——— —— —— S ♃ Bot. mag. t. 2637.
6 flàvum R.Sc. (*ye*) yellow ——— 1818. —— S ♃ ——— t. 3039.
7 flavéscens R.Sc. (*st*) yellowish ——— 1821. —— S ♃ Rosc. scitam. t. 50.
8 thyrsifórme s.s. (*wh*) thyrse-flowered ——— 1819. 7.11. S ♃ ——— t. 56.
heteromállum Bot. reg. t. 767.
9 villòsum F.I. (*st*) villous ——— 1815. 6.11. S ♃ Rosc. scitam. t. 54.
10 urophy'llum Wal. (*ye*) tailled-leaved India 1828. 9. S ♃ Bot. cab. t. 1785.
11 glaúcum R.Sc. (*wh*) glaucous E. Indies 1820. 6.11. S ♃ Rosc. scitam. t. 53.
12 ellípticum R.Sc. (*wh*) elliptic-leaved ——— —— 5. 8. S ♃ ——— t. 55.
13 acuminatum R.Sc. (*w.or*) taper-pointed ——— 1822. —— S ♃ Bot. mag. t. 2969.
14 stenopétalum Wall. (*wh*) narrow-petalled ——— 1830. 3. 4. S ♃ Bot. cab. 1902.
15 elàtum B.R. (*bh*) tall Nepaul 1818. 7.12. S ♃ Bot. reg. t. 526.
16 speciòsum F.I. (*ye*) beautiful E. Indies 1823. 8.10. S ♃
17 máximum R.Sc. (*wh*) large-flowered ——— 1819. 5. 9. S ♃ Rosc. scitam. t. 52.
18 coronàrium F.I. (*wh*) sweet-scented ——— 1793. 7. 9. S ♃ Bot. mag. t. 708.
19 Gardneriànum R.Sc. (*ye*) Gardner's Nepaul 1818. —— S ♃ Bot. reg. t. 771.
20 spicàtum B.M. (*bh*) spiked ——— 1820. 8.11. S ♃ Bot. mag. t. 2300.
21 grácile F.I. (*wh*) slender E. Indies 1821. —— S ♃

ORDER CCXXXVIII.

CA'NNEÆ. *Brown prodr.* 1. *p.* 307.

PHRY'NIUM R.Sc. PHRY'NIUM. (φρυνος, a frog; grows in humid places.) Monand. Monogy.
1 dichótomum F.I. (*wh*) forked E. Indies 1807. 6. 9. S ♃ Rumph. amb. 4. t. 7.
2 virgàtum F.I. (*wh*) slender-stem'd ——— 1818. —— S ♃
3 spicàtum F.I. (*wh*) spiked ——— —— —— S ♃
4 imbricàtum F.I. (*li*) imbricated ——— 1824. 5. 8. S ♃
5 grandiflòrum R.Sc. (*st*) great-flowered Brazil 1819. 6. 8. S ♃ Rosc. scitam. t. 33.
6 parviflòrum F.I. (*ye*) small-flowered E. Indies —— 5. 9. S ♃ ——— t. 34.
7 capitàtum F.I. (*ro*) capitate ——— 1820. —— S ♃ Rheed. mal. 11. t. 34.
8 violàceum R.Sc. (*vi*) violet-coloured Brazil 1823. 6. 8. S ♃ Rosc. scitam. t. 37.
Calathèa violàcea Bot. reg. t. 961.
9 comòsum R.Sc. (*ye*) tufted Trinidad 1812. —— S ♃ Rosc. scitam. t. 35.
10 zebrìnum R.Sc. (*pu*) Zebra plant Brazil 1815. 4. 7. S ♃ ——— t. 36.
Maránta zebrìna Bot. reg. t. 385. *Calathèa zebrìna* B.R.
11 flavéscens (*ye*) yellowish Brazil 1823. 6. 8. S ♃ Bot. reg. t. 932.
Calathèa flavéscens B.R.
12 Alloùya R.Sc. (*wh*) variegated Guiana 1824. —— S ♃ Rosc. scitam. t. 38.
13 Myrósma R.Sc. (*wh*) Canna-like Surinam 1825. —— S ♃ ——— t. 39.
14 cylíndricum R.Sc. (*st*) cylindrical Brazil —— 2. 3. S ♃ ——— t. 40.
15 setòsum R.Sc. (*pu*) bristly ——— 1826. —— S ♃ ——— t. 41.
Maránta secúnda Gr.
16 coloràtum B.M. (*or*) orange-coloured ——— 1828. 4. 5. S ♃ Bot. mag. t. 3010.
17 Parkèri R.Sc. (*ye*) Parker's Grenada 1826. 2. 3. S ♃ Rosc. scitam. t. 42.

18	Casùpo R.Sc.	(*ye*)	two-coloured	Trinidad	1823.	6. 8.	S ♃	Rosc. scitam. t. 43.
	Calathèa discolor B. *Maránta Casùpo* Jacq. frag. t. 63. f. 4.							
19	ellípticum R.Sc.	(*st*)	elliptic-leaved	Guiana	1823.	6. 8.	S ♃	Rosc. scitam. t. 44.
20	Róssii L.C.	(*ye*)	Ross's	Brazil	1825.	4. 7.	S ♃	
21	villòsum L.C.	(*ye*)	villous	———	——	——	S ♃	
22	lùteum.	(*wh*)	yellow-bracted	Caracas	1809.	6. 7.	S ♃	Jacq. ic. 2. t. 29.
	Maránta lùtea Jacq. *Jacquìni* R.S.							
23	obliquum L.C.	(*ye*)	oblique-leaved	E. Indies	1824.	5. 9.	S ♃	
24	angustifòlium L.C.	(*ye*)	narrow-leaved	———	——	——	S ♃	
25	littoràle Led.	(*ye*)	sea-side	Brazil	1827.	——	S ♃	
26	longibracteàtum B.R.	(*li*)	long-bracted	———	1824.	6. 7.	S ♃	Bot. reg. t. 1020.
27	grandifòlium B.R.	(*ye*)	large-leaved	———	1825.	——	S ♃	——— t. 1210.
28	maciléntum B.R.	(*wh*)	meagre	———	——	——	S ♃	
29	orbiculàtum B.C.	(*ye*)	round-leaved	W. Indies?	1830.	8.10.	S ♃	Bot. cab. t. 1879.
THA'LIA W.			THA'LIA. (John Thalius, M.D., a German bot.)					Monandria Monogynia
1	dealbàta L.T.	(*da.pu*)	mealy	Carolina	1791.	7. 9.	H*w* ♃	Bot. mag. t. 1690.
2	geniculàta R.Sc.	(*bl*)	jointed	Demerara	1824.	6. 8.	S ♃	Rosc. scitam. t. 45.
CA'NNA W.			INDIAN SHOT. (Celtic word for a cane.)					Monandria Monogynia.
1	índica R.Sc.	(*sc*)	common	W. Indies	1570.	1.12.	S ♃	Rosc. scitam. t. 1.
2	coccínea L.T.	(*sc*)	scarlet	———	1731.	——	S ♃	——— t. 11.
3	lùtea L.T.	(*ye*)	yellow	S. America	1629.	——	S ♃	——— t. 18.
4	orientàlis R.Sc.	(*sc*)	oriental	E. Indies	1570.	——	S ♃	——— t. 12.
	β flàva	(*ye*)	*yellow Indian*	———	——	——	S ♃	——— t. 13.
	γ maculàta	(*sc.ye*)	*spotted-flowered*	———	——	——	S ♃	Bot. mag. t. 2085.
5	pàtens B.R.	(*sc.ye*)	spreading	China	1771.	7.10	H ♃	Bot. reg. t. 576.
6	Achìras Gill.	(*re*)	Achiras	Mendoza	1829.	8.	G ♃	——— t. 1358.
7	speciòsa B.M.	(*sc.ye*)	showy	Nepaul	1820.	7.10.	H ♃	Bot. mag. t. 2317.
8	gigantèa B.R.	(*or*)	gigantic	S. America	1788.	1.12.	S ♃	Bot. reg. t. 206.
9	latifòlia R.Sc.	(*sc*)	broad-leaved	———	——	——	S ♃	Rosc. scitam. t. 4.
10	edùlis B.R.	(*sc*)	eatable	Peru	1820.	6.10.	S ♃	Bot. reg. t. 775.
11	rubricaúlis Lk.	(*re*)	red-stemmed	.....	1821.	——	S ♃	
12	angustifòlia B.R.	(*sc*)	narrow-leaved	S. America	1824.	——	S ♃	Pis. bras. icon.
13	díscolor B.R.	(*sc*)	crimson-leaved	Trinidad	1827.	8.12.	S ♃	Bot. reg. t. 1231.
14	Lambérti B.R.	(*cr*)	Mr. Lambert's	———	1818.	5. 8.	S ♃	——— t. 470.
15	excélsa B.C.	(*sc*)	tall	Brazil	1820.	1.12.	S ♃	Lodd. bot. cab. t. 741.
16	limbàta R.Sc.	(*sc.ye.*)	bordered	———	1818.	——	S ♃	Rosc. scitam. t. 9.
	aúro-vittàta Lodd. bot. cab. t. 449.							
17	pállida R.Sc.	(*st*)	pale	W. Indies	1823.	——	S ♃	Rosc. scitam. t. 19.
	lagunénsis Bot. reg. t. 1311.							
	β punctàta	(*ye*)	*spotted-flowered*	———	——	——	S ♃	Rosc. scitam. t. 20.
18	aurantìaca R.Sc.	(*or*)	orange-coloured	Brazil	——	——	S ♃	——— t. 21.
19	compácta R.Sc.	(*cr*)	compact	S. America	——	——	S ♃	——— t. 22.
20	pedunculàta R.Sc.	(*ye*)	stalked	Brazil	1820.	——	S ♃	——— t. 8.
21	denudàta R.Sc.	(*sc.ye*)	naked-stalked	———	——	——	S ♃	——— t. 23.
22	sylvéstris R.Sc.	(*cr*)	wood	S. America	1813.	——	S ♃	——— t. 10.
23	lanuginòsa R.Sc.	(*sc*)	woolly-stemmed	Maranham	1823.	——	S ♃	——— t. 16.
24	cárnea R.Sc.	(*fl*)	flesh-coloured	Brazil	1822.	——	S ♃	——— t. 15.
25	lanceolàta L.C.	(*sc*)	spear-leaved	———	1820.	——	S ♃	
26	esculénta L.C.	(*sc*)	esculent	S. America	——	——	S ♃	
27	polymórpha L.C.	(*sc*)	variable	———	1824.	——	S ♃	
28	juncea R.S.	(*re*)	rushy	India	....	——	S ♃	
29	cròcea Lag.	(*cop*)	copper-coloured	S. America	....	——	S ♃	
30	iridifòra B.M.	(*cr*)	nodding-flow'd	Peru	1816.	——	S ♃	Bot. reg. 609.
31	Reévesii B.R.	(*ye*)	Reeves's	China	....	5. 6.	S ♃	Bot. reg. t. 2004.
32	fláccida R. Sc.	(*ye*)	flaccid	S. Carolina	1788.	1.12.	S ♃	Rosc. scitam. t. 6.
33	glaúca L.T.	(*ye*)	glaucous	S. America	1732.	——	S ♃	Sm. exot. bot. t. 102.
	β rùfa B.M.	(*ye*)	*brown*	———	....	——	S ♃	Bot. mag. t. 2302.
	γ rùbro-lùtea B.M.	(*ye.re*)	*reddish-yellow*	Jamaica	1834.	——	S ♃	——— t. 3437.
MARA'NTA R.S.			ARROW-ROOT. (B. Maranta, M.D., a Venetian bot.)					Monan. Monogy.
1	arundinàcea R.S.	(*wh*)	Indian	S. America	1732.	7. 8.	S ♃	Bot. mag. t. 2307.
2	índica R.S.	(*wh*)	smooth-leaved	India	....	——	S ♃	Sloan. jam. t. 149.
3	grácilis R.S.	(*wh*)	slender	Guiana	1823.	——	S ♃	Rudge. guian. t. 3.
4	divaricàta R.Sc.	(*wh*)	spreading	Brazil	1825.	——	S ♃	Rosc. scitam. t. 27.
	β purpùrea R.Sc.	(*pu*)	*purple-flowered*	———	——	——	S ♃	——— t. 28.
5	lùtea R.S.	(*ye*)	yellow	Caracas	1809.	——	S ♃	Jacq. ic. rar. 2. t. 201.
6	Tónchat R.S.	(*pa.bl*)	ovate	E. Indies	1819.	....	S ♃	Rumph. amb. 4. t. 7.
7	angustifòlia B.M.	(*li*)	narrow-leaved	W. Indies	1820.	7. 8.	S ♃	Bot. mag. t. 2398.
8	cuspidàta R.Sc.	(*ye*)	cuspidate	SierraLeon.	1822.	——	S ♃	Rosc. scitam. t. 31.
9	bícolor B.R.	(*wh*)	two-coloured	S. America	1823.	1.12.	S ♃	Bot. reg. t. 786.
	β mìnor B.C.	(*wh*)	*small*	———	1828.	——	S ♃	Bot. cab. t. 1924.

10	gíbba R.S.	(wh)	gibbous	S. America	1823. 1.12.	S	♃	Rosc. scitam t. 29.
11	obliqua R.S.	(re)	oblique	Guiana	1803. 10.1.	S	♃	Rudg. gui. t. 11.
12	petiolàta R.S.	(wh)	petiolate	———	1818. ——	S	♃	——— t. 37.
13	sylvática L.T.	(wh)	wood	W. Indies	1799. 8. 9.	S	♃	

ORDER CCXXXIX.

MUSA'CEÆ. *Juss. gen.* 61.

MU'SA L. PLANTAIN-TREE. (altered from *mauz*, Arabic name.) Polygam. Monœc.

1	paradisìaca W.	(br.cr)	common	India	1690. 10.12.	S	♄	Trew. ehret. 3. t. 18-20.
2	sapiéntum W.	(br.cr)	Banana-tree	W. Indies	1729. 10.3.	S	♄	——— 4. t. 21-23.
3	maculàta W.	(br.pi)	spotted-fruited	Mauritius	1818. ——	S	♄	
4	rosàcea W.	(ro)	rose-coloured	———	1805. 3· 6.	S	♄	Bot. reg. t. 706.
5	coccínea W.	(sc)	scarlet-flower'd	China	1792. 12.3.	S	♄	Andr. reposit. t. 47.
6	ornàta F.I.	(li.or)	handsome	E. Indies	1823.	S	♄	
7	supérba F.I.	(br.pa)	superb	———	——	S	♃	
8	glaúca F.I.	(ye)	glaucous	———	1824.	S	♃	
9	chinénsis *Cavendishii* Paxt.	(sc)	dwarf-Chinese	China	1829.	S	♃	Paxt. mag. bot. icon.

URA'NIA W. URA'NIA. (*ουρανιος*, sublime; beauty.) Hexandria Monogynia.

speciòsa W. *Ravenàlia madagascariénsis* Jacq.	(wh)	Plantain-leaved	Madagascar	1813.	S	♄	Jacq. schœn. 1. t. 93.

STRELI'TZIA H.K. STRELI'TZIA. (in compliment to the late Queen Charlotte.) Pent. Mon.

1	angústa H.K.	(wh)	Plaintain-like	C. B. S.	1791. 2. 5.	S	♄	Ker's Strelitz. ic.
2	reginæ H.K.	(ye.bl)	Canna-leaved	———	1773. 4. 5.	I	♃	Redout. lil. t. 77. 88.
3	ovàta H.K.	(ye.bl)	oval leaved	———	1777. 2. 4.	I	♃	Bot. mag. t. 119. 120.
4	hùmilis L.en.	(ye.bl)	dwarf	———	.... ——	I	♃	
5	farinòsa H.K.	(ye.bl)	mealy-stalked	———	1795. ——	I	♃	Ker's Strelitz. ic.
6	angustifòlia H.K.	(ye.bl)	narrow-leaved	———	1778. 5. 6.	I	♃	——— ic.
7	parvifòlia H.K.	(ye.bl)	small-leaved	———	1796. 5. 7.	I	♃	——— ic.
	β juncea B.R.	(ye.bl)	*rush-like*	———	—— ——	I	♃	Bot. reg. t. 516.

HELICO'NIA R.S. HELICO'NIA. (*Helicon*, mountain of the Muses.) Pentand. Monogyn.

1	Bihài W.	(re.sm)	Plantain-leaved	W. Indies	1786. 4. 5.	S	♃	Bot. reg. t. 374.
2	caribæ'a R.S.	(or)	Caribean	———	1798. ——	S	♃	Plum. gen. t. 59.
3	Bállia R.S.	(or)	Ballia	Maranham	1823.	S	♃	Merian. surin. t. 54.
4	hùmilis R.S.	(sc)	dwarf	Caracas	1798. 5. 6.	S	♃	Jacq. schœn. 1. t. 48. 49
5	psittacòrum R.S.	(ye.re)	Parrot-beaked	W. Indies	1797. 8. 9.	S	♃	Andr. reposit. t. 124.
6	Swartziàna R.S. *psittacòrum β* B.M.	(or)	Swartz's	Jamaica	—— ——	S	♃	Bot. mag. t. 502.
7	dealbàta L.C.	(ye)	mealy	S. America	1823. ——	S	♃	
8	brasiliénsis Hook.	(sc)	Brazilian	Brazil	1820. 8.	S	♃	Hook. ex. flor. t. 190.
9	bícolor Benth.	(wh.sc)	two-coloured	———	1828.	S	♃	Botan. t. 101.
10	hirsùta R.S.	(ye)	hairy-bracted	S. America	1823. 8. 9.	S	♃	
11	buccinàta F.I.	(st)	Indian	E. Indies	1820. 6. 8.	S	♃	Rumph. amb. 5. t. 62. f. 2.
12	pulverulénta B.R.	(gr.sc)	powdery	S. America	.... ——	S	♃	Bot. reg. t. 1648.

ORDER CCXL.

IRI'DEÆ. *Brown prodr.* 302.

I'RIS B.M. FLOWER-DE-LUCE. (*ιρις*, the eye; colour of flowers.) Triand. Monog.

§ 1. *Corollas bearded; leaves ensiform.*

1	susiàna R.S.	(br.bl)	Chalcedonian	Levant	1596. 3. 4.	H	♃	Bot. mag. t. 91.
2	lívida Trat. *susiàna* Redoute *non* B.M.	(pu.bl)	livid	———	—— ——	H	♃	Redout. lil. 1. t. 18.
3	florentìna R.S.	(wh)	Florentine	S. Europe	—— 5. 6.	H	♃	Bot. mag. t. 671.

4	germánica R.S.	(*bl*) German	Germany	1573.	5. 6.	H	♃	Bot. mag. t. 670.
5	subbiflòra B.M.	(*bl*) double-bearing	Portugal	1596.	4. 5.	H	♃	——— t. 1130.
6	pállida R.S.	(*pa.bl*) pale Turkey	Turkey	——	5. 6.	H	♃	——— t. 685.
	nepalénsis Bot. reg. t. 818. *non* Don. prodr.							
7	longiflòra R.S.	(*pa.bl.*) long-flowered	.....	1824.	——	H	♃	
8	flavéscens R.S.	(*st*) pale yellow	Switzerland	1825.	——	H	♃	Swt. br. fl. gar. s. 2. t. [illegible]
9	sórdida W. en.	(*pa.ye*) dull-flowered	———	1818.	——	H	♃	
10	sambúcina R.S.	(*pu.wh*) Elder-scented	S. Europe	1658.	6.	H	♃	Bot. mag. t. 187.
11	squàlens R.S.	(*pu.ye*) brown-flowered	———	1768.	——	H	♃	——— t. 787.
12	lùrida R.S.	(*da.pu*) dark brown	———	1758.	4. 5.	H	♃	——— t. 669. 986.
13	variegàta R.S.	(*pa.ye*) variegated	Hungary	1597.	5. 6.	H	♃	——— t. 16.
	β limbàta R.S.	(*pu.ye*) *yellow-limbed*	N. America	....	——	H	♃	
14	neglécta R.S.	(*bl.wh*) Horneman's	.....	1820.	6.	H	♃	Bot. mag. t. 2435.
15	viréscens R.L.	(*st*) greenish-flower'd	.....	1824.	5. 6.	H	♃	Redout. lil. 5. t. 295.
16	Swértii R.S.	(*bl.wh*) reflex-flowered	.....	1748.	——	H	♃	Swt. br. fl. gar. s. 2. t. [illegible]
	aphy'lla γ B.R. t. 870.							
17	plicàta R.S.	(*bl*) plaited-leaved	Hungary	1823.	——	H	♃	Bot. mag. t. 870.
18	amœ'na R.L.	(*pu.wh*) pretty	.....	——	——	H	♃	Redout. lil. 8. t. 336.
19	biflòra R.S.	(*vi.pu*) two-flowered	S. Europe	1596.	4. 9.	H	♃	Besl. h. eyst. 8. f. 1.
20	furcàta R.S.	(*bl*) forked	Tauria	1822.	3. 4.	H	♃	Bot. reg. t. 801.
21	cristàta R.S.	(*bl.ye*) crested	N. America	1756.	5.	H	♃	Bot. mag. t. 412.
22	fimbriàta V.	(*bl*) fringed	China	1792.	5. 5.	F	♃	Vent. cels. t. 9.
	chinénsis Bot. mag. t. 373.							
23	dichótoma R.S.	(*vi.pu*) forked	Dauria	1784.	6. 8.	H	♃	Swt. br. fl. gar. t. 96.
24	nudicaúlis R.S.	(*pu.wh*) naked-stalked	.....	1748.	5. 6.	H	♃	
	aphy'lla W.							
25	arenària R.S.	(*ye*) sand	Hungary	1802.	——	H	♃	Bot. reg. t. 549.
26	lutéscens R.S.	(*ye*) dwarf-yellow	Germany	1748.	4. 5.	H	♃	Redout. lil. 5. t. 263.?
	pùmila var. *lùtea* Bot. mag. t. 1209.							
27	flavíssima R.S.	(*ye*) bright-yellow	Siberia	1814.	5. 6.	H	♃	Jacq. ic. 3. t. 220.
	lutéscens Bot. mag. t. 2861. *nec aliorum.*							
28	pùmila R.S.	(*bl*) dwarf	Austria	1596.	4. 5.	H	♃	Bot. mag. t. 9.
29	violàcea	(*vi*) violet-coloured	S. Europe	....	——	H	♃	——— t. 1261.
	pùmila var. *violàcea* B.M.							
30	hungárica R.S.	(*bl*) Hungarian	Hungary	1815.	5.	H	♃	Swt. br. fl. gar. t. 74.
31	ibérica R.S.	(*vi*) Iberian	Iberia	1821.	5. 6.	H	♃	
	§ 2. *Corollas beardless; leaves ensiform.*							
32	Pseùd-A'corus R.S.	(*ye*) yellow-water	Britain	....	6.	H	♃	Eng. bot. v. 9. t. 578.
	β pállido-flàva B.M.	(*ye*) *pale-yellow*	N. America	1812.	——	H	♃	Bot. mag. t. 2239.
33	Monnièrii R.S	(*ye*) Le Monnier's	Levant	1820.	6. 7.	H	♃	Redout. lil. 4. t. 236.
34	taúrica B.C.	(*ye*) Taurian	Tauria	1826.	5. 6.	H	♃	Lodd. bot. cab. t. 1506.
35	fœtidíssima R.S.	(*br.bl*) Gladwyn	Britain	....	6.	H	♃	Eng. bot. v. 9. t. 596.
	β variegàta	(*br.bl*) *striped-leaved*	———	....	——	H	♃	
36	versícolor R.S.	(*pu.ye*) various-coloured	N. America	1732.	5. 6.	H	♃	Bot. mag. t. 21.
37	fúlva B.M.	(*co*) copper-colour'd	———	1812.	6. 7.	H	♃	——— t. 1496.
	cùprea Ph. published 1814. *fúlva* B.M. published 1812.							
38	tridentàta Ph.	(*bl*) three-toothed	N. America	1824.	7.	H	♃	Swt. br. fl. gar. t. 274.
	tripétala Bot. mag. t. 2886. *scarcely the same species.*							
39	virgínica R.S.	(*bl.pu*) Virginian	Virginia	1758.	6. 7.	H	♃	Bot. mag. t. 703.
40	grácilis Bolt.	(*pu.ye*) Bolton's	N. America	1812.	——	H	♃	
	Boltoniàna R.S.							
41	spùria B.M.	(*bl*) spurious	Siberia	1759.	7.	H	♃	Swt. br. fl. gar. s. 2. t. 328
	halóphila Ker. bot. mag. t. 1131.							
	β minor D.D.	(*bl*) smaller	———	——	——	H	♃	Bot. mag. t. 58.
	spùria B.M.							
42	nòtha M.B.	(*bl*) hybrid	———	1780.	——	H	♃	Bieb. cent. pl. ros. 2. t. 77.
	halóphila Bot. mag. t. 875.							
43	ochroleùca L.	(*st*) sulphur-coloured	Levant	1757.	——	H	♃	Bot. mag. t. 61.
44	halóphila Pal.	(*st*) long-leaved	Siberia	1780.	7. 9.	H	♃	
45	stenógyna R.L.	(*st*) cream-coloured	Caucasus	1804.	7.	H	♃	Bot. mag. t. 1515.
46	desertòrum Guld.	(*bl.st*) sweet-scented	Russia	1811.	——	H	♃	——— t. 1514.
	spatulàta W. en.							
47	heterophy'lla S.S.	(*st*) various-leaved	.....	——	——	H	♃	
48	lævigàta F.	.... smooth	Dahuria	1828.	....	H	♃	
49	vérna M.	(*bl*) vernal	N. America	1748.	4. 5.	H	♃	Swt. br. fl. gar. t. 68.
50	ventricòsa R.S.	(*pa.bl*) bellied	Dahuria	1800.	6.	H	♃	Pall. it. 3. t. B. f. 1.
51	sibírica R.S.	(*bl.st*) flaccid-leaved	Siberia	1596.	5. 6.	H	♃	Bot. mag. t. 50.
52	flexuòsa R.S.	(*wh*) flexuose	Germany	....	——	H	♃	Murr. c. gott. 7. t. 4.
	sibírica β álba B.M. t. 1163. *Redoute liliac* t. 438. *acùta β álba* W. enum.							

53 acùta W.en. (*bl*) straight-leaved Siberia .... 5. 6. H ♃
54 triflòra W.en. (*bl*) three-flowered Italy 1816. —— H ♃
55 hæmatophy'lla F.(*bl*) red-leaved Siberia 1790. 4. 5. H ♃ Swt. br. fl. gar. t. 118.
sanguínea R.S. *sibírica γ sanguínea* Bot. mag. t. 1604.
56 Blondówii Led. (*bl*) Blondow's Altaia 1832. —— H ♃
57 nertchínskia F. (*bl*) Nertchinsk Siberia 1831. —— H ♃ Bot. cab. t. 1843.
58 lævigàta F. (*bl*) smooth ———— 1836. —— H ♃
59 lacústris N. (*pa.bl*) marsh N. America 1825. 5. 6. H ♃
60 prismática R.S. (*bl*) New Jersey ———— 1812. —— H ♃ Bot. mag. t. 1504.
61 gramínea R.S. (*bl.pu*) grass-leaved Austria 1597. 6. H ♃ ———— t. 681.
62 ensàta R.S. (*bl*) sword-leaved ———— 1786. 6. 7. H ♃
63 hùmilis M.B. (*bl*) pigmy Siberia 1804. 5. 6. H ♃ Bot. mag. t. 1123.
64 ruthénica R.S. (*bl*) Russian Russia 1810. 4. 5. H ♃ ———— t. 1393.
65 bigìumis R.S. (*bh.wh*) two-glumed Siberia 1829. —— H ♃ Pall. it. 3. app. t. 6. f.1.
66 tenuifòlia W. (*pa.bl*) slender-leaved Dauria 1795. 5. H ♃ ———— 3. t. C. f. 2.
67 nepalénsis D.P. (*bl*) Nepaul Nepaul 1824. 6. 7. H ♃ Swt. br. fl. gar. s. 2. t. 11.
68 defléxa K.W. (*bl*) deflexed ———— 1836. —— H ♃ Flor. cab. t. 51.
69 Pallàsii B.M. (*bl*) Pallas's Siberia 1820. —— H ♃
β chinénsis B.M. (*bl*) *Chinese* China —— —— H ♃ Bot. mag. t. 2331.
70 longispátha B.M. (*bl*) long-spathed Russia 1822. —— H ♃ ———— t. 2528.
71 brachycúspis B.M. (*bl*) short-pointed Siberia 1819. 6. H ♃ ———— t. 2326.
72 cœlestìna N. (*bl*) sky-blue N. America 1824. —— F ♃
73 tènax B.R. (*pu*) tough-leaved California 1827. 4. 5. H ♃ Bot. reg. t. 1218.
74 longifòlia Swt. (*pu.gr*) long-leaved Naples 1829. —— H b ♃ Swt. br. fl. gar. s. 2. t. 146.
75 tuberòsa R.S. (*vi*) snake's-head England .... 3. 4. H b ♃ Eng. bot. t. 2818.
76 reticulàta R.S. (*bl*) netted-rooted Iberia 1821. 4. 5. H b ♃
77 Xíphium R.S. (*va*) small-bulbous Spain 1596. 6. H b ♃ Bot. mag. t. 686.
78 lusitánica (*ye*) Portuguese Portugal —— 4. 5. H b ♃ ———— t. 679.
79 Xiphioìdes R.S. (*va*) great-bulbous Spain 1571. 6. H b ♃ ———— t. 687.
80 caucásica R.S. (*st*) Caucasean Caucasus 1821. 2. 3. H b ♃ Swt. br. fl. gar. t. 255.
81 alàta Lam. (*bl*) winged S. Europe 1801. .... H b ♃ Bot. reg. t. 1876.
scorpioìdes Redout. liliac. t. 211. *transtagàna* Brot.
82 pérsica R.S. (*bl.ye*) Persian Persia 1629. 3. H b ♃ Bot. mag. t. 1.

DIE'TES Sal. DIE'TES. (δις, twice, and ετης, an associate; *Iris and Morœ'a.*) Tr. Mon.
1 iridioìdes (*wh.bl*) Iris-flowered C. B. S. 1758. 4. 8. F ♃ Bot. mag. t. 693.
Morœ'a iridioìdes B.M. *Iris moræoìdes* Ker.
2 bícolor (*ye.pu*) two-coloured ..... 1822. 5. 8. F ♃ Bot. reg. t. 1404.
Iris bícolor B.R.
3 crassifòlia G.D. (*pa.bl*) thick-leaved C. B. S. 1830. 7. 8. F ♃ Bot. cab. t. 1861.
Iris crassifòlia B.C.
4 catenulàta (*wh.bl*) chain-dotted Madagascar 1826. —— S ♃ Bot. reg. t. 1074.
Morœ'a catenulàta B.R.

MORÆ'A B.M. MORÆ'A. (Robert Moore, an English bot.) Triandria Monogynia.
1 Sisysínchium B.M. (*bl*) Spanish nut S. Europe 1597. 5. 6. F b Bot. mag. t. 1047.
2 Tenoreàna B.F.G. (*bl*) Tenore's Naples 1824. 6. 7. F b Swt. br. fl. gar. t. 110.
Iris fugax Ten. flor. nap. t. 4. *nec aliorum.*
3 minùta B.R. (*ye*) small C. B. S. 1825. —— F b
4 papilionàcea B.R. (*ye*) Butterfly ———— 1795. 5. 6. F b Bot. mag. t. 750.
5 ciliàta B.R. (*ye*) fringed-leaved ———— 1787. 4. 6. F b ———— t. 1061.
6 barbígera Sal. (*ro*) bearded ———— —— 4. 5. F b ———— t. 1012.
7 crispa B.R. (*std*) short-spathed ———— 1803. —— F b ———— t. 1284.
8 tristis B.R. (*bl.ye*) dull-coloured ———— 1768. —— F b ———— t. 577.
9 tricolor A.R. (*br.re.ye*) three-coloured ———— 1809. —— F b Andr. reposit. t. 83.
10 lùrida B.R. (*d.pu*) Mr. Griffin's ———— 1817. 6. 7. F b Bot. reg. t. 312.
11 ramòsa B.R. (*ye*) branching ———— 1789. 5. 6. F b Bot. mag. t. 771.
12 plumària B.R. (*bl*) feathered ———— 1825. —— F b
13 viscària B.R. (*br*) bird-limed ———— 1800. 6. F b Bot. mag. t. 587.
14 bituminòsa B.R. (*ye*) clammy ———— 1787. 4. 5. F b ———— t. 1045.
15 polystàchya B.R. (*bl*) many-spiked ———— 1825. 6. 7. F b
16 longiflòra B.R. (*ye*) long-flowered ———— 1801. —— F b Bot. mag. t. 712.
17 setàcea B.R. (*bl*) bristle-leaved ———— 1825. —— F b Thunb. ir. t. 1. f. 1.
18 edùlis B.M. (*li.bl*) long-leaved ———— 1792. 5. 6. F b Bot. mag. t. 613.
19 odòra P.L. (*wh*) sweet-scented ———— —— —— F b Sal. par. lond. t. 10.
20 longifòlia A.R. (*st*) pale-yellow ———— 1808. —— F b Andr. reposit. t. 45.
edùlis γ lutéscens Bot. mag. t. 1238.
21 angústa B.R. (*st*) rolled-leaved ———— 1790. —— F b Bot. mag. 1276.

MA'RICA H.K. MA'RICA. (μαραινω, to become flaccid; flowers.) Triandria Monogynia
1 cœrùlea B.C. (*bl*) blue Brazil 1810. 4. 10. S ♃ Bot. reg. t. 713.
2 Sabìni H.T. (*bl*) Sabine's St. Thomas 1823. 9. 11. S ♃ Hort. trans. v. 6. pl. 1

3 Northiána H.K.(*wh.br*)broad-stemmed Brazil 1789. 4. 8. S ♃ Bot. mag. t. 654.
Moræ'a Northiána Andr. rep. t. 255.
4 cœléstis Lehm. (*bl*) blue Mexico 1829. 8. G ♃
5 paludòsa B.M. (*wh*) marsh Guiana 1792. 7. 8. S ♃ Bot. mag. t. 646.
6 semiapérta B.C. (*ye*) half-opened Brazil 1820. 5. 7. S ♃ Lodd. bot. cab. t. 685.
7 hùmilis B.C. (*wh.ye*) dwarf ——— 1823. —— S ♃ ——— t. 1081.
8 longifòlia L.O. (*st*) long-leaved ——— 1830. 6.10. S ♃ Lk. et. Ot. abb. t. 58.
9 martinicénsis H.K.(*ye*)Martinico W. Indies 1782. 5. 7. S ♃ Bot. mag. t. 416.
Iris martinicénsis B.M. *Cipùra martinicénsis* K.S. *Trimèzia lùrida* Sal.
10 grácilis B.M. (*ye.pu*) slender Brazil 1830. 8. S ♃ Bot. mag. t. 3713.

HERBE'RTIA B.F.G. HERBE'RTIA. (Hon. and Rev. W. Herbert, a cel. bot.) Monad. Triand.
1 pulchélla B.F.G. (*bl*)plaited-leaved Maldonado 1827. 6. 8. F b Swt. br. fl. gar. t. 222.
2 pusílla Swt. (*st*) small Brazil 1830. —— F b Lk. et Ot. abb. t. 59.
Ferrària pusílla Lk. et Otto.

CYPE'LLA B.M. CYPE'LLA. (κυπελλον, a cup; form of corolla.) Monadelphia Triandria.
Herbérti B.M. (*or*) Mr. Herbert's Buen.Ayres 1823. 6. 9. F b Swt. br. fl. gar. s.2.t.33.
Tigrídia Herbérti B.M. t. 2599. *Moræ'a Herbértii* B.R. t. 949.

PHALOCA'LLIS B.M. PHALOCA'LLIS. (φαλος, a cone, and καλλος, pretty.) Monad. Triand.
1 plúmbea B.M. (*ld*) lead-coloured Mexico 1837. 6. 8. F b Bot. mag. t. 3710.
Cypélla plúmbea B.R. s. 2. t. 34.

VIEUSSEU'XIA DC. VIEUSSEU'XIA. (M. Vieusseux, M.D. of Geneva.) Triand-Monad. Monog.
1 tripetaloìdes DC. (*bh*) three-petal-like C. B. S. 1802. 4. 5. F b Bot. mag. t. 702.
Moræ'a tripétela B.M. *Iris tripétala* W.
2 pavònia DC. (*or.gr*) Peacock ——— 1790. 5. 6. F b Bot. mag. t. 1247.
Moræ'a pavònia B.M. *Iris pavònia* W.
3 villòsa S.S. (*pu.bl*) villous-leaved C. B. S. 1789. 4. 5. F b Bot. mag. t. 571.
4 tricúspis S.S. (*pu*) trident-petalled ——— 1776. 6. F b ——— t. 696.
5 glaúcopis DC. (*wh.bl*) white-flowered ——— —— 5. 7. F b Redout. lil. 1. t. 42.
Iris pavònia Bot. mag. t. 168. *nec. aliorum.*
6 Bellendèni Swt. (*ye*) Mr. Ker's ——— 1803. 6. 7. F b Bot. mag. t. 772.
Moræ'a tricúspis γ *lùtea* B.M. certainly a very distinct species.
7 ténuis R.S. (*or*) slender C. B. S. 1807. 5. 6. F b Bot. mag. t. 1047.
8 spiràlis R.S. (*ye*) spiral-flowered ——— 1825. —— F b De la Roch. dis. t. 5.
9 unguiculàris R.S.(*bh*) long-clawed ——— 1802. —— F b Bot. mag. t. 593.

HOME'RIA V. HOME'RIA. (*Homer*, the Greek Poet.) Monadelphia Triandria.
1 spicàta Swt.(*ye.or.pu*)spiked C. B. S. 1785. 5. 6. F b Bot. mag. t. 1283.
Moræ'a spicàta B.M.
2 collìna Swt. (*pi*) hill ——— 1768. —— F b Bot. mag. t. 1103.
Moræ'a collìna B.M.
3 ochroleùca Sal. (*ye*) straw-coloured ——— —— —— F b Bot. mag. t. 1033.
Moræ'a collina γ B.M. 1103.
4 lineàta B.F.G. (*pi*) lined-leaved ——— 1825. —— F b Swt. br. fl. gar. t. 178.
5 porrifòlia B.F.G. (*sc*) leek-leaved ——— —— —— F b ——— ic.
6 élegans (*or.gr*)elegant ——— —— —— F b Jacq. schœn. 1. t. 2.
7 aurantìaca R.S. (*or*) flaccid-petalled ——— 1810. —— F b Bot. mag. t. 1612.
Moræ'a collìna (*a*) *miniàta minor* B.M. 1612.
8 miniàta B.F.G. (*pi*) spot-flowered ——— 1799. —— F b Swt. br. fl. gar. t. 152.

HEXAGLO'TTIS Vt. HEXAGLO'TTIS. (εξ, six, and γλωττα, a tongue.) Monadelphia Triandria.
1 flexuòsa Swt. (*ye*) flexuose C. B. S. 1803. 5. 6. F b Bot. mag. t. 695.
longifòlia Vent. *Moræ'a flexuòsa* B.M.
2 virgàta Swt. (*ye*) slender ——— 1825. —— F b Jacq. icon. 2. t. 228.

PARDA'NTHUS S.S. PARDANTHUS. (παρδος, a leopard, and ανθος, a flower.) Triand. Monogy.
1 chinénsis S.S. (*or*) Chinese China 1759. 6. 7. H ♃ Bot. mag. t. 171.
Ixia chinénsis B.M. *Belamcánda chinénsis* DC.
2 nepalénsis (*or*) Nepaul Nepaul 1823. —— H ♃

BOBA'RTIA L. BOBA'RTIA. (James Bobart, cur. bot. gard. Oxford.) Triand. Monogy.
1 gladiàta K.I. (*ye*) hairy-stalked C. B. S. 1815. 6. 8. G ♃ Bot. reg. t. 229.
Márica gladiàta B.R. *Moræ'a gladiàta* W.
2 spathàcea L. (*ye*) sheathed ——— 1798. 7. G ♃ Thunb. dis. p. 9. t. 1.
3 aurantìaca Zuc. (*or*) orange C. B. S. 1827. —— G ♃

SISYRI'NCHIUM L. SISSYRI'NCHIUM. (συς, a hog, and ῥυγχος, a snout.) Monad. Triand.
1 latifòlium H.K. (*wh*) broad-leaved W. Indies 1737. 6. 8. S ♃ Bot. mag. t. 655.
Márica plicàta B.M. *Moræ'a plicàta* W.
2 bermudiànum W.(*bl*) Iris-leaved Bermudas 1732. 5. 7. G ♃ Bot. mag. t. 94.
iridioìdes B.M.
3 Nuttálli (*bl*) Nuttall's N. America 1823. —— H ♃
bermudiànum N. *nec aliorum.*
4 grandifòrum B.R.(*d.p*)large-flowered N. America 1826. 5. 6. H ♃ Swt. br. fl. gar. s.2.t.368.
5 chilénse B.M. (*bl*) blue Chilian Chili 1826. 6. 7. F ♃ Bot. mag. t. 2786.

6	graminifòlium B.R.	(ye) grass-leaved	Chili	1825.	4. 8.	F	♃	Bot. reg. t. 1067.
	β pùmilum B.R.	(ye) dwarf	———	....	——	F	♃	Bot. reg. t. 1915.
7	flexuòsum B.R.	(ye) flexuose	———	1825.	——	F	♃	
8	maculàtum B.M.	(ye.pu) spotted	———	1831.	4. 5.	F	♃	Bot. mag. t. 3197.
9	Cummíngii Pen.	(st) Cumming's	———	——	——	F	♃	
10	speciòsum B.M.	(bl.y) showy	———	....	6. 7.	F	♃	Bot. mag. t. 3544.
11	júnceum K.W.	(li) rushy	———	1832.	——	F	♃	Flor. cab. 95.
12	ánceps W.	(bl) narrow-leaved	N. America	1693.	6. 7.	H	♃	Bot. mag. t. 464.
13	mucronàtum M.	(bl) pointed-flowered	———	1812.	——	H	♃	
14	convolùtum W.	(ye) convolute	S. America	1816.	5. 7.	F	♃	Willd. h. ber. t. 91.
15	tenuifòlium W.	(ye) slender-leaved	Mexico	——	——	F	♃	——— t. 92.
16	lùteum L.en.	(ye) yellow-flowered	———	1823.	——	F	♃	
17	califórnicum H.K.	(ye) Californian	California	1796.	5. 2.	F	♃	Bot. mag. t. 983.
	Márica califórnica B.M.							
18	pedunculàtum B.M.	(ye) long-peduncled	Chili	1827.	6. 8.	F	♃	Bot. mag. t. 2965.
19	micránthum W.	(st) small-flowered	Peru	1822.	5. 9.	F	♃	——— t. 2116.
20	iridifòlium K.S.	(st.vi) Iris-leaved	S. America	——	——	F	♃	Bot. reg. t. 646.
	lárum Bot. mag. t. 2312. *Márica irridifòlia* B.R.							
21	odoratìssimum B.R.	(std) sweet-scented	S. America	1828.	6. 10.	F	♃	Bot. reg. t. 1283.
22	striàtum H.K.	(ye.std) streaked-flowered	Mexico	1788.	——	F	♃	Sm. ic. pict. t. 9.
	Márica striàta B.M.							
23	palmifòlium W.	(wh) Palm-leaved	Brazil	1799.	1. 5.	S	♃	

ORTHROSANTHUS Morning-flower. (*ορθρος*, morning, and *ανθος*, a flower.) Monad. Trian.

	multiflòrus S.F.A.	(bl) many-flowered	N. Holland	1825.	5. 8.	G	♃	Swt. flor. aust. t. 11.

LIBE'RTIA S.S. Libertia. (M. A. Libert, a Belgian bot.) Triandria-Monad. Mongyn.

1	paniculàta S.S.	(wh) panicled	N. S. W.	1823.	5. 8.	F	♃	
2	grandiflòra	(wh) large-flowered	N. Zealand	1822.	4. 9.	H	♃	Swt. br. fl. gar. t. 64.
	Renealmia grandiflòra S.F.A. the old genus Renealmia is restored by Roscoe.							
3	pulchélla S.S.	(wh) neat	N. S. W.	1823.	4. 9.	F	♃	
4	formòsa Gr.	(wh) beautiful	Chiloe	1831.	5. 6.	F	♃	Bot. reg. t. 1630.

HYDROTÆ'NIA B.R. Hydrotæ'nia. (*οδωρ*, water, and *ταινια*, a vittee; flowers.) Mon. Triand.

	melèagris B.R.	(pu.bl) spotted	Mexico	1838.	5. 8.	G	♃	

PATERSO'NIA B.P. Paterso'nia. (Colonel William Paterson, a Scotch bot.) Monad. Triand.

1	serícea B.P.	(pu) silky	N. S. W.	1803.	5. 7.	F	♃	Bot. mag. t. 1041.
2	lanàta B.P.	(pu) woolly-spathed	N. Holland	1825.	5. 8.	F	♃	Swt. flor. aust. t. 15.
3	longifòlia B.P.	(bl) long-leaved	N. S. W.	1822.	5. 7.	F	♃	
4	mèdia B.P.	(bl) middle	———	1824.	——	F	♃	
5	glabràta B.P.	(bl) smooth	———	1814.	——	F	♃	Bot. reg. t. 50.
6	longíscapa S.F.A.	(bl) long-stalked	N. Holland	1825.	5. 8.	F	♃	Swt. flor. aust. t. 39.
7	glaúca B.P.	(bl) glaucous	N. S. W.	1826.	——	F	♃	Lab. nov. hol. 1. t. 9.

WITSE'NIA H.K. Witse'nia. (Witsen, a Dutch bot.) Triandria Monogynia.

1	maúra H.K.	(or) downy-flowered	C. B. S.	1790.	11. 1.	G	♄	Bot. reg. t. 5.
2	corymbòsa H.K.	(bl) corymbose	———	1803.	4. 9.	G	♄	Bot. mag. t. 895.
3	ramòsa S.S.	(ye.bl) branching	———	1809.	——	G	♄	
4	partìta K.I.	(bl) parted-flowering	———	1822.	——	G	♄	

ARISTE'A Ker. Ariste'a. (*arista*, an awn; leaves.) Triandria Monogynia.

1	cyànea H.K.	(bl) woolly-headed	C. B. S.	1759.	4. 6.	G	♃	Bot. mag. t. 458.
2	pusílla B.M.	(bl) flat-stemmed	———	1806.	6. 7.	G	♃	——— t. 1231.
3	spiràlis H.K.	(wh.br) spiral-flowered	———	1795.	4. 5.	G	♃	——— t. 520.
4	capitàta H.K.	(bl) tallest	———	1790.	7. 8.	G	♃	——— t. 605.
	màjor A.R. 160. *Morœ'a cœrùlea* Th. mor. t. 2. f. 2.							
5	melaleùca H.K.	(bl.bk) three-coloured	C. B. S.	1786.	5. 6.	G	♃	Bot. mag. t. 1277.

FERRA'RIA Ker. Ferra'ria. (C. J. B. Ferrari, Italian bot.) Monadelphia Triandria.

1	angustifòlia	(st) narrow-leaved	C. B. S.	1825.	4. 6.	F	b	
2	antheròsa B.M.	(gr) green-variegated	———	1800.	3. 7.	F	b	Bot. mag. t. 751.
	Ferrariòla H.K. *viridiflòra* A.R. 285.							
3	uncinàta B.F.G.	(br.bl) hook-leaved	———	1825.	——	F	b	Swt. br. fl. gar. t. 161.
4	undulàta W.	(br.wh) curled	———	1755.	——	F	b	Bot. mag. t. 144.
5	atràta L.C.	(da) dark-flowered	———	1825.	——	F	b	Lodd. bot. cab. t. 1356.
6	divaricàta B.F.G.	(da) spreading-anthered	———	——	——	F	b	Swt. br. fl. gar. t. 192.
7	obtusifòlia B.F.G.	(pu.br) blunt-leaved	———	——	——	F	b	——— t. 148.
8	elongàta Grah.	(d.p) elongated	M. Video	1828.	5. 7.	F	b	

TIGRI'DIA J. Tiger-flower. (*τιγρις*, a tiger, and *ειδος*, like; spotted.) Monad. Triand

1	pavònia H.K.	(sc) red-flowered	Mexico	1796.	5. 9.	H	b	Redoute lil. t. 6.
	Ferrària pavònia A.R. 178. *Tigrídia* B.M. 532.							
2	conchiifòra B.F.G.	(ye) yellow-flowered	Mexico	1824.	——	H	b	Swt. br. fl. gar. t. 128.

GALA'XIA Ker. Gala'xia. (*γαλα*, milk.) Monadelphia Triandria.

1	ovàta W.	(ye) oval-leaved	C. B. S.	1799.	5. 9.	F	b	Andr reposit. t. 91.

2 grandiflòra A.B. (*ye*) large-flowered C. B. S. 1799. 5. 9. F b Andr. reposit. t. 164.
3 mucronulàris Sal. (*ro*) mucronated ——— —— —— F b Jac. ic. t. 291. f. inf. sin.
4 versícolor Sal. (*ro.ye*) various-coloured ——— —— —— F b ——f. inf. ad. dextr.
5 gramínea W. (*ye*) narrow-leaved ——— 1795. 7. 8. F b Bot. mag. 1292.

PEYROU'SIA PEYROU'SIA. (La Peyrouse, a cel. French circumnav.) Triand. Monogy.
1 corymbòsa B.M. (*bl*) level-topped C. B. S. 1791. 5. 6. F b Bot. mag. t. 595.
2 falcàta B.M. (*bl*) single-leaved ——— 1825. —— F b Thunb. dis. 4. t. 1. f. 3.
3 fasciculàta B.M. (*wh*) fascicled ——— —— —— F b Jacq. ic. 2. t. 291.
Galáxia plicàta Jacq. *I'xia heterophy'lla* Vahl. *Ovièda fasciculàta* S.S.
4 fissifòlia B.M. (*bl*) leafy-spiked C. B. S. 1809. 8. 9. F b Bot. mag. t. 1246.
5 bracteàta B.M. (*wh*) bracteate ——— 1825. —— F b Thunb. act. haf. 6. c. ic.
6 aculeàta B.F.G. (*wh*) prickly-stemmed ——— —— 5. 7. F b Swt. br. fl. gar. s.2. t.38.
7 ánceps B.F.G. (*wh*) flat-stemmed ——— —— —— F b ——— ser. 1. t. 143.
8 silenoìdes B.M. (*pu*) Silene-like ——— 1822. —— F b Jacq. ic. 2. t. 270.
9 Fabrícii B.M. (*wh*) slender-branched ——— 1825. —— F b

ANOMATHE'CA Ker. ANOMATHE'CA. (ανομος, singular, and θηκη, a sheath.) Trian. Monog.
1 júncea H.K. (*ro*) cut-leaved C. B. S. 1791. 4. 5. F b Bot. mag. t. 606.
Lapeyroúsia júncea B.M. *Gladìolus polystàchyus* A.R. 66.
2 cruénta B.R. .... bloody C. B. S. 1830. 5. 9. F b Bot. reg. t. 1369.

BABIA'NA Ker. BABIA'NA. (roots food of baboons.) Triandria Monogynia.
1 nàna S.S. (*bl.re*) dwarf C. B. S. 1807. 4. 6. F b Andr. reposit. t. 137.
Gladìolus nànus A.B.
2 rùbro-cyànea B.M. (*bl.re*) red and blue ——— 1794. —— F b Bot. mag. t. 410.
3 villòsa B.M. (*cr*) dark-red ——— 1778. 8. F b ——— t. 583.
I'xia punícea Jacq. ic. 2. t. 287.
4 obtusifòlia B.M. (*vi*) blunt-leaved ——— 1825. 5. 6. F b Jacq. ic. 2. t. 284.
I'xia villòsa Jacq. *non* H.K.
5 purpùrea B.M. (*d.pu*) dark purple ——— 1806. —— F b Bot. mag. t. 1052.
6 stricta B.M. (*bl.wh*) upright ——— 1757. —— F b ——— t. 621.
7 angustifòlia (*bl*) narrow-leaved ——— —— —— F b ——— t. 637.
stricta (*a*) B.M. *I'xia villòsa var.* Jacq. frag. t. 14. f. 3.
8 tenuiflòra B.F.G. (*bl*) slender-flowered C. B. S. 1825. —— F b Swt. br. fl. gar. ic.
9 sulphùrea B.M. (*st*) pale-flowered ——— 1803. —— F b Bot. mag. t. 1053.
10 mucronàta B.M. (*pu.ye*) mucronate ——— 1825. —— F b Jacq. ic. 2. t. 253.
11 plicàta B.M. (*pa.bl*) sweet-scented ——— 1774. —— F b Bot. mag. t. 576.
12 dísticha B.M. (*pa.bl*) two-ranked ——— —— 6. 7. F b ——— t. 626.
Gladìolus plicàtus Jacq. ic. t. 237. *nec aliorum.*
13 pállida W.H. (*pa*) pale-flowered Hybrid .... —— F b
14 ochroleùca (*st*) cream-coloured C. B. S. 1825. 5. 7. F b
15 spathàcea B.M. (*bl.wh*) stiff-leaved ——— 1801. —— F b Bot. mag. t. 638.
16 sambúcina B.M. (*da.bl*) Elder-scented ——— 1799. 4. 5. F b ——— t. 1019.
17 tubàta (*wh.re*) long-flowered ——— 1774. —— F b ——— t. 680.
Gladìolus tubàtus Jacq. ic. 2. t. 264.
18 tubiflòra B.M. (*wh.re*) long-tubed ——— —— —— F b Bot. mag. t. 847.
19 ríngens B.M. (*sc*) gaping-flowered ——— 1752. 5. 6. F b Lodd. bot. cab. t. 1006.
20 Thunbérgii B.M. (*pu*) many-spiked ——— 1774. —— F b
Antholy'za plicàta W.

ANTHOLY'ZA Ker. ANTHOLY'ZA. (ανθος, a flower, and λυσσα, rage.) Triandria Monogynia.
1 æthiópica B.M. (*sc.or*) flag-leaved C. B. S. 1759. 1. 4. F b Bot. mag. t. 561.
2 præálta DC. (*sc.or*) tall ——— .... —— F b Redout. lil. 7. t. 387.
æthiópica var. β B.M. 1172 *vittígera* Sal.
3 montàna B.C. (*pu*) mountain ——— 1824. —— F b Lodd. bot. cab. t. 1022.
4 lùcida B.M. (*pu*) shining ——— 1825. 5. 7. F b

ANISA'NTHUS B.F.G. ANISA'NTHUS. (ανισος, unequal, and ανθος, a flower.) Triand. Monog.
1 spléndens B.F.G. (*sc*) splendid C. B. S. 1825. 4. 6. F b Swt. br. fl. gar. ser. 2. t. 84.
2 Cunònia B.F.G. (*sc*) scarlet ——— 1756. 5. 6. F b Bot. mag. t. 343.
Antholy'za Cunònia B.M. *Gladìolus Cunònia* H.K.

PETA'MENES Sal. PETA'MENES. (etymology unknown.) Triandria Monandria.
quadrangulàris (*ye.sc*) four-sided C. B. S. 1790. 4. 5. F b Bot. mag. t. 567.
Gladìolus quadrangulàris B.M. *abbreviàtus* Andr. repos. t. 166.

WATSO'NIA Ker. WATSO'NIA. (W. Watson, an English bot.) Triandria Monogynia.
1 aletroìdes B.M. (*ro*) Aletris-flowered C. B. S. 1774. 5. 7. F b Bot. mag. t. 441.
β *variegàta* B.M. (*ro*) *variegated* ——— —— —— F b ——— t. 533.
2 angùsta B.I. (*sc*) narrow-flowered ——— 1825. —— F b Jacq. ic. 2. t. 231.
3 hùmilis B.M. (*re*) lake-coloured ——— 1754. —— F b Bot. mag. t. 631.
4 Meriàna B.M. (*ro*) red-flowered ——— 1750. —— F b ——— t. 418.
5 iridifòlia Jac. (*fl*) Iris-leaved ——— 1795. —— F b Jacq. ic. 2. t. 234.
6 fúlgida Sal. (*sc*) scarlet ——— —— —— F b Bot. mag. t. 600.
Antholy'za fúlgens A.R. 192.

7	ròseo-álba B.M. (*w.bh*) two-coloured	C. B. S.	....	7. 8.	F	b	Bot. mag. t. 537.
	β variegàta (*wh.ro*) *variegated-fld.*	———	....	——	F	b	——— t. 1193.
8	brevifòlia B.M. (*sc*) short-leaved	———	1794.	5. 7.	F	b	——— t. 601.
9	ròsea B.M. (*ro*) pyramidal	———	1803.	7. 8.	F	b	——— t. 1072.
10	strictifòra B.M. (*ro*) straight-flower'd	———	1810.	6. 7.	F	b	——— t. 1406.
11	marginàta B.M. (*ro*) broad-leaved	———	1774.	——	F	b	——— t. 608.
	β minor B.M. (*ro*) *shining-leaved*	———	1812.	——	F	b	——— t. 1530.
12	rùbens K.I. (*re*) red-spathed	———	1825.	——	F	b	
13	punctàta H.K. (*bl*) dotted-flowd.	———	1800.	4. 5.	F	b	Andr. reposit. 177.
	Ixia punctàta A.R.						
14	plantagínea B.M. (*bl*) Fox-tail	———	1774.	6. 7.	F	b	Bot. mag. t. 553.
15	compácta L.C. (*bl*) compact-spiked	———	1825.	——	F	b	Lodd. bot. cab. t. 1577.
16	spicàta B.M. (*bh*) hollow-leaved	———	1791.	5.	F	b	Bot. mag. t. 523.
	Ixia fistulòsa B.M.						

GLADIOLUS Ker. CORN-FLAG. (*gladius*, a sword; form of leaves.) Triand. Monogyn.

1	viperàtus B.R. (*gr.pu*) perfumed	C. B. S.	1787.	4. 5.	F	b	Swt. br. fl. gar. t. 156.
2	natalénsis B.F.G. (*re.ye*) splendid	———	1830.	7. 9.	F	b	——— s.2.t.281.
	psittácinus B.R. 3032. B.R. 1442.						
3	alàtus B.M. (*sc.ye*) wing-flowered	———	1795.	5. 6.	F	b	Swt. br. fl. gar. t. 187.
4	algoénsis (*co.pu.ye*) Algoa bay	———	1824.	7.	F	b	Bot. mag. t. 2608.
	alàtus β algoénsis B.M.						
5	namaquénsis B.M. (*sc.y*) thick-leaved	———	1800.	5. 6.	F	b	Bot. mag. t. 592.
6	permeábilis B.S. (*re.y*) tall	———	1825.	——	F	b	De la Roch. dis. t. 2.
7	Watsònius B.M. (*sc*) Watson's	———	1791.	3. 5.	F	b	Bot. mag t. 450.
	β variegàta (*sc.ye*) *variegated-fld.*	———	1801.	——	F	b	——— t. 569.
8	brevifòlius H.K. (*fl*) short-leaved	———	1802.	——	F	b	——— t. 727.
9	hirsùtus H.K. (*ro*) rose-coloured	———	1795.	4. 6.	F	b	——— t. 574.
	rùseus Andr. reposit. t. 11.						
10	merianéllus K.I. (*pu.ye*) slender-fld.	———	——	——	F	b	
11	puníceus Lam. (*pu*) dark-purple	———	——	——	F	b	Breyn. cent. 24. t. 12. f. 1.
	villòsus K.I. *Lamárckii* R.S.						
12	aphy'llus K.I. (*fl*) leafless	———	——	——	F	b	Bot. mag. t. 992.
13	versícolor B.M. (*re.ye*) various-colour'd	———	1794.	5. 6.	F	b	Andr. reposit. t. 19.
14	cochleàtus Swt. (*wh.re*) spoon-lipped	———	1829.	3. 4.	F	b	Swt. br. fl. gar. s.2. t.140.
15	læ'vis K.I. (*br.re.st*) two-nerved	———	1806.	5. 6.	F	b	Bot. mag. t. 1042.
	versícolor ε *binérvis* B.M.						
16	Breyniànus K.I. (*br.y*) Breynius's	———	——	——	F	b	Breyn. afr. 2. t. 7. f. 1.
17	suavèolens K.I. (*br.y*) sweet-scented	———	1799.	——	F	b	Bot. mag. t. 556.
18	pudibundis Swt. (*bh*) blush	Hybrid	....	——	F	b	Swt. br. fl. gar. s.2. t.176.
19	elongàtus K.I. (*bl.ye*) long-leaved	C. B. S.	1799.	——	F	b	Jacq. ic. 2. t. 244.
20	recúrvus B.M. (*pu.ye*) Violet-scented	———	1758.	4. 5.	F	b	Bot. mag. t. 578.
21	inflàtus K.I. (*pa.pu*) inflated	———	1825.	——	F	b	
22	grácilis B.M. (*pa.bl*) slender	———	1800.	——	F	b	Bot. mag. t. 562.
23	Mortoniànus B.M. (*sc*) Morton's	———	1837.	——	F	b	——— t. 3680.
24	débilis B.M. (*wh.pu*) weak	———	1822.	——	F	b	——— t. 2585.
25	trichonemifòlius B.M. (*ye*) slender-leaved	———	1810.	5. 6.	F	b	——— t. 1483.
26	cóncolor P.L. (*st*) pale-yellow	———	1790.	——	F	b	Sal. par. lond. t. 8.
27	trístis B.M. (*st.br*) square-leaved	———	1745.	——	F	b	Bot. mag. t. 272.
28	hyálinus K.I. (*wh.st.pu*) transparent	———	1825.	——	F	b	Jacq. ic. 2. t. 242.
29	tenéllus K.I. (*st.br*) feeble	———	——	——	F	b	——— t. 248.
30	Colvíllii B.F.G. (*re.ye*) Colvill's	Hybrid	1823.	——	F	b	Swt. br. fl. gar. t. 155.
31	cárneus B.M. (*pa.pu*) flesh-coloured	C. B. S.	1796.	——	F	b	Bot. mag. t. 591.
32	cuspidàtus B.M. (*w.pu.*) sharp-pointed	———	1795.	4. 5.	F	b	——— t. 582.
33	angústus B.M. (*st.re*) narrow-leaved	———	1757.	——	F	b	——— t. 602.
	hastàtus Thunb. *non* B.M.						
34	vomérculus K.I. (*bh.vi*) spade	———	1816.	——	F	b	Bot. mag. t. 1564.
35	involùtus K.I. (*ro.pu*) involute	———	1757.	5. 6.	F	b	Mill. ic. t. 286. f. 1.
36	edùlis B.R. (*wh.pu.ye*) eatable-rooted	———	——	——	F	b	Bot. reg. t. 169.
37	undulàtus B.M. (*st.pu*) waved-flowered	———	1760.	4. 5.	F	b	Bot. mag. t. 647.
38	fasciàtus R.S. (*pi.pu*) fasciate	———	——	——	F	b	——— t. 538.
	undulàtus β Bot. mag.						
39	ramòsus Paxt. (*pk*) branched	———	....	6. 8.	F	b	Paxt. mag. 6. p. 99.
40	blándus B.M. (*bh·ro*) fairest	———	1774.	6.	F	b	Bot. mag. t. 625.
41	álbidus W. (*wh*) white-flowered	———	——	——	F	b	——— t. 648.
42	campanulàtus A.R. (*pu*) bell-flowered	———	1794.	5. 6.	F	b	Andr. reposit. t. 188.
	blándus γ purpùreo-albéscens B.M.						
43	excélsus K.I. (*pi*) painted-flowered	———	——	——	F	b	Bot. mag. t. 1665.
	blándus δ excélsus B.M.						
44	trimaculàtus K.I. (*bh.pu*) three-spotted	———	——	——	F	b	Lam. ill. 1. t. 32. f. 3.

45 flexuòsus B.M. (*bh*) flexuose C. B. S. 1825. 5. 6. F b Thunb. dis. t. f. 1.
46 floribúndus B.M.(*pi.w*)large-flower'd——— 1788. 5. 7. F b Bot. mag. t. 610.
47 Millèri B.M. (*wh.pu*) Miller's ——— 1751. 4. 5. F b ——— t. 632.
48 cardinàlis B.M. (*sc*) superb ——— 1789. 7. 8. F b ——— t. 135.
49 bockveldiénsis W.H.(*co*)Bockveld ——— 1826. —— F b
50 spofforthiànus W.H.(*va*)Blando-cardinalis Hybrid.... —— F b
51 mitchamiénsis W.H.(*va*)Tristi-hirsutus ——— .... —— F b
52 rígidus W.H. (*va*) Tristi-blandus ——— .... —— F b
53 propínquus W.H.(*var*)Floribundo-blandus —— .... —— F b
54 frágrans W.H. (*va*) Recurvo-tristis ——— .... —— F b
55 Haylockiànus W.H.(*va*)Versicolori-blandus—— .... —— F b
56 Herbertiànus (*va*) Tristi-Spofforthianus—— .... —— F b
57 odoràtus W.H. (*va*) Hirsuto-Spofforthianus— .... —— F b
58 delicàtus W.H. (*va*) Recurvo-blandus ——— .... —— F b
59 byzantìnus B.M.(*pu*) Turkish Turkey 1629. 6. 7. H b Bot. mag. t. 874.
60 commùnis B.M. (*re*) common S. Europe 1596. —— H b ——— t. 86.
β cárneus B.M. (*bh*) *pale-flowered* ——— —— —— H b ——— t. 1575.

SPHÆRO'SPORA Swt. SPHÆRO'SPORA. (*φσαιρα*, a sphere, and *σπορα*, a seed.) Triand. Monog.
1 imbricàta Swt. (*re.wh*)European S. Europe 1596. 6. 7. H b Bot. mag. t. 719.
Gladìolus ségetum B.M. *Gladìolus imbricàtus* K.I.
2 triphy'lla Swt. (*re*) three-leaved Greece 1825. —— H b Flor. græc. 1. t. 38.

SYNNO'TIA B.F.G. SYNNO'TIA. (W. Synnott, a col. of Cape plants.) Triandria Monogynia.
1 variegàta B.F.G.(*bl.ye*)variegated-fld. C. B. S. 1825. 4. 6. F b Swt. br. fl. gar. t. 150.
2 bícolor B.F.G.(*ye.bl.*) two-coloured ——— 1786. 3. 4. F b Bot. mag. t. 548.
I'xia bícolor B.M. *Sparáxis bícolor* Ker. *Gladìolus bícolor* W.
3 galeàta B.F.G.(*vi.ye*) helmet-flowered ——— 1825. —— F b Jacq. ic. 2. t. 258.
Gladìolus galeàtus Jacq.

STREPTANTHE'RA B.F.G. STREPTANTHE'RA. (*στρεπτος*, twisted, and *ανθηρα*, an anther.) Tr. Mo.
1 élegans B.F.G.(*w.ve.y*)elegant C. B. S. 1825. 6. 7. F b Swt. br. fl. gar. t. 209.
2 cùprea (*co.ve.*) copper-coloured——— —— —— F b ——— s. 2. t. 122.

SPARA'XIS Ker. SPARA'XIS. (*σπαραασσω*, to tear; spathos.) Triandria Monogynia.
1 trícolor H.K.(*cr.ve.y*)three-coloured C. B. S. 1789. 5. F b Bot. mag. t. 381.
2 versícolor (*cr.bk.y*) various-colour'd——— 1811. —— F b Swt. br. fl. gar. t. 160.
3 Griffìni Swt.(*pu.ve.y*)Mr. Griffin's ——— —— —— F b Bot. mag. t. 1482. f. inf.
trícolor γ violàceo-purpùrea B.M.
4 blánda Swt. (*bh*) blush-flowered ——— —— —— F b Bot. mag. t. 1482.f.med.
trícolor δ subròseo-álbida B.M.
5 grandifìora H.K. (*pu*) large-flowered ——— 1758. 4. 5. F b Bot. mag. t. 541.
α purpùrea (*pu*) *velvet-flowered* ——— —— —— F b Andr. repost. t. 87.
β stríàta (*pu.st*) *streaked-flowered* ——— —— —— F b Bot. mag. t. 779.
6 péndula B.R. (*d.p*) pendulous ——— 1825. 6. F b Bot. reg. t. 1360.
7 lineàta Swt. (*wh.pk*) red.lined ——— .... 9. F b Swt.br.fl. gar. s.2. t.131.
8 Liliàgo Swt.(*wh.bh*) Lily-flowered ——— .... 4. 5. F b Redout. lil. 2. t. 109.
I'xia Liliàgo R.L. *Sparáxis grandifìora γ Liliàgo* Bot. reg. t. 258.
9 bulbífera H.K.(*ye*) bulb-bearing C. B. S. 1758. 5. 6. F b Bot. mag. t. 545.
10 frágrans B.M. (*ye*) fragrant ——— 1825. —— F b Jacq. ic. 2. t. 274.
11 stellàris D.D. (*pu*) starry ——— .... —— F b Swt.br.fl.gar. s.2. t.383.
12 anemonæflòra B.M. (*st*)Anemone-flowered —— 1825. —— F b Jacq. ic. 2. t. 273.
I'xia anemonæflòra Jacq.

TRITO'NIA Ker. TRITO'NIA. (*τριτων*, a weathercock; anthers.) Triandria Monogynia.
1 críspa H.K. (*ro.wh*) curled-leaved C. B. S. 1787. 4. 5. F b Bot. mag. t. 678.
2 anigozanthiflòra (*gr*) Anigozanthus-fld. ——— 1825. 6. 8. F b
3 víridis B.M. (*gr*) green-flowered ——— 1788. 7. F b Bot. mag. t. 1275.
4 ròsea H.K. (*wh.ro*) rosy ——— 1793. 6. 7. F b ——— t. 618.
5 capénsis B.M.(*st.pu*) Cape ——— 1811. 8.10. F b ——— t. 1531.
6 pállida B.M. (*st*) pale-flowered ——— 1806. —— F b Jacq. ic. 2. t. 262.
7 longifìora B.M.(*st.re*) long-flowered ——— 1774. 6. 8. F b Bot. mag. t. 256.
Hexaglóttis longifìora V. *Gladìolus longifìorus* Jac. *I'xia longifìora* B.M.
8 fucàta B.R. (*ye.sc*) painted C. B. S. 1836. 8.10. F b Bot. reg. s. 2. t. 36.
9 odoràta B.C. (*ye*) sweet-scented ——— 1829. —— F b Bot. cab. t. 1820.
10 tenuifìora B.S. (*st*) slender-flowered——— 1811. 4. 6. F b Bot. mag. t. 1502.
11 cóncolor (*st*) self-coloured ——— —— —— F b ——— t. 1502. f. minor
12 Rocheàna (*st.ro*) bending-flowered ——— —— 8. F b ——— t. 1503.
13 pectinàta B.M (*bh*) pectinated ——— 1825. 5. 6. F b
14 striàta B.M. (*st.vi*) streaked ——— —— —— F b Jacq. ic. 2. t. 260.
15 lineàta B.M. (*st.br*) pencilled ——— 1774. —— F b Bot. mag. t. 487.
16 securígera B.M.(*co.ye*)copper-coloured ——— —— 5. F b ——— t. 383.
17 flàva B.M. (*ye*) yellow ——— 1780. 4. 6. F b Bot. reg. t. 747.
18 refrácta B.R. (*ye*) reflexed ——— 1815. 5. 6. F b ——— t. 135.

19 squálida B.M.(*pi.bh*) sweet-scented C. B. S. 1774. 5. 6. F b Bot. mag. t. 581.
20 fenestràta B.M. (*sn*) open-flowered ——— 1801. —— F b ——— t. 704.
21 purpùrea K.I. (*pu*) purple ——— 1825. —— F b
22 crocàta B.M. (*sn*) Crocus-flowered——— 1758. —— F b Bot. mag. t. 184.
Ixia crocàta B.M.
23 deústa B.M. (*sn.ve*) spotted-flower'd——— 1774. —— F b Bot. mag. t. 622.
24 miniàta B.M. (*ye*) late-flower'd ——— 1795. 8. F b ——— t. 609.
25 xanthóspila S.S.(*wh*) yellow-spotted ——— 1825. 5. 6. F b Redout. lil. 3. t. 124.

MORPHI'XIA K.I. MORPHI'XIA. (*μορφος*, form, and *ιξια*; similar.) Triandria Monogynia.
1 lineàris K.I. (*bh*) slender C. B. S. 1796. 4. 5. F b Bot. mag. t. 570.
Ixia lineàris R.S. *capillàris α gracíllima* B.M. *Hyàlis grácilis* Salisb.
2 capillàris K.I (*bh*) wire-stemmed C. B. S. 1774. 4. 5. F b Bot. mag. t. 617.
Hyàlis latifòlia Salisb. *Ixia láncea* Jacq. ic. 2. t. 281. *capillàris β stricta* B.M.
3 súlica K.I. (*ro*) rose-coloured C. B. S. 1774. 4. 5. F b Bot. mag. t. 1013.
Ixia aúlica H.K. *capillàris γ aúlica* B.M. *Hyàlis aúlica* Salisb.
4 incarnàta K.I. (*fl*) flesh-coloured C. B. S. 1774. 4. 5. F b Jacq. ic. 2. t. 282.

I'XIA Ker. I'XIA. (a name given by the Greeks, from *ιξω*, to fix; viscid roots.) Triand. Monog.
1 facàta B.M. (*bh*) painted C. B. S. .... 6. 7. F b Bot. mag. t. 1379.
2 aristàta B.M. (*pi*) salver-flowered ——— 1800. —— F b ——— t. 589.
3 flexuòsa B.M. (*va*) flexuose ——— 1757. 4. 5. F b ——— t. 624.
4 hy'brida B.M.(*wh.ro*) spurious ——— —— —— F b ——— t. 128.
5 leucántha P.S. (*wh*) white-flowered ——— 1779. 5. 8. F b Jacq. ic. 2. t. 278.
6 pàtens B.M. (*cr*) spreading-flower'd——— —— 4. 6. F b Bot. mag. t. 522.
7 crateroìdes B.M. (*cr*) crimson ——— 1778. —— F b ——— t. 594.
8 monadélpha B.M.(*bl.gr.*)monadelphous ——— 1792. —— F b ——— t. 607.
9 cúrta A.R. (*or*) shortened ——— —— —— F b Andr. reposit. 554.
monadélpha β Bot. mag. t. 1378.
10 columellàris B.M.(*pu.b.ve*)variegated ——— 1790. 6. 8. F b Bot. mag. t. 630.
11 cònica B.M. (*or.ve*) orange-coloured——— 1757. 4. 5. F b ——— t. 539.
12 fúsco-cítrina R.S.(*ye.br*)yellow and brown——— —— —— F b Redoute liliac. t. 86.
13 dùbia R.S. (*ye.pu*) doubtful ——— .... —— F b ——— 2. t. 64.
14 viridiflòra R.S.(*gr.pu*)green-flowered ——— 1780. 5. 6. F b ——— t. 476.
15 maculàta W. (*va*) spot-flowered ——— —— —— F b Jacq. schœn. t.20,21.&c.
16 ovàta A.R. (*wh.pu*) ovate-spiked ——— —— —— F b Andr. reposit. t. 23.
17 capitàta A.R.(*wh.bk*) headed ——— —— —— F b ——— t. 159.
18 ochroleùca (*st.br*) cream-coloured ——— 1809. —— F b Bot. mag. t. 1285.
19 erécta H.K. (*wh*) upright ——— 1757. —— F b Jacq. schœn. 1. t. 18.
α albiflòra (*wh*) *white-flowered* ——— —— —— F b Bot. mag. t. 623.
β incarnàta (*fl*) *flesh-coloured* ——— —— —— F b Andr. reposit. t. 155.
γ lùtea (*ye*) *yellow-flowered* ——— —— —— F b Bot. mag. t. 846.
20 odoràta (*ye*) sweet-scented ——— —— —— F b ——— t. 1173.
21 retùsa H.K. (*ro*) retuse ——— 1793. 2. 4. F b Jacq. ic. 2. t. 275.
polystàchia Bot. mag. t. 629.
22 scillàris B.M. (*ro*) Squill-flowered ——— 1787. —— F b Bot. mag. t. 542.
23 críspa B.M. (*ro*) curled-leaved ——— —— 4. 5. F b ——— t. 599.

MELASPHÆ'RULA Ker. MELASPHÆ'RULA.. (*μελας*, black, and *σφαιρα*, a sphere.) Trian. Mon.
1 iridifòlia B.F.G.(*wh.br*)Iris-leaved C. B. S. 1825. 2. 4. F b Swt. br. fl. gar. ic.
2 intermèdia (*pu.st*) intermediate ——— 1787. 4. 8. F b Bot. mag. t. 615.
graminea B.M. *excl. synonym.*
3 gramínea (*wh.br*) grass-leaved ——— 1825. 2. 5. F b Jacq. ic. 2. t. 236.
Gladiolus gramíneus Jacq. *Diària graminifòlia* Red. lil. t. 163.
4 parviflòra L.C. (*wh*) small-flowered C. B. S. 1825. —— F b Lodd. bot. cab. t. 1444.

HESPERA'NTHA Ker. EVENING-FLOWER. (*εσπερα*, evening, and *ανθος*, a flower.) Triand. Monog.
1 cinnamòmea H.K.(*w.br*)curled-leaved C. B. S. 1787. 4. 5. F b Bot. mag. t. 1054.
2 falcàta H.K. (*wh.br*) sickle-leaved ——— —— —— F b ——— t. 566.
3 graminifòlia (*wh.br*) Grass-leaved ——— 1808. 8. 9. F b ——— t. 1254.
pilòsa β f'ólliis nùdis, flóribus minóribus B.M.
4 pilòsa H.K. (*wh.br*) hairy C. B. S. 1811. 4. 5. F b Bot. mag. t. 1475.
5 angústa B.M. (*wh*) narrow-leaved ——— 1825. —— F b Jacq. ic. 2. t. 279.
Ixia angústa Jacq.
6 radiàta H.K. (*wh.br*) nodding-flowered ——— 1794. 4. 6. F b Bot. mag. t. 573.

GEISSORHI'ZA Ker. TILE-ROOT. (*γεισσον*, a tile, and *ῥ'ιξα*, a root.) Triandria Monogynia.
1 Rocheàna (*bl.pu*) plaid C. B. S. 1790. 5. F b Bot. mag. t. 598.
2 monántha (*bl*) one-flowered ——— —— —— F b Houtt. syst. 11. t. 78. f. 1.
3 setàcea B.M. (*st.re*) bristle-leaved ——— 1809. 6. 7. F b Bot. mag. t. 1255.
4 obtusàta H.K. (*st*) pale-yellow ——— 1801. 5. F b ——— t. 672.
5 vaginàta B.F.G. (*ye*) sheathed ——— 1825. 6. 9. F b Swt. br. fl. gar. t. 138.
6 secúnda B.M. (*bl*) one-ranked ——— 1795. 5. 6. F b Jacq. ic. 2. t. 277.
α cærùlea (*bl*) *blue-flowered* ——— —— —— F b Bot. mag. t. 597.

	β albescens (*wh.bl*) *whitish-flowered*	C. B. S.	1795.	5. 6.	F	b	Bot. mag. t. 1105.
7	sublùtea B.M. (*st*) yellowish	———	1825.	——	F	b	
	Ixia sublùtea Lam.						
8	hùmilis K.I. (*st.bh*) dwarf	———	1822.	——	F	b	
9	erécta W.H. (*st.bl*) erect	———	1824.	——	F	b	
10	imbricàta B.M. (*st.re*) imbricated	———	——	——	F	b	
11	hírta B.M. (*pa.bl*) hairy	———	——	——	F	b	
12	ciliàris Sal. (*st*) fringed	———	....	——	F	b	
	inflèxa K.I. *Ixia inflèxa* De la Roche.						
13	excìsa B.M. (*wh.pi*) dwarf cut-leaved	———	1789.	4. 5.	F	b	Bot. mag. t. 584.
	Ixia excìsa B.M.						

SPATALA'NTHUS B.F.G. RIBBON-FLOWER. (σπαταλος, a ribbon, and ανθος, a flower.) Mon. Tri.

	speciòsus B.F.G. (*sc.y.ve*) beautiful	C. B. S.	1825.	8.10.	F	b	Swt. br. fl. gar. t. 300.

TRICHONE'MA Ker. TRICHONE'MA. (θριξ, a hair, and νημα, a filament.) Triandria Monogynia.

1	Bulbocòdium H.K. (*pu*) channel-leaved	S. Europe	1739.	3. 4.	H	b	Bot. mag. t. 265.
2	purpuràscens (*pu*) purple	Naples	1825.	——	H	b	Ten. fl. nap. v. 1. t. 2.
	Ixia purpuràscens T.S.						
3	Colúmnæ T.P. (*st.li*) Columna's	———	——	——	H	b	Redout. lil. t. 88. f. A.
4	ramiflòrum (*pu*) branching-fld.	———	1830.	5. 6.	H	b	
	Ixia ramiflòra T.N.						
5	cœlestìnum (*bl*) blue	N. America	1820.	3. 4.	H	b	Bartr. it. t. 3.
	Ixia cœlestìna Ph.						
6	ròseum B.M. (*ro*) rose-coloured	C. B. S.	1808.	6. 7.	F	b	Bot. mag. t. 1225.
7	speciòsum B.M. (*ro*) crimson	———	——	3. 4.	F	b	——— t. 1476.
8	pùdicum B.M. (*ro*) blush	———	——	6. 8.	F	b	——— t. 1244.
9	cruciàtum S.S. (*ro*) cross-leaved	———	1758.	5. 6.	F	b	Jacq. ic. 2. t. 290.
10	longifòlium Sal. (*ro*) small-flowered	———	——	——	F	b	Bot. mag. t. 575.
	cruciàtum B.M. *non* Jacq.						
11	filifòlium K.I. (*ye*) slender-leaved	———	1812.	——	F	b	Redout. lil. t. 251. f. 2.
12	recurvifòlium K.I. (*st*) recurve-flowered	———	——	——	F	b	——— t. 251. f. 1.
13	tortuòsum K.I. (*ye*) twisted-leaved	———	1822.	——	F	b	
14	caulèscens B.M. (*ye*) caulescent	———	1810.	6. 7.	F	b	Bot. mag. t. 1392.
15	chloroleùcum B.M. (*st*) milk-coloured	———	1825.	5. 7.	F	b	Jacq. ic. 2. t. 270.

CRO'CUS L. CRO'CUS. (κροκη, a thread; the saffron is like thread.) Triand. Monogy.

1	vérnus E.B. (*va*) spring	England	....	2. 4.	H	b	Eng. bot. v. 5. t. 344.
	β plúmbeus H.T. (*bl*) *lead-coloured*	.....	....	——	H	b	Hort. t. v. 7. t. 11. 12. f. 10.
	γ álbus màjor H.T. (*wh*) *large-white*	.....	....	——	H	b	——— v. 7. t. 11. 12. f. 11.
	δ leucorhynchus H.T. (*w*) *white*	.....	....	——	H	b	Bot. reg. t. 1416.
	ε inflàtus H.T. (*bl*) *bellied*	.....	....	——	H	b	Hort. t. v. 7. t. 11. 12. f. 13.
	ζ fucàtus H.T. (*bh.pu*) *painted*	.....	....	——	H	b	——— v. 7. t. 11. 12. f. 14.
	η pictus H.T. (*li.pu*) *pencilled*	.....	....	——	H	b	Bot. reg. t. 1440.
	θ Andersònii H.T. (*wh*) *Anderson's*	.....	....	——	H	b	Hort. t. v. 7. t. 11. 12. f. 16.
	ι Sabìni H.T. (*bl*) *Sabine's*	.....	....	——	H	b	——— v. 7. t. 11. 12. f. 17.
	κ Gloriànus H.T. (*wh.bl*) *Queen of Portugal's* ...		....	——	H	b	——— v. 7. t. 11. 12. f. 18.
	λ pulchellus H.T. (*li.bl*) *pretty*	.....	....	——	H	b	——— v. 7. t. 11. 12. f. 19.
	μ neapolitànus R.S. (*std*) *Neapolitan*	Naples	....	——	H	b	Bot. mag. t. 860.
	ν obovàtus R.S. (*wh*) *obovate-flower'd*	S. Europe	....	——	H	b	——— t. 2240.
2	striàtus L.en. (*wh.vi*) striated	———	....	——	H	b	
3	versícolor H.K. (*wh.bl*) party-coloured	———	1629.	——	H	b	Bot. mag. t. 1110.
	α purpùreus H.T. (*pu*) *purple-flowered*	———	——	——	H	b	Hort. tr. v. 7. t. 11. 12. f. 6.
	β plumòsus H.T. (*pu.w*) *feathered*	.....	....	——	H	b	——— v. 7. t. 11. 12. f. 7.
	γ élegans H.T. (*pu.wh*) *elegant*	.....	....	——	H	b	——— v. 7. t. 11. 12. f. 8.
	δ urbànus H.T. (*wh.li*) *homebred*	.....	....	——	H	b	——— v. 7. t. 11. 12. f. 9.
4	Thomàsii T.N. (*bl*) Thomas's	Naples	1830.	——	H	b	
5	odòrus T.N. (*bl*) sweet-scented	———	——	——	H	b	
6	suavèolens T.N. (*bl.ye*) fragrant	———	——	2. 4.	H	b	Swt. br. fl. gar. s. 2. t. 352.
	Imperàti Coll. rip. not Ten.						
7	Imperàti S.S. (*vi*) Imperati's	———	——	——	H	b	Swt. br. fl. gar. s. 2. t. 98.
	incúrvus Donn hort. cant.						
8	biflòrus H.K. (*wh.pu*) Scotch	Crimea	1629.	2. 3.	H	b	Bot. mag. t. 845.
	β Parkinsònii H.T. (*wh.bl*) *Parkinson's*	———	——	——	H	b	Hort. tr. v. 7. t. 11. f. 4.
9	pusíllus R.S. (*wh.pu*) small	Italy	1824.	——	H	b	Swt. br. fl. gar. t. 106.
10	mínimus R.L. (*pu.wh*) least	Corsica	1828.	——	H	b	Bot. mag. t. 2991.
11	præcox E.B. (*pu.wh*) early	Britain	....	——	H	b	Eng. bot. t. 2645.
12	argénteus H.T. (*pu.wh*) silvery	.....	....	——	H	b	Hort. tr. v. 7. t. 11. 12. f. 8.
13	albiflòrus R.S. (*wh*) white-flowered	Hungary	——	2. 4.	H	b	
14	variegàtus R.S. (*ye.pu*) variegated	Levant	1828.	——	H	b	Hop. et Hor. a. Meer. c. ic.
15	reticulàtus M.B. (*ye.vi*) netted-bulbed	Caucasus	1825.	——	H	b	M. B. cent. pl. rar. t. 1.
16	susiànus H.K. (*ye.pu*) Cloth of Gold	Turkey	1605.	——	H	b	Bot. mag. t. 652.

17	stellàris H.T.	(*ye.pu*)	starry cloth of gold	S. Europe	1629.	2. 4.	H b	Hort. trans. 1. p 136. ic.
18	sulphùreus B.M.	(*st*)	pale pellow	———	——	——	H b	Bot. mag. t. 1384.
19	láctens H.T.	(*st.vi*)	milk-coloured	.....	....	——	H b	
	β penicillàtus H.T.	(*st.vi*)	*pencilled*	.....	....	——	H b	Hort. t. v. 7. t. 11. 12. f. 3.
20	lagenæflòrus P.L.	(*st*)	Gourd-flowered	Greece	....	——	H b	Bot. mag. t. 2655.
21	aúreus F.G.	(*go*)	golden-flowered	———	....	——	H b	Eng. bot. t. 2646.
22	lùteus R.S.	(*ye*)	common yellow	Levant	1620.	——	H b	Bot. mag. t. 45.
	vérnus B.M. *nec aliorum.*							
23	mæsìacus B.M.	(*ye*)	great yellow	Greece	1629.	——	H b	Bot. mag. t. 1111.
24	satìvus R.S.	(*vi*)	saffron	England	....	9. 10.	H b	Eng. bot. v. 5. t. 343.
25	serótinus R.S.	(*vi*)	late-flowered	S. Europe	1629.	9. 11.	H b	Bot. mag. t. 1267.
26	Pallàsii M.B.	(*vi*)	autumnal	Tauria	....	——	H b	
	autumnàlis R.S.							
27	nudiflòrus R.B.	(*vi*)	naked-flowered	England	....	10. 11.	H b	Eng. bot. v. 7. t. 491.
28	speciòsus R.B.	(*bl*)	showy	———	....	——	H b	Bot. reg. s. 3. t. 40.

ORDER CCXLI.

HÆMODORA'CEÆ. *Brown prodr.* 299.

WACHENDO'RFIA L. WACHENDO'RFIA. (E. J. Wachendorf, prof. bot. Utrecht.) Triand. Monogy.

1	thyrsiflòra R.S.	(*ye*)	tall-flowered	C. B. S.	1759.	5. 6.	G ♃	Bot. mag. t. 1060.
2	paniculàta R.S.	(*ye*)	panicled	———	1700.	2. 5.	F b	——— t. 616.
3	Herbérti Swt.	(*ye*)	Herbert's	———	1823.	——	F b	——— t. 2610.
	paniculàta β. H. *in* B.M.							
4	hirsùta R.S.	(*ye*)	hairy	———	1687.	4. 6.	F b	Bot. mag. t. 614.
5	brevifòlia B.M.	(*ye*)	short-leaved	———	1795.	3. 4.	F b	——— t. 1166.
6	Breyniàna R.S.	(*pu.ye*)	Breynius's	———	1825.	——	F b	Breyn. cent. f. 37.
7	gramínea S.S.	(*ye*)	Grass-leaved	———	1810.	6.	G ♃	
8	tenélla R.S.	(*pu*)	slender-leaved	———	1816.	——	G ♃	

XIPHI'DIUM J. XIPHI'DIUM. (ξυφος, a sword; form of leaves.) Triandria Monogynia.

1	álbidum S.S.	(*wh*)	white	W. Indies	1787.	6. 8.	S ♃	Sw. fl. ind. oc. 1. t. 2.
	floribúndum Swartz.							
2	cœrùleum S.S.	(*bl*)	blue	———	1793.	——	S ♃	Aub. gui. 1. t. 11.

HÆMODO'RUM B.P. HÆMODO'RUM. (αιμα, blood, and δωρον, a gift.) Triandria Monogynia.

1	planifòlium B.P.	(*st*)	flat-leaved	N. S. W.	1810.	7. 11.	F ♃	Bot. mag. t. 1610.
2	teretifòlium B.P.	(*st*)	round-leaved	———	1822.	——	F ♃	

DI'LATRIS Ker. DI'LATRIS. (etymology unknown.) Triandria Monogynia.

1	corymbòsa W.	(*pu*)	broad-petalled	C. B. S.	1790.	5. 6.	F ♃	Sm. exot. bot. 1. t. 16.
	umbellàta L.							
2	viscòsa W.	(*pu*)	clammy	———	1795.	——	F ♃	
3	paniculàta W.	(*pu.ye*)	panicled	———	1825.	——	F ♃	

GYROTHE'CA H.T. GYROTHE'CA. (γυρω, to twist, and θηκη, a capsule.) Triandria Monogynia.

	tinctòria Swt.	(*re*)	red-rooted	N. America	1812.	6. 7.	H ♃	Mich. amer. 1. t. 4.
	Lachnánthes tinctòria Ell. *Dílatris tinctòria* Ph. *Heritièra Gmèlini* M.							

LOPHI'OLA B.M. LOPHI'OLA. (a dim. of λοφος, a crest; sepals.) Hexandria Monogynia.

	aúrea B.M.	(*ye*)	golden-flowered	N. America	1811.	5. 7.	H ♃	Bot. mag. 1596.
	Conóstylis americàna Ph.							

LANA'RIA W. LANA'RIA. (*lana*, wool.) Hexandria Monogynia.

	plumòsa W.	(*pu*)	woolly	C. B. S.	1787.	6. 7.	F ♃	
	Argolària plumòsa Juss.							

CONO'STYLIS B.P. CONO'STYLIS. (κονος, a cone, and στυλος, a style; form.) Hexand. Monogy.

1	aculeàta B.P.	(*st*)	prickly-leaved	N. Holland	1824.	9. 2.	F ♃	Bot. mag. t. 2989.
2	setígera B.P.	(*st*)	setigerous	———	1825.	——	F ♃	
3	serrulàta B.P	(*st*)	serrulate	———	1824.	....	F ♃	
4	júncea B.P.	(*st*)	rushy	———	1838.	——	F ♃	

ANIGOZA'NTHOS B.P. ANIGOZA'NTHOS. (ανοιγω, to expand, and ανθος, a flower.) Hex. Monog.

1	flávida B.P.	(*br.gr*)	russet-green	N. Holland	1803.	5. 9.	F ♃	Bot. mag. t. 1151.
	β bícolor B.R.	(*re.gr*)	*two-coloured*	———	1837.	——	F ♃	Bot. reg. s. 2. t. 64.
2	rùfa B.P.	(*br.gr*)	rufous	———	1824.	——	F ♃	Labill. voy. 1. t. 22.
3	coccínea Paxt.	(*sc*)	scarlet	Swan River	1837.	6. 8.	F ♃	Paxt. mag. 5. p. 271.
4	Manglèsii D.D.	(*sc.gr*)	Mangles's	———	1833.	5. 9.	F ♃	Swt. br. fl. gar. s. 2. t. 265.
	β angustifòlia B.R.	(*sc.gr*)	*narrow-ld.*	———	——	——	F ♃	Bot. reg. t. 2112.

ORDER CCXLII.

HYPOXI'DEÆ. *Brown.*

HYPO'XIS. L. HYPO'XIS. (ὑπό, under ὀξύς, a point; leaves.) Hexandria Monogynia.

§ 1. *Scape one-flowered.*

1	júncea w.	(*ye*) rushy	Carolina	1787.	6. 7.	H	b	Sm. spic. 15. t. 16.
2	hygrométrica B.P.	(*ye*) hairy-leaved	N. Holland	1820.	——	F	b	Lab. nov. holl. 1. t. 8.
3	álba w.	(*wh*) white	C. B S.	1806.	——	F	b	Lodd. bot. cab. t. 1074.
4	lineàris A.R.	(*ye*) linear-leaved	———	1792.	4. 5.	F	b	And. reposit. t. 171.
5	stellàta w.	(*ye*) yellow starry	———	1752.	4. 6.	F	b	Bot. Mag. t. 662.
6	élegans P.S.	(*wh*) white starry	———	——	——	F	b	——— t. 1223.
	stellàta β B.M.	*certainly a distinct species.*						
7	serràta w.	(*ye*) saw-leaved	———	1788.	6. 7.	F	b	Bot. mag. t. 709.
8	ovàta w.	(*ye*) smooth-leaved	———	1806.	2. 5.	F	b	——— t. 1010.
9	veratrifòlia w.	(*ye*) plaited-leaved	———	1788.	6. 7.	F	♃	Jacq. ic. 2. t. 367.
	plicàta Jacq.							
10	ramòsa Lod.	(*ye*) branched	———	1828.	6. 7.	G	b	Bot. cab. t. 1936.

§ *Stems few-flowered.*

11	carolinénsis M.	(*ye*) Carolina	Carolina	1822.	——	F	b	
12	decúmbens w.	(*ye*) decumbent	Jamaica	1755.	6. 9.	S	♃	Mill. ic. 1. t. 39. f. 2.
13	stellipìlis B.R.	(*ye*) starry-haired	C. B. S.	1821.	6.12.	F	♃	Bot. reg. t. 663.
14	oblìqua w.	(*ye*) oblique-leaved	———	1795.	6. 7.	F	♃	Andr. rep. t. 195.
15	praténsis B.P.	(*ye*) field	N. S. W.	1822.	——	F	b	
16	erécta S.S.	(*ye*) upright	N. America	1752.	——	H	b	Bot. mag. t. 710.
17	grácilis Lehm.	(*ye*) slender	Mexico	1828.	——	G	b	
18	Sellòii Ot.	(*ye*) Sello's	Buenos Ayres	1827.	——	F	b	
19	sobolífera w.	(*ye*) creeping	C. B. S.	1774.	6. 9.	F	♃	Bot. mag. t. 711.
20	villòsa w.	(*ye*) villous	———	——	——	F	♃	Jacq. ic. 2. t. 307.
21	obtùsa B.R.	(*ye*) obtuse	———	1816.	——	F	♃	Bot. reg. t. 169.
22	aquática w.	(*ye*) water	———	1787.	6. 7.	F	♃	

CURCU'LIGO B.P. CURCU'LIGO. (seeds like the insect called *Curculio.*) Hexandria Monogynia.

1	plicàta B.R.	(*ye*) plaited	C. B. S.	1788.	6. 7.	F	b	Jac. schœn. 1. t. 80.
	β glàbra	(*ye*) *smooth-leaved*	———	1816.	——	F	b	Bot. reg. t. 345.
2	orchioìdes S.S.	(*ye*) narrow-leaved	E. Indies.	1800.	——	S	♃	Roxb. corom. 1. t. 13.
3	brevifòlia S.S.	(*ye*) short-leaved	———	1804.	5. 7.	S	♃	Bot. mag. t. 1076.
4	latifòlia S.S.	(*ye*) broad-leaved	———	——	5. 8.	S	♃	Bot. reg. t. 754.
5	sumatràna B.C.	(*ye*) Sumatra	Sumatra	1818.	——	S	♃	Lodd. bot. cab. t. 443.
6	recurvàta S.S.	(*ye*) recurved	Bengal	1805.	——	S	♃	Bot. reg. t. 770.

BARBACE'NIA Vand. BARBACE'NIA. (M. de Barbacena, gov. of Minas Geraes in Brazil.) Hex. Mon.

	purpùrea B.M.	(*pu.*) purple-flower'd	Brazil	1825.	8. 9.	S	♄	Bot. mag. t. 2777.

VELLO'SIA Vand. VELLO'SIA. (M. Velloz, a Portuguese naturalist.) Polyandria Monogynia.

1	squamàta P.B.	(*bl.*) scaly	Brazil	1829.	....	S	♄	Pohl. bras. ic v. 1. t. 9.
2	cándida Mart.	(*wh.*) whitened	———	1838.	....	S	♄	

ORDER CCXLIII.

AMARYLLI'DEÆ. *Brown prodr. p.* 296.

COOPE'RIA Herb. COOPE'RIA. (Mr. Cooper, zealous cult.) Hexandria Monogynia.

	Drummóndi B.R.	(*wh*) Drummond's	N. America	1834.	6. 7.	H	b	Bot. reg. t. 1835.
	β chlorosòlen Herb.	(*wh.gr*) *green-tubed*	Texas	——	——	H	b	

STERNBE'RGIA W.K. STERNBE'RGIA. (Count C. Sternberg, a cel. bot.) Hexandria Monogynia.

1	colchiciflòra B.R.	(*st*) Colchicum-fld.	Hungary	1816.	9.10.	H	b	Bot. reg. t. 2008.
2	Clusiàna B.R.	(*st*) Clusius's	Constantinople....	——	——	H	b	Clus. hist. 1. t. 163.

OPORA'NTHUS W.H. OPORA'NTHUS. (ὀπωρα, autumn, and ανθος, a flower.) Hexand. Monogy.

	lùtea W.H.	(*ye*) common-yellow	S. Europe	1596.	9.10.	H	b	Bot. mag. t. 290.
	Amaryllis lùtea B.M.	*Sternbérgia lùtea* B.R.						
	β angustifòlia	(*ye*) *narrow-leaved*	———	——	——	H	b	

HAYLO'CKIA B.R. HAYLO'CKIA. (Math. Haylock.) Hexandria Monogynia.
pusilla B.R. (*ye.pu*) dwarf BuenosAyres 1829. 8.10. F b Bot. reg. t. 1371.

SCEPTRA'NTHUS Gr. SCEPTRA'NTHUS. (σκηπτρον, a sceptre, and ανθος, a flower.) Hex. Monogy.
Drummóndi Gr. (*or*) Drummond's Texas 1835. 6. 7. F b Bot. mag. t. 3727.
Coopèria pedunculàta Herb. *Zephránthus Drummóndi*. Swt. br. fl. gar. s. 2. t. 328.

ZEPHYRA'NTHES H.A. ZEPHYRA'NTHES. (ζεφυρος, the west wind, and ανθος, a flower.) Hex.Mon.
1 chloroleùca H.A. (*st*) one-leaved .... 5. 8. G b Ker's rev. pl. 8. f. 1.
2 Atamásco H.A. (*wh*) Atamasco Lily N. America 1629. 5. 6. H b Bot. mag. t. 239.
Amary'llis Atamásco B.M.
3 mesochlòa W.H. (*bh*) green-centred S. America 1828. 6. 9. F b Bot. reg. t. 1361.
4 tubispátha H.A. (*wh*) tube-sheathed ——— .... 5. 7. S b Bot. mag. t. 1586.
Amary'llis tubispátha B.M.
β *spofforthiàna* B.R. (*re*) *Spofforth* Hybrid .... —— H b Bot. reg. t. 1746.
5 cándida B.M. (*wh*) white-flowered Peru 1822. 7.10. H b Bot. mag. t. 2607.
Amary'llis cándida Bot. reg. t. 724.
6 ròsea B.R. (*ro*) rose-coloured Havannah —— 9.10. G b Bot. reg. t. 821.
7 Akermanniàna H.A. (*wh*) Akermann's Mexico .... 5. 6. H b
8 séssilis H.A. (*bh*) sessile ——— 1824. 6. 8. H b
β *striàta* B.M. (*bh.wh*) *striped* ——— —— —— H b Bot. mag. t. 2593.
γ *verecúnda* B.M. (*bh*) *modest* ——— —— —— H b ——— t. 2583.
9 carinàta B.M. (*ro*) keeled-leaved ——— —— —— H b Swt. br. fl. gar. s. 2. t. 4.
10 grandifòra B.R. (*ro*) large-flowered ——— 1825. —— H b Bot. reg. excl. fol. t. 902.
Lindleyàna H.A.

HABRA'NTHUS B.M. HABRA'NTHUS. (ἁβρος, delicate, and ανθος, a flower.) Hexand. Monogy.
1 gracilifòlius B.M. (*ro*) slender-leaved S. America 1823. 9.11. G b Bot. mag. t. 2464.
β *Boothiànus* B.R. (*ro*) *Booth's* Maldonado .... —— G b Bot. reg. t. 1967.
2 angústus B.M. (*pu*) narrow BuenosAyres 1825. —— G b Bot. mag. t. 2639.
3 versícolor B.M. (*bh*) changeable S. America 1823. 1. 4. G b ——— t. 2485.
4 lorifòlius B.M. (*ro*) lorate-leaved ——— 1824. .... G b
5 bífidus B.M. (*ro*) two-cleft BuenosAyres 1825. 6. 9. G b Bot. mag. t. 2597.
6 spathàceus B.M. (*pu*) broad-spathed ——— —— .... G b
7 robústus W.H. (*li*) robust ——— 1827. 7. 9. F b Swt. br. fl. gar. s. 2. t. 14.
8 Bagnoldiànus Herb. (*ye*) Bagnold's Chili 1829. 11. F b Bot. reg. t. 1396.
9 ròseus Swt. (*ro*) rosy Chiloe 1828. 6. F b Swt. br. fl. gar. s. 2. t. 107.
10 Andersòni W.H. (*ye*) Anderson's S. America 1829. 5. 6. F b ——— s. 2. t. 70.
α *aúrea* (*ye*) *golden* ——— —— —— F b
β *cùprea* (*co*) *copper-coloured* ——— —— —— F b
γ *texànus* B.M. (*ye*) *Texian* Texas 1834. —— F b Bot. mag. t. 3596.
11 Hespèrius H.A. (*std*) streaked S. America 1807. —— F b Bot. mag. t. 1125.
advèna Amary'llis advèna Bot. mag. t. 849.
β *pállidus* B.C. (*pk*) *pale-flowered* Valparaiso 1830. 6. F b Bot. cab. t. 1760.
12 intermèdia W.H. (*re*) intermediate Brazil 1827. 1. 3. S b Bot. reg. t. 1148.
Amary'llis intermèdia B.R.
13 pùmilus B.C. (*re*) dwarf Chili 1831. 8. F b Bot. cab. t. 1771.
β *miniàtus* D.D. (*re*) *vermillion* ——— 1834. 7. 8. F b Swt. br. fl. gar. s. 2. t. 213.
14 Kermesìna B.R. (*cr*) crimson Brazil .... —— G b Bot. reg. t. 1638.
15 phycelloìdes W.H. (*sc.ye*) Phycella-like Chili 1825. 8. H b ——— t. 1417.

BELLADO'NNA Swt. BELLADO'NNA LILY. (*Bella donna*, a beautiful woman in Italian.) Hex.Mon.
1 purpuráscens Swt. (*pu*) light-purple C. B. S. 1712. 7. 9. H b Bot. mag. t. 783.
Amary'llis Belladónna L.
β *pállida* Swt. (*pa.li*) *pale-flowered* ——— .... —— F b Bot. reg. t. 714.
2 pùdica Swt. (*ro*) modest ——— 1795. 5. 7. F b Ker's rev. t. 8. f. 2.
Amary'llis pùdica K.R.
3 blánda Swt. (*bh*) charming ——— 1754. —— F b Bot. mag. t. 1450.

AMARY'LLIS L. AMARY'LLIS. (a nymph celebrated by poets.) Hexandria Monogynia.
1 reticulàta W. (*pu.wh*) netted-veined Brazil 1777. 4. 5. S b Bot. mag. t. 657.
2 striatifòlia (*pu.wh*) striped-leaved ——— 1815. —— S b Bot. reg. t. 352.
3 Sweètii W.H. (*va*) Striatifòlio-Johnsoni Colvill's 1821. 1.12. S b
α *brevifòlia* C.C. (*pu.w*) *short-leaved* Colvill's 1820. —— S b
β *supérba* C.C. (*cr.wh*) *superb-flowered* ——— —— —— S b
γ *obscùra* C.C. (*re.wh*) *clouded* ——— —— —— S b
δ *recurvàta* C.C. (*re.bh*) *recurved-fld.* ——— —— —— S b
ε *Wellsiàna* C.C. (*re.w*) *Mr. Wells's* ——— —— —— S b
ζ *Vallèti* (*pu.wh*) *Vallet's* ——— —— —— S b
η *rugòsa* C.C. (*pu.wh*) *ruyged-flowered* ——— —— —— S b
θ *versícolor* (*re.wh*) *various-coloured* ——— —— —— S b
ι *amæ'na* (*re.wh*) *delightful* ——— —— —— S b
κ *affinis* (*re.wh*) *likened* ——— —— —— S b

	λ *undulæflòra* (*pu.wh*) *wave-flowered*	Colvill's	1820.	1.12.	S	b		
	μ *palliiflòra* (*li.wh*) *pale-flowered*	——	——	——	S	b		
	ν *díscolor* (*re.wh*) *two-coloured*	——	——	——	S	b		
	ξ *expánsa* (*sc.wh*) *expanded*	——	——	——	S	b		
	ο *varieyàta* C.C. (*re.wh*) *variegated-fld.*	——	——	——	S	b		
	π *nòtha* (*pu.wh*) *bastard*	——	——	——	S	b		
	ρ *lineàta* (*re.wh*) *lined-petalled*	——	——	——	S	b		
	σ *modésta* (*wh.re*) *modest*	——	——	——	S	b		
	τ *patentíssima* (*sc*) *spreading-flowered*	——	——	——	S	b		
	υ *salmònea* (*re*) *salmon-coloured*	——	——	——	S	b		
	φ *bistriàta* (*cr.da*) *two-lined*	——	——	——	S	b		
	ψ *ligulæflòra* (*re.wh*) *strap-flowered*	——	——	——	S	b		
	χ *Annesleyàna* (*ve.wh*) *Lord Mountnorris's*	——	——	——	S	b		Miss Chapman's ic. ined.
4	Colvíllii Swt. (*va*) Reticulato-Johnsoni	——	——	——	S	b		
	α *atrorùbens* (*da.pu.w*) *dark-red*	——	——	——	S	b		
	β *purpuráscens* (*pu.re*) *purplish*	——	——	——	S	b		
	γ *costàta* (*re.wh*) *ribbed-leaved*	——	——	——	S	b		
	δ *dioíca* (*re.pu*) *barren-anthered*	——	——	——	S	b		
	ε *æ'mula* (*re.wh*) *red-and-white*	——	——	——	S	b		
	ζ *nervifòlia* (*pu.re*) *strong-nerved*	——	——	——	S	b		
	η *phœnícea* (*da.pu*) *dark-purple-red*	——	——	——	S	b		
	θ *stenántha* (*pa.pu.w*) *narrow-petalled*	——	——	——	S	b		
	ι *fláccida* (*r.pu.w*) *flaccid-leaved*	——	——	——	S	b		
	κ *bracteàta* (*re.pu*) *large-bracted*	——	——	——	S	b		
	λ *párvula* (*pu.w*) *small-flowered*	——	——	——	S	b		
5	præclàra W.H. (*va*) Johnsoni-striatifòlia	Colvill's	——	——	S	b		
	α *pátens* (*pu.wh*) *spreading-flowered*	——	——	——	S	b		
	β *Colvilliàna* (*re.p.w*) *Colvill's*	——	——	——	S	b		
	γ *decòra* (*re.pu*) *neat*	——	——	——	S	b		
6	Johnsòni Swt. (*sc.wh*) Reginæ vittàta	Johnson	1810.	1.12.	G	b		Lodd. bot. cab. t. 159.
	spectábilis B.C. *brasiliénsis* Redout. liliac. c. ic.							
	α *Scaramoúch* W.H. (*sc.wh*) *Mr. Herbert's*	Mitcham	1811.	——	G	b		
	β *Máter* W.H. (*sc.wh*) *dame*	——	——	——	G	b		
	γ *Sorélla* W.H. (*sc.wh*) *sister*	——	——	——	G	b		
	δ *quárta* W.H. (*sc.wh*) *fourth*	——	——	——	G	b		
	ε *péndula* W.H. (*sc.wh*) *pendulous*	——	——	——	G	b		
	ζ *Ponceaunélta* W.H. (*sc.wh*) *related*	——	——	——	G	b		
	η *bárbe blánche* W.H. (*sc.wh*) *white-bearded*	Highclere	——	——	G	b		
7	reginæ W. (*sc*) Mexican Lily	S. America	1725.	5. 7.	S	b		Bot. mag. t. 453.
8	formòsa W.H. (*va*) Striatifolio-reginæ	Colvill's	1820.	——	S	b		
	α *grandiflòra* (*pu.wh*) *large-flowered*	——	——	——	S	b		
	β *pallécens* (*pa.re.w*) *pale red and white*	——	——	——	S	b		
	γ *rubicúnda* (*ve.re*) *velvetty red*	——	——	——	S	b		
	δ *coccínnea* (*sc*) *dark-veined scarlet*	——	——	——	S	b		
	ε *ríngens* (*re.wh*) *gaping-flowered*	——	——	——	S	b		
	ζ *carnéscens* (*fl.wh*) *flesh-coloured*	——	——	——	S	b		
	η *dilùta* (*pa.re.w*) *stained-flowered*	——	——	——	S	b		
	θ *imbùta* (*re*) *stained red*	——	——	——	S	b		
	ι *compácta* (*pa.re*) compact	——	——	——	S	b		
9	gloriòsa Swt. (*va*) Reticulato-reginæ	——	——	——	S	b		
	α *sulcàta* (*re.wh*) *channelled-leaved*	——	——	——	S	b		
	β *rubéscens* (*re.wh*) *pale-red*	——	——	——	S	b		
	γ *ròseo-álba* (*ro.wh*) *rosy and white*	——	——	——	S	b		
	δ *accèdens* (*ve.re*) *velvetty*	——	——	——	S	b		
10	consanguínea (*sc.wh*) Valleti-reginæ	——	1824.	——	S	b		
	β *seríceа* (*pu*) *silky-flowered*	——	——	——	S	b		
11	intermèdia (*re.wh*) Reginæ-equestris	——	1820.	——	S	b		
12	spathàcea B.M. (*sc*) large-spathed	Hybrid	——	——	S	b		Bot. mag. t. 2315.
13	vittàta W. (*sc.wh*) striped	S. America	1769.	4. 5.	S	b		—— t. 129.
	β *latifòlia* L.col. (*sc.wh*) *broad-leaved*	——	1816.	——	G	b		Lind. coll. bot. ic.
14	lineàta Colla. (*sc.wh*) lined flowered	——	1820.	——	S	b		Coll. hort. rip. ic.
	vittàta γ *Harrisòniæ* Bot. reg. t. 988.							
15	magnífica (*sc.wh*) Striatifolio-vittàta	Colvill's	1823.	——	S	b		
16	púlchra C.C. (*sc.wh*) Reticulato-vittàta	——	——	——	S	b		
17	spléndens H.A. (*sc.wh*) Rutilo-equestri-vittata	Spofforth	1819.	——	S	b		Herb. append. p. 52. ic.
	α *Mars* W.H. (*sc.wh*) *Mars*	——	1822.	——	S	b		
	β *Vésta* W.H. (*sc.wh*) *Vesta*	——	——	——	S	b		
	γ *Bellòna* W.H. (*sc.wh*) *Bellona*	——	——	——	S	b		

	δ *álta* W.H.	(*sc.wh*) *tallest*	Spofforth	1822.	1.12.	F	b	
	ε *ignéscens*	(*sc*) *flame-coloured*	Colvill's	——	——	F	b	
18	sanguínea W.H.	(*cr.wh*) Ruttilo-vittata	Highclere	1819.	——	G	b	
19	mìcans W.H.	(*re.co*) Rutilo-crocata	——	1820.	——	S	b	
20	angústa	(*sc.pu*) Johnsoni-rutila	Colvill's	1822.	——	S	b	
21	rígida	(*re.co.g*) Crocato-rutila	——	——	——	S	b	
22	incly'ta W.H.	(*sc.wh*) Fulgido-vittata	Highclere	1819.	——	S	b	
23	Carnarvòni W.H.	(*sc.w*) Vittato-reginæ	——	——	——	G	b	
24	árdens W.H.	(*sc.co*) Crocato-reginæ	Spofforth	1820.	——	S	b	
	α *salmònea* W.H.	(*pa.re*) *salmon-coloured*	——	——	——	S	b	
	β *charbon brulant*	(*pa.r*) *shining-fld.*	——	——	——	S	b	
25	bulbulòsa H.A.	.. bulbillose	Brazil	1810.	——	S	b	
	β *semibarbàta* B.M.	(*or.sc*) *slightly-bearded*	——	1823.	——	S	b	Bot. mag. 2474.
	γ *rùtila* K.R.	(*sc*) *fiery*	——	1815.	——	S	b	Bot. reg. t. 23.
	δ *fúlgida* K.R.	(*sc*) *fulgid*	——	1810.	——	S	b	—— t. 226.
	ε *pállida* H.A.	(*re*) *pale-flowered*	——	....	——	S	b	
	ζ *Simsiàna* H.A.	(*sc*) *Sims's*	——	....	——	S	b	Bot. mag. t. 1943.
	miniàta B.M.							
	η *acumináta* B.R.	(*co*) *acuminated*	Maranham	1823.	4. 8.	S	b	Bot. reg. 534 et 1188.
	θ *pulveruléntа* B.M.	(*co*) *powdery*	Brazil	....	——	S	b	Bot. mag. t. 2273.
	ι *crocàta* K.R.	(*sn*) *saffron-coloured*	——	1810.	——	S	b	Bot. reg. t. 38.
26	flórida W.H.	(*sc.wh*) Fulgido-rutila	Spofforth	1820.	——	S	b	
27	màjor W.H.	(*sc.co*) Acuminato-rutila	——	——	——	S	b	
	β *fratérna*	(*sc*) *brother*	Colvill's	1821.	——	S	b	
28	venòsa W.H.	(*sc.wh*) Vittato-Johnsoni	Highclere	——	——	G	b	
29	invérsa W.H.	(*sc.wh*) Johnsoni-vittata	Liverpool	1812.	——	G	b	
	β *Saturn* W.H.	(*sc.wh*) *Saturn*	——	——	——	G	b	
	γ *Plùto* W.H.	(*sc.wh*) *Pluto*	Spofforth	1814.	——	G	b	
	δ *Andrómache* W.H.	(*sc*) *Andromache*	——	——	——	G	b	
30	sidèrea W.H.	(*sc*) Sanguineo-subbarbata	Spofforth	1820.	—	S	b	
31	stellàta W.H.	(*sc*) Subbarbato-sanguinea	——	——	——	S	b	
32	renovàta W.H.	(*sc.wh*) Splendente-fulgida	——	——	——	S	b	
33	expánsa W.H.	(*sc.wh*) Equestri-florida	——	——	——	S	b	
34	Beàtum W.H.	(*sc.co*) Johnsoni-acuminata	Wentworth		——	S	b	
	β *Beatrice* W.H.	(*sc.co*) *Beatrice*	——	——	——	S	b	
	γ *trícolor*	(*re.pu.gr*) *three-coloured*	Colvill's	1821.	——	S	b	
	δ *macrántha*	(*re.co*) *large-flowered*	——	——	——	S	b	
	ε *crispàta*	(*re.co*) *curled-edged*	——	——	——	S	b	
	ζ *tricúspis*	(*sc.or*) *three-pointed*	——	——	——	S	b	
35	lugùbris W.H.	(*sc.or*) Styloso-Johnsoni	Spofforth	1814.	——	S	b	
	α *sombrélla* W.H.	(*co*) *sombre*	——	——	——	S	b	
	β *griselìna* W.H.	(*pa*) *greyish*	——	——	——	S	b	
	γ *porporìna* W.H.	(*br*) *brownish*	——	——	——	S	b	
36	tristis W.H.	(*sc.co*) Johnsoni-stylosa	——	——	——	S	b	
37	Brookesii W.H.	(*sc.co*) Crocato-Johnsoni	Brookes's	1820.	——	S	b	
	β *Creúsa* W.H.	(*sc.co*) *Creusa*	——	——	——	S	b	
38	aurantìaca W.H.	(*or*) Reginæ-acuminata	Spofforth	——	——	S	b	
	α *Camíllus* W.H.	(*or.sc*) *Camillus*	——	——	——	S	b	
	β *Gustàvus* W.H.	(*or.sc*) *Gustavus*	——	——	——	S	b	
	γ *amábilis*	(*sc.or*) *brilliant*	Colvill's	1821.	——	S	b	
	δ *fúlva*	(*co*) *coppery*	——	——	——	S	b	
39	platypétala	(*sc.or*) Acuminato-reginæ	——	——	——	S	b	
40	Hoòdii	(*sc.wh*) Reginæ-fulgida	——	1820.	——	S	b	
41	intermíxta C.C.	(*re.wh*) Equestri-regina	——	——	——	S	b	
42	Coóperi W.H.	(*co*) Crocato-acuminata	Wentworth	—	——	S	b	
	β *transpàrens*	(*co.gr*) *transparent*	Colvill's	1821.	——	S	b	
43	élegans W.H.	(*sc.wh*) Formoso-vittata	Highclere	——	——	G	b	
44	Burghclerìàna W.H.	(*sc.wh*) Splendente-vittata	Burghclere		——	G	b	
45	ánceps W.H.	(*sc.wh*) Florido-Johnsoni	Spofforth	——	——	G	b	
46	concínna W.H.	(*sc.wh*) Formoso-Johnsoni	——	——	——	G	b	
	α *Roundhead* W.H.	(*sc.wh*) *Roundhead*	——	——	——	G	b	
	β *Peter* W.H.	(*sc.wh*) *Peter*	——	——	——	G	b	
	γ *John* W.H.	(*sc.wh*) *John*	——	——	——	G	b	
	δ *Jeffrey* W.H.	(*sc.wh*) *Jeffrey*	——	——	——	G	b	
47	incónstans	(*sc.or*) Acuminato-Johnsoni	Colvill's	—	——	G	b	
	α *venòsa*	(*re.co*) *purple-veined*	——	——	——	G	b	
	β *laterítia*	(*re.co*) *brick-coloured*	——	——	——	G	b	
	γ *glaucéscens*	(*re.co*) *glaucescent*	——	——	——	G	b	
	δ *cóncolor*	(*co*) *self-coloured*	——	——	——	G	b	

	ε *vària*	(*re.co*) *variable-coloured*	Colvill's	1821.	1.12.	G	b	
	ζ *crispiflòra*	(*sc*) *scarlet-curled-fld.*	———	——	——	G	b	
	η *pustulòsa*	(*sc.co*) *pustulose-fld.*	———	——	——	G	b	
	θ *breviflòra*	(*re.co*) *short-tubed*	———	——	——	G	b	
	ι *fúlvo-cíncta*	(*re.co*) *brown-edged*	———	——	——	G	b	
	κ *dilécta*	(*sc*) *bright-scarlet*	———	——	——	G	b	
	λ *tortuliflòra*	(*sc.or*) *twisted-flowd.*	———	——	——	G	b	
	μ *veniflòra*	(*ye.re*) *veined-flowd.*	———	——	——	G	b	
	ν *lineolàta*	(*re*) *dark-lined*	———	——	——	G	b	
	ξ *basiflòra*	(*re.pu*) *purple-bottomed*	———	——	——	G	b	
	ο *imperiàlis*	(*sc*) *imperial*	———	——	——	G	b	
	π *punctulòsa*	(*pa.sc*) *purple-spotted*	———	——	——	G	b	
	ρ *unipárvula*	(*re.pu*) *lower-small-petalled*	———	——	——	G	b	
	σ *purpùreo-rùbens*	(*pu.re*) *purplish-red*	———	——	——	G	b	
	τ *flexuòsa*	(*pu.re*) *flexuose-petalled*	———	——	——	G	b	
	υ *delicàta*	(*sc.pu*) *purple-striped-scarlet*	———	——	——	G	b	
48	stylòsa	(*co.re*) long-styled	Maranham	——	2. 6.	S	b	Bot. mag. t. 2278.
	maranénsis B.R. 719. *Hippeástrum stylòsum* B.M.							
49	spùria	(*sc.co*) Acuminato-reginæ	Colvill's	1822.	——	S	b	
	α *sórdida*	(*co*) *dull-copper*	———	——	——	S	b	
	β *carinàta*	(*re co*) *keeled-flowered*	———	——	——	S	b	
50	striatiflòra	(*sc.wh*) Acuminato-Sweetii β	——	1823.	——	S	b	
	β *consobrìna*	(*pi.pu*) *cousin*	———	——	——	S	b	
	γ *diversícolor*	(*re.w.pu*) *different-coloured*	——	——	——	S	b	
51	breviflòra B.M.	(*wh.re*) short-flowered	Buen.Ayres	1836.	4. 5.	F	b	Bot. mag. t. 3549.
52	nòbile W.H.	(*st.pu*) Acuminato-stratifolia	Spofforth	1820.	1.12.	S	b	
53	venústa W.H.	(*sc.pu.w*) Fulgido-striatifòlia	——	——	——	S	b	
54	dilécta W.H.	(*sc.pu*) Equestri-striatifolia	Colvill's	——	——	S	b	
55	Gòweni W.H.	(*pu.co*) Striatifolio-acuminata	Highclere		——	S	b	
	α *Cavàlier* W.H.	(*pu.co*) *Cavalier*	———	——	——	S	b	
	β *Biondélta* W.H.	(*pu.c*) *Biondelta*	———	——	——	S	b	
	γ *Agàtha* W.H.	(*pu.co*) *Agatha*	———	——	——	S	b	
56	Harrisòni W.H.	(*pu*) Striatifolio-stylosa	Harrison's	1824.	——	S	b	
57	tríplex W.H.	(*sc.pu.w*) Goweni-vittata	Highclere	1820.	——	S	b	
58	ambígua H.A.	(*wh.re*) ambiguous	Peru	....	6. 8.	S	b	
	β *longiflòra* B.M.	(*wh.re*) *long-flowered*	Lima	....	——	S	b	Bot. mag. t. 3542.
59	pulchérrima W.H.	(*p.co.*) Sweetii-pulverulenta	Spofforth.	1824.	4.8.	S	b	
	α *Vezzòsa*	(*pu.re.co*) *Vezzosa*	———	——	——	S	b	
	β *Gràtian*	(*pu.re.co.*) *Gratian*	———	——	——	S	b	
	λ *Amorosétta*	(*pu.re.co*) *Amorosetta*	———	——	——	S	b	
	δ *Salamánder*	(*pu.re.co*) *changing-coloured*	——	——	——	S	b	
	ε *Calìsto*	(*pu.re.co*) *Calisto*	———	——	——	S	b	
60	bélla W.H.	(*pu.re.w*) Sweetii-Carnarvoni	———	——	——	S	b	
61	díscolor W.H.	(*sc.br.*) Johnsoni-tristis	———	——	——	S	b	
62	varìata W.H.	(*sc.pu*) Formoso-inversa	———	——	——	S	b	
63	quíntuplex W.H.	(*pu.re*) Harrisoni-tristis	——	1826.	——	S	b	
64	exímia W.H.	(*va*) Goweni-Highcleriàna	Highclere..		——	S	b	
65	equéstris K.B.	(*sc*) Barbadoes Lily	W. Indies	1710.	7.10.	S	b	Bot. mag. t. 305.
	β *màjor* B.B.	(*sc*) *larger*	———	....	——	S	b	Bot. reg. t. 234.
	γ *plèna*	(*sc*) *double-flowered*	———	1809.	——	S	b	
66	miniàta R.P.	(*sc*) vermilion	S. America	....	....	S	b	
67	solandriflòra L.col.	(*st*) Solandra-flowered	———	1820.	4. 6.	S	b	Lindl. coll. bot. t. 11.
	α *chloroleùca*	(*st*) *dull-coloured*	———	——	——	S	b	
	β *striàta* H.A.	(*st*) *red-striped*	———	——	——	S	b	Bot. mag. t. 2573.
	γ *purpurascens*	(*st.pu*) *purple-tubed*	———	——	——	S	b	
	δ *conspícua* H.K.	(*pu.st*) *purple-striped*	———	——	——	S	b	Bot. reg. t. 876.
68	Haylócki W.H.	(*st.pu*) Solandrifloro-acuminata	——	——	——	S	b	
69	Herbérti	(*va*) Solandrifloro-stylosa	Spofforth	....	——	S	b	
	α *lónga*	(*va*) *long-flowered*	———	....	——	S	b	
	β *carnélla*	(*fl*) *flesh-coloured*	———	....	——	S	b	
	γ *magnífica*	(*va*) *magnificent*	———	....	——	S	b	
70	Highcleriàna W.H.	(*va*) Styloso-Solandriflora	Highclere..		——	S	b	
	β *pícta*	(*va*) *painted lady*	Spofforth	....	——	S	b	
	γ *Dóminie*	(*va*) *Dominie*	———	....	——	S	b	
71	calyptràta K.B.	(*gr*) green-flowered	Brazil	1816.	5. 8.	S	b	Bot. reg. t. 164.
72	aúlica K.R.	(*sc.gr*) crowned	———	——	1. 6.	S	b	——— t. 444.
	β *platypétala* H.A.	(*sc.gr*) *broad-petalled*	———	....	——	S	b	——— t. 1038.
	γ *glaucophy'lla* H.A.	(*sc.gr*) *glaucous-ld.*	———	....	——	S	b	Bot. mag. t. 2983.
73	psittácina K.B.	(*sc.gr*) parrot-like	———	——	1.12.	S	b	Bot. reg. t. 199.
74	Griffìni W.H.	(*sc.gr*) Psittacino-Johnsoni	Griffin's	1820.	——	S	b	

α *Napoleòna* W.H.(*sc.gr*)*Napoleon's* Griffin's 1820. 1.12. S b
β *Victor* W.H.(*sc.gr*)*Victor* ——— —— —— S b
γ *Alómpra* W.H.(*sc.gr*)*Alompra* ——— —— —— S b
δ *retinérvia* (*sc.gr*) *netted-nerved* Colvill's 1822. —— S b
ε *recurviflòra* (*sc.gr*)*recurve-pointed* ——— —— —— S b
ζ *campanulàta*(*re.gr*)*bell-flowered* ——— —— —— S b
η *quadrilineàta*(*sc.pu.g*)*four-lined* ——— —— —— S b
θ *albocíncta* (*wh.sc*) *white-edged* ——— —— —— S b
ι *quadrícolor*(*sc.pu.g.w*)*four-coloured* ——— —— —— S b
75 affìne (*sc.gr*) Psittacino-reginæ ——— —— —— S b
α *canaliculàta*(*sc.gr*)*channel-leaved* ——— —— —— S b
β *membranàcea* (*re.pu.g*)*membranous-edged* ——— —— —— S b
γ *purpurostriàta*(*re.pu*)*purple-striped* ——— —— —— S b
δ *latífida* (*re.pu.g*) *broad-segmented* ——— —— —— S b
76 tortuòsa (*sc.gr*) Psittacino-equestris ——— —— —— S b
77 multistriàta (*sc.wh*) Psittacino-Valleti ——— —— —— S b Miss Chapman ic.
β *retiflòra* (*sc.w.g*) *netted-flowered* ——— —— —— S b
78 pretiòsum W.H.(*sc.gr*)Psittacino-Griffini Highclere 1824. —— S b
79 sinístrum W.H.(*sc.w.g*)Griffini-vittatum ——— —— —— S b

SPREKE'LIA H.A. JACOBEA LILY. (not explained.) Hexandria Monogynia.
formosíssima H.A. (*cr*) crimson S. America 1658. 5. 6. F b Bot. mag. t. 47.
Amary'llis formosíssima B.M.

LYCO'RIS H.A. LYCO'RIS. (a mythological name.) Hexandria Monogynia.
1 aúrea H.A. (*ye*) golden China 1777. 8.12. G b Bot. reg. t. 611.
Amary'llis aúrea B.R.
2 radiàta H.A. (*pi*) Snowdrop-leaved ——— 1758. 9.10. G b Bot. reg. t. 596.
Amary'llis radiàta B.R.

PYROLI'RION B.H. PYROLI'RION. (πυρος, a pear, and λειριον, a lily.) Hexandria Monogynia.
1 aúreum B.R. (*ye*) golden Peru .... G b Flor. peruv. 3. t. 286.
Amary'llis Peruviàna Poit. B.M. t. 1089. *aúrea* R. et P.
2 flàvum H.A. (*ye*) yellow Peru .... G b Bot. reg. t. 1724.
aúreum B.R. not of Flor. peruv.

NERI'NE H.A. NERI'NE. (daughter of Nereus.) Hexandria Monogynia.
1 curvifòlia H.A. (*sc*) curve-leaved C. B. S. 1794. 7. 9. F b Bot. mag. t. 725.
Amary'llis curvifòlia B.M. *Fothergíllia* And. reposit. t. 163.
2 corúsca H.A. (*sc*) brilliant C. B. S. 1809. —— F b Bot. mag. t. 1089.
3 ròsea B.M. (*ro*) rose-coloured ——— .... —— F b ——— t. 2124.
4 venústa H.A. (*ro*) poppy-coloured ——— 1806. 6. 8. F b ——— t. 1090.
5 sarniénsis H. A. (*re*) Guernsey Lily ——— 1659. 9.10. F b ——— t. 294.
6 pulchélla H.A. (*re*) pretty ——— 1820. 7. 9. F b ——— t. 2407.
7 flexuòsa H.A.(*pa.re*) zigzag ——— 1795. 9.10. F b Bot. reg. t. 172.
8 hùmilis H.A. (*re*) small ——— —— 7.10. F b Bot. mag. t. 726.
9 undulàta H.A.(*pa.re*)waved-flowered ——— 1767. —— F b ——— t. 369.
10 versícolor H.A. (*li*) changeable-col'dHybrid 1815. —— F b Herb. append. ic.

CHORE'TIS W.H. CHORE'TIS. (χορητες, rustic.) Hexandria Monogynia.
glaúca W.H. (*wh*) glaucous Mexico 1837. 8. G b Flor. cab. 2. t. 101.

IXIOLI'RION H.A. IXIOLI'RION. (ιξια, and λειριον, a lily.) Hexandria Monogynia.
1 montànum R.S. (*bl*) mountain Persia 1829. .... H b Redout. liliac. t. 241.
Amary'llis montàna Labill. syr. dec. 2. p. 5. t. 1. *Alstrœmèria montàna* Ker.
2 tatáricum R.S. (*bl*) Tartarian Tartary 1822. 4. 6. H b Pall. it. 3. ap.85.t.D.f.1.
Amary'llis tatárica M.B.

STRUMA'RIA Ker. STRUMA'RIA. (*struma*, a wen; bottom of the style.) Hexand. Monogy.
1 truncàta W. (*wh.bh*) truncated C. B. S. 1795. 4. 5. F b Jacq. ic. 2. t. 357.
2 rubélla W. (*li*) pale-red ——— —— 5. 6. F b ——— 2. t. 358.
3 angustifòlia W.(*wh.li*)narrow-leaved ——— —— 4. 5. F b ——— 2. t. 359.
4 undulàta W. (*wh.ro*) waved ——— 1825. 4. 8. F b ——— 2. t. 360.
5 linguæfòlia W. (*wh*) tongue-leaved ——— 1812. —— F b ——— 2. t. 356.

IMHO'FIA H.A. IMHO'FIA. (Imhof, a German bot.) Hexandria Monogynia.
1 filifòlia H.A. (*wh*) fine-leaved C. B. S. 1774. 10.16. F b Bot. reg. t. 440.
2 críspa H.A. (*ro.li*) curled-flowered ——— 1790. —— F b Bot. mag. t. 1363.
Amary'llis críspa Jacq. schœn. t. 72. *Strumària críspa* B.M.
3 gemmàta H.A. (*wh*) gynandrous ——— 1810. 8.10. F b Bot. mag. t. 1620.
Strumària gemmàta B.M. *Strumària filifòlia* B.R.
4 marginàta H.A. (*wh*) red margined ——— 1795. 9.10. F b Jacq. schœn. 1. t. 65.
Brunsvigia marginàta H.K. *Amary'llis marginàta* Jacq.

CARPOLY'ZA H.A. CARPOLY'ZA. (κυρπος, a fruit, and λυσσα, rage.) Hexandria Monogynia.
1 spiràlis H.A.(*ro.wh*)spiral C. B. S. 1774. 4. 8. F b Bot. mag. t. 1383.

BU'PHONE H.A. BU'PHONE. (a mythological name.) Hexandria Monogynia.
1 dísticha H.A. (*pu*) distichous C. B. S. 1823. 9.10. F b Patters. iter. t. 1.
2 toxicària A.A. (*li*) Poison-bulb ——— 1774. —— F b Bot. reg. t. 567.

β obtusifòlia H.A.	(*li*)*wave-leaved*	C. B. S.	1816. 9.10.	F	b	
3 ciliàris H.A.	((*pa.pu*) fringe-leaved	———	1752. 6. 8.	F	b	Bot. reg. t. 1153.
Brunsvígia ciliàris B.R. *Amary'llis ciliàris* L. *Hæmánthus ciliàris* W.						

AMMO'CHARIS H.A. AMMO'CHARIS. (αμμος, sand, and χαιρω, to delight.) Hexan Monogy.

1 corónica H.A.	(*pu*) Mr. Burchell's	C. B. S.	1816. 7. 8.	F	b	Bot.. reg. t. 139.
Amary'llis corónica B.R.						
β pállida B.R.	(*li*) *pale-flowered*	———	—— ——	F	b	Bot. reg. t. 1219.
2 falcàta H.A.	(*pu*) sickle-leaved	———	1774. 5. 6.	F	b	Bot. mag. t. 1443.
Brunsvígia falcàta B.M. *Amary'llis falcàta* H.K. *Crìnum falcàtum* Jacq. vind. 3. t. 60.						

BRUNSVI'GIA Ker. BRUNSVI'GIA. (the Brunswick family.) Hexandria Monogynia.

1 latícoma	(*pa.pu*) broad-headed	C. B. S.	1818. 3. 6.	F	b	Bot. reg. t. 497.
lùcida H.A. *Amary'llis latícoma* B.R.						
2 mìnor B.R.	(*ro*) lesser	———	1820. ——	F	b	Bot. reg. t. 954.
3 multiflòra B.M.	(*sc.gr*) many-flowered	———	1752. 6. 8.	F	b	Bot. mag. t. 1619.
Amary'llis orientàlis W.						
β rubricaúlis H.A.	(*cr*) *red-stemmed*	———	1812. ——	F	b	Jacq. schœn. 1. t. 39.
4 Josephìnæ B.R.	(*sc*) Josephine's	———	1814. ——	F	b	Redout. lil. t. 370-372.
β mìnor B.R.	(*ro*) *smaller*	———	—— ——	F	b	Bot. reg. t. 192, 193.
Griffiniàna H.A.						
γ striàta B.M.	(*pu.std*) *striped-flowered*	———	1823. ——	F	b	Bot. mag. t. 2578.
5 striàta H.K.	(*pu*) striated	———	1795. 9.10.	F	b	Jacq. schœn. 1. t. 70.
6 rádula H.K.	(*pu*) rasp-leaved	———	1790. 4. 8.	F	b	——— 1. t. 68.
7 grandiflòra B.R.	(*pi*) large-flowered	———	1827. 8. 9.	F	b	Bot. reg. t. 1335.

PHYCE'LLA B.R. PHYCE'LLA. (a dim. of φυκος, red alkanet; red-flowers.) Hexand. Monogy.

1 ígnea B.R.	(*sc.ye*) fiery	Chili	1824. 8.10.	G	b	Bot. reg. t. 809.
β glaúca	(*sc.ye*) *glaucous-leaved*	———	—— ——	G	b	Bot. mag. t. 2687.
2 cyrtanthoìdes B.R.	(*sc.ye*) Cyrtanthus-like		1821. 6. 8.	G	b	——— t. 2399.
Amary'llis cyrtanthoìdes B.M.						
3 Herbertiàna B.R.	(*re.y*) Mr. Herbert's	———	1825. 5. 7.	F	b	Bot. reg. t. 1341.
4 corúsca Gr.	(*sc.or*) glossy	———	—— ——	F	b	
5 brevitùba B.R.	(*sc*) short-tubed	———	1835. 7. 8.	F	b	Bot. reg. t. 1943.
6 biflòra B.R.	(*sc.ye*) two-flowered	———	1837. ——	F	b	

GRIFFI'NIA B.R. GRIFFI'NIA. (W. Griffin, a cel. cultivator of bulbs.) Hexandria Monogynia.

1 hyacínthina B.R.	(*bl*) largest	Brazil	1815. 6. 9.	S	b	Bot. reg. t. 163.
Amary'llis hyacínthina B.R.						
2 intermèdia B.R.	(*bl*) intermediate	———	1825. 5. 7.	S	b	Bot. reg. t. 990.
3 parviflòra B.R.	(*bl*) small-flowered	———	1820. ——	S	b	——— t. 511.

HE'SSEA H.A. HE'SSEA. (not explained.) Hexandria Monogynia.

stellàris H.A.	(*pk*) stellate	C. B. S.	1794. 10.11.	F	b	Jacq. schœn. 1. t. 71.
Strumària stellàris B.M.						

HÆMA'NTHUS W. BLOOD-FLOWER. (αιμα, blood, and ανθος, a flower.) Hexandria Monogynia.

1 coccíneus S.S.	(*sc*) salmon-coloured	C. B. S.	1629. 8.10.	F	b	Bot. mag. t. 1075.
β coarctàtus H.A.	(*sc*) *compressed*	———	1795. 2. 3.	F	b	Bot. reg. t. 181.
2 tigrìnus S.S.	(*sc*) Tiger-spotted	———	1790. 12.2.	F	b	Bot. mag. t. 1705.
3 maculàtus S.S.	(*sc*) spotted	———	—— ——	G	b	
4 rotundifòlius S.S.	(*sc*) round-leaved	———	—— 6.10.	F	b	Bot. mag. t. 1618.
5 crassìpes S.S.	(*sc*) thick-leaved	———	1816. ——	F	b	
6 hyalocárpus S.S.	(*re*) clear-berried	———	—— ——	F	b	Jacq. schœn. 4. t. 409.
7 quadriválvis S.S.	(*re*) four-valved	———	1790. 9.10.	G	b	Bot. mag. t. 1523.
8 hùmilis S.S.	(*re*) small	———	1825. ——	F	b	
9 Pumìlio S.S.	(*re*) dwarf	———	1789. 8. 9.	F	b	Jacq. schœn. 1. t. 61.
10 pubéscens S.S.	(*sc*) villous-leaved	———	1774. ——	F	b	Bot. reg. t. 382.
11 álbiflos W.	(*wh*) smooth-broad-ld.	———	1791. 4. 8.	F	b	——— t. 984.
12 cárneus S.S.	(*ro*) flesh-coloured	———	1819. 6. 8.	F	b	——— t. 509.
13 lanceæfòlius S.S.	(*re*) spear-leaved	———	1794. 9.10.	F	b	Jacq. schœn. 1. t. 60.
14 carinàtus P.S.	(*re*) keel-leaved	———	1759. 8. 9.	F	b	
15 amaryllòides S.S.	(*re*) Amaryllis-like	———	1825. ——	F	b	
16 moschàtus S.S.	(*re*) musk-scented	———	1816. ——	F	b	
17 sanguíneus S.S.	(*sc.*) crimson	———	1820. 6. 8.	F	b	
18 puníceus S.S.	(*sc.*) waved-leaved	———	1722. 5. 9.	G	b	Bot. mag. t. 1315.
19 multiflòrus S.S.	(*sc.*) many-flowered	Sierra-Leon.	1783. ——	S	b	——— t. 1995 & 961.

CRI'NUM W. H. CRI'NUM. (κρινον, a syn. of λειριον, a lily.) Hexandria Monyginia.

1 austràle H.A.	(*wh*) southern	N. S. W.	1790. 4. 8.	G	b	
β pedunculàtum B.P.	(*wh*) *New Holland*	N.S.W.	—— ——	G	b	Bot. reg. t. 52.
γ exaltàtum H.A.	(*wh*) *high*	E. Indies	1820. ——	S	b	
δ canaliculàtum K.R.	(*wh*) *chanelled-leaved*	——	1810. ——	S	b	
2 brachyándrum K.R.	(*wh*) short-antheredN.	Holland	1819. ——	G	b	
3 brevilímbum H.A.	(*wh*) short-limbed	Pacific Isl.	1820. 6. 8.	S	b	
4 procèrum H.A.	(*bh*) tall	Rangoon	1822. ——	S	b	Bot. mag. t. 2684.
5 anómalum H.A.	(*wh*) plaited-leaved	China	1822. ——	S	b	

6	asiáticum K.R. (*wh*) Poison bulb	China	1732.	6. 8.	S	b	Bot. mag. t. 1073.
	β *plicàtum* B.M. (*wh*) *plicate-leaved*	———	1823.	4. 6.	S	b	——— t. 2908.
	γ *declinàtum* H.A.(*wh*)*declined*	E. Indies	1819.	4. 8.	S	b	——— t. 2231.
	δ *bracteàtum* W. (*wh*) *short-leaved*	Mauritius	1810.	6. 8.	S	b	Bot. reg. t. 179.
	brevifòlium H.B. published 1814. *bracteàtum* W. 1799. Jacq. schœn. 4. t. 495 in 1804.						
	ε *sinicum* H.A. (*wh*) *Chinese*	China	1819.	——	S	b	Bot. mag. 2121.
	ξ *angustifòlium*H.A.(*wh*)*narrow-leaved*	Mauritius	1810.	6. 8.	S	b	
7	Lindleyànum H.A. (*wh.pu*) Lindley's	Maranham	1824.	——	S	b	
8	erubéscens K.R. (*re.wh*) blush-coloured	S.America	1789.	——	S	b	Bot. mag. t. 1232.
	α *rubrilímbum*(*re.*) *red-limbed*	———	——	——	S	b	
	β *majus* H.A.(*re.wh*) *larger*	———	——	——	S	b	
	γ *minus* H.A.(*re.wh.*) *lesser*	———	——	——	S	b	
	δ *coranty'num* W.H. (*bh*) *Corantyne*	Berbice	1820.	——	S	b	
	ε *octoflòrum* H.A.(*wh*) *eight-flowered*	SpanishMain	..	——	S	b	
	ζ *aquáticum* W.H. (*wh*) *water*	Brazil	1823.	——	S	b	
	η *glàbrumálbum* W.H. (*wh*)*shining-lvd*	Maranham	1820.	——	S	b	
	θ *glàbrumrùbrum*W.H.(*re.wh*) *smooth-red*	——	1823.	——	S	b	
	ι *undulàtum*W.H.(*wh.*) *wave-leaved.*	Brazil	——	——	S	b	Hook. ex. flor. t. 200.
	Crinum undulatum Hooker.						
9	cruéntum B.R. (*re*) red-flowered	S. America	1810.	——	S	b	Bot. reg. t. 171.
10	rígidum H.A. (*wh*) stiff	E. Indies	——	6. 8.	S	b	
	β *sumatrànum* K.R.(*wh*) *Sumatra*	Sumatra	——	——	S	b	Bot. reg. t. 1049.
	γ *macrocárpon*H.A.(*wh*)*large-fruited*	Pegu	1820.	——	S	b	
11	élegans H.A. (*wh*) elegant	———	——	9.11.	S	b	Bot. mag. t. 2592.
12	venústum H.A. .. pretty	E. Indies	——	....	S	b	
13	canalifòlium H.A.(*wh*) channelled	———	——	6. 9.	S	b	
	β *majus* W.H. (*wh*) *larger*	———	1825.	——	S	b	
14	praténse H.A. (*wh*) field	E. Indies	1810.	6. 8.	S	b	
	β *longifòlium* K.R. (*wh*) *long-leaved*	———	——	——	S	b	
	γ *lorifòlium* K.R.(*wh*) *lorate-leaved*	———	1819.	——	S	b	
15	americànum W.(*wh*) American	S. America	1752.	7. 9.	S	b	Bot. mag. t. 1034.
16	Commelíni K.R.(*wh*) Commelin's	———	1798.	6. 9.	S	b	Jacq. schœn. 2. t. 202.
17	stríctum B.M. (*wh*) upright	S. America?	1820.	8.10.	S	b	Bot. mag. t. 2635.
18	Loddigesiànum H.A.(*wh.pu*) Loddiges's	Mexico	....	——	S	b	
19	defíxum K.R. (*wh*) marsh	E. Indies	1810.	4. 8.	S	b	Bot. mag. t. 2208.
20	ensifòlium K.R. (*bh*) sword-leaved	———	1820.	——	S	b	——— t. 2301.
21	amœ'num K.R. (*wh*) delightful	———	1810.	——	S	b	
22	multiflòrum Df. (*wh*) many-flowered	.....	1822.	——	S	b	
23	hùmile B.M. (*wh*) humble	E. Indies	1816.	——	S	b	Bot. mag. t. 2636.
24	australácicum H.A.(*wh*) Australian	Australia	1838.	6. 7.	G	b	
	β *confértum*(*wh*) *crowded-flowered*	N. Holland	1822.	——	G	b	Bot. mag. t. 2522.
	γ *angustifòlium*B.P.(*wh*)*rough-edged*	———	1823.	——	G	b	
	δ *arenàrium* B.M.(*wh*) *sand*	———	1818.	5. 8.	G	b	Bot. mag. t. 2355.
	ε *blándum* B.M. (*bh*) *blush-flowered*	———	1821.	——	G	b	——— t. 2531.
	ζ *verecúndum* H.A. (*bh*)*blush*	E. Indies	1820.	6. 9.	S	b	
25	purpuráscens W.H.(*pu*) purplish	Fernando Po	1826.	5. 8.	S	b	
26	erythrophy'llum W.H.(*pu*) red-leaved	Rangoon	1824.	——	S	b	
27	amábile K.R. (*pu.wh*) beautiful	Sumatra	1810.	1.12.	S	b	Bot. mag. t. 1605.
28	augústum K.R.(*pu.wh*) august	Mauritius	1819.	4. 8.	S	b	——— t. 2397.
29	mauritiànum B.C.(*wh*) Mauritius	———	1816.	6. 9.	S	b	Lodd. bot. cab. t. 650.
30	submérsum B.M.((*pu.wh*) lake	Brazil	1823.	8.10.	S	b	Bot. mag. t. 2463.
31	scàbrum B.M.(*cr.wh*) rough-leaved	S. America	1810.	1.12.	S	b	——— t. 2180.
32	zeylánicum H.A.(*cr.*(*wh*) Ceylon	Ceylon	1771.	7. 8.	S	b	——— t. 1171.
	*Amary'llis zeylánica.*B.M. *latifòlium*	Bot. repos. 478.					
	β *latifòlium* H.A. (*bh*) *broad-leaved*	E. Indies	1806.	7. 9.	S	b	Bot. reg. t. 1297.
	γ *longistylum*W.H.(*bh*) *long-styled*	———	1819.	6.10.	S	b	
	δ *insígne*W.H.(*cr.wh*) *noble*	———	——	4. 8.	S	b	Bot. reg. t. 579.
	ε *Careyànum*B.M.(*bh*) *Carey's*	Mauritius	1820.	1.12.	S	b	Bot. mag. t. 2466.
	θ *speciòsum*B.M.(*w.ro*) *specious*	E. Indies	1819.	6. 9.	S	b	——— t. 2217.
	ζ *moluccànum*B.M.(*w.bh*) *Molucca*	Moluccas	——	——	S	b	——— t. 2292.
33	petiolàtum H.A. petiolate	Africa	1792.	7.10.	S	b	
	β *spectábile* H.A.(*wh*) *gigantic*	SierraLeone	——	——	S	b	Andr. rep. t. 169.
	gigantèum A.R. *Amary'llis gigantèa.*	Bot. mag. t. 92.					
34	Broussonetiànum H.A.(*wh.pu*) Broussonet's	——	——	——	S	b	Bot. mag. t. 2121.
	β *yuccoìdes*H.A.(*re.wh*) *Yucca-flowered*	———	1740.	6. 10	S	b	
35	dístichum H.A.(*re.wh*) distichous	———	——	——	S	b	Bot. mag. t. 1253.
	Amary'llis ornàta a. B.M.						
36	Láncei W.H. (*re.wh*) Lance's	Surinam	1825.	——	S	b	

37 fláccidum B.M. (*wh*) flaccid N. S. W. 1820. 7. 9. G b Bot. mag. t. 2133.
Amary'llis australásica Bot. reg. t. 426.
38 Forbèsi W.H.(*re.wh*) Forbes's Delagoa Bay 1824? —— S b
39 longiflòrum H.A.(*re.wh*) long-flowered W. Indies 1816. 5. 8. S b Bot. reg. t. 303.
Amary'llis longifòlia B.M.
40 capénse H.A. (*wh*) common Cape C. B. S. 1752. 7.11. H b Bot. mag. t. 661.
Amary'llis longifòlia β longiflòra B.R.
β mìnus W.H.(*re.wh*)*lesser* Highclere 1819. —— G b
γ ripàrium H.A.(*cr.wh*)*bank* C. B. S. 1816. 6. 9. G b Bot. mag. t. 2688.
41 revolùtum H.A.(*re.wh*) revolute ———— 1774. 8.10. G b Bot. reg. t. 623.
Amary'llis revolùta A.—B.R.
42 variábile Swt. (*wh.ro*) thick-leaved ———— —— —— G b Bot. reg. t. 615.
crassifòlium W.H. *Amary'llis revolùta* B.—B.R.
43 algoénse W.H.(*re.wh*)Algoa-bay ———— 1826. —— G b
44 cáffrum W.H.(*re.wh*) Caffre ———— 1825. —— G b
45 aquáticum H.A.(*ro.bh*)water ———— 1816. 5. 8. G b Bot. mag. t. 2352.
campanulàtum H.A.
46 Gowenìànum W.H.(*bh*)Zeylanico-capense Highclere 1813. 6. 9. G b Hort. trans. ic.
47 Herbertiànum(*re.wh*)Scabro-capense Spofforth 1818. —— G b
Spofforthiànum Herbert Mss.
48 fértile W.H. (*wh*) Canaliculato-capense —— —— —— G b
β grandiflòrum W.H.(*wh*) *larger-flowered* —— —— —— G b
49 Paxtòni H.A.(*re.wh.*) Paxton's E. Indies .... S b
50 íngens W.H(*wh*) Pedunculato-capense Highclere 1818. 6. 9. G b
51 eréctius W.H.(*bh*) Corantyno-capense Spofforth —— —— G b
52 Highcleriànum W.H.(*wh*)Asiatico-capense Highclere — —— G b
53 elongàtum W.H.(*wh*)Brevifolio-capense Spofforth 1819. —— G b
54 modéstum W.H.(*bh*)Specioso-capense ———— —— —— G b
55 pùdicum W.H.(*bh*)Careyano-capense ———— —— —— G b
56 cùpitum W.H(*re.wh*)Cruento-capense ———— —— —— G b
57 tortuòsum W.H.(*wh*)Defixo-capense ———— —— —— G b
58 Fèlix W.H.(*bh*)Latifolio-capense ———— 1828. —— G b
59 microspérmum W.H.(*bh*)Revoluto-capense —— —— —— G b
60 egrègium W.H.(*re.wh*(Pedunculato-riparium — 1826. —— G b
61 præ'stans W.H(*ro.wh*)Canaliculato-riparium — —— —— G b
62 vittàtum W.H(*re.wh*)Scabro-exaltatum ——— 1818. —— S b
63 Digweèdi W.H.(*re.wh*)Scabro-americanum Highclere 1826. —— S b
64 Coóperi W.H.(*re.wh*)Specioso-longifolium Wentworth— —— S b
65 amàtum W.H.(*re.wh*)Zelanico-pedunculatum Highclere —— S b
66 Bacòni W.H.(*re.wh*)Zelanico erubescens Mr. Bacon's—— —— S b
67 cándidum W.H.(*wh*)Americano-bracteatum Spofforth — —— S b
68 rubricaúle W.H.(*bh*)Erubescenti-bracteatum—— —— —— S b
69 púlchrum W.H(*re.wh*)Scabro-erubescens Highclere — —— S b
70 bulbulòsum W.H.(*bh*)Capensi-erubescens———— —— —— G b
71 dùplex WH.(*bh*) Americano-erubescens Spofforth —— —— S b
β mìnus W.H. (*bh*) *lesser* Highclere —— —— S b
72 flaccídulum W.H. (*bh*) Specioso-defixum Spofforth —— —— S b
73 promíssum W.H(*re.wh*)Forbesi-Careyanum — —— —— S b
74 mirábile W.H.(*wh*)Flaccido-canaliculatum —— —— —— S b
75 ùnicum W.H.(*wh*)Flaccido-bracteatum ———— —— —— S b
76 trìplex W.H. (*wh*) Careyano-fertile ———— —— —— S b
77 divérsum W.H.(*wh*) Careyano-tortuosum —— —— —— S b
78 quádruplex W.H(*wh*) Candido-fertile ———— —— —— S b

ELISE'NA H.A. ELISE'NA (not explained.) Hexandria Monogynia.
longipétala B.R.(*wh*) long-petalled Peru 1829. .... G b

VALLO'TA H.A. VALLO'TA. (P. Vallot, a French bot.) Hexandria Monogynia.
purpùrea H.A. (*re*) purple-stalked C. B. S. 1774. 5. 8. F b Jac. schœn. 1. t. 62.
Amary'llis purpùrea W. *elàta* Jacq.
α màjor (*re*) *larger* ———— —— —— F b Bot. mag. t. 1430.
β mìnor (*re*) *lesser* ———— —— —— F b Bot. reg. t. 552.

CYPHONE'MA Hook. CYPHONE'MA (*κυφος*, a curve, and *νημα*, a filament.) Hexand. Monogyn.
Loddigesiàna Hook. Loddiges's Valparaiso 1838. .... G b

GASTRON'EMA H.A. GASTRONE'MA. (*γαστηρ*, a belly, and *νημα*, a filament.) Hexan. Monogy.
clavàtum H.A.(*re.wh*) clavate C. B. S. 1816. 5. 8. F b Bot. mag. t. 2291.
Cyrtánthus uniflòrus. Bot. reg. t. 168. *Amary'llis Pumílio* H.K.

CYRTA'NTHUS W. CYRTA'NTHUS. (*κυρτος*, a curve, and *ανθος*, a flower.) Hexand. Monogy.
1 oblìquus W. (*or.gr*) oblique-leaved C. B. S, 1774. 5. 8. G b Bot. mag. t. 1133.

2 striàtus B.M.	(*ye.sc*) striped	C. B. S.	1823.	5. 8.	G	b	Bot. mag. t. 2534.
3 vittàtus S.S.	(*std*) ribbon	———	——	——	G	b	
4 spiràlis B.R.	(*sc*) spiral-leaved	———	1790.	——	G	b	Bot. reg. t. 167.
5 collìnus B.R.	(*sc*) hill	———	1816.	——	G	b	——— t. 162.
6 pàllidus B.M.	(*fl*) pale-flowered	———	1822.	——	G	b	Bot. mag. t. 2471.
7 ventricòsus W.	(*sc*) bellied	———	1770.	——	G	b	Jacq. schœn. 1. t. 76.
8 angustifòlius W.	(*sc*) narrow-leaved	———	1774.	5. 6.	G	b	Bot. mag. t. 271.
9 cárneus B.R.	(*fl*) flesh-coloured	———	....	8.	G	b	Bot. reg. t. 1462.
10 odòrus B.R.	(*sc*) sweet-scented	———	1818.	5. 7.	G	b	——— t. 503.

COBU'RGHIA B.F.G. COBU'RGHIA. (King of the Belgians.) Hexandria Monogynia.

1 incarnàta B.F.G.	(*sc*) splendid	Quito	1820.	8. 9.	F	b	Swt. br. fl. gar. s. 2. t. 17.
2 fúlva Herb.	(*or*) tawny	Mexico	1828.	11.12.	G	b	Bot. reg. t. 1497.

STENOME'SSON H.A. STENOME'SSON. (στενος, narrow, and μεσσος, the middle.) Hex. Monogy.

1 flàvum B.M.	(*ye*) slender-toothed	Peru	1823.	5.11.	G	b	Bot. mag. t. 2641.
Chrysiphìala flàva B.R. 778.							
2 curvidentàtum B.M.	(*ye*) curve-toothed	———	1824.	——	G	b	Bot. mag. t. 2640.
3 pauciflòrum	(*ye*) few-flowered	———	1822.	——	G	b	Hook. ex. flor. t. 132.
Chrysiphìala pauciflòra H.E.F.							
4 cròceum B.M.	(*co*) coppery	Lima	1820.	——	G	b	Bot. mag. t. 3615.

CHLIDA'NTHUS H.A. CHLIDA'NTHUS. (χλιδος, delicate, and ανθος, a flower.) Hexand. Monogy.

fràgrans H.A.	(*ye*) yellow fragrant	S. America	1821.	6. 8.	G	b	Bot. reg. t. 640.

EUCRO'SIA B.R. EUCRO'SIA. (ευ, well, and κροσσος, a fringe.) Hexandria Monogynia.

bìcolor B.R.	(*or.re*) two-coloured	Cape Horn	1816.	4. 5.	S	b	Bot. reg. t. 207.

CALOSTE'MMA B.P. CALOSTE'MMA. (καλος, beautiful, and στεμμα, a crown.) Hexand. Monogy.

1 lùteum B.R.	(*ye*) yellow	N. Holland	1819.	8.10.	F	b	Bot. reg. t. 421.
2 purpùreum B.P.	(*pu*) purple	———	——	——	F	b	——— t. 422.
3 álbum B.P.	(*wh*) white-flowered	———	1824.	——	G	b	

EU'RYCLES Sal. EU'RYCLES. (a mythological name.) Hexandria Monogynia.

1 nùda Swt.	(*wh*) naked-stamened	E. Indies	1822.	5. 7.	S	b	
Crìnum nervòsum H.B.							
2 alàta Swt.	(*wh*) wing-stamened	N. Holland	1821.	——	S	b	Bot. reg. t. 715.
Pancràtium australásicum B.R.							
3 coronàta Swt.	(*wh*) crowned	E. Indies	1759.	——	S	b	Bot. mag. t. 1419.
Pancràtium amboinénse B.M. *Prìiphys amboinénsis* H.A.							
4 Cunninghàmii Ait.	(*wh*) Cunningham's	N. Holland	1826.	3.	G	b	Bot. reg. t. 1506.

HYMENOCA'LLIS H.A. HYMENOCA'LLIS. (ὑμην, a membrane, and καλλιστος, most beautiful.) He. Mo.

1 speciòsa K.R.	(*wh*) large-flowered	W. Indies	1759.	5. 9.	S	b	Bot. mag. t. 1453.
Pancràtium speciòsum B.M.							
2 amœ'na H.A.	(*wh*) handsome	Guiana	1790.	——	S	b	Bot. mag. t. 1467.
β *ovàta* H.A.	(*wh*) *broad-leaved*	W. Indies	....	——	S	b	Bot. reg. t. 43.
3 fràgrans L.T.	(*wh*) fragrant	———	....	——	S	b	Lodd. bot. cab. t. 834.
4 guianénsis B.R.	(*wh*) Guiana	Guiana	1818.	——	S	b	Bot. reg. t. 265.
5 caribœ'a K.R.	(*wh*) Caribean	W. Indies	1730.	——	S	b	Bot. mag. t. 826.
Pancràtium caribœ'um B.M. *declinàta* B.C. 553.							
6 caymanénsis H.A	(*wh*) Cayman	Grand Cayman	1823.	——	S	b	
pátens H.T.							
β *pátens* K.R.	(*wh*) *spreading*	W. Indies	....	——	S	b	Redout. lil. 6. t. 380.
7 undulàta K.R.	(*wh*) wave-leaved	S. America	....	——	S	b	
8 expánsa B.M.	(*wh*) expanded	W. Indies	1818.	——	S	b	Bot. mag. t. 1941.
9 pedàlis B.C.	(*wh*) foot-flowered	Brazil	1815.	——	S	b	Bot. reg. t. 1641.
10 adnàta H.A.	(*wh*) adnate	S. America	1758.	——	S	b	
β *littoràlis* K.R.	(*wh*) sea-side	———	——	——	S	b	Jacq. vind. 3. t. 75.
γ *Dryándri* K.R.	(*wh*) *Dryander's*	———	....	——	S	b	Bot. mag. t. 825.
δ *dísticha* H.A.	(*wh*) *two-ranked*	———	....	——	S	b	
ε *acutifòlia*	(*wh*) *acute-leaved*	Mexico	1824.	——	G	b	Bot. reg. t. 940.
Pancràtium mexicànum B.R. *nec aliorum. Hymenocállis litoràlis* δ *acutifòlia* B.M. 2621.							
11 angústa K.R.	(*wh*) narrow-leaved	S. America	....	5. 9.	S	b	Bot. reg. t. 221.
12 tenuiflòra H.A.	(*wh*) slender-flowered	.....	....	——	S	b	
13 crassifòlia H.A.	(*wh*) thick-leaved	S. America	....	——	S	b	
14 rotàta H.A.	(*wh*) large-crowned	Carolina	1803.	7. 9.	G	b	Bot. mag. t. 827.
15 mexicàna K.R.	(*wh*) Mexican	Mexico	1732.	8.	G	b	Ker's review. pl. 3. f. 2.
16 caroliniàna H.A.	(*wh*) Carolina	Carolina	1759.	6. 7.	G	b	——— pl. 3. f. 1.
17 Stàplesi W.H.	(*wh*) Mr. Staples's	Mexico	1826.	——	G	b	
18 ovalifòlia W.H.	(*wh*) oval-leaved	S. America	1820.	——	S	b	

URCEOLI'NA W.H. URCEOLI'NA. (*urceolus*, a pitcher.) Hexandria Monogynia.

péndula W.H.	(*ye.gr*) drooping	Peru	1837.	6. 7.	G	b	
Collària urceolàta R.S. *Crìnum urceolàtum* R. et P.							

PANCRA'TIUM H.A. PANCRA'TIUM. (παν, all, and κρατος, strength; med. qual.) Hexand. Monogy

1 marítimum K.R.	sea Daffodil	S. Europe	1597.	5. 7.	G	b	
2 caroliniànum B.R....	Carolinian	Carolina	1597.	5. 7.	G	b	Bot. reg. t. 161.

3 canariénse B.R.	Canary	Canaries	1815.	6. 7.	G	b	Bot. reg. t. 174.
4 illy'ricum K.R.	Illyrian	S. Europe	1615.	5. 6.	G	b	Bot. mag. t. 718.
5 verecúndum K.R.	Narcissus-leaved	E. Indies	1776.	6. 8.	G	b	Bot. reg. t. 413.
6 zeylánicum K.R.	one-flowered	Ceylon	1752.	——	S	b	Bot. mag. t. 2538.
CALLITHAU'MA H.A.	Callithau'ma. (*καλος*, pretty, and *θαυμα*, admiration.) Hex. Monog.						
spatulàtum H.A. (*gr*)	spatulate	Truxillo	....	....	S	b	
ISME'NE Sal.	Isme'ne. (a mythological name.) Hexandria Monogynia.						
1 nùtans H.A. (*wh*)	nodding	Brazil	1810.	6. 8.	S	b	Bot. mag. t. 1561.
Pancràtium calathìnum B.M. *non* R.L.							
2 calathìnum H.A. (*wh*)	cup-flowered	———	——	6. 7.	S	b	Bot. reg. t. 215.
3 Macleaniàna B.M. (*wh*)	Maclean's	Lima	1837.	——	S	b	Bot. mag. t. 3675.
4 Knígtii K.W. (*ye*)	Knight's	Florida	——	——	G	b	Flor. cab. 59.
5 Amáncaes H.A. (*ye*)	Narcissus-fld.	Peru	1804.	——	S	b	Bot. mag. t. 1224.
Pancràtium Amáncaes B.M. *Narcíssus Amáncaes* R.P. 3. t. 283. f. a.							
β sulphùrea B.R. (*sul*)	*sulphur-coloured*	Peru	1804.	6. 7.	S	b	Bot. reg. t. 1665.
NARCI'SSUS L.	Narci'ssus. (*ναρκη*, stupor; effects.) Hexandria Monogynia.						
Sect. 1. A'jax; *corona lobed, crenated, or serrated, about the length of the segments; stamens erect; leaves ensiform or lorate.*							
1 obvallàris H.N. (*ye*)	Sibthorp's	S. Europe	....	3. 4.	H	b	Bot. mag. t. 1301. f. inf.
2 lorifòlius H.N. (*wh.ye*)	two-coloured	Spain	1629.	4. 5.	H	b	——— t. 1187.
3 breviflós H.N. (*wh.ye*)	short-flowered	———	——	——	H	b	
4 ánceps H.P. (*wh.ye*)	two-edged	———	——	——	H	b	
5 bícolor L. (*wh.ye*)	tube-flowered	S. Europe	....	3. 5.	H	b	
A'jax bícolor H.N.							
6 tortuòsus H.N. (*wh.st*)	greater white	Spain	1629.	4.	H	b	Bot. mag. t. 924.
7 moschàtus L. (*wh*)	white-flowered	———	1759.	3. 4.	H	b	——— t. 1300.
moschàtus δ. B.M. *A'jax álbus* H.S.S.							
8 álbicans H.N. (*wh.st*)	whitish	———	....	——	H	b	Park. par. t. 101. f. 1.
9 rugílobus H.N. (*ye*)	wrinkled	.....	....	——	H	b	
10 cámbricus H.N. (*ye*)	Cambridge	.....	....	——	H	b	
11 cérnuus H.N. (*wh*)	drooping-flowered	.....	1828.	——	H	b	Swt. br. fl. g. s. 2. t. 103. f. 3.
β plènus (*wh*)	*double-flowered*	.....	——	——	H	b	——— f. 4.
12 màjor H.N. (*ye*)	large	Spain	1629.	——	H	b	Bot. mag. t. 51.
13 máximus H.N. (*ye.gr*)	largest	.....	....	——	H	b	Swt. br. fl. gar. s. 2. t. 286.
14 propínquus H.N. (*ye*)	great-jagged	S. Europe	....	——	H	b	Bot. mag. t. 301. f. sup.
màjor β. B.M.							
15 Telamònius H.N. (*ye*)	Telamonian	———	....	——	H	b	
β plènus H.N. (*ye*)	*double Daffodil*	———	....	——	H	b	
γ grandiplènus H.N. (*ye*)	*great double*	———	....	——	H	b	Park. parad. t. 101. f. 7.
16 nòbilis H.N. (*ye*)	noble	———	....	——	H	b	Redout. lil. t. 158.
17 spùrius H.N. (*ye*)	spurious	England	....	——	H	b	
18 serràtus H.N. (*st.ye*)	serrate	———	....	——	H	b	Eng. bot. ic. ined.
β suàvis H.N. (*st.ye*)	*sweet-scented*	———	....	——	H	b	
γ ràdians H.N. (*st.ye*)	*radiating*	———	....	——	H	b	
δ præ'cox H.N. (*st.ye*)	*early*	———	....	——	H	b	
19 Pseùdo-Narcíssus (*st.ye*)	Daffodil	———	....	——	H	b	Eng. bot. v. 1. t. 17.
β álbus H.N. (*wh*)	*white-flowered*	———	....	——	H	b	
γ lùteus H.N. (*ye*)	*yellow-flowered*	———	....	——	H	b	
δ ryticárpus H.N. (*ye*)	*rough-fruited*	———	....	——	H	b	
ε plènus H.N. (*ye*)	*double French*	.....	....	——	H	b	Park. pard. t. 101. f. 9.
ζ plenissimus H.N. (*ye*)	*rose-double*	.....	....	——	H	b	——— t. 101. f. 6.
20 lobulàris H.N. (*ye*)	lobe-crowned	England	....	——	H	b	Eng. bot. c. ic. ined.
β scóticus H.N. (*st.ye*)	*Scotch Daffodil*	Scotland	....	——	H	b	
γ amplicorònus H.N. (*ye*)	*large-crowned*	England	....	——	H	b	
δ plènus H.N. (*ye*)	*double*	———	....	——	H	b	
21 nànus H.N. (*sul*)	dwarf	Spain	1629.	——	H	b	
mìnor β conspícuus H.S.S.							
22 pùmilus H.N. (*ye*)	small wedge-fld.	S. Europe	....	3.	H	b	Beal. cyst. 3. fol. 5. f. 4.
A'jax cuneiflòrus H.S.S.							
23 mìnor H.N. (*ye*)	small	Spain	1629.	3. 5.	H	b	
β mìnor H.N. (*ye*)	*smaller*	———	——	——	H	b	Park. parad. t. 107. f. 2.
γ mèdius H.N. (*ye*)	*middle-sized*	———	——	——	H	b	
δ angústus H.N. (*ye*)	*narrow-leaved*	———	....	——	H	b	
24 mínimus H.N. (*ye*)	least	———	1629.	——	H	b	Bot. mag. t. 6.
mìnor B.M.							
Sect. 2. Diome'des; *tube of corolla clavately cylindrical; corona large; stamens straight.*							
25 Maclèaii B.M. (*st.ye*)	Mac Leay's	Levant	....	4. 5.	H	b	Bot. mag. t. 2588.
Diomèdes mìnor H.N.							
26 Sabìni B.R. (*st.ye*)	Sabine's	———	——	——	H	b	Bot. reg. t. 762.
Diomèdes màjor H.N.							

27 Parkinsòni H.N. (*st.ye*) Parkinson's .... 4. 5. H b Park. parad. t. 71. f. 7.

Sect. 3. CORBULA'RIA; *segments of corolla small, usually shorter than the truncate corona; leaves filiform, channelled, green; stamens ascending.*

28 tenuifòlius H.N. (*ye*) slender-leaved Biscay 1760. 3. 4. H b Swt. br. fl. gar. t. 114.
29 lobulàtus H.N. (*ye*) lobed .... —— H b Park. parad. t. 107. f. 7.
30 obèsus H.N. (*ye*) inflated Portugal 1796. —— H b
β *minor* H.S.S. (*ye*) *smaller* ———— .... —— H b Park. parad. t. 107. f. 8.?
31 álbicans H.N. (*wh*) Trompet Marin ..... 1629. —— H b Lobel. advers. 462. ic.
32 cantábricus H.N. (*wh*) Cambridge .... H b Clus. hist. 166. f. 2.
33 aúreus H.N. (*ye*) golden .... H b Mor. s. 4. t. 9. f. 17.
34 gìgas H.N. (*ye*) giant .... H b Theatr. fl. t. 21.
35 conspícuus H.S.S. (*ye*) conspicuous .... 3. 4. H b Swt. br. fl. gar. s. 2. t. 326.
36 serótinus H.N. (*ye*) late S. Europe 1629. —— H b Bot. mag. t. 88.
Bulbocòdium B.M.
37 Bulbocòdium H.N. (*ye*) hoop petticoat ———— —— —— H b

Sect. 4. QUE'LTIA; *spath* 1-*flowered; corolla drooping; segments longer than the corona; corona campanulate, curled, a little lobed; stamens erect.*

38 auràntius H.N. (*ye*) orange-rimmed S. Europe 1629. 3. 4. H b Park. parad. t. 71. f. 2.
β *luteo-auràntius* (*wh.ye*) *Butter and eggs* ———— —— —— H b
39 Gouàni H.N. (*ye*) Gouan's .... —— H b Red. lil. t. 158.
40 incomparábilis H.N. (*st.ye*) peerless Portugal 1629. 4. 5. H b Bot. mag t. 121.
41 cóncolor H.N. (*st*) self coloured peerless .... —— —— H b
Quéltia cóncolor H.S.S.
β *plènus* (*st*) *double orange crown* .... —— —— H b
42 semipartìtus H.N. (*st.ye*) cloven-cupped ..... 1818. 3. 4. H b
43 Quéltia (*wh.st*) peerless white ..... —— 4. H b
Quéltia álba H.N.
β *níveo-auràntius* (*wh.st*) *Orange Phœnix* .... —— H b
44 nívea H.N. (*wh*) snowy .... —— H b

Sect. 5. TRO'S; *spath* 1-2-*flowered; corona rather plicately crenulated, twice as long as the segments; stamens erect.*

45 montànus B.R. (*wh*) mountain Pyrenees 1620. 4. H b Bot. reg. t. 123.
poculifórmis H.N.
46 galanthifòlius H.N. (*wh*) snowdrop-ld. ———— 1720. 5. H b Park. parad. t. 73..

Sect. 6. I'LLUS; *spath* 2-4-*flowered; corolla drooping; corona entire, much shorter than the segments; stamens enclosed, very unequal, 3 long, and 3 short, erect; leaves rushy, channelled.*

47 cérnuus H.N. (*st*) drooping Portugal 1629. 4. H b Bot. mag. t. 48.
triándrus B.M. *Ganymèdes ochroleùcus* H.R.
48 álbus H.P. (*wh*) white S. Europe —— 3. 5. H b
Ganymèdes álbus H.R.
49 triándrus L. (*wh*) triandrous ———— —— 3. 5. H b Swert. flor. t. 29. f. 4.

Sect. 7. ASSARA'CUS; *spath* 2-*flowered; corolla drooping; segments somewhat reflexed; corona somewhat undulated, equal or longer than the segments; stamens inclosed, erect, 3 long and 3 short; leaves flat.*

50 càpax H. N. (*st*) capacious Levant .... 5. H b Redout. lil. t. 177.
calathìnus B.L. *Quéltia càpax* H.S.S.
51 refléxus H.N. (*st*) reflexed ———— .... —— H b Redout. lil. t. 410.
calathìnus B.L. *campanulàtus* Lk. enum.

Sect. 8. OILE'US; *spath* 1-*flowered; segments of corolla spreading; corona longer, or length of segments, entire; leaves lorate.*

52 abscíssus H.N. (*ye*) clipt .... 3. 4. H b Park. parad. t. 107. f. 5.
53 hexangulàris H.N. (*ye*) hexangular .... —— H b ———— 101. f. 1.

Sect. 9. JONQUI'LLA; *spath* 2-6-*flowered; corolla stellately spreading; corona small, erosely crenulated; scape compressed; leaves semiterete, rushy.*

54 Jonquílla B.M. (*ye*) Jonquil Spain 1596. 4. 5. H b Bot. mag. t. 15.
Jonquílla màjor H.N.
β *plènus* (*ye*) *double-jonquil* ———— .... —— H b
55 mèdius H.N. (*ye*) middle-jonquil ———— .... —— H b
56 símilis H.S.S. (*ye*) lesser-jonquil S. Europe 1826. —— H b
Jonquílla mìnor H.N.

Sect. 10. HE'LENA; *spath* 1-3 *flowered; segments of corolla stellately spreading, much shorter than the tube; stamens erect, unequal.*

57 grácilis H.N. (*ye*) weak .. .. 4. 5. H b Bot. reg. t. 816.
58 tenùior H.N. (*ye*) slender Italy 1826. —— H b Bot. mag. t. 379.
59 planicoròmus H.N. (*ye*) flat-crowned .... —— H b Park. parad. t. 89.
60 pùmilus H.N. (*wh*) dwarf .... —— H b Redout. lil. t. 409.

Sect. 11. SCHIZA'NTHES; *spath* 3-4-*flowered; corolla spreading; corona semitripartite, spreading, much shorter than the segments; scape compressed; leaves flat.*

61 orientàlis L. (*st.ye*) oriental Levant 1778. 4. 5. H b Bot. mag. t. 948.
incomparábilis β B.M. *Schizánthes orientàlis* H.S.S.

Sect. 12. GANYME'DES; *segments of corolla semiflexed; corona cup-shaped, much shorter than the segments.*

62	nùtans H.N.	(*ye*) yellow-cupped	S. Europe	1789.	3. 5.	H	b	Bot. mag. t. 945.
	trílobus B.M	*Ganymèdes nùtans* H.S.S.						
63	álbus H.N.	(*wh*) white-flowered	———	....	——	H	b	Park. parad. t. 93. f. 1.
64	cóncolor H.N.	(*st*) self-coloured	———	1626.	4.	H	b	Swt. br. fl. gar. s. 2. t. 113.
65	striátulus H.N.	(*ye.st*) faint-striped	———	....	——	H	b	
66	pulchéllus H.N.	(*ye.wh*) white-cupped	———	1620.	——	H	b	Swt. br. fl. gar. s. 2. t. 99.
Sect. 13. PHYLO'GYNE; *spath* 2-4-*flowered; anthers contiguous, length of tube; corona usually shorter than the segments.*								
67	regulòsus H.N.	(*ye*) wrinkle-cupped	S. Europe	....	——	H	b	
68	odòrus H.N.	(*ye*) starry-flowered	Corsica	1720.	3.	H	b	Bot. mag. t. 934.
	calathìnus a B.M.	*Phylógyne odòra* H.S.S.						
69	Campernélli H.N.	(*ye*) Campernelli's	.....	....	——	H	b	
70	interjéctus H.N.	(*ye*) great curled cup	S. Europe	....	4.	H	b	
71	trílobus H.N.	(*ye*) three-lobed	Spain	1629.	3.	H	b	
	Phylógyne tríloba H.S.S.	*calathìna* Sal.						
72	Curtísii H.N.	(*ye*) Curtis's	Spain	1629.	——	H	b	Bot. mag. t. 78.
	odòrus B.M. not L.							
73	heminàlis H.N.	(*ye*) lesser curled cup	.....	....	4.	H	b	Park. parad. t. 93. f. 4.'
74	calathìnus H.N.	(*ye*) cup	Spain	....	——	H	b	Redout. lil. t. 417.
	β pluriflòrus H.N.	(*ye*) *many-flowered*	———	....	——	H	b	Park. parad. t. 93. f. 4.
75	párvulus	(*ye*) small	.....	1629.	——	H	b	
	Phylógyne mìnor H.S.S.							
	β reginæ	(*ye*) *Queen Ann's Jonquil*	Spain	——	——	H	b	
Sect. 14. HERMI'ONE; *spath* 3-20-*flowered; corolla stellately spreading; corona small; stamens erect, unequal; anthers small.*								
76	bìfrons H.N.	(*ye*) double-faced	S. Europe	1807.	4.	H	b	Bot. mag. t. 1186.
	longiflòrus W.en.							
77	compréssus H.N.	(*ye*) Jasmine Jonquil	———	1709.	3. 4.	H	b	Redout. lil. t. 459.
78	biscrenàtus H.N.	(*ye*) twice crenated	———	....	——	H	b	
79	Cy'pri Haw.	(*wh.ye*) Cyprian	Cyprus	....	3. 4.	H	b	Swt. br. fl. gar. s. 2. t. 92.
	β plènus Haw.	(*wh.ye*) double	.....	....	——	H	b	Bot. mag. t. 1011.
80	lactícolor H.N.	(*wh*) milk-coloured	Greece	....	——	H	b	Flor. græc. t. 308.
81	negléctus Ten.	(*wh.ye*) neglected	Naples	1830.	4. 5.	H	b	
82	reflèxus H.P.	(*wh.or*) reflexed	S. Europe	....	——	H	b	
83	primulìnus H.N.	(*ye*) Cowslip-cupped	———	1790.	3. 4.	H	b	Bot. mag. t. 1299.
	bìfrons β B.M.	*Hermìone primulìna* H.S.S.						
84	calathìnus H.N.	(*ye*) many-flowered	Levant	....	——	H	b	Rudb. elys. 2. p. 60. f. 5.
85	tereticaúlis H.N.	(*ye*) cream-coloured	———	....	4.	H	b	Bot. mag. t. 1298.
86	rotulàris H.N.	(*wh.ye*) rotular	.....	....	——	H	b	Trew. fl. mag. t. 105.
87	flosláctus H.N.	(*wh.ye*) white-flowered	.....	....	——	H	b	
88	cupulàris H.N.	(*ye*) cupular	S. Europe	1626.	——	H	b	Bot. imag. t. 925.
	Tazétta B.M.							
89	cítrinus H.N.	(*wh.ye*) Citroniere	Levant	....	——	H	b	Bot. mag. t. 946.
	orientàlis γ B.M.							
90	floribúndus H.N.	(*wh.ye*) grand monarque	———	....	——	H	b	
91	Trewiànus H.N.	(*wh.ye*) Bazelman major	———	....	——	H	b	Bot. mag. t. 940.
	Hermìone grandiflòra H.S.S.							
92	crenulàtus H.N.	(*wh.ye*) Bazelman minor	———	....	——	H	b	Park. parad. t. 81. f. 5.
93	Tazétta H.N.	(*wh.ye*) French Daffodil	———	1626.	——	H	b	——— t. 81. f. 3.
94	perlùteus H.N.	(*ye*) very yellow	S. Europe	....	——	H	b	
95	sublùteus H.N.	(*ye*) yellowish	———	....	——	H	b	
96	flavèolus H.N.	(*ye*) pale yellow	———	....	——	H	b.	
97	deflexicaúlis H.N.	(*ye*) deflex-stemmed	———	....	——	H	b	
98	trífida H.N.	(*ye*) trifid	———	....	——	H	b	
99	aperticorònus H.N.	(*ye*) open-crowned	———	....	——	H	b	
100	craterìnus H.P.	(*ye*) cupped	———	....	——	H	b	
101	dùbius P.S.	(*wh*) doubtful	S. France	....	——	H	b	Redout. lil. t. 429.
102	pátulus H.N.	(*wh.ye*) spreading	Isl. Hyeres	....	——	H	b	
103	fistulòsus H.N.	(*wh.ye*) pipe-stemmed	Levant	....	——	H	b	
104	cerìnus W.H.	(*wh.ye*) waxen-cupped	———	....	5.	H	b	
105	Lùna H.N.	(*wh*) broad white	———	....	4.	H	b	
106	sulphùrea H.N.	(*st*) sulphur-coloured	.....	....	——	H	b	Barrel. icon. t. 936.
107	lùteus H.N.	(*ye*) yellow-flowered	.....	....	——	H	b	Rudb. elys. t. 69. f. 2.
108	pátulus H.N.	(*wh.ye*) spreading	S. France	....	4.	H	b	
109	breviflòrus H.N.	(*wh.ye*) short-flowered	.....	....	——	H	b	
110	auranticorònus H.N.	(*wh.ye*) orange-crowned	..	....	——	H	b	
111	crispicorònus H.N.	(*wh.ye*) curled-crowned	....	....	——	H	b	

112 acuminàtus H.P.(*wh.ye*)acuminated .... 4. H b
113 decòrus H.N.(*wh.ye*)neat .... —— H b
114 Polyánthus H.N.(*wh*)Polyanth Italy 1626. —— H b Mor. s. 4. t. 8. f. 2.
115 sulcicaúlis H.N.(*wh*)furrow-stemmed..... .... —— H b
116 viridifòlius H.P.(*wh.ye*)green-leaved S. Europe .... —— H b
117 tenuiflòrus H.N.(*wh.ye*)fine-flowered..... .... —— H b
118 jasmíneus H.N.(*wh.ye*)jasmineous .... —— H b
119 serótinus H.N.(*wh.ye*)late-flowered Barbary 1629. 9.10. H b Park. parad. t. 89. f. 3.
120 obsolètus H N.(*wh.ye*)obsolete Spain —— —— H b ——————f. 4.
121 chrysánthus H.N.(*ye*)yellow-flowered..... .... 4. 5. H b Redout. lil. icon.
122 stramíneus H.N.(*st*) straw-coloured S. France .... —— H b
123 subálbidus H.N.(*st*) whitish .... —— H b
124 papyràtius B.M.(*wh*)paper white Italy .... 2. 3. F b Bot. mag. t. 947.
Hermìone papyràtia H.S.S.
125 flexiflòrus H.N. (*ye*) bent-flowered S. Europe .... —— H b
126 subcrenàtus H.N.(*ye*)subcrenated ——— .... —— H b
127 unícolor H.N. (*wh*) one-coloured Naples .... —— H b Ten. fl. nap. 1. t. 26.
128 præ'cox H.N.(*st.ye*) early-flowered ——— .... —— H b ——————1. 27.
129 itálicus H.N. (*st.ye*) Italian Italy .... —— F b Bot. mag. 1188.
Hermìone itálica H.S.S.
α semiplènus (*wh*) *semidouble* ——— .... 3. F b
β plènus (*wh*) *double Roman* ——— .... —— F b
130 latifòlius H.N. (*ye*) broad-ld. orangeLevant .... 4. 5. H b
131 multiflòrus H.N.(*ye*) common yellow ——— .... —— H b Bot. mag. 1026.
orientàlis δ B.M.
132 intermèdius H.N.(*pa.ye*)intermediatePyrenees .... —— H b Redout. lil. t. 426.
Sect. 15. NARCI'SSUS; *spath* 1-3-*flowered; corona small; stamens erect, unequal; corolla spreading.*
133 ornàtus H.N. (*wh*)showy Greece 1620. 4. F b Park. parad. t. 75. f. 3.
poéticus Sal.
134 angustifòlius H.N.(*wh*)narrow-leavedSwitzerland 1626. —— H b Bot. mag. t. 193.
poéticus B.M.
135 poéticus L. (*wh*) May-flowering S. Europe .... 5. H b Bot. mag. t. 193.
majàlis B.M. *patellàris* S.P.
β exsértus H.S.S.(*wh*)*long-stamened* ——— .... —— H b Redout. lil. t. 260.
γ plènus H.S.S.(*wh*)*double-flowered*——— .... —— H b Park. parad. t. 75. f. 1.
136 bifòrus B.M. (*wh*) two-flowered England .... 4. 5. H b Eng. bot. v. 4. t. 276.
137 diánthus H.N.(*wh.or*)two-flowered .... —— H b
138 trifòrus H.N.(*wh.ye*)three-flowered .... —— H b
139 poetàrum H.N.(*wh.cop*)Poet's Greece 1620. 4. H b Merian. fl. 144. f. inf.
140 spatulàtus H.N.(*wh*)spatulate .... —— H b
141 álbus H.N. (*wh.ye*) white .... —— H b
142 patellàris H.N. (*wh.cop.*)spreading England .... —— H b Eng. bot. t. 275.
143 níveus W.en. (*wh*) snowy white S. Europe .... 4. 5. H b
Sect. 16. CHLORA'STER; *spath* 1-3-*flowered; corolla stellately spreading; corona small, entire, or* 6-*parted, incurved; stamens enclosed, unequal.*
144 viridifòrus B.M.(*gr.*)green-flowered Barbary 1629. 9.10. F b Bot. mag. t. 1687.
Chlorástér fissus H.N.
145 intèger H.N. (*gr*) entire-cupped ——— —— —— F b Park. parad. t. 1687.
146 stellàris H.N.(*wh.c.*)starry ..... —— 5. H b Swt. br. fl. gar. t. 132.
147 recúrvus H.N.(*wh.co*)recurved .... —— H b

GALA'NTHUS L. SNOWDROP. (*μαλα*, milk, and *ανθος*, a flower; white.) Hexandria Monogynia.
1 nivàlis W. (*wh*) common Britain .... 1. 3. H b Eng. bot. v. 1. t. 19.
2 plicàtus B.R. (*wh*) plaited S. Europe 1818. 2. 4. H b Bot. reg. t. 545.

ERINOS'MA H.A. ERINO'SMA. (*ερινος*, wild fig, and *οσμη*, a smell.) Hexandria Monogynia.
1 vérna H.A. (*wh*) spring. Germany 1596. 2. 4. H b Bot. mag. t. 46.
Leucòjum vérnum W.
2 carpáthica H.A. (*wh*)Carpathian Carpathian mt.1816. —— H b Bot. mag. t. 1993.

LEUCO'JUM L. SNOWFLAKE. (*λευκος*, white, and *ιον*, a violet.) Hexandria Monogynia.
1 æstìvum W. (*wh*) summer England .... 4. 5. H b Bot. mag. t. 1210.
2 pulchéllum P.L.(*wh*) neat ——— .... —— H b Sal. par. lond. t. 74.

A'CIS P.L. A'CIS. (a mythological name.) Hexandria Monogynia.
1 ròsea S.F.G. (*ro*) rose-coloured S. Europe 1826. 8. 9. H b Swt. br. fl. gar. t. 297.
2 grandiflòra S.F.G.(*bh*)large-flowered ——— 1828. —— H b Redout. liliac. t. 217.
3 trichophy'lla S.F.G.(*wh*)many-floweredBarbary 1812. 1. 2. F b Bot. reg. t. 544.
Leucòjum tricophy'llum B.R.
4 autumnàlis P.L. (*bh*) autumnal Portugal 1629. 9. F b Bot. mag. t. 960.
Leucòjum autumnàle B.M.

GETHY'LLIS L. GETHY'LLIS. (γιθεω, to rejoice.) Hexandria Monogynia.

1	spiràlis w.	(*wh*) spiral-leaved	C. B. S.	1780.	6. 7.	G	b	Bot. mag. t. 1088.
2	ciliàris w.	(*wh*) fringed	———	1788.	——	G	b	Jacq. schœn. 1. t. 79.
3	villòsa w.	(*wh*) hairy	———	1787.	——	G	b	
4	lanceolàta w.	(*wh*) spear-leaved	———	1790.	——	G	b	
5	àfra B.R.	(*wh*) African	———	1820.	——	G	b	Bot. reg. t. 1016.

ALSTRŒME'RIA W. ALSTRŒME'RIA. (C. Alstrœmer, a Swedish nat.) Hexandria Monogynia.

1	pelegrìna w.	(*re.bh*) spotted-flowered	Peru	1753.	6. 9.	H	♃	Bot. mag. t. 139.
	β álbida	(*wh.gr*) *white-flowered*	———	1820.	——	H	♃	
2	Símsii s.s.	(*sc.ye*) red-flowered	Chili	1822.	——	H	♃	Swt. br. fl. gar. t. 267.
	pulchélla B.M. 2353. Hook. ex. flor. t. 64.							
	β pilòsa B.M.	*hairy*	———	....	——	H	♃	Bot. reg. t. 1410.
3	Hookèri Swt.	(*ro*) rose-coloured	———	1822.	——	H	♃	Hook. ex. flor. t. 181.
	ròsea H.E.F. *non* R.P.							
4	Flós Martìni B.R.	(*w.p.y*) St Martin's	———	——	——	H	♃	Swt.br.fl.gar.s.2.t.277.
	púlchra Bot. mag. t. 2421. *trícolor* Hook. ex. flor. t. 65.							
5	bícolor B.C.	(*ye.wh*) two-coloured	———	1826.	6. 9.	H	♃	Lodd. bot. cab. 1497.
6	psittácina s.s.	(*sc.gr*) Parrot-like	Mexico	1829.	7. 9.	H	♃	Swt. br.fl. gar. s. 2. t.15.
7	Lígtu R.P.	(*w.r.y*) Ligtu	Chili	——	6. 9.	H	♃	Bot. reg. s. 3. t. 13.
8	caryophy'llea Jac.	(*sc.wh*) clove-scented	Brazil	1776.	2. 3.	S	♃	Bot. mag. t. 125.
	Lígtu B.M. *Curtisiàna* R.S.							
9	pállida Gr.	(*ro.ye*) pale-flowered	Chili	1828.	6. 9.	H	♃	Bot. mag. t. 3040.
10	Nèilli B.M.	(*ro.wh*) Neill's	———	1830.	6.	H	♃	——— t. 3105.
11	versícolor R.P.	(*or*) various-colour'd	———	1833.	7. 8.	H	♃	Swt. br.fl. gar.s.2.t.205.
	aurantìaca B.F.G. *aúrea* Hort.							
	β flàva	(*ye*) *yellow*	———	1834.	——	H	♃	
12	aúrea Gr.	(*or*) golden-flowered	Chiloe	....	6. 7.	H	♃	Bot. mag. t. 3350.
13	valparadisìaca H.A.	(*or*) Valparaiso	Chili	1836.	....	H	♃	
14	hæmántha R.P.	(*re.ye*) crimson-flowered	———	1829.	6. 9.	H	♃	Swt. br. fl. gar.s.2.t.159.
15	Cummingiàna Herb.	(*ye.or*) Cumming's	———	1831.	——	H	♃	
16	Erembaúltii R.	Erembault's	———	....	——	H	♃	

BOMA'REA H.A. BOMA'REA. (not explained.) Hexandria Monogynia.

1	Salsílla H.A.	(*pu.gr*) climbing	Chili	1831.	6. 9.	H	♃ ◡	Swt. br. fl. gar.s.2.t.269.
	Alstrœmèria Salsílla w.*oculàta* B.C. t. 1851.							
2	edùlis H.A.	(*ro.gr*) eatable-rooted	W. Indies.	1801.	6. 9.	S	♃ ◡	Bot. mag. t. 1613.
	Alstrœmèria edùlis Tuss. *Salsílla* B.M. *non* Lin.							
3	hirtélla H.A.	(*pi.gr*) hairy	Mexico	1824.	——	H	♃ ◡	Swt. br fl. gar. s.2.t.228.
	Alstrœmèria hirtélla K.S. *ovàta* s.s.							
4	acutifòlia H.A.	(*or.ye*) acute-leaved	S. America	1829.	9.10.	H	♃ ◡	Swt br. fl. gar. s.2.t.277.
	Alstrœmèria acutifòlia Ot.							

CLI'VIA B.R. CLI'VIA. (Duchess of Northumberland.) Hexandria Monogynia.

	nòbilis B.R.	(*sc.gr.*) scarlet	C. B. S.	1820.	7.10.	G	♃	Bot. reg. t. 1182.
	Imatophy'llum Aitòni Bot. mag. t. 2856.							

DORYA'NTHES B.P. DORYA'NTHES. (δορυ, a spear, and ανθος, a flower.) Hexand. Monogy.

	excélsa B.P.	(*sc*) gigantic	N. S. W.	1800.	7.10.	G	♄	Bot. mag. t. 1685.

ORDER CCXLIV.

HEMEROCALLI'DEÆ. *Brown. prodr.* 1. *p.* 295.

HEMEROCA'LLIS S.S. DAY LILY. (ημερα, day, and καλλος, beauty.) Hexandria Monogynia.

1	gramínea B.M.	(*ye*) narrow-leaved	Siberia	1759.	6. 7.	H	♃	Bot. mag. t. 873.
2	flàva B.M.	(*ye*) yellow	———	1596.	——	H	♃	——— t. 19.
3	speciósa W.H.	(*co*) specious	Jamaica	1816.	——	G	♃	
4	dísticha B.F.G.	(*co*) fan-like	China	1798.	5. 7.	H	♃	Swt. br. fl. gar. t. 28.
5	fúlva B.M.	(*co*) copper-coloured	Levant	1596.	6. 8.	H	♃	Bot. mag. t. 64.

FU'NKIA S.S. FU'NKIA. (H. Funk, a German bot.) Hexandria Monogynia.

1	subcordàta s.s.	(*wh*) white-flowered	Japan	1790.	8. 9.	H	♃	Bot. mag. t. 1433.
	Hemerocállis japónica B.M. *álba* Andr. reposit. t. 75.							
2	ovàta s.s.	(*bl*) blue-flowered	———	——	6. 8.	H	♃	Bot. mag. t. 894.
	Hemerocállis cœrùlea B.M.							
3	lanceæfòlia Sbld.	(*bl*) lanceolate-leaved	Japan	1834.	——	H	♃	Swt.br.fl.gar. s. 2.t.273.
4	Sieboldiàna B.M.	(*wh*) Siebold's	———	——	——	H	♃	Bot. reg. t. 1869.

5 álbo-marginàta B.M. (pu)white-edged Japan 1834. 6. 8. H ♃ Bot. mag. t. 3657.

AGAPA'NTHUS W. AFRICAN LILY. (αγαπαω, to love, and ανθος, a flower.) Hex. Monog.

1 umbellàtus W. (bl) large-flowered C. B. S. 1692. 1.12. G ♃ Bot. mag. t. 500.
β variegàtus (bl) *striped-leaved* ——— .... —— G ♃
γ albiflòrus (wh) *white-flowered* ——— .... —— G ♃ Botan. 86.
2 præ'cox W.en. (bl) early-flowering ——— .... 1. 4. G ♃
3 minor B.C. (bl) small ——— .... —— G ♃ Lodd. bot. cab. t. 42.

POLIA'NTHES L. POLIA'NTHES. (πολις, a city, and ανθος, a flower.) Hexand. Monogyn.

1 grácilis L.en. (wh) slender Brazil 1822. 8.10. S ♃
2 tuberòsa W. (wh) common E. Indies 1629. —— S ♃ Bot. reg. t. 63.
β flòre-plèno (wh) *double-flowered* ——— —— —— S ♃

CHÆTOCA'PNIA CHÆTOCA'PNIA. (not explained) Hexandria Monogynia.

geminiflòra (re) twin-flowered Mexico 1838. .... G ♃

BLANDFO'RDIA B.P. BLANDFO'RDIA. (Marquis of Blandford.) Hexandria Monogynia.

1 nóbilis B.P. (sc.ye) noble N. S. W. 1803. 7. 8. G ♃ Bot. reg. t. 286.
2 grandiflòra B.P.(sc.ye)large-flowered ——— 1824. —— G ♃ ——— t. 911.
3 punícea (cr) large-leaved N. Holland 1812. —— G ♃ Lab. nov. holl. 1. t.111.
Alètris punícea Labillardiere.

TRITO'MA B.M. TRITO'MA. (τρεις, three, and τεμνω, to cut.) Hexandria Monogynia.

1 Uvària H.K. (or) great C. B. S. 1707. 8. 9. H ♃ Bot. mag. t. 758.
2 Burchéllii W.H. (or) Mr. Burchell's ——— 1816. —— H ♃ Bot. reg. t. 1745.
3 mèdia H.K. (sc.or) lesser ——— 1789. 12.6. H ♃ Bot. mag. t. 744.
4 pùmila H.K. (sc.or) least ——— 1774. 9.11. H ♃ ——— t. 764.

VELTHEI'MIA B.M. VELTHEI'MIA. (F. A. de Veltheim, a German bot.) Hexand. Monogyn.

1 viridifòlia W. (sc.or) green-leaved C. B. S. 1768. 11.4. G b Bot. mag. t. 501.
Alètris capénsis B.M.
2 intermèdia (ro.ye) subglaucous ——— 1819. —— G b
3 glaúca W. (ro.ye) glaucous ——— 1781. 1. 4. G b
β rùbra (re) *red-flowered* ——— —— —— G b Bot. mag. t. 3456.

ALE'TRIS W. COLIC-ROOT. (αλεω, to grind; plant mealy.) Hexandria Monogynia.

1 farinòsa W. (wh) common N. America 1768. 6. H ♃ Bot. mag. t. 1418.
2 aúrea Ph. (wh) golden-tipped ——— 1811. 7. 8. F ♃ Willd. hort. ber. t. 8.

SANSEVIE'RA W. SANSEVIE'RA. (Sansevier, a Swedish bot.) Hexandria Monogynia.

1 glaúca H.S. (wh) glaucous SierraLeone.... 6.10. S ♃
2 polyphy'lla H.S.(wh) upright-glaucous ——— .... —— S ♃
3 guineénsis H.S. (wh) Guinea Guinea 1690. 6.11. S ♃ Bot. mag. t. 1180.
4 lætevìrens H.S. (wh) light-green .... —— S ♃
5 longiflòra B.M. (wh) long-flowered .... 7. 8. S ♃ Bot. mag. t. 2634.
6 spicàta H.S. (wh) spiked .... —— S ♃ Cavan. ic. 3. t. 246.
7 fulvocíncta H.S.S.(wh)brown-edged Brazil 1818. 6. 8. S ♃
8 zeylánica H.S. (wh) Ceylon Ceylon 1731. 6.11. S ♃ Bot. reg. t. 160.
9 lanuginòsa W. (wh) woolly E. Indies .... —— S ♃ Rheed. mal. 11. t. 42.
10 ensifòlia H.S. (wh) sword-leaved ——— .... —— S ♃
11 grandicúspis H.S.(wh)large-pointed .... S ♃
12 pùmila H.S. (wh) dwarf C. B. S. 1796. .... S ♃
13 stenophy'lla L.en.(wh)slender-leaved ..... 1818. 6. 9. S ♃
14 cárnea A.R. (ro) flesh-coloured China 1792. 4.10. H ♃ Andr. reposit. t. 361.

TULBA'GIA W. TULBA'GIA. (Tulbagh, a Dutch Gov. C. B. S.) Hexandria Monogynia.

1 alliàcea W. (gr) Narcissus-leaved C. B. S. 1774. 5. 7. G ♃ Bot. mag. t. 806.
2 affi'nis L.en. (gr) linear-leaved ——— 1820. —— G ♃
3 cepàcea W. (gr) Onion-scented ——— 1795. 4. G ♃
4 Ludwigiàna B.M.(ye.gr)Ludwig's ——— 1835. 10.11. G ♃ Bot. mag. t. 3547.
5 violàcea Harv. (pu) violaceous ——— .... G ♃ ——— t. 3555.

BRODIÆ'A L.T. BRODIÆ'A. (J. J. Brodie, of Brodie House, N.B.) Triandria Monogynia.

1 grandiflòra L.T. (bl) large-flowered Georgia 1806. 6. H b Bot.reg. t. 1183.
Hookèra coronària Sal. par. lond. t. 98.
2 congésta L.T. (bl) close-headed ——— —— 5. H b Linn. trans. v. 10. t. 1.

CALLIPRO'RA B.R. CALLIPRO'RA. (καλλιπρωρος, a pretty face.) Triandria Monogynia.

lùtea B.R. (ye) yellow-flowered California 1833.? 7. 8. H b Bot. reg. t. 1590.

PHYLLO'MA B.M. PHYLLO'MA. (φυλλον, a leaf, and λωμα, fringe.) Hexandria Monogynia.

1 aloifòrum B.M. (ye) Aloe-like Bourbon 1766. 4. 6. D S ♄ Bot. mag. t. 2585.
Lomatophy'llum borbónicum W. *Dracæ'na marginàta* H.K. *dentàta* P.S.
2 màcrum L.en. (ye) lean Mauritius 1817. 6. 7. D S ♄
3 rufocínctum Swt.(ye) rosy-edged E. Indies 1818. .... D S ♄
A'loe rufocíncta H.S.S.
4 Jacquìni G.D. (ye) Jacquin's .... D S ♄
A'loe hexapétala Sal.

PACHIDE'NDRON H.R. PACHIDE'NDRON. (παχυς, thick, and δενδρον, a tree.) Hexan. Monog.

1 africànum H.R. (ye) African C. B. S. 1731. 7. D G ♄

	α làtum H.R. (*ye*) *broad-leaved*	C. B. S.	1731.	7.		D G ♄	
	β angústum H.R.(*ye*)*narrow-leved*	——	——	——		D G ♄	Bot. mag. t. 2517.
	A'loe pseùdo-africàna L.en. *A'loe africàna β angústior* B.M						
2	príncipis H.R. (*ye*) revolving-red-spined	——	....	....		D G ♄	
3	angustifòlium H.R.(*ye*)narrow-leaved	——	1812.	....		D G ♄	
4	fèrox H.R. (*st.re*) great-hedgehog	——	1759.	4. 5.		D G ♄	Bot. mag. t. 1975.
	A'loe fèrox B.M.						
5	pseùdo-fèrox H.R.(*st*)false-hedgehog	——	1759.	4. 5.		D G ♄	Comm. prælud. t. 20.
6	supralæ've H.R. (*ye*) upright-hedgehog	——	1731.	....		D G ♄	
A'LOE H.R.	A'LOE. (*alloeh*, Arabian name.)		Hexandria Monogynia.				
1	dichótoma H.S. smooth-stemmed	C. B. S.	1780.	....		D G ♄	
2	purpuráscens H.S.(*re.gr*)purple	——	1789.	7.10.		D G ♄	Bot. mag. t. 1474.
3	soccotrìna H.S.(*sc.g*) soccotrine	——	1731.	4. 6.		D G ♄	—— t. 472.
4	spicàta H.R. (*wh.gr*) white-spotted	——	1795.	——		D G ♄	
5	plùridens H.P. .... many-toothed	——	1822.	....		D G ♄	
6	arboréscens H.S. (*sc*) tree	——	1731.	11.3.		D G ♄	Bot. mag. t. 1306.
7	grácilis H.P. .... slender-stalked	——	1822.	....		D G ♄	
8	flavispìna H.S. (*sc*) yellow-spined	——	1790.	8.		D G ♄	
9	mitræfórmis H.S.(*sc*) mitre	——	1732.	——		D G ♄	Bot. mag. t. 1270.
10	nóbilis H.S. (*sc*) great-mitre	——	1800.	7. 8.		D G ♄	
11	Commelìni H.R. (*sc*) Commeline's	——	1813.	——		D G ♄	
	β mitræfórmis H.R. *yellowish-toothed*	——	....	——		D G ♄	
12	dístans H.S. (*sc.gr*) small-mitre	——	1732.	8.		D G ♄	Bot. mag. 1362.
	γ deprèssa H.R.(*sc.gr*)*depressed*	——	....	——		D G ♄	
13	xanthacántha H.S.S.(*sc*)yellow-mitre	——	1817.	——		D G ♄	
14	vulgàris DC. (*ye.or*) yellow-flowered	W. Indies	1596.	8.		D S ♄	DC. plant. gras. t. 27.
	barbadénsis H.S.						
15	Sabìla Karw. .... Mexican	Mexico	1838.	....		D G ♄	
16	chinénsis H.S.S. (*ye*) Chinese	China	1817.	8.		D G ♄	
17	cæ'sia H.S.S. .... cæsious tree	C. B. S.	1818.	....		D G ♄	
	β elàtior H.S.S..... *tall*	——	——	....		D G ♄	
18	frutéscens H.S.S.(*sc*) lesser-tree	——	....	....		D G ♄	
19	albispìna H.S. (*wh*) white-spined	——	1796.	....		D G ♄	
20	glaúca H.S. (*sc.gr*) glaucous red-spined	——	1731.	1. 9.		D G ♄	
	α màjor H.S. (*sc.gr*) *larger*	——	——	——		D G ♄	
	β rhodacántha B.M.(*sc.gr*)*lesser-red-spined*	——	——	——		D G ♄	Bot. mag. t. 1278.
	γ spinòsior H.R.(*sc.g*)*long-spined*	——	1820.	....		D G ♄	
21	lineàta H.S. (*sc.gr*) striped-red-spined	——	1789.	....		D G ♄	
	α víridis H.R. (*sc.gr*) *greenest-leaved*	——	——	....		D G ♄	
	β glaucéscens H.R.(*sc*)*glaucescent*	——	——	....		D G ♄	
22	dorsàlis R.S. (*ye*) spiny-keeled	——	1826.	....		D G ♄	
23	deprèssa H.S. (*sc.ye*) depressed	——	1731.	8.		D G ♄	Bot. mag. t. 1332.
24	brevifòlia H.S.(*sc.gr*) short-leaved	——	——	6. 8.		D G ♄	Bot. reg. t. 996.
25	prolífera H.R. (*or.y*) proliferous	——	1818.	——		D G ♄	
26	sérra DC. (*re.gr*) saw-leaved	——	——	——		D G ♄	Jacq. eclog. t. 61.
27	striàta H.S. (*re.gr*) streaked	——	1795.	——		D G ♄	Jacq. fragm. t. 68.
	paniculàta Jacquin.						
28	striátula H.P. .... stripe-sheathed	——	1820.	....		D G ♄	
29	ciliàris H.P. (*sc.gr*) fringe-leaved	——	——	....		D G ♄	
30	tenùior H.P. (*ye*) green-sheathed	——	1819.	....		D G ♄	
31	albocíncta H.S.S.(*sc.g*)pearl-edged	——	1812.	....		D G ♄	
32	serrulàta H.S. (*pi*) serrulated	——	1789.	7. 8.		D G ♄	Bot. mag. t. 1415.
33	obscùra H.S. (*sc.or*) great-soap	——	1727.	6.10.		D G ♄	—— t. 1323.
	pícta α B.M.						
	β glaúcior H.R.(*sc.or*)*glaucous-leaved*	——	1819.	——		D G ♄	
	γ mágnidens H.R.(*sc.or*)*large-toothed*	——	....	——		D G ♄	
34	palléscens H.R.(*pi.gr*) pale serrulate	——	1820.	——		D G ♄	
35	latifòlia H.S. (*sc.or*) broad-leaved	——	1795.	7. 8.		D G ♄	Bot. mag. t. 1346.
36	grandidentàta R.S.(*sc.g*)great-toothed	——	....	——		D G ♄	
37	saponària H.S. (*sc.or*) common-soap	——	1727.	——		D G ♄	Bot. mag. t. 1460.
	β lùteo-striàta H.R.(*sc*)*yellow-striped*	——	1821.	——		D G ♄	
38	microcántha H.S.S.(*re*)small-spined	——	1819.	——		D G ♄	Bot. mag. t. 2272.
39	vìrens H.S. (*sc*) apple-green	——	1790.	8. 9.		D G ♃	—— t. 1355.
40	suberécta H.S.(*sc.ye*) lesser-hedgehog	——	1789.	3. 6.		D G ♃	
	β semiguttàta H.R.(*sc.g*)*half-warted*	——	1819.	——		D G ♃	
41	acuminàta H.S.(*sc.ye*) middle-hedgehog	——	1795.	——		D G ♃	Bot. mag. t. 757.
	hùmilis non H.S.						
42	echinàta H.R. (*sc.gr*) great-tubercled	——	1821.	3. 6.		D G ♃	
43	tuberculàta H.S.(*sc.g*)tubercled	——	1796.	——		D G ♃	

44 **aristàta** H.P. (*sc.g*) bearded-many-leaved C.B.S. 1819. 3. 6. D·G ♃
45 **subtuberculàta** B.P. (*sc*) rough & smooth ——— —— —— D G ♃
46 **hùmilis** H.S. (*sc.gr*) dwarf-hedgehog ——— 1731. —— D G ♃ DC. plant. gras. t. 39.
47 **incúrva** H.S. (*sc.gr*) incurved-hedgehog ——— 1796. —— D G ♃ Bot. mag. t. 828.
hùmilis β incúrva B.M
48 **tenuifòlia** H.R. (*sc.gr*) thin-leaved ——— 1821. —— D G ♃
49 **variegàta** H.S. (*sc.gr*) partridge-breast ——— 1720. 3.12. D G ♃ Bot. mag. t. 513.

RHIPIDODE'NDRON W. RHIPIDODE'NDRON. (ῥιπὶς, a fan, and δενδρον, a tree.) Hexand. Monogy.
1 **plicátile** H.B. (*re.gr*) fan Africa 1723. 6. 7. D G ♄ Bot. mag. t. 457.
dístichum W. *A'loe plicátilis* B.M.
β màjus H.R. (*re*) *larger fan* ——— 1820. —— D G ♄
2 **dichótomum** W. (*re.gr*) dichotomous C. B. S. 1780. —— D G ♄ Patt. journ. t. 3. 4. 5.

GASTE'RIA H.S. TONGUE-ALOE. (γαστηρ, a belly; corolla.) Hexandria Monogynia.
Sect. 1. BREVIFLO'RÆ; *flowers short.*
§ 1. CAULESCE'NTES; *caulescent; leaves multifarious.*
1 **obliqua** H.S. (*ro.w.g*) broad-marbled C. B. S. 1759. 6. 8. D G ♄ Bot. mag. t. 979.
maculàta H.P. *A'loe lingua α.* B.M.
2 **púlchra** H.S. (*ro.gr*) narrow-marbled ——— 1759. 7. 8. D G ♄ Bot. mag. t. 765.
A'loe maculàta B.M.
3 **pícta** H.P. (*ro.gr*) painted ——— 1824. —— D G ♄
A'loe Bowieàna R.S.
§ 2. ACAU'LES; *stem hardly any; leaves bifarious.*
4 **formòsa** H.P. (*sc.gr*) beautiful C. S. B. 1826. —— D G ♃
5 **fasciàta** H.P. (*ro gr*) marbled ——— 1820. —— D G ♃
β láxa H.P. (*ro.gr*) *loose-leaved* ——— —— —— D G ♃
6 **retàta** H.P. (*ro.gr*) chequered ——— 1826. —— D G ♃
A'loe dicty'odes R.S.
7 **nígricans** H.S. (*re.gr*) dark-leaved ——— 1790. 6. 7. D G ♃ Bot. mag. t. 838.
8 **marmoràta** H.P. (*re.g*) marble-leaved ——— —— —— D G ♃
9 **crassifòlia** H.P. (*re.gr*) thick-leaved ——— 1820. —— D G ♃
10 **brevifòlia** H.S. (*re.gr*) short-leaved ——— 1809. 7. 8. D G ♃
α lætevìrens H.P. (*re.gr*) *pale-green* ——— —— —— D G ♃
β perviridis H.P. (*re.gr*) *darker-green* ——— —— —— D G ♃
Sect. 2. LONGIFLO'RÆ; *flowers longer than in the preceding section.*
§. 1. *Leaves bifarious.*
11 **obtusifòlia** H.R. (*re.g*) blunt-leaved C. B. S. 1809. 7. 8. D G ♃
12 **móllis** H.R. (*re.gr*) soft muddy-ld. ——— 1819. —— D G ♃
13 **subnígricans** H.P. (*re.g*) dark-leaved ——— 1820. —— D G ♃
β glàbrior H.P. (*re.gr*) *smoother* ——— —— —— D G ♃
14 **dísticha** H.P. (*re.gr*) distichous ——— 1819. —— D G ♃ Comm. hort. ams. 2. t. 8.
α minor H.P. (*re.gr*) *lesser* ——— —— —— D G ♃
β màjor H.P. (*re.gr*) *larger* ——— —— —— D G ♃
15 **conspurcàta** H.R. (*re.g*) dirtied ——— 1796. 3.11. D G ♃
16 **angulàta** H.P. (*re.gr*) angular ——— —— —— D G ♃ Bot. mag. t. 1322. f, 3.
17 **sulcàta** H.P. (*re.w.g*) furrowed ——— 1791. —— D G ♃ ——— t. 1322. f. 5.
18 **excavàta** H.P. (*re.gr*) excavated ——— 1824. —— D G ♃ ——— t. 1322. f. 4.
19 **angustifòlia** H.S. (*re.g*) narrow ——— 1731. —— D G ♃ ——— t. 1322. f. 2.
20 **læ'vis** H.P. (*re.gr*) smooth ——— 1820. —— D G ♃
21 **subverrucòsa** H.P. (*re.g*) large-warted ——— —— —— D G ♃
α grandipunctàta H.R. *large-dotted* ——— —— —— D G ♃
β parvipunctàta H.B. *small-dotted* ——— —— —— D G ♃
22 **verrucòsa** H.S (*re.g*) pearl ——— 1731. 3.11. D G ♃ Bot. mag. t. 837.
β latifòlia H.R. (*re.g*) *broad-leaved* ——— 1820. —— D G ♃
23 **intermèdia** H.S. (*re.g*) intermediate ——— 1790. —— D G ♃ Bot. mag. t. 1322. f. 1.
β aspérrima H.R. (*re.g*) *rough-leaved* ——— 1820. —— D G ♃
γ læ'vior H.P. (*re.gr*) *smoother* ——— —— —— D G ♃
δ lóngior H.P. (*re.gr*) *longer-leaved* ——— —— —— D G ♃
§ 2. *Leaves multifarious.*
24 **rèpens** H.R. (*re.gr*) creeping-rooted ——— —— .... D G ♃
25 **párva** H.P. (*re.gr*) smallest ——— 1824. 3.11. D G ♃
26 **decípiens** H.P. (*re.gr*) deceiving ——— 1823. 7.10. D G ♃
27 **carinàta** H.S. (*sc.gr*) rough-keeled ——— 1731. 6. 7. D G ♃ Bot. mag. t. 1331.
28 **strigàta** H.P. (*re.gr*) rough strigate ——— 1824. 7.10. D G ♃
29 **lætipunctàta** H.P. (*re.gr*) pale-spotted ——— 1821. —— D G ♃
30 **subcarinàta** H.S.S. (*re*) slightly-keeled ——— 1820. 6. 7. D G ♃
β striàta H.R. (*re.gr*) *striated* ——— —— —— D G ♃
31 **undàta** H.P. (*re.gr*) waved ——— 1825. —— D G ♃
32 **glàbra** H.S. (*re.gr*) smooth-keeled ——— 1796. —— D G ♃
β minor H.R. (*re.gr*) *smaller* ——— 1820. —— D G ♃

33	nítida B M.	(*sc.gr*) shining	C. B. S.	1820.	7. 8.	D	G ♃	Bot. mag. t. 2304.
	α parvipunctàta H.R.	*small-dotted*	———	——	——	D	G ♃	
	β grandipunctàta H.R.	*large-dotted*	———	——	——	D	G ♃	
34	trigòna H.R.	(*li.gr*) trigonal	———	——	——	D	G ♃	
35	obtùsa H.P.	(*re.gr*) smooth obtuse	———	——	——	D	G ♃	
36	acinacifòlia H.R.	(*ro.g*) long sword-ld.	———	1818.	——	D	G ♃	Bot. mag. t. 2369.
37	nìtens H.P.	(*re.gr*) sparse-spotted	———	1819.	——	D	G ♃	
38	venústa H.P.	(*re.gr*) charming	———	1822.	——	D	G ♃	
39	pluripunctàta H.P.	(*re gr*) many-spotted	———	——	——	D	G ♃	
40	ensifòlia H.P.	(*re.gr*) long sword-ld.	———	1820.	....	D	G ♃	
41	cándicans H.R.	(*re*) rough marbled white	———	1818.	7. 8.	D	G ♃	
42	linìta H.P.	(*re*) smeared	———	1822.	——	D	G ♃	
43	bícolor H.P.	(*re*) half-marbled	———	——	——	D	G ♃	

BOWIE'A H.P. Bowie'a. (J. Bowie, a bot. collector.) Hexandria Monogynia.

1	africàna H.P.	(*ye*) African	C. B. S.	1820.	4.10.	D	G ♃	
2	myriacántha H.P.	(*ro.g*) many-spined	———	——	——	D	G ♃	

HAWO'RTHIA H.S.S. Hawo'rthia. (A. H. Haworth, a cel. naturalist.) Hexandria Monogynia.

1	viscòsa H.S.	(*wh.re*) clammy	C. B. S.	1732.	5. 7.	D	G ♃	Bot. mag. t. 814.
	A'loe viscòsa B.M.							
	α màjor	(*wh.re*) *largest*	———	——	——	D	G ♃	
	β minor	(*wh.re*) *lesser*	———	——	——	D	G ♃	
	γ parvifòlia	(*wh.re*) *smaller-leaved*	———	——	——	D	G ♃	
2	áspera H.S.	(*wh.re*) rough-triangular	———	1795.	——	D	G ♃	
3	induràta H.R.	(*wh.re*) hard-branchy	———	1819.	——	D	G ♃	
4	subtortuòsa R.S.	(*wh.re*) twisted triangular	———	1818.	——	D	G ♃	
5	torquàta H.P.	(*wh.re*) long-twisted	———	1824.	——	D	G ♃	
6	concínna H.S.S.	(*wh.re*) neat triangular	———	——	——	D	G ♃	
7	cordifòlia H.S.S	(*wh.re*) heart-leaved	———	——	——	D	G ♃	
8	asperiúscula H.S.S.	(*w.re*) roughish	———	1818.	——	D	G ♃	
9	tortuòsa H.S.	(*wh.re*) twisted	———	1794.	5. 9.	D	G ♃	Bot. mag. t. 1337.
	A'loe rígida B.M. *non* DC.							
	β cúrta H.R.	(*wh.re*) *short twisted*	———	1817.	——	D	G ♃	
	γ tórtella H.R.	(*wh.re*) *lesser twisted*	———	——	——	D	G ♃	
10	expánsa H.S.	(*wh.re*) spreading-leaved	———	1795.	7.10.	D	G ♃	
11	rígida H.R.	(*wh.gr*) great rigid	———	1824.	——	D	G ♃	DC. plant. gras. t. 62.
12	hy'brida H.R.	(*wh.gr*) bastard pearl	———	1821.	5. 9.	D	G ♃	
13	scàbra H.R.	(*wh.re*) rugged	———	1818.	——	D	G ♃	
14	sórdida H.R.	(*wh.re*) sordid	———	——	——	D	G ♃	
15	recúrva H.R.	(*wh.re*) recurved	———	1795.	8.	D	G ♃	Bot. mag. t. 1353.
16	nígricans H.P.	(*wh.re*) granulated black	———	1820.	5. 9.	D	G ♃	
17	párva H.P.	(*wh.re*) dwarf	———	——	——	D	G ♃	
18	tessellàta H.P.	(*wh.re*) dark chequered	———	1822.	——	D	G ♃	
19	aspérula H.P.	(*wh.re*) pale rough	———	——	——	D	G ♃	
20	multifària H.P.	(*wh.re*) many-leaved	———	——	——	D	G ♃	
21	retùsa H.S.	(*wh.gr*) smooth cushion	———	1720.	——	D	G ♃	Bot. mag. t. 455.
	A'loe retùsa B.M.							
22	mùtica H.R.	(*wh.gr*) blunt-cushion	———	1819.	——	D	G ♃	
23	mirábilis H.S.S.	(*wh.ro*) rough cushion	———	1795.	——	D	G ♃	Bot. mag. t. 1354.
24	túrgida H.S.S.	(*wh.ro*) turgid cushion	———	1818.	——	D	G ♃	
25	læ'te-vìrens H.S.S.	(*w.re*) light-green	———	——	——	D	G ♃	
26	papillòsa H.S.S.	(*w.re*) papillose	———	——	——	D	G ♄	
	β semipapillòsa H.R.	*partly warted*	———	....	——	D	G ♄	
27	erécta H.R.	(*wh.re*) upright pearl	———	1818.	——	D	G ♃	DC. plant. gras. t. 57.
	margaritífera DC.							
28	fasciàta H.S.S.	(*wh.re*) barred pearl	———	——	——	D	G ♃	
29	subulàta R.S.	(*wh.re*) awl-pointed	———	——	——	D	G ♃	
30	claripérla H.P.	(*wh.re*) bright-pearled	———	1824.	——	D	G ♃	
31	granàta H.S.S.	(*wh.re*) small pearl	———	1732.	——	D	G ♃	Dill. elth. t. 16. f. 18.
	A'loe margaritífera γ mínima Dill.							
32	brèvis H.S.S.	(*wh.ro*) short-leaved	———	1810.	——	D	G ♃	Bot. mag. t. 1360.
	A'loe margaritífera γ mínima B.M.							
33	mìnor H.S.	(*pu.gr*) lesser-pearl	———	....	5. 8.	D	G ♃	Bot. mag. t. 815.
34	margaritífera H.S.S.	(*wh*) pearl	———	1725.	——	D	G ♃	Bradl. succ. 3. t. 21.
35	semiglabràta H.S.S.	(*w.gr*) half-smoothed	———	1810.	——	D	G ♃	
36	rádula H.S.	(*ro.wh*) raspy pearl	———	1805.	6. 9.	D	G ♃	Jacq. schœn. t. 35.
37	attenuàta H.S.	(*wh.re*) chalky pearl	———	1790.	5. 8.	D	G ♃	Bot. mag. t. 1345.
	A'loe rádula B.M. *non* Jacq.							
38	Reinwárdti H.R.	(*wh.re*) chequered pearl	———	1821.	——	D	G ♃	
39	semimargaritífera	(*wh*) semi-pearly	———	1801.	——	D	G ♃	

	α *máxima* H.S.S.(*wh.re*)*largest*	C. B. S.	1801.	5. 8.	D G ♃	Comm. hort. 2. t. 10.
	β *majòr* H.S.S.(*wh.re*)*large*	———	1817.	——	D G ♃	
	γ *minor* H.S.S.(*wh.re*)*smaller*	———	1818.	——	D G ♃	
	δ *multiperlàta*(*wh.re*)*many-pearled*	———	——	——	D G ♃	
40	coarctàta H.P. (*w.re*) upright dull-spotted	——	1822.	——	D G ♃	
41	álbicans H.S. (*wh.re*) white-edged	———	1795.	9.10.	D G ♃	Bot. mag. t. 1452.
42	læ'vis H.R. (*wh.re*) narrow-bordered	———	1820.	——	D G ♃	Comm. hort. 2. t. 7.
43	ramífera H.R.(*wh.re*) branching-white	———	——	——	D G ♃	
44	virèscens H.R.(*wh.re*)bordered green	———	——	——	D G ♃	
	β *minor* H.R.(*wh.re*) *lesser*	———	——	——	D G ♃	
45	arachnoìdes H.S.(*li.gr*)cobweb	———	1727.	8. 9.	D G ♃	Bot. mag. t. 756.
46	translùcens H.S.S.(*bh*)transparent	———	1795.	5. 8.	D G ♃	——— t. 1417.
	A'loe arachnoìdes β *translùcens* B.M.					
47	setàta H.S. (*wh.re*) bristled-edged	———	1818.	5. 8.	D G ♃	
	β *nígricans* H.R.(*wh.re*) *blackish*	———	——	——	D G ♃	
	γ *mèdia* H.R.(*wh.re*)*middle*	———	——	——	D G ♃	
	δ *majòr* H.R. (*wh.re*) *larger*	———	——	——	D G ♃	
48	pállida H.R. (*wh.re*) pale-green	———	——	——	D G ♃	
49	atrovìrens H.R(*wh.bh*)dark-green	———	1752.	5.	D G ♃	Bot. mag. t. 1361
	A'loe atrovìrens D.C. *arachnoìdes pùmila.* B. M.					
50	chlorocántha H.R.(*w.re*)green-toothed	———	1820.	5. 8.	D G ♃	
51	angustifòlia H.P.(*w.re*)slender-leaved	———	——	6. 7.	D G ♃	
52	reticulàta H.S. (*wh*) netted	———	1794.	5. 8.	D G ♃	Bot. mag. t. 1314.
	A'loe arachnoìdes γ *reticulàta* B.M.					
53	cymbifórmis H.S(*w.pu*)boat-leaved	———	1795.	6. 8.	D G ♃	Bot. mag. t. 802.
	concàva H.R.					
54	altilínea H.P.(*wh.re*) ridge-lined	———	1821.	——	D G ♃	
55	obtùsa H.P.(*wh.re*)small-blunt-leaved	———	——	——	D G ♃	
56	planifòlia H.P.(*wh.re*) flat oval-leaved	———	——	——	D G ♃	
57	macronàta H.R.(*w.pu*)membrane-pointed	——	1818.	——	D G ♃	
58	límpida H.R. (*w.pu*) limpid	———	——	——	D G ♃	
59	aristàta H.R. (*w.pu*) pin-pointed	———	——	——	D G ♃	
60	cuspidàta H.R.(*w.pu*) sharp-pointed	———	——	——	D G ♃	
61	denticulàta H.R(*wh.re*)pale pin-pointed	———	——	——	D G ♃	

A'PICRA H.S.S. A'PICRA. (*a* priv. and πικρος, bitter; not bitter.) Hexandria Monogynia.

1	spiràlis H.S.S.(*wh.g.*) great spiral	C. B. S.	1790.	8. 9.	D G ♄	
2	spirélla H.S.S. (*wh.g*) small spiral	———	1808.	——	D G ♄	
3	bullulàta H.S.S.(*st.gr*)blistered	———	1818.	——	D G ♄	Jacq. frag. t. 109.
4	pentagòna H.S.S.(*wh*)five-sided	———	1731.	6. 8.	D G ♄	Bot. mag. t. 1338.
5	quinquangulàris R.S.(*w.st*)five-angled	———	....	——	D G ♄	
6	rígida W. (*wh.re*) gunpowdered	———	1818.	——	D G ♄	Jacq. frag. t. 108.
	pseùdo-rígida H.S.S.					
7	áspera H.S.S.((*wh.st*) rough triangled	———	——	——	D G ♄	
	α *minor* H.S.S.(*wh.st*) *lesser*	———	——	——	D G ♄	
	β *majòr* H.S.S.(*wh.st*) *larger*	———	1795.	——	D G ♄	
8	bicarinàta H.S.S.(*w.st*)double-keeled	———	1819.	——	D G ♄	
9	nìgra H.P. (*wh*) rough-black	———	1820.	5. 8.	D G ♄	
10	imbricàta H.R.(*st*)rough-flowered	———	1731.	6. 7.	D G ♄	Bot. mag. t. 1455.
	A'loe spiràlis B.M. *non* H.S.					
11	foliolòsa H.P.(*wh*) many-small-leaved	———	1795.	6. 8.	D S ♄	Bot. mag. t. 1352.

ORDER CCXLV.

DIOSCO'REÆ. *Brown prodr. p.* 294.

RAJA'NIA W. RAJA'NIA. (cel. naturalist, John Ray.) Diœcia Hexandria.

1	hastàta W. (*gr*) halberd-leaved	W. Indies	1822.	7. 8.	S ♃ ◡	Plum. amer. 84. t. 98.
2	cordàta W. (*gr*) heart-leaved	———	1786.	——	S ♃ ◡	Plum. ic. 155. f. 1.
3	quinquefòlia W. (*gr*) five-leaved	———	1820.	——	S ♃ ◡	——— 155. f. 2.

DIOSCO'REA W. YAM. (Ped. Dioscorides, a Greek physician.) Diœcia Hexandria.

§ 1. *Leaves divided.*

1	pentaphy'lla W. (*gr*) five-leaved	E. Indies	1768.	....	S ♃ ◡	Rheed. mal. 7. t. 35.
2	triphy'lla W. (*gr*) three-leaved	———	1818.	....	S ♃ ◡	Jacq. ic. t. 627.

3	trifoliàta Kth.	(*gr*) trifoliate	Trinidad	1818.	....	S	♃	◡	
	§ 2. *Leaves lobed.*								
4	quinquéloba w.	(*gr*) five-lobed	Japan	1822.	7. 9.	G	♃	◡	Kæmpf. ic. t. 15.
5	brasiliénsis w.	(*gr*) Brazilian	Brazil	1818.	——	S	♃	◡	
6	trífida L.	(*gr*) trifid	Trinidad	——	——	S	♃	◡	
7	heterophy'lla H.B.	(*gr.*) various-leaved	E. Indies	——	....	S	♃	◡	
	§ 3 *Leaves cordate.*								
8	aculeàta w.	(*gr*) prickly-stemmed	———	1803.	7. 9.	S	♃	◡	Rheed. mal. 7. t. 37.
9	rubélla H.B.	(*re.g*) reddish	———	——	——	S	♃	◡	
10	purpùrea H.B.	(*pu.g*) purple	———	1816.	——	S	♃	◡	
11	angustifòlia S.S.	(*gr*) narrow-leaved	Peru	1821.	——	S	♃	◡	
12	nummulària w.	(*gr*) Money-wort	E. Indies	1820.	....	S	♃	◡	Rumph. amb. 5. t. 162.
13	alàta w.	(*gr*) wing-stalked	———	1739.	....	S	♃	◡	Rheed. mal. 7. t. 38.
14	bulbífera w.	(*gr*) bulb-bearing	———	1692.	7. 9.	S	♃	◡	Sal. par. lond. t. 17.
15	crispàta H.B.	(*gr*) curl-stalked	———	1818.	——	S	♃	◡	
16	altíssima S.S.	(*gr*) tallest	Martinica	1821.	——	S	♃	◡	Plum. ic. 117. f. 2.
17	coriàcea S.S.	(*gr*) leathery	S. America	1818.	——	S	♃	◡	
18	anguìna H.B.	(*gr*) snake	E. Indies	1803.	——	S	♃	◡	
19	pulchélla H.B.	(*gr*) pretty	———	1819.	....	S	♃	◡	
20	leonénsis G.D.	(*wh*) Sierra Leone	SierraLeone	1822.	....	S	♃	◡	
21	atropurpùrea H.B	(*pu.gr*) dark purple	C. B. S.	1820.	....	S	♃	◡	
22	globòsa H.B.	(*gr*) globular	———	1818.	....	S	♃	◡	
23	fasciculàta H.B.	(*gr*) bundled	———	1817.	....	S	♃	◡	
24	glàbra H.B.	(*gr*) smooth	———	1803.	7. 9.	S	♃	◡	
25	scàbra S.S.	(*gr*) scabrous	Martinique	1817.	——	S	♃	◡	
26	satìva w.	(*gr*) common	W. Indies	1733.	——	S	♃	◡	Rheed. mal. 8. t. 51.
27	piperifòlia w.	(*gr*) Pepper-leaved	S. America	1817.	....	S	♃	◡	Plum. ic. 117. f. 1.
28	nepalénsis Swt.	(*gr*) Nepaul	Nepaul	1816.	7. 8.	H	♃	◡	
29	quaternàta Ph.	(*re.g*) four-leaved	N. America	1811.	7.	H	♃	◡	
30	villòsa Ph.	(*re.g*) pubescent	———	1752.	8.	H	♃	◡	Jacq. ic. 3. t. 626.
	§ 4. *Leaves oblong.*								
31	oppositifòlia L.	(*gr*) opposite-leaved	E. Indies	1803.	....	S	♃	◡	Petiv. gaz. t. 31. f. 6.
32	cinnamomifòlia B.M.	(*gr*) Cinnamon-l'd.	Brazil	1826.	11. 12.	S	♃	◡	Bot. mag. t. 2825.

TESTUDINA'RIA B.T. TESTUDINA'RIA. (*testudo*, a tortoise; roots like.) Dicœcia Hexandria.

1	Elephántipes B.R.	(*gr.*) Elephant's-foot	C. B. S.	1774.	7. 8.	G	♃	◡	Bot. reg. t. 92.
	Tàmus Elephántipes Bot. mag. t. 1347.								
2	montàna B.T.	(*gr*) glaucous-leaved	———	1816.	——	G	♃	◡	

ORDER CCXLVI.

TA'MEÆ. *Brown prodr.* 294. *in obs.*

TA'MUS L. BLACK BRYONY. (a name given to a plant similar to a vine.) Dicœcia Hex.

1	commùnis w.	(*gr*) common	England	....	5. 8.	H	♃	◡	Eng. bot. t. 91.
2	crética w	(*gr*) Cretan	Candia	1739.	7. 8.	H	♃	◡	

ORDER CCXLVII.

SMILA'CEÆ. *Brown prod.* 292.

SMI'LAX L. SMI'LAX. (σμιλη, a scraper; asperity.) Dicœcia Hexandria.

	§ 1. *Stems prickly angular.*								
1	áspera S.S.	(*w.gr*) rough bindweed	S. Europe	1648.	9.	H	♄	◡	Schk. hand. 3. t. 328.
	β *auriculàta*	(*w.gr*) *ear-leaved*	———	——	——	H	♄	◡	Pluk. alm. t. 110. f. 3.
2	nìgra S.S.	(*w.gr*) black	———	1817.	——	H	♄	◡	

3	catalónicas.s.(*w.gr*) Catalonian	S. Europe	1817.	9.	H	♄	◡	
4	mauritánica s.s. (*w.gr*)red-berried	———	1820.	8.10.	F	♄	◡	
5	excélsa s.s. (*w.gr*) tall	Syria	1739.	8. 9.	F	♄	◡	Buxb. cent. 1. t. 32.
6	hórrida s.s. (*w.gr*) straight-spined	N. America	1820.	——	H	♄	◡	
7	zeylánica s.s. (*w.gr*) Ceylon	E. Indies	1778.	——	S	♄	◡	Rumph. amb. 5. t. 161.
8	quadrangulàris s.s.(*w.g.*)square-stalked	N.America	1812.	6. 8.	H	♄	◡	Wats. dend. brit. t. 109.
9	longifòlia s.s. (*w.gr*) long-leaved	Cayenne	1823.	....	S	♄	◡	
10	Watsòni (*w.gr*) Watson's	N. America	1811.	7. 8.	H	♄	◡	Wats. dend. brit. t. 110.
	longifòlia W.D. *non* Rich.							
11	Sarsaparílla s.s.(*w.gr*)medicinal	———	1664.	——	H	♄	◡	Wats. dend. brit. t. 111.
12	brasiliénsis s.s.(*w.gr*)Brazilian	Brazil	1820.	——	S	♄	◡	
13	lanceolàta Ph.(*w.gr*) spear-leaved	N. America	1785.	5. 6.	H	♄	◡	Catesb. car. 2. t. 84.
14	hastàta s.s. (*w.gr*) halberd-leaved	Carolina	1822.	7. 8.	F	♄	◡	Pluk. alm. t. 111. f. 3.
	§ 2 *Stems prickly terete.*							
15	Chìna s.s. (*w.gr*) Chinese	China	1759.	....	G	♄	◡	Kæmpf. amœn. t. 782.
16	acuminàta s.s.(*w.gr*) sharp-pointed	W. Indies	1822.	6. 7.	S	♄	◡	Plum. ic. 83.
17	glaúca B.M. (*wh*) glaucous-leaved	N.America	1811.	5. 7.	H	♄	◡	Bot. mag. t. 1846.
18	austràlis B.P. (*w.gr*) oblong-leaved	N. S. W.	1815.	....	G	♄	◡	
19	syphilítica s.s.(*gr.wh*)syphilitic	Trinidad	1818.	....	S	♄	◡	
20	rotundifòlia s.s.(*w.g*) round-leaved	N. America	1760.	7. 8.	H	♄	◡	
21	laurifòlia s.s. (*w.gr*) Laurel-leaved	———	1739.	——	H	♄	◡	Cates. car. 1. t. 15.
22	sagittæfòlia B.C (*wh*) arrow-leaved	China	1820.	8.	G	♄	◡	Bot. cab. t. 1799.
23	tamnoìdes s.s.(*w.gr*)Tamus-leaved	N. America	1739.	6. 7.	H	♄	◡	Catesb. car. 1. t. 52.
24	cadùca s.s. (*w.gr*) deciduous	———	1759.	——	H	♄	◡	
25	havanénsis s.s.(*w.gr*) Havannah	S. America	1823.	....	S	♄	◡	Jacq. amer. 179. f. 102.
26	ovalifòlia D.P. (*w.gr*) oval-leaved	Nepaul	1822.	....	H	♄	◡	
27	maculàta D.P.(*w.gr.*) spotted	Nepaul	1819.	....	H	♄	◡	
	§ 3. *Stems unarmed angular.*							
28	Bòna-nóx s.s. (*w.gr*) fringed	N. America	1739.	6. 7.	H	♄	◡	Pluk. alm. t. 111. f. 1.
29	prolífera H.B. (*w.gr*) proliferous	E. Indies	1819.	....	S	♄	◡	
30	glàbra H.B. (*w.gr*) smooth	———	1820.	....	S	♄	◡	
31	Alpìni s.s. (*w.gr*) Grecian	Greece	——	6. 8.	F	♄	◡	
32	latifòlia B.P. (*w.gr*) broad-leaved	N. Holland	1791.	....	F	♄	◡	
33	cumanénsis s.s.(*w.gr*)Cumana	Cumana	1818.	——	S	♄	◡	
34	herbàcea s.s. (*gr*) herbaceous	N. America	1669.	7.	H	♃	◡	Bot. mag. t. 1920.
	§ 4. *Stems unarmed terete.*							
35	pedunculàris s.s.(*gr*) long-peduncled	———	1812.	5. 7.	H	♃	◡	
36	globífera s.s. (*w.gr*) Surinam	Surinam	1819.	....	S	♄	◡	
37	macrophy'lla s.s.(*w.g*)large-leaved	W. Indies	1822.	....	S	♄	◡	
38	Pseùdo-chìna s.s.(*w.g*)Bastard China	S. America	1739.	5. 6.	S	♄	◡	Sloan. jam. 1. t. 143.f.1.
39	glyciphy'lla B.P.(*w.g*)Botany-bay Tea	N. S. W.	1815.	——	S	♄	◡	
40	canariénsis s.s.(*w.gr*)Canary	Canaries	1816.	——	F	♄	◡	
41	pùbera s.s. (*w.gr*) downy	N.America	1806.	——	H	♄	◡	
42	rùbens W.D. (*pi*) pink-flowered	———	1811.	7. 8.	H	♄	◡	Wats. dend. brit. t. 108.

RIPO'GONUM B.P. RIPO'GONUM. (ριψ, a twig, and γονος, a shoot.) Hexandria Monogynia.

1	álbum B.P. (*wh*) white-flowered	N. S. W.	1820	4. 6.	G	♄	◡	
2	parviflòrum B.P.(*wh*) small-flowered	———	——	——	G	♃	◡	

RU'SCUS L. BUTCHER'S-BROOM. (*beus*, box, and *kelen*, holly; Celt.) Diœc. Monadel.

1	aculeàtus W. (*w.gr*) prickly	England	....	12.6.	H	♄		Eng. bot. v. 8. t. 560.
2	láxus L.T. (*w.gr*) loose	Europe	....	1. 6.	H	♄		
3	Hypophy'llum W.(*g.y*)thick-leaved	Italy	1640.	5. 6.	H	♄		Bot. mag. t. 2049.
	β latifòlius W. (*g.y*) *broad-leaved*	S. Europe	——	——	H	♄		Dill. elth. t. 251. f. 303.
4	Hypoglóssum W.(*g.y*)double-leaved	Italy	1596.	4. 5.	H	♄		Schk. handb. 3. t. 340.
5	andrógynus W. (*g.y*) climbing	Canaries	1713.	——	G	♄	◡	Bot. mag. t. 1898.
6	reticulàtus W. (*g.y*) netted-leaved	C. B. S.	1816.	——	G	♄	◡	
7	volùbilis W. (*g.y*) many-nerved	———	——	——	G	♄	◡	
8	racemòsus W.(*g.wh*) Alexandrian Laurel	Portugal	1713.	6.	H	♄		Wats. dend. brit. t. 145.

POLYGO'NATUM D. SOLOMON'S-SEAL. (πολυς, many, and γονυ, a knee.) Hexand. Monogyn.

1	verticillàtum R.L.(*w.g*)whorl-leaved	Scotland	....	6. 7.	H	♃		Redout. liliac. t. 244.
	Convallària verticillàta Eng. bot. v. 2. t. 128.							
2	bracteàtum Th.(*wh.g*)bracted	Switzerland	1827.	——	H	♃		
3	leptophy'llum D.P. slender-leaved	Nepaul	1816.	——	H	♃		
4	oppositifòlium D.P. opposite-leaved	———	——	——	H	♃		Lodd. bot. cab. t. 640.
	Convallària oppositifòlia B.C.							
5	vulgàre R.L. (*w.gr*) common	England	....	5. 6.	H	♃		Redout. liliac. t. 258.
	Convallària Polygónatum Eng. bot. v. 4. t 280.							
6	pubéscens Ph. (*w.g*) pubescent	N. America	1812.	——	H	♃		Willd. hort. ber. t. 45.
7	canaliculàtum Ph.(*w.g*)channel-leaved	———	——	6.	H	♃		

8 angustifòlium Ph.(*st.g*)narrow-leaved N.America 1824. 5. 6. H ♃
9 multiflòrum R.L.(*w.g*)many-flowered Britain .... —— H ♃ Eng. bot. v. 4. t. 279.
Convallària multiflòra Eng. bot.
10 latifòlium R.L. (*st*) broad-leaved Europe 1802. —— H ♃ Redout. liliac. t. 243.
11 macrophy'llum(*w.g*) large-leaved N. America 1823. —— H ♃
latifòlium Ph. *nec aliorum.*
12 polyánthemum M.B.(*w*)many-flowered Caucasus —— —— H ♃

SMILACI'NA Df. SMILACI'NA. (a dim. of *Smilax;* similarity.) Hexandria Monogynia.
1 racemòsa Df. (*wh*) cluster-flowered N. America 1640. 5. 6. H ♃ Redout. liliac. t. 230.
Convallària racemòsa Bot. mag. t. 899.
2 stellàta Df. (*wh*) star-flowered ——— 1633. —— H ♃ Bot. mag. t. 185.
3 trifòlia Df. (*wh*) three-leaved ——— 1812. 6. 7. H ♃ Gmel. sib. 1. t. 6.
4 canadénsis Ph. (*wh*) Canadian ——— —— —— H ♃ Redout. lil. t. 216. *f.* 1.
5 bifòlia Df. (*wh*) least N. Europe 1596. 5. 6. H ♃ Bot. mag. t. 510.
Convallària bifòlia B.M. *Majánthemum bifòlium* Redout. liliac. t. 216. f. 2.
6 boreàlis B.M. (*g.ye*) oval-leaved N. America 1778. 5. 6. H ♃ Bot. mag. t. 1403.
7 umbellàta Df. (*wh*) umbel-flowered ——— —— —— H ♃ ——— t. 1155.

OPHIOPO'GON B.M. SNAKE'S-BEARD. (ὀφις, a snake, and πωγων, a beard.) Hexan. Monog.
1 japónicus B.M. (*wh*) Japan Japan 1784. 6. F ♃ Bot. mag. t. 1063.
2 spicàtus B.R. (*bl*) spiked China 1821. 8.10. F ♄ Bot. reg. t. 593.
3 intermèdius D.P.(*wh*)intermediate Nepaul 1824. —— F ♃
4 jabùran B.C. (*wh*) Loddiges's Japan 1830. 6. 8. F ♃ Bot. cab. t. 1876.

LEDEBOU'RIA B.M. LEDEBOU'RIA. (Prof. Ledebour, of Dorpat.) Hexandria Monogynia.
hyacínthina S.S.(*gr.re*)hyacinth-like E. Indies .... S b Bot. mag. t. 3226.

CONVALLA'RIA D. LILY OF THE VALLEY. (*convallis*, a valley; habitat.) Hexand. Monogyn.
majàlis E.B. (*wh*) common Britain .... 5. 6. H ♃ Eng. bot. v. 15. t. 1035.
α álba (*wh*) *white-flowered* ——— .... —— H ♃
β ròsea (*ro*) *rose-coloured* ——— .... —— H ♃
γ plèna (*wh*) *double-flowered* ——— .... —— H ♃

STRE'PTOPUS M. STRE'PTOPUS. (στρεπτος, twisted, and πους, a foot; pedicels.) Hex. Mon.
1 amplexifòlius R.L.(*g.y*)heart-leaved Europe 1752. 5. H ♃ W. et. K. hung. t. 167.
2 distòrtus M. (*g.y*) distorted N. America —— —— H ♃
3 ròseus M. (*ro*) rose-coloured ——— 1806. 6. 7. H ♃ Bot. mag. t. 1489.
Uvulària ròsea B.M.
4 lanuginòsus M. (*g.y*) woolly ——— 1812. —— H ♃ Bot. mag. t. 1490.
5 símplex D.P. (*br.g*) simple-stalked Nepaul 1822. —— H ♃

MEDE'OLA S.S. INDIAN-CUCUMBER. (*Medea*, the sorceress.) Hexandria Monogynia.
virgínica S.S. (*gr*) Virginian Virginia 1759. 6. H ♃ Bot. mag. t. 1316.
Gyròmia virgínica N.

TRI'LLIUM L. TRI'LLIUM. (*trilix*, triple; calyx, corolla, and styles.) Hexandria Trigynia.
1 séssile S.S. (*da.pu*) sessile-flowered N. America 1759. 4. 5. H ♃ Bot. mag. t. 40.
2 díscolor B.M. (*gr*) two-coloured Georgia 1831. 5. H ♃ Bot. mag. t. 3097.
3 petiolàtum S.S.(*d.pu*) Plantain-leaved N. America 1811. 4. 5. H ♃
4 erythrocárpum M.(*w.re*)painted-flowd. ——— —— 5. 6. H ♃ Swt. br. fl. gar. t. 212.
pictum Ph.
5 undulàtum S.S. (*wh*) wave-flowered ——— —— —— H ♃
6 pusíllum S.S. (*pu*) dwarf Carolina 1812. —— F ♃
7 ovàtum S.S. (*pa.pu*) purple-flowered N. America —— —— F ♃
8 cérnuum S.S. (*wh*) drooping-flowered ——— 1758. 4. 5. H ♃ Bot. mag. t. 954.
9 eréctum W. (*d.pu*) stinking ——— 1759. —— H ♃ ——— t. 470.
β viridiflòrum (*gr*) *green-flowered* Canada 1832. 4. F ♃ Bot. mag. t. 3250.
10 péndulum S.S. (*wh*) pendulous N. America 1805. 4. 5. H ♃ W. hort. ber. 1. t. 35.
eréctum β Bot. mag. t. 1027.
β álbidum B.M. (*wh*) *white-flowered* ——— 1820. —— H ♃ Bot. mag. t. 1027.
11 obovàtum S.S. (*d.ro*) obovate-petalled ——— 1824. —— H ♃
12 grandiflòrum S.S.(*wh*)large-flowered ——— 1799. 4. 6. H ♃ Sal. par. lond. t. 1.
erythrocárpum B. M. *non.* M.
13 Catesbæ'i S.S. (*re*) Catesby's Carolina 1820. —— F ♃ Catesb. carol. 1. t. 45.
14 stylosum N. (*ro*) long-styled ——— 1823. —— F ♃

PA'RIS L. HERB-PARIS. (*par*, equal; leaves.) Octandria Tetragynia.
1 quadrifòlia E.B. (*gr*) true-love or 1-berry England .... 5. 6. H ♃ Eng. bot. v. 1. t. 7.
2 verticillàta M.B. (*gr*) whorl-leaved Siberia 1825. —— H ♃
3 polyphy'lla D.P. (*gr*) many-leaved Nepaul 1816. —— H ♃

ORDER CCXLVIII.

ASPHODE'LEÆ. *Brown prodr.* 1. *p.* 274.

ASPHO'DELUS L. ASPHODEL. (*a*, priv. and *σφαλλω*, to supplant.) Hexandria Monogynia.

1	clavàtus H.B.	(*wh*) club-seeded	E. Indies	1808.	7.10.	S	⊙	
2	fistulòsus S.S.	(*wh*) Onion-leaved	S. Europe	1596.	6. 9.	H	♃	Bot. mag. t. 984.
3	intermèdius L.en.	(*wh*) intermediate	Canaries	1824.	——	F	♃	
4	álbus S.S.	(*wh*) upright	S. Europe	....	5. 7.	H	♃	Blackw. t. 238.
5	æstìvus S.S.	(*wh*) summer	Portugal	1819.	——	H	♃	
6	asiáticus R.S.	(*wh*) Asiatic	Levant	....	——	H	♃	
7	ramòsus S.S.	(*wh*) branched	S. Europe	1551.	——	H	♃	Bot. mag. t. 799.
8	prólifer M.B.	(*wh*) proliferous	Armenia	1824.	6.10.	H	⊙	Hoff.com.m.l.p.l.t.43.
9	tenùior S.S.	(*ye.gr*) slender-leaved	Caucasus	1823.	7.	H	♃	Bot. mag. t. 2626.
10	créticus S.S.	(*ye.gr*) Cretan	Candia	1821.	6. 7.	H	♃	Lodd. bot. cab. t. 915.
11	libúrnicus R.S.	(*ye.gr*) oriental	Levant	——	——	H	♃	Jacq. f. eclog. t. 77.
12	taúricus S.S.	(*ye.gr*) Taurian	Tauria	1812.	5. 7.	H	♃	Redout. liliac. t. 470.
13	capillàris R.S.	(*ye.gr*) awl-leaved	———	——	——	H	♃	——— t. 380.
14	lùteus S.S.	(*ye*) common-yellow	Sicily	1596.	5. 6.	H	♃	Bot. mag. t. 773.
	β sibíricus B.R.	(*ye*) *Siberian*	Siberia	....	——	H	♃	Bot. reg. t. 1507.

EREMU'RUS S.S. EREMU'RUS. (*ερημος*, solitary, and *ουρα*, a tail.) Hexandria Monogynia.

1	spectábilis S.S.	(*ye*) channel-leaved	Caucasus	1800.	5. 6.	H	♃	Swt. br. fl. gar. t. 188.
	Asphódelus altàicus W.							
2	caucásicus Stev.	(*ye*) Caucasian	———	1834.	——	H	♃	

CZA'CKIA S.S. ST. BRUNO'S LILY. (A. Czack, a Russian bot.) Hexandria Monogynia.

	Liliástrum S.S.	(*wh*) Savoy Spiderwort	Switzerland	1629.	5. 6.	H	♃	Bot. mag. t. 318.
	Anthéricum Liliástrum B.M. *Hemerocállis Liliástrum* W. en.							

CAMA'SSIA Lindl. CAMA'SSIA. (*Quamash*, American name.) Hexandria Monogynia.

	esculénta Lindl.	(*d.p.*) esculent	Columbia	1827.	7.	H	b	Bot. reg. 1486.
	Phalángium Quámash Ph.							

PHALA'NGIUM J. PHALA'NGIUM. (*φαλαγξ*, a venomous spider; cures bite of.) Hex. Mon.

1	Liliàgo B.M.	(*wh*) grass-leaved	S. Europe	1596.	5. 6.	H	♃	Redout. lil. t. 269.
	α màjus B.M.	(*wh*) *larger*	———	——	——	H	♃	Bot. mag. t. 1635.
	β minus B.M.	(*wh*) *lesser*	———	——	——	H	♃	——— t. 914.
2	ramòsum B.M.	(*wh*) branching	———	1570.	——	H	♃	——— t. 1055.
	Anthéricum ramòsum W.							
3	græ'cum Lam.	(*wh*) Grecian	Greece	1828.	——	F	♃	Flor. græc. t. 336.
4	nepalénse	(*wh*) Nepaul	Nepual	1822.	6.10.	F	♃	Bot. reg. t. 998.
5	pomeridiànum	(*wh*) afternoon-flowered	Peru	1818.	——	G	♃	Swt.br. fl.gar. s.2.t.381.
	Anthéricum pomeridiànum B.R. t. 564. *Scilla pomeridiàna* DC.							
6	longifòlium Grah.	(*gr*) long-leaved	Lima	1829.	9.	G	♃	

TRICHOPE'TALUM B.R. TRICHOPE'TALUM. (*θριξ*, a hair, and *πεταλον*, a petal.) Hex. Mon.

	grácile B.R.	(*wh*) slender	Chili	1824.	6. 8.	F	♃	Bot. reg. t. 1535.
	Anthéricum plumòsum R. et. P. Bot. mag. t. 3084.							

ANTHE'RICUM ANTHE'RICUM. (*ανθερος*, flowers.) Hexandria Monogynia.

1	hirsùtum R.S.	(*wh*) hairy-leaved	C. B. S.	1822.	6.10.	G	♃	
2	blepharóphoron R.S.	(*w.pu*) fringed	———	——	——	G	♃	
3	bipedunculàtum	(*wh*) two-flowered	———	1825.	4. 5.	G	♃	Jacq. ic. 2. t. 410.
4	triflòrum W.	(*wh*) three-flowered	———	1782.	8.10.	G	♃	
5	undulàtum W.	(*wh*) wave-leaved	———	1825.	4. 6.	G	♃	
6	pilòsum W.	(*wh*) pilose	———	——	——	G	♃	Jacq. ic. 2. t. 416.
7	longifòlium W.	(*wh*) long-leaved	———	——	——	G	♃	——— 2. t. 413.
8	graminifòlium W.	(*wh*) grass-leaved	———	1794.	6. 7.	G	♃	——— 2. t. 411.
9	vespertìnum W.	(*w.re*) afternoon-fld.	———	1803.	5. 9.	G	♃	Bot. mag. t. 1040.
10	glaúcum B.M.	(*wh*) glaucous	S. America	1828.	6.	G	♃	Bot. mag. t. 3610.
11	Jacquiniànum R.S.	(*w*) Jacquin's	C. B. S.	1795.	5. 9.	G	♃	Jacq. ic. 2. t. 412.
12	divaricàtum R.S.	(*wh*) divaricate	———	——	——	G	♃	Jacq. schœn. 4. t. 414.
13	revolùtum W.	(*wh*) curled-flowered	———	1731.	9.12.	G	♃	Bot. mag. t. 1044.
14	floribúndum W.	(*st*) thick-spiked	———	1774.	3. 4.	G	♃	
15	squàmeum W.	(*wh*) scaly	———	1820.	——	G	♃	
16	filifórme W.	(*wh.gr*) thread-leaved	———	1774.	4.	G	♃	
17	elongàtum R.S.	(*wh.g*) long-racemed	———	1822.	——	G	♃	
18	flexifòlium W.	(*wh*) flexuose-leaved	———	1795.	5. 6.	G	♃	

BULBI'NE L. BULBI'NE. (*βολβος*, a bulb; roots.) Hexandria Monogynia.

1	híspida L.	(*bh.gr*) hairy-leaved	C. B. S.	1774.	5. 6.	D	G ♃	Jacq. ic. 2. t. 409.

2 canaliculàta s.s.(*wh*) channel-leaved C. B. S. 1774. 4. 5. D G ♃ Bot. mag. t. 1124.
3 semibarbàta s.s.(*ye*) half-bearded N. S. W. 1820. 4. 8. D G ♃ Lodd. bot. cab. t. 320.
Anthéricum semibarbàtum B.P.
4 austràlis s.s. (*ye*) bulbous ——— 1819. —— D G ♃ Bot. mag. t. 3017.
Anthéricum bulbòsum B.P.
5 suàvis B.R. (*ye*) sweet ——— 1837. —— D G b
6 ánnua s.s. (*ye*) annual C. B. S. 1731. 5. 6. H ⊙ Bot. mag. t. 1451.
Anthéricum ánnuum B.M.
7 incúrva R.s. (*ye*) incurved-leaved ——— 1822. —— D G ♃
8 longíscapa s.s. (*ye*) glaucous-leaved ——— 1759. 4. 8. D G b Bot. mag. t. 1339.
9 favòsa R.s. (*ye*) conical-rooted ——— 1824. —— D G ♃
10 asphodeloìdes s.s.(*ye*)upright-leaved ——— 1759. 6. 8. D G ♂ Jacq. vind. t. 181.
11 rostràta s.s. (*ye*) glaucous-shrubby ——— 1812. 3. 8. D G ♄ Jacq. ic. 2. t. 403.
12 frutéscens W. (*ye*) shrubby ——— 1702. —— D G ♄ Bot. mag. t. 816.
13 pugionifórmis s.s.(*ye*)dagger-leaved ——— 1793. 4. 6. D G b ——— t. 1454.
14 bisulcàta H.P. (*ye*) two-channelled ——— 1825. —— D G b
15 tríquetra s.s. (*wh*) triquetrous ——— —— —— D G ♃
16 scàbra s.s. (*wh*) rough ——— —— —— D G ♃
17 dùbia R.s. (*wh*) doubtful ——— 1822. —— D G ♃
18 ciliàta s.s. (*wh.re*) fringed ——— —— —— D G ♃
19 caúda-félis R.s (*wh*) Cat's-tail ——— 1825. —— D G ♃
20 planifòlia R.s. (*ro.w*) two-coloured S. Europe 1824. —— H ♃ Desf. atl. 1. t. 90.
Phalángium bicolor Redout. liliac. t. 215.
21 mesembryanthoìdes H.P.(*ye*)Figwort-like C. B. S. 1824. —— D G ♃
22 crispa R.s. (*ye*) curled-leaved ——— 1825. —— D G ♃
23 præmórsa s.s. (*ye*) bitten-rooted ——— 1816. —— D G b Jacq. ic. 2. t. 406.
24 gramínea H.R. (*ye*) Grass-leaved ——— 1819. 6. 8. D G b
25 aloìdes R.s. (*ye*) Aloe-leaved ——— 1732. 4. 8. D G b Bot. mag. t. 1317.
Anthéricum aloìdes B.M.
26 nùtans s.s. (*st.gr*) nodding ——— 1812. —— D G ♃ Jacq. ic. 2. t. 407.
27 latifòlia s.s. (*ye.gr*) broad-leaved ——— —— —— D G ♃ ——— 2. t. 408.

BESSE'RA B.R. Besse'ra. (Dr. Besser, prof. bot. Brody.) Hexandria Monogynia.
1 élegans B.R. (*sc*) elegant Mexico 1838. 9.10. F b Bot. reg. s. 3. t. 34.
2 Herbérti G.D. (*pu*) Herbert's ——— 1837. —— F b Bot. reg. t. 1546.
Phàrium fistulòsum H.A.

ARTHROPO'DIUM B.P. Arthropo'dium. (*αρθρον*, a joint, and *πους*, a foot.) Hexan. Monog.
1 cirrhàtum B.R. (*wh*) large-flowered N. Zealand 1819. 5. 8. F ♃ Bot. reg. t. 709.
2 paniculàtum B.P.(*w.pu*)panicled N. S. W. 1800. 6. 9. F ♃ Bot. mag. t. 1421.
minus Bot. reg. 856. *non* B.P. *Anthéricum millefloìrum* Redout. liliac. t. 58.
3 mìnus B.P. (*wh.pu*) simple-racemed ——— 1819. 5. 8. F ♃
4 péndulum s.s. (*vi*) pendulous-fld. N. Holland 1817. —— F ♃
Anthéricum péndulum W. en.
5 stríctum D.P. (*wh*) upright V.Diem.Isl. 1826. —— G ♃
6 fimbriàtum B.P.(*wh*) fringe-flowered N. S. W. 1825. —— F ♃

STYPA'NDRA B.P. Stypa'ndra. (*στυπη*, tow, and *ανηρ*, an anther.) Hexandria Monogynia.
1 glaúca B.P. (*bl*) glaucous N. S. W. 1819. 4. 6. F ♃
2 cæspitòsa B.P. (*bl*) turfy ——— 1824. —— F ♃
3 umbellàta B.P. (*bl*) umbel-flowered ——— 1820. —— F ♃
4 frutéscens Fl.cab.(*vi*)shrubby N. Holland 1836. 6. 7. G ♄ Flor. cab. no. 63.
5 propínqua B.M. (*bl*) allied N. S. W. 1823. —— F ♃ Bot. mag. t. 3417.

CÆ'SIA B.P. Cæ'sia. (Fred. Cæsio, an Italian bot.) Hexandria Monogynia.
vittàta B.P. (*wh*) nodding-flowered N. S. W. 1816. 7. 8. F ♃

TRICO'RYNE B.P. Trico'ryne. (*τρεις*, three, and *κορυνη*, a club.) Hexandria Monogynia.
1 símplex B.P. (*ye*) simple-stalked N. S. W. 1819. 7. 9. H ⊙
2 elàtior B.P. (*ye*) tall ——— 1825. —— G ♃
3 scàbra B.P. (*ye*) scabrous ——— 1826. —— G ♃

CHLORO'PHYTUM B.P. Chloro'phytum. (*χλωρος*, green, and *φυτον*, a plant.) Hexan. Mon.
1 inornàtum B.M. (*gr*) green flowered Sierra Leone 1793. 6. 8. S ♃ Bot. mag. t. 1071.
2 orchidiástrum B.R.(*wh*)Orchis-like ——— 1822. 1.12. S ♃ Bot. reg. t. 813.
3 elàtum B.P. (*wh*) tall C. B. S. 1751. 8. 9. G ♃ Redout. lil. t. 191.
Anthéricum elàtum H.K. *Phalángium elàtum* R.L.

PUSCHKI'NIA M.B. Puschki'nia. (Count M. Pouschkin, a Russian bot.) Hexand. Monogy.
scilloìdes M.B.(*w.bl*) Squill-like Iberia 1819. 5. 6. H b Bot. mag. t. 2244.
Adámsia scilloìdes Lindl. coll. bot. t. 24.

ALBU'CA Ker. Albu'ca. (*albus*, white; flowers.) Hexandria Monogynia.
§ 1. *Fertile stamens* 3 ; *peduncles racemose, spreading; flowers drooping.*
1 altíssima W. (*wh.gr*) tall C. B. S. 1780. 4. 5. F b Jacq. ic. 1. t. 63.
2 cornúta R.L.(*wh.gr*) three-horned ——— 1812. —— F b Redout. liliac. t. 70.

3	**màjor** w. (*ye.gr.wh*) great	C. B. S.	1759.	4.	5.	F	b	Bot. mag. t. 804.
4	**mìnor** w. (*ye.gr*) small	———	1768.	5.	6.	F	b	——— t. 720.
5	**flàccida** w. (*ye.gr*) flaccid	———	1791.	——		F	b	Jacq. ic. 2. t. 444.
6	**viridiflòra** w. (*ge.gr*) green-flowered	———	1794.	6.	7.	F	b	Bot. mag. t. 1656.
7	**coarctàta** w. (*ye*) channel-leaved	———	1774.	5.	6.	F	b	
	§ 2. *Stamens all fertile.*							
8	**fastigiàta** w. (*wh*) level-topped	———	——	——		F	b	Andr. reposit. t. 450.
9	**caudàta** (*wh.gr*) upright-flower'd	———	1791.	5.	7.	F	b	Jacq. ic. 2. t. 442.
10	**setòsa** w. (*gr.ye*) bristly-rooted	———	1795.	——		F	b	Bot. mag. t. 1481.
11	**aúrea** w. (*ye.gr*) golden-flowered	———	1825.	——		F	b	Jacq. ic. 2. t. 441.
12	**abyssínica** w. (*w.y.g*) African	———	——	——		F	b	Redout. liliac. t. 195.
13	**frágrans** w. (*ye.gr*) sweet-scented	———	1791.	6.	7.	F	b	Jacq. schœn. 1. t. 81.
14	**viscòsa** w. (*w.y.g*) clammy-leaved	———	1779.	5.	6.	F	b	Jacq. ic. 2. t. 445.
15	**spiràlis** w. (*st.gr*) spiral-leaved	———	1795.	6.		F	b	——— 2. t. 439.
16	**vittàta** B.M. (*ye.gr.*) ribbon	———	1802.	7.	8.	F	b	Bot. mag. t. 1329.
17	**parviflòra** R.S. (*ye.gr*) small-flowered	———	1812.	——		F	b	
18	**physòdes** B.M. (*w.pu*) dingy-flowered	———	1804.	6.	7.	F	b	Bot. mag. t. 1046.
19	**nematòdes** (*w.pu*) slender-leaved	———	1812.	——		F	b	
	Anthéricum nematòdes R.S.							
20	**exuviàta** B.M. (*w.pu*) Adder-skin	———	1795.	5.	7.	F	b	Bot. mag. t. 871.
	Anthéricum exuviàtum Jacq. ic. 2. t. 415.							
21	**anthericoìdes** (*ye.gr*) Anthericum-like	———	1788.	8.		F	b	
	Anthéricum albucoìdes w.							
22	**filifòlia** Ker. (*wh.gr*) filiform-leaved	———	1825.	7.	8.	F	b	Jacq. ic. 2. t. 414.
23	**fùgax** B.R. (*wh.pu*) fugacious	———	1795.	4.	6.	F	b	Bot. reg. t. 311.
	Anthéricum frágrans Jacq. schœn. 1. t. 86.							

ORNITHO'GALUM L. STAR OF BETHLEHEM. (ορνιθος, a bird, and γαλα, milk.) Hex. Mon.

	§ 1. *Flowers umbellate; filaments lanceolate.*							
1	**ixioìdes** H.K. (*wh*) Ixia-like	California	1796.	5.	6.	H	b	
2	**montànum** T.N. (*w.g*) mountain	Naples	1825.	——		H	b	Swt. br. fl. gar. s. 2. t. 42.
3	**collìnum** R.S. (*wh.gr*) hill	Sicily	1829.	——		H	b	
4	**umbellàtum** R.B (*w.g*) common	England	....	4.	6.	H	b	Eng. bot. v. 2. t. 130.
5	**refráctum** W.en. (*w.g*) reflexed	S. Europe	1825.	——		H	b	Swt. br. fl. gar. s. 2. t. 58.
6	**tenuifòlium** R.S. (*w.g*) slender-leaved	Sicily	1830.	——		H	b	
7	**exscàpum** T.N. (*w.g*) short-stalked	Naples	1823.	——		H	b	Ten. fl. nap. v. 1. t. 34.
8	**fimbriàtum** M.B. (*w.g*) fringed	Tauria	1820.	2.	3.	H	b	Swt. br. fl. gar. s. 2.
	§ 2. *Flowers racemose; filaments lanceolate.*							
9	**comòsum** w. (*wh.gr*) short-spiked	Austria	1596.	6.	8.	H	b	Jacq. ic. 2. t. 426.
10	**cònicum** w. (*wh*) conical	C. B. S.	1818.	——		F	b	——— 2. t. 428.
11	**níveum** w. (*wh*) snowy	———	1774.	——		F	b	Bot. reg. t. 235.
12	**ovàtum** w. (*wh.gr*) oval-leaved	———	1816.	4.	8.	F	b	
13	**notàtum** R.S. (*ye.br*) brown-marked	———	1825.	6.	8.	F	b	Jacq. coll. 2. t. 18. f. 13.
	maculàtum Jacq. *non* Thunb.							
14	**ciliàtum** w. (*wh*) ciliated	———	1818.	4.	6.	F	b	
15	**crenulàtum** w. (*st*) crenulate	———	1825.	6.	8.	F	b	
16	**maculàtum** R.S. (*sn.br*) spotted-flowered	———	——	——		F	b	
17	**secúndum** R.S. (*st.br*) one-ranked	———	1816.	——		F	b	Jacq. ic. 2. t. 433.
18	**graminifòlium** R.S. (*w.g*) grass-leaved	———	——	——		F	b	
19	**tenéllum** w. (*st.gr*) slender	———	——	5.	8.	F	b	Jacq. ic. 2. t. 427.
20	**pilòsum** w. (*wh*) hairy-leaved	———	——	——		F	b	
21	**revolùtum** w. (*wh.gr*) revolute-flowered	———	1795.	4.	8.	F	b	Bot. reg. t. 315.
22	**corymbòsum** B.R. (*wh*) corymbose	Peru	1822.	——		H	b	Swt. br. fl. gar. s. 2. t. 89.
23	**biflòrum** R.S. (*wh*) two-flowered	———	1836.	6.	7.	F	b	——— t. 246.
24	**Rudólphi** R.S. (*wh*) Rudolph's	C. B. S.	1812.	——		F	b	Jacq. ecl. t. 20.
	tenuifòlium Redout. liliac. t. 312. *non* Guss.							
25	**prasìnum** B.R. (*gr*) green-flowered	C. B. S.	1816.	6.	7.	F	b	Bot. mag. t. 158.
26	**suavèolens** w. (*gr.ye*) fragrant	———	1816.	——		F	b	Jacq. ic. 2. t. 431.
27	**barbàtum** w. (*ye.gr*) bearded	———	1795.	5.	7.	F	b	Jacq. schœn. 1. t. 91.
28	**polyphy'llum** w. (*g.y*) many-leaved	———	1825.	——		F	b	Jacq. ic. 2. t. 430.
29	**rupéstre** w. (*wh.gr*) rock	———	1795.	5.	8.	F	b	
30	**juncifòlium** w. (*w.pu*) Rush-leaved	———	1794.	7.	8.	F	b	Bot. mag. t. 792.
31	**fuscàtum** w. (*br.gr*) brown-flowered	———	1825.	4.	6.	F	b	Jacq. ic. 2. t. 429.
32	**odoràtum** w. (*gr.ye*) sweet-scented	———	1795.	5.	6.	F	b	Andr. reposit. t. 260.
33	**elàtum** A.R. (*wh*) Egyptian	Egypt	1804.	6.	7.	H	b	——— t. 528.
34	**pyramidàle** w. (*wh*) pyramidal	Spain	1752.	——		H	b	Jacq. ic. 2. t. 425.
35	**latifòlium** w. (*wh*) broad-leaved	Egypt	1629.	——		H	b	Bot. mag. t. 876.
36	**longebracteàtum** w. (*w*) long-bracted	C. B. S.	1812.	7.	12.	F	b	Jacq. vind. 1. t. 29.
37	**caudàtum** w. (*wh.gr*) long-spiked	———	1774.	2.	8.	F	b	Bot. mag. t. 805.
38	**scilloìdes** w. (*wh.gr*) Squill-like	———	1795.	6.	7.	F	b	Jacq. schœn. 1. t. 888.

39 trígynum R.L.(*wh.gr*)three-styled ..... 1825. 6. 7. F b Redout. liliac. t. 417.
40 chloroleùcum B.R.(*wh*)cream-coloured Valparaiso 1834. 6. 8. F b Bot. reg. t. 1853.
41 gemmifiòrum B.R.(*wh*)gem-flowered Lima 1836. 1. F b
42 bifòlium B.C. (*wh*) two-leaved Chili 1831. 8. F b Bot. cab. t. 1802.
43 alliàceum B.C. (*wh*) garlic-scented ——— 1821. —— F b ——— t. 1818.
44 narbonénse W. (*w.g*) Narbonne S. Europe 1810. 7. 8. H b Bot. mag. t. 2510.
45 pyrenàicum W. (*st*) spiked England .... 6. 7. H b Eng. bot. v. 7. t. 499.
§ 3. *Alternate filaments bidentate or emarginate.*
46 vìrens B.R. (*gr*) greenish C. B. S. 1823. 6. 7. F b Bot. reg. t. 814.
47 sulfùreum R.S. (*st*) straw-coloured Hungary 1818. 6.10. H b Bot. mag. t. 2623.
Anthéricum sulphùreum Walds. et Kit. pl. hung. 1. t. 95. *Phalángium sulfùreum* Poiret.
48 stachyòides W. (*w.g*) close-spiked S. Europe 1771. 4. 7. H b Renealm. spec. t. 90.
49 lácteum W. (*st.gr*) milk-white C. B. S. 1796. 6. 7. F b Bot. mag. t. 1134.
50 arábicum W. (*wh*) great-flowered Egypt 1629. 3. 4. F b ——— t. 728.
51 brachy'stachys F.(*wh*)short-spiked Dahuria 1821. —— H b
52 nùtans W. (*wh.gr*) nodding Britain .... 4. 5. H b Eng. bot. v. 28. t. 1997.
53 coarctàtum W. (*wh*) close-flowered C. B. S. 1804. 6. 7. F b Jacq. ic. 2. t. 435.
54 aúreum W. (*go*) golden ——— 1790. —— F b Bot. mag. t. 190.
55 flavíssimum Jacq.(*ye*)great-yellow ——— —— —— F b Jacq. ic. 2. t. 436.
56 miniàtum Jacq. (*ye*) stained ——— —— —— F b ——— t. 438.
57 thyrsoìdes W.(*wh.br*) thyrse-flowered ——— 1757. —— F b Bot. mag. t. 1164.
α álbum (*wh.br*) *white-flowered* ——— —— —— F b Bot. reg. t. 316.
β flavéscens (*st.br*) *pale-yellow* ——— —— —— F b ——— t. 305.
58 bícolor R.S. (*wh.br*) two-coloured ——— 1816. —— F b
59 tuberòsum R.S. (*ye*) large-rooted ——— 1787. —— F b
60 Bérgii R.S. (*wh.gr*) Bergius's ——— 1816. 3. 4. F b
61 concínnum S.P. (*wh*) neat Portugal 1797. —— H b Bot. mag. t. 953.
62 unifòlium B.M. (*wh*) one-leaved Gibraltar 1805. 6. 7. F b ——— t. 935.

URGI'NEA Sternb. OFFICINAL SQUILL. (*ὑργινον*, Greek name of a plant.) Hexand. Monogy.
marítima Sternb.(*wh*)sea-side S. Europe 1629. 4. 5. F b Bot. mag. t. 918.
Scilla marítima L. *Ornithógalum marítimum* Lam.

GA'GEA S.A.B. GA'GEA. (Sir T. Gage, patron of bot.) Hexandria Monogynia.
1 fasciculàris S.A.B.(*ye*)bunch-rooted Britain .... 3. 4. H b Bot. mag. t. 1200.
lùtea B.M. 1200. *Ornithógalum lùteum* Eng. bot. v. 1. t. 21. *non* L.
2 glaúca B.F.G. (*ye*) glaucous-leaved Switzerland 1825. —— H b Swt. br. fl. gar. t. 177.
3 bracteolàris S.A.B.(*ye*)sheathing-bracted ——— .... —— H b ——— t. 158.
Ornithógalum lùteum L. *non* B.B. V. S. in herb. linn.
4 mínima R.S. (*ye*) corn-field Europe 1825. —— H b Swt. br. fl. gar. s. 2. t. 29.
stellàris S.A.B. *Ornithógalum arvénse* S S. *Sternbérgii* Hop. v. s. in herb. linn.
5 spathàcea R.S. (*ye*) sheathed Germany 1759. 5. H b Flor. græc. t. 331.
6 reticulàta R.S. (*ye*) netted-sheathed Tauria 1829. —— H b Pall. it. 3. ap. t. D. f. 2.
7 pusílla R.S. (*ye*) small Bohemia 1823. —— H b Reichenb. ic. t. 117.
8 Clusiàna R.S. (*ye*) Clusius's S. Europe .... —— H b
9 podólica R.S. (*ye*) Polish Poland 1827. —— H b
10 erubéscens R.S.(*y.bh*) blush ——— —— —— H b
11 Liotárdi R.S. (*ye*) fistulous-leaved S. Europe 1825. —— H b Sternb. denks. 2. t. 3.
Ornithógalum fistulòsum Redout. liliac. t. 221.
12 pygmæ'a R.S. (*ye*) pigmy Spain 1826. —— H b
13 arvénsis R.S. (*ye*) villous-stalked Europe .... —— H b Flor. græc. t. 332.
Ornithógalum villòsum M.B.
14 bohémica R.S. (*ye.g*) Bohemian Bohemia 1828. —— H b Sturm. flor. t. 23.
15 saxátilis R.S. (*gr.ye*) rock Germany —— —— H b
16 bulbífera R.S. (*ye.g*) bulbiferous Tauria 1829. —— H b Reichenb. ic. t. 117.

BARNA'RDIA B.R. BARNA'RDIA. (Edward Barnard, F.L.S. F.H.S.) Hexandria Monogynia.
1 scilloìdes B.R. (*ro*) Squill-like China 1824. 9.10. H b Bot. reg. t. 1029.
2 japónica R.S. (*pu*) Japan Japan 1821. 6. 8. H b
Ornithógalum japónicum W.

ORITHY'IA D.D. ORITHY'IA. (wife of Boreas.) Hexandria Monogynia.
1 unifiòra D.D. (*ye*) one-flowered Siberia 1781. 3. 4. H b Swt. br. fl. gar. s. 2. t. 336.
Gàgea unifiòra G.D. *Ornithógalum unifiòrum.*
2 oxypétala D.D. (*ye*) sharp-petalled Siberia 1833. —— H b
Ornithógalum oxypétalum Led.

LLO'YDIA Sal. LLO'YDIA. (so called after some bot. of the name of Lloyd.) Hexand. Monogy.
1 serótina Swt.(*wh.std*)mountain Wales .... 6. 7. H b Eng. bot. v. 12. t. 793.
Anthéricum serótinum E.B. *Phalángium serótinum* Redout. liliac. t. 270. *Gàgea serótina* Ker.
2 striàta Swt. (*wh.std*) stripe-flowered Siberia 1789. 5. 7. H b
Ornithógalum striàtum S.S.

MYO'GALUM Lk. HAREBELLS. (*μυς*, a mouse, and *γαλα*, milk.) Hexandria Monogynia.
nùtans Lk. (*bl*) drooping Britain .... 3. 6. H b Eng. bot. v. 6. t. 377.
Scilla nùtans L. *Hyacinthus nonscríptus* L.

SCI'LLA W. SQUILL. (σκυλλω, to injure; poisonous.) Hexandria Monogynia.

§ 1. *Corollas campanulate.*

1	cérnua R.S.	(*ro*)	flesh-coloured	Spain	....	3. 6.	H	b	Bot. mag. t. 1461.
2	pátula R.S.	(*bl*)	spreading	S. Europe	1633.	4. 6.	H	b	Redout. liliac. t. 225.
	campanulàta B.M. t. 1102. *non* t. 108.								
3	campanulàta W.	(*bl*)	bell-flowered	Spain	——	5. 6.	H	b	Bot. mag. t. 128.
	β *àlba*	(*wh*)	*white-flowered*	S. Europe	——	——	H	b	——— t. 1102.
	γ *cárnea*	(*fl*)	*flesh-coloured*	———	——	——	H	b	——— t. 1102.
4	corymbòsa S.S.	(*ro*)	Cape	C. B. S.	1793.	8.12.	F	b	——— t. 991.
	Massònia corymbòsa B.M. *Hyacínthus corymbòsus* L.								
5	brevifòlia R.S.	(*wh*)	short-leaved	C. B. S.	1822.	1. 3.	F	b	
6	brachyphy'lla R.S.	(*bh*)	blush	———	1811.	——	F	b	Bot. mag. t. 1468.
	Scilla brevifòlia B.M. *non* Thunb.								

§ 2. *Corollas more or less rotate or subcampanulate.*

7	sibírica H.K.	(*bl*)	Siberian	Siberia	1796.	2. 3.	H	b	Andr. rep. t. 365.
8	amœ'nula R.S.	(*bl*)	pretty	Russia	1822.	3. 4.	H	b	Bot. mag. t. 2408.
9	amœ'na R.S.	(*bl*)	nodding	Levant	1596.	——	H	b	——— t. 341.
10	unifòlia L.	(*pa.bl*)	small	Portugal	1819.	4. 5.	H	b	——— t. 3023.
	monophy'llos Link. *ex* R.S. *pùmila* Brot.								
11	bifòlia W.	(*va*)	two-leaved	England	....	2. 4.	H	b	Eng. bot. v. 1. t. 24.
	α *carrùlea*	(*bl*)	*blue-flowered*	———	....	——	H	b	
	β *álba*	(*wh*)	*white-flowered*	———	....	——	H	b	
12	cárnea Swt.	(*ro*)	rosy	.....	....	——	H	b	Bot. mag. t. 746. f. sinis.
13	odoràta R.S.	(*bl*)	sweet-scented	Portugal	1818.	5. 6.	H	b	
14	praténsis R.S.	(*bl*)	meadow	Hungary	1827.	——	H	b	W. et K. hung. t. 189.
15	ròsea Leh.	(*ro*)	rose-coloured	Numidia	——	——	H	b	Bot. mag. t. 746.
	bifòlia rùbra B.M.?								
16	mauritánica R.S.	(*bl*)	Mauritanian	Africa	1819.	——	H	b	
17	villòsa Desf.	(*li.gr*)	hairy-leaved	Tripoli	1831.	8. 9.	F	b	Bot. mag. t. 3211.
18	præ'cox W.	(*bl*)	early-flowering	.....	1790.	2. 4.	H	b	
19	Lílio-hyacínthus W.	(*bl*)	Lily-rooted	S. Europe	1597.	5. 7.	H	b	Redout. lil. t. 205.
20	vérna W.	(*bl*)	vernal	Britain	....	4. 5.	H	b	Eng. bot. v. 1. t. 23.
	β *álba*	(*wh*)	*white-flowered*	———	....	——	H	b	
	γ *ròsea*	(*ro*)	*rose-flowered*	———	....	——	H	b	
21	umbellàta S.S.	(*bl*)	umbel-flowered	Pyrenees	1817.	——	H	b	Redout. liliac. t. 166.
22	itálica S.S.	(*bl*)	Italian	Italy	1605.	4. 7.	H	b	Bot. mag. t. 663.
23	autumnàlis W.	(*pu*)	autumnal	England	....	8.	H	b	Eng. bot. v. 2. t. 78.
	β *álba*	(*wh*)	*white-flowered*	———	....	——	H	b	
24	intermèdia R.S.	(*bl*)	intermediate	Sicily	1829.	——	H	b	
25	obtusifòlia R.S.	(*vi.bl*)	blunt-leaved	Barbary	1828.	——	H	b	Redout. liliac. 4. t. 190.
26	undulàta R.S.	(*li*)	wave-leaved	S. Europe	——	——	H	b	Desf. atl. 1. t. 47.
27	lingulàta R.S.	(*bl*)	tongue-leaved	Barbary	——	——	H	b	Redout. liliac. t. 321.
28	vincentìna R.S.	(*bl*)	spreading-fld.	Portugal	1827.	——	H	b	
29	peruviàna W.	(*va*)	corymbose	Spain	1607.	5.	H	b	Park. par. t. 125. f. 7.
	β *minor* H.P.	(*wh*)	*smaller*	———	——	——	H	b	
30	præbracteàta H.P.	(*bl*)	long-bracted	———	——	——	H	b	Bot. mag. t. 749.
	peruviàna B.M.								
31	Cupaniàna R.S.	(*bl*)	Cupani's	Sicily	1826.	——	H	b	Bot. reg. t. 1876.
32	lusitánica B.M.	(*pa.bl*)	Portugal	Portugal	1777.	——	H	b	Bot. mag. t. 1999.
33	hyacinthoìdes W.	(*bl*)	Hyacinth-like	Madeira	1585.	8.	H	b	——— t. 1140.
	plúmbea B.R. 1355.								
34	esculénta H.P.	(*bl*)	esculent	N. America	1811.	5. 7.	H	b	Bot. mag. t. 1574.
35	brumàlis Haw. MS.		winter	.....	....	....	H	b	

HYACI'NTHUS S.S. HYACINTH. (a youth killed by Apollo.) Hexandria Monogynia.

1	orientàlis W.	(*bl*)	common	Levant	1596.	3. 5.	H	b	Bot. reg. t. 995.
	α *carrùleus*	(*bl*)	*blue-flowered*	———	——	——	H	b	
	β *ly'ricus*	(*bl*)	*Lyra grandis*	———	....	——	H	b	Swt. flor. guid. t. 96.
	γ *rùber*	(*re*)	*red-flowered*	———	1596.	——	H	b	
	δ *flàvus*	(*ye*)	*yellow-flowered*	———	——	——	H	b	
	ε *álbus*	(*wh*)	*white-flowered*	———	——	——	H	b	
	ζ *semiplènus*	(*va*)	*semidouble*	———	——	——	H	b	
	η *plènus*	(*va*)	*double-flowered*	———	——	——	H	b	
	θ *múltiplex*	(*va*)	*full-flowered*	———	——	——	H	b	
	ι *atrocarùleus*	(*bl*)	*Pourpre fonce*	———	....	——	H	b	Swt. flor. guid. t. 99.
	κ *sceptrifórmis*	(*pa.bl*)	*Porcelaine sceptre*	———	....	——	H	b	——— t. 51.
	λ *sanguinoléntus*	(*re*)	*Waterloo*	———	....	——	H	b	——— t. 1.
	μ *ornàtus*	(*pi*)	*L'honneur d'Amsterdam*		....	——	H	b	——— t. 108.
	ν *ranunculiflòrus*	(*ye*)	*yellow Ophir*	———	....	——	H	b	——— t. 123.
2	amethy'stinus W.	(*bl*)	Amethyst-colour'd	S. Europe	1759.	4. 5.	H	b	Swt. br. fl. gar. t. 135

3	spicàtus B.R. (*pa.bl*) spiked	Zante	....	4. 5.	H	b	Bot. reg. t. 1869.
UROPE'TALON B.R.	UROPE'TALON.	(*ουρα*, a tail, and *πεταλον*, a petal.)					Hexand. Monogy.
1	víride B.R. (*gr*) green-flowered	C. B. S.	1774.	8.	F	b	Redout. lil. t. 203.
	Hyacínthus víridis L. *Zuccágnia víridis* Th. *Lachenàlia víridis* W.						
2	glaúcum B.R. (*gr.br*) glaucous-leaved	C. B. S.	1816.	7. 8.	F	b	Bot. reg. t. 156.
3	críspum B.R. (*br.gr*) curled-leaved	———	——	——	F	b	
4	longifòlium B.R. (*br.gr*) long-leaved	———	1822.	——	F	b	Bot. reg. t. 974.
5	hyacinthoìdes R.S. (*re*) Hyacinth-like	———	——	——	F	b	
6	serótinum B.R. (*bl*) late-flowering	Spain	1629.	6. 8.	F	b	Bot. mag. t. 859.
7	fúlvum H.S.L. (*re.br*) tile-red	Mogador	1808.	6. 9.	F	b	——— t. 1185.
	Scílla serótina β B.M. *Hyacínthus fúlvus* Cav.						
BELLEVA'LIA Lap.	BELLEVA'LIA.	(P. R. Belleval, a French bot.)					Hexandria Monogynia.
	romàna (*wh*) Roman	Italy	1596.	5.	H	b	Bot. mag. t. 939.
	operculàta Lap. *Scílla romàna* B.M. *Hyacínthus romànus* L.						
MUSCA'RI S.S.	GRAPE HYACINTH.	(*μοσχος*, musk; scent.)					Hexandria Monogynia.
1	moschàtum S.S. (*br*) musk	Levant	1596.	4. 5.	H	b	Bot. mag. t. 734.
2	ambrosìacum R.L. (*wh*) strong-scented	———	....	——	H	b	Redout. liliac. t. 132.
3	macrocárpum B.F.G. (*ye*) large-capsuled	Turkey	1812.	——	H	b	Swt. br. fl. gar. t. 210.
	moschàtum β *flàvum* Bot. mag. t. 1565.						
4	comòsum S.S. (*br.pu*) purple	S. Europe	1596.	——	H	b	Bot. mag. t. 133.
	β *monstròsum* (*pu*) *feathered*	———	——	——	H	b	Moris. s. 4. t. 11. f. 2.
5	ciliàtum S.S. (*w.pu*) ciliated	Tauria	1818.	——	H	b	Bot. reg. t. 394.
6	pállens S.S. (*pa.bl*) pale-flowered	———	——	——	H	b	Swt. br. fl. gar. t. 259.
7	glaúcum B.R. (*pa*) glaucous-leaved	Persia	1825.	——	H	b	Bot. reg. t. 1085.
8	racemòsum S.S. (*bl*) starch	Britain	....	——	H	b	Eng. bot. v. 27. t. 1391.
9	commutàtum R.S. (*d.bl*) confused	Sicily	....	——	H	b	Swt. br. fl. gar. s. 2. t. 369.
10	parviflòrum R.S. (*bl*) small-flowered	———	1827.	——	H	b	
11	pedunculàre Haw. (*bl*) peduncled	.....	....	3. 4.	H	b	Bot. mag. t. 157.
	Hyacínthus botryoìdes Bot. mag.						
12	botryoìdes S.S. (*va*) bunch-flowered	Italy	1596.	——	H	b	
	α *azùreum* B.F.G. (*bl*) *bright-blue*	———	——	——	H	b	Swt. br. fl. gar. 15. f. a.
	β *pállidum* B.F.G. (*pa*) *pale-blue*	———	——	——	H	b	——— 15. f. c.
	γ *álbum* B.F.G. (*wh*) *white-flowered*	———	——	——	H	b	——— 15. f. b.
	δ *carnéum* H.P. (*fl*) *blush*	———	——	——	H	b	
LACHENA'LIA W.	LACHENA'LIA.	(W. Lachenal, prof. bot. Basle.)					Hexand. Monogy.
1	péndula W. (*y.re.g*) pendulous	C. B. S.	1774.	3. 4.	F	b	Jacq. ic. 2. t. 400.
	α *viridifòlia* (*y.re.g*) *green-leaved*	———	——	——	F	b	Bot. mag. t. 590.
	β *maculàta* (*y.re.g*) *spotted-leaved*	———	——	——	F	b	
2	quadrícolor B.M. (*va*) four-coloured	———	1789.	3. 5.	F	b	Jacq. ic. 2. t. 388.
	α *viridifòlia* (*y.sc.g*) *green-leaved*	———	——	——	F	b	Bot. mag. t. 588.
	β *coloràta* (*y.sc.g*) *coloured-leaved*	———	——	——	F	b	——— t. 1097.
3	lutèola Jacq. (*ye*) yellow-flowered	———	1774.	4. 5.	F	b	Jacq. ic. 2. t. 395.
	α *viridifòlia* (*ye*) *green-leaved*	———	——	——	F	b	Bot. mag. t. 1029.
	β *maculàta* (*ye*) *spotted-leaved*	———	——	——	F	b	——— t. 1704.
4	trícolor B.M. (*y.re.g*) three-coloured	———	——	——	F	b	——— t. 82.
5	rùbida W. (*re*) dotted-flowered	———	1803.	9.10.	F	b	——— t. 993.
6	punctàta S.S. (*w.re*) spotted-flowered	———	1825.	6. 8.	F	b	Jacq. ic. 2. t. 397.
7	flàva A.R. (*ye*) bright-yellow	———	1805.	5. 6.	F	b	Andr. reposit. t. 77.
8	isopétala W. (*pa.br*) equal-flowered	———	1804.	——	F	b	Jacq. ic. 2. t. 401.
9	hírta R.S. (*w.bl*) hairy-leaved	———	1825.	——	F	b	
10	sessiliflòra A.R. (*bh*) sessile-flowered	———	1804.	——	F	b	Andr. rep. t. 460.
11	unifòlia W. (*bl.re*) one-leaved	———	1795.	3. 5.	F	b	Bot. mag. t. 766.
12	ròsea A.R. (*ro*) rose-coloured	———	1800.	4. 5.	F	b	Andr. rep. t. 296.
13	pusílla W. (*wh*) dwarf	———	1825.	——	F	b	Jacq. ic. 2. t. 385.
14	refléxa R.S. (*ye*) reflex-leaved	———	——	——	F	b	
15	bifòlia B.M. (*ro.wh*) cowl-leaved	———	1813.	3. 4.	F	b	Bot. mag. t. 1611.
16	contaminàta W. (*w.br*) contaminated	———	1774.	2. 4.	F	b	——— t. 1401.
17	purpùrea W. (*pu.w*) purple	———	1819.	4. 5.	F	b	Jacq. ic. 2. t. 393.
18	violàcea W. (*g.vi*) violet	———	1795.	3. 4.	F	b	——— 2. t. 394.
19	lùcida B.M. (*w.br*) glossy-leaved	———	1798.	3. 5.	F	b	Bot. mag. t. 1372.
20	racemòsa B.M. (*wh*) racemed	———	1811.	5.	F	b	——— t. 1517.
21	fràgrans W. (*wh*) sweet-scented	———	1798.	3. 5.	F	b	Jacq. schœn. 1. t. 82.
22	unícolor B.M. (*li*) self-coloured	———	1806.	5. 6.	F	b	Bot. mag. t. 1373.
23	anguínea S.F.G. (*w.g*) snake	———	1825.	4. 5.	F	b	Swt. br. fl. gar. t. 179.
24	purpùreo-cœrùlea (*bl*) purple-blue	———	1798.	——	F	b	Bot. mag. t. 745.
25	pustulàta W. (*w.st*) blistered	———	1790.	1. 4.	F	b	——— t. 817.
26	liliiflòra W. (*wh*) Lily-flowered	———	1820.	4. 6.	F	b	Jacq. ic. 2. t. 387.
27	orthopétala R.S. (*w.gr*) wedge-flowered	———	1825.	——	F	b	——— 2. t. 383.
28	pátula W. (*wh.ro*) spreading-fld.	———	1795.	4. 5.	F	b	——— 2. t. 384.

29	nervòsa B.M. (*br.pu*) nerved-leaved	C. B. S.	1810. 6.	F b	Bot. mag. t. 1497.
30	angustifòlia w. (*wh*) narrow-leaved	———	1793. 4. 5.	F b	——— t. 735.
31	hyacinthoìdes w. (*wh*) Hyacinth-fld.	———	1812. 3. 4.	F b	Jacq. ic. 2. t. 382.
32	pállida w. (*pa.bl*) pale-flowered	———	1782. ——	F b	Bot. reg. t. 1350.
	β minor B.R. (*pa.bl*) *smaller*	———	——? 9.	F b	——— t. 314.
	γ cæruléscens B.R. (*bl*) *blush*	———	.... ——	F b	——— t. 1945.
33	mediàna R.S. (*st.gr*) intermediate	———	1782. 3. 4.	F b	Jacq. ic. t. 392.
34	mutàbilis S.F.G. (*ye*) changeable	———	1825. 2. 5.	F b	Swt. br. fl. gar. s. 2. t. 129.
35	orchioìdes w. (*ye*) Orchis-like	———	1752. 2. 4.	F b	Bot. mag. t. 1269.
36	glaúcina w. (*wh.bl*) sea-green	———	1795. 3. 4.	F b	——— t. 3552.

DRI'MIA S.S. Dri'mia. (δριμυς, acrid; roots.) Hexandria Monogynia.

1	lanceolàta R.S. (*y.gr*) spear-leaved	C. B. S.	1774. 8. 10.	F b	Andr. rep. t. 299.
	Lachenàlia reflèxa And. rep. t. 299.				
2	lanceæfòlia B.M. (*g.pu*) lance-leaved	———	1800. 9. 10.	F b	Bot. mag. t. 643.
3	longipedunculàta (*g.pu*) long-stalked	———	—— ——	F b	Schr. pl. rar. mon. t. 100.
4	acuminàta B.C. (*g.br*) taper-leaved	———	—— ——	F b	Lodd. bot. cab. t. 1041.
5	Gawlèri R.S. (*gr.pu*) revolute-flowered	———	1774. ——	F b	Bot. mag. t. 1380.
	Hyacínthus revolùtus H.K.				
6	ovalifòlia R.S. (*gr.pu*) oval-leaved	———	1812. ——	F b	Lodd. bot. cab. t. 278.
7	undulàta S.S. (*g.pu*) wave-leaved	———	1825. 8. 10.	F b	Jacq. ic. 2. t. 376.
8	purpurascens S.S. (*pu*) purplish	———	—— ——	F b	
9	ciliàris S.S. (*g.pu*) ciliated	———	.... ——	F b	Bot. mag. t. 1444.
10	villòsa B.R. (*g.st*) villous	———	1826. 5. 6.	F b	Bot. reg. t. 1346.
11	pusílla S.S. (*gr*) dwarf	———	1793. ——	F b	Jacq. ic. 2. t. 374.
12	mèdia S.S. (*w.pu*) semicylindrical-ld.	———	1818. 7. 8.	F b	——— 2. t. 375.
13	elàta S.S. (*g.w*) tall	———	1799. 10. 11.	F b	Bot. mag. t. 822.
14	altíssima S.S. (*wh*) tallest	———	1791. 8. 9.	F b	——— t. 1074.

ERIOSPE'RMUM W. Eriospe'rmum. (εριον, wool, and σπερμα, a seed.) Hexandria Monogynia.

1	parvifòlium S.S. (*wh*) small-leaved	C. B. S.	1795. 6. 8.	F b	Jacq. ic. 2. t. 422.
2	latifòlium S.S. (*wh*) broad-leaved	———	1800. ——	F b	——— 2. t. 420.
3	Bellendèni (*wh*) Mr. Ker's	———	—— ——	F b	Bot. mag. t. 1382.
	latifòlium a B.M. *non* Jacq.				
4	lanceæfòlium S.S. (*st*) lance-leaved	———	1795. ——	F b	Jacq. ic. 2. t. 421.
5	pubéscens S.S. (*wh*) pubescent	———	1820. ——	F b	Bot. reg. t. 578.
6	lanuginòsum S.S. (*st*) woolly-leaved	———	—— ——	F b	Jacq. schœn. 3. t. 265.
7	foliolíferum B.M. (*w.g*) leaflet-bearing	———	1806. ——	F b	Andr. reposit. t. 521.
8	paradóxicum B.M (*w.g*) paradoxical	———	1820. ——	F b	Jacq. col. sup. 81. t. 1.

MASSO'NIA S.S. Masso'nia. (Francis Masson, a cel. bot. collector.) Hexand. Monogyn.

1	grandiflòra B.R. (*wh*) honey-bearing	C. B. S.	1825. 1. 4.	F b	Bot. reg. t. 958.
2	cándida B.T. (*wh*) white-flowered	———	1816. 2. 5.	F b	——— t. 694.
	longifòlia β cándida B.R.				
3	longifòlia S.S. (*wh*) long-leaved	———	—— ——	F b	
4	latifòlia S.S. (*g.pu*) broad-leaved	———	1775. 3. 4.	F b	Bot. mag. t. 848.
5	cordàta S.S. (*wh*) heart-leaved	———	1820. ——	F b	
6	muricàta S.S. (*wh*) prickly-leaved	———	1790. 4. 5.	F b	Bot. mag. t. 559.
7	scàbra H.K. (*wh*) shagreen-leaved	———	—— 1. 4.	F b	Andr. reposit. t. 220.
	pustulàta Bot. mag. t. 642.				
8	echinàta S.S. (*wh*) rough-leaved	———	—— 5.	F b	
9	pauciflòra S.S. (*wh*) few-flowered	———	—— ——	F b	
10	angustifòlia S.S. (*wh*) narrow-leaved	———	1775. 3. 4.	F b	Bot. mag. t. 736.
11	undulàta S.S. (*wh*) wave-leaved	———	1791. 4.	F b	
12	ensifòlia S.S. (*pi*) trumpet-flowered	———	1790. 9. 2.	F b	Bot. mag. t. 554.
	violàcea A.R. 46. *Agapánthus ensifòlius* w. *Hyacínthus bifòlius* Cav.				

DAUBE'NIA B.R. Daube'nia. (Prof. Daubeny, Oxford.) Hexandria Monogynia.

	aúrea B.R. (*ye*) golden	C. B. S.	.... 6. 7.	F b	Bot. reg. t. 1813.
	Massònia aúrea Hort.				

EU'COMIS S.S. Eu'comis. (ευκομης, beautiful-haired; flowers.) Hexandria Monogynia.

1	nàna S.S. (*gr*) dwarf	C. B. S.	1774. 5.	F b	Bot. mag. t. 1495.
2	bifòlia S.S. (*gr.st*) two-leaved	———	1792. 4. 5.	F b	——— t. 840.
3	purpureocaúlis S.S. (*gr*) purple-stalked	———	1794. 3. 4.	F b	Andr. reposit. t. 369.
4	règia S.S. (*g.wh*) tongue-leaved	———	1702. 3. 5.	F b	Dill. elth. t. 92. f. 109.
5	undulàta S.S. (*g.wh*) wave-leaved	———	1760. ——	F b	Bot. mag. t. 1083.
6	punctàta S.S. (*g.wh*) spotted	———	1783. 7.	F b	——— t. 913.
7	striàta H.K. (*g.wh*) streaked	———	1790. 6. 12.	F b	——— t. 1539.

A'LLIUM L. Garlic. (*all*, Celt. hot; taste.) Hexandria Monogynia.

Sect. 1. Porrum; *alternate stamens broader and tricuspidate, the lateral appendages thready and twisted.*

§ 1. *Umbels bulbiferous.*

1	sativum G.D. (*re*) common	Sicily	1548. 6. 9.	H b	Lobel. ic. t. 158.

2	Ophioscórodon G.D.(*br*)Rocambole	Crete	1596.	8.	H b		Clus. his p. 191. t. 210.
3	contravérsum G.D.(*pu*)simple-rooted	Egypt	1823.	——	H b		Cord. hist. p. 154. f. 1.
	Ophioscórodon L.en.						
4	arenàrium G.D. (*re*) sand	Britain	....	6. 8.	H b		Eng. bot. v. 19. t. 1358.
5	Scorodóprasum G.D(*re*)wild Rocambole	Denmark	1596.	7.	H b		Flor.dan.t.219.et.1455.
6	littòreum G.D. (*re*) Italian sand	Italy	1824.	8.	H b		
	monspessulànum W.						
7	vineàle G.D. (*ro*) Crow	Britain	....	6. 8.	H b		Eng. bot. v. 28. t. 1974.
8	compáctum G.D. (*ro*) two-headed crow	France	1819.	——	H b		Moris. sect. 4. t. 15. f. 3.
9	Púrshii G D. (*da.pu*) Pursh's crow	N. America	1824.	——	H b		
	vineàle Ph. *nec aliorum.*						
10	prolíferum G.D.(*wh*) tree Onion	Egypt	....	7.	H b		Bot. mag. t. 1469.
	Cèpa β bulbífera B.M.						
	§ 2. *Umbels without bulbs.*						
11	Pórrum G.D. (*gr.pu*) Leek	Switzerland	1562.	5. 7.	H b		Plenck. ic. t. 421.
12	Ampelóprasum G.D.(*pa*)blue Leek	England	....	7. 8.	H b		Eng. bot. v. 24. t. 1657.
13	rotúndum G.D. (*pu*) round-headed	S. Europe	1819.	6. 7.	H b		Clus. hist. p. 195.t.220.
14	Hallèrii G.D. (*pa.pu*) Haller's	————	1818.	——	H b		Flor. græc. t. 312.
15	rubicúndum G.D.(*re*) marbled leek	C. B. S.	....	7. 8.	F b		Bot. mag. t. 1560.
	ampelóprasum β B.M.						
16	Waldstèini G.D.(*d.pu*)Waldstein's	Smyrna	1824.	6. 7.	H b		W. et. K. hung. t. 82.
17	exsértum G.D. (*ro*) long-stamen'd	Russia	1819.	7. 8.	H b		
18	eréctum G.D. (*wh*) upright-leek	C. B. S.	1824.	——	F b		
19	acutiflòrum G.D. (*re*) sharp-flowered	France	——	——	H b		Moris. sect. 4. t.15. f.4.
20	Synnótii G.D. (*li*) Synnot's	C. B. S.	1825.	6. 7.	F b		
21	verrucòsum G.D. (*li*) warted-flowered	————	——	——	F b		
22	multiflòrum G.D.(*vi*) many-flowered	Barbary	1826.	7. 8.	F b		
23	descéndens G.D.(*d.pu*)early-flowering	Switzerland	1766.	6.	H b		Flor. græc. t. 316.
24	sphærocéphalon G.D.(*pu*)late-flowd.	Jersey	1759.	7.	H b		Eng. bot. t. 2813.
25	pruinàtum G.D. (*li*) frosted	Portugal	1819.	6. 8.	H b		
26	cárneum G.D. (*li*) blush-coloured	France	1816.	6. 7.	H b		
27	ascalónicum G.D.(*li*) Shallot	Palestine	1548.	——	H b		Moris.sect. 4. t. 14. f. 4.
	β chinénse G.D. (*li*) *Chinese Shallot*	China	....	——	H b		
28	fi'ssile (*gr*) Scallion	Asia minor	....	——	H b		Matt. opus. p. 420. ic.
	Cèpa fissilis Matt.						
29	Cèpa G.D. (*wh.gr*) Onion	.....	....	6.	H ♂ b		Flor. græc. t. 326.
	β aggregàtum G.D.(*w.g*)*Potatoe Onion*	.....	....	——	H b		
Sect. 2. SCHŒNO'PRASUM; *stamens simple, subulate, or filiform; spath short.*							
30	Schœnóprasum G.D.(*pu*)Chives	Britain	....	5. 6.	H b		Eng. bot. v. 34. t. 2441.
31	foliòsum G.D. (*pu*) leafy Chives	France	1820.	——	H b		Redout. lil. 4. t. 214.
32	sibíricum G.D. (*li*) Siberian Chives	Siberia	1778.	6. 8.	H b		Bot. mag. t. 1141.
33	acùtum G.D. (*li*) acute	Europe	1819.	7. 8.	H b		
34	fistulòsum G.D. (*gr*) Welsh Onion	Siberia	1629.	6. 7.	H ♂ b		Bot. mag. t. 1230.
	β altàicum Pallas.(*gr*)*Altaic*	Altay	1823.	——	H b		Pall. it. 2. n. 108. t. R.
35	cepæfórme G.D.(*w.g*)Onion-like	.....	1824.	——	H b		
36	oblìquum G.D. (*st*) oblique-leaved	Siberia	1759.	——	H b		Bot. mag. t. 1408.
37	ramòsum G.D. (*st*) branching	————	1824.	6.	H b		
38	angústum G.D. (*pu*) narrow-leaved	————	——	——	H b		
39	Pallásii G.D. (*pu*) Pallas's Chives	Russia	....	——	H b		Murr. c. got. 6. 1775. t. 3
40	pusíllum G.D. (*li*) small	Italy	1824.	6. 7.	H b		Redout. liliac. 2. t. 118.
41	rubéllum G.D. (*ro*) reddish	Siberia	1825.	7. 8.	H b		
42	reticulàtum G.D.(*wh*) netted	N. America	1811.	——	H b		Bot. mag. t. 1840.
Sect. 3. MACROSPA'THUM; *stamens subulate, connected by a membrane at the base; spath 2-valved; valves elongated and foliaceous.*							
	§ 1. *Umbels bulbiferous; flowers pendulous.*						
43	oxypétalum G.D.(*bh*) acute-petalled	Switzerland	1822.	7.	H b		
44	oleràceum G.D.(*st.pu*)purple-striped	England	....	——	H b		Eng. bot. v. 7. t. 488
45	carinàtum G.D.(*st.br*)keeled	————	....	5. 6.	H b		———— v. 24. t. 16[illegible]
46	fœ'tidum W. (*da.pu*) twisted	Siberia	1823.	——	H b		
47	violàceum G.D. (*vi*) violet-flowered	Hungary	1819.	7.	H b		W. et K. hung. 3. t.2[illegible]
	flexum W.K.						
48	ásperum G.D. (*vi*) rough-leaved	S. Europe	1820.	——	H b		Red. lil. 7. t. 368.
	carinàtum R.L. *nec aliorum.*						
	§ 2. *Umbels without bulbs; flowers pendulous.*						
49	longispàthum G.D.(*g.pu*)long-spathed	S. Europe	1779.	6. 7.	H b		Red. lil. 7. t. 316.
	pállens Bot. mag. t. 1420.						
50	fúscum G.D. (*br*) brown-flowered	Hungary	1820.	7. 8.	H b		W. et K. hung. t. 241
51	paniculàtum G.D.(*bh*)panicled	S. Europe	1780.	6. 7.	H b		Bot. mag. t. 1432.
52	péllens G.D.(*pa.wh*) pale-flowered	————	1779.	——	H b		Redout. lil. 5. t. 272.

53 tenuiflòrum G.D. (*ro*) slender-flowered Italy 1824. 6. 7. H b Ten. fl. nap. 1. t. 30.
54 guttàtum G.D. (*wh.pu*) spotted-flowered Greece 1819. —— H b Flor. græc. icon.
55 pulchéllum G.D. (*vi*) beautiful Russia —— 8. H b Redout. lil. 5. t. 252.
paniculàtum R.L. *coloràtum* S.S.
56 flàvum G.D. (*ye*) yellow-leafy S. Europe 1759. 6. 7. H b Bot. mag. t. 1330.
§ 3. *Umbels without bulbs; flowers erect.*
57 caucásicum G.D. (*ro*) Caucasian Caucasus 1810. —— H b Bot. mag. t. 973.
58 rupéstre G.D. (*ro*) small Caucasian —— 1824. —— H b
59 globòsum G.D. (*li*) globular-headed Siberia 1820. 7. H b Gmel. sib. v. 1. t. 10.
60 montànum G.D. (*ro*) mountain Greece —— 6. 8. H b Flor. græc. t. 319.
61 parviflòrum G.D. (*br*) small-flowered S. Europe 1781. 6. 7. H b
62 moschàtum G.D (*w.pu*) small-leaved Hungary 1805. 7. 8. H b W. et K. hung. 1. t. 68.
setàceum W.K.
63 Stellerianum G.D. (*g.w.*) Steller's Siberia 1829. —— H b Gmel. sib. 1. t. 16. f. 1 et 2.
64 saxátile G.D. (*wh*) rock Caucasus 1825. 6. 7. H b
Sect. 4. RHIZIRI'DIUM; *stamens subulate; scapes naked; leaves distich; spath* 2-3-*lobed, short; bulbs rising from creeping rhizoma.*
65 stríctum G.D. (*ro*) upright Siberia 1820. 7. H b Schrad. h. gott. 1. t. 1.
66 lineàre G.D. (*re*) linear-leaved —— 1819. 7. 8. H b Gmel. sib. 1. t. 13, 14. f. 1.
67 nùtans G.D. (*fl*) great nodding —— 1785. —— H b Bot. mag. t. 1143.
68 senéscens G.D. (*li*) Narcissus-leav'd —— 1596. 7. H b Gmel. sib. 1. t. 11. f. 2.
69 Andersònii G.D. (*li*) Anderson's —— 1819. —— H b
70 spùrium G.D. (*li*) spurious .... —— H b
71 glaúcum G.D. (*pu*) glaucous —— 1596. 6. 7. H b Bot. mag. t. 1150.
senéscens B.M. *non* L. *baicalénse* W. en.
72 angulòsum G.D. (*pu*) angular-stalked —— 1739. —— H b Bot. mag. t. 1149.
73 acutángulum G.D. (*pu*) acute-angled —— 1816. —— H b Ger. emac. p. 186. ic.
74 danubiàle G.D. (*pu*) short-leaved —— —— —— H b
75 láxum G.D. (*pu*) loose-umbelled Russia 1824. —— H b
76 serótinum G.D. (*pu*) late-flowering Switzerland —— 8. H b
77 álbidum G.D. (*wh*) whitish-flowered Caucasus 1823. 6. 8. H b
78 flavéscens G.D. (*st*) half naked Siberia 1819. 8. H b Redout. lil. 6. t. 357.
denudàtum R.L.
79 cinèreum Lehm. (*st*) cinereous —— 1829. 7. 8. H b
80 azùreum G.D. (*bl*) azure —— 1830. —— H b
81 Fischeri Swt. (*li*) Fischer's —— 1820. 6. 10. H b
82 rùbens G.D. (*pu*) red-rooted S. Europe 1805. 5. H b Bot. mag. t. 1318.
bisúlcum Redout. liliac. t. 286.
83 prostràtum G.D. (*li*) small trailing Siberia .... 6. H b
84 congéstum G.D. (*pu*) crowded-flowered —— .... —— H b
85 pedemontànum G.D. (*ro*) Piedmont Piedmont 1820. 7. 8. H b Allion. ped. t. 254.
86 narcissiflòrum G.D. (*ro*) large-flowered France 1818. —— H b Vill. dauph. 2. t. 6.
87 suavèolens G.D. (*w.pu*) sweet-scented —— 1801. 6. 8. H b Jacq. ic. 2. t. 364.
88 ochroleùcum G.D. (*st*) cream-coloured Hungary 1816. 7. H b W. et K. hung. 2. t. 186.
89 cérnuum G.D. (*bh*) drooping N. America 1806. 6. 7. H b Bot. mag. t. 1324.
90 stellàtum G.D. (*li*) starry-flowered —— 1811. —— H b —— t. 1576.
91 caroliniànum G.D. (*li*) Carolina —— 1819. —— H b Redout. lil. 2. t. 101.
Sect. 5. MO'LIUM; *stamens subulate, dilated at the base; scapes naked; leaves lorate or linear; flowers spreading; spath* 2-3-*lobed.*
§ 1. *Umbels bulbiferous.*
92 paradóxum G.D. (*wh*) paradoxical Siberia 1823. 4. H b
93 mágicum G.D. (*st*) broad-leaved Spain 1596. 6. 7. H b Park. parad. p. 141.
94 scorzonerifòlium G.D. (*ye*) Scorzonera-lâ S. Europe 1823. —— H b Redout. liliac. 2. t. 99.
95 canadénse G.D. (*ro*) Canadian N. America 1739. —— H b Kalm. it. v. 3. p. 79.
96 mutábile G.D. (*bh*) changeable —— .... 7. H b Redout. lil. 4. t. 240.
97 ambíguum G.D. (*ro*) ambiguous England .... 5. 6. H b Eng. bot. t. 2803.
incarnàtum S.S. *ròseum* β Bot. mag. t. 978.
98 amœ'num G.D. (*ro*) fine red-flowered Italy 1820. —— H b Ten. fl. nap. t. 28.
cárneum T.N.
§ 2. *Umbels not bulbiferous.*
99 ròseum G.D. (*ro*) rose-coloured Spain 1752. 6. H b Redout. lil. 4. t. 213.
100 illy'ricum G.D. (*pi*) Illyrian Austria .... 6. 7. H b Jacq. ic. 2. t. 365.
101 subhirsùtum G.D. (*wh*) hairy S. Europe 1596. 6. H b Cyr. pl. r. nap. 2. t. 3.
β *obtùsum* (*wh*) *blunt-flowered* —— —— —— H b Bot. mag. t. 774.
102 Clusiànum G.D. (*wh*) Clusius's —— 1803. 6. 8. H b Clus. hist. 1. p. 192.
103 Chàmæ-Mòly G.D. (*w*) dwarf-Moly —— 1774. 2. 4. F b Bot. mag. t. 1203.
104 majàle G.D. (*wh*) large Moly Italy 1825. 6. F b Ten. fl. nap. 1. t. 28.
105 brachystèmon R.L. (*w*) short-stamened S. France 1826. —— H b Redout. liliac. 7. t. 374.
106 longifòlium G.D. (*wh*) long-leaved Mexico —— 8. 10. F b

107 eudsmum Lk. (*wh*) sweet-scented Brazil 1829. 5. 6. F b
108 glandulòsum Lk.(*pu*)glandular ——— —— —— F b Bot. reg. t. 1034.
longifòlium B.R.
109 intermèdium G.D.(*wh*)intermediate S. Europe 1827. 7. 8. H b
110 Cowàni B.R. (*wh*) Cowan's Chili 1824. 5. F b Bot. reg. t. 758.
111 neapolitànum G.D.(*w*)Neapolitan Italy —— 4. 5. H b Swt. br. fl. gar. t. 201.
álbum Bivon.
112 tríquetrum G.D.(*wh*)triquetrous S. Europe 1759. 5. 6. H b Bot. mag. t. 869.
113 mèdium G.D. (*wh*) intermediate Hungary 1824. 5. H b
114 pendulìnum G.D.(*w*)pendulous Italian Italy —— 4. 5. H b Ten. fl. nap. 1. t. 31.
115 nìgrum G.D. (*wh*) black S. Europe 1596. 6. H b Bot. mag. t. 1148.
mágicum B.M.
β rubéscens (*bh*) *pale red-flowered* Greece .... —— H b Flor. græc. t. 323.
116 paucibulbòsum H.P.(*re*)few-bulbed Spain .... —— H b Rudb.elys.11.p.160.f.2.
117 atropurpùreum G.D.(*d.pu*)parkpurple Hungary 1825. —— H b W. et. K. hung. 1. t. 17.
118 Mòly G.D. (*ye*) large yellow S. Europe 1604. —— H b Bot. mag. t. 499.
119 tricóccum G.D.(*wh*) three-seeded N. America 1770. 7. H b
120 ursìnum G.D. (*wh*) Ramson Britain .... 4. 5. H b Eng. bot. v. 2. t. 122.
121 sulcàtum G.D. (*wh*) furrowed ..... 1823. —— H b Redout. liliac. 8. t. 482.

Sect. 6. ANGUI'NUM; *stamens subulate; spath* 1-*valved*, 2-*cleft; root transverse, woody, covered with network.*

122 Victoriàlis G.D. (*st*) long-rooted Austria 1739. 5. H b Bot. mag. t. 1222.
123 odòrum G.D.(*wh.pu*)sweet-flowered Siberia 1787. 6. 7. H b Redout. liliac. 2. t. 98.
tatáricum Bot. mag. t. 1142.

Sect. 7. ORNITHOGALOI'DEUM; *stamens subulate, dilated at the base; leaves distick; scapes naked; bulbs solitary; spath short*, 2-4-*lobed or* 2-*valved; flowers destitute of the garlic scent.*

124 inodòrum B.M. (*bh*) fragrant Carolina 1776. 3. 4. H b Bot. mag. t. 1129.
frágrans Vent. cels. 1. t. 26. *grácile* W.
125 striàtum G.D.(*bh.w*)striated America 1800. 5. 6. H b Bot. mag.t.1524 & 1035.
Ornithógalum gramíneum B.M. 2419.
126 juncifòlium G.D.(*wh*)rushy-leaved Chili 1826. 7. 8. H b
127 striatéllum B.R.(*wh*)small-striated ——— 1823. —— H b Bot. mag. t. 2419.
128 cáspium G.D. (*bh*) Caspian Astracan 1820. 4. 5. H b Pall. it. 2. ap. t. 2.
Amaryllis cáspica W. *Crìnum cáspicum* Pal.
129 Akàka F..... Persian Persia 1829. .... H b
130 sículum G.D.(*gr.re*) Sicilian Sicily 1830. 7. 8. H b Swt. br. fl. gar.s.2.t.349.
Dioscóridis L. *Nectaroscórdum sículum* Bot. reg. t. 1913.

SOWERBÆ'A B.P. SOWERBÆ'A. (James Sowerby, cel. bot. artist.) Hexandria Monogynia.
júncea B.P. (*ro*) Rush-leaved N. S. W. 1792. 5. 7. G ♃ Bot. mag. t. 1104.

LAXMA'NNIA B.P. LAXMA'NNIA. (E. Laxmann, a trav. in Siberia.) Hexandria Monogynia.
grácilis B.P. (*wh*) slender N. S. W. 1822. 5. 7. G ♃

APHYLLA'NTHES L. LILY PINK. (*α* priv. *φυλλον*, a leaf, and *ανθος*, a flower.) Hexan. Mono.
monspeliénsis L. (*bl*) Rush-like France 1791. 6. 7. H ♃ Bot. mag. t. 1132.

THYSANOTUS B.P. THYSANO'TUS. (*θυσανωτος*, fringed; inner sepals.) Hexandria Monogynia.
1 tuberòsus B.P. (*bl*) tuberous-rooted N. S. W. 1822. 7. 9. G ♃
2 elàtior B.P. (*bl*) tall ——— —— —— G ♃
3 isanthèrus B.P. (*bl*) equal-anthered V.Diem.Isl.—— —— G ♃ Bot. reg. t. 655.
4 ténuis B.R. (*pu*) slender Swan River 1836. 5. 6. G ♃ Bot. reg. s. 2. t. 50.
5 prolíferus B.R. (*pu*) proliferous ——— 1837. —— G ♃ ——— s. 2. t. 8.
6 intricàtus B.R. (*pu*) intricate ——— —— —— G ♃
7 júnceus B.P. (*bl*) Rush-like N. S. W. 1822. 7. 9. G ♃ Bot. reg. t. 656.
Chlamy'sporum juncifòlium Par. lond. t. 103.

CYANE'LLA L. CYANE'LLA. (*κυανος*, blue; flowers.) Hexandria Monogynia.
1 álba S.S. (*wh*) 1-flowered white C. B. S. 1825. 4. 6. F b Th.in.a.hol.1794.t.7.f.2.
2 lùtea S.S. (*ye*) yellow-flowered ——— 1778. 5.12. F b Bot. mag. t. 1252.
3 orchidifórmis S.S.(*bl*) Orchis-like ——— 1825. 4. 8. F b Jacq. ic. 2. t. 447.
4 lineàta B.T. (*std*) lined ——— 1816. —— F b Bot. reg. t. 1111.
odoratíssima B.R.
5 capénsis S.S. (*pu*) purple-flowered——— 1768. —— F b Bot. mag. t. 568.

CONANTHE'RA R.P. CONANTHE'RA. (*κονος*, a cone, and *ανθηρα*, an anther.) Hexan. Monog.
bifòlia B.P. (*bl*) two-leaved Chili 1823. 3. 5. F b Lodd. bot. cab. t. 904.

CUMMI'NGIA D.D. CUMMI'NGIA. (Lady Gordon Cumming, of Altyre.) Hexand. Monogy.
1 campanulàta D.D.(*bl*)Hyacinth-flowered Chili 1823. 4. 6. F b Swt. br. fl. gar. t. 257.
Conanthèra campanulàta Hook. ex. flor. t. 214. *bifòlia* B.M. 2496. *nec aliorum.*
2 trimaculàta D.D. (*bl*) 3-spotted ——— 1829. 12. F b ——— s. 2. t. 88.
3 tenélla D. Don (*bl*) delicate ——— —— 11.12. F b

LEUCOCO'RYNE B.R. LEUCOCO'RYNE. (*λευκος*, white, and *κορυνη*, a club.) Hexan. Monog.
1 odoràta B.R. (*wh*) sweet-scented Chili 1826. 8. 9. F ♃ Bot. reg. t. 1293.

2 ixioìdes B.R. (*bl*) Ixia-like Chili 1821. 7. 9. F b Bot. mag. t. 2382.
Brodiæ'a ixioìdes B.M.

TRITELE'IA B.R. TRITELE'IA. (τρεις, three; stigmas.) Hexandria Monogynia.
1 grandifiòra B.R. (*bl*) large-flowered N. America 1827. 7. 8. H ♃
2 láxa B.R. (*pu*) loose ——— —— 6. 7. H b Bot. reg. t. 1685.
3 uniflòra B.R. (*bl*) one-flowered Mendoza 1830. —— F b ——— t. 1921.

HESPEROSCO'RDUM B.R. MISSOURI HYACINTH. (onion of the West.) Hexandria Monogynia.
1 hyacínthinum B.R. (*bl*) largest-flowered N. America 1827. 7. H b
Brodiæ'a grandiflòra Pursh *non* Smith.
2 láxum B.R. (*wh*) loose California 1833. 7. 8. H b Bot. reg. t. 1639.

DIANE'LLA B.P. DIANE'LLA. (Diana, goddess of woods; habitat.) Hexandria Monogynia.
1 ensifòlia B.M. (*wh*) whitish-flower'd E. Indies 1731. 8. S ♃ Bot. mag. t. 1404.
Dracæ'na ensifòlia H.K.
2 nemoròsa Lam. (*bl*) blue Indian ——— .... 6. 8. S ♃ Rumph. amb. 5. t. 73.
3 cœrùlea B.P. (*bl*) rough-edged N. S. W. 1783. 5. 8. F ♃ Bot. mag. t. 505.
4 revolùta B.P. (*bl*) revolute N. Holland 1823. —— F ♃
5 congésta B.P. (*bl*) crowded ——— 1820. —— F ♃
6 longifòlia B.P. (*bl*) long-leaved N. S. W. —— —— F ♃ Bot. reg. t. 734.
7 læ'vis B.P. (*bl*) smooth-leaved ——— 1823. —— F ♃
8 divaricàta B.P. (*bl*) divaricated N. Holland 1805. 7. 8. G ♃
9 strumòsa B.R. (*bl*) strumous ——— 1822. 5. 8. G ♃ Bot. reg. t. 751.

GEITONOPLE'SIUM Cun. GEITONOPLE'SIUM. (γειτον, a neighbour, and πλησιον, near.) Hex. Mon.
1 cymòsum Cun. (*pu*) cymose N. S. W. 1820. 4. 6. G ♄ ◡ Bot. mag. t. 3131.
Luzuriaga cymòsa B.P.
2 montànum Cun. (*pu*) mountain ——— 1823. —— G ♄ ◡
3 ásperum Cun. .. rough-angled N. Holland 1831. .... G ♄ ◡

EU'STREPHUS B.P. EU'STREPHUS. (ευ, well, and στρεφω, to twine.) Hexandria Monogynia.
1 latifòlius B.P. (*pu*) broadest-leaved N. S. W. 1800. 6. 9. G ♄ ◡ Bot. mag. t. 1245.
2 angustifòlius B.P. (*pu*) narrow-leaved N. Holland 1816. —— G ♄ ◡

MYRSIPHY'LLUM S.S. MYRSIPHY'LLUM. (μυρσινη, myrtle, and φυλλον, a leaf.) Hex. Trigynia.
1 asparagoìdes S.S. (*wh*) broadest-leaved C. B. S. 1702. 10.3. G ♄ ◡ Redout. liliac. t. 442.
Medèola asparagoìdes L.
2 angustifòlium S.S. (*bh*) narrow-leaved ——— 1752. 12.3. G ♄ ◡ Redout. liliac. t. 393.

HERRE'RIA R.P. HERRE'RIA. (C. A. de Herrera; a writer on agriculture.) Hexand. Monogy.
1 stellàta R.P. (*ye*) prickly-stalked Chili 1825. 6. 9. G ♄ ◡ Flor. peruv. 3. t. 303. f. a.
2 parviflòra B.R. (*gr*) small-flowered Brazil —— —— S ♄ ◡ Bot. reg. t. 1042.

ASPA'RAGUS L. ASPA'RAGUS. (σπαρασσω, to lacerate; some spiny.) Hexandria Monogynia.
§ 1 *Unarmed plants.*
1 amárus R.S. (*ye*) bitter S. France 1820. 6. 8. H ♃ Redout. liliac. t. 446.
2 officinàlis R.S. (*gr*) common England .... —— H ♃ Eng. bot. v. 5. t. 339.
3 tenuifòlius DC. (*ye*) slender-leaved Hungary .... —— H ♃ Redout. liliac. t. 434.
sylváticus W. et K. hung. 3. t. 201.
4 declinàtus R.S. long-leaved C. B. S. 1759. —— F ♃
5 decúmbens R.S. (*wh*) decumbent ——— 1792. 5. F ♄ Jacq. schœn. 1. t. 97.
6 flexuòsus R.S. (*wh*) flexuose ——— .... 7. 8. F ♄ ◡
7 davùricus R.S. (*st*) Daurian Daurian 1819. 6. 8. H ♃
8 cáspius R.S. (*gr.wh*) Caspian Caucasus 1821. —— H ♃
9 marítimus R.S. (*gr.wh*) sea-side Siberia 1820. —— H ♃
10 tricarinàtus D.C. (*g.y*) three-keeled .... —— G ♄ ◡ Redout. liliac. t. 451.
11 verticillàtus R.S. (*g.y*) whorl-leaved Caucasus 1752. —— H ♃ ◡ Buxb. cent. 5. ap. t. 37
12 umbellàtus R.S. (*g.w*) umbel-flowered Canaries 1816. —— G ♃
13 grandifiòrus R.S. (*wh*) large-flowered Teneriffe 1828. —— G ♄ ◡
14 Smithiànus Webb... Smith's ——— 1829. .... F ♄ ◡
15 plocamoìdes Webb.... Plocama-like ——— —— .... F ♄ ◡
16 longifòlius F. (*gr.ye*) long-leaved Russia 1827. .... H ♃
17 acutifòlius R.S (*ye*) needle-leaved Spain 1640. —— H ♄ Flor. græc. t. 337.
§ 2. *Armed plants.*
18 racemòsus R.S. (*wh*) branching E. Indies 1808. .... S ♄
19 sarmentòsus R.S. (*wh*) linear-leaved Ceylon 1710. 8. S ♄ Redout. liliac. t. 460.
20 falcàtus R.S. (*wh*) sickle-leaved E. Indies 1792. .... S ♄ Burm. zeyl. t. 13. f. 2.
21 retrofráctus R.S. (*wh*) Larch-leaved Africa 1759. 8. 9. G ♃ Pluk. alm. t. 375. f. 3.
22 capénsis R.S. (*wh.re*) Cape C. B. S. 1691. 4. 5. G ♄ Jacq. schœn. 3. t. 266.
23 æthiópicus W. (*wh*) angular-stalked ——— 1816. .... G ♄
24 scándens R.S. (*wh.vi*) climbing ——— 1795. 5. 6. G ♄ ◡
25 asiáticus R.S (*wh*) Asiatic Asia 1759. —— G ♄ Pluk. alm. t. 14. f. 4.
26 subulàtus R.S. (*wh*) awl-leaved C. B. S. 1811. —— G ♄
27 Niveniànus R.S. (*w.pu*) Niven's ——— —— —— G ♄
28 lánceus R.S. (*wh*) spear-leaved ——— —— —— G ♄ ◡

29	larícinus R.S.	(*wh*) Larch-leaved	C. B. S.	1816.	5. 6.	G	♄	
30	tetragònus R.S.	(*wh*) square-leaved	———	1822.	——	G	♄	
31	álbus R.S.	(*wh*) white	Spain	1540.	5. 7.	F	♄	Moris. s. 1. t. 1. f. 3.
32	aphy'llus R.S.	(*ye*) prickly	S. Europe	1640.	——	F	♄	Flor. græc. t. 338.
33	hórridus R.S.	(*ye*) long-spinned	———	1819.	——	F	♄	——— t. 239.
34	Broussonèti L. en.	(*st*)Broussonet's	Canaries	1815.	——	F	♃	Jacq. eclog. 2. t. 40.

CHARLWOO'DIA S.F.A. CHARLWOO'DIA. (George Charlwood, seedsman. Hexan. Monogynia.

1	congésta S.F.A.	(*pu*)crowded-panicled	N. Holland	1821.	5. 7.	S	♄	Swt. flor. amst. t. 18.
2	stricta S.F.A.	(*bl*) loose-panicled	———	——	——	S	♄	Bot. reg. t. 956.

Dracæ'na stricta. Bot. mag. t. 2575.

3?	indivisa G.D.	(*wh*) undivided	N. Zealand	1819.	6. 8.	G	♄	
4?	austràlis G.D.	(*wh*) Forster's	———	——	——	G	♄	Bot. mag. t. 2835.

DRACÆ'NA W. DRAGON-TREE. (δρακαινα, a she dragon.) Hexandria Monogynia.

1	Dràco R.S.	(*wh*) common	E. Indies	1640.	....	S	♄	Blackw. t. 358.
2	ensifòlia H.S.	(*wh*) sword-leaved	.....	1800.	....	S	♄	
3	marginàta S.S.	(*wh*) red-margined	Madagascar	1816.	....	S	♄	

tessellàta W. enum.

4	arbòrea R.S.	(*wh*) tree	Africa	1810.	3. 5.	S	♄	
5	frágrans R.S.	(*wh*) fragrant	———	1768.	2. 5.	S	♄	Bot. mag. t. 1081.
6	férrea B.S.	(*wh*) dark-purple	China	1771.	3. 4.	S	♄	——— t. 2053.
7	terminàlis R.S.	(*pu.bl*)red-leaved	India	1812.	4. 8.	S	♄	Bot. reg. t. 1749.
8	umbraculífera R.S.	(*wh*)umbrella	Mauritius	1788.	4. 6.	S	♄	Lodd. bot. cab. t. 289.
9	cérnua R.S.	(*st.li*) drooping	———	....	——	S	♄	Jacq. schoen. 1. t. 96.
10	mauritiàna S.S.	(*wh*) Mauritius	———	1816.	....	S	♄	
11	undulàta S.S.	(*wh*) wave-leaved	C. B. S.	——	....	G	♄	
12	ovàta B.M.	(*li*) oval-leaved	SierraLeon.	1790.	8. 9.	S	♄	Bot. mag. t. 1180.
13	nodòsa L.C.	(*wh*) knotted	.....	1822.	....	S	♄	
14	leonénsis L.C.	(*wh*) Sierra Leone	SierraLeon.	1824.	8. 9.	S	♄	
15	striàta L.C.	(*w*) striated	C. B. S.	1820.	——	G	♄	
16	refléxa S.S.	(*li*) reflex-leaved	Madagascar	1816.	5. 8.	S	♄	Redout. liliac. t. 92.
17	surculòsa B.R.	(*st*) trailing	SierraLeon.	1822.	——	S	♄	Bot. reg. t. 1169.

CORDYLI'NE B.P. CORDYLI'NE. (κορδυλη, a club.) Hexandria Monogynia.

1	hemichry'sa P.S.	(*wh*)golden-leaved	Bourbon	1823.	....	S	♄	
2	parviflòra S.S.	(*wh*) small-flowered	Mexico	1828.	....	S	♄	H. et B. n. gen. 3. t. 674.
3	cannæfòlia B.P.	(*wh*) Canna-leaved	N. Holland	1820.	....	G	♄	
4	austràlis Lindl...	Southern	Norf. Isl.	1837.	....	G	♄	

PHO'RMIUM W. FLAX-LILY. (φορμος, a basket; used for making.) Hexand. Monogy.

	tènax W.	(*or*) Iris-leaved	N. Zealand	1788.	8.	F	♃	Bot. mag. t. 3199.

XANTHORRHŒ'A B.P. GUM-TREE. (ξανθος, yellow, and ρεω, to flow.) Hexand. Monogy.

1	arbòrea B.P.	(*wh*) tree	N. S. W.	1828.	....	G	♄	
2	austràlis B.P.	(*wh*) southern	V.Diem.Isl.	1820.	....	F	♄	
3	hástilis B.P.	(*wh*) yellow gum	N. S. W.	1803.	4. 5.	F	♄	
4	mèdia B.P.	(*wh*) intermediate	———	1819.	——	F	♄	
5	minor B.P.	(*wh.br*) small	———	1804.	4. 6.	F	♃	
6	bracteàta B.P.	(*wh*) long-bracted	———	1810.	4. 5.	F	♃	

ROXBU'RGHIA W. ROXBU'RGHIA. (W. Roxburgh, M.D.. cel. bot.) Octandria Monogynia.

1	gloriosoìdes R.C.	(*st.pu*)cordate-leaved	E.Indies	1803.	4. 6.	S	♃	◡ Roxb. corom. 1. t. 32.
2	viridiflòra Ex.B.	(*st.cr*)elliptic-leaved	———	——	——	S	♃	◡ Sm. exot. bot. t. 57.

gloriòsa Bot. mag. t. 1500.

MI'LLA C.J. MI'LLA. (Julian Milla; Spanish bot.) Hexandria Monogynia.

1	biflòra C.J.	(*wh*) two-flowered	Mexico	1826.	7. 9.	F	b	Bot. reg. t. 1555.
2	uniflòra Grah.	(*wh.lil*)single-flowered	BuenosAyres	1832.	12.3.	F	b	Bot. mag. t. 3327.

ORDER CCXLIX.

BROMELIACEÆ. *Juss. gen.* 49.

AGA'VE L. AGA'VE. (αγαυος, admirable.) Hexandria Monogynia.

1	americàna H.S.	(*gr*)largeAmerican	S. America	1640.	8.10.	D	G ♃	And. reposit. t. 438.
	β *variegàta* B.M.	(*gr.st*)*variegated-leaved*	———	——	——	D	G ♃	Bot. mag. t. 3654.
2	Millèri H.S.	(*gr*) Miller's	———	1768.	——	D	G ♃	
3	fláccida H.S.	(*gr*) flaccid	———	1790.	——	D	S ♃	
4	lùrida B.M.	(*gr*) Vera Cruz	Vera Cruz	1731.	6. 7.	D	S ♃	Bot. mag. t. 1522.
5	saponària B.R.	(*pu*) Soap	Peru	1837.	....	D	S ♃	

5	brachy'stachys s.	(*gr*) short-spiked	Mexico	1826.	....	D	G ♃	Redout. liliac. t. 485.
	spicàta R.L. *non* Cavan.							
6	spicàta s.	(*gr.ye*) spiked	Havannah	1825.	....	D	S ♃	Cav. h. reg. mad. ic. ined.
7	angustifòlia H.S.	(*gr*) narrow-leaved	St. Helena	1770.	....	D	S ♃	
8	univittàta Haw.	.. one-striped	Mexico	1830.	....	D	S ♃	
9	atrovìrens Karw.	.. dark-green	———	1838.	....	D	G ♃	
10	yuccæfòlia H.S.S	(*y.g*) Yucca-leaved	S. America	1817.	....	D	S ♃	Redout. liliac. t. 328, 329.
11	mexicàna H.S.S	(*gr*) Mexican	Mexico	1818.	....	D	G ♃	
12	Karátto H.S.	(*gr*) Karatto	S. America	1768.	....	D	S ♃	
13	vivípara H.S.	(*gr.ye*) viviparous	———	1731.	8.10.	D	S ♃	Comm. præl. t. 15.
14	polyacántha H.R.	(*g.y*) black-spined	.....	1800.	....	D	S ♃	
15	virgínica H.S.	(*gr.ye*) Virginian	N. America	1765.	9.	F	♃	Bot. mag. t. 1157.
16	sobolífera Karw	... sobol-bearing	Mexico	1838.	....	D	G ♃	
17	potatòrum Karw.	.. drinkers	———	——	....	D	G ♃	
18	Scólympis Karw.	... Scolymus	———	——	....	D	G ♃	
19	macracántha Karw.	.. long-spined	———	——	....	D	G ♃	
20	flaccida H.S.	... flaccid	———	1790.	....	D	G ♃	
21	serrulàta Karw.	... serrulated	———	1838.	....	D	G ♃	
22	latifòlia Karw.	... broad-leaved	———	——	....	D	G ♃	
23	láxa Karw.	... loose	———	——	....	D	G ♃	
24	teoxomuliàna Karw.	Teoxomul	———	——	....	D	G ♃	
25	glàbra Karw.	... glabrous	———	——	....	D	G ♃	
26	Yxtli Karw.	... Yxtli	———	——	....	D	G ♃	

FURCRŒ'A V. FURCRŒ'A. (M. Fourcroy, a cel. chemist.) Hexandria Monogynia.

1	gigantèa	(*gr.wh*) gigantic	S. America	1690.	9. 1.	D	S ♄	Bot. mag. t. 2250.
	Agàve fœ'tida W.							
2	tuberòsa H.K.	(*gr.wh*) tuberous	———	1739.	8. 9.	D	S ♄	Comm. hort. 2. f. 19.
3	cubénsis H.S.	(*wh.gr*) Cuba	———	——	....	D	S ♄	Jacq. am. pic. t. 260. f. 25.
4	rígida H.S	(*gr.ye*) Vera Cruz	———	1768.	....	D	S ♄	Spin. cat. 1812. c. ic.
5	austràlis H.S.	... entire-leaved	N. Holland	1811.	....	D	S ♃	
6	madagascariénsis H.	Madagascar	Madagascar	1818.	....	D	S ♃	
7	cántala H.S.S.	... Canton	China	——	....	D	G ♃	
8	longæ'va Karw.	... long-lived	Mexico	1838.	....	D	G ♃	

LITTÆ'A H.S.S. LITTÆ'A. (Duke de Lytta, an Italian nobleman.) Hexandria Monogynia.

	geminiflòra H.S.S.	(*gr*) twin-flowered	S. America	1810.	....	S	♄	Bot. reg. t. 1145.
	Agàve geminiflòra Ker. *Buonapártea júncea* H.S. *nec aliorum.*							

ANANA'SSA B.H. PINE-APPLE. (*Ananas*, Guiana name.) Hexandria Monogynia.

1	sativa B.R.	(*bl*) common	S. America	1690.	1.12.	S	♃	Bot. mag. t. 1554.
2	semiserràta S.S.	(*bl*) semiserrate	———	....	——	S	♃	
3	lùcida W. en.	(*bl*) shining-leaved	———	....	——	S	♃	
4	débilis B.R.	(*bl*) waved-leaved	———	1826.	——	S	♃	
5	bracteàta B.R.	(*bl.sc*) red-bracted	Jamaica	1785.	9.10.	S	♄	Bot. reg. t. 1081.

BILLBE'RGIA Th. BILLBE'RGIA. (J. C. Billberg, a Swedish bot.) Hexandria Monogynia.

1	zebrìna B.M.	(*ye*) white-barred	Brazil	1825.	6. 7.	S	♃	Bot. mag. t. 2686.
2	fasciàta B.R	(*bl*) banded	———	——	8.10.	S	♃	Bot. reg. t. 1130.
3	iridifòlia B.R.	(*ye.bl*) drooping	———	1826.	3. 5.	S	♃	——— t. 1068.
4	amœ'na B.R.	(*ye.bl*) pale-flowered	S. America	1810.	3.11.	S	♃	Lodd. bot. cab. t. 76.
	Bromèlia pállida Bot. reg. t. 344.							
5	pyramidàlis B.R.	(*cr*) pyramidal	Brazil	....	2. 4.	S	♃	Bot. reg. t. 203.
	Bromèlia nudicaúlis B.R. *pyramidàlis* Bot. mag. t. 1732.							
	β *bicolor* B.R.	(*cr.bl*) *two-coloured*	S. America	....	——	S	♃	Bot. reg. t. 1181.
6	purpùreo-ròsea B.M.	(*pu.re*) rose-purple	Brazil	1832.	11.12.	S	♃	Bot. mag. t. 3304.
7	nudicaúlis B.R.	(*st*) naked-stalked	Trinidad	1822.	4. 6.	S	♃	Hook. ex. flor. t. 143.
8	cruénta B.M.	(*bl*) blood-stained	Brazil	1824.	——	S	♃	Bot. mag. t. 2892.

ÆCHME'A B.M. ÆCHME'A. (αυχμη, a point; calyxes.) Hexandria Monogynia.

	Merténsii B.M.	(*re*) Mertens's	Demerara	1830.	6. 8.	S	♃	Bot. mag. t. 3186.
	Bromèlia Merténsii Schultes.							

BROME'LIA B.R. BROME'LIA. (Olaus Bromel, a Swedish bot.) Hexandria Monogynia.

1	melanántha B.R.	(*bk*) black-flowered	Trinidad	1823.	5. 7.	S	♃	Bot. reg. t. 766.
2	fastuòsa L.col.	(*pu*) noble	S. America	1815.	8.10.	S	♄	Lindl. col. bot. t. 1.
3	lingulàta S.S.	(*ye*) tongue-leaved	———	1759.	5. 6.	S	♄	Plum. ic. t. 64. f. 1.
4	Kárátas S.S.	(*ro*) upright-leaved	W. Indies	1739.	....	S	♄	Jacq. vind. 1. t. 31. 32.
5	hùmilis S.S.	(*bl*) dwarf	———	1789.	3.	S	♃	Jacq. ic. 1. t. 60.
6	Pínguin S.S.	(*re*) broad-leaved	———	1699.	3. 4.	S	♄	Jacq. am. ed. pict. t. 91.
7	chrysántha S.S.	(*ye*) yellow-flowered	S. America	1820.	——	S	♄	Jacq. schœn. 1. t. 55.
8	exùdans B.C.	(*ye*) clammy	———	1816.	——	S	♃	Lodd. bot. cab. t. 801.
9	paniculígera S.S.	(*sc*) panicled	W. Indies	1822.	——	S	♃	
10	sylvéstris S.S.	(*cr*) wild	S. America	1820.	7. 8.	S	♃	Bot. mag. t. 2392.
11	Acánga S.S.	(*ye*) recurved	———	1824.	....	S	♃	Pis. bras. t. 91.

12	díscolor B.R.	(*pk*)	two-coloured	S. America	1836.	S	♃	
13	sessiliflòra L.C.	...	sessile-flowered	———	1824.	S	♃	
GUZMA'NNIA R.P.			GUZMA'NNIA. (A. Guzmann, nat. hist. collector.) Hexandria Monogynia.					
	trícolor R.P.	(*g.st.ro*)	three-coloured	S. America	1818. 5. 6.	S	♃	Lindl. coll. bot. t. 8.
PITCAI'RNIA S.S.			PITCAI'RNIA. (W. Pitcairn, M.D. patron of bot.) Hexandria Monogynia.					
1	stamínea S.S.	(*sc*)	long-stamened	S. America	1823. 1. 3.	S	♃	Bot. mag. t. 2411.
2	integrifòlia S.S.	(*sc*)	entire-leaved	W. Indies	1800. 8.	S	♃	——— t. 1462.
3	latifòlia S.S.	(*sc*)	broad-leaved	———	1785. 8. 9.	S	♃	——— t. 856.
4	bracteàta R.L.	(*sc*)	large bracted-red	———	1799. 4. 5.	S	♃	——— t. 2813.
5	sulphùrea A.R.	(*st*)	yellow-flowered	———	1797. 6. 8.	S	♃	Andr. reposit. t. 249.
	bracteàta β sulphùrea Bot. mag. t. 1416.							
6	suavèolens B.R.	(*st*)	sweet-scented	Brazil	1826. 6. 7.	S	♃	Bot. reg. t. 1069.
7	álbiflos B.M.	(*wh*)	white-flowered	———	1824. 9.12.	S	♃	Bot. mag. t. 2642.
8	bromeliæfòlia S.S.	(*sc*)	Pine-apple-ld.	Jamaica	1781. 6. 8.	S	♃	——— t. 824.
9	angustifòlia S.S.	(*sc*)	narrow-leaved	Santa Cruz	1777. 12.1.	S	♃	——— t. 1547.
10	furfuràcea B.M.	(*ro*)	mealy	S. America	1818. 7. 9.	S	♃	——— t. 2657.
11	flámmea B.R.	(*sc*)	flame-coloured	Brazil	1823. 11.12.	S	♃	——— t. 1092.
12	mèdia L.C.	(*sc*)	intermediate	S. America	—— 7. 9.	S	♃	
13	iridiflòra L.C.	(*sc*)	Iris-flowered	———	—— ——	S	♃	
14	hùmilis L.C.	(*sc*)	dwarf	———	—— ——	S	♃	
POURRE'TIA R.P.			POURRE'TIA. (Al. Pourret, a trav. in Spain.) Hexandria Monogynia.					
1	lanuginòsa R.P.	(*gr*)	woolly	S. America	1826. 4. 8.	S	♃	Flor. peruv. 3. t. 256.
2	pyramidàta K.S.	(*st*)	pyramidal	———	1822. 4. 6.	S	♃	——— 3. t. 257.
3	coarctàta R.P.	(*ye*)	crowded-spiked	Chili	——	S	♃	Feuil. per. 3. t. 39.
4	cœrùlea Miers.	(*bl*)	blue	———	1827. 4. 8.	S	♃	
5	rubricaúlis Mier.	(*bl.re*)	red-stemmed	———	—— ——	S	♃	
6	magnispátha Col.	(*g.w*)	large-spathed	S. America	1829. ——	S	♃	Col. h. rip. t. 19.
TILLA'NDSIA L.			TILLA'NDSIA. (Elie Till-Land, prof. med. Abo.) Hexandria Monogynia.					
	§ 1. *Flowers solitary.*							
1	usneoìdes S.S.	(*ye.gr*)	moss-like	W. Indies	1823. 4. 8.	S	♃	Sloan. hist. t. 122. f. 2-3.
2	Bartràmii S.S.		Bartram's	Carolina	1825.	S	♃	
3	recurvàta S.S.	(*pu*)	recurve-leaved	Jamaica	1793. 7.	S	♃	Sloan. jam. 1. t. 121. f. 1.
4	xiphioìdes B.R.	(*wh*)	Xiphium-like	Buenos Ayres	1815. ——	S	♃	Bot. reg. t. 105.
	§ 2. *Spikes simple.*							
5	serràta S.S.	(*ye*)	saw-leaved	Jamaica	1793. 6. 7.	S	♃	Plum. ic. 63. t. 75. f. 1.
6	ròsea B.R.	(*pk*)	rosy	Brazil	.... 5.	S	♃	Bot. reg. t. 1357.
7	acaúlis B.R.	(*wh*)	stemless	———	1826. 7. 9.	S	♃	——— t. 1157.
8	psittácina B.M.	(*or.y*)	gaudy-flowered	———	1827. 4. 8.	S	♃	Bot. mag. t. 2841.
9	setàcea S.S.	(*st.re*)	bristle-leaved	Jamaica	1822. ——	S	♃	——— t. 3275.
10	stricta S.S.	(*bl*)	stiff-leaved	Brazil	1810. 11.	S	♃	Bot. reg. t. 1338.
11	bulbòsa H.E.F.	(*bl*)	bulbous	Trinidad	1823. 8. 9.	S	♃	Hook. ex. flor. t. 173.
12	aloifòlia H.E.F.	(*st*)	Aloe-leaved	———	1824. 11.12.	S	♃	——— t. 205.
13	púlchra H.E.F.	(*wh*)	pretty	———	1822. 10.11.	S	♃	——— t. 154.
14	ánceps B.C.	(*bl*)	two-edged	W. Indies	1819. 7.	S	♃	Lodd. bot. cab. t. 771.
	§ 3. *Spikes compound.*							
15	utriculàta S.S.	(*st*)	bottle	S. America	1793. 7. 8.	S	♃	
16	tenuifòlia S.S.	(*sc*)	slender-leaved	W. Indies	1822. ——	S	♃	Plum. ic. 232. f. 2.
17	acutifòlia L.en.	(*st*)	acute-leaved	Brazil	1815. ——	S	♃	Bot. reg. t. 749.
	flexuòsa β pállida B.R.							
18	flexuòsa S.S.	(*sc*)	flexuose	W. Indies	1790. ——	S	♃	Jacq. amer. t. 63.
19	nùtans S.S.	(*bl*)	nodding-spiked	———	1793. ——	S	♃	
20	fasciculàta S.S.	(*st*)	bundled	———	1822. ——	S	♃	
21	nítida H.E.F.	(*wh*)	shining-leaved	Jamaica	1823. 11.12.	S	♃	Hook. ex. flor. t. 218.
22	polystàchya S.S.	(*st*)	many-spiked	W. Indies	1820. 7. 9.	S	♃	
23	angustifòlia S.S.	(*st*)	narrow-leaved	———	1822. ——	S	♃	
24	paniculàta S.S.	(*st*)	panicled	———	1817. ——	S	♃	Plum. ic. t. 237.
25	coarctàta G.C.		crowded	———	1822.	S	♃	
26	compréssa G.C.		compressed	———	——	S	♃	
27	grácilis G.C.		slender	———	——	S	♃	
28	ramòsa G.C.		branching	———	——	S	♃	
29	rígida G.C.		rigid	———	——	S	♃	
CARAGUA'TA Plum.			CARAGUA'TA. (vernacular name.) Hexandria Monogynia.					
	lingulàta Ly.	(*ye*)	tongue-leaved	Jamaica	1776. 6. 7.	S	♃	Jacq. amer. t. 62.
	Tillándsia lingulàta S.S.							
BUONAPA'RTEA R.P.			BUONAPA'RTEA. (Napoleon Buonaparte.) Hexandria Monogynia.					
1	júncea R.P.	(*bl*)	rush-leaved	Peru	1800.	S	♃	Flor. peruv. 3. t. 242.
2	grácilis Swt.		slender	Mexico	1828.	S	♃	
DY'CKIA B.M.			DY'CKIA. (Prince Salm Dyck, prom. of bot.) Hexandria Monogynia.					
	rariflòra B.M.	(*or*)	few-flowered	Brazil	1833. 6. 8.	S	♄	Bot. reg. t. 1782.

ORDER CCL.

TULIPA'CEÆ. *Kth. synops.* 1. *p.* 292.

YU'CCA L.		ADAM'S-NEEDLE. (a name given by the people of Haiti.) Hex. Mon.						
1	conspícua H.S.S.	(*wh*) broad rough-edged		1810.	8.10.	F	♄	
2	aloifòlia H.S.S.	(*wh*) Aloe-leaved	W. Indies	1696.	——	G	♄	Bot. mag. t. 1700.
3	serrulàta H.S.S.	(*wh*) narrow saw-ld.	Carolina	1808.	....	F	♄	
4	Dracònis H.S.S.	(*wh*) drooping-leaved	——	1732.	8. 9.	F	♄	Bot. reg. t. 1894.
5	crenulàta H.S.S.	(*wh*) rough-edged oblique	——	1818.	....	F	♄	
6	arcuàta H.S.S	(*wh*) arcuated	——	1817.	....	F	♄	
7	tenuifòlia H.S.S.	(*wh*) slender-leaved	Malta?	——	....	F	♄	
8	concàva H.S.S.	(*wh*) hollow-thready	N. America	1816.	7. 8.	H	♃	
9	filamentòsa H.S.S.	(*wh*) common-thready	Virginia	1675.	7.10.	H	♃	Bot. mag. t. 900.
10	flaccida H.S.S.	(*wh*) flaccid-thready	N. America	1816.	——	H	♃	Bot. reg. t. 1895.
11	pubérula H.P.	(*wh*) pubescent-stemmed	——	1822.	——	H	♃	Swt. br. fl. gar. t. 251.
12	glaucéscens H.S.S.	(*wh*) glaucescent	——	1815.	7. 8.	H	♃	—— t. 53.
13	recúrva P.L.	(*wh*) recurved-leaved	Georgia	1795.	8. 9.	H	♄	Sal. par. lond. t. 31.
14	glaúca B.M.	(*st*) glaucous-leaved	Carolina	1812.	——	H	♃	Bot. mag. t. 2662.
15	strícta B.M.	(*gr.pu*) straight-leaved	——	1811.	——	H	♄	—— t. 2222.
16	angustifòlia H.S.S.	(*gr*) narrow-leaved	Missouri	——	——	H	♄	—— t. 2236.
17	supérba H.S.S.	(*wh.re*) superb	.....	....	8.10.	G	♄	Bot. reg. t. 1690.
	gloriòsa A.R. *nec aliorum.*							
18	acuminàta S.F.G.	(*br.w*) tapering-fld.	America	....	7. 9.	H	♄	Swt. br. fl. gar. t. 195.
19	gloriòsa H.S.S.	(*wh*) handsome	——	1596.	7. 8.	H	♄	Bot. mag. t. 1260.
20	rufocíncta H.S.S.	(*wh*) rufous-edged	——	1816.	——	H	♃	
21	obliqua H.S.S.	(*wh*) oblique-leaved	——	1808.	——	H	♃	
	β *major* H.S.S.	(*wh*) *larger*	——	——	——	H	♃	
22	spinòsa K.S.	(*pu.or*) spiny-leaved	Mexico	1829.	....	G	♄	
23	grácilis Lk.	(*wh*) slender	——	——	....	G	♃	
24	aletrifórmis Haw.	Aletris-like	C. B. S.	1823.	....	D	S ♄	
25	longifòlia Karw.	long-leaved	Mexico	1838.	....	G	♃	
26	serratifòlia Karw.	saw-leaved	——	——	....	G	♃	
27	graminifòlia Karw.	grass-leaved	——	——	....	G	♃	
28	angustifòlia Karw.	narrow-leaved	——	——	....	G	♃	
29	lætevìrens Karw.	pale-green	——	——	....	G	♃	
30	pitcairnifòlia Karw.	Pitcairnia-leav'd	——	——	....	G	♃	
TU'LIPA L.		TULIP. (from a Persian word signifying a turban.) Hexandria Monogynia.						
1	altàica R.S.	(*ye*) Altaic	Altay mount.	1822.	4. 5.	H	b	Swt. br. fl. gr. s. 2. t. 97.
	rèpens F.							
2	saxátilis R.S.	(*ye*) rocky	Crete	1827.	——	H	b	Reich. ic. rar. t. 396.
3	pàtens R.S.	(*wh.g.y*) spreading-fld.	Siberia	1829.	——	H	b	
4	stellàta B.M.	(*bh.wh*) starry	E. Indies	1827.	3. 4.	G	b	Bot. mag. t. 2762.
5	montàna B.R.	(*cr*) mountain	Persia	1826.	——	H	b	Bot. reg. t. 1106.
6	biflòra S.S.	(*wh.vi.ye*) two-coloured	Russia	1806.	4.	H	b	—— t. 535.
7	trícolor F.	.... three-coloured	——	1823.	....	H	b	
8	Celsiàna S.S.	(*ye.re*) Cels's	Levant	....	6. 7.	H	b	Bot. mag. t. 717.
	Breyniàna B.M. *nec aliorum.*							
9	Biebersteiniàna R.S.	(*y.pu*) Bieberstein's	Siberia	1820.	——	H	b	
10	sylvéstris S.S.	(*ye*) wild	England	....	4. 5.	H	b	Eng. bot. v. 1. t. 63.
11	túrcica Roth.	(*ye*) Florentine	S. Europe	....	——	H	b	Swt. br. fl. gar. t. 186.
12	Clusiàna R.S.	(*sc.wh*) Clusius's	Sicily	1636.	5. 6.	H	b	Bot. mag. t. 1390.
13	maculàta R.S.	(*ye.gr*) spotted-flowered	Spain	....	——	H	b	
14	mèdia R.S.	(*sc.wh*) intermediate	.....	1828.	——	H	b	
15	cornùta R.S.	(*va*) horn-petalled	Levant	1816.	5.	H	b	Bot. reg. t. 127.
16	undulàta	(*sc.ve*) wave-leaved	Whitley's	1820.	5. 6.	H	b	
17	óculus sòlis S.S.	(*sc.ve*) Sun's-eye	S. Europe	1816.	——	H	b	Redout. liliac. t. 219.
18	præ'cox S.S.	(*sc.gr*) early-flowering	Naples	1825.	3. 4.	H	b	Swt. br. fl. gar. t. 157.
	óculus sòlis β, *præ'cox* B.R. t. 1419.							
	β *vérna* B.R.	(*sc*) *early*	——	——	3.	H	b	Bot. reg. t. 1419.
19	pérsica B.R.	(*sc.ve*) Persian	Persia	1826.	3. 4.	H	b	Bot. reg. t. 1143.
20	suavèolens S.S.	(*sc.ye*) Van-Thol	S. Europe	1603.	3. 4.	H	b	Bot. mag. t. 839.
21	pubéscens S.S.	(*va*) woolly-stalked	——	....	——	H	b	Swt. br. fl. gar. t. 78.

22	Bonarotiàna Reboul. (*re*) Bonaroti's	Italy	1827.	4. 5.	H	b	Swt. br. fl. gar s. 2. t. 116.
23	strangulàta Reboul. (*var*) choked	———	....	——	H	b	
24	scabriscàpa B.R. (*var*) rough-scaped	———	....	——	H	b	Bot. reg. t. 1990.
25	Gesneriàna S.S. (*cr*) common	Levant	1577.	4. 5.	H	b	——— s. 2. t. 46.
	a coccínea (*sc.ve*) *scarlet-fld.*	Constantinople	1816.	——	H	b	——— t. 380.
	β versícolor (*va*) *various-coloured*	Levant	——	——	H	b	Bot. mag. t. 1135.
	γ semploniénsis (*st.pu*) *Semplon*	.....	....	——	H	b	Swt. flor. guid. t. 53.
	δ Alexandrìna (*st.pu.ve*) *Alexandrina*	.....	....	....	H	b	——— t. 138.
	ε Burnardiàna (*st.pu.ve*) *Burnard's agitator*	...	....	——	H	b	——— t. 132.
	ζ Collingwòodi (*y.pu.ve*) *Lord Collingwood*	....	....	——	H	b	——— t. 85.
	η Leopóldi (*ye.v*) *Prince Leopold*	.....	....	——	H	b	——— t. 128.
	θ Geórgii (*ye.ve*) *George the Fourth*	.....	....	——	H	b	——— t. 89.
	ι platyántha (*ye.ve*) *Platonia*	.....	....	——	H	b	——— t. 77.
	κ imperiàlis (*ye.ve*) *Emperor of Austria*	....	....	——	H	b	——— t. 103.
	λ Miguèli (*ye.ve*) *Don Miguel*	.....	....	——	H	b	——— t. 19.
	μ Polyphèmi (*ye.ve*) *Lawrence's Polyphemus*	..	....	——	H	b	——— t. 7.
	ν sanguífera (*ye.cr.ve*) *Bataille d' Eyleau*	....	....	——	H	b	——— t. 4.
	ξ Duckettiàna (*y.sc.ve*) *Sir George Duckett*	..	....	——	H	b	——— t. 66.
	ο Canningiàna (*y.sc.ve*) *Strong's Canning*	....	....	——	H	b	——— t. 135.
	π règia (*ye.sc.ve*) *Strong's King*	.....	....	——	H	b	——— t. 42.
	ρ Titiàna (*ye.sc.ve*) *Titian*	.....	....	——	H	b	——— t. 109.
	σ Jùno (*wh.sc.pu*) *Rose Juno*	.....	....	——	H	b	——— t. 56.
	τ Daphneàna (*wh.cr*) *Rose Daphne*	.....	....	——	H	b	——— t. 83.
	υ retùsa (*wh.cr*) *Walworth*	.....	....	——	H	b	——— t. 26.
	φ fulmínea (*wh.sc*) *Bartlett's thunderbolt*	..	....	——	H	b	——— t. 95.
	χ Hilliàna (*wh.sc*) *Lord Hill*	.....	....	——	H	b	——— t. 82.
	ψ fúlgens (*w.ro*) *Rose brillante*	.....	....	——	H	b	——— t. 5.
	ω Cre'weæ (*wh.sc*) *Sherwood's Lady Crewe*	..	....	——	H	b	——— t. 153.
	αα Victoriàna (*w.ro.cr*) *Princess Victoria*	....	....	——	H	b	——— t. 38.
	ββ Stróngii (*w.cr.ye*) *Strong's high Admiral*	..	....	——	H	b	——— t. 11.
	γγ puélla (*wh.ro*) *Pucelle d' Orleans*	.....	....	——	H	b	——— t. 50.
	δδ principissæ (*w.ro.cr*) *Strong's Duchess of Kent*	....	....	——	H	b	——— t. 75.
	εε purpùreo-ròsea (*w.ro.pu*) *Rose camusa de craix*	....	....	——	H	b	——— t. 116.
	ζζ iridiflòra (*wh.pu*) *Strong's rainbow*	.....	....	——	H	b	——— t. 124.
	ηη Hollandiàna (*w.pu.ve*) *Lord Holland*	.....	....	——	H	b	——— t. 106.
	θθ Ludoviàna (*wh.ve*) *Louis XVI.*	.....	....	——	H	b	——— t. 150.
	ιι lancastriénsis (*w.pu.ve*) *Lancashire hero*	....	....	——	H	b	——— t. 119.
	κκ marginàta (*wh.ve*) *Davey's Trafalgar*	....	....	——	H	b	——— t. 145.
	λλ Penelopeàna (*w.ve*) *Penelope*	.....	....	——	H	b	——— t. 57.
	μμ Jenkinsòni (*w.ve*) *Goldham's Earl of Liverpool*	....	....	——	H	b	——— t. 16.
	νν Fredericiàna (*w.ve*) *Willmer's Duke of York*	....	....	——	H	b	——— t. 121.
	ξξ Buonaparteàna (*w.ve*) *Buonaparte*	.....	....	——	H	b	——— t. 72.
	οο augústa (*wh.ve*) *Grande Monarque*	.....	....	——	H	b	——— t. 92.
	ππ Lampsoniàna (*w.ve*) *Lampson*	.....	....	——	H	b	——— t. 100.
	ρρ Aglaiàna (*wh.pu*) *Aglaia*	.....	....	——	H	b	——— t. 87.
	σσ Alexándri (*wh.pu*) *Violet Alexander*	.....	....	——	H	b	——— t. 30.
	ττ virgínea (*wh.ve*) *Lady of the Lake*	.....	....	——	H	b	——— t. 62.
	υυ Winefrediàna (*w.v*) *Winefred*	.....	....	——	H	b	——— t. 141.
	φφ Daveyàna (*wh.ve*) *Daveyana*	.....	....	——	H	b	——— t. 35.
	χχ Marìa (*wh.ve.pu*) *Goldham's Maria*	.....	....	——	H	b	——— t. 48.
	ψψ majésta (*wh.ve*) *Majestueuse*	.....	....	——	H	b	——— t. 39.
	ωω álbida (*wh.ve*) *Gloria alborum*	.....	....	——	H	b	——— t. 74.
	ααα Charlotteàna (*w.pu*) *Princess Charlotte's cenotaph*	.	....		H	b	——— t. 23.
	βββ plèna (*va*) *double-flowered*	Levant	1577.	4. 5.	H	b	
	γγγ laciniàta (*ye.re.pu*) *Parrot*	———	——	——	H	b	

FRITILLA'RIA L. FRITILLARY. (*fritillus*, dice; spotted petals.) Hexandria Monogynia.

1	præ'cox (*wh*) early white	Europe	....	3. 4.	H	b	
	Melèagris β præ'cox P.S.						
2	Melèagris E.B. (*pu.wh*) chequered	Britain	....	3. 5.	H	b	Eng. bot. v. 9. t. 622.
3	mìnor Led. (*d.vi*) Altaic	Altay	1827.	——	H	b	Bot. mag. t. 3280.
	meleagroìdes B.S.						
4	tenélla M.B. (*br.pu*) slender	Caucasus	1824.	——	H	b	Bot. mag. t. 1216.
	racemòsa a minor, B.M. *orientàlis* Adam.						
5	nervòsa S.S. (*d.pu*) nerved-leaved	———	....	4. 5.	H	b	Bot. mag. t. 853.
	latifòlia β mìnor B.M.						
6	cùprea Graham (*cop*) copper-coloured	Mexico	1834.	7.	F	b	
7	lùtea M.B. (*ye.pu*) large yellow	Caucasus	1812.	4. 5.	H	b	Bot. mag. t. 1538.
8	latifòlia W. (*pu.br*) broad-leaved	———	1604.	——	H	b	Bot. mag. t. 1207.
9	ruthénica S.S. (*pu*) Russian	———	1820.	——	H	b	Swt. br. fl. gar. s. 2. t. 343.
	verticillàta M.B.						

10 **messanénsis** S.S.(*pu.ye*)Italian Italy 1825. 4. 5. H b
11 **lusitánica** S.S. (*vi.ye*) Portugal Portugal —— —— H b
12 **nigra** B.M. (*d.pu.ye*) dark-flowered Pyrenees 1596. 5. H b Bot. mag. t. 664.
pyrenàica B.M. *nec aliorum. aquitánica* Clusius.
13 **racemòsa** R.S.(*br.pu*)cluster-flowered Russia 1605. 5. 6. H b Bot. mag. t. 952.
14 **pyrenàica** L. (*pu*) Pyrenean S. Europe .... 4. 5. H b Flor. græc. t. 328.
15 **tulipifòlia** M.B.(*pu.vi*)Tulip-leaved Caucasus 1816. —— H b
16 **obliqua** B.M. (*pu*) oblique-leaved ———— .... 4. H b Bot. mag. t. 857.
17 **pérsica** B.M. (*pu*) Persian Persia 1596. 4. 5. H b ———— t. 1537.
β minor B.M. (*pu*) *lesser* ———— —— —— H b ———— t. 962.
18 **verticillàta** F. (*pu*) acute-leaved Siberia 1820. —— H b
19 **scándens** F. (*st*) blunt-leaved ———— 1827. —— H b ◡
20 **leucántha** F. (*st*) white-flowered Altay —— —— H b ◡ Bot. mag. t. 3083.
21 **Imperiàlis** W. (*y.re*) Crown Imperial Persia 1596. 3. 4. H b
α rùbra (*re*) *red-flowered* ———— —— —— H b Bot. mag. t. 194.
β flàva (*ye*) *yellow-flowered* ———— —— —— H b ———— t. 1215.

CYCLOBO'THRA S.F.G. CYCLOBO'THRA. (κυκλος, a circle, and βοθρος, a pit.) Hexan. Monog.
1 **lùtea** B.R. (*ye*) bearded Mexico 1827. 7. 8. H b Swt. br. fl. gar. t. 273.
barbàta Swt. *Fritillària barbàta* R.S.
2 **purpùrea** S.F.G.(*pu.y*) purple-flowered ———— —— —— H b Swt. br. fl. gar. s. 2. t. 20.
3 **álba** B.R. (*wh*) white-flowered California 1833. —— F b Bot. reg. t. 1661.
4 **pulchélla** B.R. (*ye*) neat ———— —— —— F b ———— t. 1662.

CALOCHO'RTUS Ph. CALOCHO'RTUS. (καλος, beautiful, and χορτος, grass.) Hexan. Monogy.
1 **macrocárpus** B.R.(*pu*)long-fruited Columbia 1826. 7. 8. H b Bot. reg. t. 1152.
2 **nítidus** D. (*pu.ye*) glossy ———— —— —— H b
3 **venústus** B.R. (*var*) showy California 1833. —— H b Bot. reg. t. 1669.
4 **spléndens** B.R. (*pu*) splendid ———— —— —— H b ———— t. 1676.
5 **lùteus** B.R. (*ye*) yellow-flowered ———— 1831. —— H b ———— t. 1567.
6 **élegans** Ph. (*wh*) elegant Columbia 1826. 6. 7. H b Hort. trans. 7. t. 9.

RHINOPE'TALUM F. RHINOPE'TALUM. (ῥιν, a snout, and πεταλον, a petal.) Hexan. Mong.
Karelínii F. (*pu*) Karelin's Siberia 1835. 1. 3. H b Swt. br. fl. gar. s. 2. t. 283.

AMBLI'RION Raf. AMBLI'RION. (αμβη, edge of a bank, and λειριον, a lily.) Hexan. Monog.
1 **pùdicum** (*ye*)dwarf N. America 1825. .... H b Pursh. fl. amer. t. 8.
Lílium pùdicum Ph.
2 **lanceolàtum** (*pu*) spear-leaved ———— 1823. .... H b
Fritillària lanceolàta Ph. *Lílium affíne* R.S.
3 **camtschatcénse**(*pu*)Camtschatka Camtschatka 1759. 5. H b Linn. trans. 10. t. 11.
Lílium Camschatcénse L.T.
4 **álbum** (*wh*) white-flowered N. America 1825. 4. H b
Fritillària álba N.

LI'LIUM L. LILY. (*li*, white; Celt.) Hexandria Monogynia.
§ 1. *Corollas campanulate; petals sessile.*
1 **cándidum** W. (*wh*) common white Levant 1596. —— H b Bot. mag. t. 278.
β striàtum (*wh.re*) *striped-flower'd*..... .... —— H b
γ spicàtum (*wh*) *monstrous-flowered* .... —— H b
δ variegàtum (*wh*) *striped-leaved* .... —— H b
ε punctàtum Hort.(*wh.pu*)*dotted* Nepaul 1835. —— H b
lanceolàtum ròseum Paxt. mag. 5. 267.
2 **peregrìnum** R.S.(*wh*) drooping-flowered Levant 1596. 6. 7. H b Swt. br. fl. gar. s. 2. t. 367.
3 **nepalénse** Wall.(*wh*) Nepaul Nepaul 1825. —— H b
4 **lancifòlium** R.S.(*wh*) spear-leaved ———— 1824. .... F b
5 **longiflòrum** R.S.(*wh*) long-flowered ———— 1819. 7. 9. F b
β suavèolens R.S.(*wh*)*one-flowered* ———— —— —— F b Bot. reg. t. 560.
6 **japónicum** R.S. (*wh*) Japan ———— 1804. —— F b Bot. mag. t. 1591.
7 **Buschiànum** B.C.(*or*) Busch's Siberia 1829. 6. H b Bot. cab. t. 1628.
sibíricum Hort.
8 **bulbíferum** R.S. (*or*) bulb-bearing Italy 1596. —— H b Bot. mag. t. 36.
β umbellàtum B.M.(*or*)*umbel-flowering* ———— —— —— H b ———— t. 1018.
9 **cróceum** R.S. (*sn*) saffron-coloured S. Europe .... —— H b Redout. liliac. t. 210.
10 **latifòlium** L.en. (*or*) broad-leaved ———— .... —— H b
11 **pubéscens** R.S. (*or*) pubescent ———— .... —— H b
12 **spectábile** F. (*or*) showy Siberian Siberia 1754. —— H b Swt. br. fl. gar. t. 75.
pensylvánicum B.M. t. 872. *daúricum* B.M. 1210. *in note.*
13 **monadélphum** B.M.(*y*)monadelphous Caucasus 1800. 6. 7. H b Bot. mag. t. 1405.
14 **Thunbergiànum** R.S. (*or.sc*)Thunberg's Japan 1834. —— H b Bot. reg. s. 3. t. 38.
auranfiacum Sbld. *bulbíferum* Th. *philadélphicum* Th.
§ 2. *Corollas campanulate; petals unguiculate.*
15 **andìnum** N. (*sc*) umbel-flowered Andes 1811. 7. 8. H b Bot. reg. t. 504.
umbellàtum Ph. *philadelphicum β andìnum* B.R.

16 philidélphicum w(*or*)Philadelphian N. America 1757. 7. 8. H b Bot. mag. t. 519.
17 Catesbæ'i w. (*sc.y*) Catesby's Carolina 1787. 7. 9. H b ——— t. 259.
§ 3. *Corollas revolute.*
18 caroliniànum M. (*ye*) Carolina ——— 1820. —— H b Bot. reg. t. 580.
19 cóncolor s.s. (*sc.or*) self-couloured Caucasus 1806. 7. 8. F b Bot. mag. t. 1165.
20 pùmilum s.s. (*sc*) dwarf Dahuria 1816. 6. 8. H b Bot. reg. t. 132.
linifòlium Horn.
21 canadénse B.M. (*ye*) Canadian N. America 1629. 7. 8. H b Bot. mag. t. 800.
β penduliflòrum R.L. *red-flowered* ——— —— —— H b Redout. lil. t. 105.
canadénse β rùbrum Bot. mag. t. 858.
22 speciòsum B.R. (*pu*) showy Japan 1833. 6. 7. H b Bot. reg. t. 2000.
supérbum Th.
β Kæmpfèri (*ro.pu*) *Kæmpfer's* ——— —— —— H b
γ Tometòmo Sbld.(*wh*)*white-flowered* ——— —— —— H b
exímium Hort.
δ punctàtum (*wh.pu*) *spotted* ——— —— —— H b
23 atrosanguíneum Sbld.(*dk.re*)dark-blood ——— 1835. 7. 8. H b
24 supérbum w. (*ye*) superb N. America 1727. 6. 8. H b Bot. mag. t. 936.
25 Mártagon w. (*va*) Turk's-cap England 1596. 6. 7. H b Eng. bot. t. 2799.
α glàbrum (*pu*) *smooth-stalked* Germany —— —— H b Bot. mag. t. 1634.
β pubéscens (*pu*) *hairy-stalked* ——— —— —— H b ——— t. 893.
γ pállidum H. (*li*) *pale-flowered* ——— —— —— H b
δ elàtum H. (*pu*) *tall* ——— —— —— H b
ε dorsipúnctum H.(*pu*) *spotted-backed* ——— —— —— H b
ζ purpùreum H.(*pu*)*purple* ——— —— —— H b
η perpurpùreum H.(*pu*)*dark-purple* ——— —— —— H b
θ ocellàre H. (*pu*) *eyed* ——— —— —— H b
ι petiolàre H. (*pu*) *petioled* ——— —— —— H b
κ purpùreo-plènum H.(*pu*)*double-purple* ——— —— —— H b
λ álbum H. (*wh*) *white-flowered* ——— —— —— H b
μ álbo-plènum (*wh*) *double white* ——— —— —— H b
26 tigrìnum B.M.(*or.bh*) tiger-spotted China 1804. 7. 9. H b Bot. mag. t. 1237.
27 corúscans Hort. (*sc*) glittering .... 8. 9. H b
28 pyrenàicum s.s. (*ye*) Pyrenean Pyrenees 1596. 6. 7. H b Redout. liliac. t. 145.
29 chalcedónicum w.(*sc*)scarlet Martagon Levant —— —— H b Bot. mag. t. 30.
30 tenuifòlium M.B.(*sc*) fine-leaved Caucasus 1820. —— H b Swt. br. fl. gar. s.2.t.275.
31 pompònium w. (*sc*) scarlet pompone Siberia 1629. 5. 6, H b Bot. mag. t. 971.
32 pulchéllum F..... pretty Dahuria 1829. .... H b

GLORIO'SA L. GLORIOSA. (*gloriosus*, glorious; flowers.) Hexandria Monogynia.
1 viréscens B.M. (*gr*) greenish-flowd. Mozambique 1822. 7. 8. S ♃ ◡ Bot. mag. t. 2539.
2 supérba L. (*or*) superb E. Indies 1690. —— S ♃ ◡ Bot. reg. t. 77.
3 símplex L. (*bl*) simple-leaved Senegal 1756. —— S ♃
Methónica gloriòsa Sal.

ERYTHRO'NIUM L. DOG'S TOOTH VIOLET. (ἐρυθρος, red; flowers.) Hexandria Monogynia.
1 Déns cànis L. (*pu*) common Europe 1596. 3. 4. H b Swt. br. fl. gar. ser. 2. t. 71.
2 longifòlium S.F.G.(*ro*)cleft-stemmed Switzerl. .... —— H b ——— s. 2. t. 76.
déns cànis B.M.
β albiflòra (*wh*) *white-flowered* ——— .... —— H b ——— s. 2. t. 76. f. b.
3 americànum B.M.(*ye*)yellow-flowered N. America 1665. 4. 5. H b Bot. mag. t. 1113.
lanceolàtum Ph.
4 álbidum N. (*wh*) white American ——— 1825. —— H b
5 grandiflòrum Ph.(*ye*)great-flowered ——— .... —— H b Bot. reg. t. 1786.
6 gigantèum B.R. .... giant ——— .... —— H b

ORDER CCLI.

MELANTHA'CEÆ. *Brown prodr.* 272.

BULBOCO'DIUM W. BULBOCO'DIUM. (βολβος, a bulb, and κωδιον, wool.) Hexand. Monog.
1 vernum s.s. (*li*) spring-flowering Spain 1629. 2. 3. H b Bot. mag. t. 153.
2 versícolor s.s.(*li.ye*) various-coloured Russia 1820. 9. 10. H b Bot. reg. t. 571.
Cólchicum versícolor B.R.

CO'LCHICUM S.S. MEADOW-SAFFRON. (plentiful in Colchis.) Hexandria Trigynia.
1 byzantìnum s.s. (*li*) broad-leaved Levant 1629. 9. 10. H b Bot. mag. t. 1122.

2	autumnàle B.B.	(li)	common	Britain	....	9.10.	H	b	Eng. bot. v. 2. t. 133.
	β álbum	(wh)	white-flowered	———	....	——	H	b	
	γ múltiplex	(li)	double-flowered	———	....	——	H	b	
3	crocifiòrum B.M.	(li)	Crocus-flowered	———	....	——	H	b	Bot. mag. 2673.
4	chionénse Haw.	pu)	Chio	Chio	....	9.	H	b	
5	variegàtum W.	(std)	chequer-flowered	Greece	1629.	8.10.	H	b	Bot. mag. t. 1028.
6	alpìnum DC.	(pu)	alpine	Apennines	1820.	8. 9.	H	b	
7	arenàrium S.S.	(li)	sand	Hungary	1816.	9.10.	H	b	W. et K. hung. 2. t. 179.
8	umbròsum F.	(li)	wood	Siberia	——	——	H	b	Bot. reg. t. 541.
9	tessellàtum Mil.	(std)	tessellated	S. Europe	1600.	8. 9.	H	b	
10	montànum S.S.	(li)	mountain	———	1818.	9.10.	H	b	

MERENDE'RA M.B. MERENDE'RA. (Spanish name of *Colchicum*.) Hexandria Trigynia.

	caucásica M.B.	(pu)	Caucasian	Caucasus	1823.	8. 9.	H	b	Bot. mag. t. 3690.

Bulbocòdium trígynum Adams.

UVULA'RIA S.S. UVULA'RIA. (a dim. of *uva*, a grape; inflorescence.) Hexand. Monogynia.

1	perfòliàta S.S.	(gr.ye)	perfoliate	N. America	1710.	5. 6.	H	♃	Sm. exot. bot. 1. t. 49.
2	flàva S.S.	(ye)	yellow-flowered	———	....	——	H	♃	——— 1. t. 50.
3	lanceolàta H.K.	(ye)	spear-leaved	———	1710.	7. 8.	H	♃	Cornut. canad. t. 41.
4	grandifiòra H.K.	(ye)	large-yellow	———	1802.	5. 6.	H	♃	Sm. exot. bot. 1. t. 51.
5	sessilifòlia S.S.	(st)	sessile-leaved	———	1790.	6.	H	♃	——— 1. t. 52.
6	pubérula S.S.	(ye)	pubescent	———	1818.	——	H	♃	Swt. br. fl. gar. s. 2. t. 21.

DI'SPORUM D.P. DI'SPORUM. (δις, twice, and πορος, a pore.) Hexandria Monogynia.

1	parvifiòrum D.P.	(ye)	small-flowered	Nepaul	1823.	6. 8.	F	♃	
2	Pitsùtum D.P.	(ye)	umbel-flowered	———	1826.	——	F	♃	
3	fúlvum Sal.	(br.pu)	brown-flowered	China	1801.	6.11.	F	♃	Bot. mag. t. 916.

Uvulària chinénsis B.M.

SCHELHAMME'RA B.P. SCHELHAMME'RA. (C. C. Schelhammer; prof. bot. Jena.) Hex. Mon.

1	undulàta B.P.	(ro)	wave-leaved	N. S. W.	1825.	6. 9.	F	♃	Bot. mag. t. 2712.
2	multifiòra B.P.	(bh)	many-flowered	———	1826.	——	F	♃	Lodd. bot. cab. t. 1511.

BURCHA'RDIA B.P. BURCHA'RDIA. (Henr. Burchard, a Germ. bot.) Hexandria Monogynia.

	umbellàta B.P.	(wh)	umbel-flowered	N. S. W.	1825.	6. 8.	F	♃	

ANGUILLA'RIA B.P. ANGUILLA'RIA. (Anguillari, an Italian bot.) Hexandria Trigynia.

1	dioíca B.P.	(br)	dioecious	N. S. W.	1826.	....	F	♃	
2	biglandulòsa B.P.	(br)	two-glanded	———	1822.	6. 8.	F	♃	
3	índica B.P.	(d.pu)	Indian	E. Indies	——	——	F	♃	

Melánthium índicum L.

ORNITHOGLO'SSUM S.S. BIRD'S-TONGUE. (ορνιθος, a bird, and γλωσσα, a tongue.) Hex. Tr.

1	undulàtum B.F.G.	(g.pu)	wave-leaved	C. B. S.	1825.	8.10.	F	b	Swt. br. fl. gar. t. 131.
2	víride S.S.	(gr.br)	green-flowered	———	1788.	10.11.	F	b	Sal. par. lond. t. 54.

Melánthium víride Bot. mag. t. 994.

ANDROCY'MBIUM W. ANDROCY'MBIUM. (ανηρ, an anther, and κυμβιον, a saucer.) Hex. Tri.

1	melanthioìdes S.S.	(gr)	narrow-leaved	C. B. S.	1825.	8.10.	F	b	
2	eucomoìdes S.S.	(gr)	Tulip-leaved	———	1794.	3. 5.	F	b	Swt. br. fl. gar. t. 165.

Melánthium eucomoìdes B.M. 641.

3	volutàre B.T	(gr)	rolled-leaved	———	1816.	——	F	b	

MELA'NTHIUM W. MELA'NTHIUM. (μελας, black, and ανθος, a flower.) Hexandria Trigynia.

1	júnceum W.	(li)	Rush-leaved	C. B. S.	1788.	6.11.	F	b	Bot. mag. t. 558.
2	secúndum W.	(wh)	side-flowering	———	1812.	——	F	b	Lam. ill. t. 269. f. 2.
3	capénse W.	(wh)	spotted-flowd.	———	1768.	5. 6.	F	b	
4	ciliàtum W.	(wh)	fringed	———	1825.	——	F	b	
5	gramíneum S.S.	(wh)	grassy	Barbary	1823.	——	F	b	Cavan. icon. t. 587. f. 1.
6	phalangioìdes W.	(wh)	phalangium-like	Carolina	1810.	6. 7.	H	b	Jacq. ic. 2. t. 419.

PLEE'A Mx. PLEE'A. (πληιας, the seven stars; flowers.) Enneandria Trigynia.

	tenuifòlia Mx.	(br)	slender-leaved	Carolina	1812.	5. 8.	F	♃	Bot. mag. t. 1956.

KO'LBEA R.S. KO'LBEA. (from the name of some botanist.) Hexandria Trigynia.

	Breyniàna R.S.	(ye)	Breynius's	C. B. S.	1787.	6. 7.	F	b	Bot. mag. t. 767.

Melánthium uniflòrum W.

WU'RMBEA W. WU'RMBEA. (F. de Wurmb, a patron of nat. hist.) Hexand. Trigyn.

1	campanulàta W.	(wh)	bell-flowered	C. B. S.	1788.	5. 6.	F	b	Bot. mag. t. 1291.

Melánthium monopétalum B.M.

2	purpùrea H.K.	(pu)	purple	———	——	——	F	b	Bot. mag. t. 694.

Melánthium spicàtum B.M. *Wúrmbea capénsis* Andr. reposit. t. 221.

3	pùmila W.	(wh)	dwarf	C. B. S.	1800.	5. 6.	F	b	
4	longifiòra W.	(wh)	long-flowered	———	——	——	F	b	

TOFIE'LDIA L.T. TOFIE'LDIA. (Mr. Tofield, a friend of Hudson's.) Hexandria Trigynia.

1	palústris L.T.	(st)	Scotch	Britain	....	7. 8.	H	♃	Eng. bot. v. 8. t. 536.
2	racemòsa Hop.	(st)	racemed	Germany	1827.	——	H	♃	
3	alpìna L.T.	(st)	Alpine	Europe	....	7. 8.	H	♃	Redout. lil. t. 256.

palústris DC.

4 pùbens L.T. (*st*) downy N. America 1790. 4. 5. H ♃ Pluk.mant.29.t.342.f.3.
5 glutinòsa L.T. (*ye*) glutinous ——— 1827. —— H ♃ Linn.trans.v.12.t.8.f.2.

XEROPHY'LLUM M. XEROPHY'LLUM. (*ξηρος*, dry, and *φυλλον*, a leaf.) Hexand. Monog.
1 gramíneum s.s. (*wh*) grass-leaved N. America 1812. 5. 6. H ♃ Bot. mag. t. 1599.
Helònias gramínea B.M.
2 tènax s.s. (*wh*) tough-leaved ——— 1811. —— H ♃ Pursh. amer. 1. t. 9.
3 asphodeloìdes s.s.(*wh*)Asphodel-like ——— 1765. —— H ♃ Bot. mag. t. 748.
Helònias asphodeloìdes B.M.
4 Sabadílla D.Don.(*wh*) Sabadilla Vera Cruz 1830. .... S ♃ Hern. mex. t. 37.
Veràtrum Sabadílla Retz. obs. bot.
5 setifòlium B.R. (*wh*) bristle-leaved N. America .... 5. 6. H ♃ Bot. reg. t. 1613.

HELO'NIAS W. HELO'NIAS. (*ἑλος*, a marsh; habitat.) Hexandria Trigynia.
bullàta W. (*pu*) broad-leaved N. America 1758. 4. 5. H ♃ Bot. mag. t. 747.
latifòlia M.

ZIGADE'NUS M. ZIGADE'NUS. (*ζυγος*, a yoke, and *αδην*, a gland.) Hexand. Monog.
1 glabérrimus W. (*wh*) smooth-leaved N. America 1811. 5. 6. H ♃ Bot. mag. t. 1703.
Helònias bracteàtus B.M. 1703.
2 élegans Ph. (*wh*) elegant ——— 1828. 5. 6. H ♃
3 glaúcus B.R. (*gr.wh*) glaucous Canada 1836. —— H ♃ Bot. reg. s. 2. t. 67.
commutàtus R.S. *Helònias glabérrimus* B.M. 1680.

NOLI'NA M. NOLI'NA. (P. C. Nolin, an American bot.) Hexandria Trigynia.
georgiàna M. (*wh*) Georgian Georgia 1812. 7. 8. H ♃ Pluk. mant. t. 342. f. 1.

LEIMA'NTHIUM W. LEIMA'NTHIUM. (*λειμων*, a meadow, and *ανθος*, a flower.) Polyg. Mon.
1 virgínicum W. (*wh*) Virginian N. America 1768. 6. 7. H ♃ Bot. mag. t. 985.
Helònias virgínica B.M. *Melánthium virgínicum* Ph.
2 monoícum (*wh*) monoecious ——— 1817. —— H ♃
Melánthium monoícum Ph.
3 hy'bridum (*wh*) hybrid ——— 1822. —— H ♃
Melánthium hy'bridum Ph. *racemòsum* M.

AMIA'NTHIUM Gray. AMIA'NTHIUM. (*αμιαντος*, pure.) Hexandria Trigynia.
1 muscatóxicum Gray(*wh*)channel-ld. N. America 1770. 6. H ♃ Bot. mag. t. 803.
Helònias læ'ta B.M. *Melánthium læ'ta* W.
2 angustifòlium Gray.(*wh*)narrow-leaved——— 1812. 6. H ♃ Bot. mag. t. 1540.

PELIOSA'NTHES A.R. PELIOSA'NTHES. (*πελιος*, livid, and *ανθος*, a flower.) Hexand. Monog.
1 hùmilis A.R. (*gr*) small E. Indies 1809. 5. 6. S ♃ Bot. mag. t. 1532.
2 Tèta A.R. (*gr*) large ——— 1807. 4. S ♃ ——— t. 1302.

CYMA'TION S.S. CYMA'TION. (*κυματιον*, a small wave; petals.) Hexandria Monogynia.
lævigàtum S.S. (*bl*) smooth C. B. S. 1824. 4. 5. G b
Lichtensteínia lævigàta W.

ASAGRÆ'A B.R. ASAGRÆ'A. (Dr. Asa Gray, a North American bot.) Hexan. Trigyn.
officinàlis B.R. (*wh*) officinal Mexico 1837. 6. 8. G ♃ Bot. reg. s. 3. t. 33.
Veràtrum officinàle L. *Sabadílla* Hort.

VERA'TRUM L. WHITE HELLEBORE. (*Vere-atrum*, truly black; roots.) Polyg. Monoec.
1 nìgrum W. (*d.pu*) dark-flowered Siberia 1596. 6. 7. H ♃ Bot. mag. t. 963.
2 álbum W. (*wh*) white-flowered S. Europe 1548. 6. 8. H ♃ Flor. dan. t. 1120.
3 Lobeliànum W.en(*wh*)Lobel's ——— 1818. —— H ♃
4 víride W. (*gr*) green-flowered N. America 1742. 7. 8. H ♃ Bot. mag. t. 1096.
5 parviflòrum M. (*gr*) small-flowered ——— 1809. —— H ♃
6 angustifòlium Ph.(*gr*)narrow-leaved ——— 1823. —— H ♃

CHAMÆLI'RIUM W. CHAMÆLI'RIUM. (*χαμαι*, on the ground, and *λειριον*, a lily.) Diœc. Hex.
caroliniànum W. (*st*) spiked-flowered N. America 1759. 7. 8. H ♃ Bot. mag. t. 1062.
Helònias lùtea B.M. *dioíca* Ph. *Ophyóstachys virgínica* Redout. liliac. t. 464.

ORDER CCLII.

PONTEDE'REÆ. *Kth. synops.* 1. *p.* 273.

PONTEDE'RIA L. PONTEDE'RIA. (J. Pontedera, an Italian naturalist.) Hexand. Monogy.
1 cordàta S.S. (*bl*) heart-leaved N. America 1759. 6. 8. H *w* ♃ Bot. mag. t. 1156.
2 azùrea S.S. (*pu*) large-flowered Jamaica 1822. —— S *w* ♃ ——— t. 2932.
3 lanceolàta S.S. (*bl*) lanceolate Carolina .... 8. 9. G *w* ♃ Lodd. bot. cab. t. 613.
4 angustifòlia S.S. (*bl*) narrow-leaved N. America 1806. 6. 8. H *w* ♃

5 crássipes s.s.	(*bl*)	thick-footstalked	Brazil	1822.	6. 8.	S *w* ♃	Mart. n. pl. bras. t. 4.
6 dilatàta s.s.	(*bl*)	spreading.	E. Indies	1806.	5.	S *w* ♃	Andr. reposit. t. 490.

HETERANTHE'RA R.S. HETERANTHE'RA. (ἕτερος, variable, and ἀνθηρα, an anther.) Trian. Mono.

1 reniformis R.S.	(*wh*)	kidney-leaved	S. America	1812.	6. 7.	G *w* ♃	Flor. per. 1. t. 71. f. a.
2 acùta W.	(*wh*)	acute-leaved	N. America	——	——	H *w* ♃	
3 limòsa R.S.	(*bl*)	oval-leaved	W. Indies	1822.	——	S *w* ♃	Mich. amer. 1. t. 5. f. 1.

LEPTA'NTHUS M. LEPTA'NTHUS. (λεπτος, slender, and ανθος, a flower.) Triandria Monogynia.

gramíneus M.	(*ye*)	grass-like	N. America	1823.	7. 8.	H *w* ♃	Hook. ex. flor. t. 94.

Heteranthèra graminea Ph. *Schóllera graminifòlia* W.

ORDER CCLIII.

COMMELINEÆ. *Brown prodr.* 1. *p.* 268.

DICHORISA'NDRA S.S. DICHORISA'NDRA. (δις, twice, χωριζω, to part, and ανηρ, a male.) Hex. Mon.

1 thyrsifòra S.S.	(*bl*)	bunch-flowered	Brazil	1820.	8.10.	S ♄	Bot. reg. t. 682.
2 grácilis S.S.	(*bl*)	slender	——	1824.	——	S ♄	
3 oxypétala B.M.	(*pu*)	sharp-flowered	——	1825.	6. 9.	S ♃	Bot. mag. t. 2721.
4 pubérula S.S.	(*bl*)	pubescent	——	——	——	S ♃	

CAMPE'LIA K.S. CAMPE'LIA. (καμπη, a bending, and ηλιος, the sun.) Hexandria Monogynia.

Zanònia K.S.	(*wh*)	Gentian-leaved	S. America	1759.	7.12.	S ♃	Redout. lil. 4. t. 192.

Commelìna Zanònia R.L. *Tradescántia Zanònia* W. *Zanònia bibractèata* Cram.

TRADESCA'NTIA L. SPIDERWORT. (John Tradescant, an English bot.) Hexandria Monogynia.

§ 1. *Peduncles-one flowered.*

1 fuscàta S.S.	(*bl*)	rusty	S. America	1820.	8.12.	S ♃	Bot. reg. t. 482.
2 malabárica S.S.	(*pu*)	Grass-leaved	E. Indies	1776.	7. 8.	S ♃	Rheed. mal. 9. t. 63.

§ 2. *Flowers almost sessile, glomerate, involucrated.*

3 tuberòsa S.S.	(*bl*)	tuberous-rooted	E. Indies	1817.	——	S ♃	
4 speciòsa S.S.	(*pu*)	handsome	Mexico	1825.	——	S ♃	
5 discolor S.S.	(*wh*)	purple-leaved	S. America	1783.	4. 9.	S ♄	Bot. mag. t. 1192.
6 cordifòlia S.S.	(*pu*)	heart-leaved	Jamaica	1822.	——	S ☉	
7 erécta S.S.	(*bl*)	upright	Mexico	1794.	7. 8.	H ☉	Bot. mag. t. 1340.
8 undàta S.S.	(*vi*)	wave-leaved	S. America	1817.	8.10.	H ☉	Bot. reg. t. 1403.

§ 3. *Peduncles racemosely umbellate.*

9 diurética M.P.	(*bl*)	diuretic	Brazil	1825.	6. 8.	S ♃	
10 pulchélla S.S.	(*pu*)	pretty	Mexico	——	8.10.	G ♃	
11 crassifòlia S.S.	(*pu*)	thick-leaved	——	1796.	7.10.	H ♃	Bot. mag. t. 1598.
12 subáspera S.S.	(*bl*)	Lyon's	N. America	1812.	5.10.	H ♃	—— t. 1597.
13 virgínica S.S.	(*bl*)	Virginian	——	1629.	5. 8.	H ♃	Park. parad. t. 151. f. 4.
α cœrùlea	(*bl*)	*blue-flowered*	——	——	——	H ♃	Bot. mag. t. 105.
β rùbra	(*re*)	*red-flowered*	——	——	——	H ♃	
γ álbida	(*wh*)	*whitish-flowered*	——	——	——	H ♃	
δ nívea	(*wh*)	*snowy white*	——	1824.	——	H ♃	
ε pilòsa B.R.	(*bl*)	*hairy*	——	1827.	——	H ♃	Bot. reg. t. 1055.
14 pilòsa Lehm.	(*pu*)	hairy	Louisiana	1832.	——	H ♃	Bot. mag. t. 3291.
15 congésta H.E.	(*bl*)	close-flowered	N. America	1825.	——	H ♃	Bot. gard. t. 363.
16 ròsea S.S.	(*ro*)	rose-coloured	Carolina	1802.	5.10.	H ♃	Swt. br. fl. gar. t. 181.
17 multifòra S.S.	(*wh*)	many-flowered	Jamaica	1824.	——	S ♃	
18 crássula B.M.	(*wh*)	white-flowered	Brazil	1826.	12.1.	S ♃	Bot. mag. t. 2935.
19 procúmbens S.S.	(*wh*)	procumbent	Caracas	1823.	——	S ♃	Jacq. ic. 2. t. 355.
multifòra Jacq. *non* W.							
20 parvifòra S.S.	(*bl*)	small-flowered	Peru	1822.	——	H ♃	Flor. per. 3. t. 272. f. 2.
21 latifòlia S.S.	(*vi*)	broad-leaved	Lima	1820.	9.11.	H ☉	——— 3. t. 272.
22 caricifòlia B.M.	(*pu*)	Carex-leaved	Texas	1834.	5. 8.	H ♃	Bot. mag. t. 3546.
23 elàta B.C.	(*bl*)	tall	N. America	1825.	6. 7.	H ♃	Lodd. bot. cab. t. 1513.

§ 4. *Flowers panicled.*

24 divaricàta S.S.	(*bl*)	spreading	Trinidad	1820.	5. 8.	S ♃	Aub. gui. 1. t. 12.
25 geniculàta S.S.	(*wh*)	knotted	W. Indies	1783.	7. 8.	S ♃	Jacq. amer. t. 64.
26 paniculàta S.S.	(*bl*)	panicled	E. Indies	1824.	——	S ☉	
27 iridéscens B.R.	(*pu*)	iridescent	Mexico	1837.	6. 7.	F ♃	

CYANO'TIS D.P. CYANO'TIS. (κυανος, blue, and ους, an ear.) Hexandria Monogynia.

1 axillàris D.P.	(*bl*) axil-flowered	E. Indies	1822.	8.10.	S	⊙		Rheed. mal. 10. t. 13.
2 cristàta D.P.	(*bl*) crest-bunched	Ceylon	1770.	7. 9.	S	⊙		Bot. mag. t. 1435.
Tradescántia cristàta B.M.								
3 barbàta D.P.	(*bl*) bearded	Nepaul	1824.	——	H	⊙		

CARTONE'MA B.P. CARTONE'MA. (*καρτος*, strong, and *νημα*, a filament.) Hexandria Monogynia.

spicàtum B.P.	(*ye*) spiked	N.Holland	1822.	7. 8.	S	♃		

CALLI'SIA L. CALLI'SIA. (*καλλος*, beautiful.) Triandria Monogynia.

rèpens L.	(*gr*) creeping	W. Indies	1776.	6. 7.	S	♃		Jacq. amer t. 11.

ANEILE'MA B.P. ANEILE'MA. (*ανειλεω*, to involve; flowers.) Triandria Monogynia.

1 biflòra B.P.	(*bl*) two-flowered	N. S. W.	1820.	7. 8.	F	♃		
2 acuminàta B.P.	(*bl*) sharp-pointed	———	1822.	——	F	♃		
3 longifòlia H.E.F.	(*bl*) long-leaved	Zanzibar	1823.	8. 9.	S	♃		Hook. ex. flor. t. 204.
4 sínica B.R.	(*bl*) Chinese	China	1820.	5. 6.	G	♃		Bot. reg. t. 659.
5 nudiflòra B.P.	(*bl.pu*) naked-flowered	E. Indies	——	8.10.	S	⊙		Rheed. mal. 9. t. 63.
6 spiràta B.P.	(*bl*) spear-leaved	———	1783.	7. 8.	S	⊙		
Commelina spiràta L.								
7 affìnis B.P.	(*bl*) rough-angled	N. S. W.	1825.	——	F	♃		

COMMELI'NA B.P. COMMELI'NA. (Caspar and John Commelin, Dutch bot.) Triand. Monogy.

1 angustifòlia R.S.	(*bl*) narrow-leaved	Carolina	1812.	7. 8.	F	♃		
2 truncàta R.S.	(*pa.bl*) truncate-bracted	———	1822.	7. 9.	H	♃		
3 cucullàta H.C.	(*bl*) hooded	Brazil	1825.	6. 9.	G	⊙		
4 caripénsis K.S.	(*bl*) rough-leaved	Trinidad	1826.	6. 8.	S	♃		
5 grácilis P.M.	(*bl*) slender	Lima	1830.	——	G	♃		Bot. mag. t. 3047.
6 cyànea B.P.	(*bl*) bright-blue	N. S. W.	1820.	7. 9.	F	♃		
7 dianthifòlia DC.	(*bl*) Pink-leaved	.....	1816.	——	S	♃		Redout. lil. 7. t. 390.
8 longicaúlis R.S.	(*bl*) long-stalked	Caracas	1806.	8.	S	♃		Jacq. ic. 2. t. 294.
9 hirtélla R.S.	(*bl*) hairy	N. America	1820.	7. 8.	H	♃		
10 virgínica R.S.	(*bl*) Virginian	———	1779.	——	H	♃		Pluk. alm. t. 174. f. 4.
11 africàna R.S.	(*ye*) yellow-flowered	C. B. S.	1759.	5.10.	G	♃		Bot. mag. t. 1431.
12 fasciculàta R.S.	(*bl*) woolly-tubered	Lima	1817.	——	H	♃		Flor. per. 1. t. 72. f. b.
13 commùnis R.S.	(*bl*) common	America	1732.	6. 7.	H	⊙		Redout. lil. 4. t. 206.
14 orchioìdes R.R.	(*bl*) orchis-like	Mexico	1837.	5. 6.	F	♃		
15 poly'gama R.S.	(*bl*) polygamous	Japan	....	6. 7.	H	♃		Kæmpf. am. p. 888. ic.
16 caroliniàna R.S.	(*bl*) Carolina	Carolina	....	——	H	♃		
17 dùbia R.S.	(*bl*) dubious	.....	1819.	7. 9.	H	♃		Redout. lil. 6. t. 359.
18 undulàta L.C.	(*bl*) wave-leaved	Mexico	1826.	5. 9.	H	♃		Lodd. bot. cab. t. 1553.
19 tuberòsa R.S.	(*bl*) tuberous-rooted	———	1732.	7. 9.	H	♃		Andr. reposit. t. 399.
20 cœléstis R.S.	(*bl*) sky-blue	.....	1813.	7.10.	H	♃		Swt. br. fl. gar. t. 3.
21 pállida R.S.	(*bl*) pale-flowered	Mexico	1822.	——	H	♃		Willd. hort. ber. 2. t. 87.
rùbens Redoute liliac. 7. t. 367.								
22 turbinàta R.S.	(*bl*) top-shaped	Santa Cruz	1824.	——	S	♃		
23 obliqua R.S.	(*bl*) oblique-leaved	S. America	1827.	——	S	♃		
24 erécta R.S.	(*bl*) upright	Virginia	1732.	8. 9.	H	♃		Dill. elt. 94. t. 77. f. 88.
25 móllis R.S.	(*bl*) soft	Caracas	1804.	——	H	♃		Jacq. ic. 2. t. 293.
26 bengalénsis R.S.	(*bl*) Bengal	Bengal	1794.	6.	S	♃		Burm. ind. t. 7. f. 3.
27 parviflòra L.en.	(*bl*) small-flowered	.....	1823.	——	S	♃		
28 defíciens B.M.	(*bl*) deficient	Brazil	1825.	11.12.	S	♃		Bot. mag. t. 2644.
29 clandestìna Mart.	(*bl*) clandestine	———	1832.	6. 7.	S	♃		

ORDER CCLIV.

PALMÆ. *Brown prodr. p.* 266.

CHAMÆDO'REA W. CHAMÆDO'REA. (*χαμαι*, on the ground, and *δωρεα*, a gift.) Diœc. Hexand.

1 grácilis W.	(*st*) slender	Caracas	1803.	....	S	♄		Jacq. schœn. 2. t. 247-8.
2 frágrans M.P.	(*st*) fragrant	Peru	1823.	....	....			Martius Palm. ic.

SA'BAL P.S. SA'BAL. (etymology unknown.) Hexandria Trigynia.

1 Adansòni B.M.	(*st*) dwarf	Florida	1810.	6. 8.	S	♃		Bot. mag. t. 1434.
Córypha minor Jacq. vind. 3. t. 8. *Chamæ'rops acaúlis* M.								
2 Palmétta L.C.	(*st*) small	Georgia	1825.	....	S	♃		
3 Blackburniàna L.C.	(*st*) Blackburn's	S. America	1824.	....	S	♃		
4 graminifòlia L.C.	(*st*) grass-leaved	———	1822.	....	S	♃		
5 umbraculífera L.C.	(*st*) umbrella	———	——	....	S	♃		

RHA'PIS W.	RHA'PIS. (ραφις, a needle; awns of corolla.) Polygamia Monœcia.						
1 flabellifórmis W.	(st)	creeping-rooted	China	1774. 8.	S	♃	Bot. mag. t. 1371.
2 arundinàcea W.	(st)	simple-leaved	Carolina	1765. 9.	G	♄	
CHAMÆ'ROPS W.	CHAMÆ'ROPS. (χαμαι, on the ground, and ρωψ, a branch.) Polyga. Diœc.						
1 excélsa L.C.	(st)	tall	Nepaul	1822.	S	♄	
2 grácilis L.C.	(st)	slender	S. America	——	S	♄	
3 guianénsis L.C.	(st)	Guiana	Guiana	1824.	S	♄	
4 hùmilis S.S.	(st)	dwarf fan palm	S. Europe	1731. 2. 3	G	♄	Andr. reposit. t. 599.
5 serrulàta S.S.	(st)	saw-leaved	N. America	1809.	G	♄	
6 Hy'strix S.S.	(st)	Porcupine	Georgia	1801.	G	♄	
7 Palmétto S.S.	(st)	smooth-stemm'd	Carolina	1809.	G	♄	
LIVISTO'NA B.P.	LIVISTO'NA. (P. Murray of Levistone, near Edinburgh.) Hexand. Monogy.						
1 inérmis B.P.	(st)	spineless	N. Holland	1823.	S	♄	
2 hùmilis B.P.	(st)	dwarf spiny	———	——	S	♄	
LODOI'CEA S.S.	DOUBLE COCOA-NUT. (etymology uncertain.) Diœcia Monadelphia.						
Sechellàrum B.M.	(st)	Seychelle's Isl.	Seychelle's Isl.	1827.	S	♄	Bot. mag. t. 2734-2738.
LATA'NIA W.	LATA'NIA. (*Latanier*, Indian name of palms.) Diœcia Monadelphia.						
1 rùbra W.	(st)	red	Mauritius	1788.	S	♄	Jacq. frag. 1. t. 8.
2 glaucophy'lla L.C.	(st.)	glaucous-leaved	———	1821.	S	♄	
3 borbónica W.	(st)	Bourbon	Bourbon	——	S	♄	Jacq, frag. t. 11.
chinénsis Jacq. *Livistònæ species?* B.P.							
CO'RYPHA L.	FAN-PALM. (κορυφη, a head; leaves.) Hexandria Monogynia.						
1 austràlis B.P.	(st)	New Holland	N. S. W.	1822.	S	♄	
2 elàta H.B.	(st)	tall	E. Indies	1820.	S	♄	
3 glaucéscens L.C.	(st)	glaucescent	———	——	S	♄	
4 tectòrum H.B.	(st)	roof	W. Indies	1825.	S	♄	
5 Pùmos H.B.	(st)	Pumos	Cuba	1824.	S	♄	
6 umbraculífera W.	(st)	great	E. Indies	1742.	S	♄	Rheed. mal. 3. t. 1-12.
7 U'tan S.S.	(st)	Molucca	———	1822.	S	♄	
TALIE'RA S.S.	TALIE'RIA. (vernacular name.) Hexandria Monogynia.						
bengalénsis S.S.	(st)	Bengal	E. Indies	1822.	S	♄	
Córypha Talièra H.B.							
PHŒ'NIX W.	DATE PALM. (φοινιξ, name of Date-palm.) Diœcia Hexandria.						
1 dactylífera W.	(st)	common	Levant	1597.	G	♄	Kæmpf. am. 686. t. 1. 2.
2 sylvéstris H.B.	(st)	wood	E. Indies	1820.	S	♄	
3 paludòsa H.B.	(st)	marsh	———	——	S	♄	
4 reclinàta W.	(st)	reclining	C. B. S.	1792.	G	♄	Jacq. frag. 1. t. 24.
5 farinífera W.	(st)	small	E. Indies	1800.	S	♄	Roxb. corom. 1. t. 74.
6 acaúlis S.S.	(st)	stalkless	———	1820.	S	♃	
7 leonénsis L.C.	(st)	African	Sierra Leon.	——	S	♄	
8 pygmæ'a L.C.	(st)	pigmy	.....	——	S	♃	
SA'GUS W.	SAGO PALM. (Malay name for palms.) Monœcia Hexandria.						
1 Rúmphii W.	(st)	Rumphius's	E. Indies	1800.	S	♄	Rumph. amb. 1. t. 17. 18.
2 vinífera P.S.	(st)	prickly-leaved	Africa	1820.	S	♄	Beauv. fl. d'ow. t. 45.
3 Rúffia W.	(st)	Madagascar	Madagascar	——	S	♄	Jacq. frag. p. 7. t. 4. f. 2.
4 pedunculàta Poir.	(st)	peduncled	———	——	S	♄	
HYPHÆ'NE G.	HYPHÆ'NE. (ὑφαινω, to entwine.) Diœcia Hexandria.						
coriàcea G.	(st)	leathery	Egypt	1822.	S	♄	
Cucífera thebàica Del.							
ARE'CA W.	CABBAGE-TREE. (areec, the name of the tree in Malabar.) Mon. Monadel.						
1 Cátechu W.	(st)	medicinal	E. Indies	1690.	S	♄	Roxb. corom. 1. t. 75.
2 hùmilis W.	(st)	dwarf	———	1814.	S	♄	Rumph. amb. 1. t. 7.
3 rùbra W.	(st)	red	Isl. France	1823.	S	♄	
4 crinìta W.	(st)	hairy	———	1819.	S	♄	
5 oleràcea W.	(st)	esculent	W. Indies	1656.	S	♄	Jacq. amer. t. 170.
6 triándra H.B.	(st)	three-anthered	E. Indies	1819.	S	♄	
7 lutéscens W.	(st)	yellowish	Mauritius	——	S	♄	
8 exìlis L.C.	(st)	slender	.....	1822.	S	♄	
9 Mánicot L.C.	(st)	Manicot	.....	——	S	♄	
10 montàna L.C.	(st)	mountain	.....	1819.	S	♄	
ŒNOCA'RPUS M.P.	ŒNOCA'RPUS. (οινος, wine, and καρπος, a fruit.) Monœcia Hexandria.						
Bataúa M.P.	(st)	American	S. America	1822.	S	♄	Martius. palm. ic.
EUTE'RPE G.	EUTE'RPE. (ευτερπης, pleasing.) Polygamia Monœcia.						
1 globòsa G.	(st)	globular	E. Indies	1819.	S	♄	
Arèca spicàta Lam.							
2 pisífera G.	(st)	Pea-bearing	———	——	S	♄	
WALLI'CHIA S.S.	WALLI'CHIA. (N. Wallich, Ph. D., sup. bot. gard. Calcutta.) Polyg. Mon.						
caryotoìdes S.S.	(st)	Caryota-like	E. Indies	1818.	S	♄	Roxb. corom. ic.

ELA'IS W. OILY-PALM. (ελαια, an olive; oily.) Diœcia Hexandria.

1	guineénsis W.	(st) Guinea	Guinea	1730.	....	S	♄	Jacq. amer. t. 172.
2	melanocócca G.	(st) black-fruited	S. America	1820.	....	S	♄	
3	pernambucàna L.C.	(st) Pernambuca	———	——	....	S	♄	
4	spectábilis H.C.	showy	E. Indies	1831.	....	S	♄	
5	occidentalis W.	(st) western	Jamaica	1820.	....	S	♄	

SY'AGRUS M.P. SY'AGRUS. (Syagrus, who first wrote the Trojan war in verse.) Pol. Mon.

	cocoìdes M.P.	(st) Cocoa-like	Brazil	1823.	....	S	♄	Mart. palm. ic.

E'LATE W. E'LATE. (a name used by the Greeks.) Monœcia Hexandria.

	sylvéstris W.	(st) prickly-leaved	E. Indies	1763.	4. 6.	S	♄	Rheed. mal. 3. t. 22-25.

ACROCO'MIA M.P. ACROCO'MIA. (ακρος, the summit, and κομη, a tuft; leaves.) Mon. Hexa.

1	sclerocárpa M.P.	(st) dry-fruited	Brazil	1822.	....	S	♄	Mart. palm. ic.
2	aculeàta L.C.	(st) prickly	W. Indies	1796.	....	S	♄	Jacq. amer. 278. t. 169.
	Cócos aculeàta W.							
3	fusifórmis	(st) great Macaw-tree	W. Indies	1731.	....	S	♄	
	Cócos fusifórmis W.							
4	mìnor L.C.	(st) lesser	S. America	1823.	....	S	♄	
5	globòsa L.C.	(st) globose	St. Vincent	1824.	....	S	♄	
6	guianénsis L.C.	(st) Guiana	Demerara	——	....	S	♄	
7	hórrida L.C.	(st) horrid	Trinidad	——	....	S	♄	
8	tenuifòlia L.C.	(st) thin-leaved	Brazil	——	....	S	♄	

CO'COS W. COCOA-NUT-TREE. (coco, monkey in Port.; face on end of nut.) Monœ Hexand.

1	nucífera W.	(st) common	E. Indies	1690.	....	S	♄	Roxb. corom. 1. t. 73.
2	flexuòsa M.P.	(st) flexuose	Brazil	1823.	....	S	♄	Mart. palm. ic.
3	plumòsa L.C.	(st) feathered	W. Indies	——	....	S	♄	

MAXIMILIA'NA M.P. MAXIMILIA'NA. (Maximilian, Prince Weid Neuweid.) Polyga. Monœcia.

	règia M.P.	(st) membranous-fid	Brazil	1822.	....	S	♄	Mart. palm. ic.

THRI'NAX W. THRI'NAX. (θρινακ, a fan; leaves.) Hexandria Monogynia.

	parviflòra W.	(st) small	Jamaica	1778.	....	S	♄	

ASTROCA'RYUM M.P. ASTROCA'RYUM. (αστρον, a star, and καρυον, a nut.) Monœcia Hexandria.

1	acaúle M.P.	(st) stalkless	Brazil	1823.	....	S	♃	Mart. palm. ic.
2	campéstre M.P.	(st) field	———	1824.	....	S	♄	——— ic.
3	aculeàtum S.S.	(st) prickly	Guiana	——	....	S	♄	
4	vulgàre M.P.	(st) common	Brazil	1823.	....	S	♄	Mart. palm. ic.
5	Murumùru M.P.	(st) tall	———	——	....	S	♄	——— ic.

GEO'NOMA W. GEO'NOMA. (γεωνομος, skilled in agriculture; propagation.) Diœcia Hexan.

1	simplícifrons W.	(st) simple-fronded	S. America	1823.	....	S	♃	
2	macróstachys M.P.	(st) large-spiked	———	——	....	S	♃	Mart. palm. ic.
3	acaúlis M.P.	(st) stalkless	Brazil	1822.	....	S	♃	——— ic.
4	pinnátifrons W.	(st) pinnated	S. America	——	....	S	♃	
5	Schottiàna L.C.	(st) Schott's	Brazil	——	....	S	♃	
6	Spixiàna M.P.	(st) Spix's	———	1824.	....	S	♃	Mart. palm. ic.

MAURI'TIA L. MAURI'TIA. (Prince Maurice of Nassau.) Diœcia Hexandria.

1	flexuòsa W.	(st) flexuose	W. Indies	1819.	....	S	♄	
2	armàta M.P.	(st) spiny	Brazil	1822.	....	S	♄	Mart. palm. ic.
3	vinífera M.P.	(st) straight-stem'd	———	——	....	S	♄	——— ic.

LICUA'LA W. LICUA'LA. (name in Mollucas.) Hexandria Monogynia.

1	spinòsa W.	(st) spiny	E. Indies	1802.	....	S	♄	Rumph. amb. 1. t. 9.
2	peltàta H.B.	(st) peltate	———	1819.	....	S	♄	

CA'LAMUS W. CA'LAMUS. (καλαμος, a reed; stems.) Hexandria Monogynia.

1	vèrus S.S.	(st) true	E. Indies	1820.	....	S	♄	Rumph. amb. 5. t. 54.
2	nìger S.S.	(st) black	———	——	....	S	♄	——— 5. t. 52.
3	rudéntum S.S.	(st) common	China	1812.	....	S	♄	
4	Zalácca S.S.	(st) Java	E. Indies	——	....	S	♄	Gært. fr. 2. t. 139. f. 2.
5	álbus P.S.	(st) common	———	——	....	S	♄	Rumph. amb. 5. f. 52.
6	Dràco S.S.	(st) Dragon	———	1819.	....	S	♄	——— 5. t. 58. f. 1.

SEAFO'RTHIA B.P. SEAFO'RTHIA. (Francis Lord Seaforth, bot. patron.) Polygamia Monœcia.

	élegans B.P.	(st) elegant.	N. Holland	1822.	....	S	♄	

CARYO'TA W. CARYO'TA. (Greek name of cultivated date.) Monœcia Polyandria.

1	ùrens W.	(st) torn-leaved	E. Indies	1788.	....	S	♄	Rheed. mal. 1. t. 11.
2	hórrida W.	(st) horrid	S. America	1820.	....	S	♄	
3	mìtis Lour.	(st) mild	China	1820.	....	G	♄	

DIPLOTHE'MIUM M.P. DIPLOTHE'MIUM. (διπλοος, doubled, and θημα, spath.) Polyga. Monœc.

1	marítimum M.P.	(st) sea-side	Brazil	1823.	....	S	♃	Mart. palm. ic.
2	campéstre M.P.	(st) field	———	——	....	S	♃	——— ic.

ATTA'LEA K.S. ATTA'LEA. (attalus, magnificent.) Monœcia Polyandria.

1	hùmilis M.P.	(st) dwarf	Brazil	1823.	....	S	♄	Mart. palm. ic.
2	cómpta M.P.	(st) decked	———	——	....	S	♄	——— ic.

3 fenífera M.P.	(st) rope-bearing	Brazil	1823.	....	S	♄	Mart. palm. ic.
4 excélsa M.P.	(st) lofty	———	——	....	S	♄	——— ic.
5 speciòsa M.P.	(st) handsome	———	1824.	....	S	♄	——— ic.
6 Róssii L.C.	(st) Ross's	———	——	....	S	♄	
7 spectábilis L.C.	(st) showy	———	——	....	S	♄	

GOMU'TUS S.S. Gomu'tus. (etymology unknown.) Monœcia Polyandria.

saccharífer S.S.	(st) sugar-bearing	E. Indies	1820.	....	S	♄	

MANICA'RIA G. Manica'ria. (*manica*, a glove; spath.) Polygamia Monœcia.

saccífera G.	(st) bag-like	E. Indies	1822.	....	S	♄	Gært. sem. 2. t. 176.

BORA'SSUS W. Bora'ssus. (*βοραασσος*, a spath.) Diœcia Hexandria.

flabellifórmis W.	(st) fan-leaved	E. Indies	1771.	....	S	♄	Roxb. corom. t. 71. 72.

LEOPOLDI'NA M.P. Leopoldi'na. (late Empress of Brazil.) Monœcia Hexandria.

púlchra M.P.	(st) fair	Brazil	1825.	....	S	♄	Mart. palm. ic.

NI'PA W. Ni'pa. (Molluca name of the tree.) Monœcia Monadelphia.

frùticans W.	(st) shrubby	E. Indies	1822.	....	S	♄	Rump. amb. 1. t. 16.

DESMO'NCUS M.P. (Desmo'ncus. (*δεσμος*, a bond, and *ογκος*, a hook; tendrils.) Monœ. Mon.

1 polyacánthus M.P.	(st) many-spined	Brazil	1822.	....	S	♄	Mart. palm. ic.
2 orthacánthus M.P.	(st) long-spined	———	——	....	S	♄	——— ic.
3 americànus L.C.	(st) America	S. America	1823.	....	S	♄	
4 dùbius L.C.	(st) doubtful	———	——	....	S	♄	

BA'CTRIS W. Ba'ctris. (*βακτρον*, a cane; stem.) Monœcia Hexandria.

1 pectinàta M.P.	(st) pectinated	Brazil	1825.	....	S	♄	Mart. palm. ic.
2 cuspidàta M.P.	(st) sharp-pointed	———	——	....	S	♄	
3 mìnor W.	(st) lesser	S. America	1691.	....	S	♄	Jacq. amer. t. 171. f. 1.
4 macracántha M.P.	(st) large-spined	Brazil	1822.	....	S	♄	Mart. palm. ic.
5 màjor W.	(st) greater	Carthagena	1800.	....	S	♄	Jacq. amer. t. 171. f. 2.
6 caryotæfòlia M.P.	(st) Caryota-leaved	Brazil	1825.	....	S	♄	Mart. palm. ic.

ORDER CCLV.

JUNCEÆ. *Brown prodr.* 1. *p.* 2 7.

KI'NGIA L.T. Grass-tree. (Capt. P. King, R.N. cel. circumnavigator.) Hex. Mon.

austràlis L.T.	(st) southern	N. Holland	1830.	....	G	♄	

XERO'TES B.P. Xero'tes. (*ξεροτης*, dryness; herbage.) Diœcia Hexandria.

§ 1. *Female flowers capitate; leaves entire at apex.*

1 flexifòlia B.P.	(st) bending-leaved	N. S. W.	1819.	6. 8.	F	♃	Thunb.diss.drac.17.f.2.
2 mucronàta B.P.	(st) mucronated	———	1823.	——	F	♃	

§ 2. *Female flowers spicate; male ones panicled.*

3 filifórmis B.P.	(st) filiform	N. S. W.	——	——	F	♃	Th. dis. drac. n. 1. ic.

Dracæ'na filifórmis Th.

4 denticulàta B.P.	(st) toothed	———	1825.	——	F	♃	
5 láxa B.P.	(st) loose-flowered	———	1819.	——	F	♃	
6 grácilis B.P.	(st) slender	N. Holland	1823.	——	F	♃	
7 rígida B.P.	(st) stiff-leaved	———	1796.	6. 7.	F	♃	Lodd. bot. cab. t. 798.

Lomándra rígida Lab. n. hol. 1. t. 120.

8 montàna B.P.	(st) mountain	N. S. W.	1824.	——	F	♃	
9 longifòlia B.P.	(ye) long-leaved	———	1796.	——	F	♃	Bot. reg. s. 3. t. 3.

Lomándra longifòlia Lab.

10 Hy'strix B.P.	(st) Porcupine	———	1823.	——	F	♃	

§ 3. *Flowers spiked or panicled; male ones sessile; leaves denticulated at apex.*

11 echinàta M.C.	(st) bristly	N. Holland	1824.	6. 7.	F	♃	

§ 4. *Male panicle verticillate; flowers pedicillate, glomerate; leaves entire at top.*

12 æ'mula B.P.	(st) rival	N. S. W.	1823.	6. 7.	F	♃	
13 arenària B.P.	(st) sand	N. Holland	1829.	——	F	♃	

NARTHE'CIUM E.B. Narthe'cium. (*ναρθηξ*, a rod; stems.) Hexandria Monogynia.

1 ossífragum E.B.	(ye) Lancashire Asphodel	Britain	....	7. 8.	H	♃	Eng. bot. v. 8. t. 535.
2 americànum B.M.	(ye) American	N. America	1811.	——	H	♃	Bot. mag. t. 1505.

LU'ZULA DC. Wood-rush. (*Gramen-Luzulæ*, glow-worm grass.) Hexand. Monand.

§ 1. *Flowers corymbose; peduncles usually one-flowered.*

1 pilòsa R.S.	(br) spring	Britain	....	3. 5.	H	♃	Eng. bot. v. 11. t. 736.
2 flavéscens S.S.	(st) yellowish	S. Europe	1817.	——	H	♃	Host. gram. 3. t. 94.

3	Fórsteri DC.	(*br*)	Forster's	England	....	5. 6.	H	♃	Eng. bot. v. 18. t. 1293.
4	glabràta S.S.	(*br*)	smooth	Switzerland	1825.	——	H	♃	Desv. j. bot. 1. t. 5. f. 3.
	§ 2. *Corymbs panicled; flowers crowded.*								
5	álbida DC.	(*wh.br*)	white	———	1815.	——	H	♃	Leers. herb. t. 13. f. 6.
6	lùtea DC.	(*st*)	yellow	———	——	——	H	♃	
7	spadícea D.C.	(*da.br*)	light red	Europe	1816.	——	H	♃	Vill. delph. 2. t. 6.
8	parviflòra S.	(*br*)	small-flowered	Switzerland	1824.	——	H	♃	Rost. junc. p. 26. t. 1. f. 1.
9	nìvea DC.	(*wh*)	snowy	———	1770.	——	H	♃	Scheuch. gram. t. 7. f. 7.
10	sylvática S.	(*br.wh*)	wood	Britain	....	5.	H	♃	Eng. bot. v. 11. t. 737.
	Júncus sylváticus E.B.								
11	palléscens S.	(*br*)	palish	N. Europe	1828.	——	H	♃	Linn. fl. lap. t. 10. f. 2.
12	hyperbòrea S.	(*br*)	northern	———	——	——	H	♃	
13	arcuàta S.S.	(*wh.br*)	fringe-bracted	Scotland	....	7.	H	♃	Wahl. lapp. t. 4.
	§ 3. *Flowers spicately glomerate.*								
14	spicàta DC.	(*br*)	spiked	———	....	——	H	♃	Eng. bot. v. 17. t. 1176.
15	congésta S.S.	(*br*)	close-headed	Britain	....	6.	H	♃	Purt. suppl. t. 9.
	Júncus liniger Purt.								
16	sudética DC.	(*br*)	Swedish	Sweden	1824.	——	H	♃	Host. gram. 4. t. 99.
17	pedifórmis DC.	(*br*)	foot-shaped	S. Europe	1822.	5. 6.	H	♃	
18	campéstris DC.	(*br*)	field	Britain	....	4. 5.	H	♃	Eng. bot. v. 10. t. 672.
19	multiflòra S.S.	(*br*)	many-flowered	Europe	1822.	5. 6.	H	♃	
20	Bertholótti Nees....		Bertholott's	Teneriffe	1829.	....	G	♃	
JU'NCUS DC.		RUSH.	(*jungo*, to join; first ropes made with.)						Hexandria Monogynia.
1	multicapitàtus S.	(*br*)	many-headed	Scotland	....	6. 7.	H	♃	
	polycéphalus E.F. *non* Mich								
2	fúsco-àter S.	(*br*)	dark-brown	Europe	1825.	——	H	♃	
3	obtusiflòrus L.T.	(*br*)	blunt-flowered	Britain	....	7. 8.	H	♃	Eng. bot. v. 30. t. 2144.
4	lampocárpus L.T.	(*br*)	shining-fruited	———	....	——	H	♃	——— v. 30. t. 2143.
5	acutiflòrus L.T.	(*br*)	sharp-flowered	———	....	6. 7.	H	♃	——— v. 4. t. 238.
	articulàtus E.B.								
6	Holoschœ'nus B.P.	(*br*)	stripe-seeded	N. S. W.	1824.	——	F	♃	
7	subverticillàtus L.T.	(*br*)	whorled	Britain	....	7. 8.	H	♃	Flor dan. t. 817.
8	ténuis S.	(*gr.pu*)	slender	N. America	1826.	——	H	♃	
9	castàneus E.B.	(*br*)	black-spiked	Scotland	....	7.	H	♃	Eng. bot. v. 13. t. 900.
10	Jacquìni S.	(*br.pu*)	Jacquin's	S. Europe	1824.	——	H	♃	Jacq. fl. aust. t. 221.
	biglùmis Jacq. vind. t. 4. f. 2. *nec aiolrum*								
11	biglùmis E B.	(*br*)	two-flowered	Scotland	....	8.	H	♃	Eng. bot. v. 13. t. 898.
12	triglùmis E.B.	(*br*)	three-flowered	Britain	....	7.	H	♃	——— v. 13. t. 899.
13	capitàtus S.S.	(*br.g*)	headed	———	....	5. 7.	H	♃	Weig obs. t. 2. f. 5.
14	supìnus L.T.	(*br*)	dwarf	———	....	7.	H	♃	Flor. dan. t. 1099.
15	uliginòsus E.B.	(*br*)	little bulbous	———	....	7. 8.	H	♃	Eng. bot. v. 12. t. 801.
16	trífidus E.B.	(*br*)	three-leaved	Scotland	....	——	H	♃	——— v. 21. t. 1482.
17	Gésneri E.F.	(*g.br*)	Gesner's	———	....	7.	H	♃	——— v. 31. t. 2174.
	grácilis E.B. *non* B.P.								
18	bufònius E.B.	(*pa*)	toad	Britain	....	6. 8.	H	♃	Eng. bot. v. 12. t. 802.
19	coenòsus L.T.	(*br*)	mud	———	....	7. 8.	H	♃	Flor. dan. t. 431.
20	compréssus L.T.	(*g.br*)	round-fruited	———	....	——	H	♃	Eng. bot. v. 13. t. 934.
	bulbòsus E.B.								
21	squarròsus E.B.	(*br*)	Goose-corn	———	....	6. 7.	H	♃	Eng. bot. v. 13. t. 933.
22	Tenagèja S.S.	(*g.br*)	annual	Europe	1816.	——	H	⊙	Flor. dan. t. 1160.
23	aristulàtus M.	(*br*)	awned	N. America	1820.	——	H	♃	
24	plebèius B.P.	(*pa.pu*)	linear-leaved	N. S. W.	1816.	——	F	♃	
25	planifòlius B.P.	(*br.pu*)	flat-leaved	———	1822.	7. 8.	F	♃	
26	pauciflòrus B.P.	(*pa*)	few-flowered	———	——	——	F	♃	
27	vaginàtus B.P.	(*st*)	sheathed	———	1823.	——	F	♃	
28	polycéphalus M.	(*gr*)	panicled	N. America	1828.	——	H	♃	
29	macrostèmon S.	(*gr*)	large-stamened	———	1826.	——	H	♃	
30	filifórmis E.E.	(*gr*)	least	Britain	....	8.	H	♃	Eng. bot. v. 17. t. 1175.
31	pállidus B.P.	(*pa*)	pale-flowered	N. Holland	1829.	——	F	♃	
32	árcticus W.	(*da.br*)	arctic	Scotland	....	7. 8.	H	♃	Flor. dan. t. 1095.
33	bóttnicus S.S.	(*gr*)	Bottnic	Bottnia	1818.	——	H	♃	
34	bálticus S.	(*br*)	Baltic	Baltic	1821.	——	H	♃	
35	effùsus E.B.	(*gr*)	soft	Britain	....	5. 8.	H	♃	Eng. bot. v. 12. t. 836.
36	conglomeràtus E.B.	(*br*)	common	———	....	6. 7.	H	♃	——— v. 12. t. 835.
37	glaúcus E.B.	(*br*)	glaucous	———	....	7. 8.	H	♃	——— v. 10. t. 665.
38	marítimus E.B.	(*br*)	sea-side	———	....	8.	H	♃	——— v. 24. t. 1725.
39	acùtus E.B.	(*g.br*)	great sharp sea	———	....	7. 8.	H	♃	——— v. 23. t. 1614.
40	globulòsus E.	(*br*)	globular	Egypt	1829.	——	H	♃	

?FLAGELLA'RIA L. FLAGELLA'RIA. (*flagellum*, a rod; branches.) Hexandria Trigynia.
índica L. (*st*) Indian India 1782. 6. 7. S ♄ Redout. lil. t. 257.
?PHILY'DRUM B.P. PHILY'DRUM. (φιλεω, to love, and υδωρ, water.) Monandria Monogynia.
lanuginòsum B.P. (*ye*) woolly N. S. W. 1801. 6. 7. S *w* ♂ Bot. mag. t. 783.
?BURMA'NNIA L. BURMA'NNIA. (John and N. L. Burmann, cel. Dutch bots.) Trian. Monog.
1 distàchya B.P. (*bl*) two-spiked N. S. W. 1822. 6. 8. G *w* ♃ Burm. zeyl. t. 20. f. 1.
2 biflòra L. (*bl*) two-flowered Virginia .... 9. G *w* ♃
?GILLIE'SIA B.R. GILLIE'SIA. (Dr. Gillies, who collected many plants in Chili.) Hex. Mon.
gramínea B.R. (*st*) Grass-like S. America 1824. 5. 7. G ♃ Bot. reg. t. 992.

ORDER CCLVI.

RESTIA'CEÆ. *Brown prodr. p.* 243.

XY'RIS B.P. XY'RIS. (ξυρος, acute, scales.) Triandria Monogynia.
1 lævis B.P. (*ye*) smooth N. S. W. 1819. 6. 8. G ♃
2 bracteàta B.P. (*ye*) bracteate ——— 1925. —— G ♃
3 júncea B.P. (*ye*) rushy ——— 1822. —— G ♃
4 altíssima B.C. (*ye*) tallest N. Holland 1826. 9.10. G ♃ Bot. cab. t. 1900.
5 grácilis B.P. (*ye*) slender V. Diem. I. 1821. 6. 8. G ♃
6 operculàta B.P. (*ye*) rush-leaved N. S. W. 1804. 6. 7. G ♃ Bot. mag. t. 1158.
7 Púrshii (*ye*) Pursh's N. America 1825. —— F ♃
índica Ph. *non* Vahl.
8 índica W. (*ye*) Indian E. Indies 1822. 5. 7. S ♃ Rheed. mal. 9. t. 71.
9 ánceps R.S. (*ye*) flat-edged Malabar 1824. —— S ♃
10 americàna R.S. (*bl*) blue-flowered Trinidad 1825. —— S ♃ Aubl. guian. t. 15.
11 caroliniàna R.S. (*ye*) Carolina N. America 1812. —— G ♃
12 capénsis R.S. (*ye*) Cape C. B. S. 1822. —— G ♃
13 brevifòlia M. (*ye*) short-leaved Carolina 1812. 6. 8. F ♃
ERIOCAU'LON L. PIPEWORT. (εριον, wool, and καυλον, a stem.) Triandria Trigynia.
1 septangulàre R.S. (*wh*) jointed Scotland .... 9. H *w* ♃ Eng. bot. v. 11. t. 733.
2 austràle B.P. (*wh*) New Holland N. S. W. 1822. 8.10. G *w* ♃
3 decangulàre Ph. (*wh*) ten-angled N. America 1826. 8.10. H *w* ♃ Bot. mag. t. 3126.
4 fasciculàtum R.S. (*wh*) fascicled Guiana 1825. —— S *w* ♃ Lam. ill. 3. t. 50. f. 3.
DEVAU'XIA B.P. DEVAU'XIA. (Mr. Devaux, a cel. French bot.) Monandria Monogynia.
1 Patersòni B.P. (*gr*) Paterson's N. S. W. 1825. 6. 7. F ♃ Linn. trans. v. 10. t. 12. f. 2.
Centrólepis æ'mula L.T.
2 Billardièri B.P. (*gr*) Billardiere's ——— —— —— F ♃ Linn. trans. v. 10. t. 12. f. 1.
Centrólepis cuspidígera L.T. *fasciculàris* Lab. nov. holl. 1. p. 7. t. 1.
HYPOLÆ'NA B.P. HYPOLÆ'NA. (υπο, under, and χλαινα, a cloak; fruit.) Diœcia Triandria.
1 fastigiàta B.P. (*br*) crowded N. S. W. 1821. 6. 8. F ♃
2 exsùlca B. P. (*br*) round-stalked ——— —— —— F ♃
LEPTOCA'RPUS B.P. LEPTOCA'RPUS. (λεπτος, slender, and καρπος, a fruit.) Diœcia Triandria.
1 tènax B.P. (*br*) tough N. S. W. 1824. 6. 8. F ♃ Lab. nov. holl. 2. t. 229.
Schænòdum tènax fémina Lab.
2 imbricàtus S.S. (*br*) imbricated C. B. S. —— —— G ♃
ELEGI'A W. ELEGI'A. (ελεγος, lamentation; dark colour.) Diœcia Triandria.
1 júncea W. (*br*) Rush-like C. B. S. 1789. 7. 8. F ♃ Rottb. gram. 10. t. 3. f. 2.
2 racemòsa W. (*br*) racemed ——— 1804. 5. 6. F ♃ Lam. ill. t. 884. f. 4.
LEPYRO'DIA B.P. LEPYRO'DIA. (λεπυρος, scaly; spikes.) Diœcia Triandria.
grácilis B.P. (*br*) slender N. S. W. 1823. 5. 6. F ♃
WILLDENO'VIA S.S. WILLDENO'VIA. (C. L. Willdenow, cel. German bot.) Diœcia Triandria.
1 striàta S.S. (*br*) striated C. B. S. 1816. 6. 8. F ♃ Th. act. hol. 1790. t. 2. f. 1.
2 tères S.S. (*br*) round-stalked ——— 1790. —— F ♃ ——— 1790. t. 2. f. 2.
THAMNOCHO'RTUS B.P. THAMNOCHO'RTUS. (θαμνος, a shrub, and χορτος, grass.) Diœc. Trian.
1 dichótomus B.P. (*br*) forked C. B. S. 1816. 6. 8. F ♃ Rottb. gram. t. 2. f. 1.
2 scariòsus S.S. (*br*) scariose ——— 1822. —— G ♃ Berg. cap. t. 5. f. 8.
RE'STIO B.P. ROPE-GRASS. (*restis*, a cord; made into.) Diœcia Triandria.
§ 1. *Culms simple.*
1 austràlis B.P. (*br*) southern V. Diem. Isl. 1812. 4. 6. F ♃
2 grácilis B.P. (*br*) slender N. S. W. 1823. 6. 8. F ♃
3 complanàtus B.P. (*br*) flat-stemmed ——— —— —— F ♃
4 tectòrum S.S. (*br*) thatch C. B. S. 1793. 5. 6. F ♃ Rottb. gram. 10. t. 3. f. 2.
5 vaginàtus S.S. (*br*) sheathed ——— 1816. —— F ♃

6	virgàtus s.s.	(*br*) twiggy	C. B. S.	1816.	5. 6.	F	♃	Rottb. gram. t. 1. f. 2.
	§ 2. *Culms branched.*							
7	paniculàtus s.s.	(*br*) panicled	———	——	——	F	♃	Rottb. gram. t. 2. f. 3.
8	fastigiàtus B.P.	(*br*) crowded	N. S. W.	1824.	——	F	♃	
9	lateriflòrus B.P.	(*br*) side-flowering	———	1819.	——	F	♃	Labil. nov. hol. 2. t. 228.
	Calórophus elongàta Lab.							
10	tetraphy'llus B.P.	(*br*) four-leaved	———	1825.	——	F	♃	Labil. nov. hol. 2. t. 226.

ORDER CCLVII.

CYPERA'CEÆ. *Brown prodr.* 1. *p.* 212.

CA'REX L. SEDGE. (*careo*, to want; the upper spikes without seeds.) Monœ. Triand.

	§ 1. *Diœcious; spikes solitary.*							
1	dioíca w.	(*br*) diœcious	Britain	....	5. 6.	H	♃	Eng. bot. v. 8. t. 543.
2	Davalliàna w.	(*br*) Davall's	———	....	——	H	♃	——— v. 30. t. 2123.
	§ 2. *Androgynous; spikes solitary; upper part of spike male.*							
3	pauciflòra E.B.	(*st*) few-flowered	Britain	....	6.	H	♃	Eng. bot. v. 29. t. 2041.
4	pyrenàica s.s.	(*br*) Pyrenean	Pyrenees	1816.	——	H	♃	Schk. caric. 5. t. D. f. 15.
5	rupéstris s.s.	(*br*) rock	Scotland	....	6. 7.	H	♃	Eng. bot. t. 2814.
6	pulicàris E.B.	(*br*) Flea	Britain	....	——	H	♃	——— v. 15. t. 1051.
7	Fraseriàna H.K.	(*wh*) Fraser's	N. America	1809.	4. 6.	H	♃	Bot. mag. t. 1391.
	§ 3. *Androgynous; spikes aggregate, capitate; stigmas 2 and 3.*							
8	cyperoìdes s.s.	(*br*) Bohemian	Bohemia	1801.	6. 7.	H	♃	Schk. caric. t. A. f. 5.
9	fœ'tida s.s.	(*br*) stinking	Switzerland	1791.	7. 8.	H	♃	——— t. Hh. f. 96.
10	incúrva E.B.	(*br*) curved	Scotland	....	——	H	♃	Eng. bot. v. 13. t. 927.
11	stenophy'lla s.s.	(*br*) slender-leaved	Europe	1824.	——	H	♃	Schk. caric. t. G. f. 32.
12	chordorrhìza s.s.	(*br*) creeping-rooted	Germany	——	——	H	♃	——— t. G. f. 31.
	§ 4. *Androgynous; spikelets spiked, many-flowered, sessile, alternate; stigmas 2.*							
13	baldénsis s.s.	(*br*) three-styled	Mount Baldo	1829.	5. 7.	H	♃	Schk. caric. t. G. f. 81.
14	cúrvula s.s.	(*br*) curved	S. Europe	1824.	——	H	♃	——— t. D. f. 17.
15	lobàta w.	(*br*) lobed	Switzerland	1819.	5. 7.	H	♃	——— t. D. f. 18.
16	stellulàta E.B.	(*br*) little prickly	Britain	....	5. 6.	H	♃	Eng. bot. v. 12. t. 806.
17	ròsea s.s.	(*ro*) Rose	N. America	1812.	——	H	♃	Schk. caric. Zzz. f. 179.
18	retroflèxa s.s.	(*br*) retroflexed	Pensylvania	1826.	——	H	♃	——— t. Kkk. f. 140.
19	tríceps s.s.	(*br*) three-headed	N. America	1825.	——	H	♃	——— t. Zzz. f. 180.
20	fœ'nea s.s.	(*br*) short-spiked	———	1819.	——	H	♃	
21	lóngipes D.P.	(*br*) long-stalked	Nepaul	1823.	——	H	♃	
22	muricàta E.B.	(*br*) greater prickly	Britain	....	——	H	♃	Eng. bot. v. 16. t. 1097.
23	brizoìdes s.s.	(*br*) Briza-like	Germany	1815.	5. 7.	H	♃	Host. gram. 36. t. 47.
24	argyróglochin s.s.	(*wh*) silver-spiked	———	1823.	——	H	♃	
25	stramínea s.s.	(*st*) slender-stalked	N. America	1803.	6. 7.	H	♃	Sch. caric. t. Xxx. f. 174.
26	stipàta s.s.	(*br*) sharp-scaled	———	1820.	——	H	♃	——— t. Hhh. f. 132.
27	Muhlenbérgii s.s.	(*gr*) Muhlenberg's	———	1824.	——	H	♃	——— t. Yyy. f. 178.
28	Schrèberi s.s.	(*br*) Schreber's	Germany	1800.	——	H	♃	Host. gram. 1. t. 46.
29	ovàlis E.B.	(*gr.br*) oval-spiked	Britain	....	——	H	♃	Eng. bot. v. 5. t. 306.
30	lepórina w.	(*br*) hare	Scotland	....	——	H	♃	——— t. 2815.
31	cúrta E.B.	(*wh*) white	Britain	....	6.	H	♃	——— v. 20. t. 1386.
32	divìsa E.B.	(*bk*) bracteated	———	....	5. 7.	H	♃	——— v. 16. t. 1096.
33	sparganioìdes s.s.	(*br*) Sparganium-like	N. America	1822.	——	H	♃	Schk. caric. t. Lll. f. 142.
34	arenària E.B.	(*br*) sand	Britain	....	6. 7.	H	♃	Eng. bot. v. 13. t. 928.
35	intermèdia E.B.	(*br*) soft-brown	———	....	5. 7.	H	♃	——— v. 29. t. 2042.
36	schœnoìdes w.	(*br*) Schœnus-like	Austria	1819.	——	H	♃	Host. gram. 1. t. 45.
37	rèpens s.s.	(*br*) creeping	Switzerland	1823.	6. 7.	H	♃	Schk. car. t. I. f. 11.
38	lagopodioìdes w.	(*br*) Hare's-foot	N. America	1805.	——	H	♃	——— t. Yyy. f. 177.
39	elongàta E.B.	(*br.gr*) elongated	England	....	5. 6.	H	♃	Eng. bot. v. 27. t. 1920.
40	remòta E.B.	(*wh*) remote	Britain	....	——	H	♃	——— v. 12. t. 832.
41	axillàris E.B.	(*br*) axillary	England	....	——	H	♃	——— v. 14. t. 993.
42	divúlsa E.B.	(*wh*) gray	Britain	....	5.	H	♃	——— v. 9. t. 629.
43	nemoròsa s.s.	(*gr*) shady wood	Germany	....	5. 7.	H	♃	
44	vulpìna E.B.	(*gr*) great-spiked	Britain	....	5. 8.	H	♃	Eng. bot. v. 5. t. 307.
	§ 5. *Androgynous; spikelets compound, alternate.*							
45	apprèssa B.P.	(*gr*) close-spiked	N. S. W.	1802.	——	F	♃	
46	invérsa B.P.	(*gr*) inversed	———	1820.	——	F	♃	

47	scopària w.	(gr)	broom	N. America	1812.	6. 7.	H	♃	Schk. cari. t. Xxx. f. 175.
48	multiflòra w.	(gr)	many-flowered	———	1819.	——	H	♃	——— t. Lll. f. 144.
49	paradóxa w.	(gr)	paradoxical	Germany	——	——	H	♃	——— t. E. f. 21.
50	teretiúscula E.B.	(br)	lesser-panicled	Britain	....	5. 6.	H	♃	Eng. bot. v. 15. t. 1065.
51	paniculàta E.B.	(br)	great-panicled	England	....	6. 7.	H	♃	——— v. 15. t. 1064.
52	tenélla E.F.	(br)	slender	Scotland	....	6.	H	♃	Schk. caric. t. P. f. 104.
53	norvègica w.	(gr)	Norway	Norway	1823.	——	H	♃	——— t. S. f. 66.
	§ 6. *Androgynous; spikelets pedunculate.*								
54	atràta E.B.	(bk)	black	Britain	....	6. 7.	H	♃	Eng. bot. v. 29. t. 2044.
55	bícolor w.	(br.ye)	two-coloured	Switzerland	1823.	——	H	♃	Sch. car. t. Aaaa. f. 181.
56	pedunculàta w.	(gr)	peduncled	N. America	——	5. 7.	H	♃	——— t. Ggg. f. 131.
	§ 7. *Androgynous; spikelets corymbose.*								
57	longifòlia B.P.	(gr)	long-leaved	N. S. W.	1823.	5. 7.	F	♃	
58	thuringìaca w.	(gr)	Thuringian	Hungary	——	——	H	♃	Schk. cari. t. Ppp. f. 155.
59	Buxbaúmii w.	(br)	Buxbaum's	Ireland	——	5. 6.	H	♃	——— t. X. f. 76.
60	mucronàta S.S.	(br)	mucronate	S. Europe	1819.	6. 7.	H	♃	——— t. K. f. 44.
61	dilùta M.B.	(br)	diluted	Caucasus	1836.	——	H	♃	
62	caucásica Stev.	(br)	Caucasian	———	——	——	H	♃	
63	leiory'ncha Mey.	(br)	smooth-beaked	———	——	——	H	♃	
64	glareòsa w.	(br)	narrow-leaved	Norway	1819.	5. 6.	H	♃	Schk. cari. t. Aaa. f. 97.
65	Váhlii E.B.	(br)	Vahl's	Scotland	....	8.	H	♃	Eng. bot. t. 2666.
66	clandestìna E.B.	(wh)	dwarf-silvery	Britain	....	5.	H	♃	——— v. 30. t. 2124.
67	digitàta E.B.	(pu)	fingered	England	....	5. 6.	H	♃	——— v. 9. t. 615.
68	plantagínea w.	(br)	broad-leaved	N. America	1805.	——	H	♃	Schk. caric. t. U. f. 70.
69	pilulífera E.B.	(br)	round-headed	Britain	....	4. 6.	H	♃	Eng. bot. v. 13. t. 885.
70	microstàchya S.S.	(br)	small-spiked	S. Europe	1822.	5. 6.	H	♃	Schk. car. t. C. f. 11.
71	montàna S.S.	(br)	mountain	Europe	1819.	——	H	♃	——— t. F. f. 29.
	collina w.								
72	ciliàta w.	(br)	fringed	Germany	——	——	H	♃	Schk. caric. t. I. f. 42.
73	præ'cox E.B.	(st)	vernal	Britain	....	4.	H	♃	Eng. bot. v. 16. t. 1099.
74	tomentòsa E.B.	(st)	downy-fruited	England	....	6.	H	♃	——— v. 29. t. 2046.
75	exténsa E.B.	(gr)	long-bracted	Britain	....	——	H	♃	——— v. 12. t. 833.
76	flàva E.B.	(ye)	yellow	———	....	5. 6.	H	♃	——— v. 18. t. 1294.
77	Œdèri E.B.	(ye)	Œder's	England	....	6. 7.	H	♃	——— v. 25. t. 1773.
	§ 8. *Spikes of distinct sexes, male ones solitary, pedunculate; female ones sessile.*								
78	álba w.	(wh)	bristle-leaved	Germany	1819.	6. 7.	H	♃	Host. gram. 1. t. 59.
79	Mielichóferi E.B.	(gr)	loose-spiked	Scotland	....	7. 8.	H	♃	Eng. bot. v. 32. t. 2293.
80	phæostàchya E.F.	(br)	brown-spiked	———	....	6.	H	♃	
81	spierostàchya E.F.	(br)	spire-spiked	———	....	——	H	♃	Eng. bot. t. 2770.
	distans Fl. dan.								
82	ferrugínea w.	(br)	ferruginous	Europe	1820.	6. 8.	H	♃	Schk. caric. t. M. f. 48.
	§ 9. *Spikes of distinct sexes, male ones solitary, upper female ones sessile, lower ones stalked.*								
83	saxátilis w.	(st)	rock	N. Europe	1820.	6. 8.	H	♃	Schk. caric. t. I. f. 40.
84	rígida E.B.	(bk)	rigid	Britain	....	6. 7.	H	♃	Eng. bot. v. 29. t. 2047.
85	púlla E.B.	(bk.br)	russet	Scotland	....	7.	H	♃	——— v. 29. t. 2045.
86	cæspitòsa E.B.	(gr)	tufted-bog	Britain	....	5. 6.	H	♃	——— v. 21. t. 1507.
87	strícta E.B.	(br)	straight-leaved	———	....	4. 5.	H	♃	——— v. 13. t. 914.
88	alpéstris w.	(br)	Alpine	Europe	1804.	5. 6.	H	♃	Schk. caric. t. G. f. 35.
89	nítida w.	(br)	glossy	Austria	1805.	——	H	♃	Host. gram. 1. t. 71.
90	umbròsa w.	(gr)	shade	———	1818.	6. 7.	H	♃	——— 1. t. 69.
91	granulàris w.	(gr)	grain-seeded	N. America	1807.	——	H	♃	Schk. caric. t. Vvv. f. 169.
92	ánceps w.	(gr)	two-edged	———	1805.	7. 8.	H	♃	——— t. Fff. f. 128.
93	demíssa S.S.	(br)	low	Norway	1825.	——	H	♃	
94	binérvis E.B.	(bk)	green-ribbed	Britain	....	6.	H	♃	Eng. bot. v. 18. t. 1235.
95	dístans E.B.	(br)	loose	———	....	——	H	♃	——— v. 18. t. 1234.
96	fúlva E.B.	(ye.br)	tawny	———	....	6. 7.	H	♃	——— v. 18. t. 1295.
97	loliàcea w.	(br)	Ray-grass-like	Sweden	1810.	——	H	♃	Schk. car. t. Pp. f. 104.
98	lucòrum W.en.	(gr)	grove	N. America	1825.	——	H	♃	
99	Michèlii w.	(br)	Micheli's	Europe	1818.	——	H	♃	Host. gram. 1. t. 72.
100	péndula E.B.	(gr)	great pendulous	Britain	....	5. 6.	H	♃	Eng. bot. v. 33. t. 2315.
101	strigòsa E.B.	(gr)	loose pendulous	———	....	——	H	♃	——— v. 14. t. 994.
102	depauperàta E.B.	(gr)	starved-wood	England	....	6. 7.	H	♃	——— v. 16. t. 1098.
103	pilòsa S.S.	(gr)	hairy	Germany	1819.	——	H	♃	Schk. caric. t. M. f. 49.
104	brachy'stachys S.S.	(br)	short-spiked	S. Europe	——	——	H	♃	——— t. P. f. 58.
105	panícea E.B.	(bk)	Pink-leaved	Britain	....	5. 7.	H	♃	Eng. bot. v. 21. t. 1505.
106	oligocárpa w.	(gr)	few-seeded	N. America	1825.	——	H	♃	Schk. caric. t. Vvv. f. 178.
107	rostràta w.	(gr)	beaked	———	1818.	——	H	♃	——— t. Hhh f. 134.
108	conglobàta w.	(gr)	globular-fruited	Hungary	——	——	H	♃	

109 sylvática E.B. (*gr*) wood Britain .... 5. 6. H ♃ Eng. bot. v. 14. t. 995.
Drimèja W.
110 Pseudocypèrus W. (*gr*) Bastard Cypress ——— .... 6. 7. H ♃ Eng. bot. v. 4. t. 242.
111 júncea S.S. (*gr*) rush-like N. America 1823. —— H ♃
112 palléscens E.B. (*g.ye*) pale Britain .... 4. 6. H ♃ Eng. bot. v. 31. t. 2155.
113 podocárpa S.S. (*br*) foot-fruited N. America 1827. —— H ♃
114 limòsa E.B. (*ye.gr*) green and gold Britain .... 6. H ♃ Eng. bot. v. 29. t. 2043.
115 rariflòra E.B. (*bk*) loose-flowered Scotland .... —— H ♃ ——— v. 35. t. 2516.
116 capillàris E.B. (*br*) capillary Britain .... 7. 8. H ♃ ——— v. 29. t. 2069.
117 lævigàta E.B. (*gr*) smooth-stalked ——— .... 5. 6. H ♃ ——— v. 20. t. 1387.
118 ustulàta E.B. (*bk*) scorched alpine Scotland .... 6. 7. H ♃ ——— v. 34. t. 2404.
119 flexuòsa W. (*br*) bending N. America 1807. —— H ♃ Schk. car. t. Ddd. f. 124.
§ *Sect.* 10. *Spikes of distinct sexes, male several, lower ones female.*
120 recúrva E.B. (*bk.br*) glaucous heath England .... 5. 6. H ♃ Eng. bot. v. 21. t. 1506.
β *Micheliàna* E.B. (*bk*) *smooth-fruited* ——— .... —— H ♃ ——— v. 32. t. 2236.
121 nùtans W. (*br*) nodding Austria 1815. 6. 7. H ♃ Host. gram. 1. t. 83.
122 acuminàta W. (*br*) taper-pointed Istria 1819. —— H ♃ ——— 1. t. 97.
123 hírta E.B. (*br*) hairy Britain .... 5. 6. H ♃ Eng. bot. v. 10. t. 685.
124 filifórmis E.B. (*bk*) slender-leaved ——— .... 6. 7. H ♃ ——— v. 13. t. 904.
125 acùta E.B. (*bk*) slender-spiked ——— .... 5. 6. H *w* ♃ ——— v. 9. t. 580.
126 paludòsa E.B. (*bk*) lesser common ——— .... —— H *w* ♃ ——— v. 12. t. 807.
127 ripària E.B. (*bk*) great common ——— .... 4. 6. H *w* ♃ ——— v. 9. t. 579.
128 vesicària E.B. (*bk*) short-spiked ——— .... 5. 6. H ♃ ——— v. 11. t. 779.
129 ampullàcea E.B. (*st*) slender-beaked ——— .... —— H ♃ ——— v. 11. t. 780.
130 bullàta W. (*st*) blistered N. America 1811. 6. H ♃ Schk. caric. t. Uuu. f. 166.
131 hordeifórmis W. (*gr*) Barley-like France 1805. 6. 7. H ♃
132 stictocárpa E.F. (*br*) dot-fruited Scotland .... —— H ♃
133 angustifòlia E.F. (*br*) narrow-leaved ——— .... —— H ♃
134 crinìta W. (*gr*) haired N. America 1807. —— H ♃ Sch. caric. t. Eee. f. 125.
135 aquátilis W. (*gr*) water Scotland .... —— H *w* ♃ Eng. bot. t. 2758.
136 secalìna W. (*br*) rye-like Europe 1820. —— H ♃ Schk. caric. t. Ddd. f. 121.
137 salìna W. (*br*) salt-marsh Norway .... 6. H ♃
138 eriópho ra F. (*wh*) wool-bearing Dahuria 1828. —— H ♃
139 pentástachys F. (*br*) five-spiked Kamtschatka 1821. —— H ♃
140 córsica Ot. (*br*) Corsican Corsica 1825. —— H ♃

KOBRE'SIA W. Kobre'sia. (De Kobres, a promoter of botany.) Monœcia Triandria.
carícina W. (*gr*) Carex-like Britain .... 8. H ♃ Eng. bot. v. 20. t. 1410.
Schœ'nus monoícus E.B. *Càrex hy'brida* S.S.

SCLE'RIA W. Scle'ria. (σκληρος, hard; herbage.) Monœcia Triandria.
1 Flagéllum S.S. (*gr*) climbing W. Indies 1822. .... S ♃ Gært. sem. 1. p. 13. t. 2.
2 latifòlia S.S. (*gr*) broad-leaved ——— 1824. .... S ♃
3 verticillàta S.S. (*gr*) whorled N. America 1825. 6. 7. H ♃
4 hirtélla S.S. (*gr*) hairy ——— 1822. —— H ♃
5 aurícoma Ot. (*ye*) golden-locks ——— 1826. 7. 9. H ⊙
6 ciliàta W. (*gr*) fringed ——— 1823. —— H ♃

DICHROME'NA. R.S. Dichrome'na. (δις, twice, and χροα, colour.) Triandria Monogynia.
leucocephàla R.S. (*wh*) white-spiked W. Indies 1822. 5. 12. S *w* ♃
Schœ'nus stellàtus W.

SCHŒ'NUS B.P. Bog-Rush. (σχοινος, a cord; made into.) Triandria Monogynia.
1 nígricans W. (*bk*) black-headed Britain .... 7. H *w* ♃ Eng. bot. v. 16. t. 1121.
2 pusíllus R.S. (*br*) small W. Indies 1824. 7. 8. S ♃ Swtz. fl. ind. oc. ic. t. 6.
3 mucronàtus R.S. (*br.pu*) clustered S. Europe 1781. 4. 5. H *w* ♃ Flor. græc. 1. t. 43.
4 imbérbis B.P. (*bk*) beardless N. S. W. 1818. —— F ♃
5 melanóstachys B.R. (*br*) black-spiked ——— 1822. 6. 8. F ♃

CHÆTO'SPORA B.P. Chæto'spora. (χαιτη, a bristle, and σπορα, a seed.) Triand. Monog.
1 ferrugínea S.S. (*br*) brown Switzerland 1818. 7. 8. H *w* ♃ Host. gram. 4. t. 71.
Schœ'nus ferrugíneus R.S.
2 turbinàta B.P. (*br*) turbinate N. S. W. 1822. —— F *w* ♃
3 paludòsa B.P. (*br*) marsh ——— 1824. —— F *w* ♃

LEPIDOSPE'RMA B.P. Lepidospe'rma. (λεπις, a scale, and σπερμα, a seed.) Trian. Monog.
1 gladiàta B.P. (*br*) flat-stemmed N. Holland 1819. 7. 8. F *w* ♃ Lab. nov. hol. 1. t. 12.
2 concàva B.P. (*br*) concave ——— 1824. —— F *w* ♃
3 exaltàta B.P. (*gr*) tall ——— 1816. —— H ♃

DULI'CHIUM P.S. Duli'chium. (first found in an island of the name.) Triandria Monogynia.
1 spathàceum P.S. (*br*) sheathed N. America 1818. 7. 8. H *w* ♃ Pluk. alm. t. 301. f. 1.
2 canadénse Ph. (*gr*) Canadian Canada 1826. —— H ♃

RHYNCHO'SPORA R.S. Rhyncho'spora. (ρυγκος, a beak, and σπορα, a seed.) Trian. Monog.
1 aúrea R.S. (*ye*) golden W. Indies 1825. 7. 8. S ♃ Rottb. gram. t. 21. f. 1.
2 láxa R.S. (*br*) loose N. America 1827. —— H *w* ♃

3 álba R.S.	(*wh*) white-headed	Britain	....	8.	H *w* ♃	Eng. bot. v. 14. t. 985.
Schœ'nus álbus E.B.						
4 fúsca R.S.	(*br*) brown-headed	———	....	——	H *w* ♃	Eng. bot. v. 22. t. 1575.
5 dístans Ph.	(*br*) filiform-leaved	N. America	1820.	7. 8.	H *w* ♃	
6 comàta R.S.	(*br*) leafy	Brazil	——	——	S *w* ♃	
GA'HNIA B.P.	GA'HNIA. (H. Gahn, a Swedish bot.) Triandria Monogynia.					
procèra R.Br.	(*gr*) tall	N. Zealand	1837.	....	G ♃	
CLA'DIUM B.P.	CLA'DIUM. (*κλαδος*, a branch.) Diandria Monogynia.					
1 Maríscus B.P.	(*br*) prickly	England	....	7. 8.	H *w* ♃	Eng. bot. v. 14. t. 950.
germánicum R.S.	*Schœ'nus Maríscus* E.B.					
2 occidentàle R.S.	(*br*) West Indian	W. Indies	1824.	——	S *w* ♃	
3 glomeràtum B.P.	(*br*) close-headed	N. S. W.	1819.	——	F *w* ♃	
4 júnceum B.P.	(*br*) rushy	———	1823.	——	F *w* ♃	
5 schœnoìdes B.P.	(*br*) Bogrush-like	———	——	——	F *w* ♃	Lab. nov. hol. 1. t. 18.
Schœ'nus acùtus Lab.						
FIMBRI'STYLIS B.P.	FIMBRI'STYLIS. (*fimbria*, a fringe, and *stylus*, a style.) Triand. Monog.					
1 ánnua R.S.	(*br*) annual	S. Europe	1818.	7. 9.	H *w* ⊙	Host. gram. 3. t. 63.
2 pubérula R.S.	(*br*) pubescent	N. America	1820.	7. 8.	H ♃	
3 dichótoma R.S.	(*br*) forked	E. Indies	1817.	7. 9.	S *w* ⊙	Rottb. gram. t. 13. f. 1.
4 autumnàlis R.S.	(*br*) autumnal	N. America	1822.	——	H ♃	
5 ferrugínea R.S.	(*br*) rusty	Jamaica	1825.	——	S *w* ♃	Sloan. hist. 1. t. 77. f. 1.
6 diphy'lla R.S.	(*br*) two-leaved	E. Indies	1822.	6. 8.	S *w* ♃	
ABILDGAA'RDIA B.P.	ABILDGAA'RDIA. (Prof. Abilgaard, of Copenhagen.) Triandria Monogynia.					
1 monostàchya B.P.	(*wh*) one-spiked	W. Indies	1819.	6. 8.	S ♃	Sloan. jam. 1. t. 79. f. 2.
2 tristàchya R.S.	(*wh*) three-spiked	E. Indies	1824.	——	S ♃	
ELEO'CHARIS B.P.	ELEO'CHARIS. (*ελος*, a marsh, and *χαιρω*, to delight.) Triand. Monogynia.					
1 acùta B.P.	(*br*) acute-scaled	N. S. W.	1819.	7. 8.	F *w* ♃	
2 geniculàta R.S.	(*br*) jointed	America	——	——	F *w* ♃	Sloan. hist. 1. t. 83. f. 3.
3 plantagínea R.S.	(*br*) Plantain-like	E. Indies	1826.	7. 9.	S *w* ♃	Rottb. gram. t. 15. f. 2.
4 palústris R.S.	(*br*) marsh	Britain	....	7.	H *w* ♃	Eng. bot. v. 2. t. 131.
Scírpus palústris E.B.						
5 ovàta R.S.	(*br*) ovate	Germany	1818.	7. 8.	H *w* ⊙	Host. gram. 3. t. 56.
6 multicaúlis E.F.	(*br.pu*) many-stalked	Britain	....	7.	H *w* ♃	Eng. bot. v. 17. t. 1187.
Scírpus multicaúlis E.B.						
7 aciculàris R.S.	(*br*) upright needle	———	....	——	H *w* ♃	Eng. bot. v. 11. t. 749.
8 obtùsa R.S.	(*br*) obtuse-scaled	N. America	1818.	7. 8.	H *w* ♃	
9 glaucéscens R.S.	(*br*) glaucous	———	1819.	——	H *w* ♃	
10 ténuis R.S.	(*br*) slender	———	——	——	H *w* ♃	
11 capitàta R.S.	(*br*) headed	America	1824.	——	H *w* ♃	Rottb. gram. t. 15. f. 3.
12 intermèdia R.S.	(*br*) intermediate	Pensylvania	1826.	——	H *w* ♃	
ISO'LEPIS B.P.	ISO'LEPIS. (*ισος*, equal, and *λεπις*, a scale.) Triandria Monogynia.					
1 flùitans R.S.	(*br*) floating	Britain	....	7. 8.	H *w* ♃	Eng. bot. v. 3. t. 216.
Scírpus flùitans E.B.						
2 grácilis	(*br*) knotted	N. Holland	1820.	——	G *w* ♃	
nodòsa B.P.	*Scírpus grácilis* Linn. trans. 10. t. 15. f. 2.					
3 supìna R.S.	(*br*) trailing	Europe	1826.	7. 8.	H *w* ♃	Host. gram. 3. t. 64.
4 setàcea R.S.	(*br.gr*) bristle-like	Britain	....	——	H *w* ⊙	Eng. bot. v. 24. t. 1693.
5 Váhlii R.S.	(*br.gr*) Vahl's	S. America	1828.	——	S *w* ⊙	
6 Micheliàna R.S.	(*st*) Micheli's	S. Europe	——	——	H *w* ⊙	Host. gram. 3. t. 69.
7 Holoschœ'nus R.S.	(*br*) round-headed	Britain	....	——	H *w* ♃	Eng. bot. v. 23. t. 1612.
austràlis R.S.	(*br*) *southern*	S. Europe	....	——	H *w* ♃	Pluk. phyt. t. 40. f. 5.
8 romàna W.	(*br*) Roman	England	....	——	H *w* ♃	Jacq. aust. 5. t. 448.
9 complanàta R.S.	(*br*) flat-stemmed	E. Indies	1820.	——	S *w* ♃	
10 angulàris R.S.	(*br*) angular-stemmed	———	1827.	——	S *w* ♃	
11 curvifòlia R.S.	(*br*) curve-leaved	———	——	——	S *w* ♃	
12 pubígera Schr.	(*br*) pubescent	.....	——	——	S *w* ♃	
13 Ehrenbérgii Ot.	(*br*) Ehrenberg's	Egypt	1825.	——	H *w* ⊙	
14 Saviàna Seb.	(*br*) Savi's	Ireland	....	7.	H *w* ♃	Eng. bot. t. 2782.
SCI'RPUS B.P.	CLUB-RUSH. (*cirs*, rushes, in Celtic.) Triandria Monogynia.					
1 cæspitòsus E.B.	(*br*) scaly-stalked	Britain	....	7.	H *w* ♃	Eng. bot. v. 15. t. 1029.
2 campéstris R.S.	(*pu.st*) field	S. Europe	1824.	7. 9.	H *w* ♃	Hayn. term. bot. t. 25. f. 4.
3 pauciflòrus E.B.	(*br*) chocolate-headed	———	....	8.	H *w* ♃	Eng. bot. v. 16. t. 1122.
Bœóthryon R.S.						
4 elongàtus D.P.	(*br*) elongated	Nepaul	1825.	7. 9.	H *w* ♃	
5 púngens R.S.	(*br*) pungent	Jersey	....	8. 9.	H *w* ♃	Eng. bot. t. 2819.
6 mucronàtus R.S.	(*gr.br*) mucronated	Britain	....	——	H *w* ♃	Scheuch. agr. t. 9. f. 14.
7 Lúzulæ R.S.	(*br*) clustered	E. Indies	1776.	7. 9.	S *w* ♃	
8 lacústris E.B.	(*br*) tall	Britain	....	7.	H *w* ♃	Eng. bot. v. 10. t. 666.
9 articulàtus R.S.	(*br*) jointed	E. Indies	1826.	8. 10.	S *w* ♃	Rheed. mal. 12. t. 71.

10	glaúcus E.B.	(*br*) glaucous	England	....	7. 8.	H *w* ♃	Eng. bot. v. 33. t. 2321.
11	carícinus S.S.	(*br*) compressed	Britain	....	7.	H *w* ♃	——— v. 11. t. 791.
	Schœ'nus compréssus E.B.						
12	rùfus S.S.	(*br*) rusty	———	....	6. 7.	H *w* ♃	Eng. bot. v. 15. t. 1010.
	Schœ'nus rùfus E.B.						
13	tríqueter E.B.	(*re.br*)triangular	England	....	8.	H *w* ♃	Eng. bot. v. 24. t. 1694.
14	carinàtus E.B.	(*br*) blunt-edged	———	....	7. 8.	H *w* ♃	——— v. 28. t. 1983.
15	marítimus E.B.	(*br*) salt marsh	Britain	....	7. 9.	H *w* ♃	——— v. 8. t. 542.
16	sylváticus E.B.	(*br.gr*)wood	———	....	——	H *w* ♃	——— v. 13. t. 919.
17	radìcans R.S.	(*br.gr*) rooting	Germany	....	——	H *w* ♃	Schk. in. Ust. an. 4. t. 1.
18	atrovìrens R.S.	(*da.g*) dark green	N. America	1818.	——	H *w* ♃	
19	quinquangulàris R.S.	(*br*)five-angled	E. Indies	1823.	....	S *w* ♃	
20	thyrsifìòrus F.	(*br*) thyrse-flowered	Siberia	1821.	7. 9.	H *w* ♃	

CYPE'RUS L. Cype'rus. (*Cypris*, a name of Venus; a phrodisiacal.) Triandria Monogynia.

§ 1. *Culm terete.*

1	Aitòni R.S.	(*br*) Aiton's	C. B. S.	....	6. 8.	G *w* ♃		
2	articulàtus R.S.	(*st*) jointed	S. America	1820.	——	S *w* ♃	Sloan. hist. 1. t. 81. f. 1.	
3	nilóticus R.S.	(*br*) Nile	Egypt	1810.	....	H *w* ♃		
4	viscòsus R.S.	(*gr.br*) clammy	Jamaica	1781.	5. 8.	S *w* ♃	Jacq. ic. 2. t. 295.	

§ 2. *Culm triquetrous; spikelets solitary or aggregate.*

5	compáctus R.S.	(*br.pu*) compact	China	1819.	7. 8.	H *w* ♃		
6	tenéllus R.S.	(*gr.br*) slender	C. B. S.	——	7. 9.	H ⊙		
7	mucronàtus R.S.	(*wh*) pointed	Levant	——	——	F *w* ♃	Flor. græc. 1. t. 49.	
8	kyllingoides R.S.	(*br*)Kyllinga-like	N. America	1828.	——	H *w* ♃		
9	pannónicus R.S.	(*g.w*) dwarf	Hungary	1781.	7. 8.	H ⊙	Jacq. aust. ap. t. 6.	
10	margaritàceus R.S.	(*wh*)pearl	Guinea	1822.	7. 9.	S *w* ♃		
11	monocéphalus F.I.	(*da.br*)one-headed	E. Indies	1816.	——	S *w* ♃		
12	pygmæ'us R.S.	(*gr*) dwarf	———	1827.	——	S *w* ♃	Rottb. gr. 20. t. 14. f. 4-5.	

§ 3. *Culm triquetrous; umbels contracted.*

13	dùbius W.	(*br*) doubtful	E. Indies	1802.	7. 9.	S *w* ♃	Rottb. gram. t. 4. f. 5.	
14	filifórmis R.S.	(*br*) filiform	Jamaica	1825.	——	S *w* ♃		
15	ténuis R.S.	(*gr*) slender	———	——	——	S *w* ♃		
16	polystàchyus R.S.	(*br*)many-spiked	E. Indies	1819.	——	S *w* ♃	Rottb. gram. t. 11. f. 1.	
17	leucocéphalus R.S.	(*wh*)white-headed	———	——	——	S *w* ♃		
18	brúnneus R.S.	(*br*) brown-spiked	W. Indies	1826.	——	S *w* ♃		
19	brizæ'us R.S.	(*br*) Briza-like	———	1824.	7. 8.	S *w* ♃		

§ 4. *Culm triquetrous; rays of umbel elongated; spikelets terminal, umbellate.*

20	diándrus R.S.	(*br*) two-stamened	N. America	1827.	7. 8.	H *w* ♃		
21	Púrshii R.S.	(*br.wh*) Pursh's	———	1816.	——	H *w* ♃		
22	Háspan R.S.	(*br*) digitate-spiked	Trinidad	1824.	——	S *w* ♃		
23	alternifòlius R.S.	(*br*) alternate-leaved	Madagascar	1781.	——	S *w* ♃	Jacq. ic. 2. t. 298.	
24	trisúlcus D.P.	(*br*) three-furrowed	Nepaul	1830.	——	H *w* ♃		
25	carícinus D.P.	(*br*) carex-like	———	1826.	——	H *w* ♃		
26	élegans R.S.	(*re*) elegant	Jamaica	1801.	5. 9.	S ♂	Sloan. jam. 1. t. 75. f. 1.	
27	compréssus R.S.	(*pu.st*)compressed	S. America	1819.	——	S *w* ♃	Rottb. gram. t. 9. f. 3.	
28	végetus R.S.	(*br*) smooth	America	1790.	——	G *w* ♃	Jacq. vind. 3. t. 12.	
	compréssus Jacq. *non* W.							
29	formòsus R.S.	(*ye*) handsome	N. America	1827.	7. 9.	H *w* ♃		
30	Lúzulæ R.S.	(*gr.br*) compact	W. Indies	....	——	S *w* ♃	Rottb. gram. t. 13. f. 2.	
	polycéphalus Lam. *non* L.en.							
31	confértus R.S.	(*ye*) crowded-spiked	W. Indies	1825.	7. 9.	S *w* ♃		
32	squarròsus R.S.	(*br*) globe-headed	E. Indies	1828.	——	S *w* ♃	Rottb. gram. t. 6. f. 3.	
33	paniculàtus R.S.	(*br*) panicled	W. Indies	1804.	5. 7.	S *w* ♃	Vahl. ic. pl. am. t. 12.	
34	rígidus R.S.	(*re.wh*) rigid	Madagascar	1826.	——	S *w* ♃		
35	flavéscens R.S.	(*br.ye*)yellowish	Germany	1776.	6. 9.	F *w* ♃	Flor. græc. t. 47.	
36	fúscus R.S.	(*br*) brown	Fulham	..!..	7. 9.	H *w* ⊙	Eng. bot. t. 2626.	
37	conglomeràtus R.S.	many-flowered	Java	1820.	5. 9.	S *w* ♃	Rottb. gram. t. 15. f. 7.	
38	erubéscens L. en.	(*bh*)blush	.....	——	——	S *w* ♃		
39	tuberòsus R.S.	(*g.pu*) tuberous-rooted	N. America	1827.	——	H *w* ♃	Rottb. gram. t. 7. f. 1.	
40	rotúndus R.S.	(*g.pu*) round-rooted	Africa	1828.	——	H *w* ♃	Scheuch. agrost. t. 9. f. 3.	
41	glàber R.S.	(*br*) smooth	S. Europe	1820.	——	H *w* ♃	Reich. ic. C. 3. t. 204.	
42	austràlis R.S.	(*br*) southern	———	——	——	H ⊙	Seguier. veron. 3. t. 2. f. 2.	
43	Tenoreànus R.S.	(*ye*) Tenore's	Naples	1825.	——	H *w* ♃	Reich. ic. C. 3. t. 212.	
44	punctàtus R.S.	(*br.gr*)spotted-seeded	E. Indies	1820.	——	S *w* ♃	Pluck. t. 192. f. 3.	
45	Ornithopus R.S.	(*st.pu*)bird's-foot	St. Domingo	1824.	——	S *w* ♃		
46	esculéntus R.S.	(*st*) Rush-nut	S. Europe	1597.	7.	H ♃	Host. gram. 3. t. 75.	
47	Hy'dra M.	(*gr.wh*) American	N. America	1812.	——	H ♃		
48	Pangòrei R.S.	(*br*) Ceylon	Ceylon	1823.	7. 9.	S *w* ♃	Rottb. gram. t. 7. f. 3.	
49	bàdius R.S.	(*br*) saw-leaved	Algiers	1800.	——	F *w* ♃	Desf. atl. 1. t. 7. f. 2.	

50	pátulus R.S. (*br.st*) spreading	Hungary	1818.	7. 9.	H *w* ⊙	Host. gram. 3. t. 74.
51	lóngus E.B. (*br.gr*) sweet	England	....	7.	H *w* ♃	Eng. bot. v. 19. t. 1309.
52	procèrus R.S. (*br.wh*) tall-rough	E. Indies	1826.	7. 9.	S *w* ♃	Rheed. mal. 12. t. 50.
53	tenuiflòrus R.S. (*br*) slender-flower'd	S. Europe	1818.	7. 8.	H *w* ♃	Jacq. ic. 2. t. 296.
54	Mónti R.S. (*pu.gr*) spreading-spiked	———	——	——	H *w* ♃	Host. gram. 4. t. 67.
55	Paramáttar.s (*br.pu*) tuberous-rooted	———	——	——	H *w* ♃	
56	spectábilis Schreb. (*pu*) showy	———	1827.	——	H *w* ♃	
57	diándrus R.S. (*st.br*) diandrous	N. America	1828.	——	H *w* ♃	
58	planifòlius R.S (*br*) flat-leaved	W. Indies	1824.	——	S *w* ♃	Sloan. his. 1. t. 74. f. 2. 3.
59	Linkiànus R.S. (*br.gr*) Link's	S. Europe	1819.	6. 8.	H *w* ♃	
	polycéphalus L. enum. *non* Lam.					
60	strigòsus R.S. (*br.st*) bristle-spiked	W. Indies	1786.	7. 9.	S *w* ♃	
61	Michauxiànus R.S. (*g.w*) Michaux's	N. America	1812.	——	H *w* ♃	
62	flavícomus R.S. (*ye*) yellow-spiked	———	1826.	——	H *w* ♃	
63	Tria R.S. (*st.gr*) tall	E. Indies	1802.	7.	S *w* ♃	Rheed. mal. 12. t. 56.
64	dístans R.S. (*br.st*) distant	W. Indies	1820.	7. 8.	S *w* ♃	Jacq. ic. t. 299.
65	tégetum R.S. (*br*) creeping-rooted	E. Indies	1822.	——	S *w* ♃	
66	gigantèus R.S. (*st*) gigantic	Trinidad	1824.	——	S *w* ♃	Rudg. guian. t. 21.
67	fastigiàtus R.S. (*ye*) lofty	E. Indies	1800.	5. 8.	S *w* ♃	Rottb. gram. t. 7. f. 2.
68	alopecuròides R.S. (*g.br*) fox-tailed	C. B. S.	1804.	——	G *w* ♃	——— 38. t. 8. f. 2.
69	cruéntus R.S. (*pu*) purple-spotted	Arabia	1820.	——	S *w* ♃	——— 21. t. 5. f. 1.
70	glomeràtus R.S. (*br*) round-headed	Italy	1804.	——	H ⊙	Segu. ver. 3. p. 68. t. 2. f. 2.
71	ligulàris R.S. (*br.gr*) ligulate	C. B. S.	1820	——	G *w* ♃	Rottb. gram. t. 11. f. 2.
72	diffórmis R.S. (*br*) deformed	Levant	1819.	6. 8.	F *w* ♃	Flor. græc. t. 46.
73	protráctus L. en. *br*) protracted	Egypt	1820.	——	H *w* ⊙	Delil. æg. 152. t. 5. f. 3.
74	dìves S.S. (*ye*) large-bracted	———	——	7.	H *w* ⊙	——— 149. t. 4. f. 3.
75	chloróstachys Stev. (*gr*) green-spiked	Siberia	1823.	——	H *w* ♃	
76	múltiplex Lk. (*br*) many-spiked	.....	1829.	——	H *w* ♃	
77	scàber Lag. (*br*) rough	Spain	1823.	——	H *w* ⊙	
78	xanthócoma Ot. (*ye*) yellow-haired	Sicily	1829.	——	H *w* ♃	

PAPY'RUS S.S. PAPER-RUSH. (Egyptian paper.) Triandria Monogynia.

1	antiquòrum S.S. (*br.y*) common	Egypt	1802.	7. 9.	S *w* ♃	Michel. gen. pl. t. 19.
	Cypèrus Papy'rus R.S.					
2	laxiflòrus S.S. (*br*) loose-flowered	Madagascar	1822.	——	S *w* ♃	
3	odoràtus S.S. (*st*) fragrant	W. Indies	1819.	——	S *w* ♃	Rudg. guian. p. 17. t. 20.

HYPOELY'TRUM R. HYPOELY'TRUM. (*υπο*, underneath, *ελυτρον*, an involucrum.) Trian. Mono.

	argénteum R.S. ((*wh.pu*) silvery	E. Indies	1824.	7. 8.	S ♃	

MARI'SCUS R.S. MARI'SCUS. (*Mar*, Celt., a marsh; habitat.) Triandria Monogynia.

1	capillàris R.S. (*st.br*) capillary	Trinidad	1824.	7. 10.	S *w* ♃	
2	aggregàtus K.S (*g.br*) clustered	.....	1820.	7. 9.	S *w* ♃	
3	paníceus R.S. (*br.st*) panic-like	E. Indies	——	6. 7.	S *w* ♃	Rottb. gram. t. 4. f. 1.
4	læ'vis B.P. (*br.g*) smooth	N. S. W.	1819.	6. 8.	G *w* ♃	
5	ovulàris R.S. (*br.g.*) oval-spiked	Carolina	1818.	——	F *w* ♃	Pluk. alm. t. 91. f. 4.
6	retrofráctus R.S. (*st.pu*) retrofracted	N. America	1827.	——	H *w* ♃	——— t. 415. f. 4.
7	umbellàtus R.S. (*br.g*) umbelled	E. Indies	1789.	——	S *w* ♃	Rottb. gram. t. 4. f. 2.
8	elàtus R.S. (*br.g*) tall	———	1805.	——	S *w* ♃	Jacq. ic. 2. t. 300.
9	confléxus L. en. (*br.g*) contracted	Brazil	1819.	7. 8.	S *w* ♃	

KYLLI'NGA W. KYLLI'NGA. (P. Killing, a Danish bot..) Triandria Monogynia.

1	monocéphala R.S. (*wh*) one-headed	India	1793.	6. 7.	S *w* ♃	Rottb. gram. t. 4. f. 4.
2	crucifórmis R.S. (*wh*) cross-formed	E. Indies	1825.	——	S *w* ♃	Swartz. hort. gott. ic.
3	intermèdia B.P. (*wh*) intermediate	N. S. W.	1822.	——	G *w* ♃	
4	tríceps R.S. (*wh.pu*) three-headed	E. Indies	1776.	9. 11.	S *w* ♃	Rottb. gram. t. 4. f. 6.
5	uncinàta L. en. (*gr*) hook-seeded	Brazil	1820.	7. 8.	S *w* ♃	
6	odoràta R.S. (*gr*) fragant	S. America	1822.	——	S *w* ♃	
7	polycéphsla L. en. (*wh*)	Brazil	1820.	——	S *w* ♃	
8	brevifòlia R.S. (*gr*) short-leaved.	E. Indies	1817.	5. 6.	S *w* ♃	Rottb. gram. t. 4. f. 3.

FUIRE'NA B.P. FUIRE'NA. (George Fuiren, a Danish bot.) Triandria Monogynia.

1	umbellàta K.S. (*br*) umbelled	W. Indies	1822.	6. 8.	S *w* ♃	Rottb. gram. t. 19. f. 3.
2	glomeràta R.S. (*pu.g*) crowded	E. Indies	1827.	——	S *w* ⊙	——— t. 17. f. 1.

ELY'NA R.S ELY'NA. (*ελυω*, to cover; ground.) Triandria Monogynia.

	spicàta R.S. (*br*) simple-spiked	Europe	1819.	6. 8.	H *w* ♃	Vill. delph. 2. t. 6.
	Cárex Bellárdi Host. gram. 4. t. 77.					

TRICHO'PHORUM P.S. TRICHO'PHORUM. (*θριξ*, a hair, and *φορεω*, to bear.) Triandria Monogynia.

1	cypérinum P.S. (*br.st*) cyperine	N. America	1802.	5. 9.	H *w* ♃	Pluk. mant. t. 419. f. 3.
2	alpìnum P.S. (*br.st*) Alpine	Scotland	....	7.	H *w* ♃	Eng. bot. v. 5. t. 311.
	Eriophorum alpìnum E.B.					

ERIO'PHOROM L. COTTON-GRASS. (*εριον*, wool, and *φορεω*, to bear.) Triandria Monogynia.

1	vaginàtum E.B. (*br*) Hare's-tail	Britain	....	3. 4.	H *w* ♃	Eng. bot. v. 13. t. 873.
2	capitàtum F.B. (*br*) round-headed	Scotland	....	8. 9.	H *w* ♃	——— v. 34. t. 2387.
3	grácile E.B. (*bk.g*) slender	———	....	7. 8.	H *w* ♃	——— v. 34. t. 2402

4 angustifòlium K.B. (*pu.g*) narrow-leaved	Britain	....	4. 5.	H *w* ♃	Eng. bot. v. 8. t. 564.
5 virgínicum R.S. (*pu.g*) Virginian	N. America	1802.	5. 8.	H *w* ♃	Pluk. alm. t. 299. f. 4.
6 polystàchion K.B. (*pu.g*) broad-leaved	Britain	....	4.	H *w* ♃	Eng. bot. v. 8. t. 563.
7 pubéscens K.F. (*bk*) pubescent	———	....	4. 5.	H *w* ♃	——— t. 2663.

ORDER CCLVIII.

GRAMI'NEÆ. *Kth. Gram. p.* 3.

Tribe I. *ORY'ZEÆ.* Kth. gram. p. 3.

LEE'RSIA B.P. LEE'RSIA. (F. D. Leers, auth. of Flore d'Herborn.) Triandria Digynia.

1 oryzoìdes K.G.	Rice-like	S. Europe	1793.	7. 8.	H *w* ♃	Host. gram. 1. t. 35.
2 virginica K.G.	Virginian	N. America	——	——	H *w* ♃	
3 austràlis B.P.	southern	N. S. W.	1819.	——	H *w* ♃	
4 lenticulàris K.G.....	round-glumed	N. America	1825.	——	H *w* ♃	
5 brasiliénsis K.G.....	Brazilian	Brazil	1826.	——	S *w* ♃	

ORY'ZA K.G. RICE. (*ορυζα*, from *eruz*, Arab.) Hexandria Digynia.

satìva K.G.	common	Ethiopia	1596.	7.	S *w* ☉	

POTAMO'PHILA K.G. POTAMO'PHILA. (*ποταμος*, a river, and *φιλεω*, to love.) Polygy. Monœc.

parviflòra K.G.	small-flowered	N. S. W.	1820.	6. 7.	F *w* ♃	

ZIZA'NIA K.G. ZIZA'NIA. (*ζιζανιον*, name of Darnel.) Monœcia Hexandria.

miliàcea K.G.	Millet-like	Carolina	1816.	——	H *w* ♃	

HYDROPY'RUM K.G. CANADA-RICE. (*υδωρ*, water, and *πυρος*, wheat.) Monœcia Hexandria.

1 flùitans K.G. (*gr*) ..	floating	N. America	1824.	7. 8.	H *w* ♃	
Zizània flùitans Mx.						
2 esculénta K.G.	esculent	———	1790.	7. 9.	H *w* ♃	Lin. trans. 7. t. 13.
Zizània aquática L.						

EHRHA'RTA W. EHRHA'RTA. (B. Ehrart, a French bot.) Hexandria Monogynia.

1 panícea K.G.	Panic-grass	C. B. S.	1790.	5. 7.	G ♃	Sm. ined. 1. t. 9.
2 melicoìdes K.G.....	Melica-like	———	1816.	——	G ♃	

MICROLÆ'NA B.P. MICROLÆ'NA. (*μικρος*, small, and *χλαινα*, a cloak.) Tetrandria Digynia.

stipoìdes B.P.	Stipa-like	N. S. W.	1822.	7. 8.	F ♃	Lab. n. hol. 1. t. 118.
Ehrhárta stipoìdes. Lab.						

PHA'RUS K.G. PHA'RUS. (*φαρος*, a cover; made into thatch.) Monœcia Hexandria.

1 latifòlius K.G.	broad-leaved	Jamaica	1793.	7. 8.	S ♃	Brown. jam. t. 38. f. 3.
2 angustifòlius D.L. ..	narrow-leaved	Trinidad	1821.	——	S ♃	

Tribe II. *PHALARI'DEÆ.* Kth. gram. p. 18.

LYGE'UM K.G. LYGE'UM. (*λυγοω*, to plait; leaves made into hats.) Triand. Monogyn.

Spártum K.G.	rush-leaved	Spain	1776.	5. 6.	H ♃	Schreb. gram. t. 52. 53.

ZE'A K.G. INDIAN CORN. (Greek name of Mays.) Monœcia Triandria.

1 Máys K.G.	common	America	1562.	6. 7.	H ☉	Lam. ill. t. 749.
2 Curágua K.G.....	saw-leaved	Chili	1820.	——	H ☉	

CO'IX K.G. JOB'S-TEARS. (a name employed by Theophrastus.) Monœcia Triandria.

1 Láchryma K.G.	common	E. Indies	1596.	6. 7.	S ♃	Bot. mag. t. 2479.
2 agréstis K.G.	round-fruited	———	1812.	——	S ♃	Rumph. amb. 6. t. 9. f. 1.
3 exaltàta S.S.	tall	China	1816.	——	S ♃	Jacq. ic. gram.
Láchryma β exaltàta K.G.						
4 arundinàcea K.G.....	reed-like	Mexico	1824.	——	S ♃	
5 Kœnígii S.S.	Kœnig's	E. Indies	1818.	——	S ♃	
6 gigantèa H.B.	gigantic	Bengal	1820.	——	S ♃	

CORNUCOPIÆ K.G. HORN OF PLENTY. (from *cornu*, and *copia*.) Triandria Monogynia.

cucullàtum K.G.....	hooded	Levant	1788.	8.	H ☉	Flor græc. 1. t. 51.

CRY'PSIS K.G. CRY'PSIS. (*κρυπτος*, hidden.) Triandria Monogynia.

aculeàta K.G.	prickly	S. Europe	1783.	6. 7.	H ☉	Host. gram. 1. t. 31.

HELEO'CHLOA Host. HELEO'CHLOA. (*ἑλεος*, pity, and *χλοα*, grass.) Triandria Monogynia.

1 alopecuroìdes R.S...	Foxtail-like	Germany	1816.	7. 8.	H ☉	Host. gram. 1. t. 29.

2 phalaroìdes P.B. .... Phalaris-like Causacus 1826. 7. 8. H ⊙
3 schœnoìdes R.S. .... Schœnus-like S. Europe 1783. —— H ⊙ Jacq. ic. 1. t. 15.

KNA'PPIA E.B. KNA'PPIA. (M. Knapp, an English bot.) Triandria Digynia.
agrostídea E.B. .... small Wales .... 3. 4. H ⊙ Eng. bot v. 16. t. 1127.
Agróstis minima W. *Chamagróstis minima* R.S. *Stúrmia vérna* P.S.

ALOPECU'RUS K.G. FOXTAIL-GRASS. (αλοπηξ, a fox, and ουρα, a tail.) Triandria Digynia.
1 agréstis K.G. .... slender Britain .... 7. 8. H ⊙ Eng. bot. v. 12. t. 848.
2 utriculàtus K.G. .. bladdered Italy 1777. —— H ⊙ Flor. græc. t. 63.
3 echinàtus K.G. .... rough C. B. S. 1822. —— G ⊙
4 praténsis K.G. .... meadow Britain .... 5. H ♃ Eng. bot. v. 11. t. 759.
5 nígricans K.G. .... blackish Europe 1815. 6. 7. H ♃ Jacq. ecl. gram. t. 13.
Tauntoniénsis Sinc. gr. wob. p. 232. *arundinàceus* Poir.
6 triviàlis S.O. .... long-awned Bohemia 1827. —— H ♃
7 scàber S.O. .... scabrous ——— —— —— H ♃
8 geniculàtus K.G. .... floating Britain .... 5. 8. H w ♃ Eng. bot. v. 18. t. 1250.
9 fúlvus K.G. .... orange-spiked England .... 6. H w ♃ ——— v. 21. t. 1467.
10 alpìnus K.G. .... Alpine Scotland .... 5. 6. H ♃ ——— v. 16. t. 1126.
Giesekeànus R.S. *ovàtus* F.D. *non* Forst.
11 ramòsus K.G. .... branching N. America 1823. —— H ♃
12 macrostàchyos K.G. .. large-spiked Barbary 1824. 6. 8. H ♃
13 bulbòsus K.G. .... bulbous England .... 7. H ♃ Eng. bot. v. 18. t. 1249.
14 colobachnoìdes K.G. .. Siberian Siberia 1826. 6. 7. H ♃
15 Gerárdi K.G. .... Gerard's S. Europe 1820. 6. 8. H ♃ Jacq. ic. t. 301.
Phlèum Gerárdi R.S.

COLOBA'CHNE R.S. COLOBA'CHNE. (κολοβος, maimed, and αχνη, a glume.) Triand. Digyn.
vaginàta R.S. .... sheathed Levant 1818. 4. H ♃ Flor. græc. t. 64.
Alopecùrus angustifòlius F.G. *Polypògon vaginàtus* W.

BECKMA'NNIA K.G. BECKMA'NNIA. (Beckmann, a German bot.) Triandria Digynia.
erucæfórmis K.G. .. linear-spiked Europe 1773. 7. H ⊙ Host. gram. 3. t. 6.

ACHNODO'NTON R.S. ACHNODONTON. (αχνη, a glume, and οδους, a tooth.) Triand. Digyn.
1 Bellárdi R.S. .... bulbous Spain 1798. 6. 7. H ⊙
Phálaris Bellárdi W. *bulbòsa* L.
2 ténue R.S. .... slender S. Europe 1826. —— H ⊙ Host. gram. t. 36.
3 arenària L.en. .... sand Britain .... —— H ⊙ Eng. bot. v. 7. t. 222.
Phálaris arenària E.B. *Phlèum arenàrium* F.D. t. 915. *Chilóchloa arenària* R.S.

CHILO'CHLOA R.S. CHILO'CHLOA. (χιλος, fodder and χλοα, grass.) Triandria Digynia.
1 Bœhmèri R.S. .... Phalaris-like England .... 7. 9. H ♃ Eng. bot. v. 7. t. 459.
Phálaris phleoìdes E.B. *Phlèum phalaroìdes* Kœl. *Bœhmèri* W.
2 cuspidàta R.S. .... sharp-pointed Tyrol 1824. 7. 8. H ♃ Host. gram. 4. t. 20.
3 Michèlii L.en. .... Micheli's Scotland .... 6. 7. H ♃ Eng. bot. v. 32. t. 2265.
Phlèum Michèlii E.B.
4 áspera R.S. .... rough England .... 7. H ⊙ Eng. bot. v. 15. t. 1077.
Phlèum paniculàtum E.B. *Phlèum ásperum* Jacq. ic. t. 14. *Phálaris áspera* W.
5 ánnua R.S. .... annual Causacus 1825. 7. 8. H ⊙

PHLE'UM K.G. CAT'S-TAIL-GRASS. (φλεος, name of a grass.) Triandria Digynia.
1 praténse K.G. .... common Britain .... 7. H ♃ Eng. bot. v. 15. t. 1076.
α *màjus* S.G.W. .... *greater* ——— .... —— H ♃ Sinc. gr. wob. p. 195. ic.
β *mìnus* S.G.W. .... *lesser* ——— .... 7. 8. H ♃ ——— p. 197. ic.
2 nodòsum W. .... knotted ——— .... 7. 9. H ♃ Flor. dan. t. 380.
praténse β K.G.
3 Bertolònii K.G. .... Bertoloni's France 1818. —— H ♃
4 alpìnum K.G. .... alpine Scotland .... 7. H ♃ Eng. bot. v. 8. t. 519.
5 commutàtum R.S. .. confused Piedmont 1819. —— H ♃
alpìnum β *ténue* K.G.
6 echinàtum K.G. .... hedge-hog Dalmatia 1822. 8. 9. H ⊙ Host. gram. 3. t. 11.
felìnum R.S.

PHA'LARIS K.G. CANARY-GRASS. (φαλαρος, brilliant; seeds.) Triandria Digynia.
1 canariénsis K.G. .... common Britain .... 6. 8. H ⊙ Eng. bot. v. 19. t. 1310.
2 macrostàchya K.G. .. small-spiked N. America 1818. —— H ⊙
3 angústa K.G. .... narrow Brazil 1838. —— H ⊙
4 aquática R.S. .... water Egypt 1778. 6. 7. H ⊙ Host. gram 2. t. 38.
5 minor K.G. .... Cape C. B. S. 1804. —— G ♃
capénsis R.S.
6 cœruléscens K.G. .. blueish S. Europe 1824. —— H ⊙ Buxb. cent. 4. t. 53.
bulbòsa R.S. *commutàta* R.S. *varieyàta* S.S. *nitida* R.S.
7 nodòsa K.G. .... knotted ——— 1825. —— H ♃ Flor. græc. t. 56.
8 paradóxa K.G. .... paradoxical ——— —— —— H ⊙ ——— 1. t. 58.
9 appendiculàta K.G. .. appendaged Egypt 1823. —— H ⊙

DI'GRAPHIS Tr.		DI'GRAPHIS.	(δις, twice, and γραφω, to write: leaves.) Triand. Digyn.					
1	arundinàcea Tr.	Reed-like	Britain	....	7.	H	♃	Eng. bot. v. 6. t. 402.
	Arúndo coloràta E.B. *Phálaris arundinàcea* L. *Baldíngera* Fl. wet.							
	β *variegàta*	*striped-leaved*	———	....	——	H	♃	
2	americàna S.S.	American	N. America	....	——	H	♃	
HO'LCUS K.G.		SOFT-GRASS.	(ὁλκος, from ἑλκω, to extract; thorns.) Polyg. Monœc.					
1	móllis K.G.	creeping	Britain	....	7. 8.	H	♃	Eng. bot. v. 17. t. 1170.
2	lanàtus K.G.	meadow	———	....	6. 7.	H	♃	——— v. 17. t. 1169.
HIERO'CHLOA K.G.		HIERO'CHLOA.	(ἱερος, holy, and χλοα, grass.) Triandria Digynia.					
1	boreàlis K.G.	northern	Scotland	....	5. 6.	H	♃	Sinc. gr. wob. p. 167. ic.
	Hólcus odoràtus F.D. t. 963. *rèpens* Host. gram. 3. t. 3.							
2	austràlis K.G.	southern	S. Europe	1777.	6. 7.	H	♃	Host. gram. 1. t. 4.
3	frágrans K.G.	fragrant	N. America	——	——	H	♃	
4	alpina K.G.	Alpine	Melvill's I.	1827.	——	H	♃	Flor. dan. t. 1508.
5	pauciflòra K.G.	few-flowered	———	——	——	H	♃	
ANTHOXA'NTHUM K.G.		SPRING-GRASS.	(ανθος, a flower, and ξανθος, yellow.) Diand. Digyn.					
1	odoràtum K.G.	sweet-scented	Britain	....	5.	H	♃	Eng. bot. v. 9. t. 647.
	β *láxum*	*loose-spiked*	———	....	——	H	♃	Locs. ic. 22.
	γ *pubéscens*	*downy-spiked*	———	....	——	H	♃	
	δ *ramòsum*	*branching-spiked*	———	....	——	H	♃	
2	amàrum K.G.	bitter	S Europe	1810.	7.	H	♃	Trin. ic. gram. t. 14.
3	grácile K.G.	slender	Italy	1825.	7. 8.	H	⊙	——— t. 13.
4	ovàtum K.G.	oval-spiked	Spain	1824.	——	H	⊙	

Tribe III. *PANICEÆ*. Kth. gram. p. 40.

CERE'SIA P.S.		CERE'SIA.	(the goddess Ceres.) Triandria Digynia.					
	élegans P.S.	elegant	Peru	1818.	8. 9.	H	♃	Jacq. frag. t. 86.
	Páspalum membranàceum S.S.							
PA'SPALUM K.G.		PA'SPALUM.	(Greek name for Millet.) Triandria Digynia.					
1	disséctum K.G.	dissected	S. America	1822.	8.10.	H	⊙	
2	scrobiculàtum K.G.	dimpled'	E. Indies	1778.	7. 9.	S	♃	Hout. n. his. t. 89. f. 3.
3	stoloníferum K.G.	purple	Peru	1794.	——	G	♃	Jacq. ic. 2. t. 302.
4	paniculàtum K.G.	panicled	W. Indies	1782.	——	S	⊙	Sloan. hist. 1. 72. f. 2.
5	virgàtum K.G.	twiggy	———	1822.	——	S	♃	——— f. t. 69. f. 2.
6	læ've K.G.	smooth	N. America	1818.	——	H	♃	Lecomt. pasp. t. 91.
7	mucronàtum K.G.	mucronate	———	1825.	——	H	⊙	
8	Lecomteànum K.G.	Lecomte's	———	1827.	——	H	♃	Lecomt. pas. t. 91.
9	latifólium K.G.	broad-leaved	———	——	——	H	♃	
10	dilatàtum K.G.	Monte Video	M. Video	1824.	——	S	♃	
	β *platénse* R.S.							
11	diffórme K.G.	deformed	N. America	1818.	7. 9.	H	♃	Lecomt. pas. t. 91. p. 284.
12	pusíllum K.G.	small	St. Thomas	1822.	——	S	♃	
13	conjugàtum K.G.	conjugate	W. Indies	——	——	S	♃	Gært. fruct. 2. t. 80. f. 4.
14	notàtum K.G.	two-spiked	———	1776.	7.	S	♂	Swartz. obs. t. 2. f. 1.
15	vaginàtum R.S.	sheathed	———	1824.	——	S	♃	
16	platycaúle K.G.	flat-stalked	———	——	——	S	♃	
17	mólle K.G.	soft	St. Thomas	1822.	——	S	♃	
18	Kòra K.G.	smooth-flowered	E. Indies	1818.	7. 8.	S	♃	
19	longiflòrum K.G.	long-flowered	———	1824.	——	S	♃	
20	setàceum K.G.	bristly	N. America	——	——	H	♃	
21	pilòsum K.G.	hairy	S. America	1826.	——	S	♃	
22	incértum K.G.	uncertain	.....	1812.	——	H	♃	
23	dùbium K.G.	doubtful	.....	1818.	——	H	♃	
24	glàbrum K.G.	smooth	W. Indies	1823.	——	S	♃	
25	tenéllum K.G.	elegant	.....	1817.	——	S	♃	
	elegans S.S.							
26	láxum K.G.	loose	S. America	1819.	——	S	♃	
27	inæquàle K.G.	unequal-valved	Manilla	1822.	——	S	♃	
CABRE'RA LG.		CABRE'RA.	(the name of a Spanish general.) Trindria Digynia.					
	chrysoblépharis LG.	golden-spiked	S. America	1822.	6. 7.	S	♃	
AXO'NOPUS R.S.		AXO'NOPUS.	(αξων, an axis, and πους, a foot.) Triandria Digynia.					
1	digitàtus R.S.	fingered	Jamaica	1818.	6. 8.	H	⊙	
2	cimícinus R.S.	spotted	E. Indies	1778.	7. 9.	H	⊙	
	Pánicum cimícinum W. *Mílium cimícinum* L.							

MI'LIUM K.G.	MILLET-GRASS. (*mille*, a thousand; fecundity.) Triandria Digynia.							
1	nígricans K.G.	Guinea maize	Peru	1824.	6. 8.	H	⊙	
2	effùsum R.B.	common	Britain	....	6. 7.	H	♃	Eng. bot. v. 16. t. 1106.
	scàbrum R.S. *confértum* R.S.							
3	vernàle K.G.	vernal	Caucasus	1819.	4. 5.	H	⊙	
4	gallécicum R.S.	capillary	Gallicia	——	6. 8.	H	♃	
	Aira Lagáscæ K.G.							
5	velutìnum K.G.	downy	Mexico	1823.	——	H	⊙	
	Páspalum velutìnum K.G.							
6	filifórme K.G.	slender	New Spain	1824.	——	H	♃	
7	microspérmum K.G..	small-seeded	———	1822.	——	H	⊙	
8	phleoìdes	Phleum-like	E. Indies	1820.	——	S	♃	
AMPHICA'RPUM K.G.	AMPHICAR'PUM. (*αμφι*, on both sides, and *καρπος*, a fruit.) Trian. Digy.							
	Púrshii K.G.	earth-fruited	N. America	1827.	6. 7.	H	♃	Pursh. am. sept. 2. t. 2.
	Milium amphicárpon Ph.							
OLY'RA W.	OLY'RA. (a name employed by Homer.) Monœcia Triandria.							
1	paniculàta W.	panicled	W. Indies	1783.	7.	S	♃	Sloan. jam. 1. t. 64. f. 2.
2	latifòlia K.G.	broad-leaved	———	——	——	S	♃	
PA'NICUM K.G.	PANIC-GRASS. (*panis*, bread.) Triandria Digynia.							
1	colònum R.S.	purple	E. Indies	1699.	7. 8.	H	⊙	Ehret. pict. t. 3. f. 3.
	Oplismènus colònus K.G.							
2	flùitans K.G.	floating	———	1825.	——	S	w⊙	
3	brizoìdes K.G.	Briza-like	———	1801.	6. 7.	S	♂	Jacq. gram. fasc. t. 2.
4	flávidum K.G.	yellowish	———	1823.	——	S	♂	
5	erucifórme K.G.	Eruca-like	Samos	1837.	——	H	⊙	Flor. græc. t. 59.
6	mólle K.G	soft	W. Indies	1824.	——	H	⊙	
7	Michauxiànum R.S...	Michaux's	N. America	——	——	H	⊙	
	Pánicum mólle Mich *non* Swartz.							
8	fasciculàtum K.G. ..	fascicled	Jamaica	1801.	——	H	⊙	
9	plicàtum K.G.	plaited	E. Indies	1824.	6. 8.	S	♃	
10	palmifòlium K.G. ..	Palm-leaved	———	1804.	——	S	♃	Jacq. ecl. gram. t. 1.
11	neuròdes K.G.	nerved-leaved	Nepaul	1823.	——	G	♃	
	nervòsum F.I. *non Lam.*							
12	costàtum F.I.	ribbed	Mauritius	1805.	——	S	♃	
13	carthaginénse K.G...	Carthagena	S. America	1818.	——	S	♃	
14	conglomeràtum R.S...	conglomerate	E. Indies	——	——	S	♃	
15	índicum K.G.	Indian	———	——	——	S	♃	
16	hispídulum R.S.....	hispid	———	1804.	7. 8.	H	⊙	
	Oplismènus hispídulus K.G.							
17	frumentàceum F.I...	cultivated	———	1810.	——	H	⊙	
18	dichótomum R.S.....	forked	N. America	1817.	——	H	⊙	Sp. m. act. pet. 1810. t. 4.
19	coloràtum K.G.	coloured	Egypt	1771.	7. 9.	H	⊙	Jacq. ic. 1. t. 58?
20	rèpens K.G.	creeping	S. Europe	1777.	——	H	⊙	Flor. græc. 1. t. 61.
21	prolíferum K.G.....	proliferous	N. America	1816.	——	H	⊙	
22	diffórme K.G.	deformed	E. Indies	1825.	——	S	♃	
23	numidiànum K.G. ..	Numidian	Barbary	1816.	——	H	⊙	Desf. atl. t. 1. t. 11.
24	miliàceum K.G.....	Millet	E. Indies	1596.	——	H	⊙	Host. gram. 2. t. 20.
25	ténue K.G.	slender	———	1824.	——	S	♃	
26	tenuissimum R.S. ..	very-slender	Brazil	1827.	——	S	♃	
	Sporóbolus minutiflòrus K.G.							
27	miliàre K.G.	Millet-like	E. Indies	1824.	——	H	⊙	
28	muricàtum R.S.....	prickly	———	1805.	——	H	⊙	
29	capillàre K.G.	hair-panicled	America	1758.	6. 8.	H	⊙	
	minus R.S.	*smaller*	———	——	——	H	⊙	Host. gram. 4. t. 16.
30	tenéllum K.G.	slender-branched	Sierra Leone	1820.	—	S	⊙	
31	grossàrium K.G.....	cultivated	W. Indies	1810.	——	H	⊙	
32	Jumentòrum K.G...	Guinea-grass	Tropics	1822.	——	S	♃	Jacq. ic. 1. t. 13.
	β máximum R.S.							
33	aspérrimum K.G....	rough	S. America	1824.	7. 9.	H	⊙	
34	fúscum K.G.	brown	Jamaica	1822.	——	S	♃	
35	latifòlium K.G.	broad-leaved	N. America	1765.	8. 9.	H	♃	Moris. his. 3. t. 5. f. 4.
36	macrocárpon K.G...	large-fruited	———	1825.	——	H	♃	
37	microcárpon K.G. ..	small-fruited	———	1822.	——	H	♃	
38	diffùsum K.G.	diffuse	W. Indies	1823.	——	S	⊙	
39	oryzoìdes K.G.	Rice-like	———	1824.	——	S	⊙	
40	clandestìnum K.G...	hidden-flowered	N. America	1802.	7.	H	♃	
41	virgàtum K.G.	twiggy	———	1781.	8. 9.	H	♃	Spr. m. act. pet. 2. t. 5.
42	ánceps K.G.	flat-edged	———	1816.	7. 8.	H	♃	
43	uliginòsum K.G. ...	marsh	E. Indies	1819.	——	S	w♃	
44	nítidum K.G.	glossy	N. America	1811.	——	H	⊙	

45 arundinàceum R.S... Reed-like Jamaica 1819. 7. 8. S ♃
Isáchne dùbia K.G.
46 trípheron R.S. .... brown-seeded E. Indies 1820. 6. 8. S ⊙
tenéllum F.I. *nec aliorum. Roxbúrghii* S.S.
47 brevifòlium K.G. ... short-leaved ——— 1800. 7. 8. S ♃ Pluk. alm. t. 189. f. 4.
48 divaricàtum K.G. ... divaricate Jamaica —— —— S ♃ Jacq. schœn. 1. t. 25.
49 interrúptum K.G.... interrupted E. Indies 1820. —— S ♃
50 arboréscens R.S. .. arborescent ——— 1776. 3. 4. S ♄
Arundinària glaucéscens K.G.
51 pàtens K.G. .... spreading ——— 1804. 7. 8. S ♂ Burm. ind. t. 10. f. 3.
52 altíssimum K.G..... lofty ..... 1816. —— H ⊙
53 eriogònum K.G..... woolly-angled N. Holland 1824. —— G ♃
54 marginàtum K.G.... margin-leaved N. S. W. 1822. —— F ♃
55 bícolor K.G. .... two-coloured ——— —— —— F ♃
ISA'CHNE B.P. ISA'CHNE. (*ισος*, equal, and *αχνη*, a glume.) Triandria Digynia.
austràlis B.P. .... New Holland N. S. W. 1820. 6. 8. H*w* ♃
MELI'NIS S.S. MELI'NIS. (not explained.) Triandria Digynia.
minutifòra S.S..... glutinous Brazil 1822. 6. 7. S ♃ Nees Hor. ber. 54. t. 7.
Tristègis glutinòsa Nees. *Suárdia picta* Schrank h. mon. 11. t. 58.
STENOTA'PHRUM K.G. STENOTA'PHRUM. (*στενος*, narrow, and *ταφρος*, a valley.) Polyg. Monœc.
1 americànum K.G. ... smooth Carolina 1822. 6. 7. H ♃ Schrank h. monac. t. 98.
glábrum Tr.
2 complanàtum K.G... flat-spiked E. Indies 1824. —— S ♃ Burm. ind. t. 8. f. 5.
ORTHOPO'GON B.P. ORTHOPO'GON. (*ορθος*, straight, and *πωγων*, a beard.) Triandria Digynia.
1 hirtéllus S.S. .... hairy W. Indies 1795. 6. 7. S ♂
Oplismènus hirtéllus K.G.
2 setàrius S.S. .... bristly ——— 1823. —— S ⊙
3 undulatifòlius S.S... wave-leaved S. Europe 1795. 6. 7. H ⊙ Host. gram. 3. t. 52.
Pánicum hirtéllum Host. *non* L.
4 Burmánni R.S. .... Burmann's E. Indies 1819. .... S ⊙ Burm. ind. t. 12. f. 1.
5 africànus .... African Africa 1822. 7. 9. S ⊙ Pal. fl. d'ow. 2. t. 67. f. 1.
Oplismènus africànus K.G.
6 compósitus S.S..... compound spiked E. Indies 1819. —— S ⊙ Linn. pfl. sys. 12. t. 96. f. 1.
7 fláccidus B.P. .... flaccid N. S. W. 1824. —— H ⊙
8 imbecíllis B.P. .... feeble ——— —— —— H ⊙
MONA'CHNE R.S. MONA'CHNE. (*μονος*, one, and *αχνη*, a glume.) Triandria Digynia.
unilateràlis R.S..... one-sided Jamaica 1819. 6. 8. S ♃ Sloan. hist. 1. t. 14. f. 2.
Milium villòsum W. *Pánicum leucophæ'um* K.G.
ECHINO'CHLOA R.S. ECHINO'CHLOA. (*εχινος*, a hedgehog, and *χλοα*, grass.) Triand. Digy.
1 stagnìna R.S. .... pond E. Indies 1802. 7. 8. H*w* ⊙
Oplismènus stagnìnus K.G.
2 commutàta R.S..... Hungarian Hungary —— —— H*w* ⊙ Host. gram. 3. t. 51.
Pánicum stagnìnum Host.
3 intermèdia R.S. .... intermediate ..... 1816. —— H ⊙
4 erythrospérma R.S.. red-seeded ..... 1825. —— H ⊙
5 híspida R.S. .... hispid Egypt 1829. —— H ⊙
6 Crús-Córvi R.S..... Crow's-foot E. Indies 1781. —— H ⊙
7 Crús-Gálli R.S..... Cock's-foot England .... —— H ⊙ Eng. bot. v. 13. t. 876.
Pánicum Crús-Gálli E.B.
8 echinàta R.S. .... bristly N. America 1825. —— H ⊙ Jacq. ecl. gram. t. 20.
9 setígera R.S. .... setigerous E. Indies 1820. —— S ⊙
SETA'RIA K.G. SETA'RIA. (*seta*, a bristle.) Triandria Digynia.
1 serícea K.G. .... silky W. Indies 1780. 5. 9. H ⊙
2 verticillàta K.G..... rough England .... 7. 8. H ⊙ Eng. bot. v. 13. t. 874.
3 víridis K.G. .... green ——— .... —— H ⊙ ——— v. 13. t. 875.
Pánicum víride E.B. *Pennisètum víride* B.P.
4 pùmila K.G. .... dwarf ..... 1819. —— H ⊙
5 macrochæ'ta K.G.... long-spiked ..... —— —— H ⊙
6 purpuráscens K.G... purplish S. America 1822. —— H ⊙
7 intermèdia K.G..... intermediate E. Indies 1819. 8. 10. H ⊙
8 Weinmánni K.G.$\frac{3}{4}$... Weinmann's Teneriffe 1816. —— H ⊙
9 glaúca K.G. .... glaucous S. Europe 1771. 7. 8. H ⊙ Host. gram. 2. t. 16.
10 helvòla K.G. .... pale red E. Indies 1822. 8. 10. H ⊙
11 corrugàta K.G. .... rugged-flowered Carolina 1828. —— H ⊙
12 geniculàta K.G..... jointed Antilles 1805. 7. 8. H ⊙
13 marítima K.G. .... sea-side ..... 1818. —— H ⊙
14 germánica K.G..... German Germany 1548. —— H ⊙ Host. gram. 2. t. 15.
15 itálica K.G. .... Italian Italy 1616. —— H ⊙ Rumph. amb. 3. t. 76. f. 2.
Pánicum itálicum Host. gram. 4. t. 14. *Pennisètum itálicum* B.P.

16 compósita K.G. .... compound S. America 1823. 7. 8. H ☉
17 macrostàchya K.G .. cylindrical W. Indies 1822. —— H ☉
cylíndrica R.S. *sètosa* R.S.
18 polystàchya K.G. ... many-spiked Brazil 1824. —— S ♂
19 tenacíssima K.G. ... tough ———— 1819. —— H ☉
20 Pennisètum R.S. ... Indian E. Indies 1820. 6. 8. S ☉
Pánicum dístichum K.G.
21 scándens K.G. .... climbing ..... —— —— H ☉
22 caudàta K.G. .... tailed Trinidad 1824. —— H ☉
23 muricàta R.S. .... sea-side N. America 1819. —— H ☉
Oplismènus muricàtus K.G.
24 aurícoma Lk. .... golden-headed ..... 1826. —— H ☉

DIGITA'RIA R.S. DIGITA'RIA. (*digitus*, a finger.) Triandria Digynia.
1 sanguinàlis R.S..... slender-spiked Britain .... 8. H ☉ Eng. bot. v. 12. t. 849.
Pánicum sanguinàle E.B.
2 bicórnis R.S. .... two-horned E. Indies 1825. 8. 9. H ☉
3 affìnis R.S. .... related S. America 1820. 7. 8. H ☉
4 ægyptìaca R.S. .... Egyptian Egypt 1794. —— H ☉ Jacq. obs. 3. t. 30.
5 filifórmis S.S. .... filiform N. America 1781. —— H ☉
6 Roxbúrghii S.S..... Roxburgh's E. Indies 1823. —— H ☉
Pánicum filifórme F.I.
7 villòsa S S. .... villous N. America 1781. 7. 9. H ☉
8 débilis S.S. .... weak Barbary 1824. —— H ☉
9 glábra R.S. .... smooth England .... —— H ☉ Eng. bot. t. 2613.
Syntherísma glábrum Schrad.
10 paspaloìdes R.S.... trailing N. America —— —— H ☉
11 ciliàris R.S. .... fringed S. Europe 1804. —— H ☉ Host. gram. 4. t. 15.
12 barbàta R.S. .... bearded E. Indies 1824. —— H ☉
13 bifórmis R.S. .... two-formed Canaries 1820. —— H ☉
14 marginàta R.S. .... margined Brazil 1825. —— H ☉
15 lineàris R.S. .... linear-spiked India 1804. —— H ☉ Burm. ind. 25. t. 10. f. 3.
16 insequàlis S.S. .... hairy-sheathed Manilla 1824. 7. 8. S ☉
17 serótina M. .... late-flowered N. America —— —— H ☉
Páspalum serótinum R.S.
18 Andersòni Ot. .... Anderson's MonteVideo 1825. 6. 8. F ♃
19 eriogòna Schr. .... woolly-angled S. America —— —— S ♃
20 molíssima Schr. .. soft ———— 1826. —— S ♃
21 pilígera Lk. .... hairy MonteVideo—— —— H ☉
22 violáscens Lk. .... violet ———— —— —— H ☉

PENNISETUM K.G. PENNISE'TUM. (*penna*, a feather, and *seta*, a bristle.) Triandria Monogynia.
1 purpuráscens K.G... setose W. Indies 1804. 7. 8. H ☉
setòsum R.S.
2 cenchroìdes K.G. .. ciliated C. B. S. 1777. 7. 8. H ☉ Giseck. ic. 1. t. 23.
Cénchrus ciliàris L.
3 orientàle K.G. .... oriental Levant 1819. —— F ♃
4 violàceum K.G. .... violet-spiked Senegal 1829. —— S ☉
5 compréssum B.P. .. flat-stemmed N. S. W. 1820. —— H ♃
6 holcoìdes K.G. .... Holcus-like E. Indies 1823. —— S ☉ Rumph. amb. 6. t. 7. f. 2.
Pánicum holcoìdes F.I. *polystàchyum* R.S.
7 barbàtum K.G. .... bearded E. Indies —— —— S ☉
8 dichótomum K.G. .. forked Egypt 1824. —— H ♃ Delil. ægyp. t. 8. f. 3.
9 nepalénse K.G. .... Nepaul Nepaul 1822. —— H ☉
10 ásperum K.G. .... rough-leaved C. B. S. 1823. —— G ♄
11 erubéscens K.G..... reddish S. America 1822. —— H ☉
12 Linnæ'i K.G. .... Fox-tail Jamaica 1739. 7.10. H ☉ Pluk. alm. t. 92. f. 5.

PENICILLA'RIA K.G. PENICILLA'RIA. (*penicillus*, a hair pencil.) Polygamia Monœcia.
spicàta K.G. .... spiked E. Indies 1592. 6. 7. H ☉ Pluk. alm. t. 32. f. 4.

CE'NCHRUS K.G. CE'NCHRUS. (κεγχρος, Greek name of millet.) Triandria Monogynia.
1 tribuloìdes K.G..... spinous N. America 1818. 5. 8. H ☉ Sloan. hist. 1. t. 65. f. 1.
2 echinàtus K.G. .... rough-spiked W. Indies 1691. 8.12. S ♂ Cavan. ic. 5. p. 39. t. 462.
3 austràlis K.G. .... New Holland N. S. W. 1822. 6. 8. H ☉

ANTHE'PHORA K.G. ANTHE'PHORA. (ανθος, a flower, and φορεω, to bear.) Triand. Monogy.
1 élegans K.G. .... elegant Jamaica 1776. 8. 9. S ☉ Schreb. gram. t. 44.
Trípsacum hermaphrodìtum L. *Cénchrus lævigàtus* S.S.
2 villòsa R.S. .... villous W. Indies 1824. —— S ☉

LAPPA'GO K.G. LAPPA'GO. (*Lappa, burdock*; like.) Triandria Digynia.
1 racemòsa K.G. .... branching S. Europe 1771. 8. 9. H ☉ Flor. græc. t. 101.
Tràgus racemòsus R.S. *Cénchrus racemòsus* L.
β *aliòna* S.S. .... *Brazilian* Brazil 1826. 6. 8. S ☉
2 biflòra K.G. .... two-flowered E. Indies 1824. —— S ♃

Tribe IV. *STIPA'CEÆ.* Kth. gram. p. 175.

ORYZO'PSIS K.G. ORYZO'PSIS. (ορυζα, rice, and οψις, resemblance.) Triandria Monogynia.
asperifòlia K.G..... rough-leaved N. America 1822. 7. 8. H ♃ Mich. amer. 1. t. 9.
PIPTATHE'RUM K.G. PIPTATHE'RUM. (πιπτω, to fall, and αθηρ, a awn.) Triandria Digynia.
1 paradóxum K.G..... black-seeded France 1771. 6. 7. H ⊙ Host. gram. 3. t. 23.
Agróstis paradóxa L. *Milium paradóxum* W. *Urachne viréscens* Trin.
2 cœruléscens K.G. .. blueish Barbary 1819. 6. 7. H ♃ Desf. atl. 1. t. 12.
3 multiflòrum K.G. .. many-flowered S. Europe 1778. —— H ♃ Host. gram. 3. t. 45.
Milium arundinàceum F.G. t. 66. *Agróstis miliàcea* L.
4 punctàtum R.S..... dotted W. Indies 1824. —— S ♃
Eriochloa punctàta K.G.
LASIAGRO'STIS K.G. LASIAGRO'STIS. (λασιος, wool, and *Agrostis.*) Triandria Digynia.
1 Calamagróstis K.G.. beautiful Germany 1813. 7. 8. H ♃ Host. gram. 4. t. 45.
Agróstis Calamagróstis R.S. *Arúnda speciòsa* Schr.
2 spléndens K.G. .... splendid Siberia 1836. —— H ♃
Stìpa spléndens Trin.
MACRO'CHLOA K.G. MACRO'CHLOA. (μακρος, long, and χλοα, grass.) Triandria Digynia.
1 tenacíssima K.G.... very-tough S. Europe 1822. 7. 8. H ♃ Desf. atl. 1. t. 30.
Stìpa tenacíssima R.S.
2 arenària K.G. .... sand Spain 1823. —— H ♃ Brot. phyt. t. 78.
STI'PA K.G. FEATHER-GRASS. (στυπη, silky matter; feathery.) Triandria Digynia.
1 pennàta K.G. .... common Britain .... 7. 8. H ♃ Eng. bot. v. 19. t. 1356.
2 tórtilis K.G. .... twisted-awned S. Europe 1823. —— H ⊙ Desf. atl. 1. t. 31. f. 1.
3 júncea K.G. .... rushy France 1772. —— H ♃ Flor. græc. 1. t. 85.
4 gigantèa K.G. .... gigantic Spain 1823. —— H ♃
5 Lagáscæ K.G. .... Lagasca's ———— 1822. —— H ♃ Desf. atl. 1. t. 28.
6 capillàta K.G. .... capillary S. Europe —— —— H ♃ Host. gram. 3. t. 5.
7 Aristélla K.G. .... awned Montpelier 1806. —— H ♃ ———— 4. t. 34.
8 Redówskii L.A..... Redowski's Altay 1828. —— H ♃ Led. ill. t. 98.
conférta K.G.
9 móllis K.G. .... soft N. S. W. 1824. —— F ♃
10 sibírica K.G. .... Siberian Siberia 1777. —— H ♃ Led. ill. t. 99.
11 altàica K.G. .... Altaian Altaia 1836. —— H ♃ ——— t. 222.
ARISTI'DA K.G. ARISTI'DA. (*arista*, an awn.) Triandria Digynia.
1 dichótoma K.G..... forked N. America 1826. 6. 8. H ♂ Spr. act. pet. 2. t. 6.
Curtopògon dichótomus R.S.
2 gigantèa K.G. .... gigantic Teneriffe 1824. 7. 8. F ♃
3 cœruléscens K.G. .. blueish Canaries 1818. —— H ⊙ Desf. atl. t. 21. f. 2.
4 vàgans K.G. .... spreading-panicled N. S. W. 1820. 7. 8. F ♃ Cavan. ic. 5. t. 471.
5 stipoìdes B.P. .... Stipa-like N. Holland 1826. —— G ♃
6 adscensìonis K.G. .. West Indian W. Indies 1822. —— S ♃ Sloan. hist. 1. t. 2. f. 56.
Chætària adscensìonis R.S.
7 Hy'strix K.G. .... Porcupine E. Indies —— .... S ♃ Pluk. alm. t. 191. f. 5.
8 oligántha K.G. .... long-glumed N. America 1826. 7. 8. H w ♃
9 pállens K.G. .... pale Chili 1825. —— H ♃
10 divaricàta K.G. .... spreading S. America 1818. —— G ♃ Jacq. eclog. gram. t. 6.
Chætària divaricàta R.S.
STIPAGRO'STIS K.G. STIPAGRO'STIS. (*Stipa* and *Agrostis.*) Triandria Digynia.
obtùsa K.G. .... blunt-awned Egypt 1828. 6. 8. H ⊙ Delil. ægyp. t. 13. f. 2.
Aristìda obtùsa R.S.

Tribe V. *AGROSTI'DEÆ.* Kth. gram.

MUHLENBE'RGIA W. MUHLENBE'RGIA. (Henry Muhlenberg, an American bot.) Trian. Digy.
diffùsa R.S. .... spreading N. America 1816. 5. 6. H ♃ Schreb. gram. t. 51.
REMIRE'A R.S. REMIRE'A. (Guiana name.) Triandria Monogynia.
marítima R.S. .... sea-side America 1822. 7. 8. G w ♃ Aubl. guian. t. 10.
TRICHO'CHLOA Tr. TRICHO'CHLOA. (θριξ, a hair, and χλοα, grass.) Triandria Digynia.
1 tenuiflòra .... slender-flowered N. America 1820. 7. 8. H ♃ Willd. hort. ber. t. 12.
longisèta Tr. *Agróstis tenuiflòra* W. *Cínna tenuiflòra* L.en.
2 microspérma DC. .. small-seeded Mexico 1818. 8. 10. H ⊙
3 capillàris DC. .... capillary Carolina —— —— H ♃
4 polypògon DC. .... many-bearded ———— 1812. —— H ♃ P.B. agros. nov. t. 8. f. 3.
5 glomeràta Tr. .... glomerate N. America 1832. —— H ♃

BRACHYELYTRUM R.S. BRACHYELY'TRUM. (βραχυς, short, and ελυτρον, an involucrum.) Tr.Di.

aristàtum R.S.	.... awned	N. America	1827.	6.	7.	H	♃	Schreb. gram. t. 50.
Muhlenbérgia erécta Ph. *Dilepy'rum aristàtum* M.								
COLEA'NTHUS K.G.	COLEA'NTHUS. (κολεος, a sheath, and ανθος, a flower.) Diandria Digynia.							
súbtilis K.G.	.... close-umbelled	Bohemia	1824.	6.	8.	H	⊙	Tratt. fl. aus. t. 451.
Schmídtia súbtilis S.S.								
COLPO'DIUM K.G.	COLPO'DIUM. (κολπος, a gulf.) Triandria Digynia.							
1 Stevèni K.G.	.... various-coloured	Caucasus	1823.	7.	8.	H	♃	
Agróstis versícolor Stev.								
2 latifòlium K.G.	.... broad-leaved	Melville Isl.	1821.	——		H	⊙	
CI'NNA K.G.	CI'NNA (a name employed by Dioscorides.) Monandria Digynia.							
1 arundinàcea K.G.	.. Reed-like	Canada	1789.	7.		H	♃	Schreb. gram. t. 49.
2 mexicàna K.G.	.... Mexican	Mexico	1786.	6.	9.	H	♃	
3 sobolífera K.G.	.... soboliferous	N. America	1819.	7.	8.	H	♃	
Trichóchloa sobolífera Tr.								
4 arachnoídea K.G.	.. expanded	Carolina	1822.	8.	10.	H	♃	P.B. agrost. nov. t. 8. f. 2.
Trichóchloa expánsa Tr.								
5 filifórmis K.G.	.... filiform	N. America	1819.	7.	8.	H	♃	
6 ovàtus R.S.	.... ovate-panicled	N. Holland	1820.	——		H	♃	Lab. nov. holl. 1. t. 21.
Agróstis ovàta Lab. *Echinopògon ovàtus* R.S.								
SPORO'BOLUS K.G.	SPORO'BOLUS. (σπορα, a seed, and βαλλω, to eject.) Triandria Digynia.							
1 diándrus K.G.	.... diandrous	E. Indies	1820.	6.	8.	S	⊙	
2 pulchéllus K.G.	.... pretty	N. Holland	1828.	——		F	♃	
3 índicus K.G.	.... Indian	India	1773.	8.	10.	H	⊙	Sloan. hist. 1. t. 73. f. 1.
4 purpuráscens K.G.	.. purple	Jamaica	1820.	——		S	⊙	
5 tenacíssimus K.G	... tough	W. Indies	1801.	——		S	♃	Jacq. ic. 1. t. 16.
6 elongàtus K.G.	.... elongated	N. S. W.	1822.	——		H	⊙	
7 micránthus K.G.	.... small-flowered	Monte Video	1825.	——		H	⊙	
8 virgínicus K.G.	Virginian	N. America	1820.	——		H	♃	Lab. nov. holl. 1. t. 23.
AGRO'STIS K.G.	BENT-GRASS. (αγρος, a field.) Triandria Digynia.							
1 stolonífera K.G.	.... creeping	Britain	....	7.	8.	H	♃	Eng. bot. v. 22. t. 1532.
α *latifòlia* S.G.W.	*Fiorin grass*	———	....	——		H	♃	Sinc. gr. wob. p. 225. ic.
β *angustifòlia* S.G.	*narrow-leaved*	———	....	——		H	♃	——— p. 346. ic.
γ *aristàta* S.G.W.	*awned*	———	....	——		H	♃	——— p. 345. ic.
δ *nemoràlis* S.G.W.	*wood*	———	....	——		H	♃	
ε *palústris* S.G.W.	*marsh*	———	....	——		H	♃	
2 dúlcis K.G.	.... sweet	S. France	1824.	——		H	♃	
3 stolonìzans R.S.	.... stoloniferous	Poland	1827.	——		H	♃	
4 diffùsa R.S.	.... spreading	Europe	1816.	——		H	♃	Host. gram. 4. t. 55.
5 neglécta K.G.	.... neglected	Hungary	——	——		H	♃	
6 capillàris K.G.	.... capillary	S. Europe	——	——		H	⊙	Sm. ic. ined. 3. t. 54.
7 álba K.G.	.... white-rooted	Britain	....	7.		H	♃	Sinc. gr. wob. p. 342. ic.
β *purpuráscens*	.... *purplish*	———	....	——		H	♃	Eng. bot. v. 17. t. 1189.
γ *vivipara*	.... *viviparous*	———	....	——		H	♃	Leers fl. herb. t. 4. f. 3.
8 párvula K.G.	.... small	Hungary	1826.	——		H	♃	
9 tenuifòlia K.G.	.... slender-leaved	Caucasus	1819.	7.	8.	H	♃	Trin. icon. gr. t. 35.
10 pátula R.S.	.... knotted spreading	Switzerland	1824.	——		H	♃	
11 valentìna R.G.	.... Valentia	Spain	——	——		H	♃	
12 dùbia R.S.	.... doubtful	Germany	1818.	——		H	♃	Leers fl. herb. t. 4. f. 4.
13 gigantèa R.S.	.... gigantic	Caucasus	——	——		H	♃	
14 frondòsa R.S.	.... frondose	Naples	1824.	——		H	♃	
15 vulgàris K.G.	.... fine	Britain	....	——		H	♃	Eng. bot. v. 24. t. 1671.
16 ambígua R.S.	.... ambiguous	Germany	1820.	——		H	♃	Host. gram. t. 56.
17 Juréssi K.G.	.... close-panicled	———	——	——		H	♃	Trin. ic. gram. t. 29.
18 lachnántha Nees.	woolly-flowered	.....	1837.	——		H	♃	
19 marítima K.G.	.... sea-side	S. Europe	1825.	7.	8.	H	♃	
20 plebèia K.G.	.... plebeian	N. S. W.	1822.	——		H	♃	
21 retrofrácta R.S.	.... broad-leaved	———	1806.	4.	5.	F	♃	
22 hirsùta K.G.	.... hairy	Teneriffe	1810.	——		F	♃	
23 Spìca vénti K.G.	.... silky	England	....	6.	7.	H	⊙	Eng. bot. v. 14. t. 951.
24 pállida K.G.	.... pale	France	1818.	——		H	⊙	
25 interrúpta K.G.	.... interrupted	S. Europe	——	——		H	⊙	Host. gram. 3. t. 48.
26 purpùrea R.S.	.... purple	———	1820.	——		H	⊙	
27 pauciflòra K.G.	.... few-flowered	Switzerland	1824.	6.	8.	H	♃	Schrad. fl. ger. 1. t. 3. f. 2.
28 decúmbens K.G.	.... decumbent	Hungary	——	——		H	♃	Host. gram. 4. t. 54.
29 canìna K.G.	.... brown	Britain	....	7.		H	♃	Eng. bot. v. 26. t. 1856.
Trichòdium canìnum R.S.								
30 alpìna K.G.	.... Alpine	S. Europe	1818.	7.	8.	H	♃	Host. gram. 3. t. 49.
31 rupéstris K.G.	.... rock	Pyrenees	——	——		H	♃	——— 3. t. 50.
32 flavéscens	.... yellowish	S. Europe	——	——		H	♃	——— 4. t. 52.

33 setàcea K.G. .... bristly Britain .... 7. 8. H ♃ Eng. bot. v. 17. t. 1188.
Trichòdeum setàceum R.S.
34 rùbra K.G. .... red Lapland 1820. —— H ♃
35 diffùsa L.en. .... spreading ..... 1823. —— H ♃
36 decúmbens R.S. .... decumbent N. America 1786. 6. 7. H ♃ Fraser mon. c. ic.
37 laxiflòrum K.G. .... loose-flowered ——— 1816. —— H ♂ Mich. amer. 1. t. 8.
38 élegans K.G. .... elegant France —— 7. 9. H ⊙ Lois. journ. bot. 2. t. 8. f. 1.
39 crinìta K.G. .... rough-keeled N. Zealand 1822. —— F ♃ Lab. nov. hol. 2. t. 263.
40 monándra K.G. .... monandrous N. America 1826. —— H ⊙
GASTRI'DIUM K.G. GASTRI'DIUM. (γαστριδιον, a small swelling.) Triandria Digynia.
1 austràle K.G. .... yellow England .... 8. H ♃ Eng. bot. v. 16. t. 1107.
Milium lendígerum E.B. *Calamagróstis Schwàbii* S.S.
2 mùticum K.G. .... beardless Sicily 1819. 7. 8. H ⊙
POLYPO'GON K.G. POLYPO'GON. (πολυ, many, and πωγων, a beard.) Triandria Digynia.
1 monspeliénsis K.G. .. chaffy Britain .... 7. 8. H ⊙ Eng. bot. v. 24. t. 1704.
Agróstis panícea E.B.
2 littoràlis K.G. .... sea-side ——— .... 8. H ♃ Eng. bot. v. 18. t. 1251.
Lagáscæ R.S.
3 marítimus K.G. .... shore S. Europe 1822. —— H ⊙
β *tatáricus* F. .... *Tartarian* Tartary 1825. —— H ⊙
CHÆTU'RUS K.G. CHÆTU'RUS. (χαιτη, a bristle, and ουρα, a tail.) Triandria Digynia.
fasciculàtus K.G. .. fascicled S. Europe 1815. 7. 9. H ⊙
ÆGOPO'GON K.G. ÆGOPO'GON. (αιξ, a goat, and πωγων, a beard.) Triandria Digynia.
1 pusíllus K.G. .... small S. America 1822. 7. 8. H ⊙ Cav. h. r. mad. 1. t. 5. f. 2.
2 trisètus K.G. .... three-awned ——— —— —— H ⊙ ——— 1. t. 5. f. 3.

Tribe VI. *ARUNDINA'CEÆ.* Kth. gram. p. 236.

CALAMAGRO'STIS K.G. CALAMAGRO'STIS. (καλαμος, a reed, and *Agrostis*, a grass.) Tri. Digy.
1 epigèjos K.G. .... wood Britain .... 7. H ♃ Eng. bot. v. 6. t. 403.
2 intermèdia R.S. .. intermediate Carlsruhe 1827. —— H ♃
3 littòrea K.G. .... sea-side Switzerland 1824. 7. 8. H ♃ Schrad. fl. ger. 1. t. 4. f. 2.
láxa Host.
4 Halleriàna K.G. .... Haller's Switzerland 1819. —— H ♃ Schrad. fl. ger. 1. t. 4. f. 3.
Arúndo pseudophragmìtes R.S.
5 canadénsis K.G. .... Canadian N. America 1826. —— H ♃
6 lanceolàta K.G. .... common England .... 7. H ♃ Eng. bot. v. 30. t. 2159.
Arúndo Calamagróstis E.B. *Agróstis lanceolàta* R.S.
7 tenélla K.G. .... slender Switzerland 1824. —— H ♃ Schr. fl. ger. 1. t. 5. f. 1.
8 glaúca R.S. .... glaucous N. America —— —— H ♃
DEYEU'XIA K.G. DEYEU'XIA. (M. Deyeux, a French bot.) Triandria Digynia.
1 purpuráscens K.G. .. purplish N. America 1827. 7. 8. H ♃
Calamagróstis purpuráscens Br.
2 Langsdórffii K.G. .. Langsdorff's ..... 1823. —— H ♃
3 confinis K.G. .... hairy-flowered N. America 1820. —— H ♃
4 montàna Host. .... mountain Europe —— —— H ♃ Host. gram. 4. t. 46.
5 Hóstii R.S. .... Host's ——— —— —— H ♃ ——— 4. t. 48.
sylvática Host. *nec aliorum.*
6 neglécta K.G. .... upright Scotland .... 7. 8. H ♃ Eng. bot. v. 30. t. 2160.
Calamagróstis stricta S.S.
7 lappónica K.G. .... Lapland Ireland .... —— H ♃
8 vària K.G. .... various S. Europe 1813. —— H ♃ Host. gram. 4. t. 47.
9 acutiflòra K.G. .... sharp-flowered Germany 1819. —— H ♃
10 sylvática K.G. .... wood Europe 1813. —— H ♃ Host. gram. 4. t. 49.
arundinàcea Roth. *Agróstis arundinàcea* L. *pyramidàlis* Host.
11 Forstéri K.G. .... Forster's N. Zealand 1822. —— H ♃
12 Billardièri K.G. .... Labillardiere's N. Holland 1806. —— H ♃ Lab. nov. holl. 1. t. 31.
13 æ'mula K.G. .... flat-leaved N. S. W. —— —— H ♃
AMMO'PHILA K.G. SEA MATWEED. (αμμος, sand, and φιλεω, to love.) Triandria Trigynia.
arundinàcea K.G. .. common Britain .... 6. 7. H ♃ Eng. bot. v. 8. t. 520.
Arúndo arenària E.B. *Psámma arenària* R.S.
ARU'NDO K.G. REED-GRASS. (*aru*, water, Celt.) Triandria Digynia.
Dònax K.G. .... manured S. Europe 1648. 7. 8. H ♃ Host. gram. 4. t. 38.
β *versícolor* .... *striped* ——— .... —— H ♃ Moris. s. 8. t. 8. f. 9.
AMPELODE'SMOS K.G. AMPELODE'SMOS. (αμπελος, a vine, and δεσμος, a band.) Trian. Digy.
1 tènax K.G. .... tough S. Europe 1823. 7. 8. H ♃ Cyril. neap. f. 2. t. 12.
Arúnda tènax S.S.

2 festucàcea W.en. .. Fescue-like Germany 1823. 7. 8. H w ♃ . . .

PHRAGMITES K.G. Reed. (φραγμος, a separation.) Triandria Digynia.

communis K.G. .... common Britain .... 7. 8. H w ♃ Eng. bot. v. 6. t. 401.

Arúndo phragmìtes E.B.

GRAPHE'PHORUM K.G. Graphe'phorum. (γραφη, writing, and φορεω, to bear.) Trian. Digy.

melicoìdes K.G. .... Melic-like N. America 1824. 6. 8. H ♃

Ai'ra melicoìdes M.

Tribe VII. *PAPPOPHO'REÆ.* Kth. gram. p. 252.

AMPHIPO'GON K.G. Amphipo'gon. (αμφι, on both sides, and πωγων, a beard.) Trian. Digy.

stríctus K.G. .... upright N. S. W. 1823. 5. 6. G ♃

PAPPO'PHORUM K.G. Pappo'phorum. (παππος, pappus, and φορεω, to bear.) Trian. Digy.

1 alopecuroídeum K.G. Foxtail-like S. America 1825. 6. 8. S ♃

2 laguroídeum K.G. .. Hare's tail-like W. Indies 1826. —— S ♃

3 nígricans K.G. .... blackish N. S. W. 1822. 7. 8. F ♃

Enneapògon nígricans R.S.

4 pállidum K.G. .... pale ———— 1824. —— F ♃

5 phleoìdes R.S. .... Phleum-like S. America 1822. —— F ♃

ECHINA'RIA K.G. Echina'ria. (εχινος, a hedgehog.) Triandria Digynia.

capitàta K.G. .... headed S. Europe 1771. 5. 8. H ⊙ Flor. græc. 1. t. 100.

Cénchrus capitàtus F.G. *Sesléria echinàta* Host. gram. 3. t. 8.

Tribe VIII. *CHLORI'DEÆ.* Kth. gram. p. 258.

MICRO'CHLOA K.G. Micro'chloa. (μικρος, small, and χλοα, a grass.) Triandria Digynia.

setàcea K.G. .... bristly Tropics 1806. 7. H ⊙ Roxb. corom. 2. t. 132.

CY'NODON R.S. Cy'nodon. (κυων, a dog, and οδους, a tooth.) Triandria Digynia.

1 Dactylon K.G. .... creeping England .... 7. 8. H ♃ Eng. bot. v. 12. t. 850.

β *indicus* *Doob-grass* India 1820. —— S ♃ Sinc. gr. wob. p. 290. ic.

2 lineàris R.S. .... linear-leaved E. Indies 1796. —— S ♃

3 stellàtus K.G. .... starry St. Helena 1823. —— S ♃

4 virgàtus R.S. .... twiggy E. Indies 1826. —— S ♃

5 præ'cox R.S. .... early-flowered N. America 1823. 6. 7. H ♃

Digitària sanguinàlis M.

DACTYLOCTE'NIUM Dactyloctè'nium. (δακτυλος, a finger, and κτεις, a comb.) Tria. Digy.

1 ægyptìacum K.G. .. Egyptian Egypt 1770. 7. 9. H ⊙ Moris. s. 8. t. 3. f. 7.

Cynosùrus ægy'ptius L. *Eleusìne ægyìiaca* P.S. *Rhabdóchloa mucronàta* R.S.

2 prostràtum K.S. .. prostrate Malabar .... H ⊙

Eleusìne prostràta S.S.

EU'STACHYS K.G. Eu'stachys. (ευ, well, and σταχυς, a spike.) Polygamia Monœcia.

1 petræ'a K.G. .... flat-stalked Jamaica 1779. 7. 8. S ♃ Jacq. ecl. gram. 1. t. 11.

Chlòris petræ'a W. *retùsa* L.G.

2 submùtica R.S. .... Mexican Mexico 1827. —— H ⊙ H. et B. pl. am. 1. t. 50.

3 distichophy'lla K.G. crowded Brazil 1824. —— H ⊙

Chlòris fasciculàta R.S.

CHLO'RIS K.G. Chlo'ris. (χλορος, green.) Polygamia Monœcia.

1 foliòsa K.G. .... leafy St. Thomas 1822. 7. 9. S ♃

2 ciliàta K.G. .... ciliated Jamaica 1779. —— S ⊙

3 radiàta K.G. .... many-spiked W. Indies 1739. 8. 9. S ⊙ Hayn. term. bot. t. 40. f. 2.

pállida R.S. *compréssa* R.S.

4 barbàta K.G. .... bearded E. Indies 1777. 6. 7. S ⊙ Jacq. ecl. gram. 1. t. 9.

caribæ'a R.S.

5 Roxburghiàna K.G. Roxburgh's ———— 1824. 7. 8. S ⊙

6 inflàta K.G. .... inflated California —— —— H ♃

7 fasciculàta R.S. .... crowded Brazil —— —— H ⊙

8 polydáctyla K.G. .. many-spiked W. Indies 1818. —— S ⊙ Jacq. ecl. gram. 1. t. 9.

9 élegans K.G. .... elegant Mexico 1825. —— H ⊙ H. et B. n. gen. 1. t. 49.

10 ventricòsa K.G. .. swelled N. S. W. 1818. —— G ♃

11 truncàta K.G. .... truncated ———— 1822. —— G ♃

dolichostàchya R.S. *megastàchya* R.S.

12 pubéscens K.G. .. pubescent Peru 1824. —— H ⊙

13 filifórmis K.G. .... filiform ..... 1825. —— H ⊙

distichophy'lla R.S.

14 crinìta K.G. .... crowded-spiked Philippine I. 1824. 7. 8. H ⊙
15 ruféscens K.G. .... rufescent ——— —— —— H ⊙
16 tenélla K.G. .. slender E. Indies 1825. —— S ⊙
Durandiàna R.S.

RHABDO'CHLOA K.G. RHABDO'CHLOA. (*ῥάβδος*, a twig, and *χλοα*, a grass.) Triandria Digynia.
cruciàta R.S. .. cross-spiked W. Indies 1818. 7. 9. H ⊙ Sloan. his. 1. t. 69. f. 1.
Chlòris cruciàta W. *Agróstis cruciàta* L

LEPTO'CHLOA K.G. LEPTO'CHLOA. (*λεπτος*, slender, and *χλοα*, grass.) Triandria Digynia.
1 cynosuroìdes K.G... filiform E. Indies 1818. 8. 9. H ⊙
2 procèra K.G. .. tall Brazil 1823. —— S ♃
3 filifórmis K.G. .. filiform S. America 1818. —— H ⊙ Jac. ecl. gram. t. 4.
4 virgàta K.G. .. fine-spiked ——— 1727. 7. 9. H ⊙ Sloan jam. 1. t. 70. f. 2.
5 tenérrima K.G. .. slenderest China 1820. —— H ⊙
6 domingénsis L.en.. close-spiked W. Indies —— 6. 8. S ♃ Jacq. ic. 1. t. 22.
7 grácilis K.G. .. slender S. America 1824. —— S ♃
8 verticillàta K.G..... whorled E. Indies 1823. —— H ⊙
9 calycìna K.G. .... calycine ——— —— —— H ⊙

DIPLA'CHNE R.S. DIPLA'CHNE. (*διπλοος*, double, and *αχνη*, a glume.) Triandria Digynia.
fasciculàris R.S..... fascicled N. America 1818. 6. 8. H ⊙
Festùca polystàchya M. *Leptóchloa polystàchya* K.G.

ELEUSI'NE K.G. ELEUSI'NE. (*Eleusis*, a name of Ceres.) Triandria Digynia.
1 coracàna K.G. .... thick-spiked E. Indies 1714. 7. 9. H ⊙ Schreb. gram. 2. t. 35.
2 strícta K.G. .... upright ——— 1822. —— H ⊙
3 índica K.G. .... Indian India 1714. —— H ⊙ Rheed. mal. 12. t. 69.
4 rígida K.G. .... rigid Monte Video 1826. —— H ⊙
5 cereàlis R. .... Rye-like Egypt 1827. —— H ⊙
6 ovàlis R. .... oval-spiked ——— —— —— H ⊙
7 tristàchya K.G. .... three-spiked ——— —— —— H ⊙
8 oligostàchya K.G. .. few-spiked ..... 1832. —— H ⊙
9 dístans K.G. .... distant ..... —— —— H ⊙

CHONDRO'SIUM K.S. CHONDRO'SIUM. (*χονδρος*, a lump.) Triandria Digynia.
1 procúmbens Desv... procumbent Philippines 1816. 7. 9. H ⊙ Jacq. ecl. gr. t. 12.
Antinóchloa procúmbens R.S. *Atheropògon procúmbens* Jacq.
2 ténue K.G. .... slender Mexico 1823. —— H ♃ H. et B. n. gen. 1. t. 57.
3 prostràtum K.G..... prostrate ——— —— —— H ⊙
Antinóchloa prostràta R.S. *Bouteloúa prostràta* Lag.
4 hirsùtum K.G. .... hairy Mexico —— —— H ⊙

SPARTI'NA K.G. SPARTI'NA. (*σπαρτον*, cordage; use.) Triandria Monogynia.
1 cynosuroìdes K.G... Dog's-tail N. America 1781. 8. 9. H ♃ Linn. fil. fasc. 1. t. 9.
Dáctylis cynosuroìdes L. *Trachynòtia cynosuroìdes* M. *Limnètis cynosuroìdes* P.S.
2 strícta K.G. .... upright Britain .... 8. H ♃ Eng. bot. v. 6. t. 380.
Dáctylis strícta R.B. *Limnètis púngens* P.S.
3 glàbra R.S. .... smooth N. America 1827. —— H ♃
4 alterniflòra K.G..... alternate-fld. England .... —— H ♃ Eng. bot. t. 2812.
5 polystàchia K.G. .. many-spiked N. America 1781. 8. 9. H ♃
6 pùmila K.G. .... dwarf ——— 1820. —— H ♃
7 pectinàta K.G. .... pectinated ——— 1827. —— H ♃
8 júncea K.G. .... rushy ——— 1781. 7. 8. H ♃
9 pàtens K.G. .... spreading ——— —— —— H ♃
10 geniculàta K.G..... jointed Java 1822. —— S ♃ Burm. ind. t. 12. t. 3.
11 arundinàcea K.G. .. Reed-like Tristan d'Acunha 1820. —— G ♃

ATHEROPO'GON R.S. ATHEROPO'GON. (*αθηρ*, an awn, and *πωγων*, a beard.) Polyg. Monœc.
apludoìdes R.S..... Apluda-like N. America 1808. 6. 7. H ♃ Jacq. ecl. gram. f. 7.
Chlòris cartipéndula M. *Eutriàna curtipéndula* K.G.

DI'NEBA K.G. DI'NEBA. (Arabic name.) Triandria Digynia.
1 americàna R.S. .... American S. America 1822. 6. 8. S ♃
Eutriània juncifòlia K.G.
2 arábica R.S. .... Arabian Levant 1816. 8. 9. H ⊙ Jacq. fragm. t. 121. f. 1
3 divaricàta R.S. .... spreading Egypt 1823. —— H ⊙

Tribe IX. *AVENA'CEÆ*. Kth. gram. p. 286.

CORYNE'PHORUS. K.G. CORYNE'PHORUS. (*κορυνη*, a club, and *φορεω*, to bear.) Triand. Digy.
1 canéscens K.G. .... canescent England .... 7. 8. H ♃ Eng. bot. v. 17. t. 1190.
Aira canéscens R.B.

2 articulàtus K.G. .... jointed S. Europe 1824. 7. 8. H ♃ Desf. atl. 1. t. 13.

DESCHA'MPSIA K.G. DESCHA'MPSIA. (M. Deschamps, M.D., a French bot.) Triand. Digynia.

1 cæspitòsa K.G. .. turfy Britain .... 8. H ♃ Eng. bot. v. 21. t. 1453.
Aira cæspitòsa E.B.
2 Biebersteiniàna K.G. Bieberstein's Caucasus 1823. 6. 8. H ♃
3 refrácta K.G. .. reflexed Spain 1822. —— H ♃
4 alpìna R.S. .. Alpine Scotland .... 5. 6. H ♃ Eng. bot. v. 30. t. 2102.
Aira lævigàta K.G. *alpìna* L. *Avèna alpìna* Tr.
5 brevifòlia R.S. .. short-leaved Melville Isl. 1827. —— H ♃
6 bóttnica Tr. .. bristle-leaved Bottnia 1824. —— H ♃
Aira bóttnica K.G. *montàna* R.S.
7 júncea K.G. .. rushy S. France 1820. —— H ♃
Aira mèdia Gouan.

AI'RA K.G. HAIR-GRASS. (αιρα, name of rye-grass.) Triandria Digynia.

1 flexuòsa K.G. .. waved Britain .... 7. 8. H ♃ Eng. bot. v. 22. t. 1519.
2 uliginòsa R.S. .. marsh Germany 1825. —— H ♃ Reich. ic. r. C. 2. t. 150.
3 versícolor K.G. .. various-color'd S. Europe 1823. —— H ♃
4 caryophy'llea K.G... silver Britain .... —— H ⊙ Eng. bot. v. 12. t. 812.
5 élegans K.G. .. elegant Switzerland 1824. —— H ⊙ Host. gram. 4. t. 35.
6 pulchélla K.G. .. pretty Spain 1820. —— H ⊙
7 pállens R.S. .. pale N. America —— —— H ♃
8 præ'cox K.G. .... early-flowering Britain .... 5. 6. H ⊙ Eng. bot. v. 18. t. 1296.

DUPO'NTIA R.S. DUPO'NTIA. (M. Dupont, a French bot.) Triandria Digynia.

Fischèri R.S. .. Fischer's Melville Isl. 1827. 6. 8. H ♃

AIRO'PSIS K.G. AIRO'PSIS. (αιρα, and οψις, resemblance.) Triandria Digynia.

1 globòsa K.G. .. globe-flowered S. Europe 1823. 6. 8. H ⊙ Cavan. ic. 3. t. 274. f. 1.
2 brevifòlia R.S. .. short-leaved Missouri 1818. 6. 7. H ♃
Aira brevifòlia K.G.
3 agrostídea K.G. .. Agrostis-like S. Europe 1823. —— H ♃ DC. ic. rar. t. 1.
Pòa agrostídea D.C. *Aira agrostídea* Lois.

PERIBA'LLIA Tr. PERIBA'LLIA. (περιβαλλω, to surround.) Triandria Digynia.

hispánica Tr. .. Spanish Spain 1820. 6. 7. H ⊙ Cavan. ic. 1. t. 44. f. 1.
Aira involucràta K.G. *Airópsis involucràta* R.S.

LAGU'RUS K.G. HARE'S-TAIL-GRASS. (λαγος, a hare, and ουρα, tail.) Triandria Digynia.

ovàtus K.G. .. oval-spiked Guernsey .... 6. H ⊙ Eng. bot. v. 19. t. 1334.

GAUDI'NIA R.S. .. GAUDI'NIA. (M. Gaudin, auth. of Flora Helvetica.) Triandria Digynia.

frágilis R.S. .. brittle S. Europe 1770. 7. 8. H ⊙ Host. gram. 2. t. 54.
Avèna frágilis Host.

TRISE'TUM K.G. TRISE'TUM. (*tres*, three, and *seta*, a bristle.) Triandria Digynia.

1 ténue K.G. .. slender Europe 1804. 7. 8. H ⊙ Host. gram. 2. t. 55.
striàtum P.S. *Avèna ténuis* Host.
2 micránthum K.G. .. small-flowered S. Europe 1823. 6. 7. H ⊙
3 negléctum K.G. .. neglected ——— —— —— H ⊙ Savi fl. pis. 1. t. 1. f. 4.
4 alopecùrus K.G. .. Foxtail ..... 1816. —— H ⊙
5 Loeflingiànum K.G. Loefling's S. Europe 1770. —— H ⊙ W. berl. mag. 2. t. 8. f. 3.
6 condensàtum K.G. .. close-flowered Sicily 1824. —— H ⊙
7 flavéscens K.G. .. golden Britain .... —— H ♃ Eng. bot. v. 14. t. 952.
praténse P.S. *Avèna flavéscens* E.B.
8 brevifòlium R.S. .. short-leaved S. Europe —— —— H ♃ Host. gram. 3. t. 40.
9 argénteum K.G. .. silvery Switzerland 1791. —— H ♃ ——— 2. t. 53.
10 distichophy'llum K.G. fan-leaved ——— 1796. —— H ♃ Vill. delph. 2. t. 4. f. 4.
11 airoìdes R.S. .. Aira-like ——— 1800. —— H ♃ Flor. dan. t. 228.
Avèna airoìdes D.C. *Aira subspicàta* W.
12 glabràtum R.S. .. smooth Portugal 1818. 7. 8. H ⊙
Aira glàbra K.G.

AVE'NA K.G. OAT-GRASS. (*etan*, Celt. to eat.) Triandria Digynia.

1 brèvis K.G. .. short Germany 1804. 5. 6. H ⊙ Host. gram. 3. t. 42.
2 álba K.G. .. white France .... 6. 7. H ⊙
3 sativa K.G. .. common S. America .... —— H ⊙ Host. gram. 2. t. 59.
α melanospérma .. *black Oat* ——— .... —— H ⊙
β leucospérma .. *white Oat* ——— .... —— H ⊙
4 orientàlis K.G. .. Tartarian Levant 1798. —— H ⊙ Host. gram. 3. t. 44.
5 nùda K.G. .. naked .... —— H ⊙ ——— 3. t. 43.
6 fátua K.G. .. wild Britain .... 8. H ⊙ Eng. bot. v. 31. t. 2221.
7 hirsùta K.G. .. hairy S. Europe .... 6. 8. H ⊙
8 stérilis K.G. .. bearded ——— 1640. 7. 8. H ⊙ Jacq. ic. 1. t. 23.
9 sempervìrens K.G... evergreen Pyrenees 1816. 6. 7. H ♃ Host. gram. 3. t. 41.
10 pensylvánica K.G. .. Pensylvanian N. America 1785. —— H ⊙

11	fállax R.S.	.. fallacious	S. Europe	1824.	6. 7.	H ♃		
12	pilòsa K.G.	.. hairy	Iberia	——	——	H ⊙		
13	pubéscens K.G.	.. pubescent	Britain	....	7. 8.	H ♃		Eng. bot. v. 23. t. 1640.
	Avèna pubéscens E.B.							
14	rígida K.G.	.. rigid	Caucasus	1825.	——	H ♃		
15	alpìna K.G.	.. Alpine	Scotland	....	7.	H ♃		Eng. bot. v. 30. t. 2141.
	Avèna planicúlmis E.B. *non* Schrad.							
16	carpáthica K.G.	.. Carpathian	Carp.mount	1819.	7. 8.	H ♃		Host. gram. 4. t. 31.
17	alpéstris K.G.	.. mountain	S. Europe	1816.	——	H ♃		———— 3. t. 39.
18	praténsis K.G.	.. narrow-leaved	Britain	....	6. 7.	H ♃		Eng. bot. v. 17. t. 1204.
19	cantábrica K.G.	.. evergreen	.....	1825.	——	H ♃		
20	bromoìdes K.G.	.. Bromus-like.	S. Europe	....	——	H ♃		
21	planicúlmis K.G.	.. flat-stalked	Hungary	1822.	——	H ♃		Schrad. fl. ger. 1. t. 6. f. 2.
	latifòlia Host. gram. 4. t. 32.							
22	versícolor K.G.	.. various-colour'd	Europe	1816.	6. 8.	H ♃		Host. gram. 2. t. 52.

ARRHENATHE'RUM K.G. ARRHENATHE'RUM. (αἄρην, a male, and αθηρ, an awn.) Polyg. Mon.

1	avenàceum K.G.	.. Oat-like	Britain	....	6. 7.	H ♃		Eng. bot. v. 12. t. 813.
	Hólcus avenàceus E.B. *Avèna elàtior* F.D. t. 165.							
	β mùticum	.. *awnless*	Scotland	....	——	H ♃		
2	bulbòsum Presl.	.. bulbous	Germany	....	——	H ♃		Host. gram. 4. t. 30.
	Hólcus bulbòsus Host. *Avèna bulbòsa* W.							
3	pállens K.G.	.. pale	Portugal	1824.	——	H ♃		

DANTHO'NIA K.G. DANTHO'NIA. (M. Danthoine, a French bot.) Triandria Digynia.

1	longifòlia K.G.	.. long-leaved	N. S. W.	1823.	7. 8.	F ♃		
2	semiannulàris K.G.	— semiannular	N. Holland	1822.	——	F ♃		Labill. n. holl. 1. t. 33.
	Arúndo semiannulàris Lab.							
3	pilòsa K.G.	.. hairy	N. S. W.	1823.	——	F ♃		
4	provinciàlis K.G.	.. Provence	S. Europe	1818.	6. 7.	H ♃		Vill. delph. 2. t. 2. f. 9.
5	spicàta K.G.	.. spiked	N. America	1823,	——	H ♃		
6	strigòsa R.S.	.. bristle-pointed	Britain	....	——	H ♃		Eng. bot. v. 18. t. 1266.
	Avèna strigòsa E.B. K.G.							
7	macrántha R.S.	.. large-flowered	C. B. S.	1816.	——	H ⊙		
	Pentámeris macrántha K.G.							
8	curvifòlia R.S.	.. curve-leaved	————	——	——	G ♃		
	Pentámeris curvifòlia K.G.							
9	calycìna R.S.	.. glossy-calyxed	————	1822.	——	G ♃		

TRIO'DIA B.P. B.P. TRIO'DIA. (τρεις, three, and οδους, a tooth.) Triandria Digynia.

	decúmbens R.S.	.. decumbent	Britain	....	7. 8.	H ♃		Eng. bot. v. 11. t. 792.
	Pòa decúmbens E.B. *Festùca decúmbens* W. *Danthònia decúmbens* D.C.							

TRI'DENS R.S. REDTOP-GRASS. (*tres*, three, and *dens*, a tooth.) Triandria Digynia.

	quinquéfida R.S.	.. five-cleft	N. America	1816.	7. 8.	H ♃		Jacq. ecl. gr. 2. t. 16.
	Triòdia cùprea Jacq. *Windsòria poæfórmis* N. *Pòa quinquéfida* Ph. *Urálepis cùprea* K.G.							

Tribe X. *FESTUCA'CEÆ.* Kth. gram. p. 321.

SESLE'RIA K.G. SESLE'RIA. (Leonard Sesler, an Italian bot.) Triandria Digynia.

1	elongàta R.S.	.. long-spiked	Austria	1805.	6. 7.	H ♃		Host. gram. 2. t. 97.
2	cylíndrica K.G.	.. cylindrical	S. Europe	1818.	——	H ♃		Sav. Ust. ann. 1800. ic.
3	tenuifòlia K.G.	.. slender-leaved	————	——	4. 6.	H ♃		Host. gram. 4. t. 22.
4	cœrùlea K.G.	.. blue	Britain	....	4. 5.	H ♃		Eng. bot. v. 23. t. 1613.
5	álbicans K.G.	.. whitish	Carpath. Mt	1826.	——	H ♃		
6	nítida K.G.	.. glossy	Italy	1825.	5. 6.	H ♃		
7	tenélla K.G.	.. weak	Switzerland	1810.	——	H ♃		Host. gram. 2. t. 100.
8	sphærocéphala K.G.	round-headed	————	——	——	H ♃		———— 2. t. 99.
9	dísticha K.G.	.. distichous	————	1824.	——	H ♃		———— 2. t. 76.
	Pòa dísticha Host.							

MEGASTA'CHYA R.S. MEGASTA'CHYA. (μεγας, large, and σταχυς, a spike.) Triand. Digynia.

1	Eragróstis R.S.	.. Love-grass	S. Europe	1776.	7. 8.	H ⊙		Schreb. gram. t. 38.
	Pòa megastàchya P.S. *Brìza Eragróstis* W. *Eragróstis màjor* Host. gram. 4. t. 24.							
2	nígricans R.S	.. blackish	S. America	1823.	——	S ♃		
3	amábilis R.S.	.. purple	E. Indies	1802.	——	S ⊙		L. pfl. syst. 12. t. 91. f. 2.
	Pòa amábilis L.							
4	spectábilis R.S	.. showy	N. America	1816.	——	H ⊙		
5	pulchélla R.S.	.. pretty	Tauria	1825.	——	H ⊙		
6	elongàta R.S.	.. long-panicled	E. Indies	1812.	——	S ♃		Jacq. ecl. gr. t. 3.
7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]

8	rupéstris R.S.	.. rock	E. Indies	1823.	7. 8.	S ⊙		
9	Boryàna R.S.	.. Bory's	Mauritius	1822.	——	S ⊙		
10	ripària R.S.	.. crowded	E. Indies	1824.	——	S ⊙		
11	mucronàta R.S.	.. mucronated	Africa	1822.	7. 9.	S ♃		Beauv. fl. ow. 1. t. 4.
12	polymórpha R.S.	.. variable	Tropics	1826.	——	S ♃		
PO'A K.G. MEADOW-GRASS. (ποα, herbage.) Triandria Digynia.								
1	praténsis K.G.	.. smooth-stalked	Britain	....	5. 6.	H ♃		Eng. bot. v. 15. t. 1073.
2	angustifòlia D.C.	.. narrow-leaved	———	....	5.	H ♃		Sinc. gra. wob. p. 184. ic.
3	hùmilis R.S.	.. short-blueish	———	....	5. 6.	H ♃		Eng. bot. v. 14. t. 1004.
	subcœrùlea E.B.							
4	víridis K.G.	.. green	N. America	1812.	——	H ♃		
5	hy'brida K.G.	.. hybrid	Switzerland	1824.	——	H ♃		
6	Torreyàna K.G.	.. Torrey's	N. America	1825.	——	H ♃		
7	triviàlis K.G.	.. common	Britain	....	6. 8.	H ♃		Eng. bot. v. 15. t. 1072.
8	Gmelìni R.S.	.. Gmelin's	Germany	1825.	——	H ♃		
9	ánnua K.G.	.. annual	———	....	1.12.	H ⊙		Eng. bot. v. 16. t. 1141.
10	cæspitòsa K.G.	.. tufted	N. Zealand	1822.	6. 9.	H ♃		
11	grácilis K.G.	.. slender	Siberia	1818.	——	H ♃		
12	bulbòsa K.G.	.. bulbous	England	....	5. 6.	H ♃		Eng. bot. v. 15. t. 1071.
13	láxa K.G.	.. loose	Scotland	....	7.	H ♃		Host. gram. 4. t. 26.
	flexuòsa Eng. bot. v. 16. t. 1123.							
14	distichophy'lla K.G.	fan-leaved	Switzerland	1829.	——	H ♃		Host. gram. 4. t. 15.
15	árctica K.G.	.. arctic	MellvilleIsl.	1827.	7.	H ♃		
16	angustàta K.G.	.. narrow	———	——	——	H ♃		
17	abbreviàta K.G.	.. shortened	———	——	——	H ♃		
18	Hallèri K.G.	.. Haller's	Switzerland	——	——	H ♃		
	pállens Hall.							
19	cenísia K.G.	.. soft	Mt. Cenis	1791.	7. 8.	H ♃		Host. gram. 3. t. 16.
20	alpìna K.G.	.. Alpine	Scotland	....	6. 7.	H ♃		Eng. bot. v. 14. t. 1003.
21	collìna R.S.	.. hill	Europe	1800.	——	H ♃		Host. gram. 2. t. 66.
22	concínna K.G.	.. neat	Switzerland	1815.	——	H ♃		
23	Molinèri R.S.	.. Molineri's	———	1816.	——	H ♃		Balb. misc. t. 5. f. 1.
24	badénsis W.	.. Baden	Baden	1826.	——	H ♃		
25	brevifòlia K.G.	.. short-leaved	France	1822.	——	H ♃		
26	supìna R.S.	.. trailing	Switzerland	——	——	H ♃		Host. gram. 4. t. 27.
27	miliàcea K.G.	.. Millet-like	Hungary	1824.	——	H ♃		
28	nemoràlis K.G.	.. wood	———	....	6.	H ♃		Eng. bot. v. 18. t. 1265.
	β *angustifòlia* H. K.W. *narrow-leav'd*		———	....	——	H ♃		Sinc. gr. wob. p. 182. ic.
29	Gaudìni K.G.	.. Gaudin's	Switzerland	1820.	——	H ♃		
	áspera Gaud. *non* Spreng.							
30	versícolor K.G.	.. various-colored	Tauria	1825.	6. 7.	H ♃		
31	coarctàta L.en.	.. crowded	Europe	....	——	H ♃		
32	glaúca E.B.	.. glaucous	Britain	....	——	H ♃		Eng. bot. v. 24. t. 1720.
33	cæ'sia K.G.	.. sea-green	Scotland	....	——	H ♃		——— v. 24. t. 1719.
34	brachyphy'lla K.G.	short-leaved	N. America	1816.	——	H ♃		
35	depauperàta K.G.	.. few-flowered	Hungary	——	——	H ♃		
36	pérsica K.G.	.. Persian	Persia	1836.	——	H ♃		
37	stérilis K.G.	.. barren-ground	Tauria	1824.	——	H ♃		
38	nervàta R.S.	.. nerved	N. America	1812.	——	H ♃		Sinc. gr. wob. p. 190. ic.
39	imbecílla K.G.	.. weak	N. Zealand	1822.	7. 8.	H ♃		
40	ánceps K.G.	.. flat-edged	———	——	——	H ♃		
41	flàva K.G.	.. yellow	N. America	——	——	H ♃		
42	hirsùta K.G.	.. hairy	———	——	——	H ♃		
43	índica K.G.	.. Indian	E. Indies	——	——	H ♃		
44	Poirètii K.G.	.. Poiret's	.....	1816.	6. 8.	H ⊙		
45	serótina R.S.	.. late-flowering	Germany	1800.	7. 9.	H ♃		
46	effùsa R.S.	.. spreading	Hungary	1823.	6. 8.	H ♃		
47	sudética K.G.	.. broad-leaved	Germany	1802.	7. 8.	H ♃		Vill. delph. 2. t. 3.
48	áspera K.G.	.. rough-branched	E. Indies	1829.	——	S ♃		
49	víridis K.G.	.. green	N. America	1812.	——	H ♃		
50	crocàta K.G.	.. saffron	———	1818.	——	H ♃		
51	commutàta R.S.	.. changed	Spain	1822.	——	H ♃		
52	contrácta K.G.	.. contracted	E. Indies	1823.	——	S ♃		
53	amboinénsis K.G.	.. Amboyna	———	1800.	6. 7.	S ♃		Rumph. amb. 6. t. 7. f. 3.
54	chinénsis K.G.	.. China	China	——	——	H ⊙		
55	austràlis K.G.	.. southern	N. S. W.	1822.	——	H ♃		Lab. nov. hol. 1. t. 35.
	Arúndo poæfórmis Lab.							
56	plebèia K.K.	.. plebeian	———	——	——	H ♃		
57	compréssa K.G.	.. compressed	Britain	....	6. 8.	H ♃		Eng. bot. v. 6. t. 365.

58	complanàta R.S.	.. flattened	Sicily	1827.	6. 8.	H ♃		
59	festucæfórmis R.S.	.. Fescue-like	Dalmatia	1800.	7. 9.	H ♃		Host. gram. 3. t. 17.
60	convolùta R..S.	.. convolute	.....	1819.	——	H ♃		
61	atrovìrens K.G.	.. dark-green	Barbary	1825.	——	H ♃		Desf. atl. 1. t. 17.
62	scariòsa K.G.	.. scariose	Spain	1826.	——	H ♃		
63	coromandelìàna K.G.	.. Coromandel	E. Indies	1824.	——	S ♃		
64	bromoìdes K.G.	.. Bromus-like	.....	——	——	G ♃		
65	Uniolæ K.G.	.. Uniola-like	C. B. S.	1826.	——	G ♃		
66	peruvìàna K.G	.. Peruvian	Peru	1802.	7. 8.	H ☉		Jacq. ic. 1. t. 18.
67	papillòsa K.G.	.. papillose	C. B. S.	1816.	——	H ☉		
68	digitàta K.G.	.. fingered	N. S. W.	1800.	——	H ☉		
69	nùtans K.G.	.. nodding	E. Indies	1820.	——	S ♂		
70	pállens K.G.	.. pale	BuenosAyr.	1824.	——	H ♃		
71	diándra K.G.	.. diandrous	E. Indies	1820.	——	S ☉		
72	unioloìdes K.G.	.. Uniola-like	————	1824.	——	S ♃		
73	pellùcida K.G.	.. pellucid	N. Holland	1829.	——	G ♃		
74	semineùtra K.G.	.. Hairgrass-like	Hungary	1818.	——	H ♃		
ERAGRO'STIS R.S.		ERAGRO'STIS.	(*ερος*, love, and *αγροστις*, grass.)					Triandria Digynia.
1	poæoìdes R.S.	.. Poa-like	Italy	1699.	7.	H ☉		Flor. græc. t. 73.
	Pòa Eragróstis F.G.							
2	tephrosánthos R.S.	.. Martinica	Martinica	1824.	7. 9.	S ☉		
3	pilòsa R.S.	.. hairy	Italy	1804.	7. 8.	H ☉		Host. gram. 2. t. 68.
4	verticillàta R.S.	.. whorled	S. Europe	1816.	——	H ☉		Cavan. ic. 1. t. 93.
5	punctàta R.S.	.. spotted	E. Indies	——	——	S ☉		
6	ægyptìaca R.S.	.. Egyptian	Egypt	1812.	——	H ☉		Descr. de l'Egyp. t. 10.
7	purpuráscens R.S.	.. purplish	.....	1822.	——	H ☉		
8	despíciens R.S.	.. doubtful	.....	——	——	H ☉		
9	tenélla R.S.	.. slender	E. Indies	1781.	——	S ☉		Rheed. mal. 12. t. 41.
10	cynosuroìdes R.S.	.. Dog's-tail	Egypt	1824.	——	H ☉		Descr. de l'Egyp. t. 10.
	Pòa cynosuroìdes W.							
11	capillàris L.en.	.. hair-panicled	N. America	1781.	10.11.	H ☉		Moris. s. 3. t. 6. f. 33.
	Pòa capillàris R.S.							
12	mexicàna L.en.	.. Mexican	Mexico	1816.	9.10.	H ☉		
13	abyssínica L.en.	.. Abyssinian	Abyssinia	1824.	——	H ☉		Jacq. icon. 1. t. 17.
14	plumòsa R.S.	.. feathered	E. Indies	1826.	——	S ☉		Rheed mal. 12. t. 41.
CENTOTHE'CA K.G.		CENTOTHE'CA.	(*κεντεω*, to prick, and *θηκη*, a sheath.)					Triandria Digyn.
	lappàcea K.G.	.. Bur	India	1773.	7.	S ☉		Pal. de.Bean.ag.t.14.f.7.
	Cénchrus lappàceus L.							
HYDRO'CHLOA Har.		HYDRO'CHLOA.	(*υδωρ*, water, and *χλοα*, grass.)					Triandria Digynia.
1	dístans Har.	.. distant	Britain	....	7.	H *w* ♃		Eng. bot. v. 14. t. 986.
	Pòa dístans E.B.	*Glycèria dístans* E.F.						
2	aquática Har.	.. water	————	....	——	H *w* ♃		Eng. bot. v. 19.t. 1315.
	Pòa aquática E.B.	.. *Glycèria aquática* E.F.						
3	arundinàcea	.. Reed-like	Caucasus	1825.	——	H *w* ♃		
	Pòa arundinàcea M.B.							
4	marítima Har.	.. sea-side	Britain	....	——	H *w* ♃		Eng. bot. v. 16. t.1140.
	Pòa marítima E.B.	*Glycèria marítima* E.F.						
GLYCE'RIA K.G.		SWEET-GRASS.	(*γλυκος*, sweet; taste.)					Triandria Digynia.
1	flùitans K.G.	.. floating	Britain	....	5. 8.	H ♃		Eng. bot. v. 22. t. 1520.
	Pòa flùitans E.B.	*Festùca flùitans* W.						
2	Borrèri E.B.	.. Borrer's	England	....	——	H ♃		Eng. bot. t. 2797.
REBOU'LEA K.G.		REBOU'LEA.	(from the name of some bot.)					Triandria Digynia.
	grácilis K.G.	.. slender	N. America	1823.	6. 7.	H ♃		
	Airópsis obtusàta R.S.							
CATABRO'SA K.G.		CATABRO'SA.	(*καταβρωσις*, food.)					Triandria Digynia.
1	aquática K.G.	.. water	Britain	....	5. 6.	H *w* ♃		Eng. bot. v. 22. t. 1557.
	Aira aquática E.B.							
2	vírídula K.G.	.. close-panicled	.....	1718.	——	H *w* ♃		
3	húmilis K.G.	.. dwarf	Causacus	1824.	6. 7.	H ♃		
BRI'ZA K.G.		QUAKING-GRASS.	(*βριζω*, to hang; spikes.)					Triandria Digynia.
1	mìnor K.G.	.. small	England	....	7.	H ♃		Eng. bot. v. 19. t. 1316.
2	vìrens K.G.	.. green	S. Europe	1800.	7. 8.	H ☉		Hayn.term.bot.t.25.f.6.
3	mèdia K.G.	.. common	Britain	....	5. 6.	H ♃		Eng. bot. v. 5. t. 340.
	Clùsii R.S.							
4	geniculàta K.G.	.. jointed	C. B. S.	1816.	7. 8.	H ☉		
5	elàtior K.G.	.. tall	Greece	1788.	——	H ♃		Flor. græc. 1. t. 75.
6	máxima K.G.	.. great-spiked	S. Europe	1633.	6. 7.	H ☉		———— 1. t. 76.
7	spicàta K.G.	.. dwarf	Tauria	1818.	——	H ☉		Scheuch.agr.4.t.4.f.10.
	humilis R.S.							

8 rùbra K.G. .. red S. Europe 1818. 6. 7. H ⊙

ME'LICA K.G. MELIC-GRASS. (Italian name for Millet.) Triandria Digynia.

1 ciliàta K.G. .. ciliated Europe 1771. 7. H ♃ Flor. græc. 1. t. 70.
2 nùtans K.G. .. mountain Britain .... 6. 7. H ♃ Eng. bot. v. 15. t. 1059.
3 uniflòra K.G. .. wood ——— .... 5. 6. H ♃ ——— v. 15. t. 1058.
4 minùta K.G. .. small S. Europe 1825. —— H ♃ Cavan. ic. 2. t. 175. f. 2.
5 Bauhìni K.G. .. Italian Italy 1806. 6. 7. H ♃ Host. gram. 4. t. 23.
6 pyramidàlis R.S. .. pyramidal Barbary 1804. —— H ♃ Barrel. ic. t. 96. f. 1.
7 speciòsa K.G. .. handsome N. America 1812. —— H ♃ Schreb. gram. t. 54.
glàbra Ph. *rariflòra* Schreb.
8 altíssima K.G. .. tallest Siberia 1770. 7. 8. H ♃ Host. gram. 2. t. 9.
9 diffùsa K.G. .. spreading N. America 1824. —— H ♃
10 pállida K.G. .. pale Quito 1825. —— S ♃
11 exasperàta K.G. .. exasperate ..... —— —— H ♃
12 digitàta K.G. .. fingered E. Indies 1824. —— S ♃
13 refrácta K.G. .. reflexed ——— —— —— S ♃
14 latifòlia R.S. .. broad-leaved ——— 1822. —— S ♃
Pánicum acariferum K.G.

MOLI'NIA K.G. MOLI'NIA. (G. J. Molino, author of Hist. Chili.) Triandria Digynia.

1 cœrùlea K.G. .. purple Britain .... 8. H ♃ Eng. bot. v. 11. t. 750.
vòria S.S. *Mélica cœrùlea* E.B. *Endòdium cœrùleum* R.S.
2 sylvática R.S. .. wood Europe 1824. —— H ♃

KŒLE'RIA K.G. KŒLE'RIA. (M. Kœler, prof. nat. hist. Mayence.) Triandria Digynia.

1 cristàta K.G. .. crested Europe .... 6. 8. H ♃ Host. gram. 2. t. 75.
β glàbra R.S. *smooth* Britain .... 7. 8. H ♃ Eng. bot. v. 9. t. 648.
Aira cristàta E.B. *Pòa cristàta* W.
2 grandiflòra R.S. .. great-flowered S. Europe 1824. 6. 8. H ♃
3 glaúca K.G. .. glaucous Germany 1816. —— H ♃
4 nítida K.G. .. glossy N. America 1828. —— H ♃
5 macrántha K.G. .. large-flowered Russia 1824. —— H ♃
6 albéscens R.S. .. whitish S. France 1829. —— H ♃
7 valesìaca K.G. .. Swiss Switzerland 1824. —— H ♃
8 setàcea K.G. .. bristly S. Europe 1825. —— H ♃
9 tuberòsa P.S. .. tuberous ——— 1802. 7. 8. H ♃ Lam. ill. t. 45. f. 4.
10 hirsùta K.G. .. hairy Switzerland 1824. —— H ♃
11 villòsa K.G. .. villous S. Europe 1800. 6. 7. H ♃
Aira pubéscens W. *Phálaris pubéscens* Lam.
12 phleoìdes K.G. .. cat's-tail Portugal 1802. 7. 8. H ⊙ Desf. atl. 1. t. 23.
13 híspida K.G. .. hispid S. Europe 1819. 6. 7. H ⊙ Savi. fl. pis. t. 1. f. 5.
14 brachystàchya K.G... short-spiked ..... —— —— H ⊙
15 parviflòra L.en. .. small-flowered S. Europe —— —— H ⊙ Desf. atl. 1. t. 32.
Avèna parviflòra Desf. *Trisètum parviflòrum* K.G.
16 ægyptìaca Lk. .. Egyptian Egypt 1826. —— H ⊙
17 láxa K.G. loose-flowered ——— 1829. —— H ⊙

SCHI'SMUS K.G. SCHI'SMUS. (σχισμα, a fissure.) Triandria Digynia.

1 Gouàni Tr. .. Gouan's Montpelier 1820. 6. 7. H ♃
Aira mèdia Gouan. *Deschámpsia mèdia* et *díscolor* R.S. *Danthònia júncea* K.G.
2 marginàtus K.G. .. margined Spain 1781. —— H ⊙ Cavan. ic. 1. t. 44. f. 2.
Festùca calycìna W. *Kœlèria calycìna* DC.
3 fasciculàtus K.G. .. fascicled S.Domingo 1827. —— S ⊙
Digitària horizontàlis W.

WANGENHEI'MIA K.G. WANGENHEI'MIA. (F. Wangenheim, a writer on American trees.) T.D.

Lìma Tr. .. imbricated Spain 1776. 7. 8. H ⊙ Cavan. ic. 1. t. 91.
dísticha K.G. *Cynosùrus Lìma* Cav. *Díneba Lìma* R.S.

DA'CTYLIS K.G. COCK'S-FOOT-GRASS. (δακτυλος, a finger; spikes.) Triandria Digynia.

1 glomeràta K.G. .. rough Britain .... 6. 7. H ♃ Eng. bot. v. 5. t. 335.
2 glaucéscens K.G. .. glaucescent Europe 1816. —— H ♃
3 hispánica K.G. .. Spanish Spain 1814. —— H ♃
4 glaúca K.G. .. glaucous ..... 1823. —— H ♃
5 capitàta K.G. .. headed Sardinia 1824. —— H ♃
6 altàica K.G. .. Altaic Altay 1826. —— H ♃
7 littoràlis R.S. .. shore S. Europe 1816. —— H ♃ Lam. ill. t. 45. f. 5.
marítima R.S. *Pòa littoràlis* K.G.
8 rèpens R.S. .. creeping ——— 1824. —— H ♃ Desf. atl. 1. t. 15.
Pòa littoràlis K.G.
9 adscéndens K.G. .. ascending C. B. S. 1823. —— G ♃
Lasiòchloa adscéndens K.G.
10 brevifòlia R.S. .. short-leaved E. Indies 1826. —— S ♃ Burm. ind. t. 12. f. 2.
Lagopodioìdes R.S. *Pòa brevifòlia* K.G.

11	cynosuroìdes K.G.	Dog's-tailed	E. Indies	1823.	6. 7.	S	♃	
12	aristàta E.	awned	Egypt	1828.	——	H	⊙	
CYNOSU'RUS K.G.		DOGSTAIL-GRASS.	(κυων, a dog, and ουρα, a tail.)					Triandria Digynia.
	cristàtus K.G.	crested	Britain	....	8.	H	♃	Eng. bot. v. 5. t. 316.
CHRYSU'RUS R.S.		CHRYSU'RUS.	(χρυσος, gold, and ουρα, a tail.)					Polygamia Monœcia.
1	aúreus S.S.	golden-spiked	Levant	1770.	7.	H	⊙	Host. gram. 3. t. 4.
	Cynosùrus aúreus F.G. 1. t. 79. *Lamárckia aúrea* DC.							
2	echinàtus R.S.	rough	England	....	8.	H	⊙	Eng. bot. v. 19. t. 1333.
	Cynosùrus echinàtus E.B.							
3	effùsus R.S.	spreading	S. Europe	1824.	7. 8.	H	⊙	
4	élegans R.S.	elegant	——	——	——	H	⊙	Desf. atl. 1. t. 17.
SCHEDONO'RUS R.S.		SCHEDONO'RUS.	(σχεδον, near, and ορος, a mountain.)					Triand. Digyn.
1	praténsis R.S.	meadow	Britian	....	6. 7.	H	⊙	Eng. bot. v. 23. t. 1592.
	Festùca praténsis E.B.							
2	phœnicoìdes R.S.	creeping-rooted	Switzerland	1824.	——	H	♃	
3	elàtior R.S.	tall	Britain	....	——	H	♃	Eng. bot. v. 23. t. 1593.
	Festùca elàtior E.B. *et* Sinc. gr. wob. p. 361. ic.							
4	cœruléscens R.S.	blueish	Barbary	1818.	6. 7.	H	♃	
5	spadíceus R.S.	Gerard's	Italy	1775.	4. 6.	H	♃	Host. gram. 3. t. 20.
6	inérmis R.S.	naked-spiked	Hungary	1816.	6. 7.	H	♃	——— 1. t. 9.
7	calamàrius R.S.	Reed-like	Scotland	....	7. 8.	H	♃	Eng. bot. v. 14. t. 1005.
8	decíduus R.S.	deciduous	England	....	6. 7.	H	♃	——— v. 32. t. 2266.
	Festùca decídua E.B.							
9	exaltàtus R.S.	high upright	Sicily	1827.	——	H	♃	
10	sylváticus R.S.	wood	Germany	1804.	7. 8.	H	♃	Host. gram. 2. t. 78.
11	serótinus R.S.	late-flowering	S. Europe	1818.	7. 9.	H	♃	——— 2. t. 92.
12	loliàceus R.S.	spiked	England	....	6. 7.	H	♃	Eng. bot. v. 26. t. 1821.
13	Scheuchzèri R.S.	Scheuchzer's	S. Europe	1822.	——	H	♃	
14	violàceus R.S.	violet-coloured	Europe	....	——	H	♃	
15	nùtans R.S.	nodding	Hungary	1823.	——	H	♃	Host. gram. 4. t. 61.
16	nigréscens R.S.	blackish	Switzerland	——	——	H	♃	
17	poæfórmis R.S.	Poa-like	———	1818.	——	H	♃	Host. gram. 2. t. 81.
18	pùmilus R.S.	dwarf	S. Europe	——	——	H	♃	——— 2. t. 91.
19	nítidus R.S.	glossy	Hungary	1827.	——	H	♃	
20	tenéllus R.S.	slender	N. America	1804.	7. 8.	H	⊙	
	Festùca tenélla Ph. *Brachypòdium festucoìdes* L. en.							
FESTU'CA K.G.		FESCUE-GRASS.	(*fest*, Celt. pasture.)					Triandria Digynia.
1	cynosuroìdes K.G.	dog's tail	Barbary	1825.	6. 8.	H	⊙	Desf. atl. 1. t. 21.
2	Fènas K.G.	tough	Spain	1822.	——	H	♃	
	Pòa tènax L.en.							
3	ovìna K.G.	sheep's	Britain	....	——	H	♃	Eng. bot. v. 9. t. 505.
4	brachyphy'lla K.G.	short-leaved	Melville I.	1827.	——	H	♃	
	brevifòlia Br. *non* Muhlenberg.							
5	tenuifòlia K.G.	slender-leaved	Britain	....	——	H	♃	
6	cæ'sia E.B.	gray	England	....	6. 7.	H	♃	Eng. bot. v. 27. t. 1917.
7	vivípara E.B.	viviparous	Britain	....	7.	H	♃	——— v. 19. t. 1355.
8	glaúca K.G.	glaucous	S. Europe	....	6. 7.	H	♃	
9	pállens R.S.	pale	Germany	1816.	——	H	♃	Host. gram. 2. t. 88.
10	strícta Host.	upright	———	——	——	H	♃	——— 2. t. 86.
11	hirsùta Host.	hairy	———	——	——	H	♃	——— 2. t. 85.
12	Hallèri K.G.	Haller's	Europe	1820.	——	H	♃	
13	cúrvula R.S.	curved	Switzerland	——	——	H	♃	
14	alpìna K.G.	Alpine	———	——	——	H	♃	
15	amethy'stina K.G.	blue	S. Europe	1804.	——	H	♃	
16	pícta K.G.	painted	Hungary	1826.	——	H	♃	
17	vària K.G.	variable	S. Europe	1823.	——	H	♃	Host. gram. 2. t. 90.
18	vallesìaca K.G.	Vallesian	Vallesia	——	——	H	♃	
19	pannónica K.G.	Hungarian	Hungary	——	——	H	♃	Host. gram. 4. t. 62.
20	xanthìna R.S.	yellow	Switzerland	1818.	——	H	♃	——— 3. t. 19.
	flavéscens Host. *non* Bellardi.							
21	flavéscens DC.	yellowish	———	——	——	H	♃	
22	duriúscula K.G.	hard	Britain	....	——	H	♃	Eng. bot. v. 7. t. 470.
23	dumetòrum S.G.W.	pubescent	———	....	——	H	♃	
24	glàbra K.G.	smooth	———	....	6.	H	♃	Sinc. gr. wob. p. 180. ic.
25	hordeifórmis S.G.W.	Barley-like	.....	....	——	H	♃	——— p. 159. ic.
26	cámbrica S.G.W.	Welsh	Wales	....	——	H	♃	——— p. 157. ic.
27	heterophy'lla K.G.	various-leaved	S. Europe	1812.	6. 7.	H	♃	Host. gram. 3. t. 18.
28	rúbra K.G.	red creeping	Britain	....	7.	H	♃	Eng. bot. v. 29. t. 2056.
29	vaginàta K.G.	sheathed	Hungary	1804.	6. 7.	H	♃	

30	Kitaibelìana R.S.	.. Kitaibel's	Hungary	1818.	6. 7.	H	♃	
	pubéscens L.en. *non* Zea.							
31	láxa K.G.	.. loose	Switzerland	1824.	——	H	♃	Host. gram. 2. t. 80.
32	decólorans K.G.	.. discoloured	———	——	——	H	♃	
	láxa Gaud. *nec aliorum.*							
33	nùtans K.G.	.. nodding	N. America	1805.	——	H	♃	
34	rùbens R.S.	.. red	S. Europe	1776.	——	H	⊙	Flor. græc. t. 83.
	Bròmus rùbens K.G.							
35	scàbra R.S	.. rough	C. B. S.	1826.	——	G	♃	
36	bracteàta DC.	.. leafy-bracted	.....	....	——	H	♃	
37	læ'vis F.	.. smooth	Russia	1806.	7.	H	♃	
38	grandiflòra Ph.	.. large-flowered	N. America	1812.	6. 7.	H	♃	
39	aspérrima Ot.	.. roughest	.....	1825.	——	H	♃	
40	rupéstris Ot.	.. rock	.....	——	——	H	♃	

SCLERO'CHLOA R.S. SCLERO'CHLOA. (σκληρος, hard, and χλοα, grass.) Triandria Digynia.

1	divaricàta R.S.	.. spreading	S. Europe	1802.	7. 8.	H	⊙	Gouan. ill. 4. t. 2. f. 1.
2	procúmbens R.S.	.. procumbent	Britain	....	——	H	⊙	Eng. bot. v. 8. t. 532.
	Pòa procúmbens E.B. *Glycèria procúmbens* E.F.							
3	dùra R.S.	.. rigid	S. Europe	1776.	7. 8.	H	⊙	Host. gram. 2. t. 73.
	Pòa dùra Host. *Cynosùrus dùrus* L.							
4	rígida L.en	.. hard	England	....	6. 7.	H	⊙	Eng. bot. v. 20. t. 1371.
	Pòa rígida E.B. *Glycèria rígida* E.F. *Megastàchya rígida* R.S.							
5	articulàta L.en.	.. jointed	Barbary	1816.	——	H	⊙	Desf. atl. 1. t. 22.
6	marítima	.. sea-side	Europe	....	——	H	⊙	Cyrill. neap. fasc. 2. t. 2.
	dichótoma L.en. *Tríticum marítimum* L. *Festùca marítima* DC.							

MYGALU'RUS L.en. MOUSETAIL-GRASS. (μυγαλη, a field mouse, and ουρα, a tail.) Trian. Digy.

1	bromoìdes L.en.	.. barren	Britain	....	6.	H	⊙	Eng. bot. v. 20. t. 1411.
2	caudàtus L.en.	.. wall	England	....	——	H	⊙	——— v. 20. t. 1412.
	Festùca Myùrus E.B.							
3	alopecuroìdes L.en.	.. Fox-tail	Barbary	1799.	6. 8.	H	⊙	Desf. atl. 1. t. 25.
4	ciliàtus Lk.	.. fringed	Portugal	1827.	——	H	⊙	Host. gram. 4. t. 65.
5	uniglùmis L.en.	.. single-husked	England	....	——	H	⊙	Eng. bot. v. 20. t. 1430.
6	delicátulus L.en.	.. delicate	Spain	1817.	7. 8.	H	⊙	
7	geniculátus L.en.	.. jointed	S. Europe	1793.	6. 7.	H	⊙	
	Bròmus geniculàtus R.S. *Festùca stipoìdes* R.S.							

CERATO'CHLOA R.S. CERATO'CHLOA. (κερας, a horn, and χλοα, grass.) Triandria Digynia.

	unioloìdes R.S.	Uniola-like.	N. America	1796.	6. 7.	H	♃	Willd. h. ber. t. 3.
	Festùca unioloìdes W. *Bròmus Willdenòwi* K.G.							

BROMUS K.G. BROME-GRASS. (βρωμος, a name given to wild oats.) Triandria Digynia.

1	secalìnus K.G.	.. smooth Rye	England	....	6. 8.	H	⊙	Eng. bot. v. 17. t. 1171.
2	elongàtus K.G.	.. elongated	Switzerland	1823.	——	H	⊙	
3	commutàtus K.G.	.. downy Rye	Britain	....	——	H	⊙	Host. gram. 1. t. 11.
4	velutìnus K.G.	.. hairy-headed	———	....	——	H	⊙	Eng. bot. v. 27. t. 1884.
	multiflòrus E.B.							
5	tomentòsus K.G.	.. Trinius's	Gilan	1826.	——	H	♃	Trin. m.ac.pet. 1813. t. 9.
	Trinìànus R.S.							
6	móllis K.G.	.. soft	Britain	....	5. 7.	H	⊙	Eng. bot. v. 15. t. 1078.
7	confértus K.G.	.. close-spiked	Iberia	1825.	——	H	⊙	Jacq. ecl. gr. t. 14.
8	racemòsus K.G.	.. smooth	England	....	6. 8.	H	⊙	Eng. bot. v. 15. t. 1079.
9	eréctus K.G.	.. upright	———	....	——	H	⊙	——— v. 7. t. 471.
10	Bieberstèinii K.G.	.. Bieberstein's	Caucasus	1825.	——	H	♃	
11	austràlis K.G.	.. southern	N. S. W.	1823.	——	H	⊙	
12	lanceolàtus K.G.	.. spear-leaved	Canaries	1798.	——	H	⊙	Buxb. cent. ap. t. 19.
13	divaricàtus K.G.	.. woolly	S. Europe	1824.	——	H	⊙	
	lanuginòsus R.S.							
14	variegàtus K.G.	.. variegated	Caucasus	——	——	H	♃	
15	squarròsus K.G.	.. corn	England	....	——	H	♃	Eng. bot. v. 27. t. 1885.
16	pátulus K.G.	.. spreading	France	1836.	——	H	⊙	
17	arduennénsis K.G.	.. Arduenne	———	——	——	H	⊙	
18	vestìtus K.G.	.. clothed	C. B. S.	1816.	——	G	♃	
19	wolgénsis K.G.	.. Wolga	Caucasus	——	——	H	⊙	Jacq. ecl. gr. t. 15.
20	láxus K.G.	.. loose	.....	——	——	H	♃	
21	alopecuroìdes K.G.	.. Fox-tail	S. Europe	1799.	——	H	♃	Desf. atl. 1. t. 25.
	contórtus Desf.							
22	púrgans K.G.	.. purging	Canada	1793.	——	H	♃	
23	pubéscens K.G.	.. pubescent	N. America	1816.	——	H	♃	
24	ásper K.G.	.. hairy wood	England	....	——	H	♃	Eng. bot. v. 17. t. 1172.
25	hirsutíssimus Cyr.	.. very hairy	S. Europe	1822.	——	H	♃	
26	pendulìnus K.G.	.. pendulous	New Spain	1823.	——	H	⊙	
27	glaúcus K.G.	.. glaucous	Pyrenees	——	——	H	♃	Lap. fl. pyren. t. 53. bis.

28	altíssimus K.G.	.. tallest	N. America	1812.	6. 8.	H	♃	
29	Schradèri K.G.	.. Schrader's	Carolina	1835.	——	H	⊙	
30	gigantèus K.G.	.. gigantic	Britain	....	7. 8.	H	♃	Eng. bot. v. 26. t. 1820.
31	triflòrus	.. three-flowered	———	....	——	H	♃	——— v. 27. t. 1918.
	Festùca triflòra K.G.							
32	montànus R.S.	.. mountain	Switzerland	1827.	——	H	⊙	
33	longiflòrus K.G.	.. long-flowered	.....	1818.	——	H	♃	
34	stenophy'llus R.S	.. slender-leaved	.....	1824.	——	H	♃	
	angustifòlius Horn.							
35	angustifòlius M.B.	.. narrow-leaved	Caucasus	——	——	H	♃	
36	ciliàtus K.G.	.. ciliated	N. America	1802.	6. 8.	H	♃	
37	arvénsis K.G.	.. field	Britain	....	7.	H	♃	Eng. bot. v. 28. t. 1984.
38	stérilis K.G.	.. barren	———	....	6. 7.	H	⊙	——— v. 15. t. 1030.
39	tectòrum K.G.	.. nodding	Europe	1776.	6. 8.	H	♂	Flor. græc. t. 82.
40	matriténsis K.G.	.. wall	Britain	....	6.	H	⊙	Eng. bot. v. 14. t. 1006.
	diándrus E.B.							
41	ligústicus R.S.	.. contracted	Italy	1824.	6. 8.	H	⊙	Barrel. ic. 76. n. 2.
	Festùca geniculàta K.G.							
42	rígidus K.G.	.. rigid	S. France	1822.	——	H	⊙	Host. gram. 1. t. 18.
43	pilòsus K.G.	.. hairy-wall	S. Europe	——	——	H	⊙	
44	jubàtus K.G.	.. loose-panicled	Italy	1824.	——	H	⊙	
45	máximus K.G.	.. great	Jersey	1804.	——	H	⊙	Eng. bot. t. 2820.
46	scopàrius K.G.	.. broom	S. Europe	1824.	——	H	⊙	Cavan. ic. 1. t. 45. f. 2.
47	hùmilis K.G.	.. low	Spain	——	——	H	⊙	——— 6. t. 589. f. 2.
48	scabérrimus K.G.	.. roughest	Italy	——	——	H	⊙	
49	coarctàtus H.H.	.. close-flowered	.....	1826.	——	H	♃	
	Avèna geminiflòra K.G.							
50	parviflòrus K.G.	.. small-flowered	.....	1824.	——	H	♃	
51	tórtilis Presl.	.. twisted	Sicily	1825.	——	H	♃	
52	caucásicus F.	.. Caucasean	Caucasus	——	——	H	♃	
53	brachy'stachys F.M.	.. short-spiked	.....	1837.	....	H	⊙	
54	brizæfórmis F.M.	.. Briza-like	.....	——	....	H	⊙	

ROSTRA'RIA Tr. ROSTRA'RIA. (*rostrum*, a beak.) Triandria Digynia.

	pubéscens Tr.	.. pubescent	.....	1824.	6. 8.	H	⊙	
	Brò̀mus dactyloìdes Roth. *Dáctylis púngens* Horn.							

UNI'OLA K.G. SEASIDE OAT. (*unus*, one; glumes of calyx united.) Triandria Digynia.

1	paniculàta K.G.	.. panicled	N. America	1793.	6. 7.	H	♃	Catesb. car. 1. t. 32.
2	latifòlia K.G.	.. broad-leaved	———	1809.	——	H	♃	
3	spicàta R.S.	.. spiked	———	1790.	7.	H	♃	
	Pòa Michaúxii K.G.							
4	distichophy'lla R.S.	.. two-ranked	———	1789.	6. 7.	H	♃	
	Festùca distichophy'lla Ph. *Pòa distichophy'lla* K.G.							

CORYCA'RPUS K.G. CORYCA'RPUS. (κορυς, a helmet, and καρπος, a fruit.) Diandria Digynia.

	arundinàceus K.G.	.. Reed-like	N. America	1810.	6. 7.	H	♃	Mich. amer. 1. t. 10.
	Festùca diándra M. *Diarrhèna americàna* R.S. *Ræmèria Zèæ* R.S.							

ARUNDINA'RIA K.G. CANE-BRAKE. (altered from *Arunda*; similarity.) Triandria Monogynia.

1	glaucéscens K.G.	.. glaucous	E. Indies	1818.	....	S	♄	
	Ludólfia glaucéscens W.							
2	macrospérma K.G.	.. large-seeded	N. America	....	——	H	♃	

BAMBU'SA K.G. BAMBOO-CANE. (*bambos*, Indian name.) Hexandria Monogynia.

1	arundinàcea K.G.	.. common	India	1730.	....	S	♄	Roxb. corom. 1. t. 79.
2	verticillàta K.G.	.. whorl-flowered	———	1802.	....	S	♄	——— 1. t. 80.

MELOCA'NNA Tr. MELOCA'NNA. (μηλον, an apple, and καυης, a reed.) Hexandria Monogynia.

	bambusoìdes Tr.	.. berry-bearing	E. Indies	1818.	....	S	♄	
	Bambùsa baccífera Roxb. *Beèsha Rheèdii* K.G.							

Tribe XI. *HORDEA'CEÆ*. Kth. gram. p. 435.

TRI'TICUM K.G. WHEAT. (*tritum*, rubbed; flour.) Triandria Digynia.

1	æstìvum K.G.	.. summer	Baschiros	....	6. 7.	H	⊙	Host. gram. 3. t. 26.

α *ambígens* LG. β *Bàhi* LG. γ *Báncos* LG. δ *Cálot* LG. ε *cándidum* LG. ζ *compáctum* LG. η *Lamárckii* LG. θ *Róyo* LG. ι *truncátulum* LG. κ *variegàtum* LG. λ *confértum* LG. μ *hùmile* LG. ν *mèdium* LG. ξ *màjus* L.G. ο *Pástor* LG. π *versícolor* LG.

2	hybérnum R.S.	.. Lammas	.....	....	6. 7.	H	♂	Host. gram. 3. t. 26. f. 8.

α *candidíssimum* LG. β *compáctum* LG. γ *Morisòni* LG. δ *Pòlo* LG. ε *Tessièri* LG.

3 sibíricum R.S. .. Siberian Siberia .... 6. 7. H ⊙
4 velutìnum K.G. .. velvet-spiked .... —— H ♂ Rod. Schub. cer. n. 4. f. 4.
5 compósitum R.S. .. Egyptian Egypt 1799. —— H ⊙ Host. gram. 3. t. 27.
α *aúreum* LG. β *compósitum* LG. γ *edéntulum* L.G. δ *prismáticum* LG. ε *rùbrum* LG.
6 Linnæànum K.G. .. Linnean Egypt .... 6. 7. H ⊙
α *Caballèro* LG. β *dùbium* LG. γ *Lajustícia* LG. δ *depilàtum* LG. ε *pìceo-cœrùleum* LG.
7 túrgidum K.G. .. turgid .... 6. 7. H ⊙ Host. gram. 3. t. 28.
α *Collàdo* LG. β *compósitum* LG. γ *montànum* LG. δ *Tournefórtii* LG. ε *Caúmels* LG.
ζ *Lapièdra* LG.
8 fastuòsum R.S. .. thick-grained .... 6. 7. H ⊙
α *albéllum* LG. β *A'sso* LG. γ *Cannabàte* LG. δ *Cástro* LG. ε *Echeándia* LG. ζ *Juràdo* LG.
η *Alvàrez* LG. θ *Lobèlii* LG.
9 Gærtneriànum R.S... Gærtner's .... H ⊙
α *Bérnal* LG. β *cálvum* LG. γ *ciliòsum* LG. δ *Gràells* LG. ε *O'liet* LG. ζ *Plà* LG.
η *speltoìdes* LG. θ *truncàtum* LG. ι *Vasállo* LG. κ *yèpes* LG. λ *Hallèri* LG. μ *Párck* LG.
ν *Valcárcel* LG. ξ *Xixòna* LG. ο *Cleménte* LG. π *Colòna* LG. ρ *Gerárdi* LG. σ *Gleichen* LG.
τ *Moràles* LG. υ *Plùkenet* L.G. φ *Sanmártin* DG. χ *Theophrásti* LG. ψ *Thouìni* LG.
10 platystàchyum R.S... flat-spiked .... 6. 7. H ⊙
11 cochleàre K.G. .. spoon-like .... —— H ⊙
α *aristàtum* LG. β *mucronàtum* LG.
12 Cevállos R.S. .. Trigo Moro .... —— H ⊙
13 dùrum K.G. .. Barbary .... —— H ⊙
14 villòsum K.G. .. villous .... —— H ⊙ Host. gram. 4. t. 6.
15 sículum K.G. .. Sicilian .... —— H ⊙
16 hordeifórme K.G. .. Barley formed .... —— H ⊙ Host. gram. 4. t. 5.
17 compáctum R.S. .. compact .... —— H ⊙ ———— 4. t. 7.
18 polónicum K.G. .. Polish ..... 1692. —— H ⊙ ———— 3. t. 31.
19 monocóccon K.G. .. one-grained ..... 1648. —— H ⊙ ———— 3. t. 32.
α *glàbrum* LG. β *pubéscens* LG.
20 dicóccum K.G. .. two-grained .... —— H ⊙ Rod. Schub. cer. n. 15. f. 2.
α *álbum* .. *white-spiked* .... —— H ⊙
β *rùfum* .. *brown-spiked* .... —— H ⊙
21 atràtum R.S. .. dark-spiked .... —— H ⊙ Host. gram. 4. t. 8.
22 tricóccum R.S. .. three-grained .... —— H ⊙ Rod. Schub. cer. n. 17. f. 3.
23 Cienfuègos R.S. .. tooth-valved .... —— H ⊙
24 Bauhìni R.L. .. truncate-valved .... —— H ⊙
25 Spélta K.G. .. Spelt .... —— H ⊙ Host. gram. 3. t. 29.
Zèa Host.
α *Astùrum* LG. β *ruféscens* LG. γ *submùticum* LG. δ *álbum* LG. ε *cyáneum* LG.
26 venulòsum K.G. .. veined Egypt .... 6. 7. H ⊙
27 ichyostàchyum K.G... slender-spiked .... —— H ⊙

AGROPY'RUM R.S. COUCH-GRASS. (αγρος, a field, and πυρος, wheat.) Triandria Digynia.

1 júnceum R.S. .. rushy England .... 6. 7. H ♃ Eng. bot. v. 12. t. 814.
Tríticum júnceum E.B.
2 acùtum R.S. .. acute-glumed France 1816. —— H ♃
3 littoràle Host. .. sea-side Mediterranean— —— H ♃ Host. gram. 4. t. 9.
4 rígidum R.S. .. rigid S. Europe 1805. —— H ♃
5 intermèdium Host... intermediate Germany —— —— H ♃ Host. gram. 2. t. 22.
6 glaúcum R.S. .. glaucous Switzerland 1824. —— H ♃ ———— 4. t. 10. ?
7 rupéstre R.S. .. rock Siberia 1822. —— H ♃
8 obtusifiòrum R.S. .. blunt-flowered .... —— H ♃
9 púngens R.S. .. pungent S. Europe 1824. —— H ♃
10 densifiòrum R.S. .. close-flowered Siberia —— —— H ♃
11 gigantèum R.S. .. gigantic S. Europe 1805. —— H ♃ Host. gram. 2. t. 23.
Tríticum elongàtum Host.
12 rèpens R.S. .. common Britain .... 7. 8. H ♃ Eng. bot. v. 13. t. 909.
α *arvénse* R.S. .. *field* ———— .... —— H ♃ Trattin. tab. t. 566.
β *subulàtum* R.S. .. *subulate-glumed* ———— .... —— H ♃ Schreb. gram. t. 26. f. 2.
γ *dumetòrum* R.S... *many-flowered* ———— .... —— H ♃ ———— f. II. IV. f. 3.
δ *Vaillantiànum* R.S... *Vaillant's* ———— .... —— H ♃ ———— f. 6.
ε *Leersiànum* R.S... *Leers's* ———— .... —— H ♃ Leers fl. herb. t. 12. f. 4.
ζ *capillàre* R.S. .. *hair-awned* ———— .... —— H ♃
13 sibíricum R.S. .. Siberian Siberia 1825. —— H ♃
14 dasyánthum R.S. .. thick-flowered Russia —— —— H ♃
15 caninum R.S. .. bearded Britain .... —— H ♃ Eng. bot. v. 20. t. 1372.
16 dístichum R.S. .. two-ranked C. B. S. 1816. —— G ♃
17 prostràtum R.S. .. prostrate Siberia 1780. 6. H ⊙ Jacq. vind. 3. t. 44.
18 orientàle R.S. .. hairy-spiked Levant 1807. 6. 7. H ♂ Will. n. act. ber. 2. t. 4. f. 3.
Secàle orientàle W.

19	pátulum Tr.	.. spreading	Egypt	1800.	6.	7.	H	⊙	
	Tríticum squarròsum R.S. *Buonapártis* Spr.								
20	imbricàtum R.S.	.. imbricated	Caucasus	1824.	6.	8.	H	♃	Gmel. sib. 1. n. 51. t. 23.
21	pectiniförme R.S.	.. comb-like	Tauria	——	——		H	♃	Buxb. cent. 1. t. 50. f. 3.
22	cristàtum R.S.	.. crested	————	——	——		H	♃	Eng. bot. v. 32. t. 2267.
23	desertòrum R.S.	.. desert	Altay	1822.	——		H	♃	Ledeb. ic. alt. t. 246.
24	angustifòlium R.S.	.. narrow-leaved	Siberia	——	——		H	♃	
25	muricàtum R.S.	.. bristly	————	1825.	——		H	♃	
26	pectinàtum R.S.	.. pectinated	V.Diem.Isl.	1822.	——		H	♃	
27	variegàtum R.S.	.. variegated	.....	1818.	——		H	♃	
LO'LIUM K.G.		DARNEL. (*loloa*, Celt.)		Triandria Digynia.					
1	perénne K.G.	.. Rye-grass	Britain	....	5.	6.	H	♃	Eng. bot. v. 5. t. 315.
	α *vulgàre* R.S.	.. *common*	————	....	——		H	♃	Host. gram. 1. t. 25.
	β *ténue* R.S.	.. *slender*	————	....	——		H	♃	Sinc. gra. wob. p. 211. ic.
	γ *compósitum* R.S.	.. *compound*	————	....	——		H	♃	Scheuch. agr. 1. f. 7. D.
	δ *ramòsum* R.S.	.. *branching*	————	....	——		H	♃	Leers gram. 1. 12. f. 1.
	ε *Russellànum* H.G.W.	*Russell's*	————	....	——		H	♃	Sinc. gra. wob. p. 216. ic.
	ζ *Whitwórthii* H.G.W.	*Whitworth's*	————	....	——		H	♃	
	η *Stickneyànum* H.G.W.	*Stickney's*	————	....	——		H	♃	
	θ *paniculàtum* H.G.W.	*panicled*	————	....	——		H	♃	
	ι *monstròsum* H.G.W.	*monstrous-fld.*	————	....	——		H	♃	
	κ *vivíparum* R.S.	.. *viviparous*	————	....	——		H	♃	
	λ *multiflòrum* R.S.	.. *many-flowered*	————	....	——		H	♃	
	μ *hùmile* R.S.	.. *dwarf*	————	....	——		H	♃	
2	multiflòrum K.G.	.. many-flowered	Europe	1816.	——		H	⊙	Vaill. par. t. 17. f. 3.
3	arvénse K.G.	.. beardless	England	....	7.		H	⊙	Eng. bot. v. 16. t. 1125.
4	canadénse K.G.	.. Canadian	Canada	1822.	——		H	⊙	
5	complanàtum L.en.	.. rigid	Switzerland	1825.	——		H	⊙	
	rígidum R.S.								
6	temuléntum K.G.	.. bearded	Britain	....	7.	8.	H	⊙	Eng. bot. v. 16. t. 1124.
7	speciòsum K.G.	.. pretty	Tauria	1824.	——		H	⊙	
TRICHÆ'TA R.S.		TRICHÆ'TA. (τρεις, three, and χαιτη, a bristle.)		Triandria Digynia.					
	ovàta R.S.	.. oval-spiked	Spain	1824.	6.	8.	H	♃	Cavan. ic. 6. t. 591. f. 2.
	Bròmus ovàtus Cav. *Trisètum ovàtum* P.S.								
BRACHYPO'DIUM R.S.		BRACHYPO'DIUM. (βραχυς, short, and πους, a foot.)		Triandria Digynia.					
1	pinnàtum R.S.	.. spiked-heath	Britain	....	6.	8.	H	♃	Eng. bot. v. 11. t. 730.
	Bròmus pinnàtus E.B. *Tríticum pinnàtum* DC. *Festùca pinnàta* E.F.								
2	rupéstre R.S.	.. rock	S. Europe	1816.	6.	8.	H	♃	Host. gram. 4. t. 17.
3	strigòsum R.S.	.. strigose	Tauria	1824.	——		H	♃	
4	cæspitòsum R.S.	.. tufted	S. Europe	——	——		H	♃	Host. gram. 4. t. 18.
5	ramòsum R.S.	.. branched	————	1818.	——		H	♃	Flor. græc. t. 84.
6	phœnicoìdes R.S.	.. pointed-leaved	S. France	1824.	——		H	♃	
7	obtusifòlium R.S.	.. blunt-leaved	Spain	1818.	——		H	♃	
8	Tenoriànum R.S.	.. Tenore's	Naples	1824.	——		H	♃	
9	Barrelièri R.S.	.. Barrelier's	————	1827.	——		H	⊙	
10	longifòlium R.S.	.. long-leaved	Barbary	1818.	——		H	♃	
11	sylváticum R.S.	.. wood	Britain	....	——		H	♃	Eng. bot. v. 11. t. 729.
	Bròmus sylváticus E.B. *Tríticum sylváticum* DC. *Festùca sylvática* E.F.								
12	distàchyum R.S.	.. two-spiked	S. Europe	1772.	6.	8.	H	♃	Host. gram. 1. t. 20.
13	megastàchyum R.S.	.. long-spiked	————	1826.	——		H	⊙	
14	macrostàchyum R.S.	large-spiked	————	——	——		H	⊙	
15	ásperum R.S.	.. stiff-leaved	Spain	1818.	——		H	⊙	
16	unioloìdes L.en.	.. Uniola-like	Sicily	1758.	7.	8.	H	⊙	Jacq. icon. 2. t. 303.
17	brevisètum R.S.	.. short-awned	.....	1825.	——		H	⊙	
18	frágile R.S.	.. brittle	Europe	1824.	——		H	♃	
19	Hallèri R.S.	.. Haller's	S. Europe	1818.	——		H	⊙	Vivian. fr. fl. it. t. 26. f. 1.
20	hispánicum Viv.	.. slender-stem'd	————	——	——		H	⊙	———— t. 23. f. 2.
	tenuiculum R.S.								
21	tenuiflòrum R.S.	.. slender-flowered	————	1823.	——		H	⊙	Host. gram. 2. t. 26.
22	Nárdus L.en.	.. slender	————	——	——		H	⊙	
	tenéllum R.S. *Tríticum Nárdus* DC. *Festùca tenuícula* Lk.								
23	loliàceum R.S.	.. spiked-sea	Britain	....	6.	7.	H	⊙	Eng. bot. v. 4. t. 221.
	Tríticum loliàceum E.B.								
24	Pòa R.S.	.. meadow-grass	France	1824.	——		H	⊙	Pluk. phyt. t. 32. f. 7.
25	biunciàle R.S.	.. small	S. Europe	1818.	6.	8.	H	⊙	Viv. fl. it. fr. t. 24.
26	unilateràle R.S.	.. one-sided	————	1824.	——		H	⊙	Bocc. mus. t. 57. f. 2.
27	mexicànum Bes.	.. Mexican	Mexico	1816.	7.	9.	H	⊙	
	Festùca mexicàna R.S.								

SECA'LE K.G.	Rye. (*Segal*, Celtic name.) Triandria Digynia.							
1 cereàle K.G.	common	Tauria	....	6.	7.	H	☉	
α hybérnum R.S.	*winter*	———	....	——		H	♂	Blackw. t. 424.
β vérnum R.S.	*spring*	———	....	——		H	☉	Host. gram. 2. t. 48.
γ compósitum R.S.	*compound-spiked*	———	....	——		H	☉	
2 frágile K.G.	brittle	———	1816.	——		H	☉	
3 villòsum F.G.	villous	S. Europe	1790.	——		H	☉	Flor. græc. t. 97.
Tríticum villòsum R.S.								
4 sylvéstre Host.	wood	Hungary	1816.	——		H	♂	Host, gram. 4. t. 2.
5 créticum K.G.	Cretan	Candia	——	——		H	♃	
Hórdeum Sieberiànum R.S.								
E'LYMUS K.G.	Lyme-grass. (ελυμος, bread, or ελυω, to cover.) Triandria Digynia.							
1 arenàrius K.G.	sand	Britain	....	4.	6.	H	♃	Eng. bot. v. 24. t. 1672.
2 geniculàtus K.G.	pendulous	England	....	7.		H	♃	——— v. 23. t. 1586.
3 Delilcànus K.G.	Delile's	Egypt	1827.	——		H	☉	Delil. egypt. t. 13. f. 1.
4 sabulòsus K.G.	glaucous	Siberia	1806.	6.	7.	H	♃	
5 gigantèus R.S.	gigantic	N. America	1790.	7.	8.	H	♃	
6 mexicànus R.S.	Mexican	Mexico	1823.	6.	8.	H	♃	Jacq. ecl. gr. t. 19.
7 sibíricus K.G.	Siberian	Siberia	1758.	6.	7.	H	♃	Schreb. gram. 1. t. 21. f. 1.
8 móllis K.G.	soft	Kamtschatka	1829.	——		H	♃	
9 racemòsus K.G.	racemed	.....	1816.	——		H	♃	
10 tèner R.S.	tender	Siberia	1801.	——		H	♃	
11 philadélphicus R.S.	Philadelphian	N. America	1790.	7.	8.	H	♃	
12 canadénsis K.G.	Canadian	———	1699.	——		H	♃	Moris. s. 8. t. 2. f. 10.
13 glaucifòlius K.G.	glaucous	———	1816.	——		H	♃	
14 villòsus K.G.	villous	———	1802.	6.	7.	H	♃	
15 virgínicus K.G.	Virginian	———	1781.	——		H	♃	
16 striàtus K.G.	striated	———	1790.	——		H	♃	
hordeifórmis R.S.								
β mìnor R.S.	*lesser*	———	....	——		H	♃	
17 europæ'us K.G.	European	England	....	——		H	♃	Eng. bot. v. 19. t. 1317.
18 crinìtus K.G.	long-awned	Smyrna	1806.	7.	8.	H	☉	Host. gram. 1. t. 27.
intermèdius R.S.								
19 altàicus K.G.	Altaic	Altay	1829.	7.	9.	H	♃	
20 pauciflòrus R.S.	few-flowered	.....	1824.	——		H	☉	
21 Càput Medùsæ K.G.	Portuguese	Portugal	1784.	——		H	☉	Schreb. gram. 2. t. 24. f2.
22 júnceus K.G.	rushy	Siberia	1823.	7.	8.	H	♃	
ASPRE'LLA K.G.	Aspre'lla. (a dim. of *asper*, rough.) Triandria Digynia.							
1 Hy'strix K.G.	rough	Levant	1770.	7.	8.	H	☉	Jacq. ic. 2. t. 305.
E'lymus hy'strix R.S.								
2 pseùdo-hy'strix K.G.	rough American	N. America	1818.	——		H	☉	
E'lymus pseùdo-hy'strix R.S.								
TETRAPO'GON SS.	Tetrapo'gon. (τετρα, four, and πωγων, a beard.) Polygamia Monœcia.							
villòsus S.S.	villous	Barbary	1818.	7.	8.	H	☉	Desf. atl. 2. t. 255.
Chlòris villòsa P.S.								
HO'RDEUM K.G.	Barley. (*hordus*, heavy, grain.) Triandria Digynia.							
1 vulgàre K.G.	spring	Levant	....	7.		H	☉	Host. gram. 3. t. 34.
β gigantèum	*giant*	———	....	——		H	☉	
2 cœléste R.S.	naked-seeded	———	....	——		H	☉	Viborg cereal. t. S.
3 nìgrum R.S.	black-seeded	———	....	——		H	♂	
4 hexástichon K.G.	winter	———	....	——		H	☉	Viborg. cereal. t. 2.
5 bulbòsum K.G.	bulbous	S. Europe	1770.	——		H	♃	Flor. græc. 1. t. 98.
6 jubàtum K.G.	long-bearded	N. America	1782.	7.	8.	H	♂	
7 dístichum K.G.	common	Tartary	....	7.		H	☉	Viborg cereal. t. 3.
β imbérbe R.S.	*beardless*	———	....	——		H	☉	
8 nùdum R.S.	naked-seeded	———	....	——		H	☉	Arduin. sag. t. II. f. 4.
9 Zeócriton K.G.	Battledore	.....	....	8.		H	☉	Viborg cereal. t. 4.
10 murìnum K.G.	wall	Britain	....	4.	8.	H	☉	Eng. bot. v. 28. t. 1971.
11 pratense K.G.	meadow	———	....	6.		H	♃	——— v. 6. t. 409.
12 marítimum K.G.	sea-side	———	....	6.	7.	H	☉	——— v. 17. t. 1205.
13 nepalénse K.G.	Nepaul	Nepaul	1825.	7.	8.	H	☉	
14 Hy'strix R.S.	hedgehog	Spain	1817.	——		H	☉	
15 bifàrium K.G.	two-ranxed	.....	1822.	——		H	☉	
Æ'GILOPS K.G.	Hard-grass. (αιξ, a goat, and οψ, an eye.) Polygamia Monœcia.							
1 caudàta K.G.	tailed	Candia	1820.	7.	8.	H	☉	Host. gram. t. 7.
cylíndrica R.S.								
2 ovàta K.G.	oval-spiked	S. Europe	1683.	6.	7.	H	☉	Flor. græc. 1. t. 93.
3 triaristàta K.G.	three-awned	———	1739.	7.	8.	H	☉	Host. gram. 2. t. 6.
triunciàlis Host. *non* W.								

4	triunciàlis K.G.	.. lòng-spiked	S. Europe	1739.	7.	8.	H ⊙	Schreb. gram. t. 10. f. 1.
5	comòsa K.G.	.. tufted	Greece	1828.	——		H ⊙	
6	squarròsa K.G.	.. rough-spiked	Levant	1794.	6.	7.	H ♃	Schreb. gram. 2. t. 27. f. 2.
	Tríticum squarròsum R.S.							
7	Hy'strix K.G.	.. hedgehog	Missouri	1819.	7.	8.	H ♃	
PARIA'NA K.G.		PARIA'NA. (Guiana name.)		Monœcia Polyandria.				
	campéstris K.G.	Cayenne.	Cayenne.	1803.	....		S ♄	Aubl. gui. 2. t. 337.

Tribe XII. *ROTTBOELLIA'CEÆ.* Kth. Gram. p. 460.

NA'RDUS K.G.		MAT-GRASS. (ναρδος, spikenard.)		Triandria Monogynia.				
	stricta K.G.	.. upright	Britain	....	6.	7.	H ♃	Eng. bot. v. 5. t. 290.
LEPTU'RUS K.G.		.. HARD-GRASS. (λεπτος, slender, and ουρα, a tail.)		Triandria Digynia.				
1	incurvàtus K.G.	.. sea-side	Britain	....	7.		H ⊙	Eng. bot. v. 11. t. 760.
	Rottboéllia incurvàta E.B. *Ophiùrus incurvàtus* R.S.							
2	filifórmis K.G.	.. thready	Scotland	....	——		H ♃	Barrel. ic. t. 6.
3	subulàta K.G.	.. cylindrical	Portugal	1806.	——		H ⊙	Giorn. pis. f. 4-8.
	Rottboéllia cylíndrica W. *subulàta* D.C. *Monérma subulàta.* R.S.							
MONE'RMA R.S.		MONE'RMA. (μονος, one, and ἔρμα, a support; one glume.)		Mon. Digy.				
	monándra R.S	.. monandrous	Spain	1804.	6.	7.	H ⊙	Cavan. ic. t. 39. f. 1.
	Rottboéllia monándra Cav. *Nárdus aristàta* L. *Psiilùrus nardoìdes* Tr.							
PHOLIU'RUS Tr.		PHOLIU'RUS. (φολις, a scale, and ουρα, a tail.)		Triandria Digynia.				
	pannónicus Tr.	.. Hungarian	Hungary	1804.	6.	7.	H ⊙	Host. gram. 1. t. 24.
	Leptùrus pannónicus K.G.							
HEMA'RTHRIA K.P.		HEMA'RTHRIA. (ἡμι, half, and αρθρον, a joint.)		Triandria Digynia.				
	compréssa K.G.	.. flat-spiked	N. S. W.	1822.	6.	7.	G ♃	
ROTTBOE'LLIA K.G.		ROTTBOE'LLIA. (C. F. Rottboell, a Danish bot.)		Triandria Digynia.				
1	exaltata K.G.	.. tall	E. Indies	1806.	....		S ♂	
2	perforàta K.G.	.. perforated	———	1822.	....		S ♃	Roxb. corom. t. 182.
3	glàbra K.G.	.. smooth	———	——	6.	7.	S ♃	
4	cymbáchne K.G.	ciliated	———	1824.	7.	8.	S ♃	
	Cymbáchne ciliàta R.S.							
TRI'PSACUM K.G.		TRI'PSACUM. (τριψας, from τριβω, to grind.)		Monœcia Triandria.				
1	dactyloìdes S.S.	.. rough-seeded	Virginia	1640.	8.		H ♃	Lam. ill. t. 750.
2	monostàchyon K.G.	.. single-spiked	N. America	1815.	——		H ♃	Willd. hort. ber. t. 1.
MANISU'RIS K.G.		MANISU'RIS. (μανος, loose, and ουρα, a tail.)		Polygamia Monœcia.				
	granulàris K.G.	.. round-grained	E. Indies	1784.	6.	7.	S ⊙	Roxb. corom. 2. t. 118.
LODICULA'RIA P.B.		LODICULA'RIA. (meaning not explained.)		Triandria Digynia.				
	fasciculàta P.B.	.. fascicled	S. Europe	1826.	6.	7.	H ♃	P. Beauv. agros. t. 11. f. 6.
	Rottboellia fasciculàta Desf. atl. 1. t. 36. *Hemárthrìa fasciculàta* K.G.							

Tribe XIII. *ANDROPOGO'NEÆ.* Kth. gram. p. 470.

PERO'TIS K.G.		PERO'TIS. (πηρος, deficient.)		Triandria Digynia.				
	latifòlia K.G.	.. broad-leaved	E. Indies	1777.	8.	9.	S ⊙	Rheed. mal. 12. t. 62.
ZO'YSIA K.G.		ZO'YSIA. (Zoysi, an Italian botanist.)		Triandria Digynia.				
	púngens K.G.	.. pungent	E. Indies	1819.	6.	8.	S ♃	
SA'CCHARUM K.G.		SUGAR-CANE. (σακχαρ, sugar, from *Soukar*, Arab.)		Triandria Digynia.				
1	officinàrum K.G.	.. common	India	1597.	....		S ♃	Rumph. amb. 5. t. 74. f. 1.
2	sinénse K.G.	.. Chinese	China	1822.	....		S ♃	Ròxb. corom. 3. t. 232.
3	procèrum K.G.	.. lofty	E. Indies	——	....		S ♃	
4	violàceum K.G.	.. violet-coloured	W. Indies	1816.	....		S ♃	
5	caudátum K.G.	.. tailed	———	——	....		S ♃	Sloan. hist. 1. t. 70. f. 1.
6	contráctum K.G.	.. contracted	S. America	1823.	....		S ♃	
7	exaltàtum K.G.	.. tall	E. Indies	1826.	....		S ♄	Rheed. mal. 12. t. 46.
8	polystàchyum R.S.	.. many-spiked	W. Indies	——	....		S ♄	
	Pánicum saccharoìdes K.G.							
9	Múnja K.G.	.. slender	E. Indies	1805.	....		S ♃	
IMPERA'TA K.G.		IMPERA'TA. (spikes like imperial feathers.)		Triandria Digynia.				
1	arundinàcea K.G.	.. Reed-like	N. Holland	1820.	7.	8.	F ♃	Cyril. ic. fasc. 2. t. 11.
2	Thunbérgii R.S.	.. Thunberg's	E. Indies	1822.	....		S ♄	

3 Kœnígii R.S. .. Kœnig's W. Indies 1818. .... S ♄
4 spontànea R.S. .. spontaneous E. Indies —— .... S ♄ Rheed. mal. 12. t. 46.
Sáccharum spontàneum K.G.

ERIA'NTHUS K.G. ERIA'NTHUS. (*εριον*, wool, and *ανθος*, a flower.) Triandria Digynia.
1 saccharoìdes K.G. .. Sugar-cane-like N. America 1816. 7. 8. H ♃
Sáccharum gigantèum Ph.
2 brevibárbis K.G. .. short-bearded ———— 1822. —— H ♃
3 stríctus K.G. .. upright ———— 1828. —— H ♃

RIPI'DIUM T. RIPI'DIUM. (a dim. of *ριπις*, a fan.) Polygamia Monœcia.
1 Ravénnæ T. .. rough S. Europe 1816. 7. 8. H ♃ Host. gram. 3. t. 1.
Andropògon Ravénnæ Host. *Sáccharum Ravénnæ* W. *Eriánthus Ravénnæ* K.G.
2 stríctum Tr. .. upright Hungary 1802. —— H ♃ Host. gram. 2. t. 2.
Sáccharum adpréssum Kit. *Andropògon stríctus* Host.

TRICHOLÆ'NA R.S. TRICHOLÆ'NA. (*θριξ*, a hair, and *χλαινα*, a cloak.) Triandria Digynia.
micrántha R.S. .. small-flowered S. Europe 1816. 7. 8. H ♃ Jacq. ecl. gram. t. 34.
Sáccharum Teneríffæ Jacq.

ANTHISTI'RIA K. ANTHISTI'RIA. (*ανθιστημι*, to resist; harshness.) Polygamia Monœcia.
1 ciliàta K.G. .. fringed Jamaica 1821. 8.10. S ⊙ Cavan. ic. 5. t. 459.
2 barbàta K.G. .. bearded Japan 1816. —— G ⊙ Desf. j. ph. 40. p. 294. t. 2.
3 polystàchya K.G. .. many-spiked E. Indies 1824. —— S ⊙
4 heteróclita K.G. .. jointed ———— —— —— S ⊙
5 austràlis K.G. .. New Holland N. Holland 1818. —— F ♃

CALAMI'NA R.S. CALAMI'NA. (*καλαμος*, a reed.) Polygamia Monœcia.
1 gigantèa R.S .. gigantic Isl. Luzon 1822. 7. 8. G ♃ Cavan. ic. 5. t. 458.
Androscèpia gigantèa K.G.
2 mùtica R.S. .. awnless E. Indies 1816. —— S ♃
Aplùda mùtica L.

ANDROPO'GON K.G. ANDROPO'GON. (*ανηρ*, a male, and *πωγων*, a beard.) Polygamia Monœcia.
1 alopecuroìdes K.G... Foxtail America 1818. .... G ♃ Sloan. hist. 1. t. 14.
2 milifórmis K.G. — Millet-like E. Indies —— .... S ♃
miliàceus F.I. *non* Forsk.
3 argénteus K.G. .. silvery Mexico 1822. .... G ♃ DC. hort. m. ined. t. 68.
4 saccharoìdes K.G. .. Sugar-cane-like Jamaica 1818. —— S ♃
5 laguroìdes K.G. .. hares-tail-like New Spain 1820. .... S ♃ DC. h. mons. ined. t. 69.
6 hírtus K.G. .. hairy S. Europe 1802. 7. 8. H ♃ Host. gram. 4. t. 1.
7 angustifòlius K.G... narrow-leaved ———— 1818. —— H ♃ Jacq. aust. 4. t. 384.
8 Ischæ'mum K.G. .. woolly ———— 1768. —— H ♃ Gerard. gall. p. 107. t. 4.
9 serràtus K.G. .. saw-leaved Japan 1816. .... G ♃
láxus W.
10 comòsus K.G. .. tufted Egypt 1824. .... H ♃
11 annulàtus K.G. .. annular ———— —— .... H ♃ Fork. egyp. t. 7.
12 furcàtus K.G. .. forked N. America 1818. 7. 8. H ♃

CHRYSOPO'GON Tr. CHRYSOPO'GON. (*χρυσος*, gold, and *πωγων*, a beard.) Polygamia Monœcia.
1 Gry'llus T. .. purple-flowered S. Europe 1791. 6. 7. H ♃ Flor. græc. 1. t. 67.
Andropògon Gry'llus F.G. *Hólcus Gry'llus* B.P.
2 aciculàtus Tr. .. sharp-pointed E. Indies 1825. 6. 8. S ♃ Rheed. mal. 12. t. 43.

CYMBOPO'GON R.S. CYMBOPO'GON. (*κυμβη*, a boat, and *πωγων*, a beard.) Polygamia Monœc.
1 élegans R.S .. elegant E. Indies 1816. 6. 8. S ♃
2 prostràtus .. prostrate ———— —— —— S ♃
glandulòsus R.S. *Anthistìria prostràta* F.I. *Andropògon prostràtus* L.
3 Schœnánthus R.S... Lemon-grass E. Indies 1786. .... S ♃ Rumph. amb. 5. t. 72. f. 2.
Andropògon Schœnánthus W.
4 arundinàceus R.S. .. Reed-like E. Indies 1820. 6. 8. S ♃

POLLI'NIA K.G. .. POLLI'NIA. (C. Pollini, prof. bot., Verona.) Polygamia Monœcia.
1 distàchya K.G. .. two-spiked S. Europe 1805, 7. 8. H ♃ Flor. græc. 1. t. 69.
2 striàta K.G. .. nerve-glumed E. Indies 1793. 8. S ♃
3 undàta K.G. .. waved Mauritius 1823. 7. 9. S ♃ Jacq. ic. 3. t. 361.

LEPEOCE'RCIS K.G. LEPEOCE'RCIS. (*κεπος*, bark, and *κερκος*, a ray.) Polygamia Monœcia.
serràta K.G. .. serrated E. Indies 1812. 6. 8. S ♃
Andropògon serràtum W.

HETEROPO'GON K.G. HETEROPO'GON. (*ἕτερος*, variable, and *πωγων*, a beard.) Polyg. Monœ.
1 Alliònii K.G. .. Allioni's S. Europe 1816. 7. 8. H ♃ Allion. fl. ped. t. 91. f. 4.
2 contórtus K.G. .. twisted E. Indies 1779. 7. 9. S ♃ Schk. hand. t. 342. f. a.
Andropògon contórtus W.

SO'RGHUM K.G SO'RGHUM. (*sorghi*, Indian name.) Polygamia Monœcia.
1 vulgàre K.G. .. Indian Millet India 1596. 7. H ⊙ Host. gram. 4. t. 2.
2 nìgrum K.G. .. black-glumed .... —— H ⊙ Ard. sag. pad. 1. t. 5. f. 1.
3 bícolor K.G. .. two-coloured Persia 1731. —— H ⊙ Mieg. ac. helv. 8. t. 4. f. 4.
4 cérnuum K.G. .. nodding .... —— H ⊙ Host. gram. 4. t. 3.

5	rùbens R.S.	.. red	Africa	1817.	7.	H ⊙	
6	nervòsum R.S.	.. nerved leaved	China	1827.	——	H ⊙	
7	saccharàtum K.G.	.. yellow-seeded	India	1759.	7. 8.	S ♂	Host. gram. 4. t. 4.
8	caffròrum R.S.	.. Cape	C. B. S.	1816.	——	H ⊙	Ard. sag. pad. 1. t. 1. f. 1.
	Arduíni J cq.ecl. gram. t. 18.						
9	avenàceum K.G.	.. Oat-like	———	1816.	7. 9.	H ⊙	
10	halepénse R.S.	.. panicled	Syria	1691.	7. 8.	H ♃	Flor. græc. 1. t. 68.
11	elongàtum R.S.	.. long-panicled	N. Holland	1823.	——	F ♃	

ANATHE'RUM K.G. ANATHE'RUM. (*αν* priv. and *αθηρ*, an awn.) Polygamia Monœcia.

1	muricàtum K.G.	.. muricate	E. Indies	1820.	....	S ♃	
	Andropògon muricàtus Retz. *squarròsus* W.						
2	virgínicum K.G	.. Virginian	N. America	1819.	7. 8.	H ♃	Sloan. jam. 1. t. 68. f. 2.?
3	bicórne R.S.	.. two-horned	W. Indies	1825.	——	S ♃	

ISCHÆ'MUM K.G. ISCHÆ'MUM. (*ισχω*, to stop, and *αιμα*, blood.) Polygamia Monœcia.

1	mùtcum K.G.	.. awnless	E. Indies	1824.	6. 8.	S ♃	Rheed. mal. 12. t. 49.
2	conjugàtum K.G.	.. yoked	———	1826.	——	S ♃	
3	austràle K.G	.. southern	N. S. W.	1822.	7. 8.	F ♃	
4	rugòsum	.. rough	E. Indies	1791.	——	S ⊙	Sal. stirp. rar. 1. t. 1.

MEO'SCHIUM R.S. MEO'SCHIUM. (not explained.) Polygamia Monœcia.

1	aristàtum R.S.	.. awned	E. Indies	1808.	6. 7.	S ♃	
	imbérbe Retz. *Ischæ'mum aristàtum* S.S.						
2	barbàtum R.S.	.. bearded	Java	——	——	S ♃	Houtt. syst. 12. t. 93. f. 4.

APLU'DA K.G. APLU'DA. (a name employed by Pliny.) Polygamia Monœcia.

1	aristàta K.G.	.. awned	E. Indies	1820.	....	S ♃	Schreb. gram. 2. t. 42.
2	villòsa K.G.	.. villous	———	——	....	S ♃	

** *SUBCLASS* II. *CRYPTOGA'MEÆ.* DC.

ORDER CCLIX.

CHARA'CEÆ. *Kth. synops. v.* 1. *p.* 102.

CHA'RA L. CHA'RA (*χαρα*, delight; in water.) Monœcia Monandria.

1	vulgàris E.B.	.. common	Britain	....	7. 8.	H w ⊙	Eng. bot. v. 5. t. 336.
2	híspida E.B.	.. prickly	———	....	6. 9.	H w ⊙	——— v. 7. t. 463.
3	Hedwígii Ag.	.. Hedwig's	England	....	——	H w ⊙	
4	pulchélla	.. neat	———	....	6. 7.	H w ⊙	Eng. bot. 2824.
5	áspera W.	.. rough	Britain	....	9. 10.	H w ⊙	Grev. crypt. t. 339.

NITE'LLA Ag. NITE'LLA. (*niteo*, to shine; transparent.) Monœcia Monandria.

1	tomentòsa W.	.. tomentose	.....	....	6. 7.	H w ⊙	Moris. s. 15. t. 4. f. 9.
2	fléxilis Ag.	.. smooth	Britain	....	7. 8.	H w ⊙	Eng. bot. t. 1070.
3	opàca Ag.	.. opaque	———	....	——	H w ⊙	Eng. bot. v. 26. t. 1855.
	Chàra fléxilis E.B.						
4	translùcens Ag.	.. great transparent	———	....	——	H w ⊙	Eng. bot. v. 26. t. 1855.
5	nidífica Ag.	.. proliferous	———	....	——	H w ⊙	——— v. 24. t. 1703.
6	grácilis Ag.	.. slender	———	....	——	H w ⊙	——— v. 30. t. 2140.

ORDER CCLX.

EQUISETA'CEÆ. *DC. fl. fr. ed.* 3. *v.* 2. *p.* 28.

EQUISE'TUM W. HORSE-TAIL. (*equus*, a horse, and *seta*, a bristle.) Cryptogamia Gonopterides.

§ 1. *Fronds with a solitary spike.*

1	arvénse W.	(*br.ye*) corn	Britain	....	3. 4.	H ♃	Eng. bot. v. 29. t. 2020.

2	fluviátile w.	(*br.ye*) great water	Britain	....	4. 5.	H	♃	Eng. bot. v. 29. t. 2022.
3	Drummóndii Hook.	(*br*) Drummond's	Scotland	...	4.	H	♃	——— t. 2777.
4	umbròsum W.	en. (*br.y*) shade	Germany	1818.	——	H	♃	
5	sylváticum w.	(*br.ye*) wood	Britain	....	——	H	♃	Eng. bot. v. 27. t. 1874.
6	limòsum w.	(*br.ye*) smooth naked	———	....	6. 7.	H	♃	——— v. 13. t. 929.
7	scirpoìdes w.	(*br.ye*) American	N. America	1812.	——	H	♃	
8	hyèmale w.	(*br.ye*) Shave grass	Britain	....	7. 8.	H	♃	Eng. bot. v. 13. t. 915.
9	variegàtum w.	(*br.ye*) variegated	Scotland	....	6. 7.	H	♃	——— v. 28. t. 1987.
10	filifórme	(*br.ye*) thready	N. America	1800.	7. 8.	H	♃	
	§ 2. *Fronds with numerous spikes.*							
11	palústre w.	(*br.ye*) marsh	Britain	....	6. 7.	H	♃	Eng. bot. v. 3. t. 2021.
12	praténse w.	(*br.ye*) meadow	Germany	1820.	——	H	♃	

ORDER CCLXI.

MARSILEA'CEÆ. *Brown prodr. p.* 166.

PILULA'RIA. W. PILL-WORT. (*pilula*, a small ball or pill; heads.) Cryptogamia Hydropterides.
globulífera w. (*br*) Pepper-grass Britain .... 6. 9. H *w* ♃ Eng. bot. v. 8. t. 521.
ISOETES W. QUILLWORT. (*ισος*, equal, and *ετος*, the year; plant.) Cryptogamia Hydropterides.
lacústris w. .. marsh Britain .... 5.10. H *w* ♃ Eng. bot. v. 16. t. 1084.
SALVI'NIA W. SALVI'NIA. (A.L. Salvini, prof. bot. Florence.) Cryptogamia Hydropterides.
nàtans w. .. floating Europe 1818. 5. 8. H *w* ♃ Schkuhr. filic. t. 173.
MARSI'LEA W. MARSI'LEA. (L. F. de Marsigli, an Italian bot.) Cryptogamia Hydropterides.
quadrifòlia w. four-leaved S. Europe 1820. 6. 8. H *w* ♃ J. mem. ac.sci.par.1740.

ORDER CCLXII.

LYCOPODIA'CEÆ. *Kth. synops.* 1. *p.* 95.

LYCOPO'DIUM W. CLUB-MOSS. (*λυκος*, a wolf, and *πους*, a foot.) Cryptogamia Stachyopterides.

	§ 1. *Spikes pedunculate.*							
1	cariloniànum w.	(*br*) Carolina	Carolina	1812.	7. 8.	H	♃	Dill. musc. t. 62. f. 5.
2	clavàtum w.	(*br*) common	Britain	....	——	H	♃	Eng. bot. v. 4. t. 224.
3	complanàtum w.	(*br*) Arbor Vitæ-ld	N. America	1770.	——	H	♃	Flor. dan. t. 78.
	§ 2. *Spikes sessile.*							
	* *Leaves in various directions.*							
4	alpinum w.	(*br*) Savin-leaved	Britain	....	8.	H	♃	Eng. bot. v. 4. t. 234.
5	dendroídeum w.	(*br*) fan	N. America	1770.	7.	H	♃	Hook. ex. flor. t. 7.
6	annotìnum w.	(*br*) interrupted	Britain	....	6. 8.	H	♃	Eng. bot. v. 24. t. 1727.
7	inundàtum w.	(*br*) marsh	———	....	——	H *w*	♃	——— v. 4. t. 239.
8	alopecuroìdes w.	(*br*) Fox-tail	N. America	1816.	——	H	♃	Schkuhr. filic. t. 160.
9	Selaginoìdes w.	(*br*) prickly	Britain	....	8.	H	♃	Eng. bot. v. 16. t. 1148.
10	dénsum B.P.	(*br*) dense	N. S. W.	1822.	7. 8.	G	♃	Lab.nov.hol.2.t.251.f.1.
11	rupéstre w.	(*br*) rock	N. America	1818.	6. 8.	H	♃	Dill. musc. t. 63. f. 11.
	** *Leaves distich.*							
12	ornithopodioìdes w.	(*br*) Bird's-claw	.....	1812.	6. 8.	H	♃	Dill. musc. t. 66. f. 1. B.
13	helvéticum w.	(*br*) Swiss	Switzerland	1779.	——	H	♃	——— t. 64. f. 2.
14	denticulàtum w.	(*br*) toothed	———	——	7.	H	♃	——— t. 66. f. 1. A..
15	depréssum w.	(*br*) depressed	C. B. S.	1816.	7. 8.	G	♃	
16	ápodum w.	(*br*) distichous	N. America	1815.	7.	H	♃	Dill. musc. t. 64. f. 3.
17	circinnàtum L.	(*br*) circinnate	E. Indies	1831.	——	S	♃	
18	stoloníferum Swz.	(*br*) stoloniferous	Brazil	——	——	S	♃	
19	brasiliénse Rad.	(*br*) Brasilian	———	——	——	S	♃	
20	cordàtum S.S.	(*br*) cordate	———	1838.	——	S	♃	
	§ 3. *Flowers axillary.*							
21	Selàgo w.	(*br*) Fir	Britain	....	6. 8.	H	♃	Eng. bot. v. 4. t. 233.

22 lucídulum w. (*br*) glossy N. America 1822. 7. 8. H ♃ Schkuhr. filic. t. 159.

PSILO'TUM B.P. Psilo'tum. (ψιλος, naked; branches.) Cryptogamia Stachyopterides.

tríquetrum B.P. (*ye*) triangular N. S. W. 1793. 7. 8. G ♃ Schkuhr. filic. t. 165. b.

Lycopòdium nùdum L. *Bernhárdia dichótoma* W.

ORDER CCLXIII.

FI'LICES. *Juss. gen.* 14.

Suborder I. OPHIOGLO'SSEÆ. Brown prodr. p. 163.

OPHIOGLO'SSUM W. Adder's-tongue. (οφις, a snake, and γλωσσα, a tongue.) Crypt. Stachy.

1 vulgàtum E.B. (*br*) common Britain .... 5. 6. H ♃ Eng. bot. v. 2. t. 198.
2 bulbòsum W. (*br*) bulbous-rooted N. America .... —— H ♃
3 lusitánicum W. (*br*) Portugal Portugal .... —— H ♃
4 gramíneum W. (*br*) grass-like N. Holland 1822. —— G ♃ Willd. s.erf.1802.t.1.f.1.
5 costàtum B.P. (*br*) ribbed N. S. W. —— —— G ♃
6 reticulàtum W. (*br*) netted W. Indies 1793. —— S ♃ Plum. fil. t. 164.
7 petiolàtum W. (*br*) petiolate ——— 1822. 1. 3. S ♃ Hook. ex. flor. t. 56.

BOTRY'CHIUM W. Moonwort. (βοτρυς, a bunch of grapes; fructification.) Cryptog. Stachy.

1 Lunária W. (*br.ye*) common Britain .... 5. 6. H ♃ Eng. bot. v. 5. t. 318.

Osmúnda lunária E.B.

2 fumarioìdes W. (*br.ye*) Fumitory-leavd Carolina 1806. 7. 8. H ♃ Schkuhr. fil. t. 157.
3 obliquum W. (*br.ye*) oblique N. America 1821. 6. 7. H ♃ Pluk. mant. t. 427. f. 7.
4 dissèctum W. (*br.ye*) cut-leaved ——— 1806. 7. H ♃ Schkuhr fil. t. 158.
5 virgínicum W. (*br.ye*) Virginian ——— 1790. 8. H ♃ ——— t. 156.
6 austràle B.P. (*br.ye*) southern N. S. W. 1823. 7. 8. G ♃
7 grácile Ph. (*br.ye*) slender N. America 1824. —— H ♃

Suborder II. OSMUNDA'CEÆ. Brown prodr. p. 161.

LYGO'DIUM B.P. Snake's-tongue. (λυγεω, to bend; twining.) Cryptogam. Schismatopter.

1 polymórphum K.S. (*br.y*) variable S. America 1816. 5. 9. S ♃ ◡ Cav. ic. 6. t. 595. f. 1.

Ugèna polymórpha Cav. *Hydroglóssum hirsùtum* W.

2 scándens Sw. (*br.ye*) climbing E. Indies 1793. 5. 9. S ♃ ◡ Lodd. bot. cab. t. 742.
3 microphy'llum B.P. (*br.y*) small-leaved N. Holland 1818. —— S ♃ ◡ Cavan. icon. 6. t. 595. f. 2.
4 venústum Sw. (*br.y*) elegant S. America 1812. —— S ♃ ◡
5 circinàtum Sw. (*br.y*) rounded W. Indies 1818. —— S ♃ ◡
6 palmàtum Sw. (*br.y*) palmate N. America 1823. —— S ♃ ◡ Schkuhr filic. t. 140.

Hydroglóssum palmàtum W.

7 volùbile S.S. (*br*) twining W. Indies 1819. 5. 9. S ♃ ◡ Sloan. jam. l. t. 46. f. 1.
8 hastàtum W. (*br*) halberd-leaved Maranham 1820. —— S ♃ ◡
9 mexicànum Presl. (*br*) Mexican Mexico 1831. .... G ♃ ◡

ANEI'MIA W. Anei'mia. (ανειμων, naked; inflorescence.) Crytogamia Schismatopterides.

1 fraxinifòlia Rad. (*br.y*) Ash-leaved Brazil 1829. 9.12. S ♃
2 hírta W. (*br.ye*) hairy-leaved W. Indies 1824. .... S ♃
3 collìna Rad. (*br.ye*) hill Brazil 1829. .... S ♃
4 hirsùta W. (*br.ye*) hairy W. Indies 1794. .... S ♃ Plum. fil. t. 162.
5 laciniàta (*br.ye*) jagged ——— —— 9.12. S ♃
6 adiantifòlia W. (*br.ye*) Maiden-hair-ld. ——— 1793. 8. 9. S ♃ Plum. fil. t. 158.
7 lanceolàta W. (*br.ye*) spear-leaved ——— 1820. —— S ♃
8 Phyllítidis S.S. (*br*) flat-leaved Trinidad 1824. 5. 8. S ♃ ◡ Plum. fil. t. 156.
9 coccínea Lk. & O. (*br*) scarlet ..... 1830. 6.10. S ♃
10 flexuòsa Swz. (*br*) flexuose S. America 1831. .... S ♃
11 rèpens Rad. (*br*) creeping Brazil —— .... S ♃
12 longifòlia Rad. (*br.ye*) long-leaved ——— —— 8. S ♃ Rad. fil. t. 8.
13 radicans Rad. (*br.ye*) rooting ——— —— 1.12. S ♃

OSMU'NDA W. Osmu'nda. (Osmunder, a Celtic divinity.) Cryptogamia Schismatopterides.
§ 1. *Fertile and sterile fronds present.*
1 cinnamòmea w. (*br*) woolly — N. America 1772. 6. H ♃ — Schkuhr. fil. t. 146.
§ 2. *Fronds all fertile.*
2 regàlis w. (*br.ye*) flowering-fern — Britain .... 7. 8. H ♃ — Eng. bot. v. 3. t. 209.
3 Claytoniàna w. (*br.ye*) Clayton's — N. America 1772. 8. H ♃
4 interrúpta w. (*br.ye*) interrupted — ——— .... 6. 7. H ♃ — Schkuhr. fil. t. 144.
5 spectábilis w. (*br.ye*) showy — ——— 1811. 7. H ♃ — Pluk. alm. t. 184. f. 4.
6 hùmilis w. (*br.ye*) dwarf — ——— 1823. 6. 8. H ♃ — Hook. ex. flor. t. 28.
7 palústris L.&O. (*br.ye*) marsh — ..... 1831. .... S ♃
TO'DEA W. To'dea. (H. J. Tode, a cel. Crypt. bot.) Cryptogamia Schismatopterides.
1 africàna w. (*br.ye*) African — C. B. S. 1805. 5. 8. G ♃ — Schkuhr. fil. t. 147.
Osmúnda barbàta B.P.
2 austràlis R.Br. (*br*) southern — N. Holland 1831. —— G ♃
SCHIZÆ'A W. Schize'a. (σχιζω, to cut; spikes.) Cryptogamia Schismatopterides.
1 penicillàta w. (*br.ye*) pencilled — S. America 1816. 6. 7. S ♃
2 pusílla Ph (*br.ye*) small — N. America 1825. —— H ♃ — H. et. G. ic. fil. t. 47.
3 rupéstris B.P. (*br.ye*) rock — N. S. W. 1822. —— G ♃ — ——— t. 48.
4 bifida B.P. (*br.ye*) bifid — ——— —— —— G ♃ — Willd. mem. farr. t. 3. f. 2.
5 élegans S.S. (*br*) elegant — Trinidad 1825. 5. 8. S ♃ — Vahl. symb. 2. t. 50.

Suborder III. GLEICHE'NEÆ. Brown prodr. p. 160.

GLEICHE'NIA B.P. Gleiche'nia. (Baron P. F. Von Gleichen, a German bot.) Crypt. Poropt.
1 pubéscens K.S. (*br*) pubescent — Vera Cruz 1822. 6. 8. S ♃
Merténsia pubéscens W.
2 Spelúncæ B.P. (*br*) various-leaved — N. S.W. —— —— G ♃
3 Hermánni B.P. (*br*) Hermann's — India 1829. .... S ♃ — H. et G. ic. fil. t. 14.
4 microphy'lla B.P. (*br*) small-leaved — N. S. W. 1825. 6. 8. G ♃
5 flabellàta B.P. (*br*) fan-leaved — ——— 1823. —— G ♃
6 pectinàta S.S. (*br*) pectinated — S. America 1824. —— S ♃
MARA'TTIA W. Mara'ttia. (J. F. Maratti, a Cryptog. bot.) Cryptogamia Poropterides.
1 alàta w. (*br.ye*) winged — Jamaica 1793. 5. 8. S ♃ — Sm. ic. ined. t. 46.
2 lævis Smith (*br.ye*) smooth — ——— .... S ♃
DANÆ'A S.S. Danæ'a. (P. M. Dana, a Piedmontese bot.) Cryptogamia Poropterides.
alàta S.S. (*br*) winged — W. Indies 1823. 6. 8. S ♃ — Plum. fil. t. 109.

Suborder IV. PARKERIA'CEÆ. Hook et Grev. ic. fil. 97.

PARKE'RIA H.F. Parke'ria. (C. S. Parker, an English bot.) Cryptogamia Poropterides.
1 pteridoides H.F. (*br*) Brake-like — W. Indies 1822. 5.10. S ♃ — H. et G. ic. fil. t. 97.
2 Lockhárti H.F. (*br*) Lockhart's — Trinidad 1824. —— S ♃
CERATO'PTERIS S.S. Cerato'pteris. (κερας, a horn, and πτερις, a fern.) Cryptog. Poropt.
thalictroìdes S.S. (*br*) Thalictrum-like — E. Indies 1818. 6.10. S ♃ — Pluk. alm. t. 215. f. 3.
Ellobocárpus oleràceus Kaulfuss.

Suborder V. POLYPODIA'CEÆ. Brown prodr. p. 145.

ACRO'STICHUM W. Acro'stichum. (ακρος, the summit, and στιχος, order.) Cryptog. Filices.
§ 1. *Fronds simple.*
1 viscòsum H.F. (*br.ye*) viscous — W. Indies 1826. 6.10. S ♃ — H. et G. ic. fil. t. 61.
2 símplex W. (*br.ye*) simple — Jamaica 1793. 5. 7. S ♃ — Lodd. bot. cab. t. 709.
3 ápodum H.F. (*br.ye*) stemless — W. Indies 1824. —— S ♃ — H. et G. ic. fil. t. 99.
4 crinìtum W. (*br.ye*) hairy — ——— 1793. —— S ♃ — ——— t. 1.
5 longifòlium S.S. (*br*) long-leaved — ——— 1827. 5.10. S ♃
6 glandulòsum H.F. (*br*) glandular — Jamaica 1825. —— S ♃ — H. et G. ic. fil. t. 3.

7	flagellíferum Wall.(*br*)rod-bearing	E. Indies	1825.	....	S	♃	H. et G. ic. fil. t. 23.
8	piloselloìdes s.s.(*br.ye*)simple-leaved	———	1822.	6. 8.	S	♃	Houtt. pflanz. t. 96. f. 2.
9	citrifòlium s.s.(*br.ye*)citron-leaved	W. Indies	....	9.	S	♃	
10	scolopéndrium s.s.(*br.ye*)scolopendrium-like	——	....	8.	S	♃	
11	latifòlium Swz.(*br.ye*)broad-leaved	———	....	....	S	♃	
	§ 2. *Fronds simple divided.*						
12	alcicórne B.P. (*br*) Elk's-horn	N. S. W.	1808.	8.10.	G	♃	Bot. reg. t. 262-3.
13	Stemària Beau. (*br*) Stag's-horn	Guinea	1822.	5. 8.	S	♃	Beau. fl. d'ow. v. 1. pl. 2.
14	gránde Cun. (*br*) magnificent	MoretonBay	1828.	....	G	♃	
	§ 3. *Fronds pinnate.*						
15	appendiculàtum H.(*br*)appendaged	W. Indies	1824.	6. 8.	S	♃	Hook. ex. flor. t. 108.
16	fimbriàtum s.s. (*br*) fringed	S. America	——	——	S	♃	
17	aúreum w. (*br.ye*) golden	America	1820.	7. 8.	G	♃	Schkuhr. fil. t. 1.
18	juglandifòlium Kaulf.(*br.ye*)Juglans-ld.	S. America	1832.	——	S	♃	
19	asplenifòlium s.s.(*br.ye*)asplenium-ld.	———	1833.	——	S	♃	
20	nicotianæfòlium s.s.(*br.ye*)Tobacco-ld.	W. Indies	——	——	S	♃	

NOTHOLÆ'NA B.P. NOTHOLÆ'NA. (*νοθος*, spurious, and *χλαινα*, a cloak.) Cryptogamia Filices.

1	Marántæ B.P.(*br.ye*) Swiss	Switzerland	1824.	6. 8.	H	♃	Spreng. crypt. t. 2. f. 18.
	Acróstichum Marántæ w.						
2	dístans B.P. (*br.ye*) distant	N. S. W.	1823.	——	G	♃	
3	lanuginòsa s.s.(*br.ye*)woolly	Madeira	1778.	8. 9.	G	♃	Desf. atl. 2. t. 256.
	Acróstichum vélleum H.K.						
4	ténera Gill. (*br.ye*) slender	Chili	1831.	....	G	♃	Bot. mag. t. 3055.
5	sinuàta Kaulf.(*br.ye*)sinuated	Peru	——	....	G	♃	
6	pùmila B.P. (*br*) dwarf	N. Holland	....	6. 9.	G	♃	
7	nívea Desv. (*br.wh*) snowy	Mexico	....	1.12.	G	♃	
8	Ecklonìana L.H. (*br*) Ecklon's	C. B. S?	1838.	6.10.	G	♃	

HEMIONI'TIS W. HEMIONI'TIS. (*ἡμιονος*, a mule.) Cryptogamia Filices.

	palmàta w. (*br.ye*) palmated	W. Indies	1793.	6. 8.	S	♃	Hook. ex. flor. t. 33.

GYMNOGRA'MMA GYMNOGRA'MMA. (*γυμνος*, naked, *γραμμα*, writing.) Cryptogamia Filices.

	§. 1. *Fronds hairy or scaly beneath.*						
1	pedàta s.s. (*br.ye*) pedate	New Spain	1822.	6. 9.	S	♃	Swtz. syn. fil. t. 1. f. 3.
2	asplenioìdes s.s.(*br.ye*)Spleenwort-like	Jamaica	....	....	S	♃	
3	villòsa Lk. (*br*) villous	Brazil	1836.	——	S	♃	
4	rùfa s.l. (*br.ye*) rusty-haired	Jamaica	1793.	6. 8.	S	♃	Schkuhr fil. t. 17. 21.
	Hemionìtis rùfa w.						
5	chærophy'lla s.s.(*br.y*)Chervil-leaved	Brazil	1825.	——	S	♃	H. et. G. ic. fil. t. 45.
6	tomentòsa Desv.(*br.ye*)tomentose	———	1831.	....	S	♃	
	§ 2. *Fronds mealy beneath.*						
7	tartàrea s.s. (*br.ye*) whitened	S. America	1817.	6. 8.	S	♃	Willd. hort. ber. 1. t. 40.
	Acróstichum tartàreum Swtz. *Hemionìtis dealbàta* w.						
8	peruviàna s.s.(*br.ye*) Peruvian	Peru	1822.	6. 8.	G	♃	
9	trifoliàta s.s. (*br.ye*) three-leaved	Jamaica	1810.	——	S	♃	Plum. fil. t. 144.
10	calomélanos s.s.(*br.y*)mealy	W. Indies	1790.	7. 8.	S	♃	Willd. hort. ber. 1. t. 41.
11	chrysophy'lla s.s.(*br.y*)golden-leaved	———	1824.	——	S	♃	
12	sulphùrea s.s.(*br.ye*) sulphur-coloured	Jamaica	1808.	——	S	♃	Schkuhr crypt. t. 4.
13	ochràcea Presl.(*br.ye*)ochraceous	B. Ayres	....	3.	G	♃	
	§ 3. *Fronds naked.*						
14	leptophy'lla s.s.(*br.ye*)slender-leaved	S. Europe	1824.	5. 8.	H	♃	H. et G. ic. fil. t. 25.
15	polypodioìdes s.s.(*br.ye*)Polypodium-like	Brazil	....	6.	S	♃	Rad. fil. t. 22.
	Raddiàna L.H.						
16	cordàta Schl. (*br.ye*) cordate	C. B. S.	1838.	6.10.	G	♃	
17	Massòni L.H. (*br.ye*) Mason's	Hybrid	——	——	G	♃	

MENI'SCIUM W. MENI'SCIUM. (*μηνισκος*, a crescent; sori.) Cryptogamia Filices.

1	triphy'llum s.s.(*br.ye*)three-leaved	E. Indies	1828.	6. 8.	S	♃	H. et G. ic. fil. t. 120.
2	sorbifòlium s.s.(*br.ye*)Service-leaved	S. America	1825.	——	S	♃	
3	reticulàtum w.(*br.ye*) netted	Martinico	1793.	——	S	♃	Plum. fil. t. 110.
4	palústre Rad.(*br.ye*) marsh	W. Indies	....	5.	S	♃	
5	prolíferum s.s. (*br.ye*)proliferous	E. Indies	1820.	4. 6.	S	♃	

XIPHO'PTERIS K.F. SWORD-FERN. (*ξιφος*, a sword, and *πτερις*, a fern.) Cryptogam. Filices.

1	serrulàta K.F.(*br.ye*) saw-leaved	W. Indies	1823.	6. 8.	S	♃	Hook. ex. flor. t. 78.
	Grammìtis serrulàta w.						
2	myosuroìdes s.s.(*br.ye*)Mousetail-like	———	1824.	——	S	♃	
3	heterophy'lla B.P.(*br.ye*)variable-leaved	N. Holland	——	——	G	♃	

GRAMMI'TIS SW. GRAMMI'TIS. (*γραμμα*, writing) Cryptogamia Filices.

1	austràlis B.P.(*br.ye*) southern	N. S. W.	1822.	6. 8.	G	♃	
2	lineàris s.s. (*br.ye*) linear-leaved	Jamaica	1823.	——	S	♃	
3	lanceolàta s.s.(*br.ye*) spear-leaved	Mauritius	1824.	——	S	♃	H. et G. ic. fil. t. 43.

4 elongàta s.s. (*br.ye*) long-leaved	W. Indies	1824.	6. 8.	S	♃	Schkuhr crypt. t. 7.
5 furcàta H.F. (*br.ye*) forked-leaved	Trinidad	1825.	——	S	♃	H. et G. ic. fil. t. 62.

CE'TERACH W. CE'TERACH. (*cletherak*, Persian name.) Cryptogamia Filices.

officinàrum W. (*br*) common	Britain	....	5.10.	H	♃	Lodd. bot. cab. t. 15.

Scolopéndrium Céterach Eng. bot. v. 18. t. 1244.

POLYBO'TRYA S.S POLYBO'TRYA. (πολυ, many, and βοτρυς, a bunch of grapes.) Crypt. Fil.

1 vivípara H.B.F.(*br.y*) viviparous	W. Indies	1823.	5. 8.	S	♃	Hook. ex. flor. t. 107.
2 cervina s.s. (*br.ye*) hart's-tongue	———	....	——	S	♃	H. et G. ic. fil. t. 81.
3 acuminàta Lk.O.(*br.ye*)acuminated	.....	1831.	....	S	♃	
4 corcovadénsis s.s.(*br*)Corcovado	Brazil	1837.	——	S	♃	

NIPHO'BOLUS K.F. NIPHO'BOLUS. (νιφαβολος, covered with snow.) Cryptogamia Filices.

§ 1. *Fertile and sterile fronds present.*

1 pertùsus s.s. (*br.ye*) bored	China	1817.	7.10.	G	♃	Hook. ex. flor. t. 162.

Polypòdium pertùsum Hooker.

2 adnáscens s.s. (*br*) woolly-leaved	E. Indies	1824.	4. 8.	S	♃	
3 rupéstris s.s. (*br.ye*) rock	N. S. W.	——	7.10.	G	♃	H. et G. ic. fil. t. 93.

§ 2. *Fronds all fertile.*

4 confluens s.s.(*br.ye*) confluent	———	1822.	——	G	♃	
5 Língua s.s. (*br.ye*) tongue-like	Japan	1817.	——	G	♃	Thunb. jap. t. 38.
6 álbicans Bl. (*br.ye*) whitish	Ceylon	....	7.	S	♃	
7 sinénsis L.H. (*br.ye*) China	China	....	9.	G	♃	

POLYPO'DIUM W. POLYPODY. (πολυ, many, and πους, a foot; roots.) Cryptogamia Filices.

§ 1. *Fronds simple.*

1 heterophy'llum s.s.(*ye*)various-leaved	W. Indies	1820.	3. 8.	S	♃	Plum. fil. t. 120.
2 sérpens W. (*ye*) trailing	———	1822.	——	S	♃	——— 105. t. 121.
3 angustifòlium W.(*ye*) narrow-leaved	S. America	——	——	S	♃	
4 lanceolàtum W. (*ye*) spear-leaved	———	1824.	——	S	♃	Plum. fil. t. 137.
5 attenuàtum B.P. (*ye*) attenuated	N. S. W.	1823.	——	G	♃	
6 piloselloìdes W. (*ye*) Mouse-ear	W. Indies	1793.	——	S	♃	Plum. fil. t. 118.
7 vacciniifòlium s.s.(*ye*)Whortle-leaved	Brazil	1826.	——	S	♃	
8 tæniòsum s.s. (*ye*) jointed	S. America	1815.	——	S	♃	
9 lycopodioìdes W.(*ye*) Club-moss	W. Indies	1793.	——	S	♃	Schkuhr fil. t. 8. c. p.
10 phyllítidis W. (*ye*) hart's-tongue	———	——	——	S	♃	Plum. fil. 114. t. 130.
11 irioìdes s.s. (*ye*) Iris-like	E. Indies	1824.	——	S	♃	H. et G. ic. fil. t. 125.
12 crassifòlium W. (*ye*) thick-leaved	W. Indies	1816.	——	S	♃	Plum. fil. 107. t. 12.
13 rèpens W. (*ye*) creeping	S. America	——	——	S	♃	——— 115. t. 131.
14 lineàre s.s. (*ye*) linear-leaved	Japan	1822.	——	G	♃	Thunb. ic. jap. t. 18.
15 owariénse Desv. (*ye*) Waree	SierraLeone....		——	S	♃	

§ 2. *Fronds pinnatifid.*

16 Billardièri B.P. (*ye*) La Billardiere's	V.Diem.Isl.	1823.	——	G	♃	Lab. nov. hol. 2. t. 240.
17 aúreum W. (*ye*) golden	W. Indies	1742.	3. 5.	S	♃	Plum. fil. 59. t. 76.
18 phymátodes W. (*ye*) warted	———	1816.	——	S	♃	
19 iridifòlium L.H. (*ye*) Iris-leaved	Brazil	....	——	S	♃	
20 otìtes s.s. (*ye*) eared	———	....	9.10.	S	♃	
21 olivàceum L.H. (*ye*) olivaceous	S. America	....	——	S	♃	
22 salicifòlium s.s. (*ye*) willow-leaved	Brazil	....	8.	S	♃	
23 Schkùhrii Rad. (*ye*) Schukhr's	———	1824.	3. 5.	S	♃	Rad. fil. 27. f. 2.
24 tuberòsum L.H. (*ye*) tuberous	W. Indies	....	1.12.	S	♃	
25 quercifòlium s.s.(*ye*) Oak-leaved	E. Indies	1824.	3. 5.	S	♃	Rumph. amb. 6. t. 36.
26 curvàtum s.s. (*ye*) curve-leaved	Jamaica	1822.	——	S	♃	
27 vulgàre B.B. (*ye*) common	Britain	....	5.10.	H	♃	Eng. bot. v. 16. t. 1149.
β *cámbricum* (*ye*) *Welsh*	Wales	....	——	H	♃	Bolt. fil. t. 2. f. 5. a.
28 virginiànum W. (*ye*) Virginian	N. America....		7.	H	♃	Plum. fil. t. 77.
29 Scoulèri H.F. (*ye*) Scouler's	———	1827.	——	H	♃	H. et G. ic. fil. t. 56.
30 pectinàtum W. (*ye*) comb-leaved	W. Indies	1793.	6. 9.	S	♃	Lodd. bot. cab. t. 748.
31 Plùmula W. (*ye*) feather	S. America	1822.	5. 8.	S	♃	
32 scolopendrioìdesH.F.(*ye*)hart's-tongue-ld.	Jamaica	1824.	——	S	♃	H. et G. ic. fil. t. 42.
33 tenuifòlium W. (*ye*) slender-leaved	S. America	1822.	——	S	♃	Plum. fil. 66. t. 85.
34 asplenifòlium W.(*ye*) Spleenwort-leaved	Martinico	1790.	——	S	♃	——— 85. t.102. f.A.
35 incànum W. (*ye*) hoary	America	1811.	7.	H	♃	Schkuhr fil. t. 11. b.
36 trichomanoìdes W.(*ye*)Trichomanes-like	W. Indies	1822.	5. 8.	S	♃	——— p. 11. t. 10.
37 decumànum s.s. (*ye*) robust	Brazil	1818.	——	S	♃	
38 símile s.s. (*ye*) similar	W. Indies	....	1.12.	S	♃	
39 drepànum L.H. (*ye*) sickle-leaved	Madeira	....	——	H	♃	
40 vivíparum L.H. (*ye*) viviparous	Brazil	....	——	S	♃	
41 defléxum Kaulf. (*ye*) deflexed	———	....	7. 8.	S	♃	
42 trifurcàtum s.s. (*ye*) three-forked	W. Indies	1810.	——	S	♃	Plum. fil. t. 138.
43 incìsum s.s. (*ye*) cut	———	1820.	——	S	♃	

§ 3. *Fronds pinnate.*

44	juglandifòlium w.	(*ye*) Walnut-leaved	S. America	1822.	5. 8.	S	♃	
45	prolíferum s.s.	(*ye*) proliferous	Brazil	1829.	9.12.	S	♃	Rad. fil. t. 32.
46	crenàtum w.	(*ye*) crenated	S. America	1824.	....	S	♃	
47	fraxinifòlium w.	(*ye*) Ash-leaved	Caracas	1822.	5. 8.	S	♃	Jacq. icon. t. 639.
48	tenéllum B.P.	(*ye*) slender	N. S. W.	——	5. 7.	S	♃	
49	tetragònum s.s.	(*ye*) four-sided	W. Indies	1826.	6. 9.	S	♃	
50	repándum Swz.	(*ye*) repand	Jamaica	1820.	——	S	♃	
51	hastàtum s.s.	(*ye*) hastate	———	——	5. 8.	S	♃	
52	longifòlium Presl.	(*ye*) long-leaved	Brazil	1819.	——	S	♃	
53	auriculàtum Presl.	(*ye*) auricled	———	1824.	——	S	♃	
54	dissímile s.s.	(*ye*) dissimilar	———	1820.	——	S	♃	Pluk. alm. t. 228. f. 1.
55	meniscifòlium F.L.	(*cr*) Meniscium-leaved	——	1837.	——	S	♃	
56	neriifòlium F.M.	(*br*) Nerium-leaved	———	——	——	S	♃	
57	refráctum F.M.	(*br*) refracted	———	——	——	S	♃	
58	látipes F.L.	(*br*) broad-stalked	———	——	——	S	♃	
	§ 4. *Fronds bipinnatifid.*							
59	Phegópteris E.B.	(*ye*) sun-fern	Britain	....	6. 7.	H	♃	Eng. bot. v. 31. t. 2224.
60	hexagonópterum w.	(*y*) triangular	N. America	1811.	——	H	♃	Pluk. alm. t. 284. f. 2.
61	jamaicénse Desv.	(*ye*) Jamaica	Jamaica	1820.	——	S	♃	
62	connéctile w.	(*ye*) connected	N. America	1812.	7.	H	♃	
	§ 5. *Fronds tripinnate or decompound.*							
63	pruinàtum w.	(*ye*) white-leaved	Jamaica	1793.	5. 8.	S	♃	
64	effùsum w.	(*ye*) spreading	———	1769.	11.	S	♃	Sloan. jam. 1. t. 57. f. 3.
65	Dryópteris w.	(*ye*) tender-branched	Britain	....	6. 9.	H	♃	Eng. bot. v. 9. t. 616.
66	calcàreum w.	(*ye*) rigid-branched	———	....	——	H	♃	——— 22. t. 1525.

WOO'DSIA L.T. Woo'dsia. (Joseph Woods, a cel. British bot.) Cryptogamia Filices.

1	pubéscens s.s.	(*br.ye*) pubescent	Brazil	1826.	1.12.	S	♃	
2	glabélla s.s.	(*br.ye*) smooth	N. America	1827.	6. 9.	H	♃	
3	hyperbòrea L.T.	(*br.ye*) hairy Alpine	Scotland	....	7. 9.	H	♃	Eng. bot. v. 29. t. 2023.
4	ilvénsis L.T.	(*br.ye*) rock	Britain	....	6. 7.	H	♃	——— t. 2616.
5	vestìta Spr.	(*br.ye*) clothed	N. America	1816.	——	H	♃	
6	Perriniàna H.F.	(*br.y*) Perrin's	———	1825.	8.11.	G	♃	H. et G. ic. fil. t. 68.
	Alsóphila Perriniàna S.S.							

PLEOPE'LTIS K.S. Pleope'ltis. (πλεος, full, and πελτη, a shield.) Cryptogamia Filices.

1	ensifòlia H.E.F.	(*br.y*) sword-leaved	C. B. S.	1823.	5. 6.	S	♃	Hook. ex. flor. t. 62.
2	latifòlia L.C.	(*br.ye*) broad-leaved	———	——	——	S	♃	
3	nùda D.P.	(*br.ye*) naked	Nepaul	——	——	S	♃	Hook. ex. flor. t. 63.
4	angústa s.s.	(*br.ye*) narrow-leaved	Mexico	1826.	——	S	♃	

ASPI'DIUM B.P. Shield-fern. (ασπιδιον, a little buckler; indusia.) Cryptogamia Filices.

	§ 1. *Fronds ternate.*							
1	trifoliàtum w.	(*br.ye*) three-leaved	W. Indies	1769.	4. 8.	S	♃	Jacq. ic. 3. t. 638.
2	cicutàrium w.	(*br.ye*) Cicuta-leaved	N. America	1823.	——	H	♃	Pluk. alm. t. 289. f. 4.
	§ 2. *Fronds pinnate.*							
3	Hookèri Swt.	(*br.ye*) Hooker's	W. Indies	1812.	6. 9.	S	♃	H. et G. ic. fil. t. 96.
	prolífera H.F. *non* R.P.							
4	rhizophy'llum H.F.	(*br.y*) rooting-leaved	Jamaica	1816.	——	S	♃	H. et G. ic. fil. t. 59.
	§ 3. *Fronds bipinnate or bipinnatifid.*							
5	irríguum E.B.	(*ye*) brook	Britain	....	6.	H	♃	Eng. bot. v. 21. t. 2199.
6	dilatàtum Swz.	(*br.ye*) dilated	———	....	6. 8.	H	♃	——— v. 28. t. 1949.
7	dumetòrum Sm.	(*br*) thicket	Britain	....	7.	H	♃	
8	cristàtum Swz.	(*br.ye*) crested	———	....	6. 8.	H	♃	Eng. bot. v. 30. t. 2125.
9	pàtens w.	(*br.ye*) pubescent	W. Indies	1784.	7. 9.	S	♃	Schkuhr fil. t. 334.
10	dentàtum w.	(*br.ye*) toothed	Scotland	....	7.	H	♃	Eng. bot. v. 23. t. 1588.
	Cyáthea dentàta E.B.							
11	Hallèri w.	(*br.ye*) Haller's	Switzerland	1824.	4. 8.	H	♃	
12	bulbíferum w.	(*br.ye*) bulbiferous	N. America	1683.	7. 8.	H	♃	
13	rhæ'ticum w.	(*ye*) stone	Switzerland	....	——	H	♃	
14	frágile w.	(*ye*) brittle	Britain	....	6. 8.	H	♃	Eng. bot. v. 23. t. 1587.
15	règium w.	(*ye*) laciniated	———	....	6.	H	♃	——— v. 3. t. 163.
	Cyathèa incìsa E.B.							
16	atomàrium w.	(*ye*) small	N. America	1822.	6. 8.	H	♃	
	§ 4. *Fronds tripinnate or decompound.*							
17	æ'mulum w.	(*ye*) dwarf	Madeira	1799.	....	F	♃	
18	alpìnum w.	(*ye*) Alpine	S. Europe	1825.	6. 8.	H	♃	Jacq. ic. 3. t. 642.
19	montànum w.	(*ye*) mountain	———	——	——	H	♃	

NEPHRO'DIUM B.P. Nephro'dium. (νεφρος, a kidney; indusia.) Cryptogamia Filices.

	§ 1. *Fronds pinnate.*							
1	Lonchìtis H.S.L.	(*ye*) rough Alpine	Britain	....	5. 8.	H	♃	Eng. bot. v. 12. t. 797.
	Aspídium Lonchìtis E.B.							
	β *aspérrimum* L.H.	(*ye*) *very rough*	N. America	....	5. 8.	H	♃	

2	auriculàtum H.S.L. (*ye*) eared	E. Indies	1793.	7.	S ♃		Burm. zeyl. t. 44. f. 2.
3	acrostichoìdes M. (*ye*) Acrostichum-like	N. America	1824.	5. 8.	H ♃		Schkuhr fil. t. 30.
4	mucronàtum S.S. (*ye*) mucronate	Jamaica	1826.	——	S ♃		
5	exaltàtum B.P. (*ye*) lofty	————	1793.	5. 8.	S ♃		Schkuhr fil. t. 32. b.
6	pectinàtum W. (*ye*) comb-like	W. Indies	1823.	——	S ♃		———— t. 296.
	Aspidium trapezoides Schk.						
7	trapezoìdes Swz. (*ye*) trapezoid	Jamaica	——	——	S ♃		Sloan. jam. 1. t. 36. f. 1.
8	cordifòlium Swz. (*ye*) heart-leaved	————	——	——	S ♃		Plum. fil. t. 51.
9	tuberòsum Bory. (*ye*) tuberous	W. Indies	....	1. 2.	S ♃		
	§ 2. *Fronds bipinnatifid.*						
10	unìtum B.P. (*ye*) smooth united	E. Indies	1793.	5. 8.	S ♃		Burm. zeyl. t. 44. f. 1.
11	propínquum B.P. (*ye*) pubescent	————	——	——	S ♃		
12	mólle B.P. (*ye*) soft	N. S. W.	1822.	5. 8.	G ♃		Jacq. ic. t. 640.
13	sesquipedàle S.S. (*ye*) black-spotted	W. Indies	1824.	——	S ♃		
14	hirsútulum S.S. (*ye*) hairy	E. Indies	1823.	——	S ♃		
15	edùle D.P. (*ye*) eatable-rooted	Nepaul	1826.	——	G ♃		
16	semicordàtum S.S. (*ye*) half-cordate	W. Indies	1822.	——	S ♃		
17	noveboracénse H.S.L. (*y*) river-side	N. America	1812.	7.	H ♃		Schkuhr fil. t. 46.
18	Oreópteris H.S.L. (*ye*) Heath	Britain	....	——	H ♃		Eng. bot. v. 15. t. 1019.
19	Thely'pteris H.S.D. (*ye*) Lady fern	————	....	7. 8.	H ♃		———— v. 15. t. 1018.
20	sérra S.S. (*ye*) saw-like	Jamaica	1819.	——	S ♃		
21	parasíticum W. (*ye*) parasitical	E. Indies	1824.	——	S ♃		
22	pennígerum Swz. (*ye*) feather-bearing	W. Indies	....	1.12.	S ♃		
23	prolíferum R.Br. (*ye*) proliferous	Brazil	....	....	S ♃		
	§ 3. *Fronds bipinnate.*						
24	Goldiànum H.F. (*ye*) Goldie's	N. America	1822.	7. 8.	H ♃		H. et. G. ic. fil. t. 102.
25	aculeàtum H.S.L. (*ye*) common prickly	Britain	....	6. 8.	H ♃		Eng. bot. v. 22. t. 1562.
26	marginàle H.S.L. (*ye*) marginal-flowd.	N. America	1772.	6. 9.	H ♃		Schkuhr fil. t. 45. b.
27	Filix-más H.S.L. (*ye*) Male fern	Britain	....	6. 8.	H ♃		Eng. bot. v. 21. t. 1458.
	β *Smithii* (*ye*) *Smith's*	————	....	——	H ♃		———— v. 28. t. 1949.
	Aspidium cristàtum E.B. 1949. *non* 2125.						
	γ *eròsum* Ph. (*ye*) *jagged*	N. America	1812.	——	H ♃		Schkuhr fil. t. 45.
28	lancastriénse S.S. (*ye*) Lancaster	————	1825.	——	H ♃		
29	frágrans H.F. (*ye*) fragrant	Europe	....	——	H ♃		H. et G. ic. fil. t. 70.
30	platyphy'llum S.S. (*ye*) flat-leaved	S. America	1826.	——	S ♃		
31	lobàtum H.S.L. (*ye*) close-leaved	England	....	6. 9.	H ♃		Eng. bot. v. 22. t. 1563.
32	intermèdium W. (*ye*) intermediate	N. America	1816.	——	H ♃		
33	spinulòsum H.S.L. (*ye*) crested prickly	Britain	....	6. 8.	H ♃		Eng. bot. v. 21. t. 1460.
34	obtùsum W. (*ye*) blunt-leaved	N. America	1827.	——	H ♃		Schkuhr fil. t. 21.
35	rígidum W. (*ye*) rigid	Britain	....	——	H ♃		Eng. bot. t. 2724.
36	elongàtum H.S.L. (*ye*) cut-leaved	Madeira	1799.	7. 8.	F ♃		
37	coriàceum W. (*ye*) coriaceous	V. D. L.	1821.	——	F ♃		
38	Cunninghàmi J.S. (*ye*) Cunningham's	N. Zealand	....	——	F ♃		
	§ 4. *Fronds tripinnate or decompound.*						
39	angulàre Kit. (*ye*) angular	Britain	....	6. 8.	H ♃		Eng. bot. 2776.
40	pubéscens H.F. (*ye*) pubescent	Jamaica	1824.	——	S ♃		H. et G. ic. fil. t. 162.
41	villòsum H.S.L. (*ye*) villous	W. Indies	1793.	7.	S ♃		Schkuhr. fil. t. 46. b.
42	decompósitum B.P. (*ye*) decompound	N. S. W.	1820.	6. 8.	F ♃		
43?	Báromez .. Baromez	Tartary	1824.	....	H ♃		
44	lætervìrens L.H. (*ye*) pale-green	Madeira	....	1.12.	S ♃		
45	púngens Kaulf. (*ye*) pungent	W. Indies	....	——	S ♃		
46	Hippocrèpis Swz. (*ye*) horse-shoe	Jamaica	....	5. 6.	S ♃		
47	crinìtum Boj. (*ye*) haired	Mauritius	1831.	7.10.	S ♃		
48	drepànum Swz. (*ye*) sickle	Maderia	——	——	G ♃		
49	lùcens Boj. (*ye*) shining	Mauritius	——	——	S ♃		

ALLANTO'DIA B.P. ALLANTO'DIA. (αλλαντος, a sausage; form of indusia.) Crytog. Filices.

1	umbròsa B.P. (*ye*) Madeira	Maderia	1779.	6. 9.	F ♃		Schkuhr fil. t. 61.
2	axillàris S.S. (*ye*) slender	————	——	——	F ♃		
	Polypòdium axillàre H.K. *Aspidium axillàre* Sw.						
3	strigòsa L.H. (*ye*) strigose	Madeira	....	3. 6.	F ♃		
4	austràlis B.P. (*ye*) southern	V. Diem. Isl.	1820.	——	F ♃		
5	ténera B.P. (*ye*) membranaceous	N. S. W.	——	——	F ♃		

ASPLE'NIUM B.P. SPLEENWORT. (*a*, priv., and σπλην, the spleen.) Cryptogamia Filices.

	§ 1. *Fronds triplicately pinnate.*						
1	acùtum S.S. (*br*) acute	Canaries	1818.	4. 7.	F ♃		
	§ 2. *Fronds bipinnate.*						
2	fontànum B.P. (*st*) smooth rock	England	....	6. 8.	H ♃		Eng. bot. v. 29. t. 2024.
	Aspidium fontànum E.B.						
3	Filix-fémina B.P. (*st*) female fern	Britain	....	6. 9.	H ♃		Eng. bot. v. 21. t. 1459.
	β *irrígnum* E.B. (*st*) *bog*	————	....	——	H ♃		———— t. 2199.

4	Michaúxii s.s.	(*st*) Michaux's	N. America	1812.	6. 9.	H	♃	
5	Athy'rium s.s.	(*st*) American	———	1820.	——	H	♃	Schkuhr filic. t. 78.
	Nephròdium asplenioìdes M.							
6	Hallèri s.s.	(*st*) Haller's	Switzerland	1825.	——	H	♃	
7	Adiántum-nìgrum w.	(*br*) black	Britain	....	4.10.	H	♃	Eng. bot. v. 28. t. 1950.
8	lanceolàtum E.B.	(*br*) lanceolate	England	....	6.10.	H	♃	——— v. 4. t. 240.
9	obtusifòlium L.	(*br*) blunt-leaved	.....	....	....	S	♃	
10	montànum w.	(*br*) mountain	N. America	1812.	7.	H	♃	
11	fràgrans w.	(*br*) fragrant	Jamaica	1793.	——	S	♃	
12	Rùta murària w.	(*br*) Wall-rue	Britain	....	6.10.	H	♃	Eng. bot. v. 3. t. 150.
13	cicutàrium H.S.	(*br*) Cicuta-like	S. America	1822.	——	S	♃	Plum. fil. t. 48. a.
14	vivíparum H.K.	(*br*) viviparous	Mauritius	1820.	6. 9.	S	♃	
15	bulbíferum s.s.	(*br*) bulb-bearing	N. Zealand	——	——	G	♃	Schk. crypt. t. 79.
16	diversifòlium Cun.	(*br*) diverse-leaved	N. Zealand	1831.	3. 4.	G	♃	
17	ambíguum Rad.	(*br*) ambiguous	W. Indies	....	....	S	♃	Rad. fil. t. 54.
18	cuneàtum s.s.	(*br*) cuneated	———	1832.	9.11.	S	♃	
	§ 3. *Fronds pinnate.*							
19	radìcans s.s.	(*br*) rooting-branched	W. Indies	1822.	6.10.	S	♃	
20	bissèctum s.s.	(*br*) bifid	Jamaica	1821.	——	S	♃	
21	físsum s.s.	(*br*) cleft-leaved	Hungary	1825.	4. 7.	H	♃	
22	formòsum w.	(*br*) handsome	Santa Cruz	——	——	S	♃	
23	præmórsum w.	(*br*) snip-leaved	Jamaica	1793.	——	S	♃	Pluk. alm. t. 73. f. 5.
24	maderénse Pen.	(*br*) Madeira	Madeira	1828.	7.12.	G	♃	
25	striàtum w.	(*br*) striated	W. Indies	1793.	6. 8.	S	♃	Plum. fil. t. 18. 19.
26	thelypteroìdes w.	(*br*) Ladyfern-like	N. America	1823.	7.	H	♃	Schkuhr. fil. t. 76. b.
27	sulcàtum s.s.	(*br*) furrowed	W. Indies	1827.	——	S	♃	Plum. fil. t. 46.
28	pùmilum s.s.	(*br*) dwarf	———	1823.	——	S	♃	——— t. 66. A.
29	canariénse s.s.	(*br*) Canary Island	Canaries	1824.	——	G	♃	
30	rhizóphorum w.	(*br*) root-bearing	Jamaica	1793.	6. 8.	S	♃	Sloan. j. 1. t. 29. 30. f. 1.
31	víride w.	(*br*) green	Britain	....	6. 9.	H	♃	Eng. bot. v. 32. t. 2257.
32	melanocaúlon w.	(*br*) black-stalked	N. America	1812.	7.	H	♃	
33	Trichómanes w.	(*br*) Maiden-hair	Britain	....	5.10.	H	♃	Eng. bot. v. 8. t. 576.
34	Petrárchæ DC.	(*br*) Petrarch's	France	1819.	6. 9.	H	♃	H. et G. ic. fil. t. 152.
35	obtusàtum s.s.	(*br*) obtuse	N. Zealand	1824.	——	F	♃	Lab. nov. hol. 2. t. 242.
36	cultrifòlium s.s.	(*br*) keen-leaved	W. Indies	1820.	——	S	♃	Plum. fil. t. 3. f. 1.
37	germánicum w.	(*br*) alternate-leaved	Scotland	....	6.10.	H	♃	Eng. bot. v. 32. t. 2258.
	alternifòlium E.B. *Brèynii* Sw.							
38	ebèneum W.	(*br*) ivory-striped	N. America	1779.	9.	H	♃	Lodd. bot. cab. t. 5.
	trichomanoìdes M.							
39	bipartìtum s.s.	(*br*) two-parted	W. Indies	1822.	——	S	♃	
40	dimidiàtum s.s.	(*br*) narrow-leaved	———	1827.	——	S	♃	
41	auritum s.s.	(*br*) eared	———	1829.	9.12.	S	♃	
42	zamiæfòlium s.s.	(*br*) Zamia-leaved	S. America	1818.	6.10.	S	♃	Lodd. bot. cab. t. 854.
43	falcàtum B.P.	(*br*) sickle-leaved	N. S. W.	1825.	6. 7.	F	♃	
44	monánthemum w.	(*br*) one-flowered	C. B. S.	1790.	7.	G	♃	Sm. ined. t. 73.
45	reséctum s.s.	(*br*) cut-leaved	Mauritius	1820.	——	S	♃	H. et G. ic. fil. t. 114.
46	marìnum w.	(*br*) sea-side	Britain	....	6.10.	H	♃	Eng. bot. v. 6. t. 392.
47	dentàtum H.F.	(*br*) tooth-leaved	Jamaica	1824.	——	S	♃	H. et G. ic. fil. t. 72.
48	flabellifòlium w.	(*br*) fan-leaved	N. S. W.	1825.	6. 7.	G	♃	Hook. ex. flor. t. 208.
49	déntex w.	(*br*) toothed	C. B. S.	1790.	6.10.	G	♃	
50	diffórme B.P.	(*br*) deformed	N. S. W.	1822.	6. 7.	F	♃	
51	Shephérdii s.s.	(*br*) Shepherd's	Jamaica	1824.	6. 9.	S	♃	
52	angustifòlium s.s.	(*br*) narrow-leaved	N. America	1812.	——	H	♃	Schkuhr fil. t. 69.
53	púlchrum L.H.	(*br*) fair	Jamaica	....	6.10.	S	♃	
54	salicifòlium s.s.	(*br*) willow-leaved	W. Indies	....	——	S	♃	
55	depréssum L.H.	(*br*) depressed	———	....	——	S	♃	
56	alàtum Kth.	(*br*) winged	———	....	——	S	♃	
	§ 4. *Fronds angular or lobed.*							
57	septentrionàle w.	(*br*) forked	Britain	....	6.10.	H	♃	Eng. bot. v. 15. t. 1017.
58	palmàtum s.s.	(*br*) palmated	S. Europe	1816.	7.10.	F	♃	Lodd. bot. cab. t. 868.
	§ 5. *Fronds undivided.*							
59	attenuàtum B.P.	(*br*) slender	N. S. W.	1825.	6. 7.	F	♃	
60	rhizophy'llum w.	(*br*) rooting-leaved	N. America	1680.	——	H	♃	
61	serràtum w.	(*br*) saw-leaved	W. Indies	1793.	——	S	♃	Schkuhr fil. t. 64.
62	Nìdus B.P.	(*br*) nest	N. Holland	1822.	——	F	♃	Bot. mag. t. 3101.
63	brasiliénse s.s.	(*br*) Brazilian	Brazil	——	——	S	♃	

CÆNO'PTERIS S.S. CÆNO'PTERIS (*καινος*, new, and *πτερις* a fern.) Cryptogamia Filices.

1	Odontìtes s.s.	(*br*) long-leaved	N. Holland	1822.	6.10.	G	♃	Thunb. n. ac. pet. t. E. f. 1.
	Asplènium Odontìtes B.P. *Dàrea Odontìtes* w.							

2	appendiculàta s.s.	(*br*) loose	V.Diem.Isl.	1822.	6.10.	G ♃		Lab. n. holl. 2. t. 243.
3	rhizophy'lla s.s.	(*br*) rooting-leaved	W. Indies	1827.	——	S ♃		
4	myriophy'lla s.s.	(*br*) myriad-leaved	———	....	1.12.	S ♃		
5	thalictroìdes L.H.	(*br*) Meadow Rue	Jamaica	....	9.10.	S ♃		

SCOLOPE'NDRIUM W. HART'S-TONGUE. (*Scolopendra*, a centepede; sori.) Cryptogamia Filices.

1	officinàrum W.	(*br.ye*) common	Britain	....	7. 8.	H ♃		Eng. bot. v. 16. t. 1150.
	β *crispum*	(*br.ye*) *curled-leaved*	———	....	——	H ♃		
	γ *undulàtum*	(*br.ye*) *waved-leaved*	———	....	——	H ♃		Pluk. phyt. 248. f. 1.
	δ *multifidum*	(*br.ye*) *clustered*	———	....	——	H ♃		
	ε *ramòsum*	(*br.ye*) *branching*	———	....	——	H ♃		Pluk. phyt. 248. f. 2.
	η *angustifòlium* L.H.	(*br.ye*) *narrow-ld.*	———	....	——	H ♃		
2	Hemionìtis s.s.	(*br*) Mule's fern	Canaries	1779.	6. 7.	G ♃		Schkuhr. crypt. t. 66.
	Asplènium Hemionìtis L.							

DOO'DIA B.P. DOO'DIA. (S. Doody, a cel. Crypt. bot.) Cryptogamia Filices.

1	áspera B.P.	(*br.ye*) rough-stalked	N. S. W.	1808.	3. 9.	G ♃		Hook. ex. flor. t. 8.
2	caudàta B.P.	(*br.ye*) tailed	———	1822.	——	G ♃		——— t. 25.
3	mèdia B.P.	(*br*) middle-sized	N. Holland	1823.	3. 9.	G ♃		
4	máxima L.H.	(*br*) largest	———	....	——	G ♃		

WOODWA'RDIA W. WOODWA'RDIA. (G. Woodward, an English bot.) Cryptogamia Filices.

1	onocleoìdes W.	(*br.ye*) Onoclea-like	N. America	1812.	8.10.	H ♃		Schkuhr. fil. t. 111.
2	virgínica W.	(*br.ye*) Virginian	———	1774.	8. 9.	H ♃		Pluk. alm. t. 179. f. 2.
3	radìcans W.	(*br.ye*) rooting-leaved	Madeira	1779.	9.10.	G ♃		Schkuhr. fil. t. 112.

BLE'CHNUM W. BLE'CHNUM. (βλεχνον, a fern.) Cryptogamia Filices.

1	brasiliénse s.s.	(*br.ye*) Brazilian	Brazil	1828.	9.11.	S ♃		
2	hastàtum Kaulf.	(*br.ye*) hastate	Chili	....	7. 8.	F ♃		
3	cartilagíneum B.P.	(*br*) cartilaginous	N. S. W.	1822.	6. 8.	F ♃		
4	denticulàtum s.s.	(*br.y*) toothed	Teneriffe	1826.	6. 9.	F ♃		
5	lævigàtum B.P.	(*br*) smooth	N. S. W.	1820.	3. 9.	G ♃		
6	serrulàtum s.s.	(*br*) saw-leaved	N. America	1818.	5. 8.	H ♃		
7	striàtum s.s.	(*br*) striated	N. Holland	1824.	——	F ♃		
8	angustifòlium s.s.	(*br.y*) narrow-leaved	Trinidad	——	3. 9.	S ♃		
9	longifòlium s.s.	(*br*) long-leaved	———	1826.	——	S ♃		Bot. mag. t. 2818.
10	glandulòsum s.s.	(*br*) glandular	Brazil	1823.	——	S ♃		
11	pectinàtum s.s.	(*br*) pectinate	S. America	1827.	5. 8.	S ♃		
12	occidentàle W.	(*br*) American	———	1777.	3. 9.	S ♃		Jacq. ic. 3. t. 644.
13	austràle W.	(*br*) Cape	C. B. S.	1691.	——	G ♃		Schkuhr. fil. t. 110. b.
14	polypodioìdes s.s.	(*br*) Polypody-ld.	Brazil	1829.	8.12.	S ♃		
15	Lanceòla s.s.	(*br*) spear-leaved	———	——	——	S ♃		Bot. mag. t. 3240.
16	lanceolàtum Rad.	(*br*) lanceolate	———	....	——	S ♃		
17	grácile Ot.	(*br*) slender	———	1830.	——	S ♃		
18	intermèdium Lk.	(*br*) intermediate	———	1838.	——	S ♃		

LOMA'RIA W. LOMA'RIA. (λωμα, a border; indusia on edge.) Cryptogamia Filices.

1	falcàta s.s.	(*br*) falcate	N. Holland	1823.	5. 8.	F ♃		Lab. nov. hol. 2. t. 248.
2	nùda W.	(*br*) naked	V.Diem.Isl.	1822.	4. 8.	F ♃		——— 2. t. 246.
	Onoclèa nùda Lab. *Stegània nùda* B.P.							
3	Spìcant s.s.	(*br*) northern	Britain	....	7. 9.	H ♃		Eng. bot. v. 17. t. 1159.
	Osmúnda Spìcant L. *Bléchnum boreàle* B.B.							
4	onocleoìdes s.s.	(*br*) Onoclea-like	Jamaica	1824.	——	S ♃		
5	sorbifòlia s.s.	(*br*) Service-leaved	W. Indies	1793.	——	S ♃		Plum. fil. t. 117.
	Acróstichum sorbifòlium L.							
6	longifòlia s.s.	(*br*) long-leaved	———	1810.	6. 9.	S ♃		Plum. fil. t. 117. dextr.
7	procèra s.s.	(*br*) lofty	N. Holland	1822.	4. 8.	F ♃		Lab. n. hol. 2. t. 247.
	Bléchnum procèrum Lab. *Stegània procèra* B.P.							
8	Patersòni Spr.	(*br*) Paterson's	———	1830.	8.	G ♃		
9	lanceolàta Spr.	(*br*) lance-shaped	———	——	——	G ♃		
10	attenuàta W.	(*br*) attenuated	.....	....	7. 9.	G ♃		

ONOCLE'A W. ONOCLE'A. (ονος, a vessel, and κλειω; capsules.) Cryptogamia Filices.

1	sensíbilis W.	(*br*) sensitive fern	Virginia	1799.	8.	H ♃		Schkuhr. fil. t. 102.
2	obtusilobàta Ph.	(*br*) blunt-lobed	N. America	1812.	7.	H ♃		——— t. 103.

STRUTHIO'PTERIS W. STRUTHIO'PTERIS. (στρυθιος, an ostrich, and πτερις, a fern.) Crypto. Fili.

1	germánica s.s.	(*br*) German	Europe	1760.	7. 8.	H ♃		Schkuhr fil. t. 105.
	Osmúnda Struthiópteris L. *Onoclèa Struthiópteris* W.							
2	pensylvánica W.	(*br*) Pensylvanian	N. America	1812.	——	H ♃		Schkuhr fil. t. 104.
	Onoclèa nodulòsa Schkuhr.							

VITTA'RIA W. VITTA'RIA. (*vitta*, a ribband; form of fronds.) Cryptogamia Filices.

1	lineàta W.	(*br*) linear-leaved	America	1793.	....	S ♃		Schkuhr fil. t. 101. b.
2	graminifòlia Kaulf.	(*br*) grass-leaved	Brazil	1820.	——	S ♃		

ANTRO'PHYUM S.S. ANTRO'PHYUM. (αντρον, a cavern, φυω, to grow; habitat.) Cryptoga. Fili.

	lanceolàtum s.s.	(*br*) spear-leaved	W. Indies	1793.	6.10.	S ♃		Schkuhr fil. t. 6.
	Hemionìtis lanceolàta L.							

DIPLA'ZIUM Swz. DIPLA'ZIUM. (διπλαζω, to be double: indusia.) Cryptogamia Filices.

§ 1. *Fronds simple.*

1	plantagíneum s.s. (*br*)	Plantain-leaved	W. Indies	1822.	6. 8.	S	♃	Lodd. bot. cab. t. 15.
2	castaneæfòlium s.s. (*br*)	Chestnut-ld.	Guinea	1824.	9.	S	♃	

§ 2. *Fronds pinnate.*

3	acuminàtum Rad. (*br*)	acuminated	Brazil	....	....	S	♃	Rad. fil. t. 57. f. 1.
4	grandifòlium w. (*br*)	large-leaved	Jamaica	1793.	8.10.	S	♃	
5	juglandifòlium s.s. (*br*)	Walnut-leaved	———	1825.	....	S	♃	
6	seramporénse s.s. (*br*)	East Indian	E. Indies	1827.	....	S	♃	
7	auriculàtum s.s. (*br*)	eared	S. America	1820.	8.10.	S	♄	
8	barbadénse w. (*br*)	Barbadoes	W. Indies	1822.	....	S	♃	

§ 3. *Fronds bipinnate.*

9	malabáricum s.s. (*br*)	Malabar	E. Indies	1818.	6. 8.	S	♄	

Asplènium ambíguum Swartz.

10	arboréscens s.s. (*br*)	arborescent	Mauritius	1824.	....	S	♄	
11	esculéntum w. (*br*)	eatable	Ceylon	1822.	....	S	♄	

CRYPTOGRA'MMA Br. CRYPTOGRA'MMA. (κρυπτος, hidden, and γραμμα, writing.) Crypto. Filices.

1	acrostichoìdes Br. (*st*)	Acrostichum-like	N. America	1827.	7. 9.	H	♃	H. et G. ic. fil. t. 29.

Allosòrus acrostichoìdes s.s.

2	críspa Br. (*st*)	curled	Britain	....	——	H	♃	Eng. bot. v. 17. t. 1160.

Allosòrus críspus s.s. *Ptèris críspa* E.B. *Osmúnda críspa* L.

PTE'RIS W. BRAKE. (πτερις, name of a fern.) Cryptogamia Filices.

§ 1. *Fronds simple.*

1	sagittæfòlia s.s. (*br*)	arrow-leaved	Brazil	1825.	6. 8.	S	♃	

§ 2. *Fronds palmate, pedate, or ternate.*

2	pedàta w. (*st*)	pedate	W. Indies	1816.	5. 8.	S	♃	Bot. mag. t. 3247.
3	palmàta w. (*br.st*)	palmated	———	1823.	6. 7.	S	♃	Lodd. bot. cab. t. 1299.
4	argéntea w. (*st.br*)	silvery	Siberia	——	——	H	♃	

§ 3. *Fronds pinnate.*

5	rotundifòlia s.s. (*br*)	round-leaved	N. Zealand	1824.	7. 8.	F	♃	
6	longifòlia w (*st.br*)	long-leaved	W. Indies	1770.	7. 9.	S	♃	Jacq. sch. 3. t. 339. 400.
7	grandifòlia w. (*st.br*)	large-leaved	———	1793.	....	S	♃	Schkuhr. fil. t. 89.
8	serrulàta w. (*st.br*)	various-leaved	India	1770.	8. 9.	S	♃	——— t. 91.
9	denticulàta s.s. (*st.br*)	toothed	Brazil	1824.	5. 9.	S	♃	H. et G. ic. fil. t. 28.
10	crética w. (*st.br*)	Cretan	Candia	1818.	5. 7.	G	♃	
11	atropurpùrea w. (*br*)	dark purple	N. America	1770.	8. 9.	H	♃	Schkuhr. fil. t. 101.
12	falcàta B.P. (*st.br*)	falcate	N. S. W.	1820.	5. 7.	F	♃	
13	umbròsa B.P. (*st.br*)	shade	———	1823.	5. 8.	F	♃	
14	calomélanos B.C. (*br*)	neat dark	C. B. S.	1830.	8.	S	♃	Bot. cab. t. 1689.
15	latizòna Cun. (*br*)	broad-zoned	Moreton B.	1831.	6.	G	♃	
16	flexuòsa L.O. (*br*)	flexuose	.....	——	....	S	♃	
17	subverticillàta Cav. (*br*)	subverticillate	Mexico	——	....	F	♃	
18	collìna Rad. (*br*)	hill	Brazil	....	6.10.	S	♃	Rad. fil. 65. f. 1. 2.

§ 4. *Fronds bipinnatifid.*

19	nemoràlis W. en. (*st.br*)	wood	Africa	1823.	5. 8.	S	♃	
20	biaurìta s.s. (*st.br*)	two-eared	W. Indies	1824.	——	S	♃	H. et G. ic. fil. t. 142.
21	Plumièri s.s. (*st.br*)	Plumier's	S. America	1818.	——	S	♃	
22	argùta w. (*st.br*)	sharp-notched	Madeira	1778.	8. 9.	F	♃	Pluk. alm. t. 290. f. 2.
23	allosùrus L.H. (*br*)	long-tailed	.....	....	....	S	♃	
24	ámpla L.H. (*br*)	ample	.....	....	....	S	♃	

§ 5. *Fronds bipinnate.*

25	cordàta w. (*st.br*)	heart-leaved	Mexico	1825.	5. 7.	G	♃	
26	sagittàta w. (*st.br*)	arrow-leaved	S. America	1820.	——	S	♃	
27	hastàta w. (*st.br*)	hastate	W. Indies	1823.	5. 8.	S	♃	
28	aculeàta w. (*st.br*)	prickly-stem'd	———	1793.	....	S	♄	Plum. fil. t. 5. et 11.
29	peruviàna L.O. (*br*)	Peruvian	Peru	1830.	10.	S	♃	Bot. cab. t. 1665.
30	élegans s.s. (*br*)	elegant	E. Indies	1824.	8.10.	S	♃	
31	díscolor s.s. (*br*)	discoloured	Brazil	1825.	——	S	♃	
32	heterophy'lla s.s. (*br*)	various-leaved	W. Indies	——	——	S	♃	Plum. fil. t. 37.
33	crenulàta L.C. (*br*)	crenulated	.....	1827.	7. 8.	S	♃	
34	Cervantèsii H.L. (*br*)	Cervantes'	Mexico	1824.	——	G	♃	

§ 6. *Fronds decompound.*

35	vespertiliònis B.P. (*st*)	Bat-winged	N. S. W.	1823.	5. 7.	F	♃	Lab. nov. hol. 2. t. 245.
36	trémula B.P. (*st.br*)	trembling	———	1822.	——	F	♃	
37	esculénta B.P. (*st.br*)	esculent	———	1815.	——	F	♃	Lab. nov. hol. 2. t. 244.
38	grácilis w. (*st.br*)	slender	Canada	1823.	7.	H	♃	
39	caudàta w. (*st.br*)	American	N. America	1777.	9.12.	H	♃	Jacq. ic. 3. t. 645.
40	aquilìna E.B. (*st.br*)	common	Britain	....	7. 8.	H	♃	Eng. bot. v. 24. t. 1679.
41	lanuginòsa w. (*st.br*)	woolly	Bourbon	1818.	——	S	♃	
42	intramarginàlis K.W. (*br*)	Mexican	Mexico	1828.	7.12.	S	♃	

43	leptophy'lla s.s.	(*br*) slender-leaved	Brazil	1830.	8.10.	S	♃	
44	chinénsis L.C.	(*br*) Chinese	China	——	——	G	♃	

TÆNI'TIS W. TÆNI'TIS. (ταινια, a fillet; frond narrow.) Cryptogamia Filices.

1	lanceolàta s.s.	(*br*) spear-leaved	W. Indies	1818.	6. 9.	S	♃	Plum. fil. t. 132.
2	angustifòlia s.s.)	*br*) narrow-leaved	————	1823.	——	S	♃	
3	graminifòlia H.E.F.	(*br*)grass-leaved	Trinidad	1820.	6. 8.	S	♃	Hook. ex. flor. t. 77
4	furcàta s.s.	(*br*) forked	————	1824.	——	S	♃	H. et G. ic. fil. t. 7.
5	chinénsis s.s.	(*br*) Chinese	China	1828.	——	G	♃	

ADIA'NTUM W. MAIDENHAIR. (αδιαντος, dry; even in water.) Cryptogamia Filices.

§ 1. *Fronds simple.*

1	reniförme W.	(*br*) kidney-leaved	Madeira	1699.	6. 9.	G	♃	Lodd. bot. cab. t. 841.

§ 2. *Fronds pinnate.*

2	oblìquum s.s.	(*br*) oblique-leaved	W. Indies	1826.	4. 8.	S	♃	
3	macrophy'llum W.	(*br*)large-leaved	Jamaica	1793.	——	S	♃	H. et. G. ic. fil. t. 132.
4	lunulàtum s.s.	(*br*) lunulate	E. Indies	1826.	——	S	♃	———— t. 104.

§ 3. *Fronds bipinnate at base, but simply pinnate at top.*

5	deltoídeum s.s.	(*br*) deltoid-leaved	Jamaica	1824.	4. 8.	S	♃	
6	denticulàtum s.s.	(*br*)tooth-leaved	W. Indies	1825.	——	S	♃	
7	serrulàtum W.	(*br*) saw-leaved	Jamaica	1823.	6. 8.	S	♃	Sloan. j. 17. t. 36. f. 2 .
8	vàrium s.s.	(*br*) variable	S. America	1820.	7. 9.	S	♃	

§ 4. *Fronds tripartite, digitate or pedate; branches pinnate.*

9	ternàtum s.s.	(*br*) ternate	S. America	1820.	7. 9.	S	♃	
10	pàtens W.	(*br*) spreading	Brazil	1824.	8.10.	S	♃	
11	radiàtum W.	(*br*) radiated	W. Indies	1776.	4. 8.	S	♃	Plum. fil. t. 100.
12	pedàtum W.	(*br*) Canadian	N. America	1640.	8. 9.	H	♃	Schkuhr fil. t. 115.
13	pubéscens Schk.	(*br*)downy	N. Holland	1830.	4. 5.	G	♃	
14	hispídulum B.P.	(*br*) bristly	————	1822.	5. 8.	G	♃	
15	striàtum s.s.	(*br*) streaked	W. Indies	——	——	S	♃	

§ 5. *Fronds bipinnate.*

16	villòsum W.	(*br*) hairy-stalked	Jamaica	1775.	6. 9.	S	♃	Schkhur fil. t. 120.
17	pulveruléntum W.	(*br*)dusty	W. Indies	1793.	....	S	♃	———— t. 119.
18	triangulàtum s.s.	(*br*) triangular	Trinidad	1824.	——	S	♃	
19	Capíllus-véneris W.	(*br*)true	Britain	....	5. 9.	H	♃	Eng. bot. v. 22. t. 1564.
20	rhomboídeum s.s.	(*br*)rhomboid	S. America	1820.	6. 9.	S	♃	

§ 6. *Fronds decompound.*

21	trapezifórme W.	(*br*) rhomb-leaved	————	1793.	....	S	♃	Schkuhr fil. t. 122.
22	pentadáctylon s.s.	(*br*)five-fingered	Brazil	1828.	6. 9.	S	♃	H. et G. ic. fil. t. 98.
23	cuneàtum s.s.	(*br*) wedge-leaved	————	1824.	——	S	♃	——— ic. fil. t. 30.
24	assímile B.P.	(*br*) likened	N. S. W.	1823.	5. 8.	G	♃	Lab. n. hol. 2. t. 248. f. 2.
	trigònum Lab.							
25	formòsum B.P.	(*br*) handsome	————	1822.	——	G	♃	
26	ténerum W.	(*br*) tender	Jamaica	1793.	7.	S	♃	Pluk. alm. t. 254. f. 1
27	æthiópicum L.	(*br*) Ethiopian	C. B. S.	1838.	6.10.	G	♃	
28	Moritziànum L.H.	((*br*)Moritz's	.....	——	——	S	♃	

CHEILA'NTHES W. CHEILA'NTHES. (χειλος, a lip, and ανθος, a flower; indusium.) Cryp. Filices.

1	ferrugínea s.s.	(*br*) ferruginous	Peru	1816.	5. 8.	S	♃	
2	grácilis s.s.	(*br*) slender	Canada	1827.	——	H	♃	
3	pteroìdes s.s.	(*br*) Pteris-like	C. B. S.	1775.	7. 9.	G	♃	Hout. n. hist. t. 96. f. 3.
4	odòra s.s.	(*br*) sweet-scented	S. Europe	1824.	——	F	♃	
5	suavèolens s.s.	(*br*) scented	Madeira	1778.	——	G	♃	
6	fràgrans s.s.	(*br*) fragrant	E Indies	——	——	S	♃	Sw. syn. fil. t. 3. f. 6.
7	microphy'lla s.s.	(*br*) small-leaved	W. Indies	1822.	5. 8.	S	♃	
8	vestìta s.s.	(*br*) clothed	N. America	1812.	7.	H	♃	Schkuhr fil. t. 124.
9	hírta s.s.	(*br*) hairy	C. B. S.	1816.	5. 8.	G	♃	
10	lendígera W.	(*br*) chaffy	S. America	1822.	——	S	♃	
11	tenuifòlia B.P.	(*br*) slender-leaved	N. S. W.	1824.	——	G	♃	
12	spectábilis s.s.	(*br*) showy	Brazil	1829.	9.12.	S	♃	
13	rèpens s.s.	(*br*) creeping	W. Indies	1824.	6.10.	S	♃	
14	candàta B.P.	(*br*) tailed	N. Holland	——	6. 8.	F	♃	
15	dicksonioìdes L.H.	(*br*)Dicksonia-like	.....	....	8. 9.	S	♃	
16	crenulàta L.O.	(*br*) crenulated	.....	1831.	....	S	♃	
17	cuneàta L.O.	(*br*) wedge-leaved	.....	——	....	S	♃	
18	sinuàta L.H.	(*br*) sinuated	W. Indies	....	8. 9.	S	♃	
19	rùfa L.H.	(*br*) rufous	————	....	——	S	♃	
20	micrópteris Lk.	(*br*) small-winged	Brazil	1838.	7.10.	S	♃	
21	profùsa Kze.	(*br*) profuse	————	——	——	S	♃	
22	ruféscens Lk.	(*br*) rufescent	————	——	——	S	♃	

LONCHI'TIS W. LONCHI'TIS. (λογχη, a lance; form of frond.) Cryptogamia Filices.

1	pedàta s.s.	(*br*) pedate	Jamaica	1793.	6. 8.	S	♃	Brown. jam. 89. t. 1.

2 hirsùta s.s. (*br*) hairy W. Indies 1793. .... S ♃ Schkuhr fil. t. 86.

LINDSÆ'A B.P. LINDSÆ'A. (Mr. Lindsay, a Cryptog. bot.) Cryptogamia Filices.

§ 1. *Frond's pinnate.*

1 renifórmis L.T. (*br*) kidney-leaved Trinidad 1826. 5. 7. S ♃ Linn. trans. v. 3. t. 7. f. 1.
2 lineàris B.P. (*br*) linear-leaved N. S. W. 1820. —— G ♃ Sw. fil. 118. t. 3. f. 3.
3 falcàta L.T. (*br*) sickle-leaved ———— 1824. 5. 8. S ♃ Linn. trans. v. 3. t. 7. f. 1.

§ 2. *Fronds decompound.*

4 trapezifórmis L.T. (*br*) rhomb-leaved W. Indies 1825. —— S ♃ Linn. trans. v. 3. t. 9.
5 microphy'lla B.P. (*br*) small-leaved N. S. W. 1820. 4. 6. G ♃
6 mèdia B.P. (*br*) intermediate N. Holland 1823. —— F ♃

DAVA'LLIA W. DAVA'LLIA. (E. Davall, a cel. Swiss bot.) Cryptogamia Filices.

§ 1. *Frond's bipinnate.*

1 élegans S.S. (*br*) elegant N. Holland 1824. 4. 9. G ♃ Schk. crypt. t. 127.
2 pyxidàta B.P. (*ye*) shining N. S. W. 1808. —— G ♄

§ 2. *Fronds decompound.*

3 canariénsis W. (*ye*) Hare's-foot fern Canaries 1699. —— G ♃ Jacq. ic. 1. t. 200.
4 gibberòsa S.S. (*br.ye*) gibbous-flower'd N. Zealand 1825. —— G ♃ Swt. flor. aust. t. 31.
5 fumarioìdes S.S. (*br.ye*) Fumitory-like W. Indies 1828. 6. 10. S ♃
6 fláccida B.P. (*br.ye*) flaccid N. Holland 1826. —— G ♃
7 dùbia B.P. (*br*) doubtful ———— —— 4. 9. G ♃
8 corcovadénsis L.C. (*br*) Corcovado Brazil 1823. —— S ♃

BALA'NTIUM K.F. BALANTIUM. (βαλαντιον, a purse; indusium.) Cryptogamia Filices.

Cúlcita K.S. (*br.ye*) shining-leaved Madeira 1779. 9. 10. F ♃
Dicksònia Cúlcita W.

CIBO'TIUM S.S. CIBO'TIUM. (κιβοτιον, a little chest; indusium.) Cryptogamia Filices.

Billardièri S.S. (*br*) Labillardiere's N. Holland 1824. .... G ♃

DICKSO'NIA W. DICKSO'NIA. (James Dickson; cel. Crypt. bot.) Cryptogamia Filices.

1 pilosiúscula W. (*br.ye*) hairy N. America 1811. 7. 9. H ♃ Schkuhr fil. t. 131.
2 arboréscens W. (*br.ye*) tree S. Helena 1786. 6. 12. S ♄ Jacq. ic. t. 201.
3 dissécta W. (*br.ye*) cut-leaved Jamaica 1793. 9. 10. S ♃
4 adiantoìdes S.S. (*br.st*) Adiantum-like W. Indies 1828. 8. 12. S ♃
5 davallioìdes B.P. (*br*) Davallia-like N. Holland .... 9. 10. G ♃
6 rubiginòsa S.S. (*br*) rusty Brazil .... S ♄

PHYSOMA'TIUM Kaulf. PHYSOMA'TIUM. (θυσα, a bladder; indusium.) Cryptogamia Filices.

mólle Kaulf. (*br*) soft Brazil .... 7. S ♃

CYATHE'A B.P. CYATHE'A. (κυαθος, a cup; indusium.) Cryptogamia Filices.

1 arbòrea W. (*br.ye*) tree W. Indies 1793. .... S ♃ Plum. fil. 1. t. 1. 2.
2 excélsa S.S. (*br.ye*) tall Mauritius 1825. .... S ♄

ALSO'PHILA B.P. ALSO'PHILA. (αλσος, a grove, and φιλεω, to love; habitat.) Crypt. Filices.

1 austràlis B.P. (*br.st*) southern N. S.W. 1820. .... G ♄
2 áspera S.S. (*br.ye*) rough W. Indies 1824. .... S ♄

HEMITE'LIA B.P. HEMITE'LIA. ((ἡμι, half, and τηλια, a bucket; indusium.) Crypt. Filices.

multifiòra S.S. (*br.ye*) many-flowered Jamaica 1824. .... S ♄

TRICHO'MANES W. TRICHO'MANES. (θριξ, a hair, and μανια, excess.) Cryptogamia Filices.

1 membranàceum W. (*br*) membranaceous W. Indies 1820. 5. 8. S ♃ Hook. ex. flor. t. 70.
2 floribúndum S.S. (*br.ye*) many-flowered ———— 1825. —— S ♄ H. et G. ic. fil. t. 9.
3 brevisètum H.K. (*br.ye*) short-styled Britain .... 5. 6. H ♃ Eng. bot. v. 20. t. 1417.
Hymenophy'llum alàtum E.B.
4 alàtum S.S. (*br.ye*) wing-leaved W. Indies 1824. —— S ♃ H. et G. ic. fil. t. 11.
5 críspum S.S. (*br.ye*) curled ———— 1828. —— S ♃ ———— ic. fil. t. 12.

HYMENOPHY'LLUM FILMY-LEAF. (ὑμην, a membrane, and φυλλον, a leaf; thin.) Cryp. Fil.

1 polyánthos S.S. (*br.ye*) many-flowered W. Indies 1824. 6. 9. S ♃ H. et. G. ic. fil. t. 128.
2 tunbridgénse W. (*br*) Tunbridge Britain .... 5. 6. H ♃ Eng. bot. v. 3. t. 162.
3 Wilsòni Hook. (*br*) Wilson's ———— .... —— H ♃ ———— t. 2686.
4 hirsùtum S.S. (*br.ye*) hairy Trinidad 1823. 5. 9. S ♃ H. et G. ic. fil. t. 84.

The natural families to which the following genera belong, have not yet been ascertained.

LAUROPHY'LLUS Th. LAUROPHY'LLUS. (λαυρος, large, and φυλλον, a leaf.) Polyg. Diœcia.

capénsis W. (*gr*) Cape C. B. S. 1801. .... G ♄

PORANTHE'RA LT. PORANTHE'RA. (πορος, a pore, and ανθηρα, an anther.) Pentandria Trigynia.

ericifòlia L.T. (*st*) Heath-leaved N. S. W. 1825. 5. 8. G ♄ Linn. trans. 10. t. 22. f. 2.

THE END.

APPENDIX.

AN ADDITIONAL ORDER.

HAMAMELI'DEÆ. *DC. prod.* 4. *p.* 267.

Should have been placed after Order Araliaceæ, in p. 312.

HAMAME'LIS DC. WITCH-HAZEL. (Greek name of a tree.) Tetrandria Digynia.
1 virgínica DC. (*ye*) Virginian N. America 1736. 11.5. H ♄ Lodd. bot. cab. t. 598.
2 macrophy'lla DC. (*ye*) large-leaved ——— 1812. —— H ♄
TRICHO'CLADUS DC. TRICHO'CLADUS. (θριξ, a hair, and κλαδος, a branch.) Diœcia Monandria.
crinìtus DC. (*st*) hairy C. B. S. 1823. 2. 6. G ♄ Th. act. hafn. 1. t. 4.
FOTHERGI'LLA DC. FOTHERGI'LLA. (John Fothergill, M.D., a bot. patron.) Polyandria Digynia.
alnifòlia DC. (*wh*) alder-leaved N. America 1765. 4. 6. H ♄ Bot. mag. t. 1341.
α obtùsa B.M. (*wh*) *blunt-leaved* ——— —— —— H ♄ Bot. cab. t. 1520.
màjor B.C.
β acùta B.M. (*wh*) *acute-leaved* ——— —— —— H ♄ Jacq. icon. t. 100.
Gardèni Jacq.
γ màjor B.M (*wh*) *larger* ——— —— —— H ♄ Bot. mag. t. 1324.
δ serótina B.M. (*wh*) *late-flowering* ——— —— 7. 8. H ♄

ADDITIONAL GENERA.

PAPAVERACEÆ. *p.* 22.

DENDROME'CON Benth. DENDROME'CON. (δηνδρον, and μηκων, a poppy.) Polyandria Monogynia.
rígida Benth (*ye*) stiff California 1833. .... F ♄

PITTOSPOREÆ. *p.* 58.

PRONA'YA Benth. PRONA'YA. (M. Pronay, a French natur.) Pentandria Monogynia.
élegans Benth. elegant Swan River 1837. .... G ♄

CARYOPHYLLEÆ. *p.* 60. Tribe ALSINEÆ. *p.* 67.

EREMO'GONE Fenzl. EREMO'GONE. (ερημος, a desert, and γονη, a joint.) Decandria Trigynia.
1 graminifòlia Fenzl (*wh*) grass-leaved Caucasus 1815. 6. 7. H ♃ Schrad. hort. gœt. t. 5.
Arenària graminifòlia D.C.
2 púngens Fenzl. (*wh*) pungent ——— 1837. —— H ♃
3 júncea Fenzl. (*wh*) rushy ——— —— —— H ♃
4 airifòlia F. (*wh*) Aira-leaved ——— —— —— H ♃
5 gramínea Mey. (*wh*) grass-leaved ——— —— —— H ♃

RUTACEÆ. *p.* 126. Tribe DIOSMEÆ AUSTRALASICA. *p.* 128.

DIPLOLÆ'NA DC. DIPLOLÆ'NA. (διπλοος, double, and κλαινα, a cloak.) Decandria Monogonia.
Dampièri DC. .. Dampier's Swan River 1837. .... G ♄ Damp. voy. 4. t. 3. f. 3.

LEGUMINOSÆ. *p.* 146. Tribe LOTEÆ. *p.* 151.

ISO'TROPIS B.R. ISO'TROPIS. (*ισος*, equal, and *τροπη*, a keel; to wings.) Decandria Monogynia.
striàta Benth. (*or.ye*)striated Swan River 1838. 6. 7. G ♄
PHYSALO'BIUM Benth. PHYSALO'BIUM. (*φυσα*, a bladder, aud *λοβος*, a pod.) Decandria Monog.
elàtum Benth. (*ye.*) tall Swan River 1837. 3. 6. G ♄
ESSENHA'RDTIA K. S. ESSENHA'RDTIA. (C. H. Essenhardt, M.D.) Diadelphia Decandria.
amorphoides K.S.(*wh.ye.*) Amorpha-likeMexico 1837. .... G ♄ H. et B. 6. t. 592.

COMPOSITÆ. *p.* 334. Tribe ASTEROIDEÆ. *p.* 340.

CHARIE'IS DC. CHARIE'IS. (*χαριεις*, elegant; flower.) Syngenesia Superflua.
heterophy'lla DC.(*bl*) various-leaved C. B. S. 1819. 7. 8. H ⊙ Bot. reg. t. 490.
Kaulfússia amelloìdes. Nees.
LAGENO'PHORA Endl. LAGENO'PHORA. (*λαγενος*, a flask, and *φορεω*, to bear.) Syng. Æquals.
Frostèri Endl.(*ye.pu*)Forster's N. Zealand 1837. .... G ♃

Tribe GNAPHALIEÆ. *p.* 376. Division HELICHRY'SEÆ. *p.* 376.

LEPTORHY'NCHOS D.C. LEPTORHY'NCHOS. (*λεπτος*, slender, *ρυγχος*, a snout.) Syng. Æquals.
squamàtus DC. (*ye*) scaly N. S. W. 1837. 5. 6. G ♄ Bot. mag. t. 3625.
Chrysócoma squamàta Lab. nov. holl. 2. t. 184.

SOLANEÆ. *p.* 497.

FABIA'NA D.S. FABIA'NA. (Franc. Fabiano, a Spanish bot.) Pentandria Monogynia.
imbricàta D.S. (*wh*) imbricate Chili 1838. 3. 4. G ♄

RHINANTHACEÆ. *p.* 523.

ONCORHY'NCHUS F.M. ONCORHY'NCHUS. (*ογκος*, a hook, and *ρυγχος*, a snout.) Didy. And.
tenéllus F.M. slender California 1837. 6. 7. H ♂

LABIATÆ. *p.* 529.

WIEDEMA'NNIA F.M. WIEDEMA'NNIA. (E. Wiedemann, M.D. a German. bot.) Didy. Gym.
orientàlis F.M. (*pu*) eastern Natolia 1837. 6. 8. H ⊙

VERBENACEÆ. *p.* 549.

MONOCHI'LUS F.M. MONOCHI'LUS. (*μονος*, one, and *χειλος*, a lip.) Didyn. Angiospermia.
gloxinifòlius F.M. .. Gloxinia-leaved ..... 1838. .... S ♃
HYMENOPY'RAMIS Wall. HYMENOPY'RAMIS. (*υμην*, a membrane,and *πυραμις*, a pyramid.)D.A.
brachiàta Wall. .. armed E. Indies. 1832. .... S ♄

EUPHORBIACEÆ. *p.* 596.

MONOTA'XIS Brogn. MONOTA'XIS. (*μονος*, one, and *ταξις*, a series.) Dodecandria Trigynia.
símplex Brogn. simple N. Holland .... G ♄

URTICACEÆ. *p.* 608.

GALACTODE'NDRON K.S. COW-TREE. (*γαλα*, milk, and *δενδρον*, a tree.) Polygamia Diœcia.
ùtile K.S. (*gr*) useful Caracas 1829. .... S ♄ Bot. mag. t. 3723.&3724.
Brósimum Galactodéndron p. 607.

ADDITIONAL SPECIES

OF GENERA ALREADY INSERTED.

CLE'MATIS, p. 1.							
polymórpha Viv.	(*wh*) polymorphous	Corsica	1838.	4. 6.	H	♄ ⌣	
lasiántha Bng.	(*wh*) woolly-flowered	.....	——	6. 7.	H	♃ ?	
THALI'CTRUM, p. 2.							
apiculàtum Hort.	(*ye*) apiculated	.....	1838.	....	H	♃	
HELLE'BORUS, p. 9.							
cùpreus Ot.	.. copper-color	.....	1838.	....	H	♃	
pállidus Ot.	.. pale	.....	——	....	H	♃	
gravèolens Ot.	.. strong-scented	.....	——	....	H	♃	
PŒO'NIA, p. 14.							
edùlis.							
var. *Reévesii* Sab.	(*pk*). *Reeves's*	China	1822.	5. 6.	H	♃	
officinàlis.							
var. *Báxteri* Sab.	(*cr*) Baxter's	.....	....	——	H	♃	
CANDO'LLEA, p. 15.							
Brunònis Benth.	(*ye*) Brown's	Swan River	1837.	....	G	♄	
Hugèlii Benth.	(*ye*) Hugel's	——	——	....	G	♄	
BE'RBERIS, p. 19.							
floribúnda Wall.	(*ye*) bundle-flowered	Nepaul	....	....	F	♄	
mìtis Schrad.	(*ye*) mild	N. America	1834.	....	H	♄	
virgàta DC.	(*ye*) twiggy	Peru	1836.	....	G	♄	
PAPA'VER, p. 22.							
aculeàtum Th.	(*re*) prickly	C. B. S.	1839.	6. 7.	F	♂	
amœ'num B.R.	(*pk*) pleasing	N. India	1838.	6. 7.	H	⊙	
MATHI'OLA, p. 25.							
sícula Presl.	(*li*) Sicilian	Sicily	1835.	6. 8.	H	♂	
STREPTA'NTHUS, p. 28.							
hyacinthoìdes	(*bh*) hyacinth-like	Texas	1834.	8.	H	⊙	Bot. mag. t. 3516.
ERY'SIMUM, p. 37.							
crássipes F.M.	(*ye*) thick-stalked	Caucasus	1835.	6. 9.	H	♃	
VI'OLA, p. 53.							
dissécta Led.	(*vi*) dissected	Altaia	1838.	5. 6.	H	♃	Led. ill. t. 232.
occúlta Lehm.	(*pa*) hidden-flowered	Europe	1830.	6. 9.	H	⊙	
palmaénsis Webb.	(*bl*) Palma	Palma	1836.	5. 8.	F	♄	Bot. gard. t. 663.
DIA'NTHUS, p. 61.							
hispánicus Hort.	(*re*) Spanish	Spain	1836.	5. 7.	H	♃	
SILE'NE, p. 63.							
Zawádzkii Bng.	(*wh*) Zawadzki's	Russia?	1839.	....	H	♃	
MA'LVA, p. 73.							
vitifòlia Cerv.	(*wh*) vine-leaved	Mexico	1828.	9.10.	G	♂	
HIBI'SCUS, p. 76.							
Cameròni Fl. Cab.	(*ro*) Cameron's	Madagascar	1837.	6. 7.	S	♄	Flor. cab. 82.
ABU'TILON, p. 86.							
striàtum Dicks.	(*or*) striated	Brazil	1837.	7. 8.	G	♄	
ENTELE'A, p. 85.							
palmàta B.R.	(*wh*) palmate-leaved	.....	....	5. 6.	G	♄	
CAME'LLIA, p. 89.							
japonica.							
spléndens	(*re*) *splendent*	Seedling	....	12.5.	G	♄	Chandl. cam. t. 35.
epsoménsis	(*re*) *Epsom*	——	....	——	G	♄	—— t. 40.
Knightii	(*sc*) *Knight's*	——	....	——	G	♄	Bot. cab. t. 1463.
PA'VIA, p. 101.							
macrocárpa Hort.	(*re.ye*) long-fruited	.....	1826.	5. 6.	H	5	
DODONÆ'A, p. 103.							
ceratocárpa B.R.	(*gr*) horn-fruited	N. Holland	1837.	....	G	♄	
ERO'DIUM, p. 108.							
geifòlium Ten.	(*li*) geum-leaved	Naples	1835.	5. 6.	H	♂	
pulveruléntum DC.	(*li*) powdering	Spain	——	——	H	♂	Cav. diss. t. 125. f. 1.
BALSAMI'NA, p. 121.							
Mastersiàna Paxt.	(*cr*) Masters's	E. Indies	1837.	4.10.	F	⊙	Paxt. mag. 4. p. 75.
O'XALIS, p. 122.							
Darvelliànum K.W.	(*wh.cr*) Darwell's	.....	....	6. 8.	F b	♃	Flor. cab. no. 93.

Cummíngii B.R. (*ye*) Cumming's	Chili	1832.	8.10.	G	b	♃	Bot. reg. t. 1545.
TRI'BULUS, p. 125.							
littoràlis Ait. (*ye*) sea-side	N. Holland	1821.	6. 9.	S		♃	
CORRE'A, p. 128.							
ferrugínea B.M. (*gr.wh*) rusty	N. Holland	1836.	4. 7.	G		♄	Botan. no. 124.
ERIOSTE'MON, p. 129.							
grácile Gr. (*li*) slender	N. Holland	1831.	7. 8.	G		♄	
glaucéscens Ait. .. glaucescent	———	....	....	G		♄	
ZI'ZIPHUS, p. 135.							
longifòlia Wall. (*ye*) long-leaved	India	1837.	....	G		♄	
CEANO'THUS, p. 137.							
collínus Doug. (*li*) hill	N. America	1827.	3. 5.	H		♄	Birm. bot. gard. p. 13.
CRYPTA'NDRA, p. 138.							
arbutifiòra Fenzl. (*wh*) Arbutus-fld.	Swan River	1837.	....	G		♄	
EDWA'RDSIA, p. 146.							
Macnabiàna B.M. (*ye*) Macnab's	.....	1820.	7. 8.	H		♄	Bot. mag. t. 3735.
ANA'GYRUS, p. 147.							
neapolitàna Hort. (*ye*) Neapolitan	Naples	1838.	....	H		♄	
CHORIZE'MA, p. 148.							
vàrium Benth. (*or.cr*) varying	Swan River	1837.	4. 6.	G		♄	Bot. reg. s. 3. t. 49.
OXYLO'BIUM, p. 148.							
capitàtum Benth. (*ye*) headed	Swan River	1837.	....	G		♄	
GOMPHOLO'BIUM, p. 148.							
versícolor Benth. (*or.re*) party-coloured	Swan River	1838.	3. 9.	G		♄	Bot. reg. s. 3. t. 43.
DAVIE'SIA, p. 150.							
virgàta B.M. (*br*) twiggy	N. Holland	1827.	6. 7.	G		♄	Bot. mag. 3195.
BOSSIÆ'A, p. 151.							
eriocárpa Benth. (*ye*) woolly-seeded	N. Holland	1837.	5. 7.	G		♄	
MEDICA'GO, p. 159.							
clypeàta B.R. (*ye*) clypeate	N. India	1837.	5. 8.	H		⊙	
COLOGA'NIA, p. 168.							
pulchélla D.C. (*ro*) pretty	Mexico	1837.	9.10.	G		♄	◡ Botan. t. 110.
CE'REUS, p. 185.							
spléndidus Paxt. (*sc*) splendid	Mexico	1831.	9.10.	D	S	♄	Paxt. mag. p. 49.
setòsus B.C. (*pk*) bristly	Brazil	1829.	8. 9.	D	S	♄	Bot. cab. t. 1887.
LUPI'NUS, p. 191.							
Hartwègii B.R. (*bl*) Hartweg's	Mexico	1838.	8. 9.	G		♄	Bot. reg. s. 3. t. 31.
I'NGA, p. 195.							
Harrisii B.R. (*re*) Harris's	———	1837?	2. 4.	G		♄	◡ Bot. reg. s. 3. t. 41.
ACA'CIA, p. 196.							
astríngens Ait. (*ye*) astringent	N. S. W.	1823.	....	G		♄	
cultràta Ait. (*ye*) cultrate	N. Holland	1820.	....	G		♄	
cuneàta Benth. (*ye*) cuneated	Swan River	1837.	....	G		♄	
delibràta Ait. (*ye*) ragged	N. Holland	1820.	....	G		♄	
depéndens Ait. (*ye*) dependent	V. D. L.	1819.	....	G		♄	
humifùsa Ait. (*ye*) trailing	N. Holland	1820.	....	G		♄	
Lawsòni Ait. (*ye*) Lawson's	N. S. W.	——	....	G		♄	
leptocárpa Ait. (*ye*) slender-fruited	N. Holland	1821.	....	G		♄	
ligulàta Ait. (*ye*) ligulate	N. S. W.	1818.	....	G		♄	
neurocárpa Ait. (*ye*) nerve-fruited	N. Holland	1820.	....	G		♄	
persoonioìdes Ait. (*ye*) Persoonia-like	———	——	....	G		♄	
sericàta Ait. (*ye*) silky	———	——	....	G		♄	
Símsii Ait. (*ye*) Sims's	———	1819.	....	G		♄	
spectábilis Cun. (*ye*) showing	N. S. W.	1837.	....	G		♄	
stenophy'lla Ait. (*ye*) narrow-leaved	———	1818.	....	G		♄	
umbellàta Ait. (*ye*) umbellate	N. Holland	1819.	....	G		♄	
viminàlis Ait. (*ye*) twiggy	———	1820.	....	G		♄	
vomerifórmis Ait. (*ye*) vomeriform	———	1818.	....	G		♄	
xylocárpa Ait. (*ye*) woody-fruited	———	1820.	....	G		♄	
cyanophy'lla Benth. (*ye*) blue-leaved	Swan River	1838.	....	G		♄	
POTENTI'LLA, p. 226.							
mollíssima Lehm. (*ye*) softest	Europe	1832.	6.10.	H		♃	Bot. gard. 542.
arachnoídea D. (*ye*) cobwebbed	N. America	1826.	——	H		♃	
Richardsònii D. (*ye*) Richardson's	———	——	——	H		♃	
ontópoda D. (*ye*) long-stalked	———	——	——	H		♃	
effùsa D. (*ye*) effuse	———	——	——	H		♃	

SPIRÆ'A, p. 230.						
laxiflòra B.R. (*wh*) loose-flowered	N. India	1838?	....	H	♄	
DEU'TZIA, p. 246.						
corymbòsa Wall.(*wh*)corymbose	Himalaya	1837.	3. 4.	H	♄	
PASSIFLO'RA, p. 257.						
ulmifòlia Ait. Elm-leaved	W. Indies	1819.	....	S	♄ ◡	
SEMPERVI'VUM, p. 270.						
micránthes Webb.(*gr.re*)small-fld.	Canaries	....	....	G	♃	
bifúrcum Webb.(*ye*)forked	Madeira	....	....	G	♄	
ECHINOCA'CTUS, p. 282.						
mammillarioìdes B.M.(*ye.re*)Mammillaria-like	Chili	1836.	....	D S	♄	Bot. mag. t. 3358.
Mackieànus B.M.(*ye.wh*)Mackie's	———	——	....	D S	♄	——— t. 3561.
oxygòna B.R.(*pa.ro*) sharp-angled	Brazil	1831.	....	D S	♄	Bot. reg. t. 1717.
pulchélla Mart.(*wh.bh*)neat	Mexico	——	....	D S	♄	
CE'REUS, p. 283.						
Russelliànus Gardn.(*pk*)Russell's	Brazil	1839.	5. 6.	S	♄	Bot. mag. t. 3717.
Epiphy'llum Russelliànum B.M.						
XANTHO'SIA, p. 295.						
rotundifòlia DC.(*wh.re*) round-leaved	N. S. W.	1834.	5. 8.	G	♃	Bot. mag. t. 3582.
LI'ATRIS, p. 337.						
graminifòlia DC. (*pu*) grass-leaved	N. America	....	8.10.	H	♃	
bellidifòlia DC. (*pu*) Daisy-leaved	———	....	——	H	♃	
boreàlis Paxt. (*pk*) northern	———	....	——	H	♃	Paxt. mag. 5. p. 27.
DA'HLIA, p. 353.						
excélsa Hort. (*re*) tall	Mexico	1836.	10.12.	G	♄	
β *anemonæflòra* (*li*) *Anemone-fld.*	———	1830.	——	G	♄	Botan. t. 88.
RUDBE'CKIA, p. 357.						
Drummóndi Paxt.(*or.bl*)Drummond's	N.America	1836.	7. 8.	H	♃	Paxt. mag. 6. p. 51.
aspérrima Maund.(*re.wh*)roughest	———	1833.	10.11.	H	♃	Bot. gard. 674.
HELE'NUM, p. 363.						
undulàtum Maund.(*ye*)undulated	California	1830.	8. 9.	H	♃	Bot. gard. t. 600.
SPHENO'GYNE, p. 364.						
speciòsa Maund.(*ye*)showy	S. America	1836.	7. 9.	H	⊙	Bot. gard 625.
PTA'RMICA, p. 366.						
acuminàta DC. (*wh*) acuminated	Europe	1838.	9.10.	H	♃	
CENTAU'REA, p. 393.						
púlchra DC. (*bl*) fair	N. India	1838.	6. 8.	H	⊙	
CI'RSIUM, p 399.						
mexicànum DC. (*wh*) Mexican	Mexico	1837.	8.	H	♃	
rhizocéphalum Mey.(*ye*)root-headed	Caucasus	1836.	——	H	♃	
ROE'LLA, p. 419.						
élegans Paxt. (*pu*) elegant	C. B. S.	1836.	5. 6.	G	♄	Paxt. mag. 6. p. 27.
HIPPO'BROMA, p. 425.						
breviflòra G.D. (*wh*) short-flowered	S. America	....	7. 9.	S	♃	
RHODODE'NDRON, p. 440.						
caucásicum.						
« *Nobleànum* Hort.(*dk.re*)*Noble's*	Hybrid	1832.	3. 4.	H	♄	Bot. reg. t. 1820.
lepidòtum D.S. (*ro*) scaly	Nepaul	1829.	....	F	♄	Royle. ill. t. 64.
LEUCOPO'GON, p. 447.						
verticillàtus B.P.(*wh*)whorled	N. Holland	1837.	....	G	♄	
NE'RIUM, p. 458.						
thyrsiflòrum Paxt.(*ro*)thyrse-flowered	Nepaul	1830.	7. 8.	G	♄	Paxt. mag. p. 73.
CEROPE'GIA, p. 463.						
vincæflòra B.M.(*pu*)Vinca-flowered	E. Indies	1837.	6. 8.	S	♃ ◡	Bot. mag. t. 3740.
CHLO'RA, p. 471.						
serótina Koch. (*ye*) late-flowered	Europe	1832.	10.11.	H	⊙	
BIGNO'NIA, p. 474.						
adenophy'lla Wall... gland-leaved	E. Indies	1832.	....	S	♄	
serrulàta Wall. .. serrulated	———	——	....	S	♄	
PHLO'X, p. 478.						
floridàna N. (*ro*) Florida	N. America	1834.	4. 5.	F	♄	
Nuttalliàna Hort.						
CYNOGLO'SSUM, p. 487.						
cælestìnum B.R. (*bl*) blue-flowered	N. India	1837?	8. 9.	H	♃	Bot. reg. s. 3. t. 36.
PHACE'LIA, p. 497.						
vitifòlia Paxt. (*bl*) vine-leaved	Texas	1834.	8.10.	H	⊙	Paxt. mag. p. 121.
WITHERI'NGIA, p. 503.						
purpùrea B.C. (*pu*) purple-flowered	Chili	1829.	6. 9.	G	♃	Bot. cab. t. 1892.

VERO'NICA, p. 517.						
speciòsa Cun. (*bl*) showy	V. D. Land	1835.	6. 8.	G	♄	
formòsa B.P. (*wh*) beautiful	———	....	——	H	♄	
diosmæfòlia Cun. (*li*) Diosma-leaved	———	1835.	——	H	♄	Flor. cab. no. 106.
GESNE'RIA, p. 526. elongàta, p. 527.						
β fruticòsa B.M. (*sc*) *shrubby*	S. America	1837?	7. 9.	S	♄	Bot. mag. t. 3725.
oblongàta Paxt. mag. 4. p. 103.						
strícta B.M. (*sc*) straight	Brazil	1834.	7. 8.	S	♃	Bot. mag. t. 3738.
A'CYNOS, p. 538.						
córsicus G.D. (*pu*) Corsican	Corsica	1836.	6.10.	H	♃	
Thy'mus Córsicus P.S. *Melíssa microphy'lla* Benth.						
SCUTELLA'RIA, p. 539.						
Tournefórtii Benth. (*pu*) Tournefort's	Persia	1837.	6.10.	H	♃	
WESTRI'NGIA, p. 540.						
triphy'lla Ait. (*re.wh*) three-leaved	N. Holland	1823.	3. 5.	G	♄	
PHYSOSTE'GIA, p. 542.						
truncàta Benth. (*pk*) truncate	N. America	1834.	8. 9.	H	♃	Bot. mag. t. 3494.
STA'CHYS, p. 543.						
inflàta Benth. (*pk*) inflated	N. Africa	1832.	7. 8.	H	♃	Bot. reg. t. 1697.
menthæfòlia Vis. (*ye*) Mint-leaved	Dalmatia	1838.	6. 8.	H	♃	
grandiflòra Host.						
SELA'GO, p. 549.						
angustifòlia Ait. (*wh*) narrow-leaved	C. B. S.	1819.	7.11.	G	♄	Burm. afr. t. 47. f. 3.
PRE'MNA, p. 551.						
aspérrima Wall. roughest	E. Indies	1832.	....	S	♄	
VERBE'NA, p. 553.						
radìcans Hook. (*li*) rooting	Chili	1832.	6.10.	F	♃	Bot. gard. 422.
littoràlis K.S. (*re*) sea-shore	S. America	1832.	5.10.	H	♂	
RUE'LLIA, p. 555.						
oblongifòlia B.C. (*ro*) oblong-leaved	Brazil	1830.	9.10.	S	♄	Bot. cab. t. 1889.
STA'TICE, p. 564.						
coriària M.B. (*li*) hide	Caucasus	....	6. 8.	H	♃	
? aúrea S.S. (*go*) golden	Siberia	1832.	——	H	♃	
bícolor Bng. (*pu.wh*) two-coloured	.....	1837.	5. 7.	H	♃	
OXY'BAPHUS, p. 567.						
chilénsis Bert. (*li*) Chili	Chili	1832.	8.10.	H	♃	
ALTERANTHE'RA, p. 570.						
nodiflòra B.P. (*wh*) knot-flowered	N. Holland	1826.	5 8.	G	♃	
BEGO'NIA, p. 576.						
parviflòra B.M. (*wh*) small-flowered	Brazil	1837.	6. 8.	S	♄	Bot. mag. t. 3720.
sinuàta Gr. (*wh*) sinuated	S. America	1836.	5. 6.	S	♄	——— t. 3731.
PERSOO'NIA, p. 587.						
myrtilloìdes Sieb. (*wh*) Myrtillus-like	N. S. W.	1837.	....	G	♄	
GREVI'LLEA, p. 588.						
canéscens R. Br. (*br*) canescent	N. S. W.	1824.	....	G	♄	Bot. mag. t. 3185.
Thelemanniàna B.R. Thelemann's	N. Holland	1838.	....	G	♄	
HA'KEA, p. 589.						
myricæfòlia Ait. .. Myrica-leaved	N. Holland	1823.	....	G	♄	
arboréscens Ait. .. arborescent	———	1820.	....	G	♄	
cristàta R. Br. .. crested	Swan River	1837.	....	G	♄	
denticulàta R. Br... denticulated	N. Holland	——	....	G	♄	
BA'NKSIA, p. 590.						
Hugèlii R. Br. (*ye*) Hugel's	Swan River	1837.	....	G	♄	
Menzièsii R. Br. (*ye*) Menzies's	———	——	....	G	♄	
DA'PHNE, p. 591.						
viridiflòra Ait. (*gr*) green-flowered	Nepaul	1829.	....	H	♄	
ARISTOLO'CHIA, p. 595.						
chilénsis B.R. (*pu.gr*) Chili	Chili	1834?	9.	G	♄ ◡	Bot. reg. t. 1680.
trífida S.S. (*var*) trifid	Caracas	....	7.10.	S	♄ ◡	Botan. t. 3.
EUPHO'RBIA, p. 597.						
cruentàta Gr. (*gr*) blood-spotted	N. America	1831.	8. 9.	H	♃	Edinb. journ. 26.
PHYLA'NTHUS, p. 603.						
calycìnus Lab. (*gr.ye*) large-calyxed	N. Holland	1823.	4. 6.	G	♄	
SECURINE'GA, p. 604.						
Commersònii Ait. Commerson's	.....	1813.	....	S	♄	
CUPRE'SSUS, p. 623.						
tetragòna Schlecht (*ye*) tetragonal	Mexico	1839.	....	H	♄	
fláccida Schlecht (*ye*) flaccid	———	——	....	H	♄	
mexicàna Schlecht (*ye*) Mexican	———	——	....	H	♄	
Coultèri Forb. (*ye*) Coulter's	———	1838.	4. 5.	H	♄	

PI'NUS, p. 624
Hartwégii B.R. (*ye*) Hartweg's Mexico 1839. .... H 5
Devoniàna B.R. (*ye*) Devon's ——— —— .... H 5
Russelliàna B.R. (*ye*) Russell's ——— —— .... H 5
macrophy'lla B.R. (*ye*) long-leaved ——— —— .... H 5
pseudostròbus B.R. (*ye*) false-strobus ——— —— .... H 5
acapulcénsis B.R. (*ye*) Acapulco ——— —— .... H 5
CIRRHOPE'TALUM, p. 637.
nùtans B.R. (*st*) nodding Manilla 1838. .... S ♃
fimbriàtum B.R. (*gr.pu*) fringed Bombay —— .... S ♃
DENDRO'BIUM, p. 638.
bicameràtum B.R. (*ye.pu*) two-chambered N. India 1837. .... S ♃
Griffithiànum B.R. (*ye*) Griffith's E. Indies .... S ♃
PHA'JUS, p. 641.
bícolor B.R. (*re.ye*) two-coloured Ceylon .... S ♃ Sert. orch. t. 25.
BLE'TIA, p. 641.
Parkinsònii B.M. (*re.ye.pu*) Parkinson's Mexico 1838. 1. 2. S ♃ Bot. mag. t. 3736.
MAXILLA'RIA, p. 642.
lentiginòsa B.R. (*dk.pu*) lentiginose Brazil .... S ♃
BURLINGTO'NIA, p. 643.
maculàta B.R. (*ye.pu*) spotted Brazil 1838. 5. 6. S ♃ Bot. reg. s. 3. t. 44.
GONGO'RA, p. 644.
nigrìta B.R. (*bk.pu*) blackish Demerara 1838. .... S ♃
fúlva B.R. (*ye.br*) fulvous ——— 1835. 6. 7. S ♃ Bot. reg. s. 3. t. 51.
VA'NDA, p. 647.
congésta B.R. (*ye*) crowded Ceylon .... S ♃
ODONTOGLO'SSUM, p. 647.
Róssii B.R. (*wh.gr.pu*) Ross's Mexico 1838. .... S ♃ Bot. reg. s. 3. t. 48.
ANGRÆ'CUM, p. 648.
armeniacum B.R. (*ap*) Apricot-colored Sierra Leone 1838. .... S ♃
MALACHADE'NIA B.R. MALACHADE'NIA. (*μαλασσω*, to soften, and *αδην*, a gland.) Gyn. Mon.
clavàta B.R. (*gr.pu*) clavate Brazil 1836. .... S ♃
GOODYE'RA, p. 653.
rubicúnda B.R. (*wh.re*) reddish Manilla 1838. ?7. 12. S ♃
CA'REX, p. 720.
punctàta Gaud. (*br*) dotted England .... 6. 7. H ♃
Ecklòni Mey. (*br*) Ecklon's C. B. S. 1838. 5. 7. H ♃
ZI'CHYA, p. 187.
trícolor B.R. (*sc.or*) three-coloured Swan River 1838. 6. 8. G ♄ Bot. reg. s. 3. t. 52.
EURY'BIA, p. 344.
glutinòsa B.R. (*pa.vi*) clammy V. D. L. 1837. .... G ♄
IPOMÆ'A, p. 483.
longifòlia Benth. (*wh*) long-leaved Mexico 1838. .... G ♃
SOLA'NUM, p. 497.
cándidum B.R. (*wh*) whitened Mexico 1838. .... G ♄
GESNE'RA, p. 526.
Márchii B.M. (*sc*) March's Brazil .... 10. 11. S ♃ Bot. mag. t. 3744.
NE'PETA, p. 540.
salviæfòlia Benth. .. Sage-leaved Himalaya 1837. .... H ♃
STENOCHI'LUS, p. 554.
longifòlius Cun. (*gr.re*) long-leaved N. Holland 1838. .... G ♄
incànus B.R. (*gr*) hoary ——— —— .... G ♄
SCHŒ'PFIA DC. SCHŒ'PFIA. (John Schœpf, a German bot.) Pentandria Monogynia.
fràgrans DC. (*ye*) fragrant Nepaul 1827. .... G ♄ Wall. tent. 1. t. 9.
N.B. *Schœ'pfia* should have followed *Aúcuba* in *Loránthea*, p. 315.

TYPHA'CEÆ. *Duby bot. gall. p.* 482.

This Order should have been brought in after PANDA'NEÆ, p. 629.

TY'PHA L. CAT'S-TAIL. (*τυφος*, a marsh; habitat.) Monœcia Triandria.
1 latifòlia E.B. (*br*) great Britain .... 7. H *w* ♃ Eng. bot. v. 21. t. 1455.
2 mèdia DC. (*br*) dwarf England .... —— H *w* ♃ ——— v. 21. t. 1456.
3 mìnor E.B. (*br*) smaller ——— .... —— H *w* ♃ ——— v. 21. t. 1457.
4 angustifòlia E.B. (*br*) lesser Britain .... —— H *w* ♃ ——— v. 21. t. 1456.
5 mínima W. (*br*) least Europe 1819. —— H *w* ♃
6 dænática E. (*br*) Egyptian Egypt 1825. —— H *w* ♃

SPARGA'NIUM L.		Bur-Reed.	(σπαργανον, a ribband; long narrow leaves.)					Monoec. Triand.
1	ramòsum E.B.	(wh) branched	Britain	....	7. 8.	H w ♃	Eng. bot. v. 11. t. 744.
2	simplex E.B.	(wh) unbranched	———	....	——	H w ♃	——— v. 11. t. 745.
3	americànum N.	(wh) American	N. America	1823.	——	H w ♃	
4	nàtans E.B.	(wh) floating	England	....	7.	H w ♃	Eng. bot. v. 4. t. 273.

CORRECTIONS AND OBSERVATIONS

By some mistake, *Brexia* has been inserted both in p. 59, and p. 583; but p. 59 is its proper locality in the natural arrangement.

Merténsia, in Order *Borragineæ*, p. 489, is of longer standing than *Merténsia* in *Ulmaceæ*, p. 610. Should the former prove a perfectly distinct genus, the name of the latter must be changed.

Wendlandia occurs in p. 18, under Order *Menispermaceæ*, and in p. 320, under Order *Rubiaceæ*; the first is probably nothing but a species of *Cocculus*, therefore the latter genus will stand.

Ortegia is inserted both in p. 67, under *Caryophylleæ*, and in p. 263, under *Paronychieæ*; the last is perhaps its proper situation in the system.

Willemetia, in p. 137, under *Rhamneæ*, is probably not distinct from *Ceonothus*; and, therefore, *Willemetia*, p. 411, in *Compositæ*, will stand.

Phyllolobium has been inserted both in p. 191 and 206; the former is probably its proper situation.

Holmskioldia occurs in p. 546, under *Labiatæ*, and in p. 551, in *Verbenaceæ*; it is doubtful which of the two genera will ultimately stand; the latter, however, may be altered to *Hastingia* for the present.

Wallrothia, in p. 302, under *Umbelliferæ*, will stand, while the same name, in p. 551, under *Verbenaceæ*, must be changed.

Hamiltonia occurs both in p. 322, under *Rubiaceæ*, and in p. 594, under *Elæagneæ*; the first being the oldest must stand, and the latter consequently must be changed to *Pyralaria*.

Simsia, in p. 358, under *Compositæ*, is perhaps the genus that will ultimately stand under this name; therefore *Simsia*, in p. 587, under *Proteaceæ*, must be changed.

Diotis occurs both in p. 368, under *Compositæ*, and in p. 576, under *Chenopodeæ*; the former will stand, while the latter must be altered to *Ceratospermum papposum*.

Peyrousia, in p. 371, has been adopted by D. C. Candolle; therefore the same name, which occurs in p. 664, under *Irideæ*, should be altered to *Lapeyrousia*, as it formerly stood.

Belladonna, in p. 503, under *Solaneæ*, should it prove a distinct genus will stand, being the oldest; therefore *Belladonna*, in p. 671, under *Amaryllideæ*, should be altered. The Hon. Mr. Herbert has adopted *Amaryllis* for the latter genus, and *Hippeastrum* for that which stands in this work as *Amaryllis*.

INDEX GENERUM.

Page.
Abies 625
ABIETINÆ . . 623
Abildgaardia . . 723
Abroma . . . 82
Abronia . . . 568
Abrus 187
Abuta 18
Abutilon . 80, 765
Acacia . . 196, 766
Acacia . . 194-5-6
Acæna 229
Acalypha . . . 600
ACANTHACEÆ 554
ACANTHEÆ . . 556
Acanthus . . . 556
Acanthus . . . 556
Acanthophippium 644
Acanthospermum 355
Acarna . . 392, 393
Acer 100
Acer 100
Aceras . . . 649
Acerates . . . 468
Aceratium . . 88
ACERINEÆ . 100
Achania . . . 76
Achillea . . . 367
Achillea 366, 369, 372
Achimenes . . 526
Achlys . . . 19
Achnodonton . . 727
Achras . . . 451
Achyranthes . . 570
Achyranthes . 570-1
Achyrocline . . 379
Achyronia . . 152
Achyropappus . 363
Achyrophorus . 407
Acianthus . . 637
Acicarpha . . . 333
Acidoton . . . 600
Acilepsis . . . 334
Aciotis . . . 243
Acis 683
Acisanthera . . 241
Acmadenia . . 127
Acmella . . . 361
Acmella . . . 356
Acmena . . . 252
Acnida 575
Acocanthera . . 508
Aconitum . . . 11
Acontias . . . 632
ACOROIDEÆ . 634
Acorus . . . 634
Acrocephalus . . 529
Acrocomia . . 716
Acroglochin . . 573
Acropera . . . 645
Acroptilon . . . 402

Page.
Acrophyllum . . 294
Acrostichum . . 753
Acrostichum 754, 759
Acrotriche . . . 447
Actæa 13
Actæa 13
Actinella . . . 363
Actinocarpus . . 627
Actinomeris . . 358
Actinophyllum . 312
Actinotus . . . 296
Acynos . . 538, 768
Adamia . . . 293
Adamsia . . . 694
Adansonia . . 81
Adelia 604
Adelia . . . 604
Adenandra . . . 127
Adenandra . . 127
Adenanthera . . 196
Adenanthera . 196
Adenanthos . . 587
Adenarium . . 70
Adenocarpus . . 157
Adenocarpus . 157
Adenophora . . 423
Adenostyles . . 339
Adenotricha . . 386
Adenostemma . 336
ADENOSTYLEÆ . 337
Adesmia . . . 178
Adhatoda . . . 557
Adiantum . . 761
Adina 317
Adlumia . . . 24
Adonis 5
Adoxa 311
Adyseton . . . 30
Adyseton . . . 30
Æchmea . . . 705
Ægiceras . . . 450
ÆGICEREÆ . . 450
Ægilops . . . 747
Æginetia . . . 329
Ægiphila . . . 550
Ægle 92
Ægochloa . . . 480
Ægomarathrum . 310
Ægopodium . . 298
Ægopogon . . 734
Æollanthus . . 530
Æranthes . . 648
Ærides 648
Ærua 570
Æschynomene . 178
Æschynomene 171, 178
Æsculus . . . 100
Æsculus . . . 101
Æschynanthus . 528
Ætheilema . . 558

Page.
Ætheria . . . 653
Ætheorhiza . . 412
Æthionema . . 39
Æthonia . . . 406
Æthusa . . . 301
Æthusa . . . 298
Afzelia 205
Afzelia . 104, 517
Aganisia . . . 643
Aganosma . . 458
Agapanthus . . 685
Agapanthus . . 699
Agapetes . . . 445
Agarista . . . 439
Agastachys . . 587
Agasyllis . . . 306
Agasyllis . . . 304
Agathaea . . . 340
Agathelpis . . . 549
Agathis . . . 623
Agathophytum . 575
Agathosma . . 128
Agathyrsis . . 418
Agati 171
Agave 704
Agave 705
Agenora. . . . 407
Ageratum . . 336
Ageratum . 336, 337
Aglaia 91
Aglaonema . . 632
Agnistus . . . 503
Agrimonia . . . 228
Agrimonia . . 229
Agropyrum . . 745
Agrostemma . 67
Agrostemma . 66, 67
Agrostis . . . 733
Agrostis 727, 732-3-4-6
AGROSTIDEÆ . 732
Agyneja . . . 603
Aikinia . . . 419
Ailanthus . . . 130
Aira 737
Aira 729, 735-6-7, 740
741
Airopsis . . . 737
Airopsis . 737, 740
Aitonia . . . 128
Aizoon 280
Aizoon . . . 280
Ajax 680
Ajuga 548
Ajuga 544
AJUGOIDEÆ . . 547
ALANGIEÆ . 245
Alangium . . 245
Albuca . . . 694
Alchimilla . . 229
Alcina . . . 355

Page.
Aldea 497
Aldrovanda . . 56
Aletris 685
Aletris . . . 685
Aleurites . . . 602
Alfredia . . . 402
ALHAGEÆ . . 182
Alhag 182
Alisma 627
Alisma . . 627, 628
ALISMACEÆ 627
Allamanda . . . 462
ALLAMANDIEÆ . 462
Allantodia . . . 757
Alliaria . . . 36
Allionia . . . 568
Allionia . . . 567
Allium . . . 699
Alloplectus . . 528
Allosorus . . 760
Alnus 615
Alnus . . . 615
Alocasia . . . 631
Aloe 686
Aloe . 685-6-7-8-9
Alomia . . . 336
ALOMIEÆ . . . 336
Alonsoa . . . 511
Alopecurus . . 727
Alopecurus . . 727
Aloysia 553
Alpinia . . . 656
Alpinia . 656, 657
Alsine . . . 68, 69
ALSINEÆ . . . 67
Alsodeia . . . 56
ALSODINEÆ . . 56
Alsophila . . . 762
Alsophila . . . 756
Alstonia . . . 459
ALSTONIEÆ . . 459
Alstroemeria . . 684
Alstroemeria . . 684
Alternanthera 570, 768
Althæa 74
Alysicarpus . . 182
ALYSSINEÆ . . 29
Alyssum . . . 30
Alyssum 29, 30-1, 38
Alyxia 461
ALYXIEÆ . . . 461
Amaracus . . 536
AMARANTHACEÆ
568
Amaranthus . . 568
Amaranthus . . 569
AMARYLLIDEÆ
670
Amaryllis . . 671
Amaryllis 670-1, 675-6
677-8, 70[illegible]

Page.
Amasonia . . . 552
Amberboa . . 393
Amblirion . . 709
AMBROSIEÆ . . 355
Ambrosia . . . 355
AMBROSINEÆ . 630
Ambrosinia . . 630
Ambrosinia . . 630
Amelanchier . . 211
AMELLEÆ . . 340
Amellus . . . 340
Amellus 341-6, 348
Amerimnum . . 193
Amerimnum 171, 193
Amethystea . . 547
Amberstia . . 202
Amianthium . . 712
Ammania . . . 240
Ammi 298
Ammi 298
AMMINEÆ . . . 297
Ammobium . . 376
Ammocharis . . 676
Ammodendron . 172
Ammogeton . . 407
Ammophila . . 734
Ammyrsine . . 444
Amomum . . . 656
Amomum . . 656-7
Amoora . . . 104
AMPELIDEÆ. 105
Ampelodesmos . 734
Ampelopsis . . 105
Ampelosicyos . . 256
Ampelygonum . 579
Ampherepis . . 334
Amphicarpæa . 187
Amphicarpum. . 729
Amphicome . . 528
Amphilophium . 476
Amphipogon . 735
Amphodus . . . 188
Amsinckia . . 492
Amsonia . . . 458
AMYGDALINÆ 207
Amygdalus . . 207
Amygdalus . . 209
AMYRIDEÆ . 144
Amyris . . . 144
Amyris 144
Anabasis . . . 572
Anacampseros . 261
Anacampseros 268-9
Anacamptis . . 649
Anacardium . . 141
Anacyclus . . . 366
Anacyclus. . 365-6
Anadenia . . . 588
Anagallis . . . 563
Anagallis . . . 563
Anagyris . 147, 766
Ananassa . . . 705
Anandria . . . 404
Anantherix . . 468
ANAPOREÆ . . 632
Anarrhinum . . 514
Anastatica . . 34
Anastatica . . 34

Page.
ANASTATICEÆ. . 34
Anatherum . . 750
Anaxeton . . . 380
Anchietia . . 53
ANCHONIEÆ . . 40
Anchusa . . . 492
Anchusa 487-8-90-91
492
ANCHUSEÆ . . 492
Ancistrocarpus . 572
Ancistrum . . . 229
Andersonia . . 446
Andira 201
Andrachne . . 604
Andreoskia . . 35
Androcera . . 501
Androcymbium . 711
ANDROGRAPHIDEÆ
559
Andrographis . . 559
ANDROGYNANTHEÆ
630
Andromachia . 335
Andromeda . . 438
Andromeda . 438-9
ANDROMEDEÆ . 438
Andropogon . . 749
Andropogon 749, 750
ANDROPOGONEÆ 748
Androsace . . . 562
Androsace . . 562
Androsæmum . . 92
Androscepia . . 749
Andryala . . . 417
Andryala . . 417-8
Aneilema . . . 714
Aneimia . . . 752
Anemone . . . 4
Anemone . . 3, 4
ANEMONEÆ . . 2
Anesorhiza . . 300
Anethum . . . 305
Anethum . . . 301
Angelica . . . 303
Angelica . . 303-4
ANGELICEÆ. . 303
Angelonia . . . 522
ANGIANTHEÆ . 376
Angianthus . . 376
Angophora . . 248
Angræcum . 648, 769
Angræcum . . 648
Anguillaria . . 711
Anguloa . . . 644
Anguria . . . 256
Anigozanthus . 669
Anisanthus . . 664
Aniseia . . . 485
Anisochilus . . 530
Anisodus . . . 503
Anisomeles . . 543
Anisomeles. . . 544
Anisopetalum . 638
Anisum . . . 299
Anneslea . . . 20
Annesleia . . . 195
Annona . . 17, 18
Anoda . . . 78

Page.
Anoda . . . 78
Anodontea . . 30
Anœctochilus . 653
Anomatheca . . 664
Anona . . . 17
ANONACEÆ . 17
Anopteris . . 289
Anotis 320
Anredera . . . 572
Antennaria . . 380
ANTENNARIEÆ. 380
ANTHEMIDEÆ . 365
Anthemis . . 365
Anthemis 356, 361, 365
366
Anthephora . . 731
Anthericum 693-4-5-6
Anthistiria . . 749
Anthistiria . . 749
ANTHOCERCEÆ . 507
Anthocercis . . 507
Anthocleista . . 457
Anthodon . . 97
Antholoma . . . 96
Antholyza . . 664
Antholyza . . . 664
ANTHOSPERMEÆ 325
Anthospermum . 325
Anthoxanthum . 728
Anthriscus . . . 309
Anthriscus . . 309
Anthurium . . 633
Anthyllis . . . 158
Anthyllis 154, 165, 176
182
Antidesma . . . 605
ANTIDESMEÆ 605
Antinochloa . . 736
Antiphylla . . 291
ANTIRRHINEÆ . 512
Antirrhinum . . 512
Antirhinum 512-3-4
515
Antrophyum . 759
Anvillea . . . 352
Anychia . . . 263
Aotus 149
Apalochlamys . 376
Apalotoa . . . 206
Apargia . . . 407
Apargia . 407-8-9
Apeiba 87
Aphanes . . . 229
Aphanochilus . 531
Aphelandra . . 556
Aphelexis . . . 378
Aphyllanthes . 702
Apicra 689
Apios 188
Apios 188
Apium . . . 297
Aplectrum . . 653
Aplopappus . . 348
Aplophyllum . . 126
Aplotaxis . . . 392
Apluda 750
Apluda . . . 749
APOCINEÆ. . 457

Page.
Apocynum . . 458
Apocynum . . 469
Aponogeton . . 629
Aporum . . . 638
Aposeris . . . 406
Aptosimum . . 523
Aquartia . . . 499
Aquilaria . . . 141
AQUILARINEÆ 141
Aquilegia . . . 9
ARABIDEÆ . . 25
Arabis 27
Arabis . . . 29
Arachis . . . 200
Arachis . . . 178
Aralia 312
Aralia . . . 312
ARALIACEÆ . 311
Arancaria . . 623
Araucaria . . . 623
Araujia . . . 468
Arbutus . . . 439
Arbutus . 439, 440
Archangelica . 303
Archemona . . 305
Arctium . . . 392
Arctium . . . 401
Arctogeron . . 343
Arctopus . . . 310
Arctostaphylos . 439
ARCTOTEÆ . . 389
Arctotheca . . 389
ARCTOTIDEÆ. 389
Arctotis . . . 389
Arctotis 364, 371, 389
Ardisia . . . 449
ARDISIEÆ . . 449
Anduinia . . . 462
Areca 715
Areca 715
Aremonia . . . 229
Arenaria . . . 69
Arenaria . . 69, 70
Arethusa . . . 652
Arethusa . . . 652
ARETHUSEÆ . 652
Argania . . . 451
Argemone . . 22
Argemone . . 22
Argolasia . . 669
Arguzia . . . 495
Argyreia . . . 481
ARGYREIÆ . . 481
Argyrocheta . 355
ARISAREÆ . . 630
Arisarum . . 630
Ariscema . . . 630
Aristea . . . 663
Aristida . . . 732
Aristida . . . 732
Aristolochia 595, 768
Aristotelia . . 141
Armeniaca . . . 208
Armeria . . . 564
Armoracia . . . 32
Arnica . . . 382
Arnica 340, 382, 384
403

Page.
Arnoseris . . 405
AROIDEÆ . . 630
Aronia . . . 211
Aronia 211
Arpitium . . . 303
Arpophyllum . . 640
Arracacia . . 310
Arrhenatherium . 738
Artabotrys . . 18
Artedia . . . 307
Artemesia . . 372
ARTEMESIEÆ . . 372
Artenema . . . 516
Arthropodium . 694
Arthrostemma . 243
Arthrostemma . 242
ARTOCARPEÆ 606
Artocarpus . . 607
Arum 630
Arum . 630-1-3-3
ARUNDINACEÆ . 734
Arundinaria . . 730
Arundinaria . . 744
Arundo 734
Arundo 728-732,334-5
748-39
Arungana . . 92
Asagræa . . . 712
ASARINÆ . . 595
Asarum . . . 595
Ascaricida . . 334
Asclepias . . 467
Asclepias . 466, 468-9
ASCLEPIADEÆ 468
ASCLEPIEÆ . . 467
Ascyrum . . . 94
Asimina . . . 17
Aspalathus . . 154
Asparagus . . 703
Aspasia . . . 643
Asperugo . . . 488
Asperugo . . . 493
Asperula . . . 326
Asperula . . . 325
ASPHODELEÆ 693
Asphodelus . . 693
Asphodelus . . 693
Aspicarpa . . . 99
Aspidistra . . 634
Aspidium . . . 756
Aspidium . . 756-7
Asplenium . . . 757
Asplenium 758-9, 760
Asprella . . . 747
Assonia . . . 85
Astartea . . . 246
Astelma . . . 378
Astelma . . . 377
Astephanus . . 469
Aster 340
Aster . 340, 43-4-5
347, 362, 381, 403
ASTEREÆ. . . 340
Asteracantha . . 556
Asterias . . . 470
ASTERINEÆ . . 340
Asteriscus . . 352
ASTEROIDEÆ . . 340

Page.
Asterolinon . . 563
Astilbe 293
ASTRAGALEÆ . 173
Astragalus . . 174
Astragalus 146,173-4
180
Astranthus . . 141
Astrantia . . . 296
Astrantia. . . 296
Astrapæa . . . 85
Astrapæa . . 85
Astrocaryum . . 716
Astrolobium . 177
Astroloma . . . 448
Astronium . . . 142
Astrotricha . . 295
Astydamia . . . 305
Atalanthus . . 414
Atalantia . . . 91
Athamanta . . 302
Athamanta 301-4-310
Athanasia. . . 372
Athanasia . . . 372
Atheropogon . . 736
Atheropogon . . 736
Athrixia . . . 381
Atractylis . . . 393
Atractylis . 403-4
Atragene . . . 2
Atragene. . . 4
Atraphaxis . . . 579
Atrema . . . 311
Atriplex . . . 574
Atropa . . . 503
Atropa . . . 502-3
Attalea 716
Aubletia . . . 87
Aubrietia . . . 29
Aucuba 315
Audiberta . . . 532
Audibertia . . 535
Audouinia . . . 140
Aulax 583
Aulaxis . . . 290
AURANTIACEÆ 91
Avena 737
Avena 737-8, 741-4
AVENACEÆ . . 736
Averrhoa . . . 122
Avicennia . . . 554
Axonopus . . 728
Axyris 576
Axyris . . . 576
Ayenia . . . 83
Azalea . . . 443
Azalea . . . 441-2-3
Azara 141
Azorella . . . 295
Babiana . . . 664
Bacazia . . . 403
BACCHARIDEÆ . 348
Baccharis . . . 349
Baccharis 349-50, 382
Bactris . . . 717
Bæckia . . . 250
Bæria 363
Bahia 363
Balanites . . 126

Page.
Balantium . . . 762
Balbisia . . . 280
Balbisia . . . 364
Ballota . . . 545
Ballota . 543, 545
Balsamina . 121, 765
BALSAMINEÆ 121
Balsamita 370, 374-5
BALSAMIFLUÆ 621
Balsamodendron 145
Baltimora . . . 354
Bambusa . . . 744
Bambusa . . . 744
Banisteria . . 99
Banisteria . . 99
BANISTERIEÆ . 99
Banksia . 590, 768
Baphia . . . 194
Baptisia . . . 147
Baptisia . . . 147
Barbacenia . . 670
Barbarea . . . 27
Barkeria . . . 645
Barkhausia . . 411
Barkhausia 411, 413
Barleria . . . 556
Barleria . . . 556
BARLERIEÆ . . 556
Barnardia . . 696
Barosma . . . 127
Barringtonia . . 253
Barringtonia . . 253
BARRINGTONIEÆ 253
Bartholina . . . 650
Bartlingia . . 138
Bartonia . . . 259
Bartsia . . . 522
Bartsia 522
Baryosma . . 201
Basella 572
Basella . . . 572
Bassia 452
Bastardia . . . 79
Batatus 482
Batemannia . . 644
Batschia . . . 490
Bauera . . . 294
BAUEREÆ. . . 294
Bauhinia . . . 205
Beaufortia . . . 246
Beaumontia . . 458
Beckmannia . . 727
Bedfordia . . 387
Befaria . . . 443
Begonia . 576, 768
BEGONIACEÆ 576
Bejaria . . . 443
Belamcanda . . 662
Belis 623
Belladonna 503, 671
Bellevalia . . . 698
Bellidiastrum . 340
Bellinia . . . 502
Bellis 346
Bellium . . . 345
Beloperone . . 557
Benincasa . . 254
Benthamia . . 313

Page.
Benzoin . . . 581
Berardia . 140, 392
BERBERIDEÆ 19
Berberis . 19, 765
Berchemia . . 135
Berckheya . . 390
Berckheya . . . 390
Bergenia . . . 290
Bergera . . . 92
Bergia 71
Berengeria . . 545
Berinia . . . 413
Bernhardia . . 752
Berrya . . . 87
Berteriana . . . 173
Berteroa . . . 29
Bertholletia . . 253
Berula . . . 299
Berzelia . . . 139
BESLERIEÆ . . 528
Besleria . . . 528
Besleria . . . 528
Bessera . . . 694
Beta 575
Betckea . . . 330
Betonica . . . 543
BETULINEÆ . 615
Betula . . 614-15
Betula . . . 615
Beurreria . . . 496
Biarum . . . 630
Bidens . . . 359
Bidens 353-356-361
BIDENTIDEÆ . 359
Biebersteinia . . 125
Biforis . . . 311
Bifora 311
Bifrenaria . . 643
Bigelovia . . . 324
Bigelowia . . 346
Bignonia . 474, 767
Bignonia 459, 475-6
BIGNONIACEÆ
474
BIGNONIEÆ . . 474
Billardiera . . 58
Billardiera . . 58
Billbergia . . 705
Billotia 249
Biophytum . . 122
Biota 344
Biscutella . . 33
Biscutella . . . 34
Biserrula . . . 176
Bivonæa . . . 39
Bixa 49
BIXINEÆ . . 49
Blackburnia . . 130
Blackwellia . . 141
Blæria 438
Blæria . . . 438
Blainvillea . . . 352
Blakea . . . 245
Blandfordia . . 685
Blandfordia . . 294
Blechnum . . . 759
Blechnum . . 759
Blechum . . . 558

Page.
Blepharis . . . 556
Blephilia . . . 535
Bletia . . 641, 769
Bletia 641
Blighia 102
Blitum 575
Blumea 350
Blumenbachia . 259
Bobartia 662
Bocconia 23
Bocconia 23
Bœbera 362
Bœhmeria . . . 608
Bœobotrys 449
Boerhaavia . . 568
Boerhaavia . . 568
Boisduvalia . . 237
Boldoa 568
Bolbophyllum . 638
Bolivaria . . . 455
Boltonia 345
Bomarea 684
BOMBACEÆ . 81
Bombax 81
Bombax . . 81, 89
Bonatea 650
Bongardia . . 19
Bonnaya 515
Bonplandia . . 480
Bontia 554
BORAGINEÆ . . 488
Borago 488
Borago 488
Borassus 717
Borbonia 152
Borbonia 152
Borkhousenia . . 523
Boronia 129
Borreria 324
Borrichia 352
Borya 604
Boscia 47
Bosea 575
Bossiæa . 151, 766
Boswellia 145
Bothriospermum 493
Botryadenia . . 346
Botryceras . . 590
Botrychium . . 752
Boucerosia . . 466
Bourgainvillæa . 567
Boussingaltia . 575
Bouteloua 736
Bouvardia . . 317
Bouvardia 317
Bowiea 688
Bowlesia . . . 295
Brabejum . . 588
Brachyachyris . 346
Brachycome . . 346
Brachyelytrum . 733
Brachylæna . . 350
Brachypodium . 746
Brachypodium . 742
Brachyramphus . 413
Brachyris . . . 346
Brachyrhyncus . 387
Brachysema . . 148
Brachystelma . . 466
Brachystephium 382
Bradleja 603
Brandesia . . . 571
Brasenia 20
Brassavola . . . 640
Brassia 647
Brassica 40
Brassica . 37, 42-3
BRASSICEÆ . . 40
Bravoa 645
Braya 27
Bremontiera . . 183
Brewera 486
Brexia 59
BREXIACEÆ . 59
Bridelia 604
Brignolia . . . 301
Briza 740
Briza 738
Brodiæa 685
Brodiæa 703
Brogniartia . . 201
Bromelia . . . 705
Bromelia 705
BROMELIACEÆ 704
Bromus 743
Bromus . 743-4, 746
Brosimum . . . 607
Brossæa 440
Brotera 85
Brotera . . 85, 391
Broteroa 361
Broughtonia . . 641
Broussonetia . 607
Broussonetia 146, 607
Browallia 506
Brownea 201
Brownlowia . . 87
Brucea 130
Brugmansia . . 506
Brunfelsia . . . 506
Brunfelsia . . 506
Brunia 139
Brunia . . 139, 140
BRUNIACEÆ 139
Brunnichia . . 577
BRUNONIEÆ . . 427
Brunonia . . . 427
Brunsvigia . . 676
Brunsvigia . 675-6
Brya 193
Bryobium . . 637
Bryonia 255
Bryonia 254
Bryophyllum . . 269
Bubon 305
Bubon 301-2
Bubroma 82
Bucco 128
Buchanania . . 142
BUCHNEREÆ . 520
Buchnera 520
Buchnera 520
Bucholzia . . . 570
Bucida 233
Buddlea 521
BUDDLIEÆ . . 521
Buffonia 67
Bulbine 693
Bulbocodium . 710
Bulbocodium . . 711
Bulbostylis . . 339
Bulliarda 264
Bumalda 132
Bumelia 451
Bumelia 209
Bunchosia 98
BUNIADEÆ . . 44
Bunias 44
Bunias . . 34, 43
Bunium 299
Bunium 298-9
Buonapartea . . 706
Buonapartea . 705
Buphone 675
BUPHTHALMEÆ 352
Buphthalmum . 352
Buphthalmum 352, 356
Bupleurum . . 299
Bupleurum 300, 305
Burchardia . . 711
Burchellia . . 318
Burglaria 134
Burlingtonia 643, 769
Burmannia . . 719
Bursaria 59
Bursera 145
BURSERACEÆ 145
Burtonia 148
Butea 192
BUTOMEÆ . 628
Butomus 628
Buttneria . . . 82
BUTTNERIACEÆ 82
BUTTNERIEÆ . 82
Buxus 600
Buxus 621
Byblis 56
Byrsonima . . 98
Bystropogon . . 536
Byttneria 82
Cabomba 20
Cabrera 728
Cacalia 383
Cacalia 339, 362, 382, 383, 385-6-7-8
Cachrys 310
Cachrys 297, 302, 306, 308, 310
CACTEÆ . . 281
Cactus 281-2-3-4-5-6-287
Cacoucia 234
Cadia 202
Cælestina 336
Cælestina . . 336
Cælia 637
Cænopteris . . 758
Cæsalpinia . . 201
Cæsalpinia . . 201-2
CÆSALPINEÆ . 200
Cæsia 694
Cæsulia 352
Caiophora 260
Cajanus 191
Cakile 35
Cakile 44
CAKILINEÆ . . 35
Caladenia . . . 652
CALADIEÆ . . 631
Caladium . . 631-2
Caladium . . . 631
Calais 486
Calamagrostis . 734
Calamagrostis . 734
Calamina . . . 749
Calamintha . . 538
Calampelis . . 477
Calamus 716
Calandrinia . . 261
Calanthe 648
Calathea . . 657-8
Calceolaria . . 521
Caldcluvia . . . 294
Caldasia 480
Calea 364
Calea 336, 349, 353, 356, 381
Caleacte 364
Calendula 387
Calendula 371, 387
CALENDULACEÆ 387
CALENDULEÆ . 387
Calepina 43
Caleana 653
Caleya 653
Calimeris 343
Calla 633
Calla 632-3
CALLACEÆ . . 633
Callicarpa . . . 550
Callichroa . . . 364
Callicoma 294
Calligonum . . 580
Calliopea 412
Calliopsis . . . 358
Callipeltis 328
Calliprora . . . 685
Callisace 305
Callisia 714
Callista 437
Callistachys . . 148
Callistemon . . 249
Callistephus . . 344
Callithauma . . 680
Callitriche . . . 239
CALLITRICHINEÆ 239
Callitris 622
Callotropis . . 169
Calluna 427
Calochilus 654
Calochortus . . 709
Calodendron . . 126
Calonyction . . 482
Calophaca 172
CALOPHYLLEÆ . 96
Calophyllum . . 96

Page.
Calopogon . . 652
Calorophus . . 720
Calosanthes . . 476
Calostemma . . 679
Calothamnus . 247
Calotis 345
Calotropis . . 468
Calpicarpum . . 461
Calpurnia . . 146
Caltha 8
CALYCANTHEÆ 232
Calycanthus . . 232
Calycanthus . . 232
CALYCEREÆ 333
CALYCIFLORÆ . 132
Calycophyllum . 317
Calycotome . . 157
Calymenia . . . 567
Calypso . . . 97
Calypso . . . 645
Calyptranthes . 251
Calyptranthes . 251
Calyptrion . . 53
Calystegia . . . 485
Calystegia . . 486
Calythrix . . . 246
Camaridium . . 645
Camassia . . . 693
Cambessedia . . 142
Camelina . . . 38
CAMELINEÆ . 38
Camellia . . 89, 765
Camellia . . 89, 91
CAMELLIEÆ . 89
Cameraria . . . 460
Cameraria 459, 460
Campanula . . 420
Campanula 419, 420, 423
CAMPANULACEÆ 418
CAMPANULEÆ . 420
Campelia . . . 713
Camphora . . 582
Camphorosma . 576
Campomanesia . 250
CAMPYLOSPERMEÆ 308
Campylia . . 108
Canarina . . . 419
Canarium . . 145
Canavalia . . . 190
Candarum . . 631
Candollea . 15, 765
Canella . . . 104
Canna 658
CANNABINEÆ 610
Cannabis . . . 610
CANNEÆ . . 657
Canscora . . . 471
Canthium . . . 322
Canthium . 319, 322
Cantua 478
Caperonia . . 601
Capnophyllum . 305
CAPPARIDEÆ 46
CAPPAREÆ . . 47

Page.
Capparis . . . 47
Capparis . . . 47-8
Capraria . . . 526
Capraria . . . 523
CAPRIFOLIACEÆ 312
Caprifolium . . 315
Caprifolium . . 315
Caprosma . . 325
Capsella . . . 33
Capsicum . . . 501
Caragana . . 172
Caraguata . . . 706
Carallia . . . 234
Caralluma . . . 466
CARANDINEÆ . 462
Carapa . . . 104
Carapichea . . 324
Cardamine . . 28
Cardamine . 28-9
Cardiospermum 101
CARDOPATEÆ . 391
Cardopatum . . 391
CARDUINEÆ . . 398
Carduncellus . 397
Carduus . . . 398
Carduus 392-3, 397-8 399, 400-1-2-3
Carex . . 720, 769
Carex . . 722, 725
Careya 253
Cargillia . . . 452
Carica 256
Carissa . . . 462
Carissa 462
Carlina . . . 392
Carlina . 398-9, 401
CARLINEÆ . . 392
Carlowizia . . 392
Carludovica . . 630
Carmichælia . . 166
Carmona . . . 496
Carolinia . . . 81
Carpesium . . . 381
Carpinus . . . 615
Carpodinus . . 462
Carpodontus . . 94
Carpolyza . . . 675
Carpopogon . . 190-1
Carrichtera . . 43
CARTHAMEÆ . 397
Carthamus . . 397
Carthamus 392-3, 397 398
Cartonema . . 714
Carum 298
Carum 301
Caruncularia . 465
Carya 612
Caryocar . . . 101
CARYOPHYLLEÆ 60
Caryophyllus . 251
Caryota . . . 716
Casalea . . . 8
Casearia . . . 140
Cassandra . . 438
Cassia 203

Page.
Cassia . . . 202-3
CASSIEÆ . . 201
Cassine . . . 134
Cassine . . . 133
CASSINEÆ . . 134
Cassinia . . . 376
Cassinia . . . 376
CASSINIEÆ . . 376
Cassiope . . . 438
CASSUVIEÆ . 141
Cassuvium . . 141
Cassytha . . . 582
Castalia . . . 21
Castanea . . . 614
Castanospermum 202
Castela . . . 132
Castilleja . . . 522
Casuarina . . 621
Catabrosa . . . 740
Catalpa . . . 476
Catananche . . 406
Catappa . . . 233
Catasetum . . . 643
Catesbæa . . 319
Catharanthus . . 460
Cathartocarpus . 202
Cathartocarpus . 203
Cattleya . . . 641
Caturus . . . 608
CAUCALINEÆ . 308
Caucalis . . . 308
Caucalis . . 307-8
Caulophyllum . 19
Ceanothus . 137, 766
Ceanothus . 136-7
Cecropia . . . 607
Cedrela . . . 104
CEDRELEÆ . 104
Cedronella . . . 542
Cedrus . . . 625
CELASTRINEÆ 132
Celastrus . . . 133
Celastrus . . . 133
Celosia 569
Celosia . . 570-1
Celsia 509
Celsia . . . 511
Celtis 610
Celtis . . . 610
Cenchrus . . . 731
Cenchrus 731, 735, 740
Cenia 372
Cenolophium . . 302
Centaurea . 393, 767
Centaurea 393, 397, 398, 402
CENTAURIEÆ . 393
Centotheca . . 740
Centranthus . . 329
Centratherum . . 334
Centrocarpha . 357
Centroclinium . 404
Centrolepis . . 719
Centrospermum . 371
Centunculus . . 568
Cepa 700
CEPHAELIDEÆ 324
Cephaelis . . 324

Page.
Cephaelis . . . 324
CEPHALANTHEÆ 324
Cephalanthera . 653
Cephalanthus . . 324
Cephalaria . . 331
Cephalaria . . 331
Cephalophora . 363
CEPHALOTEÆ 596
Cephalotus . . 596
Ceramia . . . 437
Ceranthera . . 56
Cerastium . . 70
Cerastium . . 67-8
Ceratandra . . 651
Cerasus . . . 208
Ceratiola . . . 605
Ceratocarpus . . 575
Ceratocephalus . 5
Ceratochilus . . 644
Ceratochloa . . 743
Ceratonia . . . 202
Ceratopetalum . 294
Ceratopetalum . 294
CERATOPHYLLEÆ . . . 240
Ceratophyllum . 240
Ceratopteris . . 753
Ceratosanthes . 256
Ceratospermum . 576
Cerbera . . . 461
Cerbera . . . 461
Cercis . . . 206
Cercocarpus . . 230
Cercodia . . . 239
CERCODIANEÆ . 239
Ceresia . . . 728
Cereus . 283, 766-7
Cereus . . 282, 284
Cerinthe . . . 490
Ceropegia . 463, 767
CESTRINEÆ . . 507
Cestrinus . . . 402
Cestrum . . . 507
Cestrum . 503, 508
Ceterach . . . 755
Chamæorchis . 650
Chænostoma . . 520
Chærophyllum . 309
Chærophyllum . 309
Chætachlæna . 404
Chætanthera . . 403
Chætaria . . . 732
Chætocalyx . . 169
Chætocapnia . 685
Chætogastra . . 242
Chætonychia . 263
Chætospora . . 722
Chæturus . . 734
Chailletia . . . 141
CHAILLETIACEÆ 141
Chamædorea . . 714
Chamæfistula . 203
CHAMÆLAUCIEÆ 246
Chamælaucium . 246
Chamælaucium . 246
Chamæledon . . 443
Chamælirium . 712

Page.
Chamænerion . . 235
Chamæpeuce . 401
Chamærepes . . 650
Chamærhodos . 228
Chamærops . . 715
Chamærops . . 714
Chamæsciadium . 299
Chamagrostis . 727
Chamira . . . 45
Chamissoa . . 570
Chamissoa . . . 570
Chaptalia . . . 404
Chara 750
Chara 750
CHARACEÆ . 750
Chardinia . . 391
Charieis . . . 764
Charlwoodia . . 704
Chasmonia . . 546
Cheilanthes . . 761
Cheiranthus . . 25
Cheiranthus 27, 35, 36, 37, 40, 45
Cheirinia . 36-37
Cheirostemon . 81
Cheirostylis . . 645
Chelidonium . . 23
Chelidonium . . 23
Chelone . . . 525
Chelone . . . 525
CHELONEÆ . 525
Chenolea . . . 573
CHENOPODEÆ 572
Chenopodium . . 573
Chenopodium 431, 569, 573-4-5
Cherleria . . . 71
Chiliophyllum . . 356
Chilochloa . . 727
Chilochloa . . . 727
Chilodia . . . 540
Chiloglottis . . 652
Chilopsis . . . 476
Chimaphila . . 445
Chimonanthus . 232
Chiococca . . 322
Chionanthus . . 453
Chione . . . 322
Chiranthodendron 81
Chironia . . . 472
Chironia . . . 472
CHIRONIEÆ . . 472
Chlamydophora . 375
Chlamysporum . 702
Chlidanthus . . 679
Chloanthes . . 551
Chlora . . 471, 767
Chloræa . . . 654
CHLORANTHEÆ 316
Chloranthus . . 316
Chloraster . . 683
CHLORIDEÆ . . 735
Chloris . . . 735
Chloris . 735-6, 747
Chlorophytum . 694
Chloroxylon . . 105

Page.
Choisya . . . 129
Chomelia . . . 323
Chona 437
Chondrilla . . 413
Chondrosea . . 291
Chondrosium . 736
Chonemorpha . 457
Choretis . . . 675
Chorisis . . . 413
Chorisma . . 413
Chorispora . . 35
Chorizema 148, 766
Chorozema . . 148
Christia . . . 179
Chrysanthellum . 361
CHRYSANTHEMEÆ 368
Chrysanthemum 370
Chrysanthemum 368, 369, 370-1
Chryseis . . . 23
Chrysiphiala . 679
CHRYSOBALANEÆ . . . 207
Chrysobalanus . 207
Chrysocoma . . 348
Chrysocoma 340, 346, 348, 375-6
CHRYSOCOMEÆ 346
Chrysogonum . 354
Chrysophyllum . 451
CHRYSOPIEÆ . 95
Chrysopogon . . 749
Chrysopsis . . 346
Chrysopsis . . . 344
Chrysosplenium . 293
Chrysostemma . 357
Chrysurus . . 742
Chuquiraga . . 403
Chymocarpus . 121
Chysis 640
Cibotium . . . 762
Cicca 600
Cicendia . . . 473
Cicer 183
Cicer 184
CICHORACEÆ . 405
Cichorium . . . 406
Ciconium . . 120
Cicuta 297
Cicuta . . 298, 302
Ciliaria . . . 291
Cimicifuga . . 13
CINCHONACEÆ . 316
CINCHONEÆ . . 317
Cinchona . . . 317
Cineraria . . . 282
Cineraria 340, 381-2, 384-5-6-7-8
Cinna 732
Cinnamomum . 581
Cipura 662
Circæa . . . 238
CIRCÆEÆ . . . 238
Circium 392, 399, 401, 402
Cirrhæa . . . 642
Cirrhopetalum 637, 769

Page.
Cirsium . 399, 767
Cissampelos . . 18
Cissampelos . . 18
Cissus 105
Cissus . . . 105-6
CISTINEÆ . . 50
Cistus . . . 50
Cistus . . . 51-2
Citharexylum . . 551
Citrus . . . 92
Cladanthus . . 366
Cladium . . . 723
Cladochæta . . 379
Cladostachys . 570
Clarkia . . . 237
Clausenia . . 92
Clavena . . . 399
Clavija . . . 450
Claytonia . . . 262
Cleisostoma . 647
Cleitria . . . 389
CLEMATIDEÆ . 1
Clematis . . 1, 765
Clematis . . . 2
Cleome . . . 46
Cleome . . 38, 46-7
CLEOMEÆ . . 46
Cleonia . . . 539
Clerodendrum . 549
Clerodendrum . 547
Clethra . . . 440
Cleyera . . . 88
Clianthus . . . 173
Clidemia . . . 244
Cliffortia . . . 230
Cliftonia . . 440
Clinopodium . . 538
Clintonia . . 426
Clitoria . . . 168
Clitoria . . . 168
CLITORIÆ . . 165
Clivia 684
CLORANTHEÆ 316
Cloranthus . . 316
Clusia 95
Clusia 95
CLUSIEÆ . . 95
Cluytia . . . 604
Clypeola . . . 31
Cnemidostachys 604
Cneorum . . . 144
Cnestis . . . 146
Cnicus 397
Cnicus 399, 400-1-2
Cnidium . . . 302
Cnidium . . . 302
Cnidoscolus . . 602
Cobæa . . . 477
COBÆACEÆ . 477
Coburgia . . 679
Coccocypselum . 319
Coccoloba . . 577
Cocculus . . . 18
Cocculus . . . 18
Cochlearia . . 32
Cochlearia . . 32, 38
Cochlospermum . 89

Page.
Cocos 716
Cocos 716
Codarium . . . 206
Codiæum . . 601
Codon 480
Codonocarpus . 87
Codonophora . . 527
Cœlogyne . . 637
CŒLOSPERMEÆ . 311
Coffea . . . 323
Coffea 323
COFFEACEÆ . 322
COFFIEÆ . . . 322
Coilantha . . 470
Coix 726
Colax . . . 642
Colbertia . . . 15
Colchicum . . 710
Colchicum . . 710
Coldenia . . . 494
Coleanthus . . 733
Colebrookia . . 531
Coleonema . . 127
Coleus 530
Collæa . . . 168
Collaria . . . 679
Colletia . . . 137
Colletia . . . 137
Collinsia . . . 516
Collinsonia . . 537
Collomia . . . 478
Colobachne . . 727
COLOCASIEÆ . 631
Colocasia . . . 631
Cologania . 168, 766
Colophonia . . 145
Colopodium . . 733
Colubrina . . 137
Columellia . . 381
COLUMELLIEÆ 455
Columnea . . 528
Coluria . . . 225
Colutea . . . 172
Colutea . . 172-3
Colvillea . . . 202
Comandra . . . 594
Comaropsis . 225
Comarum . . . 228
Comarum . . 228
COMBRETACEÆ 233
COMBRETEÆ . . 233
Combretum . . 233
Comesperma . . 58
Commelina . . 714
Commelina . 713-4
COMMELINEÆ 713
Commersonia . 82
Commersonia . 82
Commidendrum 348
Comocladia . . 142
Comparettia . 647
COMPOSITÆ 334
Comptonia . . 621
Conanthera . . 702
Conanthera . . 702
Conchium . . 589

Page.
Condalia . . . 135
Condamnea . . 320
Condylocarpus . 306
CONIFERÆ . 621
Conioselinum . . 303
Conium . . . 310
Conium 299, 305-6, 310
CONNARACEÆ 145
Connarus . . . 145
Conobea . . . 516
Conocarpus . . 233
Conocephalus . 608
Conoclinium . . 339
Conopharyngia . 460
Conospermum . 587
Conostegia . . 244
Conostylis . . 669
Conostylis . . 669
Conradia . . . 527
CONRADIEÆ . 527
Conringia . . . 37
Convallaria . . 692
Convallaria . 691-2
CONVOLVULACEÆ . . . 481
CONVOLVULEÆ . 481
Convolvulus . . 484
Convolvulus 482-3-4-485-6
Conyza . . . 349
Conyza 334, 346, 348, 349, 350-1-2, 382
CONYZEÆ . . 348
Cookia 91
Cooperia . . . 670
Cooperia . . . 671
Copaifera . . 205
Coptis 9
Corallorrhiza . 653
Corallorrhiza . 653
Corbularia . . 681
Corchorus . . . 85
Corchorus . . 230
Cordia . . . 495
Cordia 496
CORDIACEÆ 495
CORDIEÆ . . . 495
Cordyline . . 704
Cordylocarpus . 45
Corema . . . 605
COREOPSIDEÆ . 358
Coreopsis . . 358
Coreopsis 357-8, 360
CORIANDREÆ . 311
Coriandrum . . 311
Coriandrum . 311
CORIARIEÆ . 132
Coriaria . . . 132
Corion 311
Coris 562
Corispermum . 575
CORNEÆ . . 312
Cornucopiæ . . 726
Cornus . . . 312
Cornus 313
Cornutia . . . 551
Cornutia . . . 551
COROLLIFLOREÆ 448

Page.
Coronilla . . . 177
Coronilla . . 171
CORONILLEÆ . 177
Coronopus . . 38
Correa . . 128, 766
Corrigiola . . . 262
Cortusa . . . 560
Coryanthes . . 644
Corybas . . . 653
Corycarpus . . 744
Corycium . . 651
Corydalis . . . 24
Corylus . . . 614
Corynella . . . 172
Corynephorus . 736
Corynocarpus . 450
Corypha . . . 715
Corypha . . 714-15
Corysanthes . . 653
Coscinium . . 18
Cosmos . . . 360
Cosmea . . . 360
Cosmelia . . . 446
Cossignia . . 103
Costus . . . 656
Cotoneaster . . 211
Cotula 336, 349, 365, 368, 371-2, 375
Cotula 371
COTULEÆ . . 371
Cotyledon . . . 267
Cotyledon . . 267-8
Coulteria . . . 201
Coumarouna . 201
Couroupita . . 253
Coursetia . . 171
Cousinia . . . 393
Coutaria . . . 317
Coutoubea . . . 472
COUTOUBEÆ . 472
Cowania . . . 225
Crambe . . . 43
Craniolaria . . 478
Craniotome . . 544
Crantzia . . . 295
Craspedia . . 376
Crassula . . . 265
Crassula 264-5-6-7, 269
CRASSULACEÆ 264
CRASSULEÆ . . 264
Cratægus . . . 209
Cratægus . . 210-11
Cratæva . . . 47
Cratæva . . . 47
Cremocephalum 382
Cremolobus . . 34
Creodus . . . 316
Crepidaria . . 596
Crepis 412
Crepis 406-7, 409-10, 411-2-3-4
Crescentia . . . 477
Crescentia . . 477
CRESCENTIEÆ . 477
Cressa 486
Crinum . . . 676
Crinum 676-7, 679, 702

Page.
Cristaria . . . 78
Cristaria . . . 234
Crithmum . . . 303
Crithmum . . 305
Critonia . . . 339
Critonia . . . 337
Crocus . . . 668
Crossandra . . 556
Crotalaria . . . 153
Crotalaria 147, 152, 154
Croton 601
Croton . . . 601-2
Crowea . . . 129
Crozophora . . 601
Crucianella . . 326
CRUCIFERÆ . 25
Crudya . . . 206
Cruickshanksia . 280
Crupina . . . 393
Crusea . . . 325
Crybe 652
Crypsis . . . 726
Cryptandra 138, 766
Cryptandra . . 138
Cryptantha . . 492
Cryptarrhena . 646
Cryptocarya . . 582
Cryptocoryne . 630
CRYPTOGAMEÆ 750
Cryptogramma . 760
Cryptolepis . . 458
Cryptophragmium 557
Cryptospermum 329
Cryptostegia . . 470
Cryptostemma . 390
Cryptostylis . . 653
Cryptotænia . . 299
Cucifera . . . 715
Cucubalus . . . 63
Cucubalus . 63-4, 66
Cucularia . . 234
Cucumis . . . 254
Cucumis . . . 254
Cucurbita . . . 256
CUCURBITACEÆ 254
CUCURBITEÆ . 254
Culcasia . . . 632
Culcitium . . 387
Cullumia . . . 390
CUMINEÆ . . 306
Cuminum . . . 306
Cummingia . . 702
Cunila 535
Cunila . . . 537
Cunninghamia . 623
Cunonia . . . 294
CUNONIACEÆ 294
CUNONIEÆ . . 294
Cupania . . . 102
Cuphea . . . 241
Cupia 319
CUPRESSINEÆ . 622
Cupressus . 622, 768
Cupressus . 622-3
CUPULIFERÆ 612
Curatella . . . 15

Page.
Curculigo . . 670
Curcuma . . . 655
Curtisia . . . 134
Curtogyne . . 266
Curtopogon . . 732
Cuscuta . . . 486
CUSCUTEÆ . . 486
CUSPARIEÆ . . 131
Cussonia . . . 312
Cyamopsis . . 165
Cyamus . . . 20
Cyanella . . . 702
Cyanopsis . . 334
Cyanotis . . . 713
Cyanus . . . 395
Cyathea . . . 762
Cyathea . . . 756
Cyathodes . . . 447
CYCADEÆ . 626
Cycas 626
Cyclamen . . 560
CYCLANTHEÆ 629
Cyclanthus . . 630
Cyclobothra . . 709
Cyclopia . . . 147
Cycnoches . . 643
Cydonia . . . 212
Cylipogon . . 169
Cylista 192
Cymation . . 712
Cymbachne . . 748
Cymbaria . . 524
CYMBARIEÆ . . 524
Cymbidium . . 644
Cymbidium 640-1-2, 648, 652
Cymbopogon . . 749
Cymburus . . 552
Cyminosma . . 129
Cymopterus . . 307
Cynanchum . . 468
Cynanchum 467, 469
Cynara . . . 398
Cynara . 334, 402
CYNAREÆ . . 387
Cynodon . . . 735
CYNOGLOSSEÆ . 487
Cynoglossum 487, 767
Cynoglossum . 487-8
Cynometra . . 205
Cynorchis . . . 650
Cynosurus . . 742
Cynosurus 735, 741-2, 743
Cynthia . . . 406
Cypella . . . 662
Cypella . . . 662
CYPERACEÆ 720
Cyperus . . . 724
Cyperus . . . 725
Cyphia . . . 426
Cyphonema . . 678
CYPRIPEDIEÆ . 654
Cypripedium . 654
Cyrilla . . . 440
Cyrilla 526
CYRTANDRACEÆ 528

Page.
Cyrtanthus . . 678
Cyrtanthus . . 678
Cyrtochilum . 647
Cyrtolepis . . 366
Cyrtopera . . 646
Cyrtopodium . . 645
Cyrtopodium . 646
Cyrtostylis . . 652
Cysticapnos . . 24
CYTINEÆ . . 595
Cytisus . . . 156
Cytisus 147, 152, 157, 171-2, 191
Czackia . . . 693
Daboecia . . . 439
Dacrydium . . 622
Dactylanthes . 596
Dactylis . . . 741
Dactylis . 736, 744
Dactylicapnos . 24
Dactyloctenium 735
Dahlia . . 353, 767
Dæmia . . . 469
Dais 592
Dalbergia . . 193
Dalbergia . . . 170
DALBERGIEÆ . 193
Dalea 169
Dalea . . . 169
Dalechampia . . 600
Dalibarda . . 224
Dalibarda . . . 225
Dalrymplea . . 132
Dalrymplea . . 132
Damasonium . . 627
Damasonium . 627
Dammara . . . 623
Dampiera . . 427
Danæa 753
Danthonia . . 738
Danthonia 738, 741
Daphne . 591, 768
Darea 758
Darlingtonia . 195
Darwinia . . . 246
Dasyanthes . . 437
Dasystemon . . 264
Datisca . . . 49
DATISCEÆ . . 49
Datura . . . 505
Datura 506
DATUREÆ . . 505
Daubentonia . . 172
Daubenia . . . 699
Daucus . . . 307
Daucus . . . 298
DAUCINEÆ . . 307
Davallia . . . 762
Daviesia . 150, 766
Daviesia . . 148-9
Decodon . . . 241
Decumaria . . 246
Deeringia . . . 570
Delima . . . 15
DELIMACEÆ . . 15
Delilia . . . 354
Delphinium . . 9
DENDROBIEÆ . 638

Page.
Dendrobium 638, 769
Dendrobium 638, 642, 645
Dendromecon . 763
Denhamia . . . 632
Dentaria . . . 29
Dentella . . . 320
Dermasea . . 291
Derris 193
Deschampsia . 737
Deschampsia . . 741
Desmanthus . 196
Desmia . . . 437
Desmochæta . 570
Desmochæta . . 570
Desmodium . . 179
Desmodium . . 178
Desmoncus . . 717
DETARIEÆ . . 206
Detarium . . 206
Deutzia . . 246, 767
Devauxia . . . 719
Deverra . . . 301
Deyeuxia . . . 734
Dialium . . . 206
Dianella . . . 703
Dianthus . . 61, 765
Diapensia . . 478
Diarrhena . . 744
Diascia . . . 522
Diasia 667
Diastella . . . 586
Diastrophis . . 33
Dicera . . . 88
Dicerma . . . 180
Dichæa . . . 647
Dichilus . . . 154
Dichondra . . 486
DICHONDREÆ . 486
Dichorisandra . 713
Dichrocephala . 349
Dichromena . . 722
Dicksonia . . . 762
Dicksonia . . 762
Dicliptera . . . 558
Dicliptera . 556, 558
DICLIPTEREÆ . 558
Diclytra . . . 23
DICOTYLEDONEÆ . . . 1
Dicrypta . . . 643
Dictamnus . . 126
Didelta . . . 390
Didesmus . . . 44
Didiscus . . . 295
Didymocarpus . 528
Dieffenbachia . 632
Dienia 637
Diervilla . . . 314
Dietes 661
Dietrichia . . 267
Digitalis . . . 510
Digitalis . . . 510
Digitaria . . . 731
Digitaria . 735, 741
Digraphis . . . 728
Dilatris . . . 669
Dilatris . . . 669

Page.
Dilepyrum . . 733
Dilivaria . . . 556
Dillenia . . . 15
Dillenia . . . 16
DILLENIACEÆ 15
DILLENIEÆ . . 15
Dillwynia . . 149
Dillwynia . . 148-9
Dimacria . . . 110
Dimocarpus . . 102
Dimorpha . . . 205
Dimorphotheca . 371
Dineba 736
Dineba . . . 741
Dinema . . . 640
Dinetus . . . 486
Dioclea . . . 190
Diodia . . . 325
Diomedea . . . 352
Diomedes . . 680
Dionæa . . . 56
Dioscorea . . 689
DIOSCOREÆ . 689
Diosma . . . 127
Diosma . 127-8, 140
DIOSMEÆ . . . 126
Diospyros . . 452
Diotis . . 368, 576
Diphylleia . . 20
Diplachne . . 736
Diplacus . . . 515
Diplazium . . 760
DIPLECOLOBEÆ . 45
Diplochita . . 244
Diplocoma . . 346
Diplolepis . . 468
Diplolæna . . 763
Diplonema . . 452
Diplopappus . . 344
Diplopeltis . . 103
Diplophyllum . 520
Diplospora . . 322
Diplostegium . . 243
Diplostephium . 344
Diplotaxis . . . 42
Diplothemium . 716
Dipodium . . . 645
DIPSACEÆ . 330
Dipsacus . . . 331
Diptera . . . 290
Dipteracanthus . 555
Dipterix . . . 201
DIPTEROCARPEÆ 316
Dipterocome . 387
Dirca 591
Disa 650
Disa 650-1
Disandra . . . 526
Discaria . . . 137
Dischidia . . 466
Dischisma . . . 549
Discopleura . . 298
Disemma . . . 259
Disparago . . 380
Disperis . . . 651
Disporum . . 711
Dissolena . . . 461
Distreptus . . 335

Page.
Diurus 653
Dodartia . . . 515
Dodecatheon . . 560
Dodonæa . 103, 765
DODONÆACEÆ . 103
Dolichos . . . 189
Dolichos 165, 188-9, 190, 192
Doliocarpus . . 15
Dombeya . . . 85
Dombeya . 477, 623
DOMBEYACEÆ . 85
Dondia . . . 296
Donia . 173, 346, 348
Doodia 759
Doodia . . . 179
Dorema . . . 304
Doria 388
Doronicum . . 382
Doronicum 340, 346, 403
Dorstenia . . . 609
Dortmannia . . 425
Doryanthes . . 684
Dorycnium . . 164
Douglasia . . . 562
Draba 31
Draba . . 28, 31-2
Dracæna . . . 704
Dracæna 685, 703-4, 717
Dracocephalum . 541
Dracocephalum 541-2
Dracontium . . 634
Dracontium . 633-4
Dracophyllum . 446
Dracopis . . . 357
DRACUNCULINEÆ 630
DRACUNCULEÆ 631
Dracunculus . . 631
Drepania . . . 406
Drepanocarpus . 193
Drepanophyllum 298
Drimia 699
Drimys . . . 16
Drosera . . . 56
DROSERACEÆ 56
Drummondia . . 293
Drusa 296
Dryandra . . . 590
Dryandra . . 591
Dryas 226
Dryas 225
Drymaria . . 68
Drymonia . . . 528
Drypis . . . 67
Dubyæa . . . 418
Duchesnia . . 225
Dufresnia . . . 330
Dulichium . . 722
Dumasia . . . 168
Dumerilia . . 404
Dupontia . . . 737
Duranta . . . 551
Durio 81
Duroia . . . 318
Duvalia 465

Page.
Duvaua . . . 144
Dyckia . . . 706
Dysodia . . . 362
Dysodia . . . 362
Dysophylla . . 531
EBENACEÆ . 452
Ebenus . . . 182
Ecastaphyllum . 193
Eccremocarpus . 477
Eccremocarpus . 477
Echenais . . . 401
Echeveria . . . 268
Echinacea . . 357
Echinaria . . . 735
Echinocactus . 282-767
Echinocactus . 283
Echinochloa . . 730
Echinophora . . 310
Echinopogon . . 733
Echinops . . . 390
ECHINOPSIDEÆ . 390
Echinospermum 487
Echites 457
Echites . . . 457-8
ECHITIEÆ . . . 457
Echium . . . 490
Eclipta 352
Eclipta . . . 352
ECLIPTEÆ . . . 352
Eclopes . . . 381
ECMATACANTHEÆ 555
Ectasis 438
Edwardsia . 146, 766
Egletes . . . 368
Ehretia 496
Ehretia . . . 496
EHRETIACEÆ . . 496
Ehrharta . . . 726
Ehrharta . . . 726
Ekebergia . . 104
ELÆAGNEÆ . 594
Elæagnus . . 594
ELÆOCARPEÆ 87
Elæocarpus . . 87
Elæocarpus . . 88
Elæodendron . . 133
Elæodendron 134, 451
ELÆOSELINEÆ . 308
Elæoselinum . . 308
Elais 716
Elaphrium . . . 145
Elate 716
Elaterium . . . 255
Elatine . . . 71
ELATINEÆ . . 71
Elegia 719
Eleiotis 182
Eleocharsis . . 723
ELEPHANTOPEÆ 335
Elephantopus . 335
Elephantopus . 335
Elephantosis . . 335
Elephas . . . 523
Elettaria . . . 657
Eleusine . . . 736
Eleusine . . . 735
Elichrysum . 377-8-80
Elisena . . . 678

Page.
Ellisia 496
Ellobocarpus . 753
Elodea 94
Elsholtzia . . 531
Elvira 354
Elymus . . . 747
Elymus . . . 747
Elyna 725
Elytraria . . . 558
Embelia . . . 449
Emblica . . . 603
Embothrium . 589
Embothrium . . 590
Embryopteris . 452
Emericia . . . 458
Emex 580
Emilia 382
EMPETREÆ . 605
Empetrum . . . 605
Empetrum . . 605
Empleurum . . 128
Empusa . . . 637
Enarthrocarpus . 44
Encelia 357
Encephalartus . 626
Enchylæna . . 573
Encyclia . . . 640
Encylia . . . 639
ENDOGENÆ . 626
Endoptena . . 413
Enhydra . . . 361
Enkianthus . . 439
Enneapogon . . 735
Enodium . . . 741
Enslenia . . . 468
Enslenia . . . 468
Entada . . . 194
Entelea . . 85, 765
EPACRIDEÆ . 446
EPACRIEÆ . . 446
Epacris 446
Epacris . . . 446-7
Epaltes . . . 350
Ephedra . . . 605
Ephielis . . . 102
EPIDENDREÆ . . 639
Epidendrum . . 639
Epidendrum 636-7-9-40-1-6
Epigæa . . . 440
Epilobium . . 235
Epilobium . . . 236
Epimedium . . 19
Epipactis . . . 652
Epipactis . . 652-4
Epiphyllum . . 285
Episcia 528
Epithecia . . . 645
EQUISETACEÆ 750
Equisetum . . . 750
Eragrostis . . 738
Eragrostis . . 740
Eranthemum . 557
Eranthemum 549, 556
Eranthis . . . 8
ERECHTHITEÆ . 381
Erechthites . . 381
Eremia . . . 438

Page.
Eremogone . . 763
Eremostachys . 546
Eremurus . . . 693
Eria 638
Erianthus . . . 749
Erianthus . . 749
Erica 428
Erica 427
Ericala 471
ERICACEÆ . 427
ERICEÆ . . . 427
Erigenia . . . 295
Erigeron . . . 344
Erigeron 343-4-5-6, 349-50-1
Erinosma . . 683
Erinus 521
Erinus . . 520, 553
Eriobotrya . . 211
Eriocalia . . . 296
Eriocaulon . . 719
Eriocephalus . . 375
Eriochilus . . 652
Eriochloa . . . 732
Eriocoma . . 357
Eriodendron . . 81
Eriodesma . . 438
ERIOGONEÆ . 580
Eriogonum . . 580
Eriolæna . . . 85
Eriophorum . . 725
Eriophorum . . 725
Eriophyllum . . 363
Eriosema . . . 188
Eriospermum . . 699
Eriostemon . 129, 766
Eriostemon . 128, 544
Eriosynaphe . . 304
Eriothrix . . . 382
Erisma . . . 234
Erithalis . . . 322
Ernodea . . . 325
Ernodea . . . 325
Erodendrum . . 585
Erodium . 108, 765
Erophila . . . 32
Erpetion . . . 55
Eruca 43
Erucaria . . . 45
Erucaria . . . 45
ERUCARIEÆ . . 45
Ervilia . . . 185
Ervum . . . 184
Eryngium . . . 296
Erysimum . 37, 765
Erysimum 22-6-7-9-30-6-7
Erythræa . . 472
Erythrina . . . 192
Erythrina . . 192
Erythrolæna . 401
Erythronium . . 710
Erythrophleum . 195
Erythropogon . 380
ERYTHROXYLEÆ 97
Erythroxylum . 97
Erythroxylum . 97

Page.
ESCALLONEÆ 289
Escallonia . . . 289
Eschscholtzia . . 23
Essenhardtia . . 764
Esula . . . 598-9
Ethulia . . . 334
Ethulia . . . 334
EUANTHEMIDEÆ 365
EUAROIDEÆ . . 630
Eucalyptus . . 247
Euchætis . . . 127
Eucharidium . . 237
Euchilus . . . 149
Euchroma . . . 522
Euclea . . . 602
EUCLIDEÆ . . 34
Euclidium . . . 34
Eucomis . . . 699
Eucrosia . . . 679
EUCRYPHIEÆ . 94
Eudesmia . . 247
Eugenia . . . 252
Eugenia . . 251-2-3
EUHEDYSAREÆ 178
EULEPTOSPERMEÆ 247
Eulophia . . 645-6
Eulophia . . . 645
Eunomia . . . 39
EUONYMEÆ . . 132
Euonymus . . 132
Euosma . . . 474
EUPATORIACEÆ 336
EUPATORIEÆ . . 336
Eupatorium . . 338
Eupatorium 291, 339, 376, 385
EUPECTIDEÆ . . 335
Euphorbia . 596, 768
Euphorbia . 596, 600
EUPHORBIACEÆ 596
Euphoria . . 102
Euphrasia . . . 552
EUPHRASIEÆ . 552
Euphrasia . . . 552
Euriops . . . 387
Eurya 88
Euryale 20
Eurybia . 344, 769
Eurybia . . . 344
Eurycles . . . 679
Eurylepis . . . 437
Euryloma . . . 437
Euryspermum . 584
Eurystegia . . 437
Eurythalia . . 470
Eurycoma . . . 146
EUSENECIONEÆ 382
EUSPERMACOCEÆ 324
Eustachys . . . 735
Eustegia . . . 469
Eustoma . . . 473
Eutassa . . . 623
Eustrephus . . 703
EUTARCHONANTHEÆ 350
Eutaxia . . . 149

Page.
Eutaxia . . . 149
Euterpe . . . 715
Euthales . . . 426
Euthamia . . 348
Eutoca 496
Eutriana . . . 736
EUVERNONEÆ . 334
Euxenia . . . 353
EUXENIEÆ . . 353
Euzomum . . . 43
Evax 350
Evodia . . . 130
Evolvulus . . . 486
EXACIEÆ . . 473
Exacum . . . 473
Exacum . 471-2-3-4
Excæcaria . . 604
Exocarpus . . . 593
EXOGENÆ . . 1
Exogonum . . 483
Exostemma . . 317
Faba 183
Fabago 125
Fabiana . . . 764
Fabricia . . . 250
Fabricia . . . 249
Fagara . . 130, 145
Fagelia 188
Fagonia . . . 125
Fagræa 457
Fagus 614
Falcaria . . . 298
Falkia 486
Faramea . . . 323
Farsetia . . . 29
Farsetia 29
Fedia 330
Fedia 330
Felicia 340
Fenzlia 479
Ferdinandia . . 356
Fernandesia . . 647
Fernelia . . . 319
Feronia 92
Ferraria . . . 663
Ferraria . . 662-8
Ferreola . . . 452
Ferula 303
Ferula . . 303-4-7
Festuca . . . 742
Festuca 736-8, 40-1-2-3-4-6
FESTUCACEÆ . 738
Feuillæa . . . 256
Fibigia . . . 29
Ficaria 8
FICOIDEÆ . . 271
Ficus 606
Fieldia 528
Filago 379
Filago 350
FILICES . . 752
Fimbristylis . . 723
Fischeria . . . 466
Flacourtia . . . 49
FLACOURTIANEÆ 49
FLACOURTIEÆ . 49

Page.
Flagellaria . . 719
Flaveria . . . 361
Flaveria . . . 361
FLAVERIEÆ . . 361
Flemingia . . 182
Flindersia . . . 105
Florestina . . 363
FLUVIALES . 628
Fœniculum . . 301
Fœniculum . . 298
Fœtidia . . . 253
Fontanesia . . . 454
Forskohlea . . 609
Fothergilla . . 763
Fothergilla . . 244
Fougerouxia . . 354
Fragaria . . . 224
Fragaria . . 225-8
FRANCISCEÆ . . 506
Franciscea . . 506
Francoa . . . 294
Francœuria . . 351
Frankenia . . . 58
FRANKENTACÆ 59
Franseria . . . 355
Frasera . . . 470
FRAXINIEÆ . . 454
Fraxinus . . . 454
Fraxinus . . . 455
Freylinia . . . 523
Freziera . . . 88
FREZIEREÆ . . 88
Friesia 88
Fritillaria . . . 708
Fritillaria . . . 709
Fuchsia . . . 235
FUSCHSIEÆ . . 235
Fuirena . . . 725
Fumaria . . . 24
Fumaria . . 23-4
FUMARIACEÆ 23
Funkia 684
Furcræa . . . 705
Fusanus . . . 593
Gærtnera . . 98
Gagea 696
Gagea 696
Gagnebina . . . 194
Gahnea . . . 723
Gaillardia . . . 363
GAILLARDIEÆ . 363
GALACINEÆ . 294
Galactia . . . 168
Galactites . . . 398
Galactodendron 764
Galactodendron . 607
Galanthus . . 683
Galarhœus . . . 599
Galatella . . . 343
Galax 294
Galaxia . . . 663
Galaxia . . . 664
Galeandra . . . 645
Galedupa . . . 193
Galega 169
Galega 169-70-72, 187
GALEGEÆ . . 169
Galenia 576

Page.
Galeobdolon . . 542
Galeopsis . . . 543
Galinsoga . . 364
Galinsoga . . . 364
GALINSOGEÆ . 364
Galipea 131
Galium . . . 327
Galium . . . 326-7
Galphimia . . . 98
Gamolepis . . 368
Ganymedes . 681-2
Garcinia 95
GARCINIEÆ . . 95
Gardenia. . . 318
Gardenia . 318-19
GARDENIACEÆ . 317
GARDENIÆ . . 318
Gardoquia . . . 538
Garidella . . , 9
Garrya 605
Garuga . . . 145
Garuleum . . . 345
Gasteria . . . 687
Gastonia . . . 312
Gastridium . . 734
Gastrocarpha . . 405
Gastrodia . . . 651
GASTRODIEÆ . . 651
Gastrolobium . 149
Gastronema . . 678
Gaudichaudia . 99
Gaudinia . . . 737
Gaultheria . . 440
Gaultheria . . 440
Gaura 236
Gaya 79
Gaya 303
Gazania . . . 390
Gebleria . . . 133
Geissomeria . . 555
Geissorhiza . . 667
Geitonoplesium . 703
Gela 91
Gelonium . . 602
GELSEMIEÆ . . 459
Gelsemium . . 459
Gendarussa . . 557
Genetyllis . . 246
Geniosporum . . 529
Genipa . . . 318
Genista 155
Genista . . . 157
GENISTEÆ . . 151
Gentiana , . . 470
Gentiana . . 470-1
GENTIANEÆ . 470
Gentianella . . 470
GENTIANIEÆ . . 470
Geodorum . . 645
GEOFFREÆ . . 200
Geoffroya . . . 201
Geonoma . . . 716
Geophila . . . 324
GERANIACEÆ 106
GERANIEÆ . . 106
Geranium . . 107
Geranium 106-8-9-10-11, 715-16-17-18-19

Page.
Gerardia . . . 516
Gerardia . . . 517
GERARDIEÆ . . 516
Gerbera . . . 403
Gerbera . . . 340
Gerontogea . . 320
Geropogon . . 408
Geropogon . . 408-9
Gesneria . 526, 768-9
Gesneria . . . 527
GESNEREÆ . 526
Gethyllis . . . 684
Getonia . . . 233
Geum 226
Geum 225
Ghinia . . . 552
Gilia 478
Gilia . . 478, 480
Gilibertia, . . 312
Gillenia . . . 231
Gilliesia . . . 719
Ginginsia . . . 262
Ginkgo . . . 621
Ginoria . . . 241
Gisekia . . . 572
Githago . . . 67
Gladiolus . . . 665
Gladiolus . 664-6-7
Glaucium . . . 23
Glaucium . . . 23
Glaux 565
Glechoma . . . 541
Gleditschia . . 201
Gleichenia . . 753
GLEICHENEÆ . 753
Glinus . . . 280
Globba 655
Globba . . . 655
Globularia . . . 563
GLOBULARIEÆ 563
Globulea . . . 266
Gloriosa . . . 710
Glossapsis . . 649
Glossocardia . . 361
Glossodia . . . 652
Glossula . . . 649
Glottidium . . 171
Gloxinia . . . 527
GLOXINIEÆ . . 526
Glyceria . . . 740
Glyceria . . 740-3
Glycine . . . 168
Glycine 152, 169, 178, 187-8, 200
Glycosmis . . 92
Glycyrrhiza . . 169
Gmelina . . . 551
GNAPHALIEÆ . 376
Gnaphalium . . 379
Gnaphalium 376-7-8-9-80-1
GNETEÆ . . . 605
Gnetum . . . 605
Gnidia . . . 591
Godetia . . . 237
Godoya . . . 89
Goldbachia . . 40
Goldfussia . . 555

Page.
Gomeza . . . 646
Gomphia . . . 131
Gomphocarpus . 468
Gomphocarpus . 468
Gompholobium 148, 766
Gompholobium . 147
Gomphrena . . 571
Gomphrena . . 570-1
Gomutus . . . 717
Gongora . . . 644
Gongora . 642, 769
Goniocarpus . . 239
GONOLOBEÆ . . 467
Gonolobus . . 467
Gonospermum . 372
Gonostemon . . 464
Gonostemon . . 464
Goodenia . . . 426
Goodenia . . 426-7
GOODENIEÆ . . 426
GOODENOVIÆ 426
Goodia 151
Goodia . . . 152
Goodyera . 653, 769
Goodyera . . . 653
Gordonia . . . 89
Gordonia . . . 89
GORDONIEÆ . . 89
Gorteria . . . 390
Gorteria . . . 390
GORTERIEÆ . . 390
Gossypium . . 78
Gouania . . . 138
Gouffeia 67
Grabowskia . . 507
Govenia . . . 643
Græmia . . . 363
GRAMINEÆ . 726
Grammanthes . 266
Grammatophyllum 645
Grammitis . . 754
Grammitis . . 754
GRANATEÆ . 232
Grangea . . . 349
Grangea . 349, 375
Grangeria . . . 207
Graphephorum . 735
Graptophyllum . 755
Gratiola . . . 515
Gratiola . . 515-16
GRATIOLEÆ . . 515
Greggia . . . 252
Grenvillea . . . 109
Grevillea . 588, 768
Grewia . . . 86
Grewia 245
Grias 253
Grielum . . . 280
Griffinia . . . 676
Grindelia . . . 346
Grindelia . . 341
Grislea 241
Grobya . . . 644
Gronovia . . . 256
GROSSULARIEÆ 288
Guaiacum . . 125
Guarea 104

Page.
Guatteria . . . 18
Guatteria . . . 322
Guazuma . . . 82
Guepinia . . . 33
Guettarda . . . 321
GUETTARDACEÆ . 321
GUETTARDEÆ . 321
Guevina . . . 589
Guilandina . . 201
Guilandina . . 201
Guizotia . . . 356
Gundelia . . . 335
Gunnera . . . 609
Gunnia 652
Gustavia . . . 253
GUTTIFERÆ . 95
Guzmannia . . 706
Gymnadenia . . 649
Gymnadenia . . 650
Gymnema . . . 466
Gymnocladus . 201
Gymnodiscus . . 383
Gymnogramma . 754
Gymnoloma . . 357
Gymnopsis . . 357
Gymnosperma . 346
Gymnostachys . 634
Gymnostylis . . 375
Gynandropsis. . 46
Gynura 382
Gypsocallis . . 437
Gypsophila . . 60
Gypsophila . . 60-3
Gyrocarpus . . 582
Gyromia . . . 692
Gyrostemon . . 87
Gyrotheca . . . 669
Habenaria . . 650
Habenaria . 649-50
Hablitzia . . . 572
Habranthus . . 671
Hacquetia . . . 296
Hæmadictyon . 458
Hæmanthus . . 676
Hæmanthus . . 676
Hæmatoxylon . 202
HÆMODORACEÆ 669
Hæmodorum . 669
Hagea 263
Hakea . 589, 768
Halenia . . . 470
Halesia . . . 448
HALESIACEÆ. 448
Halimocnemis . 576
Halimodendron . 172
Halleria . . . 523
HALLERIEÆ . . 523
Hallia 152
Halocharis . . 402
Halocnemum . . 575
HALORAGEÆ . 239
Haloragis . . 239
Haloragis . . . 239
HAMAMELIDEÆ 763
Hamamelis . . 763
Hamelia . . . 321

Page.
HAMELIEÆ . . 321
Hamiltonia . 322, 594
Hapalostephium . 413
Hardenbergia . 187
Hardwickia . . 202
Haronga 92
Harpalium . . 359
Harpalyce . . . 417
Harrachia . . 556
Harrisonia . . . 469
Hartmannia . . 236
Hartogia . . . 134
Hartwegia . . 641
Hasselquistia . . 306
Hastingia . . 551
Havetia 95
Haworthia . . 688
Haylockia . . . 671
Hebenstreitia . 548
Hebenstreitia . 549
Hebeclinium . 339
Hedeoma . . 537
Hedera . . . 312
Hedera . . . 106
Hedychium . . 657
HEDYOTIDEÆ . 319
HEDYOTEÆ . . 320
Hedyotis . 329-30
Hedypnois . . 406
Hedypnois . 407-8
HEDYSAREÆ . 177
Hedysarum . . 180
Hedysarum 152, 168, 180-1-2-3
Heima 241
Helena 681
Heinsia . . . 319
Heleastrum . . 344
HELENIEÆ . . 363
Helenium . . . 363
Helenium . 363, 767
Heleochloa . . 726
Helianthemum . 50
HELIANTHEÆ . 356
Helianthus . 359
Helianthus . 358-9
HELICHRYSEÆ 376
Helichrysum . 377
Helichrysum 378-9
Heliconia . . . 659
Helicteres . . 81
Heliocarpus . . 85
Heliophila . . 45
Heliophila . . 45
HELIOPHILEÆ . 45
Heliopsis . . . 356
HELIOPSIDEÆ 356
HELIOTROPEÆ . 493
Heliotropium . 493
Heliotropium . . 494
Helipterum . 378-9
Helleborine . . 651
HELEBOREÆ . 8
Helleborus . 9, 765
Hellenia . . . 656
Hellenia . . . 656
Helminthia . . 410
Helonias . . . 712

Page.
Helonias . . 712
Helosciadium . 298
Hemarthria . . 748
Hemarthria . . 748
HEMEROCALLIDEÆ . . 684
Hemerocallis . . 684
Hemerocallis 684, 693
Hemeclidia . . 591
Hemidesmus . . 470
Hemigenia . . 540
Hemimeris . . 522
Hemimeris . 511-2
Hemionitis . . 754
Hemionitis 754, 759
Hemitelia . . . 762
Hepatica . . 4
Heracantha . . 397
Heracleum . . 305
Heracleum . . 306
Herbertia . . 662
Heritiera . . . 82
Heritiera . . 669
Hermannia . . 83
Hermannia . . 84
HERMANNIEÆ . 83
Hermaphroditantheæ 633
Hermas . . . 310
Herminium . . 650
Herminium . . 650
Hermione . . 682-3
Hernandia . . 582
HERNANDIACEÆ 582
Herniaria . . . 262
Herpestis . . 515
Herreria . . . 703
Herschelia . . 651
Hertia 388
Hesperantha . . 667
Heteria . . . 35
Hesperis . 27, 35-6
Hesperoscordum 703
Hessea 676
Heteracia . . 413
Heteranthemis . 371
Heteranthera . 713
Heteranthera . . 713
Heterochæta . . 344
Heterolepis . . 390
Heteromorpha . 300
Heteronema . . 242
Heteropappus . 345
Heteropogon . 749
Heteropteris . . 99
Heterospermum 361
Heterotaxis . . 643
Heterotheca . . 346
Heterotrichum . 244
Heterotropa . 595
Heuchera . . . 292
Heylandia . . 152
Heynea . . . 104
Hexacentris . . 554
Hexaglottis . . 662
Hexaglottis . . 666
Hexopia . . . 645

Page.
Hibbertia . . . 15
Hibiscus . . 76, 765
Hibiscus . . 77-8
Hicorius . . . 612
HIERACIEÆ . . 414
Hieracium . . 414
Hieracium 406-7, 411, 412-3
Hierochloa . . 728
Hillia 317
Hippeastrum . 674
Hippia . . . 375
Hippia . . . 375
HIPPIEÆ . . . 375
Hippion . . . 471
Hippobroma 425, 767
HIPPOCASTANEÆ 100
Hippocratea . . 97
HIPPOCRATEACEÆ . . . 97
Hipppocrepis . . 177
Hippomane . . 603
Hippomarathrum 310
Hippophae . . 594
Hippophae . . 594
HIPPURIDEÆ . 239
Hippuris . . . 239
Hiptage . . . 98
HIPTAGEÆ . . 98
Hirsæa 99
Hirculus . . . 291
Hispidella . . 418
Hirtella . . . 207
Hoarea . . . 109
Hoffmanseggia . 202
Hohenackeria . . 296
Hoitzia . . . 480
Holcus . . . 728
Holcus 728, 738, 749
Holigarna . . . 142
Holmskioldia . 551
Holophyllum . 372
Holosteum . . 68
Holosteum . . 68
HOMALINEÆ 141
Homalium . . 141
Homalonema . . 632
Homeria . . . 662
Homogyne . . 339
Hoodia . . . 463
Hookera . . . 685
Hopea . . . 448
HORDEACEÆ . . 744
Hordeum . . 747
Hordeum . . . 747
Horkelia . . . 225
Horminum . . 535
Hornemannia 515-6
Hosackia . . . 165
Hosta 551
Hottonia . . . 562
Houstonia . . . 473
Houttuynia . . 632
Hovea 151
Hovea . . . 151
Hovenia . . . 137
Hoya 466

Page.
HOYACEÆ . . 466
Hudsonia . . . 53
Huernia . . . 463
Hugelia . . . 478
Hugonia . . . 88
Hugoniaceæ . . 88
Humea . . . 376
Humulus . . . 610
Hunnemannia . 23
Huntleya . . . 643
Hura 603
Hutchinsia . . 33
Hutchinsia . . 32
Hyacinthus . . 697
Hyacinthus 696-7-8-9
Hyalis 667
Hyænanche . . 602
Hydrangea . . 293
HYDRANGEÆ . 293
Hydrastis . . 4
HYDROCEREÆ 122
Hydrocera . . 122
HYDROCHARIDEÆ . . . 627
HYDROCARYEÆ 239
Hydrocharis . . 627
Hydrochloa . . 740
Hydrocotyle . . 295
Hydrocotyle 295-6
HYDROCOTYLEÆ 295
Hydroglossum . 752
Hydrolea . . . 480
HYDROLEACEÆ 480
HYDROPELTIDEÆ 20
Hydropeltis . . 20
HYDROPHYLLEÆ 496
Hydrophyllum . 496
Hydrophyllum . 497
Hydropyrum . . 726
Hydrotænia . . 663
Hygrophila . . 555
Hymenæa . . 205
Hymenæa . . . 205
Hymenanthera . 56
Hymenocallis . . 676
Hymenocarpus . 160
Hymenocrater . 546
Hymenodictyon 317
Hymenogyne . . 279
Hymenolepis . 372
Hymenonema . 409
Hymenopappus . 363
Hymenopappus . 363
Hymenophyllum 762
Hymenophyllum 762
Hymenopyramis . 764
Hyoscyamus . 505
Hyoscyamus . . 505
HYOSERIDEÆ . 405
Hyoseris . . . 405
Hyoseris . 405-6-7
Hypecoum . . 23
Hypelate . . 103
HYPERICEÆ . . 92
HYPERICINEÆ 92
Hypericum . . 92

Page.
Hypericum . . 94
Hyphæne . . 715
Hypocalyptus . 154
HYPOCHÆRIDEÆ 406
Hypochæris . . 406
Hypochæris . 407
Hypoelytrum . . 725
Hypoestes . . 559
Hypolæna . . 719
Hypopithys . . 445
HYPOXIDEÆ 670
Hypoxis . . . 670
Hyptis 530
Hyptis . . . 531
Hyssopus . . . 537
Hyssopus . . 540
Iberis . . . 33
Iberis 33
Ibbetsonia . . 147
Ichnocarpus . . 458
Icica 145
Ilex 134
Ilex . . . 133-4-5
ILICINEÆ . . 134
ILLECEBREÆ . 262
Illecebrum . . 263
Illecebrum . 263, 570
Illicium . . . 16
ILLIGEREÆ . 582
Imatophyllum . 684
Imbricaria . . 451
Imhofia . . . 675
Impatiens . . 122
Impatiens . . 121-2
Imperata . . . 748
Imperatoria . . 304
Imperatoria 302, 304
Incarvillea 476, 528
Indigofera . . . 166
Inga . . 195, 766
Inga 195
Inocarpus . . . 451
Intybellia . . 413
Inula 351
Inula 346, 251-2, 403
INULEÆ . . . 351
Ionopsis . . . 646
Ipomœa . 483, 769
Ipomœa 481-2-3, 485, 486
Ipomopsis 478, 480
Iresine 571
Iresine . . . 571
IRIDEÆ . . . 659
Iris 659
Iris 661-2
Isachne . . . 730
Isachne . . . 730
Isanthus . . . 531
ISATIDEÆ . . . 39
Isatis 39
Ischæmum . . 750
Ischæmum . . . 750
Isertia . . . 320
ISERTIEÆ . . . 320
Ismelia . . . 371
Ismene 680
Ismarda . . . 238

Page.
Isocarpha . . . 326
Isochilus . . . 646
Isochilus . . . 647
Isoetes . . . 751
Isolepis . . . 723
Isopetalum . . 121
Isoplexis . . . 510
Isopogon . . 584
Isopyrum . . . 9
Isotoma . . . 425
Isotropis . . . 764
Itea 289
Itea . . . 59, 440
Iva 355
IVEÆ 355
Ixeris . . . 411
Ixia 667
Ixia 662, 664-5-6-7-8
Ixiolirion . . 675
Ixodia 376
Ixora 323
Ixora . . 317, 323
Jaborosa . . . 503
Jacaranda . . . 476
Jacksonia . . 148
Jacquinia . . . 450
Jambolifera . . 129
Jambosa . . . 252
Janipha . . . 602
Jasione . . . 418
JASIONEÆ . . . 418
JASMINEÆ . 456
Jasminum . . . 456
Jasonia . . . 351
Jatropha . . . 602
Jatropha . . . 602
Jeffersonia . . . 20
Jenkinsonia . . 120
Johannia . . . 403
Johnia . . . 97
Joliffia 256
Jonesia . . . 202
Jonidium . . . 55
Jonidium . 53, 55
Jonquilla . . . 681
Jossinia . . . 251
Juanulloa . . 506
JUGLANDEÆ 611
Juglans . . . 611
Juglans . . . 612
JUNCAGINEÆ 628
JUNCEÆ . . 717
Juncus . . . 718
Juncus 718
Jungia . . . 404
Juniperus . . . 623
Juniperus . . 622
Jurinea . . . 403
Jussiæa . . . 238
JUSSIÆÆ . . . 238
Justicia . . . 557
Justicia 555-6-7-8-9
JUSTICIEÆ . . 556
Kadsura . . . 19
Kæmpferia . . 655
Kageneckia . . 231
Kalanchoe . . 267
Kalmia 443

Page.
Kalosanthes . . 266
Karelinia . . . 349
Kaulfussia . . 340
Kennedya . . . 187
Kennedya . . 187-8
Kentrophyllum . 397
Kernera . . . 32
Kerria 230
Kielmeyera . . 89
Kiggelaria . . . 49
KIGGELARIEÆ . 49
Kingia 717
Kirganelia . . 603
Kitaibella . . . 74
Kleinhovia . . 83
Kleinia 362
Kleinia . . . 383
Knappia . . . 727
Knautia . . . 331
Knautia . . . 332
Knowltonia . . 5
Knoxia . . . 325
Kobresia . . . 722
Kochia 573
Kochia . . . 573
Kœleria . . . 741
Kœleria . . . 741
Kœlpinia . . . 405
Kœlreuteria . . 103
Kœnigia . . . 580
Kohautia . . . 320
Kolbea 711
Koniga 30
KOPSIEÆ . . . 461
Krigia 406
Krigia 406
Krubera . . . 306
Kundmannia . . 301
Kuhnia . . . 337
Kuhnia . . . 337
Kuhnistera . . 169
Kydia 85
Kyllinga . . . 725
LABIATÆ . . 529
LABIATIFLORÆ 403
Labichæa . . 202
Lablab 190
Labræa . . . 68
Lachenalia . . 698
Lachenalia . . 699
Lachnæa . . . 592
Lachnanthes . 669
Lactuca . . . 410
Lactuca . . 413, 418
LACTUCEÆ . . 410
Lælia 641
Lætia 49
Lagascea . . . 335
Lagenaria . . 254
Lagenophora . . 764
Lagerstrœmia . 241
LAGERSTRŒMIEÆ 241
Lagetta . . . 591
Lagœcia . . . 310
Lagonychium . 196
Lagoseris . 411, 413
Laguncularia . 233
Lagunea . . . 80

Page.
Lagunaria . . 77
Lagurus . . . 737
Lahaya . . . 263
Lalage 151
Lamarckia . 133, 742
Lambertia . . 589
Lamium . . . 542
Lamium . . . 542
Lamprotis . . 437
Lanaria . . . 669
Lancisia . . . 368
Lantana . . . 552
Lapeyrousia . . 664
LAPLACEÆ . . 89
Laplacea . . . 89
Lappa 401
Lappago . . . 731
Lapsana . . . 405
Lapsana . 405-6, 413
LAPSANEÆ . . 405
Larbrea . . . 68
Larix 625
Larrea 125
Laserpitium . . 307
Laserpitium 302-3, 306
310
Lasia 633
Lasiagrostis . . 732
Lasiandra . . . 242
Lasiochloa . . 741
Lasiospermum . 368
Lasiospermum . 409
LASIOPETALEÆ . 83
Lasiopetalum . 83
Lasiopetalum . . 83
Lasiopus . . . 418
Lasthenia . . . 363
Latania . . . 715
Lathræa . . . 525
Lathyrus . . . 185
Lathyrus 185-6-7, 171
Laugeria . . . 322
LAURINÆ . . 581
Laurophyllus . 762
Laurus 581
Laurus . . 581-2
Lavandula . . . 530
Lavandula . . 530
Lavatera . . . 74
Lavenia . . . 336
LAVOISIEREÆ . 242
Lawsonia . . . 241
Laxmannia . . 702
Lebeckia . . . 154
Lebeckia . . . 167
Lebetina . . . 362
Lebretonia . . 76
Lecanocarpus . 569
Lechea 53
Lechenaultia . 427
Lecontea . . . 322
LECYTHIDEÆ . 253
Lecythis . . . 253
Lecythis . . . 253
Ledebouria . . 692
Ledocarpum . . 280
Ledum . . . 444
Ledum 444

Page.
Leea 106
LEEACEÆ . . . 106
Leersia . . . 726
LEGUMINOSÆ 146
Leighia . . . 358
Leimanthium . . 712
Leiophyllum . . 444
Lemna 629
Lens 184
LENTIBULARIEÆ
559
Leonotis . . . 545
Leontice . . . 19
Leontice . . . 19
Leontodon . . 408
Leontodon 407-8-9,
411-2
Leontonyx . . 376
Leontopodium . 380
Leonurus . . 542
Lepanthes . . . 638
Leopoldina . . 717
Lepechinia . . . 544
Lepeocercis . . 749
Lepidagathis . . 556
LEPIDINEÆ . 38
Lepidium . . . 38
Lepidium . 33, 38-9
Lepidonema . . 406
Lepidosperma . 722
Leptalium . . 38
Lepigonum . . 69
Leptandra . . 520
Leptanthus . . 713
Leptarrhena . . 292
Leptasea . . . 291
Leptinella . . 375
Leptocallis . . 482
Leptocarpæa . 26
Leptocarpus . . 719
Leptocaulis . . 298
Leptochloa . . 736
Leptochloa . . 736
Leptomeria . . 594
Leptosiphon . 479
Leptorynchos . . 764
LEPTOSPERMEÆ 246
Leptospermum . 249
Leptospermum . 249
Leptostelma . . 345
Leptotes . . . 641
Lepturus . . . 748
Lepturus . . . 748
Lepyrodia . . . 719
Leria 404
LERIEÆ . . . 404
Lespedeza . . 182
Lespedeza . . . 179
Lessertia . . . 172
Lestibudesia . . 570
Lettsomia . . 88
Lettsomia . . . 481
Leucadendron . 583
Leucadendron . 586
Leucanthemum . 368
Leucas 545
Leuceria . . . 404
Leucocarpus . . 516

Page.
Leucocoryne . . 702
Leucojum . . . 683
Leucojum . . 683
Leucopogon 447, 767
Leucosceptrum . 547
Leucospermum . 585
Leucostemma . . 378
Leucothoe . . 439
Leuzea 402
Leuzea . . . 402
Levisticum . . 303
Lewisia . . . 270
Leycesteria . . 315
Leysera . . . 381
Leysera 340, 381, 403
LEYSSEREÆ . . 381
LIABEÆ . . . 335
Liabum . . . 335
Liatris . . 337, 767
Libanotis . . . 301
Libertia . . . 663
Lichtensteinia . 300
Lichtensteinia . 712
Licuala . . . 716
Lidbeckia . . 368
Lidbeckia . . . 372
Lightfootia . . 419
Ligularia . . . 382
Ligularia . . 290
LIGULIFLORÆ . 405
Ligusticum . . 302
Ligusticum 297, 302-3,
310-1
Ligustrum . . 453
Lilium . . . 709
Lilium . . . 709
Limeum . . . 262
Limnetis . . . 736
Limnocharis . 628
Limodorum 641, 645,
648, 652
Limonia . . . 91
Limonia . . 91-2
Limosella . . . 516
Linanthus . . 479
Linaria . . . 512
Linconia . . . 140
Lindenbergia . . 515
Lindernia . . 516
Lindernia . . . 515
Lindsæa . . . 762
LINEÆ . . . 72
Linnæa . . . 315
Linociera . . 454
Linosyris . . . 348
Linum . . . 72
Linum . . . 72
Liparia . . . 152
Liparia . . . 152
Liparis . . . 637
Lipochæta . . 360
Lipostoma . . 329
Lippia . . . 553
Lippia . . . 553
Liquidambar . . 621
Liriodendron . 16
LISIANTHEÆ . . 473
Lisianthus . . 47[illegible]

Page.
Lisianthus 471, 473
Lissanthe . . 447
Lissochilus . . 646
Listera . . . 654
Lita 471
LITHOSPERMEÆ 490
Lithospermum . 490
Lithospermum 489-90
Litria 144
Littæa . . . 705
Littorella . . . 567
Livistona . . 715
Livistona . . . 715
Lloydia . . . 696
Loasa 259
Loasa . . 259-60
LOASEÆ . . 259
Lobadium . . 144
Lobaria . . . 290
Lobelia . . . 424
Lobelia 423-4-5, 427
LOBELIACEÆ 423
Lockhartia . . 647
Loddigesia . . . 154
Lodicularia . . 748
Lodoicea . . . 715
Lœflingia . . . 264
Loeselia . . . 480
Logania . . . 474
LOGANIACEÆ 474
Loiseleuria . . 443
Lolium . . . 746
Lomandra . . . 717
Lomaria . . . 759
Lomatia . . . 590
Lomatophyllum . 685
Lonas 372
Lonchitis . . . 761
Lonchocarpus . 171
Londesia . . . 575
Longchampia . 381
Lonicera . . . 314
Lonicera . . 314-15
LONICERÆ . . 314
Lopezia . . . 238
Lophandra . . 437
Lophanthus . . 540
Lophanthus . . 540
Lophiola . . . 669
Lophira . . . 316
Lophosciadium . 307
Lophospermum . 515
Lopimia . . . 78
LORANTHEÆ . 315
Loranthus . . 315
Loranthus . . . 315
Lorentia . . . 336
Loreya 244
LOTEÆ . . . 151
Lotus 164
Lotus 159, 164-5-6-8
Lourea . . . 179
Loureira . . . 604
Lowea . . . 213
Lubinia . . . 563
Luculia . . . 317
Lucumia . . . 451
Ludia 50
Ludia 50
Ludolfia . . . 744
Ludovia . . . 630
Ludwigia . . . 238
Ludwigia . . 238
Luffa 254
Lugoa 365
Luhea 87
Luisia 648
Lumnitzera . . 529
Lunaria . . . 29
Lunaria 29
Lupinaster . . 164
Lupinus . 191, 766
Luzula 717
Luzuriaga . . 703
Lychnis . . . 66
Lychnis . . 65-6-7
Lycium 503
Lycium . . 503-7
Lycopersicum . 501
LYCOPODIACEÆ 751
Lycopodium . . 751
Lycopodium . . 752
Lycopsis . . 492
Lycopsis . . 491-2
Lycopus . . . 582
Lycoris . . . 675
Lycoseris . . 403
Lygeum . . . 726
Lygodesmia . . 414
Lygodium . . . 572
Lyonia . . . 438
Lyonnetia . . . 365
Lyonsia . . . 458
Lyperanthus . . 652
Lyperia . . . 520
Lysimachia . . 562
Lysimachia . . 563
Lysinema . . . 446
LYTHRARIEÆ 240
Lythrum . . . 240
Lythrum . . . 241
Maba 452
Macbridea . . . 542
Macleaya . . . 23
Maclura . . . 607
Macradenia . . 646
Macræa . . . 67
Macranthus . . 187
Macrochilus . 646
Macrochloa . . 732
Macrocnemum . 319
Macrocnemum 317-8-9
Macrolobium . . 205
Macropodium . . 28
Macrorhyncus . 411
Macrostylis . . 127
Macrotropis . . 147
Macrotys . . . 13
Madaria . . . 364
Madia 364
Madia 364
MADIEÆ . . 364
Mæsa 449
MÆSEÆ . . . 449
Magnolia . . . 16
Magnolia . . . 17
MAGNOLIACEÆ 16
Magydaris . . . 310
Mahernia . . . 84
Mahonia . . . 19
Mahurea . . . 89
Maieta . . . 244
Mairania . . . 439
Mairia . . . 340
Majanthemum . 692
Malabaila . . 305
Malachadenia . . 769
Malachodendron . 89
Malachodendron . 89
Malachra . . . 75
MALAXIDEÆ . . 636
Malaxis . . . 637
Malaxis . 637, 653
Malcomia . . . 35
Malesherbia . . 259
MALESHERBIACEÆ 259
Mallococca . . 86
Malocchia . . 190
Malope 73
Malpighia . . . 97
Malpighia . . . 98
MALPIGHIACEÆ 97
MALPIGHIEÆ . 97
Malus . . . 213
Malva . . . 73, 765
Malva . . . 74-8
MALVACEÆ . 73
Malvaviscus . . 75
Mammea . . . 95
Mammillaria . . 281
Mandragora . . 503
Manettia . . . 317
Mangifera . . 142
Mangifera . . 142-5
Manglilla . . . 450
Manicaria . . . 717
Manihot . . . 602
Manisurus . . 748
Manna 182
Mantisia . . . 655
Manulea . . . 521
Manulea . . 520-1
Mappa . . . 602
Maranta 658
Maranta . . 657-8
Marattia . . . 753
Marcgravia . . . 96
MARCGRAVIACEÆ 96
MARCGRAVIEÆ . 96
Margyricarpus . 229
Marialva . . . 95
Marica 661
Marica . . . 662-3
Marila 89
Mariscus . . . 725
Marjorana . . 536
Marlea 245
Marrubium . . 545
Marrubium . . 545
Marsdenia . . 466
Marshallia . . . 364
Marsilea . . . 751
MARSILEACEÆ 751
Marsypianthus . 530
Martynia . . . 478
Martynia . . . 478
Maruta . . . 365
Masdevallia . . 646
Massonia . . . 699
Massonia . . . 697-9
Mataxa . . . 368
Matayba . . . 102
Mathiola . 25, 765
Matourea . . . 515
Matricaria . . . 369
Matricaria . . 368
Matthiola . . 321
Mattia 487
Maurandia . . 514
Mauria 144
Mauritia . . . 716
Maxillaria . 642, 769
Maxillaria . 643-5
Maximiliana . . 716
Maytenus . . 133
Maxus 515
Meconopsis . . . 22
Medeola . . . 692
Medeola . . . 703
Medicago . 159, 766
Medicago . . 160
Medinilla . . . 243
Medusea . . . 596
Megacarpæa . . 34
Megaclinum . . 638
Megasea . . . 290
Megastachya . 738
Megastachya . . 743
Melaleuca . . 247
Melaleuca . 246-9-50
MELALEUCEÆ 246
Melampyrum . 523
MELAMPODIEÆ . 354
MELAMPODINEÆ . 353
Melampodium . 354
Melampodium . 355
Melanorrhœa . 142
Melanoselinum . 307
Melanosticta . 202
MELANTHACEÆ 710
Melanthera . . 356
Melanthium . . 711
Melanthium . 711-12
Melasphærula . 667
Melastoma . . 243
Melastoma. 242-3-4-5
MELASTOMACEÆ 242
Melhania . . . 85
Melia 104
Melia 104
MELIACEÆ . 103
Melianthus . . 126
Melica . . . 741
Melica 741
Melichrus . . 447
Melicocca . . . 103

Page.
Melicocca . . 103
Melicope . . . 129
Melicytus . . . 49
MELIEÆ . . . 103
Melilotus . . . 161
Melilotus . . 160-1
Melinis . . . 730
Melissa . . . 538
Melissa . . 537-8
MELISSINEÆ . 537
Melittis . . . 542
Melocactus . . 282
Melocactus . 282-3
Melocanna . . 744
Melochia . . . 83
Melochia . . . 83
MELODINEÆ . . 462
Melodinus . . 462
Melothria . . . 255
MEMECYLEÆ 232
Memecylon . . 232
Meniocus . . . 31
Meniscium . . 754
MENISPERMACEÆ . . 18
MENISPERMEÆ . 18
Menispermum . 18
Menispermum . . 18
Menonvillea . . 34
Mentha . . . 531
Mentha . . . 531
MENTHOIDEÆ . 531
Mentzelia . . . 260
MENYANTHACEÆ 474
Menyanthes . . 474
Menyanthes . . 474
Menziesia . . 443
Menziesia . . 439
Meoschium . . 750
Mercurialis . . 596
Merendera . . 711
Meriandra . . . 532
Meriania . . . 242
Meriania . . . 243
Merckia 70
Mertensia 489, 610
Mertensia . . 753
Mesembryanthemum 271
Mesembryanthemum 279
MESEMBRYANTHEMEÆ . . 271
Mespilus . . . 209
Mespilus . . 210-11
Messerschmidtia . 494
Messerschmidtia . 494
Metalasia . . 379
Metalasia . . . 380
Metastelma . . 469
Methonica . . . 710
Metrosideros . 249
Metrosideros 247-8, 249-252
Meum . . . 302
Meum . . 298, 301
Meyenia . . . 554

Page.
Meyera 361
Michauxia . . 420
Michelia 16
Miconia . . . 244
MICONIEÆ . . 244
Micranthera . . 95
Micranthes . . 291
Microcale . . . 473
Microchloa . . 735
Microcos . . . 86
Microderis . . 409
Microdon . . . 549
Microglossa . . 346
Microlæna . . . 726
Microlicia . . 242
Microloma . . . 469
Microlonchus . 393
Micromeria . . 537
Micropus . . . 350
Microrynchus . . 413
Microseris . . . 409
Microstachys . 604
Microstephium . 390
Microstylis . . 637
Microtea . . . 572
Microtis . . . 652
Mikania . . . 339
Mikania . . . 338
Milium . . . 729
Milium 728-9, 730, 732, 734
Milla 704
Milleria . . . 354
Milleria . 354, 361
MILLERIEÆ . . 354
Millina . . . 408
Millingtonia . . 476
Miltonia . . . 646
Mimetes . . . 586
Mimosa . . . 194
Mimosa 194-5-6-7-8-9 200
MIMOSEÆ . . . 194
Mimulus . . . 516
Mimulus . . . 516
Mimusops . . 451
Minuartia . . . 264
MINUARTIEÆ . 264
Mirabilis . . . 567
Mirbelia . . . 150
Mirbelia . . . 148
Miscopetalum . 290
Mitchella . . . 321
Mitella . . . 293
Mitella 293
Mitracarpum . 325
Mitrasacme . . 473
Mniarum . . . 264
Modecca . . . 259
Modiola . . . 74
Moehringia . . 68
Mœnchia . . . 68
Mogiphanes . . 571
Moldenhaweria . 202
Molinæa . . . 103
Molinia . . . 741
Mollia 263
Mollugo . . . 68

Page.
Mollugo . . . 68
Molopospermum 309
Moltkia . . . 490
Moluccella . . 546
Moluccella . . 546
Momordica . . 255
Momordica . . 254
Monacanthus . 644
Monachne . . . 730
Monadenia . . 650
Monanthes . . 270
Monarda . . . 535
Monarda . . . 535
MONARDEÆ . . 532
Monardella . . 536
Monerma . . . 748
Monerma . . . 748
Moneses . . . 445
Monetia . . . 462
Monniera . . 131
Monnina . . . 58
Monochilus . . 764
MONOCHLAMYDEÆ . . 564
MONOCOTYLEDONEÆ . 626
Monodora . . . 17
Monopsis . . 425
Monotaxis . . . 764
Monotoca . . 447
Monotropa . . 445
Monotropa . . 445
MONOTROPEÆ . 445
Monsonia . . 106
Monsonia . . . 106
Montagnæa . . 357
Montanoa . . . 357
Monstera . . . 633
Montia 262
Montinia . . . 235
MONTINIEÆ . . 235
Moræa . . . 661
Moræa . . 661-2
Morenoa . . . 482
Moricandia . . 42
Morina . . . 330
Morinda . . . 321
MORINDEÆ . . 321
Moringa . . . 207
MORINEÆ . . 330
MORINGEÆ . 207
Morisia . . . 45
Morisonia . . . 48
Mormodes . . 643
Morna 376
Moronobea . . 95
Morphixia . . . 667
Morrenia . . . 468
Morus 607
Morus . . . 607
Morysia . . . 372
Moscharia . . 405
Moschosma . . 529
Mougeotia . . . 83
Moulinsia . . 102
Mouriria . . . 232
Mozinna . . . 604
Mucuna . . . 190

Page
Muhlenbergia . 732
Muhlenbergia . 733
MULINEÆ . . 296
Mulgedium . . 418
Mullera . . . 171
Mundia . . . 58
Muntingia . . 87
Munychia . . . 340
Muraltia . . . 58
Muricaria . . . 43
Murraya . . . 91
Murucuia . . . 259
Musa 659
MUSACEÆ . . 659
Muscaria . . . 292
Muscari . . . 698
Mussænda . . 318
Mussænda 317, 319
Musschia . . . 423
Mutisia . . . 403
MUTISIACEÆ . 403
MUTISIEÆ . . 403
Myagrum . . 40
Myagrum . . 38, 44
Myanthus . . 643
Mygalurus . . 743
Myginda . . . 134
Mylocaryum . . 440
Myogalum . . 696
MYOPORINÆ 553
Myoporum . . 554
Myoseris . . . 413
Myosotis . . . 493
Myosotis . . . 488
Myosurus . . 5
Myrcia . . . 251
Myriactis . . 346
Myriadenus . . 178
Myrica . . . 621
Myrica . . . 621
Myricaria . . 59
MYRICEÆ . . 621
Myriogyne . . 375
Myriophyllum . 239
Myristica . . . 583
MYRISTICEÆ 583
Myrodia . . . 81
Myrospermum . 146
Myroxylum . . 147
Myrrhis . . . 310
Myrrhis . 299, 309
Myrsine . . . 450
Myrsine . . . 449
MYRSINACEÆ 449
Myrsiphyllum . 703
MYRTACEÆ . 246
MYRTEÆ . . 250
Myrtus 251
Myrtus . 251, 252
Nageia 621
Nageia . . . 605
Najas 629
Nama 480
Nananthea . . 368
Nandina . . . 19
Nanodes . . . 642
Napæa . . . 79
Naravelia . . . 2

Page.
Narbalus . . . 417
Narcissus . . . 680
Narcissus . . 680
Nardosmia . . 339
Nardus . . . 748
Nardus . . . 748
Narthecium . . 717
NASSAUVIACEÆ 404
NASSAUVIEÆ . . 404
Nasturtium . . 26
Nauclea . . . 316
Nauclea . . . 317
NAUCLEEÆ . . 316
Nauenbergia . 361
Nebelia . . . 140
Negundo . . . 100
Neja 348
Nelitris . . . 250
Nelsonia . . . 554
NELSONIEÆ . . 554
Nelumbium . . 20
NELUMBONEÆ . 20
Nectaroscordium 702
Nectouxia . . 503
Nectris . . . 20
Negretia . . . 191
Nemesia . . . 515
Nemopanthes . 134
Nemophila . . 496
Nemophila . . 496
Neottia 654
Neottia . 653, 654
NEOTTIEÆ . . 653
Nepenthes . . 595
Nepeta . . 540, 769
Nepeta . . 537-8
NEPETEÆ . . . 540
Nephelium . . 102
Nephrodium . . 756
Nephrodium . 758
Nerine 675
Nerium . 458, 767
Nerium . 459, 462
Nesæa . . . 241
Nesæa 241
Neslia . . . 38
Nestlera . . . 381
NEURADIACEÆ 280
Neurocarpum . . 168
Neurolæna . . 381
NEUROLÆNEÆ . 381
Neuroloma . . 29
Nicandra . . . 503
Nicolsonia . . 179
Nicotiana . . 504
Nicotiana. . . 505
NICOTIANEÆ . . 504
Nidorella . . 346
Niebuhria . . . 47
Nierembergia . . 505
Nierembergia . 505
Nigella 9
Nigritella . . 649
Nintooa . . . 315
Nipa 707
Niphobolus . . 755

Page.
Nissolia . . . 170
Nitella . . . 750
Nitraria . . . 280
NITRARIACEÆ 280
Nivenia . . . 587
Nocca 335
Noisettia . . . 53
Noisettia . . . 53
Nolana . . . 507
NOLANIEÆ . . 507
Nolina . . . 712
Nonatelia . . . 322
Nonatelia . . 322
Nonea 491
Nonea . . . 491
Norantea . . . 96
NORANTEÆ . . 96
Noronhia . . 453
Notelæa . . . 454
NOTELIEÆ . . 454
Notholæna . . 754
Notobasis . . . 401
Notoceras . . 26
Nothria . . . 60
NOTORHIZEÆ . 35
Notylia . . . 646
Nuphar . . . 21
Nuttallia . . 78
Nuytsia . . . 315
NYCTAGINEÆ 567
Nyctanthes . . 456
Nycterinia . . 520
Nycterisition . . 451
Nycterium . . 501
Nymphæa . . . 21
Nymphæa . . 21
NYMPHÆACEÆ 20
NYMPHÆEÆ . 20
Nyssa 594
Obeliscaria . . 357
Obeliscaria . . 357
Obesia . . . 465
Oberonia . . . 636
Ochna. . . . 131
Ochna 131
OCHNACEÆ . 131
Ochradenus . . 49
Ochranthe . . 94
Ochroma . . . 81
Ochrosia . . . 461
Ochrus 186
Ochthodium . . 34
Ocotea 582
Octomeria . . 636
Octopera . . . 438
Ocymum . . . 529
Ocymum . . . 529
OCYMOIDEÆ . 529
Odontarrhena . . 30
Odontites . . 522
Odontites . . . 300
Œceoclades . . 648
Odontoglossum 647, 769
Œdera 365
Œdera . . . 390
Œdmannia . . 152
Œnanthe . . . 300

Page.
Œnanthe . 300, 305
Œnocarpus . . 715
Œnoplia . . . 135
Œnothera . . . 236
Œnothera . 236-7-8
OLACINEÆ . 91
Olax 91
Oldenlandia . . 320
Olea 453
Olea . 133, 453, 454
Olearia 344
OLEINÆ . . 453
OLIEÆ . . . 453
Oligocarpus . . 387
Olinia . . . 139
Olisbea . . . 234
Oliveria . . . 310
Olyra 729
Omalanthus . . 601
Omalotheca . . 379
Omphalea . . 603
Omphalobium . 145
Omphalobium . . 205
Omphalodes . . 488
ONAGRARIEÆ 235
ONAGREÆ . . 235
Oncorhyncus . 764
Oncidium . . . 646
Onobroma . . 397
Onobroma 392-3, 398
Onobrychis . . 181
Oneclea . . . 759
Oneclea . . . 759
Ononis 157
Onopordum . . 398
Onopordum 392, 402
Onoseris . . . 404
Onoseris . 403, 404
Onosma . . . 489
Onosmodium . . 489
Opercularia . . 328
Opercularia . . 329
OPERCULARIEÆ 328
OPHIOGLOSSEÆ . 752
Ophioglossum . 752
Ophiopogon . . 692
Ophiorhiza . . 320
Ophiostachys . 712
Ophioxylon . . 461
Ophioxylon . . 461
Ophiurus . . . 748
OPHRYDEÆ . . 648
Ophrys . . . 651
Ophrys 637, 650-1, 654
Oplismenus 729, 730-1
Oplotheca . . 571
Opoponax . . . 303
Oporanthus . . 670
Oporinia . . . 408
Opuntia . . . 286
OPUNTIACEÆ . 281
Orbea 465
ORCHIDEÆ . 636
Orchidocarpum . 17
Orchis 648
Orchis . . 649, 650

Page.
Oreoselinum . . 304
Origanum . . 536
Origanum . . . 536
Orithyia . . . 696
Orlaya 307
Ormenis . . . 366
Ormocarpum . . 178
Ormosia . . . 146
Ornithidium . . 642
Ornithocephalus 642
Ornithogalum . 695
Ornithogalum 696, 702
Ornithoglossum . 711
Ornithopus . . 177
Ornithopus . 177-8
Ornitrophe . . 102
Ornus 455
Orobanche . . 524
Orobanche . . 525
OROBANCHEÆ 524
Orobus . . . 186
Orobus . . 186, 171
ORONTIACEÆ . 633
Orontium . . 634
Orontium . 512, 634
Orostachys . . 268
Ortegia . . 67, 263
Orthoceras . . 653
ORTHOPHURAMEÆ 463
ORTHOPLOCEÆ . 40
Orthopogon . . 730
Orthosiphon . . 529
ORTHOSPERMEÆ 295
Orthrosanthus . 663
Orvala . . . 542
Oryza 726
ORYZEÆ . . . 726
Oryzopsis . . . 732
Osbeckia . . . 243
OSBECKIÆ . . 242
Osmites . . . 381
Osmites . . . 381
Osmitopsis . . 381
Osmorhiza . . 310
Osmunda . . 753
Osmunda 752-3, 759, 760
OSMUNDACEÆ . 752
Ossæa 244
OSTEOSPERMEÆ 388
Osteospermum . 388
Osteospermum 345, 387, 389, 396
Ostericum . . 303
Ostrya . . . 615
OSYRIDEÆ . 593
Osyris . . . 593
Othonna . . . 388
Othonna . 368, 387-8
OTHONNEÆ . . 388
Otidia. . . . 109
Otoptera . . . 168
Oustropis . . 168
Outea 205
Oviedia . 550, 664
OXALIDEÆ . 122

Page.
Oxalis . . 122, 765
Oxalis 122
Oxleya . . . 105
Oxyanthus . . 318
Oxybaphus 567, 768
Oxycoccus . . 445
Oxycoccus . . 440
Oxylobium 148, 766
Oxypetalum . . 468
Oxyria 579
Oxyspora . . 242
Oxystelma . . 468
Oxytropis . . 173
Oxytropis . . . 175
Oxyura . . . 364
Ozothamnus . . 376
Pachidendron . 685
Pachira . . . 81
Pachylepis . . 407
Pachypleurum . 306
Pachypodium . 458
Pachyrhizus . . 190
Pachysa . . . 437
Pachysandra . . 600
Pachysandra . 600
Pæderia . . . 322
Pæderia . . . 322
PÆDERIEÆ . . 322
Pæderota . . 520
Pæonia . . 14, 765
PÆONIACEÆ . 13
Palafoxia . . . 337
Palavia . . . 78
Palicourea . . . 323
Palimbia . . . 304
Paliurus . . . 135
Pallenis . . . 352
PALMÆ . . . 714
Panætia . . . 378
Panax 311
Pancratium . . 679
Pancratium 679, 680
PANDANEÆ . 629
Pandanus . . . 629
Panderia . . . 576
PANICEÆ . . . 728
Panicum . . . 729
Panicum 728-9, 730-1
741, 748
Papaver . 22, 765
Papaver . . . 22
PAPAVERACEÆ 22
PAPAYACEÆ . 256
PAPILIONACEÆ . 146
PAPPOPHOREÆ . 735
Pappophorum . 735
Papyrus . . . 725
Parastranthus . 425
Pardanthus . . 662
Pariana . . . 748
Parietaria . . . 609
Parinarium . . 207
Paris 692
Paritum . . . 77
Parivoa . . . 205
Parkeria . . . 753
PARKERIACEÆ . 753
Parkia . . . 195

Page.
Parkinsonia . . 202
Parnassia . . . 56
Parochetus . . 190
Paronychia . . 263
PARONYCHEÆ 262
PAROPSIEÆ . . 257
Parrya 29
Parsonsia . . 458
PARTHENIEÆ . 355
Parthenium . . 355
Pascalia . . . 356
Pascalia . . . 357
Pascalium . . . 383
Paspalum . . 728
Paspalum 728-9, 731
Passerina . . . 592
Passerina . . 592
Passiflora . 257, 767
Passiflora . . 258
PASSIFLOREÆ 257
Pastinaca . . . 305
Pastinaca . 303, 305
Patagonium . . 178
Patagonula . . 496
Patersonia . . . 663
Patrinia . . . 329
Patrisia . . . 49
PATRISIEÆ . . . 49
Paullinia . . . 102
Paullinia . . . 101
PAULLINIEÆ . . 101
Pavetta . . . 323
Pavetta . . . 323
Pavia . . 101, 765
Pavonia . . . 75
Paxtonia . . . 638
PECTIDEÆ . . 335
Pectidium . . 335
Pectinaria . . . 466
Pectis 335
Pectis . 335-6, 381
PEDALINEÆ . 477
Pedalium . . . 477
Pedicularis . . 523
Pedilanthus . . 596
Peesha . . . 744
Peganum . . . 126
Peganum . . 126
Pekea 253
PELARGONIEÆ . 108
Pelargonium . . 111
Pelargonium 108-9-10
111, 120, 121
Pelexia . . . 654
Peliosanthes . . 712
Peltandra . . 632
Peltaria . . . 31
Penæa . . . 593
PENÆACEÆ . 593
Penicillaria . . 731
Pennisetum . . 731
Pennisetum . . 730
Pentacrypta . . 297
Pentadesma . . 95
Pentameris . . 738
Pentapetes . . 85
Pentaphyllon . 164
Pentaptera . . 233

Page.
Pentaraphia . . 527
Pentataxis . . 378
PENTHOREÆ . 270
Penthorum . . 270
Pentstemon . . 525
Pentzia 375
Peperomia . . 635
Peplis 240
Peraltea . . . 200
Perdicium . 404-5
Pereskia . . . 287
Pergularia . . . 466
Pergularia . . 458
Periballia . . . 737
Perilla . . . 531
Perilomia . . . 540
Periploca . . . 469
Periploca . . 468-9
PERIPLOCEÆ 469
Periptera . . . 78
Peristeria . . 644
Peristrophe . . 559
Peristylus . . 650
Peritoma . . . 46
Perlebia . . . 310
Pernettya . . . 440
Perojoa . . . 447
Perotis 748
Persea . . . 581
Persea 581
Persoonia . 587, 768
Persoonia . . . 364
Perularia . . . 649
Perymenium . . 360
Pesomeria . . 641
Petelacte . . . 380
Petaloma . . 232
Petalostemum . 169
Petamenes . . 664
Petasites . . . 339
Petiveria . . . 572
Petræa 551
Petrobium . . 354
Petrocallis . . . 31
Petromarula . . 420
Petrophila . . 584
Petroselinum . . 297
Petunga . . . 319
Petunia . . . 505
PEUCEDANEÆ . 303
Peucedanum . . 304
Peucedanum 302, 306
Peyrousia . 371, 664
Pfaffia . . . 571
Phaca 173
Phaca . 171-2, 176
Phacelia . 496, 767
Phacelia . . . 497
Phænopus . . 413
Phagnalon . . 349
Phajus . . 641, 769
Phalacrea . . 336
Phalacrodiscus . 369
Phalacroma . . 345
Phalangium . . 693
Phalangium 693-4, 696
PHALARIDEÆ 726
Phalaris . . . 727

Page.
Phalaris 727-8, 741
Phalænopsis . . 644
Phalerocarpus . 440
Phalocallis . . 662
PHANEROGANEÆ 626
Pharbitis . . . 482
Pharium . . 694
Pharnaceum . . 68
Pharnaceum . 262
Pharus . . . 726
PHASEOLEÆ . 187
Phaseolus . . . 188
Phaylopsis . . 558
Phebalium . . 128
Phelipæa . . . 525
Phellandrium 300, 302
PHILADELPHEÆ
245
Philadelphus . . 245
Philibertia . . 469
Phillyrea . . . 453
Phillyrea . . 453
PHILODENDREÆ 632
Philodendron . . 632
Philotheca . . . 129
Philoxerus . . 570
Philoxerus . . 571
Philydrum . . 719
Phleum . . . 727
Phleum . . . 727
Phlogacanthus . 556
Phlomis . . . 546
Phlomis . . 545-6
Phlox . . 478, 767
Phœnix . . . 715
Phœnocoma . . 380
Pholidota . . 637
Pholiurus . . . 748
Phormium . . 704
Photinia . . . 211
Phragmites . . 735
Phryma . . . 553
Phrynium . . 657
Phycella . . . 676
Phylica . . . 138
Phylica . 138-9, 140
Phyllanthus . . 603
Phyllanthus 603, 768
Phyllis . . . 325
Phyllocladus . . 622
Phyllodium . . 180
Phyllodoce . . 439
Phyllolobium . 191
Phylloma . . . 685
Phyllota . . . 150
Phylogyne . . 682
Phymatanthus . 108
Physalis . . . 502
Physalis . . . 503
Physianthus . . 468
Physalobium . 764
Physingia . . . 640
Physolobium . 188
Physochlaina . 505
Physomatium . . 762
Physosiphon . . 637
Physospermum . 311
Physostegia 542, 768

Page.
Phytelephas . . 629
Phyteuma . . . 420
Phyteuma . . 420
Phytolacca . . 571
PHYTOLACEÆ 571
Piaranthus . . 463
Picea 625
Picnomon . . 399
Piootia 488
Picramnia . . 142
Picridium . . . 413
Picris 409
Picris . . 407-8-10
Pictetia . . . 178
Pierardia . . . 102
Pieris 439
Pilea 609
Pileanthus . . . 246
Pilularia . . . 751
Pimelea . . . 592
Pimpinella . . 299
Pimpinella . 297-8
Pinckneya . . . 317
Pinguicula . . . 559
Pinus . . 624, 769
Pinus . . 623-5-6
Piper 635
Piper . . . 635-6
PIPERACEÆ . 634
Piperella . . . 538
Piptanthus . . 147
Piptatherum . . 732
Piptoclaina . . 494
Piqueria . . . 336
Piriqueta . . . 260
Piscidia . . . 171
Pisonia . . . 568
Pistacia . . . 142
Pistorinia . . . 267
Pisum 185
Pitcairnia . . . 706
PITTOSPOREÆ 58
Pittosporum . . 59
Pladera . . . 471
Plagianthus . . . 81
Plagiobothrys . 492
Plagiolobium . . 151
Plagius . . . 375
Planera . . . 619
PLANTAGINEÆ 565
Plantago . . . 566
Platanthera . . 649
PLATANEÆ . 620
Platanus . . . 620
Platycarpha . . 334
Platycarpum . . 476
Platycodon . . 419
Platylobium . . 151
Platylobium . . 151
Platylophus . . 294
Platypetalum . . 29
Platystemon . . 23
Platystigma . . 23
Platystylis . . . 186
Plectocephalus . 394
Plectranthus . . 529
Plectranthus 529-30
Plectritis . . . 330
Plectronia . . 322
Pleea 711
Pleopeltis . . 756
Pleroma . . . 243
Pleroma . . . 242
Pleurandra . . . 15
Pleurogyna . . 471
PLEUROBHIZEÆ . 25
Pleurospermum . 310
PLEUROTHALLEÆ 636
Pleurothallis . 636
Pleurothallis . . 646
Plocama . . . 325
Pluchea . . . 350
PLUCHEINEÆ . 350
Plukenetia . . 600
PLUMBAGINEÆ 564
Plumbago . . . 565
Plumeria . . . 460
Plumeria . . . 460
Pneumonanthe . 471
Poa 739
Poa 737-8, 740-1-2-3-744
Pocockia . . . 161
Podalyria . . . 147
Podalyria . . 147
Podanthes . . . 464
Podanthus . . 353
Podocarpus . . 622
Podocarpus . . 622
Podolepis . . . 376
Podolobium . . 148
PODOPHYLLEÆ 20
Podophyllum . . 20
Podophyllum . . 20
Podopterus . . 580
Podospermum . 408
Podostigma . . 468
Podotheca . . . 376
Pogonia . . . 652
Pogonia . . . 554
Pogostemon . . 531
Poinciana . . . 202
Poinciana . . 201
Poinsettia . . . 600
Poiretia . . . 178
Poiretia . . . 151
Poitæa . . . 171
Poivrea . . . 234
Polanisia . . . 47
POLEMONIACEÆ 478
Polemonium . . 478
Polianthes . . . 685
Pollichia . . . 263
POLLICHIEÆ . . 263
Pollinia . . . 749
Polyachyrus . . 404
Polyactidium . 344
Polybotrya . . 755
Polycarpæa . . 263
POLYCARPEÆ . 263
Polycarpon . . 263
Polycenia . . . 548
Polycnemum . 575
Polycnemum . . 576
Polygala 56
Polygala . . . 58
POLYGALEÆ . 56
Polygonatum . 691
POLYGONEÆ . 577
Polygonum . . 577
Polygonum 572, 577-9
Polymnia . . . 354
Polymnia . . 356
Polyotus . . . 468
POLYPODIACEÆ 753
Polypodium. . . 755
Polypodium . 755-7
Polypogon . . 734
Polypogon . . . 727
Polypteris . . 363
Polypteris . . . 337
Polyspora . . . 89
Polystachya . . 638
POMACEÆ . . 209
Pomaderris . . 137
Pomaderris . . 137
Pomaria . . . 202
Pomax . . . 329
Pombalia . . . 55
Ponceletia . . 446
Ponera 640
Pongamia . . 193
PONTEDEREÆ 712
Pontederia . . . 712
Ponthieva . . 653
Populus . . . 620
Porana . . . 486
Poranthera . . 762
Porcelia 17
Porliera . . . 125
POROPHYLLEÆ . 362
Porophyllum . 362
Portenschlagia . 133
Portlandia . . 320
Portlandia . . 317
Portulaca . . . 261
Portulaca . . . 261
Portulacaria . . 262
PORTULACEÆ 260
Posoqueria . . 318
Posoqueria . . 318
Possira . . . 193
POTALIACEÆ 457
Potamogeton . 628
Potamophila . . 726
Potentilla . 226, 766
Potentilla . . . 228
POTENTILLÆ . 223
Poterium . . . 229
Pothos . . . 633
Pothos . . 632-3-4
Poupartia . . 145
Pourretia . . . 706
Pozoa 296
Prangos . . . 310
PRASIEÆ . . 546
Prasium . . . 546
Prasophyllum . 653
Pratia 425
Premna . 551, 768
Prenanthes . . 414
Prenanthes 410-11-12, 414, 417-8
Prescotia . . . 651
Preslia . . . 531
Prestonia . . . 458
Priestleya . . . 152
Primula . . . 560
Primula . . . 562
PRIMULACEÆ . 560
Prinos 135
Prinos . . . 613
Printzia . . . 403
Prismatocarpus . 419
Prismatocarpus . 423
Priva 552
Priva . . . 552
Prockia 50
Procris . . . 608
Proiphys . . . 679
Pronaya . . . 763
Proserpinaca . 239
Prosopis . . . 196
Prostanthera . 540
PROSTANTHEREÆ 540
Protea . . . 585
Protea . 583-4, 586-7
PROTEACEÆ . 583
Prunella . . . 539
Prunus 208
Prunus . . . 207-8
Psamma . . . 734
Pseudosophora . 146
Psiadia . . . 346
Psidium . . . 250
Psidium . . . 250
Psilonema . . . 31
Psilotum . . . 752
Psilurus . . . 748
Psophocarpus . 190
Psoralea . . . 165
Psoralea . . . 169
Psychine . . . 43
PYSCHINEÆ . . 43
Psychotria . . . 323
Psychotria . 322, 324
Ptarmica . 366, 767
Ptelea 130
Ptelea 130
Ptelidium . . . 133
Pteris 760
Pteris . . . 760-1
Pterocarpus . . 193
Pterocarpus . . 193
Pterocarya . . . 612
Pterocaulon . . 350
Pterocephalus . 332
Pterocladis . . 349
Pteroneurum . . 28
Pteronia . . . 348
Pteronia . . . 378
Pterospermum . 85
Pterostegia . . 580
Pterostylis . . 652
Pterotheca . . 413
Pterygodium . 651
Pterygodium . . 651

Page.
Ptilostephium . 364
Ptychotis . . 298
Ptychotis . . . 298
Pueraria . . . 168
Pulicaria . . . 352
Pulmonaria . . 489
Pulmonaria 489, 490
Pulsatilla . . . 3
Pultenæa . . . 149
Pultenæa . 148-9-50
Punica . . . 232
Pupalia . . . 570
Purgosea . . . 265
Purshia . . . 230
Puschkinia . . 694
Putoria . . . 235
PUTORIEÆ . . 325
Putranjiva . . . 605
Pycnanthemum . 536
Pycnanthemum . 536
Pycnostachys . 530
Pyrethrum . . 369
Pyrethrum 346, 368-9-70, 382
Pyrola . . . 445
PYROLEÆ . . . 445
Pyrolirion . . 675
Pyrularia . . . 594
Pyrus 211
Pyrus . . 211, 213
Pythonium . . 631
Quadria . . . 589
Qualea . . . 234
Quamoclit . . . 481
Quassia . . . 131
Quassia . . . 131
Queltia . . . 681
Quekettia . . . 645
Quercus . . . 612
Queria 264
Queria . . . 263
QUERIACEÆ . 264
Quillaja . . . 231
QUILAGEÆ . 231
Quisqualis . . . 234
Quivisia . . . 104
Radiola 72
Rafnia . . . 152
Rafnia . . 147, 152
Rajania . . . 689
Ramonda . . 509
Rancagua . . . 363
Randia . . . 318
Randia . . 319, 322
RANUNCULACEÆ 1
RANUNCULEÆ . . 5
Ranunculus . . 5
Ranunculus . . . 8
RAPHANEÆ . . 43
Raphanus . . . 44
Raphiolepis . . 211
Rapistrum . . . 44
Rapistrum . 34, 38
Raspalia . . . 140
Ratibida . . . 357
Rauwolfia . . . 461
Rauwolfia . . 461

Page.
Ravenalia . . . 659
Reaumuria . . 95
REAUMURIEÆ 95
Reboulea . . . 740
Redoutea . . . 78
Reevesia . . . 82
Rehmannia . . 510
Relhania . . . 381
Relhania . . . 381
RELHANIEÆ . . 381
Remirea . . . 732
Remusatia . . . 631
Renanthera . . 647
Renealmia . . . 656
Renealmia . 656, 663
Requienia . . 158
Reseda 48
RESEDACEÆ . 48
RESTIACEÆ . 719
Restio 719
Retanilla . . . 137
Retinophyllum . 322
Retzia . . . 480
RETZIACEÆ . 480
Rhabdochloa . . 735
Rhabdochloa . 735
Rhagadiolus . . 405
Rhagadiolus . . 405
Rhagodia . . . 573
RHAMNEÆ . 135
Rhamnus . . . 136
Rhamnus 135-6-7, 610
Rhaphidosperma . 559
Rhapis . . . 715
Rhapontica . . 402
Rheum . . . 580
Rhexia 242
Rhexia . . 242-3
RHEXIEÆ . . . 242
Rhinacanthus . 558
RHINANTHACEÆ 523
RHINANTHIEÆ . 523
Rhinanthus . . 523
Rhinanthus . . 523
Rhinopetalum . 709
Rhipidodendron . 687
RHIPSALIDEÆ 287
Rhipsalis . . . 287
RHIZOBOLEÆ 101
Rhizophora . . 234
RHIZOPHOREÆ 234
Rhodanthe . . 376
Rhodiola . . . 268
Rhodochiton . . 515
Rhododendron 440, 767
Rhodora . . . 443
RHODOREÆ . . 440
Rhopala . . . 589
Rhus 142
Rhus 102, 144, 612
Rhynchosia . . 188
Rhynchosia . . 188
Rhynchospora . 722
Rhytidophyllum 527
Ribes 288
Richardia . . 633

Page.
Richardsonia . . 325
Ricinus . . . 602
Ricinus . . . 603
Ricotia . . . 29
Riedleia . . . 83
Rindera . . . 487
Ripidium . . 749
Ripogonum . . 691
Ritchiea . . . 47
Rittera 193
Rivea 481
Rivina 571
Robertia . . . 407
Robertia . . . 407
Robertsonia . . 290
Robinia . . . 171
Robinia 169-70-1-2, 178, 201
Rochea 266
Rochea . . 266-7
Rochelia . . . 487
Rochelia . . . 488
Rodigia . . . 407
Rodigia . . . 407
Rodriguezia . . 646
Roella . . 419, 767
Roella 419
Rœmeria . . . 23
Rœmeria . . . 744
Roeperia . . . 125
Rohdea . . . 634
Rolandra . . . 335
ROLANDREÆ . . 335
Rondeletia . . 320
Rondeletia . . 320
RONDELETIEÆ . 319
Rosa 213
ROSACEÆ . . 213
Roscoea . . . 655
Rosea 571
ROSEÆ . . . 213
Roslinia . . . 472
Rosmarinus . . 535
Rosmarinus . . 544
Rostellaria . . 557
Rostraria . . . 744
Rothia . 187, 417-8
Rothmannia . . 319
Rottboellia . . 748
Rottboellia . . 748
ROTTBOELLIACEÆ 748
Rottlera . . . 602
Roubieva . . . 574
Rourea 145
Roxburghia . . 704
Royena . . . 452
Royena . . . 452
Roylea 545
Rubia 326
RUBIACEÆ . 316
Rubentia . 130, 133
Rubus 223
Rubus . . . 225
Rudbeckia 357, 767
Rudbeckia 357, 363
RUDBECKIEÆ . 357
Rudolphia . . . 192
Ruellia . . 555, 768

Page.
Ruellia . . . 555-6
RUELLOIDEÆ . 555
Ruizia 85
Ruizia . . . 103
Rulingia . . . 82
Rulingia . . . 261
Rumex 579
Rumex . . 579-80
Rumia 297
Rumia . . . 305
Rungia 558
Ruppia . . . 629
Ruscus 691
Russelia . . . 512
Ruta 126
Ruta 126
RUTACEÆ . . 126
RUTEÆ . . . 126
Ruyschia . . . 96
Ryanea . . . 49
Sabal 714
Sabbatia . . . 472
Sabicea . . . 321
Saccharum . . 748
Saccharum . . 749
Saccolabium . . 647
Sageretia . . . 135
Sagina . . . 67
Sagittaria . . . 627
Sagræa . . . 244
Sagus 715
Sairanthus . . 505
SALICARIEÆ . . 240
SALICEÆ . . 616
Salicornia . . . 575
Salisburia . . 621
Salix 616
Salmea . . . 353
Salmia 630
Salomonia . . 57
Salpianthus . . 568
Salpiglossis . . 505
Salpiglossis . . 505
Salsola . . . 572
Salsola . . 572-3-4
Salvia 532
Salvia . . 532, 535
Salvinia . . . 751
Samara . . . 450
SAMBUCEÆ . . 313
Sambucus . . 313
Samolus . . . 563
Samyda . . . 140
SAMYDEÆ . . 140
Sandoricum . . 104
Sanguinaria . . 23
Sanguisorba . . 229
SANGUISORBEÆ 229
Sanicula . . . 296
SANICULEÆ . . 296
Sanseviera . . . 685
SANTALACEÆ 593
Santalum . . 593
Santolina . . . 368
Santolina 363, 365, 368
Sanvitalia . . . 361
SAPINDACEÆ 101
SAPINDEÆ . . 102

Page.
Sapindus . . . 102
Sapindus . 102, 130
Sapium . . . 603
Sapium . . . 603
Saponaria . . 63
Saponaria . . 60, 63
SAPOTEACEÆ 451
Saraca 202
Saracha . . . 502
Sarcanthus . . 648
Sarcanthus . . 647
Sarcocapnos . . 24
Sarcocaulon . . 106
SARCOCEPHALEÆ 317
Sarcocephalus . 317
Sarcochilus . . 642
Sarcococca . . 600
Sarcogonum . . 577
Sarcolobus . . 466
Sarcophyllum . 154
Sarcostemma . 469
Sarothra . . . 94
Sarracenia . . 21
SARRACENIEÆ 21
Sassafras . . . 581
SATUREINÆ . . 536
Satureja . . . 537
Satureja . . 537-8
Satyrium . . . 650
Satyrium 649-50, 653
Sauraujа . . . 88
SAURAUJEÆ . 88
Sauroglossum . 654
Sauromatum . 631
Saururus . . . 634
Saussurea . . 392
Saussurea . . . 392
SAUVAGEÆ . . 56
Sauvagesia . . 56
Saxifraga . . . 290
Saxifraga . . 292
SAXIFRAGACEÆ 290
SAXIFRAGEÆ . 290
Scabiosa . . . 332
Scabiosa . . . 331
SCABIOSEÆ . . 331
Scævola . . . 427
SCÆVOLEÆ . . 427
Scalia . . . 376
SCANDICINEÆ . 309
Scandix . . . 309
Scandix . . . 309
Scaphyglottis . . 646
Sceptranthus . 671
Schæfferia . . . 139
Schedonorus . 742
Schelhammera . 711
Scheuchzeria . 628
Schinus . . . 144
Schinus . . . 144
Schismus . . . 741
Schivereckia . 30
Schizæa . . . 753
Schizandra . . 18
SCHIZANDREÆ 18
Schizanthes . . 681
Schizanthus . . 505
Schizodium . . 651
Schizogyne . . 351
Schizomeria . . 294
SCHIZOPETALEÆ 46
Schizopetalum . 46
Schkuhria . . . 363
Schmaltzia . . 144
Schmidelia . . 102
Schmidtia . . 733
Schœnodum . . 719
Schœnus . . . 722
Schœnus . 722-3-4
Schœpfia . . . 769
Schollera . 445, 713
Schomburgkia . 645
Schotia . . . 205
Schousbœa . . 234
Schowia . . . 43
Schrankia . . . 195
Schrebera . . 134
Schubertia . . 468
Schubertia . . 623
Schultzia . . . 298
Schwenckia . . 562
Scilla 697
Scilla 693, 696, 698
Scindapsis . . . 633
Sciodaphyllum . 312
Scirpus . . . 723
Scirpus . . . 723
SCITAMINEÆ 655
SCLERANTHACEÆ 264
SCLERANTHEÆ . 264
Scleranthus . . 264
Scleria 722
Sclerocarpus . 357
Schlerochloa . . 743
Sclerolepis . . 336
Sclerosciadium . 301
Sclerothamnus . 149
Scleroxylon . . 450
Scolopendrium . 759
Scolopendrium . 755
SCOLYMEÆ . . 405
Scolymus . . 405
Scoparia . . . 526
Scopolia . . . 505
Scopolia . . . 130
Scorpiurus . . 177
Scorzonera . . 409
Scorzonera 407-8-9, 413-4
SCORZONEREÆ . 407
Scottia . . . 152
Scrophularia . . 510
SCROPHULARIEÆ 510
SCROPHULARINÆ 510
Scutellaria . 539, 768
SCUTELLARINEÆ 539
Scutia 136
Scyphanthus . 259
Scytalia . . . 102
Seaforthia . . 716
Sebæa 473
Secale 747
Secale . . . 745
Secamone . . . 469
SECAMONEÆ . 469
Sechium . . . 255
Securidaca . . 58
Securigera . . . 177
Securinega . 604, 768
Sedum 268
Sedum . . 268, 270
SELAGINEÆ . 548
Selago . . 549, 768
Selago 549
Selas 91
Selinum . . . 303
Selinum 298, 302-3-4, 305, 307
Selloa . . . 346
Semecarpus . . 142
Sempervivum 270, 767
Sempervivum 269-70
Senacia . . . 59
Senacia . . . 133
Senebiera . . . 38
Senecillis . . . 382
Senecio . . . 383
Senecio . . . 381-2
SENECIONEÆ . 381
SENECIONIDEÆ 353
Septas 264
Serapias . . . 651
Serapias . . 652-3
Seriana . . . 101
Sericocarpus . 344
Seringia . . . 83
Seriola . . . 407
Seriola . . . 407
SERIPHIEÆ . . 380
Seriphium . . . 380
Seriphium . . 380
Serissa 325
Serissa . . . 322
Serpicula . . . 239
Serratula . . . 402
Serratula 349, 392, 400, 402-3
SERRATULEÆ . 402
Serruria . . . 586
Sersalisia . . 451
Sesamum . . . 478
Sesbania . . . 171
Sesbania . . . 171
Seseli 301
Seseli . . 298, 302
SESELINEÆ . . 300
Sesleria . . . 738
Sesleria . . . 735
Sesuvium . . 280
Setaria . . . 730
Sethia . . . 97
Seymeria . . . 517
Seymouria . . 111
Shepherdia . . 594
Sherardia . . 326
Sherardia . . . 328
Shubertia . . 623
Shutereia . . . 486
Sibbaldia . . . 228
Sibbaldia . . . 228
Sibthorpia . . 526
SIBTHORPIACEÆ 526
Sicyos 255
Sida 78
Sida . . 78-9, 80
Sideranthus 346, 348
Sideritis . . . 544
Siderodendron . 322
Sideroxylon . . 451
Sideroxylon 139, 450-1
Siegesbeckia . 353
Siegesbeckia . . 360
Sieversia . . . 225
Sieversia . . . 225
Silaus 302
Silene . . 63, 765
SILENEÆ.. . . 60
Siler 306
Siler . . . 304, 306
SILERINEÆ . . 306
SILPHIEÆ . . 354
Silphium . . . 354
SILYBEÆ . . 398
Silybum . . . 398
Silybum . . . 402
Simaba 131
Simaruba . . 131
Simaruba . . . 131
SIMARUBEÆ 131
Simsia . . 358, 587
Sinapis 42
Sinapis . . . 43-4
Singana . . . 96
Sinningia . . 527
Siphocampylus . 423
Siphonanthus . 550
Siphonia . . . 603
Sison 298
Sison . . 297-8-9
SISYMBREÆ . . 35
Sisymbrium . . 36
Sisymbrium 26-7, 35, 38, 43, 45
Sisyrinchium . . 662
Sium 299
Sium 298-9, 301, 305
Skinneria . . 486
Sloanea . . . 87
Smeathmannia . 257
Smelowskia . . 32
SMILACEÆ . 690
Smilacina . . . 692
Smilax . . . 690
Smithia . . . 178
SMYRNEÆ . . 310
Smyrnium . . 311
Smyrnium . 297, 311
Sobolewskia . . 40
Sogalgina . . 364
Soja 189
Soja 189
Solandra . . . 506
SOLANEÆ . 497
Solanum . 497, 769
Solanum . . . 501
Soldanella . . 560
Soldevilla . . . 418
Solea 55
Solenantha . . 139

Page.
Solenanthus . . 488
Solidago . . . 347
Solidago 346, 348, 364
Soliva 375
Sollya . . . 58
Sonchus . . . 414
Sonchus 410, 413-4, 418
Sonneratia . . 250
Sophora . . . 146
Sophora 146-7, 172
SOPHOREÆ . . 146
Sophronitis . . 652
Sopubia . . . 517
SORBUS . . . 212
Sorghum . . . 749
Sorindeia . . 145
Sorocephalus . 587
Soulangia . . 139
Southwellia . . 82
Sowerbæa . . 702
Spadostyles . . 149
Spændoncea . . 202
Spallanzania . . 229
Spananthe . . 296
Sparaxis . . . 666
Sparaxis . . . 666
Sparganium . . 770
Sparganophorus 334
Sparganophorus 336
Sparrmannia . . 85
Spartina . . . 736
Spartianthus . . 155
Spartium . . . 155
Spartium . 155-6-7
Spartothamnus . 553
Spatalanthus . 668
Spatalla . . . 587
Spathelia . . 142
Spathicarpa . . 632
Spathodea . . 475
Spathodea . . 476
Spatularia . . 290
Specularia . . . 423
Specklinia . . 636
Spennera . . . 242
Spergula . . . 68
Spergula . . . 69
Spergularia . . 69
Spergularia . . 69
Spergulastrum . 71
Spermacoce . . 324
Spermacoce . 324-5
SPERMACOCEÆ . 324
Spermadictyon . 322
Spermaxyrum . 91
Sphacele . . . 544
Sphæralcea . . 74
Sphæranthus . 348
Sphæranthus . . 349
Sphærolobium . 149
Sphæromorphæa 375
Sphærophysa . . 172
Sphærospora . 666
Sphærostemma . 19
Sphærostigma . 236
Sphallerocarpus . 309
Sphenandra . . 520
Sphenogyne 364, 767
Sphenotoma . . 446
Spielmannia. . 552
Spigelia . . . 473
SPIGELIACEÆ 473
Spilanthes . . 361
Spilanthes 354, 361
Spinacia . . . 575
Spiræa . . 230, 767
Spiræa . 293, 231
SPIRÆACEÆ 230
Spiralepis . . 376
Spiranthera . . 131
Spiranthes . . 654
SPIROLOBEÆ . . 44
SPONDIACEÆ 144
Spondias . . . 144
Spondias . . . 145
Sponia . . . 610
Sporobolus . . 733
Sporobolus . . 729
Spreikelia . . . 675
Sprengelia . . 446
Staavia 140
STACHYDEÆ . 542
Stachys . 543, 768
Stachys . . . 544
Stachytarpheta . 552
STACKHOUSEÆ 596
Stackhousia . . 596
Stadmannia . . 103
Stæhelina . . . 392
Stæhelina . 378, 401
Stalagmites . . 95
Stanhopea . . 644
Stanleya . . . 38
Stapelia . . . 463
Stapelia . 463-4-5-6
STAPELIEÆ . . 463
Staphylea . . 132
Staphylea . . . 132
STAPHYLEACEÆ 132
Starkea . . . 335
Statice . . 564, 768
Statice . . . 564
Stauracanthus . 155
Stegania . . . 759
Steganotropis . . 168
Stelis 637
Stelis 637
Stellaria . . . 68
Stellaria . . . 68
STELLATÆ . . 326
Stellera . . . 592
Stemodia . . . 515
Stenactis . . . 345
Stenactis . . 345
Stenanthera . . 447
Stenia . . . 643
Stenocarpus . . 590
Stenochilus 554, 769
Stenomesson . 679
Stenorhynchus . 654
Stenospermum . 249
Stenostomum . . 322
Stenotaphrum . 730
Stephania . . . 48
Sterculia . . . 82
STERCULIEÆ . . 82
Stereoxylon . . 289
Sterigma . . . 40
Steriphoma . . 48
Sternbeckia . . 96
Sternbergia . . 670
Sternbergia . . 670
Stevenia . . . 27
Stevia 336
Stevia . 337, 363
Stigmatophyllum 99
Stilago . . . 605
Stillingia . . . 603
Stilpnophytum . 372
Stipa 732
Stipa 732
STIPACEÆ . . 732
Stipagrostis . . 732
Stizolobium . . 190
Stobæa . . . 390
Stobæa 334
Stœbe . . . 380
Stœbe . . 377, 380
Stokesia . . . 334
Stranvæsia . . 211
Stratiotes . . 627
Stravadium . . 253
Strelitzia . . . 659
Streptanthera . . 666
Streptanthus 28, 765
Streptium . . 552
Streptocarpus . 528
Streptopus . . 692
Strobilanthes . . 555
STROBUS . . . 625
Strophanthus . . 458
Strumaria . . 675
Strumaria . . 675-6
Strumia . . . 322
Struthiola . . . 592
Struthiopteris . 759
STRYCHNACEÆ 457
Strychnos . . 457
Stuartia . . . 89
Stuartia . . . 89
Sturmia . . . 727
Stylandra . . 468
STYLIDEÆ . . 426
Stylidium . . 426
Stylocoryna . . 318
Stylosanthes . 178
Stypandra . . . 694
Styphelia . . . 448
Styphelia . . . 447
STYPHELIÆ . . 447
STYRACINEÆ 448
Styrax . . . 448
Suaeda . . . 574
Suardia . . . 730
Subularia . . . 46
SUBULARIEÆ . 46
Succisa . . 331, 333
Succowia . . . 43
SUMACHINEÆ . 142
Suteria . . . 324
Sutherlandia . 173
Swainsonia . . 172
Swartzia . . . 193
SWARTZIEÆ . . 193
Sweetia . . . 187
Swertia . . . 470
Swertia . 470-1, 474
Swietenia . . . 105
Swietenia . . 105
Syagrus . . . 716
Symphiandra . 423
Symphonia . . 95
SYMPHONIEÆ . 96
Symphoria . . 314
Symphoricarpus 314
SYMPHYTEÆ . 489
Symphytum . . 489
Sympieza . . 438
Symplocarpus . 634
SYMPLOCINEÆ 448
Symplocos . . 448
Synandra . . . 542
Syncarpha . . 378
Synedrella . . 361
Syngodium . . 632
Synnotia . . . 666
Syntherisma . 731
Syrenia . . . 37
Syringa . . . 454
Syringodea . . 437
SYRINGEÆ . . 454
Syzygium . . . 251
Szovitsia . . . 308
Tabernæmontana 459
TABERNÆMONTANEÆ 459
Tacca 634
TACCACEÆ . . 634
Tachia . . . 471
Tachigalia . . . 202
Tacsonia . . . 259
Tænitis . . . 761
TAGETEÆ . . 362
Tagetes . . . 362
Tagetes . . . 362
TAGETINEÆ . 362
Tagopomea . . 324
Taliera . . . 715
Talauma . . . 17
Talinum . . . 261
Talinum . . 261-2
Talisia . . . 102
Tamarindus . . 202
TAMARISCINEÆ 59
Tamarix . . . 59
Tamarix . . . 59
TAMEÆ . . . 690
Tamonia . . . 552
Tamus 690
Tamus . . . 690
Tanacetum . . 374
Tanacetum 349, 369, 370, 372, 375
Tanæcium . . 477
Tanæcium . . . 477
Tanghinia . . 461
Taraxacum . . 411
TARCHONANTHEÆ 350
Tarchonanthus . 350

Page.
Tarchonanthus . 350
Tasmannia . . 16
Tauscheria . . . 39
Taverniera . . 180
Taxanthema . . 564
Taxodium . . . 623
TAXINEÆ . . 621
Taxus 622
Taxus . . . 622
Tecoma . . . 476
Tectona . . . 552
Teedia 523
TEEDIEÆ . . 523
Teesdalia . . . 33
Telekia . . . 352
TELEPHIEÆ . . 262
Telephium . . 262
Telfairia . . . 256
Tellima . . . 293
Telopea . . . 590
Teloxis . . . 574
Templetonia . . 152
Tenoria . . . 305
Tephrosia . . . 169
Tephrosia . . 187
Tephrothamnus . 152
Teramnus . . 187
TEREBINTHACEÆ 141
Terminalia . . . 233
TERMINALIEÆ . 233
Ternstrœmia . . 88
TERNSTRŒMIACEÆ . . . 88
TERNSTRŒMIEÆ 88
Terpnanthus . . 131
Testudinaria . . 690
Tetracera . . . 15
Tetracera . . 15
Tetradenia . . 582
Tetradium . . 130
Tetragonia . . 280
Tetragonia . . 239
Tetragonolobus . 165
Tetragonotheca . 356
Tetramerium . . 323
Tetramerium . 323
Tetranema . . 178
Tetranthera . . 582
Tetranthus . . 355
Tetrapogon . . 747
Tetrapomia . . 32
Tetrapteris . . 99
Tetratheca . . 58
Tetrazygia . . 244
Teucrium . . . 547
Teucrium . . 548
Thalamia . . . 622
THALAMIFLORÆ 1
Thalia . . . 658
Thalictrum . 2, 765
Thamnea . . . 140
Thamnochortus . 719
Thapsia . . . 306
Thapsia . 302, 307
THAPSIEÆ . . 306
Thaspium . . . 302
Thaspium . . 297

Page.
Thea 91
Thelygonum . 609
Thelymitra . . 653
Thenardia . . 458
Theobroma . . 82
Theophrasta . . 450
Theophrasta . . 450
THEOPHRASTEÆ 450
Thermopsis . . 147
Thermopsis . . 147
Thesium . . . 594
Thesium . . . 594
Thespesia . . . 78
Thibaudia . . 445
Thlaspi . . . 32
Thlaspi . 33, 38-9
THLASPIDEÆ . . 32
Thomasia . . 83
Thouinia . . . 103
Thrinax . . . 716
Thrincia . . . 407
Thryallis . . . 98
Thuja 622
Thuja . . 622, 623
Thunbergia . . 554
Thunbergia . . 554
THUNBERGIEÆ . 554
Thymbra . . . 538
Thymbra . 537, 542
THYMELÆÆ 591
Thymus . . . 536
Thymus . 532, 537-8
Thysanocarpus . 34
Thysanotus . . 702
Thysellinum . . 304
Tiarella . . . 293
Tiarella . . . 293
Tiaridium . . . 494
Tibouchina . . 243
Ticorea . . . 131
Tigarea . . . 230
Tigridia . . . 663
Tigridia . . . 662
Tilia 87
TILIACEÆ . 85
Tiliacora . . . 18
Tillæa . . . 264
Tillandsia . . . 706
Tillandsia . . 706
Tithonia . . . 359
Tithymalus 596, 598
Tittmannia . . 140
Tittmannia . . 516
Tococa . . . 244
Tocoyena . . . 318
Toddalia . . . 130
Todea 753
Tofieldia . . . 711
Tolpis 406
Tonchiroa . . 206
Tonsella . . . 97
Tontelea . . . 97
TORDYLINEÆ . 306
Tordylium . . . 306
Tordylium . 305-6
Torenia . . . 516
Torenia . . . 516
Torilis 308

Page.
Torilis . . . 308
Tormentilla . . 228
Tortula . . . 552
Tournefortia . . 494
Tournefortia . 494
Tourretia . . . 477
TOURRETIEÆ . 477
Touchiroa . . 206
Tovomita . . 95
Trachelium . . 419
Trachelium . . 423
Trachylobium . 205
Trachymene . . 295
Trachymene . 295
Trachynotia . . 736
Trachyspermum 298
Trachystemon . 488
Trachytella . . 15
Tradescantia . 713
Tradescantia 713-4
Tragacantha . . 176
Tragia . . . 604
Tragia . . . 604
Tragium . . . 299
Tragopogon . . 408
Tragopyrum . . 579
Tragus . . . 731
Trapa 239
Trattenickia . . 364
Treisia . . . 596
TREMANDREÆ 58
Trevirania . . . 526
Trevoa . . . 137
Trewia 602
Trianthema . . 260
Trias 637
Triasekia . . 563
Tribrachia . . 638
Tribulus . 125, 767
Trichæta . . . 746
Trichera . . . 331
Trichilia . . . 104
TRICHILIEÆ . . 104
Trichinium . . 569
Trichocentrum . 648
Trichocladus . 763
Trichocephalus . 138
Trichochloa . . 732
Trichochloa . . 733
Trichodesma . 488
Trichodium . 733-4
Trichogyne . . 380
Tricholæna . . 749
Trichomanes . 762
Trichonema . . 668
Trichopetalum . 693
Trichophorum . 725
Trichophyllum . 363
Trichopilia . . 642
Trichorhiza . . 647
Trichosanthes . 256
Trichosanthes . 255
Trichospermum . 528
Trichostema . . 547
Trichostema . 531
Tricoryne . . 694
Tridactylites . . 292
Tridax . . . 364

Page.
Tridens . . . 738
Tridentea . . 464
Trientalis . . . 562
TRIFOLIEÆ . . 159
Trifolium . . . 162
Trifolium 160-1, 164
Triglochin . . . 628
Trigonella . . 160
Trigonia . . . 97
Trigonidium . . 643
Trigonis . . . 102
Triguera . . . 507
Trillium . . . 692
Trimezia . . 662
Trinia 297
Trinia . . 297, 298
Triodia . . . 738
Triodia . . . 738
Triopteris . . 99
Triosteum . . . 315
Triphasia . . 91
Triphora . . . 652
Triphysaria . . 523
Tripinnaria . . 477
Triplaris . . . 580
Tripolium . . . 343
Tripsacum . . 748
Tripsacum . . 731
Tripteris . . . 387
Triptilion . . 404
Trisetum . . . 737
Trisetum . 741, 746
Tristania . . . 246
Tristegis . . . 730
Triteleia . . . 703
Triticum . . . 744
Triticum 743, 745-6-7 748
Tritoma . . . 685
Tritonia . . . 666
Triumfetta . . 86
Trixago . . . 522
TRIXIDEÆ . . 404
Trixis 405
Trixis . . . 404
Trizeuxis . . . 642
Trochisanthes . 302
Trochocarpa . . 447
Trollius . . . 8
Tromotriche . . 464
TROPÆOLEÆ 121
Tropæolum . . 121
Trophis . . . 607
Troximon . . . 418
Troximon . . 406
Trymalium . . 137
Tulbagia . . . 685
Tulipa 707
TULIPACEÆ . 707
Tunica 60
Tupa 424
Tupistra . . . 634
Turgenia . . . 308
Turnera . . . 269
TURNERACEÆ 260
Turpinia . . . 132
Turpinia . 132, 178
Turræa . . . 103

Page.
Turritis . . . 27
Turritis . . . 27
Tussilago. . . 340
Tussilago 339, 340
404
TUSSILAGINEÆ 339
Tweedia . . . 469
Tylophora . . 446
Typha 769
TYPHACEÆ . 769
Typhonium . . 631
Tyrimnus . . . 398
Tytonia . . . 122
Ugena 752
Ulex 155
Ulloa 506
ULMACEÆ . 610
Ulmus 610
Ulmus 610
UMBELLIFERÆ
295
Umbilicus . . . 268
Uncaria . . . 316
Uniola 744
Unona . . . 17
Urachne . . . 732
Uralepis . . . 738
Urania 659
Uraria . . . 179
Uraspermum . . 310
Urceolinum . . 679
Urena 75
Urginea . . . 696
Uropetalon . . 698
Urospermum . . 409
Urtica . . . 608
Urtica 608
URTICACEÆ 608
Urvillæa . . . 101
Utricularia . . 559
Uvaria 17
Uvaria . . . 18
Uvularia . . . 711
Uvularia . 692, 711
Vaccaria . . . 63
VACCINIEÆ . 444
Vaccinium . . 444
Vaccinium 440, 445
Vandellia . . . 515
Valantia . . . 327
Valantia . 327, 328
Valeriana . . 329
Valeriana . 329, 330
VALERIANEÆ 329
Valerianella . . 330
Valerianella . . 330
Vallaris . . . 458
Vallesia . . . 461
Valisneria . . 627
Vallota 678
Vanda . . 647, 769
Vanda . . . 648
VANDEÆ . . . 642
Vandellia . . 515
Vangueria . . 321
Vanilla 651
Varronia . . 495

Page.
Vascoa 152
Vauanthes . . 266
Velezia 67
Vella 43
Vella 43
VELLEÆ . . . 43
Velleia . . . 426
Velleia . . . 426
Velezia 67
Vellosia . . . 670
Veltheimia . . 685
Venana . . . 583
Venidium . . . 389
Ventenatia . . 447
Ventenatia . . 426
Ventilago . . 138
Vepris 130
Veratrum . . 712
Veratrum . . . 712
VERBASCINEÆ 508
Verbascum . . 508
Verbascum 507, 509
Verbena . 553, 768
Verbena . . 552-3
VERBENACEÆ 549
Verbesina . . 360
Verbesina 352, 356,
358, 361
VERBESINEÆ . 360
Veria 267
Vernonia . . . 334
VERNONIACEÆ . 334
VERNONIEÆ . 334
Veronica . 517, 768
Veronica . . . 529
VERONICEÆ . . 517
Verticordia . . 246
Vesicaria . . . 29
Vestia 508
Viborgia . . . 154
Viburnum . . 313
Vicia 183
Vicia 171, 185, 186
VICIEÆ . . . 183
Vicoa 351
Vieusseuxia . . 662
Vigna 190
Viguiera . . . 358
Villarsia . . . 474
Vilmorinia . . . 168
Viminaria . . 149
Vinca 460
Vinca 460
VINIFERÆ . . 105
Viola . . 53, 765
Viola . . . 53, 55
VIOLARIEÆ . 53
VIOLEÆ . . . 53
Virgilia . . . 147
Virgilia . . 146-7
Viscaria . . . 66
Viscum . . . 315
Vismia 92
VISMIEÆ . . . 92
Vismaga . . . 298
Visnea 452
Vitex 550

Page.
Vitex 551
Vitis 106
Vitis 106
Vittaria . . . 759
Viviania . . . 67
Voandzeia . . 200
Vochysia . . . 234
VOCHYSIEÆ 234
Vohiria . . . 471
Volkameria . . 550
Volkameria . . 550
Vouapa . . . 205
Wachendorfia . 669
Wahlenbergia . . 419
Wahlenbergia . 419
Waldsteinia . . 225
Waldsteinia . . 225
Walkera . . . 132
Wallichia . . 715
WALLICHIEÆ . 85
Wallrothia . 302, 551
Wallrothia . . 299
Walsura . . . 104
Waltheria . . 83
Wangenheimia . 741
Watsonia . . 664
Webera . 319, 322
Wedelia . . . 356
Wedelia 355-6, 360
Weinmannia . . 294
Weinmannia . . 294
Wendlandia 18, 320
Westonia . . . 187
Westringia 540, 768
Whitleya . . . 503
Wibelia . . . 413
Wiborgia . . . 364
Wiedemannia . 764
Wigandia . . 480
Willdenovia . . 719
Willemetia 137, 411
Willughbeia . . 462
Windsoria . . 738
Wintera . . . 16
Winterana . . 16
WINTEREÆ . 16
Wistaria . . . 188
Witheringia 503, 767
Witsenia . . . 663
Wittlesbachia . 89
Wollastonia . . 356
Woodfordia . . 241
Woodsia . . . 756
Woodwardia . . 759
Wormia . . . 15
Wrightia . . . 459
WRIGHTIEÆ . 459
Wulfenia . . . 520
Wulffia . . . 357
Wurmbea . . 711
Wylia 309
Xanthium . . 355
Xanthochymus . 95
Xanthorrhœa . 704
Xanthosia . 295, 767
Xanthosoma . 632
Xenopoma . . 538

Page.
XERANTHEMEÆ 391
Xeranthemum . 391
Xeranthemum 377-8,
380, 391
Xerophyllum . . 712
Xerotes . . . 717
Ximenesia . . . 361
Ximenesia . . 361
Ximenia . . . 91
Ximenia . 91, 126
Xiphidium . . 669
Xiphopteris . . 754
Xylobium . . 642
Xylomelum . . 589
Xylophylla . . 603
Xylopia . . . 18
Xylosteum . . 314
Xyris 719
Xysmalobium . 468
Yucca 707
Zacintha . . . 413
Zaluzania . . . 356
Zamia 626
Zamia 626
Zannichellia . . 629
Zanonia . . . 713
Zapania . . . 553
Zanthorhiza . . 14
ZANTHOXYLEÆ 130
Zanthoxylum . . 130
Zea 725
Zenobia . . . 438
Zephyranthes . 671
Zephyranthes . 671
Zexmenia . . 360
Zichya . . 187, 769
Zieria 129
Zietenia . . . 544
Zigadenus . . 712
Zilla 43
ZILLEÆ . . . 43
Zingiber . . . 656
Zinnia . . . 356
Zizania . . . 726
Zizania . . . 726
Zizia 297
Ziziphora . . 535
Ziziphus . 135, 766
Zizyphus . 135, 610
Zœgea. . . . 393
Zollikoferia . . 413
Zornia . . . 178
Zornia . . 180, 182
Zostera . . . 629
Zoysia 748
Zozimia . . . 306
Zuccagnia . . . 698
Zwingera . . 131
Zygopetalum . . 645
ZYGOPHYLLEÆ
125
Zygophyllum . 125
Zygophyllum . . 125

ENGLISH INDEX.

Page.
Abele-tree . . . 620
Achania . . . 75
Adam's needle . 707
Adder's-tongue . 752
African Almond . 588
African fleabane 349
African Lily . . 685
African Marygold 362
Agrimony . . 228
Air plant . . . 648
Akee-tree . . 102
Alaternus . . . 136
Alder 615
Alexander's . . 311
Alexandrian Laurel 69
Alkekengi . . 502
Alligator Pear . 581
All-seed . . . 263
Allspice . . . 252
Allspice-tree . 232
Allum-root . . 292
Almond . . . 207
Almond Peach . 208
Aloe-wood . . 141
Althæa-frutex . . 76
Amaranth . . 568
Amber-tree . . . 325
Amboyna pitch-tree 623
American bird's-eye 561
American Cowslip 560
Anchovy Pear . 253
Andaman red wood 193
Angelica . . . 303
Angelica-tree . 312
Anise 299
Aniseed-tree . . 16
Anotta 49
Ape Orchis . . 649
Apple 212
Apple-berry . . 58
Apricot . . . 208
Arbor-vitæ . . 622
Archangel . . 542
Arracacha . . . 310
Arrow-grass . . 628
Arrow-head . . 627
Arrow-root . . 658
Artichoke . . 398
Asarabacca . . 595
Ash-tree . . . 454
Asparagus . . . 703
Aspen . . . 620
Asphodel . . . 693
Atamasco Lily . 671
Auricula . . . 561
Avens . . . 226
Awl-wort . . . 46
Azarole . . . 210
Badger-bane . . 13
Page.
Bahama red-wood 137
Balm 538
Balm of Gilead . 542
Balsam . . . 121
Balsam Apple . . 255
Balsam-herb . 558
Balsam of Capevi 205
Balsam of Peru . 146
Balsam of Tolu . 146
Balsam-seed . . 146
Balsam-tree . 95, 145
Balsam-wood . 146
Bamboo-cane . . 744
Bane-berries . . 13
Banana tree . . 659
Banyan tree . . 607
Barbadoes Gooseberry 287
Barberry 19
Barley . . . 747
Baromez . . . 757
Barren-wort . . 19
Base-Rocket . . 48
Basil 529
Bastard Balm . 542
Bastard Cabbage-tree 201
Bastard Cardamon 656
Bastard Cedar . . 82
Bastard Cress . 32
Bastard Cypress . 722
Bastard Flower-fence 196
Bastard Hare's ear 325
Bastard Indigo . 170
Bastard Mangeneel 460
Bastard Orpine . 604
Bastard Pimpernell 563
Bastard Quince . 211
Bastard Saffron . 397
Bastard Vervain 552
Bastard Vetch . 173
Bawd-money . 302
Bay-tree . . . 581
Bead-tree . . 104
Bean 183
Bean-caper . . 125
Bean-trefoil . . 147
Bearbane . . . 13
Bearberry . . 439
Bearbind . . . 485
Bear's-breech . 556
Bear's-ear Sanicle 560
Bedstraw . . . 327
Beech-tree . . . 614
Bee Ophrys . . 651
Beet 575
Belladonna Lily . 671
Bell-flower . . 420
Bengal Quince . . 92
Page.
Benjamin-tree . 581
Bent-grass . . 733
Bergamot . . 531
Bermudas Cedar . 623
Berry-bearing Alder 136
Betle 635
Betony . . . 543
Bilimbi-tree . . 122
Billberry . . . 444
Bindweed . . . 484
Birch-tree . . 615
Bird Cherry . . 209
Bird's eye Primrose 561
Bird's-foot . . 177
Bird's-foot Trefoil 164
Bird's-head . . 642
Bird's-nest . . 654
Bird Pepper . . 502
Bird's-tongue 384, 711
Birthwort . . 595
Bishop's-weed . 298
Bitter Nut . . 612
Bitter-sweet . . 497
Bitter Vetch . 186
Bitter-wood . . 18
Blackberry . . 223
Black Bryony . 690
Black Knapweed 394
Black Parsley . 307
Black Saltwort . 565
Bladder Ketmia . 77
Bladder-nut . . 132
Bladder Senna . 172
Bleaberry . . . 444
Blessed Thistle . 397
Blood-flower . . 676
Bloodwort . . . 23
Blue-bottle . . 395
Bog-rush . . . 722
Bonace-bark . 591
Borage 488
Borecole . . . 40
Box-thorn . . 503
Box-tree . . . 600
Brake 760
Bramble . . . 223
Brasiletto . . . 201
Brazil Nut . . 253
Brazil Pine . . 623
Bread-fruit . . 607
Bread-nut . . . 607
Bread-root . . 166
Broccoli 41
Brome-grass . . 743
Brook-lime . . 519
Brookweed . . 563
Broom 157
Broom-rape . . 524
Brown Knapweed 394
Page.
Brussels sprouts . 41
Bryony . . . 255
Buck-bean . . 474
Buckler Mustard . 33
Buck's-eye tree . 101
Buckthorn . . 136
Buck-wheat . . 578
Buck-wheat tree . 440
Buffalo-clover . 162
Bugle 548
Bugloss . . . 492
Bugwort . . . 13
Bullace-tree . . 208
Bullet-grape . . 106
Burdock . . . 401
Burnet 229
Burnet Saxifrage 299
Bur Parsley . . 308
Bur-reed . . . 770
Butcher's Broom 691
Butter and eggs . 681
Butter-bur . . 339
Butterfly-plant 646, 649
Butter-nut . . 101
Butter-tree . . . 95
Butterwort . . 559
Button-tree . . 233
Button-weed . 324
Button-wood . . 324
Cabbage . . . 40
Cabbage-tree . 715
Cajuputi-tree . . 247
Calabash-tree . 477
Calaba-tree . . . 96
Calamint . . . 538
Calathian Violet . 471
Calf's-snout . . 512
Caltrops . . . 125
Cammock . . 158
Campion . . . 63
Camphire-tree . 582
Camwood . . . 194
Canada Rice . . 726
Canary Grass . . 727
Canary Tea . . 79
Candleberry Myrtle 621
Candy-tuft . . . 33
Cane-brake . . 744
Canterbury bells . 420
Cape Aster . . 340
Cape Holly . . 133
Cape Jasmine . . 318
Cape Phillyrea . 134
Caper-bush . . 47
Caper Spurge . . 598
Carambola-tree . 122
Caraway . . . 298
Cardamon . . . 657
Cardinal-flower . 423
Cardoon . . . 398

Page.
Carline thistle . 392
Carnation . . . 61
Carob-tree . . 202
Carrion-flower . 463
Carrot . . . 307
Cascarilla . . . 601
Cashew-nut . . 141
Cassava . . . 602
Cassia 581
Cassioberry-bush 314
Castor-oil nut . 602
Catalpa-tree . . 476
Catch-fly . . . 63
Cat-chop . . . 271
Caterpillar . . 177
Catmint . . . 540
Cat's-ear . . . 406
Cat's-tail . . 769
Cat's-tail grass . 727
Cat Thyme . . 548
Cauliflower . . . 41
Cedar 625
Cedar of Goa . 622
Cedar of Lebanon 625
Celandine . . . 23
Celery 297
Centaury . . . 393
Chamomile . . 365
Charlock . . . 42
Chaste-tree . . 550
Chaw-stick . . 138
Cheese-rennet . 328
Cherimolli . . . 17
Cherry-tree . . 208
Chervil 309
Chestnut . . . 614
Chestnut Oak . 613
Chicasaw . . 209
Chickling Vetch . 186
Chick Pea . . 183
Chickweed . . . 68
Chile Pine . . 623
China Aster . . 344
China Rose . . 76
Chinese varnish . 142
Chives . . . 700
Chocho . . . 255
Chocolate-nut . 82
Christmas Rose . . 9
Christ's Thorn . 135
Cicely 309
Cinnamon . . 581
Cinquefoil . . . 226
Citron 92
Clary 533
Clearing-nut . . 457
Cleavers . . . 328
Cloth of Gold . . 668
Clove 61
Clover 162
Clove-tree . . 251
Clown's all heal . 543
Club-moss . . 751
Club-rush . . . 723
Cochineal-fig . 287
Cockscomb . . 569
Cocksfoot-grass 730, 741

Page.
Cockshead . . 181
Cockspur-thorn . 209
Cocoa-nut-tree . 716
Cocoa-Plum . . 207
Codlins and cream 236
Coffee-tree . . . 323
Cogwood-tree . 581
Coleseed 41
Colewort . . . 43
Colic-root . . . 685
Colpoon-tree . 134
Coltsfoot . . . 340
Columbine . . . 9
Comfrey . . . 489
Common Cress . . 38
Common Dragon 631
Common Orpine 268
Contrajerva-root 610
Coral-tree . . 192
Coriander . . . 311
Cork-tree . . 613
Cornelian Cherry 313
Corn Cockle . . 67
Corn-flag . . 665
Cornish Moneywort 526
Costmary . . 370
Cotton-grass . . 725
Cofton Thistle . 598
Cotton-tree . . . 78
Couch-grass . . 745
Cow-bane . . . 297
Cowberry . . . 445
Cowgrass . . . 162
Cowitch . . . 190
Cow Parsnep . . 305
Cowrie Pine . . 623
Cowslip . . . 560
Cow-tree 607, 623, 764
Cow-wheat . . 523
Crab 212
Cranberry . . . 445
Crane's-bill . . 107
Creeping Cereus 285
Cress Rocket . . 43
Crosswort . . 326
Crown Imperial . 709
Crow-foot . . . 5
Crow-garlic . . 700
Crow's-foot-grass 730
Cuckold-tree . . 199
Cuckoo-flower . . 28
Cucumber . . 254
Cumin 306
Cup-flower . . 259
Currant . . . 288
Custard Apple . 17
Cypress . . . 622
Daffodil . . . 680
Dahlia . . . 353
Dahoon Holly . 135
Daisy 346
Dammar Pine . 623
Dandelion . . 411
Darnel 746
Date Palm . . 715
Date Plum . . 452
Day Lily . . . 684

Page.
Deadly Carrot . 306
Deadly Nightshade 503
Dead Nettle . . 542
Deciduous Cypress 623
Deodar . . . 625
Deptford Pink . . 61
Devil's-bit . . 333
Dewberry . . . 223
Dill 305
Dittany of Crete 536
Dock 579
Dodder . . . 486
Dog-chop . . 271
Dog's-bane . 13, 458
Dog's Cabbage . 609
Dog's-tail grass . 742
Dog's-tooth Violet 710
Dogwood . . . 312
Doob-grass . . 735
Double Cocoa-nut 715
Dragon . . . 634
Dragon's-head . 541
Dragon-tree . . 704
Dropwort . . . 231
Drumstick-tree . 203
Duck-weed . . 629
Duck's-foot . . 20
Dumb Cane . . 632
Dwarf fan palm . 715
Dyer's green-weed 156
Dyer's-weed . . 48
Earth-nut . 200, 298
Earth Pea . . . 186
Egg-plant . . 500
Egyptian-thorn . 199
Elastic gum tree . 603
Elder 313
Elecampane . . 351
Elephant Apple . 92
Elephant's-foot 335, 690
Elm-tree . . . 610
Enchanter's Nighshade 238
Endive . . . 406
English Mercury 575
Ermine-chop . . 271
Eryngo . . . 296
Evening-flower . 667
Evening Primrose 236
Evergreen Thorn 209
Everlasting . . 379
Everlasting Pea . 185
Eye-bright . . . 522
Fan-Palm . . 715
Feather-grass . . 732
Felwort . . . 470
Female Fern . . 757
Fennel . . . 301
Fennel flower . . 9
Fenugreek . . 160
Fescue-grass . 742
Feverfew . . . 369
Feverwort . . 315
Fiddle-dock . . 579
Fiddle-wood . . 551
Fig Marygold . 271
Fig-tree . . . 606
Figwort . . . 510

Page.
Filbert . . . 614
Filmy-leaf . . . 762
Fiorin-grass . . 733
Fir-tree . . . 624
Fishbone Thistle 401
Fish-poison . . 170
Flat-pea . . . 151
Flax 72
Flax Lily . . . 704
Fleabane . . . 349
Fleawort . . . 352
Flixweed . . . 36
Flower de luce . 659
Flower-fence . 202
Flowering Ash . 455
Flowering Fern . 753
Flowering Raspberry 224
Flowering Rush . 628
Fly Honeysuckle 314
Fly Ophrys . . 651
Fool's Parsley . 301
Forbidden Fruit . 92
Forget-me-not . 493
Foxbane . . . 13
Fox-chop . . . 271
Foxglove . . . 519
Fox-Grape . . 106
Foxtail-grass . 727
Fraxinella . . . 105
French Honeysuckle 181
French Marygold 362
French Sorrel . 579
Friar's-cowl . . 630
Fringe-tree . . 453
Fritillary . . . 708
Frog-bit . . . 627
Frog Orchis . . 650
Fumitory . . . 24
Furze 155
Fustick-wood . . 670
Gambier-tree . 316
Garden Balsam . 558
Garland flower . 657
Garlic 699
Garlic-Pear . . 47
Genip-tree . . 318
Gentian . . . 470
Germander . . 547
German madwort 488
Giant Fennel . . 303
Ginger . . . 656
Gingerbread Plum 207
Ginseng . . . 311
Gladwyn . . . 600
Glasswort . . 575
Glastonbury-thorn 210
Globe Amaranth 571
Globe-flower . . 8
Globe Thistle . 390
Goat's-bane . . 13
Goat's-beard 231, 408
Goat-poison . . 13
Goat's Rue . . 169
Goat's Thorn . . 176
Goat-weed . . 526
Gold of pleasure . 38

	Page.
Golden crown	357
Golden pert	515
Golden-rod	347
Golden-rod tree	575
Golden Saxifrage	293
Golden Thistle	405
Goldy-locks	348
Gooseberry	288
Goosefoot	573
Gourd	254
Gout-weed	298
Grains of Paradise	656
Grape	106
Grape Hyacinth	698
Grass-tree	717
Great Burnet	229
Greater Knapweed	395
Greek Valerian	478
Green Dragon	630
Green-man	649
Green Quinoa	573
Gromwell	490
Ground Ivy	541
Ground Pine	548
Groundsel	383
Guaco	339
Guava	250
Guelder Rose	313
Guernsey Lily	675
Guinea Grass	729
Gum Arabic	199
Gum Cistus	50
Gum Copal	205
Gum Succory	411
Gum-tree	704
Hair-grass	737
Hairy green-weed	156
Hard-grass	747, 748
Hare Bells	696
Hare's-ear	299
Hare's-foot Fern	762
Hare's-foot Trefoil	162
Hare's-tail Grass	737
Hart's-tongue	759
Hartwort	306
Hassagay-tree	134
Hatchet Vetch	177
Hawkweed	414
Hawthorn	210
Hazel	614
Heart's-ease	55
Heart-seed	101
Heath	429
Hedgehog	160
Hedge Hyssop	515
Hedge Mustard	36
Hedge Nettle	543
Hellebore	9
Helmet-flower	644
Hemlock	310
Hemp	609
Hemp Agrimony	339
Hemp Nettle	543
Hen and chicken	346
Henbane	505
Henbit	542
Herb Paris	692
Herb Robert	108
Heron's-bill	108
Hickory-nut	612
Hog Gum-tree	144
Hog Plum	144
Hogweed	568
Holly	134
Hollyhock	74
Honesty	29
Honey-berry	103
Honey-flower	126
Honeysuckle	315
Honeywort	490
Hooded Milfoil	559
Hoop Petticoat	681
Hop	609
Hop Hornbeam	615
Horehound	545
Hornbeam	615
Horn Gourd	256
Horn of Plenty	726
Horn Poppy	23
Hornwort	240
Horse Chestnut	100
Horse Radish	32
Horse-radish tree	207
Horse-shoe Vetch	177
Horse-tail	750
Horse-thistle	399
Hottentot Cherry	134
Hottentot Fig	274
Hound's-tongue	487
Houseleek	270
Humble plant	194
Hyacinth	697
Hyæna-poison	602
Hyssop	537
Ice-plant	277
Indian buckwheat	578
Indian-corn	726
Indian Cress	121
Indian Cucumber	692
Indian Fig	286
Indian Lotus	21
Indian Madder	320
Indian Millet	749
Indian Mulberry	321
Indian Rubber	606
Indian Shot	658
Indigo	166
Ipecacuanha	598
Irish Heath	439
Iron-tree	322
Iron-wood	451
Ironwort	544
Ivy	312
Jaca-tree	607
Jack in a box	582
Jacobea Lily	675
Jalap	483
Jamaica Birch	145
Jamaica Dogwood	171
Jamaica Ebony	193
Jambolana-tree	251
Japan Allspice	232
Jasmine	456
Jerusalem Artichoke	359
Jerusalem Sage	546
Job's-tears	726
Jonquill	681
Judas-tree	206
Juniper	623
Jupiter's-beard	158
Kanguru Vine	105
Kentucky Coffee-tree	201
Kidney-bean	188
Kidney Vetch	158
Knawel	264
Knotted Marjoram	536
Knot-grass	263, 578
Laburnum	156
Lace-bark	591
Lady Fern	757
Ladies-mantle	229
Ladies-slipper	654
Ladies-smock	28
Ladies-traces	654
Lamb's-chop	271
Lamb's Lettuce	330
Lamp-wick	546
Lancashire Asphodel	717
Lance-wood	18
Larch	625
Larkspur	9
Laserwort	307
Laurel	209
Laurestine	314
Lavender	530
Lavender-cotton	368
Leadwort	565
Leather-wood	591
Lee Chee	102
Leek	700
Lemon	92
Lemon-grass	749
Lentil	184
Leopards'-bane	382
Letter-plant	645
Lettuce	410
Licca-tree	130
Lignum vitæ	156
Lilac	454
Lily	709
Lily of the valley	692
Lily Pink	702
Lily-thorn	319
Lime	92
Lime-tree	87
Lion's-ear	545
Lion's-foot	380, 417
Lion's-leaf	19
Lion's-tooth	408
Liquorice	169
Lizard Orchis	649
Lizard's-tail	634
Lobel's Catchfly	66
Locust-tree	171, 205
Logwood	202
London-pride	290
London Rocket	36
Looking-glass plant	82
Loose-strife	562
Loquat	211
Lord Anson's Pea	185
Lousewort	523
Lovage	303
Love Apple	501
Love-grass	738
Love lies bleeding	569
Lucerne	159
Lungwort	489
Lupinaster	164
Lupine	191
Lychnidea	478
Lyme-grass	747
Madagascar Potatoe	500
Madder	326
Madwort	30
Maidenhair	761
Maidenhair-tree	621
Maiden Plum	142
Mahogany-tree	105
Malabar nightshade	572
Malabar-nut	557
Malabar Rose	77
Malay Apple	252
Male Fern	757
Mallow	73
Mammee-tree	95
Manchineel-tree	603
Mandrake	503
Mango-ginger	655
Mango-tree	142
Mangosteen	95
Manna Ash	455
Maple	100
Mare's tail	239
Marjoram	536
Marrowfat Pea	185
Marsh Cinquefoil	228
Marsh Mallow	74
Marsh Marygold	8
Marsh Parsley	308
Marsh Pennywort	295
Marsh Thistle	400
Martagon	710
Marygold	387
Marvel of Peru	567
Masterwort	304
Mastic-tree	142
Matt Grass	748
May Apple	20
Meadow-grass	739
Meadow Rue	2
Meadow Saffron	710
Meadow Saxifrage	301
Meadow-sweet	231
Medick	159
Medlar	209
Medusa's-head	597
Melic-grass	741
Melilot	161
Melon	254
Melon Thistle	282
Mercury	596
Mexican Lily	672
Mezereum	591
Michælmas daisy	342
Mignonette	48
Milfoil	367
Milk Parsley	303
Milk Thistle	398

Page.
Milk tree . . . 461
Milk Vetch . . 174
Milkwort . . . 56
Milk-wood . . 607
Millet Grass . . 729
Mint 531
Misseltoe . . . 315
Mocker-nut . . 612
Moldavian balm . 541
Molucca balm . 546
Moly 701
Monkey-flower . 516
Monkshood . . 11
Moon-seed . . 18
Moonwort . . 752
Moreton bay Chestnut 202
Morning-flower . 663
Moschatel . . . 311
Motherwort . . 542
Mountain Ash . 212
Mountain Rose 201,242
Mountail Sorrel . 579
Mouse-bane . . 13
Mouse-chop . . 271
Mouse-ear . . 414
Mouse-ear Chickweed 70
Mouse-tail . . . 5
Mouse-tail grass 743
Moving-plant . . 179
Moxa 374
Mudwort . . . 516
Mugwort . . . 374
Mulberry . . . 607
Mule Fern . . 759
Mullein . . . 508
Musk Melon . 256
Musk Okro . . 77
Musk Thistle . 398
Mustard . . . 42
Myrobalan . . 208
Myrrh 310
Myrtle 251
Mysore-thorn . . 202
Naseberry-tree . 451
Navelwort . . . 267
Navew 41
Nectarine . . 208
Nettle 608
Nettle-tree . . 610
New Jersey Tea 137
New Zealand Cork-tree 85
New Zealand Spruce 622
New Zealand Tea 249
Nicker-tree . . 201
Nightshade . . 497
Nintoo . . . 315
Nipplewort . . 405
Norfolk Island Pine 623
Nutmeg . . . 583
Nut-tree . . . 614
Oak 612
Oat-grass . . . 737
Oats 737
Officinal Squills . 696
Ogechee-Lime . 594

Page.
Oil-nut . . . 594
Oily-grain . . 478
Oily-Palm . . . 716
Old man's beard 408
Oleander . . . 458
Oleaster . . . 594
Olibanum-tree . 145
Olive 453
Olive-bark tree . 233
Olive-wood . . 133
Omime-root . . 530
Onion 700
Opera girls . . 655
Orache 574
Orange-Gourd . 256
Orange-tree . . 92
Orpine . . . 262
Osage Apple . . 607
Osier 617
Oswego Tea . . 535
Otaheite Apple . 145
Otaheite Chestnut 451
Otaheite Myrtle . 604
Ox-eye . . . 352
Ox-eye Daisy . . 368
Ox-lip . . . 560
Ox-tongue . . 410
Pæony . . . 14
Palma Christi . 602
Palms . . . 714
Palo de vacca . . 607
Panic-grass . . 729
Papaw-tree . . 256
Paper Mulberry 607
Paper Rush . . 725
Paraguay Tea . 135
Parsley . . . 297
Parsley-piert . . 229
Parsnep . . . 305
Pasque-flower . 3
Passion-flower . 257
Patience Dock . 579
Pea 185
Peach 208
Pear 211
Pearlwort . . . 67
Pecan-nut . . . 612
Pellitory . . . 609
Pellitory of Spain 366
Penny-cress . . 32
Pennyroyal . . 532
Pennywort . . 268
Pepper 635
Peppermint . . 531
Peppermint-tree 248
Pepper Vine . . 106
Pepperwort . . . 38
Perriwinkle . . 460
Petty whin . . 156
Pheasant's eye . 5
Phillyrea . . . 453
Physic-nut . . 602
Picotee . . . 61
Pigeon Pea . . 191
Pigeon Plum . 207
Pig-nut . . . 612
Pilewort . . . 8
Pillwort . . . 751

Page.
Pimpernell . . 563
Pine Apple . . 705
Pine-tree . . . 624
Pink 61
Pin-pillow . . 286
Pipewort . . . 719
Pishamin . . . 462
Pistachia-tree . . 142
Pitcher-plant . 595
Plane-tree . . . 620
Plantain . . . 566
Plantain-tree . . 659
Plank-plant . . 151
Plowman's spikenard 349
Plum-tree . . . 208
Poet's Cassia . 593
Poison bulb . . 675
Poison-nut . 457, 461
Poison Oak . . 143
Poley 548
Polypody . . . 755
Pomegranate . . 232
Pond-weed . . 628
Poplar 620
Poppy 22
Portugal Laurel . 209
Potatoe . . . 497
Primrose . . . 560
Prince's Feather . 569
Privet 453
Puccoon . . . 23
Pumpkin . . . 256
Purging Cassia . 202
Purslane . . . 261
Purslane-tree . . 262
Pyracantha . . 209
Quaking-grass . 740
Quillwort . . . 751
Quince . . . 212
Radish . . . 44
Ragged Robin . 67
Ragwort . . . 388
Rambootan . . 102
Ramoon-tree . . 607
Rampion . . . 422
Ramson . . . 702
Rape 41
Raspberry . . . 223
Red Cedar . . 623
Red Gum-tree . 247
Red Lac . . . 143
Red Quinoa . . 573
Red Sandal-wood 193
Redtop-grass . . 738
Red-water tree . 195
Reed 735
Reed-grass . . 734
Rest-harrow . . 157
Rhubarb . . . 580
Ribbon-flower . 668
Rib-grass . . 566
Rice 726
Rocambole . . 700
Rocket 35
Rock-Rose . . 50
Rope-grass . . 719
Rose 213

Page.
Rose Acacia . . 171
Rose Campion . 67
Rosemary . . . 535
Rose of Jericho 34
Rose-root . . 268
Rough Chervil . 309
Rough Plum . 207
Rue 126
Rupture-wort . 262
Rush 718
Rush-nut . . 724
Rye 746
Rye-grass . . 746
Sacred Bean . . 20
Sage 532
Sago-Palm . . 715
Saintfoin . . . 181
St. Andrew's cross 94
St. Barnaby's thistle 396
St. Brunos's Lily 693
St. John's bread 202
St. John's wort . 92
St. Martin's flower 684
St. Peter's wort 314
Salep 634
Salt-tree . . . 172
Saltwort . . . 572
Samphire . . 303
Sandal-wood . . 593
Sandbox-tree . 603
Sandwort . . . 69
Sanicle . . . 296
Sapota 451
Sappan fruit . . 195
Sarsaparilla . . 691
Sassafras . . . 581
Satin-wood . . 105
Savanna-flower . 458
Savin 623
Savory . . . 537
Savoy 40
Savoy Spiderwort 693
Sawfly Ophrys . 651
Sawwort . . . 402
Saxifrage . . . 290
Scabious . . . 332
Scallion . . . 700
Scammony . . 485
Scarlet-runner . 188
Scorpion-grass . 493
Scorpion Senna . 177
Scotch bird's-eye 561
Scotch Laburnum 156
Screw-Pine . . 629
Screw-tree . . 81
Scrubby Oak . . 316
Scunkweed . . 634
Scurvy-grass . . 22
Sea-buckthorn . 594
Sea Chickweed . 70
Sea Daffodil . . 679
Sea-egg . . . 160
Sea Heath . . 59
Sea Holly . . . 297
Sea Kale . . . 44
Sea Lavender . . 564
Sea Matweed 629, 734
Sea Parsnep . . 310

	Page.
Sea Ragwort	384
Sea Rocket	35
Seaside Balsam	601
Seaside grape	575
Seaside grass	744
Seaside Laurel	603
Seaside Oat	744
Sedge	720
Self-heal	539
Senna	203
Sensitive Fern	759
Sensitive-plant	194
Serpent-wood	461
Service-tree	212
Shag Bark	612
Shaddock	92
Shallon	440
Shallot	700
Sheep's-beard	409
Sheep's Scabious	418
Sheep's Sorrel	580
Shell Bark	612
Shepherd's club	508
Shepherd's Cress	33
Shepherd's purse	33
Shield Fern	756
Shore-weed	567
Shrubby-horsetail	621
Shrubby Trefoil	130
Shumee-tree	198
Siberian bird's-eye	561
Siberian Crab	212
Side-saddle flower	21
Silk cotton tree	81
Silk Oak	588
Silver Fir	625
Silver-tree	583
Single-seeded Cucumber	255
Skirret	299
Skull-cap	539
Slipper Spurge	596
Slipperwort	521
Sloe-tree	208
Small Burdock	355
Snail-flower	188
Snake Cucumber	254
Snake Gourd	256
Snakeroot 13, 320,	595
Snake's-beard	692
Snake's-tongue	752
Snake's-weed	577
Snakewood	607
Snakewort	339
Snap-dragon	512
Sneezewort	366
Snowball-tree	313
Snowberry 314,	322
Snowdrop	683
Snowdrop-tree	448
Snow-flake	683
Soap-berry	102
Soapwort	63
Soft-grass	728
Soldier-wood	195
Solomon's seal	691
Sorrel	580
Sorrel-tree	439
Sour-gourd	81
Soursop	17
Southernwood	373
South-sea Myrtle	249
South-sea Tea	134
Sow-thistle	414
Soy	189
Spanish Broom	155
Spanish Cress	39
Spanish Elm	495
Spanish-nut	661
Sparrow-wort	592
Spear-mint	531
Speedwell	517
Spider Ophrys	651
Spiderwort	713
Spignel	302
Spinage	575
Spindle-tree	132
Spleenwort	757
Sponge-tree	199
Spread-eagle	646
Spring-grass	728
Spruce Fir	625
Spurge	596
Spurge Laurel	591
Spurless Violet	55
Spurrey	68
Squash	256
Squill	697
Squirting Cucumber	255
Staff tree	133
Star Apple	451
Starch Hyacinth	698
Starfish	464
Star-flower	141
Star of Bethlehem	695
Star of the earth	567
Starry Scabious	393
Star-thistle	396
Starwort	340
Sterile Strawberry	228
Stichwort	68
Stinking Horehound	546
Stock	25
Stonecrop	268
Storax	448
Stork's-bill	111
Stramonium	506
Strapwort	262
Strawberry	224
Strawberry-blite	575
Strawberry-tree	439
Succory	406
Sugar-cane	748
Sulphurwort	304
Sumach	142
Summer Cypress	573
Sundew	56
Sunflower	359
Sun-Rose	50
Supple Jack	101
Swallow-wort	467
Sweet Bay	581
Sweet Briar	215
Sweet-flag	634
Sweet Gale	621
Sweet-grass	740
Sweet-gum tree	621
Sweet Maudlin	367
Sweet Pea	186
Sweet Potatoe	482
Sweet Scabious	332
Sweet-sop	17
Sweet Sultan	393
Sweet William	61
Sword Fern	754
Sycamore	100
Syrian Rue	126
Syringa	245
Tacamahac 145,	620
Tallow-tree	603
Tamarind	202
Tamarisk	59
Tangier Pea	186
Tansy	374
Tare	184
Tarragon	373
Teak-wood	552
Teasel	331
Tea-tree	91
Thistle	398
Thorn Apple	505
Thorn seed	355
Thrift	564
Throatwort 421,	423
Thyme	536
Tick-seed	575
Tiger-chop	271
Tiger-flower	663
Tile-root	667
Toad-flax	512
Tobacco	504
Tongue Aloe	687
Tonquin Bean	201
Tooth-pick	298
Toothwort 29,	525
Tormentil	228
Touch me not	122
Tower Mustard	27
Traveller's joy	1
Treacle Mustard	31
Tree Celadine	23
Tree Mallow	75
Tree Onion	700
Trefoil	162
Tricolor	569
Trompet Marin	681
True Chervil	309
Trumpet-flower	474
Trumpet Honeysuckle	315
Tuberose	685
Tulip	707
Tulip-tree	16
Tupelo	594
Turk's-cap 282,	710
Turmeric	655
Turnep	41
Turnep Cabbage	41
Turnsole	493
Turpentine-tree	142
Tutsan	92
Twayblade	654
Umbrella-wort	567
Valerian	329
Velvet-leaf	18
Velvet Tamarind	206
Venus Flytrap	56
Venus looking-glass	423
Venus Navelwort	488
Venus's comb	309
Vervain	553
Vetch	183
Vine	106
Vine Cucumber	256
Violet	53
Viper's Bugloss	490
Viper's-grass	409
Virginian creeper	106
Virginian Hemp	575
Virginian Poke	571
Virginian Silk	469
Virgin's Bower	1
Wall-cress	27
Wallflower	25
Wall Rocket	43
Wall Rue	758
Walnut-tree	611
Wampee-tree	91
Waratah	590
Wart-flower	108
Wartwort	599
Water-caltrops	239
Water Chickweed	262
Water Cress	27
Water Dropwort	300
Water Hemlock	300
Water Horehound	532
Water-leaf	496
Water Lily	21
Water Melon	254
Water Milfoil	239
Water Parsnep	299
Water Pepper	578
Water Plantain	627
Water Purslane	240
Water-soldier	627
Water Starwort	239
Water Violet	562
Water-weed	629
Waterwort	71
Wax Dammar	622
Wayfaring-tree	313
Weasel bane	13
Weasel-chop	271
Weymouth Pine	625
Wheat	744
Whipcord	265
Whiplash	270
White Ash	294
Whitebeam	212
White Cedar	622
White Hellebore	712
White thorn	209
Whitlow-grass	31
Whortle-berry	444
Widow wail	144
Wild Basil	538
Wild Bugloss	492
Wild Chamomile	369

	Page.		Page.		Page.		Page.
Wild Cumin	310	Winter-berry	135	Wooden-pear-tree	589	Yellow-bird's nest	445
Wild Liquorice	187	Winter Cherry	498, 502	Woodruff	326	Yellow Pea	186
Wild Rosemary	438	Winter Cress	26	Wood-rush	717	Yellow Poley	548
Wild Service	212	Winter Grape	106	Wood-sage	547	Yellow rattle	523
Wild Tansey	228	Winter-green	445, 562	Wood Sorrel	122	Yellow-root	14
Willow	616	Witch-Hazel	763	Woolhead	375	Yellow Sultan	393
Willow herb	236	Woad	39	Worm-grass	473	Yellow-wort	471
Winged Pea	165	Wolf bane	13	Wormwood	372	Yew-tree	622
Winter Aconite	8	Wolf-chop	271	Yam	689	Zebra-plant	657
Winter-bark	16	Woodbine	315	Yarrow	367		

THE END.

LONDON:

PRINTED BY BLATCH AND LAMPERT, GROVE PLACE, BROMPTON.

IX.

LADIES' BOTANY.

By Dr. Lindley, Editor of the *Botanical Register*, *Fossil Flora of Great Britain*, *&c.* Fourth Edition. Two Vols. 8vo. with numerous illustrative Plates, 16s., and finely coloured, 25*s.* each.

"We consider it quite needless to recommend this work: it must find its way into the library of every lady, and it ought to be in the coat pocket of every young gardener."—*Gardener's Mag.*

"*Let it be known*—let it be introduced into every library, reading-room, and seminary, throughout Britain; let it become the class book of botanical study."—*Horticultural Register.*

N.B. An Abridgment of this beautiful Work, illustrated with Woodcuts, for the Use of Schools and Young Persons in general, is in the Press, and nearly ready for delivery, price 12*s.* bound in cloth.

X.

THE FOSSIL FLORA OF GREAT BRITAIN;

Or, Figures and Descriptions of the Vegetable Remains found in a Fossil State in this Country. By John Lindley, Ph.D. F.R.S. L.S. and G.S. &c. and William Hutton, F.G.S. &c. In 3 vols. £6. 12*s.*

"This excellent work has now reached the eighteenth number, and, as we understand, draws near to its completion. The numbers contain about ten plates each, which are carefully drawn, and beautifully engraved. The plants are named and described; their analogies to existing species pointed out; their localities indicated. When the number of plates, and their accuracy and beauty is considered, its price is very moderate,—the charge for the whole, as far as it has gone, not much exceeding four pounds. It is the first work in which any account approaching to completeness of the Fossil Flora of Great Britain has been given.*** To the Geologist it is indispensable. The Botanist must find it instructive; and to all liberal and enquiring minds it presents interesting matter for reflection, as a record of extinct races of organized bodies, throwing light on the state of the Globe myriads of years before man existed.***"—*Scotsman, Oct.* 7, 1835.

"This curious and interesting volume. * * * In truth, it may be considered as a geological annual."—*Athenæum, on the First Volume.*

"This work is an important contribution to the science of British, and, indeed, of universal geology; and, we trust, will be so patronized by the scientific men of our country, as to cause it to be proceeded in with spirit and satisfaction by its authors and proprietors. * * * The preface is a rich and valuable essay on Fossil Botany."—*Loudon's Magazine of Natural History, &c.*

XI.

DR. LINDLEY'S SERTUM ORCHIDEUM.

A WREATH of the MOST BEAUTIFUL ORCHIDACEOUS FLOWERS.

To be completed in 10 Parts, at 25*s.* each, splendidly coloured.

Subscribers are respectfully informed that Part V. is now ready for delivery.

Part VI. is in forward state.

XII.

HERBERT ON BULBS, ETC.

Just published, in royal octavo, 48 copper plates, 25*s.* or coloured 38*s.*

AMARYLLIDACEÆ.

Followed by a Treatise on Cross-bred Vegetables, and Supplement.

By the Hon. and Rev. W. Herbert.

"In Mr. Herbert's Monograph of Amaryllidaceæ, the cultivator will find a mutitude of invaluable directions as to the proper management of that beautiful tribe of plants; and what renders such remarks the more acceptable to the horticultural world, is their being invariably the result of long personal experience. The memorandum upon the habits and consequent treatment of Phycella, may be taken as an example."—*Bot. Reg. note* 1943.

"It is the most scientific, and at the same time the most practical work on this department of practical botany that ever issued from the press. By practical botany, I mean the labours of the cultivator, blended with the researches of the botanist. Every page and suggestion is replete with practical and scientific information."—*Loudon's Gardeners' Mag. June* 1, 1837.

XIII.

Second Edition. One Volume, royal 8vo. with Eighteen coloured Plates, 21*s.* cloth boards.

ROSARUM MONOGRAPHIA;

Or, a BOTANICAL HISTORY of ROSES. To which is added, an Appendix for the Use of Cultivators, in which the most remarkable Garden Varieties are systematically arranged; with Nineteen Plates, Eighteen beautifully coloured. By JOHN LINDLEY, Ph.D. F.L.S. R.S. &c. &c.

XIV.

In 8vo. with Plates and Plans, 6*s.*, or 9*s.* finely coloured.

THE LANDSCAPE GARDENER;

Comprising the History and Principles of tasteful Horticulture.

By the Rev. Prebendary DENNIS.

"But taste, like every other quality of the mind, may be nurtured into excellence; and Mr. Dennis has shown himself well qualified for the task of unfolding it, and, to use the phrase of the celebrated Landscape Gardener of the last century, with whose name he is familiar, making the most of its *capability*."—*Horticultural Journal.*

"The present work abounds with original observation, and is well worthy of a place by the side of the most esteemed publications on the principles of Landscape Gardening."—*Horticultural Journal, second notice.*

XV.

SECOND EDITION, ENLARGED,

MORETON ON THE NATURE AND PROPERTY SOILS.

And the best means of permanently increasing THEIR PRODUCTIVENESS, and on the Rent and Profits of Agriculture. By JOHN MORETON. Price 5*s.*

XVI.

A TREATISE ON MANURES.

Giving an Account of their History, Composition, Utility, and every Practical Information respecting them. By C. W. JOHNSON, Esq.

XVII.

IMPROVEMENT OF MEADOW AND PASTURE LANDS.

SINCLAIR ON GRASSES, &c.

HORTUS GRAMINEUS WOBURNENSIS;

Or, an Account of the Results of various Experiments on the Produce and Fattening Properties of different Grasses, and other Plants, used as the Food of the more valuable domestic Animals; carried on for a number of years at Woburn Abbey, by command of the Duke of Bedford, and, being now matured, are presented for the benefit of the Agricultural community. Illustrated with numerous Plants and Seeds, in Forty Plates; with Practical Observations on their natural habits, the Soils best suited to their Growth, with Instructions for the Preservation of their Seed; pointing out the kinds most profitable for Permanent Pasture, Irrigated Meadows, Dry or Upland Pasture, and the alternate Husbandry. Accompanied with the discriminating Character of the Species and Varieties. To which is now added, the Weeds of Agriculture. By G. SINCLAIR, F.L.S. and F.H.S., Gardener to his Grace the Duke of Bedford, &c. Fourth Edition. Price £1. 10*s.* coloured.

"The Hortus Gramineus Woburnensis does honour to our country."—*Monthly Critical Gazette.*

XVIII.

Illustrated with numerous explanatory Plates, price 6*s.*

THE PLANTER AND PRUNER'S ASSISTANT.

BY JAMES MAIN, A.L.S., &c. &c.

Giving every possible Instruction for the Planting, Rearing, Pruning, and General Management of every kind of Forest Tree; with Practical Hints on the choice of Soil, Situation, &c. &c.

IMPORTANT WORKS

ON

BOTANY, HORTICULTURE, &c.,

RECENTLY

PUBLISHED BY JAMES RIDGWAY,

AND TO BE HAD OF ALL BOOKSELLERS.

I.

Sixth Edition. 16*s.* cloth boards.

SWEET'S HOT-HOUSE & GREENHOUSE MANUAL;

Or, BOTANICAL CULTIVATOR: giving full practical Instructions for the Management of all the Plants cultivated in the Hot-houses, Green-houses, Frames, and Borders in the Gardens of Great Britain; with Plain Directions for the Management of Bulbs and Plants in Rooms, &c. By R. SWEET, F.L.S. Practical Nurseryman. With Numerous Additions and Improvements, brought down to the present time.

"Indeed, what Mr. Sweet has said on the Culture of Bulbs and Epiphytes, in the last edition of his Botanical Cultivator, may be considered as the *ultimatum* on this subject for the British gardener."—*Gardener's Mag.*

II.

SWEET'S GERANIACEÆ.

Now complete, in Five Volumes, each containing One Hundred beautifully-coloured Figures of the choicest and most distinct Species and Hybrid Productions of this greatly admired Tribe. From this Work may be selected a collection of the sorts most suited to the taste of any Lady or Gentleman, who wishes to make one of this beautiful Family. Price 3*l.* 3*s.* each Volume.

III.

SWEET'S CISTINEÆ.

An account of the Family of CISTUS, or ROCK-ROSE; illustrated by 112 handsomely-coloured figures, and Descriptions of this handsome and generally admired Tribe of Plants, with Descriptions of the other Species that could not be obtained; and a full account of the best method for their Cultivation, Propagation, or any thing else belonging to them, considered of importance. One Vol., royal 8vo. Price 4*l.* 4*s.*

IV.

Complete in one Volume, royal 8vo., price 2*l.* 2*s.*, bound in cloth boards.

FLORA AUSTRALASICA.

By ROBERT SWEET, F.L.S.

Illustrated by Fifty-six elegantly-coloured Figures, of the most beautiful and curious Plants, Natives of New Holland and the South Sea Islands (generally called Botany Bay Plants.) They are well adapted for a Greenhouse, or Conservatory; and many will survive the Winters, in the open ground, with a very little protection.

V.

In Two Volumes, royal 8vo., with Coloured Plates, price 7*l.* 7*s.* cloth boards.

THE FLORIST'S GUIDE;

Giving Practical Instructions for the Proper Management and Cultivation of the various Florist Flowers, especially Tulips, Ranunculus, Auriculas, Hyacinths, Carnations, Pinks, Roses, &c., with Directions for raising new Varieties from Seeds; illustrated by Coloured Portraits of 200 Flowers. By ROBERT SWEET, F.L.S.

VI.

Complete in Seven Volumes, price 3*l.* 16*s.* each Vol.

THE BRITISH FLOWER GARDEN

AND ORNAMENTAL SHRUBBERY.

By Robert Sweet, F.L.S.

No. IX. for Feb. 1. *New Series.*

Each Number contains four full and highly coloured Figures, with Dissections of the most essential parts, of the most beautiful, rare, curious, or interesting Herbaceous Plants, or Flowering Shrubs, that are cultivated in the open Borders, Shrubberies, &c. in the Gardens of this Country; with a full Account of the best and most successful Mode of Management in Culture and Propagation, the Soils and Situations most suitable for them. Twenty-five Numbers will form each Volume, and Three Volumes will complete the Series. The First Series, in Three Volumes, may be had, price 3*l.* 16*s.* each.

"The British Flower Garden ought to be in the hands of all Cultivators of hardy, flowering Plants.—*Loudon's Gardener's Mag.*

VII.

Dr. LINDLEY'S BOTANICAL REGISTER;

OR, ORNAMENTAL FLOWER GARDEN AND SHRUBBERY.

Publishing the First of every Month, price 3*s.* 6*d.*

Each Number contains finely-coloured Portraits, from life, of the handsomest Flowering Plants and Shrubs grown in this country, accompanied by their History, Treatment in Cultivation, Propagation, &c., much useful, scientific, and literary information.

Each Volume may be had separately.

*** All the numbers which were out of print are now reprinted.

"This Series, placed under the superintendence of Professor Lindley, comes forth with increased splendour of illustration, and increased accuracy of description. The present number contains many plants and shrubs of extreme beauty, delineated and coloured, so as almost to rival the tints of nature, and bestow perpetuity on her loveliest, yet most transitory productions. The letter-press, in addition to the ordinary information, as to the habits, mode of culture and organization of the plant, occasionally introduces points of vegetable physiology, or observations respecting its economical uses, which possess much interest."—*Athenæum.*

"The Botanical Register, from containing most or all of the new plants introduced by the Horticultural Society, from the great care with which its plates are executed, and the judicious remarks on culture and general habit, by Dr. Lindley, is, in consequence, the superior publication.— —*Loudon's Magazine of Botany, &c.*

"Too much praise cannot be bestowed upon this work."—*Horticultural Cabinet.*

VIII.

ORCHIDACEOUS PLANTS.

Complete in Four Parts, in imperial 4to, price 30*s.* each coloured, and 15*s.* plain,

PART THE FOURTH.

THE GENERA AND SPECIES OF ORCHIDEOUS PLANTS.

By John Lindley, Ph.D. F.R.S., L.S., G.S. &c. &c. Professor of Botany in University College, London. Illustrated by Ten Drawings on Stone, from the Sketches of Francis Bauer, Esq. F.R.S. L.S. and H.S.

*** The FOURTH and FIFTH PARTS of the Letter-press to the Genera and Species of Orchideous Plants, comprising part of the OPHRYDEÆ, is now ready, price 5*s.* 6*d.* and 3*s.* 6d.

Part I. price 7*s.*, Part II. 2*s.* 6*d.*, and Part III. 7*s.* are on sale.

3 2044 103 115 38